ISSN 0386-586X

土木研究所彙報

TECHNICAL NOTE OF THE PUBLIC WORKS RESEARCH INSTITUTE

Vol. 42

土木構造物における加速度強震記録(No. 9)

Strong-Motion Acceleration Records from Public Works in Japan (No. 9)

January 1984

建設省土木研究所

Published by

The Public Works Research Institute, Ministry of Construction

Copyright © 1983 by P. W. R. I.

All rights reserved. No part of this book may be reproduced by any means, nor transmitted, nor translated into a machine language without the written permission of the Director General of P. W. R. I.

この報告書は，土木研究所長の承認を得て刊行したものである。したがって，本報告書の全部又は一部の転載，複写は土木研究所長の承認を得ずしてこれを行なってはならない。

土木研究所彙報第42号
TECHNICAL NOTE OF PUBLIC WORKS RESEARCH INSTITUTE
VOL. 42

土木構造物における加速度強震記録（No.9）

Strong-Motion Acceleration Records from Public Works in Japan (No.9)

昭和59年1月 January 1984

土木研究所 地震防災部 振動研究室
室 長 荒川直士 — Tadashi ARAKAWA, Head, Ground Vibration Division, Earthquake Disaster Prevention Department, Public Works Research Institute Ministry of Construction

主任研究員 川島一彦 — Kazuhiko KAWASHIMA, Chief Research Engineer, do

研究員 田村敬一 — Keiichi TAMURA, Research Engineer, do

相沢興 — Koh AIZAWA, Assistant Research Engineer, do

高橋和之 — Kazuyuki TAKAHASHI, Assistant Research Ehgineer, do

本彙報は，土木研究所が管理する強震加速度記録を地震発生年月日の順に掲載した第9巻めの資料である。この資料には，1981年1月から1982年12月までの70成分の強震加速度記録のディジタル数値，ディジタル記録の再生波形および応答スペクトル曲線等を網羅している。

本報告書が，先に公刊した資料と合わせて，構造物の耐震設計の向上のために活用されれば幸いである。

This is the 9th report presenting earthquake acceleration motions measured on structures (except building or port structures) and on grounds near the structures in Japan. This issue contains 70 components of earthquake motions measured between January 1981 and December 1982, together with digitized values and linear response spectra of the records. English explanation for foreign readers is provided in Appendix 5 on page 593

目　　次

1. 概　　説 …… 1

2. 掲載地震動記録 …… 2

3. 地震の諸元 …… 6

4. 強震計の作動状況 …… 9

5. 地震動の加速度記録 …… 28

6. 応答スペクトル …… 65

7. 地震記録のディジタル数値 …… 90

参　考　文　献 …… 572

付録－1. 強震観測網の現状 …… 575

付録－2. 強震計の特性 …… 581

付録－3. 記録の補正 …… 591

付録－4. 応答スペクトルの計算法 …… 592

付録－5. 英文解説（English Description） …… 593

1. 概　　説

建設省の土木関連施設における強震観測は，昭和32年度に近畿地方建設局が猿谷ダムにSMAC型強震計を設置し観測を開始したことに端を発している。それ以来，土木研究所では土木構造物およびその近傍の地盤の強震観測を推進し，地方建設局，関係公団，地方庁などの諸機関による強震観測とも合わせて，記録の収集，整理にあたり，主要な記録は逐次公刊するとともに，特に重要な記録については数値化を行ない現在までに多数の資料を刊行してきた。現在までに得られた強震記録は各種の調査，研究に広く利用され，土木構造物の耐震性の調査ならびに耐震設計に活用されている。

現在までに刊行された資料の多くは，強震観測体勢と検索システムを徐々に整備するとともに，記録の利用法を模索するなかで個々の強震記録の利用を図るという点に力点が置かれていたため，ややもすると統一した利用性を欠くきらいがあった。しかしながら，その後の強震観測体勢の整備および採取された強震記録の解析によってもたらされた地震動と地震の規模あるいは地震動と地盤条件等の因果関係が少しづつ解明されるとともに，耐震設計の中で強震記録の一層の利用を促進するためには，単に個々の地震動の記録のみならず，それが採取された地震の特性，同時に観測された他地点の記録等との関連をつけながら，より総合的に記録の利用を図る必要のあることが指摘されてきた。本資料はこのような強震記録を土木研究所が現在推し進めている地震動記録の総合検索システムの一環として位置づけ，整理した第8巻めの資料である。本資料には，1981年1月から1982年12月までの70成分の強震記録が収録されており，これに続く記録および関連する資料も逐次刊行していく予定である。

現在までに本シリーズとして次の7冊が刊行されている。

1）土木構造物における加速度強震記録（No.1）：1966年1月～1967年9月の記録を収録，土木研究所彙報第32号，1978年3月。

2）土木構造物における加速度強震記録（No.2）：1978年1月～1978年12月の記録を収録，土木研究所彙報第33号，1978年10月。

3）土木構造物における加速度強震記録（No.3）：1967年9月～1968年10月の記録を収録，土木研究所彙報第34号，1978年10月。

4）土木構造物における加速度強震記録（No.4）：1968年10月～1969年12月の記録を収録，土木研究所彙報第35号，1980年3月。

5）土木構造物における加速度強震記録（No.5）：1970年1月～1971年12月の記録を収録，土木研究所彙報第36号，1980年3月。

6）土木構造物における加速度強震記録（No.6）：1972年1月～1973年12月の記録を収録，土木研究所彙報第37号，1981年7月。

7）土木構造物における加速度強震記録（No.7）：1974年1月～1975年12月の記録を収録，土木研究所彙報第38号，1981年3月。

8）土木構造物における加速度強震記録（No.8）：1976年1月～1977年12月および1979年1月～1980年12月の記録を収録，土木研究所彙報第41号，1982年10月。

本資料に収録された地震記録は，多忙な業務の合間を縫い観測に協力された諸機関の観測担当者の努力の成果である。ここに観測に携わった方々の地道な努力に敬意を表するとともに，本資料が広く利用され，耐震設計の合理化に資することを望むものである。

2. 掲載地震動記録

本資料に収録した地震動記録の一覧をTable 1に示す。Table 1には記録が採取された地震および強震計の設置位置が併記されており，それぞれ後述するTable 2（地震の諸元）およびTable 3（地震計の作動状況）と対応するようになっている。

Table 1の項目を順を追って説明すると以下のようになる。

Table 1の項目	説　　明
INDEX NO.	地震動の記録をディジタル化した整理番号（年代順）
RECORD NO.	地震動記録の採取された場所の整理番号であり，強震計の設置点の整理番号（STATION NO.）を示す数字，強震計の設置箇所（INSTRUMENT）を示すアルファベットの記号（GR，PI，AB，DA，A，B，C等）および当該強震計で観測された何番目の記録であるかを示す数字（SEQUENCE NO.）より構成されている。 設置箇所（INSTRUMENT NO.）を示すアルファベットの記号は以下の通りである。 GR：地盤上の記録（Ground） PI：橋脚上の記録（Pier） AB：橋台上の記録（Abutment） G：橋桁の記録（girder） FU：橋脚基礎上の記録（footing） DA：ダム本体の記録（Dam） ES：河口堰の記録（Estuary Dam） GT：水門の記録（gate） BK：堤防上の記録（bank） TU：トンネルの記録（tunnel） US：地下構造物の記録（under ground structure） n.F or Bn.F：建物の記録（building） ST：その他の構造物の記録（structure）
NAME OF STRUCTURE	強震計が設置されている場所で橋，ダム等の名称をとって表示されている場合が多い。 強震計の感振方向は次のように表示されている。 N－S，E－W：南北方向，東西方向 LG.，TR.：構造物の主軸方向，主軸に直交する方向 U－D：上下方向

Table 1の項目	説　　明
MAXIMUM ACCELERATION (GAL)	地震動記録の最大加速度〔単位はGal〕
TIME (SEC)	最大加速度の生ずる時間〔単位は秒〕
DURATION TIME (SEC)	ディジタル化した地震動記録の継続時間〔単位は秒〕
EARTHQUAKE NO.	地震動記録が採取された地震の整理番号であり，地震の発生した年およびその年の地震発生順にふった番号より構成される。なお，E.Q.NO.が表示されていない記録はそれが採取された地震が整理されていないかもしくは，はっきり識別できないことを示す。

Table 1-1. Index of Earthquake Records

INDEX NO.	STATION RECORD NO.	NAME OF STRUCTURE		MAX.ACCEL. (GAL)	TIME (SEC)	DURATION TIME (SEC)	DATA NUMBER	E.Q.NO.
775	105-GR-17	MASAKI BRIDGE	TR.	-26.992	5.19	31.99	2835	81003
776	105-GR-17	MASAKI BRIDGE	U-D	-8.148	8.95	31.99	1869	81003
777	105-GR-17	MASAKI BRIDGE	LG.	-26.100	6.81	32.00	2837	81003
778	104-GR-39	SHINTONEGAWA BR.	TR.	22.169	5.09	29.87	1598	81005
779	104-GR-39	SHINTONEGAWA BR.	U-D	-6.267	4.45	29.99	1681	81005
780	104-GR-39	SHINTONEGAWA BR.	LG.	-9.621	9.80	29.88	1173	81005
781	706-GR-1	KISOGAWA EMB.	LG.	57.609	2.20	15.00	1305	81009
782	706-GR-1	KISOGAWA EMB.	U-D	-15.242	2.51	14.96	872	81009
783	706-GR-1	KISOGAWA EMB.	TR.	96.552	2.39	14.48	1185	81009
784	206-GR-17	OMIGAWA BRIDGE	TR.	63.293	8.19	34.00	2705	81012
785	206-GR-17	OMIGAWA BRIDGE	U-D	15.482	8.94	34.00	2773	81012
786	206-GR-17	OMIGAWA BRIDGE	LG.	54.981	7.85	33.99	3046	81012
787	206-GR-18	OMIGAWA BRIDGE	LG.	40.310	3.79	27.99	2389	82002
788	1302-GR-15	CHIYODA BRIDGE	LG.	51.578	21.47	116.95	4428	82003
789	1302-GR-15	CHIYODA BRIDGE	U-D	-15.068	8.29	116.84	3732	82003
790	1302-GR-15	CHIYODA BRIDGE	TR.	-52.690	22.02	116.97	5104	82003
791	1302-PI-12	CHIYODA BRIDGE	LG.	-60.441	12.53	106.80	5140	82003
792	1302-PI-12	CHIYODA BRIDGE	U-D	-17.593	17.08	107.00	3835	82003
793	1302-PI-12	CHIYODA BRIDGE	TR.	-103.738	20.33	106.92	5933	82003
794	1302-FU-10	CHIYODA BRIDGE	LG.	39.384	14.07	94.07	4170	82003
795	1302-FU-10	CHIYODA BRIDGE	U-D	-18.217	10.80	94.00	3967	82003
796	1302-FU-10	CHIYODA BRIDGE	TR.	-48.195	16.26	94.19	4613	82003
797	1305-GR-15	HOROMAN BRIDGE	LG.	-50.327	18.08	132.62	5199	82003
798	1305-GR-15	HOROMAN BRIDGE	U-D	-26.215	15.41	134.26	2868	82003
799	1305-GR-15	HOROMAN BRIDGE	TR.	-79.435	14.55	133.98	4790	82003
800	1305-PI-8	HOROMAN BRIDGE	LG.	-78.346	16.01	109.30	4557	82003
801	1305-PI-8	HOROMAN BRIDGE	U-D	-33.335	16.34	107.30	3841	82003
802	1305-PI-8	HOROMAN BRIDGE	TR.	72.520	15.47	109.18	4395	82003
803	1308-GR-1	ISHIKARIKAKOU B.	LG.	35.696	25.76	112.98	2050	82003
804	1308-GR-1	ISHIKARIKAKOU B.	U-D	-13.865	12.19	112.85	1898	82003
805	1308-GR-1	ISHIKARIKAKOU B.	TR.	43.108	21.46	113.00	2548	82003
806	1308-PI-1	ISHIKARIKAKOU B.	LG.	-93.328	6.88	96.97	4177	82003
807	1308-PI-1	ISHIKARIKAKOU B.	U-D	-27.419	96.86	96.99	1555	82003
808	1308-PI-1	ISHIKARIKAKOU B.	TR.	-49.113	10.54	97.49	2436	82003
809	1317-GR-1	HIROO BRIDGE	LG.	253.827	16.09	35.47	2707	82003
810	1317-GR-1	HIROO BRIDGE	U-D	-81.482	16.42	35.48	2637	82003
811	1317-GR-1	HIROO BRIDGE	TR.	-206.768	16.22	35.50	3146	82003
812	1317-AB-1	HIROO BRIDGE	LG.	169.444	15.92	36.90	2038	82003
813	1317-AB-1	HIROO BRIDGE	U-D	57.609	16.11	36.86	2259	82003
814	1317-AB-1	HIROO BRIDGE	TR.	-149.069	16.05	36.91	2436	82003
815	1319-GR-1	SHIMAMATSUZAWA B	LG.	122.468	13.05	33.99	2362	82003
816	1319-GR-1	SHIMAMATSUZAWA B	U-D	-33.827	10.73	33.99	2131	82003
817	1319-GR-1	SHIMAMATSUZAWA B	TR.	118.684	16.21	34.00	1953	82003
818	1320-GR-1	SAPPORO I.C BR.	LG.	248.927	3.41	35.99	1882	82003
819	1320-GR-1	SAPPORO I.C BR.	U-D	68.618	0.29	35.98	2005	82003
820	1320-GR-1	SAPPORO I.C BR.	TR.	310.527	3.57	35.99	1947	82003
821	1320-PI-1	SAPPORO I.C BR.	LG.	-252.264	2.48	35.49	1560	82003
822	1320-PI-1	SAPPORO I.C BR.	U-D	-84.254	2.01	35.50	1350	82003
823	1320-PI-1	SAPPORO I.C BR.	TR.	-438.289	2.82	35.49	1563	82003
824	104-GR-40	SHINTONEGAWA BR.	TR.	-32.069	15.41	65.99	3668	82007

Table 1-2. Index of Earthquake Records

INDEX NO.	STATION RECORD NO.	NAME OF STRUCTURE		MAX.ACCEL. (GAL)	TIME (SEC)	DURATION TIME (SEC)	DATA NUMBER	E.Q.NO.
825	104-GR-40	SHINTONEGAWA BR.	U-D	-7.497	18.60	65.95	2259	82007
826	104-GR-40	SHINTONEGAWA BR.	LG.	20.350	12.44	65.98	2492	82007
827	106-GR-41	SOUKA BRIDGE	TR.	-27.877	3.87	61.93	1900	82007
828	106-GR-41	SOUKA BRIDGE	U-D	-9.365	1.00	61.96	1920	82007
829	106-GR-41	SOUKA BRIDGE	LG.	-26.398	8.03	61.96	2294	82007
830	206-GR-20	OMIGAWA BRIDGE	TR.	60.546	24.00	34.50	2893	82007
831	206-GR-20	OMIGAWA BRIDGE	U-D	18.866	12.32	34.49	3081	82007
832	206-GR-20	OMIGAWA BRIDGE	LG.	88.467	13.80	34.50	2768	82007
833	304-GR-43	DATE BRIDGE	LG.	-31.847	11.62	39.98	2577	82007
834	304-GR-43	DATE BRIDGE	U-D	12.414	10.81	39.99	2008	82007
835	304-GR-43	DATE BRIDGE	TR.	-32.405	13.98	39.99	2591	82007
836	907-GR-126	TAIRA BRIDGE	TR.	-36.581	16.76	62.99	3283	82007
837	907-GR-126	TAIRA BRIDGE	U-D	20.429	9.89	62.96	3125	82007
838	907-GR-126	TAIRA BRIDGE	LG.	38.357	21.50	63.00	3394	82007
839	911-GR-1	FUKUI BRIDGE	TR.	-51.265	2.19	14.83	866	82009
840	911-GR-1	FUKUI BRIDGE	U-D	-16.045	0.07	14.95	861	82009
841	911-GR-1	FUKUI BRIDGE	LG.	-31.459	1.86	14.93	890	82009
842	907-GR-132	TAIRA BRIDGE	TR.	-32.286	0.55	22.91	1036	82014
843	907-GR-132	TAIRA BRIDGE	U-D	-17.723	1.10	22.98	898	82014
844	907-GR-132	TAIRA BRIDGE	LG.	26.022	0.26	22.92	1307	82014

3. 地震の諸元

Table 2 は Table 1 に示した地震動記録が採取された地震の諸元（震源，発生年月日，マグニチュード）を示すものであり Table 1 に示した "EQ. NO." に対応する。Table 2 の項目を順を追って説明すると以下の通りである。

Table 2 の項目	説　　明
EARTHQUAKE NO.	Table 1 参照
EPICENTAL REGION	震央の位置
EARTHQUAKE TIME AND DAY	地震発生の年．月．日．時．分
LONGITUDE	震央の経度（単位は度，分）
LATITUDE	震央の緯度（単位は度，分）
DEPTH (KM)	震源の深さ（単位はkm）
MAGNITUDE	地震の規模（単位はリヒタースケールで表わしたマグニチュード）

Table 2. Index of Earthquake

E.Q. NO.	EPICENTAL REGION	EARTHQUAKE TIME AND DAY	LONGITUDE	±	LATITUDE	±	DEPTH(KM)	MAGNITUDE
81003	S COAST OF HOKKAIDO	1981.01.23,13:58	142 12	1	42 25	0	130.0	7.1
81005	NORTHERN KANTO	1981.01.28,12:47	139 51	1	36 10	1	60.0	5.0
81009	NORTHERN ISE BAY	1981.08.11,13:39	136 7	0	35 1	0	0.0	0.0
81012	OFF IBARAKI PREF.	1981.09.02,18:24	141 6	0	35 48	0	40.0	6.0
82002	E COAST OF KANTO	1982.03.07,08:14	140 39	1	36 28	0	60.0	5.5
82003	S OFF HOKKAIDO	1982.03.21,11:32	142 36	1	42 4	0	40.0	7.1
82007	E OFF KANTO	1982.07.23,23:24	141 57	2	36 11	1	30.0	7.0
82009	NW COAST OF CHUBU	1982.08.14,04:35	136 15	1	36 11	1	10.0	3.2
82014	E COAST OF S TOHOKU	1982.08.28,21:12	141 8	1	37 4	0	60.0	4.9

4. 強震計の作動状況

Table 3 は Table 2 に示した地震によってどの強震計が作動し，どのような記録が採取されたかを示すものである。表中の上段は Table 2 に示した地震の諸元を，中段は上段に示した地震により採取された地震動記録の最大加速度を，下段は中段に示した地震動を記録した強震計の位置および震央距離をそれぞれ示したものである。ここで Table 3 に示す "EQ. NO." は Table 2 に示した " EQ.NO." と対応している。

Table 3 の項目は次の通りである。

Table 3 の項目	説　　明
STATION NO.	強震計の整理番号（Table 1 参照）
INSTRUMENTS	強震計の設置箇所（Table 1 参照）
SEQUENCE NO.	当該強震計により，得られた地震動記録の整理番号（Table 1 参照）
HORIZONTAL A VERTICAL HORIZONTAL B	水平方向A，上下方向，水平方向Bの地震動の記録の最大加速度をGalで示した値である。これらの値は記録された波形の振幅の最大値をスケールにより読み取った値であるため，ディジタル化して中心軸の補正を施した後の最大加速度値とは，多少の差がある場合がある。
NAME OF STRUCTURE	強震計が設置されている構造物の名称（Table 1 参照）
LONGITUDE	強震計設置点の経度（単位は，度，分，秒）
LATITUDE	強震計設置点の緯度（単位は，度，分，秒）
Y.M.INSTALLED	強震計を設置した年（西暦年），月，日をそれぞれ2桁の数字で記号化したものである。
TYPE	強震計の型式
MACHINE NO.	強震計の機械番号
EPICENTRAL DISTANCE (KM)	震央から強震計までの地表面距離である。地表面距離の算定は，理科年表に掲載されている方法に従っている。

Figure 1～9 は，Table 3 に示した内容を，地図上にプロットしたものである。図中の＊印は震央を，○印はそれぞれこの地震により作動した強震計の設置点をその整理番号とともに表わしている。

Table 3-1. Index of Accelerometer Worked during Earthquake Number 81003

LIST OF EARTHQUAKE ORIGINS

E.Q. NO.	EPICENTAL REGION	EARTEQUAKE TIME AND DAY	LONGITUDE +-	LATITUDE +-	DEPTH(KM)	MAGNITUDE
81003	S COAST OF HOKKAIDO	1981.01.23,13:58	142 12 1	42 25 0	130.0	7.1

STATION NO.	INSTRUMENTS	SEQUE. NO.	HORI.A	VERTICAL	HORI.B (GAL)
105	GR-I	17	25.0	5.0	21.0
105	PI-1	16	39.0	8.0	85.0
302	PI-1	40	52.0	10.0	14.0
303	GR-1	21	4.0	1.0	2.0
907	GR-I	122	9.0	2.5	6.0

STATION NO.	NAME OF STRUCTURE	INSTRUMENTS	LONGITUDE	LATITUDE	Y.M INSTALLED	TYPE	MACHINE NO.	DS.(KM)
105	MASAKI BRIDGE	GR-1	141 57 28	39 46 6	710200	SMAC-E2	19	294.4
105	MASAKI BRIDGE	PI-1	141 57 28	39 46 6	710220	SMAC-E2	18	294.4
302	KAIHOKU BRIDGE	PI-1	141 18 46	38 26 42	660300	SMAC-B2	38575	447.4
303	KAHOKU BRIDGE	GR-1	140 9 58	38 26 17	650300	SMAC-B2	38530	477.1
907	TAIRA BRIDGE	GR-1	140 54 43	37 3 9	680118	SMAC-B2	140215	605.8




Figure 1. Accelerometers Worked during Earthquake Number 81003

Table 3-2. Index of Accelerometer Worked during Earthquake Number 81005

LIST OF EARTHQUAKE ORIGINS

E.Q. NO.	EPICENTAL REGION	EARTEQUAKE TIME AND DAY	LONGITUDE +-	LATITUDE +-	DEPTH(KM)	MAGNITUDE
81005	NORTHERN KANTO	1981.01.28,12:47	139 51 1	36 10 1	60.0	5.0

STATION NO.	INSTRUMENTS	SEQUE. NO.	HORI.A	VERTICAL	HORI.B (GAL)
101	GR-1	43	3.0	0.0	3.0
104	GR-1	39	25.0	6.0	9.5
104	PI-1	27	10.0	1.5	4.0
304	GR-1	39	2.0	2.0	3.0
907	GR-1	124	8.0	5.0	9.0

STATION NO.	NAME OF STRUCTURE	INSTRUMENTS	LONGITUDE	LATITUDE	Y.M INSTALLED	TYPE	MACHINE NO.	DS.(KM)
101	SHINKATSUSHIKA BRIDGE	GR-1	139 53 18	35 45 47	660330	SMAC-B2	70096	44.9
104	SHINTONEGAWA BRIDGE	GR-1	139 42 12	36 8 26	670220	SMAC-B2	140205	13.4
104	SHINTONEGAWA BRIDGE	PI-1	139 42 40	36 8 33	670220	SMAC-B2	140206	12.7
304	DATE BRIDGE	GR-1	140 31 13	37 49 5	651010	SMAC-B2	38562	192.6
907	TAIRA BRIDGE	GR-1	140 54 43	37 3 9	680118	SMAC-B2	140215	136.5




Figure 2. Accelerometers Worked during Earthquake Number 81005

Table 3-3. Index of Accelerometer Worked during Earthquake Number 81009

LIST OF EARTHQUAKE ORIGINS

E.Q. NO.	EPICENTAL REGION	EARTEQUAKE TIME AND DAY	LONGITUDE	LATITUDE	DEPTH(KM)	MAGNITUDE
81009	NORTHERN ISE BAY	1981.08.11.13:39	136 7 ±0	35 1 ±0	0.0	0.0

STATION NO.	INSTRUMENTS	SEQUE. NO.	HORI.A	VERTICAL	HORI.B (GAL)
204	GR-1	33	6.0	4.0	5.0
706	GR-1	1	45.0	15.0	80.0
706	BK-1	1	50.0	80.0	60.0

STATION NO.	NAME OF STRUCTURE	INSTRUMENTS	LONGITUDE	LATITUDE	Y.M INSTALLED	TYPE	MACHINE NO.	DS.(KM)
204	SHINYAWATA BRIDGE	GR-1	136 52 28	34 59 51	651100	SMAC-B2	38574	67.7
706	KISOGAWA ESTUARY EMB.	GR-1	136 43 55	35 3 45	780300	SMAC-Q	0	55.2
706	KISOGAWA ESTUARY EMB.	BK-1	136 43 55	35 3 45	780300	SMAC-Q	0	55.2

土木構造物における加速度強震記録 (No.9)

81009 NORTHERN ISE BAY

STATION NAME OF STRUCTURE	RECORD NUMBER			MAX.AMPLITUDE(GALS) HORI.A	VERTICAL	HORI.B
SHINYAWATA BRIDGE	204	GR-1	33	6.0	4.0	5.0
KISOGAWA ESTUARY EMB.	706	GR-1	1	45.0	15.0	80.0
KISOGAWA ESTUARY EMB.	706	BK-1	1	50.0	80.0	60.0

EARTHQUAKE TIME AND DATE
1981.08.11.13:39

LOCATION OF EPICENTER
LO=136 7
LA= 35 1

DEPTH, MAGNITUDE
0.0 KM, M= 0.0

(* E.Q. CENTER)




Figure 3. Accelerometers Worked during Earthquake Number 81009

Table 3-4. Index of Accelerometer Worked during Earthquake Number 81012

LIST OF EARTHQUAKE ORIGINS

E.Q. NO.	EPICENTAL REGION	EARTEQUAKE TIME AND DAY	LONGITUDE	LATITUDE	DEPTH(KM)	MAGNITUDE
81012	OFF IBARAKI PREF.	1981.09.02,18:24	141 6 0 +-	35 48 0 +-	40.0	6.0

STATION NO.	INSTRUMENTS	SEQUE. NO.	HORI.A	VERTICAL	HORI.B (GAL)
206	GR-1	17	60.0	8.0	55.0
206	PI-1	11	70.0	10.0	53.0

STATION NO.	NAME OF STRUCTURE	INSTRUMENTS	LONGITUDE	LATITUDE	Y.M INSTALLED	TYPE	MACHINE NO.	DS.(KM)
206	OMIGAWA BRIDGE	GR-1	140 36 31	35 51 49	730300	SMAC-E2	30084	44.4
206	OMIGAWA BRIDGE	PI-1	140 36 32	35 51 50	730300	SMAC-E2	30083	44.4

土木研究所資料




Figure 4. Accelerometers Worked during Earthquake Number 81012

Table 3-5. Index of Accelerometer Worked during Earthquake Number 82002

LIST OF EARTHQUAKE ORIGINS

E.Q. NO.	EPICENTAL REGION	EARTEQUAKE TIME AND DAY	LONGITUDE +-	LATITUDE +-	DEPTH(KM)	MAGNITUDE
82002	E COAST OF KANTO	1982.03.07,08:14	140 39 1	36 28 0	60.0	5.5

STATION NO.	INSTRUMENTS	SEQUE. NO.	HORI.A	VERTICAL	HORI.B (GAL)
206	GR-1	18	0.0	0.0	65.0
206	PI-1	12	40.0	8.0	35.0
907	GR-1	125	18.0	5.0	11.0
915	US-1	2	20.0	8.0	20.0

STATION NO.	NAME OF STRUCTURE	INSTRUMENTS	LONGITUDE	LATITUDE	Y.M INSTALLED	TYPE	MACHINE NO.	DS.(KM)
206	OMIGAWA BRIDGE	GR-1	140 36 31	35 51 49	730300	SMAC-E2	30084	67.0
206	OMIGAWA BRIDGE	PI-1	140 36 32	35 51 50	730300	SMAC-E2	30083	66.9
907	TAIRA BRIDGE	GR-1	140 54 43	37 3 9	680118	SMAC-B2	140215	69.0
915	P.W.R.I.	US-1	140 4 28	36 7 22	800800	SMAC-Q	0	64.0




Figure 5. Accelerometers Worked during Earthquake Number 82002

Table 3-6. Index of Accelerometer Worked during Earthquake Number 82003

LIST OF EARTHQUAKE ORIGINS

E.Q. NO.	EPICENTAL REGION	EARTEQUAKE TIME AND DAY	LONGITUDE +-	LATITUDE +-	DEPTH(KM)	MAGNITUDE
82003	S OFF HOKKAIDO	1982.03.21.11:32	142 36 1	42 4 0	40.0	7.1

STATION NO.	INSTRUMENTS	SEQUE. NO.	HORI.A	VERTICAL	HORI.B (GAL)
1302	GR-1	15	51.6	15.1	52.7
1302	FU-1	10	39.4	18.2	48.2
1302	PI-1	12	60.4	17.6	103.7
1305	GR-1	15	50.3	26.2	79.4
1305	PI-1	8	78.3	33.3	72.5
1308	GR-1	1	35.7	13.9	43.1
1308	PI-1	1	93.3	27.4	49.1
1317	GR-1	1	253.8	81.5	206.8
1317	AB-1	1	169.4	57.6	149.1
1319	GR-1	1	122.5	33.8	118.7
1320	GR-1	1	248.9	68.6	310.5
1320	PI-1	1	252.3	84.3	438.3

STATION NO.	NAME OF STRUCTURE	INSTRUMENTS	LONGITUDE	LATITUDE	Y.M INSTALLED	TYPE	MACHINE NO.	DS.(KM)
1302	CHIYODA BRIDGE	GR-1	143 23 20	42 54 59	661100	SMAC-B2	140182	117.6
1302	CHIYODA BRIDGE	FU-1	143 23 30	42 55 8	661100	SMAC-B2	140183	118.0
1302	CHIYODA BRIDGE	PI-1	143 23 30	42 55 8	661100	SMAC-B2	140181	118.0
1305	HOROMAN BRIDGE	GR-1	143 2 16	42 4 4	671210	SMAC-B2	140231	39.1
1305	HOROMAN BRIDGE	PI-1	143 2 15	42 4 23	671210	SMAC-B2	140232	39.1
1308	ISHIKARIKAKOU BRIDGE	GR-1	141 21 10	43 13 20	700300	SMAC-B2	0	169.8
1308	ISHIKARIKAKOU BRIDGE	PI-1	141 21 10	43 13 20	700300	SMAC-B2	0	169.8
1317	HIROO BRIDGE	GR-1	143 17 17	42 20 50	750300	SMAC-Q	0	68.9
1317	HIROO BRIDGE	AB-1	143 17 17	42 20 50	750300	SMAC-Q	0	68.9
1319	SHIMAMATSUZAWA BRIDGE	GR-1	141 32 35	42 55 15	791200	SMAC-Q	0	133.7
1320	SAPPORO I.C BRIDGE	GR-1	141 25 0	43 4 0	811200	SMAC-Q	360234	153.2
1320	SAPPORO I.C BRIDGE	PI-1	141 25 0	43 4 0	811200	SMAC-Q	270237	153.2

82003 S OFF HOKKAIDO

STATION NAME OF STRUCTURE	RECORD NUMBER			MAX.AMPLITUDE(GALS) HORI.A	VERTICAL	HORI.B
CHIYODA BRIDGE	1302	CR-1	15	51.6	15.1	52.7
CHIYODA BRIDGE	1302	FU-1	10	39.4	18.2	46.2
CHIYODA BRIDGE	1302	PI-1	12	60.4	17.6	103.7
HOROMAN BRIDGE	1305	GR-1	15	50.3	26.2	79.4
HOROMAN BRIDGE	1305	PI-1	8	78.3	33.3	72.5
ISHIKARIKAKOU BRIDGE	1308	GR-1	1	35.7	13.9	43.1
ISHIKARIKAKOU BRIDGE	1308	PI-1	1	93.3	27.4	49.1
HIROO BRIDGE	1317	GR-1	1	253.8	81.5	206.8
HIROO BRIDGE	1317	AB-1	1	169.4	57.6	149.1
SHIMAMATSUZAWA BRIDGE	1319	GR-1	1	122.5	33.8	118.7
SAPPORO I.C BRIDGE	1320	GR-1	1	248.9	68.6	310.5
SAPPORO I.C BRIDGE	1320	PI-1	1	252.3	84.3	438.3

EARTHQUAKE TIME AND DATE
1982.03.21.11:32

LOCATION OF EPICENTER
LO= 142 36
LA= 42 4

DEPTH, MAGNITUDE
40.0 KM, M= 7.1

(× E.Q. CENTER)




Figure 6. Accelerometers Worked during Earthquake Number 82003

Table 3-7. Index of Accelerometer Worked during Earthquake Number 82007

LIST OF EARTHQUAKE ORIGINS

E.Q. NO.	EPICENTAL REGION	EARTEQUAKE TIME AND DAY	LONGITUDE +-	LATITUDE +-	DEPTH(KM)	MAGNITUDE
82007	E OFF KANTO	1982.07.23,23:24	141 57 2	36 11 1	30.0	7.0

STATION NO.	INSTRUMENTS	SEQUE. NO.	HORI.A	VERTICAL	HORI.B (GAL)
104	GR-1	40	32.5	7.5	25.0
104	PI-1	28	23.8	5.3	22.5
106	GR-1	41	24.0	8.0	24.0
106	PI-1	40	34.5	5.0	32.5
206	GR-1	20	65.0	15.0	93.0
206	PI-1	13	100.0	15.0	85.0
302	GR-1	39	3.4	0.0	5.0
304	GR-1	43	31.3	15.0	28.8
304	PI-1	46	87.5	17.5	63.8
607	DA-1	6	3.0	0.0	3.0
607	DA-2	3	25.0	7.0	25.0
907	GR-1	126	37.5	25.0	40.6
907	AB-1	48	28.1	15.6	28.1
915	US-1	3	25.0	3.0	30.0

STATION NO.	NAME OF STRUCTURE	INSTRUMENTS	LONGITUDE	LATITUDE	Y.M INSTALLED	TYPE	MACHINE NO.	DS.(KM)
104	SHINTONEGAWA BRIDGE	GR-1	139 42 12	36 8 26	670220	SMAC-B2	140205	200.6
104	SHINTONEGAWA BRIDGE	PI-1	139 42 40	36 8 33	670220	SMAC-B2	140206	199.9
106	SOUKA BRIDGE	GR-1	139 47 59	35 48 23	680306	SMAC-B2	310233	196.5
106	SOUKA BRIDGE	PI-1	139 47 59	35 48 23	680306	SMAC-B2	310234	196.5
206	OMIGAWA BRIDGE	GR-1	140 36 31	35 51 49	730300	SMAC-E2	30084	124.9
206	OMIGAWA BRIDGE	PI-1	140 36 32	35 51 50	730300	SMAC-E2	30083	124.9
302	KAIHOKU BRIDGE	GR-1	141 18 46	38 26 42	660300	SMAC-B2	38576	257.1
304	DATE BRIDGE	GR-1	140 31 13	37 49 5	651010	SMAC-B2	38562	221.7
304	DATE BRIDGE	PI-1	140 30 48	37 48 59	651010	SMAC-B2	38561	221.9
607	TARUMIZU DAM	DA-1	140 50 0	38 10 0	751200	SMAC-E2	0	241.5
607	TARUMIZU DAM	DA-2	140 50 0	38 10 0	751200	SMAC-E2	30189	241.5
907	TAIRA BRIDGE	GR-1	140 54 43	37 3 9	680118	SMAC-B2	140215	133.7
907	TAIRA BRIDGE	AB-1	140 54 38	37 3 11	680118	SMAC-B2	140203	133.8
915	P.W.R.I.	US-1	140 4 28	36 7 22	800800	SMAC-Q	0	167.6

土木研究所資料

82007 E OFF KANTO

STATION NAME OF STRUCTURE	RECORD NUMBER			MAX.AMPLITUDE(GALS) HORI.A	VERTICAL	HORI.B
SHINTONEGAWA BRIDGE	104	GR-1	40	32.5	7.5	25.0
SHINTONEGAWA BRIDGE	104	PI-1	28	23.8	5.3	22.5
SOUKA BRIDGE	106	GR-1	41	24.0	8.0	24.0
SOUKA BRIDGE	106	PI-1	40	34.5	5.0	32.5
OMIGAWA BRIDGE	206	GR-1	20	65.0	15.0	93.0
OMIGAWA BRIDGE	206	PI-1	13	100.0	15.0	85.0
KAIHOKU BRIDGE	302	GR-1	39	3.4	0.0	5.0
DATE BRIDGE	304	GR-1	43	31.3	15.0	28.8
DATE BRIDGE	304	PI-1	46	87.5	17.5	63.8
TARUMIZU DAM	607	DA-1	6	3.0	0.0	3.0
TARUMIZU DAM	607	DA-2	3	25.0	7.0	25.0
TAIRA BRIDGE	907	GR-1	126	37.5	25.0	40.6
TAIRA BRIDGE	907	AB-1	48	28.1	15.6	28.1
P.W.R.I.	915	US-1	3	25.0	3.0	30.0

EARTHQUAKE TIME AND DATE
1982.07.23.23:24
LOCATION OF EPICENTER
LO= 141 57
LA= 36 11
DEPTH, MAGNITUDE
30.0 KM, M= 7.0
(* E.Q. CENTER)




Figure 7. Accelerometers Worked during Earthquake Number 82007

Table 3-8. Index of Accelerometer Worked during Earthquake Number 82009

LIST OF EARTHQUAKE ORIGINS

E.Q. NO.	EPICENTAL REGION	EARTEQUAKE TIME AND DAY	LONGITUDE +-	LATITUDE +-	DEPTH(KM)	MAGNITUDE
82009	NW COAST OF CHUBU	1982.08.14,04:35	136 15 1	36 11 1	10.0	3.2

STATION NO.	INSTRUMENTS	SEQUE. NO.	HORI.A	VERTICAL	HORI.B (GAL)
911	GR-1	1	50.0	0.0	28.0

STATION NO.	NAME OF STRUCTURE	INSTRUMENTS	LONGITUDE	LATITUDE	Y.M INSTALLED	TYPE	MACHINE NO.	DS.(KM)
911	FUKUI BRIDGE	GR-1	136 15 0	36 6 0	780300	SMAC-Q	0	9.2

82009 NW COAST OF CHUBU

STATION NAME OF STRUCTURE	RECORD NUMBER	MAX.AMPLITUDE(GAL.S) HORI.A	VERTICAL	HORI.B	EARTHQUAKE TIME AND DATE
FUKUI BRIDGE	911 GR-1 1	50.0	0.0	20.0	1982.08.14.04:35

LOCATION OF EPICENTER
LO= 136 15
LA= 36 11
DEPTH, MAGNITUDE
10.0 KM, M= 3.2
(* E.Q. CENTER)




Figure 8. Accelerometers Worked during Earthquake Number 82009

Table 3–9. Index of Accelerometer Worked during Earthquake Number 82014

LIST OF EARTHQUAKE ORIGINS

E.Q. NO.	EPICENTAL REGION	EARTEQUAKE TIME AND DAY	LONGITUDE	LATITUDE	DEPTH(KM)	MAGNITUDE
82014	E COAST OF S TOHOKU	1982.08.28,21:12	141 8 ±1	37 4 ±0	60.0	4.9

STATION NO.	INSTRUMENTS	SEQUE. NO.	HORI.A	VERTICAL	HORI.B (GAL)
907	GR-1	132	32.5	18.0	27.5

STATION NO.	NAME OF STRUCTURE	INSTRUMENTS	LONGITUDE	LATITUDE	Y.M INSTALLED	TYPE	MACHINE NO.	DS.(KM)
907	TAIRA BRIDGE	GR-1	140 54 43	37 3 9	680118	SMAC-B2	140215	19.8

土木構造物における加速度強震記録 (No.9)

82014 E COAST OF S TOHOKU

STATION NAME OF STRUCTURE	RECORD NUMBER	MAX.AMPLITUDE(GALS) HORI.A	VERTICAL	HORI.B	EARTHQUAKE TIME AND DATE
TAIRA BRIDGE	907 GR-1 132	32.5	18.0	27.5	1982.08.28.21:12

LOCATION OF EPICENTER
LO= 141 8
LA= 37 4
DEPTH, MAGNITUDE
60.0 KM, M= 4.9
(* E.Q. CENTER)




Figure 9. Accelerometers Worked during Earthquake Number 82014

5. 地震動の加速度記録

INDEX NO. の順に従い地震動加速度の波形を Figure IX A－1～Figure IX A－24に示す。図中では縦軸は加速度（Gal），横軸は時間（Sec）であり，すべての図を通して同縮尺で示されている。原則として，水平2成分および鉛直1成分を同一ページに掲載してあるが，水平成分もしくは鉛直成分のいずれかがディジタル化されていない場合はディジタル化されている成分だけを示している。




Figure IXA-1. Earthquake Motions (Index Numbers 775, 776 and 777)




Figure IXA-2. Earthquake Motions (Index Numbers 778, 779 and 780)




Figure IXA-3. Earthquake Motions (Index Numbers 781, 782 and 783)




Figure IXA-4. Earthquake Motions (Index Numbers 784, 785 and 786)




Figure IXA-5. Earthquake Motions (Index Numbers 787)





Figure IXA-6. Earthquake Motions (Index Numbers 788, 789 and 790)



88, 789 and 790)

土木構造物における加速度強震記録（No.9）





Figure IXA-7. Earthquake Motions (Index Numbers 791, 792 and 793)

速度強震記録（No.9）



(Index Numbers 791, 792 and 793)





Figure IXA-8. Earthquake Motions (Index Numbers 794, 795 and 796)



IXA-8. Earthquake Motions (Index Numbers 794, 795 and 796)

土木構造物における加速度強震記録（No.9）






Figure IXA-9. Earthquake Motions (Index Numbers 797, 798 and 799)


E.Q.NO.= 82003
HORQMAN BRIDGE
INDEX NO. 797
1305-GR-15 LG.
MAX.ACCEL.= -50.327(GAL)
TIME= 18.08 (SEC)



E.Q.NO.= 82003
HORQMAN BRIDGE
INDEX NO. 798
1305-GR-15 U-D
MAX.ACCEL.= -26.215(GAL)
TIME= 15.41 (SEC)



E.Q.NO.= 82003
HORQMAN BRIDGE
INDEX NO. 799
1305-GR-15 TR.
MAX.ACCEL.= -79.436(GAL)
TIME= 14.55 (SEC)



土木構造物における加速度強震記録（No.９）





Figure IXA-10. Earthquake Motions (Index Numbers 800, 801 and 802)

記録 (No. 9)



dex Numbers 800, 801 and 802)

土木構造物における加速度強震記録（No.9）





Figure IXA-11. Earthquake Motions (Index Numbers 803, 804 and 805)

No. 9)



umbers 803, 804 and 805)

土木構造物における加速度強震記録（No.９）





Figure IXA-12. Earthquake Motions (Index Numbers 806, 807 and 808)



12. Earthquake Motions (Index Numbers 806, 807 and 808)

土木構造物における加速度強震記録（No.9）




Figure IXA-13. Earthquake Motions (Index Numbers 809, 810 and 811)




Figure IXA-14. Earthquake Motions (Index Numbers 812, 813 and 814)




Figure IXA-15. Earthquake Motions (Index Numbers 815, 816 and 817).




Figure IXA-16. Earthquake Motions (Index Numbers 818, 819 and 820)

土木構造物における加速度強震記録（No.9）




Figure IXA-17. Earthquake Motions (Index Numbers 821, 822 and 823)



土木構造物における加速度強震記録（No.９）




Figure IXA-18. Earthquake Motions (Index Numbers 824, 825 and 826)




Figure IXA-19. Earthquake Motions (Index Numbers 827, 828 and 829)




Figure IXA-20. Earthquake Motions (Index Numbers 830, 831 and 832)




Figure IXA-21. Earthquake Motions (Index Numbers 833, 834 and 835)




Figure IXA-22. Earthquake Motions (Index Numbers 836, 837 and 838)




Figure IXA-23. Earthquake Motions (Index Numbers 839, 840 and 841)




Figure IXA-24, Earthquake Motions (Index Numbers 842, 843 and 844)

6. 応答スペクトル

INDEX NO. の順に従い Figure Ⅸ A－1～Figure Ⅸ A－24に示した地震動加速度の絶対加速度応答スペクトル比を Figure Ⅸ S－1～Figure Ⅸ S－24に示す。ここで絶対加速度応答スペクトル比は，絶対加速度応答スペクトル値を入力の地震動加速度の最大値で除した値として定義されており，詳細は付録4を参照されたい。応答スペクトルは減衰定数を0，0.02，0.05，0.1，0.2，0.4の6種類とした場合に対して計算されており，図中の6本の応答スペクトル曲線のうち応答のレベルの高い方から順に対応している。




Figure IX S-1. Linear Response Spectra of Earthquake Records with Index Numbers 775, 776 and 777




Figure IX S-2. Linear Response Spectra of Earthquake Records with Index Numbers 778, 779 and 780




Figure IX S-3. Linear Response Spectra of Earthquake Records with Index Numbers 781, 782 and 783




Figure IX S-4. Linear Response Spectra of Earthquake Records with Index Numbers 784, 785 and 786




Figure IX S-5. Linear Response Spectra of Earthquake Records with Index Numbers 787




Figure IX S-6. Linear Response Spectra of Earthquake Records with Index Numbers 788, 789 and 790




Figure IX S-7. Linear Response Spectra of Earthquake Records with Index Numbers 791, 792 and 793




Figure IX S-8. Linear Response Spectra of Earthquake Records
with Index Numbers 794, 795 and 796




Figure IX S-9. Linear Response Spectra of Earthquake Records with Index Numbers 797, 798 and 799




Figure IX S-10. Linear Response Spectra of Earthquake Records with Index Numbers 800, 801 and 802




Figure IX S-11. Linear Response Spectra of Earthquake Records with Index Numbers 803, 804 and 805




Figure IX S-12. Linear Response Spectra of Earthquake Records with Index Numbers 806, 807 and 808




Figure IX S-13. Linear Response Spectra of Earthquake Records with Index Numbers 809, 810 and 811




Figure IX S-14. Linear Response Spectra of Earthquake Records with Index Numbers 812, 813 and 814




Figure IX S-15. Linear Response Spectra of Earthquake Records with Index Numbers 815, 816 and 817




Figure IX S-16. Linear Response Spectra of Earthquake Records with Index Numbers 818, 819 and 820




Figure IX S-17. Linear Response Spectra of Earthquake Records with Index Numbers 821, 822 and 823




Figure IX S-18. Linear Response Spectra of Earthquake Records with Index Numbers 824, 825 and 826




Figure IX S-19. Linear Response Spectra of Earthquake Records with Index Numbers 827, 828 and 829




Figure IX S-20. Linear Response Spectra of Earthquake Records with Index Numbers 830, 831 and 832




Figure IX S-21. Linear Response Spectra of Earthquake Records with Index Numbers 833, 834 and 835




Figure IX S-22. Linear Response Spectra of Earthquake Records with Index Numbers 836, 837 and 838




Figure IX S-23. Linear Response Spectra of Earthquake Records with Index Numbers 839, 840 and 841




Figure IX S-24. Linear Response Spectra of Earthquake Records with Index Numbers 842, 843 and 844

7. 地震記録のディジタル数値

INDEX NO. の順に従い Figure Ⅸ A－1～Figure Ⅸ A－24に示した地震動記録のデジタル数値を Table Ⅸ D－1～Table Ⅸ D－70に示す。

なお，これらのディジタル数値は強震波形を数値化した後に付録－3に示す中心軸補正および円弧補正を施した値である。

Table IX-D-1 Digitized Accelerations of Earthquake Record with Index Number 775

INDEX NO. 775 105-GR-17 HASAKI BRIDGE TR. MAX.ACCEL.= -26.992(GAL) T= 5.19(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.16	-5.097	51	0.69	10.695	101	1.21	-1.368	151	1.74	4.700
2	0.17	20.646	52	0.70	-5.317	102	1.22	-1.999	152	1.75	11.688
3	0.18	19.768	53	0.71	-5.696	103	1.23	-0.881	153	1.76	12.556
4	0.19	8.910	54	0.72	7.039	104	1.24	3.234	154	1.77	11.677
5	0.20	-2.756	55	0.73	9.034	105	1.25	4.726	155	1.78	-2.210
6	0.21	-3.390	56	0.74	-5.854	106	1.26	0.716	156	1.79	-8.220
7	0.22	-3.147	57	0.75	-8.983	107	1.27	-0.790	157	1.80	-7.722
8	0.23	-1.903	58	0.76	-6.492	108	1.28	-0.795	158	1.81	-2.729
9	0.24	2.209	59	0.77	5.499	109	1.29	4.692	159	1.82	14.384
10	0.25	4.705	60	0.78	11.238	110	1.30	11.432	160	1.83	18.001
11	0.26	14.816	61	0.79	11.659	111	1.31	12.926	161	1.84	14.869
12	0.27	16.934	62	0.80	10.851	112	1.32	12.422	162	1.85	5.358
13	0.28	16.926	63	0.81	11.039	113	1.33	-4.343	163	1.86	2.229
14	0.29	13.290	64	0.82	10.959	114	1.34	-8.476	164	1.87	5.343
15	0.30	2.029	65	0.83	2.200	115	1.35	-8.479	165	1.88	7.459
16	0.31	-2.857	66	0.84	-1.686	116	1.36	-2.864	166	1.89	7.579
17	0.32	-3.110	67	0.85	5.429	117	1.37	-1.244	167	1.90	3.198
18	0.33	-0.121	68	0.86	7.296	118	1.38	-1.508	168	1.91	0.184
19	0.34	4.366	69	0.69	4.766	119	1.39	3.357	169	1.92	2.052
20	0.35	12.233	70	0.89	5.025	120	1.40	8.852	170	1.93	5.795
21	0.36	14.104	71	0.90	7.014	121	1.41	15.092	171	1.94	8.416
22	0.37	15.347	72	0.91	7.008	122	1.42	15.338	172	1.95	14.275
23	0.38	10.707	73	0.92	7.874	123	1.43	9.205	173	1.96	14.019
24	0.39	7.827	74	0.93	10.741	124	1.44	-3.183	174	1.97	14.014
25	0.41	5.309	75	0.94	14.857	125	1.45	-1.689	175	1.98	9.382
26	0.42	5.919	76	0.95	12.976	126	1.46	6.178	176	1.99	-3.880
27	0.43	7.788	77	0.96	5.842	127	1.47	11.918	177	2.00	-4.261
28	0.44	10.902	78	0.97	5.459	128	1.48	11.289	178	2.01	4.101
29	0.46	9.390	79	0.98	5.701	129	1.49	4.404	179	2.02	8.343
30	0.47	5.002	80	0.99	4.819	130	1.50	-0.729	180	2.03	9.212
31	0.48	3.742	81	1.00	3.932	131	1.51	-1.610	181	2.04	8.957
32	0.49	3.986	82	1.01	5.672	132	1.52	4.252	182	2.06	6.188
33	0.50	8.351	83	1.03	7.531	133	1.53	6.368	183	2.07	6.181
34	0.51	13.965	84	1.04	8.526	134	1.56	4.850	184	2.08	7.045
35	0.52	14.587	85	1.05	8.520	135	1.57	4.461	185	2.09	7.662
36	0.53	10.575	86	1.06	1.635	136	1.58	6.077	186	2.10	7.408
37	0.54	3.693	87	1.07	8.746	137	1.59	6.698	187	2.11	6.144
38	0.55	3.312	88	1.08	11.241	138	1.60	4.564	188	2.12	4.887
39	0.56	3.052	89	1.09	11.861	139	1.61	2.931	189	2.13	4.127
40	0.57	-0.584	90	1.10	6.351	140	1.62	3.175	190	2.14	5.122
41	0.58	1.279	91	1.11	3.219	141	1.63	5.417	191	2.15	3.867
42	0.60	10.763	92	1.12	8.084	142	1.64	9.528	192	2.16	1.984
43	0.61	11.007	93	1.13	9.952	143	1.65	10.146	193	2.17	-2.530
44	0.62	11.004	94	1.14	9.695	144	1.66	9.890	194	2.18	-2.535
45	0.63	9.244	95	1.15	8.807	145	1.67	9.259	195	2.19	6.202
46	0.64	3.861	96	1.16	6.175	146	1.68	4.247	196	2.20	8.194
47	0.65	-0.896	97	1.17	4.043	147	1.69	-0.887	197	2.21	9.062
48	0.66	12.590	98	1.18	3.161	148	1.70	-0.893	198	2.22	9.682
49	0.67	16.581	99	1.19	4.025	149	1.71	0.971	199	2.23	9.423
50	0.68	16.077	100	1.20	4.015	150	1.73	2.830	200	2.24	7.291

INDEX NO. 775 105-GR-17 HASAKI BRIDGE TR. MAX.ACCEL.= -26.992(GAL) T= 5.19(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	2.25	4.784	251	2.76	-11.282	301	3.31	9.765	351	3.86	-0.580
202	2.27	5.010	252	2.79	15.952	302	3.33	5.749	352	3.87	-0.464
203	2.29	7.744	253	2.80	26.695	303	3.34	3.488	353	3.88	-1.726
204	2.30	11.235	254	2.81	26.693	304	3.35	3.480	354	3.89	-0.233
205	2.31	11.234	255	2.82	19.808	305	3.36	3.221	355	3.90	7.381
206	2.32	7.473	256	2.83	4.301	306	3.37	0.964	356	3.91	10.499
207	2.33	-3.537	257	2.84	-1.210	307	3.38	-1.922	357	3.92	11.120
208	2.34	-8.047	258	2.85	0.655	308	3.39	-2.303	358	3.93	7.362
209	2.35	-7.801	259	2.86	1.900	309	3.40	3.307	359	3.94	-11.028
210	2.36	6.686	260	2.87	4.386	310	3.41	8.425	360	3.95	-12.910
211	2.37	13.678	261	2.89	3.376	311	3.42	5.666	361	3.96	-11.415
212	2.38	14.923	262	2.90	4.116	312	3.43	3.162	362	3.98	-19.312
213	2.39	11.794	263	2.91	4.359	313	3.44	-4.225	363	3.99	-15.931
214	2.40	3.660	264	2.92	4.350	314	3.45	-4.480	364	4.00	-10.454
215	2.41	-0.850	265	2.93	-2.163	315	3.46	-1.494	365	4.01	-10.707
216	2.42	1.891	266	2.94	-7.170	316	3.47	5.370	366	4.02	-8.591
217	2.43	11.128	267	2.95	-8.305	317	3.48	9.237	367	4.03	-12.894
218	2.44	11.990	268	2.96	-6.810	318	3.49	10.479	368	4.04	-13.264
219	2.46	0.605	269	2.97	4.930	319	3.50	8.974	369	4.05	-7.007
220	2.47	-1.775	270	2.98	20.169	320	3.51	5.219	370	4.06	-16.131
221	2.48	1.215	271	2.99	25.911	321	3.52	-3.919	371	4.07	-16.134
222	2.49	9.204	272	3.00	25.909	322	3.53	-4.049	372	4.08	-10.269
223	2.50	10.451	273	3.01	-7.232	323	3.54	-2.183	373	4.09	-10.592
224	2.51	5.818	274	3.02	-11.488	324	3.55	0.679	374	4.10	-10.965
225	2.52	-12.572	275	3.03	-9.368	325	3.56	5.670	375	4.11	-8.833
226	2.53	-12.951	276	3.04	3.242	326	3.57	13.536	376	4.12	-4.179
227	2.54	-8.582	277	3.05	6.111	327	3.58	18.027	377	4.13	-5.685
228	2.55	18.003	278	3.06	6.106	328	3.59	17.523	378	4.14	-4.570
229	2.56	19.275	279	3.07	-3.906	329	3.60	13.391	379	4.16	0.784
230	2.57	5.388	280	3.08	-6.411	330	3.61	-3.371	380	4.17	1.652
231	2.58	2.684	281	3.09	-7.049	331	3.62	-6.253	381	4.18	1.143
232	2.59	4.121	282	3.10	-8.310	332	3.63	-6.885	382	4.19	-0.739
233	2.60	6.262	283	3.11	-8.442	333	3.64	-4.398	383	4.20	-2.373
234	2.61	11.605	284	3.12	-6.945	334	3.65	-3.778	384	4.21	-1.129
235	2.62	12.226	285	3.13	1.041	335	3.66	-1.909	385	4.22	-1.144
236	2.63	10.716	286	3.14	1.032	336	3.67	4.578	386	4.23	-1.145
237	2.64	5.083	287	3.15	1.024	337	3.69	11.810	387	4.24	5.091
238	2.65	-5.601	288	3.16	3.145	338	3.70	21.427	388	4.25	5.712
239	2.66	-8.312	289	3.17	9.507	339	3.71	21.667	389	4.26	11.951
240	2.67	-7.816	290	3.18	11.125	340	3.73	3.656	390	4.27	-5.187
241	2.68	-2.200	291	3.19	9.621	341	3.74	4.273	391	4.28	-4.944
242	2.69	3.299	292	3.20	-4.894	342	3.75	0.885	392	4.29	-4.953
243	2.70	2.656	293	3.21	-4.307	343	3.76	-4.751	393	4.30	-4.963
244	2.71	2.649	294	3.22	7.339	344	3.78	-3.011	394	4.31	-3.094
245	2.72	6.636	295	3.23	9.207	345	3.79	4.600	395	4.32	0.029
246	2.73	12.128	296	3.24	6.951	346	3.80	5.471	396	4.33	3.761
247	2.74	13.000	297	3.26	-7.447	347	3.82	1.452	397	4.34	5.005
248	2.75	11.868	298	3.27	-11.080	348	3.83	0.446	398	4.35	14.618
249	2.76	-7.022	299	3.28	-11.082	349	3.84	-2.318	399	4.36	19.986
250	2.77	-11.278	300	3.30	8.769	350	3.85	-1.450	400	4.37	21.105

INDEX NO. 775 105-GR-17 MASAKI BRIDGE TR. MAX.ACCEL.= -26.992(GAL) T= 5.19(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	4.38	14.346	451	4.90	-4.615	501	5.42	-2.560	551	5.95	1.236
402	4.39	-8.790	452	4.91	14.996	502	5.43	-0.070	552	5.96	-2.525
403	4.40	-11.672	453	4.92	15.368	503	5.44	3.421	553	5.97	1.839
404	4.41	-4.307	454	4.93	-13.399	504	5.45	8.533	554	5.98	3.957
405	4.42	3.684	455	4.94	-10.279	505	5.46	8.779	555	5.99	5.624
406	4.43	4.556	456	4.95	-10.909	506	5.47	2.019	556	6.00	5.318
407	4.44	3.422	457	4.96	-13.920	507	5.48	-17.616	557	6.01	2.186
408	4.45	-5.965	458	4.97	9.565	508	5.49	-18.243	558	6.02	4.298
409	4.46	-6.347	459	4.98	14.683	509	5.50	-12.756	559	6.04	3.036
410	4.47	-3.230	460	4.99	11.928	510	5.51	-2.889	560	6.06	1.764
411	4.48	0.508	461	5.00	-15.709	511	5.52	-1.021	561	6.07	1.505
412	4.50	-2.881	462	5.01	-15.963	512	5.53	-1.654	562	6.08	1.122
413	4.51	-3.690	463	5.02	-8.846	513	5.54	-2.912	563	6.09	1.863
414	4.52	-3.274	464	5.03	12.638	514	5.55	-4.171	564	6.10	2.482
415	4.53	2.964	465	5.04	13.634	515	5.56	-2.679	565	6.12	2.845
416	4.54	8.952	466	5.05	13.378	516	5.57	4.181	566	6.13	-5.293
417	4.55	8.699	467	5.06	-14.761	517	5.58	3.924	567	6.14	-7.176
418	4.56	-12.440	468	5.07	-16.768	518	5.59	2.667	568	6.15	-6.556
419	4.57	-14.073	469	5.08	-13.024	519	5.60	2.407	569	6.16	-5.945
420	4.58	-12.577	470	5.09	8.837	520	5.61	2.023	570	6.17	-5.948
421	4.60	10.774	471	5.10	13.580	521	5.62	0.519	571	6.18	-1.585
422	4.61	11.143	472	5.11	13.076	522	5.63	-2.365	572	6.19	2.155
423	4.62	5.887	473	5.12	-14.812	523	5.64	-4.498	573	6.20	2.778
424	4.63	-7.125	474	5.13	-15.816	524	5.67	-0.901	574	6.21	0.638
425	4.64	-6.504	475	5.14	-11.823	525	5.69	1.333	575	6.23	-2.503
426	4.65	11.353	476	5.15	17.287	526	5.70	2.571	576	6.24	-3.761
427	4.66	13.225	477	5.16	25.530	527	5.71	4.439	577	6.25	-3.266
428	4.67	9.216	478	5.17	26.151	528	5.72	4.433	578	6.26	3.348
429	4.68	-11.674	479	5.18	-25.614	529	5.73	0.048	579	6.27	3.593
430	4.69	-9.180	480	5.19	-26.992	530	5.74	2.786	580	6.28	2.711
431	4.70	3.435	481	5.20	-22.126	531	5.75	4.781	581	6.29	-7.927
432	4.71	8.800	482	5.21	18.237	532	5.76	2.646	582	6.30	-8.806
433	4.72	8.297	483	5.22	23.980	533	5.77	-5.864	583	6.31	-7.694
434	4.73	-2.216	484	5.23	21.475	534	5.78	-6.872	584	6.32	-7.573
435	4.74	-5.599	485	5.24	-20.664	535	5.79	-5.627	585	6.33	-8.580
436	4.75	-4.729	486	5.25	-25.673	536	5.80	-2.885	586	6.34	-9.218
437	4.76	-1.869	487	5.26	-20.428	537	5.81	3.102	587	6.35	-8.347
438	4.77	-2.250	488	5.28	25.178	538	5.82	1.593	588	6.36	0.141
439	4.78	-2.506	489	5.29	24.924	539	5.83	-0.663	589	6.37	10.256
440	4.79	2.105	490	5.30	-12.840	540	5.84	-2.173	590	6.38	12.251
441	4.80	7.470	491	5.31	-14.345	541	5.85	-1.931	591	6.39	8.243
442	4.81	7.467	492	5.32	-6.978	542	5.86	-0.687	592	6.40	-5.142
443	4.82	-6.299	493	5.33	5.136	543	5.87	-1.948	593	6.41	-7.022
444	4.83	-6.303	494	5.34	6.376	544	5.88	-12.085	594	6.42	-5.278
445	4.84	-5.188	495	5.35	6.371	545	5.89	-17.343	595	6.43	1.958
446	4.85	-3.950	496	5.36	3.616	546	5.90	-15.224	596	6.44	4.577
447	4.86	2.039	497	5.37	-10.275	547	5.91	-9.604	597	6.45	1.445
448	4.87	4.781	498	5.38	-9.031	548	5.92	10.259	598	6.46	0.808
449	4.88	4.278	499	5.39	-6.537	549	5.93	12.126	599	6.47	2.301
450	4.89	-5.486	500	5.40	-3.171	550	5.94	8.495	600	6.48	4.168

INDEX NO. 775 105-GR-17 MASAKI BRIDGE TR. MAX.ACCEL.= -26.992(GAL) T= 5.19(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	6.49	4.288	651	7.01	0.493	701	7.54	-4.849	751	8.05	0.970
602	6.50	-1.725	652	7.02	-1.639	702	7.55	-3.728	752	8.06	1.837
603	6.51	-1.483	653	7.03	-3.150	703	7.56	-2.736	753	8.07	3.205
604	6.52	-0.863	654	7.04	-2.657	704	7.57	0.630	754	8.08	2.322
605	6.53	-1.122	655	7.05	2.084	705	7.58	-0.256	755	8.09	-0.184
606	6.54	-2.632	656	7.06	7.450	706	7.59	2.486	756	8.10	-3.316
607	6.55	-5.016	657	7.07	6.947	707	7.60	7.598	757	8.11	-9.451
608	6.56	-6.273	658	7.08	-3.444	708	7.61	7.598	758	8.12	-15.834
609	6.57	-2.281	659	7.09	-3.703	709	7.62	-2.043	759	8.13	-16.714
610	6.58	0.839	660	7.10	-2.831	710	7.63	-5.298	760	8.14	-12.097
611	6.59	6.954	661	7.11	-1.347	711	7.64	-7.808	761	8.15	-3.854
612	6.60	6.951	662	7.12	-1.353	712	7.65	-6.565	762	8.16	9.135
613	6.61	-10.687	663	7.13	-0.110	713	7.66	-5.071	763	8.17	12.628
614	6.62	-12.697	664	7.14	3.378	714	7.67	-2.828	764	8.18	7.996
615	6.63	-7.703	665	7.15	4.000	715	7.68	4.407	765	8.19	-3.768
616	6.65	13.531	666	7.16	-9.516	716	7.69	4.770	766	8.20	1.474
617	6.66	16.649	667	7.17	-9.521	717	7.70	3.896	767	8.21	4.344
618	6.67	16.144	668	7.18	6.093	718	7.71	-0.242	768	8.22	7.087
619	6.68	10.511	669	7.19	10.835	719	7.72	-2.748	769	8.23	4.957
620	6.69	-14.625	670	7.20	10.582	720	7.73	-7.509	770	8.24	-10.808
621	6.70	-16.753	671	7.22	-12.819	721	7.74	-10.016	771	8.25	-13.061
622	6.71	-13.387	672	7.23	-15.828	722	7.75	-8.898	772	8.26	-11.318
623	6.72	3.224	673	7.24	-13.206	723	7.76	-7.031	773	8.27	8.042
624	6.73	7.472	674	7.26	6.646	724	7.77	-2.918	774	8.28	14.660
625	6.74	4.963	675	7.27	8.265	725	7.78	-0.800	775	8.29	15.030
626	6.75	1.832	676	7.28	6.384	726	7.79	-0.183	776	8.30	2.145
627	6.76	1.441	677	7.30	-9.014	727	7.80	4.054	777	8.31	-6.115
628	6.78	0.804	678	7.31	-10.896	728	7.81	6.546	778	8.32	-5.244
629	6.79	1.425	679	7.32	-10.651	729	7.82	5.913	779	8.33	-2.750
630	6.80	0.292	680	7.33	-3.537	730	7.83	3.780	780	8.34	6.735
631	6.81	-1.341	681	7.34	12.074	731	7.84	2.149	781	8.35	9.401
632	6.82	-1.600	682	7.35	13.692	732	7.85	2.140	782	8.36	9.223
633	6.83	2.386	683	7.36	11.435	733	7.86	0.883	783	8.37	-3.289
634	6.84	2.630	684	7.37	2.925	734	7.87	-2.250	784	8.38	-4.167
635	6.85	-2.880	685	7.38	-3.710	735	7.88	-2.680	785	8.39	-3.925
636	6.86	-3.511	686	7.39	-4.463	736	7.89	2.104	786	8.40	2.564
637	6.87	-3.892	687	7.40	-3.225	737	7.90	2.351	787	8.41	4.596
638	6.88	-3.901	688	7.41	-1.359	738	7.91	-3.787	788	8.42	2.901
639	6.89	-3.036	689	7.42	-1.993	739	7.92	-6.795	789	8.43	-2.961
640	6.90	-7.166	690	7.43	-3.005	740	7.93	-6.550	790	8.44	-4.590
641	6.91	-10.299	691	7.44	-1.135	741	7.94	-1.811	791	8.45	-4.726
642	6.92	-10.305	692	7.45	5.602	742	7.95	-0.943	792	8.46	-2.236
643	6.93	-4.441	693	7.46	8.973	743	7.96	-1.828	793	8.47	-1.365
644	6.94	9.174	694	7.47	8.717	744	7.97	0.043	794	8.48	0.624
645	6.95	14.341	695	7.48	-11.419	745	7.98	1.535	795	8.49	0.420
646	6.96	13.036	696	7.49	-12.426	746	7.99	0.023	796	8.50	-10.020
647	6.97	4.905	697	7.50	-5.060	747	8.00	-2.739	797	8.51	-12.024
648	6.98	-6.406	698	7.51	2.304	748	8.01	-2.869	798	8.52	-8.530
649	6.99	-9.361	699	7.52	1.425	749	8.02	-1.679	799	8.53	11.081
650	7.00	-3.867	700	7.53	-2.714	750	8.04	0.855	800	8.54	12.700

土木構造物における加速度強震記録（No. 9）

INDEX NO. 775 105-GR-17 MASAKI BRIDGE TR. MAX.ACCEL.= -26.992(GAL) T= 5.19(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	8.55	5.436	851	9.07	4.477	901	9.58	-2.948	951	10.10	-3.251
802	8.56	-9.824	852	9.08	5.474	902	9.59	-3.209	952	10.11	2.112
803	8.57	-11.708	853	9.09	2.711	903	9.61	-4.470	953	10.12	3.607
804	8.58	-8.339	854	9.10	-9.673	904	9.62	-1.983	954	10.13	1.850
805	8.59	-4.593	855	9.11	-11.555	905	9.63	-1.113	955	10.14	-11.786
806	8.60	8.766	856	9.12	-9.436	906	9.64	-2.000	956	10.15	-15.668
807	8.61	9.637	857	9.13	-7.193	907	9.65	-5.383	957	10.16	-16.550
808	8.62	-5.000	858	9.14	-3.454	908	9.66	-6.011	958	10.17	-13.181
809	8.64	-6.139	859	9.15	-0.714	909	9.67	0.726	959	10.18	11.102
810	8.65	-2.151	860	9.16	0.277	910	9.68	3.719	960	10.19	15.549
811	8.66	-2.411	861	9.17	1.393	911	9.69	3.714	961	10.20	14.672
812	8.67	-3.296	862	9.18	-1.115	912	9.70	0.328	962	10.21	-22.219
813	8.68	-3.928	863	9.19	-2.746	913	9.71	-5.306	963	10.22	-23.975
814	8.69	-3.435	864	9.20	-4.629	914	9.72	-5.938	964	10.23	-19.355
815	8.70	-1.560	865	9.21	-5.261	915	9.73	-6.197	965	10.24	-1.616
816	8.71	-0.578	866	9.22	-4.319	916	9.75	-3.709	966	10.25	8.251
817	8.73	-2.094	867	9.23	7.842	917	9.76	-3.974	967	10.26	9.872
818	8.74	-2.481	868	9.24	7.587	916	9.77	-3.353	968	10.27	8.111
819	8.75	-4.994	869	9.25	-0.548	919	9.78	4.885	969	10.28	-6.900
820	8.76	-5.626	870	9.26	-6.931	920	9.79	4.631	970	10.29	-10.034
821	8.77	-6.634	871	9.27	-7.312	921	9.80	1.749	971	10.30	-8.539
822	8.78	-5.918	872	9.28	-2.950	922	9.81	1.109	972	10.31	4.074
823	8.79	-1.900	873	9.29	-1.704	923	9.82	2.978	973	10.32	9.566
824	8.80	1.840	874	9.30	-1.713	924	9.83	5.469	974	10.33	9.312
825	8.81	0.959	875	9.31	-1.970	925	9.84	2.338	975	10.34	4.932
826	8.82	-4.429	876	9.32	-0.853	926	9.85	-5.172	976	10.35	-10.955
827	8.83	-3.810	877	9.33	1.757	927	9.86	-4.925	977	10.36	-11.585
828	8.84	-1.069	878	9.34	-1.248	928	9.87	-4.814	978	10.37	-6.345
829	8.85	1.169	879	9.35	-0.682	929	9.88	-6.193	979	10.38	4.642
830	8.86	-1.340	880	9.36	-9.014	930	9.89	-4.075	980	10.39	5.265
831	8.87	-4.473	881	9.37	-5.898	931	9.90	0.039	981	10.40	2.507
832	8.88	-4.478	882	9.38	-2.780	932	9.91	-2.671	982	10.41	-3.127
833	8.89	2.508	883	9.39	-1.163	933	9.92	-3.677	983	10.42	-7.009
834	8.90	5.876	884	9.40	2.699	934	9.93	-1.611	984	10.43	-6.392
835	8.91	6.246	885	9.41	4.566	935	9.94	0.253	985	10.44	-1.402
836	8.92	2.236	886	9.42	4.811	936	9.95	0.871	986	10.45	1.214
837	8.93	-14.904	887	9.43	-9.326	937	9.96	1.614	987	10.46	4.328
838	8.94	-14.909	888	9.44	-13.331	938	9.97	0.982	988	10.47	4.075
839	8.95	-7.541	889	9.45	-11.036	939	9.98	-11.032	989	10.48	-5.686
840	8.96	14.444	890	9.46	-5.348	940	9.99	-12.539	990	10.49	-9.571
841	8.97	15.066	891	9.47	-1.654	941	10.00	-7.297	991	10.50	-8.077
842	8.98	11.308	892	9.48	2.262	942	10.01	3.070	992	10.51	-5.835
843	8.99	-11.083	893	9.49	4.125	943	10.02	7.457	993	10.52	-4.966
844	9.00	-8.090	894	9.50	4.741	944	10.03	6.559	994	10.53	-3.352
845	9.01	-3.346	895	9.52	6.980	945	10.04	-3.078	995	10.54	-0.863
846	9.02	2.396	896	9.53	3.215	946	10.05	-4.711	996	10.55	2.381
847	9.03	-3.241	897	9.54	0.460	947	10.06	2.155	997	10.56	4.502
848	9.04	-7.748	898	9.55	-6.301	948	10.07	4.024	998	10.57	2.119
849	9.05	-6.253	899	9.56	-7.556	949	10.08	-0.363	999	10.58	-4.519
850	9.06	-3.135	900	9.57	-6.936	950	10.09	-3.496	1000	10.59	-5.774

INDEX NO. 775 105-GR-17 MASAKI BRIDGE TR. MAX.ACCEL.= -26.992(GAL) T= 5.19(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	10.60	-5.780	1051	11.12	1.296	1101	11.68	1.704	1151	12.18	6.900
1002	10.61	-6.793	1052	11.14	-0.218	1102	11.69	1.452	1152	12.19	6.647
1003	10.62	6.071	1053	11.15	-4.334	1103	11.70	-3.811	1153	12.20	2.887
1004	10.63	6.693	1054	11.16	-4.988	1104	11.71	-5.693	1154	12.21	-3.623
1005	10.64	-1.445	1055	11.17	3.750	1105	11.72	-2.327	1155	12.22	-5.258
1006	10.65	-7.827	1056	11.18	10.120	1106	11.73	2.912	1156	12.23	-6.518
1007	10.66	-7.582	1057	11.19	9.241	1107	11.74	2.908	1157	12.24	-5.276
1008	10.67	-5.712	1058	11.20	-3.769	1108	11.75	1.400	1158	12.25	-2.534
1009	10.68	2.899	1059	11.21	-4.401	1109	11.76	-4.239	1159	12.26	0.584
1010	10.69	3.516	1060	11.22	-1.663	1110	11.77	-3.618	1160	12.27	-1.551
1011	10.70	2.888	1061	11.23	-0.669	1111	11.78	-2.374	1161	12.28	-4.684
1012	10.71	0.130	1062	11.24	-0.927	1112	11.79	1.363	1162	12.29	-4.066
1013	10.72	-2.757	1063	11.25	-1.308	1113	11.80	2.230	1163	12.30	-1.949
1014	10.73	-3.309	1064	11.26	2.427	1114	11.81	-5.532	1164	12.31	2.414
1015	10.74	-3.145	1065	11.28	0.915	1115	11.82	-9.415	1165	12.32	2.785
1016	10.75	-1.277	1066	11.30	-2.231	1116	11.83	-8.794	1166	12.33	0.274
1017	10.76	1.840	1067	11.31	-3.238	1117	11.84	-4.424	1167	12.34	-2.489
1018	10.77	-7.299	1068	11.32	-1.120	1118	11.85	9.810	1168	12.35	-4.118
1019	10.78	-9.433	1069	11.34	3.864	1119	11.86	8.932	1169	12.36	-2.903
1020	10.79	-8.315	1070	11.35	2.734	1120	11.87	-0.456	1170	12.37	-0.787
1021	10.80	-4.571	1071	11.36	-3.528	1121	11.88	-14.714	1171	12.38	2.677
1022	10.81	1.169	1072	11.37	-4.783	1122	11.89	-14.467	1172	12.39	-1.031
1023	10.82	2.789	1073	11.38	-3.916	1123	11.90	-11.352	1173	12.40	-1.911
1024	10.83	1.282	1074	11.39	-2.304	1124	11.91	5.886	1174	12.41	-4.108
1025	10.84	0.275	1075	11.40	-4.560	1125	11.92	9.754	1175	12.43	-3.935
1026	10.85	1.136	1076	11.41	-6.586	1126	11.93	8.249	1176	12.45	-2.952
1027	10.86	1.757	1077	11.42	-6.573	1127	11.94	-6.514	1177	12.46	-2.091
1028	10.87	0.874	1078	11.43	-2.080	1128	11.95	-6.519	1178	12.47	-0.227
1029	10.88	-6.888	1079	11.45	0.026	1129	11.96	-2.278	1179	12.48	1.391
1030	10.89	-7.393	1080	11.46	1.017	1130	11.97	-0.667	1180	12.49	3.259
1031	10.90	-6.524	1081	11.48	3.499	1131	11.98	+1.549	1181	12.50	3.504
1032	10.91	-2.783	1082	11.49	2.242	1132	11.99	-3.183	1182	12.51	-3.885
1033	10.92	2.703	1083	11.50	1.239	1133	12.00	-5.315	1183	12.52	-9.395
1034	10.93	3.945	1084	11.51	-3.650	1134	12.01	-6.071	1184	12.53	-10.624
1035	10.95	4.811	1085	11.52	-6.536	1135	12.02	-4.453	1185	12.54	-9.701
1036	10.96	3.051	1086	11.53	-5.292	1136	12.03	5.157	1186	12.55	-5.041
1037	10.97	-9.338	1087	11.54	2.197	1137	12.04	8.149	1187	12.56	0.947
1038	10.98	-12.466	1088	11.55	2.193	1138	12.05	7.520	1188	12.57	0.944
1039	10.99	-11.598	1089	11.56	-3.067	1139	12.06	-5.119	1189	12.58	-5.571
1040	11.00	5.389	1090	11.57	-7.953	1140	12.07	-9.252	1190	12.59	-6.828
1041	11.01	6.386	1091	11.58	-7.958	1141	12.08	-8.385	1191	12.60	-5.582
1042	11.02	5.903	1092	11.59	-3.592	1142	12.09	-6.517	1192	12.61	3.777
1043	11.03	2.619	1093	11.60	6.523	1143	12.10	-4.022	1193	12.62	3.147
1044	11.04	0.736	1094	11.61	8.514	1144	12.11	0.464	1194	12.63	1.017
1045	11.05	+1.772	1095	11.62	4.506	1145	12.12	1.081	1195	12.64	-1.242
1046	11.06	-3.285	1096	11.63	-6.628	1146	12.13	0.825	1196	12.65	0.622
1047	11.07	-2.168	1097	11.64	-8.635	1147	12.14	-5.814	1197	12.66	-5.766
1048	11.08	-0.550	1098	11.65	-7.143	1148	12.15	-8.445	1198	12.67	-5.021
1049	11.09	-1.185	1099	11.66	-4.901	1149	12.16	-9.075	1199	12.68	-5.276
1050	11.10	-0.318	1100	11.67	-2.782	1150	12.17	-8.959	1200	12.69	-5.164

INDEX NO. 775 105-GR-17 MASAKI BRIDGE TR. MAX.ACCEL.= -26.992(GAL) T= 5.19(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	12.71	-0.432	1251	13.22	-3.004	1301	13.73	-6.323	1351	14.24	-3.253
1202	12.72	1.809	1252	13.23	-2.765	1302	13.74	3.663	1352	14.25	0.485
1203	12.73	2.680	1253	13.25	-3.028	1303	13.75	7.530	1353	14.26	0.228
1204	12.74	-2.209	1254	13.26	-3.915	1304	13.76	8.159	1354	14.27	-1.656
1205	12.75	-3.464	1255	13.27	-3.048	1305	13.77	-1.863	1355	14.28	-2.286
1206	12.76	-2.344	1256	13.28	-1.557	1306	13.78	-5.996	1356	14.29	-1.421
1207	12.77	0.517	1257	13.29	-0.563	1307	13.79	-5.751	1357	14.30	-1.682
1208	12.78	0.511	1258	13.30	0.927	1308	13.80	-2.881	1358	14.31	-4.567
1209	12.79	-5.376	1259	13.31	0.916	1309	13.81	4.854	1359	14.32	-4.321
1210	12.80	-6.381	1260	13.32	-5.847	1310	13.82	2.721	1360	14.33	-3.077
1211	12.81	-5.137	1261	13.33	-6.477	1311	13.83	-2.289	1361	14.34	-0.590
1212	12.82	-1.146	1262	13.34	-5.984	1312	13.84	-1.046	1362	14.35	1.025
1213	12.83	-7.037	1263	13.35	-2.867	1313	13.85	-0.801	1363	14.36	-1.111
1214	12.84	-10.295	1264	13.36	-0.879	1314	13.86	-1.062	1364	14.37	-3.615
1215	12.85	-10.549	1265	13.37	-1.514	1315	13.87	-5.699	1365	14.38	-8.002
1216	12.86	-8.809	1266	13.38	-1.275	1316	13.88	-5.205	1366	14.39	-8.383
1217	12.87	-5.942	1267	13.39	-0.409	1317	13.89	-1.713	1367	14.40	-6.887
1218	12.88	3.797	1268	13.40	1.831	1318	13.90	3.901	1368	14.41	-1.898
1219	12.89	7.664	1269	13.41	2.451	1319	13.91	3.648	1369	14.42	-2.785
1220	12.90	7.661	1270	13.42	0.944	1320	13.92	1.392	1370	14.43	-2.793
1221	12.91	-6.479	1271	13.43	-3.445	1321	13.93	-2.621	1371	14.44	-2.802
1222	12.92	-11.858	1272	13.44	-3.201	1322	13.95	-2.386	1372	14.46	-2.814
1223	12.93	-13.115	1273	13.45	0.162	1323	13.96	-2.143	1373	14.47	-3.445
1224	12.94	-5.751	1274	13.46	1.779	1324	13.97	-1.526	1374	14.48	-1.958
1225	12.95	-0.887	1275	13.47	-3.483	1325	13.98	4.462	1375	14.49	-1.338
1226	12.96	-1.141	1276	13.48	-5.366	1326	13.99	7.330	1376	14.50	-4.100
1227	12.97	-1.532	1277	13.49	-3.876	1327	14.00	4.947	1377	14.51	-3.482
1228	12.98	-0.665	1278	13.50	2.364	1326	14.01	-4.939	1378	14.52	-1.987
1229	12.99	1.295	1279	13.51	5.482	1329	14.02	-5.819	1379	14.53	-2.877
1230	13.00	2.201	1280	13.52	5.480	1330	14.03	-0.580	1380	14.54	-5.097
1231	13.01	-1.816	1281	13.53	1.093	1331	14.04	4.412	1381	14.55	-5.013
1232	13.02	-4.324	1282	13.54	1.087	1332	14.05	1.277	1382	14.56	-1.647
1233	13.03	-4.327	1283	13.55	-2.052	1333	14.06	-5.607	1383	14.57	3.589
1234	13.04	-2.215	1284	13.56	-6.435	1334	14.07	-5.613	1384	14.58	5.335
1235	13.05	3.648	1285	13.57	-9.190	1335	14.08	-3.496	1385	14.59	4.454
1236	13.06	3.392	1286	13.58	-10.320	1336	14.09	-2.254	1386	14.60	-4.812
1237	13.07	-2.243	1287	13.59	-8.913	1337	14.10	-1.637	1387	14.61	-6.694
1238	13.08	-2.249	1288	13.60	-10.161	1338	14.11	-4.525	1388	14.62	-5.469
1239	13.09	-1.007	1289	13.61	-9.279	1339	14.12	-1.657	1389	14.63	-4.205
1240	13.10	-1.645	1290	13.62	-10.361	1340	14.13	0.587	1390	14.64	-1.713
1241	13.11	-5.027	1291	13.63	-8.864	1341	14.14	2.202	1391	14.65	-3.227
1242	13.12	-3.913	1292	13.64	-4.747	1342	14.15	-0.055	1392	14.66	-3.606
1243	13.14	-2.678	1293	13.65	-1.260	1343	14.16	-5.067	1393	14.67	-3.613
1244	13.15	-2.060	1294	13.66	-0.891	1344	14.17	-5.699	1394	14.68	-2.371
1245	13.16	-2.948	1295	13.67	-0.898	1345	14.18	-4.832	1395	14.69	-1.761
1246	13.17	-4.834	1296	13.68	-0.857	1346	14.19	-2.962	1396	14.70	-3.271
1247	13.18	-2.966	1297	13.69	1.581	1347	14.20	-1.346	1397	14.71	-2.154
1248	13.19	0.776	1298	13.70	2.202	1348	14.21	-3.482	1398	14.72	-0.910
1249	13.20	-1.989	1299	13.71	-6.813	1349	14.22	-6.617	1399	14.73	0.331
1250	13.21	-2.618	1300	13.72	-7.817	1350	14.23	-5.748	1400	14.74	-1.428

INDEX NO. 775 105-GR-17 MASAKI BRIDGE TR. MAX.ACCEL.= -26.992(GAL) T= 5.19(SEC) NO. 8

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1401	14.75	-4.936	1451	15.32	-2.276	1501	15.87	-9.240	1551	16.47	0.999
1402	14.76	-6.193	1452	15.33	-1.033	1502	15.88	-10.246	1552	16.48	-3.141
1403	14.77	-4.325	1453	15.34	0.829	1503	15.90	-3.758	1553	16.50	-2.527
1404	14.78	-2.457	1454	15.35	1.446	1504	15.91	4.850	1554	16.52	-1.045
1405	14.79	0.908	1455	15.36	1.441	1505	15.92	5.471	1555	16.54	-0.686
1406	14.80	1.527	1456	15.37	-1.071	1506	15.93	6.336	1556	16.55	0.804
1407	14.81	-0.238	1457	15.38	-3.831	1507	15.94	4.829	1557	16.56	1.171
1408	14.83	-0.624	1458	15.39	-3.835	1508	15.95	-3.308	1558	16.57	0.532
1409	14.84	0.612	1459	15.41	1.646	1509	15.96	-4.938	1559	16.59	-0.729
1410	14.85	1.482	1460	15.42	2.018	1510	15.97	-6.569	1560	16.60	-2.241
1411	14.86	1.602	1461	15.43	0.507	1511	15.98	-0.955	1561	16.62	-2.257
1412	14.87	-4.037	1462	15.44	-0.497	1512	15.99	1.789	1562	16.63	-2.645
1413	14.88	-8.168	1463	15.45	-1.256	1513	16.00	0.027	1563	16.64	-3.276
1414	14.89	-9.050	1464	15.46	-3.270	1514	16.02	-1.240	1564	16.65	-2.033
1415	14.90	-6.682	1465	15.47	-3.028	1515	16.04	-1.630	1565	16.66	4.204
1416	14.91	-0.696	1466	15.48	0.087	1516	16.05	-0.389	1566	16.67	3.949
1417	14.92	3.296	1467	15.49	2.832	1517	16.06	0.855	1567	16.68	2.088
1418	14.93	3.867	1468	15.50	4.522	1518	16.07	0.847	1568	16.69	-2.945
1419	14.94	0.279	1469	15.51	4.568	1519	16.08	-0.417	1569	16.70	-4.957
1420	14.95	-1.354	1470	15.52	-3.319	1520	16.09	-1.927	1570	16.71	-3.485
1421	14.96	-1.610	1471	15.53	-6.825	1521	16.10	-2.310	1571	16.72	-0.969
1422	14.97	-2.872	1472	15.54	-5.958	1522	16.11	-0.818	1572	16.73	1.519
1423	14.98	-3.878	1473	15.55	-1.842	1523	16.12	1.673	1573	16.74	1.516
1424	14.99	-3.885	1474	15.56	0.899	1524	16.13	1.867	1574	16.75	-1.619
1425	15.00	-2.018	1475	15.57	1.019	1525	16.14	-1.095	1575	16.76	-3.757
1426	15.01	1.719	1476	15.58	-1.871	1526	16.15	-5.105	1576	16.77	-3.266
1427	15.02	3.211	1477	15.60	-3.762	1527	16.16	-4.236	1577	16.78	-2.027
1428	15.03	3.584	1478	15.61	-2.896	1528	16.17	-2.742	1578	16.80	-0.163
1429	15.04	2.075	1479	15.63	2.087	1529	16.18	0.375	1579	16.81	0.205
1430	15.05	-5.813	1480	15.65	3.325	1530	16.19	0.992	1580	16.83	-1.062
1431	15.06	-8.571	1481	15.66	-0.059	1531	16.20	-3.022	1581	16.84	-1.945
1432	15.07	-7.449	1482	15.67	-3.444	1532	16.21	-4.907	1582	16.85	-3.835
1433	15.08	-2.081	1483	15.68	-4.075	1533	16.22	-4.289	1583	16.86	-7.344
1434	15.09	2.911	1484	15.69	-0.713	1534	16.23	-1.800	1584	16.87	-6.474
1435	15.10	1.401	1485	15.70	1.155	1535	16.24	2.567	1585	16.88	-1.733
1436	15.11	-1.486	1486	15.71	0.900	1536	16.25	5.182	1586	16.90	-1.751
1437	15.12	-3.616	1487	15.72	-0.362	1537	16.26	4.928	1587	16.91	-1.506
1438	15.14	0.621	1488	15.73	-0.408	1538	16.27	3.673	1588	16.92	0.103
1439	15.15	0.110	1489	15.74	1.118	1539	16.28	-1.715	1589	16.93	-0.152
1440	15.16	-3.902	1490	15.75	1.365	1540	16.29	-1.721	1590	16.94	-3.036
1441	15.18	-1.182	1491	15.76	-0.773	1541	16.30	-1.731	1591	16.95	-4.296
1442	15.20	-1.803	1492	15.78	-2.284	1542	16.34	-1.763	1592	16.96	-3.054
1443	15.21	-2.186	1493	15.79	-2.669	1543	16.36	-0.531	1593	16.97	0.684
1444	15.22	-1.570	1494	15.80	-2.925	1544	16.37	-1.796	1594	16.98	2.180
1445	15.25	0.904	1495	15.81	-1.437	1545	16.39	0.063	1595	16.99	3.298
1446	15.27	2.782	1496	15.82	0.057	1546	16.41	0.921	1596	17.00	-2.339
1447	15.28	1.505	1497	15.83	2.300	1547	16.43	1.534	1597	17.01	-4.598
1448	15.29	0.621	1498	15.84	2.864	1548	16.44	1.274	1598	17.02	-4.726
1449	15.30	-1.889	1499	15.85	2.203	1549	16.45	1.512	1599	17.03	-3.487
1450	15.31	-2.894	1500	15.86	-2.731	1550	16.46	1.257	1600	17.04	-0.870

INDEX NO. 775 105-GR-17 MASAKI BRIDGE TR. MAX.ACCEL.= -26.992(GAL) T= 5.19(SEC) NO. 9

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1601	17.05	-0.685	1651	17.58	0.648	1701	18.08	0.203	1751	18.63	-5.640
1602	17.06	-3.139	1652	17.59	0.013	1702	18.09	0.072	1752	18.64	-0.650
1603	17.07	-0.493	1653	17.60	0.498	1703	18.10	3.308	1753	18.65	2.092
1604	17.08	0.592	1654	17.61	0.489	1704	18.12	-0.207	1754	18.66	4.582
1605	17.09	-1.295	1655	17.62	-0.016	1705	18.13	-2.089	1755	18.67	4.951
1606	17.10	-4.429	1656	17.63	-1.276	1706	18.14	-2.094	1756	18.68	4.945
1607	17.11	-4.190	1657	17.64	-2.287	1707	18.15	-0.232	1757	18.69	2.186
1608	17.12	-3.825	1658	17.65	-2.541	1708	18.16	-0.244	1758	18.70	-1.698
1609	17.13	-3.580	1659	17.66	-1.427	1709	18.17	-0.250	1759	18.71	0.539
1610	17.14	-4.466	1660	17.67	1.685	1710	18.18	-0.507	1760	18.72	1.406
1611	17.15	-3.844	1661	17.68	2.058	1711	18.19	1.856	1761	18.73	2.026
1612	17.16	5.640	1662	17.69	1.426	1712	18.20	2.226	1762	18.74	3.262
1613	17.17	5.886	1663	17.70	-2.338	1713	18.21	1.343	1763	18.75	3.881
1614	17.18	5.004	1664	17.71	-2.723	1714	18.22	-0.289	1764	18.76	3.626
1615	17.19	2.246	1665	17.72	-1.730	1715	18.23	-2.427	1765	18.77	2.369
1616	17.20	-2.769	1666	17.73	-0.485	1716	18.24	-1.186	1766	18.78	-0.772
1617	17.21	-3.154	1667	17.74	-0.497	1717	18.25	0.931	1767	18.79	0.095
1618	17.22	-2.913	1668	17.75	-2.004	1718	18.26	4.298	1768	18.80	0.211
1619	17.23	-2.296	1669	17.76	-1.762	1719	18.27	4.914	1769	18.81	0.453
1620	17.25	-2.558	1670	17.77	1.598	1720	18.28	3.784	1770	18.82	1.322
1621	17.26	-3.193	1671	17.78	1.967	1721	18.29	0.653	1771	18.83	1.440
1622	17.27	-2.953	1672	17.79	1.957	1722	18.30	0.015	1772	18.84	0.179
1623	17.28	0.534	1673	17.80	1.321	1723	18.31	0.261	1773	18.85	-0.820
1624	17.29	0.527	1674	17.81	0.690	1724	18.32	0.246	1774	18.86	-1.713
1625	17.30	-0.733	1675	17.82	-1.198	1725	18.35	-0.151	1775	18.87	-1.221
1626	17.31	-2.244	1676	17.83	-2.080	1726	18.37	0.208	1776	18.88	0.394
1627	17.33	-0.761	1677	17.84	-1.836	1727	18.38	-0.429	1777	18.89	1.888
1628	17.34	0.479	1678	17.85	-0.966	1728	18.39	-2.315	1778	18.90	4.381
1629	17.36	2.338	1679	17.86	1.517	1729	18.40	-2.323	1779	18.91	3.074
1630	17.37	1.707	1680	17.87	1.262	1730	18.42	2.911	1780	18.92	-1.515
1631	17.38	0.825	1681	17.88	0.628	1731	18.43	4.531	1781	18.93	-1.520
1632	17.39	-0.810	1682	17.89	0.369	1732	18.44	5.770	1782	18.94	0.969
1633	17.40	0.426	1683	17.90	-0.018	1733	18.45	4.263	1783	18.95	2.210
1634	17.41	0.422	1684	17.91	-0.902	1734	18.46	-5.499	1784	18.96	1.329
1635	17.42	-0.460	1685	17.92	-0.908	1735	18.47	-4.878	1785	18.97	-0.932
1636	17.43	-1.471	1686	17.93	-0.914	1736	18.48	-3.384	1786	18.98	-0.688
1637	17.44	-1.231	1687	17.94	-0.927	1737	18.49	6.351	1787	18.99	0.301
1638	17.45	0.010	1688	17.95	-0.933	1738	18.50	5.723	1788	19.01	1.165
1639	17.46	0.379	1689	17.96	1.178	1739	18.51	-1.790	1789	19.02	3.025
1640	17.47	-1.134	1690	17.97	2.669	1740	18.52	-3.675	1790	19.03	2.773
1641	17.48	-2.146	1691	17.98	3.037	1741	18.53	-3.056	1791	19.04	0.013
1642	17.49	-2.152	1692	17.99	2.782	1742	18.54	-1.812	1792	19.05	0.501
1643	17.50	-1.283	1693	18.00	1.775	1743	18.55	4.050	1793	19.06	1.495
1644	17.51	1.582	1694	18.01	-0.735	1744	18.56	4.422	1794	19.07	2.737
1645	17.52	1.324	1695	18.02	-2.248	1745	18.57	3.538	1795	19.08	3.977
1646	17.53	-2.190	1696	18.03	-2.628	1746	18.58	-1.849	1796	19.09	3.097
1647	17.54	-1.569	1697	18.04	-1.389	1747	18.59	1.516	1797	19.10	1.466
1648	17.55	0.547	1698	18.05	1.101	1748	18.60	3.383	1798	19.11	-0.045
1649	17.56	2.160	1699	18.06	2.968	1749	18.61	1.252	1799	19.12	-0.053
1650	17.57	2.156	1700	18.07	2.716	1750	18.62	-5.634	1800	19.13	0.812

INDEX NO. 775 105-GR-17 MASAKI BRIDGE TR. MAX.ACCEL.= -26.992(GAL) T= 5.19(SEC) NO.10

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1801	19.14	1.427	1851	19.67	0.371	1901	20.24	1.387	1951	20.74	-1.167
1802	19.16	-2.339	1852	19.68	0.114	1902	20.25	2.633	1952	20.75	-2.049
1803	19.17	-2.594	1853	19.69	0.600	1903	20.26	3.000	1953	20.76	-2.056
1804	19.18	0.399	1854	19.71	-0.535	1904	20.27	-0.761	1954	20.78	-0.951
1805	19.19	1.389	1855	19.72	0.956	1905	20.28	-1.019	1955	20.82	-1.235
1806	19.20	2.880	1856	19.73	2.197	1906	20.29	1.718	1956	20.85	-0.385
1807	19.21	1.749	1857	19.74	2.187	1907	20.30	2.335	1957	20.87	-0.407
1808	19.22	-0.511	1858	19.76	-0.956	1908	20.31	1.707	1958	20.90	-0.300
1809	19.23	-0.769	1859	19.78	0.282	1909	20.32	-0.803	1959	20.91	-0.941
1810	19.24	0.098	1860	19.79	0.521	1910	20.33	-0.809	1960	20.92	-1.948
1811	19.25	1.965	1861	19.80	0.513	1911	20.34	3.175	1961	20.93	-0.084
1812	19.26	4.454	1862	19.81	2.130	1912	20.35	3.795	1962	20.96	-0.105
1813	19.27	4.449	1863	19.82	0.623	1913	20.36	3.289	1963	20.97	0.758
1814	19.28	0.687	1864	19.83	-1.007	1914	20.37	-1.099	1964	20.98	-0.124
1815	19.29	-2.445	1865	19.84	-2.518	1915	20.38	-1.478	1965	20.99	-2.008
1816	19.30	-3.074	1866	19.85	-1.400	1916	20.39	0.757	1966	21.00	-4.766
1817	19.31	-0.338	1867	19.86	2.090	1917	20.40	4.124	1967	21.01	-4.272
1818	19.32	1.528	1868	19.87	3.584	1918	20.41	5.991	1968	21.02	-1.408
1819	19.33	2.147	1869	19.88	3.704	1919	20.42	6.610	1969	21.03	1.708
1820	19.34	2.518	1870	19.90	2.682	1920	20.43	2.847	1970	21.04	2.948
1821	19.35	1.635	1871	19.91	2.424	1921	20.44	-1.786	1971	21.05	2.065
1822	19.36	-0.250	1872	19.92	-0.458	1922	20.45	-2.794	1972	21.07	0.179
1823	19.37	0.616	1873	19.93	-1.339	1923	20.46	-1.302	1973	21.08	-1.456
1824	19.38	3.353	1874	19.94	-0.849	1924	20.47	1.812	1974	21.09	-1.462
1825	19.40	3.719	1875	19.95	1.390	1925	20.48	2.806	1975	21.10	0.648
1826	19.41	0.960	1876	19.96	1.634	1926	20.49	-1.206	1976	21.12	2.261
1827	19.42	-1.300	1877	19.98	0.742	1927	20.50	-2.210	1977	21.14	0.738
1828	19.43	1.187	1878	20.00	0.107	1928	20.51	-0.722	1978	21.17	-2.538
1829	19.44	3.679	1879	20.01	-0.152	1929	20.52	1.769	1979	21.19	-1.299
1830	19.45	5.547	1880	20.02	2.582	1930	20.53	3.635	1980	21.20	-0.683
1831	19.46	4.916	1881	20.03	3.452	1931	20.54	4.878	1981	21.22	-0.329
1832	19.47	1.158	1882	20.04	2.320	1932	20.55	3.747	1982	21.24	-0.092
1833	19.48	-2.603	1883	20.05	-0.190	1933	20.56	-0.264	1983	21.25	0.273
1834	19.49	-1.106	1884	20.07	1.293	1934	20.57	-2.645	1984	21.26	1.137
1835	19.50	3.831	1885	20.08	3.534	1935	20.58	-5.277	1985	21.27	0.631
1836	19.51	5.747	1886	20.09	4.652	1936	20.59	4.832	1986	21.28	-4.130
1837	19.52	6.117	1887	20.10	1.265	1937	20.60	7.077	1987	21.29	-5.637
1838	19.53	4.611	1888	20.11	-2.745	1938	20.61	5.568	1988	21.30	-5.144
1839	19.54	1.101	1889	20.12	-2.748	1939	20.62	3.313	1989	21.31	1.093
1840	19.55	-0.404	1890	20.13	1.862	1940	20.63	-2.951	1990	21.32	2.714
1841	19.56	-2.294	1891	20.14	3.977	1941	20.64	-2.709	1991	21.33	0.829
1842	19.57	-2.927	1892	20.15	3.975	1942	20.65	-0.217	1992	21.34	-6.058
1843	19.59	-1.187	1893	20.16	-0.663	1943	20.66	3.273	1993	21.35	-6.065
1844	19.60	4.423	1894	20.17	-1.294	1944	20.67	3.018	1994	21.36	-3.322
1845	19.61	3.541	1895	20.18	-0.676	1945	20.68	-2.994	1995	21.37	-0.828
1846	19.62	1.681	1896	20.19	2.432	1946	20.69	-5.498	1996	21.38	2.037
1847	19.63	1.653	1897	20.20	2.428	1947	20.70	-5.507	1997	21.39	2.032
1848	19.64	2.270	1898	20.21	2.171	1948	20.71	2.855	1998	21.40	-0.732
1849	19.65	2.886	1899	20.22	-0.343	1949	20.72	3.850	1999	21.41	-0.866
1850	19.66	2.003	1900	20.23	-0.725	1950	20.73	3.845	2000	21.42	0.124

INDEX NO. 775 105-GR-17 MASAKI BRIDGE TR. MAX.ACCEL.= -26.992(GAL) T= 5.19(SEC) NO.11

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2001	21.44	0.983	2051	22.04	3.330	2101	22.59	1.360	2151	23.24	0.702
2002	21.45	0.476	2052	22.05	2.695	2102	22.60	-1.526	2152	23.25	0.442
2003	21.46	0.094	2053	22.06	-0.443	2103	22.61	-3.032	2153	23.26	-0.442
2004	21.47	0.084	2054	22.08	-1.330	2104	22.62	-3.165	2154	23.27	-1.699
2005	21.48	-0.551	2055	22.09	-1.093	2105	22.63	-1.549	2155	23.28	-2.705
2006	21.50	-0.812	2056	22.10	-0.853	2106	22.64	-0.680	2156	23.29	-2.463
2007	21.51	0.925	2057	22.11	0.140	2107	22.65	-0.313	2157	23.30	1.026
2008	21.53	0.407	2058	22.12	2.630	2108	22.66	-0.073	2158	23.31	3.766
2009	21.54	-1.226	2059	22.13	2.376	2109	22.68	0.290	2159	23.32	2.262
2010	21.55	-1.857	2060	22.14	-0.135	2110	22.69	0.530	2160	23.33	-0.245
2011	21.56	-1.865	2061	22.15	-2.393	2111	22.70	-3.107	2161	23.34	-1.127
2012	21.57	-0.629	2062	22.16	-3.902	2112	22.71	-4.363	2162	23.36	0.354
2013	21.58	0.236	2063	22.17	-4.034	2113	22.72	-4.496	2163	23.37	0.593
2014	21.59	-1.900	2064	22.18	-0.921	2114	22.73	-2.002	2164	23.39	0.327
2015	21.60	-2.783	2065	22.19	0.967	2115	22.74	0.484	2165	23.40	-1.184
2016	21.61	-1.915	2066	22.20	0.937	2116	22.76	-0.033	2166	23.41	-0.937
2017	21.62	-1.047	2067	22.21	0.678	2117	22.77	-0.413	2167	23.42	0.304
2018	21.63	-0.684	2066	22.22	-0.577	2118	22.78	-1.925	2168	23.43	1.173
2019	21.64	-1.941	2069	22.23	-2.714	2119	22.79	-1.693	2169	23.44	0.288
2020	21.65	-3.197	2070	22.25	-3.099	2120	22.81	-0.198	2170	23.46	0.270
2021	21.66	-2.332	2071	22.26	1.261	2121	22.82	-0.452	2171	23.48	1.133
2022	21.67	-1.090	2072	22.27	3.378	2122	22.83	+0.463	2172	23.49	2.747
2023	21.68	1.150	2073	22.28	1.871	2123	22.84	0.402	2173	23.50	1.862
2024	21.70	0.509	2074	22.29	-1.889	2124	22.85	0.770	2174	23.51	1.227
2025	21.71	-0.755	2075	22.30	-2.771	2125	22.86	1.388	2175	23.52	0.220
2026	21.72	-1.389	2076	22.31	-2.528	2126	22.87	2.878	2176	23.53	-0.039
2027	21.73	-3.271	2077	22.32	-1.287	2127	22.88	3.874	2177	23.54	1.454
2028	21.74	-2.403	2078	22.33	-0.675	2128	22.90	1.358	2178	23.55	1.448
2029	21.75	0.707	2079	22.34	-1.304	2129	22.92	-0.535	2179	23.56	1.443
2030	21.76	1.698	2080	22.35	-2.560	2130	22.93	-0.797	2180	23.57	1.684
2031	21.77	1.693	2081	22.36	-3.444	2131	22.94	+0.806	2181	23.58	0.801
2032	21.78	0.433	2082	22.37	-3.201	2132	22.96	-0.816	2182	23.60	-0.715
2033	21.79	-0.823	2083	22.38	-1.710	2133	22.99	0.283	2183	23.61	0.397
2034	21.80	-1.456	2084	22.39	3.275	2134	23.01	0.890	2184	23.62	1.641
2035	21.81	1.027	2085	22.40	3.022	2135	23.02	1.003	2185	23.63	1.635
2036	21.83	-0.233	2086	22.41	-1.367	2136	23.04	-0.008	2186	23.64	-0.753
2037	21.84	-1.743	2087	22.42	-3.498	2137	23.05	-0.266	2187	23.65	-1.385
2038	21.85	-1.255	2088	22.43	-2.384	2138	23.06	-0.025	2188	23.66	-0.891
2039	21.86	-0.263	2089	22.44	-1.392	2139	23.07	-0.033	2189	23.67	1.346
2040	21.90	-0.303	2090	22.46	-1.657	2140	23.08	1.206	2190	23.68	2.590
2041	21.92	-2.195	2091	22.47	-2.039	2141	23.09	-0.303	2191	23.69	4.707
2042	21.93	-2.830	2092	22.49	0.444	2142	23.10	-1.312	2192	23.70	3.825
2043	21.94	-2.589	2093	22.50	1.937	2143	23.11	-2.818	2193	23.71	2.315
2044	21.95	-0.972	2094	22.51	1.675	2144	23.12	-1.699	2194	23.73	1.299
2045	21.96	0.518	2095	22.52	0.164	2145	23.13	0.788	2195	23.75	0.661
2046	21.97	0.259	2096	22.53	-1.466	2146	23.14	1.780	2196	23.76	0.649
2047	21.99	-0.627	2097	22.54	-1.724	2147	23.15	0.896	2197	23.78	0.014
2048	22.00	-0.393	2098	22.55	-0.610	2148	23.18	-1.000	2198	23.79	0.630
2049	22.02	0.471	2099	22.56	0.381	2149	23.21	-0.521	2199	23.80	3.116
2050	22.03	2.086	2100	22.58	1.865	2150	23.22	0.090	2200	23.81	4.606

INDEX NO. 775 105-GR-17 MASAKI BRIDGE TR. MAX.ACCEL.= -26.992(GAL) T= 5.19(SEC) NO.12

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2201	23.82	4.605	2251	24.37	-1.097	2301	24.95	-2.463	2351	25.64	-2.452
2202	23.83	1.597	2252	24.38	-1.985	2302	24.96	-2.846	2352	25.65	-2.210
2203	23.84	-2.786	2253	24.39	-0.242	2303	24.97	-1.607	2353	25.66	-0.968
2204	23.85	-0.622	2254	24.40	0.752	2304	24.98	-0.739	2354	25.67	0.525
2205	23.86	3.945	2255	24.41	1.990	2305	24.99	-0.377	2355	25.68	2.143
2206	23.87	4.565	2256	24.42	1.986	2306	25.01	-0.636	2356	25.69	0.633
2207	23.88	1.552	2257	24.43	1.355	2307	25.02	-1.274	2357	25.70	-1.624
2208	23.89	0.920	2258	24.45	0.464	2308	25.03	-2.283	2358	25.71	-1.631
2209	23.90	-0.716	2259	24.46	-0.800	2309	25.04	-2.290	2359	25.72	0.462
2210	23.92	0.767	2260	24.48	-1.188	2310	25.05	-2.552	2360	25.73	2.100
2211	23.93	1.139	2261	24.49	-0.574	2311	25.06	-2.933	2361	25.74	2.091
2212	23.94	2.630	2262	24.51	-0.835	2312	25.07	-2.690	2362	25.75	0.207
2213	23.95	3.249	2263	24.52	-0.601	2313	25.09	0.415	2363	25.76	-0.676
2214	23.96	1.487	2264	24.53	-0.607	2314	25.10	0.781	2364	25.77	-1.685
2215	23.97	1.357	2265	24.54	-1.493	2315	25.11	0.148	2365	25.78	-0.819
2216	23.98	1.975	2266	24.55	-2.748	2316	25.12	-1.362	2366	25.79	1.043
2217	23.99	2.090	2267	24.56	-3.753	2317	25.13	-2.121	2367	25.81	1.656
2218	24.00	1.079	2268	24.57	-1.265	2318	25.15	-2.637	2368	25.82	0.140
2219	24.01	-0.426	2269	24.58	0.228	2319	25.16	-1.523	2369	25.83	-1.118
2220	24.02	1.062	2270	24.59	1.470	2320	25.18	-1.419	2370	25.84	-1.999
2221	24.03	2.305	2271	24.60	-0.044	2321	25.20	-2.432	2371	25.85	-2.301
2222	24.04	1.674	2272	24.61	-0.927	2322	25.21	-0.941	2372	25.86	-3.014
2223	24.05	-1.090	2273	24.63	-1.063	2323	25.22	0.671	2373	25.87	-1.523
2224	24.06	0.028	2274	24.64	-1.077	2324	25.23	+0.838	2374	25.88	0.092
2225	24.07	1.664	2275	24.66	-0.467	2325	25.24	-1.218	2375	25.89	0.084
2226	24.08	1.889	2276	24.67	+0.476	2326	25.25	+0.978	2376	25.90	-0.548
2227	24.09	2.260	2277	24.68	1.386	2327	25.26	0.639	2377	25.92	-1.169
2228	24.10	1.627	2278	24.69	1.758	2328	25.27	2.251	2378	25.93	-0.830
2229	24.11	0.363	2279	24.70	1.501	2329	25.28	1.623	2379	25.94	-1.460
2230	24.12	0.353	2280	24.71	+1.512	2330	25.29	-3.389	2380	25.96	-2.100
2231	24.14	0.342	2281	24.72	-4.269	2331	25.30	-4.399	2381	25.97	-2.238
2232	24.15	1.206	2282	24.74	-1.781	2332	25.31	-2.908	2382	25.99	-1.862
2233	24.16	0.945	2283	24.75	-0.561	2333	25.32	-1.917	2383	26.02	-0.408
2234	24.18	0.936	2284	24.77	0.439	2334	25.33	-1.300	2384	26.04	0.576
2235	24.19	0.674	2285	24.78	0.179	2335	25.34	-1.307	2385	26.06	-0.439
2236	24.20	1.183	2286	24.80	1.035	2336	25.35	+0.446	2386	26.07	-1.952
2237	24.21	2.155	2287	24.81	-1.096	2337	25.36	0.169	2387	26.08	-2.209
2238	24.22	1.900	2288	24.82	-1.727	2338	25.38	-0.716	2388	26.09	-1.346
2239	24.23	0.894	2289	24.83	-1.239	2339	25.39	-1.104	2389	26.12	0.759
2240	24.24	-1.244	2290	24.84	1.002	2340	25.40	-0.740	2390	26.13	1.372
2241	24.25	-1.253	2291	24.85	1.248	2341	25.42	+0.754	2391	26.15	1.476
2242	24.26	0.885	2292	24.86	0.740	2342	25.48	-0.805	2392	26.17	0.207
2243	24.28	0.477	2293	24.87	-2.774	2343	25.52	+0.847	2393	26.20	-0.438
2244	24.29	-1.662	2294	24.88	-4.030	2344	25.54	0.014	2394	26.22	-1.079
2245	24.30	-1.670	2295	24.89	-4.034	2345	25.56	-0.504	2395	26.2	-1.473
2246	24.31	-1.428	2296	24.90	-1.299	2346	25.58	-1.143	2396	26.25	-1.235
2247	24.33	1.432	2297	24.91	+0.055	2347	25.59	-1.262	2397	26.26	-0.867
2248	24.34	2.030	2298	24.92	1.188	2348	25.61	+0.297	2398	26.27	-1.499
2249	24.35	2.043	2299	24.93	1.181	2349	25.62	0.316	2399	26.28	-2.133
2250	24.36	0.787	2300	24.94	+0.705	2350	25.63	0.059	2400	26.29	-0.025

INDEX NO. 775 105-GR-17 MASAKI BRIDGE TR. MAX.ACCEL.= -26.992(GAL) T= 5.19(SEC) NO.13

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2401	26.30	0.597	2451	26.86	5.871	2501	27.49	0.069	2551	28.27	0.681
2402	26.31	0.708	2452	26.85	-3.510	2502	27.50	-1.191	2552	28.29	-0.906
2403	26.32	-1.174	2453	26.86	-3.520	2503	27.51	-2.699	2553	28.30	-1.479
2404	26.33	-1.804	2454	26.87	-1.402	2504	27.53	-1.844	2554	28.31	-2.112
2405	26.34	-0.069	2455	26.88	0.402	2505	27.55	0.616	2555	28.33	-0.377
2406	26.35	0.926	2456	26.89	0.202	2506	27.61	1.843	2556	28.34	0.862
2407	26.36	1.544	2457	26.90	-0.436	2507	27.63	1.204	2557	28.35	0.600
2408	26.37	-0.344	2458	26.92	-0.197	2508	27.64	-0.665	2558	28.36	-0.282
2409	26.38	-1.227	2459	26.93	-0.457	2509	27.66	-0.071	2559	28.37	-2.165
2410	26.39	-0.985	2460	26.94	0.654	2510	27.67	2.042	2560	28.38	-1.049
2411	26.40	-0.745	2461	26.95	-0.229	2511	27.68	1.157	2561	28.39	1.015
2412	26.41	-0.754	2462	26.96	-2.353	2512	27.69	-0.975	2562	28.40	2.683
2413	26.42	-0.138	2463	26.97	-3.019	2513	27.70	-1.984	2563	28.41	1.174
2414	26.43	-0.150	2464	26.98	-2.501	2514	27.71	-0.492	2564	28.42	-1.581
2415	26.45	-0.664	2465	26.99	1.613	2515	27.73	1.122	2565	28.43	-2.840
2416	26.47	-0.177	2466	27.00	-0.270	2516	27.74	0.864	2566	28.44	-2.597
2417	26.48	0.189	2467	27.01	-2.404	2517	27.75	-0.769	2567	28.45	-0.731
2418	26.49	-0.702	2468	27.02	-1.913	2518	27.76	0.091	2568	28.46	1.384
2419	26.51	0.765	2469	27.03	-0.670	2519	27.76	1.330	2569	28.47	0.501
2420	26.52	-0.098	2470	27.04	-0.054	2520	27.79	2.572	2570	28.48	-0.758
2421	26.53	-1.106	2471	27.09	-0.971	2521	27.80	3.312	2571	28.49	-2.017
2422	26.54	-1.554	2472	27.11	0.688	2522	27.81	0.179	2572	28.50	-1.151
2423	26.55	1.621	2473	27.14	1.740	2523	27.82	-2.077	2573	28.51	-0.158
2424	26.56	1.615	2474	27.15	0.601	2524	27.83	-2.460	2574	28.52	0.710
2425	26.57	0.731	2475	27.17	-3.661	2525	27.84	0.030	2575	28.53	0.820
2426	26.58	-0.152	2476	27.18	-1.296	2526	27.85	-0.484	2576	28.54	-1.057
2427	26.59	-1.166	2477	27.19	-0.428	2527	27.86	-2.116	2577	28.55	-1.687
2428	26.60	-1.422	2478	27.20	-0.687	2528	27.88	-2.128	2578	28.56	-1.698
2429	26.61	-0.932	2479	27.21	0.430	2529	27.90	-0.643	2579	28.57	-1.708
2430	26.62	-0.942	2480	27.22	2.044	2530	27.91	-1.533	2580	28.59	-0.844
2431	26.63	-0.574	2481	27.23	2.161	2531	27.92	-3.036	2581	28.60	1.270
2432	26.64	-0.829	2482	27.24	0.276	2532	27.93	-4.293	2582	28.61	1.009
2433	26.65	-2.091	2483	27.25	-1.856	2533	27.94	-3.426	2583	28.66	-1.535
2434	26.67	1.518	2484	27.27	-2.244	2534	27.95	2.184	2584	28.70	-1.318
2435	26.68	1.888	2485	27.29	-0.392	2535	27.97	2.547	2585	28.73	-1.589
2436	26.69	-2.126	2486	27.31	0.468	2536	27.99	-0.967	2586	28.74	-0.726
2437	26.70	-1.632	2487	27.32	0.832	2537	28.00	-1.357	2587	28.75	0.891
2438	26.71	0.858	2488	27.34	1.072	2538	28.02	-1.620	2588	28.76	2.384
2439	26.72	0.977	2489	27.36	0.178	2539	28.03	-1.381	2589	28.77	2.375
2440	26.73	0.340	2490	27.37	-0.081	2540	28.04	-1.641	2590	28.80	0.852
2441	26.74	-1.290	2491	27.38	-1.341	2541	28.07	-1.659	2591	28.81	1.470
2442	26.75	-3.176	2492	27.39	-2.599	2542	28.09	0.448	2592	28.82	1.207
2443	26.76	-3.184	2493	27.40	-2.981	2543	28.11	0.803	2593	28.83	-0.678
2444	26.77	-1.944	2494	27.41	0.759	2544	28.13	0.161	2594	28.84	-2.561
2445	26.78	1.793	2495	27.42	1.626	2545	28.16	-1.738	2595	28.86	-2.945
2446	26.79	-1.339	2496	27.43	0.744	2546	28.18	-2.008	2596	28.87	2.914
2447	26.80	-4.096	2497	27.44	-1.765	2547	28.21	0.096	2597	28.88	3.535
2448	26.81	-3.853	2498	27.45	-2.395	2548	28.23	-0.175	2598	28.89	3.025
2449	26.82	-1.738	2499	27.46	-1.781	2549	28.25	-1.437	2599	28.90	1.394
2450	26.83	1.126	2500	27.48	-0.921	2550	28.26	-1.200	2600	28.91	0.136

INDEX NO. 775 105-GR-17 MASAKI BRIDGE TR. MAX.ACCEL.= -26.992(GAL) T= 5.19(SEC) NO.14

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2601	28.92	-1.126	2651	29.56	2.946	2701	30.08	0.981	2751	30.70	0.426
2602	28.93	-0.511	2652	29.57	2.688	2702	30.09	0.725	2752	30.71	0.667
2603	28.94	0.730	2653	29.58	2.430	2703	30.10	1.587	2753	30.72	1.656
2604	28.95	0.972	2654	29.59	0.797	2704	30.11	2.454	2754	30.74	1.644
2605	28.97	0.463	2655	29.60	0.538	2705	30.12	1.944	2755	30.75	0.760
2606	28.98	0.080	2656	29.61	2.278	2706	30.13	1.809	2756	30.76	1.245
2607	28.99	2.193	2657	29.62	3.897	2707	30.14	2.174	2757	30.77	1.615
2608	29.00	2.806	2658	29.63	2.387	2708	30.15	1.541	2758	30.79	1.600
2609	29.01	2.550	2659	29.64	-2.634	2709	30.16	1.535	2759	30.80	2.210
2610	29.03	1.912	2660	29.65	-3.007	2710	30.17	0.902	2760	30.81	3.076
2611	29.04	-2.101	2661	29.66	0.981	2711	30.18	0.518	2761	30.82	3.071
2612	29.05	-1.856	2662	29.67	3.470	2712	30.19	1.758	2762	30.84	2.552
2613	29.06	1.879	2663	29.68	3.586	2713	30.20	2.376	2763	30.85	1.545
2614	29.07	2.746	2664	29.70	1.701	2714	30.21	-1.641	2764	30.86	0.033
2615	29.08	0.364	2665	29.71	0.437	2715	30.22	-0.775	2765	30.89	1.512
2616	29.09	-1.267	2666	29.72	0.930	2716	30.23	0.469	2766	30.90	2.751
2617	29.10	-1.900	2667	29.73	2.796	2717	30.24	2.708	2767	30.91	2.493
2618	29.11	-0.414	2668	29.74	3.164	2718	30.25	2.453	2768	30.94	1.215
2619	29.13	-0.301	2669	29.75	2.905	2719	30.26	1.194	2769	30.97	2.061
2620	29.14	-0.935	2670	29.76	1.266	2720	30.27	0.186	2770	31.03	2.639
2621	29.15	-1.940	2671	29.77	1.006	2721	30.28	-2.579	2771	31.05	2.370
2622	29.17	0.541	2672	29.78	1.877	2722	30.29	-1.085	2772	31.06	1.985
2623	29.18	2.930	2673	29.79	2.120	2723	30.30	2.032	2773	31.07	0.102
2624	29.19	3.267	2674	29.80	2.235	2724	30.31	4.146	2774	31.08	0.964
2625	29.20	2.132	2675	29.81	0.348	2725	30.32	1.137	2775	31.10	2.824
2626	29.21	0.875	2676	29.82	-0.908	2726	30.33	0.508	2776	31.12	2.311
2627	29.22	0.244	2677	29.83	-0.667	2727	30.35	1.990	2777	31.15	2.286
2628	29.23	0.234	2678	29.84	0.823	2728	30.36	1.354	2778	31.17	1.639
2629	29.24	1.727	2679	29.85	2.662	2729	30.37	1.341	2779	31.19	0.998
2630	29.25	1.592	2680	29.86	2.678	2730	30.39	1.571	2780	31.21	2.481
2631	29.26	-0.188	2681	29.87	2.170	2731	30.41	1.555	2781	31.22	3.098
2632	29.28	0.063	2682	29.88	0.536	2732	30.42	1.544	2782	31.23	2.211
2633	29.30	1.049	2683	29.89	-0.350	2733	30.44	1.030	2783	31.25	1.196
2634	29.33	1.396	2684	29.90	0.145	2734	30.45	0.395	2784	31.27	2.430
2635	29.36	1.001	2685	29.91	2.380	2735	30.46	1.509	2785	31.28	3.295
2636	29.38	0.734	2686	29.92	2.373	2736	30.48	3.119	2786	31.29	3.660
2637	29.39	0.594	2687	29.93	0.491	2737	30.49	3.483	2787	31.31	3.398
2638	29.40	1.835	2688	29.94	-2.018	2738	30.51	1.596	2788	31.32	2.757
2639	29.41	1.576	2689	29.95	-1.460	2739	30.52	0.580	2789	31.34	1.496
2640	29.43	0.941	2690	29.96	0.090	2740	30.55	2.057	2790	31.35	1.114
2641	29.44	0.680	2691	29.97	2.329	2741	30.57	3.039	2791	31.36	1.105
2642	29.45	1.546	2692	29.98	1.696	2742	30.59	3.022	2792	31.37	1.344
2643	29.47	2.783	2693	29.99	1.062	2743	30.61	2.382	2793	31.38	2.331
2644	29.48	2.147	2694	30.00	1.425	2744	30.62	1.121	2794	31.39	2.575
2645	29.49	1.264	2695	30.02	1.913	2745	30.63	0.239	2795	31.40	2.068
2646	29.50	2.130	2696	30.03	2.280	2746	30.64	1.350	2796	31.41	-0.442
2647	29.51	1.886	2697	30.04	0.393	2747	30.65	2.592	2797	31.43	0.868
2648	29.52	0.882	2698	30.05	-0.885	2748	30.66	3.208	2798	31.44	1.911
2649	29.54	-2.282	2699	30.06	-3.624	2749	30.67	1.698	2799	31.45	1.400
2650	29.55	0.831	2700	30.07	0.988	2750	30.68	1.064	2800	31.47	1.883

INDEX NO. 775 105-GR-17 MASAKI BRIDGE TR. MAX.ACCEL.= -26.992(GAL) T= 5.19(SEC) NO.15

NO.	(SEC)	(GAL)
2801	31.49	3.238
2802	31.50	3.106
2803	31.51	3.095
2804	31.53	1.955
2805	31.54	1.819
2806	31.56	2.427
2807	31.58	3.661
2808	31.60	4.650
2809	31.61	3.141
2810	31.63	0.872
2811	31.65	1.102
2812	31.67	1.711
2813	31.70	2.313
2814	31.71	2.680
2815	31.72	2.298
2816	31.73	3.911
2817	31.74	4.529
2818	31.76	3.641
2819	31.77	1.378
2820	31.78	1.369
2821	31.79	2.608
2822	31.81	1.973
2823	31.82	0.709
2824	31.83	0.450
2825	31.85	1.312
2826	31.87	1.546
2827	31.89	1.903
2828	31.90	2.146
2829	31.91	2.259
2830	31.92	2.499
2831	31.93	3.740
2832	31.95	4.353
2833	31.96	2.844
2834	31.98	2.204
2835	31.99	2.696

Table IX-D-2 Digitized Accelerations of Earthquake Record with Index Number 776

INDEX NO. 776 105-GR-17 MASAKI BRIDGE U-D MAX.ACCEL.= -8.148(GAL) T= 8.95(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.13	-0.930	51	0.65	1.648	101	1.24	6.165	151	1.87	2.425
2	0.14	1.139	52	0.67	4.060	102	1.25	6.136	152	1.88	1.487
3	0.15	3.846	53	0.68	-0.094	103	1.26	5.638	153	1.89	1.936
4	0.16	3.531	54	0.69	-2.314	104	1.27	4.531	154	1.90	3.107
5	0.17	2.225	55	0.70	-1.470	105	1.28	3.854	155	1.92	1.918
6	0.18	2.178	56	0.71	5.347	106	1.29	4.062	156	1.93	1.466
7	0.19	2.754	57	0.72	6.296	107	1.30	5.491	157	1.94	3.303
8	0.20	3.580	58	0.73	5.017	108	1.31	5.210	158	1.95	5.365
9	0.21	3.642	59	0.74	2.818	109	1.32	3.296	159	1.96	6.465
10	0.22	3.597	60	0.76	2.074	110	1.33	1.705	160	1.97	1.756
11	0.23	5.883	61	0.78	3.730	111	1.34	3.152	161	1.98	-1.162
12	0.24	6.217	62	0.79	4.709	112	1.35	3.475	162	1.99	-1.434
13	0.25	4.032	63	0.80	5.291	113	1.40	0.747	163	2.00	0.254
14	0.26	2.380	64	0.81	4.363	114	1.41	2.840	164	2.01	5.586
15	0.27	1.048	65	0.83	1.116	115	1.42	1.515	165	2.02	5.795
16	0.28	2.871	66	0.84	-0.310	116	1.43	0.589	166	2.03	2.718
17	0.29	4.316	67	0.85	-0.591	117	1.44	2.910	167	2.04	2.057
18	0.30	5.265	68	0.86	3.315	118	1.46	1.722	168	2.05	2.002
19	0.31	4.347	69	0.87	3.912	119	1.47	0.042	169	2.06	3.077
20	0.32	2.687	70	0.88	3.363	120	1.48	-0.275	170	2.07	3.645
21	0.33	2.583	71	0.89	1.425	121	1.49	1.168	171	2.08	3.372
22	0.35	4.019	72	0.90	1.628	122	1.50	2.622	172	2.09	0.554
23	0.36	3.935	73	0.91	1.572	123	1.52	2.083	173	2.10	1.074
24	0.37	3.378	74	0.92	1.773	124	1.54	2.808	174	2.11	3.196
25	0.38	2.948	75	0.93	2.103	125	1.55	4.001	175	2.12	4.067
26	0.39	3.526	76	0.94	0.154	126	1.56	3.645	176	2.13	4.330
27	0.40	6.086	77	0.95	-0.499	127	1.57	3.262	177	2.14	2.402
28	0.41	5.793	78	0.96	0.098	128	1.58	1.986	178	2.15	1.482
29	0.42	4.754	79	0.97	5.034	129	1.59	-0.196	179	2.17	2.293
30	0.43	4.079	80	0.98	7.088	130	1.60	-0.633	180	2.18	5.584
31	0.44	5.231	81	0.99	6.946	131	1.61	3.682	181	2.19	6.165
32	0.45	6.008	82	1.00	2.109	132	1.62	4.893	182	2.20	4.386
33	0.46	6.408	83	1.01	1.685	133	1.63	4.606	183	2.21	2.436
34	0.47	6.737	84	1.02	1.899	134	1.65	4.361	184	2.22	3.512
35	0.48	2.910	85	1.03	3.462	135	1.66	4.333	185	2.23	4.474
36	0.49	3.333	86	1.04	4.312	136	1.67	1.877	186	2.24	4.462
37	0.50	3.669	87	1.05	3.125	137	1.68	0.581	187	2.25	2.504
38	0.51	3.359	88	1.06	3.314	138	1.70	0.137	188	2.26	0.548
39	0.52	2.696	89	1.07	4.161	139	1.71	0.701	189	2.27	1.993
40	0.53	2.868	90	1.09	4.809	140	1.72	2.517	190	2.30	6.846
41	0.54	2.830	91	1.10	1.618	141	1.73	2.218	191	2.31	6.574
42	0.55	3.812	92	1.12	-3.209	142	1.74	2.155	192	2.32	5.034
43	0.56	5.627	93	1.13	0.703	143	1.76	2.955	193	2.33	3.340
44	0.57	5.718	94	1.14	2.285	144	1.77	3.174	194	2.34	3.531
45	0.58	4.307	95	1.15	2.473	145	1.78	0.951	195	2.36	4.432
46	0.59	0.713	96	1.16	2.430	146	1.79	0.952	196	2.37	4.656
47	0.61	3.589	97	1.20	2.001	147	1.82	2.049	197	2.38	3.088
48	0.62	4.883	98	1.21	1.687	148	1.83	2.858	198	2.39	1.938
49	0.63	1.524	99	1.22	3.129	149	1.84	3.173	199	2.40	0.485
50	0.64	-0.700	100	1.23	4.954	150	1.85	3.367	200	2.42	-1.485

INDEX NO. 776 105-GR-17 MASAKI BRIDGE U-D MAX.ACCEL.= -8.148(GAL) T= 8.95(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	2.43	2.452	251	3.00	0.940	301	3.61	0.855	351	4.24	-1.688
202	2.44	4.670	252	3.01	-2.026	302	3.62	-1.450	352	4.26	0.586
203	2.45	4.900	253	3.03	-0.585	303	3.63	-2.121	353	4.27	0.664
204	2.46	-0.071	254	3.04	-0.545	304	3.64	-2.434	354	4.32	-1.235
205	2.47	-0.476	255	3.05	-1.572	305	3.65	-1.980	355	4.33	-1.281
206	2.48	0.356	256	3.06	-3.511	306	3.66	-0.398	356	4.34	-2.237
207	2.49	3.772	257	3.07	-2.071	307	3.67	0.440	357	4.35	-2.647
208	2.50	3.737	258	3.08	1.644	308	3.68	0.094	358	4.36	-2.088
209	2.51	2.204	259	3.09	2.602	309	3.71	0.217	359	4.37	-2.379
210	2.52	1.738	260	3.10	1.882	310	3.73	1.084	360	4.38	-2.429
211	2.53	3.807	261	3.11	1.600	311	3.74	1.289	361	4.39	-2.464
212	2.54	4.130	262	3.13	4.053	312	3.75	0.729	362	4.40	-1.039
213	2.56	3.187	263	3.14	5.674	313	3.76	0.923	363	4.41	0.795
214	2.58	1.218	264	3.15	5.633	314	3.77	0.878	364	4.42	1.391
215	2.59	-0.087	265	3.16	3.833	315	3.79	-1.321	365	4.46	-0.086
216	2.60	-0.523	266	3.17	2.524	316	3.82	1.528	366	4.47	-2.031
217	2.61	0.668	267	3.18	3.582	317	3.83	1.835	367	4.48	-0.824
218	2.62	1.254	268	3.20	3.523	318	3.84	0.305	368	4.49	1.012
219	2.63	1.826	269	3.22	3.118	319	3.85	-0.127	369	4.51	0.657
220	2.64	2.017	270	3.23	2.190	320	3.86	1.688	370	4.52	-1.034
221	2.65	2.335	271	3.25	2.617	321	3.87	1.270	371	4.53	-2.977
222	2.66	2.033	272	3.26	3.831	322	3.88	-1.827	372	4.54	-2.755
223	2.67	2.494	273	3.27	-1.110	323	3.90	-0.789	373	4.55	-1.554
224	2.68	3.451	274	3.28	-4.041	324	3.93	3.958	374	4.56	-1.280
225	2.69	4.632	275	3.29	-0.740	325	3.94	3.905	375	4.57	-1.961
226	2.70	2.711	276	3.30	-0.150	326	3.95	0.707	376	4.58	-2.629
227	2.71	1.173	277	3.31	-1.079	327	3.96	0.389	377	4.59	-1.417
228	2.72	-1.134	278	3.32	0.105	328	3.98	1.167	378	4.60	2.245
229	2.73	-1.819	279	3.35	0.564	329	3.99	1.986	379	4.61	1.962
230	2.75	-0.028	280	3.37	0.730	330	4.00	1.068	380	4.62	-2.486
231	2.76	0.535	281	3.38	0.429	331	4.01	-0.226	381	4.63	-3.139
232	2.77	0.860	282	3.39	-0.857	332	4.02	-0.518	382	4.65	-0.512
233	2.78	0.194	283	3.41	4.651	333	4.03	1.170	383	4.66	1.307
234	2.79	0.644	284	3.42	7.217	334	4.05	0.792	384	4.67	1.283
235	2.80	1.595	285	3.43	5.935	335	4.07	0.724	385	4.68	-2.160
236	2.82	-1.925	286	3.44	-1.270	336	4.08	-0.846	386	4.69	-0.105
237	2.83	-1.970	287	3.45	-2.686	337	4.09	-0.874	387	4.70	1.094
238	2.85	1.920	288	3.46	-2.476	338	4.10	1.789	388	4.71	-1.113
239	2.86	3.366	289	3.47	2.446	339	4.11	1.992	389	4.72	-3.031
240	2.87	3.464	290	3.48	4.529	340	4.12	0.198	390	4.73	-2.561
241	2.88	3.651	291	3.49	5.169	341	4.13	-1.748	391	4.74	-0.139
242	2.90	3.578	292	3.50	2.925	342	4.14	-1.553	392	4.75	1.055
243	2.91	1.644	293	3.51	2.226	343	4.15	-0.725	393	4.76	1.388
244	2.92	0.984	294	3.52	1.920	344	4.17	0.829	394	4.78	1.300
245	2.93	2.430	295	3.53	2.128	345	4.18	2.860	395	4.79	2.069
246	2.94	3.603	296	3.54	2.078	346	4.19	2.828	396	4.80	2.408
247	2.95	3.072	297	3.55	1.783	347	4.20	1.910	397	4.82	-2.460
248	2.96	0.981	298	3.58	1.899	348	4.21	-0.681	398	4.83	-2.737
249	2.98	4.008	299	3.59	3.335	349	4.22	-0.704	399	4.84	-0.908
250	2.99	3.106	300	3.60	3.036	350	4.23	-1.622	400	4.85	0.278

INDEX NO. 776 105-GR-17 MASAKI BRIDGE U-D MAX.ACCEL.= -8.148(GAL) T= 8.95(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	4.86	1.084	451	5.41	-3.950	501	6.00	4.005	551	6.69	-4.686
402	4.87	0.532	452	5.42	-2.135	502	6.01	3.462	552	6.70	-5.972
403	4.88	2.395	453	5.43	0.309	503	6.02	2.421	553	6.71	-3.910
404	4.89	3.307	454	5.44	1.785	504	6.03	0.389	554	6.72	1.393
405	4.90	2.486	455	5.45	0.856	505	6.04	-2.095	555	6.73	1.107
406	4.91	1.059	456	5.46	0.681	506	6.05	-0.887	556	6.74	-0.803
407	4.92	0.121	457	5.47	1.356	507	6.06	0.332	557	6.75	-3.120
408	4.94	-4.621	458	5.48	0.938	508	6.07	0.547	558	6.76	-4.023
409	4.95	-4.912	459	5.49	1.264	509	6.10	0.117	559	6.77	-4.441
410	4.96	-4.719	460	5.50	0.649	510	6.12	1.835	560	6.78	-3.860
411	4.97	-0.403	461	5.51	-3.845	511	6.13	1.033	561	6.79	-3.046
412	4.98	0.444	462	5.52	-2.390	512	6.14	0.774	562	6.81	-2.505
413	4.99	-2.651	463	5.53	-0.818	513	6.15	1.732	563	6.82	0.542
414	5.00	6.452	464	5.54	1.011	514	6.16	1.940	564	6.83	0.879
415	5.01	-5.604	465	5.56	0.576	515	6.18	2.432	565	6.84	-1.302
416	5.03	-2.948	466	5.57	2.278	516	6.20	1.632	566	6.85	-2.975
417	5.04	-1.376	467	5.58	2.967	517	6.21	0.017	567	6.86	-3.036
418	5.05	-0.807	468	5.59	0.258	518	6.22	-0.739	568	6.87	-1.839
419	5.06	-1.524	469	5.60	1.576	519	6.23	-2.046	569	6.88	0.245
420	5.07	-3.441	470	5.61	0.664	520	6.24	-2.733	570	6.89	1.208
421	5.08	-1.986	471	5.62	-1.258	521	6.26	-2.915	571	6.90	1.177
422	5.09	1.467	472	5.63	-2.349	522	6.27	-0.490	572	6.91	-2.282
423	5.10	1.426	473	5.65	-1.200	523	6.28	1.351	573	6.92	-2.938
424	5.12	-4.571	474	5.67	-1.809	524	6.29	0.812	574	6.93	-2.478
425	5.13	-6.861	475	5.68	-1.616	525	6.33	-0.659	575	6.94	-0.897
426	5.14	-7.152	476	5.70	0.822	526	6.35	0.336	576	6.95	2.157
427	5.15	-0.113	477	5.71	2.380	527	6.38	-0.690	577	6.96	2.375
428	5.16	1.081	478	5.72	-0.065	528	6.40	-1.656	578	6.97	0.833
429	5.17	0.808	479	5.73	-1.740	529	6.42	0.384	579	6.98	-0.720
430	5.18	-1.769	480	5.74	-3.031	530	6.43	-0.561	580	6.99	-1.397
431	5.19	-2.819	481	5.75	-1.835	531	6.45	-1.824	581	7.00	-1.284
432	5.21	-2.881	482	5.76	0.620	532	6.46	-1.431	582	7.01	-0.387
433	5.22	-1.056	483	5.77	0.578	533	6.47	-0.494	583	7.02	-0.684
434	5.24	-0.932	484	5.78	-0.732	534	6.48	-0.543	584	7.03	-1.594
435	5.25	-0.357	485	5.80	0.670	535	6.49	-2.078	585	7.04	-1.146
436	5.26	0.583	486	5.81	0.988	536	6.50	-4.016	586	7.05	0.147
437	5.27	0.534	487	5.82	0.689	537	6.51	-5.312	587	7.06	0.284
438	5.28	1.977	488	5.85	-2.947	538	6.54	-1.206	588	7.07	-1.590
439	5.29	1.954	489	5.86	-2.771	539	6.55	-2.411	589	7.08	-3.142
440	5.30	-4.003	490	5.87	0.301	540	6.56	3.461	590	7.11	-3.311
441	5.31	-1.930	491	5.88	1.891	541	6.57	2.888	591	7.13	-4.462
442	5.32	-1.344	492	5.89	-0.933	542	6.59	0.788	592	7.14	-4.200
443	5.33	-3.153	493	5.90	-2.247	543	6.60	0.116	593	7.15	-1.993
444	5.34	-3.192	494	5.93	-2.116	544	6.61	-0.810	594	7.16	-0.549
445	5.35	-2.981	495	5.94	-1.328	545	6.62	-1.853	595	7.17	-2.735
446	5.36	-1.195	496	5.95	-0.128	546	6.63	-2.802	596	7.18	-3.412
447	5.37	-1.003	497	5.96	1.463	547	6.65	-0.122	597	7.19	-2.217
448	5.38	-1.289	498	5.97	1.421	548	6.66	1.335	598	7.20	0.215
449	5.39	-2.580	499	5.98	0.117	549	6.67	1.655	599	7.21	1.030
450	5.40	-4.525	500	5.99	1.322	550	6.68	-3.033	600	7.22	1.982

INDEX NO. 776 105-GR-17 MASAKI BRIDGE U-D MAX.ACCEL.= -8.148(GAL) T= 8.95(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	7.23	0.053	651	7.83	-0.846	701	8.43	1.886	751	9.12	-2.571
602	7.24	-4.013	652	7.84	-0.774	702	8.44	-1.281	752	9.13	-2.594
603	7.25	-4.441	653	7.85	-2.705	703	8.45	-6.749	753	9.14	-2.892
604	7.26	-2.986	654	7.86	-3.147	704	8.47	-7.445	754	9.15	-3.559
605	7.27	-1.150	655	7.88	-2.361	705	8.49	-3.519	755	9.16	-4.015
606	7.28	0.661	656	7.89	-0.707	706	8.50	-2.340	756	9.17	-4.081
607	7.29	-3.673	657	7.90	-1.114	707	8.53	-1.515	757	9.18	-4.634
608	7.30	-5.235	658	7.91	-2.159	708	8.55	-1.502	758	9.20	-5.070
609	7.31	-5.028	659	7.92	-1.571	709	8.56	-1.048	759	9.21	-5.753
610	7.32	-5.189	660	7.93	1.745	710	8.57	-2.972	760	9.22	-5.177
611	7.33	-3.622	661	7.94	2.934	711	8.58	-4.514	761	9.23	-3.101
612	7.34	-2.811	662	7.95	2.015	712	8.59	-2.446	762	9.24	-3.682
613	7.36	-2.263	663	7.96	0.480	713	8.60	1.466	763	9.25	-3.732
614	7.37	-1.059	664	7.97	-1.442	714	8.61	0.931	764	9.26	-3.549
615	7.38	-0.153	665	7.98	-2.492	715	8.63	-2.056	765	9.28	-3.383
616	7.42	-1.576	666	7.99	-2.543	716	8.64	-3.983	766	9.29	-3.675
617	7.43	-2.521	667	8.00	-2.604	717	8.65	-5.518	767	9.30	-3.974
618	7.44	1.776	668	8.01	-3.309	718	8.66	-4.713	768	9.31	-2.299
619	7.45	3.608	669	8.02	-4.229	719	8.67	-3.256	769	9.32	-1.336
620	7.46	3.953	670	8.03	-4.647	720	8.72	-1.301	770	9.33	-2.886
621	7.47	-2.386	671	8.04	-4.435	721	8.75	-2.067	771	9.34	-3.925
622	7.48	-3.945	672	8.05	-2.873	722	8.77	-1.794	772	9.36	-3.441
623	7.49	-1.865	673	8.06	-2.305	723	8.78	-2.484	773	9.38	-3.285
624	7.50	-0.034	674	8.07	-1.110	724	8.79	-3.170	774	9.39	-3.590
625	7.51	1.168	675	8.09	-0.289	725	8.80	-1.736	775	9.40	-4.272
626	7.52	-0.378	676	8.10	-1.230	726	8.82	-1.193	776	9.42	-4.728
627	7.53	-3.591	677	8.11	-4.053	727	8.83	-4.405	777	9.44	-5.319
628	7.55	-2.550	678	8.12	-6.360	728	8.85	-6.847	778	9.45	-6.650
629	7.56	-1.587	679	8.13	-6.403	729	8.86	-3.062	779	9.46	-6.698
630	7.57	-1.280	680	8.14	-3.316	730	8.87	-2.723	780	9.47	-6.241
631	7.58	-3.829	681	8.15	-1.236	731	8.88	-4.297	781	9.48	-4.398
632	7.59	-5.767	682	8.16	-0.647	732	8.90	-4.746	782	9.49	-3.214
633	7.60	-5.627	683	8.17	-0.560	733	8.91	-3.555	783	9.50	-2.664
634	7.62	-5.022	684	8.20	-2.989	734	8.92	-2.007	784	9.51	-2.955
635	7.63	-3.568	685	8.21	-2.782	735	8.93	-3.043	785	9.52	-3.008
636	7.64	0.105	686	8.22	-0.327	736	8.94	-5.588	786	9.53	-3.679
637	7.65	0.452	687	8.23	-0.235	737	8.95	-8.148	787	9.54	-5.224
638	7.66	-2.121	688	8.24	-3.158	738	8.96	-3.864	788	9.55	-6.265
639	7.67	-2.793	689	8.25	-3.874	739	8.97	-2.671	789	9.56	-6.808
640	7.68	-1.962	690	8.26	-3.038	740	8.98	-5.216	790	9.57	-3.225
641	7.69	-0.405	691	8.30	-1.343	741	8.99	-6.759	791	9.58	-4.066
642	7.71	0.483	692	8.31	-1.663	742	9.00	-6.557	792	9.59	-5.099
643	7.72	0.065	693	8.33	-1.476	743	9.01	-5.107	793	9.60	-3.654
644	7.73	-1.247	694	8.34	-3.942	744	9.02	-3.901	794	9.61	-1.830
645	7.74	-1.911	695	8.36	-5.639	745	9.03	-2.976	795	9.62	-0.639
646	7.76	-0.736	696	8.37	-5.689	746	9.05	-2.425	796	9.64	-1.194
647	7.77	-1.669	697	8.38	-4.863	747	9.06	-2.252	797	9.65	-2.248
648	7.78	-2.996	698	8.40	-3.322	748	9.07	-0.070	798	9.66	-2.565
649	7.80	-3.217	699	8.41	1.846	749	9.08	-0.729	799	9.67	-1.752
650	7.81	-1.658	700	8.42	2.421	750	9.10	-2.317	800	9.68	-1.542

INDEX NO. 776 105-GR-17 MASAKI BRIDGE U-D MAX.ACCEL.= -8.148(GAL) T= 8.95(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	9.69	-1.475	851	10.26	-1.959	901	10.94	-0.161	951	11.73	-1.639
802	9.70	-2.758	852	10.27	-2.266	902	10.95	-2.359	952	11.74	-1.310
803	9.71	-3.170	853	10.28	-2.061	903	10.97	-2.200	953	11.76	-0.554
804	9.72	-1.366	854	10.29	-0.486	904	10.99	-2.775	954	11.77	-0.593
805	9.73	-0.809	855	10.31	-0.544	905	11.01	-2.869	955	11.79	-1.823
806	9.74	-2.357	856	10.32	-1.223	906	11.04	-1.272	956	11.80	-2.883
807	9.75	-4.902	857	10.33	-3.189	907	11.05	-2.840	957	11.81	-3.171
808	9.76	-5.687	858	10.35	-3.638	908	11.06	-3.126	958	11.82	-3.206
809	9.77	-3.484	859	10.36	-2.699	909	11.07	-2.070	959	11.83	-4.274
810	9.78	-2.271	860	10.37	-2.129	910	11.08	-0.245	960	11.84	-2.205
811	9.79	-4.238	861	10.39	-2.206	911	11.09	-1.811	961	11.85	-1.007
812	9.80	-4.521	862	10.40	-2.256	912	11.10	+2.454	962	11.86	-0.688
813	9.81	-3.437	863	10.41	-2.932	913	11.11	-2.498	963	11.88	-1.027
814	9.82	-1.615	864	10.42	+3.243	914	11.12	0.592	964	11.89	-2.729
815	9.83	-2.161	865	10.44	-2.448	915	11.13	0.756	965	11.90	-3.034
816	9.84	-3.204	866	10.45	-1.259	916	11.14	-0.404	966	11.92	-1.348
817	9.85	-2.663	867	10.46	-1.335	917	11.15	-2.323	967	11.93	-1.290
818	9.86	-2.443	868	10.47	-2.637	918	11.16	-4.646	968	11.94	-3.221
819	9.87	-2.365	869	10.49	-3.948	919	11.17	-1.832	969	11.95	-3.672
820	9.88	-3.673	870	10.50	-3.783	920	11.19	-1.674	970	11.97	+2.861
821	9.89	-3.463	871	10.51	+1.956	921	11.20	-2.981	971	11.98	-1.304
822	9.90	-1.640	872	10.52	-1.631	922	11.21	-4.284	972	11.99	-1.981
823	9.91	-2.326	873	10.53	-2.954	923	11.23	-3.462	973	12.00	-3.304
824	9.92	-3.246	874	10.54	+3.563	924	11.24	+1.299	974	12.04	-1.969
825	9.93	-3.903	875	10.56	-3.049	925	11.26	0.120	975	12.06	-1.728
826	9.94	-3.967	876	10.57	-2.837	926	11.27	-2.328	976	12.08	-1.810
827	9.95	-2.890	877	10.58	-4.405	927	11.29	-3.419	977	12.09	-2.500
828	9.96	-1.058	878	10.59	-4.446	928	11.31	-2.647	978	12.10	-2.320
829	9.97	-1.373	879	10.60	-3.871	929	11.36	-0.882	979	12.11	-1.749
830	9.98	-2.670	880	10.62	+1.472	930	11.38	-1.376	980	12.12	-2.279
831	9.99	+5.240	881	10.63	-1.269	931	11.39	+2.051	981	12.13	+3.597
832	10.01	-5.052	882	10.64	-4.065	932	11.42	-3.044	982	12.14	-3.701
833	10.02	-2.887	883	10.65	-6.006	933	11.43	-3.240	983	12.15	-2.223
834	10.04	-2.335	884	10.67	-5.461	934	11.44	-2.265	984	12.16	-1.391
835	10.06	-1.819	885	10.69	-2.441	935	11.45	+2.963	985	12.18	-2.989
836	10.08	-1.565	886	10.70	+1.884	936	11.47	+3.957	986	12.19	-3.035
837	10.10	+3.245	887	10.72	+5.367	937	11.48	+3.111	987	12.20	-2.819
838	10.11	+4.558	888	10.74	+4.303	938	11.49	+1.289	988	12.22	-1.592
839	10.12	+1.257	889	10.75	-3.736	939	11.50	-1.098	989	12.24	-2.322
840	10.13	-0.307	890	10.79	-5.565	940	11.51	-2.284	990	12.25	-2.761
841	10.15	-1.869	891	10.81	-5.427	941	11.56	+0.754	991	12.27	-1.334
842	10.16	-4.814	892	10.83	-5.012	942	11.58	-2.970	992	12.28	-1.884
843	10.17	-3.625	893	10.84	-5.940	943	11.60	-1.572	993	12.29	-3.625
844	10.19	-0.933	894	10.86	-5.516	944	11.64	1.091	994	12.30	-4.502
845	10.20	+0.379	895	10.87	-3.948	945	11.65	+1.743	995	12.31	-3.045
846	10.21	+0.933	896	10.88	+2.401	946	11.67	+5.683	996	12.32	0.117
847	10.22	+3.878	897	10.89	+4.703	947	11.68	+6.626	997	12.34	-2.464
848	10.23	+4.795	898	10.91	-7.294	948	11.69	+4.165	998	12.35	-3.147
849	10.24	+4.333	899	10.92	-5.826	949	11.70	+2.099	999	12.36	-2.947
850	10.25	+2.784	900	10.93	-1.508	950	11.71	+1.794	1000	12.37	+2.368

土木構造物における加速度強震記録（No. 9）

INDEX NO. 776 105-GR-17 MASAKI BRIDGE U-D MAX.ACCEL.= -8.148(GAL) T= 8.95(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	12.38	-2.695	1051	13.17	-3.134	1101	13.62	-0.487	1151	14.60	-0.733
1002	12.40	-3.150	1052	13.18	-3.616	1102	13.63	-1.532	1152	14.61	-3.303
1003	12.43	-0.798	1053	13.19	-4.525	1103	13.84	-0.367	1153	14.63	-4.123
1004	12.45	9.704	1054	13.21	-3.667	1104	13.65	-0.666	1154	14.64	-2.583
1005	12.47	-1.509	1055	13.22	-4.037	1105	13.86	-1.947	1155	14.65	-2.013
1006	12.48	-2.183	1056	13.31	-1.164	1106	13.87	-3.619	1156	14.67	-1.820
1007	12.49	-2.615	1057	13.33	-1.530	1107	13.88	-3.424	1157	14.68	-0.870
1008	12.50	-3.320	1058	13.35	-2.519	1108	13.89	-2.220	1158	14.69	-0.939
1009	12.51	-1.497	1059	13.37	-3.626	1109	13.93	-0.812	1159	14.70	-1.888
1010	12.52	-1.170	1060	13.39	-5.210	1110	13.94	-1.511	1160	14.72	-3.198
1011	12.53	-2.225	1061	13.40	-3.149	1111	13.95	-2.796	1161	14.73	-3.008
1012	12.54	-0.764	1062	13.41	-1.955	1112	13.96	-3.714	1162	14.74	-1.571
1013	12.55	-4.583	1063	13.42	-4.546	1113	13.97	-2.648	1163	14.75	-0.637
1014	12.57	-2.432	1064	13.44	-5.616	1114	13.98	-2.085	1164	14.76	-1.559
1015	12.60	-1.315	1065	13.45	-3.162	1115	14.02	-2.165	1165	14.77	-3.498
1016	12.61	-1.622	1066	13.46	-1.694	1116	14.03	-2.225	1166	14.78	-2.421
1017	12.64	-3.690	1067	13.47	-2.945	1117	14.04	-1.402	1167	14.80	-1.262
1018	12.67	-3.569	1068	13.49	-3.255	1118	14.05	-2.941	1168	14.81	-1.201
1019	12.68	-4.285	1069	13.50	-0.956	1119	14.07	-2.526	1169	14.88	-2.519
1020	12.69	-3.696	1070	13.51	-0.875	1120	14.09	-1.007	1170	14.89	-1.344
1021	12.70	-1.863	1071	13.52	-1.934	1121	14.10	-1.069	1171	14.91	-0.574
1022	12.71	-0.931	1072	13.53	-1.960	1122	14.17	-1.020	1172	14.93	-1.179
1023	12.72	-0.336	1073	13.54	-1.435	1123	14.22	-1.270	1173	14.95	-1.663
1024	12.73	-2.258	1074	13.55	-2.332	1124	14.24	-2.371	1174	14.96	-1.468
1025	12.74	-2.602	1075	13.56	-4.252	1125	14.25	-2.432	1175	14.97	-1.772
1026	12.75	-2.116	1076	13.57	-5.934	1126	14.26	-1.266	1176	14.99	-3.342
1027	12.76	-1.565	1077	13.58	-6.239	1127	14.27	-0.436	1177	15.00	-2.931
1028	12.77	-1.675	1078	13.59	-5.153	1128	14.28	-1.604	1178	15.02	-1.771
1029	12.82	-2.882	1079	13.60	-2.981	1129	14.29	-3.534	1179	15.04	-0.610
1030	12.87	-0.866	1080	13.61	-2.411	1130	14.31	-4.243	1180	15.05	-1.548
1031	12.89	-1.865	1081	13.62	-2.472	1131	14.32	-3.804	1181	15.07	-0.995
1032	12.91	-2.596	1082	13.63	-2.528	1132	14.33	-3.473	1182	15.08	-0.792
1033	12.93	-3.717	1083	13.64	-1.952	1133	14.34	-1.419	1183	15.11	-1.829
1034	12.96	-3.267	1084	13.65	-1.984	1134	14.35	-0.830	1184	15.13	0.823
1035	12.96	-3.974	1085	13.66	-2.272	1135	14.36	-0.244	1185	15.15	-0.778
1036	12.99	-3.144	1086	13.67	-2.957	1136	14.37	+2.682	1186	15.16	-2.096
1037	13.00	-0.962	1087	13.68	-1.498	1137	14.39	-4.044	1187	15.18	-0.926
1038	13.01	+2.895	1088	13.69	-0.305	1138	14.43	-4.338	1188	15.19	-0.120
1039	13.02	+4.195	1089	13.70	-0.987	1139	14.44	-3.439	1189	15.22	-1.116
1040	13.03	-4.013	1090	13.71	-2.532	1140	14.46	-3.495	1190	15.24	-1.866
1041	13.05	-3.453	1091	13.72	-4.478	1141	14.47	-1.680	1191	15.26	-1.316
1042	13.06	-2.263	1092	13.73	-4.640	1142	14.50	-2.699	1192	15.27	1.245
1043	13.07	-2.566	1093	13.74	-2.369	1143	14.51	-1.898	1193	15.29	1.786
1044	13.08	-2.625	1094	13.75	-2.135	1144	14.52	-1.094	1194	15.33	-0.535
1045	13.09	-2.896	1095	13.76	+1.795	1145	14.54	+3.299	1195	15.35	+1.411
1046	13.10	-3.017	1096	13.77	-1.220	1146	14.55	-4.604	1196	15.37	-1.495
1047	13.12	-5.010	1097	13.78	-0.657	1147	14.56	-4.651	1197	15.38	-1.552
1048	13.14	-4.334	1098	13.79	-1.332	1148	14.57	+2.218	1198	15.40	-2.785
1049	13.15	-1.520	1099	13.80	-1.139	1149	14.58	+0.398	1199	15.42	-0.141
1050	13.16	-0.818	1100	13.81	-0.559	1150	14.59	0.180	1200	15.43	0.428

INDEX NO. 776 105-GR-17 MASAKI BRIDGE U-D MAX.ACCEL.= -8.148(GAL) T= 8.95(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	15.45	0.948	1251	16.50	0.126	1301	17.41	0.991	1351	18.32	1.016
1202	15.48	0.581	1252	16.51	0.437	1302	17.46	-0.169	1352	18.34	2.145
1203	15.50	-0.517	1253	16.53	-1.768	1303	17.49	-0.296	1353	18.35	2.118
1204	15.51	-0.588	1254	16.54	+1.572	1304	17.51	-0.175	1354	18.36	2.672
1205	15.52	-1.237	1255	16.56	+0.784	1305	17.53	-0.777	1355	18.38	1.953
1206	15.53	0.929	1256	16.57	+1.975	1306	17.54	-1.202	1356	18.40	0.365
1207	15.55	-0.806	1257	16.58	+2.164	1307	17.56	-0.664	1357	18.41	-0.729
1208	15.57	-1.761	1258	16.59	+1.241	1308	17.58	0.088	1358	18.43	-0.182
1209	15.58	-0.956	1259	16.61	-0.085	1309	17.59	0.150	1359	18.45	1.595
1210	15.60	0.189	1260	16.64	-0.642	1310	17.60	-1.553	1360	18.46	1.800
1211	15.62	-1.402	1261	16.65	-0.051	1311	17.63	-1.418	1361	18.47	0.847
1212	15.64	-0.622	1262	16.67	0.498	1312	17.65	0.296	1362	18.49	1.026
1213	15.67	-0.134	1263	16.69	-0.771	1313	17.69	1.109	1363	18.51	2.172
1214	15.71	0.256	1264	16.72	-1.538	1314	17.71	-0.228	1364	18.52	0.990
1215	15.74	0.087	1265	16.73	+0.731	1315	17.72	0.333	1365	18.53	-0.333
1216	15.81	0.615	1266	16.75	-0.188	1316	17.73	-0.005	1366	18.55	-1.047
1217	15.85	0.780	1267	16.76	0.367	1317	17.75	-0.474	1367	18.57	-0.030
1218	15.87	0.930	1268	16.78	-0.963	1318	17.76	0.080	1368	18.59	0.647
1219	15.88	1.266	1269	16.79	-2.531	1319	17.76	-0.015	1369	18.62	0.474
1220	15.91	1.130	1270	16.91	-2.597	1320	17.79	-0.704	1370	18.63	-0.199
1221	15.94	1.845	1271	16.82	-0.957	1321	17.81	0.084	1371	18.64	0.247
1222	15.96	-0.054	1272	16.83	0.363	1322	17.82	0.133	1372	18.65	-0.104
1223	15.97	-0.065	1273	16.85	-0.621	1323	17.84	-0.566	1373	18.67	-0.449
1224	15.98	-0.124	1274	16.86	-1.669	1324	17.85	-1.394	1374	18.71	0.858
1225	16.02	-0.327	1275	16.89	-1.824	1325	17.86	-0.446	1375	18.73	0.531
1226	16.03	0.126	1276	16.91	-2.164	1326	17.86	0.337	1376	18.74	0.474
1227	16.04	-1.052	1277	16.93	-2.025	1327	17.89	1.510	1377	18.75	0.640
1228	16.06	-0.036	1278	16.94	-2.334	1328	17.90	1.825	1378	18.77	0.781
1229	16.08	1.078	1279	16.96	-1.530	1329	17.91	1.171	1379	18.79	0.801
1230	16.10	-2.660	1280	16.97	0.645	1330	17.92	0.234	1380	18.82	1.164
1231	16.12	-2.469	1281	16.99	1.608	1331	17.93	0.188	1381	18.84	2.041
1232	16.14	0.160	1282	17.00	-0.761	1332	17.94	0.382	1382	18.85	1.998
1233	16.16	-0.434	1283	17.01	-2.095	1333	17.95	-0.295	1383	18.88	0.583
1234	16.17	-1.114	1284	17.05	-0.139	1334	17.97	-1.271	1384	18.91	-0.165
1235	16.18	-1.310	1285	17.10	0.815	1335	17.98	-1.075	1385	18.94	1.178
1236	16.20	0.231	1286	17.12	0.703	1336	17.99	1.583	1386	18.96	2.961
1237	16.22	-0.492	1287	17.15	-0.949	1337	18.00	2.658	1387	18.98	1.941
1238	16.23	-0.577	1288	17.16	-1.243	1338	18.04	1.226	1388	19.00	1.247
1239	16.25	-0.418	1289	17.17	0.418	1339	18.07	0.447	1389	19.01	1.176
1240	16.26	-0.356	1290	17.19	2.852	1340	18.08	0.145	1390	19.03	1.346
1241	16.27	-1.042	1291	17.20	0.659	1341	18.10	2.161	1391	19.05	0.362
1242	16.33	0.383	1292	17.21	-1.257	1342	18.12	2.444	1392	19.08	1.066
1243	16.35	0.910	1293	17.22	+1.953	1343	18.15	1.669	1393	19.09	2.644
1244	16.36	0.620	1294	17.23	+0.759	1344	18.17	0.927	1394	19.11	2.532
1245	16.37	-1.565	1295	17.27	-2.213	1345	18.18	0.465	1395	19.14	3.016
1246	16.38	+2.620	1296	17.30	-1.502	1346	18.20	0.398	1396	19.15	3.207
1247	16.43	+0.127	1297	17.33	-1.691	1347	18.21	0.973	1397	19.17	2.241
1248	16.45	-1.117	1298	17.35	-2.053	1348	18.23	-0.010	1398	19.19	2.128
1249	16.48	+0.630	1299	17.37	+1.553	1349	18.25	0.360	1399	19.22	1.974
1250	16.49	-0.940	1300	17.39	0.471	1350	18.28	1.198	1400	19.25	3.111

INDEX NO. 776 105-GR-17 HASAKI BRIDGE U-D MAX.ACCEL.= -8.148(GAL) T= 8.95(SEC) NO. 8

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1401	19.28	3.335	1451	20.47	1.322	1501	21.57	1.596	1551	22.55	-0.496
1402	19.31	3.192	1452	20.52	2.552	1502	21.58	3.156	1552	22.57	0.382
1403	19.34	2.783	1453	20.54	2.241	1503	21.60	2.811	1553	22.58	1.210
1404	19.36	2.661	1454	20.56	-0.402	1504	21.61	1.740	1554	22.59	1.193
1405	19.39	3.145	1455	20.58	-0.487	1505	21.63	0.778	1555	22.60	0.275
1406	19.41	3.313	1456	20.59	1.311	1506	21.64	-0.290	1556	22.61	-1.316
1407	19.42	2.356	1457	20.62	3.674	1507	21.65	0.522	1557	22.63	-1.143
1408	19.43	2.083	1458	20.63	1.150	1508	21.67	0.185	1558	22.64	0.054
1409	19.45	2.471	1459	20.65	1.030	1509	21.68	-1.406	1559	22.66	-0.056
1410	19.47	2.108	1460	20.66	1.232	1510	21.70	0.009	1560	22.68	-0.149
1411	19.50	2.225	1461	20.67	1.522	1511	21.71	0.822	1561	22.69	0.072
1412	19.52	2.134	1462	20.69	0.820	1512	21.72	0.282	1562	22.70	1.734
1413	19.53	3.674	1463	20.71	1.343	1513	21.74	-1.732	1563	22.71	1.696
1414	19.54	3.656	1464	20.72	1.635	1514	21.79	-0.854	1564	22.73	0.619
1415	19.57	1.003	1465	20.77	0.748	1515	21.82	-0.393	1565	22.74	1.795
1416	19.59	2.144	1466	20.79	1.769	1516	21.89	1.092	1566	22.76	2.707
1417	19.60	2.074	1467	20.81	0.566	1517	21.91	1.080	1567	22.77	0.759
1418	19.63	1.716	1468	20.83	0.439	1518	21.93	0.635	1568	22.79	-0.319
1419	19.66	1.151	1469	20.90	0.353	1519	21.94	0.300	1569	22.80	1.233
1420	19.69	1.881	1470	20.97	1.504	1520	21.95	-0.393	1570	22.82	1.162
1421	19.72	2.151	1471	20.99	2.006	1521	21.97	0.405	1571	22.84	0.821
1422	19.73	2.087	1472	21.01	1.752	1522	21.99	1.168	1572	22.85	0.362
1423	19.74	1.785	1473	21.03	1.664	1523	22.00	-0.419	1573	22.87	-0.002
1424	19.75	3.229	1474	21.04	3.107	1524	22.02	0.749	1574	22.90	-0.769
1425	19.76	3.196	1475	21.10	2.209	1525	22.03	1.059	1575	22.92	1.260
1426	19.78	1.838	1476	21.12	1.211	1526	22.10	0.367	1576	22.94	1.812
1427	19.80	2.629	1477	21.14	1.342	1527	22.13	0.785	1577	22.95	0.492
1428	19.82	3.767	1478	21.16	1.001	1528	22.15	0.686	1578	22.96	0.421
1429	19.84	3.165	1479	21.18	-1.848	1529	22.17	0.835	1579	22.98	1.847
1430	19.86	1.601	1480	21.20	-1.071	1530	22.18	1.157	1580	22.99	2.416
1431	19.88	1.335	1481	21.21	0.986	1531	22.21	-0.213	1581	23.01	1.464
1432	19.90	2.501	1482	21.23	1.263	1532	22.22	0.571	1582	23.02	0.745
1433	20.02	1.015	1483	21.24	0.970	1533	22.24	-0.016	1583	23.06	0.590
1434	20.04	1.171	1484	21.26	1.369	1534	22.25	-0.430	1584	23.08	1.328
1435	20.10	1.806	1485	21.28	2.869	1535	22.26	1.020	1585	23.11	2.191
1436	20.12	0.478	1486	21.30	-0.338	1536	22.27	1.568	1586	23.13	2.357
1437	20.14	2.484	1487	21.32	1.061	1537	22.28	1.276	1587	23.15	3.245
1438	20.16	1.778	1488	21.33	3.473	1538	22.29	0.992	1588	23.18	2.488
1439	20.18	1.038	1489	21.35	0.659	1539	22.31	0.494	1589	23.20	2.624
1440	20.20	2.186	1490	21.37	-0.449	1540	22.34	1.611	1590	23.22	2.914
1441	20.21	3.386	1491	21.38	1.115	1541	22.35	1.304	1591	23.23	1.573
1442	20.22	2.042	1492	21.39	1.699	1542	22.36	-1.632	1592	23.25	2.130
1443	20.24	1.951	1493	21.40	0.767	1543	22.36	-0.219	1593	23.26	1.428
1444	20.35	0.756	1494	21.42	0.015	1544	22.40	1.297	1594	23.28	1.598
1445	20.39	0.785	1495	21.43	1.075	1545	22.42	0.567	1595	23.30	1.245
1446	20.41	1.036	1496	21.45	0.741	1546	22.44	-0.442	1596	23.33	0.735
1447	20.42	1.213	1497	21.50	0.464	1547	22.47	-0.731	1597	23.35	0.979
1448	20.43	1.538	1498	21.53	-0.296	1548	22.48	0.463	1598	23.38	0.850
1449	20.44	0.607	1499	21.54	0.265	1549	22.50	0.145	1599	23.40	0.494
1450	20.46	-1.090	1500	21.55	-0.054	1550	22.52	-0.592	1600	23.42	1.506

INDEX NO. 776 105-GR-17 HASAKI BRIDGE U-D MAX.ACCEL.= -8.148(GAL) T= 8.95(SEC) NO. 9

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1601	23.45	3.245	1651	25.12	-0.007	1701	26.43	1.420	1751	27.45	2.563
1602	23.46	2.868	1652	25.14	-0.480	1702	26.45	1.599	1752	27.44	1.847
1603	23.50	2.753	1653	25.16	-0.593	1703	26.46	2.133	1753	27.47	1.465
1604	23.52	2.634	1654	25.17	0.572	1704	26.48	2.410	1754	27.50	1.544
1605	23.53	2.489	1655	25.19	0.746	1705	26.51	2.277	1755	27.53	1.646
1606	23.58	2.609	1656	25.21	0.767	1706	26.53	1.543	1756	27.58	1.425
1607	23.60	2.013	1657	25.23	1.517	1707	26.55	1.179	1757	27.63	0.891
1608	23.62	1.894	1658	25.24	0.639	1708	26.56	1.592	1758	27.70	1.154
1609	23.66	2.594	1659	25.26	0.500	1709	26.57	1.908	1759	27.75	2.192
1610	23.69	2.175	1660	25.27	1.289	1710	26.59	0.928	1760	27.77	2.703
1611	23.72	1.681	1661	25.28	0.368	1711	26.63	0.605	1761	27.81	2.513
1612	23.75	0.901	1662	25.30	0.260	1712	26.65	1.747	1762	27.83	2.132
1613	23.76	0.564	1663	25.32	1.883	1713	26.67	2.906	1763	27.84	0.732
1614	23.80	0.271	1664	25.35	1.524	1714	26.68	1.960	1764	27.89	1.469
1615	23.82	1.415	1665	25.36	1.180	1715	26.71	1.558	1765	28.00	1.186
1616	23.88	1.488	1666	25.42	1.092	1716	26.74	1.019	1766	28.06	0.609
1617	23.91	1.940	1667	25.48	3.025	1717	26.75	0.953	1767	28.21	-0.507
1618	23.98	1.980	1668	25.53	1.884	1718	26.76	1.136	1768	28.32	-0.454
1619	24.06	3.193	1669	25.56	0.655	1719	26.78	1.666	1769	28.36	-0.407
1620	24.13	2.467	1670	25.60	0.008	1720	26.80	1.697	1770	28.40	0.113
1621	24.16	1.092	1671	25.65	0.273	1721	26.82	2.108	1771	28.46	0.677
1622	24.24	1.290	1672	25.66	1.083	1722	26.83	2.653	1772	28.49	0.928
1623	24.29	1.190	1673	25.72	1.147	1723	26.85	2.044	1773	28.50	1.711
1624	24.37	1.661	1674	25.76	1.329	1724	26.87	2.198	1774	28.54	0.425
1625	24.40	1.532	1675	25.79	0.532	1725	26.90	2.309	1775	28.56	0.360
1626	24.42	2.051	1676	25.83	0.957	1726	26.93	1.862	1776	28.58	0.437
1627	24.44	4.457	1677	25.86	1.124	1727	26.95	1.524	1777	28.62	0.879
1628	24.45	3.508	1678	25.89	1.227	1728	26.97	1.933	1778	28.66	1.293
1629	24.48	3.012	1679	25.92	0.433	1729	26.98	2.221	1779	28.68	1.195
1630	24.50	3.154	1680	25.96	0.399	1730	27.01	1.464	1780	28.70	0.853
1631	24.52	3.024	1681	26.00	0.266	1731	27.03	1.963	1781	28.71	1.634
1632	24.55	3.002	1682	26.04	0.461	1732	27.05	1.850	1782	28.74	0.640
1633	24.57	1.660	1683	26.06	0.574	1733	27.07	2.513	1783	28.76	-0.116
1634	24.59	1.416	1684	26.09	0.817	1734	27.09	1.769	1784	28.79	0.242
1635	24.61	0.815	1685	26.12	0.901	1735	27.10	1.478	1785	28.91	2.015
1636	24.64	-0.950	1686	26.15	0.725	1736	27.13	1.850	1786	28.94	2.080
1637	24.68	-1.159	1687	26.17	0.099	1737	27.16	1.702	1787	28.97	2.946
1638	24.69	1.269	1688	26.18	0.533	1738	27.19	1.281	1788	29.00	1.266
1639	24.71	1.187	1689	26.20	0.442	1739	27.22	1.130	1789	29.03	1.144
1640	24.72	0.228	1690	26.23	0.051	1740	27.24	1.278	1790	29.04	-0.565
1641	24.75	0.573	1691	26.25	-0.075	1741	27.25	0.971	1791	29.07	0.804
1642	24.76	-0.085	1692	26.26	0.489	1742	27.26	1.766	1792	29.10	1.614
1643	24.82	-0.238	1693	26.28	0.620	1743	27.29	2.036	1793	29.14	1.411
1644	24.85	0.442	1694	26.31	0.858	1744	27.30	1.690	1794	29.18	2.707
1645	24.86	0.619	1695	26.33	0.725	1745	27.32	1.603	1795	29.20	2.960
1646	24.88	0.023	1696	26.36	0.584	1746	27.35	1.726	1796	29.22	1.357
1647	24.91	-0.883	1697	26.37	1.118	1747	27.36	1.892	1797	29.24	0.270
1648	24.93	0.279	1698	26.39	1.277	1748	27.37	1.594	1798	29.34	-0.277
1649	25.06	1.455	1699	26.40	1.227	1749	27.39	1.245	1799	29.38	-0.196
1650	25.10	1.622	1700	26.42	1.493	1750	27.41	1.647	1800	29.40	0.309

INDEX NO. 776 105-GR-17 MASAKI BRIDGE U-D MAX.ACCEL.= -8.148(GAL) T= 8.95(SEC) NO.10

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1801	29.43	0.297	1851	30.97	1.637
1802	29.45	0.646	1852	31.01	2.022
1803	29.47	0.676	1853	31.07	3.246
1804	29.49	2.307	1854	31.19	2.383
1805	29.51	3.197	1855	31.24	2.052
1806	29.54	2.179	1856	31.34	2.434
1807	29.57	2.917	1857	31.43	2.627
1808	29.59	2.548	1858	31.51	3.552
1809	29.62	2.696	1859	31.58	4.205
1810	29.64	2.252	1860	31.61	4.303
1811	29.67	1.495	1861	31.64	3.595
1812	29.72	1.467	1862	31.69	3.399
1813	29.74	1.366	1863	31.77	5.076
1814	29.75	1.309	1864	31.82	5.219
1815	29.80	2.520	1865	31.84	4.463
1816	29.83	3.609	1866	31.87	4.323
1817	29.85	3.386	1867	31.91	4.129
1818	29.87	4.495	1868	31.94	3.625
1819	29.90	4.066	1869	31.99	4.608
1820	29.94	3.533			
1821	29.97	3.732			
1822	30.00	4.057			
1823	30.03	3.652			
1824	30.06	3.219			
1825	30.15	2.968			
1826	30.21	2.655			
1827	30.25	3.684			
1828	30.27	4.182			
1829	30.30	1.915			
1830	30.33	0.733			
1831	30.38	1.061			
1832	30.46	1.885			
1833	30.48	2.405			
1834	30.50	2.550			
1835	30.52	2.817			
1836	30.53	2.781			
1837	30.54	-0.043			
1838	30.56	0.731			
1839	30.59	1.197			
1840	30.61	1.071			
1841	30.63	0.984			
1842	30.65	1.733			
1843	30.66	3.802			
1844	30.71	2.409			
1845	30.74	1.355			
1846	30.79	2.217			
1847	30.83	3.876			
1848	30.87	4.076			
1849	30.90	2.650			
1850	30.93	1.847			

Table IX D-3 Digitized Accelerations of Earthquake Record with Index Number 777

INDEX NO. 777 105-GR-17 MASAKI BRIDGE LG. MAX.ACCEL.= -26.100(GAL) T= 6.81(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.11	3.019	51	0.63	7.466	101	1.16	13.301	151	1.67	-2.605
2	0.12	3.640	52	0.64	-5.793	102	1.17	-15.584	152	1.68	-0.983
3	0.13	-3.995	53	0.65	-13.171	103	1.18	-21.087	153	1.69	-0.738
4	0.14	-7.749	54	0.66	-15.678	104	1.19	-21.091	154	1.70	-4.870
5	0.15	-9.380	55	0.67	-10.430	105	1.20	-10.095	155	1.71	-9.250
6	0.16	-7.133	56	0.68	12.812	106	1.21	15.270	156	1.72	-12.004
7	0.17	18.106	57	0.69	13.684	107	1.22	20.141	157	1.73	-13.133
8	0.18	20.100	58	0.70	9.052	108	1.23	20.763	158	1.74	-11.246
9	0.19	16.971	59	0.71	-11.206	109	1.24	15.508	159	1.76	-7.524
10	0.20	11.842	60	0.72	-12.585	110	1.25	4.125	160	1.77	2.218
11	0.22	9.957	61	0.73	-10.463	111	1.26	2.120	161	1.78	3.340
12	0.23	6.825	62	0.74	-4.345	112	1.27	0.488	162	1.79	0.833
13	0.24	-2.932	63	0.75	-2.223	113	1.28	-3.643	163	1.80	-7.426
14	0.25	-4.688	64	0.76	16.141	114	1.29	-3.020	164	1.81	-6.553
15	0.26	-4.067	65	0.77	25.010	115	1.30	2.971	165	1.82	10.939
16	0.27	7.549	66	0.78	24.132	116	1.31	4.218	166	1.83	17.186
17	0.28	14.293	67	0.79	21.379	117	1.33	-2.670	167	1.84	17.808
18	0.29	17.412	68	0.80	4.622	118	1.34	-6.174	168	1.85	9.426
19	0.30	16.782	69	0.82	-3.391	119	1.35	-8.678	169	1.86	-0.706
20	0.31	14.652	70	0.83	-5.021	120	1.36	-8.434	170	1.87	-2.586
21	0.32	5.895	71	0.84	-4.400	121	1.37	-6.316	171	1.88	-1.464
22	0.33	-2.363	72	0.85	1.216	122	1.38	-4.697	172	1.89	4.153
23	0.34	-4.119	73	0.86	-0.289	123	1.39	-3.204	173	1.90	8.897
24	0.36	-3.502	74	0.87	-1.543	124	1.40	-0.959	174	1.91	10.891
25	0.37	3.363	75	0.89	-4.056	125	1.41	1.162	175	1.92	11.136
26	0.38	9.107	76	0.90	-5.936	126	1.42	1.784	176	1.93	8.383
27	0.39	9.729	77	0.91	-5.690	127	1.43	-3.724	177	1.94	4.004
28	0.40	5.723	78	0.92	-3.821	128	1.44	-9.730	178	1.95	-4.254
29	0.41	-4.787	79	0.93	-3.291	129	1.45	-9.983	179	1.96	-6.257
30	0.42	-5.415	80	0.94	-0.081	130	1.46	-5.738	180	1.97	4.734
31	0.43	-4.545	81	0.95	6.911	131	1.47	11.129	181	1.98	11.102
32	0.44	-1.426	82	0.96	6.909	132	1.48	10.876	182	1.99	10.851
33	0.45	4.315	83	0.97	1.653	133	1.49	4.245	183	2.00	-0.157
34	0.46	7.163	84	0.98	-2.726	134	1.50	2.241	184	2.01	-9.039
35	0.47	7.431	85	0.99	2.141	135	1.51	5.607	185	2.02	-8.793
36	0.48	1.925	86	1.00	2.262	136	1.52	8.729	186	2.03	-6.870
37	0.49	-3.710	87	1.01	0.629	137	1.53	10.600	187	2.04	2.021
38	0.50	-1.964	88	1.02	4.998	138	1.54	11.345	188	2.05	5.943
39	0.51	8.606	89	1.03	14.693	139	1.55	1.586	189	2.06	0.939
40	0.52	13.776	90	1.04	14.741	140	1.56	-6.045	190	2.07	1.307
41	0.53	14.397	91	1.05	13.611	141	1.57	-7.549	191	2.08	-3.324
42	0.54	12.642	92	1.07	12.600	142	1.58	-3.928	192	2.09	-6.957
43	0.55	3.384	93	1.08	0.343	143	1.59	17.564	193	2.10	-6.962
44	0.56	-5.121	94	1.09	-19.666	144	1.60	20.811	194	2.11	-6.965
45	0.57	-5.750	95	1.10	-21.921	145	1.61	20.807	195	2.12	-4.219
46	0.58	0.367	96	1.11	-19.176	146	1.62	15.550	196	2.13	12.021
47	0.59	7.986	97	1.12	-13.304	147	1.63	5.795	197	2.14	20.266
48	0.60	9.609	98	1.13	15.689	148	1.64	-1.212	198	2.15	16.885
49	0.61	9.601	99	1.14	19.557	149	1.65	-3.718	199	2.16	5.754
50	0.62	8.972	100	1.15	17.678	150	1.66	-3.850	200	2.17	-1.498

INDEX NO. 777 105-GR-17 MASAKI BRIDGE LG. MAX.ACCEL.= -26.100(GAL) T= 6.81(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	2.18	-8.255	251	2.70	3.461	301	3.25	6.279	351	3.79	14.847
202	2.19	-8.883	252	2.71	5.582	302	3.26	-8.854	352	3.80	14.967
203	2.20	-7.637	253	2.72	5.953	303	3.27	-15.484	353	3.81	12.461
204	2.21	4.978	254	2.73	5.071	304	3.28	-18.364	354	3.82	1.580
205	2.22	6.223	255	2.74	5.567	305	3.29	-18.618	355	3.83	-8.200
206	2.23	2.842	256	2.75	5.433	306	3.30	-17.123	356	3.84	-14.929
207	2.24	0.962	257	2.76	3.680	307	3.31	-13.008	357	3.85	-18.310
208	2.25	-0.292	258	2.77	5.675	308	3.32	1.738	358	3.86	-18.690
209	2.26	-3.174	259	2.78	-2.457	309	3.33	3.110	359	3.87	1.801
210	2.27	-7.660	260	2.79	-4.964	310	3.34	1.224	360	3.88	12.920
211	2.28	-7.684	261	2.80	-0.093	311	3.35	1.219	361	3.89	14.417
212	2.29	-3.688	262	2.81	9.024	312	3.37	2.084	362	3.90	14.163
213	2.31	1.303	263	2.82	9.646	313	3.38	3.955	363	3.91	2.657
214	2.32	2.673	264	2.84	-3.117	314	3.39	11.571	364	3.92	1.774
215	2.33	5.167	265	2.85	-6.370	315	3.40	12.193	365	3.93	-2.235
216	2.34	9.286	266	2.87	-9.259	316	3.41	9.812	366	3.94	-9.238
217	2.35	7.155	267	2.88	-8.014	317	3.42	4.807	367	3.95	-11.995
218	2.36	4.025	268	2.89	-4.021	316	3.43	-1.574	368	3.96	-9.624
219	2.37	3.019	269	2.90	6.724	319	3.44	-2.204	369	3.97	3.994
220	2.38	5.762	270	2.91	10.595	320	3.45	-2.589	370	3.98	11.239
221	2.39	6.384	271	2.92	10.716	321	3.46	-3.469	371	3.99	11.861
222	2.40	5.255	272	2.93	6.962	322	3.47	-2.348	372	4.00	12.230
223	2.41	1.122	273	2.94	-4.796	323	3.48	7.020	373	4.01	-6.154
224	2.42	-5.885	274	2.95	-7.054	324	3.49	10.889	374	4.02	-14.659
225	2.44	-6.767	275	2.96	-8.310	325	3.50	9.760	375	4.03	-11.916
226	2.45	1.223	276	2.97	-8.690	326	3.51	6.830	376	4.04	-5.918
227	2.46	7.342	277	2.98	-8.443	327	3.52	5.000	377	4.05	5.198
228	2.47	7.964	278	2.99	6.674	328	3.53	4.369	378	4.07	5.817
229	2.48	6.710	279	3.00	19.169	329	3.54	4.364	379	4.08	-0.693
230	2.49	2.330	280	3.01	21.415	330	3.55	3.485	380	4.09	-8.073
231	2.50	-0.177	281	3.02	14.158	331	3.56	-1.024	381	4.10	-11.205
232	2.51	-1.059	282	3.03	-15.348	332	3.57	-1.030	382	4.11	-9.959
233	2.52	-3.939	283	3.04	-19.102	333	3.58	0.465	383	4.12	-7.463
234	2.53	-5.944	284	3.05	-18.231	334	3.59	1.088	384	4.13	-2.220
235	2.54	-6.573	285	3.06	-4.113	335	3.60	-2.922	385	4.14	-8.352
236	2.55	-2.580	286	3.07	1.879	336	3.61	-5.175	386	4.15	-13.107
237	2.56	6.289	287	3.08	2.247	337	3.63	-3.311	387	4.16	-13.112
238	2.57	9.409	288	3.09	2.868	338	3.64	-2.444	388	4.17	-4.992
239	2.58	9.781	289	3.10	1.988	339	3.65	-2.076	389	4.18	10.499
240	2.59	7.901	290	3.11	0.482	340	3.67	-2.958	390	4.19	16.496
241	2.60	2.018	291	3.13	-0.776	341	3.69	-3.095	391	4.20	17.117
242	2.61	-1.487	292	3.14	-2.032	342	3.70	-0.603	392	4.21	10.235
243	2.62	-1.243	293	3.15	-2.038	343	3.71	0.391	393	4.22	-9.397
244	2.63	-1.248	294	3.17	1.951	344	3.72	1.262	394	4.23	-10.274
245	2.64	-2.128	295	3.18	7.567	345	3.73	-0.244	395	4.24	-6.283
246	2.65	-3.384	296	3.20	9.060	346	3.74	-2.752	396	4.25	4.461
247	2.66	-4.016	297	3.21	7.553	347	3.75	-4.008	397	4.26	8.831
248	2.67	-3.773	298	3.22	2.922	348	3.76	-4.263	398	4.27	8.828
249	2.68	-3.403	299	3.23	5.039	349	3.77	4.107	399	4.28	2.943
250	2.69	-2.782	300	3.24	8.156	350	3.78	7.478	400	4.29	-1.811

INDEX NO. 777 105-GR-17 MASAKI BRIDGE LG. MAX.ACCEL.= -26.100(GAL) T= 6.81(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	4.30	-4.318	451	4.80	-7.487	501	5.31	-1.024	551	5.83	2.555
402	4.31	-2.622	452	4.81	-6.989	502	5.32	-2.533	552	5.84	5.051
403	4.32	-0.952	453	4.82	-3.868	503	5.33	-1.662	553	5.85	15.795
404	4.33	-1.659	454	4.83	4.497	504	5.34	8.455	554	5.86	17.542
405	4.34	-2.087	455	4.84	0.368	505	5.35	13.326	555	5.87	14.162
406	4.35	0.030	456	4.85	-4.012	506	5.36	13.946	556	5.88	-8.722
407	4.36	-1.228	457	4.86	-5.268	907	5.37	4.314	557	5.89	-10.978
408	4.37	-0.982	458	4.87	-5.901	508	5.38	-3.690	558	5.90	-10.355
409	4.38	0.639	459	4.88	-7.906	509	5.39	-5.823	559	5.91	-3.489
410	4.39	2.757	460	4.89	-9.160	510	5.40	-5.327	560	5.92	4.755
411	4.40	1.001	461	4.90	-9.166	511	5.41	-6.958	561	5.93	7.875
412	4.41	-0.628	462	4.91	-3.927	512	5.42	-12.838	562	5.94	6.622
413	4.42	3.741	463	4.92	-2.681	513	5.43	-13.218	563	5.95	-2.137
414	4.43	7.735	464	4.93	-2.060	514	5.44	-9.846	564	5.96	-5.890
415	4.44	8.732	465	4.94	-4.819	515	5.45	12.893	565	5.97	-6.269
416	4.45	5.976	466	4.95	-7.325	516	5.46	15.137	566	5.98	4.096
417	4.46	-4.410	467	4.96	-5.205	517	5.47	11.759	567	5.99	3.643
418	4.47	-10.790	468	4.97	2.163	518	5.48	5.754	568	6.00	-2.789
419	4.48	-12.668	469	4.98	7.409	519	5.49	-5.004	569	6.01	-5.296
420	4.49	-13.546	470	4.99	8.405	520	5.50	-5.883	570	6.02	-5.551
421	4.50	-4.553	471	5.00	-2.479	521	5.51	-4.762	571	6.03	-5.504
422	4.51	0.440	472	5.01	-13.860	522	5.52	-3.141	572	6.04	-3.808
423	4.52	-6.442	473	5.02	-22.866	523	5.54	-2.527	573	6.05	2.433
424	4.53	-7.948	474	5.03	-21.120	524	5.55	-1.912	574	6.06	4.681
425	4.54	-6.202	475	5.05	15.368	525	5.56	-1.915	575	6.07	3.801
426	4.55	-0.585	476	5.06	17.365	526	5.57	-1.921	576	6.08	-11.958
427	4.56	1.409	477	5.07	15.861	527	5.58	5.197	577	6.09	-15.211
428	4.57	1.781	478	5.08	5.355	528	5.59	12.190	578	6.10	-10.968
429	4.58	-4.726	479	5.09	-2.526	529	5.60	11.936	579	6.11	-3.972
430	4.59	-8.609	480	5.10	-3.531	530	5.61	9.807	580	6.12	7.145
431	4.60	-8.363	481	5.11	2.335	531	5.62	2.926	581	6.13	9.139
432	4.61	-2.744	482	5.12	2.957	532	5.63	-8.957	582	6.14	9.136
433	4.62	1.000	483	5.13	-2.553	533	5.64	-9.634	583	6.15	9.120
434	4.63	-0.131	484	5.14	-2.932	534	5.65	-7.466	584	6.16	8.076
435	4.64	-1.639	485	5.15	-2.059	535	5.66	-5.221	585	6.17	4.743
436	4.65	-1.394	486	5.16	8.307	536	5.68	-3.732	586	6.18	-8.264
437	4.66	5.098	487	5.17	8.554	537	5.69	-3.987	587	6.19	-12.394
438	4.67	11.466	488	5.18	3.298	538	5.70	-5.243	588	6.20	-11.771
439	4.68	12.088	489	5.19	-20.336	539	5.71	-6.499	589	6.21	-5.526
440	4.69	10.335	490	5.20	-23.591	540	5.72	-8.380	590	6.22	7.090
441	4.70	3.078	491	5.21	-17.470	541	5.73	-10.511	591	6.23	7.085
442	4.71	4.943	492	5.22	14.023	542	5.74	-11.769	592	6.24	6.455
443	4.72	7.439	493	5.23	16.893	543	5.75	-10.023	593	6.25	5.576
444	4.73	6.560	494	5.24	11.389	544	5.76	-5.904	594	6.26	-1.682
445	4.74	3.679	495	5.25	-5.743	545	5.77	5.464	595	6.27	-9.563
446	4.75	3.670	496	5.26	-8.747	546	5.78	7.084	596	6.28	-14.942
447	4.76	3.417	497	5.27	-8.751	547	5.79	5.206	597	6.29	-15.694
448	4.77	-5.218	498	5.28	-7.882	548	5.80	-0.303	598	6.30	-12.576
449	4.78	-7.223	499	5.29	-6.891	549	5.81	-9.930	599	6.31	-7.457
450	4.79	-7.227	500	5.30	-5.644	550	5.82	-7.561	600	6.32	-4.713

土木構造物における加速度強震記録（No.9）

INDEX NO. 777 105-GR-17 MASAKI BRIDGE LG. MAX.ACCEL.= -26.100(GAL) T= 6.81(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	6.33	-2.470	651	6.66	5.126	701	7.37	14.087	751	7.92	4.277
602	6.34	-1.601	652	6.67	5.122	702	7.38	6.957	752	7.93	4.271
603	6.35	-3.730	653	6.68	-1.012	703	7.39	-16.554	753	7.94	0.513
604	6.36	-7.464	654	6.90	-5.143	704	7.40	-18.608	754	7.95	-0.992
605	6.37	-8.364	655	6.91	-5.401	705	7.41	-13.188	755	7.96	-2.623
606	6.38	-6.118	656	6.92	-5.408	706	7.42	-7.193	756	7.97	-3.503
607	6.39	-2.878	657	6.93	-6.412	707	7.43	-5.323	757	7.98	-3.632
608	6.40	1.367	658	6.94	-9.299	708	7.44	-2.209	758	7.99	1.361
609	6.41	3.687	659	6.95	-10.548	709	7.46	1.656	759	8.00	4.480
610	6.42	4.731	660	6.96	-8.176	710	7.47	1.401	760	8.01	5.725
611	6.43	3.851	661	6.97	4.191	711	7.49	0.141	761	8.02	3.596
612	6.45	2.592	662	6.98	5.063	712	7.50	-4.244	762	8.03	-5.412
613	6.46	-0.541	663	6.99	3.310	713	7.51	-6.597	763	8.04	-6.416
614	6.47	-4.297	664	7.00	-2.546	714	7.52	-9.376	764	8.05	-5.796
615	6.48	-3.053	665	7.01	-6.075	715	7.54	-4.139	765	8.06	-4.553
616	6.49	-1.181	666	7.02	-2.085	716	7.55	2.228	766	8.07	-5.184
617	6.50	0.561	667	7.03	1.036	717	7.56	5.099	767	8.09	-6.444
618	6.51	7.185	668	7.04	2.278	718	7.57	6.596	768	8.11	-7.330
619	6.52	5.431	669	7.05	6.648	719	7.58	6.089	769	8.13	-7.340
620	6.53	-7.078	670	7.06	9.516	720	7.59	3.635	770	8.15	-6.847
621	6.54	-7.082	671	7.07	9.640	721	7.60	-6.421	771	8.16	-6.479
622	6.55	-7.069	672	7.08	4.632	722	7.61	-8.175	772	8.17	-6.234
623	6.56	-6.645	673	7.09	-4.250	723	7.63	-5.061	773	8.18	1.632
624	6.57	-4.350	674	7.10	-14.134	724	7.64	-0.697	774	8.19	2.503
625	6.58	-0.980	675	7.11	-16.761	725	7.65	2.798	775	8.20	1.626
626	6.59	2.143	676	7.12	-18.015	726	7.66	4.044	776	8.22	2.487
627	6.60	5.013	677	7.13	-15.897	727	7.67	5.913	777	8.23	4.108
628	6.61	-0.618	678	7.14	-2.654	728	7.68	5.910	778	8.24	-0.274
629	6.62	-13.250	679	7.15	7.214	729	7.69	3.528	779	8.25	-8.031
630	6.63	-15.502	680	7.16	7.950	730	7.70	-3.104	780	8.26	-11.660
631	6.64	-10.686	681	7.17	6.453	731	7.71	-9.733	781	8.27	-11.662
632	6.65	-3.265	682	7.18	2.075	732	7.72	-11.615	782	8.28	-7.918
633	6.66	9.729	683	7.19	-1.184	733	7.73	-10.744	783	8.29	4.698
634	6.67	16.723	684	7.20	3.432	734	7.74	-9.497	784	8.30	8.195
635	6.68	16.844	685	7.21	2.604	735	7.75	-0.756	785	8.31	8.567
636	6.70	8.212	686	7.22	-0.953	736	7.76	4.362	786	8.32	3.936
637	6.71	-3.798	687	7.23	-2.632	737	7.77	4.109	787	8.33	-11.322
638	6.72	-5.302	686	7.24	-4.067	736	7.78	1.229	788	8.34	-18.704
639	6.73	-5.057	689	7.25	-2.842	739	7.79	-3.151	789	8.35	-19.582
640	6.74	-3.811	690	7.26	-0.723	740	7.80	-4.656	790	8.36	-19.085
641	6.75	7.433	691	7.27	-0.983	741	7.81	-5.935	791	8.37	-11.218
642	6.76	11.551	692	7.28	0.667	742	7.82	-6.042	792	8.39	10.021
643	6.78	9.170	693	7.29	5.850	743	7.83	-8.552	793	8.40	12.515
644	6.79	-5.089	694	7.30	7.129	744	7.85	-6.434	794	8.41	10.762
645	6.80	-22.845	695	7.31	-1.006	745	7.86	-4.317	795	8.42	-7.871
646	6.81	-26.100	696	7.32	-10.763	746	7.87	-8.573	796	8.43	-17.503
647	6.82	-24.853	697	7.33	-9.642	747	7.88	-10.455	797	8.44	-16.880
648	6.83	-13.859	698	7.34	-2.771	748	7.89	-9.583	798	8.45	-14.759
649	6.84	-5.863	699	7.35	13.719	749	7.90	-1.214	799	8.47	1.105
650	6.85	3.630	700	7.36	14.714	750	7.91	3.655	800	8.48	8.722

INDEX NO. 777 105-GR-17 MASAKI BRIDGE LG. MAX.ACCEL.= -26.100(GAL) T= 6.81(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	8.49	9.717	851	8.99	10.302	901	9.51	-2.869	951	10.03	5.851
802	8.50	7.837	852	9.00	-9.585	902	9.52	-3.747	952	10.04	6.598
803	8.51	1.503	853	9.01	-16.086	903	9.53	-3.499	953	10.05	5.469
804	8.52	-13.051	854	9.02	-15.218	904	9.54	-1.381	954	10.06	1.086
805	8.53	-13.680	855	9.03	-12.098	905	9.55	2.113	955	10.07	-3.796
806	8.54	-9.061	856	9.04	-8.727	906	9.56	-2.896	956	10.08	-4.674
807	8.55	5.180	857	9.05	-9.233	907	9.57	-6.276	957	10.10	-4.808
808	8.56	3.927	858	9.06	-5.240	908	9.58	-6.654	958	10.11	-4.438
809	8.57	1.173	859	9.07	2.626	909	9.59	-5.782	959	10.12	-3.194
810	8.58	-1.333	860	9.08	2.999	910	9.60	-4.164	960	10.13	1.174
811	8.59	-0.463	861	9.09	-7.260	911	9.61	-2.920	961	10.14	2.670
812	8.60	0.155	862	9.10	-9.091	912	9.62	-2.050	962	10.15	-6.964
813	8.61	1.025	863	9.11	-9.018	913	9.63	-0.805	963	10.16	-15.470
814	8.62	1.645	864	9.12	-6.272	914	9.64	1.686	964	10.17	-18.100
815	8.63	-3.865	865	9.13	-2.777	915	9.65	1.184	965	10.18	-17.603
816	8.64	-8.996	866	9.14	-2.160	916	9.66	-5.449	966	10.19	-13.232
817	8.65	-9.826	867	9.15	-3.040	917	9.67	-11.455	967	10.20	-3.988
818	8.66	-7.598	868	9.16	-3.045	918	9.68	-11.209	968	10.21	1.756
819	8.67	-5.015	869	9.17	-1.552	919	9.69	-10.336	969	10.22	-1.377
820	8.68	-3.520	870	9.18	-2.058	920	9.70	-7.217	970	10.23	-3.256
821	8.69	-2.524	871	9.19	-7.066	921	9.71	-3.673	971	10.25	-4.141
822	8.70	-3.158	872	9.20	-8.571	922	9.72	-2.856	972	10.26	-3.897
823	8.71	-5.662	873	9.21	-7.450	923	9.73	-3.111	973	10.27	-2.028
824	8.72	-0.167	874	9.22	-4.955	924	9.74	-4.616	974	10.28	-0.530
825	8.73	-10.049	875	9.23	-3.084	925	9.75	-5.870	975	10.29	1.337
826	8.74	-10.053	876	9.24	-4.593	926	9.76	-6.250	976	10.30	-5.170
827	8.75	-6.684	877	9.25	-7.724	927	9.77	-3.505	977	10.31	+10.925
828	8.76	-4.439	878	9.27	-10.359	928	9.78	-1.137	978	10.32	+12.429
829	8.77	-4.469	879	9.29	-8.866	929	9.79	+2.391	979	10.33	+11.308
830	8.78	-4.203	880	9.30	-4.750	930	9.80	+2.396	980	10.34	-4.440
831	8.79	-2.583	881	9.31	-2.005	931	9.81	2.845	981	10.35	-1.447
832	8.80	-0.963	882	9.32	2.236	932	9.82	3.217	982	10.36	-1.702
833	8.81	-3.723	883	9.33	2.860	933	9.83	+11.292	983	10.37	-2.333
834	8.82	-4.601	884	9.34	1.980	934	9.84	+15.296	984	10.38	-3.339
835	8.83	-7.109	885	9.35	-4.278	935	9.85	+13.802	985	10.39	-3.985
836	8.84	-6.862	886	9.36	-6.033	936	9.86	-8.558	986	10.40	-4.220
837	8.85	-2.867	887	9.37	-3.415	937	9.88	2.808	987	10.41	-4.350
838	8.86	3.375	888	9.38	-4.045	938	9.89	5.929	988	10.42	3.515
839	8.87	2.871	889	9.39	-6.551	939	9.90	5.049	989	10.43	5.012
840	8.88	-3.389	890	9.40	-7.430	940	9.91	-7.710	990	10.44	-3.621
841	8.89	+5.270	891	9.41	-5.684	941	9.92	-8.590	991	10.45	-4.874
842	8.90	+5.023	892	9.42	1.182	942	9.94	-7.598	992	10.46	-6.752
843	8.91	+3.154	893	9.43	-1.824	943	9.95	+1.477	993	10.47	-7.135
844	8.92	-0.663	894	9.44	-6.630	944	9.96	2.139	994	10.48	-6.915
845	8.93	-2.168	895	9.45	-8.458	945	9.97	3.781	995	10.49	-5.845
846	8.94	+5.298	896	9.46	-8.213	946	9.98	-1.871	996	10.50	-3.777
847	8.95	+12.930	897	9.47	-7.217	947	9.99	+14.127	997	10.51	-2.155
848	8.96	+12.433	898	9.48	+2.600	948	10.00	+16.005	998	10.52	-0.910
849	8.97	5.808	899	9.49	1.143	949	10.01	+17.781	999	10.53	-5.919
850	8.98	9.429	900	9.50	1.140	950	10.02	+4.891	1000	10.54	-7.797

INDEX NO. 777 105-GR-17 HASAKI BRIDGE LG. MAX.ACCEL.= -26.100(GAL) T= 6.81(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	10.55	-8.676	1051	11.06	-6.577	1101	11.56	1.280	1151	12.06	3.872
1002	10.56	-7.556	1052	11.07	-3.705	1102	11.57	-1.100	1152	12.07	7.744
1003	10.57	-3.108	1053	11.08	2.766	1103	11.58	-2.106	1153	12.08	9.240
1004	10.58	-3.446	1054	11.09	2.533	1104	11.59	-2.111	1154	12.09	8.985
1005	10.59	-4.075	1055	11.10	+3.974	1105	11.60	-1.241	1155	12.10	-0.400
1006	10.60	-3.830	1056	11.11	-4.977	1106	11.61	1.625	1156	12.11	-10.654
1007	10.61	-2.833	1057	11.12	-4.731	1107	11.62	2.869	1157	12.12	-15.036
1008	10.62	3.658	1058	11.13	-4.115	1108	11.63	2.239	1158	12.13	-9.164
1009	10.63	5.526	1059	11.14	-3.121	1109	11.64	-0.890	1159	12.14	7.702
1010	10.64	5.524	1060	11.15	+3.123	1110	11.65	-9.022	1160	12.15	8.574
1011	10.65	-1.607	1061	11.16	-2.507	1111	11.66	-11.029	1161	12.16	6.194
1012	10.66	-6.238	1062	11.17	-2.510	1112	11.67	-8.906	1162	12.17	-4.564
1013	10.67	-6.867	1063	11.18	-3.369	1113	11.68	7.960	1163	12.18	-9.321
1014	10.68	-6.370	1064	11.19	-11.398	1114	11.69	9.459	1164	12.19	-8.700
1015	10.69	-4.126	1065	11.20	-12.932	1115	11.70	12.078	1165	12.20	-6.205
1016	10.70	-2.885	1066	11.21	-12.406	1116	11.71	3.946	1166	12.21	-2.460
1017	10.71	-1.014	1067	11.22	-6.161	1117	11.72	-8.438	1167	12.22	1.282
1018	10.72	2.751	1068	11.23	5.737	1118	11.73	-13.193	1168	12.23	-5.226
1019	10.73	1.852	1069	11.24	9.076	1119	11.74	-13.198	1169	12.24	-8.730
1020	10.74	-4.446	1070	11.25	6.823	1120	11.75	-11.077	1170	12.25	-10.233
1021	10.75	-6.919	1071	11.26	3.192	1121	11.76	-6.707	1171	12.26	-9.114
1022	10.76	-7.539	1072	11.27	-10.815	1122	11.77	-1.336	1172	12.27	1.877
1023	10.77	-6.171	1073	11.28	-14.195	1123	11.78	0.659	1173	12.28	6.996
1024	10.78	-2.299	1074	11.29	-14.198	1124	11.79	-3.473	1174	12.29	7.618
1025	10.79	-0.055	1075	11.30	-7.705	1125	11.80	-5.729	1175	12.30	3.609
1026	10.80	-2.561	1076	11.31	-2.711	1126	11.81	-3.858	1176	12.31	-4.020
1027	10.82	-4.820	1077	11.32	6.783	1127	11.82	-0.989	1177	12.32	-8.776
1028	10.83	-6.326	1078	11.33	1.405	1128	11.83	1.131	1178	12.33	-10.031
1029	10.84	-7.585	1079	11.34	-2.603	1129	11.84	-1.253	1179	12.34	-6.910
1030	10.85	-6.464	1080	11.35	-13.359	1130	11.85	-3.132	1180	12.35	1.459
1031	10.86	-2.968	1081	11.36	-15.863	1131	11.86	-3.136	1181	12.36	-1.301
1032	10.87	-0.846	1082	11.37	-10.610	1132	11.87	-1.019	1182	12.37	-3.432
1033	10.88	1.397	1083	11.38	-5.248	1133	11.88	-3.526	1183	12.38	-5.310
1034	10.89	-4.861	1084	11.39	2.371	1134	11.89	-4.406	1184	12.39	-7.817
1035	10.90	-7.366	1085	11.40	5.616	1135	11.90	-4.160	1185	12.40	-6.946
1036	10.91	-7.995	1086	11.41	6.486	1136	11.91	-2.664	1186	12.41	-5.453
1037	10.92	-8.627	1087	11.42	7.108	1137	11.92	4.203	1187	12.42	-3.835
1038	10.93	-8.881	1088	11.43	3.475	1138	11.93	6.570	1188	12.44	+0.717
1039	10.94	-3.386	1089	11.44	-7.033	1139	11.94	6.816	1189	12.45	3.024
1040	10.95	9.857	1090	11.45	-7.661	1140	11.95	3.438	1190	12.46	3.021
1041	10.96	10.230	1091	11.46	-7.041	1141	11.96	-5.445	1191	12.47	-2.613
1042	10.97	3.350	1092	11.47	-6.173	1142	11.97	-10.576	1192	12.48	-4.745
1043	10.98	-4.533	1093	11.48	-3.927	1143	11.98	-11.631	1193	12.49	-5.124
1044	10.99	-5.161	1094	11.49	-0.180	1144	11.99	-10.961	1194	12.50	-4.879
1045	11.00	-2.793	1095	11.50	4.811	1145	12.00	-9.341	1195	12.51	-3.633
1046	11.01	-1.548	1096	11.51	4.807	1146	12.01	-4.974	1196	12.52	-1.143
1047	11.02	0.696	1097	11.52	-4.826	1147	12.02	-4.352	1197	12.53	4.477
1048	11.03	2.193	1098	11.53	-7.707	1148	12.03	-4.983	1198	12.54	5.589
1049	11.04	-1.441	1099	11.54	-5.836	1149	12.04	-6.241	1199	12.55	3.094
1050	11.05	-4.322	1100	11.55	-3.713	1150	12.05	-5.618	1200	12.56	0.586

INDEX NO. 777 105-GR-17 HASAKI BRIDGE LG. MAX.ACCEL.= -26.100(GAL) T= 6.81(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	12.57	6.204	1251	13.10	-2.098	1301	13.61	1.354	1351	14.13	-2.311
1202	12.58	5.573	1252	13.11	-1.476	1302	13.62	-6.029	1352	14.14	3.556
1203	12.59	3.447	1253	13.12	0.765	1303	13.63	-7.660	1353	14.15	2.427
1204	12.60	-8.313	1254	13.13	2.257	1304	13.64	-4.914	1354	14.16	-2.581
1205	12.61	-8.317	1255	13.14	2.255	1305	13.65	-2.046	1355	14.17	-3.835
1206	12.62	-5.571	1256	13.15	-3.880	1306	13.66	-1.801	1356	14.18	-4.839
1207	12.63	-3.079	1257	13.16	-6.136	1307	13.67	-3.308	1357	14.19	-3.347
1208	12.65	-2.464	1258	13.17	-6.390	1308	13.69	-3.940	1358	14.20	-2.100
1209	12.66	-2.095	1259	13.18	-6.144	1309	13.70	-4.196	1359	14.21	2.016
1210	12.67	-1.851	1260	13.19	-1.776	1310	13.71	-3.951	1360	14.22	2.887
1211	12.68	-1.230	1261	13.20	4.593	1311	13.72	-5.206	1361	14.23	4.004
1212	12.69	-2.114	1262	13.21	5.214	1312	13.73	-4.963	1362	14.24	4.625
1213	12.70	-5.494	1263	13.22	-1.294	1313	13.74	2.278	1363	14.25	3.998
1214	12.71	-7.748	1264	13.23	-6.799	1314	13.75	2.900	1364	14.26	-5.762
1215	12.72	-8.002	1265	13.24	-6.930	1315	13.76	2.271	1365	14.27	-11.392
1216	12.73	-5.010	1266	13.25	-9.313	1316	13.77	-4.864	1366	14.28	-9.272
1217	12.74	-3.390	1267	13.26	-7.196	1317	13.78	-9.869	1367	14.30	-4.657
1218	12.75	-4.647	1268	13.27	-6.200	1318	13.79	-10.500	1368	14.31	-2.162
1219	12.76	-4.653	1269	13.28	-6.454	1319	13.80	-9.379	1369	14.32	1.331
1220	12.77	-3.783	1270	13.29	-6.459	1320	13.81	-3.133	1370	14.33	1.327
1221	12.78	-2.161	1271	13.30	-4.716	1321	13.82	6.357	1371	14.34	-4.306
1222	12.79	-2.420	1272	13.31	-0.975	1322	13.84	4.601	1372	14.35	-5.310
1223	12.80	-4.675	1273	13.32	0.270	1323	13.85	-6.532	1373	14.36	-1.818
1224	12.81	-4.432	1274	13.33	1.264	1324	13.86	-8.411	1374	14.38	-0.574
1225	12.83	-3.189	1275	13.34	1.509	1325	13.87	-9.296	1375	14.39	-0.210
1226	12.84	-1.320	1276	13.35	1.505	1326	13.88	-7.175	1376	14.41	-3.721
1227	12.85	-0.953	1277	13.36	-1.504	1327	13.89	-3.428	1377	14.42	-5.225
1228	12.86	-0.835	1278	13.37	-3.134	1328	13.90	5.084	1378	14.43	-4.729
1229	12.87	-9.089	1279	13.38	-3.765	1329	13.91	5.687	1379	14.44	-4.362
1230	12.88	-9.342	1280	13.39	-2.893	1330	13.92	1.952	1380	14.45	-6.868
1231	12.89	-5.974	1281	13.40	2.721	1331	13.93	-4.955	1381	14.46	-5.623
1232	12.90	1.519	1282	13.41	5.716	1332	13.94	-5.957	1382	14.47	-3.752
1233	12.91	3.015	1283	13.42	5.462	1333	13.95	-5.986	1383	14.48	-5.116
1234	12.92	0.881	1284	13.43	1.061	1334	13.96	-5.096	1384	14.49	3.237
1235	12.93	-3.126	1285	13.44	-10.927	1335	13.97	-4.476	1385	14.50	0.482
1236	12.94	-5.004	1286	13.45	-13.931	1336	13.98	-2.654	1386	14.51	-1.396
1237	12.95	-5.635	1287	13.46	-10.612	1337	13.99	8.763	1387	14.52	-4.030
1238	12.96	-6.014	1288	13.47	-4.585	1338	14.00	11.258	1388	14.53	-4.035
1239	12.97	-6.897	1289	13.48	4.799	1339	14.01	10.136	1389	14.54	-3.168
1240	12.98	-8.153	1290	13.49	2.917	1340	14.02	-6.879	1390	14.55	+2.923
1241	12.99	-9.410	1291	13.50	0.683	1341	14.03	-9.756	1391	14.56	-1.026
1242	13.00	-6.664	1292	13.51	-4.489	1342	14.04	-5.637	1392	14.57	0.195
1243	13.01	-4.543	1293	13.52	-8.224	1343	14.05	-2.270	1393	14.58	2.065
1244	13.03	-3.179	1294	13.54	-8.607	1344	14.06	-6.277	1394	14.59	0.859
1245	13.04	-2.666	1295	13.55	5.260	1345	14.07	-6.906	1395	14.60	-4.076
1246	13.05	-2.065	1296	13.56	5.351	1346	14.08	-5.785	1396	14.62	-3.211
1247	13.06	-4.449	1297	13.57	-6.003	1347	14.09	-2.664	1397	14.64	-3.843
1248	13.07	-3.954	1298	13.58	-8.256	1348	14.10	-1.419	1398	14.65	-3.226
1249	13.08	-2.066	1299	13.59	-6.366	1349	14.11	-1.676	1399	14.67	-3.238
1250	13.09	-2.968	1300	13.60	-1.141	1350	14.12	-3.558	1400	14.68	-4.742

土木構造物における加速度強震記録（No.9）

INDEX NO. 777 105-GR-17 MASAKI BRIDGE LG. MAX.ACCEL.= -26.100(GAL) T= 6.81(SEC) NO. 8

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1401	14.69	-5.999	1451	15.23	-1.289	1501	15.81	2.265	1551	16.36	-1.547
1402	14.70	-5.131	1452	15.24	-1.048	1502	15.82	1.262	1552	16.37	-1.801
1403	14.72	-3.013	1453	15.27	1.439	1503	15.83	-0.244	1553	16.38	-2.057
1404	14.73	3.729	1454	15.29	2.678	1504	15.84	-0.874	1554	16.39	-2.066
1405	14.74	5.850	1455	15.31	1.417	1505	15.85	-0.382	1555	16.40	-1.445
1406	14.75	6.472	1456	15.32	1.412	1506	15.86	0.611	1556	16.41	0.174
1407	14.76	1.598	1457	15.33	2.031	1507	15.87	2.731	1557	16.42	1.670
1408	14.77	-1.291	1458	15.34	3.397	1508	15.88	1.851	1558	16.43	2.791
1409	14.78	-1.922	1459	15.36	1.263	1509	15.89	0.597	1559	16.44	1.909
1410	14.79	-1.053	1460	15.37	-1.869	1510	15.91	-1.913	1560	16.45	-1.850
1411	14.80	-0.683	1461	15.39	-3.129	1511	15.92	-0.046	1561	16.46	-2.229
1412	14.81	-2.188	1462	15.40	-3.760	1512	15.93	5.572	1562	16.47	-0.736
1413	14.82	-3.443	1463	15.42	-3.268	1513	15.94	6.817	1563	16.48	1.135
1414	14.83	-4.198	1464	15.43	-2.023	1514	15.95	5.563	1564	16.49	2.131
1415	14.84	-4.829	1465	15.44	1.093	1515	15.96	3.305	1565	16.50	1.501
1416	14.85	-3.335	1466	15.45	2.965	1516	15.97	-3.451	1566	16.51	-0.005
1417	14.86	-1.214	1467	15.46	2.461	1517	15.98	-5.454	1567	16.52	-1.886
1418	14.87	2.903	1468	15.47	-2.921	1518	15.99	-7.710	1568	16.53	-2.892
1419	14.88	3.650	1469	15.48	-4.925	1519	16.00	-4.594	1569	16.54	-0.398
1420	14.89	-10.235	1470	15.49	-4.691	1520	16.02	2.271	1570	16.55	-0.403
1421	14.90	-13.489	1471	15.50	-3.435	1521	16.03	3.267	1571	16.56	-1.912
1422	14.91	-7.244	1472	15.51	2.182	1522	16.04	2.389	1572	16.57	-2.541
1423	14.92	-3.123	1473	15.52	7.051	1523	16.05	0.258	1573	16.58	-1.420
1424	14.93	5.246	1474	15.53	7.046	1524	16.06	-1.998	1574	16.59	1.448
1425	14.95	0.236	1475	15.54	5.167	1525	16.07	-3.256	1575	16.60	1.194
1426	14.96	-2.644	1476	15.55	-4.967	1526	16.09	-2.390	1576	16.62	2.308
1427	14.97	-4.901	1477	15.56	-6.845	1527	16.11	0.097	1577	16.63	1.173
1428	14.98	-4.659	1478	15.57	-6.849	1528	16.12	1.965	1578	16.64	-1.332
1429	15.00	-3.792	1479	15.58	-2.857	1529	16.13	1.711	1579	16.65	-4.212
1430	15.01	-1.300	1480	15.59	-2.489	1530	16.14	-0.420	1580	16.66	-5.590
1431	15.02	1.196	1481	15.61	-0.373	1531	16.15	-2.051	1581	16.67	-1.847
1432	15.03	4.817	1482	15.62	0.249	1532	16.17	-2.311	1582	16.68	5.394
1433	15.04	7.311	1483	15.63	1.865	1533	16.18	-1.820	1583	16.69	5.142
1434	15.05	5.181	1484	15.64	3.234	1534	16.19	-0.826	1584	16.70	-1.741
1435	15.06	0.175	1485	15.65	3.230	1535	16.20	1.668	1585	16.71	-5.246
1436	15.07	-1.455	1486	15.66	1.723	1536	16.21	3.537	1586	16.72	-5.251
1437	15.08	-2.335	1487	15.67	-2.406	1537	16.22	4.783	1587	16.73	-3.760
1438	15.09	-2.718	1488	15.68	-9.663	1538	16.23	2.903	1588	16.74	-1.265
1439	15.10	-2.474	1489	15.69	-10.666	1539	16.24	-2.729	1589	16.75	1.230
1440	15.11	-1.229	1490	15.70	-6.921	1540	16.25	-3.982	1590	16.76	4.474
1441	15.12	0.391	1491	15.71	4.693	1541	16.26	-3.363	1591	16.77	4.219
1442	15.13	-1.488	1492	15.72	5.067	1542	16.27	0.006	1592	16.78	2.965
1443	15.14	-3.495	1493	15.73	3.561	1543	16.28	1.876	1593	16.79	0.706
1444	15.15	-5.999	1494	15.74	1.932	1544	16.29	2.871	1594	16.80	-1.174
1445	15.16	-7.879	1495	15.75	-1.454	1545	16.30	0.114	1595	16.81	-2.678
1446	15.17	-6.012	1496	15.76	-2.084	1546	16.31	-1.520	1596	16.82	-2.182
1447	15.18	-2.662	1497	15.77	-1.838	1547	16.32	-0.668	1597	16.83	2.185
1448	15.19	0.229	1498	15.78	-0.345	1548	16.33	2.221	1598	16.84	2.805
1449	15.20	0.848	1499	15.79	1.525	1549	16.34	1.965	1599	16.85	1.048
1450	15.21	-0.032	1500	15.80	2.144	1550	16.35	-0.542	1600	16.86	-1.208

INDEX NO. 777 105-GR-17 MASAKI BRIDGE LG. MAX.ACCEL.= -26.100(GAL) T= 6.81(SEC) NO. 9

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1601	16.87	-2.464	1651	17.45	0.947	1701	17.99	0.253	1751	18.59	3.417
1602	16.89	-2.475	1652	17.46	2.816	1702	18.00	0.622	1752	18.60	0.910
1603	16.90	-4.357	1653	17.47	4.058	1703	18.01	1.867	1753	18.61	-0.970
1604	16.91	-4.110	1654	17.48	3.429	1704	18.02	2.488	1754	18.62	-2.849
1605	16.92	-1.616	1655	17.49	1.301	1705	18.03	2.231	1755	18.63	-0.731
1606	16.93	0.005	1656	17.50	-4.980	1706	18.04	1.604	1756	18.65	3.009
1607	16.94	1.495	1657	17.51	-3.465	1707	18.05	3.720	1757	18.66	5.504
1608	16.95	1.488	1658	17.52	-1.597	1708	18.06	5.714	1758	18.67	7.124
1609	16.96	0.358	1659	17.53	-0.352	1709	18.07	5.458	1759	18.68	7.369
1610	16.97	-1.270	1660	17.54	0.517	1710	18.08	2.203	1760	18.69	-1.015
1611	16.98	-1.528	1661	17.55	0.513	1711	18.09	0.948	1761	18.70	-2.894
1612	17.00	-1.660	1662	17.56	0.007	1712	18.11	2.065	1762	18.71	-2.899
1613	17.01	0.584	1663	17.57	-0.999	1713	18.12	1.806	1763	18.72	0.844
1614	17.02	0.579	1664	17.58	-2.254	1714	18.13	1.550	1764	18.73	2.966
1615	17.03	1.820	1665	17.59	1.114	1715	18.16	0.536	1765	18.74	5.457
1616	17.04	3.314	1666	17.60	1.110	1716	18.18	-0.101	1766	18.75	4.578
1617	17.05	4.935	1667	17.61	1.727	1717	18.20	3.263	1767	18.76	1.198
1618	17.06	4.301	1668	17.62	1.722	1718	18.21	6.129	1768	18.77	-1.307
1619	17.07	1.170	1669	17.63	1.716	1719	18.22	5.249	1769	18.78	-2.561
1620	17.08	0.289	1670	17.64	1.211	1720	18.23	2.120	1770	18.79	-0.196
1621	17.09	-2.217	1671	17.65	-2.297	1721	18.24	-2.635	1771	18.80	1.050
1622	17.10	-3.221	1672	17.66	-4.426	1722	18.26	-4.397	1772	18.81	2.919
1623	17.11	-1.976	1673	17.67	-5.809	1723	18.27	1.220	1773	18.82	3.290
1624	17.12	0.767	1674	17.68	-2.189	1724	18.28	6.964	1774	18.83	3.657
1625	17.13	2.133	1675	17.69	4.179	1725	18.29	7.961	1775	18.84	3.650
1626	17.14	0.505	1676	17.70	5.177	1726	18.30	7.332	1776	18.86	3.019
1627	17.15	-1.628	1677	17.71	0.167	1727	18.31	-2.052	1777	18.87	-1.366
1628	17.16	-1.383	1678	17.72	-1.089	1728	18.32	-4.182	1778	18.88	-2.997
1629	17.18	-1.771	1679	17.73	0.158	1729	18.33	-3.063	1779	18.90	-2.755
1630	17.20	0.722	1680	17.74	2.649	1730	18.34	0.431	1780	18.91	-0.260
1631	17.21	1.341	1681	17.75	2.020	1731	18.35	3.801	1781	18.92	2.609
1632	17.22	0.209	1682	17.76	0.141	1732	18.36	6.047	1782	18.93	4.101
1633	17.23	-0.422	1683	17.77	1.008	1733	18.37	7.293	1783	18.95	4.719
1634	17.24	-1.057	1684	17.78	3.001	1734	18.38	5.788	1784	18.96	3.587
1635	17.26	-0.566	1685	17.79	1.996	1735	18.39	4.153	1785	18.97	1.954
1636	17.28	-0.203	1686	17.80	0.992	1736	18.40	2.899	1786	18.98	-0.176
1637	17.29	0.415	1687	17.81	3.484	1737	18.42	-2.114	1787	18.99	-1.432
1638	17.30	1.284	1688	17.82	4.731	1738	18.43	-1.869	1788	19.00	-2.686
1639	17.31	1.652	1689	17.83	3.850	1739	18.45	-0.626	1789	19.01	-3.316
1640	17.33	1.395	1690	17.84	-1.783	1740	18.46	1.614	1790	19.03	0.924
1641	17.34	-0.865	1691	17.85	-4.288	1741	18.48	2.480	1791	19.04	5.291
1642	17.35	-1.745	1692	17.86	-4.667	1742	18.50	3.717	1792	19.05	5.662
1643	17.36	-1.501	1693	17.90	0.932	1743	18.51	4.088	1793	19.06	4.782
1644	17.37	1.866	1694	17.92	1.549	1744	18.52	2.833	1794	19.07	0.399
1645	17.38	3.488	1695	17.93	1.912	1745	18.53	-3.676	1795	19.08	-1.856
1646	17.40	3.479	1696	17.94	1.036	1746	18.54	-4.680	1796	19.09	-1.237
1647	17.41	0.972	1697	17.95	-0.219	1747	18.55	-3.186	1797	19.10	0.884
1648	17.42	-0.910	1698	17.96	0.273	1748	18.56	2.185	1798	19.11	2.735
1649	17.43	-2.794	1699	17.97	1.268	1749	18.57	7.429	1799	19.12	3.122
1650	17.44	-1.298	1700	17.98	0.012	1750	18.58	6.550	1800	19.13	3.366

INDEX NO. 777 105-GR-17 MASAKI BRIDGE LG. MAX.ACCEL.= -26.100(GAL) T= 6.81(SEC) NO.10

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1801	19.14	3.488	1851	19.66	4.708	1901	20.22	5.271	1951	20.79	1.195
1802	19.15	3.484	1852	19.67	3.827	1902	20.24	3.511	1952	20.80	0.064
1803	19.16	3.103	1853	19.68	3.820	1903	20.25	2.880	1953	20.81	-0.941
1804	19.17	0.348	1854	19.70	4.061	1904	20.26	2.748	1954	20.83	1.171
1805	19.18	0.840	1855	19.71	1.555	1905	20.27	3.368	1955	20.85	2.160
1806	19.19	3.985	1856	19.72	-0.579	1906	20.28	0.612	1956	20.87	3.026
1807	19.20	4.580	1857	19.74	-0.507	1907	20.29	-1.894	1957	20.88	0.893
1808	19.22	5.317	1858	19.75	-1.594	1908	20.30	1.221	1958	20.89	0.640
1809	19.23	4.313	1859	19.76	-0.100	1909	20.31	1.471	1959	20.90	0.258
1810	19.24	2.184	1860	19.77	2.395	1910	20.32	2.088	1960	20.91	1.250
1811	19.25	-3.199	1861	19.79	2.136	1911	20.33	2.707	1961	20.92	-1.006
1812	19.26	-5.327	1862	19.80	1.255	1912	20.34	2.451	1962	20.93	-1.258
1813	19.27	-4.831	1863	19.81	1.500	1913	20.35	1.195	1963	20.94	-1.388
1814	19.28	7.033	1864	19.82	2.995	1914	20.36	1.188	1964	20.95	0.479
1815	19.29	0.281	1865	19.83	1.863	1915	20.37	3.431	1965	20.96	1.099
1816	19.30	7.402	1866	19.84	-0.016	1916	20.38	2.176	1966	20.98	0.214
1817	19.31	4.019	1867	19.85	-1.894	1917	20.39	0.295	1967	20.99	-1.045
1818	19.32	2.391	1868	19.86	-1.401	1918	20.40	-0.086	1968	21.01	-1.053
1819	19.34	2.379	1869	19.87	0.045	1919	20.41	0.536	1969	21.02	-1.058
1820	19.35	2.621	1870	19.88	4.212	1920	20.42	3.028	1970	21.03	-0.190
1821	19.36	2.616	1871	19.89	4.582	1921	20.43	4.898	1971	21.04	1.430
1822	19.37	2.362	1872	19.90	4.575	1922	20.44	5.892	1972	21.05	2.299
1823	19.38	2.981	1873	19.91	4.820	1923	20.45	6.137	1973	21.06	2.295
1824	19.39	6.101	1874	19.92	5.191	1924	20.46	4.005	1974	21.08	-1.096
1825	19.40	9.345	1875	19.93	4.563	1925	20.48	0.495	1975	21.09	-0.477
1826	19.41	8.716	1876	19.94	2.054	1926	20.49	0.687	1976	21.10	0.393
1827	19.42	7.462	1877	19.95	1.427	1927	20.50	2.355	1977	21.12	-0.115
1828	19.43	4.956	1878	19.96	-0.456	1928	20.51	0.475	1978	21.13	-1.122
1829	19.44	0.073	1879	19.97	1.039	1929	20.52	-1.406	1979	21.14	-0.502
1830	19.45	0.068	1880	19.98	3.533	1930	20.54	1.707	1980	21.15	0.367
1831	19.46	1.687	1881	19.99	4.155	1931	20.55	3.202	1981	21.16	-1.389
1832	19.47	4.181	1882	20.00	3.275	1932	20.56	4.447	1982	21.17	-1.768
1833	19.48	4.429	1883	20.01	-0.482	1933	20.57	3.942	1983	21.18	-0.274
1834	19.49	4.799	1884	20.02	-0.485	1934	20.59	-1.068	1984	21.19	0.720
1835	19.50	2.292	1885	20.03	1.631	1935	20.60	-2.072	1985	21.20	0.465
1836	19.51	0.412	1886	20.04	3.500	1936	20.61	0.044	1986	21.21	-0.540
1837	19.52	-1.469	1887	20.05	3.494	1937	20.62	1.685	1987	21.22	-0.296
1838	19.53	-2.724	1888	20.06	3.239	1938	20.63	4.160	1988	21.24	0.944
1839	19.54	-1.231	1889	20.08	2.978	1939	20.64	5.031	1989	21.25	1.559
1840	19.55	1.660	1890	20.09	2.594	1940	20.65	2.273	1990	21.26	2.554
1841	19.56	4.136	1891	20.11	1.087	1941	20.66	1.640	1991	21.27	1.048
1842	19.57	6.002	1892	20.12	0.953	1942	20.67	2.261	1992	21.28	0.041
1843	19.58	4.496	1893	20.14	1.944	1943	20.69	0.126	1993	21.30	-1.468
1844	19.59	3.401	1894	20.15	1.886	1944	20.70	-2.378	1994	21.31	-1.599
1845	19.60	3.236	1895	20.16	1.055	1945	20.71	-2.760	1995	21.32	-0.354
1846	19.61	4.355	1896	20.17	1.300	1946	20.73	-0.895	1996	21.33	1.517
1847	19.62	4.726	1897	20.18	1.919	1947	20.74	0.345	1997	21.34	2.883
1848	19.63	3.845	1898	20.19	1.289	1948	20.76	0.336	1998	21.35	1.004
1849	19.64	3.841	1899	20.20	0.410	1949	20.77	0.330	1999	21.36	-1.077
1850	19.65	4.337	1900	20.21	2.776	1950	20.78	0.949	2000	21.37	-2.507

INDEX NO. 777 105-GR-17 MASAKI BRIDGE LG. MAX.ACCEL.= -26.100(GAL) T= 6.81(SEC) NO.11

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2001	21.38	-1.888	2051	22.01	0.246	2101	22.62	-1.600	2151	23.29	1.416
2002	21.40	-0.023	2052	22.02	1.114	2102	22.64	-0.731	2152	23.30	3.536
2003	21.41	1.843	2053	22.03	2.358	2103	22.65	-0.112	2153	23.31	4.281
2004	21.42	2.464	2054	22.04	4.853	2104	22.66	2.378	2154	23.32	1.400
2005	21.43	2.707	2055	22.05	7.097	2105	22.67	2.625	2155	23.33	0.145
2006	21.46	1.816	2056	22.06	6.593	2106	22.68	1.746	2156	23.34	-0.111
2007	21.48	1.804	2057	22.07	3.212	2107	22.69	-1.634	2157	23.36	-1.125
2008	21.50	1.795	2058	22.08	1.332	2108	22.70	-3.515	2158	23.39	0.112
2009	21.51	1.163	2059	22.09	-1.301	2109	22.71	-1.396	2159	23.40	1.358
2010	21.52	2.031	2060	22.11	-1.687	2110	22.72	0.099	2160	23.41	1.978
2011	21.53	0.900	2061	22.12	-1.068	2111	22.73	0.093	2161	23.42	1.720
2012	21.55	-0.358	2062	22.13	2.674	2112	22.75	1.704	2162	23.43	1.099
2013	21.56	-0.992	2063	22.14	3.547	2113	22.76	1.951	2163	23.44	0.708
2014	21.58	-1.625	2064	22.15	2.668	2114	22.77	-0.431	2164	23.46	-0.304
2015	21.59	-0.758	2065	22.16	-1.968	2115	22.79	-1.063	2165	23.48	0.314
2016	21.60	0.112	2066	22.17	-3.846	2116	22.80	-1.071	2166	23.50	0.927
2017	21.61	0.732	2067	22.18	-4.475	2117	22.81	1.297	2167	23.52	1.918
2018	21.62	-0.151	2068	22.19	-3.605	2118	22.83	4.765	2168	23.53	1.286
2019	21.63	-2.656	2069	22.20	-1.111	2119	22.84	2.905	2169	23.54	0.029
2020	21.64	-3.915	2070	22.21	2.629	2120	22.85	0.776	2170	23.56	1.268
2021	21.65	-2.421	2071	22.22	2.875	2121	22.86	-2.104	2171	23.58	1.259
2022	21.67	0.072	2072	22.23	1.995	2122	22.87	-2.111	2172	23.59	0.377
2023	21.68	1.315	2073	22.25	-1.142	2123	22.89	1.256	2173	23.61	-3.133
2024	21.69	3.808	2074	22.26	-3.669	2124	22.90	2.875	2174	23.62	-3.764
2025	21.70	3.604	2075	22.28	-1.782	2125	22.91	3.119	2175	23.64	0.602
2026	21.71	2.045	2076	22.29	0.337	2126	22.92	2.864	2176	23.65	4.344
2027	21.72	1.039	2077	22.30	1.081	2127	22.93	-1.767	2177	23.66	3.714
2028	21.74	0.404	2078	22.31	-0.174	2128	22.94	-4.896	2178	23.69	0.324
2029	21.75	-1.103	2079	22.32	-1.805	2129	22.95	-6.277	2179	23.72	0.934
2030	21.76	-1.484	2080	22.33	-0.564	2130	22.96	-4.408	2180	23.74	1.174
2031	21.77	0.385	2081	22.35	1.300	2131	22.97	-0.652	2181	23.76	4.534
2032	21.78	0.379	2082	22.36	-0.206	2132	22.98	4.329	2182	23.77	4.030
2033	21.79	-0.875	2083	22.38	-1.842	2133	23.00	2.571	2183	23.78	1.526
2034	21.80	-2.131	2084	22.39	-0.593	2134	23.01	-1.561	2184	23.79	-1.604
2035	21.81	-1.260	2085	22.41	0.270	2135	23.02	-0.943	2185	23.80	-1.987
2036	21.82	0.607	2086	22.42	0.890	2136	23.04	-0.075	2186	23.81	0.758
2037	21.83	0.725	2087	22.43	0.631	2137	23.05	-0.333	2187	23.82	3.001
2038	21.84	0.971	2088	22.47	0.237	2138	23.06	-0.337	2188	23.83	3.622
2039	21.85	-0.536	2089	22.49	0.601	2139	23.07	-0.965	2189	23.86	1.484
2040	21.86	-0.916	2090	22.51	-1.286	2140	23.09	0.899	2190	23.87	0.228
2041	21.87	-1.549	2091	22.52	-1.919	2141	23.10	1.765	2191	23.88	-0.154
2042	21.88	0.318	2092	22.53	-0.675	2142	23.13	1.500	2192	23.89	-1.680
2043	21.90	1.560	2093	22.54	0.195	2143	23.16	-0.389	2193	23.90	-1.791
2044	21.92	1.548	2094	22.55	-0.311	2144	23.18	0.849	2194	23.92	0.200
2045	21.93	-1.585	2095	22.56	-0.941	2145	23.20	2.712	2195	23.93	2.518
2046	21.94	-1.968	2096	22.57	-1.321	2146	23.22	1.454	2196	23.95	4.184
2047	21.96	0.552	2097	22.58	0.800	2147	23.23	-1.053	2197	23.96	5.053
2048	21.97	-0.357	2098	22.59	2.418	2148	23.24	-2.935	2198	23.97	3.924
2049	21.98	-1.614	2099	22.60	0.911	2149	23.25	-2.064	2199	23.98	1.442
2050	21.99	-1.372	2100	22.61	-1.348	2150	23.26	0.554	2200	24.00	1.033

土木構造物における加速度強震記録（No. 9）

INDEX NO. 777 105-GR-17 MASAKI BRIDGE LG. MAX.ACCEL.= -26.100(GAL) T= 6.81(SEC) NO.12

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2201	24.01	-0.227	2251	24.76	1.860	2301	25.40	-0.632	2351	25.95	0.550
2202	24.03	-2.484	2252	24.78	2.478	2302	25.41	-2.516	2352	25.98	-0.091
2203	24.04	1.855	2253	24.79	1.846	2303	25.43	-1.648	2353	26.00	1.773
2204	24.05	2.878	2254	24.80	-0.912	2304	25.44	2.092	2354	26.01	2.388
2205	24.06	2.624	2255	24.82	-2.544	2305	25.45	3.338	2355	26.03	1.751
2206	24.07	1.865	2256	24.83	-2.694	2306	25.46	5.207	2356	26.05	1.995
2207	24.09	1.699	2257	24.86	-1.316	2307	25.47	5.951	2357	26.06	1.111
2208	24.10	-1.526	2258	24.87	-0.077	2308	25.48	3.194	2358	26.07	-0.773
2209	24.12	-1.283	2259	24.88	0.542	2309	25.49	0.065	2359	26.08	-0.153
2210	24.14	0.330	2260	24.90	-2.214	2310	25.50	-2.316	2360	26.09	0.716
2211	24.17	1.190	2261	24.91	-3.222	2311	25.51	-2.072	2361	26.10	1.337
2212	24.18	2.436	2262	24.92	-1.730	2312	25.52	-0.205	2362	26.11	1.706
2213	24.19	-0.323	2263	24.94	1.138	2313	25.54	1.411	2363	26.12	0.449
2214	24.20	-0.577	2264	24.95	1.758	2314	25.55	2.278	2364	26.13	1.320
2215	24.21	-0.983	2265	24.96	0.499	2315	25.57	1.769	2365	26.14	4.187
2216	24.22	1.536	2266	24.98	-1.136	2316	25.58	0.763	2366	26.15	4.809
2217	24.24	2.402	2267	25.00	-2.021	2317	25.59	0.133	2367	26.16	4.180
2218	24.25	2.147	2268	25.03	-0.539	2318	25.60	-1.997	2368	26.17	-0.204
2219	24.26	-0.612	2269	25.05	0.696	2319	25.61	-2.377	2369	26.18	-1.458
2220	24.27	-0.617	2270	25.06	0.690	2320	25.62	-0.512	2370	26.19	-2.341
2221	24.28	-0.122	2271	25.08	0.432	2321	25.64	0.354	2371	26.20	-1.219
2222	24.29	1.746	2272	25.09	-0.825	2322	25.65	0.097	2372	26.21	1.023
2223	24.30	2.367	2273	25.10	-2.706	2323	25.66	-0.535	2373	26.22	-1.735
2224	24.31	2.364	2274	25.11	-3.586	2324	25.68	-0.293	2374	26.23	-1.488
2225	24.32	1.485	2275	25.12	-2.717	2325	25.69	2.201	2375	26.24	0.382
2226	24.33	-3.149	2276	25.14	0.397	2326	25.70	3.195	2376	26.25	2.251
2227	24.34	-3.528	2277	25.15	+0.238	2327	25.71	2.939	2377	26.28	-0.518
2228	24.35	-1.658	2278	25.16	+0.294	2328	25.72	2.310	2378	26.29	-0.024
2229	24.36	0.213	2279	25.16	+0.003	2329	25.73	3.175	2379	26.30	0.342
2230	24.37	2.328	2280	25.19	-0.260	2330	25.74	5.044	2380	26.32	1.585
2231	24.38	2.699	2281	25.20	+0.516	2331	25.75	5.040	2381	26.34	1.574
2232	24.40	0.190	2282	25.21	-0.521	2332	25.76	4.160	2382	26.35	1.315
2233	24.41	-0.068	2283	25.22	0.974	2333	25.77	2.278	2383	26.37	0.305
2234	24.43	1.797	2284	25.23	2.469	2334	25.78	0.023	2384	26.39	0.293
2235	24.45	-0.088	2285	25.24	1.588	2335	25.79	-0.608	2385	26.41	0.032
2236	24.47	-1.101	2286	25.25	-1.797	2336	25.80	0.262	2386	26.43	0.022
2237	24.50	-0.493	2287	25.26	-2.426	2337	25.81	1.256	2387	26.44	0.261
2238	24.52	+0.750	2288	25.27	0.316	2338	25.82	1.500	2388	26.46	0.500
2239	24.53	0.742	2289	25.28	3.066	2339	25.83	0.994	2389	26.48	0.490
2240	24.56	-0.783	2290	25.29	2.557	2340	25.84	0.613	2390	26.49	+0.768
2241	24.60	1.329	2291	25.30	0.303	2341	25.85	0.357	2391	25.51	1.472
2242	24.62	1.068	2292	25.31	-0.578	2342	25.86	0.350	2392	26.53	1.460
2243	24.64	0.932	2293	25.32	+0.334	2343	25.87	1.843	2393	26.55	0.201
2244	24.65	-0.826	2294	25.33	+0.591	2344	25.88	3.090	2394	26.57	0.440
2245	24.66	-3.706	2295	25.34	-1.595	2345	25.89	3.335	2395	26.58	0.430
2246	24.68	-2.469	2296	25.35	-1.350	2346	25.90	1.830	2396	26.60	+0.081
2247	24.70	-1.019	2297	25.36	3.638	2347	25.91	+0.051	2397	26.62	+0.465
2248	24.72	-0.867	2298	25.37	4.634	2348	25.92	-0.681	2398	26.63	0.153
2249	24.74	-3.749	2299	25.38	3.130	2349	25.93	+0.312	2399	26.64	+0.478
2250	24.75	-3.130	2300	25.39	1.249	2350	25.94	0.806	2400	26.65	0.140

INDEX NO. 777 105-GR-17 MASAKI BRIDGE LG. MAX.ACCEL.= -26.100(GAL) T= 6.81(SEC) NO.13

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2401	26.66	0.135	2451	27.25	2.300	2501	27.85	-2.280	2551	28.53	-0.905
2402	26.68	1.627	2452	27.26	2.043	2502	27.86	-1.661	2552	28.54	-0.660
2403	26.69	1.370	2453	27.28	1.409	2503	27.88	1.078	2553	28.55	0.586
2404	26.70	0.115	2454	27.29	1.652	2504	27.90	1.697	2554	28.56	1.952
2405	26.71	1.355	2455	27.30	0.772	2505	27.91	1.441	2555	28.57	0.947
2406	26.72	2.849	2456	27.31	-1.109	2506	27.92	1.186	2556	28.58	0.316
2407	26.73	3.844	2457	27.32	-1.737	2507	27.93	-0.695	2557	28.59	0.312
2408	26.74	2.340	2458	27.33	1.006	2508	27.94	-2.828	2558	28.60	1.183
2409	26.75	0.084	2459	27.34	2.500	2509	27.95	-1.209	2559	28.61	2.179
2410	26.76	-1.170	2460	27.35	3.495	2510	27.96	0.285	2560	28.62	0.920
2411	26.77	-0.553	2461	27.36	2.614	2511	27.97	0.906	2561	28.63	-0.886
2412	26.78	1.963	2462	27.36	0.981	2512	27.98	0.649	2562	28.64	-0.590
2413	26.79	2.812	2463	27.40	-0.282	2513	28.00	-0.233	2563	28.65	-1.222
2414	26.80	3.807	2464	27.41	0.962	2514	28.01	-1.238	2564	28.66	-0.102
2415	26.82	1.670	2465	27.42	1.834	2515	28.02	2.501	2565	28.67	1.142
2416	26.83	1.663	2466	27.43	4.827	2516	28.03	3.748	2566	28.68	2.137
2417	26.84	2.157	2467	27.44	4.572	2517	28.04	3.117	2567	28.69	2.757
2418	26.85	2.775	2468	27.45	2.317	2518	28.07	-0.275	2568	28.70	1.876
2419	26.86	2.894	2469	27.46	0.187	2519	28.09	-1.658	2569	28.71	1.495
2420	26.87	1.888	2470	27.47	0.430	2520	28.10	-0.043	2570	28.72	1.864
2421	26.88	1.632	2471	27.49	2.041	2521	28.13	+0.055	2571	28.73	0.236
2422	26.89	1.629	2472	27.50	2.285	2522	28.14	0.811	2572	28.74	+0.021
2423	26.90	1.622	2473	27.52	2.902	2523	28.17	0.793	2573	28.75	-0.463
2424	26.91	0.616	2474	27.53	2.897	2524	28.20	1.152	2574	28.77	1.086
2425	26.92	+0.265	2475	27.54	2.264	2525	28.22	0.268	2575	28.78	1.457
2426	26.93	0.853	2476	27.55	0.759	2526	28.23	+0.112	2576	28.79	1.202
2427	26.94	3.098	2477	27.56	0.380	2527	28.24	1.132	2577	28.80	0.570
2428	26.95	4.090	2478	27.57	1.249	2528	28.25	3.003	2578	28.81	0.440
2429	26.96	2.459	2479	27.58	2.492	2529	28.26	2.123	2579	28.82	1.433
2430	26.98	0.952	2480	27.60	2.860	2530	28.27	1.116	2580	28.83	2.053
2431	26.99	0.320	2481	27.61	2.226	2531	28.28	1.734	2581	28.84	1.423
2432	27.00	0.811	2482	27.62	2.470	2532	28.29	3.601	2582	28.85	+0.458
2433	27.02	1.428	2483	27.63	3.465	2533	28.31	4.591	2583	28.86	-1.964
2434	27.03	1.796	2484	27.64	1.334	2534	28.33	4.706	2584	28.87	-0.845
2435	27.04	1.165	2485	27.65	-0.295	2535	28.34	3.075	2585	28.88	1.027
2436	27.06	+0.968	2486	27.66	-0.551	2536	28.36	3.064	2586	28.89	1.647
2437	27.07	+2.849	2487	27.67	0.569	2537	28.37	2.437	2587	28.90	1.769
2438	27.08	-1.732	2488	27.68	3.063	2538	28.38	-1.320	2588	28.91	0.137
2439	27.10	0.509	2489	27.69	3.683	2539	28.39	+2.824	2589	28.92	-1.370
2440	27.11	2.375	2490	27.70	3.178	2540	28.40	+0.457	2590	28.93	+2.629
2441	27.13	4.240	2491	27.71	3.672	2541	28.41	2.662	2591	28.94	-2.380
2442	27.14	2.984	2492	27.73	2.790	2542	28.42	3.033	2592	28.95	-1.139
2443	27.15	1.731	2493	27.74	0.908	2543	28.43	2.400	2593	28.96	+0.269
2444	27.16	0.228	2494	27.76	+0.978	2544	28.45	0.516	2594	28.97	0.350
2445	27.17	+0.778	2495	27.77	+0.359	2545	28.46	+2.402	2595	28.99	0.717
2446	27.18	0.089	2496	27.78	0.258	2546	28.47	+1.247	2596	29.00	0.951
2447	27.19	3.831	2497	27.80	2.374	2547	28.49	0.368	2597	29.01	1.331
2448	27.21	2.700	2498	27.81	2.367	2548	28.50	0.362	2598	29.02	-1.428
2449	27.22	1.442	2499	27.83	1.484	2549	28.51	0.360	2599	29.03	-3.308
2450	27.23	0.434	2500	27.84	-1.273	2550	28.52	+0.525	2600	29.04	+4.313

INDEX NO. 777 105-GR-17 MASAKI BRIDGE LG. MAX.ACCEL.= -26.100(GAL) T= 6.81(SEC) NO.14

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2601	29.05	-4.069	2651	29.56	3.889	2701	30.22	1.376	2751	30.82	0.772
2602	29.06	-3.447	2652	29.57	4.260	2702	30.24	0.111	2752	30.83	0.392
2603	29.07	-0.579	2653	29.58	1.755	2703	30.26	0.101	2753	30.84	2.004
2604	29.08	0.665	2654	29.59	0.875	2704	30.27	-0.157	2754	30.85	3.753
2605	29.09	1.035	2655	29.60	-0.509	2705	30.29	-0.790	2755	30.86	2.623
2606	29.10	1.029	2656	29.62	1.106	2706	30.30	0.325	2756	30.87	-0.509
2607	29.11	0.399	2657	29.63	2.348	2707	30.32	1.565	2757	30.88	-1.513
2608	29.12	-0.855	2658	29.64	1.090	2708	30.33	2.008	2758	30.89	-1.518
2609	29.13	-0.364	2659	29.66	-0.793	2709	30.34	2.926	2759	30.90	1.849
2610	29.14	1.255	2660	29.67	-0.552	2710	30.35	2.544	2760	30.91	3.220
2611	29.15	1.623	2661	29.69	1.063	2711	30.36	2.789	2761	30.92	3.215
2612	29.16	0.369	2662	29.71	2.553	2712	30.37	2.534	2762	30.93	1.582
2613	29.17	-1.259	2663	29.72	2.547	2713	30.38	1.653	2763	30.94	0.326
2614	29.18	-1.014	2664	29.73	1.040	2714	30.39	0.020	2764	30.95	0.320
2615	29.19	1.477	2665	29.74	1.292	2715	30.41	-0.238	2765	30.97	1.558
2616	29.20	2.473	2666	29.76	1.648	2716	30.42	0.006	2766	30.99	1.546
2617	29.21	1.842	2667	29.79	1.254	2717	30.43	3.996	2767	31.01	1.787
2618	29.22	0.336	2668	29.81	1.990	2718	30.44	3.994	2768	31.03	1.527
2619	29.23	-0.673	2669	29.83	0.354	2719	30.45	2.487	2769	31.04	1.768
2620	29.24	-0.054	2670	29.84	1.597	2720	30.46	1.608	2770	31.05	1.263
2621	29.25	-0.058	2671	29.86	2.464	2721	30.47	-0.400	2771	31.06	1.759
2622	29.26	0.187	2672	29.87	2.206	2722	30.48	0.595	2772	31.07	3.000
2623	29.27	1.183	2673	29.88	1.324	2723	30.49	3.981	2773	31.08	4.244
2624	29.28	2.677	2674	29.90	-0.559	2724	30.50	3.957	2774	31.09	1.863
2625	29.29	4.045	2675	29.91	-0.065	2725	30.51	3.452	2775	31.11	0.232
2626	29.31	3.337	2676	29.92	3.427	2726	30.52	1.195	2776	31.12	1.476
2627	29.32	3.155	2677	29.93	4.299	2727	30.53	-0.685	2777	31.13	2.093
2628	29.33	2.275	2678	29.94	4.040	2728	30.54	-1.564	2778	31.14	1.212
2629	29.34	0.394	2679	29.95	3.160	2729	30.55	-1.069	2779	31.15	1.206
2630	29.35	-1.487	2680	29.96	1.530	2730	30.56	0.173	2780	31.16	2.327
2631	29.36	-1.869	2681	29.97	0.274	2731	30.57	2.665	2781	31.17	2.447
2632	29.37	-0.999	2682	29.98	0.515	2732	30.58	3.036	2782	31.18	1.189
2633	29.38	1.492	2683	30.00	-0.369	2733	30.59	2.782	2783	31.19	0.558
2634	29.39	1.863	2684	30.01	-0.625	2734	30.60	2.401	2784	31.21	0.174
2635	29.40	1.857	2685	30.02	0.245	2735	30.61	-0.733	2785	31.22	0.794
2636	29.41	1.853	2686	30.03	1.115	2736	30.63	-0.741	2786	31.23	0.538
2637	29.42	1.848	2687	30.04	1.480	2737	30.65	2.623	2787	31.24	0.156
2638	29.43	-0.286	2688	30.06	1.095	2738	30.66	4.488	2788	31.25	1.025
2639	29.44	-0.688	2689	30.07	1.086	2739	30.67	4.235	2789	31.26	2.644
2640	29.45	0.204	2690	30.09	1.454	2740	30.68	2.103	2790	31.28	3.512
2641	29.46	1.825	2691	30.10	2.318	2741	30.69	-0.152	2791	31.29	3.005
2642	29.47	2.445	2692	30.11	1.187	2742	30.70	-2.661	2792	31.30	1.122
2643	29.48	2.189	2693	30.13	-1.949	2743	30.72	-0.543	2793	31.31	0.744
2644	29.49	0.933	2694	30.14	-1.454	2744	30.74	1.070	2794	31.33	0.981
2645	29.50	0.174	2695	30.15	2.290	2745	30.75	1.064	2795	31.35	1.968
2646	29.51	2.418	2696	30.16	3.286	2746	30.77	0.427	2796	31.37	2.836
2647	29.52	3.288	2697	30.17	2.405	2747	30.78	1.671	2797	31.38	2.328
2648	29.53	2.785	2698	30.18	1.148	2748	30.79	2.290	2798	31.40	1.317
2649	29.54	0.774	2699	30.19	2.091	2749	30.80	2.285	2799	31.42	2.804
2650	29.55	2.844	2700	30.20	2.634	2750	30.81	1.853	2800	31.43	4.047

INDEX NO. 777 105-GR-17 MASAKI BRIDGE LG. MAX.ACCEL.= -26.100(GAL) T= 6.81(SEC) NO.15

NO.	(SEC)	(GAL)
2801	31.45	3.541
2802	31.46	1.660
2803	31.47	0.652
2804	31.49	1.890
2805	31.50	2.510
2806	31.53	0.993
2807	31.55	0.983
2808	31.57	1.220
2809	31.59	3.084
2810	31.61	2.446
2811	31.63	2.687
2812	31.65	3.678
2813	31.66	4.549
2814	31.68	4.035
2815	31.69	3.404
2816	31.70	2.773
2817	31.72	1.138
2818	31.73	1.131
2819	31.74	3.000
2820	31.75	4.869
2821	31.77	3.359
2822	31.79	2.725
2823	31.80	1.715
2824	31.82	1.059
2825	31.83	3.824
2826	31.85	4.439
2827	31.86	4.182
2828	31.88	3.922
2829	31.89	4.415
2830	31.91	5.033
2831	31.92	4.152
2832	31.93	2.894
2833	31.95	2.636
2834	31.96	3.129
2835	31.98	3.494
2836	31.99	2.612
2837	32.00	1.982

Table IX D-4 Digitized Accelerations of Earthquake Record with Index Number 778

INDEX NO. 778 104-GR-39 SHINTONEGAWA BR. TR. MAX.ACCEL.= 22.169(GAL) T= 5.09(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.0	-0.034	51	0.52	-2.164	101	1.07	0.857	151	1.78	1.521
2	0.01	0.195	52	0.53	-1.304	102	1.08	0.597	152	1.80	1.262
3	0.02	0.556	53	0.54	-1.312	103	1.09	0.588	153	1.81	0.874
4	0.03	1.170	54	0.55	-0.324	104	1.11	0.824	154	1.83	0.612
5	0.04	1.400	55	0.56	1.525	105	1.12	0.813	155	1.85	0.840
6	0.05	1.133	56	0.57	2.391	106	1.14	0.546	156	1.87	0.200
7	0.06	0.866	57	0.58	2.120	107	1.16	0.158	157	1.88	-0.056
8	0.07	1.102	58	0.59	0.603	108	1.18	0.392	158	1.90	-0.075
9	0.08	1.087	59	0.60	-1.047	109	1.19	0.506	159	1.91	0.791
10	0.09	0.447	60	0.61	-1.061	110	1.21	0.743	160	1.93	1.403
11	0.10	0.420	61	0.62	-0.820	111	1.22	0.735	161	1.94	0.768
12	0.11	1.036	62	0.63	1.026	112	1.24	0.718	162	1.95	0.135
13	0.12	0.765	63	0.64	1.398	113	1.25	0.705	163	1.97	-0.129
14	0.13	0.381	64	0.65	1.625	114	1.27	0.694	164	1.98	-0.514
15	0.14	1.232	65	0.66	2.236	115	1.29	0.053	165	1.99	-0.275
16	0.15	1.595	66	0.67	3.591	116	1.31	-0.844	166	2.00	0.719
17	0.16	2.193	67	0.68	2.622	117	1.32	-0.598	167	2.01	0.714
18	0.17	2.187	68	0.69	2.566	118	1.33	0.891	168	2.02	0.077
19	0.18	1.541	69	0.70	1.291	119	1.35	1.004	169	2.03	-0.183
20	0.20	0.638	70	0.72	0.013	120	1.36	1.064	170	2.04	-0.186
21	0.22	-0.777	71	0.73	-0.260	121	1.38	2.855	171	2.05	-0.194
22	0.23	-1.667	72	0.74	0.653	122	1.39	3.468	172	2.06	-0.956
23	0.24	-1.429	73	0.75	1.212	123	1.40	3.087	173	2.10	-0.365
24	0.25	-0.452	74	0.76	2.066	124	1.41	2.830	174	2.11	0.004
25	0.26	0.406	75	0.77	1.177	125	1.42	2.445	175	2.13	0.612
26	0.27	1.009	76	0.78	-0.351	126	1.43	0.809	176	2.14	1.853
27	0.28	1.372	77	0.79	-0.735	127	1.44	0.553	177	2.16	1.210
28	0.29	1.359	78	0.80	-1.122	128	1.45	-1.079	178	2.17	2.078
29	0.30	1.093	79	0.61	-0.521	129	1.47	-1.100	179	2.18	2.071
30	0.31	0.702	80	0.82	0.094	130	1.51	-0.502	180	2.19	1.565
31	0.32	-0.825	81	0.83	0.700	131	1.53	-0.517	181	2.20	0.553
32	0.33	-1.586	82	0.84	2.299	132	1.54	-0.529	182	2.22	-0.085
33	0.34	-1.647	83	0.85	2.033	133	1.56	-0.792	183	2.23	-0.723
34	0.35	-0.616	84	0.87	1.007	134	1.57	-0.175	184	2.25	-0.488
35	0.36	0.237	85	0.88	0.596	135	1.58	-0.184	185	2.25	-0.119
36	0.37	0.600	86	0.89	0.596	136	1.59	0.180	186	2.28	-0.760
37	0.38	0.959	87	0.90	0.956	137	1.60	1.047	187	2.29	-2.270
38	0.39	2.058	88	0.91	0.695	138	1.61	0.416	188	2.31	-1.159
39	0.40	1.549	89	0.92	0.929	139	1.62	-0.224	189	2.33	-0.426
40	0.41	0.908	90	0.93	0.656	140	1.64	-0.237	190	2.34	0.690
41	0.42	-0.744	91	0.94	0.640	141	1.65	-0.245	191	2.35	1.683
42	0.43	-1.008	92	0.95	0.253	142	1.66	-0.254	192	2.36	2.300
43	0.44	-1.028	93	0.96	0.237	143	1.67	-0.012	193	2.37	3.538
44	0.45	-0.789	94	0.97	-0.765	144	1.68	-0.920	194	2.39	2.901
45	0.46	-0.550	95	0.98	0.442	145	1.70	-0.284	195	2.40	1.015
46	0.47	0.431	96	0.99	2.803	146	1.71	-0.040	196	2.41	0.377
47	0.48	1.035	97	1.00	3.041	147	1.72	0.325	197	2.42	0.118
48	0.49	1.024	98	1.02	2.772	148	1.73	0.564	198	2.44	-0.517
49	0.50	1.008	99	1.03	2.760	149	1.75	1.176	199	2.45	-1.150
50	0.51	0.743	100	1.05	2.125	150	1.77	1.536	200	2.47	-1.168

INDEX NO. 778 104-GR-39 SHINTONEGAWA BR. TR. MAX.ACCEL.= 22.169(GAL) T= 5.09(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	2.49	-0.689	251	3.30	0.518	301	3.99	-1.296	351	4.71	-0.888
202	2.52	-0.083	252	3.31	-1.612	302	4.02	-1.697	352	4.74	-0.915
203	2.53	0.534	253	3.32	-0.369	303	4.04	-0.714	353	4.75	-2.544
204	2.54	1.150	254	3.33	0.868	304	4.05	-1.093	354	4.76	-2.680
205	2.55	1.517	255	3.34	0.234	305	4.06	-2.977	355	4.77	-3.566
206	2.56	1.507	256	3.36	-0.026	306	4.08	-0.370	356	4.78	-5.072
207	2.57	0.873	257	3.38	-1.921	307	4.09	1.123	357	4.79	-6.960
208	2.59	-1.645	258	3.39	-1.681	308	4.11	0.607	358	4.80	-10.468
209	2.61	-1.286	259	3.40	-0.814	309	4.12	-0.153	359	4.81	-11.726
210	2.62	-1.044	260	3.42	0.171	310	4.13	-0.410	360	4.82	-12.603
211	2.64	0.813	261	3.43	-0.465	311	4.14	0.833	361	4.83	-12.116
212	2.66	1.426	262	3.46	-0.234	312	4.15	0.822	362	4.85	-11.752
213	2.67	1.168	263	3.48	-2.376	313	4.16	1.192	363	4.86	-8.388
214	2.68	0.784	264	3.49	-1.509	314	4.17	1.681	364	4.87	-4.019
215	2.69	-0.106	265	3.50	-0.767	315	4.18	0.802	365	4.88	1.092
216	2.70	-0.112	266	3.51	0.720	316	4.19	-0.087	366	4.89	2.712
217	2.73	1.116	267	3.53	0.709	317	4.21	-0.481	367	4.90	4.328
218	2.74	0.485	268	3.54	0.320	318	4.23	-1.741	368	4.92	3.687
219	2.77	-0.790	269	3.56	-0.193	319	4.24	-1.999	369	4.93	-1.701
220	2.79	-0.813	270	3.57	-0.201	320	4.25	-1.137	370	4.94	-2.958
221	2.81	-1.828	271	3.59	-0.216	321	4.26	-0.144	371	4.95	-4.842
222	2.83	-1.595	272	3.61	0.638	322	4.28	0.965	372	4.96	-6.846
223	2.84	-0.605	273	3.64	0.995	323	4.30	1.946	373	4.97	-7.731
224	2.86	0.009	274	3.65	1.231	324	4.31	1.690	374	4.99	-9.620
225	2.87	0.623	275	3.67	-0.036	325	4.33	-0.830	375	5.00	-7.881
226	2.88	0.367	276	3.68	-0.290	326	4.34	-1.834	376	5.01	-5.016
227	2.89	-0.643	277	3.69	0.578	327	4.35	-2.717	377	5.02	-2.521
228	2.91	-1.905	278	3.70	0.943	328	4.37	-1.856	378	5.04	7.212
229	2.93	-0.677	279	3.71	0.561	329	4.38	-0.994	379	5.05	14.827
230	2.95	-0.069	280	3.72	-0.078	330	4.40	0.615	380	5.06	16.447
231	2.97	0.539	281	3.74	-0.089	331	4.41	0.902	381	5.07	18.691
232	3.00	1.394	282	3.75	-0.727	332	4.42	0.351	382	5.08	20.307
233	3.01	1.761	283	3.76	-1.608	333	4.43	-0.908	383	5.09	22.169
234	3.03	2.620	284	3.77	-1.119	334	4.44	-1.916	384	5.11	21.534
235	3.04	2.361	285	3.78	-0.752	335	4.45	-1.052	385	5.12	19.401
236	3.07	0.209	286	3.80	-0.140	336	4.46	0.317	386	5.13	15.890
237	3.10	-0.437	287	3.81	0.480	337	4.47	1.181	387	5.14	14.009
238	3.11	-1.449	288	3.82	0.841	338	4.49	2.042	388	5.15	10.678
239	3.12	-0.832	289	3.83	0.832	339	4.50	1.781	389	5.16	6.738
240	3.13	-0.215	290	3.84	0.200	340	4.51	0.523	390	5.17	5.734
241	3.15	0.021	291	3.86	-0.442	341	4.52	-0.361	391	5.19	5.464
242	3.16	0.635	292	3.87	-2.074	342	4.53	-1.369	392	5.20	6.083
243	3.18	1.245	293	3.88	-2.078	343	4.54	-0.503	393	5.21	6.321
244	3.20	0.976	294	3.89	-0.215	344	4.57	0.729	394	5.22	6.939
245	3.21	0.340	295	3.92	1.390	345	4.59	+0.164	395	5.24	8.801
246	3.23	-0.920	296	3.93	1.007	346	4.60	+0.175	396	5.25	9.669
247	3.25	2.558	297	3.95	+0.259	347	4.62	+0.439	397	5.26	11.287
248	3.27	1.923	298	3.96	-2.144	348	4.64	+1.454	398	5.27	12.155
249	3.28	0.661	299	3.97	-1.525	349	4.67	+1.729	399	5.28	13.272
250	3.29	0.029	300	3.98	-1.288	350	4.68	+1.488	400	5.30	12.625

INDEX NO. 778 104-GR-39 SHINTONEGAWA BR. TR. MAX.ACCEL.= 22.169(GAL) T= 5.09(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	5.31	10.746	451	6.04	5.523	501	6.80	-2.221	551	7.57	3.638
402	5.33	-6.022	452	6.06	6.390	502	6.81	-1.105	552	7.60	2.615
403	5.34	-12.157	453	6.07	7.375	503	6.83	0.758	553	7.62	1.969
404	5.35	-13.667	454	6.09	7.660	504	6.84	4.242	554	7.64	1.329
405	5.36	-15.672	455	6.10	5.977	505	6.86	4.853	555	7.65	0.817
406	5.37	-14.554	456	6.11	4.348	506	6.88	6.339	556	7.69	2.909
407	5.38	-12.939	457	6.12	-0.167	507	6.90	5.824	557	7.72	6.140
408	5.40	-12.957	458	6.13	-2.050	508	6.91	3.312	558	7.74	4.624
409	5.43	-13.227	459	6.15	-3.659	509	6.93	1.423	559	7.75	2.738
410	5.44	-12.365	460	6.16	-2.443	510	6.94	-0.464	560	7.76	1.727
411	5.45	-10.244	461	6.17	-2.076	511	6.96	-1.224	561	7.76	-0.162
412	5.46	-8.001	462	6.18	-1.636	512	6.97	-0.862	562	7.80	0.194
413	5.48	-3.515	463	6.19	-0.847	513	6.99	-0.250	563	7.81	1.061
414	5.49	0.972	464	6.21	1.011	514	7.00	1.361	564	7.82	1.675
415	5.50	0.092	465	6.23	1.372	515	7.01	1.858	565	7.83	1.044
416	5.52	-1.554	466	6.24	2.865	516	7.02	1.851	566	7.84	0.408
417	5.53	-6.810	467	6.25	1.605	517	7.04	0.960	567	7.85	-1.600
418	5.54	-9.192	468	6.26	0.347	518	7.06	3.691	568	7.86	-1.353
419	5.55	-11.328	469	6.27	-0.540	519	7.06	5.421	569	7.87	-2.484
420	5.56	-11.958	470	6.29	-1.604	520	7.11	3.771	570	7.68	-3.497
421	5.57	-13.215	471	6.31	-1.942	521	7.12	1.011	571	7.90	-4.134
422	5.58	-14.227	472	6.32	-1.325	522	7.14	-2.877	572	7.91	-2.647
423	5.60	-12.990	473	6.34	-1.597	523	7.15	-4.135	573	7.93	-1.037
424	5.62	-11.759	474	6.35	-2.476	524	7.16	-5.147	574	7.94	-0.172
425	5.63	-10.267	475	6.36	-3.734	525	7.18	-3.790	575	7.97	1.682
426	5.64	-8.649	476	6.37	-5.120	526	7.20	-3.180	576	7.99	0.790
427	5.65	-6.778	477	6.38	-6.003	527	7.23	-2.329	577	8.00	0.154
428	5.66	-4.541	478	6.39	-6.632	528	7.24	-2.962	578	8.02	-3.617
429	5.71	-3.452	479	6.41	-3.900	529	7.25	-3.647	579	8.06	-5.024
430	5.72	0.533	480	6.42	-2.035	530	7.27	-4.482	580	8.08	-1.786
431	5.74	-0.483	481	6.43	-0.796	531	7.28	-5.490	581	8.09	-0.799
432	5.78	0.112	482	6.44	1.073	532	7.30	-6.759	582	8.11	-1.184
433	5.80	5.716	483	6.45	1.063	533	7.31	-4.269	583	8.17	-1.862
434	5.81	7.715	484	6.48	1.039	536	7.32	-3.651	584	8.20	-2.509
435	5.82	10.579	485	6.49	1.031	535	7.33	-1.412	585	8.22	-3.776
436	5.85	9.184	486	6.52	-1.369	536	7.34	0.459	586	8.24	-3.792
437	5.86	8.925	487	6.53	-3.002	537	7.36	0.687	587	8.26	-2.557
438	5.87	7.043	488	6.55	-5.764	538	7.37	0.432	588	8.26	-0.703
439	5.89	6.402	489	6.56	-6.151	539	7.39	-0.586	589	8.29	0.539
440	5.90	3.889	490	6.57	-6.911	540	7.41	-0.355	590	8.30	1.406
441	5.91	0.758	491	6.59	-5.927	561	7.43	1.254	591	8.31	2.646
442	5.92	-4.379	492	6.62	-7.200	562	7.45	-0.012	592	8.34	5.124
443	5.93	-6.512	493	6.66	-6.103	563	7.46	-0.897	593	8.36	3.354
444	5.94	-9.771	494	6.68	-1.120	544	7.48	-2.785	594	8.36	-1.786
445	5.97	-9.292	495	6.69	3.366	565	7.49	-4.421	595	8.39	-3.915
446	5.98	-7.421	496	6.72	5.468	546	7.50	-5.927	596	8.40	-5.553
447	5.99	-3.934	497	6.74	4.700	547	7.52	-6.445	597	8.42	-3.442
448	6.00	-1.815	498	6.76	3.190	548	7.54	-4.335	598	8.43	-1.450
449	6.01	2.177	499	6.77	0.678	549	7.55	0.151	599	8.46	1.028
450	6.02	3.915	500	6.78	-0.334	550	7.56	2.024	600	8.47	2.517

INDEX NO. 778 104-GR-39 SHINTONEGAWA BR. TR. MAX.ACCEL.= 22.169(GAL) T= 5.09(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	8.49	2.249	651	9.30	0.328	701	10.12	3.141	751	10.98	-2.580
602	8.52	1.598	652	9.32	1.937	702	10.14	3.248	752	10.99	-0.961
603	8.53	2.215	653	9.34	1.548	703	10.16	4.484	753	11.01	2.147
604	8.55	2.827	654	9.35	0.034	704	10.19	4.981	754	11.02	3.140
605	8.58	3.178	655	9.36	-1.222	705	10.21	4.945	755	11.03	4.876
606	8.59	1.541	656	9.37	-3.857	706	10.22	5.685	756	11.06	5.225
607	8.60	0.662	657	9.40	-5.377	707	10.24	3.617	757	11.09	3.080
608	8.63	-4.494	658	9.42	-1.023	708	10.27	-0.357	758	11.13	0.543
609	8.64	-2.874	659	9.43	2.341	709	10.28	-4.246	759	11.16	-1.105
610	8.66	-1.016	660	9.46	3.066	710	10.30	-5.131	760	11.18	-1.118
611	8.67	0.849	661	9.48	3.049	711	10.32	-6.775	761	11.19	-3.755
612	8.69	2.708	662	9.50	4.659	712	10.34	-5.291	762	11.22	-1.964
613	8.72	1.438	663	9.53	5.258	713	10.35	-3.931	763	11.24	-1.920
614	8.74	-0.706	664	9.55	3.365	714	10.37	-2.447	764	11.26	-1.683
615	8.75	-3.342	665	9.57	1.479	715	10.39	+0.836	765	11.27	-1.697
616	8.76	-4.476	666	9.58	-0.409	716	10.40	-0.217	766	11.29	-1.960
617	8.77	-6.109	667	9.59	-1.667	717	10.42	1.517	767	11.30	-2.346
618	8.80	-7.130	668	9.61	-3.306	718	10.43	1.631	768	11.31	-2.227
619	8.81	-4.638	669	9.64	-5.335	719	10.45	0.992	769	11.33	-2.240
620	8.83	-3.027	670	9.67	-3.857	720	10.46	-0.022	770	11.34	-2.250
621	8.84	-1.535	671	9.69	-3.370	721	10.47	-1.528	771	11.35	-2.383
622	8.85	-0.172	672	9.71	-2.513	722	10.49	-2.542	772	11.36	-3.022
623	8.87	0.309	673	9.72	-2.520	723	10.51	-4.432	773	11.38	-4.198
624	8.89	1.923	674	9.74	-3.544	724	10.52	-5.023	774	11.39	-4.544
625	8.90	3.783	675	9.76	-3.803	725	10.54	-2.958	775	11.40	-5.436
626	8.91	6.403	676	9.78	-0.074	726	10.55	-1.093	776	11.42	-5.817
627	8.92	6.774	677	9.79	1.168	727	10.57	-1.360	777	11.43	-5.577
628	8.94	9.254	678	9.81	2.651	728	10.59	+2.626	778	11.45	-4.968
629	8.95	7.668	679	9.83	4.756	729	10.62	-5.156	779	11.47	-3.106
630	8.96	4.859	680	9.84	5.373	730	10.64	-3.046	780	11.48	-1.489
631	8.98	1.096	681	9.87	5.852	731	10.67	-1.444	781	11.53	2.221
632	8.99	-1.682	682	9.89	4.338	732	10.68	-1.708	782	11.55	1.574
633	9.00	-3.550	683	9.90	1.830	733	10.70	-1.846	783	11.56	-0.310
634	9.02	-3.560	684	9.91	-0.684	734	10.71	-0.607	784	11.61	-5.970
635	9.04	-2.583	685	9.92	-3.567	735	10.72	0.385	785	11.62	-5.360
636	9.06	-2.593	686	9.93	-4.823	736	10.74	1.375	786	11.64	-3.871
637	9.08	-1.738	687	9.94	-5.829	737	10.75	2.488	787	11.66	1.111
638	9.10	-1.004	688	9.95	-7.090	738	10.77	3.223	788	11.68	3.717
639	9.11	0.735	689	9.96	-8.222	739	10.78	2.215	789	11.70	5.703
640	9.12	2.353	690	9.97	-8.232	740	10.81	0.935	790	11.72	7.435
641	9.14	2.336	691	9.98	-9.115	741	10.83	1.706	791	11.73	6.301
642	9.16	1.698	692	9.99	-7.253	742	10.84	2.159	792	11.75	4.663
643	9.18	2.302	693	10.00	-5.757	743	10.86	3.017	793	11.76	2.526
644	9.19	1.292	694	10.01	-4.515	744	10.88	3.256	794	11.78	0.515
645	9.21	0.852	695	10.02	-2.149	745	10.89	2.870	795	11.79	-1.868
646	9.22	-0.856	696	10.03	1.966	746	10.90	1.361	796	11.80	-2.253
647	9.23	-1.861	697	10.04	3.710	747	10.92	+0.283	797	11.83	-4.201
648	9.26	-3.889	698	10.05	5.025	748	10.93	+0.014	798	11.85	-2.419
649	9.26	-3.030	699	10.07	5.810	749	10.94	-1.921	799	11.88	0.688
650	9.29	-1.287	700	10.09	5.539	750	10.98	-2.560	800	11.89	1.049

土木構造物における加速度強震記録（No. 9）

INDEX NO. 778 104-GR-39 SHINTONEGAWA BR. TR. MAX.ACCEL.= 22.169(GAL) T= 5.09(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	11.95	4.750	851	12.80	-0.625	901	13.70	-3.434	951	14.94	-2.960
802	11.96	5.360	852	12.82	-0.835	902	13.73	-2.330	952	14.97	-3.238
803	11.98	4.219	853	12.83	-0.595	903	13.75	-0.721	953	14.99	-2.381
804	12.00	2.956	854	12.84	-0.356	904	13.77	0.508	954	15.01	-0.270
805	12.02	1.699	855	12.85	-0.365	905	13.81	2.978	955	15.02	1.597
806	12.03	0.684	856	12.86	0.615	906	13.83	3.835	956	15.07	1.058
807	12.04	-0.201	857	12.89	0.352	907	13.87	2.676	957	15.10	-0.593
808	12.05	-1.838	858	12.91	-0.035	908	13.90	-0.225	958	15.13	-0.618
809	12.08	-2.732	859	12.92	0.205	909	13.92	-0.234	959	15.15	-2.506
810	12.09	-3.115	860	12.97	-0.085	910	13.94	-3.502	960	15.18	-0.656
811	12.10	-3.126	861	12.98	-0.716	911	13.96	-2.642	961	15.21	-0.056
812	12.12	-3.143	862	13.00	-0.983	912	13.98	-1.034	962	15.24	1.543
813	12.13	-2.902	863	13.01	-0.993	913	14.00	0.200	963	15.25	2.030
814	12.15	-2.289	864	13.03	0.116	914	14.02	2.178	964	15.26	2.400
815	12.17	-0.056	865	13.04	1.361	915	14.04	1.916	965	15.28	3.009
816	12.19	0.803	866	13.05	3.225	916	14.07	1.138	966	15.30	2.119
817	12.20	-1.329	867	13.07	3.583	917	14.10	0.610	967	15.32	1.101
818	12.21	-2.592	868	13.08	2.071	918	14.13	-0.663	968	15.35	0.204
819	12.22	-2.600	869	13.11	0.803	919	14.17	-1.444	969	15.37	-0.188
820	12.23	-3.982	870	13.14	-2.349	920	14.19	-0.211	970	15.38	-0.449
821	12.25	-5.619	871	13.16	-3.368	921	14.22	0.134	971	15.40	-0.840
822	12.26	-5.683	872	13.17	-2.753	922	14.24	-0.506	972	15.41	-0.603
823	12.28	-5.698	873	13.20	-2.145	923	14.31	-1.812	973	15.44	-0.001
824	12.30	-3.412	874	13.22	-0.662	924	14.34	-2.466	974	15.45	0.119
825	12.31	-3.675	875	13.24	0.321	925	14.38	-2.495	975	15.46	1.233
826	12.32	-2.808	876	13.25	0.062	926	14.39	-2.876	976	15.48	0.092
827	12.34	-1.321	877	13.27	0.046	927	14.40	-2.512	977	15.52	-0.937
828	12.38	1.650	878	13.28	0.033	928	14.42	-1.905	978	15.53	-1.828
829	12.40	0.378	879	13.29	-1.852	929	14.44	-1.672	979	15.55	-2.838
830	12.41	-0.630	880	13.31	-2.487	930	14.47	-0.320	980	15.59	-4.122
831	12.44	-3.028	881	13.33	-3.505	931	14.48	-0.328	981	15.60	-3.882
832	12.48	-5.435	882	13.37	-1.285	932	14.49	-0.963	982	15.62	-3.522
833	12.50	-4.578	883	13.38	0.203	933	14.52	-1.360	983	15.63	-3.785
834	12.51	-1.336	884	13.39	-0.683	934	14.53	-1.747	984	15.65	-3.547
835	12.54	-0.111	885	13.42	-1.451	935	14.56	-2.018	985	15.66	-3.557
836	12.55	2.756	886	13.43	-2.338	936	14.57	-1.779	986	15.69	-2.956
837	12.57	2.742	887	13.44	-1.473	937	14.59	-1.169	987	15.71	-1.096
838	12.60	3.595	888	13.46	-0.861	938	14.60	1.321	988	15.72	-0.481
839	12.62	3.947	889	13.49	-0.257	939	14.66	3.900	989	15.74	1.003
840	12.64	2.933	890	13.50	0.732	940	14.69	2.247	990	15.76	2.609
841	12.66	2.921	891	13.52	0.964	941	14.71	0.102	991	15.77	3.481
842	12.67	2.660	892	13.54	-0.551	942	14.74	-1.170	992	15.78	3.221
843	12.68	2.654	893	13.55	0.667	943	14.77	-1.569	993	15.79	4.210
844	12.69	2.639	894	13.57	1.298	944	14.80	-3.223	994	15.81	2.817
845	12.70	3.256	895	13.60	2.775	945	14.83	-2.619	995	15.82	1.684
846	12.73	3.487	896	13.61	2.267	946	14.84	-2.255	996	15.83	0.300
847	12.74	4.106	897	13.63	0.997	947	14.87	-0.776	997	15.85	-1.591
848	12.75	3.841	898	13.65	-0.017	948	14.89	-0.045	998	15.88	-3.616
849	12.77	2.331	899	13.67	-1.911	949	14.90	0.431	999	15.90	-2.625
850	12.79	1.064	900	13.68	-2.168	950	14.92	-1.320	1000	15.91	-2.013

INDEX NO. 778 104-GR-39 SHINTONEGAWA BR. TR. MAX.ACCEL.= 22.169(GAL) T= 5.09(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	15.93	-0.032	1051	16.96	0.997	1101	18.21	-0.411	1151	19.32	4.043
1002	15.94	2.710	1052	16.99	0.724	1102	18.23	0.571	1152	19.33	4.279
1003	15.96	3.697	1053	17.01	0.330	1103	18.25	0.930	1153	19.35	3.765
1004	15.99	3.296	1054	17.03	0.315	1104	18.29	0.521	1154	19.37	2.747
1005	16.00	2.160	1055	17.05	0.051	1105	18.33	1.115	1155	19.41	1.468
1006	16.02	0.894	1056	17.08	-0.348	1106	18.36	0.841	1156	19.44	-0.060
1007	16.04	-0.116	1057	17.09	-0.986	1107	18.37	0.828	1157	19.46	-1.328
1008	16.05	-1.003	1058	17.11	0.250	1108	18.39	0.439	1158	19.51	-3.619
1009	16.06	-1.638	1059	17.13	1.230	1109	18.41	0.171	1159	19.54	-2.020
1010	16.07	-2.022	1060	17.16	2.337	1110	18.44	0.398	1160	19.57	-1.413
1011	16.08	-2.903	1061	17.17	1.451	1111	18.45	0.636	1161	19.58	-0.547
1012	16.10	-3.917	1062	17.20	0.175	1112	18.49	1.356	1162	19.60	0.062
1013	16.11	-3.054	1063	17.22	-1.091	1113	18.53	1.946	1163	19.64	0.652
1014	16.13	-0.820	1064	17.24	-2.110	1114	18.55	2.178	1164	19.65	0.395
1015	16.14	-0.824	1065	17.27	-1.755	1115	18.56	2.420	1165	19.67	0.624
1016	16.16	-0.216	1066	17.28	-0.767	1116	18.58	2.151	1166	19.69	0.612
1017	16.16	0.392	1067	17.30	-0.784	1117	18.60	1.265	1167	19.70	-0.024
1018	16.20	0.377	1068	17.32	-0.175	1118	18.62	0.621	1168	19.72	-0.667
1019	16.21	-0.883	1069	17.35	-1.450	1119	18.64	-1.273	1169	19.74	-0.929
1020	16.23	-1.276	1070	17.37	-2.086	1120	18.65	-1.027	1170	19.76	-0.699
1021	16.26	-0.928	1071	17.39	-1.856	1121	18.66	-0.413	1171	19.78	-0.090
1022	16.28	-0.693	1072	17.41	-1.875	1122	18.68	-0.177	1172	19.79	0.524
1023	16.33	-0.732	1073	17.44	-1.274	1123	18.70	-0.694	1173	19.81	0.760
1024	16.36	-0.132	1074	17.49	-0.067	1124	18.72	-1.341	1174	19.84	0.485
1025	16.37	-0.392	1075	17.51	0.172	1125	18.76	-1.743	1175	19.86	-0.157
1026	16.40	0.585	1076	17.52	0.532	1126	18.78	-2.011	1176	19.88	-0.173
1027	16.41	-0.422	1077	17.55	2.382	1127	18.79	-2.010	1177	19.90	-0.192
1028	16.44	-1.449	1078	17.58	2.362	1128	18.80	-3.029	1178	19.92	-0.204
1029	16.46	-1.088	1079	17.60	1.344	1129	18.82	-3.296	1179	19.94	-0.220
1030	16.48	-0.730	1080	17.63	0.823	1130	18.84	-3.315	1180	19.97	-0.497
1031	16.51	0.748	1081	17.69	-1.108	1131	18.87	-3.086	1181	20.00	-0.267
1032	16.53	1.607	1082	17.73	-1.262	1132	18.88	-1.599	1182	20.03	-0.542
1033	16.54	2.592	1083	17.76	-0.912	1133	18.91	0.375	1183	20.04	-0.306
1034	16.57	3.823	1084	17.77	-1.175	1134	18.94	1.850	1184	20.05	-0.312
1035	16.59	2.554	1085	17.80	-1.321	1135	18.96	2.459	1185	20.06	-0.318
1036	16.60	1.919	1086	17.82	1.542	1136	18.97	1.829	1186	20.07	-0.330
1037	16.62	0.656	1087	17.86	2.133	1137	19.00	1.183	1187	20.09	-0.346
1038	16.66	-1.501	1088	17.89	2.357	1138	19.02	0.291	1188	20.10	0.268
1039	16.68	-2.145	1089	17.91	2.086	1139	19.04	-1.335	1189	20.13	1.496
1040	16.70	-1.908	1090	17.94	1.440	1140	19.07	-2.251	1190	20.16	1.473
1041	16.72	-1.925	1091	17.95	0.178	1141	19.09	-2.018	1191	20.18	0.833
1042	16.74	-1.330	1092	17.97	-1.334	1142	19.11	-1.162	1192	20.19	0.572
1043	16.76	-1.084	1093	17.99	-2.607	1143	19.13	-0.181	1193	20.20	0.562
1044	16.79	0.518	1094	18.01	-3.621	1144	19.15	0.059	1194	20.21	-0.075
1045	16.81	0.247	1095	18.05	-2.401	1145	19.17	0.416	1195	20.24	-0.723
1046	16.83	-0.145	1096	18.09	-1.562	1146	19.19	0.397	1196	20.26	-1.486
1047	16.87	-0.429	1097	18.14	-1.475	1147	19.23	0.611	1197	20.27	-0.124
1048	16.88	-1.438	1098	18.16	-1.494	1148	19.26	1.592	1198	20.30	0.355
1049	16.90	-1.204	1099	18.17	-0.381	1149	19.28	3.072	1199	20.32	2.341
1050	16.94	0.393	1100	18.19	0.896	1150	19.30	3.185	1200	20.34	2.324

INDEX NO. 778 104-GR-39 SHINTONEGAWA BR. TR. MAX.ACCEL.= 22.169(GAL) T= 5.09(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	20.36	1.052	1251	21.33	-1.384	1301	22.33	1.922	1351	23.43	0.143
1202	20.39	1.033	1252	21.35	-0.151	1302	22.34	1.913	1352	23.44	0.133
1203	20.40	0.649	1253	21.37	0.463	1303	22.36	1.642	1353	23.46	0.117
1204	20.42	1.904	1254	21.39	1.695	1304	22.37	0.759	1354	23.49	-0.531
1205	20.44	2.109	1255	21.41	1.675	1305	22.41	0.357	1355	23.51	-0.547
1206	20.46	2.220	1256	21.43	1.040	1306	22.43	-0.536	1356	23.52	-0.559
1207	20.48	1.826	1257	21.45	0.018	1307	22.45	-1.801	1357	23.53	0.058
1208	20.50	0.939	1258	21.47	-1.251	1308	22.49	-0.713	1358	23.56	0.037
1209	20.51	0.927	1259	21.49	-1.762	1309	22.50	-0.094	1359	23.58	-0.602
1210	20.53	-0.085	1260	21.52	-3.162	1310	22.53	0.256	1360	23.61	-1.253
1211	20.54	-0.973	1261	21.53	-1.925	1311	22.57	0.597	1361	23.63	-1.274
1212	20.55	-2.233	1262	21.55	-1.560	1312	22.60	1.453	1362	23.69	-1.948
1213	20.59	-2.636	1263	21.58	-0.085	1313	22.62	0.806	1363	23.73	-1.975
1214	20.62	-1.667	1264	21.60	0.024	1314	22.65	0.781	1364	23.76	-1.373
1215	20.64	-1.434	1265	21.61	0.008	1315	22.67	0.767	1365	23.77	-1.388
1216	20.66	0.175	1266	21.63	-0.129	1316	22.68	0.505	1366	23.79	-0.155
1217	20.66	0.786	1267	21.65	-1.016	1317	22.70	0.495	1367	23.84	0.685
1218	20.70	1.021	1268	21.67	-0.784	1318	22.72	0.729	1368	23.86	0.665
1219	20.71	0.390	1269	21.68	-0.422	1319	22.74	0.464	1369	23.89	1.639
1220	20.73	-0.256	1270	21.70	0.188	1320	22.75	-0.176	1370	23.92	1.989
1221	20.75	-1.146	1271	21.72	1.421	1321	22.78	-0.819	1371	23.95	1.966
1222	20.77	-1.540	1272	21.75	2.023	1322	22.79	-1.460	1372	23.98	1.569
1223	20.79	-2.434	1273	21.77	3.382	1323	22.82	-3.107	1373	24.00	1.547
1224	20.81	-2.826	1274	21.78	2.122	1324	22.84	-2.871	1374	24.02	2.155
1225	20.83	-3.089	1275	21.80	1.854	1325	22.87	-2.146	1375	24.04	1.514
1226	20.84	-2.602	1276	21.82	1.462	1326	22.89	-1.913	1376	24.08	1.738
1227	20.86	-2.237	1277	21.83	0.629	1327	22.92	-0.690	1377	24.10	1.466
1228	20.87	0.251	1278	21.84	-0.056	1328	22.93	0.553	1378	24.12	0.830
1229	20.89	1.114	1279	21.85	-0.436	1329	22.95	0.790	1379	24.13	0.566
1230	20.90	1.727	1280	21.86	-1.449	1330	22.97	2.021	1380	24.14	-0.067
1231	20.91	1.467	1281	21.89	-2.095	1331	22.99	3.881	1381	24.18	-0.719
1232	20.92	0.833	1282	21.91	-1.487	1332	23.01	4.864	1382	24.19	-1.108
1233	20.95	0.814	1283	21.93	-1.508	1333	23.05	3.328	1383	24.20	-0.868
1234	20.96	-0.201	1284	21.96	-0.776	1334	23.08	1.680	1384	24.22	-0.509
1235	20.99	0.530	1285	21.98	-0.171	1335	23.12	0.148	1385	24.25	-0.527
1236	21.01	1.764	1286	22.01	0.430	1336	23.14	-0.239	1386	24.26	0.085
1237	21.03	2.115	1287	22.04	0.409	1337	23.16	-0.508	1387	24.30	0.057
1230	21.07	1.836	1288	22.07	-0.371	1338	23.18	-0.523	1388	24.31	-0.582
1239	21.10	0.562	1289	22.08	-0.630	1339	23.19	-0.531	1389	24.34	-1.229
1240	21.11	0.799	1290	22.10	-0.644	1340	23.29	0.709	1390	24.36	-2.119
1241	21.14	0.774	1291	22.13	-0.917	1341	23.22	0.316	1391	24.38	-1.260
1242	21.16	1.134	1292	22.14	-0.050	1342	23.24	-0.327	1392	24.40	-0.400
1243	21.17	1.376	1293	22.16	0.811	1343	23.27	-0.101	1393	24.42	-0.418
1244	21.18	1.615	1294	22.18	1.793	1344	23.28	-0.107	1394	24.43	-0.679
1245	21.21	2.842	1295	22.19	1.781	1345	23.33	-0.396	1395	24.44	-1.315
1246	21.23	1.331	1296	22.20	1.772	1346	23.35	-0.665	1396	24.46	-1.332
1247	21.25	0.435	1297	22.23	1.126	1347	23.37	-0.429	1397	24.47	-1.090
1248	21.26	0.051	1298	22.25	0.487	1348	23.39	-0.446	1398	24.49	-1.977
1249	21.29	-1.346	1299	22.26	0.472	1349	23.41	-0.213	1399	24.51	-1.997
1250	21.31	-1.993	1300	22.30	1.066	1350	23.42	-0.221	1400	24.53	-1.758

INDEX NO. 778 104-GR-39 SHINTONEGAWA BR. TR. MAX.ACCEL.= 22.169(GAL) T= 5.09(SEC) NO. 8

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1401	24.55	-1.152	1451	26.03	1.131	1501	27.55	-0.127	1551	28.66	-0.045
1402	24.57	-0.168	1452	26.05	2.384	1502	27.57	0.114	1552	28.68	-0.187
1403	24.58	-0.179	1453	26.07	2.970	1503	27.58	-0.148	1553	28.70	-0.201
1404	24.62	1.038	1454	26.09	2.705	1504	27.61	-0.419	1554	28.73	0.403
1405	24.65	1.014	1455	26.11	2.061	1505	27.62	-1.060	1555	28.75	1.013
1406	24.67	0.127	1456	26.14	1.665	1506	27.65	-1.458	1556	28.78	0.108
1407	24.69	0.986	1457	26.16	0.395	1507	27.67	-0.847	1557	28.81	0.708
1408	24.73	0.328	1458	26.17	0.017	1508	27.69	0.007	1558	28.86	0.669
1409	24.76	0.924	1459	26.19	-0.501	1509	27.72	0.612	1559	28.90	0.389
1410	24.93	1.036	1460	26.23	-0.658	1510	27.73	0.348	1560	28.95	0.348
1411	24.96	0.762	1461	26.26	0.562	1511	27.76	-0.048	1561	28.97	1.199
1412	24.99	0.990	1462	26.31	0.899	1512	27.79	-0.069	1562	29.01	0.546
1413	25.01	0.970	1463	26.34	1.750	1513	27.81	-0.592	1563	29.03	-0.099
1414	25.03	0.701	1464	26.38	2.094	1514	27.83	-0.982	1564	29.06	-0.747
1415	25.06	0.056	1465	26.41	1.815	1515	27.84	-1.241	1565	29.08	-0.516
1416	25.09	0.281	1466	26.44	1.795	1516	27.86	-0.757	1566	29.09	0.473
1417	25.11	0.265	1467	26.47	0.519	1517	27.89	-0.783	1567	29.11	1.083
1418	25.14	0.864	1468	26.48	0.763	1518	27.92	0.196	1568	29.13	1.667
1419	25.16	0.347	1469	26.53	0.097	1519	27.94	1.431	1569	29.16	0.795
1420	25.18	-0.049	1470	26.57	0.682	1520	27.96	2.663	1570	29.18	0.774
1421	25.20	1.434	1471	26.61	1.260	1521	27.97	1.779	1571	29.21	-1.120
1422	25.22	2.045	1472	26.64	1.253	1522	28.00	1.126	1572	29.24	-0.023
1423	25.24	3.030	1473	26.66	2.115	1523	28.03	1.107	1573	29.26	1.584
1424	25.27	2.629	1474	26.73	0.558	1524	28.05	0.338	1574	29.29	1.812
1425	25.30	1.729	1475	26.77	-0.726	1525	28.08	1.058	1575	29.30	1.797
1426	25.35	0.816	1476	26.80	-1.129	1526	28.10	1.298	1576	29.33	0.902
1427	25.37	0.422	1477	26.83	-0.774	1527	28.11	1.911	1577	29.36	0.876
1428	25.38	0.411	1478	26.85	-1.418	1528	28.14	2.761	1578	29.39	-0.404
1429	25.41	0.392	1479	26.87	-1.186	1529	28.15	1.876	1579	29.44	-0.442
1430	25.43	1.248	1480	26.90	-0.832	1530	28.18	0.607	1580	29.46	-0.081
1431	25.45	1.860	1481	26.93	-0.485	1531	28.20	-0.039	1581	29.48	-0.476
1432	25.48	0.960	1482	26.95	-0.247	1532	28.25	-0.328	1582	29.50	-0.741
1433	25.49	1.196	1483	26.97	1.234	1533	28.28	-0.104	1583	29.52	-1.134
1434	25.51	-0.317	1484	27.00	1.207	1534	28.31	0.122	1584	29.54	-0.530
1435	25.53	-0.087	1485	27.05	1.544	1535	28.33	0.105	1585	29.57	-0.551
1436	25.60	-0.395	1486	27.09	0.883	1536	28.36	0.709	1586	29.60	0.298
1437	25.64	-0.426	1487	27.15	1.460	1537	28.38	1.066	1587	29.65	0.629
1438	25.67	0.175	1488	27.20	1.669	1538	28.40	1.300	1588	29.67	1.487
1439	25.70	0.779	1489	27.25	2.004	1539	28.42	1.908	1589	29.70	1.584
1440	25.73	1.628	1490	27.27	1.731	1540	28.43	2.269	1590	29.72	1.197
1441	25.77	1.971	1491	27.32	1.698	1541	28.46	1.999	1591	29.73	1.188
1442	25.80	2.196	1492	27.34	1.675	1542	28.49	0.972	1592	29.74	0.928
1443	25.83	2.546	1493	27.37	1.273	1543	28.51	0.335	1593	29.77	0.900
1444	25.85	1.900	1494	27.41	0.621	1544	28.55	-0.574	1594	29.80	1.381
1445	25.87	1.887	1495	27.42	-0.019	1545	28.56	-0.337	1595	29.83	1.354
1446	25.91	0.980	1496	27.45	-0.414	1546	28.57	0.531	1596	29.85	1.964
1447	25.93	0.838	1497	27.46	-1.547	1547	28.59	0.889	1597	29.86	2.953
1448	25.96	0.562	1498	27.48	-1.315	1548	28.61	0.496	1598	29.87	3.565
1449	26.00	0.525	1499	27.52	-0.470	1549	28.63	0.858			
1450	26.02	0.887	1500	27.54	0.134	1550	28.64	0.597			

Table IX D-5 Digitized Accelerations of Earthquake Record with Index Number 779

INDEX NO. 779 104-GR-39 SHINTONEGAWA BR. U-D MAX.ACCEL.= -6.267(GAL) T= 4.45(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.01	-0.556	51	0.60	-1.592	101	1.24	0.005	151	1.93	-0.516
2	0.02	-0.180	52	0.61	-0.965	102	1.26	-0.991	152	1.95	-0.764
3	0.03	-0.179	53	0.62	-0.338	103	1.28	-1.239	153	1.96	-0.762
4	0.04	-0.427	54	0.65	-0.708	104	1.29	0.387	154	1.97	-0.135
5	0.05	-1.425	55	0.67	-0.331	105	1.30	0.639	155	1.98	1.117
6	0.06	-1.049	56	0.68	-0.954	106	1.31	-0.234	156	1.99	1.118
7	0.07	-1.672	57	0.69	-0.453	107	1.32	1.268	157	2.01	1.120
8	0.08	-2.045	58	0.70	-0.326	108	1.33	0.393	158	2.02	1.122
9	0.10	-1.043	59	0.71	-0.949	109	1.34	-0.605	159	2.03	1.124
10	0.11	0.209	60	0.72	-1.574	110	1.35	-0.853	160	2.05	0.752
11	0.12	0.461	61	0.73	-1.572	111	1.36	-1.476	161	2.08	-0.493
12	0.13	1.087	62	0.74	-1.696	112	1.39	-1.848	162	2.09	-1.117
13	0.14	0.464	63	0.75	-2.194	113	1.40	-1.846	163	2.10	-1.366
14	0.16	-0.159	64	0.76	-2.193	114	1.41	-1.594	164	2.11	-1.364
15	0.17	-0.781	65	0.77	-1.566	115	1.43	-1.216	165	2.12	-1.987
16	0.19	-1.154	66	0.78	-0.314	116	1.44	-0.965	166	2.13	-1.737
17	0.20	-0.527	67	0.79	-0.063	117	1.45	-0.338	167	2.14	-1.735
18	0.21	-1.026	68	0.80	-0.311	118	1.47	1.540	168	2.15	-2.109
19	0.22	-1.025	69	0.81	-1.560	119	1.49	1.668	169	2.16	-1.481
20	0.24	-1.772	70	0.82	-1.059	120	1.51	1.045	170	2.17	-0.856
21	0.25	-2.020	71	0.83	-1.557	121	1.52	0.047	171	2.18	-0.229
22	0.26	-1.143	72	0.85	0.571	122	1.53	-0.826	172	2.19	-0.477
23	0.27	-1.142	73	0.86	-0.302	123	1.55	-0.824	173	2.22	-0.472
24	0.28	-0.515	74	0.88	-1.300	124	1.57	-1.195	174	2.23	-0.471
25	0.29	-1.013	75	0.89	-1.298	125	1.58	-1.194	175	2.25	-0.093
26	0.30	-1.012	76	0.90	0.204	126	1.59	-1.818	176	2.26	-1.092
27	0.31	-1.635	77	0.91	0.956	127	1.60	-1.815	177	2.27	-1.465
28	0.32	-2.008	78	0.92	0.957	128	1.62	-2.062	178	2.30	-1.961
29	0.33	-1.757	79	0.93	0.333	129	1.64	-1.809	179	2.31	-1.709
30	0.36	-1.128	80	0.94	-0.915	130	1.65	-2.433	180	2.32	-1.083
31	0.37	-1.126	81	0.95	-0.913	131	1.66	-1.432	181	2.34	-0.454
32	0.38	-0.500	82	0.98	-0.660	132	1.67	-1.181	182	2.35	-0.079
33	0.40	-0.747	83	0.99	-0.908	133	1.69	0.323	183	2.37	0.174
34	0.41	-0.745	84	1.01	-1.280	134	1.70	1.325	184	2.38	0.176
35	0.42	-0.494	85	1.02	-1.278	135	1.71	1.076	185	2.39	-0.073
36	0.43	-0.493	86	1.03	-0.401	136	1.73	0.704	186	2.41	-2.570
37	0.44	0.508	87	1.05	-0.024	137	1.74	0.456	187	2.42	-2.068
38	0.45	0.511	88	1.06	-0.022	138	1.77	0.085	188	2.44	-0.816
39	0.46	-0.363	89	1.07	0.855	139	1.79	-1.162	189	2.45	-0.689
40	0.48	-0.360	90	1.09	0.357	140	1.81	-0.534	190	2.47	-0.061
41	0.49	-0.108	91	1.11	-0.889	141	1.82	-0.283	191	2.53	-1.052
42	0.50	-1.732	92	1.12	-0.888	142	1.83	-0.282	192	2.54	-1.300
43	0.51	-1.731	93	1.13	-1.262	143	1.84	-0.279	193	2.56	-1.673
44	0.53	-1.103	94	1.15	-2.509	144	1.85	-1.153	194	2.58	-1.669
45	0.54	-0.976	95	1.17	-3.755	145	1.86	-0.526	195	2.60	-1.415
46	0.55	-0.475	96	1.18	-2.879	146	1.88	-1.149	196	2.62	-1.038
47	0.56	-0.473	97	1.19	-2.252	147	1.89	-1.397	197	2.64	-0.660
48	0.57	-0.347	98	1.20	-1.625	148	1.90	-1.396	198	2.66	0.592
49	0.58	-0.720	99	1.22	-0.998	149	1.91	-0.894	199	2.67	-0.031
50	0.59	-1.094	100	1.23	0.003	150	1.92	-0.768	200	2.68	-0.655

INDEX NO. 779 104-GR-39 SHINTONEGAWA BR. U-D MAX.ACCEL.= -6.267(GAL) T= 4.45(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	2.69	-1.903	251	3.38	-0.075	301	4.06	-1.200	351	4.84	-2.584
202	2.70	-0.902	252	3.39	-1.923	302	4.08	-2.072	352	4.86	-2.206
203	2.71	-3.024	253	3.40	-2.172	303	4.10	-1.070	353	4.87	-1.579
204	2.73	-2.022	254	3.41	-2.170	304	4.12	-1.446	354	4.90	-3.075
205	2.74	-1.021	255	3.42	-1.795	305	4.13	-0.565	355	4.92	1.556
206	2.75	0.232	256	3.43	-1.294	306	4.14	-1.062	356	4.94	-0.069
207	2.76	0.608	257	3.45	-0.041	307	4.15	-1.062	357	4.95	-1.067
208	2.78	0.235	258	3.46	-0.538	308	4.20	0.071	358	4.96	0.559
209	2.79	-0.386	259	3.47	-1.536	309	4.22	1.449	359	4.97	2.186
210	2.80	-0.012	260	3.49	-0.284	310	4.23	0.450	360	4.98	1.563
211	2.81	0.240	261	3.50	-0.033	311	4.24	-1.423	361	5.00	0.315
212	2.82	0.242	262	3.51	-0.281	312	4.25	-3.297	362	5.01	-0.933
213	2.84	-0.005	263	3.52	-0.905	313	4.27	-4.419	363	5.02	-1.931
214	2.85	1.247	264	3.54	0.598	314	4.28	-3.792	364	5.04	-3.178
215	2.86	1.248	265	3.55	0.100	315	4.29	-3.166	365	5.05	-3.177
216	2.88	1.501	266	3.56	-0.274	316	4.31	0.463	366	5.06	-2.300
217	2.89	0.902	267	3.57	-0.898	317	4.32	1.340	367	5.07	-0.049
218	2.90	-0.621	268	3.58	-1.271	318	4.33	-0.160	368	5.11	-1.668
219	2.93	-0.617	269	3.61	-1.142	319	4.34	-1.658	369	5.12	-0.916
220	2.94	-0.616	270	3.63	-1.138	320	4.37	-3.029	370	5.16	0.339
221	2.95	-0.613	271	3.64	-1.137	321	4.38	-0.777	371	5.17	0.341
222	2.97	-0.611	272	3.65	-0.886	322	4.39	0.474	372	5.20	-1.655
223	2.99	-0.608	273	3.67	-0.007	323	4.40	1.350	373	5.22	3.474
224	3.00	-0.356	274	3.68	-0.506	324	4.41	1.102	374	5.24	5.350
225	3.01	-0.355	275	3.69	-0.505	325	4.42	-3.271	375	5.25	2.228
226	3.02	0.272	276	3.70	-0.504	326	4.43	-4.645	376	5.26	-0.895
227	3.03	0.523	277	3.72	-0.500	327	4.44	-5.894	377	5.27	-2.269
228	3.04	0.524	278	3.74	-1.122	328	4.45	-6.267	378	5.28	-4.768
229	3.05	0.275	279	3.76	-1.120	329	4.46	-3.265	379	5.35	0.388
230	3.08	-0.345	280	3.77	-1.493	330	4.48	-1.387	380	5.36	1.869
231	3.09	-0.969	281	3.78	-1.492	331	4.50	-0.384	381	5.37	0.371
232	3.10	-0.717	282	3.79	-1.865	332	4.52	-3.006	382	5.40	-1.875
233	3.11	-0.716	283	3.80	-1.863	333	4.54	-1.754	383	5.42	-2.871
234	3.12	-0.714	284	3.82	-1.486	334	4.56	1.374	384	5.44	-0.369
235	3.14	-0.586	285	3.83	0.142	335	4.57	2.126	385	5.45	0.382
236	3.15	-0.960	286	3.85	-0.857	336	4.58	1.753	386	5.46	1.509
237	3.16	0.043	287	3.88	0.148	337	4.61	-1.367	387	5.47	1.260
238	3.19	0.046	288	3.89	0.150	338	4.62	-0.116	388	5.49	1.013
239	3.20	0.298	289	3.90	-0.223	339	4.65	1.513	389	5.50	1.016
240	3.22	0.552	290	3.92	-1.096	340	4.66	2.390	390	5.51	0.642
241	3.25	0.305	291	3.93	-1.094	341	4.67	0.891	391	5.52	0.394
242	3.27	0.558	292	3.94	-0.843	342	4.69	-3.230	392	5.53	-0.230
243	3.29	-0.064	293	3.97	-1.089	343	4.71	-3.604	393	5.54	-0.354
244	3.30	0.313	294	3.98	-0.587	344	4.72	-4.227	394	5.56	0.400
245	3.31	0.939	295	3.99	-0.211	345	4.75	-2.847	395	5.57	0.401
246	3.32	0.940	296	4.00	0.415	346	4.77	0.532	396	5.58	0.403
247	3.33	1.192	297	4.01	0.418	347	4.79	2.410	397	5.59	-0.221
248	3.34	1.569	298	4.02	0.419	348	4.80	1.535	398	5.60	-1.471
249	3.35	0.320	299	4.03	0.171	349	4.81	-0.712	399	5.61	-0.968
250	3.37	0.073	300	4.05	-1.077	350	4.83	-2.960	400	5.64	-1.589

INDEX NO. 779 104-GR-39 SHINTONEGAWA BR. U-D MAX.ACCEL.= -6.267(GAL) T= 4.45(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	5.65	-0.588	451	6.42	-0.723	501	7.18	0.514	551	7.92	-1.251
402	5.66	-0.586	452	6.43	-2.347	502	7.19	1.515	552	7.93	-1.499
403	5.70	-2.704	453	6.44	0.405	503	7.20	1.517	553	7.95	-2.121
404	5.71	-3.829	454	6.47	1.409	504	7.21	1.693	554	7.96	-2.370
405	5.72	-2.577	455	6.48	2.286	505	7.23	-0.353	555	7.97	-2.743
406	5.74	-0.324	456	6.49	2.038	506	7.26	-5.224	556	8.00	-1.988
407	5.75	0.053	457	6.50	0.789	507	7.27	-4.223	557	8.01	-1.613
408	5.76	-0.196	458	6.51	-0.459	508	7.28	-2.971	558	8.03	0.390
409	5.77	-1.194	459	6.54	-2.581	509	7.30	-0.967	559	8.04	1.017
410	5.78	-1.192	460	6.55	-4.204	510	7.31	0.658	560	8.05	1.268
411	5.79	-2.066	461	6.56	-2.952	511	7.33	1.536	561	8.06	1.645
412	5.80	-0.940	462	6.59	1.603	512	7.34	0.913	562	8.07	1.397
413	5.83	0.439	463	6.61	3.555	513	7.36	0.291	563	8.08	1.022
414	5.84	2.941	464	6.62	1.807	514	7.37	-1.332	564	8.09	1.025
415	5.87	-0.555	465	6.63	1.433	515	7.39	-1.955	565	8.10	0.401
416	5.91	-0.174	466	6.67	-1.661	516	7.40	0.423	566	8.12	-0.846
417	5.92	1.328	467	6.69	0.192	517	7.42	2.174	567	8.13	-0.845
418	5.93	1.954	468	6.70	0.193	518	7.44	3.428	568	8.18	0.038
419	5.95	1.332	469	6.71	-1.056	519	7.46	3.181	569	8.21	-0.208
420	5.96	-0.541	470	6.72	-1.929	520	7.48	-4.066	570	8.23	0.045
421	5.97	-1.164	471	6.73	-1.427	521	7.49	-5.939	571	8.25	1.048
422	5.98	-2.413	472	6.75	-0.799	522	7.51	-6.062	572	8.27	1.427
423	6.00	-0.536	473	6.76	0.828	523	7.53	-3.808	573	8.28	1.678
424	6.01	0.716	474	6.77	1.079	524	7.54	-2.183	574	8.30	2.305
425	6.02	0.718	475	6.78	1.081	525	7.55	-1.556	575	8.31	2.557
426	6.03	1.345	476	6.82	-1.269	526	7.56	-0.304	576	8.33	2.059
427	6.04	1.346	477	6.83	-0.662	527	7.57	0.302	577	8.34	0.186
428	6.05	1.097	478	6.86	-1.661	528	7.60	0.327	578	8.35	-1.437
429	6.07	-0.149	479	6.85	-4.335	529	7.63	-1.545	579	8.39	-3.432
430	6.09	-0.521	480	6.87	-1.032	530	7.64	0.332	580	8.41	-2.553
431	6.11	-1.144	481	6.88	-1.031	531	7.65	0.959	581	8.43	-2.800
432	6.13	-1.140	482	6.89	-0.029	532	7.66	2.835	582	8.44	-2.798
433	6.14	0.111	483	6.90	0.223	533	7.67	3.212	583	8.46	-1.921
434	6.17	1.989	484	6.91	-0.025	534	7.68	2.839	584	8.48	-1.418
435	6.19	-4.132	485	6.92	0.226	535	7.69	2.590	585	8.49	-1.416
436	6.21	-4.753	486	6.93	0.228	536	7.70	1.591	586	8.52	-2.662
437	6.23	-2.626	487	6.95	0.481	537	7.72	0.095	587	8.55	-1.408
438	6.24	-1.500	488	6.97	-0.641	538	7.73	-0.529	588	8.57	-0.405
439	6.25	0.502	489	6.98	-3.140	539	7.75	-2.400	589	8.58	-0.403
440	6.26	3.254	490	6.99	-5.263	540	7.76	-2.400	590	8.59	0.474
441	6.28	0.756	491	7.01	-6.136	541	7.77	-2.398	591	8.60	-0.150
442	6.29	-0.492	492	7.02	-2.364	542	7.78	-1.896	592	8.62	-1.021
443	6.30	-1.991	493	7.03	-0.383	543	7.79	-1.270	593	8.64	-2.019
444	6.32	-2.613	494	7.04	1.869	544	7.81	-0.892	594	8.66	-3.766
445	6.33	-1.111	495	7.05	3.370	545	7.83	-1.514	595	8.67	-2.765
446	6.35	-0.483	496	7.07	2.498	546	7.85	-2.761	596	8.68	-0.888
447	6.37	-1.355	497	7.12	0.255	547	7.86	-3.010	597	8.69	1.114
448	6.38	-1.104	498	7.13	0.007	548	7.87	-2.759	598	8.70	4.490
449	6.39	0.398	499	7.15	-0.740	549	7.89	-1.881	599	8.72	2.993
450	6.41	-0.100	500	7.16	-0.113	550	7.91	-1.503	600	8.74	1.746

INDEX NO. 779 104-GR-39 SHINTONEGAWA BR. U-D MAX.ACCEL.= -6.267(GAL) T= 4.45(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	8.76	-0.376	651	9.49	-1.692	701	10.25	-0.778	751	11.12	0.228
602	8.77	-2.124	652	9.51	-1.639	702	10.26	-0.273	752	11.13	0.855
603	8.79	-1.872	653	9.53	-3.886	703	10.30	-0.520	753	11.14	-0.393
604	8.82	-1.617	654	9.54	-0.384	704	10.31	-0.518	754	11.15	-0.642
605	8.83	-1.116	655	9.56	0.619	705	10.33	-0.516	755	11.20	-1.385
606	8.85	0.512	656	9.57	0.371	706	10.35	-2.388	756	11.22	-1.382
607	8.86	-1.361	657	9.58	-0.253	707	10.38	-3.006	757	11.23	-1.255
608	8.86	-2.358	658	9.60	1.250	708	10.41	-3.129	758	11.26	-1.626
609	8.89	-3.357	659	9.61	0.627	709	10.42	-2.502	759	11.27	-1.373
610	8.90	-4.355	660	9.63	-0.620	710	10.43	-1.251	760	11.28	-1.873
611	8.91	-3.354	661	9.65	-3.243	711	10.45	3.628	761	11.29	-1.621
612	8.93	-2.601	662	9.67	-4.490	712	10.46	6.129	762	11.31	-0.743
613	8.94	-1.974	663	9.68	-3.238	713	10.47	4.881	763	11.32	-0.991
614	8.95	-0.098	664	9.70	-1.611	714	10.50	3.009	764	11.34	-0.989
615	8.96	0.904	665	9.71	1.267	715	10.53	0.514	765	11.36	-1.236
616	8.97	0.530	666	9.73	1.269	716	10.55	-1.482	766	11.37	-0.734
617	8.98	-0.093	667	9.75	1.022	717	10.59	-1.477	767	11.39	-0.607
618	8.99	-0.717	668	9.77	0.400	718	10.60	0.150	768	11.40	-0.355
619	9.00	-1.591	669	9.78	0.027	719	10.62	-1.347	769	11.43	1.150
620	9.01	-1.964	670	9.79	0.278	720	10.64	-2.719	770	11.44	1.902
621	9.02	-2.338	671	9.80	0.031	721	10.66	-4.467	771	11.45	1.903
622	9.03	-3.337	672	9.82	-0.217	722	10.67	-3.965	772	11.46	1.529
623	9.04	-4.960	673	9.84	-1.839	723	10.68	-2.338	773	11.48	1.282
624	9.05	-2.708	674	9.85	-1.462	724	10.69	-0.212	774	11.49	1.284
625	9.06	-2.082	675	9.86	-0.583	725	10.70	0.166	775	11.51	0.037
626	9.07	0.295	676	9.89	-0.832	726	10.72	-0.707	776	11.52	-0.587
627	9.08	2.047	677	9.90	-1.456	727	10.73	-1.580	777	11.53	-1.585
628	9.09	2.423	678	9.91	-2.079	728	10.76	-2.451	778	11.54	-0.709
629	9.10	1.175	679	9.92	-2.702	729	10.78	-2.823	779	11.56	-0.956
630	9.11	-0.074	680	9.93	-3.325	730	10.79	-2.447	780	11.58	0.673
631	9.13	-0.695	681	9.94	-3.950	731	10.80	0.431	781	11.60	0.675
632	9.14	-0.070	682	9.95	-3.698	732	10.83	1.435	782	11.61	-0.322
633	9.15	-3.193	683	9.96	-3.072	733	10.84	1.437	783	11.63	-1.571
634	9.18	-1.689	684	9.97	-1.195	734	10.86	1.689	784	11.64	-1.566
635	9.19	0.313	685	10.00	-0.315	735	10.88	1.192	785	11.65	-1.567
636	9.21	0.316	686	10.01	1.562	736	10.89	1.194	786	11.67	-0.565
637	9.23	0.319	687	10.02	1.937	737	10.91	1.197	787	11.68	-0.312
638	9.27	-0.050	688	10.03	-0.185	738	10.92	0.824	788	11.69	0.940
639	9.29	-0.672	689	10.05	-1.183	739	10.94	1.076	789	11.71	1.567
640	9.31	-0.418	690	10.06	-1.806	740	10.95	0.829	790	11.77	0.675
641	9.33	-0.665	691	10.07	-2.429	741	10.97	1.456	791	11.78	-0.922
642	9.34	0.210	692	10.09	-1.552	742	10.98	1.457	792	11.80	-0.295
643	9.36	0.589	693	10.10	-0.175	743	10.99	1.710	793	11.81	-1.169
644	9.38	0.842	694	10.12	-0.547	744	11.00	1.711	794	11.82	-0.292
645	9.39	1.219	695	10.13	-0.795	745	11.02	1.088	795	11.83	-0.290
646	9.40	1.220	696	10.15	-1.542	746	11.03	-0.409	796	11.84	-0.038
647	9.41	0.596	697	10.17	-1.164	747	11.05	-1.657	797	11.87	0.340
648	9.42	-0.902	698	10.20	-1.160	748	11.07	-2.030	798	11.88	-1.533
649	9.46	-0.896	699	10.22	-0.532	749	11.10	-1.274	799	11.91	-0.903
650	9.47	-2.519	700	10.24	0.095	750	11.11	-0.023	800	11.92	-0.902

土木構造物における加速度強震記録（No. 9）

INDEX NO. 779 104-GR-39 SHINTONEGAWA BR. U-D MAX.ACCEL.= -6.267(GAL) T= 4.45(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	11.96	-0.899	851	12.72	0.043	901	13.54	0.964	951	14.30	-2.423
802	11.97	-0.895	852	12.73	0.220	902	13.55	0.591	952	14.31	-1.796
803	11.98	-0.643	853	12.75	-0.777	903	13.57	-1.281	953	14.33	-0.544
804	11.99	-0.266	854	12.76	-2.025	904	13.59	-1.278	954	14.34	0.333
805	12.00	-0.265	855	12.78	-1.398	905	13.60	-1.902	955	14.35	2.334
806	12.01	-0.014	856	12.80	-0.769	906	13.62	-2.524	956	14.36	1.711
807	12.02	+0.262	857	12.82	-0.142	907	13.63	-1.898	957	14.38	-0.536
808	12.03	-0.511	858	12.85	0.237	908	13.64	-1.270	958	14.40	-3.033
809	12.05	-1.756	859	12.86	0.489	909	13.65	-0.894	959	14.46	-0.525
810	12.07	-0.254	860	12.87	-0.134	910	13.66	-0.393	960	14.52	-1.141
811	12.09	0.624	861	12.89	0.118	911	13.68	1.234	961	14.55	-0.511
812	12.10	-0.249	862	12.91	0.496	912	13.69	0.986	962	14.57	0.742
813	12.12	1.253	863	12.93	0.250	913	13.71	-0.636	963	14.62	0.999
814	12.14	0.130	864	12.94	0.250	914	13.73	-0.633	964	14.64	1.377
815	12.15	-0.242	865	12.97	-1.369	915	13.74	-1.881	965	14.65	0.755
816	12.17	-1.240	866	12.98	-3.494	916	13.76	-1.879	966	14.67	0.132
817	12.18	-1.488	867	13.00	-0.491	917	13.77	-1.253	967	14.69	-0.741
818	12.19	-0.862	868	13.01	1.511	918	13.78	-0.250	968	14.71	-1.112
819	12.21	0.641	869	13.02	1.762	919	13.80	+0.623	969	14.72	-3.361
820	12.22	1.268	870	13.03	2.014	920	13.81	0.879	970	14.74	-2.733
821	12.24	-0.853	871	13.04	2.015	921	13.82	-0.244	971	14.76	-1.730
822	12.25	-1.853	872	13.05	0.893	922	13.84	-0.616	972	14.78	-0.227
823	12.28	-2.098	873	13.06	1.394	923	13.85	-0.989	973	14.80	0.401
824	12.29	-0.846	874	13.07	1.395	924	13.87	-1.238	974	14.81	1.028
825	12.30	0.781	875	13.09	0.898	925	13.88	-0.611	975	14.83	1.405
826	12.31	1.032	876	13.14	0.155	926	13.89	-0.609	976	14.84	1.407
827	12.33	0.784	877	13.16	+0.092	927	13.90	0.392	977	14.85	1.408
828	12.34	+0.463	878	13.19	-1.337	928	13.91	0.019	978	14.86	1.161
829	12.35	-1.588	879	13.20	+0.961	929	13.92	2.520	979	14.89	0.415
830	12.36	-1.836	880	13.21	0.166	930	13.93	2.272	980	14.92	0.794
831	12.41	-2.829	881	13.22	0.542	931	13.95	0.650	981	14.93	0.171
832	12.43	0.549	882	13.24	-1.331	932	13.97	-0.222	982	14.96	0.425
833	12.44	+0.325	883	13.25	-1.953	933	13.98	-0.971	983	14.97	+0.449
834	12.45	-1.572	884	13.27	-1.325	934	14.00	0.031	984	14.98	0.803
835	12.46	-1.821	885	13.28	-0.449	935	14.02	1.035	985	15.02	1.059
836	12.47	+0.945	886	13.29	-0.322	936	14.04	1.037	986	15.05	1.063
837	12.48	+0.943	887	13.30	0.804	937	14.05	0.665	987	15.07	1.066
838	12.50	0.310	888	13.32	+0.068	938	14.08	0.419	988	15.09	1.195
839	12.51	1.187	889	13.35	-1.315	939	14.10	0.422	989	15.11	1.698
840	12.52	1.688	890	13.36	-1.063	940	14.12	+0.575	990	15.14	0.202
841	12.53	1.440	891	13.37	-1.560	941	14.14	-1.197	991	15.16	+0.420
842	12.55	1.067	892	13.38	-1.309	942	14.16	-2.445	992	15.17	-1.293
843	12.56	0.444	893	13.40	0.193	943	14.17	-2.442	993	15.19	-1.040
844	12.59	0.199	894	13.41	0.819	944	14.20	-1.564	994	15.22	-1.412
845	12.60	0.200	895	13.43	0.323	945	14.22	+0.310	995	15.24	+0.783
846	12.62	0.079	896	13.44	-0.300	946	14.24	0.692	996	15.26	+0.155
847	12.63	0.705	897	13.47	+0.046	947	14.25	1.070	997	15.28	+0.151
848	12.66	2.083	898	13.48	+1.544	948	14.27	+0.803	998	15.30	+0.149
849	12.68	1.711	899	13.50	1.836	949	14.28	-1.177	999	15.32	0.855
850	12.69	0.838	900	13.52	1.836	950	14.29	-1.800	1000	15.34	+0.393

INDEX NO. 779 104-GR-39 SHINTONEGAWA BR. U-D MAX.ACCEL.= -6.267(GAL) T= 4.45(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	15.37	-0.139	1051	16.27	+0.880	1101	17.13	1.498	1151	18.00	0.376
1002	15.38	0.488	1052	16.30	+0.875	1102	17.15	1.125	1152	18.02	0.003
1003	15.39	0.864	1053	16.31	+0.624	1103	17.18	+0.121	1153	18.05	0.008
1004	15.41	+0.633	1054	16.33	+0.246	1104	17.19	+0.743	1154	18.06	+0.616
1005	15.43	-1.629	1055	16.34	+0.245	1105	17.22	+0.989	1155	18.07	+0.864
1006	15.44	-1.004	1056	16.36	+0.491	1106	17.23	-1.112	1156	18.08	+0.612
1007	15.45	+0.751	1057	16.38	+0.488	1107	17.24	+0.486	1157	18.10	0.267
1008	15.49	0.254	1058	16.39	+0.862	1108	17.27	0.142	1158	18.11	+0.233
1009	15.52	0.883	1059	16.42	+0.858	1109	17.29	0.146	1159	18.12	0.644
1010	15.54	1.512	1060	16.44	+1.980	1110	17.30	1.148	1160	18.13	0.646
1011	15.56	2.390	1061	16.46	-1.976	1111	17.31	0.899	1161	18.15	0.024
1012	15.58	2.768	1062	16.47	+0.599	1112	17.32	1.776	1162	18.19	+0.846
1013	15.59	2.519	1063	16.49	+0.367	1113	17.33	1.777	1163	18.20	+0.344
1014	15.60	0.896	1064	16.50	+0.971	1114	17.34	0.904	1164	18.21	0.283
1015	15.62	0.649	1065	16.51	+0.719	1115	17.35	+0.096	1165	18.22	0.034
1016	15.63	0.525	1066	16.52	+0.968	1116	17.37	+1.092	1166	18.23	+0.215
1017	15.64	+1.723	1067	16.54	+1.214	1117	17.39	+2.089	1167	18.24	+1.213
1018	15.66	-2.970	1068	16.56	+1.212	1118	17.42	+0.835	1168	18.26	+1.460
1019	15.66	+0.467	1069	16.57	+0.960	1119	17.43	+1.458	1169	18.27	+1.208
1020	15.71	0.037	1070	16.60	+0.956	1120	17.47	0.048	1170	18.29	+0.581
1021	15.72	0.288	1071	16.62	+0.677	1121	17.49	+0.450	1171	18.31	0.473
1022	15.73	1.540	1072	16.63	+0.327	1122	17.51	0.429	1172	18.32	+0.261
1023	15.74	0.667	1073	16.64	0.301	1123	17.53	0.881	1173	18.34	+0.198
1024	15.76	+0.330	1074	16.65	0.802	1124	17.55	1.060	1174	18.35	+0.572
1025	15.78	+0.578	1075	16.67	1.055	1125	17.57	1.937	1175	18.37	+0.818
1026	15.80	-1.575	1076	16.69	0.182	1126	17.58	1.563	1176	18.39	+1.191
1027	15.81	+1.322	1077	16.71	-1.044	1127	17.59	0.566	1177	18.40	+1.564
1028	15.84	0.306	1078	16.72	+0.562	1128	17.61	+0.056	1178	18.42	+1.561
1029	15.88	0.312	1079	16.74	0.440	1129	17.63	+0.053	1179	18.45	+1.806
1030	15.90	0.065	1080	16.75	1.066	1130	17.65	+0.676	1180	18.50	+0.925
1031	15.93	+0.305	1081	16.76	+0.183	1131	17.66	+1.549	1181	18.53	+0.920
1032	15.95	0.948	1082	16.79	0.447	1132	17.67	+2.297	1182	18.58	+0.537
1033	15.97	0.701	1083	16.80	+0.176	1133	17.69	+1.294	1183	18.61	0.092
1034	15.99	+0.546	1084	16.82	+0.173	1134	17.71	+0.917	1184	18.64	0.007
1035	16.00	-1.544	1085	16.83	+0.171	1135	17.72	+0.290	1185	18.68	0.102
1036	16.01	+0.666	1086	16.86	0.082	1136	17.73	+0.663	1186	18.69	0.355
1037	16.02	0.334	1087	16.87	0.210	1137	17.75	+0.410	1187	18.74	+0.139
1038	16.04	1.337	1088	16.89	+0.413	1138	17.77	+0.657	1188	18.76	+0.135
1039	16.05	0.963	1089	16.91	+0.785	1139	17.80	+0.028	1189	18.79	+0.131
1040	16.06	1.340	1090	16.93	+0.782	1140	17.81	+0.652	1190	18.84	+0.124
1041	16.08	1.343	1091	16.95	+1.404	1141	17.82	+0.651	1191	18.89	+0.115
1042	16.11	+0.278	1092	16.97	+1.401	1142	17.83	0.350	1192	18.90	0.137
1043	16.13	+0.900	1093	17.00	+2.022	1143	17.84	0.977	1193	18.93	0.765
1044	16.14	+0.273	1094	17.02	+2.019	1144	17.85	0.979	1194	18.94	1.163
1045	16.15	+0.272	1095	17.04	+2.641	1145	17.87	+0.018	1195	18.95	0.518
1046	16.16	0.104	1096	17.06	+1.388	1146	17.88	+0.267	1196	18.97	+0.479
1047	16.17	0.605	1097	17.07	+0.761	1147	17.90	+0.264	1197	18.99	+0.725
1048	16.20	+0.890	1098	17.08	1.363	1148	17.91	+0.263	1198	19.01	+1.097
1049	16.21	+0.638	1099	17.09	1.742	1149	17.94	0.867	1199	19.03	+1.344
1050	16.24	+0.259	1100	17.11	1.495	1150	17.97	0.246	1200	19.05	+1.341

INDEX NO. 779 104-GR-39 SHINTONEGAWA BR. U-D MAX.ACCEL.= -6.267(GAL) T= 4.45(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	19.07	-0.213	1251	20.01	-0.322	1301	20.99	0.950	1351	22.00	-1.023
1202	19.09	0.789	1252	20.02	0.681	1302	21.04	1.207	1352	22.01	-0.646
1203	19.10	0.790	1253	20.03	0.932	1303	21.08	0.713	1353	22.02	-0.645
1204	19.11	0.542	1254	20.05	0.934	1304	21.09	0.089	1354	22.03	-0.269
1205	19.13	0.545	1255	20.06	0.686	1305	21.12	-0.531	1355	22.04	0.233
1206	19.14	0.172	1256	20.07	0.312	1306	21.15	-1.151	1356	22.07	-0.263
1207	19.17	0.426	1257	20.08	-0.312	1307	21.18	-1.147	1357	22.09	-0.635
1208	19.18	0.428	1258	20.09	-1.185	1308	21.22	-1.517	1358	22.11	-0.882
1209	19.20	-0.069	1259	20.10	-1.555	1309	21.26	-0.885	1359	22.13	-0.879
1210	19.21	-1.068	1260	20.11	-2.182	1310	21.29	-0.255	1360	22.14	-0.627
1211	19.23	-2.314	1261	20.13	-1.678	1311	21.31	0.373	1361	22.17	0.002
1212	19.25	-2.937	1262	20.15	-1.425	1312	21.33	0.126	1362	22.20	1.007
1213	19.26	-3.560	1263	20.18	-0.797	1313	21.34	0.377	1363	22.22	0.635
1214	19.27	-3.558	1264	20.20	-0.794	1314	21.35	-0.871	1364	22.25	0.014
1215	19.29	-2.930	1265	20.21	-0.792	1315	21.37	-1.243	1365	22.28	0.018
1216	19.30	-1.428	1266	20.23	-0.414	1316	21.39	-0.866	1366	22.30	0.646
1217	19.32	-0.426	1267	20.25	1.090	1317	21.40	-0.239	1367	22.31	0.899
1218	19.33	-1.048	1268	20.27	1.466	1318	21.42	0.014	1368	22.34	1.278
1219	19.38	0.833	1269	20.30	1.846	1319	21.43	0.765	1369	22.37	1.032
1220	19.40	0.212	1270	20.33	1.476	1320	21.44	1.267	1370	22.40	1.036
1221	19.44	0.592	1271	20.36	0.606	1321	21.45	0.144	1371	22.42	0.039
1222	19.47	-0.404	1272	20.39	0.235	1322	21.47	-0.477	1372	22.46	0.295
1223	19.49	-1.025	1273	20.42	-0.386	1323	21.50	-0.848	1373	22.50	0.676
1224	19.51	-1.022	1274	20.44	-1.633	1324	21.51	-1.097	1374	22.53	0.930
1225	19.53	-0.395	1275	20.45	-1.381	1325	21.53	-1.219	1375	22.55	0.934
1226	19.54	0.483	1276	20.47	-1.004	1326	21.56	-1.715	1376	22.56	1.061
1227	19.55	0.484	1277	20.49	-1.001	1327	21.58	-1.462	1377	22.57	0.437
1228	19.56	0.235	1278	20.51	-0.997	1328	21.60	-0.084	1378	22.60	-0.184
1229	19.57	1.112	1279	20.52	-1.245	1329	21.62	-0.081	1379	22.62	-0.556
1230	19.59	1.490	1280	20.54	-1.243	1330	21.63	0.921	1380	22.67	0.327
1231	19.60	0.616	1281	20.56	-1.365	1331	21.65	1.424	1381	22.71	0.333
1232	19.62	-0.756	1282	20.58	-0.362	1332	21.68	1.179	1382	22.75	0.088
1233	19.63	-1.003	1283	20.59	-0.360	1333	21.70	1.557	1383	22.80	0.095
1234	19.65	-0.126	1284	20.61	-0.108	1334	21.73	1.187	1384	22.84	0.101
1235	19.66	-0.374	1285	20.62	-0.606	1335	21.75	1.189	1385	22.86	0.105
1236	19.68	0.253	1286	20.64	-0.603	1336	21.77	0.941	1386	22.87	0.107
1237	19.70	0.507	1287	20.68	0.028	1337	21.79	0.320	1387	22.89	-0.140
1238	19.72	0.634	1288	20.71	0.283	1338	21.81	0.198	1388	22.91	-0.763
1239	19.75	0.014	1289	20.73	0.286	1339	21.84	-0.048	1389	22.93	-0.510
1240	19.77	-0.358	1290	20.74	-0.338	1340	21.86	0.205	1390	22.94	0.117
1241	19.78	-1.606	1291	20.76	-9.335	1341	21.87	1.208	1391	22.95	0.118
1242	19.81	-0.726	1292	20.77	-0.583	1342	21.88	0.958	1392	22.96	0.744
1243	19.84	-0.597	1293	20.79	-0.060	1343	21.89	0.336	1393	22.97	0.996
1244	19.87	-0.092	1294	20.81	-0.327	1344	21.91	-0.038	1394	22.98	0.748
1245	19.91	0.538	1295	20.82	-0.076	1345	21.92	-0.910	1395	23.00	0.501
1246	19.92	0.915	1296	20.85	-0.572	1346	21.93	-0.909	1396	23.03	-0.494
1247	19.95	1.169	1297	20.89	0.310	1347	21.95	-1.281	1397	23.05	-0.491
1248	19.96	0.046	1298	20.92	0.938	1348	21.96	-1.904	1398	23.06	-0.490
1249	19.98	-0.327	1299	20.94	0.961	1349	21.97	-1.902	1399	23.08	-0.737
1250	19.99	0.676	1300	20.96	0.944	1350	21.98	-1.651	1400	23.10	-0.485

INDEX NO. 779 104-GR-39 SHINTONEGAWA BR. U-D MAX.ACCEL.= -6.267(GAL) T= 4.45(SEC) NO. 8

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1401	23.11	0.142	1451	24.17	0.299	1501	25.32	-0.156	1551	26.49	-0.356
1402	23.12	-0.106	1452	24.20	0.554	1502	25.34	-0.153	1552	26.50	-0.229
1403	23.15	-0.727	1453	24.22	0.307	1503	25.35	0.474	1553	26.55	0.653
1404	23.16	-0.476	1454	24.25	0.311	1504	25.36	0.476	1554	26.59	0.908
1405	23.17	0.151	1455	24.26	0.563	1505	25.39	-0.770	1555	26.60	1.286
1406	23.20	0.780	1456	24.29	0.567	1506	25.41	-1.017	1556	26.64	0.417
1407	23.22	0.534	1457	24.32	-0.929	1507	25.43	-1.014	1557	26.68	0.047
1408	23.24	-0.463	1458	24.34	-0.925	1508	25.45	-0.511	1558	26.72	0.054
1409	23.25	0.162	1459	24.36	-0.297	1509	25.47	0.867	1559	26.73	0.055
1410	23.26	-1.085	1460	24.37	0.078	1510	25.51	0.748	1560	26.76	0.309
1411	23.28	-1.082	1461	24.39	0.082	1511	25.57	0.506	1561	26.77	0.686
1412	23.29	-0.456	1462	24.42	0.587	1512	25.62	0.264	1562	26.79	0.439
1413	23.31	0.172	1463	24.47	0.593	1513	25.67	0.771	1563	26.81	-0.183
1414	23.32	-1.077	1464	24.49	0.971	1514	25.68	0.898	1564	26.83	-0.181
1415	23.34	0.801	1465	24.51	0.975	1515	25.70	0.526	1565	26.87	0.075
1416	23.35	0.428	1466	24.54	0.353	1516	25.71	0.278	1566	26.88	0.702
1417	23.37	1.430	1467	24.55	0.355	1517	25.72	0.779	1567	26.91	0.957
1418	23.38	0.807	1468	24.56	0.357	1518	25.75	0.908	1568	26.96	1.588
1419	23.40	0.185	1469	24.59	-0.263	1519	25.77	0.537	1569	27.00	1.595
1420	23.41	-0.064	1470	24.61	-0.010	1520	25.81	-0.707	1570	27.03	1.599
1421	23.43	-0.811	1471	24.62	0.366	1521	25.84	-0.704	1571	27.07	1.355
1422	23.45	0.193	1472	24.63	0.367	1522	25.87	-0.699	1572	27.10	1.109
1423	23.49	-0.176	1473	24.66	-0.254	1523	25.88	-0.072	1573	27.12	0.738
1424	23.53	-0.671	1474	24.67	-0.002	1524	25.90	0.181	1574	27.13	0.738
1425	23.56	-0.416	1475	24.71	0.628	1525	25.91	0.183	1575	27.15	0.741
1426	23.59	0.463	1476	24.72	1.005	1526	25.92	0.809	1576	27.16	0.993
1427	23.61	0.841	1477	24.73	1.257	1527	25.95	1.188	1577	27.17	1.370
1428	23.64	0.596	1478	24.74	1.384	1528	25.96	0.940	1578	27.19	1.373
1429	23.68	-0.023	1479	24.76	1.887	1529	25.98	-0.057	1579	27.22	1.377
1430	23.72	-0.642	1480	24.77	1.013	1530	26.02	0.199	1580	27.26	0.508
1431	23.74	-0.389	1481	24.78	1.389	1531	26.05	-0.297	1581	27.29	0.137
1432	23.77	-0.134	1482	24.81	1.268	1532	26.07	-0.669	1582	27.31	0.765
1433	23.80	0.244	1483	24.82	1.020	1533	26.09	-0.666	1583	27.33	0.518
1434	23.81	0.246	1484	24.85	1.025	1534	26.12	-0.036	1584	27.34	0.146
1435	23.85	0.877	1485	24.87	0.152	1535	26.16	-0.281	1585	27.37	0.150
1436	23.86	1.129	1486	24.88	-0.220	1536	26.17	0.596	1586	27.39	-0.098
1437	23.89	1.757	1487	24.91	-0.216	1537	26.19	0.598	1587	27.40	1.029
1438	23.90	0.885	1488	24.95	-0.211	1538	26.20	0.600	1588	27.43	1.408
1439	23.92	0.263	1489	24.96	0.867	1539	26.22	-0.021	1589	27.46	0.787
1440	23.94	0.016	1490	24.99	1.046	1540	26.24	-0.269	1590	27.49	0.167
1441	23.96	0.268	1491	25.03	0.426	1541	26.26	-0.641	1591	27.52	-0.454
1442	23.98	0.521	1492	25.06	0.056	1542	26.29	-0.887	1592	27.55	0.176
1443	24.00	0.523	1493	25.10	0.061	1543	26.30	-0.884	1593	27.57	0.429
1444	24.02	0.901	1494	25.14	0.442	1544	26.33	-0.004	1594	27.60	0.183
1445	24.04	1.279	1495	25.15	-0.180	1545	26.36	0.001	1595	27.63	-0.062
1446	24.06	0.657	1496	25.17	0.072	1546	26.38	0.253	1596	27.64	-0.435
1447	24.08	0.285	1497	25.19	-0.175	1547	26.40	0.255	1597	27.65	-0.434
1448	24.09	0.287	1498	25.23	0.205	1548	26.42	0.009	1598	27.66	0.192
1449	24.12	-0.332	1499	25.26	-0.788	1549	26.44	-0.238	1599	27.67	0.819
1450	24.14	-0.080	1500	25.30	-0.159	1550	26.47	-0.609	1600	27.68	0.570

INDEX NO. 779 104-GR-39 SHINTONEGAWA BR. U-D MAX.ACCEL.= -6.267(GAL) T= 4.45(SEC) NO. 9

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1601	27.69	0.821	1651	28.97	-0.863
1602	27.70	0.823	1652	29.01	-0.232
1603	27.72	0.826	1653	29.04	0.397
1604	27.75	1.080	1654	29.07	1.652
1605	27.76	1.082	1655	29.08	1.653
1606	27.78	0.584	1656	29.10	1.906
1607	27.79	0.211	1657	29.12	1.660
1608	27.82	-0.410	1658	29.14	1.411
1609	27.83	-0.658	1659	29.17	0.792
1610	27.86	-0.403	1660	29.20	0.421
1611	27.89	0.226	1661	29.24	0.427
1612	27.93	0.481	1662	29.28	0.683
1613	27.95	0.485	1663	29.32	1.314
1614	27.99	0.866	1664	29.36	1.070
1615	28.03	1.121	1665	29.42	1.080
1616	28.05	0.624	1666	29.47	1.086
1617	28.07	0.253	1667	29.50	0.216
1618	28.09	-0.120	1668	29.52	0.470
1619	28.10	-0.118	1669	29.53	1.096
1620	28.11	0.009	1670	29.56	1.099
1621	28.13	0.886	1671	29.63	1.110
1622	28.15	1.139	1672	29.67	1.117
1623	28.18	1.094	1673	29.69	1.368
1624	28.21	1.523	1674	29.71	1.122
1625	28.24	1.152	1675	29.75	0.879
1626	28.27	0.657	1676	29.78	0.258
1627	28.30	1.161	1677	29.85	0.268
1628	28.36	0.546	1678	29.92	0.779
1629	28.40	0.927	1679	29.94	1.158
1630	28.46	0.685	1680	29.97	1.412
1631	28.48	0.689	1681	29.99	1.164
1632	28.50	0.692			
1633	28.53	1.196			
1634	28.58	1.328			
1635	28.59	1.330			
1636	28.61	1.583			
1637	28.63	1.960			
1638	28.66	2.215			
1639	28.67	1.967			
1640	28.68	0.969			
1641	28.74	0.102			
1642	28.76	0.731			
1643	28.79	0.360			
1644	28.83	1.241			
1645	28.85	1.619			
1646	28.87	0.997			
1647	28.89	0.749			
1648	28.91	0.128			
1649	28.93	-0.244			
1650	28.95	-0.867			

Table IX D-6 Digitized Accelerations of Earthquake Record with Index Number 780

INDEX NO. 780 104-GR-39 SHINTONEGAWA BR. LG. MAX.ACCEL.= -9.621(GAL) T= 9.80(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.05	-0.923	51	1.25	-0.653	101	3.03	-1.418	151	5.10	1.612
2	0.10	-1.760	52	1.26	-0.017	102	3.10	-1.995	152	5.12	-0.867
3	0.12	-1.120	53	1.27	0.615	103	3.17	-1.693	153	5.18	-2.327
4	0.15	-0.849	54	1.28	0.620	104	3.21	0.209	154	5.19	-0.819
5	0.16	-0.839	55	1.29	0.382	105	3.24	2.737	155	5.22	-3.300
6	0.18	-0.580	56	1.32	0.405	106	3.34	-0.946	156	5.26	2.985
7	0.20	-1.441	57	1.34	-0.831	107	3.38	-0.038	157	5.28	0.500
8	0.23	-2.293	58	1.37	-2.436	108	3.42	-1.134	158	5.31	-1.606
9	0.24	-2.281	59	1.39	-3.091	109	3.44	-1.120	159	5.35	-1.703
10	0.26	-2.270	60	1.48	0.774	110	3.45	-0.608	160	5.37	-0.058
11	0.27	-2.011	61	1.55	-2.295	111	3.52	1.062	161	5.40	-0.916
12	0.28	-1.382	62	1.62	1.510	112	3.55	1.085	162	5.42	0.854
13	0.29	-1.125	63	1.76	-4.255	113	3.60	-0.754	163	5.46	-1.867
14	0.31	0.270	64	1.79	-3.111	114	3.66	-0.708	164	5.48	2.274
15	0.34	0.918	65	1.81	-1.465	115	3.69	0.191	165	5.51	-1.831
16	0.35	0.296	66	1.83	0.428	116	3.71	1.208	166	5.59	-1.396
17	0.36	-0.071	67	1.85	0.687	117	3.73	0.969	167	5.60	0.113
18	0.42	-2.529	68	1.86	1.075	118	3.75	0.356	168	5.64	-1.487
19	0.44	-2.764	69	1.88	0.862	119	3.78	-1.620	169	5.67	0.409
20	0.45	-2.755	70	1.99	-1.325	120	3.80	-1.604	170	5.69	-0.071
21	0.46	-2.498	71	2.05	-1.531	121	3.82	-1.842	171	5.70	-0.441
22	0.47	-2.861	72	2.07	-1.263	122	3.85	-0.942	172	5.74	-3.534
23	0.49	-1.851	73	2.12	0.896	123	3.87	1.325	173	5.79	-3.501
24	0.50	-1.217	74	2.17	-2.439	124	3.90	-0.283	174	5.83	0.660
25	0.51	-1.209	75	2.20	-0.543	125	3.95	-1.123	175	5.86	2.180
26	0.53	-2.444	76	2.23	-2.394	126	3.99	-0.843	176	5.87	2.184
27	0.55	-0.555	77	2.26	-2.371	127	4.07	-1.631	177	5.89	0.328
28	0.57	0.710	78	2.30	-1.093	128	4.10	-0.329	178	5.96	-7.244
29	0.58	0.714	79	2.33	0.181	129	4.15	0.228	179	5.98	-6.985
30	0.61	-0.262	80	2.34	1.813	130	4.23	0.088	180	5.99	-6.349
31	0.69	-2.576	81	2.35	1.196	131	4.31	-1.475	181	6.00	-4.466
32	0.73	-1.946	82	2.37	-0.043	132	4.33	1.040	182	6.01	-2.832
33	0.75	-0.155	83	2.44	-3.114	133	4.39	-3.290	183	6.04	+0.313
34	0.77	0.860	84	2.48	-0.580	134	4.42	0.232	184	6.05	1.069
35	0.78	0.865	85	2.55	-2.408	135	4.47	-3.854	185	6.07	1.709
36	0.80	0.002	86	2.56	-1.897	136	4.49	1.407	186	6.08	2.345
37	0.81	-0.616	87	2.59	-1.252	137	4.54	-1.925	187	6.10	2.735
38	0.85	-1.956	88	2.60	-0.244	138	4.61	0.247	188	6.11	2.739
39	0.91	-1.161	89	2.62	0.648	139	4.64	+1.476	189	6.15	2.145
40	0.94	+0.895	90	2.64	1.290	140	4.68	2.551	190	6.18	1.290
41	0.97	-0.871	91	2.65	2.296	141	4.78	+3.997	191	6.19	0.801
42	0.99	-0.858	92	2.73	-1.646	142	4.80	1.768	192	6.21	0.185
43	1.02	-1.459	93	2.75	-2.253	143	4.85	+1.701	193	6.22	1.199
44	1.03	-2.077	94	2.79	-2.350	144	4.99	1.712	194	6.24	-3.161
45	1.05	-0.809	95	2.84	0.190	145	4.91	+2.028	195	6.25	-3.784
46	1.06	+0.549	96	2.86	2.076	146	4.94	0.873	196	6.26	+4.774
47	1.08	-0.159	97	2.87	1.213	147	4.98	+4.351	197	6.28	-3.136
48	1.11	-0.135	98	2.90	0.361	148	5.01	-0.331	198	6.29	0.875
49	1.18	+3.204	99	2.94	-0.238	149	5.02	-1.819	199	6.30	1.884
50	1.20	-4.069	100	2.98	-0.582	150	5.08	-1.274	200	6.31	-1.235

INDEX NO. 780 104-GR-39 SHINTONEGAWA BR. LG. MAX.ACCEL.= -9.621(GAL) T= 9.80(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	6.33	-5.593	251	7.20	-1.620	301	8.66	0.544	351	10.43	-4.517
202	6.34	-6.966	252	7.25	0.971	302	8.69	0.550	352	10.44	-4.761
203	6.35	-7.267	253	7.30	7.505	303	8.74	-4.283	353	10.45	-4.253
204	6.37	-1.565	254	7.34	-1.710	304	8.79	3.380	354	10.50	1.540
205	6.38	-0.665	255	7.35	-1.956	305	8.80	4.006	355	10.51	2.422
206	6.39	-0.301	256	7.36	-2.572	306	8.82	3.771	356	10.53	3.062
207	6.40	-1.545	257	7.38	-2.307	307	8.86	1.301	357	10.55	2.197
208	6.41	-4.040	258	7.41	0.469	308	8.89	2.201	358	10.58	-0.652
209	6.42	-6.528	259	7.46	-3.247	309	8.92	1.095	359	10.63	-6.486
210	6.43	-7.150	260	7.51	-7.331	310	8.96	3.628	360	10.64	-7.105
211	6.44	-7.511	261	7.54	-3.310	311	8.98	2.390	361	10.66	-7.719
212	6.45	-6.632	262	7.55	-1.068	312	8.99	1.398	362	10.67	-7.212
213	6.47	-3.492	263	7.57	0.839	313	9.00	1.158	363	10.70	0.315
214	6.51	-1.840	264	7.58	1.095	314	9.02	-0.082	364	10.71	1.567
215	6.53	2.679	265	7.60	0.236	315	9.08	-5.533	365	10.72	2.200
216	6.54	4.312	266	7.61	-1.003	316	9.13	-1.748	366	10.77	2.614
217	6.57	-1.917	267	7.65	-5.351	317	9.19	-1.698	367	10.78	2.623
218	6.58	-3.909	268	7.70	-0.936	318	9.21	-2.312	368	10.82	-4.218
219	6.59	-6.149	269	7.75	-4.024	319	9.22	-3.555	369	10.83	-4.215
220	6.60	-7.020	270	7.80	3.641	320	9.23	-5.047	370	10.84	-4.459
221	6.62	-6.755	271	7.81	4.526	321	9.24	-6.667	371	10.85	-3.947
222	6.63	-4.874	272	7.82	4.531	322	9.25	-7.534	372	10.87	-2.305
223	6.66	-4.653	273	7.83	3.666	323	9.26	-7.520	373	10.91	0.221
224	6.68	-4.637	274	7.86	2.064	324	9.27	-6.637	374	10.98	3.399
225	6.71	4.066	275	7.88	0.956	325	9.35	3.296	375	10.99	3.655
226	6.73	2.827	276	7.93	0.618	326	9.37	3.306	376	11.00	4.041
227	6.76	4.723	277	7.94	0.877	327	9.38	4.194	377	11.01	3.425
228	6.77	3.860	278	7.97	4.396	328	9.39	5.449	378	11.02	2.806
229	6.78	2.614	279	8.03	-2.684	329	9.47	-0.865	379	11.05	-0.546
230	6.82	-5.981	280	8.05	-0.167	330	9.61	4.364	380	11.06	-0.911
231	6.83	-6.600	281	8.12	-2.499	331	9.67	-2.212	381	11.08	0.354
232	6.84	-7.467	282	8.15	-0.346	332	9.72	2.073	382	11.11	2.004
233	6.85	-7.460	283	8.19	2.186	333	9.74	-0.666	383	11.13	1.392
234	6.87	-6.946	284	8.23	4.341	334	9.77	-7.887	384	11.16	-1.212
235	6.88	-4.683	285	8.27	-1.629	335	9.79	-8.753	385	11.17	-1.704
236	6.90	-3.171	286	8.28	-1.621	336	9.80	-9.621	386	11.18	-2.069
237	6.91	-0.915	287	8.31	-2.473	337	9.92	2.594	387	11.19	-2.513
238	6.92	2.344	288	8.35	-0.196	338	9.97	-1.365	388	11.20	-2.308
239	6.94	3.605	289	8.36	-0.565	339	10.00	2.282	389	11.21	-2.300
240	6.98	4.261	290	8.38	-7.924	340	10.03	0.807	390	11.28	0.132
241	6.99	4.269	291	8.44	-0.383	341	10.05	0.819	391	11.29	0.136
242	7.02	1.167	292	8.48	-4.350	342	10.06	0.828	392	11.34	-1.700
243	7.04	-2.568	293	8.49	-4.721	343	10.07	0.586	393	11.40	-1.525
244	7.05	-2.810	294	8.50	-4.463	344	10.11	-1.631	394	11.42	-0.010
245	7.10	0.852	295	8.54	3.195	345	10.21	-4.284	395	11.48	-0.967
246	7.13	-1.250	296	8.55	2.573	346	10.27	4.484	396	11.52	-1.810
247	7.14	-1.866	297	8.57	0.216	347	10.30	3.013	397	11.54	-0.545
248	7.16	-3.975	298	8.61	1.123	348	10.34	3.412	398	11.57	-3.020
249	7.17	-3.466	299	8.64	1.133	349	10.36	2.430	399	11.61	0.386
250	7.18	-2.456	300	8.65	0.276	350	10.38	1.193	400	11.62	1.015

INDEX NO. 780 104-GR-39 SHINTONEGAWA BR. LG. MAX.ACCEL.= -9.621(GAL) T= 9.80(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	11.63	2.649	451	12.68	2.811	501	14.09	-3.025	551	15.27	-5.503
402	11.67	-2.320	452	12.72	-1.159	502	14.11	-2.131	552	15.30	-5.231
403	11.68	-3.564	453	12.74	-2.768	503	14.16	3.279	553	15.33	-3.330
404	11.69	-3.806	454	12.81	1.282	504	14.17	4.161	554	15.36	-1.431
405	11.73	0.475	455	12.82	2.290	505	14.18	4.294	555	15.49	3.292
406	11.74	1.107	456	12.84	2.558	506	14.19	3.677	556	15.51	3.431
407	11.77	1.878	457	12.85	2.561	507	14.20	2.685	557	15.55	1.467
408	11.83	4.302	458	12.86	1.445	508	14.24	-1.656	558	15.57	1.858
409	11.84	4.312	459	12.92	-5.133	509	14.26	-2.518	559	15.59	1.873
410	11.85	3.816	460	12.94	-5.124	510	14.28	-2.506	560	15.61	0.638
411	11.89	-3.649	461	12.95	-5.364	511	14.30	-1.867	561	15.65	-2.081
412	11.90	-5.519	462	12.97	-3.852	512	14.32	1.152	562	15.69	-3.678
413	11.91	-6.759	463	13.00	-0.705	513	14.33	2.786	563	15.71	-3.040
414	11.92	-6.879	464	13.02	0.185	514	14.34	4.042	564	15.73	-3.025
415	11.93	-5.243	465	13.03	0.192	515	14.35	4.051	565	15.74	-2.391
416	11.95	-3.353	466	13.04	-0.295	516	14.36	4.055	566	15.76	-2.376
417	11.96	-2.722	467	13.09	-3.384	517	14.38	2.573	567	15.79	0.774
418	11.98	-1.207	468	13.11	-3.993	518	14.41	-2.153	568	15.80	1.403
419	12.01	0.693	469	13.12	-3.737	519	14.42	-2.145	569	15.81	1.865
420	12.04	0.460	470	13.18	-1.816	520	14.47	-4.237	570	15.82	1.671
421	12.05	0.474	471	13.23	0.965	521	14.49	-4.597	571	15.84	0.184
422	12.09	0.250	472	13.25	2.229	522	14.50	-3.964	572	15.86	-2.545
423	12.14	-0.965	473	13.28	4.130	523	14.53	0.184	573	15.88	-3.783
424	12.15	-0.707	474	13.30	3.842	524	14.54	1.321	574	15.89	-4.777
425	12.16	-0.896	475	13.32	3.035	525	14.55	1.933	575	15.90	-5.020
426	12.19	-0.051	476	13.35	2.053	526	14.57	2.338	576	15.91	-4.758
427	12.20	0.831	477	13.37	0.832	527	14.68	0.549	577	15.92	-3.873
428	12.22	1.048	478	13.40	-1.935	528	14.70	1.436	578	15.97	0.909
429	12.23	2.729	479	13.49	1.159	529	14.74	-0.908	579	15.98	0.916
430	12.24	2.734	480	13.54	0.694	530	14.75	-0.901	580	16.00	2.188
431	12.28	-2.486	481	13.56	0.712	531	14.80	0.614	581	16.01	2.821
432	12.29	-2.731	482	13.58	0.347	532	14.90	-1.538	582	16.02	2.576
433	12.32	-4.330	483	13.60	-1.135	533	14.92	-1.305	583	16.04	1.961
434	12.33	-4.321	484	13.64	-2.482	534	14.94	-0.880	584	16.06	0.730
435	12.37	-3.016	485	13.69	-0.566	535	14.96	0.384	585	16.11	-1.488
436	12.39	-3.030	486	13.73	0.460	536	14.99	2.660	586	16.18	2.945
437	12.40	-1.521	487	13.75	1.102	537	15.00	2.864	587	16.20	2.332
438	12.43	3.001	488	13.77	0.489	538	15.01	1.799	588	16.22	2.096
439	12.44	4.512	489	13.87	-3.815	539	15.02	0.808	589	16.23	0.482
440	12.45	5.142	490	13.89	-4.419	540	15.05	-2.919	590	16.26	-2.620
441	12.47	5.606	491	13.91	-4.612	541	15.06	-3.784	591	16.28	-3.235
442	12.49	4.264	492	13.92	-3.529	542	15.07	-4.154	592	16.29	-2.975
443	12.52	-2.304	493	13.95	0.099	543	15.08	-4.147	593	16.32	-3.205
444	12.53	-2.551	494	13.96	1.506	544	15.09	-3.514	594	16.37	-2.292
445	12.54	-3.789	495	13.97	1.512	545	15.17	1.173	595	16.38	-1.697
446	12.56	-4.156	496	13.99	1.025	546	15.18	2.181	596	16.44	-1.242
447	12.57	-3.267	497	14.02	0.675	547	15.19	2.441	597	16.45	-1.236
448	12.58	-2.281	498	14.04	0.438	548	15.20	1.945	598	16.50	1.300
449	12.65	3.042	499	14.06	-1.172	549	15.21	0.707	599	16.51	1.139
450	12.67	3.092	500	14.08	-2.410	550	15.25	-4.263	600	16.58	0.887

土木構造物における加速度強震記録（No. 9）

INDEX NO. 780 104-GR-39 SHINTONEGAWA BR. LG. MAX.ACCEL.= -9.621(GAL) T= 9.80(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	16.60	-0.035	651	17.36	3.694	701	18.11	1.588	751	18.81	1.052
602	16.62	-0.694	652	17.38	4.543	702	18.13	1.552	752	18.83	1.761
603	16.63	-1.346	653	17.39	4.899	703	18.14	0.902	753	18.86	0.707
604	16.64	-1.360	654	17.40	4.879	704	18.15	-0.381	754	18.87	0.683
605	16.66	0.090	655	17.41	4.852	705	18.17	-1.032	755	18.88	0.902
606	16.69	2.528	656	17.44	2.910	706	18.18	-1.313	756	18.90	1.246
607	16.71	3.127	657	17.46	1.008	707	18.19	-1.952	757	18.92	1.460
608	16.72	3.731	658	17.47	-0.272	708	18.20	-1.979	758	18.93	2.058
609	16.73	4.575	659	17.48	-0.911	709	18.22	-2.011	759	18.94	2.048
610	16.74	4.555	660	17.49	-0.940	710	18.23	-1.542	760	18.95	2.017
611	16.77	3.258	661	17.50	-0.961	711	18.25	1.052	761	18.97	1.986
612	16.79	1.655	662	17.51	-0.977	712	18.26	1.281	762	18.98	1.716
613	16.83	-2.735	663	17.52	-0.377	713	18.27	2.146	763	18.99	1.437
614	16.84	-4.024	664	17.54	0.226	714	18.28	1.873	764	19.01	1.406
615	16.85	-4.284	665	17.55	0.447	715	18.29	1.213	765	19.02	1.636
616	16.86	-5.684	666	17.56	0.799	716	18.32	0.916	766	19.03	0.730
617	16.87	-5.319	667	17.58	0.758	717	18.33	0.261	767	19.04	0.331
618	16.89	-3.735	668	17.61	0.457	718	18.35	0.228	768	19.05	0.306
619	16.91	-2.028	669	17.63	-0.215	719	18.38	0.412	769	19.08	0.511
620	16.92	-1.059	670	17.64	-0.606	720	18.39	0.386	770	19.09	1.101
621	16.94	-0.461	671	17.65	+1.251	721	18.41	0.359	771	19.11	2.062
622	16.95	-0.235	672	17.66	+2.776	722	18.42	0.957	772	19.12	2.298
623	16.97	-0.149	673	17.67	+2.792	723	18.43	1.193	773	19.13	2.652
624	16.98	-0.799	674	17.70	+2.596	724	18.44	3.412	774	19.14	2.011
625	17.00	-1.450	675	17.71	+2.610	725	18.45	3.402	775	19.15	0.730
626	17.01	-1.846	676	17.72	+1.766	726	18.46	3.385	776	19.16	-0.169
627	17.02	-2.116	677	17.74	-0.803	727	18.48	3.349	777	19.18	-0.198
628	17.03	-2.766	678	17.75	+0.204	728	18.49	2.068	778	19.19	-1.233
629	17.05	-2.555	679	17.78	0.373	729	18.51	0.787	779	19.22	-1.534
630	17.09	-2.006	680	17.79	0.974	730	18.52	0.761	780	19.24	-2.198
631	17.10	-1.414	681	17.80	1.207	731	18.53	0.734	781	19.26	-2.233
632	17.11	-1.436	682	17.81	2.432	732	18.55	0.454	782	19.27	-1.759
633	17.12	-1.205	683	17.82	2.160	733	18.57	0.042	783	19.28	-1.159
634	17.13	-1.225	684	17.83	2.389	734	18.58	-0.239	784	19.29	-0.561
635	17.15	-1.256	685	17.85	2.103	735	18.60	-0.282	785	19.30	0.042
636	17.17	-1.295	686	17.88	1.801	736	18.61	+0.682	786	19.32	1.011
637	17.18	-1.826	687	17.89	1.394	737	18.63	-0.708	787	19.33	0.736
638	17.19	-2.221	688	17.91	0.488	738	18.64	-0.729	788	19.34	0.335
639	17.20	-2.485	689	17.92	-1.167	739	18.65	+0.753	789	19.38	0.267
640	17.21	-2.876	690	17.94	-2.067	740	18.67	-0.792	790	19.40	-1.024
641	17.22	-3.153	691	17.95	-3.345	741	18.68	-0.817	791	19.41	-2.319
642	17.23	-2.923	692	17.97	-4.390	742	18.69	+1.083	792	19.42	-2.954
643	17.24	-1.694	693	17.98	-4.157	743	18.70	-1.097	793	19.44	-1.488
644	17.26	-0.860	694	18.00	-3.813	744	18.71	-1.739	794	19.45	+0.259
645	17.28	0.103	695	18.02	-2.812	745	18.72	+1.760	795	19.48	0.314
646	17.29	0.088	696	18.04	-0.772	746	18.73	-1.782	796	19.49	0.907
647	17.30	0.066	697	18.05	0.078	747	18.75	+1.587	797	19.51	1.501
648	17.31	0.924	698	18.06	1.308	748	18.77	-0.739	798	19.53	2.085
649	17.32	2.154	699	18.07	1.287	749	18.78	0.486	799	19.55	2.027
650	17.33	2.504	700	18.09	1.244	750	18.79	0.463	800	19.57	1.986

INDEX NO. 780 104-GR-39 SHINTONEGAWA BR. LG. MAX.ACCEL.= -9.621(GAL) T= 9.80(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	19.59	1.956	851	20.62	1.258	901	21.66	1.671	951	22.80	2.396
802	19.61	1.665	852	20.64	1.273	902	21.72	-3.412	952	22.82	2.408
803	19.63	1.372	853	20.65	0.653	903	21.73	-4.277	953	22.83	2.167
804	19.64	0.720	854	20.66	0.039	904	21.74	-4.268	954	22.92	-0.264
805	19.65	0.949	855	20.69	-1.818	905	21.76	-4.004	955	22.95	-0.866
806	19.67	2.173	856	20.71	-4.674	906	21.78	-2.367	956	22.97	-0.850
807	19.68	3.279	857	20.73	-4.408	907	21.79	-1.733	957	22.99	0.790
808	19.69	2.872	858	20.77	-3.384	908	21.83	2.427	958	23.01	0.805
809	19.71	2.585	859	20.78	-1.870	909	21.84	3.183	959	23.04	-0.176
810	19.75	1.261	860	20.80	-0.611	910	21.85	3.690	960	23.06	-0.406
811	19.76	1.230	861	20.82	1.287	911	21.87	3.705	961	23.08	0.483
812	19.78	0.165	862	20.83	1.294	912	21.92	0.119	962	23.10	0.746
813	19.80	-0.480	863	20.85	1.052	913	21.94	0.380	963	23.11	1.382
814	19.82	+1.138	864	20.88	-0.171	914	21.95	0.639	964	23.14	1.779
815	19.83	-1.155	865	20.91	-1.776	915	22.02	1.691	965	23.15	2.033
816	19.84	-1.179	866	20.92	-2.013	916	22.06	1.974	966	23.16	2.044
817	19.85	-1.210	867	20.93	-2.005	917	22.11	1.505	967	23.18	2.684
818	19.87	-0.630	868	20.95	-1.496	918	22.14	1.528	968	23.19	2.692
819	19.89	-1.556	869	20.96	-0.485	919	22.15	0.912	969	23.20	2.446
820	19.92	-0.529	870	20.98	-0.220	920	22.17	1.426	970	23.22	2.211
821	19.93	0.102	871	20.99	0.416	921	22.22	0.967	971	23.27	+1.498
822	19.95	1.388	872	21.01	0.806	922	22.24	-0.843	972	23.28	+2.112
823	20.00	+0.716	873	21.06	1.464	923	22.26	+0.834	973	23.30	+2.474
824	20.02	-0.701	874	21.08	2.478	924	22.28	0.000	974	23.34	+3.320
825	20.05	-0.679	875	21.09	2.989	925	22.30	-0.851	975	23.48	-0.213
826	20.07	0.207	876	21.10	2.743	926	22.32	-0.588	976	23.50	-0.448
827	20.15	+2.231	877	21.12	2.139	927	22.33	-1.826	977	23.55	-1.913
828	20.19	0.084	878	21.14	1.902	928	22.36	+3.553	978	23.62	1.516
829	20.22	0.571	879	21.17	0.672	929	22.39	+3.159	979	23.64	0.607
830	20.24	1.211	880	21.20	-0.925	930	22.43	-2.880	980	23.69	-0.551
831	20.26	0.978	881	21.22	-1.538	931	22.46	-2.234	981	23.73	-1.522
832	20.28	2.242	882	21.23	-1.531	932	22.49	+2.462	982	23.77	-2.118
833	20.30	2.007	883	21.28	-1.010	933	22.53	+2.182	983	23.81	0.414
834	20.31	2.019	884	21.29	-1.018	934	22.54	-1.796	984	23.83	0.677
835	20.33	1.407	885	21.30	-1.023	935	22.55	-1.163	985	23.86	0.454
836	20.35	0.800	886	21.32	-0.411	936	22.57	0.100	986	23.88	0.715
837	20.37	0.440	887	21.35	+0.813	937	22.59	1.368	987	23.89	1.101
838	20.39	1.076	888	21.37	+2.046	938	22.60	1.375	988	24.00	2.434
839	20.41	1.967	889	21.38	+1.791	939	22.62	1.365	989	24.02	3.074
840	20.43	2.962	890	21.39	+2.282	940	22.63	1.391	990	24.03	2.211
841	20.44	3.240	891	21.40	+2.279	941	22.64	0.779	991	24.09	+0.375
842	20.45	3.628	892	21.43	+2.258	942	22.66	0.539	992	24.16	+0.824
843	20.47	2.785	893	21.44	+1.746	943	22.68	0.185	993	24.18	+0.558
844	20.49	1.530	894	21.47	+0.350	944	22.70	+0.053	994	24.21	+0.284
845	20.52	+0.698	895	21.54	-2.298	945	22.72	+0.042	995	24.24	0.737
846	20.54	+1.932	896	21.55	-2.165	946	22.73	0.219	996	24.26	1.373
847	20.55	+1.920	897	21.61	+0.372	947	22.74	0.476	997	24.28	0.765
848	20.57	+1.909	898	21.62	0.263	948	22.75	1.112	998	24.31	+0.087
849	20.59	+1.914	899	21.64	1.530	949	22.77	2.127	999	24.35	+0.435
850	20.61	0.822	900	21.65	1.909	950	22.79	2.386	1000	24.37	+1.044

INDEX NO. 780 104-GR-39 SHINTONEGAWA BR. LG. MAX.ACCEL.= -9.621(GAL) T= 9.80(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	24.39	-0.783	1051	26.19	2.602	1101	27.80	2.128	1151	29.37	-0.189
1002	24.40	-1.273	1052	26.20	2.559	1102	27.86	-0.705	1152	29.40	0.208
1003	24.42	-1.881	1053	26.25	-0.530	1103	27.90	-0.926	1153	29.43	0.227
1004	24.45	-2.489	1054	26.27	-1.766	1104	27.91	-0.665	1154	29.46	-0.378
1005	24.46	-2.481	1055	26.28	-1.756	1105	27.93	-0.024	1155	29.48	-0.359
1006	24.53	-1.807	1056	26.37	2.057	1106	27.98	2.885	1156	29.50	-0.097
1007	24.55	-2.165	1057	26.39	2.326	1107	27.99	3.145	1157	29.52	0.920
1008	24.59	-2.384	1058	26.42	1.471	1108	28.01	2.910	1158	29.53	1.181
1009	24.64	-1.845	1059	26.48	-2.609	1109	28.03	2.670	1159	29.55	1.817
1010	24.67	-0.825	1060	26.53	-0.073	1110	28.06	0.822	1160	29.56	2.199
1011	24.77	1.748	1061	26.55	-0.054	1111	28.09	0.090	1161	29.58	1.964
1012	24.81	2.024	1062	26.61	-0.008	1112	28.13	0.500	1162	29.60	0.733
1013	24.88	2.452	1063	26.63	0.251	1113	28.16	1.520	1163	29.62	0.749
1014	24.92	2.720	1064	26.68	0.044	1114	28.18	1.785	1164	29.65	0.018
1015	24.95	2.253	1065	26.71	-0.311	1115	28.20	1.799	1165	29.69	1.299
1016	25.01	2.172	1066	26.75	-0.282	1116	28.21	1.811	1166	29.71	1.693
1017	25.09	-0.772	1067	26.78	0.356	1117	28.23	1.197	1167	29.73	2.332
1018	25.17	-0.459	1068	26.81	0.764	1118	28.27	-0.018	1168	29.76	2.100
1019	25.26	-3.520	1069	26.83	1.400	1119	28.33	0.645	1169	29.80	1.131
1020	25.29	-4.124	1070	26.84	2.035	1120	28.34	1.283	1170	29.82	-0.109
1021	25.30	-3.866	1071	26.85	2.043	1121	28.35	1.291	1171	29.85	-0.081
1022	25.36	0.308	1072	26.87	1.434	1122	28.43	-2.399	1172	29.86	0.806
1023	25.37	0.567	1073	26.90	0.833	1123	28.45	-2.387	1173	29.88	0.820
1024	25.40	1.208	1074	26.96	0.671	1124	28.47	-1.996			
1025	25.41	1.219	1075	27.01	0.911	1125	28.63	0.875			
1026	25.53	1.685	1076	27.04	1.561	1126	28.65	2.161			
1027	25.55	1.696	1077	27.06	1.572	1127	28.68	1.910			
1028	25.57	1.713	1078	27.13	0.373	1128	28.69	2.171			
1029	25.60	1.108	1079	27.22	2.317	1129	28.71	2.434			
1030	25.63	-0.369	1080	27.24	2.957	1130	28.73	2.822			
1031	25.65	-1.600	1081	27.27	2.358	1131	28.74	2.585			
1032	25.69	-3.196	1082	27.32	-0.485	1132	28.81	-0.242			
1033	25.70	-2.313	1083	27.34	-0.463	1133	28.83	-0.475			
1034	25.73	-1.044	1084	27.35	-0.706	1134	28.85	0.042			
1035	25.76	0.354	1085	27.38	-0.440	1135	28.91	2.957			
1036	25.77	0.613	1086	27.41	-0.039	1136	28.92	2.971			
1037	25.79	0.877	1087	27.45	-0.886	1137	28.94	2.731			
1038	25.81	0.892	1088	27.49	-1.857	1138	28.95	2.363			
1039	25.84	0.412	1089	27.50	-1.594	1139	29.00	0.278			
1040	25.86	-0.198	1090	27.56	-0.447	1140	29.03	0.801			
1041	25.89	-1.177	1091	27.57	0.707	1141	29.05	1.440			
1042	25.92	-0.900	1092	27.59	0.471	1142	29.07	2.084			
1043	25.95	-0.504	1093	27.66	-0.850	1143	29.08	1.839			
1044	25.98	-0.479	1094	27.67	-1.095	1144	29.15	-1.860			
1045	26.05	-0.804	1095	27.70	-1.077	1145	29.16	-1.849			
1046	26.07	-0.166	1096	27.71	-0.816	1146	29.19	-1.581			
1047	26.08	-0.160	1097	27.73	-0.428	1147	29.24	0.963			
1048	26.10	0.231	1098	27.77	1.727	1148	29.26	0.978			
1049	26.15	2.395	1099	27.78	2.359	1149	29.28	0.988			
1050	26.17	2.411	1100	27.79	2.743	1150	29.31	0.759			

Table IX D-7 Digitized Accelerations of Earthquake Record with Index Number 781

INDEX NO. 781 706-GR-1 KISOGAWA EMB. LG. MAX.ACCEL.= 57.609(GAL) T= 2.20(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.0	5.411	51	0.50	2.604	101	1.00	3.786	151	1.52	1.324
2	0.01	7.590	52	0.51	-3.265	102	1.01	0.684	152	1.53	-0.774
3	0.02	11.020	53	0.52	-3.297	103	1.02	4.069	153	1.54	-2.116
4	0.03	8.450	54	0.53	2.810	104	1.03	7.244	154	1.55	-2.164
5	0.04	-2.180	55	0.54	4.528	105	1.04	7.674	155	1.56	1.466
6	0.05	-5.765	56	0.55	4.389	106	1.05	8.881	156	1.57	3.923
7	0.06	-6.295	57	0.56	5.579	107	1.06	4.534	157	1.58	4.325
8	0.07	4.039	58	0.57	2.996	108	1.07	-2.346	158	1.59	6.723
9	0.08	5.761	59	0.58	1.907	109	1.08	-2.389	159	1.60	6.178
10	0.09	10.374	60	0.59	-0.719	110	1.09	4.225	160	1.61	4.860
11	0.10	9.845	61	0.60	-0.261	111	1.10	7.160	161	1.62	-1.515
12	0.11	6.523	62	0.61	0.147	112	1.11	9.090	162	1.63	-2.052
13	0.12	-2.389	63	0.62	2.028	113	1.12	6.507	163	1.64	3.308
14	0.13	-2.415	64	0.63	2.511	114	1.13	3.939	164	1.65	6.224
15	0.14	2.949	65	0.64	1.924	115	1.14	-4.937	165	1.66	13.876
16	0.15	8.618	66	0.65	-1.239	116	1.15	-6.229	166	1.67	17.062
17	0.16	10.575	67	0.66	2.935	117	1.16	5.370	167	1.68	15.767
18	0.17	4.710	68	0.67	5.382	118	1.17	10.314	168	1.69	7.661
19	0.18	-1.663	69	0.68	5.316	119	1.18	9.778	169	1.70	2.606
20	0.19	-5.499	70	0.69	2.730	120	1.19	7.945	170	1.71	-3.299
21	0.20	-5.060	71	0.70	-6.153	121	1.20	-4.710	171	1.72	-2.827
22	0.21	-3.852	72	0.71	-6.185	122	1.21	-6.020	172	1.73	4.282
23	0.22	3.492	73	0.72	6.157	123	1.22	-1.841	173	1.74	6.216
24	0.23	5.925	74	0.73	9.819	124	1.23	11.779	174	1.75	7.919
25	0.24	7.855	75	0.74	9.793	125	1.24	14.741	175	1.76	5.565
26	0.25	6.535	76	0.75	9.228	126	1.25	12.914	176	1.77	3.512
27	0.26	-2.355	77	0.76	3.352	127	1.26	5.340	177	1.78	0.404
28	0.27	-2.893	78	0.77	0.294	128	1.27	-4.800	178	1.79	0.107
29	0.28	-2.449	79	0.78	-0.613	129	1.28	-6.116	179	1.80	6.197
30	0.29	2.389	80	0.79	0.550	130	1.29	3.758	180	1.81	7.432
31	0.30	4.047	81	0.80	0.475	131	1.30	4.200	181	1.82	6.846
32	0.31	6.015	82	0.81	-2.102	132	1.31	2.391	182	1.83	3.721
33	0.32	5.445	83	0.82	-3.398	133	1.32	1.566	183	1.84	2.422
34	0.33	1.593	84	0.83	-1.513	134	1.33	-0.831	184	1.85	0.816
35	0.34	-2.287	85	0.84	3.117	135	1.34	-0.875	185	1.86	3.222
36	0.35	-3.601	86	0.85	6.312	136	1.35	0.764	186	1.87	7.602
37	0.36	-2.645	87	0.86	4.248	137	1.36	2.441	187	1.88	7.098
38	0.37	5.936	88	0.87	2.411	138	1.37	5.599	188	1.89	5.462
39	0.38	3.661	89	0.88	2.347	139	1.38	6.036	189	1.90	7.849
40	0.39	1.577	90	0.89	-2.069	140	1.39	5.487	190	1.91	8.550
41	0.40	0.992	91	0.90	-2.364	141	1.40	1.624	191	1.92	8.759
42	0.41	0.883	92	0.91	-0.934	142	1.41	-2.752	192	1.93	5.659
43	0.42	-0.479	93	0.92	0.235	143	1.42	-2.777	193	1.94	1.929
44	0.43	-1.801	94	0.93	-0.607	144	1.43	-0.662	194	1.95	3.938
45	0.44	-1.859	95	0.94	1.999	145	1.44	3.745	195	1.96	6.352
46	0.45	-1.995	96	0.95	2.038	146	1.45	5.445	196	1.97	5.827
47	0.46	-2.038	97	0.96	4.585	147	1.46	7.311	197	1.98	-3.561
48	0.47	2.088	98	0.97	6.552	148	1.47	7.782	198	1.99	-2.584
49	0.48	7.484	99	0.98	4.709	149	1.48	6.713	199	2.00	1.770
50	0.49	6.462	100	0.99	4.641	150	1.51	1.932	200	2.01	4.702

土木構造物における加速度強震記録（No.9）

INDEX NO. 781 706-GR-1 KISOGAWA EMB. LG. MAX.ACCEL.= 57.609(GAL) T= 2.20(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	2.02	8.350	251	2.52	16.128	301	3.02	-7.516	351	3.53	16.539
202	2.03	2.782	252	2.53	10.541	302	3.03	-8.323	352	3.54	11.006
203	2.04	-4.942	253	2.54	-15.610	303	3.04	-7.129	353	3.55	4.731
204	2.05	-10.691	254	2.55	-20.166	304	3.05	-4.726	354	3.56	-16.819
205	2.06	-15.249	255	2.56	-25.212	305	3.06	6.376	355	3.57	-20.847
206	2.07	-15.791	256	2.57	-3.817	306	3.07	10.047	356	3.58	-21.603
207	2.08	-7.373	257	2.58	16.814	307	3.08	11.755	357	3.59	-12.392
208	2.09	16.491	258	2.59	24.963	308	3.09	10.680	358	3.60	-0.922
209	2.10	19.676	259	2.60	24.929	309	3.10	9.345	359	3.61	14.297
210	2.11	19.144	260	2.61	20.580	310	3.11	6.616	360	3.62	16.777
211	2.12	8.282	261	2.62	14.240	311	3.12	4.200	361	3.63	15.757
212	2.13	-20.858	262	2.63	6.116	312	3.13	-6.707	362	3.64	5.730
213	2.14	-36.673	263	2.64	2.574	313	3.14	-6.739	363	3.65	-10.302
214	2.15	-40.237	264	2.65	-13.316	314	3.15	-6.848	364	3.66	-24.343
215	2.16	-32.784	265	2.66	-18.399	315	3.16	-8.214	365	3.67	-24.862
216	2.17	32.303	266	2.67	-16.674	316	3.17	-7.232	366	3.68	-23.882
217	2.18	43.729	267	2.68	-8.779	317	3.18	-1.523	367	3.69	-17.657
218	2.19	55.906	268	2.69	4.097	318	3.19	3.942	368	3.70	-2.945
219	2.20	57.609	269	2.70	4.565	319	3.20	6.414	369	3.71	7.022
220	2.21	47.016	270	2.71	1.956	320	3.21	6.406	370	3.72	12.992
221	2.22	24.179	271	2.72	-5.659	321	3.22	-2.883	371	3.73	14.729
222	2.23	5.590	272	2.73	-13.765	322	3.23	-8.416	372	3.74	13.467
223	2.24	-14.779	273	2.74	-12.324	323	3.24	-9.943	373	3.75	7.927
224	2.25	-23.090	274	2.75	-11.877	324	3.25	-10.473	374	3.76	-12.368
225	2.26	-18.888	275	2.76	-9.997	325	3.26	-9.257	375	3.77	-19.394
226	2.27	24.698	276	2.77	-13.865	326	3.27	-5.506	376	3.78	-24.166
227	2.28	28.916	277	2.78	-13.898	327	3.28	4.451	377	3.79	-20.935
228	2.29	22.813	278	2.79	-13.460	328	3.29	9.435	378	3.80	-18.453
229	2.30	15.242	279	2.80	-4.073	329	3.30	18.895	379	3.81	-4.487
230	2.31	-5.885	280	2.81	9.049	330	3.31	20.882	380	3.82	5.467
231	2.32	-16.720	281	2.82	21.215	331	3.32	19.599	381	3.83	2.954
232	2.33	-28.303	282	2.83	24.179	332	3.33	14.582	382	3.84	0.429
233	2.34	-35.384	283	2.84	21.096	333	3.34	-6.213	383	3.85	-3.864
234	2.35	-32.161	284	2.85	9.248	334	3.35	-9.991	384	3.86	-8.379
235	2.36	6.186	285	2.86	-0.646	335	3.36	-10.757	385	3.87	-14.665
236	2.37	6.671	286	2.87	-8.667	336	3.37	-11.292	386	3.88	-17.695
237	2.38	7.774	287	2.88	-4.011	337	3.38	-11.310	387	3.89	-11.467
238	2.39	9.676	288	2.89	10.854	338	3.39	-11.330	388	3.90	-3.999
239	2.40	13.337	289	2.90	19.284	339	3.40	-7.125	389	3.91	2.218
240	2.41	15.781	290	2.91	19.751	340	3.42	2.818	390	3.92	4.699
241	2.42	14.969	291	2.92	13.633	341	3.43	7.787	391	3.93	5.920
242	2.43	9.352	292	2.93	-3.740	342	3.44	7.760	392	3.94	4.655
243	2.44	6.310	293	2.94	-8.078	343	3.45	-2.761	393	3.95	1.374
244	2.45	2.479	294	2.95	-9.641	344	3.46	-20.046	394	3.96	0.856
245	2.46	-3.928	295	2.96	-6.443	345	3.47	-23.072	395	3.97	-3.690
246	2.47	-14.265	296	2.97	-1.043	346	3.48	-22.581	396	3.98	-2.971
247	2.48	-15.562	297	2.98	5.088	347	3.49	-17.112	397	3.99	-2.992
248	2.49	-21.124	298	2.99	5.771	348	3.50	5.595	398	4.00	-4.261
249	2.50	-12.453	299	3.00	5.201	349	3.51	14.568	399	4.01	-8.800
250	2.51	14.895	300	3.01	-3.651	350	3.52	15.000	400	4.02	-10.062

INDEX NO. 781 706-GR-1 KISOGAWA EMB. LG. MAX.ACCEL.= 57.609(GAL) T= 2.20(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	4.03	+8.095	451	4.54	-2.731	501	5.06	-2.412	551	5.64	-11.544
402	4.04	+4.387	452	4.55	-4.516	502	5.07	-2.932	552	5.65	-10.312
403	4.05	+5.153	453	4.56	-7.291	503	5.08	-5.476	553	5.67	-4.609
404	4.06	+5.680	454	4.57	-7.823	504	5.09	-4.999	554	5.68	-0.901
405	4.07	+10.715	455	4.58	-7.841	505	5.10	-4.272	555	5.69	-2.182
406	4.08	+11.474	456	4.59	-4.865	506	5.11	-4.303	556	5.71	-2.237
407	4.09	+10.747	457	4.60	-1.131	507	5.12	-1.333	557	5.74	-6.567
408	4.10	+7.035	458	4.61	-0.426	508	5.13	1.886	558	5.75	-6.600
409	4.11	+4.056	459	4.62	-0.957	509	5.14	3.121	559	5.77	-4.890
410	4.12	+2.842	460	4.63	-1.735	510	5.15	1.344	560	5.79	-1.187
411	4.13	+4.614	461	4.64	-1.752	511	5.16	-1.949	561	5.80	-0.729
412	4.14	+7.156	462	4.65	4.459	512	5.17	-5.732	562	5.82	-0.027
413	4.15	+9.183	463	4.66	5.945	513	5.18	-6.993	563	5.83	-2.564
414	4.16	+9.702	464	4.67	-1.834	514	5.19	-5.774	564	5.85	-4.607
415	4.17	+8.471	465	4.68	-4.369	515	5.20	-7.052	565	5.86	-3.399
416	4.18	+6.004	466	4.69	-4.387	516	5.21	-2.826	566	5.88	-3.440
417	4.20	+1.050	467	4.70	-4.402	517	5.22	-1.611	567	5.89	-1.477
418	4.21	1.405	468	4.71	-2.693	518	5.23	-2.129	568	5.91	-1.512
419	4.22	3.139	469	4.72	-1.476	519	5.24	-5.169	569	5.92	-2.047
420	4.23	2.618	470	4.73	0.506	520	5.25	-7.956	570	5.93	-3.577
421	4.24	-1.169	471	4.74	-2.038	521	5.26	-6.722	571	5.94	-5.867
422	4.25	-4.955	472	4.75	-5.816	522	5.27	-6.741	572	5.95	-8.392
423	4.26	-5.725	473	4.76	-6.330	523	5.28	-4.771	573	5.96	-7.908
424	4.27	-4.996	474	4.77	-8.364	524	5.29	-1.817	574	5.97	-6.188
425	4.28	-3.267	475	4.78	-8.376	525	5.30	-1.086	575	5.98	-2.968
426	4.29	-2.552	476	4.79	-8.414	526	5.31	-1.101	576	5.99	-0.988
427	4.30	-5.088	477	4.80	-4.688	527	5.33	-2.916	577	6.00	0.220
428	4.31	-7.103	478	4.81	1.524	528	5.34	-3.693	578	6.01	-1.060
429	4.32	-12.137	479	4.82	4.006	529	5.35	-6.738	579	6.02	-3.086
430	4.33	-12.658	480	4.83	7.968	530	5.37	-6.273	580	6.03	-6.866
431	4.34	-10.921	481	4.84	7.954	531	5.39	-3.829	581	6.04	-6.380
432	4.35	-2.719	482	4.85	4.670	532	5.40	-1.364	582	6.05	-5.647
433	4.36	4.003	483	4.86	-1.605	533	5.41	+1.896	583	6.06	-3.175
434	4.37	5.241	484	4.87	-5.386	534	5.42	+5.680	584	6.07	1.042
435	4.38	3.459	485	4.88	-4.650	535	5.44	+7.732	585	6.08	1.023
436	4.39	-1.572	486	4.89	-3.436	536	5.45	+10.764	586	6.10	-7.048
437	4.40	-6.607	487	4.90	-21953	537	5.46	+8.530	587	6.11	-8.813
438	4.41	-7.361	488	4.91	1.1498	538	5.47	+6.080	588	6.12	-10.083
439	4.42	-6.898	489	4.92	2.728	539	5.49	+1.114	589	6.13	-8.363
440	4.43	-4.925	490	4.93	2.711	540	5.51	0.831	590	6.15	-1.665
441	4.44	-3.706	491	4.94	2.684	541	5.53	-0.675	591	6.16	2.044
442	4.45	-0.727	492	4.95	0.151	542	5.54	+1.003	592	6.17	4.280
443	4.46	1.737	493	4.96	-3.630	543	5.55	+1.801	593	6.19	2.475
444	4.47	1.709	494	4.97	-4.908	544	5.56	-1.818	594	6.20	-4.567
445	4.48	-0.060	495	4.98	-6.679	545	5.57	+4.850	595	6.21	-7.087
446	4.49	-7.684	496	4.99	-7.214	546	5.58	+3.880	596	6.22	-8.857
447	4.50	-8.877	497	5.00	-5.999	547	5.60	+2.417	597	6.23	-6.639
448	4.51	-8.899	498	5.01	-4.531	548	5.61	+3.206	598	6.24	-2.183
449	4.52	-8.415	499	5.03	-1.565	549	5.62	+8.242	599	6.25	0.790
450	4.53	-4.691	500	5.04	2.152	550	5.63	+10.769	600	6.26	2.022

INDEX NO. 781 706-GR-1 KISOGAWA EMB. LG. MAX.ACCEL.= 57.609(GAL) T= 2.20(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	6.27	2.004	651	6.86	-1.340	701	7.48	-5.663	751	8.03	2.237
602	6.28	0.982	652	6.87	-4.623	702	7.49	-5.735	752	8.04	4.712
603	6.29	-2.800	653	6.88	-5.139	703	7.50	-2.049	753	8.05	4.169
604	6.30	-6.586	654	6.89	-6.421	704	7.51	3.359	754	8.06	2.581
605	6.31	-7.364	655	6.90	-5.936	705	7.52	5.723	755	8.07	-3.044
606	6.32	-6.131	656	6.91	-4.708	706	7.53	5.638	756	8.08	-5.614
607	6.33	-5.662	657	6.92	1.490	707	7.55	3.275	757	8.09	-7.460
608	6.34	-4.632	658	6.94	5.458	708	7.56	1.691	758	8.10	-7.015
609	6.35	0.021	659	6.95	6.923	709	7.57	-0.661	759	8.11	-5.334
610	6.36	1.744	660	6.96	7.152	710	7.58	-2.782	760	8.12	0.290
611	6.37	2.476	661	6.97	5.379	711	7.59	-2.818	761	8.13	4.438
612	6.38	2.455	662	6.98	-3.399	712	7.60	-0.906	762	8.14	5.603
613	6.39	1.935	663	6.99	-7.944	713	7.61	1.984	763	8.15	6.263
614	6.41	-6.888	664	7.00	-5.472	714	7.62	3.890	764	8.16	4.960
615	6.42	-7.156	665	7.02	-0.019	715	7.64	3.010	765	8.17	1.847
616	6.43	-7.176	666	7.03	1.207	716	7.65	2.412	766	8.18	-1.473
617	6.44	-6.450	667	7.04	4.427	717	7.66	-1.457	767	8.19	-4.066
618	6.45	-4.729	668	7.05	5.661	718	7.67	-3.011	768	8.20	-5.887
619	6.46	-3.506	669	7.06	4.364	719	7.68	-2.339	769	8.21	-4.923
620	6.47	-1.041	670	7.08	2.571	720	7.69	1.747	770	8.22	1.176
621	6.48	-1.574	671	7.09	0.543	721	7.70	1.952	771	8.23	5.599
622	6.50	-2.872	672	7.10	-2.480	722	7.71	3.600	772	8.24	6.816
623	6.52	-3.688	673	7.11	-2.000	723	7.72	6.010	773	8.25	5.479
624	6.54	-4.733	674	7.13	-0.311	724	7.73	5.444	774	8.26	2.099
625	6.55	-4.767	675	7.14	-0.345	725	7.74	4.635	775	8.27	-2.269
626	6.57	-5.557	676	7.15	-3.387	726	7.75	4.037	776	8.28	-3.583
627	6.58	-6.327	677	7.16	-3.408	727	7.76	1.945	777	8.29	-4.878
628	6.59	-6.126	678	7.18	-1.692	728	7.77	-2.446	778	8.30	-2.472
629	6.61	-3.166	679	7.19	-2.238	729	7.78	-3.738	779	8.31	2.902
630	6.62	-1.950	680	7.21	-0.546	730	7.79	-4.588	780	8.32	4.076
631	6.64	-2.499	681	7.23	-1.584	731	7.80	-4.167	781	8.33	4.734
632	6.66	-3.301	682	7.25	0.589	732	7.81	0.230	782	8.34	5.194
633	6.67	-3.338	683	7.28	0.771	733	7.82	1.904	783	8.35	5.111
634	6.68	-3.355	684	7.30	1.213	734	7.83	6.554	784	8.36	5.023
635	6.69	-3.874	685	7.31	1.178	735	7.84	8.943	785	8.37	1.398
636	6.70	-3.898	686	7.32	2.403	736	7.85	9.409	786	8.38	-1.954
637	6.71	-3.423	687	7.34	-0.138	737	7.86	7.594	787	8.39	-1.988
638	6.72	0.289	688	7.35	-2.677	738	7.87	1.981	788	8.40	0.884
639	6.73	-0.233	689	7.36	-2.212	739	7.88	-3.133	789	8.41	2.802
640	6.74	-0.263	690	7.37	1.586	740	7.90	-6.527	790	8.42	4.503
641	6.75	-1.535	691	7.38	-1.022	741	7.91	-4.102	791	8.43	5.156
642	6.76	-4.822	692	7.39	-1.097	742	7.92	1.276	792	8.45	3.254
643	6.78	-8.124	693	7.40	-3.737	743	7.93	3.691	793	8.46	-0.647
644	6.79	-8.160	694	7.41	0.414	744	7.94	5.576	794	8.47	-0.221
645	6.80	-7.421	695	7.42	1.617	745	7.95	4.248	795	8.48	0.228
646	6.81	-3.711	696	7.43	4.767	746	7.96	3.671	796	8.49	2.615
647	6.82	-0.731	697	7.44	6.445	747	7.97	4.073	797	8.50	4.565
648	6.83	2.997	698	7.45	5.387	748	7.99	1.926	798	8.51	1.997
649	6.84	4.476	699	7.46	0.758	749	8.01	1.221	799	8.52	0.111
650	6.85	3.191	700	7.47	-0.539	750	8.02	1.134	800	8.53	0.035

INDEX NO. 781 706-GR-1 KISOGAWA EMB. LG. MAX.ACCEL.= 57.609(GAL) T= 2.20(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	8.54	0.448	851	9.08	-0.391	901	9.59	1.326	951	10.23	1.281
802	8.55	2.851	852	9.09	-0.445	902	9.60	-0.787	952	10.25	1.113
803	8.56	1.031	853	9.10	1.208	903	9.61	-2.631	953	10.26	-0.250
804	8.57	0.978	854	9.11	2.317	904	9.62	-2.674	954	10.27	-1.594
805	8.58	3.145	855	9.12	3.743	905	9.63	0.686	955	10.28	-1.717
806	8.59	5.483	856	9.13	1.920	906	9.64	3.104	956	10.30	-1.860
807	8.60	5.447	857	9.14	1.869	907	9.65	5.502	957	10.32	-0.808
808	8.61	4.885	858	9.15	1.788	908	9.66	5.468	958	10.35	1.495
809	8.63	2.702	859	9.16	2.951	909	9.67	5.383	959	10.36	0.073
810	8.64	-0.928	860	9.17	3.353	910	9.68	3.552	960	10.38	-1.322
811	8.65	0.762	861	9.18	4.022	911	9.69	1.681	961	10.39	-1.387
812	8.66	0.192	862	9.19	5.201	912	9.70	0.863	962	10.40	-0.712
813	8.67	0.098	863	9.20	5.620	913	9.71	0.276	963	10.41	0.190
814	8.69	2.913	864	9.21	5.539	914	9.72	0.205	964	10.42	0.875
815	8.70	4.805	865	9.22	3.647	915	9.73	0.581	965	10.43	3.727
816	8.71	5.225	866	9.23	3.598	916	9.75	0.958	966	10.44	4.913
817	8.72	5.172	867	9.24	1.752	917	9.76	0.854	967	10.45	1.821
818	8.73	5.091	868	9.25	-0.312	918	9.77	0.728	968	10.46	0.480
819	8.74	2.478	869	9.26	-0.938	919	9.80	1.225	969	10.47	-1.389
820	8.75	1.141	870	9.27	-1.008	920	9.83	0.954	970	10.49	-0.520
821	8.76	1.070	871	9.28	1.136	921	9.87	0.135	971	10.51	0.096
822	8.77	0.511	872	9.29	4.334	922	9.88	3.053	972	10.52	0.492
823	8.78	0.860	873	9.30	5.531	923	9.89	2.966	973	10.53	1.140
824	8.79	1.283	874	9.31	4.173	924	9.90	1.599	974	10.54	1.576
825	8.80	0.237	875	9.32	4.130	925	9.91	1.518	975	10.55	0.928
826	8.81	0.642	876	9.33	1.494	926	9.93	-0.347	976	10.56	0.348
827	8.82	1.824	877	9.34	0.962	927	9.94	0.008	977	10.57	-0.477
828	8.83	2.998	878	9.35	0.095	928	9.96	-3.925	978	10.58	-1.059
829	8.84	2.893	879	9.36	0.012	929	9.98	-4.533	979	10.59	-1.656
830	8.85	4.079	880	9.37	2.888	930	9.99	-5.888	980	10.60	-2.482
831	8.86	1.967	881	9.38	4.089	931	10.00	-5.456	981	10.61	-5.076
832	8.87	0.131	882	9.39	4.040	932	10.02	-2.631	982	10.63	-4.189
833	8.88	-1.202	883	9.40	2.938	933	10.03	-1.472	983	10.64	1.982
834	8.89	-1.283	884	9.41	2.128	934	10.04	3.403	984	10.65	2.607
835	8.90	-1.364	885	9.43	1.956	935	10.05	2.864	985	10.66	3.041
836	8.91	1.023	886	9.44	1.866	936	10.06	4.483	986	10.68	2.896
837	8.92	2.197	887	9.45	2.283	937	10.07	3.926	987	10.69	2.267
838	8.93	4.626	888	9.46	6.636	938	10.08	0.050	988	10.70	1.711
839	8.94	6.561	889	9.47	7.820	939	10.09	-0.529	989	10.71	2.095
840	8.95	5.236	890	9.48	7.208	940	10.10	-2.590	990	10.72	3.256
841	8.97	1.801	891	9.49	5.904	941	10.11	-1.670	991	10.73	1.455
842	8.98	-1.334	892	9.50	2.581	942	10.12	0.195	992	10.74	1.141
843	8.99	-2.660	893	9.51	1.285	943	10.13	0.135	993	10.75	0.541
844	9.00	-1.701	894	9.52	-1.384	944	10.14	1.311	994	10.76	0.989
845	9.01	0.201	895	9.53	-0.195	945	10.15	1.202	995	10.77	-2.623
846	9.02	4.581	896	9.54	1.014	946	10.16	0.093	996	10.78	-5.479
847	9.03	5.488	897	9.55	2.649	947	10.17	-0.000	997	10.79	-2.285
848	9.04	3.870	898	9.56	5.786	948	10.19	0.348	998	10.80	1.871
849	9.05	3.619	899	9.57	5.227	949	10.20	-0.294	999	10.81	1.793
850	9.07	1.724	900	9.58	3.899	950	10.22	1.371	1000	10.82	2.436

土木構造物における加速度強震記録（No.9）

INDEX NO. 781 706-GR-1 KISOGAWA EMB. LG. MAX.ACCEL.= 57.609(GAL) T= 2.20(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	10.83	2.385	1051	11.35	-0.066	1101	11.90	-0.791	1151	12.50	-2.971
1002	10.84	1.765	1052	11.36	-0.686	1102	11.91	-2.851	1152	12.51	-1.789
1003	10.85	2.189	1053	11.37	-1.985	1103	11.92	-2.957	1153	12.52	3.070
1004	10.86	2.132	1054	11.38	-1.625	1104	11.93	-2.991	1154	12.53	2.527
1005	10.87	-1.255	1055	11.39	-0.435	1105	11.94	-2.367	1155	12.54	3.679
1006	10.88	-1.853	1056	11.40	5.231	1106	11.95	-2.452	1156	12.55	2.393
1007	10.89	-1.941	1057	11.41	4.417	1107	11.96	-1.522	1157	12.56	1.496
1008	10.90	-1.476	1058	11.42	3.330	1108	11.97	-0.336	1158	12.57	0.958
1009	10.91	2.877	1059	11.43	3.234	1109	11.98	-0.174	1159	12.58	-1.189
1010	10.92	2.317	1060	11.44	2.397	1110	11.99	2.760	1160	12.59	1.225
1011	10.93	3.264	1061	11.45	2.343	1111	12.00	3.175	1161	12.60	3.648
1012	10.94	4.394	1062	11.46	0.961	1112	12.01	3.827	1162	12.61	4.830
1013	10.95	3.861	1063	11.47	-0.884	1113	12.02	2.470	1163	12.62	5.265
1014	10.96	-0.017	1064	11.48	-1.725	1114	12.03	1.915	1164	12.63	5.944
1015	10.97	-0.632	1065	11.49	-1.278	1115	12.05	0.497	1165	12.64	2.825
1016	10.98	-0.707	1066	11.50	2.345	1116	12.06	-0.362	1166	12.65	1.509
1017	10.99	0.238	1067	11.51	4.290	1117	12.07	-0.998	1167	12.66	-0.614
1018	11.00	0.892	1068	11.52	4.247	1118	12.08	0.661	1168	12.67	-0.674
1019	11.01	0.315	1069	11.53	4.128	1119	12.10	1.015	1169	12.68	-1.233
1020	11.02	0.713	1070	11.54	3.575	1120	12.11	-0.837	1170	12.69	-1.329
1021	11.03	1.149	1071	11.55	2.244	1121	12.13	-0.467	1171	12.70	-0.470
1022	11.04	3.523	1072	11.56	-2.375	1122	12.14	0.132	1172	12.71	0.193
1023	11.05	3.724	1073	11.57	-1.981	1123	12.15	1.601	1173	12.73	0.584
1024	11.06	2.908	1074	11.58	-0.065	1124	12.16	2.468	1174	12.75	0.405
1025	11.07	2.285	1075	11.60	1.565	1125	12.18	2.334	1175	12.76	-2.714
1026	11.08	0.999	1076	11.61	2.186	1126	12.19	3.469	1176	12.77	-4.011
1027	11.09	1.347	1077	11.62	4.644	1127	12.20	3.358	1177	12.78	-0.359
1028	11.10	1.292	1078	11.63	5.073	1128	12.22	2.750	1178	12.79	0.000
1029	11.11	1.739	1079	11.64	2.731	1129	12.23	3.152	1179	12.81	-1.108
1030	11.12	2.341	1080	11.65	0.633	1130	12.24	3.011	1180	12.82	0.990
1031	11.13	2.782	1081	11.66	0.489	1131	12.26	1.163	1181	12.84	1.614
1032	11.14	2.197	1082	11.67	0.427	1132	12.28	-1.084	1182	12.85	1.491
1033	11.15	4.092	1083	11.68	0.831	1133	12.30	-0.727	1183	12.86	0.141
1034	11.16	2.034	1084	11.69	2.761	1134	12.31	-0.058	1184	12.88	-0.003
1035	11.17	0.740	1085	11.70	1.458	1135	12.32	-0.177	1185	12.90	-0.180
1036	11.18	-0.104	1086	11.71	0.691	1136	12.33	2.225	1186	12.92	1.408
1037	11.19	0.051	1087	11.72	-1.239	1137	12.34	3.389	1187	12.94	3.731
1038	11.20	2.166	1088	11.74	-3.193	1138	12.35	3.298	1188	12.96	6.082
1039	11.21	2.083	1089	11.75	-2.276	1139	12.36	0.711	1189	12.97	5.479
1040	11.22	3.280	1090	11.77	-1.162	1140	12.38	-1.896	1190	12.98	4.920
1041	11.23	5.220	1091	11.78	2.026	1141	12.39	-1.521	1191	12.99	3.585
1042	11.24	3.879	1092	11.79	4.432	1142	12.41	-0.901	1192	13.00	0.969
1043	11.25	2.541	1093	11.82	0.933	1143	12.42	0.725	1193	13.01	0.106
1044	11.26	-0.577	1094	11.83	0.865	1144	12.43	1.903	1194	13.02	-1.226
1045	11.27	-0.110	1095	11.84	0.771	1145	12.44	2.599	1195	13.04	-1.846
1046	11.29	1.927	1096	11.85	2.626	1146	12.45	2.968	1196	13.05	-2.236
1047	11.30	3.584	1097	11.86	3.043	1147	12.46	2.610	1197	13.07	-1.620
1048	11.31	3.032	1098	11.87	3.708	1148	12.47	0.269	1198	13.09	-3.038
1049	11.32	0.881	1099	11.88	2.424	1149	12.48	-0.273	1199	13.11	-3.973
1050	11.34	-0.458	1100	11.89	-0.193	1150	12.49	-2.920	1200	13.13	-2.147

INDEX NO. 781 706-GR-1 KISOGAWA EMB. LG. MAX.ACCEL.= 57.609(GAL) T= 2.20(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	13.15	-0.548	1251	14.04	-1.468	1301	14.90	-3.310
1202	13.16	-0.460	1252	14.06	1.408	1302	14.91	-2.946
1203	13.18	-0.079	1253	14.08	4.234	1303	14.92	-4.031
1204	13.19	-1.929	1254	14.11	3.491	1304	14.95	-5.030
1205	13.20	-1.995	1255	14.13	1.572	1305	15.00	-4.164
1206	13.21	-1.582	1256	14.14	0.705			
1207	13.22	-0.428	1257	14.16	-1.479			
1208	13.23	-0.516	1258	14.17	-2.073			
1209	13.24	0.626	1259	14.19	-2.224			
1210	13.26	0.498	1260	14.20	-0.571			
1211	13.27	0.370	1261	14.21	-0.412			
1212	13.29	2.187	1262	14.22	0.819			
1213	13.31	1.335	1263	14.23	0.708			
1214	13.32	0.720	1264	14.24	-2.614			
1215	13.33	1.631	1265	14.25	0.514			
1216	13.34	0.511	1266	14.27	-0.428			
1217	13.35	-2.076	1267	14.28	1.265			
1218	13.36	-2.911	1268	14.30	2.374			
1219	13.37	-4.234	1269	14.34	2.299			
1220	13.38	-4.808	1270	14.37	1.246			
1221	13.39	-4.379	1271	14.39	-0.655			
1222	13.40	-4.015	1272	14.40	-1.024			
1223	13.42	-2.921	1273	14.42	-0.890			
1224	13.44	-1.051	1274	14.43	0.026			
1225	13.46	0.531	1275	14.44	0.163			
1226	13.46	1.878	1276	14.45	0.564			
1227	13.49	-0.256	1277	14.46	0.458			
1228	13.53	0.653	1278	14.48	-0.941			
1229	13.57	-0.171	1279	14.50	-1.586			
1230	13.62	-2.105	1280	14.51	-2.436			
1231	13.66	-0.461	1281	14.52	-2.560			
1232	13.71	0.344	1282	14.53	2.387			
1233	13.74	-0.350	1283	14.54	0.560			
1234	13.75	-2.995	1284	14.55	-2.630			
1235	13.77	-3.142	1285	14.56	-1.601			
1236	13.78	-2.250	1286	14.58	1.215			
1237	13.80	-0.923	1287	14.59	0.081			
1238	13.83	-0.608	1288	14.62	0.885			
1239	13.84	-1.262	1289	14.65	0.098			
1240	13.86	-0.900	1290	14.68	0.301			
1241	13.87	-1.508	1291	14.73	-1.812			
1242	13.89	-0.649	1292	14.75	-0.320			
1243	13.90	0.484	1293	14.79	-2.875			
1244	13.91	2.687	1294	14.81	1.234			
1245	13.92	2.565	1295	14.83	2.700			
1246	13.94	2.414	1296	14.85	2.825			
1247	13.95	0.349	1297	14.86	-0.512			
1248	13.99	0.294	1298	14.87	-0.535			
1249	14.01	-0.134	1299	14.88	-3.146			
1250	14.02	-0.045	1300	14.89	-3.778			

Table IX D-8 Digitized Accelerations of Earthquake Record with Index Number 782

INDEX NO. 782 706-GR-1 KISOGAWA EMB. U-D MAX.ACCEL.= -15.242(GAL) T= 2.51(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.0	-3.791	51	0.51	1.978	101	1.01	-5.763	151	1.51	-3.255
2	0.01	-3.289	52	0.52	1.480	102	1.02	-4.008	152	1.52	1.254
3	0.02	2.988	53	0.53	-1.764	103	1.03	1.501	153	1.53	3.006
4	0.03	1.723	54	0.54	-2.257	104	1.04	2.757	154	1.54	2.011
5	0.04	0.476	55	0.55	-2.505	105	1.05	4.009	155	1.55	-1.230
6	0.05	-0.768	56	0.56	2.004	106	1.06	2.262	156	1.56	-1.227
7	0.06	-3.262	57	0.57	4.505	107	1.07	-0.731	157	1.57	1.779
8	0.07	-8.753	58	0.58	1.512	108	1.08	-6.974	158	1.58	3.282
9	0.08	-9.998	59	0.59	-5.480	109	1.09	-10.719	159	1.59	2.537
10	0.09	-11.247	60	0.60	-7.228	110	1.10	-7.716	160	1.60	-0.457
11	0.10	-6.241	61	0.61	-4.221	111	1.11	2.793	161	1.61	-3.702
12	0.11	3.518	62	0.62	3.286	112	1.12	7.297	162	1.62	-3.198
13	0.12	4.271	63	0.63	3.791	113	1.13	6.799	163	1.63	4.309
14	0.13	3.774	64	0.64	3.794	114	1.14	5.554	164	1.64	8.815
15	0.14	-4.967	65	0.65	0.300	115	1.15	2.312	165	1.65	8.818
16	0.15	-6.215	66	0.66	-4.693	116	1.16	2.319	166	1.66	3.823
17	0.16	-4.957	67	0.67	-5.441	117	1.17	4.824	167	1.67	-3.669
18	0.17	-3.954	68	0.68	-3.436	118	1.18	4.826	168	1.68	-4.917
19	0.18	-3.200	69	0.69	5.073	119	1.19	4.330	169	1.69	-4.611
20	0.19	-4.940	70	0.70	7.075	120	1.20	-3.911	170	1.70	-3.658
21	0.20	-4.940	71	0.71	4.079	121	1.21	-5.655	171	1.71	-0.650
22	0.21	-4.932	72	0.72	-5.413	122	1.22	-5.901	172	1.72	1.353
23	0.22	-1.927	73	0.73	-9.657	123	1.23	-3.399	173	1.73	-1.141
24	0.23	-1.171	74	0.74	-8.404	124	1.24	0.360	174	1.74	1.865
25	0.24	-1.168	75	0.75	-1.650	125	1.25	1.863	175	1.75	2.619
26	0.25	-2.410	76	0.76	0.358	126	1.26	1.867	176	1.76	3.374
27	0.26	-3.656	77	0.77	8.860	127	1.27	1.124	177	1.77	2.131
28	0.27	-3.652	78	0.78	-2.132	128	1.28	0.628	178	1.78	2.134
29	0.28	-1.397	79	0.79	-6.625	129	1.29	-3.114	179	1.79	-1.110
30	0.29	-1.892	80	0.80	-6.124	130	1.30	-2.613	180	1.80	-1.604
31	0.30	2.365	81	0.81	-1.617	131	1.31	2.896	181	1.81	-1.603
32	0.31	-0.628	82	0.82	5.391	132	1.32	4.901	182	1.82	5.157
33	0.32	-0.626	83	0.83	7.645	133	1.33	4.403	183	1.83	6.911
34	0.33	1.883	84	0.84	8.397	134	1.34	-3.088	184	1.84	7.666
35	0.34	1.385	85	0.85	2.904	135	1.35	-5.583	185	1.85	5.920
36	0.35	1.390	86	0.86	-7.838	136	1.36	-4.329	186	1.86	2.673
37	0.36	1.147	87	0.87	-9.085	137	1.37	-2.575	187	1.87	-0.568
38	0.37	-1.096	88	0.88	-7.332	138	1.38	-0.570	188	1.88	2.687
39	0.38	-4.341	89	0.89	11.428	139	1.39	1.688	189	1.89	3.939
40	0.39	-3.087	90	0.90	12.682	140	1.40	-1.807	190	1.90	1.446
41	0.41	-2.579	91	0.91	12.684	141	1.41	-3.052	191	1.91	-2.298
42	0.42	-1.825	92	0.92	5.940	142	1.42	-3.798	192	1.92	-4.043
43	0.43	-2.318	93	0.93	2.945	143	1.43	-5.044	193	1.93	-4.041
44	0.44	1.941	94	0.94	2.202	144	1.44	-2.539	194	1.94	3.218
45	0.45	3.191	95	0.95	3.459	145	1.45	4.219	195	1.95	3.971
46	0.46	-3.050	96	0.96	3.965	146	1.46	5.470	196	1.96	3.974
47	0.47	-3.548	97	0.97	3.968	147	1.47	4.226	197	1.98	0.984
48	0.48	1.958	98	0.98	0.974	148	1.48	2.480	198	1.99	-0.508
49	0.49	-1.784	99	0.99	0.477	149	1.49	-4.261	199	2.00	-1.502
50	0.50	-3.030	100	1.00	-5.265	150	1.50	-5.009	200	2.01	-3.498

INDEX NO. 782 706-GR-1 KISOGAWA EMB. U-D MAX.ACCEL.= -15.242(GAL) T= 2.51(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	2.02	-1.744	251	2.53	-6.485	301	3.04	-2.213	351	3.54	-8.960
202	2.03	-1.740	252	2.54	4.774	302	3.05	-4.707	352	3.55	-7.704
203	2.04	3.267	253	2.55	8.030	303	3.06	-5.954	353	3.56	-4.699
204	2.05	4.523	254	2.56	7.532	304	3.07	-3.701	354	3.57	-3.194
205	2.06	6.526	255	2.57	5.541	305	3.08	5.058	355	3.58	-3.938
206	2.07	4.033	256	2.59	1.298	306	3.09	5.809	356	3.59	-3.434
207	2.08	2.288	257	2.60	-1.196	307	3.10	2.067	357	3.60	0.325
208	2.09	-2.706	258	2.61	2.312	308	3.11	1.569	358	3.61	0.328
209	2.10	-5.951	259	2.62	6.068	309	3.12	-4.171	359	3.62	1.582
210	2.11	-5.947	260	2.63	6.821	310	3.13	-4.670	360	3.63	-0.161
211	2.12	-4.194	261	2.64	8.826	311	3.14	-2.415	361	3.64	-1.407
212	2.13	9.065	262	2.65	8.828	312	3.15	6.344	362	3.65	-3.901
213	2.14	12.068	263	2.66	4.335	313	3.16	6.347	363	3.66	-2.648
214	2.15	9.074	264	2.67	-6.157	314	3.17	5.352	364	3.67	-2.142
215	2.16	4.829	265	2.68	-8.156	315	3.18	-0.891	365	3.68	2.866
216	2.18	-11.160	266	2.69	-6.400	316	3.19	-4.635	366	3.69	6.621
217	2.19	-11.158	267	2.70	-4.394	317	3.20	-6.631	367	3.70	6.625
218	2.20	-6.153	268	2.71	-3.888	318	3.21	-7.130	368	3.71	4.380
219	2.21	7.854	269	2.72	-7.380	319	3.22	-7.874	369	3.72	1.134
220	2.22	11.608	270	2.73	-3.877	320	3.23	-5.366	370	3.73	-6.359
221	2.23	10.361	271	2.74	1.880	321	3.24	-2.881	371	3.74	-7.607
222	2.24	6.118	272	2.75	6.884	322	3.25	0.146	372	3.75	-5.850
223	2.25	-2.126	273	2.76	11.889	323	3.26	11.400	373	3.76	-2.094
224	2.26	-7.119	274	2.77	13.144	324	3.27	4.656	374	3.77	1.162
225	2.27	-6.618	275	2.78	5.651	325	3.28	51158	375	3.78	1.165
226	2.28	-2.863	276	2.79	0.655	326	3.29	2.914	376	3.79	-1.827
227	2.29	2.144	277	2.80	-8.088	327	3.30	-2.079	377	3.80	-2.573
228	2.30	1.651	278	2.81	-9.335	328	3.31	-2.827	378	3.81	-2.570
229	2.31	1.656	279	2.82	-7.581	329	3.32	-2.822	379	3.82	-1.315
230	2.32	2.910	280	2.83	-4.326	330	3.33	-1.566	380	3.83	-2.557
231	2.33	2.914	281	2.84	-1.822	331	3.34	-0.309	381	3.84	-4.301
232	2.34	2.418	282	2.85	-1.062	332	3.35	-0.306	382	3.85	-6.797
233	2.35	4.177	283	2.86	-1.060	333	3.36	2.700	383	3.86	-7.545
234	2.36	4.683	284	2.87	-4.304	334	3.37	5.957	384	3.87	-2.038
235	2.37	2.934	285	2.88	-7.300	335	3.38	6.462	385	3.88	0.719
236	2.38	-2.058	286	2.89	-8.043	336	3.39	7.214	386	3.89	1.724
237	2.39	4.196	287	2.90	-8.540	337	3.40	2.220	387	3.90	2.476
238	2.40	9.703	288	2.91	-7.533	338	3.41	-4.523	388	3.91	0.731
239	2.41	13.458	289	2.92	-5.529	339	3.42	-6.520	389	3.92	-1.762
240	2.42	12.461	290	2.93	-0.520	340	3.43	-7.014	390	3.93	-3.755
241	2.43	4.965	291	2.94	2.486	341	3.44	-4.760	391	3.94	-4.253
242	2.44	-2.526	292	2.95	6.239	342	3.45	-1.004	392	3.95	-6.248
243	2.45	-3.275	293	2.96	6.245	343	3.46	4.752	393	3.96	-4.992
244	2.46	-2.771	294	2.97	3.247	344	3.47	6.508	394	3.97	-4.488
245	2.47	0.988	295	2.98	-6.244	345	3.48	7.762	395	3.98	-4.483
246	2.48	0.993	296	2.99	-7.243	346	3.49	7.265	396	3.99	0.026
247	2.49	-8.251	297	3.00	-7.988	347	3.50	2.271	397	4.00	2.530
248	2.50	-12.746	298	3.01	-4.982	348	3.51	-3.972	398	4.01	2.033
249	2.51	-15.242	299	3.02	0.777	349	3.52	-7.216	399	4.02	2.537
250	2.52	-14.240	300	3.03	2.028	350	3.53	-8.962	400	4.03	-2.955

INDEX NO. 782 706-GR-1 KISOGAWA EMB. U-D MAX.ACCEL.= -15.242(GAL) T= 2.51(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	4.04	-1.949	451	4.57	-2.181	501	5.11	1.096	551	5.69	-2.351
402	4.05	-2.448	452	4.59	-0.421	502	5.12	0.102	552	5.70	-1.095
403	4.06	-1.942	453	4.61	0.336	503	5.13	-1.144	553	5.71	-0.340
404	4.07	1.316	454	4.62	-1.406	504	5.14	-2.390	554	5.72	2.166
405	4.08	1.821	455	4.63	-2.649	505	5.15	-1.382	555	5.73	3.422
406	4.09	1.325	456	4.64	-3.895	506	5.16	-3.129	556	5.74	3.927
407	4.10	0.082	457	4.65	-3.391	507	5.17	-1.872	557	5.75	3.431
408	4.11	1.337	458	4.66	-2.137	508	5.18	-1.869	558	5.76	2.185
409	4.12	1.841	459	4.67	2.870	509	5.19	-1.364	559	5.77	0.940
410	4.13	1.846	460	4.68	2.874	510	5.21	-2.600	560	5.78	0.197
411	4.14	1.350	461	4.69	1.631	511	5.23	-1.342	561	5.79	-2.051
412	4.15	-1.643	462	4.70	-2.119	512	5.25	-2.332	562	5.80	-2.046
413	4.16	-4.887	463	4.71	-2.610	513	5.26	-1.823	563	5.81	-3.290
414	4.17	-4.886	464	4.72	-3.856	514	5.28	-0.562	564	5.82	-2.283
415	4.18	-5.361	465	4.73	-3.352	515	5.29	1.194	565	5.83	-1.529
416	4.19	-6.125	466	4.74	-0.845	516	5.30	1.945	566	5.84	-1.024
417	4.20	-4.370	467	4.75	-1.342	517	5.31	-1.048	567	5.85	0.233
418	4.21	-2.366	468	4.76	-2.083	518	5.32	-1.044	568	5.86	-1.513
419	4.22	1.892	469	4.77	-3.831	519	5.33	-1.788	569	5.87	-0.256
420	4.23	1.897	470	4.78	-2.077	520	5.34	-1.284	570	5.88	-1.500
421	4.24	1.901	471	4.79	1.180	521	5.35	-0.527	571	5.90	-1.494
422	4.25	-0.344	472	4.80	3.437	522	5.36	0.727	572	5.93	0.271
423	4.26	-2.838	473	4.81	2.441	523	5.37	0.734	573	5.94	0.278
424	4.27	-3.586	474	4.82	2.446	524	5.38	1.491	574	5.96	-0.710
425	4.28	-3.082	475	4.83	-2.547	525	5.39	1.495	575	5.97	-1.457
426	4.29	-0.576	476	4.84	-5.042	526	5.41	0.252	576	5.99	-0.948
427	4.30	1.933	477	4.85	-5.790	527	5.42	0.258	577	6.01	-0.188
428	4.31	1.935	478	4.86	-3.283	528	5.43	-2.233	578	6.02	-0.930
429	4.32	-1.060	479	4.87	2.224	529	5.44	-2.228	579	6.04	-1.422
430	4.33	-4.052	480	4.88	2.977	530	5.45	-2.973	580	6.05	-1.415
431	4.34	-4.050	481	4.89	3.732	531	5.46	-2.968	581	6.06	-0.912
432	4.35	-3.545	482	4.90	0.487	532	5.47	-3.461	582	6.07	-0.908
433	4.36	-1.040	483	4.91	-3.255	533	5.48	-1.708	583	6.08	0.350
434	4.37	-1.036	484	4.92	-5.004	534	5.49	-1.205	584	6.09	1.603
435	4.38	1.474	485	4.93	-3.998	535	5.51	0.805	585	6.10	-0.142
436	4.39	-0.272	486	4.94	-3.243	536	5.52	-1.690	586	6.11	-1.883
437	4.40	-1.019	487	4.97	-1.980	537	5.53	0.820	587	6.12	-1.878
438	4.41	-0.513	488	4.98	-0.222	538	5.54	2.074	588	6.14	-3.873
439	4.42	-1.008	489	4.99	0.534	539	5.55	0.829	589	6.16	-0.861
440	4.44	-1.749	490	5.00	1.788	540	5.56	1.335	590	6.17	0.397
441	4.46	-1.740	491	5.01	0.545	541	5.57	1.339	591	6.19	1.156
442	4.48	-0.979	492	5.02	1.048	542	5.58	2.094	592	6.21	0.665
443	4.49	-0.972	493	5.03	-1.198	543	5.59	-0.900	593	6.23	-0.076
444	4.50	-1.467	494	5.04	-1.941	544	5.60	-2.145	594	6.25	1.183
445	4.51	-3.961	495	5.05	-1.934	545	5.62	-2.388	595	6.26	1.192
446	4.52	-5.206	496	5.06	-1.431	546	5.63	-2.131	596	6.27	1.197
447	4.53	-6.452	497	5.07	-1.925	547	5.65	-2.372	597	6.28	-3.047
448	4.54	-5.449	498	5.08	-1.422	548	5.66	-1.617	598	6.29	-3.792
449	4.55	-4.193	499	5.09	-1.913	549	5.67	-1.109	599	6.30	-3.789
450	4.56	-2.940	500	5.10	-1.410	550	5.68	-2.353	600	6.31	-3.786

INDEX NO. 782 706-GR-1 KISOGAWA EMB. U-D MAX.ACCEL.= -15.242(GAL) T= 2.51(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	6.32	-2.531	651	6.99	-0.941	701	7.58	1.363	751	8.19	4.687
602	6.33	-2.025	652	7.01	0.819	702	7.59	1.372	752	8.20	5.189
603	6.34	-1.267	653	7.03	-1.416	703	7.61	0.628	753	8.21	3.947
604	6.35	-0.764	654	7.04	-3.412	704	7.62	-1.115	754	8.23	3.954
605	6.36	-0.509	655	7.05	-4.658	705	7.63	-1.860	755	8.24	2.962
606	6.37	-0.506	656	7.06	-5.154	706	7.65	-0.601	756	8.25	2.214
607	6.38	-0.500	657	7.08	-1.394	707	7.66	0.655	757	8.26	1.721
608	6.39	-0.493	658	7.09	-0.390	708	7.67	-0.589	758	8.27	1.477
609	6.40	-0.489	659	7.10	0.865	709	7.69	-0.580	759	8.28	1.480
610	6.41	-0.486	660	7.11	0.371	710	7.70	1.427	760	8.29	1.487
611	6.43	-1.222	661	7.12	-1.371	711	7.71	1.433	761	8.30	3.992
612	6.44	0.031	662	7.13	-2.117	712	7.72	2.440	762	8.31	4.250
613	6.45	0.536	663	7.14	-2.613	713	7.73	1.942	763	8.33	4.756
614	6.46	1.291	664	7.15	-3.358	714	7.74	0.698	764	8.34	3.016
615	6.47	-0.455	665	7.16	-2.104	715	7.75	0.203	765	8.35	1.769
616	6.48	-4.196	666	7.17	-1.597	716	7.76	0.712	766	8.36	3.525
617	6.49	-5.442	667	7.18	-0.340	717	7.77	0.717	767	8.37	4.027
618	6.50	-5.439	668	7.20	0.419	718	7.78	1.472	768	8.38	4.032
619	6.51	-4.935	669	7.22	-0.323	719	7.80	0.228	769	8.39	3.538
620	6.52	-2.429	670	7.24	0.439	720	7.81	-0.516	770	8.41	4.052
621	6.54	-3.670	671	7.25	-0.056	721	7.82	-2.256	771	8.46	4.074
622	6.55	-2.913	672	7.26	-0.052	722	7.83	-1.751	772	8.54	3.619
623	6.56	-2.405	673	7.27	-0.046	723	7.85	-1.745	773	8.60	3.648
624	6.59	-1.144	674	7.28	0.457	724	7.87	0.015	774	8.68	3.687
625	6.60	-2.885	675	7.29	-1.286	725	7.88	2.023	775	8.79	3.246
626	6.61	-4.133	676	7.30	-1.281	726	7.89	0.778	776	8.88	3.044
627	6.62	-4.128	677	7.31	-3.775	727	7.91	0.787	777	9.00	3.056
628	6.63	-2.372	678	7.33	-3.267	728	7.92	1.293	778	9.06	4.634
629	6.65	-2.363	679	7.34	0.989	729	7.94	2.055	779	9.09	6.397
630	6.66	-2.354	680	7.35	0.496	730	7.96	1.565	780	9.10	5.157
631	6.67	-2.351	681	7.36	1.751	731	7.97	0.820	781	9.11	4.659
632	6.68	-2.345	682	7.37	1.258	732	7.98	0.826	782	9.12	3.163
633	6.71	-1.581	683	7.39	0.014	733	7.99	1.332	783	9.13	1.922
634	6.74	-2.816	684	7.40	-3.226	734	8.00	2.087	784	9.14	2.676
635	6.77	-2.301	685	7.41	-3.223	735	8.01	2.594	785	9.15	3.930
636	6.78	-2.295	686	7.42	-3.220	736	8.02	2.599	786	9.16	3.936
637	6.79	-3.540	687	7.43	-2.715	737	8.03	2.603	787	9.17	4.441
638	6.80	-2.284	688	7.44	0.541	738	8.04	3.356	788	9.19	6.448
639	6.81	-2.779	689	7.45	-1.206	739	8.06	1.369	789	9.21	5.709
640	6.82	-4.026	690	7.46	1.049	740	8.07	0.874	790	9.24	3.978
641	6.83	-3.020	691	7.47	0.056	741	8.08	1.377	791	9.28	3.247
642	6.85	-1.011	692	7.48	-1.187	742	8.09	1.384	792	9.36	4.035
643	6.87	-1.000	693	7.49	-1.183	743	8.10	1.390	793	9.41	4.565
644	6.91	-1.482	694	7.50	-1.929	744	8.11	2.645	794	9.46	4.087
645	6.92	-2.224	695	7.52	-1.419	745	8.12	2.649	795	9.48	2.349
646	6.93	-2.217	696	7.53	-0.159	746	8.13	3.902	796	9.54	3.381
647	6.95	-3.458	697	7.54	-0.155	747	8.15	2.163	797	9.61	4.667
648	6.96	-4.706	698	7.55	0.597	748	8.16	0.921	798	9.68	4.202
649	6.97	-4.200	699	7.56	0.603	749	8.17	0.926	799	9.74	5.484
650	6.98	-1.694	700	7.57	0.111	750	8.18	2.680	800	9.81	4.769

INDEX NO. 782 706-GR-1 KISOGAWA EMB. U-D MAX.ACCEL.= -15.242(GAL) T= 2.51(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	9.91	1.823	851	13.54	1.709
802	9.96	2.349	852	13.59	2.234
803	9.97	3.604	853	13.66	2.274
804	9.98	3.859	854	13.74	1.062
805	9.99	3.117	855	13.83	-0.889
806	10.01	3.624	856	13.94	0.418
807	10.02	3.131	857	14.10	-0.001
808	10.05	2.398	858	14.19	1.794
809	10.09	2.667	859	14.23	1.316
810	10.15	1.951	860	14.27	1.336
811	10.20	1.973	861	14.31	0.105
812	10.25	2.503	862	14.36	-1.869
813	10.31	2.032	863	14.41	0.658
814	10.37	2.067	864	14.46	0.106
815	10.49	2.128	865	14.52	-0.532
816	10.55	0.158	866	14.58	0.245
817	10.56	0.916	867	14.62	-0.229
818	10.60	4.184	868	14.70	1.061
819	10.63	1.700	869	14.75	-0.162
820	10.71	2.240	870	14.83	-1.372
821	10.78	3.525	871	14.88	-2.844
822	10.82	1.047	872	14.96	-0.304
823	10.88	2.830			
824	10.96	3.620			
825	11.07	2.925			
826	11.19	3.241			
827	11.37	3.630			
828	11.55	1.924			
829	11.72	1.010			
830	11.90	0.354			
831	11.95	1.126			
832	12.01	-0.340			
833	12.10	1.206			
834	12.18	0.001			
835	12.28	0.550			
836	12.37	1.350			
837	12.48	1.406			
838	12.60	0.472			
839	12.78	1.816			
840	12.90	0.631			
841	13.00	1.181			
842	13.11	1.487			
843	13.18	1.525			
844	13.25	-0.438			
845	13.32	1.595			
846	13.38	-0.372			
847	13.46	2.671			
848	13.48	1.432			
849	13.50	-0.310			
850	13.52	0.949			

Table IX D-9 Digitized Accelerations of Earthquake Record with Index Number 783

INDEX NO. 783 706-GR-1 KISOGAWA EMB. TR. MAX.ACCEL.= 96.552(GAL) T= 2.39(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.01	-11.134	51	0.55	0.332	101	1.07	2.787	151	1.62	2.254
2	0.02	-9.382	52	0.56	-0.415	102	1.08	-0.208	152	1.63	0.508
3	0.03	-6.378	53	0.57	-4.160	103	1.09	-0.706	153	1.64	-1.988
4	0.04	-2.624	54	0.58	-4.157	104	1.10	0.300	154	1.65	-3.985
5	0.06	0.835	55	0.59	-6.154	105	1.11	1.054	155	1.66	-4.461
6	0.07	0.639	56	0.60	-2.399	106	1.12	-0.692	156	1.67	-2.728
7	0.08	1.695	57	0.61	-0.393	107	1.14	-5.933	157	1.68	1.026
8	0.09	2.397	58	0.62	-1.640	108	1.15	-4.682	158	1.69	2.281
9	0.10	1.900	59	0.63	-2.137	109	1.16	-1.427	159	1.70	1.033
10	0.11	-2.345	60	0.64	-5.382	110	1.17	-0.672	160	1.71	-0.711
11	0.12	-5.589	61	0.65	-3.631	111	1.18	0.331	161	1.72	-0.209
12	0.13	-8.506	62	0.66	0.377	112	1.20	-1.411	162	1.73	1.546
13	0.14	-11.084	63	0.67	3.380	113	1.21	-3.908	163	1.74	1.549
14	0.15	-5.579	64	0.68	2.133	114	1.22	-3.905	164	1.75	0.552
15	0.16	-1.826	65	0.69	-1.612	115	1.23	-3.900	165	1.76	-0.694
16	0.17	3.680	66	0.70	-4.109	116	1.24	-2.647	166	1.77	-1.941
17	0.18	5.685	67	0.71	-5.357	117	1.25	0.337	167	1.78	-3.186
18	0.19	3.938	68	0.72	-4.602	118	1.26	0.613	168	1.79	-3.183
19	0.20	-0.558	69	0.73	1.404	119	1.27	1.115	169	1.80	-1.430
20	0.21	-3.553	70	0.74	3.907	120	1.28	1.621	170	1.81	5.577
21	0.23	-6.795	71	0.75	5.159	121	1.29	1.623	171	1.82	6.330
22	0.24	-9.291	72	0.76	2.914	122	1.31	-2.620	172	1.83	4.583
23	0.25	-10.539	73	0.77	-3.329	123	1.32	-0.862	173	1.84	3.336
24	0.26	-8.785	74	0.78	-6.076	124	1.33	0.391	174	1.85	-6.157
25	0.27	-5.029	75	0.79	-2.324	125	1.35	-1.353	175	1.86	-7.406
26	0.28	-1.276	76	0.80	1.682	126	1.36	-3.846	176	1.87	-2.401
27	0.29	1.977	77	0.81	2.937	127	1.37	-4.344	177	1.88	-0.648
28	0.30	3.730	78	0.82	2.190	128	1.38	-4.341	178	1.89	1.856
29	0.31	0.738	79	0.83	2.193	129	1.39	-3.838	179	1.90	2.610
30	0.33	-4.755	80	0.84	2.195	130	1.40	-2.082	180	1.91	3.863
31	0.34	-4.252	81	0.85	-0.300	131	1.41	-0.826	181	1.92	3.366
32	0.35	-2.999	82	0.86	-5.796	132	1.42	0.425	182	1.93	0.871
33	0.36	-2.244	83	0.87	-5.290	133	1.43	1.929	183	1.94	-0.376
34	0.37	-2.991	84	0.88	-5.288	134	1.44	0.682	184	1.96	-1.117
35	0.38	-2.487	85	0.89	-3.533	135	1.45	-4.311	185	1.97	-2.863
36	0.39	-2.234	86	0.90	-2.279	136	1.46	-6.308	186	1.98	-4.110
37	0.40	-1.728	87	0.91	-0.274	137	1.47	-2.054	187	1.99	-5.357
38	0.41	-2.225	88	0.92	1.730	138	1.48	-1.552	188	2.01	1.964
39	0.42	-5.470	89	0.93	3.982	139	1.49	-2.048	189	2.03	6.459
40	0.43	-5.468	90	0.94	4.236	140	1.50	-1.544	190	2.04	3.415
41	0.44	-1.212	91	0.95	3.490	141	1.51	0.962	191	2.05	-2.331
42	0.45	0.791	92	0.96	0.495	142	1.52	-0.784	192	2.06	-3.577
43	0.46	0.795	93	0.97	-4.502	143	1.53	-0.282	193	2.07	-1.072
44	0.48	-4.197	94	0.98	-2.249	144	1.54	-1.527	194	2.09	3.183
45	0.49	-5.444	95	1.00	-1.492	145	1.55	-2.774	195	2.10	8.188
46	0.50	-3.437	96	1.01	-3.485	146	1.57	-1.018	196	2.11	10.190
47	0.51	-5.436	97	1.03	-2.730	147	1.58	-0.262	197	2.12	6.445
48	0.52	-1.680	98	1.04	-0.224	148	1.59	-1.509	198	2.13	1.450
49	0.53	-0.928	99	1.05	2.280	149	1.60	0.246	199	2.14	-4.046
50	0.54	3.329	100	1.06	3.534	150	1.61	2.750	200	2.15	-6.044

土木構造物における加速度強震記録 (No. 9)

INDEX NO. 783 706-GR-1 KISOGAWA EMB. TR. MAX.ACCEL.= 96.552(GAL) T= 2.39(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	2.16	1.961	251	2.70	16.177	301	3.24	5.640	351	3.76	10.940
202	2.18	18.221	252	2.71	18.430	302	3.25	3.143	352	3.77	-6.549
203	2.19	22.973	253	2.73	15.435	303	3.26	-7.353	353	3.78	-9.544
204	2.20	22.977	254	2.74	7.442	304	3.27	-13.848	354	3.80	5.227
205	2.21	-1.516	255	2.75	-5.053	305	3.28	-14.595	355	3.81	10.234
206	2.22	-38.265	256	2.76	-24.050	306	3.29	-14.594	356	3.82	7.988
207	2.23	-46.760	257	2.77	-32.545	307	3.30	-10.839	357	3.83	-5.751
208	2.24	-50.505	258	2.78	-25.294	308	3.31	-4.585	358	3.84	-8.996
209	2.25	-50.504	259	2.79	0.711	309	3.32	2.170	359	3.85	-5.241
210	2.26	-22.249	260	2.80	40.467	310	3.33	5.674	360	3.86	1.010
211	2.27	36.256	261	2.81	42.971	311	3.34	8.677	361	3.87	-1.469
212	2.28	45.008	262	2.82	39.724	312	3.35	9.430	362	3.88	-6.462
213	2.29	30.763	263	2.83	26.727	313	3.36	9.934	363	3.89	-10.953
214	2.31	-24.980	264	2.84	6.981	314	3.37	7.689	364	3.90	-10.948
215	2.32	-50.475	265	2.85	+14.013	315	3.38	1.944	365	3.91	-8.693
216	2.33	-60.720	266	2.87	-28.005	316	3.40	-9.297	366	3.92	-6.684
217	2.34	-58.220	267	2.88	-30.502	317	3.41	-15.044	367	3.93	-2.928
218	2.36	-4.461	268	2.89	-30.000	318	3.42	-14.543	368	3.94	-2.169
219	2.37	70.545	269	2.90	-13.746	319	3.43	-7.787	369	3.95	-2.908
220	2.38	96.550	270	2.91	8.760	320	3.44	-1.534	370	3.96	-2.905
221	2.39	96.552	271	2.92	11.765	321	3.45	12.473	371	3.97	9.108
222	2.40	94.054	272	2.93	5.518	322	3.46	16.975	372	3.98	9.366
223	2.41	44.308	273	2.94	-4.479	323	3.47	15.228	373	3.99	3.121
224	2.42	8.812	274	2.95	-26.725	324	3.48	12.731	374	4.00	-2.623
225	2.43	-36.931	275	2.96	-33.220	325	3.50	0.743	375	4.01	-8.117
226	2.44	-45.428	276	2.97	-30.467	326	3.51	-7.998	376	4.02	-8.364
227	2.45	-44.174	277	2.98	-17.951	327	3.52	-11.266	377	4.03	-7.110
228	2.46	-25.171	278	2.99	-16.711	328	3.53	-5.738	378	4.04	-5.605
229	2.47	3.835	279	3.00	9.795	329	3.54	8.773	379	4.05	-3.850
230	2.48	15.337	280	3.01	12.300	330	3.55	11.275	380	4.06	-0.097
231	2.49	12.840	281	3.02	13.054	331	3.56	-23.709	381	4.07	1.908
232	2.50	9.094	282	3.03	13.058	332	3.57	-23.958	382	4.08	-0.090
233	2.51	6.098	283	3.05	11.813	333	3.58	-13.200	383	4.09	-3.836
234	2.52	-8.396	284	3.06	8.819	334	3.59	8.813	384	4.10	-5.083
235	2.53	-26.892	285	3.07	6.323	335	3.60	8.815	385	4.11	-8.579
236	2.54	-51.638	286	3.08	3.075	336	3.61	-2.923	386	4.13	-3.572
237	2.55	-54.636	287	3.09	3.582	337	3.62	3.337	387	4.14	4.934
238	2.56	-50.883	288	3.10	6.086	338	3.63	5.094	388	4.15	7.438
239	2.57	16.125	289	3.11	8.088	339	3.64	4.096	389	4.16	10.443
240	2.58	28.627	290	3.12	10.092	340	3.65	6.357	390	4.17	9.945
241	2.59	50.882	291	3.13	10.096	341	3.66	2.864	391	4.18	1.200
242	2.60	59.135	292	3.14	8.099	342	3.67	-7.874	392	4.19	-5.547
243	2.61	56.888	293	3.15	-2.397	343	3.68	-11.866	393	4.20	-10.792
244	2.63	10.646	294	3.16	-13.391	344	3.69	-9.862	394	4.21	-13.288
245	2.64	-45.848	295	3.17	-14.638	345	3.70	4.398	395	4.22	-10.285
246	2.65	-54.594	296	3.18	-15.884	346	3.71	6.400	396	4.23	-6.030
247	2.66	-54.091	297	3.20	-14.628	347	3.72	-8.337	397	4.24	-1.027
248	2.67	-39.838	298	3.21	-9.624	348	3.73	-12.330	398	4.25	2.726
249	2.68	-26.336	299	3.22	-5.870	349	3.74	-8.826	399	4.27	4.984
250	2.69	7.173	300	3.23	4.886	350	3.75	10.187	400	4.28	3.740

INDEX NO. 783 706-GR-1 KISOGAWA EMB. TR. MAX.ACCEL.= 96.552(GAL) T= 2.39(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	4.30	-1.753	451	4.87	1.970	501	5.45	-3.300	551	6.00	-3.836
402	4.31	-3.001	452	4.88	2.723	502	5.46	-5.796	552	6.02	-4.081
403	4.32	-1.249	453	4.89	0.980	503	5.47	-2.041	553	6.03	-4.078
404	4.33	0.006	454	4.90	+1.015	504	5.48	0.462	554	6.04	-3.323
405	4.34	2.512	455	4.92	+2.758	505	5.49	-0.035	555	6.05	-3.317
406	4.35	3.015	456	4.93	+3.504	506	5.50	-0.029	556	6.06	-6.313
407	4.36	6.767	457	4.94	+3.501	507	5.51	-0.027	557	6.07	-7.060
408	4.37	4.524	458	4.95	+3.498	508	5.52	-2.023	558	6.08	-7.557
409	4.38	0.777	459	4.96	+2.244	509	5.53	-1.519	559	6.09	-7.554
410	4.40	-2.466	460	4.99	+1.733	510	5.54	-3.265	560	6.10	-5.299
411	4.42	-4.206	461	5.00	-0.478	511	5.55	-1.260	561	6.11	+3.296
412	4.43	-4.202	462	5.01	+1.474	512	5.56	0.492	562	6.12	-0.291
413	4.45	-5.448	463	5.02	+1.720	513	5.57	0.496	563	6.13	0.462
414	4.47	-1.189	464	5.03	+0.467	514	5.58	0.0	564	6.14	-1.282
415	4.48	-1.686	465	5.04	1.537	515	5.59	+0.747	565	6.16	-5.027
416	4.49	-0.681	466	5.05	2.042	516	5.60	-1.992	566	6.17	-6.274
417	4.50	0.073	467	5.06	1.048	517	5.61	-1.988	567	6.18	-4.518
418	4.51	0.578	468	5.08	+2.194	518	5.62	-1.984	568	6.19	-4.013
419	4.52	-0.418	469	5.09	+2.190	519	5.63	-0.732	569	6.21	-4.007
420	4.53	-0.415	470	5.10	+0.937	520	5.64	-1.225	570	6.22	-3.253
421	4.54	-3.661	471	5.12	-2.180	521	5.66	-0.720	571	6.23	-2.000
422	4.55	-1.158	472	5.13	-2.176	522	5.67	-0.716	572	6.24	-1.494
423	4.56	1.346	473	5.14	+1.672	523	5.68	-1.209	573	6.25	-1.991
424	4.57	1.349	474	5.15	+3.418	524	5.69	-1.206	574	6.26	-2.488
425	4.58	-0.394	475	5.16	+7.663	525	5.70	-0.204	575	6.27	-4.981
426	4.59	-1.639	476	5.17	-7.660	526	5.71	-1.451	576	6.29	-5.726
427	4.60	-1.637	477	5.18	-8.406	527	5.72	3.055	577	6.30	-2.710
428	4.61	-1.635	478	5.19	-4.652	528	5.73	2.560	578	6.31	+0.216
429	4.62	-2.380	479	5.20	+1.648	529	5.74	3.564	579	6.32	-0.212
430	4.63	0.125	480	5.21	1.607	530	5.75	0.566	580	6.33	-0.708
431	4.64	1.381	481	5.22	2.860	531	5.76	-3.430	581	6.35	-1.203
432	4.65	1.883	482	5.23	2.363	532	5.77	-3.927	582	6.36	-3.698
433	4.66	-0.364	483	5.24	-3.881	533	5.78	-5.923	583	6.37	-6.195
434	4.67	-3.607	484	5.25	+8.377	534	5.79	+4.669	584	6.38	-6.192
435	4.68	-3.605	485	5.26	-7.876	535	5.80	-2.914	585	6.39	-5.688
436	4.69	-3.602	486	5.27	+5.872	536	5.81	-2.911	586	6.40	-3.183
437	4.70	-1.596	487	5.28	+5.368	537	5.82	-3.408	587	6.41	-0.678
438	4.71	0.157	488	5.29	-2.863	538	5.83	+1.654	588	6.42	0.575
439	4.72	0.661	489	5.30	0.891	539	5.84	-1.398	589	6.43	0.579
440	4.73	1.414	490	5.31	2.145	540	5.86	-3.892	590	6.44	-0.666
441	4.74	0.917	491	5.32	1.648	541	5.87	-5.136	591	6.45	-1.912
442	4.75	-3.576	492	5.34	-6.342	542	5.88	-5.133	592	6.46	-0.159
443	4.76	-5.322	493	5.35	-6.588	543	5.91	-5.123	593	6.47	1.093
444	4.77	-6.568	494	5.36	-7.585	544	5.92	-2.117	594	6.48	3.098
445	4.78	-7.814	495	5.37	-7.083	545	5.93	-2.612	595	6.49	3.101
446	4.80	-6.059	496	5.39	-2.825	546	5.95	-2.108	596	6.50	2.605
447	4.81	-5.552	497	5.40	0.930	547	5.96	+3.351	597	6.51	0.110
448	4.83	-6.047	498	5.41	1.693	548	5.97	+3.351	598	6.53	-3.133
449	4.84	-4.290	499	5.42	2.187	549	5.98	-5.096	599	6.54	-4.878
450	4.86	0.219	500	5.44	+3.302	550	5.99	+6.342	600	6.55	-5.625

INDEX NO. 783 706-GR-1 KISOGAWA EMB. TR. MAX.ACCEL.= 96.552(GAL) T= 2.39(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	6.56	-5.121	651	7.21	-4.012	701	7.77	0.110	751	8.31	0.323
602	6.57	-4.366	652	7.23	-4.107	702	7.78	1.864	752	8.32	0.327
603	6.58	-4.363	653	7.24	-1.102	703	7.79	1.868	753	8.34	1.583
604	6.59	-3.107	654	7.25	0.902	704	7.80	3.871	754	8.35	1.587
605	6.61	-3.106	655	7.26	1.406	705	7.81	2.126	755	8.36	2.092
606	6.62	-1.847	656	7.27	2.910	706	7.82	0.128	756	8.38	1.597
607	6.63	1.908	657	7.28	2.165	707	7.83	-0.368	757	8.39	-0.146
608	6.64	2.662	658	7.29	2.170	708	7.84	-0.365	758	8.40	-0.892
609	6.65	1.416	659	7.30	1.674	709	7.85	-0.610	759	8.41	-1.387
610	6.66	0.670	660	7.32	-0.618	710	7.86	0.143	760	8.43	0.367
611	6.67	0.173	661	7.33	-1.566	711	7.87	2.148	761	8.44	4.124
612	6.68	-0.572	662	7.34	-4.560	712	7.88	2.153	762	8.45	5.378
613	6.69	-0.068	663	7.35	-4.057	713	7.89	2.156	763	8.46	5.381
614	6.71	3.190	664	7.36	-1.553	714	7.90	-1.088	764	8.47	5.883
615	6.72	1.945	665	7.37	-1.550	715	7.91	-0.585	765	8.48	5.887
616	6.74	-0.550	666	7.38	-0.296	716	7.92	-1.582	766	8.49	2.892
617	6.76	-6.043	667	7.39	1.461	717	7.93	-0.329	767	8.50	0.397
618	6.77	-5.538	668	7.40	1.714	718	7.94	2.175	768	8.51	-0.099
619	6.78	-3.784	669	7.41	2.217	719	7.95	2.679	769	8.52	1.656
620	6.79	-2.530	670	7.42	0.469	720	7.96	3.933	770	8.54	3.663
621	6.80	-0.525	671	7.43	-7.774	721	7.97	3.937	771	8.56	4.168
622	6.82	-0.018	672	7.44	-8.271	722	7.98	3.441	772	8.57	2.424
623	6.84	-1.760	673	7.45	-9.019	723	7.99	0.197	773	8.59	-0.821
624	6.85	-2.255	674	7.47	-3.511	724	8.00	0.200	774	8.60	-2.066
625	6.88	-1.746	675	7.48	1.494	725	8.01	1.956	775	8.61	-4.560
626	6.89	0.759	676	7.49	5.247	726	8.02	2.708	776	8.63	-2.805
627	6.90	0.761	677	7.50	6.252	727	8.03	4.462	777	8.64	1.701
628	6.91	3.267	678	7.51	6.255	728	8.04	6.966	778	8.65	4.706
629	6.92	2.770	679	7.52	2.010	729	8.05	6.469	779	8.67	6.214
630	6.93	0.275	680	7.53	-4.235	730	8.06	5.224	780	8.69	6.219
631	6.94	-1.221	681	7.54	-8.981	731	8.07	3.977	781	8.70	4.972
632	6.95	-3.467	682	7.55	-11.477	732	8.09	-1.514	782	8.71	3.727
633	6.97	-4.712	683	7.56	-8.223	733	8.10	-1.012	783	8.73	6.734
634	6.99	-1.704	684	7.57	-2.719	734	8.11	0.743	784	8.74	4.740
635	7.00	-0.447	685	7.58	1.035	735	8.12	2.748	785	8.76	2.495
636	7.02	1.311	686	7.59	4.786	736	8.14	4.005	786	8.77	-0.747
637	7.04	0.819	687	7.60	6.042	737	8.15	4.010	787	8.79	-0.742
638	7.06	0.828	688	7.61	6.794	738	8.17	1.515	788	8.80	0.011
639	7.08	0.835	689	7.63	3.302	739	8.18	-0.979	789	8.81	0.517
640	7.09	0.338	690	7.64	-1.192	740	8.19	-2.224	790	8.82	2.272
641	7.10	-1.658	691	7.65	-4.439	741	8.20	-2.221	791	8.84	4.276
642	7.11	-3.654	692	7.66	-4.436	742	8.21	-0.967	792	8.85	4.284
643	7.12	-2.900	693	7.67	0.821	743	8.22	2.037	793	8.87	-1.460
644	7.14	-1.144	694	7.68	2.575	744	8.23	4.042	794	8.88	-2.456
645	7.15	-0.887	695	7.70	2.580	745	8.24	4.545	795	8.89	-1.453
646	7.16	-1.635	696	7.71	2.584	746	8.25	4.550	796	8.90	-0.200
647	7.17	-1.131	697	7.72	1.339	747	8.27	5.304	797	8.91	3.055
648	7.18	-1.127	698	7.73	-0.408	748	8.28	3.559	798	8.92	4.308
649	7.19	-1.621	699	7.74	-4.152	749	8.29	2.813	799	8.93	5.561
650	7.20	-2.117	700	7.76	-3.647	750	8.30	1.587	800	8.94	5.566

INDEX NO. 783 706-GR-1 KISOGAWA EMB. TR. MAX.ACCEL.= 96.552(GAL) T= 2.39(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	8.95	4.321	851	9.64	2.594	901	10.36	-0.116	951	11.16	-0.305
802	8.96	-2.423	852	9.65	0.351	902	10.38	-1.360	952	11.22	4.468
803	8.97	-6.171	853	9.66	-0.895	903	10.40	-0.103	953	11.24	1.476
804	8.98	-6.169	854	9.68	-1.640	904	10.41	1.150	954	11.25	-1.020
805	9.00	-3.161	855	9.69	-1.134	905	10.42	1.904	955	11.26	-1.016
806	9.01	5.096	856	9.70	0.121	906	10.44	2.914	956	11.27	-2.263
807	9.03	6.100	857	9.73	2.631	907	10.46	4.922	957	11.28	-1.757
808	9.04	6.104	858	9.75	3.389	908	10.48	5.429	958	11.30	-2.252
809	9.06	3.114	859	9.76	3.893	909	10.49	4.434	959	11.32	2.756
810	9.07	1.869	860	9.77	3.897	910	10.52	2.442	960	11.33	1.510
811	9.09	3.128	861	9.78	2.903	911	10.53	-0.051	961	11.34	-0.983
812	9.10	5.632	862	9.80	-1.590	912	10.54	-0.048	962	11.35	0.270
813	9.11	6.084	863	9.81	-2.836	913	10.55	-1.794	963	11.37	-2.225
814	9.12	6.388	864	9.82	-3.332	914	10.56	-0.792	964	11.38	-1.721
815	9.13	4.392	865	9.83	-2.827	915	10.57	0.464	965	11.39	-0.217
816	9.15	1.899	866	9.85	-2.320	916	10.58	0.467	966	11.41	3.542
817	9.16	1.904	867	9.87	-0.311	917	10.59	0.721	967	11.43	3.547
818	9.18	0.163	868	9.89	-0.305	918	10.60	-0.026	968	11.44	2.303
819	9.19	-1.834	869	9.91	-2.046	919	10.62	-0.517	969	11.45	0.307
820	9.20	-2.330	870	9.93	-1.040	920	10.63	0.487	970	11.46	-2.689
821	9.21	-3.077	871	9.95	-2.032	921	10.65	1.746	971	11.47	-2.685
822	9.22	-1.820	872	9.96	-0.775	922	10.67	3.253	972	11.48	-1.682
823	9.26	2.442	873	9.98	-0.268	923	10.69	2.512	973	11.49	2.073
824	9.27	3.199	874	10.00	-1.510	924	10.72	2.022	974	11.50	2.826
825	9.29	3.205	875	10.01	-2.006	925	10.73	0.528	975	11.51	2.330
826	9.31	2.713	876	10.02	-2.752	926	10.74	0.533	976	11.52	2.835
827	9.32	3.219	877	10.03	-1.497	927	10.75	2.535	977	11.54	0.341
828	9.34	1.974	878	10.05	-0.991	928	10.78	5.547	978	11.55	-2.653
829	9.35	0.729	879	10.06	-1.486	929	10.79	3.302	979	11.56	-2.651
830	9.36	0.235	880	10.07	-0.981	930	10.80	2.056	980	11.58	2.109
831	9.38	0.240	881	10.08	-0.228	931	10.82	1.310	981	11.60	3.367
832	9.39	-2.256	882	10.09	0.277	932	10.83	0.065	982	11.61	4.121
833	9.40	-1.002	883	10.11	1.532	933	10.84	0.569	983	11.63	1.627
834	9.41	-1.748	884	10.13	0.541	934	10.88	3.838	984	11.67	-4.606
835	9.42	1.507	885	10.15	1.049	935	10.89	4.590	985	11.68	-3.352
836	9.43	4.512	886	10.17	1.556	936	10.90	1.344	986	11.69	-2.098
837	9.44	5.766	887	10.18	0.561	937	10.92	1.851	987	11.70	-0.845
838	9.45	5.268	888	10.19	-1.935	938	10.94	-0.392	988	11.71	0.412
839	9.46	3.275	889	10.20	-1.433	939	10.96	-0.382	989	11.72	-0.086
840	9.49	-0.466	890	10.21	-0.929	940	11.01	0.635	990	11.73	-0.832
841	9.50	2.040	891	10.22	-0.923	941	11.02	3.141	991	11.74	-2.576
842	9.51	3.795	892	10.23	1.082	942	11.03	2.645	992	11.75	-2.073
843	9.53	4.550	893	10.25	2.337	943	11.05	2.151	993	11.76	0.932
844	9.55	1.310	894	10.28	-1.401	944	11.06	1.407	994	11.77	3.436
845	9.57	-2.932	895	10.29	-0.147	945	11.07	-1.588	995	11.78	5.941
846	9.58	-4.178	896	10.30	-0.142	946	11.08	-2.334	996	11.80	4.198
847	9.59	-5.924	897	10.32	-0.135	947	11.11	1.426	997	11.81	3.702
848	9.61	-4.167	898	10.33	1.871	948	11.12	2.680	998	11.83	0.459
849	9.62	-0.413	899	10.34	1.124	949	11.14	0.936	999	11.84	-0.037
850	9.63	1.340	900	10.35	0.629	950	11.15	-0.308	1000	11.85	0.968

INDEX NO. 783 706-GR-1 KISOGAWA EMB. TR. MAX.ACCEL.= 96.552(GAL) T= 2.39(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	11.86	1.722	1051	12.45	1.209	1101	13.17	3.491	1151	13.99	1.314
1002	11.88	2.477	1052	12.47	0.715	1102	13.18	3.996	1152	14.00	1.319
1003	11.89	1.732	1053	12.49	0.722	1103	13.20	3.001	1153	14.01	0.822
1004	11.90	-0.012	1054	12.50	0.227	1104	13.21	1.758	1154	14.02	0.076
1005	11.91	-1.259	1055	12.51	0.232	1105	13.23	1.764	1155	14.03	0.080
1006	11.92	-4.506	1056	12.53	1.238	1106	13.24	0.520	1156	14.05	-1.163
1007	11.93	-4.002	1057	12.54	1.994	1107	13.26	1.025	1157	14.06	0.591
1008	11.95	-1.244	1058	12.55	3.249	1108	13.28	-1.967	1158	14.07	0.096
1009	11.96	-0.740	1059	12.57	1.504	1109	13.29	-1.462	1159	14.09	1.355
1010	11.97	-0.236	1060	12.59	0.763	1110	13.31	-1.455	1160	14.10	1.360
1011	11.98	0.019	1061	12.61	0.270	1111	13.32	-1.449	1161	14.12	0.866
1012	11.99	-0.726	1062	12.63	-0.973	1112	13.33	1.056	1162	14.14	1.875
1013	12.00	-1.971	1063	12.65	-0.463	1113	13.34	1.560	1163	14.15	1.379
1014	12.01	-1.968	1064	12.66	-0.458	1114	13.36	1.066	1164	14.17	0.138
1015	12.02	-1.466	1065	12.68	0.049	1115	13.37	0.571	1165	14.19	-0.357
1016	12.04	0.542	1066	12.70	0.808	1116	13.39	-0.172	1166	14.20	-1.102
1017	12.05	1.049	1067	12.72	0.064	1117	13.40	1.082	1167	14.21	-2.348
1018	12.06	2.302	1068	12.74	3.323	1118	13.42	3.590	1168	14.23	-3.590
1019	12.07	1.305	1069	12.75	3.327	1119	13.43	3.592	1169	14.25	-3.584
1020	12.08	-0.690	1070	12.77	4.584	1120	13.44	3.598	1170	14.26	-2.329
1021	12.09	1.065	1071	12.78	3.336	1121	13.45	2.353	1171	14.28	-3.569
1022	12.10	1.068	1072	12.79	1.591	1122	13.47	2.358	1172	14.29	-4.315
1023	12.11	1.322	1073	12.80	0.848	1123	13.48	1.112	1173	14.33	-1.801
1024	12.13	0.579	1074	12.82	0.354	1124	13.50	1.620	1174	14.34	-1.045
1025	12.14	3.084	1075	12.83	-0.892	1125	13.52	1.129	1175	14.35	0.209
1026	12.15	3.586	1076	12.84	-0.887	1126	13.53	2.385	1176	14.36	-0.288
1027	12.16	2.591	1077	12.86	0.118	1127	13.55	2.390	1177	14.37	-0.532
1028	12.17	-0.655	1078	12.87	0.873	1128	13.56	1.896	1178	14.39	0.973
1029	12.18	-3.150	1079	12.88	2.129	1129	13.59	-0.595	1179	14.40	-0.271
1030	12.19	-1.895	1080	12.90	0.884	1130	13.61	-0.836	1180	14.41	-2.769
1031	12.20	-0.142	1081	12.91	0.388	1131	13.63	-3.079	1181	14.42	-2.766
1032	12.22	1.864	1082	12.92	-0.858	1132	13.65	-3.821	1182	14.43	-2.758
1033	12.23	2.369	1083	12.93	-0.853	1133	13.67	-3.313	1183	14.45	-1.752
1034	12.24	2.374	1084	12.94	-0.350	1134	13.68	-0.557	1184	14.47	-1.496
1035	12.26	0.629	1085	12.95	1.655	1135	13.72	3.207	1185	14.48	-1.488
1036	12.27	0.135	1086	12.96	2.160	1136	13.73	3.714			
1037	12.28	-1.859	1087	12.98	2.666	1137	13.75	1.970			
1038	12.30	-1.852	1088	12.99	2.170	1138	13.76	2.473			
1039	12.31	-0.098	1089	13.01	2.177	1139	13.78	2.980			
1040	12.32	3.156	1090	13.02	0.933	1140	13.79	1.237			
1041	12.33	1.909	1091	13.03	-1.563	1141	13.81	-1.255			
1042	12.34	1.913	1092	13.05	-0.307	1142	13.86	-1.738			
1043	12.35	0.689	1093	13.06	2.198	1143	13.87	-1.231			
1044	12.36	-0.576	1094	13.07	3.453	1144	13.89	-2.475			
1045	12.38	-2.322	1095	13.09	3.959	1145	13.90	-2.470			
1046	12.39	0.683	1096	13.10	2.215	1146	13.92	-2.464			
1047	12.40	2.436	1097	13.12	2.222	1147	13.93	-1.210			
1048	12.41	4.442	1098	13.13	2.725	1148	13.94	0.044			
1049	12.42	5.696	1099	13.14	2.730	1149	13.96	0.051			
1050	12.43	3.951	1100	13.16	2.737	1150	13.98	0.060			

Table IX D-10 Digitized Accelerations of Earthquake Record with Index Number 784

INDEX NO. 784 206-GR-17 OMIGAWA BRIDGE TR. MAX.ACCEL.= 63.293(GAL) T= 8.19(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.0	-3.401	51	0.50	-4.406	101	1.04	-11.822	151	1.54	-13.810
2	0.01	-3.695	52	0.51	-5.330	102	1.05	-13.133	152	1.55	-12.856
3	0.02	-3.249	53	0.52	-5.357	103	1.06	-13.792	153	1.56	-12.258
4	0.03	-3.285	54	0.53	-8.295	104	1.07	-14.714	154	1.57	-9.554
5	0.04	-3.317	55	0.54	-9.961	105	1.08	-17.394	155	1.58	-10.125
6	0.05	-2.368	56	0.55	-12.757	106	1.09	-18.060	156	1.59	-10.782
7	0.06	-2.660	57	0.56	-14.802	107	1.10	-18.454	157	1.60	-12.070
8	0.07	-2.477	58	0.57	-14.593	108	1.11	-17.878	158	1.61	-11.063
9	0.08	-2.776	59	0.58	-14.243	109	1.12	-15.418	159	1.62	-12.814
10	0.09	-3.165	60	0.60	-13.455	110	1.13	-12.970	160	1.63	-13.214
11	0.10	-3.861	61	0.61	-14.028	111	1.14	-10.536	161	1.64	-13.629
12	0.11	-4.153	62	0.62	-15.701	112	1.15	-9.174	162	1.65	-13.301
13	0.12	-4.542	63	0.63	-15.465	113	1.16	-8.625	163	1.66	-13.347
14	0.13	-4.002	64	0.64	-15.536	114	1.17	-7.789	164	1.67	-14.032
15	0.14	-4.036	65	0.65	-15.829	115	1.18	-7.453	165	1.68	-13.681
16	0.15	-4.335	66	0.56	-15.595	116	1.19	-7.252	166	1.69	-14.083
17	0.16	-4.762	67	0.68	-13.693	117	1.20	-6.527	167	1.70	-8.792
18	0.17	-4.792	68	0.69	-12.603	118	1.21	-6.065	168	1.71	-11.080
19	0.18	-5.408	69	0.70	-9.176	119	1.22	-4.252	169	1.72	-11.988
20	0.19	-5.765	70	0.71	-9.481	120	1.23	-3.657	170	1.73	-14.534
21	0.20	-6.183	71	0.72	-9.261	121	1.24	-3.614	171	1.74	-16.210
22	0.21	-6.236	72	0.73	-8.199	122	1.25	-4.279	172	1.75	-19.246
23	0.22	-6.000	73	0.74	-8.238	123	1.26	-4.293	173	1.76	-17.398
24	0.23	-5.910	74	0.75	-8.016	124	1.27	-3.499	174	1.77	-15.187
25	0.24	-5.715	75	0.76	-8.689	125	1.28	-4.545	175	1.78	-10.750
26	0.25	-3.273	76	0.77	-7.847	126	1.29	-6.083	176	1.79	-9.523
27	0.26	-3.571	77	0.78	-8.136	127	1.30	-8.249	177	1.80	-6.833
28	0.27	-4.262	78	0.79	-6.693	128	1.31	-9.923	178	1.81	-4.634
29	0.28	-4.671	79	0.80	-5.494	129	1.32	-9.311	179	1.82	-2.433
30	0.29	-4.449	80	0.81	-4.918	130	1.33	-7.855	180	1.83	-1.477
31	0.30	-3.481	81	0.82	-4.584	131	1.34	-6.659	181	1.84	-0.264
32	0.31	-2.932	82	0.83	-3.625	132	1.35	-5.067	182	1.85	1.559
33	0.32	-2.941	83	0.84	-3.162	133	1.36	-3.892	183	1.86	2.156
34	0.33	-3.286	84	0.85	-3.486	134	1.37	-3.670	184	1.87	1.499
35	0.34	-4.321	85	0.86	-3.508	135	1.38	-3.985	185	1.88	1.168
36	0.35	-3.719	86	0.87	-3.193	136	1.39	-4.651	186	1.89	0.121
37	0.36	-3.517	87	0.88	-2.961	137	1.40	-5.316	187	1.90	0.101
38	0.37	-2.915	88	0.89	-2.035	138	1.41	-5.596	188	1.91	-0.866
39	0.38	-2.619	89	0.90	-1.204	139	1.42	-6.892	189	1.92	0.025
40	0.39	-2.908	90	0.91	-0.969	140	1.43	-8.832	190	1.93	-1.558
41	0.40	-3.312	91	0.92	-0.149	141	1.44	-9.239	191	1.95	-3.263
42	0.41	-3.114	92	0.93	-1.844	142	1.45	-9.928	192	1.96	-5.814
43	0.42	-3.144	93	0.95	-3.144	143	1.46	-10.195	193	1.97	-7.103
44	0.43	-3.103	94	0.96	-4.866	144	1.47	-9.107	194	1.98	-7.372
45	0.44	-2.635	95	0.97	-5.362	145	1.48	-7.542	195	2.00	-7.837
46	0.45	-3.301	96	0.98	-7.941	146	1.49	-8.234	196	2.01	-7.028
47	0.46	-4.200	97	0.99	-8.721	147	1.50	-8.880	197	2.02	-6.440
48	0.47	-3.032	98	1.00	-9.153	148	1.51	-11.085	198	2.03	-6.093
49	0.48	-3.070	99	1.02	-10.090	149	1.52	-12.734	199	2.04	-5.523
50	0.49	-3.361	100	1.03	-11.169	150	1.53	-14.657	200	2.05	-5.508

INDEX NO. 784 206-GR-17 OMIGAWA BRIDGE TR. MAX.ACCEL.= 63.293(GAL) T= 8.19(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	2.06	-6.005	251	2.60	-9.512	301	3.11	-3.082	351	3.62	-4.335
202	2.07	-6.284	252	2.61	-9.551	302	3.12	-3.357	352	3.63	-4.604
203	2.08	-7.576	253	2.62	-10.637	303	3.13	-2.408	353	3.64	-6.919
204	2.09	-8.680	254	2.63	-10.666	304	3.14	-1.967	354	3.65	-8.206
205	2.10	-9.167	255	2.64	-11.327	305	3.15	-0.998	355	3.66	-9.120
206	2.11	-9.608	256	2.65	-12.007	306	3.16	-0.441	356	3.67	-9.513
207	2.14	-9.738	257	2.66	-13.789	307	3.17	-0.476	357	3.68	-6.952
208	2.15	-10.028	258	2.67	-9.866	308	3.18	-1.759	358	3.69	-5.750
209	2.16	-11.320	259	2.68	-6.770	309	3.19	-2.438	359	3.70	-4.404
210	2.17	-12.599	260	2.69	-7.892	310	3.20	-3.988	360	3.71	-2.810
211	2.18	-13.256	261	2.70	-7.617	311	3.21	-4.639	361	3.72	-1.016
212	2.19	-14.422	262	2.71	-7.665	312	3.22	-4.812	362	3.73	-1.080
213	2.20	-14.881	263	2.73	-5.479	313	3.23	-5.117	363	3.74	-1.092
214	2.21	-14.531	264	2.74	-4.677	314	3.24	-5.407	364	3.75	-0.883
215	2.22	-14.805	265	2.75	-4.349	315	3.25	-6.693	365	3.76	-0.806
216	2.23	-13.727	266	2.76	-4.388	316	3.26	-8.992	366	3.77	-1.253
217	2.24	-13.398	267	2.77	-4.191	317	3.27	-9.263	367	3.78	-1.634
218	2.25	-10.955	268	2.78	-3.851	318	3.28	-8.439	368	3.79	-1.306
219	2.26	-8.265	269	2.79	-3.886	319	3.29	-6.633	369	3.80	-1.333
220	2.27	-5.316	270	2.80	-3.919	320	3.30	-5.785	370	3.81	-0.774
221	2.28	-4.357	271	2.81	-4.853	321	3.31	-4.828	371	3.82	-0.551
222	2.30	-2.297	272	2.82	-7.408	322	3.32	-5.143	372	3.83	1.027
223	2.31	-0.651	273	2.83	-8.084	323	3.33	-5.168	373	3.84	-0.903
224	2.32	0.958	274	2.84	-8.508	324	3.35	-5.999	374	3.85	-1.561
225	2.33	1.687	275	2.85	-8.545	325	3.36	-6.564	375	3.86	-2.489
226	2.34	0.768	276	2.86	-9.201	326	3.37	-6.107	376	3.87	-3.515
227	2.35	-1.142	277	2.87	-6.362	327	3.38	-6.138	377	3.88	-4.184
228	2.36	-3.688	278	2.88	-8.051	328	3.39	-6.183	378	3.89	-3.985
229	2.37	-5.883	279	2.89	-8.334	329	3.40	-7.344	379	3.90	-3.658
230	2.38	-6.663	280	2.90	-7.899	330	3.41	-8.654	380	3.92	-3.968
231	2.39	-7.716	281	2.91	-8.461	331	3.42	-9.085	381	3.93	-5.022
232	2.40	-9.021	282	2.92	-8.860	332	3.43	-9.116	382	3.94	-5.463
233	2.41	-9.674	283	2.93	-8.515	333	3.44	-8.917	383	3.95	-6.010
234	2.42	-10.973	284	2.94	-8.070	334	3.45	-7.969	384	3.97	-7.716
235	2.43	-10.133	285	2.95	-8.617	335	3.46	-7.376	385	3.98	-9.261
236	2.44	-9.541	286	2.96	-9.281	336	3.47	-7.667	386	3.99	-10.922
237	2.45	-6.591	287	2.97	-10.591	337	3.48	-8.069	387	4.00	-13.841
238	2.46	-8.009	288	2.98	-11.008	338	3.49	-8.362	388	4.01	-15.769
239	2.47	-6.559	289	2.99	-11.052	339	3.50	-7.933	389	4.02	-16.179
240	2.48	-5.839	290	3.00	-10.816	340	3.51	-8.229	390	4.03	-15.945
241	2.49	-5.894	291	3.01	-9.882	341	3.52	-7.394	391	4.04	-14.112
242	2.51	-6.972	292	3.02	-9.311	342	3.53	-7.050	392	4.05	-10.054
243	2.52	-6.035	293	3.03	-8.463	343	3.54	-6.743	393	4.06	-6.982
244	2.53	-5.825	294	3.04	-6.882	344	3.55	-5.894	394	4.07	-5.022
245	2.54	-5.248	295	3.05	-5.439	345	3.56	-4.427	395	4.08	-4.177
246	2.55	-6.548	296	3.06	-5.729	346	3.57	-3.470	396	4.09	-3.212
247	2.56	-6.828	297	3.07	-4.912	347	3.58	-3.251	397	4.10	-3.285
248	2.57	-8.254	298	3.08	-3.571	348	3.59	-2.318	398	4.11	-4.571
249	2.58	-10.064	299	3.09	-3.482	349	3.60	-2.340	399	4.12	-5.856
250	2.59	-9.597	300	3.10	-3.292	350	3.61	-2.653	400	4.13	-7.418

INDEX NO. 784 206-GR-17 OMIGAWA BRIDGE TR. MAX.ACCEL.= 63.293(GAL) T= 8.19(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	4.14	-6.935	451	4.74	-0.957	501	5.29	0.116	551	5.88	4.171
402	4.15	-5.720	452	4.75	-0.365	502	5.30	0.082	552	5.89	3.885
403	4.16	-5.135	453	4.76	0.460	503	5.31	0.032	553	5.90	3.437
404	4.17	-4.184	454	4.77	2.279	504	5.32	0.367	554	5.91	3.637
405	4.18	-2.106	455	4.78	3.855	505	5.33	0.448	555	5.92	3.978
406	4.19	-1.768	456	4.79	5.311	506	5.35	1.233	556	5.93	5.180
407	4.20	-0.564	457	4.80	7.014	507	5.36	0.182	557	5.94	5.169
408	4.21	-0.385	458	4.81	7.246	508	5.37	-0.484	558	5.95	6.117
409	4.22	-0.429	459	4.82	8.180	509	5.38	-2.679	559	5.96	5.690
410	4.23	-0.714	460	4.83	7.893	510	5.39	-1.843	560	5.97	4.014
411	4.24	-1.018	461	4.85	6.198	511	5.40	-0.854	561	5.98	3.737
412	4.25	-2.064	462	4.86	5.527	512	5.42	0.543	562	5.99	0.933
413	4.26	-1.844	463	4.87	4.240	513	5.45	2.930	563	6.00	-0.371
414	4.27	-1.492	464	4.88	1.659	514	5.46	3.737	564	6.01	-0.410
415	4.28	-0.925	465	4.90	-0.903	515	5.48	6.141	565	6.03	0.016
416	4.30	1.375	466	4.91	-2.950	516	5.50	6.174	566	6.04	0.357
417	4.31	1.830	467	4.92	-5.130	517	5.51	6.146	567	6.05	1.183
418	4.32	3.041	468	4.93	-5.163	518	5.52	5.743	568	6.06	1.123
419	4.33	3.377	469	4.95	-5.614	519	5.53	4.196	569	6.07	0.841
420	4.34	3.301	470	4.96	-6.569	520	5.55	2.489	570	6.08	-1.077
421	4.35	3.268	471	4.97	-6.984	521	5.56	0.547	571	6.09	-3.645
422	4.36	3.488	472	4.98	-7.899	522	5.57	-1.613	572	6.11	-6.487
423	4.37	3.199	473	4.99	-7.673	523	5.58	-4.544	573	6.12	-7.280
424	4.38	2.281	474	5.00	-6.836	524	5.59	-7.224	574	6.13	-7.697
425	4.40	-0.306	475	5.01	-5.280	525	5.60	-8.140	575	6.14	-7.463
426	4.43	-4.448	476	5.02	-5.053	526	5.61	-9.180	576	6.15	-6.270
427	4.45	-6.302	477	5.03	-3.872	527	5.62	-9.833	577	6.16	-6.578
428	4.47	-8.844	478	5.04	-3.985	528	5.63	-10.493	578	6.17	-5.970
429	4.49	-10.350	479	5.05	-4.211	529	5.64	-9.534	579	6.18	-4.516
430	4.50	-11.278	480	5.06	-5.127	530	5.66	-7.870	580	6.19	-3.312
431	4.51	-11.937	481	5.07	-6.183	531	5.67	-5.692	581	6.20	-2.394
432	4.52	-11.707	482	5.09	-6.506	532	5.69	-3.868	582	6.21	-1.172
433	4.53	-8.902	483	5.10	-7.160	533	5.70	-2.053	583	6.22	-0.967
434	4.54	-6.459	484	5.11	-9.480	534	5.71	-1.635	584	6.23	-0.370
435	4.56	-4.399	485	5.12	-12.600	535	5.72	-1.517	585	6.24	-1.935
436	4.57	-2.080	486	5.13	-14.319	536	5.73	-1.793	586	6.25	-1.964
437	4.58	-0.850	487	5.14	-14.093	537	5.74	-4.122	587	6.26	-1.152
438	4.59	-0.283	488	5.15	-13.496	538	5.75	-5.688	588	6.27	-0.804
439	4.60	-2.214	489	5.16	-12.041	539	5.76	-6.084	589	6.28	1.147
440	4.61	-5.125	490	5.17	-9.210	540	5.77	-5.476	590	6.29	3.223
441	4.62	-5.882	491	5.18	-4.900	541	5.78	-2.783	591	6.30	4.444
442	4.63	-7.586	492	5.19	-2.933	542	5.79	-2.179	592	6.31	7.286
443	4.64	-8.761	493	5.20	-1.490	543	5.80	2.006	593	6.32	10.722
444	4.65	-8.800	494	5.21	0.703	544	5.81	4.453	594	6.33	12.321
445	4.66	-9.089	495	5.22	0.917	545	5.82	4.869	595	6.34	12.270
446	4.68	-8.928	496	5.23	1.499	546	5.83	5.258	596	6.35	12.449
447	4.69	-7.727	497	5.24	1.841	547	5.84	5.598	597	6.37	11.875
448	4.71	-5.673	498	5.25	2.677	548	5.85	4.916	598	6.38	11.194
449	4.72	-2.865	499	5.27	5.351	549	5.86	4.617	599	6.40	9.490
450	4.73	-2.259	500	5.28	5.548	550	5.87	4.581	600	6.41	9.441

土木構造物における加速度強震記録（No.9）

INDEX NO. 784 206-GR-17 OMIGAWA BRIDGE TR: MAX.ACCEL.= 63.293(GAL) T= 8.19(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	6.42	8.781	651	6.96	17.027	701	7.58	-4.034	751	8.17	57.931
602	6.43	7.854	652	6.97	16.343	702	7.59	5.109	752	8.18	61.368
603	6.44	6.821	653	7.00	11.513	703	7.60	9.075	753	8.19	63.293
604	6.45	6.518	654	7.01	9.188	704	7.61	23.331	754	8.20	62.632
605	6.46	5.841	655	7.02	8.512	705	7.62	27.768	755	8.21	61.329
606	6.48	5.789	656	7.03	7.806	706	7.63	29.597	756	8.22	55.625
607	6.49	5.162	657	7.04	6.998	707	7.64	31.642	757	8.23	45.932
608	6.51	5.284	658	7.05	4.797	708	7.65	32.590	758	8.24	33.609
609	6.53	4.565	659	7.06	2.689	709	7.66	34.127	759	8.26	7.332
610	6.54	4.260	660	7.08	-2.204	710	7.67	34.701	760	8.27	-5.375
611	6.55	2.958	661	7.09	-2.229	711	7.68	37.116	761	8.28	-13.463
612	6.56	2.924	662	7.10	-2.930	712	7.69	40.295	762	8.29	-18.037
613	6.57	2.695	663	7.14	-0.701	713	7.70	42.745	763	8.30	-19.600
614	6.58	1.848	664	7.15	1.956	714	7.72	48.230	764	8.31	-19.630
615	6.59	-1.728	665	7.17	6.930	715	7.73	49.920	765	8.32	-18.615
616	6.60	-2.386	666	7.18	7.264	716	7.74	51.965	766	8.33	-18.686
617	6.61	-2.433	667	7.19	7.229	717	7.75	51.944	767	8.34	-18.719
618	6.62	-2.460	668	7.20	5.292	718	7.76	51.374	768	8.35	-19.687
619	6.63	1.093	669	7.22	-6.275	719	7.77	49.693	769	8.36	-20.626
620	6.64	2.318	670	7.23	-9.473	720	7.78	44.596	770	8.37	-22.568
621	6.65	5.133	671	7.24	-9.509	721	7.79	40.022	771	8.38	-23.881
622	6.66	6.464	672	7.25	-9.561	722	7.80	37.489	772	8.39	-23.693
623	6.67	7.054	673	7.26	-7.744	723	7.81	34.686	773	8.40	-23.112
624	6.68	7.030	674	7.29	3.501	724	7.82	35.190	774	8.41	-19.438
625	6.69	6.983	675	7.30	5.435	725	7.83	36.620	775	8.42	-15.500
626	6.70	5.686	676	7.31	6.037	726	7.84	37.447	776	8.43	-9.818
627	6.71	3.763	677	7.32	5.712	727	7.85	37.148	777	8.44	0.626
628	6.72	2.856	678	7.33	4.153	728	7.86	35.209	778	8.46	33.059
629	6.73	-1.353	679	7.34	2.216	729	7.87	32.514	779	8.47	37.894
630	6.74	-1.629	680	7.36	-7.473	730	7.88	23.318	780	8.48	43.061
631	6.75	-1.911	681	7.37	-11.036	731	7.91	-5.490	781	8.49	45.389
632	6.76	-2.203	682	7.38	-12.724	732	7.93	-26.062	782	8.50	44.709
633	6.77	-1.877	683	7.39	-14.025	733	7.94	-34.021	783	8.51	42.155
634	6.78	-1.042	684	7.40	-14.192	734	7.95	-38.087	784	8.52	34.455
635	6.79	0.387	685	7.41	-12.630	735	7.96	-40.158	785	8.54	15.928
636	6.80	1.335	686	7.42	-9.581	736	7.97	-40.816	786	8.55	11.738
637	6.81	3.541	687	7.44	0.673	737	7.98	-41.231	787	8.56	9.155
638	6.82	3.370	688	7.45	12.431	738	7.99	-42.578	788	8.57	9.941
639	6.84	3.072	689	7.46	13.627	739	8.00	-42.368	789	8.58	11.135
640	6.85	3.273	690	7.47	12.709	740	8.01	-42.950	790	8.59	17.287
641	6.86	3.858	691	7.48	10.139	741	8.02	-42.511	791	8.60	22.354
642	6.87	4.183	692	7.49	3.697	742	8.03	-41.329	792	8.63	40.132
643	6.88	5.733	693	7.50	-2.417	743	8.04	-39.142	793	8.64	42.937
644	6.89	6.096	694	7.51	-3.713	744	8.07	-27.970	794	8.65	43.630
645	6.90	6.291	695	7.52	-5.135	745	8.09	-17.107	795	8.66	42.736
646	6.91	8.470	696	7.53	-6.752	746	8.10	-11.679	796	8.67	34.657
647	6.92	10.293	697	7.54	-7.795	747	8.11	-2.876	797	8.69	13.595
648	6.93	12.968	698	7.55	-7.837	748	8.12	6.802	798	8.72	-9.755
649	6.94	16.504	699	7.56	-6.071	749	8.14	28.656	799	8.75	-25.203
650	6.95	17.061	700	7.57	-5.479	750	8.16	52.861	800	8.76	-28.379

INDEX NO. 784 206-GR-17 OMIGAWA BRIDGE TR: MAX.ACCEL.= 63.293(GAL) T= 8.19(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	8.77	-31.458	851	9.37	11.916	901	9.98	23.002	951	10.53	25.611
802	8.78	-32.408	852	9.38	11.456	902	9.98	-2.343	952	10.54	26.568
803	8.79	-32.217	853	9.39	11.782	903	9.99	-10.285	953	10.55	27.117
804	8.80	-31.626	854	9.40	13.161	904	10.00	-14.596	954	10.56	27.084
805	8.81	-29.240	855	9.43	13.511	905	10.01	-15.527	955	10.57	25.761
806	8.82	-28.015	856	9.44	12.550	906	10.02	-15.620	956	10.58	24.428
807	8.83	-23.704	857	9.45	11.461	907	10.03	-15.137	957	10.59	22.224
808	8.84	-15.522	858	9.46	10.531	908	10.06	-2.348	958	10.60	20.868
809	8.86	10.652	859	9.47	10.950	909	10.07	0.909	959	10.61	20.456
810	8.87	14.718	860	9.49	11.449	910	10.08	2.587	960	10.62	19.517
811	8.88	17.392	861	9.51	11.423	911	10.09	2.554	961	10.63	15.671
812	8.89	19.074	862	9.52	11.005	912	10.11	-0.720	962	10.64	12.607
813	8.90	20.246	863	9.53	9.694	913	10.12	-2.306	963	10.65	6.878
814	8.91	20.811	864	9.54	7.498	914	10.13	-4.257	964	10.67	0.394
815	8.92	21.028	865	9.57	-2.772	915	10.14	-4.980	965	10.68	-3.267
816	8.93	21.351	866	9.58	-5.089	916	10.15	-5.409	966	10.69	-4.498
817	8.95	21.209	867	9.59	-5.359	917	10.16	-5.125	967	10.70	-5.224
818	8.96	20.241	868	9.60	-4.191	918	10.17	-6.915	968	10.71	-4.766
819	8.97	20.200	869	9.61	-2.361	919	10.18	-9.511	969	10.72	-4.834
820	8.98	20.360	870	9.62	0.938	920	10.19	-12.985	970	10.73	-3.652
821	8.99	22.755	871	9.63	5.720	921	10.20	-14.650	971	10.74	-1.868
822	9.00	24.187	872	9.64	8.401	922	10.21	-15.433	972	10.77	6.909
823	9.02	25.828	873	9.65	11.230	923	10.22	-15.506	973	10.78	7.728
824	9.05	26.517	874	9.67	27.551	924	10.23	-14.705	974	10.79	8.921
825	9.06	26.161	875	9.68	30.126	925	10.24	-14.138	975	10.80	9.743
826	9.07	26.083	876	9.69	33.183	926	10.25	-12.845	976	10.81	9.425
827	9.08	25.402	877	9.70	35.000	927	10.26	-11.454	977	10.82	7.849
828	9.09	24.485	878	9.71	34.953	928	10.27	-9.894	978	10.83	6.541
829	9.10	21.276	879	9.72	33.639	929	10.28	-8.801	979	10.84	2.685
830	9.11	18.334	880	9.73	30.440	930	10.29	-4.024	980	10.86	-4.212
831	9.15	-1.700	881	9.74	26.622	931	10.30	2.266	981	10.87	-4.495
832	9.17	-11.980	882	9.75	18.655	932	10.31	4.983	982	10.88	-5.186
833	9.18	-16.189	883	9.76	15.105	933	10.32	13.481	983	10.89	-5.271
834	9.19	-18.118	884	9.77	8.613	934	10.33	17.529	984	10.90	-4.852
835	9.20	-21.081	885	9.78	7.059	935	10.34	18.738	985	10.91	-3.893
836	9.21	-22.391	886	9.79	4.759	936	10.35	21.770	986	10.92	-2.094
837	9.22	-23.095	887	9.80	2.670	937	10.36	22.327	987	10.93	-0.676
838	9.23	-22.497	888	9.81	1.974	938	10.37	22.060	988	10.94	-0.655
839	9.24	-21.066	889	9.82	2.182	939	10.38	20.492	989	10.95	-0.490
840	9.25	-19.243	890	9.83	2.690	940	10.39	17.516	990	10.96	0.694
841	9.26	-14.333	891	9.85	5.437	941	10.40	13.657	991	10.97	2.506
842	9.28	0.492	892	9.86	8.290	942	10.42	8.940	992	10.98	5.674
843	9.29	2.325	893	9.87	11.055	943	10.43	5.244	993	10.99	8.129
844	9.30	5.014	894	9.88	15.002	944	10.44	2.065	994	11.00	14.047
845	9.31	8.554	895	9.90	30.710	945	10.45	0.727	995	11.01	17.109
846	9.32	9.977	896	9.91	33.771	946	10.46	1.484	996	11.02	19.051
847	9.33	11.316	897	9.92	36.713	947	10.47	2.426	997	11.03	19.603
848	9.34	11.465	898	9.93	37.290	948	10.48	6.341	998	11.04	20.518
849	9.35	11.667	899	9.94	35.362	949	10.49	7.941	999	11.07	20.063
850	9.36	11.964	900	9.95	27.765	950	10.52	22.548	1000	11.08	21.117

INDEX NO. 784 206-GR-17 OHIGAWA BRIDGE TR. MAX.ACCEL.= 63.293(GAL) T= 8.19(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	11.09	21.682	1051	11.69	-21.062	1101	12.27	-14.685	1151	12.91	-0.833
1002	11.10	24.115	1052	11.70	-20.778	1102	12.28	-11.227	1152	12.92	-4.164
1003	11.11	25.069	1053	11.71	-20.799	1103	12.32	21.828	1153	12.93	-7.105
1004	11.12	26.996	1054	11.72	-19.613	1104	12.33	24.915	1154	12.94	-9.948
1005	11.13	27.546	1055	11.73	-17.567	1105	12.34	30.822	1155	12.95	-11.135
1006	11.14	27.753	1056	11.74	-16.002	1106	12.35	32.520	1156	12.97	-13.403
1007	11.15	26.809	1057	11.75	-13.[illegible]92	1107	12.36	34.337	1157	12.98	-13.579
1008	11.16	24.669	1058	11.76	-6.637	1108	12.37	34.614	1158	12.99	-13.904
1009	11.17	17.790	1059	11.77	-1.322	1109	12.38	32.306	1159	13.00	-14.580
1010	11.19	-0.739	1060	11.78	10.572	1110	12.39	29.494	1160	13.01	-16.564
1011	11.20	-12.831	1061	11.80	18.112	1111	12.40	24.280	1161	13.02	-16.864
1012	11.21	-18.652	1062	11.81	26.114	1112	12.45	-6.212	1162	13.03	-17.312
1013	11.22	-21.856	1063	11.83	34.145	1113	12.46	-9.780	1163	13.04	-17.337
1014	11.23	-23.549	1064	11.85	42.860	1114	12.47	-11.458	1164	13.05	-16.538
1015	11.24	-23.957	1065	11.86	44.267	1115	12.48	-12.425	1165	13.06	-15.376
1016	11.25	-23.383	1066	11.87	45.566	1116	12.49	-12.477	1166	13.07	-14.792
1017	11.26	-21.951	1067	11.88	45.913	1117	12.50	-12.915	1167	13.08	-12.632
1018	11.27	-17.901	1068	11.89	45.231	1118	12.51	-11.728	1168	13.09	-10.195
1019	11.31	5.651	1069	11.90	42.407	1119	12.56	-4.190	1169	13.10	-7.750
1020	11.32	9.092	1070	11.91	38.561	1120	12.57	-3.393	1170	13.11	-2.722
1021	11.33	12.132	1071	11.92	35.247	1121	12.58	-0.356	1171	13.12	0.355
1022	11.34	12.337	1072	11.93	31.436	1122	12.59	2.224	1172	13.13	4.763
1023	11.35	11.789	1073	11.94	27.489	1123	12.61	6.153	1173	13.14	9.048
1024	11.36	10.731	1074	11.95	23.684	1124	12.62	9.588	1174	13.15	10.507
1025	11.38	3.434	1075	11.96	20.371	1125	12.63	12.020	1175	13.16	13.677
1026	11.39	2.396	1076	11.97	16.433	1126	12.64	12.822	1176	13.17	15.222
1027	11.40	0.325	1077	11.98	15.246	1127	12.65	13.372	1177	13.20	16.936
1028	11.41	-0.401	1078	11.99	11.558	1128	12.66	13.671	1178	13.21	16.835
1029	11.42	-0.455	1079	12.00	4.616	1129	12.67	13.393	1179	13.23	16.088
1030	11.43	1.332	1080	12.01	-3.840	1130	12.68	10.604	1180	13.25	15.960
1031	11.44	2.534	1081	12.03	-16.636	1131	12.69	8.516	1181	13.26	15.530
1032	11.46	6.116	1082	12.04	-24.593	1132	12.70	5.061	1182	13.27	14.969
1033	11.47	7.294	1083	12.05	-26.539	1133	12.71	-1.427	1183	13.28	13.026
1034	11.48	7.381	1084	12.06	-27.227	1134	12.72	-3.102	1184	13.29	8.801
1035	11.49	7.322	1085	12.07	-27.260	1135	12.73	-5.958	1185	13.30	5.963
1036	11.50	7.282	1086	12.08	-26.825	1136	12.74	-6.637	1186	13.37	-12.386
1037	11.51	6.937	1087	12.09	-25.026	1137	12.75	-6.659	1187	13.38	-13.669
1038	11.53	6.691	1088	12.10	-20.986	1138	12.76	-5.612	1188	13.39	-16.898
1039	11.54	6.957	1089	12.13	-6.848	1139	12.77	-5.047	1189	13.40	-18.604
1040	11.55	7.800	1090	12.14	-8.414	1140	12.78	-3.262	1190	13.41	-19.539
1041	11.57	9.891	1091	12.15	-8.115	1141	12.79	-0.830	1191	13.42	-20.205
1042	11.58	11.695	1092	12.16	-9.678	1142	12.82	9.434	1192	13.43	-19.045
1043	11.59	10.773	1093	12.17	-13.241	1143	12.83	10.971	1193	13.44	-18.223
1044	11.60	9.714	1094	12.18	-15.162	1144	12.84	12.025	1194	13.45	-17.641
1045	11.61	6.763	1095	12.21	-27.035	1145	12.85	12.590	1195	13.46	-15.213
1046	11.62	4.568	1096	12.22	-27.693	1146	12.86	12.295	1196	13.47	-10.466
1047	11.65	-12.800	1097	12.23	-26.789	1147	12.87	11.989	1197	13.48	-8.382
1048	11.66	-16.625	1098	12.24	-26.565	1148	12.88	10.035	1198	13.49	-5.937
1049	11.67	-18.051	1099	12.25	-26.383	1149	12.89	8.102	1199	13.50	-4.482
1050	11.68	-19.742	1100	12.26	-20.850	1150	12.90	4.271	1200	13.51	-0.447

INDEX NO. 784 206-GR-17 OHIGAWA BRIDGE TR. MAX.ACCEL.= 63.293(GAL) T= 8.19(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	13.52	2.718	1251	14.13	21.787	1301	14.69	29.290	1351	15.26	17.273
1202	13.53	5.388	1252	14.14	24.757	1302	14.70	29.000	1352	15.27	18.843
1203	13.54	6.955	1253	14.15	26.071	1303	14.71	28.736	1353	15.29	20.653
1204	13.55	8.399	1254	14.16	26.302	1304	14.72	26.813	1354	15.30	21.829
1205	13.57	10.881	1255	14.17	29.755	1305	14.73	25.774	1355	15.31	21.797
1206	13.59	13.010	1256	14.18	30.088	1306	14.74	20.456	1356	15.32	22.019
1207	13.60	14.791	1257	14.19	28.425	1307	14.75	18.552	1357	15.33	19.852
1208	13.61	15.352	1258	14.21	23.669	1308	14.76	12.867	1358	15.34	18.547
1209	13.62	16.641	1259	14.22	20.414	1309	14.77	7.808	1359	15.37	10.047
1210	13.63	17.201	1260	14.23	16.619	1310	14.78	3.005	1360	15.39	2.970
1211	13.64	17.750	1261	14.24	14.700	1311	14.79	1.098	1361	15.40	-0.208
1212	13.65	17.975	1262	14.25	11.377	1312	14.80	-3.083	1362	15.41	-4.142
1213	13.66	17.920	1263	14.26	9.643	1313	14.81	-4.366	1363	15.42	-6.056
1214	13.67	16.707	1264	14.27	6.173	1314	14.82	-5.265	1364	15.43	-7.748
1215	13.68	15.636	1265	14.28	6.875	1315	14.83	-5.811	1365	15.44	-10.038
1216	13.69	14.680	1266	14.29	4.955	1316	14.84	-6.104	1366	15.45	-10.431
1217	13.70	14.592	1267	14.31	-1.258	1317	14.85	-5.674	1367	15.46	-10.223
1218	13.71	13.918	1268	14.32	-4.557	1318	14.86	-6.221	1368	15.47	-11.420
1219	13.72	13.879	1269	14.33	-4.839	1319	14.87	-6.868	1369	15.48	-12.708
1220	13.73	14.042	1270	14.34	-5.777	1320	14.88	-8.156	1370	15.49	-12.744
1221	13.74	13.665	1271	14.36	-5.862	1321	14.89	-11.982	1371	15.50	-12.290
1222	13.75	12.730	1272	14.37	-6.520	1322	14.91	-16.321	1372	15.51	-11.697
1223	13.76	11.706	1273	14.38	-6.936	1323	14.93	-19.533	1373	15.52	-9.246
1224	13.77	8.142	1274	14.39	-6.987	1324	14.94	-20.809	1374	15.53	-8.284
1225	13.78	5.220	1275	14.40	-6.775	1325	14.95	-22.878	1375	15.54	-6.831
1226	13.79	2.060	1276	14.41	-6.183	1326	14.96	-23.154	1376	15.55	-4.372
1227	13.80	-2.497	1277	14.42	-6.485	1327	14.97	-22.325	1377	15.56	-1.190
1228	13.81	-4.408	1278	14.43	-7.167	1328	14.98	-20.242	1378	15.57	1.020
1229	13.83	-7.611	1279	14.44	-8.470	1329	14.99	-15.920	1379	15.58	3.728
1230	13.84	-10.920	1280	14.45	-9.371	1330	15.00	-12.945	1380	15.59	5.610
1231	13.85	-12.470	1281	14.46	-11.056	1331	15.01	-9.255	1381	15.60	6.916
1232	13.87	-14.816	1282	14.47	-10.811	1332	15.03	-0.470	1382	15.61	7.468
1233	13.89	-15.496	1283	14.48	-14.009	1333	15.04	5.845	1383	15.62	8.059
1234	13.90	-17.054	1284	14.49	-14.679	1334	15.05	9.926	1384	15.63	8.414
1235	13.92	-17.781	1285	14.50	-15.340	1335	15.06	10.263	1385	15.64	8.126
1236	13.94	-17.851	1286	14.51	-15.745	1336	15.07	10.242	1386	15.66	5.784
1237	13.96	-18.841	1287	14.52	-16.074	1337	15.08	10.201	1387	15.67	2.204
1238	13.99	-19.452	1288	14.53	-15.829	1338	15.09	10.163	1388	15.71	+1.309
1239	14.00	-19.634	1289	14.54	-13.149	1339	15.10	10.104	1389	15.74	-7.216
1240	14.01	-18.686	1290	14.55	-10.687	1340	15.14	8.693	1390	15.75	-7.875
1241	14.02	-17.837	1291	14.56	-8.479	1341	15.15	7.749	1391	15.76	-9.182
1242	14.03	-16.625	1292	14.57	-1.925	1342	15.16	8.568	1392	15.77	-9.235
1243	14.04	-15.861	1293	14.59	4.390	1343	15.17	8.612	1393	15.78	-8.397
1244	14.05	-13.215	1294	14.61	16.652	1344	15.18	8.767	1394	15.80	-7.457
1245	14.06	-11.743	1295	14.63	19.847	1345	15.20	9.927	1395	15.82	-6.313
1246	14.07	-7.914	1296	14.64	24.148	1346	15.21	10.237	1396	15.84	-4.878
1247	14.08	-2.484	1297	14.65	25.363	1347	15.22	10.197	1397	15.85	-3.677
1248	14.09	2.711	1298	14.66	26.709	1348	15.23	11.645	1398	15.86	-2.086
1249	14.11	7.779	1299	14.67	26.758	1349	15.24	13.854	1399	15.87	1.845
1250	14.12	16.953	1300	14.68	29.105	1350	15.25	15.819	1400	15.88	5.682

INDEX NO. 784 206-GR-17 OMIGAWA BRIDGE TR. MAX.ACCEL.= 63.293(GAL) T= 8.19(SEC) NO. 8

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1401	15.89	11.243	1451	16.44	-2.202	1501	17.03	-0.555	1551	17.57	8.693
1402	15.90	14.837	1452	16.45	2.487	1502	17.04	-3.490	1552	17.58	10.147
1403	15.91	16.926	1453	16.47	11.028	1503	17.05	-5.669	1553	17.59	10.855
1404	15.92	16.774	1454	16.49	14.957	1504	17.06	-8.345	1554	17.60	11.073
1405	15.93	22.319	1455	16.51	21.235	1505	17.07	-8.997	1555	17.61	11.029
1406	15.94	22.923	1456	16.52	21.300	1506	17.08	-9.783	1556	17.62	10.997
1407	15.95	23.513	1457	16.53	20.911	1507	17.09	-10.078	1557	17.63	10.700
1408	15.96	23.817	1458	16.54	20.490	1508	17.10	-9.236	1558	17.65	9.990
1409	15.97	23.154	1459	16.55	20.207	1509	17.11	-9.144	1559	17.66	9.316
1410	15.98	22.756	1460	16.56	18.525	1510	17.12	-6.214	1560	17.66	8.224
1411	15.99	22.068	1461	16.57	16.344	1511	17.13	-4.372	1561	17.70	7.258
1412	16.00	19.942	1462	16.58	14.635	1512	17.14	0.445	1562	17.71	6.844
1413	16.01	18.862	1463	16.60	11.230	1513	17.15	3.531	1563	17.72	6.156
1414	16.02	15.686	1464	16.61	7.298	1514	17.17	8.590	1564	17.74	6.335
1415	16.03	12.144	1465	16.63	3.842	1515	17.18	13.769	1565	17.75	5.414
1416	16.05	7.927	1466	16.65	-0.867	1516	17.19	15.478	1566	17.76	5.132
1417	16.07	2.466	1467	16.66	-3.302	1517	17.20	15.451	1567	17.77	4.471
1418	16.08	0.547	1468	16.67	-4.978	1518	17.21	16.043	1568	17.78	2.170
1419	16.09	-0.740	1469	16.68	-5.650	1519	17.22	15.981	1569	17.79	-1.894
1420	16.10	-2.080	1470	16.69	-4.198	1520	17.23	14.686	1570	17.80	-2.933
1421	16.11	-3.355	1471	16.70	-3.614	1521	17.24	13.650	1571	17.82	-5.007
1422	16.12	-3.529	1472	16.71	-1.783	1522	17.25	12.493	1572	17.83	-6.541
1423	16.13	-3.805	1473	16.73	0.633	1523	17.26	9.933	1573	17.84	-8.860
1424	16.15	-3.396	1474	16.74	2.453	1524	17.28	5.615	1574	17.86	-10.816
1425	16.16	-4.053	1475	16.75	4.285	1525	17.29	3.071	1575	17.87	-11.112
1426	16.17	-5.360	1476	16.76	5.490	1526	17.31	-1.277	1576	17.88	-11.549
1427	16.18	-6.019	1477	16.77	6.073	1527	17.32	-4.707	1577	17.89	-11.343
1428	16.19	-6.683	1478	16.78	6.395	1528	17.33	-5.619	1578	17.90	-10.123
1429	16.20	-6.112	1479	16.79	6.351	1529	17.34	-6.286	1579	17.91	-9.519
1430	16.21	-3.420	1480	16.81	6.887	1530	17.35	-6.716	1580	17.92	-4.598
1431	16.23	-0.992	1481	16.83	8.077	1531	17.36	-5.890	1581	17.93	-3.616
1432	16.24	0.830	1482	16.84	9.003	1532	17.37	-5.908	1582	17.94	-0.533
1433	16.25	2.662	1483	16.85	9.354	1533	17.38	-4.941	1583	17.95	5.401
1434	16.27	4.314	1484	16.86	8.316	1534	17.39	-3.115	1584	17.96	7.862
1435	16.28	3.280	1485	16.87	7.398	1535	17.40	-1.658	1585	17.97	10.075
1436	16.29	3.372	1486	16.88	6.723	1536	17.41	0.152	1586	17.98	14.512
1437	16.30	1.063	1487	16.89	6.056	1537	17.42	1.377	1587	17.99	15.361
1438	16.31	0.150	1488	16.90	4.773	1538	17.43	4.184	1588	18.00	16.950
1439	16.32	-2.404	1489	16.91	3.482	1539	17.44	5.507	1589	18.01	18.755
1440	16.33	-6.095	1490	16.92	1.907	1540	17.45	5.486	1590	18.02	19.042
1441	16.34	-9.268	1491	16.93	0.109	1541	17.46	4.826	1591	18.03	20.051
1442	16.35	-9.299	1492	16.94	-0.189	1542	17.47	4.721	1592	18.04	18.744
1443	16.36	-10.202	1493	16.95	-0.611	1543	17.48	4.739	1593	18.06	16.809
1444	16.37	-11.262	1494	16.96	-0.627	1544	17.49	3.450	1594	18.08	12.962
1445	16.38	-11.545	1495	16.97	-0.050	1545	17.50	2.155	1595	18.10	8.759
1446	16.39	-10.965	1496	16.98	1.385	1546	17.51	2.957	1596	18.12	4.297
1447	16.40	-10.143	1497	16.99	1.102	1547	17.52	2.934	1597	18.13	2.490
1448	16.41	-9.333	1498	17.00	2.292	1548	17.53	4.271	1598	18.14	0.327
1449	16.42	-8.969	1499	17.01	1.381	1549	17.54	5.456	1599	18.15	-1.355
1450	16.43	-6.887	1500	17.02	0.732	1550	17.56	6.897	1600	18.16	-2.015

INDEX NO. 784 206-GR-17 OMIGAWA BRIDGE TR. MAX.ACCEL.= 63.293(GAL) T= 8.19(SEC) NO. 9

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1601	18.17	-2.066	1651	18.78	-3.905	1701	19.39	-17.659	1751	19.99	-1.023
1602	18.19	-2.770	1652	18.79	-3.943	1702	19.42	-21.431	1752	20.00	-0.688
1603	18.20	-4.960	1653	18.80	-3.592	1703	19.43	-21.702	1753	20.01	-0.116
1604	18.22	-5.791	1654	18.81	-4.285	1704	19.44	-22.123	1754	20.02	0.111
1605	18.23	-8.728	1655	18.82	-3.682	1705	19.45	-21.528	17.5	20.03	2.408
1606	18.25	-10.036	1656	18.83	-2.719	1706	19.46	-20.563	1756	20.04	3.239
1607	18.26	-10.085	1657	18.86	0.748	1707	19.47	-18.373	1757	20.05	3.933
1608	18.27	-10.761	1658	18.88	3.164	1708	19.48	-17.419	1758	20.06	4.160
1609	18.28	-10.166	1659	18.90	5.443	1709	19.49	-15.345	1759	20.07	4.753
1610	18.29	-8.965	1660	18.91	6.896	1710	19.51	-12.278	1760	20.08	6.553
1611	18.30	-6.897	1661	18.92	8.487	1711	19.52	-6.841	1761	20.09	6.765
1612	18.33	-2.667	1662	18.93	10.935	1712	19.54	2.169	1762	20.10	6.730
1613	18.35	-0.140	1663	18.94	13.392	1713	19.57	14.191	1763	20.11	6.688
1614	18.37	1.288	1664	18.95	15.598	1714	19.58	17.634	1764	20.12	6.741
1615	18.38	2.002	1665	18.96	17.427	1715	19.59	19.104	1765	20.13	6.342
1616	18.39	4.459	1666	18.97	18.025	1716	19.60	23.930	1766	20.14	5.421
1617	18.40	6.663	1667	18.98	18.378	1717	19.61	25.386	1767	20.15	3.742
1618	18.42	11.301	1668	18.99	17.072	1718	19.62	26.957	1768	20.16	2.821
1619	18.44	14.345	1669	19.00	15.158	1719	19.63	28.287	1769	20.17	2.409
1620	18.45	16.168	1670	19.01	13.621	1720	19.64	28.509	1770	20.18	3.219
1621	18.46	17.128	1671	19.02	11.077	1721	19.65	29.107	1771	20.19	2.691
1622	18.47	18.700	1672	19.03	6.765	1722	19.66	27.942	1772	20.20	2.661
1623	18.48	18.923	1673	19.04	4.616	1723	19.67	25.019	1773	20.21	2.244
1624	18.49	17.999	1674	19.05	1.450	1724	19.68	23.100	1774	20.22	1.323
1625	18.50	17.092	1675	19.06	-0.363	1725	19.69	21.314	1775	20.23	-0.355
1626	18.51	15.435	1676	19.07	-1.424	1726	19.70	18.137	1776	20.24	-2.300
1627	18.52	13.267	1677	19.08	-2.328	1727	19.71	13.193	1777	20.25	-2.089
1628	18.53	8.318	1678	19.09	-2.595	1728	19.74	7.585	1778	20.26	-2.383
1629	18.54	3.892	1679	19.10	-3.289	1729	19.76	2.978	1779	20.27	-2.659
1630	18.55	0.982	1680	19.11	-4.715	1730	19.78	0.649	1780	20.28	-3.948
1631	18.56	-2.575	1681	19.12	-4.751	1731	19.79	-1.165	1781	20.29	-5.623
1632	18.58	-6.426	1682	19.13	-5.046	1732	19.80	-2.815	1782	20.30	-7.069
1633	18.59	-6.676	1683	19.14	-4.462	1733	19.81	-3.108	1783	20.31	-7.726
1634	18.60	-7.874	1684	19.15	-3.618	1734	19.82	-3.512	1784	20.32	-9.021
1635	18.61	-8.541	1685	19.16	-2.043	1735	19.83	-4.206	1785	20.33	-7.821
1636	18.62	-9.134	1686	19.17	-1.449	1736	19.84	-4.616	1786	20.34	-7.006
1637	18.63	-9.245	1687	19.18	1.233	1737	19.85	-4.153	1787	20.35	-5.415
1638	18.64	-9.284	1688	19.17	2.453	1738	19.86	-3.222	1788	20.36	-4.215
1639	18.65	-9.055	1689	19.20	4.022	1739	19.87	-3.010	1789	20.37	-2.390
1640	18.66	-7.240	1690	19.21	5.480	1740	19.88	-3.290	1790	20.38	-1.178
1641	18.67	-4.805	1691	19.22	6.565	1741	19.89	-3.083	1791	20.39	0.032
1642	18.68	-3.202	1692	19.23	6.557	1742	19.90	-3.135	1792	20.40	2.602
1643	18.69	-1.988	1693	19.24	6.131	1743	19.91	-2.438	1793	20.41	3.189
1644	18.70	0.825	1694	19.25	4.568	1744	19.92	-2.468	1794	20.42	5.024
1645	18.71	1.406	1695	19.28	3.941	1745	19.93	-1.408	1795	20.43	8.468
1646	18.72	2.002	1696	19.30	-0.879	1746	19.94	-0.813	1796	20.44	9.676
1647	18.73	1.961	1697	19.32	-2.954	1747	19.95	-0.477	1797	20.45	9.657
1648	18.74	0.402	1698	19.33	-5.274	1748	19.96	-1.511	1798	20.46	9.982
1649	18.76	-1.305	1699	19.35	-8.868	1749	19.97	-1.460	1799	20.47	8.047
1650	18.77	-2.233	1700	19.37	-13.335	1750	19.98	-1.240	1800	20.48	5.869

INDEX NO. 764 206-GR-17 OMIGAWA BRIDGE TR. MAX.ACCEL.= 63.293(GAL) T= 8.19(SEC) NO.10

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1801	20.49	4.834	1851	21.15	-8.671	1901	21.76	-2.461	1951	22.41	0.255
1802	20.50	1.021	1852	21.16	-6.265	1902	21.76	-1.196	1952	22.42	0.570
1803	20.52	-1.421	1853	21.17	-6.552	1903	21.76	-1.234	1953	22.44	1.377
1804	20.53	-2.973	1854	21.18	-9.626	1904	21.86	-1.639	1954	22.45	1.431
1805	20.54	-4.271	1855	21.19	-9.656	1905	21.61	-1.418	1955	22.47	1.616
1806	20.55	-5.567	1856	21.20	-9.079	1906	21.83	0.979	1956	22.48	1.815
1807	20.56	-5.333	1857	21.21	-8.094	1907	21.84	2.179	1957	22.49	2.130
1808	20.57	-4.360	1858	21.22	-7.284	1908	21.86	2.099	1958	22.51	2.950
1809	20.58	-2.921	1859	21.23	-6.704	1909	21.86	3.240	1959	22.52	3.885
1810	20.59	-1.980	1860	21.24	-6.117	1910	21.90	4.799	1960	22.55	7.246
1811	20.62	1.655	1861	21.26	-4.569	1911	21.91	4.720	1961	22.57	8.424
1812	20.66	6.993	1862	21.27	-4.623	1912	21.92	5.050	1962	22.59	9.969
1813	20.70	12.639	1863	21.28	-5.913	1913	21.93	4.884	1963	22.60	10.524
1814	20.71	13.477	1864	21.29	-5.077	1914	21.94	3.100	1964	22.61	10.469
1815	20.72	14.449	1865	21.30	-3.908	1915	21.96	1.397	1955	22.62	10.182
1816	20.73	16.395	1866	21.31	-3.671	1916	21.98	-2.088	1966	22.63	9.774
1817	20.74	16.993	1867	21.32	-2.120	1917	21.99	-3.770	1967	22.64	8.834
1818	20.75	16.946	1868	21.33	-1.894	1918	22.00	-4.419	1968	22.65	8.430
1819	20.76	16.646	1869	21.34	-2.213	1919	22.01	-4.586	1969	22.66	8.158
1820	20.77	15.990	1870	21.35	-2.637	1920	22.02	-5.265	1970	22.67	5.581
1821	20.78	14.668	1871	21.36	-2.044	1921	22.03	-5.063	1971	22.69	3.650
1822	20.79	12.370	1872	21.37	-1.082	1922	22.04	-4.729	1972	22.70	0.080
1823	20.80	10.453	1873	21.38	-1.120	1923	22.05	-4.153	1973	22.72	-4.758
1824	20.81	8.521	1874	21.39	-1.190	1924	22.06	-3.571	1974	22.73	-6.437
1825	20.83	4.969	1875	21.41	0.620	1925	22.06	-3.256	1975	22.74	-7.341
1826	20.84	1.649	1876	21.44	2.622	1926	22.10	-4.099	1976	22.75	-8.383
1827	20.85	-1.269	1877	21.46	4.689	1927	22.12	-2.596	1977	22.76	-8.799
1828	20.86	-3.183	1878	21.49	5.996	1928	22.14	-0.802	1978	22.77	-8.608
1829	20.87	-4.498	1879	21.52	7.390	1929	22.16	-0.247	1979	22.79	-7.688
1830	20.88	-5.763	1880	21.53	7.710	1930	22.18	-0.350	1980	22.81	-6.287
1831	20.89	-7.323	1881	21.54	7.669	1931	22.20	-0.676	1981	22.83	-5.743
1832	20.90	-6.228	1882	21.55	7.978	1932	22.21	-1.358	1952	22.84	-5.175
1833	20.91	-5.264	1883	21.56	8.441	1933	22.22	-2.040	1983	22.87	-4.398
1834	20.92	-3.815	1884	21.57	7.762	1934	22.23	-1.576	1984	22.88	-4.093
1835	20.93	-0.387	1885	21.59	7.200	1935	22.24	-1.246	1985	22.90	-3.938
1836	20.95	2.908	1886	21.60	6.157	1936	22.25	-0.413	1986	22.92	-1.642
1837	20.97	6.987	1887	21.61	5.235	1937	22.26	-0.093	1987	22.93	-1.692
1838	20.98	7.666	1888	21.62	4.550	1938	22.28	0.204	1988	22.94	-0.870
1839	20.99	6.856	1889	21.63	2.637	1939	22.29	0.155	1989	22.96	-0.302
1840	21.00	9.446	1890	21.64	0.967	1940	22.30	1.366	1990	22.97	0.655
1841	21.01	9.418	1891	21.65	0.054	1941	22.31	1.675	1991	22.98	0.864
1842	21.02	6.725	1892	21.66	-1.993	1942	22.32	2.259	1992	22.99	0.552
1843	21.03	7.023	1893	21.67	-2.303	1943	22.33	2.479	1993	23.00	-0.104
1844	21.04	7.158	1894	21.68	-2.960	1944	22.34	1.951	1994	23.01	-0.410
1845	21.05	6.110	1895	21.69	-3.275	1945	22.35	1.778	1995	23.02	-1.717
1846	21.06	5.452	1896	21.70	-3.936	1946	22.36	2.110	1996	23.04	-4.312
1847	21.08	1.334	1897	21.71	-4.630	1947	22.37	1.667	1997	23.06	-4.739
1848	21.11	-3.056	1898	21.73	-4.177	1948	22.38	0.493	1998	23.08	-6.730
1849	21.13	-6.262	1899	21.74	-3.853	1949	22.39	0.093	1999	23.10	-6.788
1850	21.14	-6.306	1900	21.75	-3.275	1950	22.40	-0.817	2000	23.11	-8.113

INDEX NO. 764 206-GR-17 OMIGAWA BRIDGE TR. MAX.ACCEL.= 63.293(GAL) T= 8.19(SEC) NO.11

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2001	23.13	-7.946	2051	23.70	-2.291	2101	24.33	-16.031	2151	24.99	-1.360
2002	23.15	-7.626	2052	23.71	0.379	2102	24.34	-16.071	2152	25.02	-4.248
2003	23.16	-7.686	2053	23.73	1.192	2103	24.35	-16.341	2153	25.04	-6.207
2004	23.17	-7.105	2054	23.74	1.371	2104	24.36	-15.904	2154	25.06	-7.541
2005	23.18	-6.895	2055	23.75	1.721	2105	24.38	-12.493	2155	25.07	-10.103
2006	23.19	-4.689	2056	23.76	2.540	2106	24.39	-10.917	2156	25.08	-12.152
2007	23.20	-2.674	2057	23.77	1.270	2107	24.41	-9.107	2157	25.09	-13.021
2008	23.21	-1.403	2058	23.78	1.353	2108	24.42	-6.686	2158	25.11	-16.043
2009	23.22	1.416	2059	23.79	-0.971	2109	24.46	-1.213	2159	25.12	-17.707
2010	23.23	2.620	2060	23.80	-1.644	2110	24.48	3.431	2160	25.13	-17.991
2011	23.24	3.458	2061	23.81	-3.189	2111	24.50	5.480	2161	25.14	-18.657
2012	23.25	4.531	2062	23.83	-6.149	2112	24.51	6.906	2162	25.16	-20.765
2013	23.26	4.749	2063	23.85	-9.239	2113	24.52	7.376	2163	25.18	-19.963
2014	23.27	5.352	2064	23.86	-10.402	2114	24.53	7.703	2164	25.19	-19.988
2015	23.28	5.664	2065	23.87	-12.080	2115	24.54	7.653	2165	25.20	-17.551
2016	23.29	6.224	2066	23.88	-12.991	2116	24.55	7.618	2166	25.21	-10.953
2017	23.30	6.822	2067	23.89	-14.043	2117	24.56	7.328	2167	25.23	-11.314
2018	23.31	6.028	2068	23.90	-13.458	2118	24.57	6.013	2168	25.26	-1.953
2019	23.32	9.682	2069	23.91	-12.869	2119	24.58	4.984	2169	25.29	5.194
2020	23.33	10.075	2070	23.92	-12.023	2120	24.60	2.773	2170	25.30	8.012
2021	23.34	10.408	2071	23.93	-11.072	2121	24.62	-0.177	2171	25.31	9.460
2022	23.35	11.099	2072	23.94	-10.697	2122	24.63	-1.479	2172	25.33	11.357
2023	23.36	11.304	2073	23.95	-10.295	2123	24.64	-3.175	2173	25.35	11.053
2024	23.37	11.033	2074	23.96	-9.729	2124	24.65	-4.846	2174	25.36	11.007
2025	23.38	10.970	2075	23.97	-9.757	2125	24.66	-5.522	2175	25.37	10.306
2026	23.39	10.686	2076	23.99	-9.833	2126	24.67	-6.069	2176	25.39	9.971
2027	23.41	9.356	2077	24.00	-8.898	2127	24.69	-10.992	2177	25.42	7.623
2028	23.42	7.053	2078	24.01	-8.940	2128	24.70	-12.054	2178	25.43	5.046
2029	23.44	4.461	2079	24.02	-8.105	2129	24.71	-13.355	2179	25.46	3.057
2030	23.46	1.469	2080	24.03	-7.513	2130	24.72	-12.772	2180	25.48	0.727
2031	23.47	0.189	2081	24.04	-5.923	2131	24.73	-13.691	2181	25.52	-5.598
2032	23.49	-2.369	2082	24.05	-4.485	2132	24.74	-12.616	2182	25.55	-10.739
2033	23.51	-3.829	2083	24.11	1.012	2133	24.75	-11.413	2183	25.58	-15.114
2034	23.52	-5.507	2084	24.12	2.806	2134	24.77	-9.853	2184	25.59	-17.048
2035	23.54	-8.725	2085	24.14	4.974	2135	24.78	-8.649	2185	25.61	-18.011
2036	23.55	-9.384	2086	24.15	5.175	2136	24.79	-7.195	2186	25.62	-17.420
2037	23.56	-10.312	2087	24.16	5.513	2137	24.80	-5.387	2187	25.63	-14.967
2038	23.57	-11.100	2088	24.17	5.472	2138	24.81	-4.424	2188	25.64	-13.513
2039	23.58	-10.546	2089	24.18	5.462	2139	24.82	-3.843	2189	25.65	-12.298
2040	23.59	-10.103	2090	24.19	3.238	2140	24.83	-3.632	2190	25.66	-10.089
2041	23.60	-9.601	2091	24.21	2.178	2141	24.84	-3.921	2191	25.68	-6.287
2042	23.61	-9.886	2092	24.22	-0.658	2142	24.85	-4.005	2192	25.70	-2.626
2043	23.62	-8.835	2093	24.24	-4.242	2143	24.87	-4.058	2193	25.72	1.745
2044	23.63	-8.121	2094	24.26	-7.450	2144	24.89	-2.776	2194	25.73	3.202
2045	23.64	-7.927	2095	24.27	-8.478	2145	24.90	-2.202	2195	25.74	3.532
2046	23.65	-6.717	2096	24.28	-10.169	2146	24.91	-0.376	2196	25.76	4.104
2047	23.66	-6.507	2097	24.29	-11.845	2147	24.92	0.825	2197	25.77	3.417
2048	23.67	-5.279	2098	24.30	-13.385	2148	24.93	1.159	2198	25.78	3.688
2049	23.68	-3.713	2099	24.31	-14.927	2149	24.94	1.371	2199	25.80	2.050
2050	23.69	-2.878	2100	24.32	-15.596	2150	24.96	0.665	2200	25.81	-0.508

INDEX NO. 784 206-GR-17 OHIGAWA BRIDGE TR. MAX.ACCEL.= 63.293(GAL) T= 8.19(SEC) NO.12

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2201	25.83	-3.716	2251	26.38	-7.679	2301	26.98	-6.726	2351	27.82	0.371
2202	25.84	-7.647	2252	26.40	-7.544	2302	27.00	-5.808	2352	27.83	-0.192
2203	25.85	-10.203	2253	26.41	-7.339	2303	27.02	-4.987	2353	27.85	-0.377
2204	25.87	-12.799	2254	26.43	-7.396	2304	27.03	-4.669	2354	27.86	-1.324
2205	25.88	-12.579	2255	26.44	-7.701	2305	27.04	-4.697	2355	27.88	-2.257
2206	25.89	-12.487	2256	26.45	-7.393	2306	27.05	-4.520	2356	27.89	-3.303
2207	25.90	-12.021	2257	26.46	-7.187	2307	27.06	-4.557	2357	27.90	-4.251
2208	25.91	-11.063	2258	26.47	-6.602	2308	27.08	-4.873	2358	27.91	-4.291
2209	25.92	-9.003	2259	26.49	-5.157	2309	27.09	-5.164	2359	27.92	-3.833
2210	25.93	-8.412	2260	26.50	-4.219	2310	27.10	-4.990	2360	27.94	-4.177
2211	25.94	-6.576	2261	26.52	-4.292	2311	27.11	-4.763	2361	27.96	-3.000
2212	25.95	-6.027	2262	26.53	-4.092	2312	27.12	-4.191	2362	27.99	-1.878
2213	25.96	-5.934	2263	26.54	-4.023	2313	27.14	-3.631	2363	28.01	-1.715
2214	25.97	-5.742	2264	26.55	-3.582	2314	27.16	-2.495	2364	28.02	-1.789
2215	25.98	-5.775	2265	26.57	-3.897	2315	27.18	-1.196	2365	28.04	-1.243
2216	25.99	-5.809	2266	26.59	-3.974	2316	27.21	1.041	2366	28.07	0.260
2217	26.00	-6.095	2267	26.60	-4.039	2317	27.23	1.356	2367	28.08	1.448
2218	26.01	-6.771	2268	26.61	-4.341	2318	27.24	2.666	2368	28.09	1.158
2219	26.02	-7.819	2269	26.62	-4.368	2319	27.25	3.236	2369	28.10	1.356
2220	26.03	-9.120	2270	26.63	-3.917	2320	27.26	2.941	2370	28.13	-1.511
2221	26.04	-10.790	2271	26.64	-3.590	2321	27.27	2.930	2371	28.14	-2.815
2222	26.06	-11.486	2272	26.65	-3.626	2322	27.29	3.345	2372	28.16	-3.274
2223	26.07	-12.176	2273	26.66	-3.031	2323	27.30	3.053	2373	28.18	-3.882
2224	26.08	-11.841	2274	26.67	-2.202	2324	27.31	2.381	2374	28.19	-5.913
2225	26.09	-11.620	2275	26.68	-0.998	2325	27.32	1.696	2375	28.21	-6.613
2226	26.10	-11.307	2276	26.69	-0.060	2326	27.33	1.386	2376	28.22	-7.928
2227	26.11	-10.726	2277	26.71	2.372	2327	27.35	0.058	2377	28.24	-7.132
2228	26.12	-10.515	2278	26.72	4.567	2328	27.37	-1.086	2378	28.25	-6.181
2229	26.13	-8.565	2279	26.73	5.757	2329	27.39	-5.234	2379	28.27	-5.630
2230	26.14	-7.492	2280	26.74	5.722	2330	27.41	-6.186	2380	28.29	-4.841
2231	26.16	-4.063	2281	26.75	6.044	2331	27.42	-7.232	2381	28.31	-3.069
2232	26.17	0.366	2282	26.76	6.000	2332	27.44	-7.321	2382	28.32	-3.128
2233	26.19	2.798	2283	26.77	6.211	2333	27.47	-7.591	2383	28.35	-2.625
2234	26.20	4.254	2284	26.78	6.190	2334	27.50	-7.082	2384	28.38	-0.881
2235	26.21	6.067	2285	26.80	3.326	2335	27.53	-5.596	2385	28.40	-0.340
2236	26.22	7.145	2286	26.81	2.669	2336	27.57	-6.626	2386	28.42	0.169
2237	26.24	8.928	2287	26.82	1.764	2337	27.59	-5.601	2387	28.43	0.119
2238	26.25	8.893	2288	26.83	-0.166	2338	27.62	-3.848	2388	28.45	0.405
2239	26.26	8.845	2289	26.84	-0.821	2339	27.65	-3.013	2389	28.46	1.244
2240	26.27	8.808	2290	26.85	-2.493	2340	27.66	-2.781	2390	28.47	1.566
2241	26.28	7.904	2291	26.86	-4.201	2341	27.68	-1.633	2391	28.50	1.213
2242	26.29	7.611	2292	26.87	-5.853	2342	27.70	0.041	2392	28.51	0.538
2243	26.30	5.942	2293	26.88	-6.519	2343	27.71	1.213	2393	28.54	-0.835
2244	26.31	3.616	2294	26.89	-7.187	2344	27.73	1.394	2394	28.55	-0.655
2245	26.32	2.704	2295	26.90	-7.869	2345	27.75	1.699	2395	28.57	-0.983
2246	26.33	1.037	2296	26.92	-9.440	2346	27.77	0.721	2396	28.58	-0.524
2247	26.34	-0.903	2297	26.93	-9.491	2347	27.78	0.932	2397	28.60	0.626
2248	26.35	-2.321	2298	26.94	-10.145	2348	27.79	1.491	2398	28.63	1.773
2249	26.36	-3.611	2299	26.95	-9.056	2349	27.80	2.072	2399	28.65	1.802
2250	26.37	-6.775	2300	26.96	-7.264	2350	27.81	1.789	2400	28.67	2.213

INDEX NO. 784 206-GR-17 OHIGAWA BRIDGE TR. MAX.ACCEL.= 63.293(GAL) T= 8.19(SEC) NO.13

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2401	28.69	2.499	2451	29.99	-1.446	2501	30.75	-5.786	2551	31.46	-5.111
2402	28.70	2.203	2452	30.01	-1.884	2502	30.76	-7.341	2552	31.47	-4.888
2403	28.72	-0.142	2453	30.02	-2.173	2503	30.77	-7.768	2553	31.48	-6.187
2404	28.75	-2.753	2454	30.03	-3.482	2504	30.79	-9.341	2554	31.49	-6.870
2405	28.77	-4.965	2455	30.04	-3.902	2505	30.80	-9.385	2555	31.50	-5.924
2406	28.78	-5.014	2456	30.05	-4.560	2506	30.81	-9.420	2556	31.51	-5.947
2407	28.79	-6.943	2457	30.06	-4.873	2507	30.82	-9.461	2557	31.52	-4.992
2408	28.80	-7.356	2458	30.08	-4.946	2508	30.83	-9.502	2558	31.54	-3.576
2409	28.81	-6.780	2459	30.11	-4.207	2509	30.84	-9.292	2559	31.55	-3.016
2410	28.82	-5.954	2460	30.13	-3.661	2510	30.85	-8.990	2560	31.56	-2.934
2411	28.86	-3.851	2461	30.14	-2.473	2511	30.86	-8.779	2561	31.57	-2.353
2412	28.89	-1.861	2462	30.17	-1.340	2512	30.87	-8.436	2562	31.60	-3.119
2413	28.91	-0.354	2463	30.18	0.726	2513	30.88	-7.602	2563	31.63	-2.627
2414	28.93	-1.029	2464	30.19	1.945	2514	30.90	-6.183	2564	31.66	-2.736
2415	28.94	-0.232	2465	30.20	2.885	2515	30.91	-4.616	2565	31.68	-2.856
2416	28.95	-1.154	2466	30.21	3.110	2516	30.93	-3.183	2566	31.71	-2.355
2417	29.00	-2.858	2467	30.22	3.071	2517	30.94	-2.248	2567	31.74	-2.224
2418	29.05	-5.300	2468	30.23	2.117	2518	30.95	-1.290	2568	31.76	-1.683
2419	29.08	-6.347	2469	30.26	-0.272	2519	30.96	-1.970	2569	31.77	-1.132
2420	29.11	-7.097	2470	30.31	-4.242	2520	30.97	-2.390	2570	31.78	-0.558
2421	29.12	-7.134	2471	30.35	-7.167	2521	30.98	-2.171	2571	31.80	-1.505
2422	29.13	-6.661	2472	30.38	-7.558	2522	31.00	-2.125	2572	31.81	-1.183
2423	29.15	-6.368	2473	30.41	-8.033	2523	31.02	-3.220	2573	31.82	-2.859
2424	29.20	-3.479	2474	30.42	-8.093	2524	31.05	-3.951	2574	31.84	-3.164
2425	29.25	-0.330	2475	30.44	-8.191	2525	31.06	-4.269	2575	31.85	-4.230
2426	29.29	3.111	2476	30.45	-7.356	2526	31.08	-5.614	2576	31.87	-5.545
2427	29.30	4.694	2477	30.46	-7.017	2527	31.10	-5.669	2577	31.88	-6.486
2428	29.31	5.535	2478	30.47	-6.432	2528	31.12	-8.027	2578	31.90	-8.440
2429	29.32	5.872	2479	30.48	-7.099	2529	31.15	-10.016	2579	31.92	-11.792
2430	29.33	5.220	2480	30.50	-7.833	2530	31.16	-11.589	2580	31.94	-13.252
2431	29.37	4.915	2481	30.52	-6.394	2531	31.18	-13.263	2581	31.99	-14.335
2432	29.40	3.633	2482	30.53	-4.816	2532	31.19	-14.555	2582	32.00	-14.392
2433	29.42	2.296	2483	30.54	-3.351	2533	31.20	-15.390	2583	32.01	-13.559
2434	29.43	1.878	2484	30.55	-1.153	2534	31.21	-15.425	2584	32.03	-12.643
2435	29.44	1.604	2485	30.56	-0.323	2535	31.22	-15.719	2585	32.04	-12.058
2436	29.46	0.889	2486	30.57	0.247	2536	31.24	-15.532	2586	32.05	-10.851
2437	29.49	-0.515	2487	30.58	1.202	2537	31.25	-14.719	2587	32.06	-10.301
2438	29.55	-3.880	2488	30.59	1.397	2538	31.26	-13.512	2588	32.08	-7.638
2439	29.59	-5.675	2489	30.60	1.744	2539	31.27	-11.933	2589	32.10	-4.847
2440	29.61	-6.936	2490	30.61	2.325	2540	31.30	-8.930	2590	32.12	-4.185
2441	29.63	-6.735	2491	30.62	3.274	2541	31.33	-4.295	2591	32.13	-3.981
2442	29.64	-7.550	2492	30.63	2.999	2542	31.34	-2.738	2592	32.14	-2.778
2443	29.66	-7.370	2493	30.64	2.301	2543	31.35	+2.145	2593	32.15	-1.566
2444	29.74	-6.201	2494	30.66	2.237	2544	31.36	-2.414	2594	32.16	-1.251
2445	29.79	-5.429	2495	30.67	1.937	2545	31.37	-1.864	2595	32.17	-1.927
2446	29.85	-4.431	2496	30.69	0.860	2546	31.38	-1.404	2596	32.19	-1.651
2447	29.92	-3.250	2497	30.70	-0.050	2547	31.39	+1.436	2597	32.21	-1.737
2448	29.94	-2.338	2498	30.71	-1.103	2548	31.42	+3.047	2598	32.24	-1.237
2449	29.96	-1.659	2499	30.72	-3.040	2549	31.44	+5.272	2599	32.28	-1.610
2450	29.97	+0.831	2500	30.73	-3.344	2550	31.45	+5.429	2600	32.30	-0.630

INDEX NO. 784 206-GR-17 ONIGAWA BRIDGE TR. MAX.ACCEL.= 63.293(GAL) T= 8.19(SEC) NO.14

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2601	32.32	-1.953	2651	33.31	-5.901	2701	33.94	-9.861
2602	32.35	-2.706	2652	33.32	-7.623	2702	33.95	-10.310
2603	32.36	-3.663	2653	33.33	-8.492	2703	33.96	-10.234
2604	32.39	-4.391	2654	33.34	-10.667	2704	33.98	-10.424
2605	32.42	-5.787	2655	33.35	-11.852	2705	34.00	-10.752
2606	32.45	-7.163	2656	33.36	-13.161			
2607	32.48	-6.824	2657	33.37	-14.582			
2608	32.52	-8.104	2658	33.38	-14.673			
2609	32.55	-9.868	2659	33.39	-15.547			
2610	32.57	-9.962	2660	33.40	-15.570			
2611	32.58	-9.761	2661	33.41	-15.614			
2612	32.60	-9.478	2662	33.42	-15.679			
2613	32.62	-8.319	2663	33.44	-14.864			
2614	32.64	-8.156	2664	33.46	-12.456			
2615	32.66	-7.614	2665	33.47	-11.503			
2616	32.69	-4.641	2666	33.48	-10.315			
2617	32.73	-3.195	2667	33.49	-10.116			
2618	32.76	-0.813	2668	33.51	-9.182			
2619	32.78	0.327	2669	33.52	-7.761			
2620	32.80	-0.751	2670	33.54	-7.201			
2621	32.81	0.213	2671	33.55	-5.644			
2622	32.82	-0.698	2672	33.57	-4.231			
2623	32.85	-3.721	2673	33.58	-2.655			
2624	32.90	-6.833	2674	33.59	-0.080			
2625	32.96	-9.471	2675	33.61	0.490			
2626	33.00	-11.888	2676	33.62	0.679			
2627	33.01	-11.945	2677	33.63	0.376			
2628	33.02	-12.872	2678	33.65	0.302			
2629	33.03	-12.910	2679	33.66	-0.758			
2630	33.04	-13.324	2680	33.67	-1.920			
2631	33.05	-13.113	2681	33.68	-4.219			
2632	33.06	-12.791	2682	33.69	-5.768			
2633	33.08	-12.238	2683	33.71	-8.080			
2634	33.09	-9.821	2684	33.72	-9.127			
2635	33.12	-7.433	2685	33.73	-10.327			
2636	33.13	-4.754	2686	33.75	-11.139			
2637	33.15	-3.801	2687	33.76	-11.927			
2638	33.16	-2.978	2688	33.77	-12.482			
2639	33.17	-2.641	2689	33.78	-12.675			
2640	33.18	-0.441	2690	33.79	-12.720			
2641	33.20	-0.161	2691	33.81	-12.780			
2642	33.21	0.041	2692	33.82	-12.231			
2643	33.22	-0.494	2693	33.83	-11.626			
2644	33.23	-0.926	2694	33.84	-11.672			
2645	33.24	-0.720	2695	33.85	-10.742			
2646	33.25	-1.010	2696	33.87	-10.171			
2647	33.26	-1.048	2697	33.88	-9.614			
2648	33.27	-1.730	2698	33.89	-9.664			
2649	33.28	-2.653	2699	33.91	-9.747			
2650	33.29	-4.327	2700	33.93	-9.810			

Table IX D-11 Digitized Accelerations of Earthquake Record with Index Number 785

INDEX NO. 785 206-GR-17 ONIGAWA BRIDGE U-D MAX.ACCEL.= 15.482(GAL) T= 8.94(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.0	-2.964	51	0.50	1.821	101	1.00	-3.068	151	1.54	-7.249
2	0.01	-2.982	52	0.51	-2.018	102	1.01	-3.499	152	1.55	-6.425
3	0.02	-0.541	53	0.52	-2.661	103	1.02	-3.282	153	1.56	-4.987
4	0.03	0.899	54	0.53	-2.391	104	1.03	-3.234	154	1.57	-2.794
5	0.04	1.227	55	0.54	-3.439	105	1.04	-4.525	155	1.58	-3.501
6	0.05	2.020	56	0.55	-3.740	106	1.05	-6.210	156	1.59	-5.422
7	0.06	1.988	57	0.56	-4.427	107	1.06	-6.642	157	1.60	-7.364
8	0.07	1.654	58	0.57	-4.197	108	1.07	-6.039	158	1.61	-8.389
9	0.08	1.585	59	0.58	-0.748	109	1.08	-6.382	159	1.62	-10.841
10	0.09	4.046	60	0.59	0.673	110	1.09	-7.071	160	1.63	-11.264
11	0.10	4.275	61	0.60	0.644	111	1.10	-7.734	161	1.64	-11.283
12	0.11	3.717	62	0.61	-1.573	112	1.11	-7.133	162	1.65	-10.712
13	0.12	3.252	63	0.62	-1.349	113	1.12	-6.702	163	1.66	-9.513
14	0.13	3.817	64	0.63	-0.153	114	1.13	-6.144	164	1.67	-6.856
15	0.14	4.666	65	0.64	1.020	115	1.14	-7.598	165	1.68	-6.871
16	0.15	6.718	66	0.65	1.599	116	1.15	-10.526	166	1.69	-4.431
17	0.16	6.540	67	0.66	1.573	117	1.16	-11.173	167	1.70	-3.478
18	0.17	6.005	68	0.67	1.267	118	1.17	-9.112	168	1.71	-5.331
19	0.18	3.695	69	0.68	-0.434	119	1.18	-6.901	169	1.72	-7.510
20	0.19	1.151	70	0.69	-2.384	120	1.19	-5.974	170	1.73	-8.551
21	0.20	-2.444	71	0.70	-2.668	121	1.20	-6.001	171	1.74	-8.574
22	0.21	-4.121	72	0.71	-3.991	122	1.21	-6.715	172	1.75	-7.147
23	0.22	-6.937	73	0.72	-4.418	123	1.22	-6.501	173	1.76	-6.548
24	0.23	-9.981	74	0.73	-6.357	124	1.23	-6.324	174	1.77	-6.019
25	0.24	-13.173	75	0.74	-7.265	125	1.24	-6.866	175	1.78	-6.572
26	0.25	-12.227	76	0.75	-6.813	126	1.25	-7.327	176	1.79	-7.256
27	0.26	-12.004	77	0.76	-5.608	127	1.26	-7.992	177	1.80	-7.655
28	0.27	-9.307	78	0.77	-4.937	128	1.27	-9.289	178	1.81	-6.827
29	0.28	-8.340	79	0.78	-5.117	129	1.28	-9.088	179	1.82	-6.506
30	0.29	-8.019	80	0.79	-5.657	130	1.29	-8.497	180	1.83	-5.573
31	0.30	-9.128	81	0.80	-5.457	131	1.30	-6.677	181	1.84	-5.402
32	0.31	-10.805	82	0.81	-5.142	132	1.31	-6.618	182	1.85	-6.078
33	0.32	-10.439	83	0.82	-4.954	133	1.32	-6.676	183	1.86	-6.097
34	0.33	-8.618	84	0.83	-4.727	134	1.33	-7.115	184	1.87	-5.519
35	0.34	-6.794	85	0.84	-3.560	135	1.34	-6.899	185	1.88	-4.321
36	0.35	-5.986	86	0.85	-3.009	136	1.35	-7.612	186	1.89	-3.509
37	0.36	-5.912	87	0.86	-3.315	137	1.36	-7.031	187	1.90	-3.223
38	0.37	-5.725	88	0.87	-3.766	138	1.37	-6.436	188	1.91	-4.774
39	0.38	-4.893	89	0.88	-4.797	139	1.38	-6.157	189	1.92	-4.825
40	0.39	-4.621	90	0.89	-4.857	140	1.39	-7.071	190	1.93	-5.507
41	0.40	-6.538	91	0.90	-4.256	141	1.40	-6.502	191	1.94	-6.188
42	0.41	-7.838	92	0.91	-6.055	142	1.41	-5.672	192	1.95	-6.666
43	0.42	-7.239	93	0.92	-3.976	143	1.42	-5.998	193	1.96	-6.015
44	0.43	-6.665	94	0.93	-2.447	144	1.43	-6.436	194	1.97	-5.202
45	0.44	-6.382	95	0.94	-2.744	145	1.48	-6.700	195	1.98	-4.255
46	0.45	-7.437	96	0.95	-3.793	146	1.49	-8.002	196	1.99	-2.446
47	0.46	-8.352	97	0.96	-4.076	147	1.50	-8.065	197	2.00	-1.246
48	0.47	-6.263	98	0.97	-3.240	148	1.51	-7.825	198	2.01	-0.661
49	0.48	-1.602	99	0.98	-1.693	149	1.52	-6.648	199	2.02	-1.624
50	0.49	2.084	100	0.99	-2.393	150	1.53	-6.980	200	2.03	-2.057

土木構造物における加速度強震記録（No. 9）

INDEX NO. 785 206-GR-17 OHIGAWA BRIDGE U-D MAX.ACCEL.= 15.482(GAL) T= 8.94(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	2.04	-2.986	251	2.54	-7.296	301	3.05	-3.228	351	3.55	-8.307
202	2.05	-3.652	252	2.55	-6.710	302	3.06	-4.295	352	3.56	-8.599
203	2.06	-5.997	253	2.56	-5.921	303	3.07	-4.608	353	3.57	-7.771
204	2.07	-5.132	254	2.57	-5.337	304	3.08	-6.163	354	3.58	-5.942
205	2.08	-6.321	255	2.58	-4.670	305	3.09	-5.967	355	3.59	-4.131
206	2.09	-7.578	256	2.59	-4.452	306	3.10	-5.982	356	3.60	-2.068
207	2.10	-9.271	257	2.60	-4.693	307	3.11	-5.171	357	3.61	-2.631
208	2.11	-9.687	258	2.61	-4.295	308	3.12	-3.989	358	3.62	-3.206
209	2.12	-8.152	259	2.62	-4.226	309	3.13	-4.316	359	3.63	-3.731
210	2.13	-6.332	260	2.63	-4.065	310	3.14	-4.596	360	3.64	-5.039
211	2.14	-6.617	261	2.64	-4.744	311	3.15	-5.675	361	3.65	-5.339
212	2.15	-7.322	262	2.65	-6.033	312	3.16	-5.968	362	3.66	-6.017
213	2.16	-8.381	263	2.66	-6.977	313	3.17	-5.981	363	3.67	-6.034
214	2.17	-9.297	264	2.67	-7.043	314	3.18	-4.547	364	3.68	-5.847
215	2.18	-9.717	265	2.68	-5.593	315	3.19	-3.088	365	3.69	-6.555
216	2.19	-9.146	266	2.69	-5.646	316	3.20	-2.423	366	3.70	-6.577
217	2.20	-8.562	267	2.70	-6.314	317	3.21	-2.450	367	3.71	-5.393
218	2.21	-7.109	268	2.71	-7.258	318	3.22	-2.420	368	3.73	-5.477
219	2.22	-4.294	269	2.72	-9.561	319	3.23	-3.102	369	3.74	-5.572
220	2.23	-2.470	270	2.73	-9.324	320	3.24	-3.503	370	3.75	-5.871
221	2.24	-1.298	271	2.74	-8.628	321	3.25	-5.214	371	3.76	-6.549
222	2.25	-2.852	272	2.75	-8.720	322	3.26	-5.517	372	3.77	-6.578
223	2.26	-3.914	273	2.76	-9.739	323	3.27	-5.534	373	3.78	-5.491
224	2.27	-5.473	274	2.77	-7.684	324	3.28	-5.324	374	3.79	-4.329
225	2.28	-6.513	275	2.78	-4.648	325	3.29	-4.797	375	3.80	-4.809
226	2.29	-7.456	276	2.79	-3.671	326	3.30	-5.980	376	3.81	-5.544
227	2.30	-7.659	277	2.80	-2.718	327	3.31	-7.021	377	3.82	-6.617
228	2.31	-6.401	278	2.81	-1.935	328	3.32	-7.706	378	3.83	-6.887
229	2.32	-4.237	279	2.82	-2.238	329	3.33	-7.762	379	3.84	-6.091
230	2.33	-4.022	280	2.83	-3.552	330	3.34	-7.532	380	3.85	-4.266
231	2.34	-5.981	281	2.84	-5.479	331	3.35	-6.953	381	3.86	-3.680
232	2.35	-6.257	282	2.85	-6.019	332	3.36	-6.028	382	3.87	-2.868
233	2.36	-6.317	283	2.86	-6.048	333	3.37	-4.842	383	3.88	-2.519
234	2.37	-6.151	284	2.87	-3.759	334	3.38	-4.614	384	3.89	-2.862
235	2.38	-6.433	285	2.88	-5.448	335	3.39	-4.060	385	3.90	-3.540
236	2.39	-6.737	286	2.89	-5.733	336	3.40	-2.885	386	3.91	-3.941
237	2.40	-7.168	287	2.90	-6.171	337	3.41	-3.810	387	3.92	-3.728
238	2.41	-8.094	288	2.91	-6.204	338	3.42	-3.593	388	3.93	-2.161
239	2.42	-8.764	289	2.92	-5.004	339	3.43	-3.267	389	3.94	-0.978
240	2.43	-9.839	290	2.93	-4.462	340	3.44	-2.686	390	3.95	-1.003
241	2.44	-8.363	291	2.94	-4.535	341	3.45	-2.163	391	3.96	-1.341
242	2.45	-7.182	292	2.95	-4.328	342	3.46	-3.459	392	3.97	-2.123
243	2.46	-7.890	293	2.96	-4.630	343	3.47	-4.143	393	3.98	-1.569
244	2.47	-9.400	294	2.97	-4.403	344	3.48	-5.075	394	3.99	-0.250
245	2.48	-7.588	295	2.98	-4.354	345	3.49	-5.750	395	4.00	-0.401
246	2.49	-7.397	296	2.99	-4.174	346	3.50	-6.170	396	4.01	-1.619
247	2.50	-7.101	297	3.00	-4.462	347	3.51	-6.451	397	4.02	-3.540
248	2.51	-7.766	298	3.01	-3.279	348	3.52	-6.277	398	4.03	-3.566
249	2.52	-8.066	299	3.02	-3.083	349	3.53	-6.964	399	4.04	-3.118
250	2.53	-8.115	300	3.04	-3.454	350	3.54	-7.257	400	4.05	-1.794

INDEX NO. 785 206-GR-17 OHIGAWA BRIDGE U-D MAX.ACCEL.= 15.482(GAL) T= 8.94(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	4.06	-1.626	451	4.56	-1.675	501	5.07	1.857	551	5.57	3.051
402	4.07	-1.664	452	4.57	-2.985	502	5.08	0.922	552	5.58	1.760
403	4.08	-2.594	453	4.58	-3.251	503	5.09	1.930	553	5.59	2.567
404	4.09	-2.387	454	4.59	-3.302	504	5.10	1.708	554	5.60	1.901
405	4.10	-3.717	455	4.60	-2.756	505	5.11	1.379	555	5.61	1.356
406	4.11	-3.752	456	4.61	-2.194	506	5.12	-0.310	556	5.62	-0.996
407	4.12	-3.818	457	4.62	-1.954	507	5.13	-0.592	557	5.63	-1.297
408	4.13	-4.101	458	4.63	-3.559	508	5.14	-1.023	558	5.64	-1.707
409	4.14	-3.020	459	4.64	-4.852	509	5.15	-1.053	559	5.65	-2.405
410	4.15	-2.955	460	4.65	-5.273	510	5.16	-0.777	560	5.66	-2.439
411	4.16	-2.128	461	4.66	-5.296	511	5.17	-2.067	561	5.67	-2.481
412	4.17	-1.212	462	4.67	-4.724	512	5.18	-3.117	562	5.68	-1.890
413	4.18	-3.153	463	4.68	-4.817	513	5.19	-2.899	563	5.69	2.636
414	4.19	-4.206	464	4.69	-5.478	514	5.20	-3.851	564	5.70	3.219
415	4.20	-5.502	465	4.70	-6.166	515	5.21	-3.904	565	5.71	3.539
416	4.21	-7.436	466	4.71	-5.312	516	5.22	-3.965	566	5.72	4.486
417	4.22	-8.479	467	4.72	-3.741	517	5.23	-1.506	567	5.73	6.310
418	4.23	-8.130	468	4.73	-1.676	518	5.24	1.796	568	5.74	5.654
419	4.24	-5.686	469	4.74	-0.727	519	5.25	3.119	569	5.75	3.096
420	4.25	-4.230	470	4.75	0.087	520	5.26	3.098	570	5.76	1.424
421	4.26	-2.412	471	4.76	1.270	521	5.27	2.398	571	5.77	-1.162
422	4.27	-0.484	472	4.77	2.447	522	5.28	1.496	572	5.78	-1.215
423	4.28	-0.171	473	4.78	2.176	523	5.29	-0.472	573	5.79	-1.014
424	4.29	-0.215	474	4.79	2.374	524	5.30	-1.138	574	5.80	-1.324
425	4.30	-0.532	475	4.80	1.205	525	5.31	-1.827	575	5.82	-2.291
426	4.31	-0.959	476	4.81	-1.396	526	5.32	-1.618	576	5.86	-0.369
427	4.32	-1.015	477	4.82	-2.060	527	5.33	-1.041	577	5.87	0.204
428	4.33	-0.416	478	4.83	-3.377	528	5.34	0.771	578	5.88	0.500
429	4.34	-1.112	479	4.84	-3.796	529	5.35	2.326	579	5.90	0.670
430	4.35	-2.055	480	4.85	-3.841	530	5.36	2.313	580	5.91	0.845
431	4.36	-2.112	481	4.86	-3.884	531	5.37	2.249	581	5.92	1.101
432	4.37	-2.785	482	4.87	-2.693	532	5.38	2.195	582	5.93	1.397
433	4.38	-2.805	483	4.88	-2.522	533	5.39	2.155	583	5.94	1.095
434	4.39	-2.024	484	4.89	-2.533	534	5.40	1.207	584	5.95	0.416
435	4.40	-2.066	485	4.90	-2.656	535	5.41	0.806	585	5.96	0.596
436	4.41	-2.100	486	4.91	-2.261	536	5.42	0.078	586	5.98	1.504
437	4.42	-1.547	487	4.92	-1.989	537	5.43	-0.846	587	5.99	1.672
438	4.43	-1.835	488	4.93	-1.755	538	5.44	-1.518	588	6.00	2.010
439	4.44	-3.151	489	4.94	-2.712	539	5.45	-1.936	589	6.01	3.556
440	4.45	-4.208	490	4.95	-2.752	540	5.46	-1.723	590	6.02	4.002
441	4.46	-4.233	491	4.96	-2.801	541	5.47	-1.419	591	6.03	4.962
442	4.47	-3.406	492	4.97	-2.341	542	5.48	-0.822	592	6.04	4.677
443	4.48	-2.841	493	4.98	-1.160	543	5.49	0.108	593	6.05	4.091
444	4.49	-2.286	494	4.99	0.686	544	5.50	0.978	594	6.06	2.672
445	4.50	-1.700	495	5.00	0.336	545	5.51	1.004	595	6.07	1.015
446	4.51	-0.760	496	5.01	0.312	546	5.52	0.427	596	6.08	-0.947
447	4.52	-0.217	497	5.02	0.270	547	5.53	1.032	597	6.09	-1.229
448	4.53	-0.231	498	5.03	0.421	548	5.54	1.965	598	6.10	-2.311
449	4.54	-0.563	499	5.05	1.335	549	5.55	3.133	599	6.11	-3.608
450	4.55	-1.255	500	5.06	1.044	550	5.56	3.094	600	6.12	-3.002

INDEX NO. 785 206-GR-17 OMIGAWA BRIDGE U-D MAX.ACCEL.= 15.482(GAL) T= 8.94(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	6.14	0.871	651	6.65	4.650	701	7.19	5.383	751	7.73	7.368
602	6.15	2.438	652	6.66	4.216	702	7.20	5.056	752	7.74	5.177
603	6.16	5.126	653	6.67	4.134	703	7.21	4.761	753	7.75	4.529
604	6.17	6.456	654	6.68	4.982	704	7.22	6.803	754	7.76	1.964
605	6.18	6.413	655	6.69	5.554	705	7.23	9.000	755	7.77	0.658
606	6.19	6.725	656	6.70	6.728	706	7.24	9.351	756	7.78	2.331
607	6.20	6.949	657	6.71	7.681	707	7.25	8.638	757	7.79	3.541
608	6.21	5.735	658	6.72	7.651	708	7.26	8.240	758	7.80	5.091
609	6.22	5.073	659	6.73	6.951	709	7.27	5.796	759	7.81	7.165
610	6.23	4.365	660	6.74	6.272	710	7.28	5.117	760	7.82	8.128
611	6.24	2.437	661	6.75	5.953	711	7.29	4.453	761	7.83	9.935
612	6.25	1.414	662	6.76	5.301	712	7.30	4.420	762	7.84	10.153
613	6.26	2.231	663	6.77	5.256	713	7.31	2.472	763	7.85	10.457
614	6.27	2.773	664	6.78	5.726	714	7.32	3.513	764	7.87	8.763
615	6.28	2.239	665	6.79	4.742	715	7.33	4.472	765	7.89	7.391
616	6.29	2.460	666	6.80	5.939	716	7.34	5.664	766	7.91	6.400
617	6.30	1.150	667	6.81	6.372	717	7.35	8.309	767	7.94	4.149
618	6.31	-0.811	668	6.82	7.202	718	7.37	9.503	768	7.96	0.919
619	6.32	-1.111	669	6.83	6.654	719	7.38	8.977	769	7.97	-1.420
620	6.33	-2.295	670	6.84	6.974	720	7.39	7.904	770	7.98	-1.711
621	6.34	-2.062	671	6.85	5.684	721	7.40	7.235	771	7.99	-2.124
622	6.35	-0.262	672	6.86	4.388	722	7.41	6.946	772	8.00	-0.934
623	6.36	0.085	673	6.87	2.632	723	7.42	5.485	773	8.01	0.489
624	6.37	0.628	674	6.88	1.702	724	7.44	4.296	774	8.02	0.849
625	6.38	1.574	675	6.90	1.433	725	7.45	4.491	775	8.03	3.627
626	6.39	2.016	676	6.92	1.551	726	7.46	5.023	776	8.04	4.458
627	6.40	1.749	677	6.93	1.255	727	7.47	5.865	777	8.05	5.285
628	6.41	0.674	678	6.94	1.083	728	7.48	7.076	778	8.06	6.597
629	6.42	-0.521	679	6.95	1.028	729	7.49	8.091	779	8.07	6.546
630	6.43	-1.834	680	6.96	-0.163	730	7.50	10.079	780	8.08	6.757
631	6.44	-1.357	681	6.97	1.885	731	7.51	10.172	781	8.09	6.723
632	6.45	0.455	682	6.98	3.725	732	7.52	9.736	782	8.10	6.394
633	6.46	3.251	683	6.99	5.191	733	7.53	6.541	783	8.11	6.855
634	6.47	4.824	684	7.00	6.108	734	7.54	5.242	784	8.12	7.430
635	6.48	6.030	685	7.01	6.062	735	7.55	4.584	785	8.13	8.378
636	6.49	6.391	686	7.02	6.625	736	7.56	2.659	786	8.14	8.916
637	6.50	4.198	687	7.04	6.754	737	7.57	2.841	787	8.16	9.726
638	6.51	2.256	688	7.05	7.341	738	7.58	4.636	788	8.17	10.537
639	6.52	-0.939	689	7.06	7.053	739	7.59	6.599	789	8.18	10.732
640	6.53	-1.336	690	7.07	5.758	740	7.60	5.171	790	8.19	11.537
641	6.54	-0.777	691	7.08	4.448	741	7.61	5.493	791	8.20	12.723
642	6.55	-0.189	692	7.09	4.159	742	7.62	6.065	792	8.21	14.532
643	6.56	0.604	693	7.10	3.316	743	7.64	5.981	793	8.22	15.105
644	6.57	1.915	694	7.11	4.256	744	7.65	6.910	794	8.23	14.585
645	6.58	2.980	695	7.12	5.463	745	7.66	6.715	795	8.25	13.118
646	6.59	3.938	696	7.13	4.802	746	7.67	7.307	796	8.28	9.953
647	6.60	5.145	697	7.15	4.335	747	7.68	7.636	797	8.29	7.932
648	6.61	5.480	698	7.16	4.900	748	7.69	7.590	798	8.31	6.294
649	6.62	5.433	699	7.17	4.349	749	7.70	8.122	799	8.32	5.570
650	6.63	4.970	700	7.18	5.392	750	7.72	8.032	800	8.33	5.844

INDEX NO. 785 206-GR-17 OMIGAWA BRIDGE U-D MAX.ACCEL.= 15.482(GAL) T= 8.94(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	8.34	4.660	851	8.84	5.774	901	9.34	8.181	951	9.85	6.255
802	8.35	5.922	852	8.85	8.309	902	9.35	7.247	952	9.86	7.196
803	8.36	6.852	853	8.86	9.759	903	9.36	7.197	953	9.87	7.779
804	8.37	3.072	854	8.87	11.328	904	9.37	6.130	954	9.88	8.624
805	8.38	9.634	855	8.88	11.275	905	9.38	5.835	955	9.89	6.031
806	8.39	9.611	856	8.89	11.483	906	9.39	4.512	956	9.90	6.139
807	8.40	9.805	857	8.90	12.663	907	9.40	4.706	957	9.91	5.689
808	8.41	9.234	858	8.91	13.010	908	9.41	4.673	958	9.92	5.412
809	8.42	8.567	859	8.92	14.307	909	9.42	4.603	959	9.93	3.080
810	8.43	7.251	860	8.93	15.139	910	9.43	5.787	960	9.94	2.804
811	8.44	6.596	861	8.94	15.482	911	9.44	6.961	961	9.95	2.580
812	8.45	4.260	862	8.95	14.168	912	9.45	7.931	962	9.96	2.928
813	8.46	3.339	863	8.96	12.237	913	9.46	8.740	963	9.97	4.166
814	8.47	3.560	864	8.97	9.657	914	9.47	9.311	964	9.98	4.697
815	8.48	3.253	865	8.98	6.371	915	9.48	9.016	965	9.99	5.252
816	8.49	3.402	866	8.99	4.818	916	9.49	7.953	966	10.00	6.447
817	8.50	5.476	867	9.00	3.773	917	9.50	7.921	967	10.01	6.416
818	8.51	6.437	868	9.01	3.973	918	9.51	7.630	968	10.02	6.336
819	8.52	7.646	869	9.02	4.006	919	9.52	6.922	969	10.03	6.051
820	8.53	9.692	870	9.03	3.982	920	9.53	5.866	970	10.04	5.366
821	8.54	10.640	871	9.04	6.266	921	9.54	5.830	971	10.05	4.059
822	8.55	11.211	872	9.05	7.241	922	9.55	4.524	972	10.06	3.645
823	8.56	11.439	873	9.06	7.203	923	9.56	4.212	973	10.07	1.441
824	8.57	11.138	874	9.07	6.809	924	9.57	3.800	974	10.08	0.387
825	8.58	9.815	875	9.08	6.210	925	9.58	2.838	975	10.09	-0.549
826	8.59	9.767	876	9.09	3.891	926	9.59	2.182	976	10.10	0.260
827	8.60	7.572	877	9.10	2.355	9.7	9.60	4.492	977	10.11	1.453
828	8.61	6.279	878	9.11	-2.240	928	9.61	6.301	978	10.12	1.636
829	8.62	4.605	879	9.12	-2.666	929	9.62	7.506	979	10.13	1.972
830	8.63	2.806	880	9.13	-2.675	930	9.63	8.090	980	10.14	3.537
831	8.64	4.332	881	9.14	-3.155	931	9.64	9.265	981	10.15	2.498
832	8.65	5.291	882	9.15	-3.061	932	9.65	9.594	982	10.16	1.830
833	8.66	6.347	883	9.16	-1.975	933	9.66	9.534	983	10.17	0.247
834	8.67	7.294	884	9.17	0.824	934	9.67	9.494	984	10.18	-0.634
835	8.68	8.240	885	9.18	3.267	935	9.68	9.708	985	10.19	-0.592
836	8.69	8.600	886	9.19	6.695	936	9.69	9.988	986	10.20	1.816
837	8.70	8.536	887	9.20	8.533	937	9.70	8.678	987	10.21	2.415
838	8.71	7.863	888	9.21	9.507	938	9.71	7.375	988	10.22	6.071
839	8.72	6.944	889	9.22	9.191	939	9.73	4.794	989	10.23	8.651
840	8.73	5.618	890	9.23	9.140	940	9.74	2.854	990	10.24	7.746
841	8.74	4.562	891	9.24	8.454	941	9.75	1.160	991	10.25	9.558
842	8.75	3.890	892	9.25	7.788	942	9.76	1.129	992	10.26	10.972
843	8.76	2.828	893	9.26	7.100	943	9.77	1.697	993	10.27	11.941
844	8.77	1.035	894	9.27	6.261	944	9.78	2.633	994	10.28	13.998
845	8.78	-0.810	895	9.28	9.463	945	9.79	3.232	995	10.29	13.708
846	8.79	-0.573	896	9.29	10.294	946	9.80	2.525	996	10.30	13.898
847	8.80	0.583	897	9.30	11.146	947	9.81	2.711	997	10.31	13.842
848	8.81	2.150	898	9.31	11.448	948	9.82	3.424	998	10.32	13.799
849	8.82	2.734	899	9.32	10.138	949	9.83	4.241	999	10.34	13.450
850	8.83	4.807	900	9.33	9.859	950	9.84	4.832	1000	10.35	11.252

土木構造物における加速度強震記録（No. 9）

INDEX NO. 785 206-GR-17 OMIGAWA BRIDGE U-D MAX.ACCEL.= 15.482(GAL) T= 8.94(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	10.37	10.149	1051	11.01	1.972	1101	11.60	-1.295	1151	12.14	-0.772
1002	10.38	6.824	1052	11.02	-1.002	1102	11.61	-1.663	1152	12.16	2.239
1003	10.39	8.155	1053	11.03	-3.164	1103	11.62	-1.115	1153	12.18	3.653
1004	10.40	6.225	1054	11.04	-2.967	1104	11.64	-0.305	1154	12.19	4.656
1005	10.41	5.913	1055	11.05	-2.994	1105	11.65	0.885	1155	12.20	5.011
1006	10.42	5.233	1056	11.06	-2.185	1106	11.66	2.434	1156	12.21	4.580
1007	10.43	4.165	1057	11.07	-0.596	1107	11.67	4.482	1157	12.22	4.552
1008	10.44	3.718	1058	11.08	1.222	1108	11.68	4.213	1158	12.23	4.255
1009	10.45	4.049	1059	11.09	2.661	1109	11.69	3.535	1159	12.24	2.323
1010	10.49	3.851	1060	11.10	4.860	1110	11.70	2.861	1160	12.25	0.355
1011	10.52	3.429	1061	11.11	9.136	1111	11.72	1.249	1161	12.26	-1.953
1012	10.55	2.852	1062	11.12	9.731	1112	11.73	0.199	1162	12.27	-1.368
1013	10.61	3.181	1063	11.13	9.922	1113	11.74	-0.482	1163	12.28	-1.164
1014	10.62	3.729	1064	11.14	10.385	1114	11.75	-0.542	1164	12.29	-1.229
1015	10.63	3.903	1065	11.15	10.326	1115	11.76	-0.865	1165	12.30	-1.523
1016	10.64	5.126	1066	11.16	10.283	1116	11.77	-0.910	1166	12.31	-0.704
1017	10.65	6.326	1067	11.17	10.230	1117	11.78	-1.080	1167	12.32	-0.022
1018	10.66	9.122	1068	11.18	9.290	1118	11.79	-0.509	1168	12.33	0.432
1019	10.67	9.706	1069	11.19	9.198	1119	11.80	0.069	1169	12.34	0.373
1920	10.68	10.542	1070	11.21	9.093	1120	11.81	0.023	1170	12.35	0.918
1021	10.69	11.088	1071	11.23	3.386	1121	11.82	-1.818	1171	12.36	1.254
1022	10.70	11.048	1072	11.24	2.310	1122	11.83	-2.221	1172	12.37	1.816
1023	10.71	11.012	1073	11.26	0.833	1123	11.84	-2.017	1173	12.38	3.036
1024	10.72	11.291	1074	11.27	0.769	1124	11.85	-0.814	1174	12.39	2.990
1025	10.73	11.757	1075	11.28	0.721	1125	11.86	-0.405	1175	12.40	0.789
1026	10.74	10.439	1076	11.29	0.940	1126	11.87	0.668	1176	12.41	-0.519
1027	10.75	9.777	1077	11.30	2.742	1127	11.89	1.438	1177	12.42	-1.221
1028	10.76	8.436	1078	11.31	4.319	1128	11.90	1.155	1178	12.43	-1.630
1029	10.77	8.631	1079	11.32	5.772	1129	11.91	0.733	1179	12.44	-1.447
1030	10.78	6.713	1080	11.33	7.608	1130	11.92	-1.064	1180	12.45	-0.854
1031	10.79	5.164	1081	11.34	10.785	1131	11.93	-2.396	1181	12.46	-1.143
1032	10.80	3.991	1082	11.35	11.988	1132	11.94	-2.820	1182	12.47	-0.985
1033	10.82	1.378	1083	11.36	13.548	1133	11.96	-3.550	1183	12.49	-0.081
1034	10.83	0.682	1084	11.37	13.882	1134	11.97	-3.867	1184	12.51	1.322
1035	10.85	0.608	1085	11.38	13.837	1135	11.98	-3.900	1185	12.52	1.649
1036	10.86	-0.364	1086	11.39	13.758	1136	11.99	-3.679	1186	12.53	1.806
1037	10.87	-0.143	1087	11.40	12.457	1137	12.00	-3.430	1187	12.54	2.124
1038	10.88	0.666	1088	11.41	11.390	1138	12.01	-2.538	1188	12.55	2.094
1039	10.89	1.863	1089	11.42	11.084	1139	12.02	-0.752	1189	12.56	0.805
1040	10.90	2.819	1090	11.45	7.415	1140	12.03	0.697	1190	12.57	0.735
1041	10.91	4.253	1091	11.47	5.820	1141	12.04	0.675	1191	12.59	-2.132
1042	10.92	6.067	1092	11.50	3.185	1142	12.05	0.714	1192	12.61	-4.111
1043	10.93	7.263	1093	11.51	2.511	1143	12.06	0.900	1193	12.63	-7.496
1044	10.94	8.443	1094	11.52	2.914	1144	12.07	0.860	1194	12.64	-7.539
1045	10.95	9.389	1095	11.53	2.611	1145	12.08	0.812	1195	12.65	-8.609
1046	10.96	8.742	1096	11.55	1.536	1146	12.09	0.768	1196	12.66	-7.776
1047	10.97	7.814	1097	11.56	0.234	1147	12.10	-0.581	1197	12.67	-7.437
1048	10.98	6.114	1098	11.57	-0.856	1148	12.11	-0.601	1198	12.68	-6.612
1049	10.99	4.551	1099	11.58	-0.897	1149	12.12	-1.305	1199	12.70	-4.117
1050	11.00	3.532	1100	11.59	-0.959	1150	12.13	-2.234	1200	12.72	-3.335

INDEX NO. 785 206-GR-17 OMIGAWA BRIDGE U-D MAX.ACCEL.= 15.482(GAL) T= 8.94(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	12.73	-2.785	1251	13.32	1.262	1301	13.89	5.276	1351	14.43	-2.626
1202	12.75	-1.879	1252	13.34	2.133	1302	13.90	5.225	1352	14.44	-2.167
1203	12.76	-2.599	1253	13.36	3.265	1303	13.91	4.817	1353	14.45	-1.837
1204	12.77	-3.013	1254	13.37	6.694	1304	13.92	4.992	1354	14.46	-0.657
1205	12.78	-3.969	1255	13.38	7.920	1305	13.93	4.428	1355	14.47	1.158
1206	12.79	-3.745	1256	13.39	7.259	1306	13.94	3.749	1356	14.48	3.214
1207	12.80	-3.172	1257	13.40	5.453	1307	13.95	3.064	1357	14.49	3.188
1208	12.82	-2.024	1258	13.41	4.151	1308	13.97	2.625	1358	14.50	2.874
1209	12.83	-0.229	1259	13.42	2.672	1309	13.98	1.701	1359	14.52	2.753
1210	12.84	0.359	1260	13.43	-0.755	1310	13.99	0.636	1360	14.53	2.449
1211	12.85	1.674	1261	13.44	-1.027	1311	14.00	-0.691	1361	14.54	2.011
1212	12.86	2.510	1262	13.45	-1.085	1312	14.02	-2.014	1362	14.56	1.935
1213	12.87	2.806	1263	13.46	-0.618	1313	14.03	-4.227	1363	14.57	1.610
1214	12.88	2.487	1264	13.47	-0.920	1314	14.04	-5.416	1364	14.59	1.763
1215	12.89	1.818	1265	13.48	-0.394	1315	14.05	-6.969	1365	14.60	1.691
1216	12.90	0.147	1266	13.50	-0.254	1316	14.06	-7.386	1366	14.62	2.473
1217	12.91	-1.165	1267	13.52	0.684	1317	14.07	-7.680	1367	14.63	3.144
1218	12.92	-3.100	1268	13.53	1.497	1318	14.08	-7.476	1368	14.64	3.607
1219	12.93	-4.920	1269	13.54	1.170	1319	14.09	-6.286	1369	14.65	4.784
1220	12.94	-6.093	1270	13.55	2.353	1320	14.11	-5.746	1370	14.66	5.728
1221	12.95	-8.416	1271	13.56	3.187	1321	14.12	-4.329	1371	14.67	7.045
1222	12.96	-9.067	1272	13.57	3.524	1322	14.13	-3.375	1372	14.68	7.360
1223	12.97	+10.633	1273	13.58	3.205	1323	14.14	-2.552	1373	14.69	8.806
1224	12.99	+10.210	1274	13.59	2.780	1324	14.15	-2.222	1374	14.71	9.991
1225	13.01	-5.332	1275	13.60	2.964	1325	14.16	-2.267	1375	14.72	11.141
1226	13.02	-3.798	1276	13.61	2.684	1326	14.17	-2.119	1376	14.73	11.733
1227	13.03	-2.945	1277	13.62	1.760	1327	14.18	-1.551	1377	14.74	11.060
1228	13.04	-2.609	1278	13.63	1.316	1328	14.19	-0.605	1378	14.75	10.775
1229	13.05	-0.563	1279	13.64	-0.639	1329	14.21	-0.059	1379	14.76	10.337
1230	13.06	0.531	1280	13.65	-0.421	1330	14.22	0.757	1380	14.77	8.767
1231	13.07	0.449	1281	13.66	-0.466	1331	14.23	1.464	1381	14.78	7.719
1232	13.08	-0.867	1282	13.67	0.118	1332	14.24	3.019	1382	14.79	5.528
1233	13.10	-0.327	1283	13.68	0.811	1333	14.25	2.984	1383	14.81	4.195
1234	13.11	-2.012	1284	13.70	0.959	1334	14.26	1.893	1384	14.82	2.501
1235	13.12	-2.059	1285	13.72	0.605	1335	14.27	1.621	1385	14.83	-0.720
1236	13.13	-2.139	1286	13.73	0.175	1336	14.28	1.328	1386	14.85	-3.056
1237	13.14	-2.671	1287	13.74	-0.520	1337	14.29	0.861	1387	14.86	-4.096
1238	13.15	-3.090	1288	13.75	-0.839	1338	14.30	0.818	1388	14.87	-5.688
1239	13.16	-3.133	1289	13.76	-2.537	1339	14.31	1.163	1389	14.88	-5.241
1240	13.17	-2.567	1290	13.77	-1.938	1340	14.32	2.202	1390	14.89	-4.652
1241	13.18	-1.396	1291	13.78	-0.765	1341	14.33	3.155	1391	14.90	-3.704
1242	13.19	-1.170	1292	13.79	-0.524	1342	14.34	3.504	1392	14.91	-2.262
1243	13.21	-0.309	1293	13.80	0.035	1343	14.35	3.711	1393	14.92	-0.462
1244	13.22	-0.981	1294	13.81	0.989	1344	14.36	3.652	1394	14.93	1.366
1245	13.24	-1.168	1295	13.82	1.798	1345	14.37	2.342	1395	14.94	2.303
1246	13.25	-1.404	1296	13.83	2.738	1346	14.38	0.769	1396	14.95	2.898
1247	13.27	-1.889	1297	13.85	4.122	1347	14.39	-0.899	1397	14.96	3.731
1248	13.28	-2.294	1298	13.86	4.694	1348	14.40	-2.234	1398	14.97	4.674
1249	13.29	-1.962	1299	13.87	5.621	1349	14.41	-2.531	1399	14.98	5.332
1250	13.30	-1.025	1300	13.88	5.599	1350	14.42	-2.560	1400	14.99	5.281

INDEX NO. 785 206-GR-17 OHIGAWA BRIDGE U-D MAX.ACCEL.= 15.482(GAL) T= 8.94(SEC) NO. 8

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1401	15.00	4.986	1451	15.61	-0.268	1501	16.12	1.752	1551	16.72	9.137
1402	15.02	4.910	1452	15.62	-0.573	1502	16.13	2.322	1552	16.73	8.068
1403	15.03	4.439	1453	15.63	-0.610	1503	16.14	2.887	1553	16.74	6.768
1404	15.05	3.462	1454	15.64	0.232	1504	16.16	3.064	1554	16.75	5.844
1405	15.06	4.290	1455	15.65	0.547	1505	16.17	3.981	1555	16.76	3.386
1406	15.08	4.218	1456	15.66	1.118	1506	16.18	3.946	1556	16.77	2.489
1407	15.09	4.378	1457	15.67	2.526	1507	16.19	5.511	1557	16.78	2.041
1408	15.12	3.123	1458	15.69	3.459	1508	16.20	6.437	1558	16.79	3.234
1409	15.13	2.430	1459	15.70	3.412	1509	16.21	6.617	1559	16.81	3.488
1410	15.14	1.775	1460	15.71	4.227	1510	16.22	6.598	1560	16.82	2.803
1411	15.15	2.319	1461	15.72	3.039	1511	16.23	6.920	1561	16.83	2.770
1412	15.16	2.291	1462	15.73	2.207	1512	16.24	6.234	1562	16.84	2.329
1413	15.17	3.334	1463	15.74	2.167	1513	16.25	5.555	1563	16.85	2.032
1414	15.18	3.293	1464	15.75	2.735	1514	16.26	3.614	1564	16.86	0.351
1415	15.19	2.346	1465	15.76	3.075	1515	16.27	2.706	1565	16.87	-0.334
1416	15.20	1.675	1466	15.77	3.903	1516	16.28	1.653	1566	16.88	-0.619
1417	15.21	1.399	1467	15.78	4.478	1517	16.30	1.800	1567	16.89	-1.072
1418	15.22	0.967	1468	15.79	5.041	1518	16.31	2.477	1568	16.90	-1.995
1419	15.23	-0.609	1469	15.80	6.001	1519	16.32	2.688	1569	16.91	-2.012
1420	15.24	-1.277	1470	15.81	5.695	1520	16.33	2.609	1570	16.92	-0.591
1421	15.25	-1.317	1471	15.82	5.027	1521	16.34	1.924	1571	16.93	0.833
1422	15.26	-2.004	1472	15.83	5.585	1522	16.35	1.888	1572	16.94	1.797
1423	15.27	-2.449	1473	15.84	4.895	1523	16.36	1.592	1573	16.95	2.349
1424	15.28	-3.120	1474	15.85	4.237	1524	16.37	1.776	1574	16.96	3.168
1425	15.29	-3.450	1475	15.86	3.812	1525	16.38	1.091	1575	16.98	3.472
1426	15.31	-2.404	1476	15.87	3.759	1526	16.39	1.295	1576	17.00	1.499
1427	15.32	-1.464	1477	15.88	2.815	1527	16.40	1.876	1577	17.01	2.057
1428	15.33	-0.262	1478	15.89	2.626	1528	16.41	3.662	1578	17.05	2.441
1429	15.34	0.543	1479	15.90	2.065	1529	16.42	4.589	1579	17.07	2.336
1430	15.36	0.810	1480	15.91	2.007	1530	16.44	5.734	1580	17.10	2.430
1431	15.39	1.942	1481	15.92	1.823	1531	16.45	6.558	1581	17.13	2.436
1432	15.41	4.311	1482	15.93	2.150	1532	16.46	7.500	1582	17.15	2.793
1433	15.43	5.714	1483	15.94	2.724	1533	16.47	7.479	1583	17.16	2.504
1434	15.44	6.899	1484	15.95	3.559	1534	16.48	6.778	1584	17.17	3.080
1435	15.45	8.464	1485	15.96	4.756	1535	16.49	5.851	1585	17.18	3.911
1436	15.46	9.019	1486	15.97	5.461	1536	16.51	3.498	1586	17.19	4.478
1437	15.47	9.606	1487	15.98	6.501	1537	16.52	2.820	1587	17.20	5.039
1438	15.48	9.328	1488	15.99	6.229	1538	16.53	1.879	1588	17.21	5.591
1439	15.49	8.867	1489	16.00	5.897	1539	16.54	1.073	1589	17.23	5.525
1440	15.50	8.838	1490	16.01	5.472	1540	16.55	1.429	1590	17.24	5.180
1441	15.51	8.550	1491	16.02	5.193	1541	16.56	1.995	1591	17.26	4.498
1442	15.52	7.475	1492	16.03	4.732	1542	16.58	4.384	1592	17.34	2.196
1443	15.53	7.189	1493	16.04	4.945	1543	16.61	6.084	1593	17.39	2.150
1444	15.54	5.892	1494	16.05	5.026	1544	16.65	9.258	1594	17.44	1.654
1445	15.55	4.543	1495	16.06	3.955	1545	16.66	9.570	1595	17.45	1.365
1446	15.56	3.495	1496	16.07	3.909	1546	16.67	11.372	1596	17.46	2.161
1447	15.57	2.819	1497	16.08	3.233	1547	16.68	12.089	1597	17.47	2.368
1448	15.58	2.159	1498	16.09	1.542	1548	16.69	11.767	1598	17.48	2.681
1449	15.59	1.858	1499	16.10	1.257	1549	16.70	11.104	1599	17.49	2.390
1450	15.60	0.559	1500	16.11	1.164	1550	16.71	10.043	1600	17.50	1.720

INDEX NO. 785 206-GR-17 OHIGAWA BRIDGE U-D MAX.ACCEL.= 15.482(GAL) T= 8.94(SEC) NO. 9

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1601	17.51	1.262	1651	18.16	5.638	1701	18.78	-4.799	1751	19.32	-2.292
1602	17.52	1.228	1652	18.17	5.320	1702	18.79	-4.881	1752	19.33	-2.697
1603	17.53	0.910	1653	18.19	4.993	1703	18.80	-4.941	1753	19.34	-1.770
1604	17.54	0.469	1654	18.20	4.576	1704	18.81	-4.730	1754	19.35	-1.839
1605	17.55	0.422	1655	18.21	4.270	1705	18.82	-4.381	1755	19.36	-0.770
1606	17.56	0.376	1656	18.23	3.538	1706	18.83	-3.227	1756	19.37	-0.186
1607	17.57	0.082	1657	18.24	1.827	1707	18.85	-2.665	1757	19.38	1.028
1608	17.58	0.284	1658	18.27	1.064	1708	18.87	-1.304	1758	19.39	1.939
1609	17.59	0.474	1659	18.28	0.727	1709	18.88	-0.716	1759	19.40	1.899
1610	17.61	2.219	1660	18.29	0.300	1710	18.89	-0.166	1760	19.41	2.474
1611	17.64	4.317	1661	18.30	-1.006	1711	18.90	0.185	1761	19.42	2.419
1612	17.66	5.461	1662	18.31	-1.036	1712	18.91	0.110	1762	19.44	2.602
1613	17.68	6.993	1663	18.32	-0.822	1713	18.92	0.085	1763	19.45	2.304
1614	17.69	7.583	1664	18.33	0.335	1714	18.93	0.011	1764	19.46	1.958
1615	17.71	7.227	1665	18.35	1.269	1715	18.94	-0.684	1765	19.48	2.114
1616	17.72	7.397	1666	18.37	2.996	1716	18.95	-0.977	1766	19.50	1.418
1617	17.73	7.729	1667	18.39	3.590	1717	18.96	-1.412	1767	19.52	1.550
1618	17.74	7.406	1668	18.39	4.409	1718	18.97	-1.431	1768	19.53	1.490
1619	17.76	7.331	1669	18.40	4.738	1719	18.98	-1.504	1769	19.54	1.817
1620	17.77	6.495	1670	18.41	5.546	1720	18.99	-1.338	1770	19.55	1.152
1621	17.81	4.429	1671	18.42	5.505	1721	19.00	-1.883	1771	19.56	0.815
1622	17.84	2.736	1672	18.43	5.460	1722	19.01	-1.917	1772	19.57	0.777
1623	17.86	2.269	1673	18.45	4.080	1723	19.02	-1.476	1773	19.58	0.362
1624	17.87	1.713	1674	18.46	4.393	1724	19.04	-0.572	1774	19.59	-0.335
1625	17.88	0.907	1675	18.48	4.051	1725	19.06	-0.419	1775	19.60	-0.651
1626	17.89	1.256	1676	18.50	3.563	1726	19.07	-0.457	1776	19.61	-0.215
1627	17.90	1.190	1677	18.52	2.192	1727	19.08	-0.513	1777	19.63	0.078
1628	17.91	1.350	1678	18.53	1.910	1728	19.09	-0.468	1778	19.64	1.245
1629	17.92	1.682	1679	18.54	1.721	1729	19.10	-0.873	1779	19.66	2.053
1630	17.93	2.243	1680	18.55	2.049	1730	19.11	-0.672	1780	19.67	2.362
1631	17.94	2.204	1681	18.56	2.872	1731	19.12	-0.722	1781	19.68	2.316
1632	17.95	1.928	1682	18.57	2.825	1732	19.13	-0.775	1782	19.69	2.004
1633	17.96	1.736	1683	18.58	2.765	1733	19.14	-1.038	1783	19.71	1.914
1634	17.97	2.289	1684	18.59	3.711	1734	19.15	-1.107	1784	19.72	1.464
1635	17.98	1.601	1685	18.60	5.144	1735	19.16	-1.316	1785	19.73	2.042
1636	17.99	1.584	1686	18.61	6.084	1736	19.17	-1.513	1786	19.74	2.229
1637	18.00	1.886	1687	18.62	6.893	1737	19.18	-1.418	1787	19.75	1.930
1638	18.01	1.595	1688	18.64	7.206	1738	19.19	-1.776	1788	19.76	2.110
1639	18.02	1.163	1689	18.65	7.112	1739	19.20	-1.487	1789	19.77	1.814
1640	18.03	1.744	1690	18.66	6.577	1740	19.21	-1.083	1790	19.78	1.511
1641	18.04	1.692	1691	18.67	5.544	1741	19.22	-0.367	1791	19.79	1.082
1642	18.05	1.001	1692	18.68	3.491	1742	19.23	-0.577	1792	19.80	0.784
1643	18.07	0.910	1693	18.69	1.024	1743	19.24	-1.633	1793	19.81	0.582
1644	18.08	1.450	1694	18.70	0.339	1744	19.25	-1.903	1794	19.82	0.526
1645	18.09	2.263	1695	18.71	-0.704	1745	19.26	-1.739	1795	19.83	-0.026
1646	18.11	2.792	1696	18.72	-1.620	1746	19.27	-1.537	1796	19.85	0.410
1647	18.12	3.124	1697	18.73	-2.949	1747	19.28	-1.578	1797	19.86	0.700
1648	18.13	3.693	1698	18.75	-4.304	1748	19.29	-1.623	1798	19.88	0.355
1649	18.14	3.620	1699	18.76	-4.729	1749	19.30	-1.933	1799	19.90	0.507
1650	18.15	5.426	1700	18.77	-4.774	1750	19.31	-2.256	1800	19.91	1.321

土木構造物における加速度強震記録（No.9）

INDEX NO. 765 206-GR-17 OHIGAWA BRIDGE U-D MAX.ACCEL.= 15.482(GAL) T= 8.94(SEC) NO.10

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1801	19.92	1.261	1851	20.54	2.093	1901	21.29	1.786	1951	22.04	2.831
1802	19.93	1.556	1852	20.55	2.049	1902	21.30	1.977	1952	22.05	3.021
1803	19.95	0.881	1853	20.56	1.769	1903	21.31	1.417	1953	22.06	3.581
1804	19.96	1.036	1854	20.56	2.532	1904	21.32	1.000	1954	22.07	4.159
1805	19.96	1.291	1855	20.57	2.469	1905	21.33	0.578	1955	22.08	5.090
1806	19.99	1.258	1856	20.60	2.775	1906	21.35	-1.924	1956	22.09	5.649
1807	20.01	2.271	1857	20.61	2.341	1907	21.37	-2.634	1957	22.10	5.876
1808	20.02	2.233	1858	20.62	2.054	1908	21.38	-2.442	1958	22.11	5.803
1809	20.03	2.423	1859	20.64	1.343	1909	21.40	-2.519	1959	22.12	5.770
1810	20.04	2.355	1860	20.65	1.264	1910	21.41	-3.237	1960	22.13	5.471
1811	20.05	1.701	1861	20.66	0.583	1911	21.44	-2.766	1961	22.14	5.171
1812	20.06	1.910	1862	20.67	0.155	1912	21.46	-2.852	1962	22.15	4.358
1813	20.07	-1.662	1863	20.68	-0.154	1913	21.47	-2.912	1963	22.16	3.793
1814	20.08	-3.625	1864	20.69	-1.251	1914	21.48	-3.245	1964	22.18	2.455
1815	20.11	-2.497	1865	20.70	-2.133	1915	21.50	-3.084	1965	22.19	1.778
1816	20.12	-3.202	1866	20.71	-2.026	1916	21.51	-4.624	1966	22.20	0.075
1817	20.13	-3.275	1867	20.72	-4.126	1917	21.52	-1.296	1967	22.21	0.281
1818	20.14	-3.051	1868	20.73	-4.157	1918	21.54	-0.572	1968	22.23	0.186
1819	20.15	-2.719	1869	20.75	-3.746	1919	21.56	-0.292	1969	22.24	0.093
1820	20.16	-2.535	1870	20.76	-3.748	1920	21.63	-1.936	1970	22.25	-0.216
1821	20.17	-2.219	1871	20.77	-3.286	1921	21.66	-2.362	1971	22.27	-0.050
1822	20.18	-2.266	1872	20.78	-2.921	1922	21.68	-3.714	1972	22.28	-0.129
1823	20.19	-2.062	1873	20.79	-3.004	1923	21.69	-4.405	1973	22.30	-0.208
1824	20.20	-1.138	1874	20.82	-2.207	1924	21.70	-5.001	1974	22.31	0.337
1825	20.21	-1.435	1875	20.85	-2.672	1925	21.71	-4.885	1975	22.33	0.219
1826	20.22	-1.241	1876	20.87	-2.561	1926	21.73	-4.706	1976	22.35	0.116
1827	20.23	0.936	1877	20.89	-2.666	1927	21.74	-4.154	1977	22.37	0.000
1828	20.24	1.076	1878	20.91	-1.750	1928	21.75	-3.233	1978	22.39	0.289
1829	20.26	4.667	1879	20.92	-0.588	1929	21.77	-2.046	1979	22.41	0.828
1830	20.27	5.462	1880	20.94	-0.027	1930	21.78	-1.513	1980	22.42	1.628
1831	20.28	6.286	1881	20.95	0.246	1931	21.79	-1.559	1981	22.43	2.805
1832	20.29	6.882	1882	20.97	1.656	1932	21.80	-0.994	1982	22.44	2.745
1833	20.30	7.424	1883	20.98	1.834	1933	21.81	-0.794	1983	22.46	3.041
1834	20.31	7.390	1884	21.00	2.756	1934	21.82	-0.454	1984	22.47	2.738
1835	20.32	6.836	1885	21.01	3.554	1935	21.83	-0.540	1985	22.48	2.668
1836	20.34	6.078	1886	21.02	3.244	1936	21.84	-0.341	1986	22.50	2.205
1837	20.35	5.396	1887	21.03	2.935	1937	21.85	-0.396	1987	22.51	2.134
1838	20.37	5.324	1888	21.05	2.498	1938	21.86	-0.220	1988	22.52	1.447
1839	20.38	4.639	1889	21.08	1.450	1939	21.87	-0.647	1989	22.54	1.107
1840	20.39	4.202	1890	21.10	0.956	1940	21.88	-0.947	1990	22.56	0.364
1841	20.40	3.267	1891	21.12	2.722	1941	21.91	-1.198	1991	22.58	0.494
1842	20.41	3.077	1892	21.14	3.261	1942	21.92	-1.260	1992	22.60	0.126
1843	20.43	3.072	1893	21.15	2.559	1943	21.93	-1.333	1993	22.62	0.303
1844	20.45	2.973	1894	21.17	2.211	1944	21.95	-1.662	1994	22.64	0.833
1845	20.47	2.887	1895	21.19	1.799	1945	21.96	-1.685	1995	22.65	-0.141
1846	20.48	2.433	1896	21.20	1.390	1946	21.97	-0.912	1996	22.66	0.321
1847	20.50	2.090	1897	21.22	1.811	1947	21.98	-0.989	1997	22.67	0.883
1848	20.51	2.291	1898	21.24	1.693	1948	21.99	-0.038	1998	22.69	0.791
1849	20.52	2.248	1899	21.26	1.975	1949	22.01	1.731	1999	22.70	-0.275
1850	20.53	2.168	1900	21.28	1.666	1950	22.03	1.902	2000	22.71	-0.331

INDEX NO. 765 206-GR-17 OHIGAWA BRIDGE U-D MAX.ACCEL.= 15.482(GAL) T= 8.94(SEC) NO.11

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2001	22.73	-1.072	2051	23.29	0.196	2101	24.10	-4.437	2151	24.81	-4.600
2002	22.74	-1.117	2052	23.30	1.400	2102	24.12	-4.513	2152	24.83	-4.443
2003	22.75	-1.171	2053	23.31	1.347	2103	24.13	-3.963	2153	24.84	-4.132
2004	22.76	-1.214	2054	23.32	1.302	2104	24.14	-3.777	2154	24.85	-4.191
2005	22.77	-1.019	2055	23.33	1.249	2105	24.16	-3.484	2155	24.87	-4.523
2006	22.78	-1.092	2056	23.35	0.913	2106	24.17	-3.556	2156	24.88	-5.859
2007	22.79	-1.129	2057	23.36	0.599	2107	24.18	-3.870	2157	24.90	-5.705
2008	22.80	-0.935	2058	23.38	0.497	2108	24.19	-3.044	2158	24.91	-6.647
2009	22.81	-0.596	2059	23.40	1.246	2109	24.22	-4.077	2159	24.92	-7.041
2010	22.82	0.572	2060	23.41	0.927	2110	24.23	-4.272	2160	24.93	-6.464
2011	22.83	1.406	2061	23.45	0.982	2111	24.24	-3.694	2161	24.94	-5.923
2012	22.84	1.363	2062	23.46	0.771	2112	24.25	-2.763	2162	24.95	-5.726
2013	22.85	1.698	2063	23.52	0.989	2113	24.27	-2.599	2163	24.97	-4.815
2014	22.86	1.392	2064	23.54	0.770	2114	24.29	-1.715	2164	24.99	-4.917
2015	22.87	1.320	2065	23.56	-0.238	2115	24.31	-2.692	2165	25.00	-4.128
2016	22.88	1.254	2066	23.57	-0.916	2116	24.33	-2.784	2166	25.01	-3.572
2017	22.89	1.688	2067	23.58	-0.965	2117	24.34	-3.503	2167	25.03	-2.671
2018	22.90	1.384	2068	23.59	-1.657	2118	24.35	-2.680	2168	25.05	-2.657
2019	22.91	0.707	2069	23.60	-2.314	2119	24.36	-2.119	2169	25.07	-1.848
2020	22.92	0.667	2070	23.61	-2.377	2120	24.37	-2.382	2170	25.08	-1.553
2021	22.93	0.222	2071	23.62	-3.299	2121	24.38	-3.435	2171	25.09	-2.220
2022	22.94	-0.074	2072	23.63	-3.090	2122	24.39	-2.902	2172	25.10	-1.915
2023	22.95	0.498	2073	23.64	-3.152	2123	24.40	-2.962	2173	25.12	-2.389
2024	22.96	0.202	2074	23.65	-3.490	2124	24.41	-3.271	2174	25.13	-2.225
2025	22.97	0.642	2075	23.70	-4.512	2125	24.42	-4.548	2175	25.15	-2.794
2026	22.99	0.300	2076	23.73	-4.684	2126	24.43	-3.728	2176	25.16	-3.465
2027	23.01	-0.704	2077	23.76	-5.914	2127	24.44	-3.535	2177	25.17	-4.274
2028	23.03	-0.527	2078	23.78	-6.418	2128	24.45	-3.222	2178	25.18	-4.353
2029	23.04	-0.335	2079	23.81	-6.310	2129	24.46	-3.288	2179	25.19	-3.417
2030	23.05	-0.037	2080	23.82	-5.755	2130	24.47	-3.344	2180	25.21	-2.913
2031	23.07	-0.751	2081	23.83	-5.193	2131	24.48	-3.391	2181	25.23	-2.122
2032	23.09	-0.236	2082	23.84	-4.633	2132	24.49	-3.440	2182	25.24	-2.175
2033	23.10	-0.673	2083	23.85	-5.565	2133	24.50	-3.734	2183	25.26	-3.179
2034	23.11	0.016	2084	23.86	-5.677	2134	24.53	-3.643	2184	25.29	-3.560
2035	23.12	-0.151	2085	23.87	-5.923	2135	24.54	-3.718	2185	25.30	-4.028
2036	23.13	0.162	2086	23.88	-5.461	2136	24.57	-5.127	2186	25.32	-4.367
2037	23.14	-0.148	2087	23.89	-5.513	2137	24.59	-5.262	2187	25.33	-4.436
2038	23.15	-0.810	2088	23.91	-5.599	2138	24.62	-4.766	2188	25.34	-4.494
2039	23.16	-1.240	2089	23.94	-4.764	2139	24.63	-3.576	2189	25.35	-4.907
2040	23.17	-1.306	2090	23.95	-4.860	2140	24.65	-3.422	2190	25.36	-4.970
2041	23.18	-1.360	2091	23.97	-4.707	2141	24.67	-3.541	2191	25.38	-5.668
2042	23.19	-1.655	2092	23.99	-4.799	2142	24.69	-2.392	2192	25.39	-5.731
2043	23.21	-2.129	2093	24.00	-4.459	2143	24.70	-2.726	2193	25.40	-6.419
2044	23.22	-2.410	2094	24.01	-3.900	2144	24.71	-3.379	2194	25.41	-6.712
2045	23.23	-2.458	2095	24.02	-4.243	2145	24.72	-3.204	2195	25.43	-6.207
2046	23.24	-2.518	2096	24.03	-4.037	2146	24.74	-3.543	2196	25.44	-6.627
2047	23.25	-2.565	2097	24.05	-4.367	2147	24.76	-3.663	2197	25.45	-5.216
2048	23.26	-2.158	2098	24.06	-4.796	2148	24.78	-3.761	2198	25.46	-5.500
2049	23.27	-1.602	2099	24.07	-4.262	2149	24.79	-4.090	2199	25.47	-4.049
2050	23.28	-0.998	2100	24.09	-4.111	2150	24.80	-5.166	2200	25.48	-3.721

INDEX NO. 785 206-GR-17 OHIGAWA BRIDGE U-D MAX.ACCEL.= 15.402(GAL) T= 8.94(SEC) NO.12

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2201	25.49	-3.816	2251	26.17	-2.341	2301	26.88	-0.001	2351	27.65	1.087
2202	25.51	-3.886	2252	26.18	-3.016	2302	26.89	-1.232	2352	27.68	2.207
2203	25.52	-4.205	2253	26.19	-3.071	2303	26.90	-1.561	2353	27.70	2.711
2204	25.53	-4.653	2254	26.20	-3.743	2304	26.91	-1.621	2354	27.72	2.844
2205	25.54	-4.696	2255	26.21	-4.431	2305	26.92	-2.275	2355	27.74	3.117
2206	25.55	-4.131	2256	26.22	-4.763	2306	26.93	-1.447	2356	27.75	2.435
2207	25.57	-3.825	2257	26.24	-4.840	2307	26.94	-1.530	2357	27.76	2.370
2208	25.58	-4.299	2258	26.25	-4.529	2308	26.96	-2.007	2358	27.78	2.041
2209	25.60	-4.372	2259	26.26	-4.965	2309	26.97	-1.663	2359	27.79	1.330
2210	25.61	-3.576	2260	26.27	-5.045	2310	26.98	-1.997	2360	27.80	0.888
2211	25.63	-3.660	2261	26.28	-5.095	2311	26.99	-1.538	2361	27.82	1.053
2212	25.64	-3.721	2262	26.29	-5.160	2312	27.00	-1.859	2362	27.83	0.727
2213	25.65	-3.166	2263	26.30	-4.935	2313	27.02	-2.546	2363	27.85	1.025
2214	25.66	-3.709	2264	26.31	-4.363	2314	27.03	-1.373	2364	27.86	1.206
2215	25.67	-4.115	2265	26.32	-2.521	2315	27.04	-1.410	2365	27.89	1.695
2216	25.68	-4.189	2266	26.33	-2.580	2316	27.05	-0.851	2366	27.91	1.339
2217	25.69	-4.019	2267	26.34	-2.416	2317	27.06	-0.664	2367	27.93	1.238
2218	25.71	-4.990	2268	26.35	-2.009	2318	27.08	-0.746	2368	27.95	1.586
2219	25.73	-5.981	2269	26.36	-1.899	2319	27.09	-1.036	2369	27.97	1.479
2220	25.74	-6.670	2270	26.38	-1.596	2320	27.10	-1.106	2370	28.00	2.087
2221	25.76	-7.353	2271	26.39	-0.811	2321	27.11	-1.169	2371	28.02	1.577
2222	25.77	-7.781	2272	26.41	-0.769	2322	27.12	-0.975	2372	28.04	2.129
2223	25.79	-6.643	2273	26.42	-0.601	2323	27.13	-0.643	2373	28.05	1.202
2224	25.80	-6.107	2274	26.44	-0.072	2324	27.14	-1.332	2374	28.06	0.500
2225	25.82	-5.322	2275	26.46	-0.806	2325	27.15	-1.636	2375	28.08	-1.226
2226	25.83	-4.401	2276	26.48	-0.080	2326	27.16	-2.308	2376	28.09	-0.668
2227	25.85	-3.589	2277	26.49	-1.211	2327	27.17	-2.985	2377	28.11	-1.027
2228	25.87	-2.997	2278	26.50	-0.771	2328	27.18	-4.430	2378	28.12	-1.094
2229	25.89	-2.820	2279	26.51	-0.460	2329	27.20	-4.165	2379	28.13	-1.147
2230	25.90	-2.616	2280	26.52	-0.492	2330	27.23	-3.658	2380	28.14	-1.199
2231	25.91	-1.706	2281	26.53	-0.832	2331	27.26	-2.580	2381	28.16	-0.681
2232	25.92	-1.143	2282	26.54	-1.259	2332	27.28	-3.291	2382	28.18	-0.273
2233	25.94	-0.585	2283	26.55	-1.316	2333	27.30	-2.536	2383	28.19	-0.201
2234	25.96	0.536	2284	26.57	-1.750	2334	27.32	-2.266	2384	28.20	-0.273
2235	25.98	0.436	2285	26.58	-2.351	2335	27.34	-1.737	2385	28.21	-0.336
2236	25.99	0.617	2286	26.60	-2.161	2336	27.35	-2.425	2386	28.23	-0.777
2237	26.00	0.933	2287	26.61	-1.938	2337	27.37	-2.780	2387	28.25	-1.160
2238	26.01	0.995	2288	26.62	-2.061	2338	27.39	-2.386	2388	28.27	-1.666
2239	26.02	0.577	2289	26.63	-2.117	2339	27.41	-2.518	2389	28.29	-1.154
2240	26.03	0.900	2290	26.66	-0.606	2340	27.43	-3.749	2390	28.32	-1.533
2241	26.04	0.211	2291	26.67	-0.911	2341	27.46	-4.039	2391	28.33	-1.086
2242	26.06	-0.862	2292	26.69	-0.134	2342	27.48	-3.498	2392	28.34	-0.523
2243	26.07	-1.428	2293	26.72	0.316	2343	27.49	-3.191	2393	28.35	0.430
2244	26.08	-1.254	2294	26.75	-0.093	2344	27.51	-3.255	2394	28.36	0.989
2245	26.09	-1.316	2295	26.78	-0.302	2345	27.52	-2.706	2395	28.37	0.946
2246	26.11	-1.405	2296	26.81	-0.549	2346	27.54	-1.561	2396	28.39	0.839
2247	26.12	-1.199	2297	26.82	-0.260	2347	27.56	-1.410	2397	28.42	0.296
2248	26.14	-1.213	2298	26.84	-3.349	2348	27.58	-1.784	2398	28.46	1.079
2249	26.15	-1.630	2299	26.86	-0.179	2349	27.61	-1.928	2399	28.48	0.699
2250	26.16	-1.670	2300	26.87	-0.498	2350	27.63	-0.538	2400	28.51	0.768

INDEX NO. 785 206-GR-17 OHIGAWA BRIDGE U-D MAX.ACCEL.= 15.482(GAL) T= 8.94(SEC) NO.13

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2401	28.55	0.948	2451	29.35	2.044	2501	30.02	1.843	2551	30.71	-3.954
2402	28.59	-0.251	2452	29.36	1.360	2502	30.03	1.807	2552	30.72	-4.250
2403	28.61	1.197	2453	29.37	1.556	2503	30.04	1.487	2553	30.74	-3.856
2404	28.64	0.600	2454	29.38	1.515	2504	30.06	0.536	2554	30.75	-3.203
2405	28.67	0.705	2455	29.39	1.632	2505	30.07	0.463	2555	30.76	-3.252
2406	28.69	1.190	2456	29.40	1.544	2506	30.09	0.002	2556	30.77	-2.054
2407	28.73	2.501	2457	29.41	2.362	2507	30.10	0.203	2557	30.79	-2.772
2408	28.76	2.060	2458	29.42	2.560	2508	30.12	0.104	2558	30.80	-2.437
2409	28.79	1.694	2459	29.43	2.538	2509	30.13	-0.221	2559	30.81	-2.496
2410	28.80	1.611	2460	29.44	1.312	2510	30.15	-0.319	2560	30.82	-2.825
2411	28.81	3.050	2461	29.45	1.143	2511	30.17	-0.687	2561	30.84	-2.408
2412	28.82	3.006	2462	29.46	1.460	2512	30.18	-0.497	2562	30.86	-2.113
2413	28.83	2.085	2463	29.48	1.640	2513	30.19	-0.573	2563	30.87	-2.173
2414	28.86	1.953	2464	29.49	1.295	2514	30.21	0.356	2564	30.88	-1.636
2415	28.86	1.701	2465	29.50	0.998	2515	30.22	-0.079	2565	30.90	-1.742
2416	28.90	1.343	2466	29.51	1.434	2516	30.23	0.710	2566	30.91	-2.045
2417	28.93	0.321	2467	29.53	1.113	2517	30.24	1.034	2567	30.92	-2.089
2418	28.96	0.166	2468	29.54	2.283	2518	30.25	1.001	2568	30.93	-2.144
2419	28.99	-0.393	2469	29.56	2.836	2519	30.26	0.689	2569	30.94	-2.585
2420	29.01	-1.143	2470	29.57	2.763	2520	30.27	0.879	2570	30.96	-2.027
2421	29.04	-1.013	2471	29.58	3.321	2521	30.28	1.086	2571	30.98	-1.873
2422	29.05	-1.322	2472	29.59	3.261	2522	30.30	0.757	2572	30.99	-2.801
2423	29.06	-1.134	2473	29.61	3.192	2523	30.31	01662	2573	31.00	-2.864
2424	29.07	-1.125	2474	29.62	3.734	2524	30.33	-0.053	2574	31.01	-3.163
2425	29.08	-1.230	2475	29.64	3.666	2525	30.34	-0.356	2575	31.02	-4.486
2426	29.09	-0.931	2476	29.66	2.881	2526	30.35	-0.410	2576	31.03	-4.296
2427	29.10	-0.965	2477	29.67	1.970	2527	30.36	-0.843	2577	31.04	-5.226
2428	29.11	-0.402	2478	29.69	1.526	2528	30.37	-0.647	2578	31.05	-5.917
2429	29.12	0.430	2479	29.70	1.468	2529	30.38	0.306	2579	31.06	-5.943
2430	29.13	1.109	2480	29.71	1.417	2530	30.41	-1.347	2580	31.07	-5.763
2431	29.14	1.324	2481	29.72	1.607	2531	30.42	-1.775	2581	31.08	-5.194
2432	29.15	1.510	2482	29.74	-0.653	2532	30.43	-1.223	2582	31.10	-5.277
2433	29.16	1.200	2483	29.76	-0.729	2533	30.46	-1.399	2583	31.13	-5.436
2434	29.17	0.522	2484	29.78	-2.108	2534	30.48	-1.475	2584	31.15	-5.775
2435	29.18	-0.145	2485	29.80	-2.657	2535	30.49	-1.317	2585	31.16	-4.992
2436	29.19	-0.208	2486	29.81	-2.654	2536	30.51	-1.291	2586	31.17	-4.786
2437	29.20	-0.004	2487	29.82	-2.316	2537	30.53	-0.861	2587	31.18	-4.464
2438	29.21	0.331	2488	29.83	-2.606	2538	30.54	-0.924	2588	31.19	-4.780
2439	29.22	0.255	2489	29.84	-2.411	2539	30.55	-1.503	2589	31.21	-4.346
2440	29.23	0.210	2490	29.85	-2.236	2540	30.57	-1.580	2590	31.23	-4.712
2441	29.24	0.771	2491	29.86	-1.916	2541	30.58	-2.043	2591	31.24	-3.902
2442	29.25	0.479	2492	29.88	-2.245	2542	30.60	-3.366	2592	31.25	-3.391
2443	29.26	0.433	2493	29.90	-2.116	2543	30.61	-3.202	2593	31.26	-3.389
2444	29.28	0.330	2494	29.94	-2.080	2544	30.62	-2.868	2594	31.27	-3.429
2445	29.29	-0.127	2495	29.95	-1.774	2545	30.64	-2.706	2595	31.28	-3.743
2446	29.30	0.072	2496	29.97	-1.862	2546	30.66	-3.065	2596	31.30	-3.819
2447	29.31	1.249	2497	29.98	-0.685	2547	30.67	-2.873	2597	31.31	-5.152
2448	29.32	2.203	2498	29.99	-0.120	2548	30.68	-3.164	2598	31.32	-5.213
2449	29.33	2.422	2499	30.00	0.080	2549	30.69	-3.859	2599	31.34	-5.299
2450	29.34	2.137	2500	30.01	1.044	2550	30.70	-3.892	2600	31.36	-5.393

土木構造物における加速度強震記録（No.9）

INDEX NO. 785 206-GR-17 OMIGAWA BRIDGE U-D MAX.ACCEL.= 15.482(GAL) T= 8.94(SEC) NO.14

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2601	31.37	-5.695	2651	32.04	-1.325	2701	32.79	-2.454	2751	33.54	-3.049
2602	31.39	-5.558	2652	32.05	-0.415	2702	32.80	-1.885	2752	33.55	-2.714
2603	31.41	-6.295	2653	32.06	-0.215	2703	32.81	-1.094	2753	33.56	-2.375
2604	31.42	-6.341	2654	32.07	-0.263	2704	32.83	-0.792	2754	33.57	-1.606
2605	31.44	-6.083	2655	32.08	-0.323	2705	32.84	-0.331	2755	33.58	-2.021
2606	31.45	-6.526	2656	32.10	-0.568	2706	32.85	-0.265	2756	33.79	-1.681
2607	31.47	-6.592	2657	32.12	-1.292	2707	32.86	0.517	2757	33.80	-2.374
2608	31.48	-6.395	2658	32.14	-1.009	2708	32.89	-0.894	2758	33.81	-2.195
2609	31.49	-7.073	2659	32.15	-1.065	2709	32.92	-0.919	2759	33.82	-2.228
2610	31.50	-6.782	2660	32.16	-1.111	2710	32.97	-2.565	2760	33.83	-3.169
2611	31.51	-5.946	2661	32.19	-1.931	2711	32.99	-2.920	2761	33.84	-3.463
2612	31.52	-4.407	2662	32.21	-2.402	2712	33.00	-2.348	2762	33.85	-3.286
2613	31.53	-4.190	2663	32.23	-2.525	2713	33.01	-3.021	2763	33.86	-3.573
2614	31.54	-3.617	2664	32.26	-2.436	2714	33.02	-4.338	2764	33.87	-4.269
2615	31.55	-3.654	2665	32.27	-3.381	2715	33.03	-3.744	2765	33.89	-5.337
2616	31.56	-2.360	2666	32.28	-3.677	2716	33.04	-4.046	2766	33.90	-5.649
2617	31.57	-2.401	2667	32.29	-3.753	2717	33.06	-4.169	2767	33.91	-5.484
2618	31.58	-2.216	2668	32.30	-3.767	2718	33.11	-4.196	2768	33.92	-5.537
2619	31.60	-2.948	2669	32.31	-3.329	2719	33.15	-3.773	2769	33.94	-5.273
2620	31.62	-1.189	2670	32.32	-3.635	2720	33.18	-3.349	2770	33.96	-5.972
2621	31.63	-0.628	2671	32.33	-2.833	2721	33.21	-3.514	2771	33.97	-5.809
2622	31.65	-0.324	2672	32.35	-3.156	2722	33.28	-4.250	2772	33.98	-6.131
2623	31.66	-0.147	2673	32.36	-2.375	2723	33.31	-3.189	2773	34.00	-5.697
2624	31.67	-0.194	2674	32.39	-2.769	2724	33.33	-3.541			
2625	31.69	-0.326	2675	32.42	-1.670	2725	33.35	-3.380			
2626	31.72	-0.870	2676	32.45	-2.210	2726	33.36	-3.717			
2627	31.74	-0.814	2677	32.47	-1.703	2727	33.38	-5.042			
2628	31.76	-0.917	2678	32.48	-2.052	2728	33.39	-5.352			
2629	31.77	-1.361	2679	32.51	-1.916	2729	33.40	-5.816			
2630	31.78	-1.427	2680	32.52	-1.980	2730	33.42	-6.548			
2631	31.79	-1.233	2681	32.53	-1.915	2731	33.44	-6.257			
2632	31.80	-1.790	2682	32.54	-1.964	2732	33.46	-6.373			
2633	31.81	-1.858	2683	32.55	-3.036	2733	33.48	-6.589			
2634	31.83	-1.431	2684	32.56	-2.481	2734	33.49	-6.322			
2635	31.84	-1.773	2685	32.58	-2.313	2735	33.51	-6.645			
2636	31.86	-1.850	2686	32.59	-2.899	2736	33.52	-5.483			
2637	31.87	-1.660	2687	32.61	-2.956	2737	33.53	-5.913			
2638	31.88	-1.347	2688	32.62	-3.061	2738	33.55	-6.258			
2639	31.89	-1.411	2689	32.64	-4.539	2739	33.56	-6.081			
2640	31.91	-1.476	2690	32.65	-4.582	2740	33.58	-6.140			
2641	31.92	-1.552	2691	32.66	-4.260	2741	33.59	-5.959			
2642	31.94	-1.050	2692	32.67	-4.333	2742	33.60	-6.033			
2643	31.96	-1.132	2693	32.68	-4.132	2743	33.62	-5.371			
2644	31.97	-1.455	2694	32.69	-5.051	2744	33.63	-6.214			
2645	31.98	-1.251	2695	32.70	-5.116	2745	33.64	-6.892			
2646	31.99	-0.940	2696	32.72	-4.598	2746	33.66	-6.581			
2647	32.00	-1.364	2697	32.73	-4.396	2747	33.67	-6.405			
2648	32.01	-1.153	2698	32.74	-3.436	2748	33.68	-5.225			
2649	32.02	-1.736	2699	32.76	-3.522	2749	33.70	-4.703			
2650	32.03	-1.540	2700	32.77	-2.996	2750	33.72	-3.806			

Table IX D-12 Digitized Accelerations of Earthquake Record with Index Number 786

INDEX NO. 786 206-GR-17 OMIGAWA BRIDGE LG MAX.ACCEL.= 54.981(GAL) T= 7.85(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.0	-4.786	51	0.74	-8.893	101	1.29	-7.658	151	1.79	-6.788
2	0.02	-4.994	52	0.75	-7.999	102	1.30	-5.756	152	1.80	-6.529
3	0.04	-5.339	53	0.76	-7.962	103	1.31	-5.494	153	1.81	-4.375
4	0.05	-5.314	54	0.77	-7.950	104	1.32	-4.223	154	1.82	-3.989
5	0.07	-5.393	55	0.78	-8.430	105	1.33	-4.065	155	1.83	-3.716
6	0.09	-5.593	56	0.79	-7.522	106	1.34	-4.678	156	1.84	-3.307
7	0.11	-5.304	57	0.81	-7.862	107	1.35	-7.152	157	1.85	-3.664
8	0.13	-6.130	58	0.82	-8.339	108	1.36	-9.994	158	1.86	-4.517
9	0.14	-6.476	59	0.83	-8.312	109	1.37	-10.846	159	1.87	-5.738
10	0.15	-7.075	60	0.84	-9.030	110	1.38	-11.215	160	1.88	-5.726
11	0.17	-7.283	61	0.85	-8.641	111	1.39	-10.561	161	1.89	-5.710
12	0.18	-7.381	62	0.86	-9.248	112	1.40	-8.912	162	1.90	-5.431
13	0.21	-7.823	63	0.87	-8.971	113	1.41	-7.646	163	1.91	-5.409
14	0.23	-7.529	64	0.88	-8.958	114	1.42	-6.500	164	1.92	-5.666
15	0.24	-7.246	65	0.89	-7.932	115	1.43	-4.838	165	1.93	-6.240
16	0.26	-6.835	66	0.90	-7.281	116	1.44	-3.571	166	1.94	-6.860
17	0.28	-6.406	67	0.91	-7.505	117	1.45	-4.164	167	1.95	-7.074
18	0.31	-6.163	68	0.92	-8.229	118	1.46	-4.394	168	1.96	-7.046
19	0.32	-6.076	69	0.94	-9.063	119	1.47	-5.995	169	1.97	-8.022
20	0.33	-5.416	70	0.95	-8.796	120	1.48	-7.482	170	1.98	-9.253
21	0.35	-4.763	71	0.96	-7.149	121	1.49	-10.576	171	1.99	-10.729
22	0.36	-4.981	72	0.97	-6.502	122	1.50	-12.179	172	2.00	-12.329
23	0.38	-5.325	73	0.98	-6.234	123	1.51	-12.422	173	2.01	-12.931
24	0.39	-5.919	74	0.99	-6.197	124	1.52	-12.147	174	2.02	-12.923
25	0.41	-5.491	75	1.00	-5.810	125	1.53	-11.498	175	2.03	-11.896
26	0.42	-4.970	76	1.01	-6.402	126	1.54	-10.606	176	2.04	-11.371
27	0.44	-5.424	77	1.02	-6.636	127	1.55	-9.330	177	2.05	-10.730
28	0.45	-5.779	78	1.03	-7.614	128	1.56	-9.794	178	2.06	-11.582
29	0.47	-5.106	79	1.04	-8.223	129	1.57	-10.156	179	2.07	-11.939
30	0.49	-5.063	80	1.05	-9.074	130	1.58	-11.393	180	2.08	-12.775
31	0.51	-5.020	81	1.06	-10.668	131	1.59	-13.243	181	2.09	-13.631
32	0.52	-5.251	82	1.07	-11.279	132	1.60	-15.332	182	2.10	-13.620
33	0.53	-5.234	83	1.08	-11.007	133	1.61	-16.064	183	2.11	-13.092
34	0.54	-5.581	84	1.09	-9.726	134	1.62	-15.423	184	2.12	-13.073
35	0.55	-5.928	85	1.11	-9.317	135	1.63	-16.016	185	2.14	-13.030
36	0.56	-7.399	86	1.12	-10.161	136	1.64	-16.119	186	2.15	-12.516
37	0.56	-8.614	87	1.13	-11.394	137	1.65	-15.482	187	2.16	-10.851
38	0.60	-10.439	88	1.14	-13.623	138	1.66	-15.464	188	2.17	-10.463
39	0.61	-11.039	89	1.15	-16.094	139	1.67	-14.816	189	2.18	-9.943
40	0.62	-12.267	90	1.16	-16.329	140	1.68	-13.783	190	2.19	-9.796
41	0.63	-12.011	91	1.17	-16.061	141	1.69	-13.768	191	2.20	-9.146
42	0.64	-11.612	92	1.19	-12.889	142	1.70	-13.497	192	2.21	-8.879
43	0.66	-11.821	93	1.20	-10.992	143	1.71	-13.732	193	2.22	-7.985
44	0.67	-11.544	94	1.21	-10.096	144	1.72	-13.087	194	2.23	-6.831
45	0.68	-11.522	95	1.22	-10.309	145	1.73	-11.554	195	2.24	-6.804
46	0.69	-11.502	96	1.23	-10.546	146	1.74	-10.914	196	2.25	-7.043
47	0.70	-11.230	97	1.24	-10.904	147	1.75	-9.263	197	2.26	-7.003
48	0.71	-10.826	98	1.25	-11.116	148	1.76	-8.371	198	2.27	-7.344
49	0.72	-10.566	99	1.26	-11.478	149	1.77	-8.601	199	2.28	-7.966
50	0.73	-9.542	100	1.28	-8.934	150	1.78	-5.947	200	2.29	-8.702

INDEX NO. 706 206-GR-17 OHIGAWA BRIDGE LG. MAX.ACCEL.= 54.981(GAL) T= 7.85(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	2.30	-5.172	251	2.81	-7.037	301	3.32	-8.392	351	3.83	-6.170
202	2.31	-4.147	252	2.82	-7.387	302	3.33	-8.138	352	3.84	-7.395
203	2.32	-4.371	253	2.83	-6.984	303	3.34	-7.408	353	3.85	-8.381
204	2.33	-4.107	254	2.84	-6.972	304	3.35	-6.213	354	3.86	-10.852
205	2.34	-4.963	255	2.85	-6.448	305	3.36	-4.938	355	3.87	-12.330
206	2.35	-5.566	256	2.86	-6.917	306	3.37	-5.528	356	3.88	-13.559
207	2.36	-7.154	257	2.87	-7.643	307	3.38	-5.760	357	3.89	-13.052
208	2.36	-6.356	258	2.88	-8.492	308	3.39	-6.243	358	3.90	-11.408
209	2.39	-8.357	259	2.89	-8.846	309	3.40	-10.096	359	3.91	-8.879
219	2.40	-8.331	260	2.90	-10.945	310	3.41	-12.070	360	3.92	-7.614
211	2.41	-8.056	261	2.91	-12.174	311	3.42	-12.669	361	3.93	-6.094
212	2.42	-7.663	262	2.92	-12.418	312	3.43	-13.025	362	3.94	-5.449
213	2.43	-6.636	263	2.93	-12.397	313	3.44	-13.253	363	3.95	-5.913
214	2.44	-6.620	264	2.94	-11.873	314	3.45	-13.986	364	3.96	-5.655
215	2.45	-6.960	265	2.95	-10.846	315	3.46	-14.214	365	3.97	-5.367
216	2.46	-7.586	266	2.96	-10.823	316	3.47	-14.827	366	3.98	-4.980
217	2.47	-8.793	267	2.97	-10.162	317	3.48	-14.161	367	3.99	-4.715
218	2.48	-9.641	268	2.99	-11.006	318	3.49	-13.529	368	4.00	-4.319
219	2.49	-10.622	269	3.00	-11.362	319	3.50	-12.506	369	4.01	-4.782
220	2.50	-10.863	270	3.01	-11.566	320	3.51	-10.984	370	4.02	-5.390
221	2.51	-10.843	271	3.02	-11.935	321	3.52	-9.713	371	4.03	-6.613
222	2.52	-9.937	272	3.03	-11.920	322	3.53	-7.559	372	4.04	-7.472
223	2.53	-10.151	273	3.04	-11.271	323	3.55	-6.277	373	4.05	-8.459
224	2.54	-12.006	274	3.05	-9.623	324	3.56	-4.372	374	4.06	-8.190
225	2.55	-13.236	275	3.06	-8.474	325	3.57	-2.610	375	4.07	-6.911
226	2.56	-14.588	276	3.07	-7.833	326	3.58	-0.085	376	4.08	-5.893
227	2.57	-14.951	277	3.08	-6.426	327	3.59	0.824	377	4.09	-4.623
228	2.58	-17.673	278	3.09	-6.157	328	3.60	1.211	378	4.10	-3.100
229	2.59	-18.274	279	3.10	-5.510	329	3.61	0.975	379	4.11	-1.827
230	2.60	-18.871	280	3.11	-4.865	330	3.62	-1.486	380	4.12	-0.552
231	2.61	-18.609	281	3.12	-4.845	331	3.63	-1.484	381	4.13	-0.164
232	2.62	-16.721	282	3.13	-5.696	332	3.64	-2.444	382	4.14	-1.125
233	2.63	-13.573	283	3.14	-5.674	333	3.65	-2.442	383	4.16	-1.952
234	2.64	-9.170	284	3.15	-5.398	334	3.66	-2.170	384	4.17	-2.807
235	2.65	-6.649	285	3.16	-4.759	335	3.67	-1.518	385	4.19	-4.391
236	2.66	-4.623	286	3.17	-3.721	336	3.68	-1.115	386	4.20	-4.121
237	2.67	-3.982	287	3.18	-3.714	337	3.69	-2.090	387	4.21	-4.719
238	2.68	-4.204	288	3.19	-3.444	338	3.70	-3.195	388	4.22	-5.203
239	2.69	-3.934	289	3.20	-4.033	339	3.71	-4.798	389	4.23	-5.800
240	2.70	-4.912	290	3.21	-5.012	340	3.72	-5.660	390	4.24	-5.787
241	2.71	-4.513	291	3.22	-5.864	341	3.73	-8.514	391	4.25	-6.393
242	2.72	-4.484	292	3.23	-6.462	342	3.74	-10.359	392	4.26	-6.109
243	2.73	-3.846	293	3.24	-6.822	343	3.75	-11.967	393	4.27	-6.097
244	2.74	-2.325	294	3.25	-7.049	344	3.76	-11.950	394	4.28	-5.462
245	2.75	-2.793	295	3.26	-7.290	345	3.77	-11.677	395	4.29	-4.561
246	2.76	-4.641	296	3.27	-7.873	346	3.78	-10.788	396	4.30	-2.286
247	2.77	-5.372	297	3.28	-7.865	347	3.79	-9.770	397	4.31	-0.376
248	2.78	-6.476	298	3.29	-7.348	348	3.80	-7.232	398	4.32	0.262
249	2.79	-6.821	299	3.30	-7.807	349	3.81	-6.971	399	4.33	0.039
250	2.80	-6.811	300	3.31	-7.798	350	3.82	-6.205	400	4.34	-0.321

INDEX NO. 706 206-GR-17 OHIGAWA BRIDGE LG. MAX.ACCEL.= 54.981(GAL) T= 7.85(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	4.35	-0.307	451	4.85	-6.710	501	5.36	6.915	551	5.88	0.937
402	4.36	-0.524	452	4.86	-7.316	502	5.37	6.313	552	5.89	-0.049
403	4.37	-1.136	453	4.87	-7.542	503	5.38	5.721	553	5.90	-1.902
404	4.38	-2.116	454	4.88	-8.087	504	5.39	5.731	554	5.91	-2.765
405	4.39	-3.326	455	4.89	-8.371	505	5.40	4.501	555	5.92	-5.609
406	4.40	-3.070	456	4.90	-7.975	506	5.41	3.897	556	5.93	-7.585
407	4.41	-2.674	457	4.91	-5.699	507	5.42	3.308	557	5.95	-9.041
408	4.42	-2.886	458	4.92	-3.552	508	5.43	3.572	558	5.96	-10.391
409	4.43	-3.495	459	4.93	-2.910	509	5.44	3.602	559	5.97	-10.003
410	4.44	-3.843	460	4.94	-0.632	510	5.45	3.616	560	5.98	-9.384
411	4.45	-4.074	461	4.95	-0.618	511	5.46	3.754	561	5.99	-6.714
412	4.46	-5.935	462	4.96	0.038	512	5.47	3.401	562	6.00	-7.443
413	4.47	-7.792	463	4.97	0.432	513	5.49	-0.923	563	6.01	-5.926
414	4.48	-9.387	464	4.98	0.711	514	5.50	-4.271	564	6.02	-3.392
415	4.49	-10.985	465	4.99	1.105	515	5.51	-5.877	565	6.03	-2.371
416	4.50	-11.340	466	5.00	0.666	516	5.52	-7.846	566	6.04	-0.477
417	4.51	-11.580	467	5.01	-0.722	517	5.53	-8.084	567	6.05	0.182
418	4.52	-11.583	468	5.02	-2.577	518	5.54	-8.062	568	6.06	0.190
419	4.53	-10.660	469	5.03	-2.016	519	5.55	-7.794	569	6.07	-1.283
420	4.54	-10.891	470	5.04	-3.527	520	5.56	-7.152	570	6.08	-2.256
421	4.55	-11.235	471	5.05	-3.766	521	5.57	-5.878	571	6.09	-3.106
422	4.56	-11.579	472	5.06	-4.618	522	5.58	-4.600	572	6.10	-3.840
423	4.57	-11.189	473	5.07	-4.719	523	5.59	-3.713	573	6.11	-3.030
424	4.58	-11.423	474	5.08	-4.051	524	5.60	-3.312	574	6.12	-2.548
425	4.59	-10.907	475	5.09	-6.800	525	5.61	-3.278	575	6.13	-1.525
426	4.60	-7.750	476	5.10	-7.402	526	5.62	-3.511	576	6.14	0.752
427	4.61	-6.987	477	5.11	-7.392	527	5.63	-3.867	577	6.15	1.273
428	4.62	-3.591	478	5.12	-6.742	528	5.65	-4.815	578	6.16	1.289
429	4.63	-2.320	479	5.13	-5.220	529	5.66	-5.059	579	6.17	1.055
430	4.64	0.344	480	5.14	-3.951	530	5.67	-5.284	580	6.18	0.715
431	4.65	1.863	481	5.15	-1.677	531	5.68	-4.393	581	6.19	0.487
432	4.66	2.252	482	5.16	-0.642	532	5.69	-3.121	582	6.20	0.504
433	4.67	1.024	483	5.17	-2.241	533	5.70	-1.581	583	6.21	1.148
434	4.68	0.172	484	5.18	-3.097	534	5.71	-1.193	584	6.22	2.539
435	4.69	0.436	485	5.20	-5.926	535	5.72	-0.557	585	6.23	4.694
436	4.70	-0.167	486	5.21	-7.780	536	5.73	-0.639	586	6.24	6.346
437	4.71	0.495	487	5.22	-8.505	537	5.74	-0.192	587	6.25	7.615
438	4.72	-0.113	488	5.23	-8.496	538	5.75	0.525	588	6.26	8.515
439	4.73	0.781	489	5.24	-8.228	539	5.76	1.174	589	6.27	8.903
440	4.74	1.187	490	5.25	-7.828	540	5.77	3.198	590	6.28	8.057
441	4.75	0.944	491	5.26	-7.168	541	5.78	4.089	591	6.29	6.446
442	4.76	0.600	492	5.27	-7.407	542	5.79	3.856	592	6.30	4.961
443	4.77	0.374	493	5.28	-7.515	543	5.80	3.638	593	6.31	3.114
444	4.78	-0.849	494	5.29	-6.493	544	5.81	3.020	594	6.32	0.880
445	4.79	-1.460	495	5.30	-4.963	545	5.82	3.039	595	6.33	-0.338
446	4.80	-3.319	496	5.31	-4.328	546	5.83	2.071	596	6.34	-0.070
447	4.81	-5.530	497	5.32	-1.603	547	5.84	2.718	597	6.35	0.701
448	4.82	-5.135	498	5.33	1.479	548	5.85	3.741	598	6.36	2.229
449	4.83	-4.879	499	5.34	4.006	549	5.86	3.752	599	6.37	3.134
450	4.84	-6.105	500	5.35	6.280	550	5.87	2.898	600	6.38	3.782

土木構造物における加速度強震記録（No.9）

INDEX NO. 786 206-GR-17 OMIGAWA BRIDGE LG. MAX.ACCEL.= 54.981(GAL) T= 7.85(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	6.39	3.797	651	6.90	-0.844	701	7.44	31.720	751	7.95	6.194
602	6.40	3.011	652	6.91	3.194	702	7.45	29.855	752	7.96	0.089
603	6.41	2.338	653	6.92	5.590	703	7.46	27.254	753	7.97	-6.891
604	6.42	2.108	654	6.93	8.729	704	7.47	23.531	754	7.99	-19.855
605	6.43	-0.373	655	6.94	12.003	705	7.48	18.673	755	8.00	-33.443
606	6.44	-2.840	656	6.95	15.531	706	7.49	15.565	756	8.01	-38.917
607	6.45	-4.072	657	6.96	21.052	707	7.50	6.093	757	8.02	-42.651
608	6.46	-5.549	658	6.97	24.070	708	7.51	-4.130	758	8.03	-45.499
609	6.47	-5.404	659	6.98	25.971	709	7.52	-9.105	759	8.04	-46.352
610	6.48	-4.895	660	6.99	26.988	710	7.53	-13.838	760	8.05	-46.364
611	6.49	-3.243	661	7.00	26.509	711	7.54	-20.808	761	8.06	-44.570
612	6.50	-1.088	662	7.01	26.260	712	7.55	-27.166	762	8.07	-40.424
613	6.51	0.562	663	7.02	23.172	713	7.56	-29.777	763	8.08	-34.900
614	6.52	2.587	664	7.03	18.946	714	7.57	-35.129	764	8.09	-24.247
615	6.53	2.857	665	7.04	16.208	715	7.58	-40.725	765	8.10	-19.236
616	6.54	3.248	666	7.05	10.112	716	7.59	-44.828	766	8.11	5.176
617	6.55	5.153	667	7.06	0.134	717	7.60	-46.058	767	8.12	12.945
618	6.56	6.169	668	7.07	1.658	718	7.61	-47.041	768	8.13	25.469
619	6.57	6.442	669	7.08	-1.196	719	7.62	-47.030	769	8.14	30.237
620	6.58	7.342	670	7.09	-5.043	720	7.63	-45.134	770	8.15	31.760
621	6.59	7.359	671	7.12	-12.607	721	7.64	-40.487	771	8.16	32.150
622	6.60	7.369	672	7.13	-14.204	722	7.65	-35.082	772	8.17	28.795
623	6.61	6.273	673	7.14	-15.689	723	7.66	-29.685	773	8.18	24.068
624	6.62	5.913	674	7.15	-15.928	724	7.67	-22.665	774	8.19	19.837
625	6.63	4.070	675	7.16	-16.386	725	7.69	-14.001	775	8.20	14.987
626	6.64	3.208	676	7.17	-16.745	726	7.70	-10.107	776	8.21	12.008
627	6.65	1.996	677	7.18	-16.737	727	7.71	-4.448	777	8.22	11.151
628	6.67	1.647	678	7.19	-16.466	728	7.72	-0.298	778	8.23	8.932
629	6.68	1.056	679	7.20	-16.566	729	7.73	6.097	779	8.24	8.700
630	6.69	0.446	680	7.21	-14.790	730	7.74	10.495	780	8.25	8.722
631	6.70	-0.412	681	7.22	-11.522	731	7.75	16.017	781	8.26	7.744
632	6.71	-3.878	682	7.23	-6.753	732	7.76	19.416	782	8.27	6.391
633	6.72	-5.486	683	7.24	3.406	733	7.77	21.603	783	8.28	5.538
634	6.73	-8.954	684	7.25	6.670	734	7.78	25.578	784	8.29	3.686
635	6.74	-10.192	685	7.26	14.955	735	7.79	31.983	785	8.30	2.969
636	6.75	-12.786	686	7.27	16.974	736	7.80	37.378	786	8.31	3.984
637	6.76	-14.016	687	7.28	26.000	737	7.81	41.774	787	8.32	5.015
638	6.77	-14.864	688	7.29	29.640	738	7.82	48.170	788	8.33	6.534
639	6.78	-15.473	689	7.30	35.294	739	7.83	52.192	789	8.35	8.438
640	6.79	-14.965	690	7.31	38.811	740	7.84	54.527	790	8.36	10.354
641	6.80	-14.568	691	7.32	41.078	741	7.85	54.981	791	8.37	10.741
642	6.81	-11.787	692	7.33	44.357	742	7.86	53.743	792	8.38	12.644
643	6.82	-10.771	693	7.34	46.251	743	7.87	52.263	793	8.39	12.294
644	6.83	-8.244	694	7.35	47.777	744	7.88	50.657	794	8.40	12.560
645	6.84	-5.968	695	7.36	47.796	745	7.89	45.681	795	8.41	11.449
646	6.85	-4.704	696	7.37	48.810	746	7.90	38.464	796	8.42	8.346
647	6.86	-4.061	697	7.38	47.582	747	7.91	35.475	797	8.43	5.864
648	6.87	-3.662	698	7.39	45.480	748	7.92	30.245	798	8.44	-1.468
649	6.88	-3.013	699	7.41	40.396	749	7.93	22.272	799	8.45	-2.953
650	6.89	-2.995	700	7.43	36.310	750	7.94	11.179	800	8.46	-4.549

INDEX NO. 786 206-GR-17 OMIGAWA BRIDGE LG. MAX.ACCEL.= 54.981(GAL) T= 7.85(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	8.47	-4.290	851	8.97	-1.180	901	9.47	-2.556	951	9.97	14.796
802	8.48	-1.401	852	8.98	-12.891	902	9.48	-6.039	952	9.98	14.561
803	8.49	4.262	853	8.99	-15.746	903	9.49	-8.883	953	9.99	16.091
804	8.50	8.400	854	9.00	-17.606	904	9.50	-9.864	954	10.00	16.728
805	8.51	12.797	855	9.01	-17.343	905	9.51	-10.104	955	10.01	18.512
806	8.52	19.570	856	9.02	-14.564	906	9.52	-11.066	956	10.02	19.410
807	8.53	27.229	857	9.03	-7.788	907	9.53	-11.059	957	10.03	18.921
808	8.54	31.128	858	9.04	-4.024	908	9.54	-11.041	958	10.04	17.068
809	8.55	32.017	859	9.05	14.009	909	9.55	-9.766	959	10.05	15.086
810	8.56	33.923	860	9.06	21.661	910	9.56	-7.873	960	10.06	11.488
811	8.57	33.685	861	9.07	28.682	911	9.57	-3.710	961	10.07	8.880
812	8.58	32.209	862	9.08	32.333	912	9.58	-3.204	962	10.08	2.419
813	8.59	31.219	863	9.09	33.225	913	9.59	0.959	963	10.09	1.556
814	8.60	28.743	864	9.10	33.247	914	9.60	2.977	964	10.10	-2.419
815	8.61	24.393	865	9.11	31.765	915	9.61	5.124	965	10.11	-4.273
816	8.62	19.685	866	9.12	29.659	916	9.62	5.525	966	10.12	-8.485
817	8.63	13.314	867	9.13	28.423	917	9.63	4.664	967	10.13	-9.338
818	8.64	7.713	868	9.14	26.696	918	9.64	4.930	968	10.14	-9.327
819	8.65	2.234	869	9.15	20.852	919	9.65	4.949	969	10.15	-9.674
820	8.66	-3.735	870	9.16	19.616	920	9.66	3.476	970	10.16	-10.906
821	8.67	-5.346	871	9.17	15.400	921	9.67	0.628	971	10.17	-11.747
822	8.68	-9.192	872	9.18	14.795	922	9.68	-0.610	972	10.18	-11.484
823	8.69	-11.301	873	9.19	12.933	923	9.69	-3.328	973	10.19	-12.334
824	8.70	-15.392	874	9.20	8.965	924	9.70	-6.545	974	10.20	-10.569
825	8.71	-17.002	875	9.21	7.225	925	9.71	-7.774	975	10.21	-8.296
826	8.72	-19.227	876	9.22	3.250	926	9.72	-8.141	976	10.22	-4.525
827	8.73	-20.710	877	9.23	-7.338	927	9.73	-7.873	977	10.23	3.760
828	8.74	-23.559	878	9.24	-11.941	928	9.74	-6.595	978	10.24	9.035
829	8.75	-24.533	879	9.25	-17.669	929	9.75	-4.952	979	10.25	12.435
830	8.76	-24.524	880	9.26	-20.145	930	9.76	-1.797	980	10.26	15.837
831	8.77	-23.368	881	9.27	-20.257	931	9.77	0.975	981	10.27	17.358
832	8.78	-22.101	882	9.28	-18.989	932	9.78	3.630	982	10.28	17.880
833	8.79	-20.704	883	9.29	-16.096	933	9.79	4.015	983	10.29	18.153
834	8.80	-18.563	884	9.30	-9.192	934	9.80	4.909	984	10.30	18.796
835	8.81	-13.412	885	9.31	-0.548	935	9.81	4.692	985	10.31	19.451
836	8.82	-7.017	886	9.32	12.862	936	9.82	4.454	986	10.32	20.666
837	8.83	7.899	887	9.33	17.883	937	9.83	3.848	987	10.33	22.996
838	8.84	10.787	888	9.34	21.644	938	9.84	3.592	988	10.34	26.142
839	8.85	22.196	889	9.35	30.308	939	9.85	3.777	989	10.35	29.403
840	8.86	26.463	890	9.36	32.573	940	9.86	4.182	990	10.36	33.802
841	8.87	28.852	891	9.37	36.094	941	9.87	4.821	991	10.37	39.212
842	8.88	33.132	892	9.38	37.620	942	9.88	4.839	992	10.38	41.733
843	8.89	34.408	893	9.39	37.630	943	9.89	6.991	993	10.39	42.376
844	8.90	35.055	894	9.40	36.772	944	9.90	10.266	994	10.40	40.892
845	8.91	35.059	895	9.41	34.300	945	9.91	13.785	995	10.41	37.168
846	8.92	32.589	896	9.42	30.317	946	9.92	16.562	996	10.42	34.686
847	8.93	30.484	897	9.43	22.972	947	9.93	16.961	997	10.43	29.082
848	8.94	24.296	898	9.44	19.611	948	9.94	16.346	998	10.44	18.232
849	8.95	16.276	899	9.45	9.273	949	9.95	16.003	999	10.45	0.265
850	8.96	7.673	900	9.46	3.167	950	9.96	15.145	1000	10.46	-11.456

INDEX NO. 786 206-GR-17 OMIGAWA BRIDGE LG. MAX.ACCEL.= 54.981(GAL) T= 7.85(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	10.47	-19.932	1051	10.98	-12.920	1101	11.49	13.847	1151	12.06	-25.173
1002	10.48	-23.165	1052	10.99	-10.599	1102	11.50	17.999	1152	12.07	-23.280
1003	10.49	-26.887	1053	11.00	-4.495	1103	11.51	20.766	1153	12.08	-20.757
1004	10.50	-28.670	1054	11.01	1.662	1104	11.52	23.417	1154	12.09	-14.727
1005	10.51	-28.859	1055	11.02	9.174	1105	11.53	25.314	1155	12.10	-9.703
1006	10.52	-27.332	1056	11.03	12.579	1106	11.54	25.330	1156	12.12	2.850
1007	10.53	-27.562	1057	11.04	17.857	1107	11.55	23.650	1157	12.13	4.992
1008	10.54	-26.040	1058	11.05	23.676	1108	11.56	22.985	1158	12.14	8.274
1009	10.55	-24.771	1059	11.06	24.923	1109	11.57	18.907	1159	12.15	8.047
1010	10.56	-20.232	1060	11.07	25.295	1110	11.58	7.922	1160	12.16	7.809
1011	10.58	-16.829	1061	11.08	25.554	1111	11.60	-2.668	1161	12.17	7.446
1012	10.59	-13.056	1062	11.09	24.074	1112	11.64	-24.787	1162	12.18	5.355
1013	10.60	-9.598	1063	11.10	21.609	1113	11.65	-30.426	1163	12.19	4.368
1014	10.61	-7.259	1064	11.11	19.117	1114	11.66	-32.282	1164	12.20	2.901
1015	10.62	-4.235	1065	11.12	14.765	1115	11.67	-35.511	1165	12.21	2.304
1016	10.63	2.052	1066	11.13	11.914	1116	11.68	-36.991	1166	12.22	1.705
1017	10.64	7.201	1067	11.14	7.194	1117	11.69	-37.346	1167	12.24	1.613
1018	10.65	8.462	1068	11.15	6.329	1118	11.70	-35.837	1168	12.25	1.017
1019	10.66	11.743	1069	11.16	4.603	1119	11.71	-32.312	1169	12.26	1.028
1020	10.67	13.266	1070	11.17	3.758	1120	11.72	-26.411	1170	12.27	2.068
1021	10.68	14.293	1071	11.18	3.410	1121	11.74	-17.001	1171	12.28	3.962
1022	10.69	14.555	1072	11.19	4.056	1122	11.75	-11.694	1172	12.29	5.850
1023	10.70	14.956	1073	11.20	3.834	1123	11.76	-9.081	1173	12.30	9.261
1024	10.71	16.228	1074	11.21	3.225	1124	11.77	-7.183	1174	12.31	11.158
1025	10.72	17.747	1075	11.22	2.816	1125	11.78	-3.646	1175	12.32	12.172
1026	10.73	19.277	1076	11.23	2.013	1126	11.79	-0.752	1176	12.33	12.824
1027	10.74	19.305	1077	11.24	1.044	1127	11.80	1.141	1177	12.34	13.099
1028	10.75	19.315	1078	11.26	0.207	1128	11.81	3.405	1178	12.35	13.115
1029	10.76	18.974	1079	11.27	-0.778	1129	11.82	6.677	1179	12.36	12.633
1030	10.77	20.245	1080	11.28	-1.129	1130	11.83	9.826	1180	12.37	12.029
1031	10.78	21.514	1081	11.29	-1.347	1131	11.84	12.593	1181	12.38	10.423
1032	10.79	22.783	1082	11.30	-1.984	1132	11.85	16.244	1182	12.39	6.464
1033	10.80	25.941	1083	11.31	-1.064	1133	11.86	20.272	1183	12.41	2.993
1034	10.81	27.209	1084	11.32	2.093	1134	11.87	23.915	1184	12.42	0.279
1035	10.82	29.860	1085	11.33	4.621	1135	11.88	26.054	1185	12.44	-2.315
1036	10.83	29.869	1086	11.34	6.516	1136	11.89	30.335	1186	12.45	-6.030
1037	10.84	29.013	1087	11.35	6.912	1137	11.90	34.737	1187	12.46	-7.634
1038	10.85	25.537	1088	11.35	8.673	1138	11.91	37.511	1188	12.47	-10.230
1039	10.86	21.812	1089	11.37	5.327	1139	11.92	38.658	1189	12.48	-11.090
1040	10.87	13.340	1090	11.38	4.216	1140	11.93	38.925	1190	12.49	-11.449
1041	10.88	5.986	1091	11.39	2.615	1141	11.94	38.933	1191	12.50	-12.044
1042	10.89	-2.485	1092	11.40	1.768	1142	11.95	38.079	1192	12.51	-11.492
1043	10.90	-7.341	1093	11.41	1.674	1143	11.96	34.354	1193	12.52	-10.133
1044	10.91	-12.062	1094	11.42	2.697	1144	11.97	29.002	1194	12.53	-9.482
1045	10.92	-13.672	1095	11.43	2.963	1145	11.98	17.661	1195	12.54	-7.962
1046	10.93	-16.150	1096	11.44	3.997	1146	12.00	4.564	1196	12.55	-6.313
1047	10.94	-16.763	1097	11.45	5.265	1147	12.02	-16.250	1197	12.56	-4.154
1048	10.95	-16.741	1098	11.46	5.911	1148	12.03	-21.601	1198	12.58	-2.873
1049	10.96	-16.091	1099	11.47	8.682	1149	12.04	-24.827	1199	12.59	-0.591
1050	10.97	-14.568	1100	11.48	10.578	1150	12.05	-25.439	1200	12.60	0.813

INDEX NO. 786 206-GR-17 OMIGAWA BRIDGE LG. MAX.ACCEL.= 54.981(GAL) T= 7.85(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	12.61	0.573	1251	13.13	7.731	1301	13.65	-18.359	1351	14.21	-12.126
1202	12.62	-1.895	1252	13.14	5.038	1302	13.66	-20.219	1352	14.22	-11.853
1203	12.63	-3.121	1253	13.15	0.735	1303	13.67	-27.179	1353	14.23	-11.456
1204	12.64	-4.114	1254	13.16	-2.687	1304	13.68	-29.408	1354	14.24	-11.432
1205	12.65	-7.576	1255	13.17	-3.789	1305	13.69	-30.644	1355	14.25	-11.407
1206	12.67	-9.413	1256	13.18	-4.398	1306	13.70	-32.249	1356	14.26	-10.763
1207	12.68	-9.153	1257	13.19	-5.008	1307	13.71	-33.857	1357	14.27	-10.744
1208	12.69	-8.128	1258	13.20	-4.740	1308	13.72	-34.698	1358	14.28	-8.593
1209	12.70	-6.341	1259	13.21	-2.206	1309	13.73	-36.307	1359	14.29	-6.316
1210	12.71	45.329	1260	13.22	-1.559	1310	13.74	-36.269	1360	14.31	-2.784
1211	12.72	-3.809	1261	13.23	-0.668	1311	13.75	-35.893	1361	14.32	0.746
1212	12.73	-1.907	1262	13.24	0.113	1312	13.76	-34.997	1362	14.35	11.196
1213	12.74	-1.506	1263	13.25	-0.490	1313	13.77	-33.089	1363	14.36	13.210
1214	12.75	-2.725	1264	13.26	-3.339	1314	13.78	-30.825	1364	14.37	16.739
1215	12.76	-3.578	1265	13.27	-4.821	1315	13.79	-29.560	1365	14.38	18.259
1216	12.77	-4.188	1266	13.28	-9.041	1316	13.80	-24.536	1366	14.39	20.283
1217	12.78	-6.406	1267	13.29	-10.522	1317	13.81	-18.761	1367	14.40	20.288
1218	12.79	-8.510	1268	13.30	-12.747	1318	13.82	-12.993	1368	14.41	19.435
1219	12.80	-7.999	1269	13.31	-12.737	1319	13.83	-3.213	1369	14.42	13.846
1220	12.81	-7.343	1270	13.32	-12.723	1320	13.84	4.814	1370	14.43	9.994
1221	12.82	-7.951	1271	13.33	-10.813	1321	13.85	10.833	1371	14.44	4.639
1222	12.83	-7.307	1272	13.34	-9.299	1322	13.86	20.991	1372	14.46	-0.076
1223	12.84	-6.281	1273	13.35	-6.392	1323	13.87	24.511	1373	14.47	-6.422
1224	12.85	-4.756	1274	13.36	-5.506	1324	13.88	27.409	1374	14.48	-9.893
1225	12.86	-4.352	1275	13.37	-2.221	1325	13.89	29.682	1375	14.49	-12.247
1226	12.87	-4.091	1276	13.38	0.174	1326	13.90	30.572	1376	14.50	-14.730
1227	12.88	-4.936	1277	13.39	1.943	1327	13.91	31.220	1377	14.51	-15.334
1228	12.89	-5.173	1278	13.41	4.105	1328	13.92	32.489	1378	14.52	-15.318
1229	12.90	-6.141	1279	13.42	7.262	1329	13.93	32.885	1379	14.53	-15.300
1230	12.91	-6.122	1280	13.43	9.161	1330	13.94	33.268	1380	14.54	-11.899
1231	12.92	-6.352	1281	13.44	13.688	1331	13.95	33.296	1381	14.55	-5.118
1232	12.93	-5.454	1282	13.45	14.703	1332	13.96	33.316	1382	14.56	-1.603
1233	12.94	-4.564	1283	13.46	17.356	1333	13.97	31.466	1383	14.57	2.163
1234	12.95	-0.400	1284	13.47	18.247	1334	13.98	28.614	1384	14.58	8.579
1235	12.96	1.241	1285	13.48	18.693	1335	13.99	23.642	1385	14.59	12.852
1236	12.97	3.511	1286	13.49	19.278	1336	14.00	20.279	1386	14.60	13.746
1237	12.98	7.936	1287	13.50	18.428	1337	14.01	13.931	1387	14.61	14.397
1238	13.00	9.959	1288	13.51	16.582	1338	14.02	9.075	1388	14.62	15.419
1239	13.01	10.858	1289	13.52	14.719	1339	14.03	2.475	1389	14.63	15.436
1240	13.02	11.874	1290	13.53	12.243	1340	14.04	-2.245	1390	14.64	15.447
1241	13.03	12.139	1291	13.54	9.521	1341	14.05	-6.094	1391	14.65	13.602
1242	13.04	12.795	1292	13.55	5.427	1342	14.06	-7.963	1392	14.66	12.988
1243	13.05	12.568	1293	13.57	9.338	1343	14.07	-8.559	1393	14.67	11.512
1244	13.06	12.337	1294	13.58	9.370	1344	14.08	-8.545	1394	14.69	9.071
1245	13.07	12.609	1295	13.59	9.378	1345	14.09	-8.519	1395	14.70	9.098
1246	13.08	12.625	1296	13.60	8.524	1346	14.10	-8.106	1396	14.72	7.880
1247	13.09	11.403	1297	13.61	6.043	1347	14.12	-8.703	1397	14.73	7.528
1248	13.10	11.683	1298	13.62	-2.167	1348	14.14	-8.770	1398	14.74	7.542
1249	13.11	11.442	1299	13.63	-10.144	1349	14.16	-9.856	1399	14.75	5.689
1250	13.12	10.219	1300	13.64	-14.626	1350	14.19	-10.673	1400	14.76	1.228

土木構造物における加速度強震記録（No.9）

INDEX NO. 786 206-GR-17 OMIGAWA BRIDGE LG. MAX.ACCEL.= 54.981(GAL) T= 7.85(SEC) NO. 8

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1401	14.77	-3.245	1451	15.32	-7.790	1501	15.89	13.328	1551	16.51	-6.431
1402	14.80	-6.191	1452	15.33	-6.517	1502	15.90	13.720	1552	16.52	-0.776
1403	14.81	-11.033	1453	15.34	-4.075	1503	15.91	13.987	1553	16.53	4.001
1404	14.82	-12.019	1454	15.35	-3.589	1504	15.92	11.863	1554	16.55	9.785
1405	14.83	-14.743	1455	15.36	-2.456	1505	15.93	11.022	1555	16.56	13.320
1406	14.84	-16.589	1456	15.37	-1.691	1506	15.95	7.316	1556	16.57	15.209
1407	14.85	-16.072	1457	15.38	-0.037	1507	15.96	5.350	1557	16.58	16.655
1408	14.86	-13.422	1458	15.39	1.000	1508	15.97	4.243	1558	16.59	19.132
1409	14.87	-11.897	1459	15.40	3.369	1509	16.00	3.603	1559	16.60	20.156
1410	14.89	-9.746	1460	15.41	5.157	1510	16.03	1.939	1560	16.61	20.431
1411	14.91	-6.571	1461	15.42	12.301	1511	16.07	0.595	1561	16.62	20.448
1412	14.92	-4.307	1462	15.43	15.950	1512	16.10	-0.725	1562	16.63	20.460
1413	14.93	-2.642	1463	15.44	16.475	1513	16.11	-0.948	1563	16.64	19.858
1414	14.94	-1.377	1464	15.45	16.747	1514	16.12	-0.682	1564	16.65	19.270
1415	14.95	-0.987	1465	15.46	16.763	1515	16.13	0.358	1565	16.66	18.413
1416	14.96	0.665	1466	15.47	17.904	1516	16.14	1.257	1566	16.67	17.426
1417	14.97	2.822	1467	15.49	16.453	1517	16.15	3.156	1567	16.68	15.817
1418	14.98	5.467	1468	15.51	15.244	1518	16.16	5.420	1568	16.69	12.474
1419	14.99	9.494	1469	15.52	14.256	1519	16.17	8.946	1569	16.70	11.236
1420	15.00	10.510	1470	15.53	12.784	1520	16.18	12.222	1570	16.71	8.632
1421	15.01	14.160	1471	15.55	10.202	1521	16.19	14.367	1571	16.72	6.152
1422	15.02	16.556	1472	15.56	9.101	1522	16.20	16.637	1572	16.73	0.813
1423	15.03	18.833	1473	15.57	6.129	1523	16.21	18.904	1573	16.74	-2.033
1424	15.04	19.473	1474	15.58	4.650	1524	16.22	18.924	1574	16.75	-3.891
1425	15.05	19.740	1475	15.60	2.449	1525	16.23	18.322	1575	16.76	-4.625
1426	15.06	19.808	1476	15.62	2.225	1526	16.24	17.722	1576	16.77	-5.481
1427	15.07	18.281	1477	15.63	0.007	1527	16.25	17.436	1577	16.78	-5.834
1428	15.08	17.427	1478	15.65	-4.081	1528	16.26	16.885	1578	16.79	-5.189
1429	15.09	14.952	1479	15.66	-6.306	1529	16.27	14.663	1579	16.80	-4.547
1430	15.10	12.719	1480	15.67	-8.906	1530	16.29	13.073	1580	16.81	-4.774
1431	15.11	10.242	1481	15.68	-12.629	1531	16.30	11.357	1581	16.82	-5.732
1432	15.12	8.389	1482	15.69	-15.111	1532	16.31	9.754	1582	16.83	-5.964
1433	15.13	7.156	1483	15.70	-17.089	1533	16.32	7.776	1583	16.84	-6.573
1434	15.14	4.554	1484	15.71	-19.190	1534	16.33	5.670	1584	16.85	-7.917
1435	15.15	4.328	1485	15.72	-20.790	1535	16.34	1.321	1585	16.86	-7.273
1436	15.16	3.102	1486	15.73	-21.651	1536	16.35	-3.529	1586	16.87	-6.882
1437	15.17	1.876	1487	15.74	-21.640	1537	16.36	-5.643	1587	16.88	-6.858
1438	15.18	0.268	1488	15.75	-20.366	1538	16.37	-11.105	1588	16.90	-4.952
1439	15.19	-0.949	1489	15.76	-18.213	1539	16.39	-14.935	1589	16.91	-3.671
1440	15.20	-3.181	1490	15.77	-16.951	1540	16.40	-16.171	1590	16.92	-3.653
1441	15.21	-4.785	1491	15.78	-12.916	1541	16.41	-17.653	1591	16.93	-4.507
1442	15.22	-9.002	1492	15.79	-9.387	1542	16.42	-19.881	1592	16.94	-5.111
1443	15.23	-10.867	1493	15.81	-6.113	1543	16.43	-19.608	1593	16.95	-5.462
1444	15.24	-11.968	1494	15.82	-2.716	1544	16.44	-19.591	1594	16.96	-5.442
1445	15.25	-12.954	1495	15.83	0.936	1545	16.45	-19.565	1595	16.97	-6.039
1446	15.26	-13.793	1496	15.84	4.082	1546	16.46	-17.292	1596	16.98	-6.276
1447	15.27	-14.144	1497	15.85	5.729	1547	16.47	-16.019	1597	16.99	-3.504
1448	15.28	-14.136	1498	15.86	8.258	1548	16.48	-14.367	1598	17.00	1.537
1449	15.29	-13.286	1499	15.87	10.163	1549	16.49	-12.602	1599	17.01	3.302
1450	15.31	-10.322	1500	15.88	11.808	1550	16.50	-8.830	1600	17.02	5.444

INDEX NO. 786 206-GR-17 OMIGAWA BRIDGE LG. MAX.ACCEL.= 54.981(GAL) T= 7.85(SEC) NO. 9

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1601	17.03	6.712	1651	17.56	-5.752	1701	18.12	-10.656	1751	18.69	5.604
1602	17.04	9.500	1652	17.58	-5.101	1702	18.13	-11.386	1752	18.70	6.239
1603	17.05	10.641	1653	17.60	-2.792	1703	18.14	-11.987	1753	18.71	5.386
1604	17.06	10.910	1654	17.62	-2.758	1704	18.15	-12.578	1754	18.72	3.923
1605	17.07	11.930	1655	17.63	-1.485	1705	18.17	-12.675	1755	18.73	3.570
1606	17.08	11.945	1656	17.64	0.675	1706	18.18	-12.024	1756	18.74	3.344
1607	17.09	13.604	1657	17.65	0.697	1707	18.19	-11.332	1757	18.75	3.868
1608	17.10	14.128	1658	17.66	0.459	1708	18.20	-10.981	1758	18.76	3.890
1609	17.11	14.146	1659	17.67	-0.150	1709	18.21	-9.711	1759	18.77	3.909
1610	17.12	14.542	1660	17.68	-0.751	1710	18.23	-3.778	1760	18.78	4.931
1611	17.13	13.939	1661	17.69	-1.603	1711	18.24	-1.626	1761	18.79	5.200
1612	17.14	13.081	1662	17.71	-2.813	1712	18.25	0.517	1762	18.80	5.214
1613	17.15	10.858	1663	17.72	-2.533	1713	18.26	1.784	1763	18.81	5.608
1614	17.16	9.374	1664	17.73	-2.508	1714	18.27	3.699	1764	18.82	5.382
1615	17.17	6.528	1665	17.74	-2.495	1715	18.28	5.083	1765	18.83	4.661
1616	17.18	4.669	1666	17.75	-0.345	1716	18.29	5.974	1766	18.84	4.683
1617	17.19	1.196	1667	17.76	3.941	1717	18.30	7.870	1767	18.85	4.705
1618	17.20	-0.667	1668	17.77	5.454	1718	18.32	10.412	1768	18.86	4.485
1619	17.21	-3.516	1669	17.78	7.974	1719	18.33	12.321	1769	18.87	3.881
1620	17.22	-5.490	1670	17.79	9.877	1720	18.36	15.368	1770	18.88	3.642
1621	17.23	-6.105	1671	17.80	12.278	1721	18.37	16.656	1771	18.89	3.288
1622	17.24	-6.326	1672	17.81	12.290	1722	18.39	17.562	1772	18.90	3.307
1623	17.25	-6.062	1673	17.82	12.072	1723	18.40	18.210	1773	18.92	1.241
1624	17.26	-6.663	1674	17.83	12.333	1724	18.41	19.238	1774	18.93	0.632
1625	17.28	-7.484	1675	17.84	12.480	1725	18.42	19.255	1775	18.94	-0.351
1626	17.29	-6.974	1676	17.85	10.515	1726	18.43	18.402	1776	18.95	-0.588
1627	17.30	-6.958	1677	17.86	10.529	1727	18.44	17.804	1777	18.96	0.950
1628	17.31	-5.930	1678	17.87	10.539	1728	18.45	14.961	1778	18.97	1.339
1629	17.32	-4.652	1679	17.88	10.579	1729	18.46	13.721	1779	18.98	1.604
1630	17.33	-4.017	1680	17.89	11.217	1730	18.47	10.620	1780	18.99	2.504
1631	17.34	-2.123	1681	17.90	11.241	1731	18.48	9.382	1781	19.00	5.038
1632	17.36	3.928	1682	17.91	12.260	1732	18.49	4.911	1782	19.01	5.427
1633	17.38	11.981	1683	17.92	12.537	1733	18.50	-1.307	1783	19.02	6.083
1634	17.39	13.497	1684	17.93	12.656	1734	18.51	-5.159	1784	19.03	5.473
1635	17.40	15.772	1685	17.94	12.329	1735	18.52	-7.869	1785	19.04	5.482
1636	17.41	16.422	1686	17.95	11.717	1736	18.53	-9.492	1786	19.05	4.876
1637	17.42	16.686	1687	17.96	10.736	1737	18.54	-10.480	1787	19.07	3.048
1638	17.43	17.338	1688	17.97	9.262	1738	18.55	-12.322	1788	19.08	2.079
1639	17.44	17.349	1689	17.98	6.164	1739	18.56	-13.310	1789	19.09	0.347
1640	17.45	15.622	1690	17.99	2.938	1740	18.57	-13.506	1790	19.10	-2.006
1641	17.46	13.146	1691	18.00	0.083	1741	18.58	-14.509	1791	19.11	-3.854
1642	17.47	10.290	1692	18.01	-2.766	1742	18.59	-14.695	1792	19.12	-5.711
1643	17.48	4.691	1693	18.03	-6.694	1743	18.60	-14.665	1793	19.13	-7.814
1644	17.49	-0.659	1694	18.04	-9.318	1744	18.61	-14.205	1794	19.14	-9.553
1645	17.50	-4.132	1695	18.05	-9.302	1745	18.62	-12.936	1795	19.15	-10.786
1646	17.51	-5.119	1696	18.06	-9.287	1746	18.63	-9.409	1796	19.16	-14.124
1647	17.52	-7.332	1697	18.07	-9.013	1747	18.64	-7.266	1797	19.17	-15.115
1648	17.53	-7.583	1698	18.08	-8.386	1748	18.66	-0.838	1798	19.18	-16.586
1649	17.54	-7.552	1699	18.09	-7.206	1749	18.67	2.308	1799	19.19	-16.572
1650	17.55	-7.036	1700	18.10	-5.613	1750	18.68	4.638	1800	19.20	-15.423

INDEX NO. 786 206-GR-17 OHIGAWA BRIDGE LG. MAX.ACCEL.= 54.981(GAL) T= 7.85(SEC) NO.10

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1801	19.21	-13.527	1851	19.76	3.545	1901	20.28	-8.929	1951	20.78	-1.574
1802	19.22	-10.379	1852	19.77	3.564	1902	20.29	-6.161	1952	20.79	0.959
1803	19.23	-7.861	1853	19.78	2.461	1903	20.30	-4.271	1953	20.81	2.621
1804	19.24	-4.082	1854	19.79	1.724	1904	20.31	1.271	1954	20.83	6.422
1805	19.25	-3.069	1855	19.80	-0.741	1905	20.32	4.665	1955	20.84	8.451
1806	19.26	-1.550	1856	19.81	-1.996	1906	20.33	6.560	1956	20.85	8.465
1807	19.27	1.100	1857	19.82	-1.947	1907	20.34	7.574	1957	20.86	8.480
1808	19.28	2.995	1858	19.83	-2.921	1908	20.35	10.851	1958	20.87	7.761
1809	19.29	6.997	1859	19.85	-4.148	1909	20.36	13.381	1959	20.88	7.539
1810	19.30	8.550	1860	19.86	-4.125	1910	20.37	14.647	1960	20.89	6.927
1811	19.31	9.435	1861	19.87	-6.586	1911	20.38	15.672	1961	20.90	6.068
1812	19.32	9.470	1862	19.89	-7.294	1912	20.39	16.576	1962	20.91	5.462
1813	19.33	8.985	1863	19.90	-7.282	1913	20.40	16.593	1963	20.92	4.860
1814	19.34	8.996	1864	19.91	-6.625	1914	20.41	16.613	1964	20.93	3.895
1815	19.35	8.267	1865	19.92	-5.986	1915	20.42	16.377	1965	20.94	3.654
1816	19.36	6.041	1866	19.93	-5.331	1916	20.43	14.777	1966	20.95	2.309
1817	19.37	8.323	1867	19.94	-5.060	1917	20.44	13.546	1967	20.96	2.458
1818	19.38	9.345	1868	19.95	-4.414	1918	20.45	12.325	1968	20.97	2.481
1819	19.39	9.108	1869	19.96	-3.775	1919	20.46	11.099	1969	20.98	2.748
1820	19.40	8.747	1870	19.97	-3.384	1920	20.47	10.484	1970	20.99	2.775
1821	19.41	7.527	1871	19.98	1.498	1921	20.48	8.636	1971	21.00	3.421
1822	19.42	5.055	1872	19.99	3.930	1922	20.49	7.408	1972	21.01	3.693
1823	19.44	3.580	1873	20.00	5.827	1923	20.50	6.804	1973	21.02	3.717
1824	19.46	2.000	1874	20.01	7.718	1924	20.51	5.954	1974	21.03	3.728
1825	19.47	0.153	1875	20.02	9.492	1925	20.52	5.360	1975	21.04	3.261
1826	19.48	-1.198	1876	20.03	11.644	1926	20.53	4.372	1976	21.05	2.530
1827	19.49	-2.673	1877	20.04	12.665	1927	20.54	4.156	1977	21.06	1.671
1828	19.50	-3.038	1878	20.05	12.941	1928	20.55	4.177	1978	21.07	1.692
1829	19.51	-2.130	1879	20.06	13.087	1929	20.56	3.189	1979	21.08	0.216
1830	19.52	-1.738	1880	20.07	13.108	1930	20.57	2.335	1980	21.09	-0.139
1831	19.53	-1.000	1881	20.08	13.113	1931	20.58	0.986	1981	21.10	0.279
1832	19.54	-0.192	1882	20.09	11.889	1932	20.59	-1.238	1982	21.13	2.094
1833	19.55	0.573	1883	20.10	10.915	1933	20.60	-2.716	1983	21.15	3.136
1834	19.56	1.477	1884	20.11	9.436	1934	20.61	-4.938	1984	21.16	3.406
1835	19.56	2.305	1885	20.12	7.210	1935	20.62	-6.290	1985	21.17	4.051
1836	19.59	3.034	1886	20.13	5.100	1936	20.63	-7.525	1986	21.18	4.066
1837	19.60	3.065	1887	20.14	1.383	1937	20.64	-9.001	1987	21.19	3.848
1838	19.61	3.086	1888	20.15	-1.212	1938	20.65	-9.613	1988	21.20	3.862
1839	19.63	3.868	1889	20.16	-2.825	1939	20.66	-10.839	1989	21.21	3.631
1840	19.64	3.893	1890	20.17	-4.672	1940	20.67	-10.937	1990	21.22	3.026
1841	19.65	3.919	1891	20.18	-6.524	1941	20.68	-10.917	1991	21.23	2.433
1842	19.66	3.317	1892	20.19	-7.875	1942	20.69	-10.519	1992	21.24	1.830
1843	19.67	3.332	1893	20.20	-9.978	1943	20.70	-9.869	1993	21.25	1.857
1844	19.68	2.360	1894	20.21	-11.584	1944	20.71	-8.598	1994	21.26	1.507
1845	19.69	1.137	1895	20.22	-12.435	1945	20.72	-7.960	1995	21.27	2.153
1846	19.70	1.777	1896	20.23	-13.041	1946	20.73	-5.803	1996	21.28	2.800
1847	19.71	2.676	1897	20.24	-14.017	1947	20.74	-5.165	1997	21.30	3.702
1848	19.72	3.084	1898	20.25	-13.753	1948	20.75	-3.886	1998	21.31	6.242
1849	19.73	3.732	1899	20.26	-13.101	1949	20.76	-3.245	1999	21.32	6.881
1850	19.75	3.768	1900	20.27	-12.087	1950	20.77	-2.212	2000	21.33	7.905

INDEX NO. 786 206-GR-17 OHIGAWA BRIDGE LG. MAX.ACCEL.= 54.981(GAL) T= 7.85(SEC) NO.11

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2001	21.34	9.165	2051	21.85	-11.190	2101	22.39	11.021	2151	23.14	-2.209
2002	21.35	8.331	2052	21.86	-11.793	2102	22.40	4.568	2152	23.15	-1.056
2003	21.36	7.598	2053	21.87	-11.517	2103	22.41	61.570	2153	23.17	0.861
2004	21.37	7.363	2054	21.88	-11.103	2104	22.42	8.466	2154	23.19	2.901
2005	21.38	5.886	2055	21.89	-12.710	2105	22.43	9.734	2155	23.22	4.837
2006	21.39	3.665	2056	21.90	-13.193	2106	22.44	11.000	2156	23.23	5.373
2007	21.40	3.051	2057	21.91	-13.548	2107	22.45	11.640	2157	23.24	6.137
2008	21.41	0.961	2058	21.92	-14.154	2108	22.46	13.299	2158	23.25	5.778
2009	21.42	-0.018	2059	21.93	-13.748	2109	22.47	13.948	2159	23.26	5.799
2010	21.43	-1.491	2060	21.94	-12.860	2110	22.49	14.983	2160	23.27	5.579
2011	21.44	-3.345	2061	21.95	-12.460	2111	22.50	15.645	2161	23.28	5.232
2012	21.45	-4.082	2062	21.96	-10.053	2112	22.53	15.692	2162	23.29	4.623
2013	21.46	-5.056	2063	21.97	-8.791	2113	22.54	15.723	2163	23.30	4.007
2014	21.47	-5.669	2064	21.98	-5.638	2114	22.56	14.265	2164	23.31	2.159
2015	21.48	-5.090	2065	21.99	-4.000	2115	22.58	11.806	2165	23.32	1.929
2016	21.49	-6.251	2066	22.00	0.790	2116	22.59	10.590	2166	23.33	0.949
2017	21.50	-6.216	2067	22.01	1.805	2117	22.62	6.394	2167	23.34	-0.530
2018	21.51	-6.446	2068	22.02	5.334	2118	22.63	3.932	2168	23.35	-0.512
2019	21.52	-7.663	2069	22.03	7.228	2119	22.65	-0.401	2169	23.36	-0.490
2020	21.53	-8.025	2070	22.04	8.874	2120	22.67	-5.739	2170	23.37	-0.841
2021	21.54	-8.256	2071	22.05	9.136	2121	22.68	-7.585	2171	23.38	-0.568
2022	21.55	-6.609	2072	22.06	9.170	2122	22.69	-10.195	2172	23.39	0.467
2023	21.56	-9.211	2073	22.07	9.183	2123	22.70	-11.170	2173	23.41	1.764
2024	21.57	-9.195	2074	22.08	81955	2124	22.71	-13.018	2174	23.43	1.789
2025	21.58	-10.653	2075	22.11	3.398	2125	22.72	-14.370	2175	23.44	2.434
2026	21.59	-10.640	2076	22.12	3.417	2126	22.73	-14.352	2176	23.45	2.848
2027	21.60	-11.004	2077	22.13	6.443	2127	22.74	-14.338	2177	23.46	2.487
2028	21.61	-10.337	2078	22.14	7.845	2128	22.75	-14.066	2178	23.47	2.250
2029	21.62	-9.334	2079	22.15	7.616	2129	22.76	-13.673	2179	23.48	1.538
2030	21.63	-8.433	2080	22.16	7.006	2130	22.77	-12.779	2180	23.49	0.305
2031	21.64	-6.901	2081	22.17	6.407	2131	22.78	-11.499	2181	23.50	-1.174
2032	21.65	-4.004	2082	22.18	5.174	2132	22.80	-9.331	2182	23.51	-1.147
2033	21.66	-2.117	2083	22.19	4.567	2133	22.83	-5.893	2183	23.53	-2.612
2034	21.68	4.940	2084	22.20	1.476	2134	22.88	1.484	2184	23.54	-2.593
2035	21.69	8.715	2085	22.21	-0.373	2135	22.92	5.699	2185	23.55	-3.566
2036	21.70	12.608	2086	22.22	-1.354	2136	22.93	7.091	2186	23.57	-3.604
2037	21.71	13.258	2087	22.23	-2.344	2137	22.94	7.729	2187	23.58	-4.749
2038	21.72	15.491	2088	22.24	-3.928	2138	22.95	7.370	2188	23.60	-5.964
2039	21.73	16.427	2089	22.25	-5.409	2139	22.96	6.909	2189	23.61	-4.679
2040	21.74	17.320	2090	22.26	-6.024	2140	22.97	6.558	2190	23.62	-4.037
2041	21.75	18.350	2091	22.27	-7.255	2141	22.99	5.342	2191	23.63	-3.130
2042	21.76	18.110	2092	22.28	-8.858	2142	23.00	3.500	2192	23.65	-4.350
2043	21.77	16.888	2093	22.29	-9.079	2143	23.06	-0.511	2193	23.66	-3.568
2044	21.78	15.285	2094	22.30	-9.056	2144	23.07	-1.726	2194	23.67	-4.179
2045	21.79	14.050	2095	22.31	-9.902	2145	23.08	-2.338	2195	23.68	-5.773
2046	21.80	10.715	2096	22.33	-10.733	2146	23.09	-3.326	2196	23.69	-7.121
2047	21.81	7.854	2097	22.34	-10.723	2147	23.10	-4.548	2197	23.70	-8.360
2048	21.82	6.620	2098	22.36	-9.180	2148	23.11	-4.154	2198	23.71	-9.201
2049	21.83	3.393	2099	22.37	-7.534	2149	23.12	-2.999	2199	23.72	-8.311
2050	21.84	-0.329	2100	22.38	-4.386	2150	23.13	-3.228	2200	23.73	-8.051

INDEX NO. 786 206-GR-17 ONIGAWA BRIDGE LG. MAX.ACCEL.= 54.981(GAL) T= 7.85(SEC) NO.12

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2201	23.74	-6.406	2251	24.32	2.159	2301	24.67	5.627	2351	25.44	1.907
2202	23.75	-5.753	2252	24.33	1.924	2302	24.68	4.406	2352	25.45	1.673
2203	23.76	-5.482	2253	24.34	1.689	2303	24.89	3.805	2353	25.46	0.950
2204	23.77	-4.831	2254	24.35	0.712	2304	24.90	2.578	2354	25.48	-0.888
2205	23.78	-3.811	2255	24.36	0.465	2305	24.91	1.102	2355	25.49	-1.355
2206	23.79	-4.032	2256	24.37	-0.120	2306	24.92	-0.502	2356	25.51	-3.946
2207	23.80	-4.008	2257	24.38	-1.055	2307	24.93	-1.731	2357	25.53	-4.531
2208	23.81	-4.623	2258	24.39	-1.675	2308	24.94	-2.576	2358	25.58	-7.923
2209	23.82	-5.594	2259	24.40	-1.059	2309	24.95	-4.311	2359	25.59	-9.761
2210	23.83	-6.206	2260	24.41	-1.411	2310	24.96	-6.410	2360	25.60	-10.364
2211	23.84	-6.416	2261	24.42	-1.884	2311	24.97	-8.259	2361	25.61	-11.347
2212	23.85	-7.030	2262	24.43	-2.221	2312	24.99	-10.107	2362	25.62	-11.327
2213	23.86	-6.761	2263	24.44	-1.954	2313	25.00	-11.086	2363	25.63	-11.929
2214	23.87	-6.742	2264	24.45	-2.179	2314	25.01	-11.799	2364	25.64	-12.039
2215	23.88	-6.471	2265	24.46	-2.407	2315	25.03	-13.642	2365	25.65	-12.266
2216	23.89	-5.450	2266	24.47	-2.141	2316	25.04	-14.237	2366	25.66	-11.606
2217	23.90	-4.803	2267	24.48	-1.737	2317	25.05	-14.211	2367	25.68	-12.200
2218	23.92	-3.741	2268	24.49	-1.839	2318	25.06	-14.447	2368	25.70	-12.160
2219	23.94	-2.823	2269	24.51	-1.435	2319	25.07	-15.426	2369	25.71	-10.247
2220	23.97	-2.396	2270	24.52	-1.156	2320	25.08	-14.521	2370	25.72	-9.599
2221	23.98	-1.489	2271	24.53	-1.126	2321	25.09	-14.758	2371	25.74	-6.177
2222	24.00	-1.457	2272	24.55	-2.212	2322	25.10	-14.114	2372	25.76	-5.147
2223	24.01	-0.173	2273	24.56	-3.433	2323	25.11	-12.842	2373	25.77	-3.252
2224	24.02	0.853	2274	24.59	-6.374	2324	25.12	-10.688	2374	25.78	-1.597
2225	24.03	0.881	2275	24.60	-7.849	2325	25.13	-8.793	2375	25.79	-1.202
2226	24.04	1.272	2276	24.61	-9.199	2326	25.14	-6.897	2376	25.81	-2.035
2227	24.05	0.415	2277	24.62	-10.674	2327	25.15	-2.989	2377	25.84	-3.836
2228	24.06	-0.184	2278	24.63	-12.162	2328	25.16	-1.721	2378	25.90	-6.588
2229	24.08	-1.775	2279	24.64	-13.886	2329	25.17	-0.704	2379	25.92	-7.784
2230	24.09	-3.626	2280	24.65	-15.104	2330	25.18	1.198	2380	25.93	-8.398
2231	24.10	-3.844	2281	24.66	-16.955	2331	25.19	2.728	2381	25.94	-8.373
2232	24.11	-4.565	2282	24.67	-17.621	2332	25.20	3.118	2382	25.95	-8.354
2233	24.12	-4.170	2283	24.68	-17.168	2333	25.21	4.266	2383	25.96	-7.705
2234	24.13	-4.404	2284	24.70	-16.006	2334	25.22	4.544	2384	25.97	-6.424
2235	24.14	-5.010	2285	24.71	-14.971	2335	25.24	4.823	2385	25.98	-5.525
2236	24.15	-4.662	2286	24.72	-14.081	2336	25.25	4.611	2386	26.00	-4.490
2237	24.16	-4.465	2287	24.73	-12.815	2337	25.26	4.383	2387	26.01	-2.964
2238	24.17	-4.820	2288	24.74	-10.917	2338	25.27	4.409	2388	26.02	-2.574
2239	24.18	-3.911	2289	24.75	-7.762	2339	25.29	3.061	2389	26.03	-2.554
2240	24.19	-4.155	2290	24.76	-5.485	2340	25.30	2.587	2390	26.04	-1.023
2241	24.20	-4.362	2291	24.77	-3.222	2341	25.32	1.372	2391	26.06	0.902
2242	24.21	-4.732	2292	24.78	-0.951	2342	25.33	0.396	2392	26.08	2.823
2243	24.22	-4.961	2293	24.79	0.570	2343	25.34	-0.208	2393	26.10	4.873
2244	24.23	-6.177	2294	24.80	4.480	2344	25.35	-1.671	2394	26.12	5.398
2245	24.25	-5.896	2295	24.81	5.749	2345	25.36	-1.651	2395	26.13	5.676
2246	24.26	-3.117	2296	24.82	7.024	2346	25.37	-2.003	2396	26.14	6.196
2247	24.27	-1.464	2297	24.83	8.039	2347	25.39	-0.463	2397	26.15	6.591
2248	24.28	-1.439	2298	24.84	7.182	2348	25.40	-0.437	2398	26.16	5.374
2249	24.29	-0.041	2299	24.85	7.207	2349	25.41	-0.419	2399	26.17	3.903
2250	24.31	1.509	2300	24.86	6.228	2350	25.43	1.878	2400	26.19	1.687

INDEX NO. 786 206-GR-17 ONIGAWA BRIDGE LG. MAX.ACCEL.= 54.981(GAL) T= 7.85(SEC) NO.13

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2401	26.21	-0.137	2451	26.83	-7.032	2501	27.50	-5.822	2551	28.11	4.757
2402	26.22	-2.469	2452	26.85	-7.724	2502	27.51	-7.178	2552	28.12	5.418
2403	26.23	-2.967	2453	26.86	-8.328	2503	27.52	-8.771	2553	28.13	5.431
2404	26.24	-2.075	2454	26.88	-9.167	2504	27.53	-9.999	2554	28.14	4.953
2405	26.25	-1.803	2455	26.89	-9.772	2505	27.54	-9.615	2555	28.16	3.747
2406	26.26	-1.650	2456	26.90	-11.367	2506	27.55	-10.596	2556	28.17	2.521
2407	26.29	-1.600	2457	26.91	-11.720	2507	27.56	-10.823	2557	28.21	-0.300
2408	26.30	-0.441	2458	26.92	-11.953	2508	27.57	-11.182	2558	28.23	-2.089
2409	26.31	0.203	2459	26.93	-12.192	2509	27.59	-9.504	2559	28.24	-2.685
2410	26.32	0.230	2460	26.94	-11.671	2510	27.60	-8.601	2560	28.25	-3.302
2411	26.33	-0.256	2461	26.95	-11.023	2511	27.61	-7.707	2561	28.26	-4.893
2412	26.34	-1.488	2462	26.97	-9.718	2512	27.62	-5.431	2562	28.27	-5.498
2413	26.35	-3.716	2463	26.98	-8.453	2513	27.63	-4.412	2563	28.28	-5.479
2414	26.36	-5.191	2464	26.99	-8.427	2514	27.64	-3.894	2564	28.29	-6.084
2415	26.37	-7.037	2465	27.00	-7.406	2515	27.65	-3.257	2565	28.31	-6.419
2416	26.39	-9.369	2466	27.01	-6.135	2516	27.66	-1.839	2566	28.32	-5.518
2417	26.42	-9.307	2467	27.04	-3.326	2517	27.67	-0.945	2567	28.33	-3.869
2418	26.44	-10.513	2468	27.05	-1.413	2518	27.68	-0.681	2568	28.34	-2.596
2419	26.45	-10.227	2469	27.07	0.380	2519	27.69	0.965	2569	28.35	-1.706
2420	26.46	-10.206	2470	27.09	1.283	2520	27.70	1.981	2570	28.36	-0.424
2421	26.47	-9.808	2471	27.10	2.312	2521	27.71	1.756	2571	28.37	0.843
2422	26.48	-9.539	2472	27.11	3.579	2522	27.72	1.538	2572	28.38	2.122
2423	26.49	-8.867	2473	27.12	3.859	2523	27.74	2.068	2573	28.39	3.263
2424	26.51	-8.483	2474	27.13	4.880	2524	27.75	2.481	2574	28.40	4.793
2425	26.52	-6.339	2475	27.14	5.156	2525	27.76	1.875	2575	28.41	5.189
2426	26.53	-5.934	2476	27.16	4.686	2526	27.77	1.271	2576	28.42	5.861
2427	26.54	-4.656	2477	27.18	3.479	2527	27.78	2.793	2577	28.43	6.107
2428	26.56	-3.753	2478	27.19	2.509	2528	27.80	3.833	2578	28.44	7.132
2429	26.57	-2.480	2479	27.21	1.296	2529	27.81	4.481	2579	28.45	7.764
2430	26.58	-1.209	2480	27.22	-0.800	2530	27.82	4.498	2580	28.46	7.553
2431	26.59	3.074	2481	27.25	-2.611	2531	27.83	4.517	2581	28.47	6.942
2432	26.60	4.339	2482	27.26	-2.964	2532	27.85	3.313	2582	28.48	6.333
2433	26.61	5.862	2483	27.27	-2.946	2533	27.86	2.473	2583	28.49	4.998
2434	26.62	7.890	2484	27.28	-2.926	2534	27.89	-0.602	2584	28.50	4.518
2435	26.63	9.158	2485	27.29	-2.276	2535	27.90	-3.067	2585	28.52	2.675
2436	26.64	9.809	2486	27.30	-1.632	2536	27.93	-6.372	2586	28.53	2.693
2437	26.65	10.827	2487	27.32	-0.961	2537	27.96	-9.059	2587	28.54	1.341
2438	26.66	11.094	2488	27.35	0.343	2538	27.97	-9.414	2588	28.55	-0.121
2439	26.67	10.250	2489	27.36	1.256	2539	27.98	-9.646	2589	28.56	-0.723
2440	26.68	10.010	2490	27.39	1.944	2540	27.99	-9.881	2590	28.57	-0.954
2441	26.69	9.411	2491	27.40	2.338	2541	28.00	-9.609	2591	28.58	-1.307
2442	26.70	8.806	2492	27.41	3.237	2542	28.01	-8.708	2592	28.59	-2.785
2443	26.71	7.206	2493	27.42	3.249	2543	28.02	-7.056	2593	28.60	-3.892
2444	26.72	5.104	2494	27.43	3.272	2544	28.03	-6.790	2594	28.61	-5.117
2445	26.73	2.883	2495	27.44	2.419	2545	28.05	-2.619	2595	28.62	-5.977
2446	26.74	1.399	2496	27.45	1.188	2546	28.06	-0.723	2596	28.63	-7.580
2447	26.75	0.721	2497	27.46	-0.286	2547	28.07	1.174	2597	28.64	-9.427
2448	26.76	-1.892	2498	27.47	-0.894	2548	28.08	2.566	2598	28.65	-10.903
2449	26.77	-3.653	2499	27.48	-2.496	2549	28.09	4.215	2599	28.67	-11.753
2450	26.81	-5.202	2500	27.49	-4.343	2550	28.10	4.756	2600	28.68	-11.975

INDEX NO. 786 206-GR-17 OMIGAWA BRIDGE LG. MAX.ACCEL.= 54.981(GAL) T= 7.85(SEC) NO.14

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2601	28.69	-12.831	2651	29.26	7.426	2701	29.89	3.543	2751	30.45	-1.737
2602	28.70	-13.178	2652	29.27	8.315	2702	29.90	3.311	2752	30.46	-2.586
2603	28.71	-13.165	2653	29.28	8.966	2703	29.91	3.071	2753	30.47	-3.194
2604	28.72	-12.251	2654	29.29	9.906	2704	29.92	3.597	2754	30.48	-4.799
2605	28.73	-12.230	2655	29.30	9.755	2705	29.93	3.376	2755	30.49	-6.261
2606	28.75	-10.321	2656	29.31	8.771	2706	29.95	3.664	2756	30.50	-7.240
2607	28.76	-9.682	2657	29.33	8.937	2707	29.96	3.694	2757	30.51	-7.724
2608	28.77	-7.781	2658	29.34	8.333	2708	29.97	3.710	2758	30.52	-7.080
2609	28.78	-8.762	2659	29.35	9.979	2709	29.98	3.221	2759	30.53	-7.314
2610	28.79	-4.859	2660	29.36	9.754	2710	29.99	1.995	2760	30.54	-6.040
2611	28.80	-2.583	2661	29.36	4.796	2711	30.00	1.404	2761	30.55	-5.141
2612	28.81	-0.061	2662	29.40	2.976	2712	30.01	0.792	2762	30.56	-4.746
2613	28.83	3.101	2663	29.43	1.793	2713	30.02	-0.554	2763	30.57	-3.465
2614	28.84	6.133	2664	29.45	0.582	2714	30.04	-2.022	2764	30.59	-1.551
2615	28.85	8.031	2665	29.46	-0.280	2715	30.05	-4.105	2765	30.60	0.849
2616	28.86	8.918	2666	29.47	-2.241	2716	30.07	-5.703	2766	30.61	1.497
2617	28.87	10.576	2667	29.48	-2.347	2717	30.08	-6.919	2767	30.62	2.394
2618	28.88	11.221	2668	29.49	-1.706	2718	30.09	-8.153	2768	30.63	3.659
2619	28.89	11.495	2669	29.50	-1.928	2719	30.10	-8.390	2769	30.64	4.307
2620	28.90	12.258	2670	29.51	-2.539	2720	30.11	-10.103	2770	30.66	4.542
2621	28.91	12.654	2671	29.52	-3.147	2721	30.12	-10.342	2771	30.67	3.998
2622	28.92	12.290	2672	29.53	-3.119	2722	30.13	-10.697	2772	30.68	2.900
2623	28.93	11.821	2673	29.54	-3.359	2723	30.14	-11.285	2773	30.70	2.316
2624	28.95	10.618	2674	29.55	-4.079	2724	30.15	-11.897	2774	30.73	0.756
2625	28.96	9.010	2675	29.56	-3.437	2725	30.16	-11.881	2775	30.77	-1.918
2626	28.97	8.640	2676	29.57	-3.414	2726	30.17	-11.234	2776	30.79	-3.749
2627	28.98	5.679	2677	29.58	-3.386	2727	30.18	-9.336	2777	30.81	-4.083
2628	28.99	4.941	2678	29.59	-2.989	2728	30.19	-7.179	2778	30.82	-4.295
2629	29.00	3.340	2679	29.60	-2.973	2729	30.20	-5.277	2779	30.84	-5.499
2630	29.02	-2.362	2680	29.61	-2.955	2730	30.22	-3.369	2780	30.86	-6.084
2631	29.04	-6.069	2681	29.62	-3.561	2731	30.23	-2.101	2781	30.87	-6.688
2632	29.05	-8.166	2682	29.63	-4.405	2732	30.24	-0.573	2782	30.88	-7.160
2633	29.08	-12.976	2683	29.64	-3.886	2733	30.25	-0.058	2783	30.90	-7.377
2634	29.09	-13.587	2684	29.65	-3.655	2734	30.26	0.963	2784	30.91	-7.729
2635	29.10	-15.674	2685	29.66	-3.838	2735	30.27	1.992	2785	30.92	-7.711
2636	29.11	-15.408	2686	29.67	-4.074	2736	30.28	2.641	2786	30.93	-7.443
2637	29.12	-16.015	2687	29.70	-2.747	2737	30.30	3.803	2787	30.94	-7.041
2638	29.13	-16.002	2688	29.74	-2.292	2738	30.31	4.456	2788	30.95	-7.024
2639	29.14	-14.479	2689	29.75	-2.386	2739	30.32	5.108	2789	30.96	-6.373
2640	29.15	-14.325	2690	29.77	-2.231	2740	30.33	5.511	2790	30.97	-5.981
2641	29.16	-13.436	2691	29.78	-2.196	2741	30.34	5.899	2791	30.98	-5.458
2642	29.17	-10.903	2692	29.79	-2.172	2742	30.35	5.931	2792	30.99	-4.430
2643	29.18	-9.640	2693	29.80	-1.911	2743	30.36	6.191	2793	31.01	-4.305
2644	29.19	-8.114	2694	29.81	-1.258	2744	30.37	5.346	2794	31.02	-3.732
2645	29.20	-6.725	2695	29.83	0.290	2745	30.38	4.984	2795	31.04	-2.445
2646	29.21	-3.321	2696	29.84	1.310	2746	30.39	4.141	2796	31.06	-1.156
2647	29.22	0.210	2697	29.85	1.958	2747	30.40	4.161	2797	31.07	-0.894
2648	29.23	1.471	2698	29.86	2.601	2748	30.41	3.797	2798	31.08	-0.602
2649	29.24	4.630	2699	29.87	2.627	2749	30.42	2.327	2799	31.10	-1.577
2650	29.25	5.771	2700	29.88	3.275	2750	30.43	0.472	2800	31.11	-2.545

INDEX NO. 786 206-GR-17 OMIGAWA BRIDGE LG. MAX.ACCEL.= 54.981(GAL) T= 7.85(SEC) NO.15

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2801	31.13	-3.632	2851	31.77	3.269	2901	32.30	-3.175	2951	32.83	-5.990
2802	31.14	-4.597	2852	31.78	3.662	2902	32.31	-3.029	2952	32.84	-5.964
2803	31.16	-5.814	2853	31.79	3.299	2903	32.32	-3.016	2953	32.85	-6.196
2804	31.18	-7.386	2854	31.80	3.067	2904	32.33	-2.733	2954	32.86	-6.671
2805	31.20	-7.360	2855	31.81	3.338	2905	32.34	-2.709	2955	32.87	-6.896
2806	31.23	-7.046	2856	31.82	3.123	2906	32.35	-2.687	2956	32.88	-7.096
2807	31.24	-6.650	2857	31.83	2.265	2907	32.36	-2.921	2957	32.89	-7.079
2808	31.25	-5.494	2858	31.84	1.533	2908	32.37	-2.897	2958	32.90	-7.323
2809	31.26	-4.843	2859	31.85	0.678	2909	32.38	-3.493	2959	32.92	-7.045
2810	31.28	-3.815	2860	31.86	-1.416	2910	32.39	-3.847	2960	32.94	-6.375
2811	31.29	-3.165	2861	31.87	-2.772	2911	32.40	-4.084	2961	32.95	-6.355
2812	31.30	-2.508	2862	31.88	-3.007	2912	32.41	-4.050	2962	32.96	-6.809
2813	31.31	-1.615	2863	31.89	-4.605	2913	32.42	-3.532	2963	32.97	-6.209
2814	31.33	-0.208	2864	31.90	-6.446	2914	32.43	-2.519	2964	32.98	-6.848
2815	31.34	1.705	2865	31.91	-6.805	2915	32.44	-1.229	2965	32.99	-6.879
2816	31.35	2.346	2866	31.92	-7.653	2916	32.45	-0.583	2966	33.00	-6.888
2817	31.36	2.357	2867	31.93	-8.896	2917	32.46	-0.561	2967	33.01	-6.657
2818	31.38	1.898	2868	31.94	-8.619	2918	32.47	-0.543	2968	33.02	-6.682
2819	31.39	2.179	2869	31.95	-7.716	2919	32.48	-0.138	2969	33.03	-6.701
2820	31.40	2.202	2870	31.96	-7.329	2920	32.49	0.136	2970	33.04	-6.731
2021	31.42	2.615	2871	31.97	-6.620	2921	32.50	1.157	2971	33.05	-0.123
2822	31.43	2.642	2872	31.98	-6.394	2922	32.51	1.422	2972	33.06	-1.102
2823	31.45	1.677	2873	32.00	-5.365	2923	32.52	1.196	2973	33.07	-2.319
2824	31.46	1.324	2874	32.01	-4.719	2924	32.53	1.219	2974	33.09	-4.774
2825	31.47	1.100	2875	32.02	-3.814	2925	32.54	0.624	2975	33.10	-5.632
2826	31.49	0.770	2876	32.03	-3.173	2926	32.55	0.517	2976	33.11	-5.983
2827	31.50	-0.327	2877	32.04	-0.089	2927	32.56	1.163	2977	33.12	-6.583
2828	31.51	-1.312	2878	32.05	-0.620	2928	32.57	0.931	2978	33.13	-7.826
2829	31.52	-1.548	2879	32.06	0.652	2929	32.58	1.195	2979	33.14	-7.807
2830	31.53	-1.268	2880	32.07	2.553	2930	32.59	0.352	2980	33.15	-8.395
2831	31.54	-0.989	2881	32.08	3.317	2931	32.60	0.367	2981	33.16	-9.006
2832	31.55	-2.090	2882	32.09	3.722	2932	32.61	0.649	2982	33.17	-8.989
2833	31.57	-3.066	2883	32.11	5.401	2933	32.62	-0.199	2983	33.18	-9.214
2834	31.58	-3.686	2884	32.12	4.787	2934	32.64	-0.423	2984	33.19	-9.196
2835	31.59	-5.268	2885	32.13	5.058	2935	32.65	-1.765	2985	33.20	-9.160
2836	31.60	-5.625	2886	32.14	4.826	2936	32.66	-2.243	2986	33.21	-8.891
2837	31.61	-6.221	2887	32.15	4.103	2937	32.67	-3.592	2987	33.22	-8.872
2838	31.62	-6.198	2888	32.16	3.245	2938	32.68	-4.067	2988	33.23	-8.600
2839	31.63	-7.431	2889	32.17	1.772	2939	32.69	-5.041	2989	33.24	-7.947
2840	31.64	-7.036	2890	32.18	1.166	2940	32.71	-5.640	2990	33.25	-7.291
2841	31.65	-6.513	2891	32.19	0.189	2941	32.72	-6.244	2991	33.27	-6.892
2842	31.66	-6.361	2892	32.20	-1.646	2942	32.73	-6.831	2992	33.28	-6.870
2843	31.67	-6.341	2893	32.22	-3.103	2943	32.74	-7.058	2993	33.30	-6.823
2844	31.68	-5.189	2894	32.23	-3.089	2944	32.75	-7.036	2994	33.31	-5.919
2845	31.69	-3.913	2895	32.24	-4.822	2945	32.76	-6.516	2995	33.32	-4.638
2846	31.70	-2.888	2896	32.25	-4.794	2946	32.77	-6.124	2996	33.33	-2.991
2847	31.72	-1.976	2897	32.26	-4.780	2947	32.78	-6.104	2997	33.34	-2.345
2848	31.73	-0.953	2898	32.27	-4.125	2948	32.79	-6.084	2998	33.35	-1.952
2849	31.74	-0.048	2899	32.28	-4.352	2949	32.80	-6.046	2999	33.36	-1.931
2850	31.76	1.228	2900	32.29	-3.821	2950	32.82	-6.019	3000	33.37	-1.403

INDEX NO. 786 206-GR-17 OHIGAWA BRIDGE LG. MAX.ACCEL.= 54.981(GAL) T= 7.85(SEC) NO.16

NO.	(SEC)	(GAL)
3001	33.38	-1.010
3002	33.39	0.265
3003	33.40	0.279
3004	33.41	0.317
3005	33.43	-0.529
3006	33.44	-1.251
3007	33.46	-2.088
3008	33.47	-2.928
3009	33.49	-2.901
3010	33.50	-1.988
3011	33.52	-2.201
3012	33.53	-2.178
3013	33.54	-2.532
3014	33.55	-2.509
3015	33.56	-2.736
3016	33.57	-3.715
3017	33.58	-4.311
3018	33.59	-4.289
3019	33.60	-4.865
3020	33.62	-5.486
3021	33.63	-6.947
3022	33.65	-8.533
3023	33.66	-9.258
3024	33.67	-8.995
3025	33.69	-8.953
3026	33.71	-8.150
3027	33.73	-6.860
3028	33.76	-5.912
3029	33.79	-4.590
3030	33.81	-3.675
3031	33.82	-3.654
3032	33.83	-3.260
3033	33.84	-2.618
3034	33.85	-2.844
3035	33.86	-3.824
3036	33.87	-3.613
3037	33.88	-4.021
3038	33.89	-4.622
3039	33.90	-4.973
3040	33.92	-5.564
3041	33.93	-4.912
3042	33.94	-4.629
3043	33.96	-4.228
3044	33.97	-3.327
3045	33.98	-3.303
3046	33.99	-2.280

Table IX D-13 Digitized Accelerations of Earthquake Record with Index Number 787

INDEX NO. 787 206-GR-18 OHIGAWA BRIDGE LG. MAX.ACCEL.= 40.310(GAL) T= 3.79(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.0	-1.083	51	0.51	-1.093	101	1.01	-4.101	151	1.52	-2.874
2	0.01	-2.339	52	0.52	-0.847	102	1.03	-3.487	152	1.53	-4.127
3	0.02	-2.969	53	0.53	-0.476	103	1.04	-2.872	153	1.54	-6.261
4	0.04	-4.604	54	0.54	-0.233	104	1.05	-3.249	154	1.55	-7.842
5	0.05	-4.358	55	0.55	-0.488	105	1.06	-3.256	155	1.56	-7.272
6	0.06	-4.863	56	0.56	-0.742	106	1.07	-3.509	156	1.57	-7.274
7	0.07	-5.492	57	0.57	-2.001	107	1.08	-3.016	157	1.58	-6.655
8	0.08	-4.997	58	0.58	-2.754	108	1.09	-2.645	158	1.59	-5.783
9	0.09	-4.627	59	0.59	-3.885	109	1.10	-2.650	159	1.60	-4.543
10	0.10	-2.757	60	0.60	-4.208	110	1.11	-2.032	160	1.61	-4.171
11	0.11	-1.262	61	0.61	-5.521	111	1.12	-2.035	161	1.63	-4.179
12	0.12	-1.145	62	0.62	-5.273	112	1.13	-1.419	162	1.64	-2.687
13	0.13	-0.650	63	0.63	-4.655	113	1.14	-0.799	163	1.65	-2.566
14	0.14	-0.277	64	0.64	-3.661	114	1.15	-1.054	164	1.66	-2.696
15	0.15	-0.535	65	0.65	-3.414	115	1.16	-1.684	165	1.67	-2.326
16	0.16	-0.914	66	0.66	-2.921	116	1.17	-2.314	166	1.68	-1.707
17	0.17	-1.168	67	0.67	-2.175	117	1.18	-3.071	167	1.69	-0.214
18	0.18	-2.175	68	0.68	-2.683	118	1.19	-3.949	168	1.70	1.030
19	0.19	-3.180	69	0.69	-3.439	119	1.20	-4.331	169	1.71	2.025
20	0.20	-3.686	70	0.70	-3.442	120	1.21	-4.837	170	1.72	2.394
21	0.21	-4.688	71	0.71	-4.949	121	1.22	-5.216	171	1.74	1.387
22	0.22	-4.946	72	0.72	-5.579	122	1.23	-4.971	172	1.76	-0.751
23	0.23	-4.949	73	0.73	-5.581	123	1.24	-4.601	173	1.77	-0.879
24	0.24	-5.329	74	0.74	-5.336	124	1.25	-4.856	174	1.78	-0.510
25	0.25	-5.332	75	0.75	-4.095	125	1.26	-5.613	175	1.79	-0.891
26	0.26	-5.342	76	0.76	-3.724	126	1.27	-5.617	176	1.80	-1.147
27	0.27	-5.346	77	0.77	-3.102	127	1.28	-5.620	177	1.81	-2.027
28	0.28	-5.349	78	0.78	-3.482	128	1.29	-5.874	178	1.82	-3.033
29	0.29	-5.103	79	0.79	-2.241	129	1.30	-6.129	179	1.83	-3.290
30	0.30	-5.360	80	0.80	-2.245	130	1.31	-4.637	180	1.84	-4.547
31	0.31	-5.113	81	0.81	-1.624	131	1.32	-3.392	181	1.85	-5.175
32	0.32	-4.743	82	0.82	-0.628	132	1.33	-2.773	182	1.86	-5.667
33	0.33	-4.125	83	0.83	0.238	133	1.34	-2.151	183	1.87	-4.428
34	0.34	-4.129	84	0.84	-0.267	134	1.35	-1.531	184	1.88	-2.940
35	0.35	-2.888	85	0.85	-1.271	135	1.36	-0.912	185	1.89	-2.199
36	0.36	-3.141	86	0.86	-2.525	136	1.37	-1.542	186	1.90	-1.714
37	0.37	-3.144	87	0.87	-3.702	137	1.38	-1.300	187	1.91	-1.971
38	0.38	-2.649	88	0.88	-5.036	138	1.39	-0.304	188	1.92	-2.232
39	0.39	-3.155	89	0.89	-4.793	139	1.40	0.315	189	1.93	-2.616
40	0.40	-3.163	90	0.90	-3.797	140	1.41	1.560	190	1.94	-2.009
41	0.41	-2.543	91	0.91	-2.928	141	1.42	2.430	191	1.96	-1.401
42	0.42	-2.546	92	0.92	-2.556	142	1.43	3.051	192	1.97	-0.419
43	0.43	-2.929	93	0.93	-2.310	143	1.44	2.793	193	1.98	-1.055
44	0.44	-2.683	94	0.94	-1.944	144	1.45	2.538	194	1.99	-1.445
45	0.45	-2.688	95	0.95	-2.323	145	1.46	2.159	195	2.00	-1.204
46	0.46	-2.691	96	0.96	-3.202	146	1.47	1.528	196	2.01	-0.467
47	0.47	-2.695	97	0.97	-3.210	147	1.48	0.647	197	2.02	0.396
48	0.48	-2.325	98	0.98	-3.215	148	1.49	-0.107	198	2.03	0.387
49	0.49	-2.081	99	0.99	-3.218	149	1.50	-0.987	199	2.04	1.001
50	0.50	-1.712	100	1.00	-4.095	150	1.51	-1.860	200	2.05	1.616

INDEX NO. 787 206-GR-18 ONIGAWA BRIDGE LG. MAX.ACCEL.= 40.310(GAL) T= 3.79(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	2.07	0.721	251	2.64	-1.335	301	3.15	-1.230	351	3.71	12.726
202	2.09	-0.928	252	2.65	-1.594	302	3.16	-3.109	352	3.72	15.596
203	2.10	-2.446	253	2.66	-1.596	303	3.17	-7.867	353	3.73	19.464
204	2.12	-4.721	254	2.67	-1.001	304	3.18	-8.498	354	3.74	22.210
205	2.13	-5.358	255	2.69	-0.736	305	3.19	-8.499	355	3.75	30.204
206	2.14	-5.617	256	2.69	0.013	306	3.20	-7.505	356	3.76	35.199
207	2.15	-5.631	257	2.70	1.507	307	3.21	-5.009	357	3.77	39.317
208	2.17	-5.694	258	2.71	2.751	308	3.22	-2.267	358	3.78	39.939
209	2.18	-5.499	259	2.72	2.745	309	3.23	-0.895	359	3.79	40.310
210	2.19	-6.047	260	2.73	2.118	310	3.24	4.721	360	3.80	38.056
211	2.20	-7.561	261	2.74	2.110	311	3.25	7.216	361	3.81	29.675
212	2.21	-8.570	262	2.75	1.229	312	3.26	8.461	362	3.82	21.419
213	2.22	-9.466	263	2.76	-0.400	313	3.27	8.459	363	3.83	13.788
214	2.23	-9.217	264	2.77	-2.282	314	3.28	7.952	364	3.84	3.531
215	2.24	-7.977	265	2.78	-3.737	315	3.29	8.200	365	3.85	-2.099
216	2.25	-7.113	266	2.79	-5.666	316	3.30	7.193	366	3.86	-4.353
217	2.26	-5.874	267	2.80	-9.173	317	3.31	5.937	367	3.87	-10.860
218	2.27	-3.391	268	2.81	-10.178	318	3.32	5.308	368	3.88	-24.616
219	2.28	-0.530	269	2.82	-11.431	319	3.33	6.549	369	3.89	-28.245
220	2.30	3.323	270	2.83	-11.187	320	3.34	9.044	370	3.90	-29.749
221	2.31	4.564	271	2.84	-10.567	321	3.35	11.289	371	3.91	-31.631
222	2.32	6.049	272	2.85	-10.320	322	3.36	11.534	372	3.92	-31.635
223	2.33	6.415	273	2.86	-8.076	323	3.38	11.527	373	3.93	-33.267
224	2.34	5.529	274	2.87	-7.207	324	3.39	9.770	374	3.94	-33.271
225	2.35	4.093	275	2.88	-5.536	325	3.40	7.513	375	3.95	-33.276
226	2.38	2.615	276	2.89	-3.469	326	3.41	4.382	376	3.96	-32.031
227	2.39	-0.156	277	2.90	-2.349	327	3.43	-0.874	377	3.98	-19.919
228	2.41	-3.303	278	2.91	-1.726	328	3.46	-23.144	378	4.01	-2.682
229	2.42	-4.308	279	2.92	-1.106	329	3.47	-26.399	379	4.03	4.935
230	2.43	-4.567	280	2.93	-0.240	330	3.46	-28.029	380	4.04	15.800
231	2.44	-4.580	281	2.94	0.131	331	3.49	-28.280	381	4.05	18.545
232	2.45	-5.389	282	2.95	1.376	332	3.50	-28.043	382	4.06	20.166
233	2.46	-4.230	283	2.95	3.246	333	3.51	-28.045	383	4.07	19.664
234	2.47	-3.237	284	2.97	4.862	334	3.53	-27.427	384	4.08	17.783
235	2.48	-2.627	285	2.98	6.109	335	3.54	-26.561	385	4.09	12.778
236	2.49	-2.639	286	2.99	5.854	336	3.55	-26.564	386	4.10	9.524
237	2.50	-1.401	287	3.00	5.226	337	3.56	-24.944	387	4.11	7.893
238	2.51	-1.416	288	3.01	2.718	338	3.57	-22.449	388	4.12	7.014
239	2.52	-3.305	289	3.02	0.338	339	3.58	-18.330	389	4.13	9.130
240	2.53	-4.281	290	3.03	-0.941	340	3.59	-13.335	390	4.14	11.625
241	2.54	-5.036	291	3.04	-0.670	341	3.60	-10.339	391	4.16	15.616
242	2.55	-5.292	292	3.05	-1.678	342	3.61	-4.720	392	4.18	17.854
243	2.56	-5.543	293	3.07	-2.811	343	3.62	-3.350	393	4.19	17.600
244	2.57	-5.048	294	3.08	-3.443	344	3.63	-1.231	394	4.20	16.595
245	2.58	-3.804	295	3.09	-2.825	345	3.64	0.015	395	4.21	15.341
246	2.59	-2.185	296	3.10	-2.627	346	3.65	2.258	396	4.22	12.586
247	2.60	-1.942	297	3.11	-3.084	347	3.66	4.501	397	4.23	5.079
248	2.61	-1.321	298	3.12	-2.839	348	3.67	5.498	398	4.25	-6.182
249	2.62	-1.328	299	3.13	-1.846	349	3.68	6.992	399	4.26	-7.686
250	2.63	-1.584	300	3.14	-1.224	350	3.69	8.611	400	4.27	-8.066

INDEX NO. 787 206-GR-18 ONIGAWA BRIDGE LG. MAX.ACCEL.= 40.310(GAL) T= 3.79(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	4.20	-51943	451	4.63	-5.477	501	5.35	-11.625	551	5.87	6.846
402	4.29	-31072	452	4.64	-3.358	502	5.36	-8.757	552	5.88	8.716
403	4.30	4.546	453	4.85	-1.863	503	5.37	-6.261	553	5.89	11.583
404	4.31	5.790	454	4.86	-0.621	504	5.38	-4.269	554	5.90	12.205
405	4.32	6.662	455	4.87	-1.126	505	5.39	-2.398	555	5.91	12.199
406	4.34	6.152	456	4.88	-2.380	506	5.40	-1.152	556	5.92	11.696
407	4.35	3.270	457	4.89	-4.011	507	5.41	-0.782	557	5.93	11.315
408	4.37	-2.618	458	4.90	-4.088	508	5.42	0.708	558	5.94	10.683
409	4.39	-7.751	459	4.91	-2.772	509	5.43	0.955	559	5.95	9.805
410	4.40	-10.880	460	4.92	-1.524	510	5.44	5.824	560	5.96	8.550
411	4.41	-17.012	461	4.93	-0.653	511	5.45	10.195	561	5.97	2.793
412	4.42	-21.767	462	4.94	0.590	512	5.46	16.565	562	5.98	-5.215
413	4.43	-24.021	463	4.95	-1.792	513	5.47	18.685	563	5.99	-11.094
414	4.44	-27.276	464	4.96	-3.420	514	5.48	21.677	564	6.00	-16.849
415	4.45	-25.780	465	4.97	-6.552	515	5.49	21.675	565	6.01	-21.106
416	4.46	-23.534	466	4.98	-9.602	516	5.50	21.669	566	6.02	-23.235
417	4.47	-19.665	467	4.99	-9.437	517	5.51	18.287	567	6.03	-24.066
418	4.49	-16.300	468	5.00	-5.693	518	5.52	15.782	568	6.04	-24.619
419	4.50	-14.429	469	5.01	-1.322	519	5.53	11.278	569	6.05	-22.999
420	4.51	-8.937	470	5.02	4.422	520	5.54	6.899	570	6.06	-22.379
421	4.52	-3.816	471	5.03	8.792	521	5.55	-3.235	571	6.07	-20.885
422	4.53	7.552	472	5.04	9.536	522	5.56	-7.113	572	6.08	-19.265
423	4.54	181546	473	5.05	6.282	523	5.57	-11.242	573	6.09	-16.769
424	4.55	24.290	474	5.06	7.277	524	5.58	-17.252	574	6.10	-12.025
425	4.56	26.161	475	5.07	5.399	525	5.60	-22.136	575	6.11	3.218
426	4.57	26.281	476	5.08	-2.937	526	5.61	-25.267	576	6.12	12.462
427	4.58	22.527	477	5.09	-5.367	527	5.62	-25.898	577	6.13	23.205
428	4.59	19.399	478	5.10	-7.496	528	5.63	-26.150	578	6.14	25.950
429	4.60	13.392	479	5.11	-7.877	529	5.64	-24.031	579	6.15	25.948
430	4.61	12.513	480	5.12	-7.880	530	5.65	-18.165	580	6.16	25.444
431	4.62	10.509	481	5.13	-6.385	531	5.67	-134795	581	6.17	21.313
432	4.63	6.252	482	5.14	-3.265	532	5.68	-8.926	582	6.18	13.806
433	4.64	2.495	483	5.15	0.854	533	5.69	-5.808	583	6.19	11.177
434	4.65	-2.761	484	5.16	7.847	534	5.70	-4.939	584	6.20	9.047
435	4.66	-5.767	485	5.17	10.341	535	5.71	-4.445	585	6.21	7.166
436	4.67	-6.647	486	5.18	10.340	536	5.72	-4.197	586	6.22	5.537
437	4.68	-6.649	487	5.19	10.083	537	5.73	-1.704	587	6.23	2.031
438	4.69	-3.279	488	5.20	8.204	538	5.74	2.038	588	6.24	-1.727
439	4.70	1.962	489	5.21	9.694	539	5.75	4.657	589	6.25	-3.609
440	4.71	4.583	490	5.22	10.941	540	5.76	6.904	590	6.26	-3.614
441	4.72	4.329	491	5.23	11.688	541	5.77	7.776	591	6.27	-3.117
442	4.73	4.326	492	5.24	10.806	542	5.78	7.770	592	6.28	-1.871
443	4.74	-0.309	493	5.25	7.051	543	5.79	8.387	593	6.29	-0.253
444	4.75	-3.188	494	5.27	-2.835	544	5.80	9.384	594	6.30	-2.135
445	4.76	-4.193	495	5.29	-10.720	545	5.81	8.502	595	6.31	-4.766
446	4.77	-5.196	496	5.30	-14.601	546	5.82	7.248	596	6.32	-6.020
447	4.78	-5.450	497	5.31	-15.858	547	5.83	6.869	597	6.33	-6.649
448	4.79	-6.084	498	5.32	-15.610	548	5.84	6.239	598	6.34	-5.402
449	4.80	-6.465	499	5.33	-14.739	549	5.85	4.984	599	6.35	-1.658
450	4.81	-5.470	500	5.34	-12.747	550	5.86	5.223	600	6.36	1.085

土木構造物における加速度強震記録（No.9）

INDEX NO. 787 206-GR-16 OHIGAWA BRIDGE LG. MAX.ACCEL.= 40.310(GAL) T= 3.79(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	6.37	-2.280	651	6.93	-13.332	701	7.49	8.779	751	7.92	11.129
602	6.38	-5.426	652	6.91	-16.712	702	7.41	12.024	752	7.93	12.998
603	6.39	-9.433	653	6.92	-17.642	703	7.42	13.656	753	7.94	12.747
604	6.40	-10.063	654	6.93	-20.973	704	7.43	16.138	754	7.95	9.990
605	6.41	-10.441	655	6.74	-21.227	705	7.44	17.385	755	7.96	8.109
606	6.42	-6.446	656	6.95	-20.104	706	7.45	17.003	756	7.97	7.731
607	6.43	-2.325	657	6.96	-13.112	707	7.46	16.125	757	7.98	8.348
608	6.44	2.656	658	6.97	-8.744	708	7.47	12.120	758	7.99	8.966
609	6.45	3.163	659	6.58	-5.123	709	7.48	7.365	759	8.00	9.837
610	6.46	1.262	660	6.99	0.120	710	7.49	5.234	760	8.01	12.083
611	6.47	-0.976	661	7.00	3.115	711	7.50	2.980	761	8.02	10.580
612	6.48	-1.220	662	7.01	6.235	712	7.51	0.975	762	8.03	8.950
613	6.49	0.514	663	7.02	8.355	713	7.52	-1.785	763	8.04	4.945
614	6.50	4.634	664	7.03	10.674	714	7.53	-2.162	764	8.05	-0.188
615	6.51	5.876	665	7.04	11.593	715	7.54	-2.796	765	8.06	-5.195
616	6.52	6.501	666	7.05	12.593	716	7.55	-3.424	766	8.07	-6.949
617	6.53	4.620	667	7.06	12.566	717	7.56	-3.631	767	8.08	-10.080
618	6.54	2.117	668	7.07	12.331	718	7.57	-4.809	768	8.09	-11.961
619	6.55	-2.265	669	7.08	9.625	719	7.58	-6.066	769	8.10	-12.215
620	6.56	-2.529	670	7.09	5.570	720	7.59	-6.070	770	8.11	-11.341
621	6.57	-2.026	671	7.10	3.812	721	7.60	-6.074	771	8.12	-5.473
622	6.58	2.342	672	7.11	2.609	722	7.61	-4.632	772	8.13	2.519
623	6.59	5.463	673	7.12	1.180	723	7.62	-5.087	773	8.14	6.889
624	6.60	7.956	674	7.13	0.550	724	7.63	-5.466	774	8.15	8.386
625	6.61	8.953	675	7.14	5.165	725	7.64	-5.220	775	8.16	9.006
626	6.62	10.944	676	7.15	8.035	726	7.65	-4.850	776	8.17	9.003
627	6.63	10.942	677	7.16	8.656	727	7.66	-3.607	777	8.18	6.246
628	6.64	9.438	678	7.17	8.654	728	7.67	-3.613	778	8.19	0.616
629	6.65	7.557	679	7.18	7.149	729	7.68	-3.244	779	8.20	-3.767
630	6.66	-5.575	680	7.19	-6.110	730	7.69	-2.372	780	8.21	-5.272
631	6.67	-10.832	681	7.20	-15.366	731	7.70	-1.754	781	8.22	-7.027
632	6.68	-14.713	682	7.21	-16.621	732	7.71	-0.509	782	8.23	-8.282
633	6.69	-15.718	683	7.22	-17.676	733	7.72	1.984	783	8.24	-9.538
634	6.70	-15.969	684	7.23	-17.254	734	7.73	2.730	784	8.25	-11.418
635	6.71	-14.226	685	7.24	-14.508	735	7.74	3.352	785	8.26	-13.673
636	6.72	-11.360	686	7.25	-9.889	736	7.75	1.647	786	8.27	-15.303
637	6.74	-8.118	687	7.26	-3.395	737	7.76	0.842	787	8.28	-16.559
638	6.75	-1.251	688	7.27	4.222	738	7.77	-2.292	788	8.29	-17.188
639	6.78	5.112	689	7.28	6.342	739	7.78	-4.172	789	8.30	-17.193
640	6.79	8.478	690	7.29	5.041	740	7.79	-5.052	790	8.31	-16.945
641	6.80	10.848	691	7.30	2.086	741	7.80	-6.808	791	8.32	-13.201
642	6.81	13.344	692	7.31	-7.422	742	7.81	-7.688	792	8.34	-6.960
643	6.82	17.962	693	7.32	-10.930	743	7.82	-7.693	793	8.35	-4.966
644	6.83	18.335	694	7.33	-13.185	744	7.83	-6.571	794	8.36	-3.599
645	6.84	18.080	695	7.34	-13.566	745	7.84	-4.077	795	8.37	-3.104
646	6.85	16.198	696	7.35	-12.692	746	7.85	-2.207	796	8.38	-3.356
647	6.86	14.943	697	7.36	-10.447	747	7.86	-0.589	797	8.39	-1.488
648	6.87	10.564	698	7.37	-6.701	748	7.88	2.653	798	8.40	-0.245
649	6.88	2.481	699	7.38	-0.085	749	7.89	6.020	799	8.41	0.376
650	6.89	-5.075	700	7.39	4.15	750	7.91	9.512	800	8.42	0.374

INDEX NO. 787 206-GR-18 OHIGAWA BRIDGE LG. MAX.ACCEL.= 40.310(GAL) T= 3.79(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	8.43	-0.257	851	8.93	5.975	901	9.43	-4.044	951	9.93	-7.561
802	8.44	-0.915	852	8.94	6.595	902	9.44	-4.421	952	9.94	-8.816
803	8.45	0.605	853	8.95	9.338	903	9.45	-3.554	953	9.95	-6.821
804	8.46	3.224	854	8.96	10.332	904	9.46	-2.931	954	9.96	-8.825
805	8.47	4.844	855	8.97	11.204	905	9.47	-0.438	955	9.97	-7.955
806	8.48	7.966	856	8.98	10.952	906	9.48	3.304	956	9.98	-7.333
807	8.49	11.461	857	8.99	8.447	907	9.49	4.551	957	9.99	-4.586
808	8.50	15.203	858	9.00	3.440	908	9.50	4.921	958	10.00	-1.095
809	8.51	15.202	859	9.01	-2.568	909	9.51	4.666	959	10.01	1.147
810	8.52	14.320	860	9.02	-4.449	910	9.52	2.786	960	10.02	1.144
811	8.53	9.940	861	9.03	-5.705	911	9.53	-0.971	961	10.03	1.265
812	8.54	4.310	862	9.04	-6.211	912	9.54	-7.103	962	10.04	0.259
813	8.55	-1.698	863	9.05	-7.465	913	9.55	-10.857	963	10.05	-1.874
814	8.56	-3.579	864	9.06	-8.346	914	9.56	-13.364	964	10.06	-2.503
815	8.57	-3.959	865	9.07	-9.351	915	9.57	-13.369	965	10.07	-2.510
816	8.58	-4.590	866	9.08	-10.607	916	9.58	-13.371	966	10.08	-2.262
817	8.59	-4.342	867	9.09	-10.608	917	9.59	-11.876	967	10.09	-0.768
818	8.60	-4.597	868	9.10	-9.988	918	9.60	-10.008	968	10.10	4.849
819	8.61	-4.229	869	9.11	-7.244	919	9.61	-8.137	969	10.11	7.345
820	8.62	-6.235	870	9.12	-2.249	920	9.62	-5.018	970	10.12	9.091
821	8.63	-8.742	871	9.13	5.367	921	9.63	-1.273	971	10.13	12.459
822	8.64	-10.372	872	9.14	4.736	922	9.64	5.470	972	10.14	14.078
823	8.65	-11.627	873	9.15	4.485	923	9.65	9.588	973	10.15	13.826
824	8.66	-12.507	874	9.16	3.230	924	9.66	12.082	974	10.16	15.568
825	8.67	-12.261	875	9.17	-2.029	925	9.67	12.704	975	10.17	15.940
826	8.68	-11.389	876	9.18	-6.910	926	9.68	11.202	976	10.18	16.186
827	8.69	-7.646	877	9.19	-5.791	927	9.69	9.321	977	10.19	14.430
828	8.70	-2.278	878	9.20	-5.293	928	9.70	6.816	978	10.20	11.550
829	8.71	1.841	879	9.21	-5.049	929	9.71	5.809	979	10.21	6.917
830	8.72	3.835	880	9.22	0.821	930	9.72	7.676	980	10.22	1.911
831	8.73	6.206	881	9.23	9.562	931	9.73	7.675	981	10.23	-1.719
832	8.74	6.204	882	9.24	13.558	932	9.74	10.165	982	10.24	-4.225
833	8.75	5.073	883	9.25	15.803	933	9.75	13.034	983	10.25	-7.481
834	8.76	2.569	884	9.26	17.049	934	9.76	13.905	984	10.26	-8.984
835	8.77	-2.441	885	9.27	15.171	935	9.77	16.151	985	10.27	-11.866
836	8.78	-4.070	886	9.28	13.915	936	9.78	17.146	986	10.28	-12.496
837	8.79	-5.576	887	9.29	8.782	937	9.79	16.893	987	10.29	-13.126
838	8.80	-5.573	888	9.30	5.155	938	9.80	17.137	988	10.30	-13.755
839	8.81	-4.084	889	9.31	-0.854	939	9.81	15.008	989	10.31	-13.508
840	8.82	3.408	890	9.32	-2.495	940	9.82	8.001	990	10.32	-11.263
841	8.83	5.933	891	9.33	-2.488	941	9.83	5.247	991	10.33	-6.270
842	8.84	6.522	892	9.34	-1.495	942	9.84	-4.013	992	10.34	-4.774
843	8.85	6.766	893	9.35	2.123	943	9.85	-5.268	993	10.35	-3.533
844	8.86	7.139	894	9.36	5.243	944	9.86	-4.395	994	10.36	-4.039
845	8.87	8.630	895	9.37	6.490	945	9.87	-2.150	995	10.37	-5.294
846	8.88	9.252	896	9.38	5.861	946	9.88	4.966	996	10.38	-7.549
847	8.89	9.749	897	9.39	5.606	947	9.89	6.212	997	10.39	-8.430
848	8.90	9.744	898	9.40	2.850	948	9.90	5.709	998	10.40	-10.684
849	8.91	9.488	899	9.41	0.970	949	9.91	3.454	999	10.41	-10.938
850	8.92	8.983	900	9.42	-3.414	950	9.92	-4.306	1000	10.42	-10.066

INDEX NO. 787 206-GR-18 ONIGAWA BRIDGE LG. MAX.ACCEL.= 40.310(GAL) T= 3.79(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	10.43	-8.821	1051	10.95	21.023	1101	11.53	0.089	1151	12.14	2.649
1002	10.44	-8.703	1052	10.96	21.886	1102	11.54	-3.049	1152	12.15	4.633
1003	10.45	-4.297	1053	10.97	21.003	1103	11.55	-7.065	1153	12.16	5.590
1004	10.46	-0.992	1054	10.98	19.737	1104	11.56	-8.825	1154	12.17	4.989
1005	10.47	1.526	1055	11.00	17.220	1105	11.57	-10.460	1155	12.18	4.353
1006	10.48	5.023	1056	11.01	14.077	1106	11.58	-11.098	1156	12.19	3.720
1007	10.49	8.893	1057	11.03	9.559	1107	11.59	-11.481	1157	12.20	1.199
1008	10.50	13.263	1058	11.04	6.046	1108	11.60	-11.496	1158	12.21	0.569
1009	10.51	15.365	1059	11.06	3.901	1109	11.61	-11.880	1159	12.22	-1.324
1010	10.52	20.502	1060	11.07	-3.241	1110	11.62	-14.021	1160	12.23	-1.709
1011	10.53	21.496	1061	11.08	-9.258	1111	11.64	-15.039	1161	12.24	-0.218
1012	10.54	24.242	1062	11.09	-9.513	1112	11.65	-16.301	1162	12.26	2.636
1013	10.55	25.610	1063	11.10	-11.282	1113	11.66	-16.565	1163	12.28	5.118
1014	10.56	26.234	1064	11.11	-12.165	1114	11.67	-14.824	1164	12.29	7.228
1015	10.57	26.604	1065	11.12	-13.806	1115	11.68	-13.205	1165	12.30	9.089
1016	10.58	24.473	1066	11.14	-16.329	1116	11.69	-9.843	1166	12.31	10.950
1017	10.59	21.967	1067	11.15	-16.967	1117	11.70	-2.050	1167	12.32	12.066
1018	10.60	19.713	1068	11.16	-16.977	1118	11.72	7.248	1168	12.33	12.677
1019	10.61	12.708	1069	11.17	-16.109	1119	11.73	15.231	1169	12.34	11.796
1020	10.62	6.950	1070	11.18	-13.868	1120	11.74	19.594	1170	12.35	10.538
1021	10.63	4.447	1071	11.19	-8.256	1121	11.75	21.837	1171	12.36	8.022
1022	10.64	3.191	1072	11.20	-4.266	1122	11.76	24.076	1172	12.38	3.506
1023	10.65	1.936	1073	11.21	-1.654	1123	11.77	24.061	1173	12.39	-0.887
1024	10.66	0.305	1074	11.22	1.449	1124	11.78	23.805	1174	12.40	-3.775
1025	10.67	-1.329	1075	11.23	2.063	1125	11.79	21.918	1175	12.41	-5.407
1026	10.68	-3.459	1076	11.24	2.055	1126	11.81	17.145	1176	12.42	-6.422
1027	10.69	-5.088	1077	11.25	1.790	1127	11.82	13.132	1177	12.43	-7.311
1028	10.70	-9.220	1078	11.27	0.901	1128	11.84	10.114	1178	12.44	-7.947
1029	10.71	-11.725	1079	11.28	-1.623	1129	11.86	6.092	1179	12.46	-5.585
1030	10.72	-13.605	1080	11.29	-2.006	1130	11.87	2.824	1180	12.47	-4.601
1031	10.73	-14.610	1081	11.30	-2.644	1131	11.89	-0.949	1181	12.48	-2.740
1032	10.74	-14.611	1082	11.31	-2.403	1132	11.90	-1.959	1182	12.49	-1.504
1033	10.75	-14.367	1083	11.32	-1.409	1133	11.91	-3.221	1183	12.50	-0.014
1034	10.76	-13.127	1084	11.33	3.823	1134	11.92	-3.982	1184	12.51	0.977
1035	10.77	-12.754	1085	11.34	7.434	1135	11.93	-4.238	1185	12.52	1.839
1036	10.78	-11.883	1086	11.35	8.053	1136	11.95	-2.759	1186	12.53	1.830
1037	10.79	-10.613	1087	11.36	9.534	1137	11.96	1.221	1187	12.54	1.945
1038	10.80	-8.147	1088	11.37	10.524	1138	11.97	4.210	1188	12.55	1.367
1039	10.81	-4.599	1089	11.38	11.386	1139	11.98	5.450	1189	12.56	0.047
1040	10.82	-3.156	1090	11.39	11.757	1140	11.99	4.570	1190	12.57	-0.591
1041	10.83	-3.038	1091	11.40	11.988	1141	12.01	1.044	1191	12.58	-0.973
1042	10.84	-3.668	1092	11.41	14.347	1142	12.02	-1.472	1192	12.59	-0.361
1043	10.85	-2.795	1093	11.43	15.203	1143	12.03	-2.731	1193	12.60	0.254
1044	10.86	-1.552	1094	11.44	15.313	1144	12.04	-3.618	1194	12.61	0.869
1045	10.89	8.600	1095	11.46	15.547	1145	12.05	-5.003	1195	12.62	2.354
1046	10.90	11.962	1096	11.47	14.903	1146	12.06	-5.385	1196	12.63	4.715
1047	10.91	14.071	1097	11.48	13.639	1147	12.08	-3.907	1197	12.64	5.950
1048	10.92	14.310	1098	11.49	11.506	1148	12.09	-2.301	1198	12.65	6.566
1049	10.93	16.425	1099	11.50	8.369	1149	12.11	0.175	1199	12.66	5.679
1050	10.94	17.664	1100	11.51	4.854	1150	12.13	2.036	1200	12.68	5.661

INDEX NO. 787 206-GR-18 ONIGAWA BRIDGE LG. MAX.ACCEL.= 40.310(GAL) T= 3.79(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	12.69	5.270	1251	13.21	7.844	1301	13.77	-7.334	1351	14.29	-5.102
1202	12.70	4.362	1252	13.22	7.838	1302	13.78	-7.098	1352	14.30	-4.486
1203	12.71	3.996	1253	13.23	7.834	1303	13.79	-7.091	1353	14.31	-4.489
1204	12.72	3.853	1254	13.24	3.328	1304	13.80	-6.724	1354	14.32	-4.246
1205	12.73	3.598	1255	13.26	4.692	1305	13.81	-7.104	1355	14.34	-4.129
1206	12.74	3.218	1256	13.27	1.183	1306	13.82	-7.108	1356	14.35	-5.136
1207	12.75	3.035	1257	13.28	-0.447	1307	13.83	-6.488	1357	14.36	-4.516
1208	12.76	3.829	1258	13.29	-2.329	1308	13.84	-5.867	1358	14.37	-4.518
1209	12.77	4.699	1259	13.31	-3.336	1309	13.85	-4.621	1359	14.38	-1.777
1210	12.78	5.945	1260	13.32	-3.970	1310	13.86	-2.379	1360	14.39	1.343
1211	12.79	7.938	1261	13.34	-6.231	1311	13.87	-1.758	1361	14.40	3.839
1212	12.80	10.184	1262	13.36	-8.739	1312	13.88	-0.264	1362	14.41	6.083
1213	12.81	10.806	1263	13.37	-9.118	1313	13.89	0.732	1363	14.42	8.330
1214	12.82	10.177	1264	13.38	-6.498	1314	13.90	-0.150	1364	14.43	8.947
1215	12.83	9.293	1265	13.39	-7.881	1315	13.91	-1.155	1365	14.44	8.942
1216	12.85	7.661	1266	13.41	-7.516	1316	13.92	-1.784	1366	14.45	8.065
1217	12.86	6.029	1267	13.42	-7.646	1317	13.93	-2.040	1367	14.46	6.184
1218	12.87	4.524	1268	13.43	-6.027	1318	13.94	-2.669	1368	14.47	4.929
1219	12.88	4.270	1269	13.44	-5.157	1319	13.95	-2.800	1369	14.48	3.050
1220	12.89	3.265	1270	13.45	-2.287	1320	13.96	-2.430	1370	14.49	1.169
1221	12.90	1.759	1271	13.46	0.580	1321	13.97	-1.560	1371	14.50	-1.464
1222	12.91	1.755	1272	13.47	3.699	1322	13.98	-0.940	1372	14.51	-1.467
1223	12.92	2.625	1273	13.48	4.320	1323	14.00	2.174	1373	14.52	-2.349
1224	12.93	2.370	1274	13.49	4.066	1324	14.01	3.415	1374	14.53	-2.104
1225	12.94	1.612	1275	13.50	1.933	1325	14.02	5.036	1375	14.54	-1.483
1226	12.95	0.484	1276	13.51	0.932	1326	14.03	5.032	1376	14.55	-1.489
1227	12.96	-3.775	1277	13.52	-1.202	1327	14.04	5.651	1377	14.56	-1.242
1228	12.97	-5.905	1278	13.53	-0.957	1328	14.05	3.772	1378	14.58	-1.254
1229	12.98	-7.161	1279	13.54	-0.980	1329	14.06	3.144	1379	14.60	-2.388
1230	12.99	-8.289	1280	13.55	0.657	1330	14.07	2.510	1380	14.61	-3.024
1231	13.00	-7.669	1281	13.56	2.279	1331	14.08	3.131	1381	14.62	-4.028
1232	13.01	-8.300	1282	13.58	3.520	1332	14.09	4.999	1382	14.63	-4.284
1233	13.02	-7.055	1283	13.59	1.511	1333	14.10	5.621	1383	14.64	-4.289
1234	13.03	-5.810	1284	13.60	4.256	1334	14.11	5.242	1384	14.66	-3.796
1235	13.04	-5.818	1285	13.61	6.503	1335	14.12	4.985	1385	14.68	-1.557
1236	13.05	-6.448	1286	13.62	9.371	1336	14.13	4.982	1386	14.69	0.309
1237	13.06	-6.704	1287	13.63	12.241	1337	14.14	4.100	1387	14.71	1.551
1238	13.07	-6.458	1288	13.64	14.112	1338	14.15	3.720	1388	14.72	2.797
1239	13.08	-6.214	1289	13.65	13.858	1339	14.16	3.463	1389	14.73	4.664
1240	13.09	-6.719	1290	13.66	14.102	1340	14.17	3.332	1390	14.74	5.285
1241	13.10	-6.849	1291	13.67	13.222	1341	14.18	1.579	1391	14.75	6.904
1242	13.11	-5.853	1292	13.68	11.591	1342	14.19	-1.303	1392	14.76	6.650
1243	13.12	-4.608	1293	13.69	11.587	1343	14.20	-2.183	1393	14.78	6.890
1244	13.13	0.756	1294	13.70	9.082	1344	14.21	-4.437	1394	14.79	6.258
1245	13.15	7.498	1295	13.71	5.325	1345	14.22	-6.318	1395	14.80	6.002
1246	13.16	8.993	1296	13.72	2.571	1346	14.23	-7.823	1396	14.82	5.619
1247	13.17	9.366	1297	13.73	-1.688	1347	14.24	-7.825	1397	14.83	4.486
1248	13.18	9.109	1298	13.74	-3.565	1348	14.25	-7.582	1398	14.84	3.858
1249	13.19	8.729	1299	13.75	-6.323	1349	14.26	-7.336	1399	14.85	3.227
1250	13.20	8.475	1300	13.76	-6.952	1350	14.27	-6.095	1400	14.86	2.222

土木構造物における加速度強震記録（No. 9）

INDEX NO. 787 206-GR-16 OHIGAWA BRIDGE LG. MAX.ACCEL.= 40.310(GAL) T= 3.79(SEC) NO. 8

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1401	14.87	-1.660	1451	15.44	-4.456	1501	15.97	-5.225	1551	16.51	8.872
1402	14.88	-0.415	1452	15.45	-2.962	1502	15.98	-3.230	1552	16.52	7.992
1403	14.89	-0.670	1453	15.46	-1.093	1503	15.99	-0.736	1553	16.53	6.360
1404	14.90	-11.428	1454	15.47	0.779	1504	16.00	0.007	1554	16.54	4.481
1405	14.91	-13.058	1455	15.48	3.646	1505	16.01	0.253	1555	16.55	3.225
1406	14.92	-13.937	1456	15.49	3.641	1506	16.02	-0.005	1556	16.56	1.346
1407	14.93	-13.543	1457	15.50	3.387	1507	16.04	-1.613	1557	16.57	-0.786
1408	14.94	-13.445	1458	15.51	3.384	1508	16.05	-1.894	1558	16.58	-4.044
1409	14.95	-12.453	1459	15.52	-0.751	1509	16.06	-1.649	1559	16.59	-5.924
1410	14.96	-10.957	1460	15.53	-3.255	1510	16.07	-1.902	1560	16.60	-6.304
1411	14.97	-7.841	1461	15.54	-6.636	1511	16.08	-1.411	1561	16.61	-6.932
1412	14.99	-5.347	1462	15.55	-7.891	1512	16.09	-0.165	1562	16.62	-8.189
1413	15.01	-2.234	1463	15.56	-8.695	1513	16.10	2.082	1563	16.63	-7.943
1414	15.03	2.253	1464	15.57	-8.649	1514	16.11	4.201	1564	16.64	-7.322
1415	15.04	4.496	1465	15.58	-8.028	1515	16.12	8.443	1565	16.65	-6.956
1416	15.06	6.736	1466	15.59	-7.287	1516	16.13	10.938	1566	16.66	-7.211
1417	15.07	7.983	1467	15.61	-5.793	1517	16.14	11.559	1567	16.67	-7.590
1418	15.08	8.979	1468	15.62	-5.174	1518	16.15	11.806	1568	16.68	-6.720
1419	15.09	8.723	1469	15.63	-3.304	1519	16.16	11.801	1569	16.69	-6.351
1420	15.10	7.720	1470	15.64	-2.685	1520	16.17	10.294	1570	16.70	-5.106
1421	15.11	6.641	1471	15.66	-0.570	1521	16.18	9.665	1571	16.71	-2.612
1422	15.12	5.585	1472	15.67	0.052	1522	16.19	7.534	1572	16.73	1.377
1423	15.13	3.330	1473	15.68	1.294	1523	16.20	6.530	1573	16.74	3.247
1424	15.14	1.449	1474	15.69	2.915	1524	16.21	5.898	1574	16.75	4.616
1425	15.15	-1.809	1475	15.70	4.412	1525	16.22	5.020	1575	16.76	5.111
1426	15.16	-2.687	1476	15.71	6.407	1526	16.23	3.391	1576	16.77	4.609
1427	15.17	-2.444	1477	15.72	10.772	1527	16.24	1.991	1577	16.78	4.230
1428	15.18	-1.571	1478	15.73	13.018	1528	16.25	-0.373	1578	16.79	1.722
1429	15.19	-0.205	1479	15.74	14.391	1529	16.26	-8.629	1579	16.80	-0.786
1430	15.21	1.912	1480	15.75	14.637	1530	16.27	-9.506	1580	16.81	-1.415
1431	15.22	3.155	1481	15.76	14.381	1531	16.28	-10.636	1581	16.82	-2.671
1432	15.23	3.777	1482	15.77	13.751	1532	16.29	-10.640	1582	16.83	-2.673
1433	15.24	4.022	1483	15.78	10.619	1533	16.30	-10.896	1583	16.84	-2.678
1434	15.25	3.516	1484	15.79	7.489	1534	16.31	-11.903	1584	16.85	-1.184
1435	15.26	1.884	1485	15.80	4.609	1535	16.32	-11.908	1585	16.86	0.432
1436	15.28	0.626	1486	15.81	2.979	1536	16.33	-13.165	1586	16.87	0.178
1437	15.29	-1.256	1487	15.82	0.646	1537	16.34	-13.166	1587	16.88	-0.202
1438	15.31	-3.142	1488	15.83	-0.407	1538	16.35	-11.296	1588	16.89	-0.458
1439	15.32	-2.521	1489	15.84	-3.039	1539	16.36	-8.802	1589	16.90	-0.834
1440	15.33	-3.152	1490	15.86	-4.920	1540	16.37	-6.681	1590	16.91	-0.841
1441	15.34	-2.905	1491	15.87	-6.174	1541	16.38	-2.563	1591	16.92	-2.099
1442	15.35	-2.533	1492	15.88	-7.430	1542	16.40	0.928	1592	16.93	-1.854
1443	15.36	-2.543	1493	15.89	-10.439	1543	16.42	4.418	1593	16.94	-0.858
1444	15.37	-2.797	1494	15.90	-11.944	1544	16.43	6.660	1594	16.96	-0.617
1445	15.38	-3.175	1495	15.91	-12.949	1545	16.44	8.030	1595	16.97	1.876
1446	15.39	-3.101	1496	15.92	-12.952	1546	16.45	8.276	1596	16.98	3.120
1447	15.40	-3.810	1497	15.93	-12.707	1547	16.46	9.145	1597	16.99	5.740
1448	15.41	-5.068	1498	15.94	-11.711	1548	16.47	9.264	1598	17.00	6.110
1449	15.42	-5.949	1499	15.95	-10.466	1549	16.49	8.883	1599	17.01	7.355
1450	15.43	-5.952	1500	15.96	-7.971	1550	16.50	9.127	1600	17.02	7.102

INDEX NO. 787 206-GR-18 OHIGAWA BRIEGE LG. MAX.ACCEL.= 40.310(GAL) T= 3.79(SEC) NO. 9

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1601	17.03	7.098	1651	17.67	4.630	1701	18.29	-17.577	1751	18.92	-9.166
1602	17.04	6.089	1652	17.69	6.997	1702	18.30	-18.955	1752	18.93	-8.170
1603	17.05	5.461	1653	17.70	5.491	1703	18.31	-19.980	1753	18.95	-4.430
1604	17.06	4.832	1654	17.71	9.488	1704	18.32	-19.595	1754	18.96	-1.686
1605	17.07	4.201	1655	17.72	11.356	1705	18.34	-17.052	1755	18.98	4.177
1606	17.08	2.695	1656	17.73	11.351	1706	18.35	-16.232	1756	18.99	5.046
1607	17.09	-0.188	1657	17.74	11.720	1707	18.36	-14.958	1757	19.00	5.915
1608	17.10	-3.069	1658	17.75	11.714	1708	18.37	-13.746	1758	19.02	7.156
1609	17.11	-6.199	1659	17.76	11.334	1709	18.38	-11.127	1759	19.04	8.146
1610	17.12	-7.828	1660	17.77	10.701	1710	18.40	-8.009	1760	19.06	9.135
1611	17.13	-11.085	1661	17.78	10.321	1711	18.41	-2.889	1761	19.08	10.620
1612	17.14	-11.964	1662	17.79	10.692	1712	18.42	2.351	1762	19.10	9.735
1613	17.15	-12.969	1663	17.80	11.311	1713	18.44	6.219	1763	19.13	8.471
1614	17.16	-12.971	1664	17.81	12.182	1714	18.45	8.088	1764	19.15	6.214
1615	17.17	-12.351	1665	17.82	12.555	1715	18.46	8.706	1765	19.16	3.706
1616	17.18	-9.860	1666	17.83	13.299	1716	18.48	9.696	1766	19.17	3.698
1617	17.19	-6.742	1667	17.84	10.793	1717	18.49	8.440	1767	19.20	2.812
1618	17.20	-5.246	1668	17.85	7.661	1718	18.51	7.181	1768	19.21	2.178
1619	17.23	0.865	1669	17.86	5.030	1719	18.52	6.551	1769	19.22	1.797
1620	17.27	7.217	1670	17.87	2.525	1720	18.54	5.914	1770	19.24	-0.710
1621	17.29	9.083	1671	17.90	-3.616	1721	18.55	6.531	1771	19.25	-1.967
1622	17.31	10.696	1672	17.91	-7.248	1722	18.56	6.525	1772	19.26	-3.599
1623	17.33	13.309	1673	17.94	-13.010	1723	18.57	6.272	1773	19.27	-4.854
1624	17.35	13.304	1674	17.96	-17.770	1724	18.58	5.269	1774	19.28	-4.984
1625	17.36	12.923	1675	17.97	-20.026	1725	18.60	0.880	1775	19.29	-5.238
1626	17.37	13.166	1676	17.98	-21.906	1726	18.62	-3.879	1776	19.30	-5.492
1627	17.38	12.267	1677	17.99	-22.911	1727	18.63	-7.387	1777	19.31	-3.996
1628	17.39	9.778	1678	18.00	-21.419	1728	18.64	-8.266	1778	19.32	-1.879
1629	17.40	7.899	1679	18.01	-20.797	1729	18.65	-8.897	1779	19.34	0.985
1630	17.41	5.270	1680	18.02	-15.805	1730	18.66	-9.027	1780	19.36	3.225
1631	17.42	3.392	1681	18.05	-7.572	1731	18.68	-6.787	1781	19.37	4.220
1632	17.43	-1.868	1682	18.06	-3.453	1732	18.69	-6.170	1782	19.39	5.462
1633	17.44	-3.871	1683	18.08	0.039	1733	18.72	-3.682	1783	19.41	5.701
1634	17.45	-7.002	1684	18.10	0.652	1734	18.73	-2.065	1784	19.43	4.565
1635	17.46	-9.884	1685	18.11	13.145	1735	18.74	-2.069	1785	19.45	3.305
1636	17.47	-10.886	1686	18.12	15.889	1736	18.75	-2.077	1786	19.46	1.672
1637	17.48	-11.267	1687	18.14	18.383	1737	18.77	-1.212	1787	19.47	-0.209
1638	17.50	-11.652	1688	18.15	20.248	1738	18.78	0.658	1788	19.49	-1.468
1639	17.51	-12.536	1689	18.16	21.368	1739	18.79	2.154	1789	19.50	-1.726
1640	17.53	-13.166	1690	18.17	20.733	1740	18.80	3.397	1790	19.52	-4.110
1641	17.54	-14.676	1691	18.18	20.484	1741	18.81	4.765	1791	19.54	-4.118
1642	17.55	-15.432	1692	18.19	19.856	1742	18.82	4.764	1792	19.55	-4.751
1643	17.56	-15.081	1693	18.20	15.696	1743	18.83	3.007	1793	19.57	-4.760
1644	17.57	-14.438	1694	18.21	12.667	1744	18.84	1.377	1794	19.59	-5.017
1645	17.58	-13.568	1695	18.22	7.836	1745	18.85	-0.504	1795	19.60	-5.024
1646	17.60	-6.082	1696	18.23	4.582	1746	18.87	-4.014	1796	19.61	-4.782
1647	17.61	-3.213	1697	18.24	-0.425	1747	18.88	-6.895	1797	19.62	-3.287
1648	17.63	-2.220	1698	18.26	-6.807	1748	18.89	-8.402	1798	19.63	-2.668
1649	17.64	0.021	1699	18.27	-11.314	1749	18.90	-9.408	1799	19.64	-1.924
1650	17.66	2.896	1700	18.28	-15.447	1750	18.91	-9.411	1800	19.65	-1.427

INDEX NO. 787 206-GR-18 OMIGAWA BRIDGE LG. MAX.ACCEL.= 40.310(GAL) T= 3.79(SEC) NO.10

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1801	19.66	-0.005	1851	20.35	4.706	1901	20.95	1.383	1951	21.66	-3.241
1802	19.67	-0.810	1852	20.36	5.575	1902	20.97	2.375	1952	21.68	-3.501
1803	19.68	+1.066	1853	20.37	4.893	1903	20.98	4.245	1953	21.70	-4.886
1804	19.69	+1.697	1854	20.38	2.313	1904	20.99	5.239	1954	21.71	-5.894
1805	19.70	-1.451	1855	20.40	-2.573	1905	21.00	6.231	1955	21.72	-6.774
1806	19.71	+1.707	1856	20.41	-5.029	1906	21.02	6.723	1956	21.73	-8.404
1807	19.72	-0.837	1857	20.42	+7.333	1907	21.03	7.091	1957	21.74	-8.657
1808	19.73	-1.092	1858	20.43	-3.966	1908	21.05	7.062	1958	21.75	-7.790
1809	19.74	-0.471	1859	20.44	-9.220	1909	21.06	6.827	1959	21.76	-7.170
1810	19.76	1.014	1860	20.45	-8.975	1910	21.08	6.190	1960	21.78	-5.928
1811	19.77	0.509	1861	20.46	-7.105	1911	21.09	6.184	1961	21.79	-3.811
1812	19.78	-0.745	1862	20.47	-6.232	1912	21.10	5.803	1962	21.80	-1.818
1813	19.79	+1.124	1863	20.49	-2.116	1913	21.11	4.922	1963	21.82	-0.700
1814	19.80	-2.007	1864	20.49	-0.620	1914	21.12	3.667	1964	21.83	1.542
1815	19.81	-2.385	1865	20.50	1.072	1915	21.14	0.765	1965	21.84	2.412
1816	19.82	+2.389	1866	20.51	2.868	1916	21.16	-2.104	1966	21.85	2.907
1817	19.83	-1.768	1867	20.52	1.939	1917	21.18	-2.112	1967	21.86	2.653
1818	19.84	-0.528	1868	20.53	1.985	1918	21.20	-3.872	1968	21.87	2.649
1819	19.85	0.717	1869	20.54	0.720	1919	21.21	-4.128	1969	21.88	1.092
1820	19.87	1.960	1870	20.55	0.347	1920	21.22	-5.636	1970	21.89	3.135
1821	19.88	2.827	1871	20.56	0.344	1921	21.24	-5.664	1971	21.91	3.752
1822	19.90	3.694	1872	20.57	1.589	1922	21.26	-5.652	1972	21.92	4.747
1823	19.91	3.686	1873	20.59	3.633	1923	21.27	-4.784	1973	21.93	4.741
1824	19.93	4.179	1874	20.59	4.451	1924	21.28	-3.166	1974	21.94	4.736
1825	19.94	4.173	1875	20.60	4.197	1925	21.29	-2.297	1975	21.95	4.105
1826	19.96	4.914	1876	20.62	2.312	1926	21.30	-1.303	1976	21.96	3.474
1827	19.97	5.406	1877	20.64	0.676	1927	21.31	+1.057	1977	21.97	3.472
1828	19.98	5.402	1878	20.65	0.418	1928	21.32	-1.564	1978	21.99	4.085
1829	19.99	4.898	1879	20.66	0.415	1929	21.33	-1.317	1979	22.01	3.201
1830	20.00	3.268	1880	20.67	0.160	1930	21.34	-2.824	1980	22.02	2.195
1831	20.01	1.762	1881	20.68	-0.469	1931	21.35	-3.454	1981	22.03	1.937
1832	20.03	-0.749	1882	20.70	-0.231	1932	21.36	-3.457	1982	22.05	-0.073
1833	20.06	+4.640	1883	20.71	1.010	1933	21.37	-3.210	1983	22.06	-1.205
1834	20.07	-6.523	1884	20.72	1.256	1934	21.38	-2.345	1984	22.08	-3.463
1835	20.09	+7.907	1885	20.73	1.253	1935	21.39	+0.474	1985	22.09	-4.345
1836	20.10	-9.039	1886	20.74	1.870	1936	21.40	1.395	1986	22.10	-4.100
1837	20.11	+9.417	1887	20.76	0.610	1937	21.41	4.639	1987	22.11	-5.730
1838	20.12	+9.049	1888	20.77	1.353	1938	21.43	8.753	1988	22.12	-4.860
1839	20.13	-8.179	1889	20.79	1.593	1939	21.44	8.749	1989	22.13	-5.492
1840	20.14	-6.935	1890	20.80	1.589	1940	21.45	9.371	1990	22.14	-3.623
1841	20.16	-4.443	1891	20.81	1.210	1941	21.46	8.740	1991	22.16	-3.004
1842	20.17	-2.950	1892	20.82	1.206	1942	21.48	7.856	1992	22.17	-1.512
1843	20.18	-0.705	1893	20.83	-1.178	1943	21.49	6.883	1993	22.19	-0.270
1844	20.20	+0.966	1894	20.84	-3.059	1944	21.51	5.336	1994	22.20	1.722
1845	20.22	0.197	1895	20.85	-4.439	1945	21.53	4.076	1995	22.21	2.987
1846	20.25	1.755	1896	20.87	-4.200	1946	21.56	1.811	1996	22.22	4.835
1847	20.26	3.118	1897	20.88	-3.954	1947	21.57	0.929	1997	22.24	4.952
1848	20.31	4.602	1898	20.89	-3.332	1948	21.59	0.796	1998	22.25	4.570
1849	20.32	4.972	1899	20.91	-2.095	1949	21.61	-0.339	1999	22.27	3.559
1850	20.33	4.965	1900	20.93	-0.228	1950	21.63	-1.601	2000	22.30	1.794

INDEX NO. 787 206-GR-18 OMIGAWA BRIDGE LG. MAX.ACCEL.= 40.310(GAL) T= 3.79(SEC) NO.11

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2001	22.31	1.163	2051	22.86	-4.255	2101	23.58	-3.387	2151	24.45	6.540
2002	22.33	0.153	2052	22.88	-4.263	2102	23.59	-5.518	2152	24.46	6.534
2003	22.34	-1.106	2053	22.89	-3.696	2103	23.61	-7.902	2153	24.47	6.276
2004	22.35	-1.736	2054	22.90	-3.901	2104	23.63	-8.160	2154	24.48	5.645
2005	22.37	-4.870	2055	22.91	-3.906	2105	23.65	-9.673	2155	24.50	4.013
2006	22.38	-5.875	2056	22.92	-3.663	2106	23.68	-8.810	2156	24.51	1.880
2007	22.39	-5.878	2057	22.94	-2.674	2107	23.70	-7.946	2157	24.53	-0.130
2008	22.40	-5.884	2058	22.96	-1.608	2108	23.72	-5.706	2158	24.55	-1.637
2009	22.41	-6.264	2059	22.97	-1.440	2109	23.74	-5.091	2159	24.56	-3.146
2010	22.42	-5.397	2060	22.99	-0.198	2110	23.76	-2.230	2160	24.58	-4.405
2011	22.43	-4.776	2061	23.00	1.044	2111	23.81	1.123	2161	24.60	-5.164
2012	22.44	-4.658	2062	23.01	0.789	2112	23.83	1.235	2162	24.61	-5.796
2013	22.45	-5.037	2063	23.02	0.411	2113	23.86	1.845	2163	24.62	-6.801
2014	22.46	-5.293	2064	23.03	-0.221	2114	23.89	1.457	2164	24.63	-6.808
2015	22.47	-4.797	2065	23.04	-1.476	2115	23.92	1.439	2165	24.65	-5.940
2016	22.48	-4.428	2066	23.05	-2.106	2116	23.94	2.053	2166	24.67	-3.700
2017	22.49	-3.183	2067	23.06	-2.737	2117	23.95	2.673	2167	24.68	-1.583
2018	22.50	+3.187	2068	23.07	-3.994	2118	23.97	2.165	2168	24.70	2.031
2019	22.51	-2.570	2069	23.09	-2.751	2119	24.00	0.151	2169	24.72	2.645
2020	22.52	-1.950	2070	23.10	-2.759	2120	24.01	-0.981	2170	24.73	3.264
2021	22.53	-1.953	2071	23.12	-1.894	2121	24.02	-1.988	2171	24.75	5.128
2022	22.54	-1.958	2072	23.14	-2.155	2122	24.03	+1.367	2172	24.77	5.495
2023	22.55	-2.590	2073	23.17	-1.543	2123	24.04	-1.373	2173	24.79	4.487
2024	22.56	-3.222	2074	23.19	-2.179	2124	24.05	+2.627	2174	24.80	3.229
2025	22.57	+2.977	2075	23.21	+2.188	2125	24.06	+2.880	2175	24.82	3.220
2026	22.59	+2.359	2076	23.23	-1.579	2126	24.07	+3.264	2176	24.83	2.590
2027	22.61	0.754	2077	23.26	-1.843	2127	24.08	+3.267	2177	24.84	0.331
2028	22.62	1.748	2078	23.28	+2.478	2128	24.09	+2.274	2178	24.85	0.453
2029	22.63	2.742	2079	23.30	-2.612	2129	24.11	-1.657	2179	24.86	-1.180
2030	22.64	3.360	2080	23.31	-2.669	2130	24.12	1.331	2180	24.87	-0.805
2031	22.66	3.728	2081	23.32	-2.675	2131	24.14	1.951	2181	24.88	-2.190
2032	22.67	4.972	2082	23.34	-2.632	2132	24.15	2.569	2182	24.91	-1.202
2033	22.68	4.715	2083	23.36	0.480	2133	24.16	2.563	2183	24.93	-0.965
2034	22.69	4.711	2084	23.38	2.968	2134	24.18	1.678	2184	24.97	-1.858
2035	22.70	4.956	2085	23.40	5.457	2135	24.20	0.796	2185	24.99	-1.620
2036	22.71	5.700	2086	23.41	6.452	2136	24.21	+1.461	2186	25.01	-1.505
2037	22.72	5.070	2087	23.42	7.074	2137	24.22	+3.341	2187	25.02	-1.280
2038	22.73	5.084	2088	23.43	7.319	2138	24.23	+3.347	2188	25.03	-2.515
2039	22.74	1.869	2089	23.44	7.063	2139	24.25	+4.232	2189	25.05	-2.276
2040	22.75	0.928	2090	23.45	6.184	2140	24.26	-4.239	2190	25.06	+2.280
2041	22.76	0.925	2091	23.46	5.178	2141	24.28	-4.625	2191	25.08	-1.041
2042	22.77	0.542	2092	23.47	4.170	2142	24.30	-4.382	2192	25.09	0.579
2043	22.78	0.288	2093	23.48	4.540	2143	24.31	-4.013	2193	25.10	3.320
2044	22.79	0.532	2094	23.49	4.534	2144	24.32	+6.019	2194	25.12	6.165
2045	22.80	-0.350	2095	23.50	4.279	2145	24.34	-1.279	2195	25.14	7.802
2046	22.81	-0.729	2096	23.51	4.274	2146	24.36	1.208	2196	25.15	8.796
2047	22.82	-1.936	2097	23.52	3.693	2147	24.38	3.699	2197	25.16	9.166
2048	22.83	-2.866	2098	23.54	3.263	2148	24.40	5.317	2198	25.17	9.409
2049	22.84	-4.120	2099	23.55	2.630	2149	24.41	6.308	2199	25.18	9.656
2050	22.85	-6.750	2100	23.56	-0.125	2150	24.43	6.176	2200	25.19	8.775

INDEX NO. 767 206-GR-18 ONIGAWA BRIDGE LG. MAX.ACCEL.= 40.310(GAL) T= 3.79(SEC) NO.12

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2201	25.20	7.519	2251	25.94	3.257	2301	26.72	4.474	2351	27.46	-1.034
2202	25.21	6.261	2252	25.99	1.355	2302	26.73	3.467	2352	27.47	0.210
2203	25.23	4.379	2253	26.01	-0.531	2303	26.75	3.207	2353	27.48	1.454
2204	25.25	1.369	2254	26.04	-1.794	2304	26.77	1.570	2354	27.49	3.071
2205	25.26	0.490	2255	26.06	-3.058	2305	26.80	0.057	2355	27.51	2.191
2206	25.27	-1.018	2256	26.07	-3.063	2306	26.82	-1.951	2356	27.52	1.809
2207	25.28	-0.772	2257	26.03	-2.193	2307	26.83	-2.208	2357	27.53	1.180
2208	25.29	-2.905	2258	26.09	-1.624	2308	26.84	-3.088	2358	27.54	1.175
2209	25.31	-4.791	2259	26.11	-0.955	2309	26.85	-2.595	2359	27.55	1.168
2210	25.32	-6.421	2260	26.12	0.040	2310	26.87	-1.603	2360	27.56	1.163
2211	25.34	-7.554	2261	26.13	-0.840	2311	26.89	0.260	2361	27.57	1.409
2212	25.35	-7.610	2262	26.14	-1.224	2312	26.90	0.503	2362	27.58	1.530
2213	25.36	-7.190	2263	26.16	-1.234	2313	26.92	1.492	2363	27.59	1.398
2214	25.37	-7.194	2264	26.19	-2.249	2314	26.94	1.484	2364	27.60	1.145
2215	25.39	-3.832	2265	26.21	-1.965	2315	26.95	1.477	2365	27.61	1.764
2216	25.40	-2.036	2266	26.23	-2.142	2316	26.97	0.845	2366	27.62	1.506
2217	25.41	-0.592	2267	26.25	-3.031	2317	26.98	-0.160	2367	27.63	1.126
2218	25.42	0.277	2268	26.26	0.215	2318	26.99	-1.041	2368	27.64	0.871
2219	25.43	0.274	2269	26.27	-0.293	2319	27.00	-2.922	2369	27.65	-0.135
2220	25.44	1.691	2270	26.29	-0.674	2320	27.01	-4.178	2370	27.67	-0.768
2221	25.46	1.882	2271	26.30	-1.556	2321	27.02	-5.685	2371	27.69	-1.152
2222	25.48	3.123	2272	26.31	-1.062	2322	27.04	-6.692	2372	27.70	-2.282
2223	25.49	3.491	2273	26.33	0.553	2323	27.05	-5.823	2373	27.71	-2.665
2224	25.50	4.359	2274	26.35	1.791	2324	27.06	-5.206	2374	27.74	-2.056
2225	25.51	4.480	2275	26.37	3.909	2325	27.08	-5.091	2375	27.78	-0.447
2226	25.52	5.348	2276	26.38	4.278	2326	27.10	-3.852	2376	27.80	-0.207
2227	25.54	6.338	2277	26.39	3.646	2327	27.13	-2.365	2377	27.81	-0.837
2228	25.56	6.580	2278	26.42	0.842	2328	27.16	1.622	2378	27.83	-0.223
2229	25.57	6.577	2279	26.43	0.581	2329	27.17	3.615	2379	27.84	1.020
2230	25.59	5.066	2280	26.45	-1.386	2330	27.18	5.108	2380	27.86	1.385
2231	25.60	3.185	2281	26.47	-3.518	2331	27.19	5.980	2381	27.88	2.001
2232	25.62	0.924	2282	26.48	-4.777	2332	27.21	5.719	2382	27.90	2.491
2233	25.63	-0.582	2283	26.50	-5.408	2333	27.22	4.462	23.3	27.91	1.988
2234	25.64	-1.839	2284	26.51	-4.915	2334	27.24	3.205	2384	27.92	2.230
2235	25.66	-3.848	2285	26.52	-4.922	2335	27.25	1.697	2385	27.93	1.350
2236	25.68	-4.732	2286	26.53	-4.552	2336	27.26	0.692	2386	27.95	0.340
2237	25.69	-5.365	2287	26.54	-3.684	2337	27.27	0.061	2387	27.96	0.583
2238	25.70	-5.121	2288	26.56	-3.940	2338	27.28	-1.195	2388	27.98	0.573
2239	25.71	-5.000	2289	26.57	-3.322	2339	27.31	-0.956	2389	27.99	0.942
2240	25.73	-3.509	2290	26.59	-2.456	2340	27.32	-1.216			
2241	25.75	-0.393	2291	26.61	-0.217	2341	27.33	-0.970			
2242	25.77	3.344	2292	26.62	1.651	2342	27.34	-1.851			
2243	25.79	5.586	2293	26.63	3.521	2343	27.36	-2.233			
2244	25.80	6.330	2294	26.64	5.640	2344	27.37	-2.739			
2245	25.81	6.947	2295	26.65	5.638	2345	27.38	-2.870			
2246	25.83	5.437	2296	26.66	6.631	2346	27.40	-1.879			
2247	25.85	5.429	2297	26.67	6.377	2347	27.41	-1.635			
2248	25.86	5.796	2298	26.68	6.371	2348	27.42	-1.516			
2249	25.88	4.910	2299	26.69	5.117	2349	27.44	-2.273			
2250	25.90	3.527	2300	26.70	4.736	2350	27.45	-1.654			

Table IX D-14 Digitized Accelerations of Earthquake Record with Index Number 788

INDEX NO. 788 1302-GR-15 CHIYODA BRIDGE LG. MAX.ACCEL.= 51.578(GAL) T=21.47(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.01	-7.093	51	0.62	-7.310	101	1.24	-7.522	151	2.10	-5.356
2	0.02	-7.342	52	0.63	-8.560	102	1.25	-7.521	152	2.11	-5.981
3	0.03	-7.592	53	0.65	-7.684	103	1.26	-7.271	153	2.12	-6.605
4	0.04	-7.966	54	0.67	-6.683	104	1.27	-7.270	154	2.13	-7.604
5	0.05	-7.715	55	0.68	-6.683	105	1.29	-7.019	155	2.14	-7.604
6	0.07	-7.089	56	0.69	-6.682	106	1.42	-7.018	156	2.16	-6.977
7	0.09	-6.713	57	0.70	-6.306	107	1.46	-6.391	157	2.17	-6.352
8	0.10	-6.713	58	0.72	-6.930	108	1.48	-6.639	158	2.19	-5.351
9	0.11	-6.462	59	0.73	-7.305	109	1.50	-6.389	159	2.21	-5.600
10	0.12	-6.462	60	0.74	-7.304	110	1.51	-6.263	160	2.22	-5.599
11	0.14	-6.711	61	0.76	-7.053	111	1.53	-7.262	161	2.23	-6.224
12	0.15	-6.710	62	0.77	-7.053	112	1.54	-7.886	162	2.24	-6.223
13	0.16	-6.709	63	0.78	-7.052	113	1.55	-7.261	163	2.26	-6.598
14	0.17	-7.334	64	0.80	-7.051	114	1.56	-6.635	164	2.27	-5.722
15	0.18	-7.083	65	0.81	-7.301	115	1.59	-4.133	165	2.28	-5.346
16	0.19	-6.708	66	0.82	-7.300	116	1.60	-3.883	166	2.31	-2.220
17	0.20	-6.457	67	0.83	-7.050	117	1.61	-3.258	167	2.32	-2.719
18	0.21	-6.082	68	0.84	-6.674	118	1.62	-3.632	168	2.33	-2.969
19	0.23	-5.831	69	0.87	-6.423	119	1.64	-5.881	169	2.34	-4.218
20	0.24	-5.705	70	0.89	-5.797	120	1.66	-6.505	170	2.35	-5.468
21	0.25	-5.705	71	0.91	-5.670	121	1.67	-6.754	171	2.36	-6.717
22	0.26	-5.704	72	0.92	-5.420	122	1.68	-6.379	172	2.37	-6.842
23	0.27	-6.704	73	0.93	-5.669	123	1.70	-5.753	173	2.38	-7.841
24	0.29	-6.953	74	0.94	-5.668	124	1.72	-5.002	174	2.39	-7.215
25	0.30	-7.702	75	0.95	-5.668	125	1.74	-4.126	175	2.40	-6.340
26	0.32	-7.576	76	0.96	-6.043	126	1.75	-4.375	176	2.41	-5.965
27	0.33	-7.326	77	0.97	-6.917	127	1.76	-4.999	177	2.42	-5.339
28	0.34	-7.075	78	0.98	-6.917	128	1.78	-5.623	178	2.43	-5.338
29	0.36	-6.699	79	0.99	-7.291	129	1.79	-5.997	179	2.45	-5.338
30	0.37	-6.698	80	1.00	-7.290	130	1.80	-5.997	180	2.47	-5.961
31	0.38	-6.698	81	1.02	-6.665	131	1.82	-5.621	181	2.49	-6.211
32	0.40	-6.697	82	1.04	-5.789	132	1.84	-5.370	182	2.50	-5.960
33	0.41	-6.447	83	1.05	-5.663	133	1.85	-5.119	183	2.51	-5.584
34	0.42	-6.446	84	1.06	-6.288	134	1.86	-5.619	184	2.53	-5.083
35	0.43	-6.820	85	1.08	-7.538	135	1.87	-5.994	185	2.55	-5.082
36	0.44	-6.695	86	1.09	-7.911	136	1.89	-6.492	186	2.56	-5.331
37	0.45	-6.695	87	1.10	-7.660	137	1.90	-6.492	187	2.58	-5.081
38	0.46	-6.694	88	1.14	-6.908	138	1.91	-6.241	188	2.60	-5.580
39	0.47	-6.068	89	1.15	-6.783	139	1.95	-6.364	189	2.61	-5.579
40	0.49	-6.317	90	1.16	-6.282	140	1.96	-5.739	190	2.63	-5.953
41	0.50	-6.692	91	1.18	-6.781	141	1.97	-5.363	191	2.65	-5.952
42	0.51	-7.316	92	1.19	-7.780	142	1.98	-5.112	192	2.66	-5.701
43	0.52	-7.566	93	1.20	-8.405	143	1.99	-5.612	193	2.67	-5.326
44	0.53	-7.315	94	1.21	-8.279	144	2.01	-6.986	194	2.68	-5.325
45	0.54	-6.689	95	1.22	-7.654	145	2.02	-7.860	195	2.69	-4.700
46	0.56	-6.064	96	1.26	-6.027	146	2.03	-8.235	196	2.70	-4.949
47	0.57	-5.813	97	1.27	-5.401	147	2.05	-7.859	197	2.71	-4.949
48	0.58	-5.688	98	1.29	-5.025	148	2.06	-6.983	198	2.73	-6.323
49	0.59	-5.687	99	1.30	-5.649	149	2.08	-5.982	199	2.74	-7.197
50	0.60	-6.062	100	1.32	-6.273	150	2.09	-5.732	200	2.75	-7.196

INDEX NO. 788 1302-GR-15 CHIYODA BRIDGE LG. MAX.ACCEL.= 51.578(GAL) T=21.47(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	2.76	-7.196	251	3.42	-6.535	301	4.22	-9.617	351	5.04	-7.075
202	2.77	-6.321	252	3.43	-4.032	302	4.23	-11.242	352	5.08	-4.323
203	2.78	-5.695	253	3.50	-2.781	303	4.25	-12.666	353	5.09	-4.197
204	2.79	-5.319	254	3.51	-2.780	304	4.26	-9.740	354	5.10	-5.696
205	2.80	-5.069	255	3.52	-3.030	305	4.30	-2.488	355	5.12	-9.945
206	2.81	-5.068	256	3.54	-4.029	306	4.31	-0.988	356	5.13	-11.195
207	2.82	-5.193	257	3.55	-5.528	307	4.32	0.263	357	5.14	-12.694
208	2.84	-6.067	258	3.57	-6.777	308	4.33	-2.986	358	5.16	-13.193
209	2.86	-7.315	259	3.58	-8.027	309	4.35	-6.985	359	5.17	-12.818
210	2.87	-7.190	260	3.59	-8.401	310	4.36	-7.985	360	5.18	-11.567
211	2.88	-6.940	261	3.60	-8.150	311	4.37	-8.484	361	5.21	-8.065
212	2.90	-5.314	262	3.62	-7.150	312	4.38	-8.984	362	5.22	-6.190
213	2.91	-3.813	263	3.63	-6.899	313	4.40	-7.108	363	5.24	-4.064
214	2.92	-3.187	264	3.64	-5.898	314	4.42	-6.232	364	5.25	-4.438
215	2.94	-2.812	265	3.65	-5.646	315	4.43	-6.231	365	5.26	-5.312
216	2.95	-2.811	266	3.67	-5.272	316	4.45	-6.230	366	5.28	-7.186
217	2.96	-2.810	267	3.69	-5.271	317	4.47	-6.729	367	5.30	-9.935
218	2.98	-3.059	268	3.70	-5.270	318	4.51	-6.852	368	5.31	-11.060
219	2.99	-3.434	269	3.71	-5.269	319	4.54	-7.101	369	5.32	-11.059
220	3.00	-3.808	270	3.72	-5.269	320	4.56	-7.974	370	5.33	-10.933
221	3.01	-4.683	271	3.74	-5.893	321	4.60	-8.973	371	5.34	-10.308
222	3.02	-6.307	272	3.75	-5.892	322	4.61	-10.472	372	5.36	-8.932
223	3.03	-6.931	273	3.76	-5.642	323	4.63	-10.846	373	5.39	-4.555
224	3.04	-6.306	274	3.79	-5.015	324	4.64	-10.596	374	5.41	-3.054
225	3.06	-5.930	275	3.80	-5.014	325	4.65	-9.970	375	5.43	-1.928
226	3.07	-5.305	276	3.82	-5.264	326	4.68	-6.468	376	5.44	-2.178
227	3.08	-5.304	277	3.83	-5.013	327	4.69	-5.843	377	5.45	-2.802
228	3.09	-5.553	278	3.85	-4.637	328	4.70	-5.967	378	5.48	-5.050
229	3.11	-6.302	279	3.86	-4.636	329	4.71	-6.342	379	5.50	-7.549
230	3.12	-6.801	280	3.88	-4.885	330	4.72	-8.216	380	5.52	-10.048
231	3.13	-6.301	281	3.90	-5.259	331	4.74	-9.590	381	5.53	-8.297
232	3.14	-5.675	282	3.91	-5.508	332	4.76	-10.464	382	5.56	-4.921
233	3.16	-4.925	283	3.93	-5.257	333	4.77	-10.839	383	5.57	-3.170
234	3.17	-5.049	284	3.94	-5.257	334	4.79	-11.463	384	5.58	-3.794
235	3.18	-5.548	285	3.96	-4.381	335	4.80	-11.712	385	5.61	-5.293
236	3.21	-8.171	286	3.97	-4.380	336	4.81	-11.837	386	5.65	-6.916
237	3.22	-9.421	287	3.99	-3.754	337	4.82	-11.461	387	5.67	-7.290
238	3.23	-9.046	288	4.01	-3.128	338	4.84	-10.585	388	5.68	-7.539
239	3.24	-8.170	289	4.02	-2.753	339	4.86	-8.959	389	5.69	-8.164
240	3.26	-4.044	290	4.03	-2.[illegible]2	340	4.88	-5.208	390	5.70	-10.538
241	3.27	-2.794	291	4.04	-2.752	341	4.89	-3.957	391	5.71	-10.787
242	3.28	-2.168	292	4.06	-3.626	342	4.91	-3.707	392	5.72	-10.787
243	3.29	-1.042	293	4.09	-5.624	343	4.92	-3.331	393	5.74	-9.911
244	3.30	-1.667	294	4.10	-6.748	344	4.94	-3.580	394	5.76	-8.285
245	3.31	-2.666	295	4.11	-7.123	345	4.95	-4.329	395	5.77	-7.659
246	3.33	-3.665	296	4.12	-6.497	346	4.98	-6.078	396	5.80	-6.408
247	3.36	-6.788	297	4.15	-4.621	347	4.99	-8.077	397	5.81	-6.407
248	3.37	-8.938	298	4.19	-2.494	348	5.00	-8.327	398	5.82	-5.781
249	3.39	-8.412	299	4.20	-2.618	349	5.01	-8.701	399	5.84	-4.531
250	3.40	-7.786	300	4.21	-6.993	350	5.02	-7.701	400	5.87	-2.404

INDEX NO. 788 1302-GR-15 CHIYODA BRIDGE LG. MAX.ACCEL.= 51.578(GAL) T=21.47(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	5.88	-1.778	451	6.70	-4.608	501	7.52	-3.815	551	8.43	-2.515
402	5.89	-2.152	452	6.72	-5.607	502	7.53	-2.939	552	8.44	-1.764
403	5.90	-3.152	453	6.73	-6.482	503	7.55	-2.563	553	8.46	-1.763
404	5.92	-5.276	454	6.74	-6.106	504	7.57	-2.937	554	8.48	-2.637
405	5.93	-5.901	455	6.75	-10.105	505	7.58	-4.186	555	8.50	-2.386
406	5.94	-6.775	456	6.76	-10.480	506	7.59	-5.436	556	8.54	-4.009
407	5.95	-5.524	457	6.77	-11.479	507	7.60	-6.935	557	8.55	-4.883
408	5.98	-1.773	458	6.78	-11.229	508	7.62	-10.309	558	8.56	-7.133
409	5.99	-1.022	459	6.80	-6.977	509	7.64	-15.058	559	8.58	-14.631
410	6.00	-1.896	460	6.83	-2.851	510	7.65	-16.807	560	8.59	-15.506
411	6.01	-4.021	461	6.84	-1.226	511	7.66	-14.557	561	8.61	-14.505
412	6.05	-13.519	462	6.85	-0.975	512	7.71	-4.429	562	8.65	-7.128
413	6.06	-9.268	463	6.86	-1.225	513	7.72	-3.804	563	8.67	-8.127
414	6.07	-4.518	464	6.87	-3.099	514	7.74	-3.802	564	8.70	-14.750
415	6.08	-3.017	465	6.90	-9.722	515	7.75	-3.427	565	8.71	-16.750
416	6.09	-3.391	466	6.91	-10.721	516	7.78	-5.051	566	8.73	-11.748
417	6.11	-5.640	467	6.93	-11.345	517	7.80	-5.050	567	8.75	-3.372
418	6.12	-8.139	468	6.94	-11.345	518	7.81	-5.049	568	8.76	-1.122
419	6.13	-10.139	469	6.95	-10.094	519	7.82	-5.673	569	8.77	0.379
420	6.15	-11.513	470	6.97	-10.093	520	7.84	-7.547	570	8.78	0.129
421	6.16	-10.263	471	6.99	-8.217	521	7.85	-8.547	571	8.79	-2.120
422	6.18	-7.387	472	7.00	-7.592	522	7.86	-9.172	572	8.81	-10.369
423	6.20	-6.011	473	7.01	-7.341	523	7.88	-8.171	573	8.82	-13.493
424	6.21	-7.260	474	7.03	-8.215	524	7.91	-6.294	574	8.84	-13.617
425	6.22	-9.884	475	7.05	-9.464	525	7.92	-6.168	575	8.85	-12.366
426	6.24	-8.883	476	7.06	-9.463	526	7.97	-7.166	576	8.87	-5.991
427	6.27	-7.257	477	7.08	-7.963	527	8.00	-8.664	577	8.88	-1.115
428	6.29	-6.256	478	7.11	-5.461	528	8.02	-11.287	578	8.90	1.136
429	6.30	-7.505	479	7.12	-4.835	529	8.03	-12.287	579	8.92	-1.738
430	6.33	-10.128	480	7.13	-6.210	530	8.04	-11.912	580	8.93	-4.862
431	6.34	-10.503	481	7.15	-6.584	531	8.07	-9.410	581	8.94	-6.112
432	6.39	-3.250	482	7.19	-10.457	532	8.08	-7.909	582	8.95	-6.236
433	6.40	-2.750	483	7.20	-11.831	533	8.10	-6.534	583	8.97	-5.985
434	6.41	-3.749	484	7.22	-10.580	534	8.11	-7.408	584	9.00	-4.984
435	6.43	-4.998	485	7.25	-6.328	535	8.13	-9.407	585	9.01	-6.232
436	6.44	-6.247	486	7.27	-4.827	536	8.15	-8.156	586	9.03	-8.106
437	6.47	-9.120	487	7.28	-4.702	537	8.16	-5.655	587	9.04	-8.106
438	6.49	-9.245	488	7.30	-5.576	538	8.18	-3.529	588	9.06	-7.480
439	6.50	-8.869	489	7.31	-7.451	539	8.19	-5.403	589	9.08	-6.229
440	6.52	-8.243	490	7.32	-9.450	540	8.23	-12.526	590	9.09	-5.978
441	6.55	-5.117	491	7.33	-11.074	541	8.24	-13.150	591	9.11	-7.227
442	6.56	-3.741	492	7.36	-6.073	542	8.26	-10.650	592	9.12	-10.226
443	6.57	-4.740	493	7.38	-4.197	543	8.28	-4.398	593	9.14	-11.851
444	6.60	-7.864	494	7.39	-3.821	544	8.29	-3.523	594	9.15	-11.850
445	6.61	-9.488	495	7.40	-4.195	545	8.30	-3.147	595	9.16	-11.600
446	6.62	-8.862	496	7.42	-5.695	546	8.31	-3.647	596	9.17	-9.974
447	6.64	-6.986	497	7.44	-9.193	547	8.32	-5.521	597	9.21	-4.347
448	6.67	-5.485	498	7.45	-10.693	548	8.36	-12.893	598	9.22	-0.096
449	6.68	-5.109	499	7.46	-10.442	549	8.39	-8.517	599	9.23	1.03?
450	6.69	-4.358	500	7.47	-9.817	550	8.42	-2.890	600	9.24	0.155

INDEX NO. 788 1302-GR-15 CHIYODA BRIDGE LG. MAX.ACCEL.= 51.578(GAL) T=21.47(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	9.28	-2.094	651	10.10	-14.423	701	10.90	2.671	751	11.83	5.297
602	9.30	-11.842	652	10.11	-12.548	702	10.91	0.997	752	11.84	5.623
603	9.31	-14.216	653	10.15	-3.420	703	10.95	-14.501	753	11.85	5.673
604	9.32	-12.341	654	10.17	-0.170	704	10.96	-16.876	754	11.86	4.049
605	9.36	-1.838	655	10.18	1.081	705	10.97	-16.875	755	11.90	-8.949
606	9.37	-0.838	656	10.20	-0.168	706	10.99	-15.374	756	11.92	-6.946
607	9.38	-2.337	657	10.21	-3.292	707	11.00	-12.249	757	11.95	-3.946
608	9.40	-7.336	658	10.22	-4.791	708	11.02	-0.122	758	11.97	-2.945
609	9.41	-9.086	659	10.23	-5.041	709	11.03	3.503	759	11.98	-3.070
610	9.42	-9.960	660	10.25	-4.540	710	11.04	1.004	760	11.99	-4.694
611	9.43	-11.210	661	10.27	-6.164	711	11.09	+10.116	761	12.00	-7.694
612	9.45	-8.709	662	10.29	-2.913	712	11.10	-10.743	762	12.01	-8.818
613	9.47	-5.583	663	10.30	-4.537	713	11.15	2.135	763	12.03	-10.442
614	9.50	-2.206	664	10.31	-5.786	714	11.16	4.136	764	12.04	-11.442
615	9.51	-1.830	665	10.32	-8.036	715	11.17	1.636	765	12.06	-9.815
616	9.52	-1.705	666	10.34	-8.035	716	11.20	-9.863	766	12.08	-8.314
617	9.53	-3.329	667	10.37	-7.784	717	11.21	-11.112	767	12.09	-6.439
618	9.56	-8.578	668	10.39	-8.657	718	11.22	-13.236	768	12.11	-2.063
619	9.57	-10.952	669	10.41	-10.531	719	11.24	-12.110	769	12.12	0.938
620	9.59	-10.951	670	10.42	-12.406	720	11.25	-10.859	770	12.14	1.814
621	9.62	-7.199	671	10.43	-12.405	721	11.26	-10.234	771	12.15	1.690
622	9.65	-4.198	672	10.44	-11.155	722	11.27	-9.859	772	12.17	0.816
623	9.67	-4.822	673	10.46	-7.403	723	11.30	-9.607	773	12.19	-6.183
624	9.69	-7.696	674	10.49	-1.777	724	11.32	-9.856	774	12.23	-15.681
625	9.70	-9.570	675	10.50	0.474	725	11.33	-10.105	775	12.24	-16.805
626	9.71	-10.194	676	10.51	0.599	726	11.34	-9.855	776	12.25	-15.555
627	9.72	-9.944	677	10.53	-2.275	727	11.35	-8.354	777	12.27	-10.304
628	9.73	-9.943	678	10.54	-5.774	728	11.37	-5.478	778	12.30	-1.427
629	9.74	-7.193	679	10.57	-9.022	729	11.38	-3.977	779	12.31	-0.551
630	9.77	0.559	680	10.58	-8.397	730	11.39	-3.602	780	12.32	0.324
631	9.78	1.810	681	10.61	-4.270	731	11.40	-4.476	781	12.33	-1.550
632	9.79	1.560	682	10.63	1.481	732	11.46	-11.973	782	12.36	-10.424
633	9.80	-0.315	683	10.64	2.481	733	11.48	-8.597	783	12.38	-13.173
634	9.84	-11.188	684	10.65	2.857	734	11.50	0.654	784	12.40	-12.547
635	9.85	-12.812	685	10.67	-1.392	735	11.52	4.280	785	12.41	-10.796
636	9.86	-14.187	686	10.69	-5.641	736	11.53	3.406	786	12.43	-6.670
637	9.87	-12.561	687	10.70	-7.265	737	11.56	0.032	787	12.45	-2.294
638	9.90	-4.310	688	10.71	-8.139	738	11.58	-1.592	788	12.46	1.582
639	9.91	-1.809	689	10.72	-8.639	739	11.59	-1.591	789	12.47	2.207
640	9.92	-1.058	690	10.73	-8.388	740	11.60	2.785	790	12.50	2.459
641	9.93	-1.433	691	10.77	-7.136	741	11.62	3.660	791	12.53	3.710
642	9.94	-2.682	692	10.78	-7.386	742	11.63	3.661	792	12.54	4.336
643	9.97	-3.931	693	10.79	-8.635	743	11.65	3.162	793	12.55	5.587
644	9.98	-5.805	694	10.80	-10.760	744	11.66	1.913	794	12.57	6.587
645	10.01	-5.178	695	10.81	-12.134	745	11.67	-0.962	795	12.58	6.963
646	10.03	-5.427	696	10.82	-11.508	746	11.68	-3.461	796	12.59	7.339
647	10.05	-6.676	697	10.83	-9.258	747	11.69	-5.961	797	12.60	6.464
648	10.06	-9.301	698	10.87	2.369	748	11.70	-9.210	798	12.61	5.215
649	10.08	-14.299	699	10.88	3.620	749	11.72	-7.334	799	12.64	0.467
650	10.09	-14.799	700	10.89	3.496	750	11.82	3.671	800	12.68	-5.906

INDEX NO. 788 1302-GR-15 CHIYODA BRIDGE LG. MAX.ACCEL.= 51.578(GAL) T=21.47(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	12.69	-7.281	851	13.59	0.644	901	14.33	7.434	951	15.15	4.104
802	12.72	-6.656	852	13.60	4.145	902	14.34	11.185	952	15.18	2.106
803	12.76	-6.277	853	13.61	5.020	903	14.36	10.561	953	15.19	0.982
804	12.79	-6.650	854	13.62	4.520	904	14.38	6.812	954	15.21	0.733
805	12.82	-7.274	855	13.63	2.271	905	14.39	3.688	955	15.22	2.358
806	12.84	-8.147	856	13.65	1.022	906	14.40	2.189	956	15.26	6.736
807	12.86	-9.396	857	13.66	-0.852	907	14.41	0.939	957	15.27	7.236
808	12.88	-11.020	858	13.67	-2.727	908	14.42	-0.060	958	15.29	6.862
809	12.89	-11.645	859	13.68	-4.601	909	14.46	-0.058	959	15.31	5.613
810	12.91	-11.644	860	13.70	-7.350	910	14.49	0.193	960	15.33	4.364
811	12.95	-2.641	861	13.72	+14.349	911	14.55	-0.554	961	15.34	4.615
812	12.96	-0.266	862	13.73	+15.973	912	14.57	-0.552	962	15.36	5.991
813	12.97	0.485	863	13.75	+15.848	913	14.59	-3.676	963	15.37	6.491
814	12.99	-0.389	864	13.76	+15.847	914	14.61	-6.425	964	15.38	4.367
815	13.01	-4.638	865	13.78	+13.346	915	14.62	-7.299	965	15.43	+13.005
816	13.03	-9.137	866	13.80	-8.845	916	14.63	+8.674	966	15.44	+13.380
817	13.04	-8.511	867	13.81	-7.219	917	14.64	-9.048	967	15.45	+10.879
818	13.08	2.491	868	13.82	-4.093	918	14.65	-8.798	968	15.49	3.623
819	13.09	4.116	869	13.83	-11.343	919	14.67	-5.047	969	15.51	8.374
820	13.10	3.617	870	13.84	2.533	920	14.69	6.079	970	15.52	5.375
821	13.12	0.868	871	13.86	6.659	921	14.70	10.580	971	15.54	0.500
822	13.13	-1.756	872	13.87	7.409	922	14.72	11.206	972	15.55	-6.374
823	13.15	-4.880	873	13.88	2.660	923	14.73	5.957	973	15.57	-8.998
824	13.16	-5.505	874	13.92	+10.963	924	14.75	-6.667	974	15.58	-9.623
825	13.17	-4.004	875	13.93	+11.337	925	14.76	-11.167	975	15.63	9.380
826	13.23	8.674	876	13.94	+9.087	926	14.77	+12.541	976	15.65	6.631
827	13.24	7.999	877	13.96	6.289	927	14.79	-9.415	977	15.66	+11.118
828	13.25	7.125	878	13.99	17.186	928	14.83	8.087	978	15.69	+15.367
829	13.26	4.626	879	14.00	16.666	929	14.84	9.713	979	15.70	+19.366
830	13.27	2.126	880	14.01	12.292	930	14.86	7.213	980	15.71	+20.366
831	13.28	0.877	881	14.03	2.168	931	14.87	-0.536	981	15.72	+18.490
832	13.29	-0.123	882	14.04	-2.581	932	14.88	-10.910	982	15.73	+12.614
833	13.31	-0.872	883	14.05	-5.206	933	14.90	+20.659	983	15.74	-7.739
834	13.33	-1.496	884	14.06	-9.330	934	14.91	+21.659	984	15.75	-5.613
835	13.34	-1.745	885	14.07	+11.580	935	14.92	+21.408	985	15.76	-2.738
836	13.35	+3.369	886	14.08	+12.204	936	14.94	-15.407	986	15.78	-3.486
837	13.37	-5.869	887	14.09	+12.829	937	14.96	2.969	987	15.80	-5.985
838	13.40	+15.886	888	14.10	+12.578	938	14.97	5.470	988	15.81	-7.485
839	13.41	+16.761	889	14.11	+11.578	939	14.98	8.346	989	15.82	-5.860
840	13.42	+14.886	890	14.14	+3.451	940	14.99	7.221	990	15.84	-0.484
841	13.43	+10.885	891	14.15	+2.576	941	15.00	3.472	991	15.87	19.768
842	13.47	7.762	892	14.16	-1.950	942	15.01	0.347	992	15.89	22.019
843	13.48	9.888	893	14.17	-2.949	943	15.02	-2.027	993	15.91	19.645
844	13.49	6.513	894	14.18	-5.824	944	15.03	-4.152	994	15.93	11.772
845	13.50	2.014	895	14.22	-20.448	945	15.04	-4.151	995	15.95	7.648
846	13.51	-3.361	896	14.24	+23.570	946	15.07	-3.025	996	15.96	6.648
847	13.54	-11.234	897	14.26	+21.069	947	15.09	1.352	997	15.97	7.774
848	13.55	+13.359	898	14.27	+19.194	948	15.10	2.977	998	16.00	14.650
849	13.56	-12.108	899	14.28	+15.193	949	15.12	4.728	999	16.02	17.901
850	13.58	-3.857	900	14.29	+10.192	950	15.14	4.729	1000	16.03	17.777

INDEX NO. 788 1302-GR-15 CHIYODA BRIDGE LG. MAX.ACCEL.= 51.578(GAL) T=21.47(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	16.04	15.652	1051	16.93	-0.423	1101	17.71	24.995	1151	18.55	11.917
1002	16.05	9.278	1052	16.95	-14.797	1102	17.73	25.121	1152	18.56	6.417
1003	16.06	3.404	1053	16.96	-15.546	1103	17.74	20.122	1153	18.58	4.543
1004	16.08	-2.595	1054	16.97	-11.921	1104	17.76	-2.502	1154	18.59	4.544
1005	16.09	-2.970	1055	16.99	1.455	1105	17.78	-9.751	1155	18.60	4.544
1006	16.11	3.281	1056	17.00	7.206	1106	17.79	-12.625	1156	18.62	5.796
1007	16.13	9.032	1057	17.01	9.206	1107	17.82	-1.124	1157	18.65	7.297
1008	16.14	10.283	1058	17.02	9.207	1108	17.83	3.752	1158	18.67	7.673
1009	16.15	8.534	1059	17.03	5.457	1109	17.85	5.503	1159	18.69	6.175
1010	16.17	-5.715	1060	17.05	-4.041	1110	17.86	4.253	1160	18.71	3.300
1011	16.20	-19.089	1061	17.07	-8.040	1111	17.87	1.379	1161	18.72	0.801
1012	16.21	-21.588	1062	17.08	-6.415	1112	17.89	-3.745	1162	18.74	-1.823
1013	16.22	-19.712	1063	17.10	6.837	1113	17.90	-5.869	1163	18.75	-3.322
1014	16.25	-8.336	1064	17.12	15.463	1114	17.91	-7.119	1164	18.78	-3.321
1015	16.26	-5.835	1065	17.13	15.588	1115	17.93	-9.743	1165	18.79	-3.945
1016	16.27	-4.334	1066	17.14	13.089	1116	17.95	-12.866	1166	18.81	-5.569
1017	16.28	-3.334	1067	17.16	6.340	1117	17.97	-13.490	1167	18.83	-6.818
1018	16.30	-3.333	1068	17.18	-2.534	1118	17.98	-12.615	1168	18.84	-7.942
1019	16.31	-3.582	1069	17.19	-4.409	1119	17.99	-9.489	1169	18.85	-6.067
1020	16.33	-4.206	1070	17.20	-5.658	1120	18.00	-4.488	1170	18.86	-4.691
1021	16.34	-5.581	1071	17.22	-7.157	1121	18.03	6.388	1171	18.88	0.310
1022	16.35	-3.955	1072	17.23	-6.531	1122	18.04	6.389	1172	18.90	17.811
1023	16.37	-2.204	1073	17.24	-8.906	1123	18.07	3.265	1173	18.91	22.437
1024	16.40	-4.078	1074	17.25	-14.155	1124	18.08	2.016	1174	18.92	23.562
1025	16.42	-6.826	1075	17.28	-23.029	1125	18.10	2.017	1175	18.93	24.813
1026	16.43	-5.576	1076	17.29	-23.903	1126	18.11	7.017	1176	18.94	22.313
1027	16.44	-4.200	1077	17.30	-21.403	1127	18.13	21.519	1177	18.96	6.439
1028	16.46	1.426	1078	17.32	-12.776	1128	18.16	36.396	1178	18.98	-2.059
1029	16.49	15.928	1079	17.35	2.101	1129	18.17	37.521	1179	19.00	-3.059
1030	16.50	12.678	1080	17.36	4.226	1130	18.19	32.897	1180	19.02	-2.182
1031	16.52	-0.696	1081	17.37	6.476	1131	18.21	3.273	1181	19.04	-0.931
1032	16.56	-29.193	1082	17.40	-4.022	1132	18.23	-7.101	1182	19.05	-2.056
1033	16.56	-31.568	1083	17.42	-5.021	1133	18.24	-17.109	1183	19.06	-2.680
1034	16.59	-28.067	1084	17.44	-2.270	1134	18.25	-18.725	1184	19.07	-5.004
1035	16.61	-7.441	1085	17.47	6.857	1135	18.27	-15.224	1185	19.09	-8.803
1036	16.63	8.810	1086	17.49	6.483	1136	18.29	-11.223	1186	19.10	-10.053
1037	16.64	12.811	1087	17.50	9.358	1137	18.31	-8.222	1187	19.11	-8.552
1038	16.65	15.186	1088	17.52	9.360	1138	18.32	-7.846	1188	19.12	-6.302
1039	16.67	9.937	1089	17.53	9.861	1139	18.34	-6.970	1189	19.13	-2.551
1040	16.70	-3.436	1090	17.55	11.111	1140	18.36	-6.969	1190	19.15	4.450
1041	16.72	-8.060	1091	17.56	13.612	1141	18.38	-7.882	1191	19.17	8.576
1042	16.76	3.942	1092	17.57	14.612	1142	18.39	-12.592	1192	19.18	10.451
1043	16.77	5.568	1093	17.59	14.614	1143	18.42	-20.466	1193	19.21	8.828
1044	16.78	6.444	1094	17.60	12.114	1144	18.44	-27.839	1194	19.22	7.078
1045	16.80	7.945	1095	17.61	7.665	1145	18.45	-26.339	1195	19.23	5.579
1046	16.83	8.447	1096	17.62	0.866	1146	18.47	-10.838	1196	19.25	4.330
1047	16.84	10.072	1097	17.65	-17.383	1147	18.50	14.164	1197	19.28	5.832
1048	16.85	12.198	1098	17.66	-19.382	1148	18.51	16.165	1198	19.31	8.584
1049	16.89	21.450	1099	17.67	-15.882	1149	18.52	17.540	1199	19.33	9.835
1050	16.90	19.325	1100	17.68	-1.381	1150	18.53	17.541	1200	19.34	9.585

INDEX NO. 788 1302-GR-15 CHIYODA BRIDGE LG. MAX.ACCEL.= 51.578(GAL) T=21.47(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	19.35	6.211	1251	20.10	8.382	1301	21.15	7.560	1351	21.99	-10.143
1202	19.36	2.712	1252	20.19	5.633	1302	21.16	5.311	1352	22.04	-3.890
1203	19.40	-8.786	1253	20.20	4.383	1303	21.17	4.436	1353	22.06	-12.388
1204	19.41	-10.286	1254	20.22	4.009	1304	21.19	3.188	1354	22.09	-27.262
1205	19.42	-7.910	1255	20.25	5.261	1305	21.21	2.814	1355	22.11	-22.011
1206	19.44	1.591	1256	20.26	5.887	1306	21.23	2.439	1356	22.14	-5.885
1207	19.46	10.217	1257	20.28	6.138	1307	21.26	-7.934	1357	22.16	12.867
1208	19.47	10.843	1258	20.30	5.809	1308	21.27	-9.933	1358	22.17	15.742
1209	19.48	9.344	1259	20.32	1.890	1309	21.28	-7.808	1359	22.18	13.243
1210	19.49	3.969	1260	20.34	-2.609	1310	21.30	-0.431	1360	22.19	7.619
1211	19.51	-2.405	1261	20.36	-4.483	1311	21.32	11.570	1361	22.21	4.119
1212	19.53	-1.529	1262	20.37	-5.482	1312	21.34	13.445	1362	22.23	8.496
1213	19.56	1.348	1263	20.38	-5.232	1313	21.35	8.196	1363	22.27	20.748
1214	19.57	2.224	1264	20.40	-3.606	1314	21.36	-1.303	1364	22.28	22.374
1215	19.58	1.974	1265	20.45	1.647	1315	21.39	-16.302	1365	22.30	20.250
1216	19.60	1.975	1266	20.46	2.272	1316	21.40	-17.176	1366	22.31	11.750
1217	19.61	1.351	1267	20.47	2.898	1317	21.41	-12.926	1367	22.32	5.376
1218	19.63	1.602	1268	20.51	2.650	1318	21.43	12.826	1368	22.33	3.502
1219	19.65	1.103	1269	20.55	4.527	1319	21.46	44.828	1369	22.35	2.627
1220	19.66	-2.396	1270	20.58	11.279	1320	21.47	51.578	1370	22.36	1.628
1221	19.67	-6.146	1271	20.60	17.905	1321	21.48	50.329	1371	22.38	0.754
1222	19.71	+14.643	1272	20.61	18.781	1322	21.49	45.704	1372	22.39	0.129
1223	19.72	+156.518	1273	20.63	19.407	1323	21.52	22.206	1373	22.40	-0.620
1224	19.73	+14.267	1274	20.64	17.282	1324	21.54	6.332	1374	22.41	-2.244
1225	19.77	-10.516	1275	20.65	14.158	1325	21.55	-4.417	1375	22.42	-6.619
1226	19.78	+10.390	1276	20.68	-2.966	1326	21.56	-6.042	1376	22.43	-9.243
1227	19.80	+121.014	1277	20.70	+10.215	1327	21.57	-5.166	1377	22.44	-11.743
1228	19.82	+13.265	1278	20.71	+11.464	1328	21.59	-1.415	1378	22.46	-8.366
1229	19.84	+10.512	1279	20.72	-11.213	1329	21.62	5.462	1379	22.50	-2.739
1230	19.85	-7.886	1280	20.75	-8.087	1330	21.63	7.837	1380	22.51	-5.114
1231	19.87	-3.510	1281	20.77	-5.961	1331	21.65	8.463	1381	22.54	-13.862
1232	19.89	0.116	1282	20.79	-5.585	1332	21.66	7.839	1382	22.56	-17.861
1233	19.90	0.742	1283	20.80	-7.084	1333	21.68	3.465	1383	22.57	-14.735
1234	19.92	-0.257	1284	20.82	-8.084	1334	21.69	-2.285	1384	22.58	-9.360
1235	19.95	-1.755	1285	20.84	-9.582	1335	21.72	-26.033	1385	22.62	14.392
1236	19.96	-1.755	1286	20.85	-10.581	1336	21.73	-29.782	1386	22.63	18.018
1237	19.97	0.371	1287	20.88	+11.205	1337	21.74	-32.157	1387	22.64	17.768
1238	20.00	7.998	1288	20.92	-10.578	1338	21.75	-33.406	1388	22.65	13.019
1239	20.01	9.248	1289	20.93	+10.327	1339	21.76	-23.905	1389	22.68	-5.980
1240	20.02	11.124	1290	20.95	-8.076	1340	21.80	4.222	1390	22.70	-20.353
1241	20.03	11.749	1291	20.97	-2.430	1341	21.81	6.472	1391	22.71	-21.228
1242	20.04	9.000	1292	20.98	-1.324	1342	21.82	8.723	1392	22.75	-17.475
1243	20.07	-1.999	1293	20.99	-0.199	1343	21.84	12.224	1393	22.76	-16.974
1244	20.08	-5.498	1294	21.02	-0.072	1344	21.87	18.226	1394	22.79	-23.723
1245	20.09	-5.748	1295	21.04	0.429	1345	21.88	20.476	1395	22.82	-27.971
1246	20.10	-4.247	1296	21.05	1.680	1346	21.90	21.477	1396	22.83	-23.846
1247	20.12	2.004	1297	21.08	14.681	1347	21.91	21.228	1397	22.85	-14.970
1248	20.13	8.380	1298	21.10	17.307	1348	21.92	18.479	1398	22.86	-12.645
1249	20.15	11.506	1299	21.11	18.558	1349	21.94	6.355	1399	22.87	-8.344
1250	20.16	11.256	1300	21.13	15.809	1350	21.98	-9.268	1400	22.88	-5.843

INDEX NO. 788 1302-GR-15 CHIYODA BRIDGE LG; MAX;ACCEL.= 51.578(GAL) T=21.47(SEC) NO. 8

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1401	22.90	-1.467	1451	23.81	12.957	1501	24.79	-5.489	1551	25.66	1.309
1402	22.92	1.784	1452	23.83	16.833	1502	24.80	-14.113	1552	25.68	4.185
1403	22.93	3.660	1453	23.84	17.333	1503	24.81	-15.363	1553	25.69	7.310
1404	22.94	6.160	1454	23.85	14.334	1504	24.82	-10.987	1554	25.70	9.061
1405	22.95	10.661	1455	23.90	-12.663	1505	24.85	2.890	1555	25.71	-1.689
1406	22.96	14.161	1456	23.91	-7.208	1506	24.87	11.391	1556	25.72	-5.188
1407	22.98	14.267	1457	23.95	14.839	1507	24.88	12.641	1557	25.73	-8.687
1408	22.99	11.163	1458	23.96	16.590	1508	24.89	5.267	1558	25.75	-10.937
1409	23.03	-6.835	1459	23.97	12.040	1509	24.92	-15.356	1559	25.76	-11.936
1419	23.04	-7.959	1460	24.00	-3.658	1510	24.93	-18.855	1560	25.78	-10.935
1411	23.06	-3.583	1461	24.02	-12.906	1511	24.94	-20.480	1561	25.80	-8.434
1412	23.08	-0.832	1462	24.03	-16.781	1512	24.96	-16.729	1562	25.83	-1.557
1413	23.09	1.169	1463	24.04	-19.530	1513	24.99	-6.602	1563	25.85	2.944
1414	23.11	2.169	1464	24.06	3.721	1514	25.00	-2.602	1564	25.86	4.195
1415	23.13	0.295	1465	24.09	12.097	1515	25.01	-1.476	1565	25.87	4.445
1416	23.14	-3.704	1466	24.11	12.473	1516	25.04	-4.849	1566	25.89	4.446
1417	23.15	-4.953	1467	24.14	-5.275	1517	25.06	-8.724	1567	25.90	3.946
1418	23.16	-5.328	1468	24.16	-17.024	1518	25.07	-10.098	1568	25.92	1.073
1419	23.16	-1.577	1469	24.17	-15.523	1519	25.08	-5.972	1569	25.94	-1.052
1420	23.22	15.050	1470	24.18	-7.898	1520	25.13	26.406	1570	25.95	-1.051
1421	23.24	18.927	1471	24.23	21.855	1521	25.14	27.906	1571	25.98	-1.674
1422	23.25	14.927	1472	24.24	21.231	1522	25.15	25.157	1572	25.99	-2.298
1423	23.28	-2.447	1473	24.25	15.356	1523	25.16	17.907	1573	26.00	-3.298
1424	23.30	-5.321	1474	24.29	-4.267	1524	25.19	4.909	1574	26.02	-6.422
1425	23.31	-7.445	1475	24.31	-8.691	1525	25.21	-0.840	1575	26.05	-8.795
1426	23.34	13.807	1476	24.32	-5.140	1526	25.22	-1.590	1576	26.06	-6.920
1427	23.36	25.683	1477	24.38	16.238	1527	25.24	2.286	1577	26.09	-0.169
1428	23.37	29.683	1478	24.39	10.364	1528	25.27	14.913	1578	26.09	8.082
1429	23.38	30.959	1479	24.43	-5.894	1529	25.29	16.289	1579	26.11	20.958
1430	23.40	9.665	1480	24.44	-1.363	1530	25.30	11.664	1580	26.13	24.209
1431	23.42	-8.564	1481	24.46	5.993	1531	25.31	1.540	1581	26.15	21.835
1432	23.45	-17.437	1482	24.47	12.369	1532	25.34	-11.208	1582	26.16	17.586
1433	23.46	-17.812	1483	24.48	18.744	1533	25.36	-11.958	1583	26.18	2.462
1434	23.48	-12.811	1484	24.50	22.120	1534	25.38	-6.581	1584	26.20	-2.287
1435	23.50	-3.559	1485	24.51	23.621	1535	25.40	4.420	1585	26.21	-5.411
1436	23.51	-2.059	1486	24.52	19.871	1536	25.41	6.670	1586	26.22	-8.661
1437	23.53	-1.183	1487	24.54	5.247	1537	25.42	8.921	1587	26.24	-9.410
1438	23.54	-2.808	1488	24.55	4.673	1538	25.43	6.796	1588	26.25	-7.534
1439	23.56	-13.805	1489	24.57	7.999	1539	25.44	2.422	1589	26.28	2.988
1440	23.60	-16.179	1490	24.61	18.126	1540	25.47	-25.201	1590	26.30	7.219
1441	23.61	-12.429	1491	24.63	16.752	1541	25.49	-27.201	1591	26.32	7.719
1442	23.63	0.072	1492	24.64	14.378	1542	25.50	-24.325	1592	26.36	8.347
1443	23.66	13.199	1493	24.67	4.879	1543	25.54	1.677	1593	26.38	10.848
1444	23.67	15.825	1494	24.68	4.505	1544	25.55	6.553	1594	26.39	13.598
1445	23.68	15.825	1495	24.70	7.631	1545	25.57	0.554	1595	26.42	17.600
1446	23.69	9.325	1496	24.71	11.757	1546	25.58	-9.945	1596	26.44	18.476
1447	23.73	-1.547	1497	24.73	20.008	1547	25.60	-16.945	1597	26.45	19.102
1448	23.75	-6.546	1498	24.74	20.884	1548	25.61	-22.319	1598	26.48	20.478
1449	23.77	-7.295	1499	24.75	18.134	1549	25.62	-22.568	1599	26.49	20.479
1450	23.78	-3.920	1500	24.76	12.510	1550	25.64	-15.442	1600	26.50	20.730

INDEX NO. 788 1302-GR-15 CHIYODA BRIDGE LG; MAX;ACCEL.= 51.578(GAL) T=21.47(SEC) NO. 9

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1601	26.51	20.730	1651	27.36	-2.848	1701	28.28	-5.048	1751	29.01	-4.508
1602	26.52	20.105	1652	27.37	-3.598	1702	28.30	-5.047	1752	29.03	2.119
1603	26.53	16.731	1653	27.38	-2.847	1703	28.31	-5.297	1753	29.04	3.744
1604	26.55	10.732	1654	27.41	1.779	1704	28.32	-5.046	1754	29.06	4.995
1605	26.56	6.858	1655	27.44	3.655	1705	28.33	-4.420	1755	29.08	2.371
1606	26.57	5.358	1656	27.45	3.906	1706	28.34	-4.669	1756	29.09	-0.253
1607	26.58	4.358	1657	27.49	3.908	1707	28.35	-5.669	1757	29.11	-2.127
1608	26.59	3.110	1658	27.53	4.536	1708	28.37	-6.543	1758	29.12	-3.376
1609	26.62	1.236	1659	27.54	4.286	1709	28.38	-7.542	1759	29.13	-4.001
1610	26.63	-1.638	1660	27.55	3.036	1710	28.39	-5.667	1760	29.15	-4.624
1611	26.64	-4.138	1661	27.56	1.412	1711	28.41	-2.541	1761	29.17	-4.623
1612	26.65	-8.387	1662	27.58	-6.337	1712	28.42	2.460	1762	29.19	-3.498
1613	26.67	-13.367	1663	27.59	-12.336	1713	28.44	7.461	1763	29.20	-1.872
1614	26.68	-19.761	1664	27.60	-14.585	1714	28.45	9.712	1764	29.22	4.754
1615	26.69	-21.010	1665	27.61	-15.960	1715	28.47	10.963	1765	29.25	15.881
1616	26.71	-22.259	1666	27.62	-15.709	1716	28.49	11.338	1766	29.26	19.007
1617	26.77	-25.131	1667	27.63	-13.834	1717	28.50	11.589	1767	29.27	19.757
1618	26.78	-25.755	1668	27.64	-8.833	1718	28.51	11.340	1768	29.28	18.258
1619	26.79	-25.255	1669	27.67	0.419	1719	28.53	10.466	1769	29.29	15.885
1620	26.80	-22.754	1670	27.70	-5.080	1720	28.54	8.842	1770	29.31	10.634
1621	26.84	-5.627	1671	27.71	-9.204	1721	28.56	6.968	1771	29.32	7.635
1622	26.85	-0.877	1672	27.72	-12.329	1722	28.58	4.844	1772	29.33	7.010
1623	26.86	-3.626	1673	27.74	-11.328	1723	28.59	3.469	1773	29.34	5.761
1624	26.91	-18.248	1674	27.75	-6.202	1724	28.63	1.346	1774	29.35	5.511
1625	26.92	-12.248	1675	27.78	2.049	1725	28.67	-0.651	1775	29.38	4.513
1626	26.95	2.879	1676	27.79	1.950	1726	28.68	-1.276	1776	29.39	3.889
1627	26.97	18.880	1677	27.81	-9.576	1727	28.69	-2.775	1777	29.40	2.014
1628	26.98	22.381	1678	27.84	-20.947	1728	28.71	-7.273	1778	29.41	-4.985
1629	26.99	22.756	1679	27.85	-21.446	1729	28.73	-8.898	1779	29.42	-9.485
1630	27.00	19.632	1680	27.86	-15.321	1730	28.74	-9.522	1780	29.44	-12.609
1631	27.02	4.383	1681	27.88	2.680	1731	28.75	-8.896	1781	29.45	-14.108
1632	27.04	-3.491	1682	27.90	24.681	1732	28.77	-8.021	1782	29.46	-15.608
1633	27.05	-6.741	1683	27.92	26.807	1733	28.79	-2.394	1783	29.47	-13.107
1634	27.07	-1.739	1684	27.93	23.433	1734	28.80	-0.519	1784	29.51	1.645
1635	27.09	13.387	1685	27.95	7.934	1735	28.81	0.607	1785	29.52	2.521
1636	27.10	17.637	1686	27.98	4.690	1736	28.82	1.482	1786	29.53	3.521
1637	27.12	22.014	1687	27.99	-5.439	1737	28.84	3.108	1787	29.54	1.646
1638	27.14	22.014	1688	28.01	-1.063	1738	28.85	3.734	1788	29.56	-2.728
1639	27.18	20.766	1689	28.04	18.939	1739	28.86	4.985	1789	29.57	-3.977
1640	27.20	19.893	1690	28.05	20.439	1740	28.88	7.111	1790	29.58	-5.476
1641	27.21	16.768	1691	28.08	18.941	1741	28.89	8.861	1791	29.59	-2.975
1642	27.22	13.019	1692	28.13	14.944	1742	28.90	12.062	1792	29.60	1.275
1643	27.23	10.769	1693	28.14	13.695	1743	28.92	15.238	1793	29.62	9.526
1644	27.24	9.895	1694	28.15	12.695	1744	28.93	14.613	1794	29.65	15.903
1645	27.25	8.895	1695	28.17	3.571	1745	28.94	11.238	1795	29.66	17.779
1646	27.26	3.271	1696	28.19	1.072	1746	28.95	7.614	1796	29.67	17.779
1647	27.30	6.273	1697	28.20	-0.927	1747	28.97	-2.509	1797	29.69	15.905
1648	27.32	5.024	1698	28.21	-2.177	1748	28.98	-5.634	1798	29.70	12.780
1649	27.33	3.525	1699	28.23	-3.801	1749	28.99	-6.508	1799	29.72	4.906
1650	27.35	-1.349	1700	28.25	-4.424	1750	29.00	-7.383	1800	29.73	-3.093

INDEX NO. 788 1302-GR-15 CHIYODA BRIDGE LG. MAX.ACCEL.= 51.578(GAL) T=21.47(SEC) NO.10

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1801	29.74	-5.217	1851	30.67	22.709	1901	31.47	3.503	1951	32.30	10.173
1802	29.76	-6.341	1852	30.68	20.835	1902	31.52	6.631	1952	32.31	9.174
1803	29.77	-2.591	1853	30.71	9.836	1903	31.53	8.006	1953	32.32	9.175
1804	29.78	4.410	1854	30.73	-4.288	1904	31.54	10.257	1954	32.33	8.925
1805	29.81	19.287	1855	30.74	-5.162	1905	31.56	12.133	1955	32.35	9.426
1806	29.82	22.412	1856	30.75	-2.161	1906	31.57	12.133	1956	32.39	11.053
1807	29.83	25.038	1857	30.77	6.090	1907	31.59	7.135	1957	32.40	12.054
1808	29.84	24.788	1858	30.80	6.341	1908	31.60	4.635	1958	32.41	10.804
1809	29.86	22.914	1859	30.81	9.842	1909	31.61	1.385	1959	32.42	7.180
1810	29.87	16.415	1860	30.82	10.643	1910	31.62	-2.363	1960	32.44	-2.319
1811	29.89	13.166	1861	30.83	11.468	1911	31.63	-3.613	1961	32.45	-8.068
1812	29.90	10.666	1862	30.84	11.469	1912	31.65	-1.362	1962	32.47	-10.942
1813	29.91	11.042	1863	30.85	11.219	1913	31.66	4.514	1963	32.48	-11.192
1814	29.93	12.293	1864	30.86	10.219	1914	31.66	10.515	1964	32.49	-9.066
1815	29.95	14.169	1865	30.87	8.095	1915	31.69	12.140	1965	32.50	-6.816
1816	29.97	13.295	1866	30.88	4.970	1916	31.70	14.016	1966	32.54	3.561
1817	29.98	8.671	1867	30.90	-2.403	1917	31.71	14.141	1967	32.58	2.439
1818	30.00	3.922	1868	30.91	-6.153	1918	31.72	12.642	1968	32.60	3.315
1819	30.01	1.797	1869	30.92	-6.777	1919	31.73	10.142	1969	32.63	8.066
1820	30.03	0.548	1870	30.93	-5.901	1920	31.75	5.018	1970	32.64	9.692
1821	30.08	-3.948	1871	30.96	-2.400	1921	31.77	3.395	1971	32.65	10.942
1822	30.11	-5.197	1872	30.98	-1.149	1922	31.79	7.396	1972	32.67	11.569
1823	30.12	-5.571	1873	30.99	-0.898	1923	31.82	16.898	1973	32.70	12.445
1824	30.13	-4.946	1874	31.00	-1.398	1924	31.84	17.023	1974	32.72	14.446
1825	30.16	-2.449	1875	31.01	-3.647	1925	31.85	14.524	1975	32.74	17.572
1826	30.18	-1.568	1876	31.03	-7.771	1926	31.87	2.525	1976	32.76	20.073
1827	30.19	-1.568	1877	31.06	-8.146	1927	31.90	-3.349	1977	32.77	21.074
1828	30.21	-2.067	1878	31.06	-6.269	1928	31.91	-4.973	1978	32.78	20.200
1829	30.22	-3.941	1879	31.09	-1.268	1929	31.92	-2.472	1979	32.81	17.076
1830	30.24	-6.565	1880	31.11	-1.017	1930	31.95	6.654	1980	32.84	12.703
1831	30.26	-6.564	1881	31.12	-3.391	1931	31.96	9.030	1981	32.86	9.204
1832	30.28	-5.438	1882	31.15	-8.765	1932	31.98	9.656	1982	32.87	5.955
1833	30.29	-3.187	1883	31.16	-10.639	1933	31.99	8.406	1983	32.88	4.455
1834	30.31	-1.936	1884	31.17	-8.513	1934	32.01	2.158	1984	32.89	4.081
1835	30.33	-2.435	1885	31.21	-7.614	1935	32.03	-2.716	1985	32.90	6.831
1836	30.36	-3.308	1886	31.22	-9.865	1936	32.05	-4.465	1986	32.94	13.083
1837	30.37	-3.058	1887	31.23	-9.615	1937	32.06	-5.714	1987	32.95	14.334
1838	30.38	-1.557	1888	31.24	-5.616	1938	32.07	-6.714	1988	32.97	13.835
1839	30.43	3.446	1889	31.26	-9.008	1939	32.08	-6.089	1989	32.98	10.960
1840	30.44	3.821	1890	31.27	-15.133	1940	32.11	-5.212	1990	33.00	6.961
1841	30.45	3.197	1891	31.28	-18.882	1941	32.12	-5.211	1991	33.02	4.462
1842	30.47	1.698	1892	31.29	-22.256	1942	32.15	-5.460	1992	33.03	3.839
1843	30.49	1.699	1893	31.31	-25.881	1943	32.16	-5.209	1993	33.04	3.089
1844	30.53	3.201	1894	31.32	-16.380	1944	32.17	-4.584	1994	33.07	2.590
1845	30.54	3.452	1895	31.34	-4.129	1945	32.18	-2.708	1995	33.12	3.093
1846	30.56	1.703	1896	31.36	4.497	1946	32.21	3.543	1996	33.13	2.844
1847	30.58	2.579	1897	31.37	5.748	1947	32.23	14.045	1997	33.14	2.219
1848	30.61	9.831	1698	31.39	4.673	1948	32.25	16.671	1998	33.15	0.970
1849	30.64	21.583	1899	31.42	2.000	1949	32.26	16.421	1999	33.16	-0.029
1850	30.66	24.459	1900	31.43	1.751	1950	32.27	14.797	2000	33.18	-3.153

INDEX NO. 788 1302-GR-15 CHIYODA BRIDGE LG. MAX.ACCEL.= 51.578(GAL) T=21.47(SEC) NO.11

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2001	33.20	-7.652	2051	34.21	-0.596	2101	35.10	5.578	2151	36.23	12.015
2002	33.21	-10.527	2052	34.23	-0.345	2102	35.12	7.454	2152	36.24	11.765
2003	33.22	-9.901	2053	34.24	-0.594	2103	35.14	7.205	2153	36.25	10.266
2004	33.24	-9.275	2054	34.25	-1.844	2104	35.16	5.706	2154	36.27	2.767
2005	33.27	-7.399	2055	34.28	-13.593	2105	35.18	5.707	2155	36.29	0.143
2006	33.28	-6.523	2056	34.30	-24.091	2106	35.19	5.708	2156	36.30	0.019
2007	33.31	-6.521	2057	34.31	-25.715	2107	35.21	8.584	2157	36.31	-0.605
2008	33.32	-6.521	2058	34.33	-27.965	2108	35.25	11.961	2158	36.32	-0.605
2009	33.34	-5.270	2059	34.35	-22.589	2109	35.27	12.962	2159	36.34	1.896
2010	33.39	18.608	2060	34.37	-10.962	2110	35.29	11.713	2160	36.37	5.773
2011	33.40	20.109	2061	34.38	-9.087	2111	35.32	9.465	2161	36.39	4.149
2012	33.42	17.735	2062	34.39	-8.086	2112	35.36	15.467	2162	36.42	2.650
2013	33.43	13.360	2063	34.40	-8.211	2113	35.38	18.718	2163	36.43	2.026
2014	33.44	12.361	2064	34.42	-16.209	2114	35.39	19.344	2164	36.44	5.651
2015	33.45	10.486	2065	34.44	-17.708	2115	35.41	11.220	2165	36.45	12.403
2016	33.46	9.612	2066	34.45	-16.958	2116	35.44	-12.528	2166	36.47	22.529
2017	33.49	14.989	2067	34.47	-17.832	2117	35.47	-18.652	2167	36.49	26.405
2018	33.51	19.240	2068	34.49	-10.581	2118	35.48	-13.026	2168	36.50	23.280
2019	33.53	18.366	2069	34.51	-0.830	2119	35.51	-0.150	2169	36.53	11.032
2020	33.54	16.491	2070	34.52	1.171	2120	35.53	10.476	2170	36.54	4.282
2021	33.58	-3.756	2071	34.55	6.797	2121	35.55	6.478	2171	36.55	1.782
2022	33.59	-10.506	2072	34.59	16.550	2122	35.58	+0.271	2172	36.56	-0.467
2023	33.60	-11.130	2073	34.61	19.301	2123	35.60	3.731	2173	36.61	9.286
2024	33.61	-12.005	2074	34.63	19.302	2124	35.64	22.108	2174	36.63	12.037
2025	33.63	-12.129	2075	34.64	18.677	2125	35.65	23.233	2175	36.64	9.913
2026	33.64	-9.878	2076	34.65	15.928	2126	35.66	20.109	2176	36.66	3.414
2027	33.66	-5.251	2077	34.67	13.054	2127	35.69	10.360	2177	36.68	-1.085
2028	33.68	-4.001	2078	34.68	12.804	2128	35.71	5.236	2178	36.70	-3.334
2029	33.70	-4.000	2079	34.69	13.305	2129	35.72	3.237	2179	36.71	-4.209
2030	33.72	-4.498	2080	34.72	14.307	2130	35.75	12.364	2180	36.72	-3.958
2031	33.77	-5.121	2081	34.73	16.933	2131	35.77	19.990	2181	36.75	-1.206
2032	33.78	-4.870	2082	34.75	16.309	2132	35.78	20.991	2182	36.77	-0.580
2033	33.79	-4.244	2083	34.77	6.935	2133	35.80	15.367	2183	36.78	-1.079
2034	33.84	-2.992	2084	34.79	3.936	2134	35.84	-2.381	2184	36.80	-3.953
2035	33.89	-0.239	2085	34.80	2.686	2135	35.86	-7.880	2185	36.85	-7.451
2036	33.93	-0.487	2086	34.82	2.937	2136	35.88	-5.379	2186	36.86	-8.700
2037	33.98	-0.484	2087	34.84	2.939	2137	35.90	7.497	2187	36.88	-9.449
2038	34.03	0.269	2088	34.87	3.565	2138	35.91	13.873	2188	36.91	-6.948
2039	34.04	0.519	2089	34.88	1.690	2139	35.92	15.123	2189	36.95	-1.320
2040	34.05	4.645	2090	34.90	1.692	2140	35.93	15.439	2190	36.97	1.306
2041	34.08	13.522	2091	34.92	0.318	2141	35.97	13.001	2191	36.99	2.602
2042	34.09	15.397	2092	34.93	-0.681	2142	35.98	11.751	2192	37.00	2.603
2043	34.10	17.398	2093	34.95	0.570	2143	36.01	12.628	2193	37.03	1.434
2044	34.11	17.898	2094	34.97	1.571	2144	36.03	13.629	2194	37.06	-0.814
2045	34.12	16.649	2095	34.99	2.197	2145	36.05	12.380	2195	37.08	-1.688
2046	34.14	14.275	2096	35.00	1.322	2146	36.09	11.507	2196	37.09	-1.812
2047	34.15	9.276	2097	35.02	-2.177	2147	36.13	9.635	2197	37.10	-0.187
2048	34.17	2.277	2098	35.05	-4.675	2148	36.18	6.762	2198	37.13	5.690
2049	34.18	0.277	2099	35.06	-4.799	2149	36.20	8.013	2199	37.15	8.691
2050	34.19	0.028	2100	35.07	-2.924	2150	36.22	10.765	2200	37.16	8.442

土木構造物における加速度強震記録 (No.9)

INDEX NO. 788 1302-GR-15 CHIYODA BRIDGE LG. MAX.ACCEL.= 51.578(GAL) T=21.47(SEC) NO.12

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2201	37.17	7.192	2251	38.24	-8.624	2301	39.17	13.053	2351	40.02	-4.026
2202	37.19	0.443	2252	38.26	-8.623	2302	39.19	12.679	2352	40.04	-5.025
2203	37.21	-3.931	2253	38.27	-8.122	2303	39.22	12.431	2353	40.05	-5.899
2204	37.22	-5.805	2254	38.30	-5.620	2304	39.23	11.896	2354	40.08	-6.523
2205	37.23	-7.804	2255	38.32	-0.869	2305	39.27	-4.966	2355	40.09	-7.647
2206	37.24	-7.804	2256	38.34	3.007	2306	39.29	-8.315	2356	40.10	-9.146
2207	37.26	-5.053	2257	38.35	7.383	2307	39.30	-9.815	2357	40.11	-9.521
2208	37.29	-0.051	2258	38.36	9.633	2308	39.31	-10.439	2358	40.13	-11.020
2209	37.31	1.700	2259	38.37	10.259	2309	39.32	-10.189	2359	40.15	-11.019
2210	37.34	0.826	2260	38.39	7.885	2310	39.35	-5.812	2360	40.17	-9.893
2211	37.38	-3.922	2261	38.42	-5.363	2311	39.37	-2.4[illegible]	2361	40.20	-5.766
2212	37.39	-4.171	2262	38.44	-8.987	2312	39.38	-1.186	2362	40.22	-4.890
2213	37.43	0.081	2263	38.45	-8.362	2313	39.39	-1.310	2363	40.23	-5.389
2214	37.44	1.332	2264	38.46	-4.611	2314	39.40	-1.935	2364	40.26	-6.012
2215	37.45	1.458	2265	38.49	15.640	2315	39.42	-4.683	2365	40.27	-5.512
2216	37.48	-0.166	2266	38.51	18.266	2316	39.45	-9.557	2366	40.28	-4.136
2217	37.50	-1.414	2267	38.52	16.267	2317	39.47	-10.431	2367	40.32	0.866
2218	37.53	-0.788	2268	38.53	10.018	2318	39.48	-7.055	2368	40.33	1.616
2219	37.55	0.713	2269	38.54	13.893	2319	39.52	4.947	2369	40.34	-0.008
2220	37.60	1.716	2270	38.56	11.394	2320	39.53	6.823	2370	40.39	-4.380
2221	37.62	2.967	2271	38.57	9.520	2321	39.54	8.823	2371	40.40	-4.380
2222	37.65	6.343	2272	38.58	8.521	2322	39.55	10.699	2372	40.46	-2.251
2223	37.66	8.719	2273	38.61	7.897	2323	39.58	9.825	2373	40.52	3.752
2224	37.68	9.970	2274	38.64	7.274	2324	39.60	10.701	2374	40.56	10.754
2225	37.70	10.596	2275	38.66	7.525	2325	39.61	11.327	2375	40.57	11.379
2226	37.72	10.597	2276	38.68	10.276	2326	39.62	14.202	2376	40.58	13.505
2227	37.77	9.600	2277	38.70	12.527	2327	39.65	22.954	2377	40.59	15.381
2228	37.80	9.977	2278	38.71	14.028	2328	39.66	26.205	2378	40.61	15.882
2229	37.83	12.103	2279	38.73	14.404	2329	39.67	27.455	2379	40.62	14.383
2230	37.84	12.729	2280	38.74	13.154	2330	39.69	22.581	2380	40.65	13.134
2231	37.86	12.730	2281	38.76	8.780	2331	39.71	11.207	2381	40.69	10.636
2232	37.89	5.607	2282	38.78	3.032	2332	39.72	6.333	2382	40.70	10.262
2233	37.91	4.733	2283	38.79	0.907	2333	39.73	4.634	2383	40.72	9.013
2234	37.92	3.734	2284	38.80	-0.717	2334	39.74	3.584	2384	40.73	8.263
2235	37.96	3.736	2285	38.81	-1.092	2335	39.76	4.085	2385	40.74	7.014
2236	37.98	3.737	2286	38.83	0.784	2336	39.79	13.462	2386	40.79	-4.608
2237	37.99	3.112	2287	38.86	5.786	2337	39.81	15.713	2387	40.80	-5.857
2238	38.01	1.864	2288	38.87	7.787	2338	39.83	16.214	2388	40.82	-7.607
2239	38.03	1.865	2289	38.89	7.787	2339	39.85	15.590	2389	40.83	-7.856
2240	38.06	3.991	2290	38.92	5.914	2340	39.87	14.341	2390	40.87	-8.229
2241	38.07	4.617	2291	38.93	5.915	2341	39.89	13.717	2391	40.88	-8.228
2242	38.08	3.367	2292	39.01	16.669	2342	39.91	13.093	2392	40.90	-9.477
2243	38.11	0.494	2293	39.05	21.671	2343	39.92	12.094	2393	40.92	-10.101
2244	38.12	-0.130	2294	39.07	24.297	2344	39.93	10.469	2394	40.93	-9.851
2245	38.14	-0.379	2295	39.08	26.548	2345	39.94	8.970	2395	40.95	-6.725
2246	38.17	-0.502	2296	39.09	25.299	2346	39.95	6.346	2396	40.96	0.901
2247	38.18	-0.127	2297	39.10	23.174	2347	39.96	3.566	2397	40.99	15.153
2248	38.19	-1.001	2298	39.12	16.426	2348	39.97	0.597	2398	41.00	18.028
2249	38.22	-4.750	2299	39.14	15.176	2349	39.99	-0.902	2399	41.01	19.029
2250	38.23	-6.999	2300	39.15	13.677	2350	40.00	-3.777	2400	41.03	18.780

INDEX NO. 788 1302-GR-15 CHIYODA BRIDGE LG. MAX.ACCEL.= 51.578(GAL) T=21.47(SEC) NO.13

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2401	41.06	17.532	2451	42.10	2.089	2501	43.09	12.019	2551	43.96	8.067
2402	41.07	18.657	2452	42.12	0.465	2502	43.10	11.644	2552	43.99	12.819
2403	41.10	20.909	2453	42.13	-0.284	2503	43.13	12.521	2553	44.02	15.945
2404	41.11	21.784	2454	42.14	-1.159	2504	43.18	15.399	2554	44.03	15.946
2405	41.13	21.786	2455	42.15	-0.533	2505	43.20	16.025	2555	44.04	14.446
2406	41.14	20.911	2456	42.18	2.843	2506	43.21	16.276	2556	44.06	12.822
2407	41.15	19.662	2457	42.20	4.219	2507	43.22	16.026	2557	44.09	9.449
2408	41.18	10.938	2458	42.21	3.845	2508	43.23	15.152	2558	44.13	4.701
2409	41.20	4.539	2459	42.24	4.097	2509	43.25	12.278	2559	44.16	-0.047
2410	41.22	0.665	2460	42.26	5.348	2510	43.27	6.529	2560	44.18	-1.296
2411	41.23	0.666	2461	42.27	5.349	2511	43.28	4.030	2561	44.19	-2.920
2412	41.24	-0.834	2462	42.29	5.724	2512	43.29	2.530	2562	44.21	-6.044
2413	41.28	-0.331	2463	42.32	4.851	2513	43.30	2.155	2563	44.24	-9.563
2414	41.30	0.295	2464	42.33	5.102	2514	43.31	2.406	2564	44.25	-11.167
2415	41.32	0.671	2465	42.36	5.728	2515	43.34	6.158	2565	44.27	-11.792
2416	41.33	-0.828	2466	42.38	6.104	2516	43.36	8.409	2566	44.28	-11.165
2417	41.36	-2.077	2467	42.39	5.105	2517	43.37	8.409	2567	44.31	-9.914
2418	41.37	-2.451	2468	42.40	2.981	2518	43.38	7.785	2568	44.32	-9.664
2419	41.41	-2.449	2469	42.43	-1.768	2519	43.41	4.411	2569	44.33	-9.288
2420	41.44	-2.448	2470	42.45	-4.267	2520	43.42	2.787	2570	44.36	-10.911
2421	41.47	-3.321	2471	42.46	-3.391	2521	43.43	2.163	2571	44.38	-11.785
2422	41.50	-4.319	2472	42.48	-1.265	2522	43.45	1.914	2572	44.39	-12.659
2423	41.52	-4.943	2473	42.51	9.612	2523	43.49	3.416	2573	44.40	-12.409
2424	41.53	-5.568	2474	42.53	10.238	2524	43.50	4.042	2574	44.42	-9.283
2425	41.55	-6.566	2475	42.54	9.363	2525	43.52	4.042	2575	44.45	-0.156
2426	41.57	-8.815	2476	42.59	4.366	2526	43.54	2.169	2576	44.46	0.844
2427	41.59	-9.064	2477	42.60	3.742	2527	43.55	0.794	2577	44.47	0.845
2428	41.60	-8.814	2478	42.67	3.120	2528	43.58	-3.579	2578	44.48	-0.655
2429	41.62	-7.563	2479	42.68	3.621	2529	43.60	-4.828	2579	44.51	-3.528
2430	41.63	-4.187	2480	42.71	5.248	2530	43.61	-6.202	2580	44.53	-4.152
2431	41.66	10.440	2481	42.74	9.250	2531	43.62	-6.202	2581	44.54	-2.652
2432	41.70	20.567	2482	42.76	10.251	2532	43.64	-5.951	2582	44.56	2.350
2433	41.71	26.318	2483	42.77	10.501	2533	43.66	-4.700	2583	44.58	3.601
2434	41.73	28.818	2484	42.79	5.877	2534	43.70	-1.822	2584	44.60	5.227
2435	41.74	30.069	2485	42.83	-1.371	2535	43.71	-1.572	2585	44.63	5.478
2436	41.76	31.070	2486	42.84	-2.995	2536	43.72	-2.071	2586	44.64	6.104
2437	41.78	30.446	2487	42.85	-1.369	2537	43.75	-2.195	2587	44.67	7.355
2438	41.80	28.572	2488	42.88	3.507	2538	43.77	-5.569	2588	44.68	7.356
2439	41.82	26.449	2489	42.90	5.133	2539	43.78	-6.193	2589	44.69	7.357
2440	41.87	20.201	2490	42.91	4.884	2540	43.79	-5.317	2590	44.71	6.232
2441	41.90	15.078	2491	42.94	3.635	2541	43.80	-3.692	2591	44.72	2.733
2442	41.92	12.204	2492	42.95	3.261	2542	43.82	2.309	2592	44.73	0.234
2443	41.94	10.080	2493	42.96	2.637	2543	43.85	15.936	2593	44.74	-1.266
2444	41.95	8.706	2494	42.97	5.137	2544	43.86	17.562	2594	44.75	-1.890
2445	41.96	8.081	2495	43.00	11.139	2545	43.88	18.813	2595	44.76	-2.640
2446	41.98	6.457	2496	43.01	14.639	2546	43.89	17.938	2596	44.79	1.737
2447	42.03	7.085	2497	43.02	15.765	2547	43.91	11.689	2597	44.81	5.488
2448	42.05	6.211	2498	43.03	16.266	2548	43.92	9.690	2598	44.82	6.739
2449	42.06	5.837	2499	43.05	14.517	2549	43.94	6.941	2599	44.83	6.364
2450	42.06	4.838	2500	43.07	12.268	2550	43.95	5.941	2600	44.84	5.365

INDEX NO. 788 1302-GR-15 CHIYODA BRIDGE LG. MAX.ACCEL.= 51.578(GAL) T=21.47(SEC) NO.14

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2601	44.86	0.491	2651	45.81	6.794	2701	46.69	9.842	2751	47.94	4.409
2602	44.88	-2.258	2652	45.83	6.795	2702	46.70	9.592	2752	47.95	6.286
2603	44.90	-4.132	2653	45.86	7.047	2703	46.73	7.969	2753	47.96	6.286
2604	44.93	0.495	2654	45.88	7.923	2704	46.76	7.596	2754	47.98	4.787
2605	44.95	1.496	2655	45.91	13.049	2705	46.80	12.347	2755	48.00	0.788
2606	44.96	1.496	2656	45.93	10.676	2706	46.81	13.223	2756	48.02	-0.461
2607	44.98	3.522	2657	45.95	10.177	2707	46.82	11.474	2757	48.03	0.040
2608	45.00	0.249	2658	45.96	9.552	2708	46.85	6.475	2758	48.05	1.041
2609	45.02	-0.001	2659	45.97	6.553	2709	46.86	4.851	2759	48.09	7.293
2610	45.03	-0.375	2660	45.98	7.053	2710	46.88	3.602	2760	48.11	8.919
2611	45.05	-0.124	2661	46.00	2.929	2711	46.90	5.228	2761	48.13	7.170
2612	45.06	2.752	2662	46.01	2.305	2712	46.93	7.355	2762	48.15	3.672
2613	45.08	4.253	2663	46.03	6.931	2713	46.94	8.606	2763	48.16	0.423
2614	45.11	6.380	2664	46.04	9.657	2714	46.96	9.856	2764	48.19	-1.026
2615	45.15	3.757	2665	46.06	-0.317	2715	46.97	8.607	2765	48.21	-2.950
2616	45.16	3.757	2666	46.08	0.309	2716	47.00	5.984	2766	48.25	-6.073
2617	45.17	4.883	2667	46.09	1.184	2717	47.01	4.234	2767	48.27	-7.447
2618	45.21	11.635	2668	46.12	3.436	2718	47.02	3.985	2768	48.28	-8.447
2619	45.24	17.012	2669	46.14	5.937	2719	47.06	3.362	2769	48.29	-7.570
2620	45.25	19.262	2670	46.16	8.438	2720	47.12	4.240	2770	48.30	-5.070
2621	45.27	21.763	2671	46.19	11.314	2721	47.13	5.116	2771	48.35	1.932
2622	45.29	21.765	2672	46.20	12.565	2722	47.16	7.367	2772	48.36	4.808
2623	45.30	21.765	2673	46.22	12.566	2723	47.17	7.993	2773	48.37	5.059
2624	45.32	20.892	2674	46.24	12.943	2724	47.18	8.869	2774	48.41	4.561
2625	45.35	19.010	2675	46.25	12.943	2725	47.19	8.369	2775	48.43	4.562
2626	45.36	18.894	2676	46.28	15.444	2726	47.20	5.869	2776	48.47	8.939
2627	45.40	22.646	2677	46.29	16.320	2727	47..	-5.253	2777	48.48	10.190
2628	45.42	23.272	2678	46.31	17.447	2728	47.25	-7.627	2778	48.51	9.941
2629	45.43	21.146	2679	46.33	16.197	2729	47.26	-8.502	2779	48.53	8.443
2630	45.44	17.773	2680	46.35	14.324	2730	47.28	-8.501	2780	48.56	6.194
2631	45.46	10.524	2681	46.37	13.074	2731	47.33	-2.248	2781	48.59	4.321
2632	45.47	7.650	2682	46.38	12.825	2732	47.34	-1.998	2782	48.60	4.072
2633	45.49	6.651	2683	46.40	11.826	2733	47.36	-1.997	2783	48.63	3.698
2634	45.51	5.777	2684	46.42	11.202	2734	47.39	-2.870	2784	48.65	3.699
2635	45.52	5.403	2685	46.44	8.328	2735	47.50	-6.864	2785	48.66	3.450
2636	45.54	3.904	2686	46.47	4.265	2736	47.52	-6.863	2786	48.67	3.075
2637	45.57	0.030	2687	46.48	2.081	2737	47.53	-6.613	2787	48.68	2.201
2638	45.59	-3.469	2688	46.49	2.206	2738	47.57	-3.485	2788	48.73	-0.796
2639	45.60	-3.218	2689	46.51	4.332	2739	47.58	-2.860	2789	48.74	-1.670
2640	45.61	-2.217	2690	46.54	12.959	2740	47.62	-1.508	2790	48.75	-1.670
2641	45.64	1.159	2691	46.55	14.459	2741	47.64	-0.731	2791	48.77	-1.169
2642	45.65	3.035	2692	46.57	14.460	2742	47.67	1.895	2792	48.80	0.708
2643	45.67	3.161	2693	46.58	13.336	2743	47.69	2.896	2793	48.82	4.209
2644	45.68	2.786	2694	46.60	9.837	2744	47.75	5.025	2794	48.85	1[illegible] 961
2645	45.70	0.912	2695	46.61	5.837	2745	47.78	6.026	2795	48.87	16.211
2646	45.72	-2.212	2696	46.62	4.213	2746	47.79	6.027	2796	48.89	16.963
2647	45.73	-2.211	2697	46.63	2.964	2747	47.82	3.903	2797	48.92	16.964
2648	45.75	-3.710	2698	46.64	4.214	2748	47.86	-2.094	2798	48.98	15.467
2649	45.78	5.292	2699	46.67	8.216	2749	47.88	-2.594	2799	49.02	13.845
2650	45.79	6.168	2700	46.68	9.466	2750	47.90	0.533	2800	49.04	12.596

INDEX NO. 788 1302-GR-15 CHIYODA BRIDGE LG. MAX.ACCEL.= 51.578(GAL) T=21.47(SEC) NO.15

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2801	49.06	-14.472	2851	50.12	-8.970	2901	51.38	5.475	2951	52.70	8.673
2802	49.09	18.224	2852	50.15	-8.363	2902	51.39	5.476	2952	52.71	7.673
2803	49.10	18.474	2853	50.17	-6.092	2903	51.43	7.603	2953	52.72	7.424
2804	49.12	17.601	2854	50.20	-8.590	2904	51.44	8.229	2954	52.75	7.301
2805	49.14	15.727	2855	50.22	-8.589	2905	51.46	7.855	2955	52.77	7.051
2806	49.15	15.477	2856	50.23	-8.339	2906	51.52	3.608	2956	52.79	3.928
2807	49.18	17.359	2857	50.25	-6.462	2907	51.53	3.484	2957	52.83	-2.070
2808	49.21	19.480	2858	50.26	-3.086	2908	51.56	2.985	2958	52.86	-2.069
2809	49.22	18.856	2859	50.29	-3.085	2909	51.59	2.987	2959	52.88	1.308
2810	49.23	16.981	2860	50.31	-4.209	2910	51.62	4.114	2960	52.90	1.934
2811	49.28	2.234	2861	50.35	-5.457	2911	51.65	5.740	2961	52.91	1.060
2812	49.29	-0.140	2862	50.39	-5.580	2912	51.67	5.741	2962	52.94	-0.814
2813	49.30	0.111	2863	50.41	-5.628	2913	51.70	5.118	2963	52.95	-2.438
2814	49.34	4.238	2864	50.43	-6.702	2914	51.72	4.244	2964	52.96	-2.438
2815	49.36	5.114	2865	50.46	-8.326	2915	51.76	4.746	2965	52.99	-2.186
2816	49.37	3.614	2866	50.47	-8.325	2916	51.78	5.372	2966	53.00	-1.185
2817	49.41	-3.084	2867	50.50	-6.448	2917	51.79	4.873	2967	53.01	-1.810
2818	49.43	-5.758	2868	50.54	-3.071	2918	51.81	2.874	2968	53.05	-4.557
2819	49.45	-3.506	2869	50.56	-3.070	2919	51.83	1.750	2969	53.07	-4.307
2820	49.49	6.746	2870	50.58	-2.694	2920	51.85	1.001	2970	53.11	-2.180
2821	49.50	7.996	2871	50.62	-2.692	2921	51.89	4.003	2971	53.13	-1.804
2822	49.52	8.247	2872	50.63	-1.441	2922	51.92	5.255	2972	53.15	-2.427
2823	49.56	8.374	2873	50.67	2.186	2923	51.94	5.631	2973	53.19	-3.925
2824	49.58	9.001	2874	50.69	2.437	2924	51.97	6.508	2974	53.21	-2.174
2825	49.61	10.003	2875	50.74	2.690	2925	52.01	6.885	2975	53.25	0.328
2826	49.64	9.379	2876	50.79	4.068	2926	52.05	7.762	2976	53.31	3.832
2827	49.66	8.130	2877	50.80	3.443	2927	52.08	6.888	2977	53.32	3.832
2828	49.68	7.881	2878	50.82	2.819	2928	52.09	6.264	2978	53.33	4.458
2829	49.70	8.132	2879	50.85	-0.929	2929	52.12	6.516	2979	53.38	3.835
2830	49.73	9.009	2880	50.86	-2.803	2930	52.14	6.892	2980	53.39	4.461
2831	49.74	8.759	2881	50.87	-3.178	2931	52.16	6.893	2981	53.43	5.713
2832	49.75	8.135	2882	50.89	-2.927	2932	52.19	3.145	2982	53.45	6.339
2833	49.76	6.636	2883	50.93	3.326	2933	52.21	-0.854	2983	53.47	5.715
2834	49.80	3.137	2884	50.95	4.951	2934	52.23	-2.728	2984	53.48	4.466
2835	49.81	1.138	2885	50.98	6.578	2935	52.27	-0.351	2985	53.52	-0.157
2836	49.82	0.514	2886	51.00	7.454	2936	52.30	2.151	2986	53.54	-0.281
2837	49.84	0.515	2887	51.01	9.205	2937	52.36	1.279	2987	53.58	3.846
2838	49.87	1.141	2888	51.03	13.456	2938	52.38	2.155	2988	53.59	5.972
2839	49.89	2.018	2889	51.05	17.083	2939	52.41	4.407	2989	53.61	6.973
2840	49.91	2.018	2890	51.07	17.958	2940	52.45	5.659	2990	53.63	6.974
2841	49.92	2.394	2891	51.09	17.085	2941	52.47	6.910	2991	53.65	5.475
2842	49.93	1.145	2892	51.12	14.961	2942	52.50	12.037	2992	53.66	4.851
2843	49.94	0.270	2893	51.13	14.587	2943	52.52	13.913	2993	53.69	4.477
2844	49.96	-0.978	2894	51.16	16.463	2944	52.53	14.538	2994	53.71	4.729
2845	49.97	-1.603	2895	51.20	18.340	2945	52.54	13.289	2995	53.72	5.104
2846	50.02	-1.101	2896	51.21	17.716	2946	52.58	8.291	2996	53.77	3.232
2847	50.03	-1.099	2897	51.22	15.592	2947	52.59	7.667	2997	53.78	3.483
2848	50.04	-2.224	2898	51.24	13.718	2948	52.65	11.170	2998	53.83	4.736
2849	50.09	-7.722	2899	51.34	7.973	2949	52.66	12.046	2999	53.85	4.736
2850	50.11	-8.345	2900	51.36	6.349	2950	52.68	11.172	3000	53.88	2.988

INDEX NO. 788 1302-GR-15 CHIYODA BRIDGE LG. MAX.ACCEL.= 51.578(GAL) T=21.47(SEC) NO.16

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3001	53.90	1.364	3051	55.20	9.686	3101	56.47	5.882	3151	57.99	7.215
3002	53.96	-1.757	3052	55.23	9.687	3102	56.49	4.008	3152	58.02	9.092
3003	54.03	-5.754	3053	55.25	9.438	3103	56.52	3.009	3153	58.03	8.717
3004	54.05	-7.592	3054	55.28	6.815	3104	56.56	3.386	3154	58.07	7.845
3005	54.08	-8.126	3055	55.29	4.441	3105	56.58	2.762	3155	58.11	6.597
3006	54.10	-6.125	3056	55.31	9.692	3106	56.59	2.138	3156	58.16	5.099
3007	54.12	-6.874	3057	55.34	11.819	3107	56.60	0.264	3157	58.18	4.101
3008	54.16	-4.372	3058	55.36	14.070	3108	56.62	-1.860	3158	58.20	4.102
3009	54.18	-4.120	3059	55.37	13.829	3109	56.65	-2.859	3159	58.23	4.729
3010	54.26	-5.616	3060	55.39	12.571	3110	56.67	-3.107	3160	58.25	4.104
3011	54.29	-5.365	3061	55.42	8.823	3111	56.70	-3.106	3161	58.26	4.105
3012	54.30	-4.114	3062	55.47	11.576	3112	56.77	-2.227	3162	58.29	2.857
3013	54.34	3.263	3063	55.49	12.452	3113	56.81	-4.350	3163	58.32	2.233
3014	54.36	5.140	3064	55.50	10.953	3114	56.83	-5.599	3164	58.34	2.859
3015	54.40	3.892	3065	55.53	7.829	3115	56.85	-5.348	3165	58.36	3.736
3016	54.42	4.260	3066	55.57	3.831	3116	56.88	-4.721	3166	58.40	4.113
3017	54.48	12.771	3067	55.58	3.457	3117	56.91	-4.720	3167	58.43	2.614
3018	54.49	13.396	3068	55.65	7.481	3118	56.94	-4.967	3168	58.46	2.241
3019	54.50	14.022	3069	55.66	7.837	3119	56.96	-5.592	3169	58.50	3.118
3020	54.51	12.523	3070	55.68	7.588	3120	56.97	-4.466	3170	58.51	3.494
3021	54.54	7.149	3071	55.73	5.716	3121	57.01	1.536	3171	58.57	3.747
3022	54.55	5.900	3072	55.77	5.968	3122	57.04	3.030	3172	58.61	3.749
3023	54.57	5.901	3073	55.82	6.845	3123	57.06	4.039	3173	58.63	4.126
3024	54.61	5.653	3074	55.84	5.972	3124	57.13	5.918	3174	58.67	5.378
3025	54.62	5.654	3075	55.86	5.348	3125	57.15	6.544	3175	58.72	7.881
3026	54.64	4.855	3076	55.88	3.224	3126	57.17	6.795	3176	58.76	9.133
3027	54.65	2.530	3077	55.90	1.975	3127	57.24	5.923	3177	58.80	11.135
3028	54.67	-0.093	3078	55.92	1.476	3128	57.29	4.677	3178	58.82	13.011
3029	54.69	-0.467	3079	55.94	0.852	3129	57.33	3.179	3179	58.83	13.011
3030	54.72	-0.466	3080	55.98	-0.020	3130	57.37	0.306	3180	58.85	12.138
3031	54.74	-1.090	3081	55.99	-1.270	3131	57.39	-0.568	3181	58.87	9.639
3032	54.75	-1.714	3082	56.02	-5.768	3132	57.43	-0.941	3182	58.92	7.141
3033	54.76	-2.588	3083	56.04	-6.392	3133	57.50	0.313	3183	58.94	5.893
3034	54.78	-3.838	3084	56.05	-6.392	3134	57.53	0.565	3184	58.98	5.270
3035	54.80	-4.461	3085	56.08	-5.830	3135	57.55	1.816	3185	59.01	4.646
3036	54.83	-0.460	3086	56.10	-3.014	3136	57.57	2.567	3186	59.02	3.397
3037	54.85	1.416	3087	56.11	-2.763	3137	57.59	1.318	3187	59.03	1.398
3038	54.87	1.667	3088	56.12	-2.763	3138	57.63	-1.180	3188	59.04	-0.852
3039	54.91	-0.205	3089	56.15	-3.636	3139	57.64	-2.179	3189	59.08	-6.600
3040	54.93	1.671	3090	56.19	-4.259	3140	57.65	-1.554	3190	59.10	-7.849
3041	54.98	10.298	3091	56.20	-3.633	3141	57.68	1.823	3191	59.11	-9.723
3042	54.99	11.799	3092	56.22	-2.382	3142	57.70	3.074	3192	59.13	-9.972
3043	55.00	11.800	3093	56.27	1.495	3143	57.71	3.450	3193	59.17	-6.594
3044	55.03	10.926	3094	56.28	1.746	3144	57.72	2.825	3194	59.19	-6.593
3045	55.06	10.303	3095	56.33	0.249	3145	57.76	0.952	3195	59.28	-5.713
3046	55.09	10.304	3096	56.35	1.125	3146	57.79	-0.296	3196	59.34	-5.085
3047	55.13	11.557	3097	56.38	4.002	3147	57.82	-0.044	3197	59.36	-3.459
3048	55.15	11.933	3098	56.41	5.628	3148	57.84	0.082	3198	59.38	-0.708
3049	55.17	11.309	3099	56.42	5.629	3149	57.87	0.583	3199	59.41	+0.081
3050	55.19	10.310	3100	56.44	5.880	3150	57.90	2.210	3200	59.46	-0.079

INDEX NO. 788 1302-GR-15 CHIYODA BRIDGE LG. MAX.ACCEL.= 51.578(GAL) T=21.47(SEC) NO.17

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3201	59.49	0.298	3251	61.21	3.018	3301	63.13	2.497	3351	65.64	-1.739
3202	59.51	-0.951	3252	61.25	2.770	3302	63.17	2.500	3352	65.69	-3.236
3203	59.54	-0.949	3253	61.26	2.770	3303	63.21	2.752	3353	65.71	-3.860
3204	59.56	-1.948	3254	61.29	1.522	3304	63.23	3.378	3354	65.74	-5.109
3205	59.61	-3.695	3255	61.33	-0.726	3305	63.27	5.630	3355	65.75	-8.733
3206	59.63	-5.569	3256	61.36	-0.724	3306	63.30	5.882	3356	65.79	-10.856
3207	59.65	-6.818	3257	61.41	0.779	3307	63.41	7.763	3357	65.80	-10.855
3208	59.66	-5.942	3258	61.47	1.407	3308	63.46	8.141	3358	65.86	-9.102
3209	59.77	-6.812	3259	61.50	1.408	3309	63.49	7.767	3359	65.88	-8.726
3210	59.79	-5.311	3260	61.52	0.910	3310	63.52	7.269	3360	65.92	-10.224
3211	59.81	-3.434	3261	61.53	0.205	3311	63.56	6.646	3361	65.95	-10.722
3212	59.83	-2.809	3262	61.55	-0.714	3312	63.59	5.398	3362	65.97	-8.596
3213	59.85	-3.432	3263	61.56	-0.713	3313	63.62	3.775	3363	66.01	-3.718
3214	59.88	-3.681	3264	61.60	3.039	3314	63.65	2.901	3364	66.09	0.035
3215	59.90	-4.054	3265	61.63	3.666	3315	63.68	1.903	3365	66.14	2.663
3216	59.92	-3.803	3266	61.65	3.917	3316	63.70	1.279	3366	66.17	3.290
3217	59.95	-0.927	3267	61.67	2.793	3317	63.75	1.282	3367	66.19	3.041
3218	59.98	1.200	3268	61.69	2.669	3318	63.85	0.038	3368	66.21	2.042
3219	60.02	2.327	3269	61.71	3.920	3319	63.91	-0.334	3369	66.25	0.170
3220	60.06	2.329	3270	61.74	5.547	3320	63.94	0.293	3370	66.28	+0.704
3221	60.08	2.331	3271	61.75	5.172	3321	63.98	1.295	3371	66.35	-0.450
3222	60.10	2.081	3272	61.77	4.673	3322	64.02	0.672	3372	66.48	-2.568
3223	60.11	1.458	3273	61.80	4.050	3323	64.04	-0.577	3373	66.49	-3.567
3224	60.13	1.083	3274	61.81	4.051	3324	64.10	1.926	3374	66.54	0.436
3225	60.15	1.710	3275	61.85	5.553	3325	64.15	4.054	3375	66.57	0.812
3226	60.20	4.462	3276	61.87	5.804	3326	64.21	4.432	3376	66.58	0.812
3227	60.21	4.463	3277	61.94	3.433	3327	64.25	4.184	3377	66.65	-2.559
3228	60.23	4.464	3278	62.08	-0.684	3328	64.26	4.435	3378	66.71	-2.055
3229	60.28	3.967	3279	62.15	-1.056	3329	64.30	3.562	3379	66.91	0.206
3230	60.35	2.970	3280	62.17	-0.680	3330	64.32	3.563	3380	66.95	0.833
3231	60.40	2.348	3281	62.23	-0.052	3331	64.37	4.191	3381	66.99	2.960
3232	60.44	4.475	3282	62.29	0.577	3332	64.39	3.567	3382	67.06	6.714
3233	60.46	3.602	3283	62.32	-0.297	3333	64.41	2.943	3383	67.12	6.717
3234	60.49	1.728	3284	62.35	-2.545	3334	64.46	-0.179	3384	67.15	6.719
3235	60.51	0.854	3285	62.39	-6.418	3335	64.50	0.325	3385	67.18	5.845
3236	60.53	0.230	3286	62.42	-6.416	3336	64.65	0.082	3386	67.21	3.972
3237	60.58	2.358	3287	62.47	-4.539	3337	64.72	-1.790	3387	67.28	0.851
3238	60.59	3.234	3288	62.50	-4.537	3338	64.77	-0.537	3388	67.31	-1.022
3239	60.64	3.986	3289	62.55	-5.159	3339	64.83	-2.033	3389	67.34	-1.021
3240	60.70	5.736	3290	62.60	-5.782	3340	64.90	-0.530	3390	67.37	-1.269
3241	60.76	6.993	3291	62.67	-7.653	3341	65.01	1.601	3391	67.40	-1.017
3242	60.81	7.745	3292	62.74	-7.849	3342	65.15	4.109	3392	67.44	-0.765
3243	60.85	7.748	3293	62.77	-7.397	3343	65.23	5.113	3393	67.58	-1.258
3244	60.90	7.751	3294	62.83	-5.769	3344	65.25	4.864	3394	67.64	-1.629
3245	60.94	7.753	3295	62.88	-3.642	3345	65.35	3.495	3395	67.69	-1.876
3246	60.95	7.128	3296	62.94	-2.638	3346	65.44	2.625	3396	67.72	-2.500
3247	61.02	2.382	3297	62.97	0.739	3347	65.46	1.751	3397	67.74	-1.999
3248	61.04	2.133	3298	62.99	1.365	3348	65.48	0.127	3398	67.87	5.259
3249	61.08	1.746	3299	63.02	1.866	3349	65.50	-0.497	3399	67.91	5.636
3250	61.14	2.389	3300	63.08	2.116	3350	65.56	-0.743	3400	67.98	7.765

INDEX NO. 768 1302-GR-15 CHIYODA BRIDGE LG. MAX.ACCEL.= 51.578(GAL) T=21.47(SEC) NO.18

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3401	68.03	8.642	3451	69.86	-2.255	3501	71.72	-0.777	3551	73.67	-2.920
3402	68.07	9.645	3452	69.91	-1.376	3502	71.74	-0.151	3552	73.70	-3.543
3403	68.12	10.398	3453	69.95	0.374	3503	71.78	-0.149	3553	73.72	-3.542
3404	68.17	9.775	3454	69.97	-0.250	3504	71.81	-1.648	3554	73.75	-3.041
3405	68.21	10.152	3455	70.01	-1.122	3505	71.86	-2.895	3555	73.79	-1.414
3406	68.26	9.760	3456	70.04	-1.496	3506	71.93	-4.141	3556	73.81	-0.788
3407	68.29	9.157	3457	70.08	-0.869	3507	71.95	-5.264	3557	73.84	-0.536
3408	68.30	7.907	3458	70.09	-1.116	3508	71.99	-6.137	3558	73.87	-0.159
3409	68.33	6.034	3459	70.14	-1.241	3509	72.02	-8.011	3559	73.89	-0.158
3410	68.39	3.288	3460	70.19	-0.663	3510	72.06	-10.259	3560	73.92	-1.032
3411	68.43	0.040	3461	70.24	1.265	3511	72.09	-10.007	3561	73.95	-1.655
3412	68.47	-2.458	3462	70.27	3.142	3512	72.11	-10.006	3562	74.01	-2.027
3413	68.52	-4.060	3463	70.29	3.143	3513	72.13	-10.005	3563	74.12	-0.771
3414	68.57	-6.327	3464	70.32	1.645	3514	72.21	-10.000	3564	74.19	-0.142
3415	68.58	-6.952	3465	70.35	1.271	3515	72.28	-8.997	3565	74.24	0.111
3416	68.66	-7.323	3466	70.39	1.274	3516	72.29	-8.996	3566	74.27	0.113
3417	68.70	-7.695	3467	70.43	1.276	3517	72.38	-10.241	3567	74.29	-1.386
3418	68.71	-6.469	3468	70.47	1.278	3518	72.44	-10.613	3568	74.32	-1.634
3419	68.74	-3.568	3469	70.49	0.779	3519	72.45	-9.987	3569	74.34	-1.633
3420	68.76	-2.317	3470	70.53	-0.218	3520	72.46	-9.361	3570	74.37	-2.007
3421	68.78	-1.066	3471	70.56	-0.642	3521	72.49	-9.235	3571	74.39	-2.256
3422	68.83	-2.313	3472	70.58	-2.965	3522	72.50	-8.359	3572	74.41	-3.255
3423	68.86	0.814	3473	70.62	-5.214	3523	72.54	-6.482	3573	74.42	-3.879
3424	68.90	3.066	3474	70.64	-6.586	3524	72.55	-6.482	3574	74.44	-3.878
3425	68.94	3.068	3475	70.76	-8.456	3525	72.59	-7.105	3575	74.47	-2.376
3426	68.95	3.444	3476	70.78	-7.829	3526	72.60	-7.354	3576	74.51	-1.374
3427	69.03	2.823	3477	70.84	-3.826	3527	72.62	-7.103	3577	74.54	-0.747
3428	69.08	3.451	3478	70.90	-0.323	3528	72.65	-6.851	3578	74.56	-0.746
3429	69.12	2.828	3479	71.02	3.559	3529	72.69	-5.849	3579	74.61	-1.368
3430	69.16	1.830	3480	71.09	6.063	3530	72.85	-1.465	3580	74.65	-1.991
3431	69.20	0.958	3481	71.14	7.065	3531	72.91	-0.587	3581	74.67	-2.865
3432	69.27	-1.538	3482	71.17	6.692	3532	72.96	0.666	3582	74.70	-3.613
3433	69.30	-2.412	3483	71.21	6.069	3533	73.01	1.919	3583	74.74	-3.236
3434	69.32	-3.661	3484	71.25	6.947	3534	73.07	1.672	3584	74.76	-3.485
3435	69.34	-5.659	3485	71.26	7.323	3535	73.10	1.924	3585	74.79	-4.108
3436	69.36	-7.282	3486	71.36	5.452	3536	73.14	1.676	3586	74.82	-5.107
3437	69.42	-8.155	3487	71.41	5.630	3537	73.17	1.928	3587	74.85	-5.730
3438	69.47	-9.152	3488	71.44	5.832	3538	73.20	1.679	3588	74.87	-5.979
3439	69.52	-9.150	3489	71.48	3.959	3539	73.23	0.806	3589	74.92	-6.101
3440	69.54	-9.148	3490	71.50	3.335	3540	73.24	0.182	3590	74.97	-5.099
3441	69.59	-10.396	3491	71.51	3.336	3541	73.27	-0.192	3591	75.01	-3.846
3442	69.61	-10.145	3492	71.54	3.336	3542	73.30	-1.440	3592	75.03	-3.595
3443	69.64	-9.143	3493	71.55	2.713	3543	73.32	-2.064	3593	75.06	-3.593
3444	69.68	-5.766	3494	71.56	1.465	3544	73.35	-3.562	3594	75.08	-3.218
3445	69.71	-4.514	3495	71.61	0.467	3545	73.38	-4.186	3595	75.10	-1.716
3446	69.74	-4.137	3496	71.63	-0.157	3546	73.45	-4.306	3596	75.13	-0.465
3447	69.77	-3.636	3497	71.66	-0.406	3547	73.50	-4.804	3597	75.15	-1.089
3448	69.81	-1.634	3498	71.66	-0.780	3548	73.53	-3.928	3598	75.18	-1.337
3449	69.82	-1.633	3499	71.70	-1.029	3549	73.62	-2.923	3599	75.19	-1.336
3450	69.84	-1.882	3500	71.71	-1.026	3550	73.65	-2.921	3600	75.21	-0.710

INDEX NO. 788 1302-GR-15 CHIYODA BRIDGE LG. MAX.ACCEL.= 51.578(GAL) T=21.47(SEC) NO.19

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3601	75.23	0.166	3651	76.95	-4.740	3701	78.87	-4.012	3751	80.71	-3.160
3602	75.26	1.167	3652	76.99	-0.613	3702	78.92	-3.010	3752	80.73	-5.409
3603	75.28	1.418	3653	77.01	0.638	3703	78.95	-2.133	3753	80.74	-5.408
3604	75.30	1.419	3654	77.05	-0.610	3704	78.99	-0.506	3754	80.77	-3.782
3605	75.32	1.170	3655	77.08	-1.483	3705	79.02	0.121	3755	80.79	-3.530
3606	75.33	1.421	3656	77.13	0.270	3706	79.04	0.122	3756	80.84	-4.152
3607	75.36	2.547	3657	77.15	1.021	3707	79.08	-0.501	3757	80.88	-3.526
3608	75.38	4.049	3658	77.18	1.272	3708	79.11	-0.249	3758	80.99	-1.394
3609	75.40	4.050	3659	77.20	1.024	3709	79.15	0.378	3759	81.02	-0.142
3610	75.42	3.801	3660	77.25	0.651	3710	79.19	2.255	3760	81.08	0.235
3611	75.44	2.926	3661	77.27	1.277	3711	79.24	4.008	3761	81.14	1.114
3612	75.47	1.303	3662	77.32	2.905	3712	79.26	4.009	3762	81.17	1.240
3613	75.51	0.931	3663	77.35	2.907	3713	79.29	4.261	3763	81.20	1.742
3614	75.60	1.311	3664	77.42	1.785	3714	79.32	3.387	3764	81.23	2.868
3615	75.62	0.937	3665	77.49	2.039	3715	79.33	2.138	3765	81.25	2.869
3616	75.64	-0.562	3666	77.54	2.042	3716	79.37	4.016	3766	81.29	2.622
3617	75.67	-0.811	3667	77.56	1.418	3717	79.41	5.268	3767	81.32	1.999
3618	75.72	-3.683	3668	77.59	0.545	3718	79.44	4.644	3768	81.36	0.375
3619	75.75	-4.556	3669	77.61	-0.454	3719	79.47	3.146	3769	81.39	-0.498
3620	75.78	-5.930	3670	77.64	0.423	3720	79.49	2.522	3770	81.41	-2.121
3621	75.87	-6.300	3671	77.67	1.049	3721	79.56	0.651	3771	81.43	-3.371
3622	75.96	-6.670	3672	77.69	1.050	3722	79.59	-0.348	3772	81.45	-2.494
3623	76.00	-7.793	3673	77.73	0.177	3723	79.62	-2.471	3773	81.48	-1.868
3624	76.05	-9.415	3674	77.77	-0.695	3724	79.66	-4.719	3774	81.51	-2.116
3625	76.09	-9.788	3675	77.79	-0.694	3725	79.69	-5.467	3775	81.55	-2.739
3626	76.12	-9.161	3676	77.82	-0.443	3726	79.72	-6.090	3776	81.57	-3.363
3627	76.15	-9.160	3677	77.88	0.186	3727	79.74	-6.964	3777	81.60	-2.486
3628	76.19	-8.533	3678	77.97	0.816	3728	79.79	-9.211	3778	81.65	-1.484
3629	76.23	-8.155	3679	78.04	1.069	3729	79.84	-8.334	3779	81.74	-0.229
3630	76.25	-7.529	3680	78.09	0.572	3730	79.92	-6.079	3780	81.86	1.028
3631	76.30	-6.026	3681	78.12	-0.052	3731	80.03	-3.323	3781	82.00	1.410
3632	76.33	-4.774	3682	78.14	-1.056	3732	80.06	-2.946	3782	82.05	1.288
3633	76.36	-4.148	3683	78.17	-2.299	3733	80.08	-2.070	3783	82.07	2.914
3634	76.38	-3.772	3684	78.21	-0.747	3734	80.12	-0.443	3784	82.10	2.291
3635	76.40	-3.520	3685	78.30	1.768	3735	80.16	0.164	3785	82.18	1.045
3636	76.42	-3.770	3686	78.34	1.710	3736	80.22	0.438	3786	82.21	0.797
3637	76.45	-4.643	3687	78.36	1.711	3737	80.25	1.064	3787	82.25	0.174
3638	76.47	-5.017	3688	78.43	0.590	3738	80.28	0.816	3788	82.29	0.177
3639	76.50	-4.765	3689	78.46	-0.034	3739	80.30	-0.183	3789	82.32	0.178
3640	76.53	-4.389	3690	78.47	-1.658	3740	80.36	-4.430	3790	82.36	-1.695
3641	76.55	-4.638	3691	78.50	-3.781	3741	80.39	-3.928	3791	82.37	-2.944
3642	76.57	-5.261	3692	78.52	-5.530	3742	80.43	-2.676	3792	82.42	-1.067
3643	76.59	-6.510	3693	78.56	-8.029	3743	80.45	-1.925	3793	82.45	-0.565
3644	76.61	-6.509	3694	78.59	-9.277	3744	80.48	-2.923	3794	82.54	-0.810
3645	76.73	-6.002	3695	78.62	-9.900	3745	80.50	-2.922	3795	82.63	-1.055
3646	76.83	-3.747	3696	78.66	-10.523	3746	80.54	-2.045	3796	82.72	-1.425
3647	76.86	-3.495	3697	78.69	-9.271	3747	80.58	-1.668	3797	82.77	-0.797
3648	76.89	-3.994	3698	78.74	-8.644	3748	80.60	-1.666	3798	82.81	-1.420
3649	76.92	-4.617	3699	78.79	-6.766	3749	80.65	-2.536	3799	82.83	-1.669
3650	76.94	-4.991	3700	78.83	-5.264	3750	80.68	-2.912	3800	82.89	-2.915

土木構造物における加速度強震記録 (No.9)

INDEX NO. 788 1302-GR-15 CHIYODA BRIDGE LG. MAX.ACCEL.= 51.578(GAL) T=21.47(SEC) NO.20

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3801	82.91	-3.539	3851	84.80	1.815	3901	86.79	-2.576	3951	88.72	-2.345
3802	82.95	-5.267	3852	84.82	1.816	3902	86.81	-2.825	3952	88.74	-2.594
3803	82.96	-4.411	3853	84.85	2.066	3903	86.84	-5.698	3953	88.78	-2.966
3804	83.03	-3.658	3854	84.87	2.694	3904	86.86	-5.697	3954	88.80	-3.215
3805	83.04	-4.262	3855	84.91	3.321	3905	86.89	-4.195	3955	88.82	-2.714
3806	83.07	-6.906	3856	84.93	3.946	3906	86.93	-3.568	3956	88.87	-1.461
3807	83.09	-5.529	3857	84.96	5.575	3907	86.95	-3.817	3957	88.89	-1.460
3808	83.11	-5.903	3858	85.00	5.576	3908	86.99	-4.440	3958	89.03	-2.703
3809	83.16	-6.491	3859	85.04	3.703	3909	87.05	-4.186	3959	89.17	-3.569
3810	83.16	-6.400	3860	85.14	0.208	3910	87.22	-0.052	3960	89.22	-5.192
3811	83.22	-6.523	3861	85.20	-1.288	3911	87.30	-5.673	3961	89.25	-6.190
3812	83.26	-8.020	3862	85.26	-2.785	3912	87.32	-5.672	3962	89.29	-6.438
3813	83.29	-8.393	3863	85.30	-3.763	3913	87.36	-4.170	3963	89.32	-6.812
3814	83.31	-9.268	3864	85.36	-4.030	3914	87.39	-3.168	3964	89.36	-6.809
3815	83.34	-8.766	3865	85.42	-4.026	3915	87.41	-2.917	3965	89.40	-6.557
3816	83.37	-7.139	3866	85.46	-3.150	3916	87.45	-1.914	3966	89.43	-5.305
3817	83.40	-6.688	3867	85.53	-1.645	3917	87.58	-2.157	3967	89.47	-4.053
3818	83.43	-7.136	3868	85.55	-1.270	3918	87.65	-1.904	3968	89.53	-1.800
3819	83.47	-8.009	3869	85.56	-1.268	3919	87.67	-0.653	3969	89.55	-0.924
3820	83.49	-7.506	3870	85.62	-3.141	3920	87.72	1.475	3970	89.59	-0.796
3821	83.52	-6.506	3871	85.66	-3.139	3921	87.75	3.852	3971	89.65	-1.168
3822	83.55	-5.879	3872	85.71	-3.136	3922	87.80	3.854	3972	89.67	-1.792
3823	83.61	-6.251	3873	85.74	-3.760	3923	87.84	4.732	3973	89.72	-3.664
3824	83.69	-3.122	3874	85.80	-5.381	3924	87.85	4.732	3974	89.79	-3.910
3825	83.82	0.305	3875	85.81	-5.756	3925	87.88	3.234	3975	89.86	-5.156
3826	83.91	2.515	3876	85.87	-3.878	3926	87.92	1.111	3976	89.89	-4.905
3827	83.93	2.016	3877	85.88	-3.627	3927	87.94	1.362	3977	89.91	-4.279
3828	83.95	0.393	3878	85.93	-2.999	3928	87.97	2.864	3978	89.94	-3.402
3829	83.99	0.144	3879	85.96	-2.623	3929	87.99	2.615	3979	89.97	-1.525
3830	84.02	0.021	3880	86.	-0.494	3930	88.03	1.742	3980	89.99	-2.649
3831	84.05	-0.852	3881	86.07	-0.117	3931	88.05	1.118	3981	90.03	-4.022
3832	84.08	-1.100	3882	86.11	-0.739	3932	88.10	1.621	3982	90.05	-4.021
3833	84.11	-3.349	3883	86.16	-0.986	3933	88.14	1.123	3983	90.10	-1.518
3834	84.15	-2.097	3884	86.21	-1.984	3934	88.22	-0.497	3984	90.12	-1.517
3835	84.19	-1.219	3885	86.26	-3.231	3935	88.29	-0.494	3985	90.17	-3.264
3836	84.30	-0.213	3886	86.28	-3.230	3936	88.31	0.133	3986	90.23	-4.261
3837	84.33	0.664	3887	86.29	-3.229	3937	88.34	0.384	3987	90.37	-5.503
3838	84.37	0.416	3888	86.34	-2.976	3938	88.36	0.135	3988	90.43	-6.125
3839	84.41	-0.207	3889	86.36	-3.225	3939	88.39	-1.738	3989	90.48	-5.872
3840	84.45	1.045	3890	86.40	-4.473	3940	88.41	-2.987	3990	90.50	-5.871
3841	84.49	1.672	3891	86.43	-5.096	3941	88.43	-2.736	3991	90.52	-6.495
3842	84.50	1.673	3892	86.47	-5.094	3942	88.46	-1.109	3992	90.57	-7.367
3843	84.53	1.050	3893	86.50	-4.843	3943	88.49	0.143	3993	90.63	-7.989
3844	84.56	1.676	3894	86.52	-3.841	3944	88.51	-0.481	3994	90.66	-8.237
3845	84.58	2.553	3895	86.55	-2.965	3945	88.54	-2.355	3995	90.70	-7.735
3846	84.62	4.930	3896	86.57	-3.214	3946	88.59	-1.977	3996	90.75	-5.482
3847	84.64	5.806	3897	86.63	-3.210	3947	88.61	-2.351	3997	90.82	-2.353
3848	84.67	4.933	3898	86.64	-3.209	3948	88.65	-2.974	3998	90.86	0.774
3849	84.72	3.685	3899	86.68	-2.582	3949	88.67	-2.973	3999	90.93	0.778
3850	84.78	1.814	3900	86.75	-2.328	3950	88.70	-2.346	4000	91.07	2.786

INDEX NO. 788 1302-GR-15 CHIYODA BRIDGE LG. MAX.ACCEL.= 51.578(GAL) T=21.47(SEC) NO.21

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
4001	91.25	5.920	4051	93.41	-4.086	4101	96.31	-1.804	4151	98.73	-3.545
4002	91.28	5.672	4052	93.54	-2.830	4102	96.38	-1.425	4152	98.77	-2.918
4003	91.32	4.049	4053	93.61	-2.201	4103	96.40	-1.674	4153	98.84	-2.789
4004	91.45	-0.569	4054	93.70	-0.946	4104	96.47	-0.545	4154	98.92	-3.160
4005	91.48	-1.567	4055	93.76	-0.068	4105	96.50	-0.543	4155	99.15	-1.897
4006	91.49	-1.566	4056	93.81	-0.065	4106	96.53	-1.041	4156	99.18	-1.645
4007	91.51	-0.941	4057	93.90	0.690	4107	96.72	-2.906	4157	99.22	-1.269
4008	91.56	-0.061	4058	93.98	0.319	4108	96.79	-3.277	4158	99.29	-2.765
4009	91.61	-0.060	4059	94.02	-0.304	4109	96.82	-3.026	4159	99.38	-3.760
4010	91.64	-0.309	4060	94.09	-0.175	4110	96.86	-2.398	4160	99.44	-4.381
4011	91.67	-2.182	4061	94.17	-0.795	4111	96.89	-1.397	4161	99.52	-5.627
4012	91.70	-3.055	4062	94.22	-1.043	4112	96.92	-1.145	4162	99.59	-4.998
4013	91.72	-4.429	4063	94.27	-2.289	4113	96.97	-1.392	4163	99.64	-5.370
4014	91.74	-3.928	4064	94.31	-2.662	4114	97.03	0.111	4164	99.68	-4.993
4015	91.77	-2.051	4065	94.39	-2.908	4115	97.08	-0.386	4165	99.73	-5.615
4016	91.80	-3.175	4066	94.49	-3.277	4116	97.13	-0.509	4166	99.78	-5.612
4017	91.89	-3.295	4067	94.55	-2.399	4117	97.22	-0.754	4167	99.82	-4.360
4018	91.91	-2.919	4068	94.57	-2.023	4118	97.30	0.751	4168	99.86	-3.732
4019	91.96	-2.666	4069	94.61	-0.771	4119	97.34	-0.122	4169	99.91	-2.480
4020	92.01	-2.288	4070	94.63	-0.394	4120	97.38	-0.995	4170	99.93	-1.603
4021	92.07	-2.285	4071	94.76	-0.762	4121	97.48	-2.239	4171	99.96	-0.977
4022	92.08	-2.909	4072	94.88	0.120	4122	97.55	-3.860	4172	100.00	-0.850
4023	92.11	-3.533	4073	94.98	0.500	4123	97.62	-4.106	4173	100.05	-0.972
4024	92.14	-4.781	4074	95.01	0.752	4124	97.68	-5.478	4174	100.10	-0.969
4025	92.16	-5.030	4075	95.04	1.753	4125	97.72	-4.850	4175	100.24	-1.212
4026	92.21	-5.778	4076	95.06	2.379	4126	97.77	-4.473	4176	100.27	-1.835
4027	92.24	-5.401	4077	95.12	-0.117	4127	97.81	-4.471	4177	100.37	0.046
4028	92.26	-5.400	4078	95.14	-0.366	4128	97.87	-3.842	4178	100.44	0.049
4029	92.28	-5.649	4079	95.18	-0.364	4129	97.90	-3.591	4179	100.48	0.676
4030	92.30	-6.647	4080	95.22	-0.987	4130	97.94	-3.589	4180	100.49	0.052
4031	92.34	-7.895	4081	95.25	-2.610	4131	97.97	-3.587	4181	100.53	-0.570
4032	92.37	-6.394	4082	95.27	-2.609	4132	98.04	-3.208	4182	100.57	-0.943
4033	92.38	-5.393	4083	95.32	-3.857	4133	98.08	-4.081	4183	100.60	-0.942
4034	92.42	-3.891	4084	95.34	-4.856	4134	98.10	-4.079	4184	100.64	-0.314
4035	92.46	-3.514	4085	95.38	-5.229	4135	98.14	-4.453	4185	100.67	0.062
4036	92.51	-3.511	4086	95.41	-5.602	4136	98.17	-5.076	4186	100.70	-0.186
4037	92.68	0.246	4087	95.44	-5.601	4137	98.19	-5.075	4187	100.74	-0.809
4038	92.72	1.750	4088	95.46	-5.599	4138	98.21	-4.448	4188	100.80	-1.556
4039	92.75	1.127	4089	95.53	-8.345	4139	98.26	-2.946	4189	100.84	-2.428
4040	92.78	0.878	4090	95.61	-7.716	4140	98.28	-2.570	4190	100.89	-3.926
4041	92.81	0.004	4091	95.66	-5.588	4141	98.30	-2.569	4191	100.98	-5.796
4042	92.86	-1.242	4092	95.83	-5.827	4142	98.33	-2.817	4192	101.03	-6.168
4043	92.94	-3.468	4093	96.00	-5.820	4143	98.39	-4.439	4193	101.07	-6.791
4044	92.98	-4.736	4094	96.05	-4.943	4144	98.40	-4.188	4194	101.14	-7.662
4045	93.02	-5.359	4095	96.08	-4.316	4145	98.44	-2.311	4195	101.18	-8.265
4046	93.06	-5.982	4096	96.12	-3.939	4146	98.48	-1.684	4196	101.22	-8.032
4047	93.09	-6.605	4097	96.17	-4.186	4147	98.52	-1.307	4197	101.26	-8.030
4048	93.14	-6.852	4098	96.21	-3.309	4148	98.56	-1.930	4198	101.29	-7.778
4049	93.23	-6.347	4099	96.24	-2.433	4149	98.62	-2.551	4199	101.33	-6.151
4050	93.32	-5.092	4100	96.28	-2.055	4150	98.67	-2.924	4200	101.38	-5.524

INDEX NO. 788 1302-GR-15 CHIYODA BRIDGE LG. MAX.ACCEL.= 51.578(GAL) T=21.47(SEC) NO.22

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
4201	101.40	-5.773	4251	104.74	-4.714	4301	108.58	-3.252	4351	111.68	-6.206
4202	101.47	-5.894	4252	104.80	-4.086	4302	108.66	-3.248	4352	111.77	-5.576
4203	101.53	-5.516	4253	104.88	-3.467	4303	108.73	-3.869	4353	111.95	-5.566
4204	101.61	-4.636	4254	104.95	-3.453	4304	108.79	-4.116	4354	112.06	-5.560
4205	101.73	-2.754	4255	104.99	-3.451	4305	108.85	-3.862	4355	112.13	-5.306
4206	101.81	-2.125	4256	105.04	-3.698	4306	108.89	-4.485	4356	112.16	-4.679
4207	101.84	-2.123	4257	105.10	-2.569	4307	108.96	-4.732	4357	112.27	-3.424
4208	101.86	-1.372	4258	105.15	-1.942	4308	106.97	-4.856	4358	112.42	-0.915
4209	101.89	-1.745	4259	105.19	-1.564	4309	109.03	-5.353	4359	112.47	-0.287
4210	101.96	-1.740	4260	105.25	-1.561	4310	109.11	-4.473	4360	112.50	-0.286
4211	102.14	-1.731	4261	105.29	-1.559	4311	109.17	-4.720	4361	112.52	0.091
4212	102.24	-2.976	4262	105.36	-1.305	4312	109.22	-4.467	4362	112.54	-0.783
4213	102.35	-2.720	4263	105.51	-3.046	4313	109.28	-3.589	4363	112.60	-1.760
4214	102.50	-2.962	4264	105.63	-4.915	4314	109.34	-3.836	4364	112.69	-3.650
4215	102.67	-3.328	4265	105.73	-4.659	4315	109.41	-3.582	4365	112.74	-4.523
4216	102.71	-3.951	4266	105.90	-4.650	4316	109.54	-4.700	4366	112.79	-4.694
4217	102.74	-3.323	4267	106.09	-6.139	4317	109.67	-4.442	4367	112.86	-5.766
4218	102.79	-1.696	4268	106.33	-6.251	4318	109.73	-4.439	4368	112.91	-5.263
4219	102.83	-1.944	4269	106.43	-6.120	4319	109.86	-3.557	4369	112.98	-5.759
4220	102.90	-2.315	4270	106.56	-4.613	4320	109.96	-3.802	4370	113.03	-6.756
4221	102.96	-2.311	4271	106.70	-3.356	4321	110.04	-3.797	4371	113.10	-7.377
4222	103.01	-2.934	4272	106.83	-2.974	4322	110.09	-3.794	4372	113.16	-7.749
4223	103.08	-2.930	4273	106.94	-1.468	4323	110.14	-3.791	4373	113.22	-6.746
4224	103.14	-3.552	4274	107.03	0.037	4324	110.19	-3.539	4374	113.29	-6.492
4225	103.18	-4.175	4275	107.11	0.417	4325	110.25	-3.160	4375	113.40	-5.861
4226	103.24	-5.171	4276	107.20	1.067	4326	110.32	-2.907	4376	113.54	-4.478
4227	103.27	-5.420	4277	107.26	0.860	4327	110.38	-4.028	4377	113.70	-4.219
4228	103.33	-5.166	4278	107.33	1.052	4328	110.43	-4.400	4378	113.75	-4.467
4229	103.47	-4.533	4279	107.33	0.179	4329	110.47	-4.648	4379	113.81	-5.089
4230	103.56	-4.154	4280	107.36	-1.444	4330	110.51	-4.646	4380	113.86	-5.461
4231	103.60	-4.152	4281	107.40	-2.693	4331	110.53	-4.645	4381	113.90	-5.459
4232	103.62	-4.151	4282	107.44	-3.940	4332	110.57	-6.267	4382	113.96	-5.205
4233	103.68	-4.772	4283	107.49	-4.812	4333	110.62	-7.140	4383	114.02	-5.452
4234	103.83	-5.764	4284	107.54	-5.435	4334	110.65	-7.763	4384	114.09	-4.448
4235	103.92	-5.384	4285	107.61	-6.431	4335	110.67	-7.887	4385	114.11	-4.822
4236	103.99	-5.130	4286	107.70	-7.676	4336	110.73	-6.883	4386	114.27	-6.063
4237	104.08	-4.750	4287	107.77	-9.171	4337	110.80	-5.630	4387	114.35	-5.809
4238	104.12	-5.124	4288	107.82	-8.919	4338	110.86	-5.626	4388	114.41	-5.181
4239	104.18	-3.495	4289	107.89	-8.040	4339	110.93	-5.372	4389	114.49	-5.426
4240	104.24	-2.242	4290	107.94	-6.787	4340	111.01	-3.743	4390	114.65	-2.917
4241	104.29	-1.989	4291	108.03	-6.032	4341	111.06	-3.740	4391	114.77	-2.911
4242	104.34	-0.736	4292	108.08	-4.904	4342	111.13	-3.738	4392	114.84	-1.657
4243	104.36	-0.735	4293	108.14	-3.652	4343	111.19	-3.733	4393	114.89	-1.404
4244	104.40	-1.233	4294	108.20	-2.898	4344	111.25	-3.729	4394	114.93	-1.402
4245	104.44	-1.605	4295	108.27	-3.270	4345	111.31	-3.476	4395	114.97	-1.400
4246	104.49	-3.103	4296	108.33	-3.016	4346	111.36	-3.723	4396	115.00	-1.398
4247	104.56	-3.224	4297	108.36	-3.013	4347	111.41	-3.971	4397	115.02	-1.397
4248	104.61	-3.471	4298	108.44	-3.010	4348	111.47	-5.217	4398	115.06	-1.895
4249	104.66	-4.093	4299	108.49	-3.883	4349	111.57	-6.462	4399	115.13	-2.891
4250	104.70	-4.091	4300	108.52	-3.631	4350	111.62	-6.459	4400	115.17	-2.889

INDEX NO. 788 1302-GR-15 CHIYODA BRIDGE LG. MAX.ACCEL.= 51.578(GAL) T=21.47(SEC) NO.23

NO.	(SEC)	(GAL)
4401	115.22	-3.136
4402	115.27	-4.383
4403	115.36	-5.628
4404	115.41	-6.625
4405	115.44	-6.874
4406	115.47	-6.622
4407	115.51	-5.745
4408	115.58	-5.741
4409	115.67	-5.361
4410	115.77	-5.105
4411	115.83	-4.477
4412	115.89	-3.849
4413	115.92	-2.847
4414	115.96	-2.845
4415	116.00	-2.843
4416	116.10	-4.337
4417	116.20	-5.957
4418	116.34	-6.949
4419	116.43	-7.444
4420	116.49	-7.817
4421	116.52	-7.565
4422	116.54	-7.813
4423	116.57	-7.612
4424	116.60	-7.560
4425	116.66	-7.432
4426	116.73	-6.303
4427	116.85	-5.922
4428	116.95	-5.916

Table IX D-15 Digitized Accelerations of Earthquake Record with Index Number 789

INDEX NO. 789 1302-GR-15 CHIYODA BRIDGE U-D MAX.ACCEL.= -15.068(GAL) T= 8.29(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.01	-10.693	51	0.95	-6.013	101	1.81	-5.960	151	2.74	-10.030
2	0.03	-9.816	52	0.96	-6.013	102	1.84	-5.334	152	2.75	-9.779
3	0.05	-9.815	53	0.98	-6.012	103	1.86	-4.707	153	2.78	-9.528
4	0.06	-9.440	54	0.99	-6.511	104	1.88	-4.206	154	2.80	-8.526
5	0.09	-9.438	55	1.01	-6.510	105	1.89	-5.081	155	2.83	-7.650
6	0.10	-9.437	56	1.03	-6.684	106	1.91	-5.454	156	2.86	-6.898
7	0.12	-9.436	57	1.04	-6.632	107	1.93	-5.203	157	2.89	-6.646
8	0.14	-10.680	58	1.06	-6.006	108	1.94	-4.827	158	2.90	-6.396
9	0.15	-9.809	59	1.07	-6.006	109	1.95	-4.577	159	2.91	-6.020
10	0.17	-9.434	60	1.09	-6.005	110	1.96	-4.201	160	2.93	-6.269
11	0.18	-8.558	61	1.10	-6.254	111	1.97	-3.951	161	2.96	-6.642
12	0.20	-7.557	62	1.11	-6.879	112	1.98	-4.450	162	2.99	-6.640
13	0.23	-6.680	63	1.12	-7.503	113	1.99	-4.449	163	3.02	-6.639
14	0.25	-6.054	64	1.13	-7.502	114	2.01	-5.073	164	3.04	-6.387
15	0.26	-6.054	65	1.14	-7.751	115	2.03	-6.322	165	3.06	-6.011
16	0.27	-6.927	66	1.15	-7.751	116	2.05	-8.571	166	3.08	-5.385
17	0.29	-6.927	67	1.17	-6.875	117	2.07	-10.069	167	3.09	-5.134
18	0.30	-8.176	68	1.19	-6.499	118	2.09	-10.444	168	3.11	-5.383
19	0.31	-6.550	69	1.22	-7.122	119	2.10	-10.693	169	3.15	-6.005
20	0.32	-8.425	70	1.23	-7.496	120	2.12	-9.817	170	3.18	-6.628
21	0.34	-7.924	71	1.25	-7.670	121	2.13	-9.191	171	3.19	-6.878
22	0.35	-7.923	72	1.26	-7.494	122	2.17	-6.063	172	3.20	-6.627
23	0.37	-7.797	73	1.28	-7.493	123	2.20	-5.062	173	3.25	-4.499
24	0.39	-8.171	74	1.30	-7.242	124	2.22	-4.561	174	3.26	-4.498
25	0.40	-8.795	75	1.32	-6.616	125	2.23	-4.560	175	3.28	-4.497
26	0.41	-9.044	76	1.33	-6.240	126	2.24	-4.810	176	3.30	-4.745
27	0.42	-8.544	77	1.34	-6.240	127	2.26	-5.433	177	3.32	-5.370
28	0.44	-7.543	78	1.35	-6.239	128	2.28	-6.682	178	3.34	-5.369
29	0.46	-6.292	79	1.36	-6.238	129	2.30	-7.556	179	3.36	-4.742
30	0.49	-5.665	80	1.36	-6.862	130	2.32	-8.180	180	3.38	-3.866
31	0.50	-5.664	81	1.40	-7.735	131	2.34	-8.554	181	3.40	-3.865
32	0.53	-5.412	82	1.43	-8.359	132	2.36	-8.552	182	3.42	-4.113
33	0.56	-5.411	83	1.44	-8.483	133	2.39	-8.801	183	3.43	-4.113
34	0.58	-5.034	84	1.46	-8.482	134	2.44	-8.797	184	3.45	-3.237
35	0.60	-5.033	85	1.48	-7.856	135	2.49	-8.795	185	3.46	-3.486
36	0.62	-5.032	86	1.51	-7.654	136	2.51	-8.794	186	3.47	-4.110
37	0.64	-5.656	87	1.52	-6.103	137	2.52	-8.543	187	3.48	-4.735
38	0.67	-5.655	88	1.54	-7.852	138	2.53	-8.293	188	3.49	-5.359
39	0.71	-6.527	89	1.55	-7.226	139	2.54	-7.667	189	3.51	-5.983
40	0.73	-6.901	90	1.57	-6.600	140	2.56	-6.666	190	3.53	-6.857
41	0.77	-7.274	91	1.59	-6.849	141	2.58	-5.789	191	3.54	-6.981
42	0.79	-7.522	92	1.60	-6.848	142	2.60	-5.163	192	3.56	-6.980
43	0.82	-8.396	93	1.62	-7.097	143	2.61	-4.787	193	3.58	-6.604
44	0.83	-8.770	94	1.63	-7.221	144	2.63	-4.537	194	3.59	-5.978
45	0.84	-8.519	95	1.66	-7.470	145	2.64	-4.786	195	3.61	-5.352
46	0.87	-7.518	96	1.68	-7.218	146	2.65	-5.410	196	3.62	-4.476
47	0.89	-6.391	97	1.70	-7.217	147	2.67	-6.034	197	3.64	-4.100
48	0.91	-6.891	98	1.74	-7.465	148	2.69	-7.533	198	3.65	-3.850
49	0.92	-6.640	99	1.78	-6.837	149	2.71	-8.782	199	3.66	-4.349
50	0.93	-6.264	100	1.80	-6.211	150	2.73	-9.781	200	3.68	-4.972

INDEX NO. 789 1302-GR-15 CHIYODA BRIDGE U-D MAX.ACCEL.= -15.068(GAL) T= 8.29(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	3.69	-5.597	251	4.78	-6.282	301	5.92	-8.462	351	7.09	-5.266
202	3.71	-5.971	252	4.80	-6.531	302	5.96	-7.584	352	7.10	-5.266
203	3.73	-5.969	253	4.81	-7.531	303	6.02	-6.581	353	7.11	-5.015
204	3.74	-6.219	254	4.83	-6.905	304	6.04	-6.579	354	7.13	-5.013
205	3.76	-6.843	255	4.85	-5.628	305	6.06	-5.328	355	7.15	-5.512
206	3.77	-6.842	256	4.86	-4.651	306	6.10	-6.826	356	7.16	-5.512
207	3.79	-6.641	257	4.90	-4.901	307	6.13	-7.824	357	7.17	-5.011
208	3.80	-6.840	258	4.91	-5.524	308	6.15	-8.698	358	7.19	-3.635
209	3.82	-6.589	259	4.94	-6.523	309	6.16	-7.822	359	7.21	-3.634
210	3.84	-6.588	260	4.97	-7.771	310	6.20	-5.695	360	7.22	-3.883
211	3.87	-6.336	261	5.00	-8.645	311	6.23	-6.693	361	7.24	-6.132
212	3.89	-5.709	262	5.01	-9.019	312	6.26	-7.067	362	7.26	-7.381
213	3.91	-5.333	263	5.03	-9.018	313	6.29	-6.440	363	7.27	-9.505
214	3.93	-4.707	264	5.04	-6.767	314	6.33	-6.062	364	7.28	-10.754
215	3.95	-4.456	265	5.05	-8.391	315	6.37	-6.684	365	7.29	-9.879
216	3.97	-4.705	266	5.07	-7.140	316	6.40	-7.058	366	7.31	-10.128
217	3.98	-4.954	267	5.09	-6.264	317	6.42	-7.056	367	7.34	-9.876
218	4.00	-5.578	268	5.12	-7.307	318	6.43	-7.056	368	7.35	-8.875
219	4.02	-6.827	269	5.13	-7.761	319	6.46	-6.429	369	7.39	-6.123
220	4.04	-6.325	270	5.14	-7.511	320	6.47	-6.178	370	7.42	-4.496
221	4.06	-6.324	271	5.18	-6.508	321	6.49	-5.177	371	7.44	-4.495
222	4.07	-6.573	272	5.20	-6.257	322	6.50	-5.177	372	7.45	-5.994
223	4.09	-6.947	273	5.22	-6.256	323	6.51	-6.426	373	7.47	-7.618
224	4.11	-6.321	274	5.24	-7.754	324	6.52	-9.050	374	7.48	-8.242
225	4.14	-5.944	275	5.25	-7.754	325	6.54	-9.049	375	7.50	-8.241
226	4.16	-5.693	276	5.27	-7.753	326	6.57	-8.173	376	7.51	-8.865
227	4.19	-5.942	277	5.29	-8.377	327	6.59	-8.171	377	7.53	-9.489
228	4.21	-7.191	278	5.31	-8.625	328	6.65	-7.417	378	7.55	-10.988
229	4.24	-8.063	279	5.33	-9.999	329	6.68	-7.166	379	7.56	-11.237
230	4.26	-8.437	280	5.35	-9.373	330	6.72	-7.788	380	7.58	-11.487
231	4.28	-9.062	281	5.38	-6.996	331	6.74	-7.787	381	7.60	-10.610
232	4.29	-8.186	282	5.48	-7.114	332	6.75	-7.787	382	7.62	-10.609
233	4.31	-6.935	283	5.60	-5.482	333	6.76	-8.036	383	7.64	-10.608
234	4.32	-6.559	284	5.61	-5.481	334	6.77	-8.035	384	7.66	-10.231
235	4.34	-6.808	285	5.62	-6.231	335	6.78	-7.535	385	7.67	-9.981
236	4.35	-8.682	286	5.64	-8.729	336	6.80	-7.158	386	7.68	-9.355
237	4.39	-10.555	287	5.66	-9.728	337	6.84	-5.656	387	7.71	-7.104
238	4.42	-10.553	288	5.67	-9.727	338	6.86	-4.405	388	7.73	-6.477
239	4.44	-9.427	289	5.68	-9.727	339	6.88	-3.279	389	7.74	-6.476
240	4.47	-8.175	290	5.70	-8.225	340	6.89	-2.903	390	7.76	-6.475
241	4.50	-7.549	291	5.73	-7.599	341	6.90	-3.903	391	7.78	-5.849
242	4.53	-6.922	292	5.76	-7.222	342	6.91	-6.027	392	7.81	-5.847
243	4.58	-6.294	293	5.78	-7.221	343	6.94	-7.650	393	7.83	-5.846
244	4.60	-6.793	294	5.79	-7.470	344	6.95	-9.024	394	7.84	-5.471
245	4.65	-7.790	295	5.81	-8.094	345	6.97	-8.773	395	7.86	-6.469
246	4.66	-7.789	296	5.82	-9.968	346	6.99	-7.147	396	7.87	-7.093
247	4.69	-8.787	297	5.83	-10.968	347	7.02	-5.895	397	7.89	-7.093
248	4.72	-8.536	298	5.84	-10.967	348	7.04	-6.769	398	7.92	-3.840
249	4.74	-8.285	299	5.87	-10.340	349	7.05	-7.143	399	7.94	-2.984
250	4.76	-8.534	300	5.90	-9.088	350	7.08	-8.517	400	7.95	-2.839

INDEX NO. 769 1302-GR-15 CHIYODA BRIDGE U-D MAX.ACCEL.= -15.068(GAL) T= 8.29(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	7.96	-2.556	451	8.80	-7.037	501	9.93	-5.342	551	11.00	-6.149
402	7.97	-3.838	452	8.82	-6.706	502	9.95	-6.590	552	11.02	-6.399
403	7.98	-4.712	453	8.83	-6.660	503	10.01	-8.232	553	11.07	-7.020
404	8.00	-5.711	454	8.86	-3.783	504	10.02	-8.836	554	11.09	-6.769
405	8.03	-6.959	455	8.87	-4.157	505	10.03	-10.085	555	11.13	-8.391
406	8.06	-8.207	456	8.89	-4.406	506	10.04	-11.585	556	11.16	-6.515
407	8.07	-7.581	457	8.94	-5.653	507	10.05	-12.209	557	11.20	-5.887
408	8.10	-5.455	458	9.02	-8.149	508	10.07	-12.583	558	11.23	-4.886
409	8.11	-5.079	459	9.04	-10.022	509	10.10	-9.456	559	11.24	-4.634
410	8.12	-5.704	460	9.07	-10.645	510	10.13	-7.580	560	11.27	-3.258
411	8.13	-5.703	461	9.08	-10.020	511	10.14	-7.579	561	11.29	-4.507
412	8.15	-7.327	462	9.10	-8.519	512	10.15	-7.576	562	11.33	-5.755
413	8.16	-6.701	463	9.12	-6.642	513	10.16	-7.577	563	11.34	-6.129
414	8.18	-5.449	464	9.13	-6.267	514	10.18	-8.201	564	11.35	-6.128
415	8.20	-5.449	465	9.14	-6.266	515	10.20	-9.075	565	11.37	-5.877
416	8.21	-6.323	466	9.17	-6.889	516	10.24	-10.323	566	11.40	-5.750
417	8.23	-7.197	467	9.19	-7.136	517	10.26	-11.322	567	11.42	-6.374
418	8.24	-8.446	468	9.21	-7.532	518	10.27	-11.321	568	11.43	-5.498
419	8.26	-12.320	469	9.22	-8.386	519	10.28	-9.195	569	11.46	-4.496
420	8.27	-14.319	470	9.23	-8.385	520	10.31	-6.068	570	11.51	-4.243
421	8.29	-15.068	471	9.25	-7.259	521	10.32	-5.442	571	11.55	-3.991
422	8.31	-12.817	472	9.29	-3.757	522	10.34	-5.066	572	11.58	-3.614
423	8.34	-8.940	473	9.30	-3.131	523	10.37	-4.440	573	11.59	-3.863
424	8.35	-8.014	474	9.32	-1.880	524	10.41	-4.066	574	11.61	-4.467
425	8.37	-5.160	475	9.33	-2.504	525	10.43	-4.436	575	11.63	-5.736
426	8.38	-4.612	476	9.34	-3.379	526	10.45	-4.164	576	11.64	-5.235
427	8.40	-5.186	477	9.38	-9.376	527	10.47	-4.933	577	11.68	-4.232
428	8.41	-6.061	478	9.39	-9.626	528	10.48	-6.433	578	11.70	-4.481
429	8.42	-7.435	479	9.41	-8.124	529	10.49	-7.431	579	11.72	-4.855
430	8.44	-6.434	480	9.46	-4.996	530	10.52	-6.555	580	11.74	-5.104
431	8.46	-5.807	481	9.47	-4.996	531	10.56	-5.552	581	11.76	-5.728
432	8.49	-5.181	482	9.48	-4.995	532	10.58	-5.551	582	11.78	-5.227
433	8.51	-5.805	483	9.50	-5.868	533	10.60	-7.050	583	11.80	-4.851
434	8.52	-6.429	484	9.51	-6.868	534	10.61	-7.174	584	11.81	-4.600
435	8.53	-7.054	485	9.52	-6.618	535	10.62	-7.424	585	11.82	-6.099
436	8.56	-5.177	486	9.55	-4.740	536	10.64	-8.047	586	11.85	-8.347
437	8.59	-4.300	487	9.58	-4.364	537	10.66	-7.171	587	11.86	-8.847
438	8.60	-3.174	488	9.62	-4.361	538	10.66	-6.545	588	11.88	-7.970
439	8.61	-2.549	489	9.65	-4.359	539	10.76	-2.040	589	11.91	-6.468
440	8.62	-1.048	490	9.67	-5.233	540	10.79	-1.163	590	11.93	-6.092
441	8.63	-1.547	491	9.72	-8.730	541	10.80	-1.162	591	11.95	-6.091
442	8.65	-2.546	492	9.74	-10.229	542	10.81	-2.162	592	11.97	-6.090
443	8.66	-5.921	493	9.75	-10.728	543	10.84	-0.535	593	11.99	-6.339
444	8.67	-8.170	494	9.77	-9.477	544	10.85	0.716	594	12.01	-7.087
445	8.69	-7.419	495	9.79	-8.850	545	10.86	+0.533	595	12.07	-4.209
446	8.72	-5.791	496	9.82	-8.224	546	10.88	-2.407	596	12.09	-3.958
447	8.73	-5.791	497	9.85	-8.222	547	10.89	-3.281	597	12.12	-3.331
448	8.75	-6.415	498	9.86	-7.596	548	10.94	-4.279	598	12.14	-3.829
449	8.77	-7.039	499	9.88	-6.095	549	10.96	-4.902	599	12.15	-5.079
450	8.78	-7.038	500	9.90	-4.469	550	10.98	-5.776	600	12.16	-5.703

INDEX NO. 769 1302-GR-15 CHIYODA BRIDGE U-D MAX.ACCEL.= -15.068(GAL) T= 8.29(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	12.19	-4.827	651	13.13	-4.768	701	14.32	1.554	751	15.58	-0.868
602	12.21	-3.950	652	13.16	-5.642	702	14.33	1.805	752	15.61	-0.616
603	12.23	-3.949	653	13.17	-5.391	703	14.35	1.806	753	15.63	-0.240
604	12.25	-4.197	654	13.19	-4.765	704	14.36	1.307	754	15.64	0.011
605	12.27	-4.197	655	13.21	+4.138	705	14.38	+0.317	755	15.67	1.262
606	12.28	-4.820	656	13.23	-4.137	706	14.40	-0.316	756	15.68	1.263
607	12.30	-5.694	657	13.26	-5.011	707	14.42	0.311	757	15.72	0.390
608	12.31	-5.694	658	13.32	-6.632	708	14.44	-0.563	758	15.75	-0.858
609	12.33	-5.693	659	13.34	-6.881	709	14.46	-2.187	759	15.76	-2.357
610	12.36	-5.191	660	13.36	-7.255	710	14.51	-5.684	760	15.78	-3.981
611	12.39	-4.439	661	13.40	+5.127	711	14.54	-6.557	761	15.80	-4.605
612	12.40	-4.438	662	13.43	+3.251	712	14.55	+6.931	762	15.82	+4.603
613	12.42	+5.437	663	13.45	+3.249	713	14.56	+5.861	763	15.84	-3.727
614	12.44	+6.686	664	13.51	+4.996	714	14.58	+3.430	764	15.85	-3.101
615	12.47	+5.434	665	13.54	+5.360	715	14.59	+2.804	765	15.86	-2.726
616	12.49	+4.808	666	13.56	+5.117	716	14.60	+2.553	766	15.88	-2.975
617	12.50	+5.057	667	13.57	+5.116	717	14.62	+2.177	767	15.90	-4.348
618	12.51	+5.431	668	13.60	+4.115	718	14.67	+1.924	768	15.91	-4.222
619	12.53	+5.680	669	13.62	+2.864	719	14.68	+1.923	769	15.92	+3.097
620	12.55	+6.929	670	13.65	+1.987	720	14.70	+0.297	770	15.94	+0.221
621	12.56	+7.303	671	13.68	+0.985	721	14.71	0.954	771	15.96	0.655
622	12.58	+7.677	672	13.71	+0.733	722	14.73	0.954	772	15.97	1.031
623	12.59	+7.301	673	13.73	+0.982	723	14.75	0.331	773	15.99	+0.468
624	12.61	+6.300	674	13.75	+2.855	724	14.77	+0.918	774	16.00	-0.467
625	12.64	+7.673	675	13.77	+4.104	725	14.79	+1.542	775	16.02	-0.841
626	12.66	+6.421	676	13.81	+4.477	726	14.80	+1.541	776	16.03	+1.465
627	12.70	+5.795	677	13.83	+4.476	727	14.82	+0.915	777	16.04	+1.715
628	12.72	+5.419	678	13.87	+4.098	728	14.87	+0.662	778	16.05	+2.714
629	12.73	+5.168	679	13.89	+3.847	729	14.90	+0.660	779	16.06	+4.214
630	12.75	+5.417	680	13.91	+2.221	730	14.93	+0.033	780	16.07	+5.213
631	12.76	+3.917	681	13.93	+1.970	731	14.97	0.595	781	16.09	+5.212
632	12.79	+3.290	682	13.95	+3.718	732	14.98	0.345	782	16.10	+4.836
633	12.80	+4.414	683	13.98	+4.091	733	15.00	+0.654	783	16.17	+2.456
634	12.84	+5.661	684	14.01	+4.590	734	15.13	+5.896	784	16.24	0.673
635	12.85	+5.161	685	14.04	+4.088	735	15.14	+6.145	785	16.29	2.551
636	12.88	+3.909	686	14.05	+3.837	736	15.16	+5.019	786	16.31	3.177
637	12.89	+4.159	687	14.06	+3.837	737	15.18	+5.016	787	16.32	3.178
638	12.91	+3.532	688	14.08	+3.836	738	15.19	+5.017	788	16.33	2.928
639	12.92	+4.781	689	14.09	+4.085	739	15.22	+5.515	789	16.38	+1.058
640	12.95	+4.780	690	14.12	+5.333	740	15.24	+5.514	790	16.41	+3.317
641	12.97	+4.778	691	14.14	+4.707	741	15.29	+4.386	791	16.43	+1.440
642	12.99	+4.152	692	14.15	+4.706	742	15.38	+1.880	792	16.44	+1.440
643	13.01	+3.276	693	14.16	+4.080	743	15.39	+2.380	793	16.45	+2.064
644	13.02	+3.526	694	14.20	+2.203	744	15.42	+2.378	794	16.47	+2.938
645	13.04	+3.274	695	14.22	+0.577	745	15.46	+3.001	795	16.49	+3.936
646	13.06	+3.273	696	14.25	+1.575	746	15.49	+3.123	796	16.51	+4.185
647	13.06	+3.522	697	14.26	+1.574	747	15.51	+3.123	797	16.53	+3.934
648	13.10	+2.896	698	14.27	+1.574	748	15.52	+2.747	798	16.54	+2.683
649	13.11	+2.695	699	14.28	+0.698	749	15.53	+2.121	799	16.57	+1.807
650	13.12	-3.145	700	14.30	1.303	750	15.55	+1.245	800	16.58	+1.806

土木構造物における加速度強震記録（No. 9）

INDEX NO. 789 1302-GR-15 CHIYODA BRIDGE U-D MAX.ACCEL.= -15.068(GAL) T= 8.29(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	16.59	-1.805	851	17.47	-3.675	901	18.47	0.937	951	19.41	-2.889
802	16.60	-2.054	852	17.49	-4.124	902	18.51	1.189	952	19.44	-2.253
803	16.62	-2.053	853	17.57	-1.119	903	18.53	2.441	953	19.46	-1.876
804	16.63	-1.803	854	17.60	-0.117	904	18.54	1.616	954	19.48	-2.125
805	16.65	-1.426	855	17.61	-0.134	905	18.56	0.318	955	19.50	-2.499
806	16.67	-1.175	856	17.62	0.509	906	18.58	0.319	956	19.52	-2.490
807	16.68	-1.175	857	17.64	-0.365	907	18.59	0.319	957	19.54	-1.871
808	16.70	-1.674	858	17.65	-0.989	908	18.61	0.571	958	19.56	-0.995
809	16.71	-2.298	859	17.66	-0.738	909	18.63	1.447	959	19.62	0.884
810	16.72	-2.922	860	17.69	-0.112	910	18.65	2.073	960	19.64	0.010
811	16.73	-3.296	861	17.72	0.766	911	18.67	4.324	961	19.65	-0.364
812	16.74	-3.296	862	17.75	1.142	912	18.68	4.825	962	19.66	-1.863
813	16.77	-3.544	863	17.76	1.766	913	18.69	4.825	963	19.68	-5.612
814	16.78	-4.168	864	17.77	1.516	914	18.71	3.577	964	19.72	-10.360
815	16.79	-4.793	865	17.79	-0.355	915	18.73	2.953	965	19.73	-9.984
816	16.80	-4.792	866	17.82	-3.226	916	18.75	2.329	966	19.74	-8.734
817	16.81	-4.292	867	17.84	-3.602	917	18.79	1.331	967	19.77	-7.232
818	16.84	-1.798	868	17.85	-3.852	918	18.81	0.708	968	19.79	-4.981
819	16.87	0.087	869	17.87	-1.725	919	18.82	0.958	969	19.80	-1.855
820	16.89	0.463	870	17.89	-0.099	920	18.83	0.959	970	19.82	1.022
821	16.90	1.089	871	17.90	0.526	921	18.86	1.586	971	19.84	2.148
822	16.91	1.090	872	17.91	0.902	922	18.88	1.962	972	19.85	2.773
823	16.92	1.091	873	17.93	0.529	923	18.89	1.713	973	19.86	2.774
824	16.94	1.967	874	17.96	0.280	924	18.90	-0.786	974	19.88	2.275
825	16.96	2.593	875	17.97	-0.094	925	18.92	-1.785	975	19.91	0.027
826	16.97	2.969	876	17.99	2.408	926	18.93	-3.410	976	19.94	-1.846
827	16.99	2.720	877	18.01	3.033	927	18.94	-6.284	977	19.96	-2.470
828	17.01	2.721	878	18.03	0.909	928	18.95	-9.533	978	19.97	-3.344
829	17.03	2.722	879	18.05	-1.339	929	18.97	-8.907	979	19.99	-5.218
830	17.04	2.723	880	18.06	-1.339	930	19.02	-4.529	980	20.01	-6.841
831	17.05	1.723	881	18.07	-1.588	931	19.08	-0.275	981	20.02	-7.091
832	17.06	0.474	882	18.13	-0.769	932	19.09	-0.274	982	20.03	-7.465
833	17.08	-0.150	883	18.16	-0.707	933	19.12	-0.273	983	20.05	-6.839
834	17.09	-0.774	884	18.17	-1.332	934	19.15	-1.271	984	20.09	-5.962
835	17.11	-0.773	885	18.19	-2.580	935	19.17	-0.895	985	20.16	-2.833
836	17.12	-0.522	886	18.20	-3.205	936	19.18	-1.019	986	20.18	-2.206
837	17.16	1.105	887	18.21	-2.954	937	19.19	-0.643	987	20.20	-1.830
838	17.21	2.608	888	18.24	-1.702	938	19.21	0.608	988	20.21	-1.830
839	17.24	2.360	889	18.25	-1.326	939	19.23	2.109	989	20.22	-2.454
840	17.27	2.112	890	18.28	-0.700	940	19.24	3.735	990	20.24	-3.327
841	17.30	1.739	891	18.29	-0.949	941	19.25	3.111	991	20.26	-3.951
842	17.34	1.491	892	18.31	-2.573	942	19.27	3.111	992	20.27	-4.326
843	17.35	1.492	893	18.32	-3.448	943	19.29	2.488	993	20.28	-3.450
844	17.36	1.493	894	18.33	-4.196	944	19.31	1.864	994	20.30	-0.949
845	17.38	1.494	895	18.34	-4.196	945	19.33	1.615	995	20.33	0.928
846	17.41	0.871	896	18.36	-3.570	946	19.34	0.991	996	20.35	1.304
847	17.42	0.246	897	18.38	-1.944	947	19.35	-0.008	997	20.37	1.555
848	17.43	-0.128	898	18.40	-0.692	948	19.37	-1.507	998	20.39	1.307
849	17.44	-2.002	899	18.42	-0.066	949	19.38	-3.131	999	20.42	-0.191
850	17.46	-4.126	900	18.44	0.185	950	19.39	-3.131	1000	20.47	-3.313

INDEX NO. 789 1302-GR-15 CHIYODA BRIDGE U-D MAX.ACCEL.= -15.068(GAL) T= 8.29(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	20.51	-5.812	1051	21.34	1.490	1101	22.20	-7.331	1151	23.22	0.483
1002	20.53	-6.185	1052	21.36	1.491	1102	22.22	-5.830	1152	23.25	1.734
1003	20.54	-6.809	1053	21.37	0.117	1103	22.26	-3.953	1153	23.29	3.362
1004	20.55	-5.934	1054	21.39	0.743	1104	22.29	-2.951	1154	23.32	4.364
1005	20.57	-4.933	1055	21.40	0.744	1105	22.32	-2.074	1155	23.33	4.989
1006	20.58	-3.682	1056	21.41	0.744	1106	22.34	-0.823	1156	23.35	7.240
1007	20.60	-1.180	1057	21.43	0.746	1107	22.35	-1.072	1157	23.36	7.866
1008	20.62	-0.554	1058	21.44	0.496	1108	22.38	-0.445	1158	23.38	7.617
1009	20.64	0.697	1059	21.45	0.372	1109	22.40	0.181	1159	23.40	7.493
1010	20.66	0.948	1060	21.46	1.373	1110	22.42	1.057	1160	23.41	6.994
1011	20.69	1.325	1061	21.48	2.624	1111	22.44	1.058	1161	23.43	5.995
1012	20.72	1.077	1062	21.50	3.500	1112	22.46	1.060	1162	23.44	5.371
1013	20.73	1.327	1063	21.51	4.001	1113	22.49	1.687	1163	23.45	3.871
1014	20.75	2.204	1064	21.53	3.752	1114	22.51	2.938	1164	23.46	2.622
1015	20.76	2.954	1065	21.54	3.753	1115	22.53	1.814	1165	23.47	1.873
1016	20.77	2.955	1066	21.55	4.628	1116	22.58	0.192	1166	23.48	1.623
1017	20.78	1.956	1067	21.57	6.754	1117	22.61	-0.431	1167	23.50	0.125
1018	20.80	-0.793	1068	21.58	7.755	1118	22.62	-2.930	1168	23.52	-1.124
1019	20.81	-1.168	1069	21.60	7.756	1119	22.65	-2.053	1169	23.53	-0.623
1020	20.82	-1.792	1070	21.62	8.507	1120	22.66	-2.052	1170	23.54	-1.748
1021	20.83	-1.541	1071	21.64	4.383	1121	22.68	-2.551	1171	23.56	-0.871
1022	20.85	-0.916	1072	21.65	2.759	1122	22.69	-3.301	1172	23.60	1.006
1023	20.86	-0.290	1073	21.67	1.511	1123	22.70	-3.800	1173	23.63	1.383
1024	20.88	1.336	1074	21.70	0.637	1124	22.72	-2.674	1174	23.64	1.633
1025	20.90	3.008	1075	21.72	-0.111	1125	22.75	-0.797	1175	23.66	1.010
1026	20.93	2.464	1076	21.76	0.016	1126	22.78	0.205	1176	23.67	0.135
1027	20.94	1.715	1077	21.79	0.516	1127	22.84	2.706	1177	23.75	-7.235
1028	20.96	1.217	1078	21.81	0.269	1128	22.87	3.585	1178	23.78	-9.108
1029	20.99	0.593	1079	21.85	0.521	1129	22.88	3.586	1179	23.79	-9.108
1030	21.01	0.845	1080	21.86	0.522	1130	22.90	3.588	1180	23.81	-8.856
1031	21.04	1.471	1081	21.87	1.148	1131	22.91	3.338	1181	23.84	-7.855
1032	21.05	1.472	1082	21.89	1.774	1132	22.93	1.214	1182	23.85	-6.354
1033	21.06	1.223	1083	21.91	3.025	1133	22.95	0.215	1183	23.87	-4.103
1034	21.08	0.224	1084	21.92	4.026	1134	22.96	-1.659	1184	23.89	-0.351
1035	21.10	0.225	1085	21.93	4.277	1135	22.97	-4.158	1185	23.91	2.150
1036	21.11	0.226	1086	21.95	3.778	1136	22.99	-5.657	1186	23.92	4.026
1037	21.13	0.477	1087	21.96	0.653	1137	23.00	-7.281	1187	23.93	6.276
1038	21.15	0.854	1088	21.97	-0.596	1138	23.01	-7.531	1188	23.94	6.651
1039	21.18	1.105	1089	21.99	-0.595	1139	23.02	-7.655	1189	23.95	7.528
1040	21.20	1.106	1090	22.02	-0.092	1140	23.06	-5.778	1190	23.96	8.153
1041	21.21	1.107	1091	22.03	-0.342	1141	23.07	-5.402	1191	23.98	8.779
1042	21.22	0.858	1092	22.05	-1.216	1142	23.09	-5.401	1192	23.99	8.530
1043	21.24	0.859	1093	22.07	-2.465	1143	23.10	-5.650	1193	24.01	8.281
1044	21.25	0.609	1094	22.09	-4.839	1144	23.11	-7.024	1194	24.02	8.157
1045	21.26	0.235	1095	22.10	-5.713	1145	23.12	-8.524	1195	24.04	8.283
1046	21.28	-1.389	1096	22.12	-4.836	1146	23.13	-7.648	1196	24.05	7.034
1047	21.29	-0.388	1097	22.15	-4.210	1147	23.15	-5.397	1197	24.08	6.660
1048	21.30	1.238	1098	22.16	-4.459	1148	23.18	-1.645	1198	24.10	6.037
1049	21.32	1.739	1099	22.18	-5.708	1149	23.20	-0.769	1199	24.13	5.788
1050	21.33	1.489	1100	22.19	-6.957	1150	23.21	0.232	1200	24.14	5.414

INDEX NO. 789 1302-GR-15 CHIYODA BRIDGE U-D MAX.ACCEL.= -15.068(GAL) T= 8.29(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	24.15	5.615	1251	24.94	6.339	1301	25.78	-0.859	1351	26.70	1.446
1202	24.17	5.666	1252	24.95	7.965	1302	25.79	-1.234	1352	26.71	3.073
1203	24.19	6.292	1253	24.96	8.590	1303	25.83	-4.056	1353	26.72	3.323
1204	24.21	6.293	1254	24.98	9.216	1304	25.85	-5.480	1354	26.74	3.699
1205	24.22	6.669	1255	25.00	9.468	1305	25.87	-6.479	1355	26.76	3.950
1206	24.23	5.795	1256	25.01	9.466	1306	25.88	-7.103	1356	26.79	4.327
1207	24.25	4.796	1257	25.02	9.219	1307	25.90	-7.102	1357	26.81	4.953
1208	24.27	3.297	1258	25.04	8.595	1308	25.92	-6.850	1358	26.82	4.329
1209	24.29	2.298	1259	25.05	7.346	1309	25.96	-6.723	1359	26.83	4.079
1210	24.30	2.299	1260	25.06	2.971	1310	25.98	-6.347	1360	26.84	3.080
1211	24.32	2.050	1261	25.08	1.973	1311	26.00	-5.095	1361	26.85	2.206
1212	24.34	1.927	1262	25.09	1.973	1312	26.01	-4.670	1362	26.86	2.206
1213	24.35	2.303	1263	25.10	3.599	1313	26.03	-3.219	1363	26.87	2.457
1214	24.37	2.053	1264	25.12	4.475	1314	26.05	-2.093	1364	26.90	3.084
1215	24.38	3.179	1265	25.13	5.476	1315	26.06	-1.842	1365	26.93	3.961
1216	24.39	3.305	1266	25.14	5.726	1316	26.08	-1.466	1366	26.94	3.461
1217	24.40	3.181	1267	25.15	5.727	1317	26.10	-1.465	1367	26.95	2.837
1218	24.41	2.556	1268	25.17	5.478	1318	26.12	-1.464	1368	26.97	2.838
1219	24.42	1.682	1269	25.18	4.604	1319	26.14	-2.338	1369	26.99	1.840
1220	24.45	1.933	1270	25.20	2.355	1320	26.16	-2.711	1370	27.01	1.591
1221	24.49	2.186	1271	25.23	1.482	1321	26.17	-2.460	1371	27.03	-1.158
1222	24.50	1.811	1272	25.25	0.733	1322	26.19	-1.459	1372	27.04	-2.657
1223	24.51	0.937	1273	25.26	1.109	1323	26.21	0.042	1373	27.06	-2.031
1224	24.52	1.563	1274	25.29	1.986	1324	26.23	1.044	1374	27.08	-1.405
1225	24.54	3.439	1275	25.31	1.736	1325	26.26	2.545	1375	27.10	-1.404
1226	24.55	4.690	1276	25.32	1.987	1326	26.29	3.547	1376	27.12	-1.653
1227	24.57	5.441	1277	25.33	2.988	1327	26.32	4.424	1377	27.13	-2.027
1228	24.58	4.817	1278	25.35	3.864	1328	26.34	4.800	1378	27.14	-1.776
1229	24.59	4.817	1279	25.36	3.865	1329	26.37	5.177	1379	27.16	-1.150
1230	24.60	4.193	1280	25.37	3.865	1330	26.38	5.177	1380	27.17	-0.149
1231	24.62	3.319	1281	25.38	2.616	1331	26.40	5.304	1381	27.19	0.477
1232	24.63	2.945	1282	25.39	1.117	1332	26.41	4.929	1382	27.20	0.727
1233	24.65	2.696	1283	25.42	0.244	1333	26.42	4.680	1383	27.22	0.729
1234	24.67	2.572	1284	25.47	-0.378	1334	26.43	4.306	1384	27.23	1.354
1235	24.68	2.948	1285	25.49	-0.127	1335	26.44	4.556	1385	27.24	1.730
1236	24.70	2.699	1286	25.50	-1.001	1336	26.47	5.808	1386	27.26	3.231
1237	24.71	2.699	1287	25.51	-1.626	1337	26.48	5.559	1387	27.27	3.857
1238	24.72	2.075	1288	25.52	-1.875	1338	26.49	4.934	1388	27.28	3.608
1239	24.73	0.826	1289	25.53	-1.249	1339	26.50	4.685	1389	27.31	2.984
1240	24.74	-0.173	1290	25.58	1.003	1340	26.52	4.311	1390	27.32	3.235
1241	24.75	-0.798	1291	25.60	1.880	1341	26.54	4.062	1391	27.36	3.612
1242	24.79	-0.545	1292	25.63	3.131	1342	26.55	3.063	1392	27.39	3.864
1243	24.80	-0.420	1293	25.65	3.133	1343	26.57	2.188	1393	27.42	4.491
1244	24.81	-0.169	1294	25.66	2.884	1344	26.58	0.190	1394	27.45	4.868
1245	24.83	0.457	1295	25.67	2.884	1345	26.59	-0.060	1395	27.46	4.869
1246	24.84	0.708	1296	25.69	2.260	1346	26.60	-0.434	1396	27.47	5.244
1247	24.86	-0.416	1297	25.70	1.636	1347	26.62	-0.056	1397	27.49	5.246
1248	24.89	0.461	1298	25.73	1.387	1348	26.65	-0.056	1398	27.51	5.622
1249	24.90	1.711	1299	25.75	0.764	1349	26.67	0.195	1399	27.52	5.372
1250	24.92	5.462	1300	25.76	0.389	1350	26.69	0.821	1400	27.53	4.748

INDEX NO. 789 1302-GR-15 CHIYODA BRIDGE U-D MAX.ACCEL.= -15.068(GAL) T= 8.29(SEC) NO. 8

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1401	27.54	4.749	1451	28.28	0.670	1501	29.11	-0.654	1551	30.00	0.651
1402	27.55	4.124	1452	28.30	0.046	1502	29.13	0.222	1552	30.02	1.527
1403	27.56	3.125	1453	28.31	0.046	1503	29.14	0.223	1553	30.03	1.903
1404	27.57	3.125	1454	28.33	0.923	1504	29.17	0.224	1554	30.05	2.529
1405	27.58	2.501	1455	28.34	1.299	1505	29.18	-0.025	1555	30.06	2.780
1406	27.59	2.502	1456	28.36	1.299	1506	29.19	-0.024	1556	30.07	3.780
1407	27.61	2.253	1457	28.39	1.301	1507	29.22	0.853	1557	30.08	4.406
1408	27.62	1.254	1458	28.41	1.053	1508	29.23	0.603	1558	30.09	5.406
1409	27.64	0.630	1459	28.43	-0.196	1509	29.25	0.355	1559	30.10	5.782
1410	27.66	0.006	1460	28.47	-1.194	1510	29.27	-0.269	1560	30.11	6.408
1411	27.68	-0.618	1461	28.49	-2.068	1511	29.28	-0.268	1561	30.12	6.658
1412	27.69	0.008	1462	28.50	-2.067	1512	29.30	-0.392	1562	30.13	6.409
1413	27.71	0.884	1463	28.52	-2.316	1513	29.32	0.234	1563	30.15	6.660
1414	27.72	2.135	1464	28.53	-2.315	1514	29.33	0.859	1564	30.16	7.286
1415	27.74	2.761	1465	28.55	-1.939	1515	29.36	0.861	1565	30.17	7.287
1416	27.75	3.137	1466	28.56	-1.313	1516	29.38	1.238	1566	30.19	7.912
1417	27.77	2.888	1467	28.58	-0.687	1517	29.39	0.613	1567	30.20	8.913
1418	27.78	2.888	1468	28.59	-0.436	1518	29.41	-0.011	1568	30.22	10.415
1419	27.80	3.390	1469	28.60	-0.436	1519	29.42	-0.385	1569	30.24	12.041
1420	27.82	4.391	1470	28.61	-0.935	1520	29.45	0.616	1570	30.25	12.042
1421	27.83	5.642	1471	28.63	-0.684	1521	29.48	1.243	1571	30.26	12.042
1422	27.84	5.892	1472	28.65	-0.683	1522	29.52	2.121	1572	30.27	11.168
1423	27.86	5.893	1473	28.66	-0.057	1523	29.54	2.122	1573	30.28	10.793
1424	27.87	5.894	1474	28.68	0.194	1524	29.55	1.623	1574	30.30	10.795
1425	27.88	5.644	1475	28.70	0.821	1525	29.56	1.249	1575	30.31	10.170
1426	27.89	5.020	1476	28.73	1.198	1526	29.57	0.374	1576	30.32	10.171
1427	27.90	4.396	1477	28.75	1.449	1527	29.58	0.000	1577	30.33	9.546
1428	27.91	3.772	1478	28.76	1.449	1528	29.60	0.001	1578	30.35	9.298
1429	27.93	3.522	1479	28.77	2.075	1529	29.62	0.252	1579	30.36	8.673
1430	27.94	3.148	1480	28.78	2.701	1530	29.64	0.628	1580	30.37	7.674
1431	27.95	3.149	1481	28.80	3.077	1531	29.65	1.504	1581	30.38	5.800
1432	27.97	3.400	1482	28.81	3.328	1532	29.68	3.131	1582	30.39	4.550
1433	27.99	3.151	1483	28.82	3.328	1533	29.70	4.007	1583	30.40	1.176
1434	28.01	2.902	1484	28.84	3.955	1534	29.72	4.633	1584	30.41	0.177
1435	28.02	1.904	1485	28.86	4.330	1535	29.74	5.009	1585	30.42	-0.823
1436	28.03	1.654	1486	28.87	3.456	1536	29.75	4.761	1586	30.43	-1.072
1437	28.04	1.530	1487	28.89	2.833	1537	29.77	3.761	1587	30.44	-1.072
1438	28.05	2.155	1488	28.91	3.333	1538	29.79	3.763	1588	30.46	-2.445
1439	28.06	2.531	1489	28.94	3.961	1539	29.80	3.138	1589	30.48	-2.694
1440	28.07	3.782	1490	28.95	3.961	1540	29.81	2.514	1590	30.49	-2.694
1441	28.09	4.408	1491	28.97	3.462	1541	29.82	1.265	1591	30.50	-1.568
1442	28.11	4.409	1492	28.98	2.838	1542	29.83	0.016	1592	30.51	-0.942
1443	28.12	5.035	1493	28.99	2.214	1543	29.84	0.016	1593	30.53	1.559
1444	28.13	5.035	1494	29.00	1.214	1544	29.85	0.017	1594	30.54	3.435
1445	28.15	5.286	1495	29.02	0.340	1545	29.87	0.268	1595	30.55	4.685
1446	28.16	6.537	1496	29.04	-1.534	1546	29.92	1.896	1596	30.56	5.011
1447	28.18	6.038	1497	29.05	-1.533	1547	29.94	2.522	1597	30.59	7.688
1448	28.19	5.039	1498	29.07	-2.532	1548	29.96	1.898	1598	30.62	8.940
1449	28.20	3.790	1499	29.08	-1.906	1549	29.98	1.274	1599	30.64	9.816
1450	28.22	2.916	1500	29.09	-1.030	1550	29.99	0.650	1600	30.65	10.192

土木構造物における加速度強震記録（No.9）

INDEX NO. 769 1302-GR-15 CHIYODA BRIDGE U-D MAX.ACCEL.= -15.068(GAL) T= 8.29(SEC) NO. 9

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1601	30.66	9.942	1651	31.49	3.369	1701	32.57	4.310	1751	33.42	-2.262
1602	30.67	9.318	1652	31.52	3.996	1702	32.58	4.311	1752	33.45	-0.760
1603	30.70	6.319	1653	31.53	3.997	1703	32.60	3.937	1753	33.48	0.241
1604	30.72	6.821	1654	31.54	3.997	1704	32.62	3.938	1754	33.49	-0.008
1605	30.74	6.157	1655	31.55	4.248	1705	32.63	3.314	1755	33.50	-0.007
1606	30.75	5.572	1656	31.56	5.499	1706	32.65	3.565	1756	33.52	-0.006
1607	30.76	4.323	1657	31.58	2.749	1707	32.66	3.566	1757	33.53	-0.630
1608	30.77	3.074	1658	31.59	1.250	1708	32.67	3.567	1758	33.55	-0.379
1609	30.78	1.825	1659	31.60	0.626	1709	32.69	3.318	1759	33.56	-0.378
1610	30.79	1.200	1660	31.61	-0.373	1710	32.70	2.694	1760	33.57	0.247
1611	30.80	0.576	1661	31.64	-0.622	1711	32.72	2.695	1761	33.58	0.873
1612	30.81	-0.424	1662	31.65	-0.996	1712	32.73	2.695	1762	33.60	1.749
1613	30.83	-1.297	1663	31.68	-1.620	1713	32.76	3.322	1763	33.62	1.751
1614	30.86	-2.421	1664	31.70	-1.868	1714	32.79	3.574	1764	33.65	2.127
1615	30.87	-2.670	1665	31.72	-2.367	1715	32.82	3.576	1765	33.68	2.379
1616	30.89	-3.043	1666	31.74	-1.741	1716	32.85	3.577	1766	33.69	2.755
1617	30.91	-3.042	1667	31.77	-0.864	1717	32.87	3.579	1767	33.72	3.382
1618	30.92	-3.041	1668	31.81	0.764	1718	32.89	3.580	1768	33.75	4.258
1619	30.93	-3.291	1669	31.87	2.892	1719	32.93	3.083	1769	33.76	4.634
1620	30.95	-3.915	1670	31.90	3.894	1720	32.95	1.709	1770	33.77	5.260
1621	30.96	-3.664	1671	31.95	4.898	1721	32.98	1.460	1771	33.78	6.010
1622	30.97	-3.039	1672	32.02	7.152	1722	32.99	-0.039	1772	33.80	7.011
1623	30.98	-1.538	1673	32.06	7.154	1723	33.00	-0.413	1773	33.82	8.263
1624	30.99	-1.162	1674	32.07	7.780	1724	33.01	-0.163	1774	33.84	8.514
1625	31.00	-1.162	1675	32.09	8.031	1725	33.02	-0.412	1775	33.85	7.890
1626	31.01	-1.161	1676	32.11	7.782	1726	33.03	-0.161	1776	33.86	7.265
1627	31.03	-1.160	1677	32.12	7.533	1727	33.04	-0.161	1777	33.88	6.641
1628	31.04	-0.909	1678	32.13	6.909	1728	33.05	0.215	1778	33.89	6.392
1629	31.05	-0.283	1679	32.15	5.659	1729	33.06	0.465	1779	33.90	6.018
1630	31.07	-0.282	1680	32.16	4.410	1730	33.07	0.841	1780	33.92	5.769
1631	31.09	-0.281	1681	32.17	2.786	1731	33.08	1.467	1781	33.93	5.770
1632	31.10	-0.780	1682	32.20	-0.587	1732	33.10	2.093	1782	33.95	5.771
1633	31.11	-0.530	1683	32.24	-4.460	1733	33.12	2.969	1783	33.96	5.147
1634	31.12	-0.279	1684	32.26	-6.333	1734	33.15	4.221	1784	33.97	4.772
1635	31.13	0.721	1685	32.28	-5.832	1735	33.16	4.847	1785	33.98	4.523
1636	31.15	3.473	1686	32.30	-4.581	1736	33.17	5.972	1786	33.99	4.149
1637	31.17	6.099	1687	32.34	-1.704	1737	33.18	5.348	1787	34.01	4.150
1638	31.18	6.474	1688	32.35	-0.203	1738	33.19	4.474	1788	34.03	4.401
1639	31.19	6.726	1689	32.37	0.173	1739	33.21	3.475	1789	34.04	4.401
1640	31.21	6.727	1690	32.38	0.424	1740	33.23	2.851	1790	34.05	4.152
1641	31.23	6.728	1691	32.39	0.800	1741	33.24	2.601	1791	34.06	3.528
1642	31.26	6.479	1692	32.40	1.050	1742	33.26	2.853	1792	34.07	2.904
1643	31.28	5.855	1693	32.43	2.052	1743	33.31	2.606	1793	34.09	2.654
1644	31.31	4.606	1694	32.44	1.802	1744	33.32	2.232	1794	34.10	2.655
1645	31.34	3.985	1695	32.47	2.054	1745	33.34	1.357	1795	34.11	2.906
1646	31.36	3.362	1696	32.48	2.055	1746	33.35	0.233	1796	34.14	3.783
1647	31.40	2.738	1697	32.50	2.306	1747	33.36	-1.641	1797	34.17	4.409
1648	31.43	2.490	1698	32.52	2.932	1748	33.38	-3.140	1798	34.19	4.786
1649	31.46	2.492	1699	32.54	3.934	1749	33.39	-3.139	1799	34.21	5.037
1650	31.46	2.493	1700	32.56	4.309	1750	33.40	-3.263	1800	34.23	5.663

INDEX NO. 789 1302-GR-15 CHIYODA BRIDGE U-D MAX.ACCEL.= -15.068(GAL) T= 8.29(SEC) NO.10

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1801	34.24	5.664	1851	35.17	2.096	1901	36.20	3.035	1951	37.31	6.854
1802	34.26	5.415	1852	35.19	1.473	1902	36.21	3.036	1952	37.33	6.855
1803	34.27	6.291	1853	35.22	2.349	1903	36.23	2.411	1953	37.36	7.732
1804	34.29	6.917	1854	35.24	3.226	1904	36.25	1.788	1954	37.40	9.360
1805	34.30	7.293	1855	35.26	3.852	1905	36.27	2.039	1955	37.42	8.486
1806	34.31	7.293	1856	35.28	3.853	1906	36.29	2.415	1956	37.45	7.487
1807	34.32	7.044	1857	35.30	3.854	1907	36.31	3.292	1957	37.46	6.613
1808	34.36	5.171	1858	35.31	4.655	1908	36.37	6.421	1958	37.49	5.990
1809	34.38	3.547	1859	35.33	5.481	1909	36.40	7.047	1959	37.51	5.616
1810	34.39	3.548	1860	35.34	6.107	1910	36.43	7.424	1960	37.54	5.618
1811	34.41	3.799	1861	35.35	6.107	1911	36.45	6.800	1961	37.55	5.869
1812	34.46	5.427	1862	35.37	5.859	1912	36.47	5.927	1962	37.57	6.495
1813	34.48	6.054	1863	35.39	4.860	1913	36.49	4.928	1963	37.60	7.121
1814	34.49	6.304	1864	35.42	3.986	1914	36.52	4.679	1964	37.62	8.123
1815	34.50	7.305	1865	35.48	2.365	1915	36.54	4.056	1965	37.64	8.124
1816	34.52	8.556	1866	35.51	1.743	1916	36.55	3.682	1966	37.67	8.126
1817	34.53	8.807	1867	35.52	1.743	1917	36.57	3.683	1967	37.69	7.253
1818	34.54	8.308	1868	35.53	2.019	1918	36.59	4.559	1968	37.72	6.254
1819	34.56	7.684	1869	35.56	4.245	1919	36.63	4.936	1969	37.74	5.005
1820	34.57	6.059	1870	35.57	4.246	1920	36.68	5.190	1970	37.75	3.506
1821	34.58	5.185	1871	35.58	4.497	1921	36.70	4.941	1971	37.76	2.257
1822	34.59	3.311	1872	35.60	4.873	1922	36.71	4.692	1972	37.77	1.258
1823	34.61	2.687	1873	35.62	4.874	1923	36.73	3.068	1973	37.79	0.633
1824	34.62	2.062	1874	35.65	4.626	1924	36.74	3.069	1974	37.81	0.635
1825	34.64	0.436	1875	35.67	4.252	1925	36.76	2.195	1975	37.84	0.637
1826	34.66	0.190	1876	35.69	4.003	1926	36.78	2.696	1976	37.87	0.888
1827	34.68	-0.184	1877	35.70	4.004	1927	36.82	3.323	1977	37.90	1.890
1828	34.70	-0.183	1878	35.72	4.255	1928	36.87	3.951	1978	37.92	2.516
1829	34.72	-0.807	1879	35.73	4.506	1929	36.90	4.579	1979	37.93	3.392
1830	34.74	-1.055	1880	35.75	3.632	1930	36.93	4.081	1980	37.95	5.018
1831	34.76	-0.804	1881	35.78	3.384	1931	36.95	3.707	1981	37.97	5.019
1832	34.77	-0.178	1882	35.80	2.385	1932	36.97	3.708	1982	37.99	4.771
1833	34.79	0.698	1883	35.82	2.636	1933	36.98	3.708	1983	38.04	4.774
1834	34.80	1.949	1884	35.84	3.888	1934	36.99	3.459	1984	38.06	4.775
1835	34.82	2.574	1885	35.87	4.889	1935	37.00	2.460	1985	38.08	4.777
1836	34.84	2.951	1886	35.91	5.767	1936	37.02	1.836	1986	38.11	5.653
1837	34.87	3.577	1887	35.93	5.768	1937	37.04	0.962	1987	38.13	6.280
1838	34.90	4.205	1888	35.95	6.144	1938	37.05	0.213	1988	38.15	6.531
1839	34.93	4.456	1889	35.97	6.145	1939	37.07	-0.286	1989	38.18	6.907
1840	34.95	3.958	1890	35.98	5.696	1940	37.09	0.215	1990	38.19	6.908
1841	34.97	2.959	1891	36.00	5.273	1941	37.11	0.592	1991	38.21	6.660
1842	34.99	2.960	1892	36.02	4.648	1942	37.13	0.843	1992	38.25	6.287
1843	35.01	3.586	1893	36.04	3.625	1943	37.14	0.843	1993	38.29	5.414
1844	35.03	4.587	1894	36.05	2.776	1944	37.16	0.595	1994	38.31	5.041
1845	35.04	4.839	1895	36.10	2.153	1945	37.18	0.566	1995	38.32	4.791
1846	35.06	5.089	1896	36.12	1.530	1946	37.20	1.222	1996	38.35	5.043
1847	35.07	4.640	1897	36.14	0.906	1947	37.22	2.473	1997	38.37	5.045
1848	35.10	4.592	1898	36.15	1.157	1948	37.26	4.976	1998	38.39	4.671
1849	35.12	3.343	1899	36.17	2.033	1949	37.28	5.852	1999	38.44	5.299
1850	35.14	2.345	1900	36.18	2.659	1950	37.29	6.228	2000	38.49	5.302

INDEX NO. 789 1302-GR-15 CHIYODA BRIDGE U-D MAX.ACCEL.= -15.068(GAL) T= 8.29(SEC) NO.11

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2001	38.53	5.054	2051	39.78	7.882	2101	40.96	4.329	2151	42.11	7.527
2002	38.55	4.806	2052	39.81	8.259	2102	40.98	3.081	2152	42.14	5.904
2003	38.57	3.557	2053	39.83	8.260	2103	41.01	3.563	2153	42.18	4.032
2004	38.58	2.933	2054	39.85	7.636	2104	41.04	3.085	2154	42.25	1.911
2005	38.60	1.309	2055	39.89	7.013	2105	41.06	2.711	2155	42.31	0.290
2006	38.62	-0.565	2056	39.91	7.265	2106	41.09	2.338	2156	42.33	0.291
2007	38.64	-1.939	2057	39.93	6.391	2107	41.13	3.341	2157	42.35	0.543
2008	38.66	-2.562	2058	39.95	6.142	2108	41.16	3.967	2158	42.39	1.795
2009	38.67	-2.562	2059	39.96	6.393	2109	41.19	5.220	2159	42.41	1.796
2010	38.69	-2.561	2060	39.98	5.769	2110	41.23	6.472	2160	42.43	1.797
2011	38.70	-1.685	2061	40.00	5.520	2111	41.27	7.349	2161	42.45	1.798
2012	38.72	-0.604	2062	40.02	5.147	2112	41.28	7.350	2162	42.47	1.550
2013	38.74	-0.933	2063	40.04	4.523	2113	41.30	6.851	2163	42.50	1.551
2014	38.77	-0.681	2064	40.05	4.523	2114	41.33	6.728	2164	42.51	1.303
2015	38.81	0.572	2065	40.07	3.649	2115	41.35	6.730	2165	42.55	1.804
2016	38.84	1.199	2066	40.08	1.775	2116	41.38	6.731	2166	42.59	2.182
2017	38.86	2.075	2067	40.10	-0.723	2117	41.40	6.483	2167	42.63	2.809
2018	38.88	2.451	2068	40.12	-1.346	2118	41.43	5.610	2168	42.66	4.061
2019	38.89	3.077	2069	40.13	-1.847	2119	41.44	4.985	2169	42.68	4.688
2020	38.92	3.953	2070	40.14	-1.846	2120	41.46	3.966	2170	42.70	5.314
2021	38.93	4.954	2071	40.17	0.631	2121	41.50	1.863	2171	42.71	5.565
2022	38.94	5.955	2072	40.20	2.533	2122	41.52	0.665	2172	42.73	6.816
2023	38.95	6.330	2073	40.22	3.409	2123	41.54	0.241	2173	42.75	7.442
2024	38.97	5.957	2074	40.24	4.410	2124	41.55	-0.633	2174	42.77	7.818
2025	38.99	5.958	2075	40.27	4.662	2125	41.58	-1.256	2175	42.79	8.069
2026	39.01	6.334	2076	40.29	4.663	2126	41.59	-1.755	2176	42.82	8.071
2027	39.02	6.960	2077	40.33	4.416	2127	41.61	-1.504	2177	42.86	7.574
2028	39.04	6.336	2078	40.36	3.417	2128	41.63	-0.503	2178	42.89	7.451
2029	39.07	6.088	2079	40.41	1.670	2129	41.65	0.123	2179	42.90	8.702
2030	39.10	4.840	2080	40.44	0.673	2130	41.69	2.876	2180	42.93	8.454
2031	39.13	4.216	2081	40.47	-0.201	2131	41.71	3.877	2181	42.95	8.455
2032	39.14	3.842	2082	40.49	-0.200	2132	41.73	4.503	2182	42.99	6.957
2033	39.16	3.968	2083	40.50	0.052	2133	41.74	4.754	2183	43.02	7.209
2034	39.16	4.345	2084	40.52	0.928	2134	41.75	5.130	2184	43.03	7.210
2035	39.23	5.223	2085	40.54	1.554	2135	41.77	4.881	2185	43.06	7.837
2036	39.26	5.601	2086	40.57	3.181	2136	41.79	3.882	2186	43.08	6.962
2037	39.31	5.352	2087	40.60	3.806	2137	41.81	2.884	2187	43.11	6.339
2038	39.33	4.979	2088	40.62	3.809	2138	41.83	2.384	2188	43.13	5.965
2039	39.35	4.355	2089	40.66	4.061	2139	41.84	2.385	2189	43.17	5.718
2040	39.37	3.107	2090	40.69	4.438	2140	41.85	2.636	2190	43.28	4.725
2041	39.39	3.358	2091	40.70	5.064	2141	41.87	2.887	2191	43.30	4.101
2042	39.43	3.360	2092	40.72	6.690	2142	41.89	4.139	2192	43.33	3.478
2043	39.54	4.617	2093	40.74	7.316	2143	41.91	5.765	2193	43.36	3.855
2044	39.63	5.997	2094	40.77	7.318	2144	41.94	7.767	2194	43.38	4.356
2045	39.66	5.999	2095	40.80	7.944	2145	41.95	8.393	2195	43.40	3.482
2046	39.66	6.626	2096	40.82	7.946	2146	41.97	8.394	2196	43.42	3.109
2047	39.70	5.752	2097	40.84	7.697	2147	42.00	8.645	2197	43.44	1.610
2048	39.72	6.003	2098	40.87	6.699	2148	42.04	9.273	2198	43.47	0.986
2049	39.74	7.254	2099	40.90	5.826	2149	42.06	9.024	2199	43.49	0.362
2050	39.76	7.630	2100	40.93	4.578	2150	42.07	8.400	2200	43.50	0.614

INDEX NO. 789 1302-GR-15 CHIYODA BRIDGE U-D MAX.ACCEL.= -15.068(GAL) T= 8.29(SEC) NO.12

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2201	43.52	0.740	2251	44.73	5.438	2301	46.08	7.648	2351	47.14	6.462
2202	43.54	0.741	2252	44.75	5.440	2302	46.10	7.648	2352	47.15	6.213
2203	43.56	0.992	2253	44.80	5.192	2303	46.11	7.399	2353	47.17	6.464
2204	43.57	1.617	2254	44.83	4.819	2304	46.13	7.150	2354	47.19	6.861
2205	43.59	2.494	2255	44.85	5.070	2305	46.14	7.151	2355	47.21	6.216
2206	43.60	3.495	2256	44.86	5.071	2306	46.16	7.402	2356	47.22	5.593
2207	43.61	4.120	2257	44.88	6.322	2307	46.17	7.403	2357	47.24	4.968
2208	43.64	4.372	2258	44.93	7.575	2308	46.18	7.404	2358	47.26	3.719
2209	43.68	4.750	2259	44.97	8.828	2309	46.19	7.154	2359	47.28	2.596
2210	43.73	5.003	2260	45.02	9.581	2310	46.21	6.780	2360	47.29	3.347
2211	43.75	4.754	2261	45.06	9.209	2311	46.22	6.531	2361	47.32	2.973
2212	43.78	4.131	2262	45.10	9.836	2312	46.24	5.532	2362	47.34	3.224
2213	43.80	3.257	2263	45.14	9.838	2313	46.26	4.658	2363	47.39	4.228
2214	43.84	1.759	2264	45.16	9.465	2314	46.27	4.284	2364	47.45	5.106
2215	43.87	1.261	2265	45.19	10.092	2315	46.29	4.035	2365	47.50	6.859
2216	43.90	1.138	2266	45.21	10.093	2316	46.30	3.661	2366	47.55	7.488
2217	43.93	1.140	2267	45.23	10.094	2317	46.32	3.412	2367	47.57	7.489
2218	43.96	1.142	2268	45.25	9.595	2318	46.34	3.413	2368	47.58	7.240
2219	43.99	1.519	2269	45.30	9.223	2319	46.36	3.414	2369	47.61	6.617
2220	44.02	2.145	2270	45.36	7.352	2320	46.38	3.040	2370	47.69	4.746
2221	44.05	2.147	2271	45.40	7.355	2321	46.39	3.041	2371	47.76	2.501
2222	44.08	2.149	2272	45.45	6.733	2322	46.42	3.293	2372	47.79	1.627
2223	44.10	2.150	2273	45.48	6.485	2323	46.44	3.669	2373	47.80	1.628
2224	44.12	0.652	2274	45.51	5.862	2324	46.45	3.920	2374	47.82	1.754
2225	44.14	0.653	2275	45.53	5.488	2325	46.46	3.920	2375	47.85	2.006
2226	44.16	0.654	2276	45.56	4.239	2326	46.48	3.672	2376	47.88	2.633
2227	44.19	0.906	2277	45.57	3.991	2327	46.51	3.673	2377	47.91	2.635
2228	44.21	0.657	2278	45.60	3.367	2328	46.54	3.050	2378	47.93	3.011
2229	44.22	1.157	2279	45.61	2.743	2329	46.58	3.303	2379	47.94	3.887
2230	44.23	1.533	2280	45.62	1.119	2330	46.67	2.183	2380	47.98	4.640
2231	44.26	1.785	2281	45.65	-0.755	2331	46.69	2.185	2381	48.01	5.766
2232	44.30	3.663	2282	45.67	-1.504	2332	46.71	2.186	2382	48.03	6.142
2233	44.33	4.664	2283	45.69	-1.752	2333	46.75	1.813	2383	48.05	6.894
2234	44.38	5.917	2284	45.71	-2.126	2334	46.77	1.190	2384	48.06	6.894
2235	44.41	6.919	2285	45.74	-2.124	2335	46.78	1.190	2385	48.08	6.896
2236	44.42	6.920	2286	45.76	-2.373	2336	46.80	1.192	2386	48.11	6.272
2237	44.44	6.671	2287	45.79	-2.996	2337	46.83	2.068	2387	48.15	5.025
2238	44.46	6.047	2288	45.81	-2.744	2338	46.88	3.321	2388	48.19	3.778
2239	44.48	4.424	2289	45.83	-2.493	2339	46.90	3.948	2389	48.21	3.529
2240	44.51	4.175	2290	45.84	-2.118	2340	46.91	4.323	2390	48.24	3.531
2241	44.52	3.551	2291	45.86	-1.867	2341	46.93	5.199	2391	48.26	3.157
2242	44.53	2.926	2292	45.87	-1.491	2342	46.94	5.825	2392	48.29	2.534
2243	44.56	2.303	2293	45.91	-0.613	2343	46.97	5.827	2393	48.31	1.660
2244	44.57	1.676	2294	45.95	1.639	2344	46.98	5.827	2394	48.34	0.412
2245	44.59	2.555	2295	45.97	2.516	2345	47.00	5.579	2395	48.37	-0.836
2246	44.60	2.681	2296	45.98	3.141	2346	47.02	5.330	2396	48.39	-1.585
2247	44.63	3.808	2297	46.01	5.018	2347	47.03	5.331	2397	48.40	-1.334
2248	44.65	5.053	2298	46.02	5.644	2348	47.05	4.957	2398	48.42	-1.333
2249	44.67	5.080	2299	46.06	7.646	2349	47.06	5.207	2399	48.44	-1.082
2250	44.70	5.081	2300	46.07	7.647	2350	47.09	5.584	2400	48.46	-0.455

土木構造物における加速度強震記録（No.9）

INDEX NO. 789 1302-GR-15 CHIYODA BRIDGE U-D MAX.ACCEL.= -15.068(GAL) T= 8.29(SEC) NO.13

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2401	48.48	-0.080	2451	50.05	4.393	2501	51.42	5.853	2551	52.95	2.622
2402	48.50	0.547	2452	50.12	2.272	2502	51.46	6.480	2552	52.98	3.074
2403	48.52	1.425	2453	50.16	1.275	2503	51.46	6.482	2553	52.99	2.824
2404	48.54	2.424	2454	50.21	0.653	2504	51.50	6.465	2554	53.01	2.826
2405	48.59	2.802	2455	50.24	-0.220	2505	51.52	5.609	2555	53.03	2.202
2406	48.62	3.054	2456	50.27	-1.645	2506	51.55	5.111	2556	53.07	1.329
2407	48.65	2.806	2457	50.31	-2.467	2507	51.58	4.863	2557	53.09	0.705
2408	48.69	1.809	2458	50.32	-2.465	2508	51.62	3.615	2558	53.10	0.706
2409	48.72	1.560	2459	50.34	-2.214	2509	51.64	2.992	2559	53.13	0.708
2410	48.75	1.812	2460	50.37	-1.637	2510	51.66	2.993	2560	53.15	0.960
2411	48.80	3.690	2461	50.41	-1.505	2511	51.68	3.494	2561	53.17	1.586
2412	48.86	5.194	2462	50.43	-1.249	2512	51.69	3.495	2562	53.21	1.638
2413	48.88	5.570	2463	50.44	-0.956	2513	51.71	4.496	2563	53.20	3.468
2414	49.89	5.321	2464	50.47	0.043	2514	51.76	5.124	2564	53.29	4.093
2415	48.91	5.322	2465	50.50	1.545	2515	51.79	4.876	2565	53.31	4.095
2416	48.92	5.573	2466	50.52	2.547	2516	51.87	5.131	2566	53.36	4.098
2417	48.94	4.324	2467	50.55	2.548	2517	51.99	4.139	2567	53.40	3.226
2418	48.95	4.700	2468	50.56	3.174	2518	52.07	4.144	2568	53.46	2.854
2419	48.97	5.200	2469	50.57	3.425	2519	52.09	3.645	2569	53.48	3.105
2420	48.98	5.577	2470	50.59	4.177	2520	52.11	3.021	2570	53.50	3.482
2421	49.00	7.203	2471	50.61	5.302	2521	52.14	2.022	2571	53.52	3.733
2422	49.04	8.206	2472	50.66	7.055	2522	52.16	1.774	2572	53.56	4.360
2423	49.08	9.062	2473	50.69	8.558	2523	52.17	1.150	2573	53.59	4.737
2424	49.11	9.459	2474	50.71	8.934	2524	52.18	1.400	2574	53.62	5.364
2425	49.15	10.067	2475	50.73	8.935	2525	52.21	1.652	2575	53.64	5.615
2426	49.18	10.339	2476	50.75	8.936	2526	52.23	1.653	2576	53.66	5.616
2427	49.20	9.465	2477	50.76	8.312	2527	52.26	2.030	2577	53.68	5.618
2428	49.23	8.592	2478	50.79	8.314	2528	52.29	2.657	2578	53.71	5.370
2429	49.24	7.968	2479	50.83	7.467	2529	52.33	2.659	2579	53.73	4.498
2430	49.26	6.719	2480	50.87	5.619	2530	52.36	2.661	2580	53.77	4.123
2431	49.30	4.846	2481	50.89	4.945	2531	52.42	3.540	2581	53.80	3.251
2432	49.36	3.850	2482	50.92	4.572	2532	52.45	3.541	2582	53.85	2.628
2433	49.36	4.101	2483	50.95	3.949	2533	52.46	3.542	2583	53.92	-0.242
2434	49.40	4.476	2484	50.96	3.701	2534	52.48	3.543	2584	53.94	0.009
2435	49.45	4.480	2485	51.00	3.702	2535	52.50	3.295	2585	53.96	-0.489
2436	49.50	3.859	2486	51.02	3.953	2536	52.52	3.546	2586	53.98	-0.488
2437	49.54	3.236	2487	51.04	4.205	2537	52.54	3.922	2587	53.99	-0.237
2438	49.57	2.363	2488	51.07	4.631	2538	52.55	4.546	2588	54.02	0.014
2439	49.61	1.741	2489	51.09	4.582	2539	52.58	4.799	2589	54.05	0.641
2440	49.66	1.118	2490	51.10	4.208	2540	52.61	5.801	2590	54.09	2.518
2441	49.68	0.119	2491	51.13	3.960	2541	52.64	6.553	2591	54.14	3.772
2442	49.69	0.245	2492	51.20	2.089	2542	52.66	6.554	2592	54.17	4.398
2443	49.71	0.622	2493	51.23	2.091	2543	52.68	6.305	2593	54.19	5.025
2444	49.74	1.248	2494	51.24	2.092	2544	52.71	5.932	2594	54.22	4.777
2445	49.79	3.127	2495	51.25	2.343	2545	52.74	5.309	2595	54.26	5.029
2446	49.86	4.361	2496	51.26	2.343	2546	52.79	3.812	2596	54.28	4.406
2447	49.93	5.010	2497	51.29	2.345	2547	52.83	2.615	2597	54.32	4.408
2448	49.97	5.263	2498	51.31	2.346	2548	52.87	2.567	2598	54.34	3.784
2449	49.98	5.013	2499	51.33	3.345	2549	52.90	2.194	2599	54.37	3.911
2450	50.02	4.765	2500	51.38	4.851	2550	52.92	2.445	2600	54.38	4.162

INDEX NO. 789 1302-GR-15 CHIYODA BRIDGE U-D MAX.ACCEL.= -15.068(GAL) T= 8.29(SEC) NO.14

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2601	54.40	3.163	2651	56.63	5.177	2701	58.31	-1.599	2751	59.81	1.873
2602	54.44	4.415	2652	56.64	5.177	2702	58.32	-1.594	2752	59.96	4.008
2603	54.47	5.917	2653	56.66	4.678	2703	58.35	-0.467	2753	59.98	4.384
2604	54.52	3.595	2654	56.68	4.680	2704	58.41	-0.069	2754	60.02	4.386
2605	54.57	3.798	2655	56.72	3.432	2705	58.42	0.537	2755	60.06	4.138
2606	54.61	3.926	2656	56.76	2.186	2706	58.45	0.269	2756	60.10	4.161
2607	54.63	3.552	2657	56.82	1.563	2707	58.48	-0.084	2757	60.13	4.143
2608	54.65	4.178	2658	56.85	0.940	2708	58.53	-0.061	2758	60.17	4.398
2609	54.69	5.056	2659	56.86	0.961	2709	58.57	-0.078	2759	60.21	5.023
2610	54.72	6.057	2660	56.88	1.192	2710	58.63	1.425	2760	60.25	5.025
2611	54.75	6.309	2661	56.90	1.619	2711	58.66	2.052	2761	60.27	4.402
2612	54.77	6.685	2662	56.93	2.445	2712	58.69	2.054	2762	60.31	4.654
2613	54.80	6.937	2663	56.94	2.196	2713	58.73	2.682	2763	60.39	3.534
2614	54.84	6.440	2664	56.97	2.446	2714	58.76	2.683	2764	60.45	3.163
2615	54.89	5.443	2665	57.00	2.200	2715	58.78	2.685	2765	60.58	2.296
2616	54.99	5.199	2666	57.02	1.826	2716	58.82	2.687	2766	60.67	2.927
2617	55.04	3.327	2667	57.05	2.078	2717	58.85	2.688	2767	60.81	1.061
2618	55.06	2.704	2668	57.07	1.829	2718	58.87	2.690	2768	60.90	1.566
2619	55.11	2.331	2669	57.13	2.707	2719	58.91	2.692	2769	60.95	1.945
2620	55.18	2.086	2670	57.18	3.336	2720	58.93	2.694	2770	60.98	1.947
2621	55.25	1.715	2671	57.23	3.339	2721	58.96	2.196	2771	61.02	1.324
2622	55.31	1.469	2672	57.29	3.093	2722	58.98	2.197	2772	61.04	0.700
2623	55.36	0.723	2673	57.34	2.846	2723	59.00	2.448	2773	61.08	0.702
2624	55.39	0.724	2674	57.39	3.099	2724	59.02	2.449	2774	61.10	0.454
2625	55.41	1.351	2675	57.43	3.351	2725	59.06	2.452	2775	61.13	-0.794
2626	55.45	2.353	2676	57.46	3.728	2726	59.09	2.453	2776	61.16	-1.167
2627	55.48	2.355	2677	57.50	3.106	2727	59.13	1.831	2777	61.19	-1.791
2628	55.51	2.982	2678	57.52	3.107	2728	59.16	1.583	2778	61.22	-1.539
2629	55.56	1.735	2679	57.54	2.858	2729	59.18	1.584	2779	61.25	-1.412
2630	55.61	1.988	2680	57.56	2.484	2730	59.21	-0.289	2780	61.30	-1.159
2631	55.66	2.366	2681	57.58	2.486	2731	59.23	-0.663	2781	61.35	-0.906
2632	55.69	2.368	2682	57.61	2.737	2732	59.25	-1.287	2782	61.40	-1.153
2633	55.79	4.249	2683	57.64	3.114	2733	59.28	-1.535	2783	61.45	-0.275
2634	55.85	4.628	2684	57.67	3.366	2734	59.29	-1.534	2784	61.50	-0.272
2635	55.90	5.131	2685	57.76	5.247	2735	59.31	-1.908	2785	61.53	0.730
2636	55.93	5.508	2686	57.81	5.625	2736	59.33	-1.656	2786	61.57	1.357
2637	55.96	5.510	2687	57.86	5.626	2737	59.36	-1.655	2787	61.59	1.609
2638	55.98	4.886	2688	57.89	5.630	2738	59.40	-1.277	2788	61.61	1.360
2639	56.01	4.888	2689	57.92	5.632	2739	59.41	-1.027	2789	61.65	0.737
2640	56.11	2.769	2690	57.96	4.759	2740	59.45	-1.274	2790	61.71	0.366
2641	56.14	2.146	2691	57.99	4.136	2741	59.50	-1.521	2791	61.77	-0.755
2642	56.16	2.147	2692	58.02	3.513	2742	59.53	-1.519	2792	61.79	-0.754
2643	56.19	2.024	2693	58.04	2.514	2743	59.55	-1.518	2793	61.85	-0.875
2644	56.29	2.655	2694	58.13	1.269	2744	59.57	-1.517	2794	61.89	-0.673
2645	56.35	2.784	2695	58.18	0.896	2745	59.59	-1.265	2795	61.95	-0.869
2646	56.40	2.788	2696	58.21	-0.726	2746	59.61	-0.639	2796	61.97	-0.868
2647	56.43	3.040	2697	58.24	-1.349	2747	59.64	0.613	2797	61.98	0.133
2648	56.49	3.043	2698	58.25	-1.348	2748	59.68	0.865	2798	62.01	1.385
2649	56.55	3.671	2699	58.27	-1.597	2749	59.72	1.242	2799	62.05	2.887
2650	56.60	4.550	2700	58.28	-1.721	2750	59.76	1.245	2800	62.09	4.765

INDEX NO. 789 1302-GR-15 CHIYODA BRIDGE U-D MAX.ACCEL.= -15.068(GAL) T= 6.29(SEC) NO.15

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2801	62.12	5.392	2851	63.98	0.256	2901	65.93	0.627	2951	67.95	1.502
2802	62.16	6.644	2852	64.00	0.508	2902	65.98	0.630	2952	68.01	1.131
2803	62.19	7.396	2853	64.08	0.638	2903	66.06	-0.240	2953	68.05	1.134
2804	62.22	7.148	2854	64.12	0.690	2904	66.11	-0.487	2954	68.08	0.510
2805	62.25	6.900	2855	64.15	0.267	2905	66.15	-0.484	2955	68.12	0.513
2806	62.27	5.651	2856	64.18	0.519	2906	66.18	-0.233	2956	68.14	1.140
2807	62.32	4.404	2857	64.21	1.271	2907	66.20	0.394	2957	68.19	1.768
2808	62.35	4.031	2858	64.24	1.523	2908	66.23	1.271	2958	68.23	2.395
2809	62.38	3.408	2859	64.30	2.776	2909	66.26	2.273	2959	68.25	2.146
2810	62.40	1.534	2860	64.35	4.029	2910	66.29	2.525	2960	68.27	1.772
2811	62.44	0.036	2861	64.39	3.407	2911	66.33	2.527	2961	68.29	1.524
2812	62.46	-0.712	2862	64.43	3.409	2912	66.35	2.528	2962	68.31	2.025
2813	62.49	-1.335	2863	64.47	3.162	2913	66.38	2.280	2963	68.34	2.027
2814	62.51	-2.709	2864	64.52	2.790	2914	66.41	2.282	2964	68.36	2.403
2815	62.54	-2.957	2865	64.56	2.417	2915	66.44	2.034	2965	68.39	3.030
2816	62.56	-3.581	2866	64.60	1.920	2916	66.51	1.038	2966	68.42	3.032
2817	62.59	-3.329	2867	64.66	-0.700	2917	66.57	0.417	2967	68.44	3.033
2818	62.68	-1.699	2868	64.73	-0.697	2918	66.60	-0.207	2968	68.46	2.784
2819	62.81	-2.315	2869	64.78	-2.194	2919	66.62	-0.205	2969	68.48	2.410
2820	62.89	-2.311	2870	64.81	-2.192	2920	66.72	0.051	2970	68.49	2.161
2821	62.93	-2.308	2871	64.83	-3.191	2921	66.85	0.184	2971	68.52	1.788
2822	62.97	-2.306	2872	64.86	-2.939	2922	66.86	0.435	2972	68.55	0.915
2823	62.99	-2.304	2873	64.89	-3.187	2923	66.91	1.063	2973	68.61	0.543
2824	63.01	-1.678	2874	64.91	-3.186	2924	66.93	1.314	2974	68.65	0.546
2825	63.02	-1.677	2875	64.93	-2.934	2925	66.95	1.691	2975	68.70	-0.326
2826	63.05	-1.301	2876	64.95	-2.683	2926	66.98	1.693	2976	68.73	-0.699
2827	63.07	-0.425	2877	64.99	-3.181	2927	67.04	1.071	2977	68.75	-1.323
2828	63.11	1.078	2878	65.05	-2.677	2928	67.08	1.074	2978	68.77	-1.321
2829	63.15	2.081	2879	65.12	-1.673	2929	67.10	0.450	2979	68.81	-1.944
2830	63.17	2.332	2880	65.16	-1.045	2930	67.14	0.202	2980	68.85	-2.567
2831	63.20	2.959	2881	65.20	-0.793	2931	67.21	-0.418	2981	68.86	-2.941
2832	63.22	3.585	2882	65.25	-0.790	2932	67.28	-1.664	2982	68.89	-2.314
2833	63.25	3.962	2883	65.33	-0.285	2933	67.33	-2.286	2983	68.90	-1.938
2834	63.28	3.963	2884	65.43	-0.029	2934	67.38	-2.658	2984	68.93	-2.186
2835	63.30	3.965	2885	65.48	0.599	2935	67.42	-3.905	2985	68.96	-1.684
2836	63.32	3.966	2886	65.51	1.226	2936	67.45	-3.654	2986	69.00	-1.682
2837	63.35	4.218	2887	65.54	1.228	2937	67.47	-3.652	2987	69.05	-1.054
2838	63.37	3.969	2888	65.55	1.854	2938	67.50	-3.275	2988	69.08	-1.052
2839	63.38	3.345	2889	65.58	2.480	2939	67.54	-3.523	2989	69.11	-1.300
2840	63.41	2.722	2890	65.60	2.482	2940	67.61	-2.644	2990	69.18	-1.671
2841	63.45	2.724	2891	65.61	2.483	2941	67.69	-1.763	2991	69.21	-2.544
2842	63.48	2.476	2892	65.64	2.484	2942	67.73	-1.386	2992	69.26	-2.541
2843	63.52	2.353	2893	65.66	2.485	2943	67.74	-1.135	2993	69.30	-3.163
2844	63.60	1.483	2894	65.68	2.237	2944	67.78	0.117	2994	69.33	-3.161
2845	63.69	0.488	2895	65.70	1.988	2945	67.80	0.493	2995	69.38	-3.408
2846	63.83	1.247	2896	65.72	1.614	2946	67.83	1.120	2996	69.43	-3.155
2847	63.87	1.250	2897	65.76	0.991	2947	67.85	1.121	2997	69.50	-3.775
2848	63.90	0.876	2898	65.80	0.994	2948	67.87	1.372	2998	69.57	-3.147
2849	63.92	0.878	2899	65.86	0.373	2949	67.89	1.373	2999	69.64	-2.518
2850	63.95	0.004	2900	65.90	0.625	2950	67.91	1.750	3000	69.74	-1.261

INDEX NO. 789 1302-GR-15 CHIYODA BRIDGE U-D MAX.ACCEL.= -15.068(GAL) T= 8.29(SEC) NO.16

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3001	69.82	-0.006	3051	72.31	1.398	3101	74.30	-4.979	3151	77.05	0.689
3002	69.89	0.249	3052	72.34	1.400	3102	74.32	-5.352	3152	77.09	0.067
3003	69.97	1.253	3053	72.36	1.402	3103	74.37	-4.474	3153	77.24	0.826
3004	70.02	1.507	3054	72.39	1.153	3104	74.43	-3.221	3154	77.27	1.328
3005	70.05	2.133	3055	72.41	0.780	3105	74.52	-2.215	3155	77.30	1.705
3006	70.09	1.886	3056	72.44	-0.093	3106	74.57	-2.462	3156	77.34	1.332
3007	70.11	1.887	3057	72.47	-0.467	3107	74.59	-2.210	3157	77.37	1.959
3008	70.12	1.013	3058	72.49	-1.091	3108	74.61	-2.209	3158	77.40	1.711
3009	70.16	0.390	3059	72.51	-2.589	3109	74.64	-2.958	3159	77.43	1.088
3010	70.21	-0.607	3060	72.54	-4.212	3110	74.67	-2.831	3160	77.46	1.090
3011	70.25	-1.480	3061	72.58	-5.085	3111	74.70	-2.829	3161	77.48	0.841
3012	70.29	-2.727	3062	72.60	-5.084	3112	74.73	-2.577	3162	77.51	0.843
3013	70.32	-2.725	3063	72.63	-5.457	3113	74.78	-1.949	3163	77.54	1.476
3014	70.35	-2.723	3064	72.67	-6.080	3114	74.94	-0.689	3164	77.70	1.105
3015	70.39	-2.471	3065	72.71	-6.327	3115	75.03	0.567	3165	77.77	1.109
3016	70.41	-2.719	3066	72.76	-5.449	3116	75.06	0.568	3166	77.81	1.111
3017	70.47	-1.591	3067	72.79	-6.073	3117	75.09	0.570	3167	77.87	0.490
3018	70.51	-0.963	3068	72.82	-6.070	3118	75.12	0.572	3168	77.92	0.493
3019	70.57	-0.335	3069	72.85	-6.318	3119	75.16	0.574	3169	77.97	0.246
3020	70.62	0.668	3070	72.88	-6.317	3120	75.18	0.326	3170	78.03	-0.750
3021	70.66	0.920	3071	72.90	-5.066	3121	75.21	0.077	3171	78.11	-1.620
3022	70.68	1.297	3072	72.93	-4.189	3122	75.25	-0.920	3172	78.17	-1.992
3023	70.73	1.548	3073	73.00	-2.316	3123	75.33	-1.791	3173	78.19	-2.241
3024	70.74	1.051	3074	73.05	-1.681	3124	75.42	-3.410	3174	78.24	-3.237
3025	70.79	1.053	3075	73.09	0.196	3125	75.48	-3.157	3175	78.30	-4.109
3026	70.83	1.306	3076	73.11	0.447	3126	75.51	-4.030	3176	78.35	-4.481
3027	70.88	1.309	3077	73.14	0.449	3127	75.53	-4.029	3177	78.39	-4.228
3028	70.92	1.311	3078	73.17	1.076	3128	75.56	-3.777	3178	78.45	-4.475
3029	70.96	0.689	3079	73.19	1.702	3129	75.58	-3.151	3179	78.50	-4.722
3030	70.99	0.691	3080	73.22	1.454	3130	75.62	-2.523	3180	78.53	-4.720
3031	71.32	-3.038	3081	73.25	1.706	3131	75.65	-1.897	3181	78.56	-4.218
3032	71.34	-3.787	3082	73.28	1.708	3132	75.75	-2.391	3182	78.60	-2.591
3033	71.39	-3.784	3083	73.31	1.835	3133	75.83	-2.385	3183	78.64	-2.213
3034	71.45	-2.905	3084	73.34	1.837	3134	75.96	-2.754	3184	78.69	-1.981
3035	71.50	-2.527	3085	73.39	0.840	3135	76.01	-3.375	3185	78.72	-1.333
3036	71.56	-2.523	3086	73.43	0.592	3136	76.12	-3.369	3186	78.76	-1.331
3037	71.71	-2.888	3087	73.46	-0.031	3137	76.21	-3.113	3187	78.81	-1.578
3038	71.84	-3.130	3088	73.48	-0.405	3138	76.30	-2.107	3188	78.85	-1.951
3039	71.89	-2.752	3089	73.60	-0.647	3139	76.43	-1.724	3189	78.88	-1.949
3040	71.92	-3.126	3090	73.75	-0.388	3140	76.47	-1.472	3190	78.94	-1.945
3041	71.96	-2.248	3091	73.80	-0.385	3141	76.51	-2.094	3191	78.99	-1.692
3042	71.99	-2.246	3092	73.85	-0.632	3142	76.56	-2.341	3192	79.03	-0.690
3043	72.01	-2.245	3093	73.87	-0.755	3143	76.60	-2.713	3193	79.08	-0.062
3044	72.04	-1.243	3094	73.91	-1.003	3144	76.64	-2.711	3194	79.18	-0.056
3045	72.07	-0.366	3095	73.95	-1.876	3145	76.67	-2.459	3195	79.33	2.203
3046	72.10	0.386	3096	74.04	-3.245	3146	76.71	-2.081	3196	79.42	2.459
3047	72.16	1.389	3097	74.12	-3.865	3147	76.75	-1.829	3197	79.47	2.212
3048	72.20	1.392	3098	74.19	-4.361	3148	76.78	-1.452	3198	79.52	1.840
3049	72.25	1.645	3099	74.23	-4.483	3149	76.83	-1.199	3199	79.56	1.592
3050	72.26	1.397	3100	74.27	-4.730	3150	76.93	-0.818	3200	79.61	1.221

土木構造物における加速度強震記録（No.9）

INDEX NO. 789 1302-SR-15 CHIYODA BRIDGE U-D MAX.ACCEL.= -15.068(GAL) T= 8.29(SEC) NO.17

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3201	79.66	0.974	3251	83.32	1.451	3301	86.22	-2.119	3351	88.92	0.923
3202	79.69	0.975	3252	83.38	1.704	3302	86.26	-1.867	3352	88.96	-0.074
3203	79.71	0.602	3253	83.43	1.208	3303	86.30	-1.865	3353	89.12	-0.690
3204	79.76	0.355	3254	83.50	0.587	3304	86.35	-1.736	3354	89.27	-1.305
3205	79.83	-0.266	3255	83.59	0.467	3305	86.42	-1.482	3355	89.48	-3.168
3206	79.88	-1.263	3256	83.65	-1.029	3306	86.52	-0.851	3356	89.60	-4.410
3207	79.94	-2.510	3257	83.72	-1.275	3307	86.72	0.161	3357	89.64	-4. 58
3208	79.97	-3.132	3258	83.79	-2.520	3308	86.77	1.665	3358	89.67	-4.655
3209	80.00	-3.390	3259	83.87	-2.890	3309	86.80	1.292	3359	89.68	-4.655
3210	80.02	-3.379	3260	83.90	-3.513	3310	86.85	1.044	3360	89.71	-5.028
3211	80.07	-2.876	3261	83.94	-4.761	3311	86.90	0.798	3361	89.73	-5.027
3212	80.13	-2.748	3262	84.00	-5.757	3312	86.96	1.052	3362	89.76	-4.400
3213	80.30	-1.862	3263	84.03	-6.255	3313	87.04	-0.193	3363	89.90	-4.141
3214	80.37	-1.232	3264	84.07	-6.253	3314	87.11	-0.439	3364	89.97	-3.637
3215	80.49	-0.850	3265	84.11	-6.000	3315	87.16	-0.811	3365	90.06	-2.633
3216	80.60	-0.843	3266	84.20	-4.495	3316	87.21	-0.558	3366	90.16	-2.875
3217	80.65	-0.590	3267	84.30	-3.113	3317	87.26	-1.430	3367	90.23	-2.871
3218	80.68	0.038	3268	84.41	-0.981	3318	87.31	-1.677	3368	90.31	-1.741
3219	80.76	1.042	3269	84.47	-0.102	3319	87.38	-0.797	3369	90.35	-1.739
3220	80.80	0.670	3270	84.52	0.525	3320	87.47	-0.792	3370	90.39	-1.736
3221	80.85	0.923	3271	84.56	1.153	3321	87.56	-0.161	3371	90.43	-1.109
3222	80.91	0.427	3272	84.57	1.278	3322	87.62	-0.408	3372	90.50	-0.479
3223	81.03	-0.190	3273	84.60	1.280	3323	87.66	-0.155	3373	90.58	1.276
3224	81.06	-0.189	3274	84.74	0.664	3324	87.68	-1.404	3374	90.66	1.531
3225	81.11	-0.560	3275	84.87	0.297	3325	87.73	-2.651	3375	90.73	2.785
3226	81.13	-1.434	3276	84.96	1.178	3326	87.78	-2.648	3376	90.78	3.163
3227	81.20	-0.930	3277	85.00	0.930	3327	87.87	-3.518	3377	90.82	3.416
3228	81.24	-0.303	3278	85.06	0.309	3328	87.90	-4.140	3378	90.85	3.792
3229	81.35	-1.171	3279	85.10	0.312	3329	87.95	-3.887	3379	90.87	3.544
3230	81.58	-1.406	3280	85.15	0.940	3330	88.02	-3.633	3380	90.90	3.171
3231	81.79	-2.219	3281	85.22	0.319	3331	88.05	-3.881	3381	90.97	1.300
3232	81.82	-2.391	3282	85.29	0.073	3332	88.09	-4.503	3382	91.03	0.679
3233	81.88	-2.388	3283	85.33	0.076	3333	88.15	-4.500	3383	91.09	-1.192
3234	81.93	-2.635	3284	85.35	-1.548	3334	88.22	-4.246	3384	91.15	-2.439
3235	81.96	-2.633	3285	85.37	-0.922	3335	88.28	-3.886	3385	91.19	-3.051
3236	82.01	-2.630	3286	85.44	-1.168	3336	88.31	-3.885	3386	91.22	-3.060
3237	82.06	-2.627	3287	85.55	-1.536	3337	88.34	-3.238	3387	91.25	-3.058
3238	82.11	-2.749	3288	85.60	-2.158	3338	88.38	-2.361	3388	91.29	-3.305
3239	82.25	-1.741	3289	85.64	-2.406	3339	88.42	-1.733	3389	91.37	-3.675
3240	82.43	-1.104	3290	85.71	-3.026	3340	88.44	-1.107	3390	91.40	-3.923
3241	82.46	-0.852	3291	85.74	-3.649	3341	88.48	-0.104	3391	91.46	-3.670
3242	82.54	-1.348	3292	85.79	-3.396	3342	88.51	1.148	3392	91.50	-3.417
3243	82.58	-1.095	3293	85.85	-2.768	3343	88.59	1.403	3393	91.53	-3.040
3244	82.70	-0.838	3294	85.95	-3.136	3344	88.64	2.031	3394	91.57	-3.038
3245	82.84	0.171	3295	85.99	-3.384	3345	88.68	2.658	3395	91.60	-3.286
3246	82.85	-0.454	3296	86.04	-3.381	3346	88.71	3.035	3396	91.64	-3.033
3247	82.94	0.801	3297	86.08	-3.628	3347	88.73	3.036	3397	91.67	-3.906
3248	83.03	1.058	3298	86.12	-3.626	3348	88.77	3.039	3398	91.70	-3.654
3249	83.18	1.442	3299	86.15	-3.124	3349	88.81	2.166	3399	91.74	-3.902
3250	83.26	2.072	3300	86.18	-2.747	3350	88.84	1.793	3400	91.76	-3.901

INDEX NO. 789 1302-SR-15 CHIYODA BRIDGE U-D MAX.ACCEL.= -15.068(GAL) T= 8.29(SEC) NO.18

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3401	91.79	-3.398	3451	93.94	-2.246	3501	97.37	-4.055	3551	101.50	-4.424
3402	91.84	-2.396	3452	93.97	-2.889	3502	97.45	-4.300	3552	101.57	-4.669
3403	91.94	-2.014	3453	94.03	-2.260	3503	97.57	-3.792	3553	101.65	-4.164
3404	92.01	-0.865	3454	94.09	-1.632	3504	97.72	-4.908	3554	101.73	-4.159
3405	92.06	0.118	3455	94.14	-1.629	3505	97.75	-4.656	3555	101.83	-3.153
3406	92.08	0.119	3456	94.20	-2.250	3506	97.81	-4.028	3556	101.89	-3.149
3407	92.14	-0.502	3457	94.26	-1.621	3507	97.86	-3.650	3557	101.92	-3.148
3408	92.19	0.126	3458	94.31	-1.369	3508	97.98	-1.893	3558	101.98	-2.269
3409	92.21	0.377	3459	94.39	-0.739	3509	98.13	-0.633	3559	102.03	-1.641
3410	92.25	0.130	3460	94.49	0.018	3510	98.22	0.373	3560	102.07	-1.263
3411	92.36	-1.364	3461	94.59	0.274	3511	98.30	1.002	3561	102.12	-1.510
3412	92.40	-1.986	3462	94.64	0.902	3512	98.35	1.006	3562	102.20	-1.505
3413	92.43	-1.985	3463	94.66	0.903	3513	98.41	1.759	3563	102.27	-1.626
3414	92.47	-1.482	3464	94.69	0.655	3514	98.44	2.011	3564	102.31	-1.624
3415	92.49	-2.106	3465	94.73	0.033	3515	98.48	2.389	3565	102.36	-2.121
3416	92.53	-2.353	3466	94.77	0.035	3516	98.50	1.765	3566	102.40	-2.743
3417	92.58	-1.975	3467	94.90	-0.332	3517	98.53	0.891	3567	102.44	-2.241
3418	92.69	-1.719	3468	94.99	-1.577	3518	98.62	0.272	3568	102.49	-2.408
3419	92.74	-1.465	3469	95.01	-1.575	3519	98.95	-4.832	3569	102.53	-2.236
3420	92.78	-1.464	3470	95.06	-2.197	3520	99.17	-7.444	3570	102.58	-1.607
3421	92.80	-2.337	3471	95.09	-2.196	3521	99.21	-7.067	3571	102.62	-1.855
3422	92.85	-1.709	3472	95.19	-3.439	3522	99.24	-6.814	3572	102.67	-1.852
3423	92.89	-1.456	3473	95.29	-3.433	3523	99.37	-5.807	3573	102.69	-2.100
3424	92.92	-1.455	3474	95.43	-3.425	3524	99.50	-3.299	3574	102.73	-2.473
3425	92.94	-1.454	3475	95.46	-3.423	3525	99.63	-2.040	3575	102.79	-2.720
3426	92.98	-1.451	3476	95.52	-3.669	3526	99.71	-1.160	3576	102.89	-3.713
3427	93.00	-1.950	3477	95.55	-4.293	3527	99.75	-0.748	3577	103.06	-3.453
3428	93.03	-2.573	3478	95.58	-4.291	3528	99.80	-0.530	3578	103.19	-3.695
3429	93.08	-2.945	3479	95.61	-4.664	3529	99.85	-0.402	3579	103.26	-3.440
3430	93.14	-2.891	3480	95.65	-4.911	3530	99.90	-0.399	3580	103.33	-4.061
3431	93.17	-3.314	3481	95.79	-3.528	3531	99.97	-0.769	3581	103.39	-4.307
3432	93.20	-2.937	3482	96.03	-1.638	3532	100.04	-0.765	3582	103.48	-3.427
3433	93.24	-2.935	3483	96.27	-1.248	3533	100.15	-0.383	3583	103.57	-3.671
3434	93.26	-2.308	3484	96.47	-1.236	3534	100.22	-1.379	3584	103.70	-3.288
3435	93.29	-2.057	3485	96.59	-0.729	3535	100.29	-1.374	3585	103.74	-3.661
3436	93.32	-2.055	3486	96.64	-0.975	3536	100.34	-1.966	3586	103.79	-2.783
3437	93.35	-2.053	3487	96.69	-0.347	3537	100.42	-1.991	3587	103.91	-1.525
3438	93.40	-2.300	3488	96.74	0.281	3538	100.50	-2.361	3588	103.98	-0.771
3439	93.42	-2.048	3489	96.81	0.285	3539	100.66	-1.976	3589	104.05	-1.141
3440	93.43	-2.048	3490	96.86	0.913	3540	100.70	-2.349	3590	104.10	-1.139
3441	93.45	-1.672	3491	96.89	0.915	3541	100.81	-3.842	3591	104.14	-1.136
3442	93.48	-1.670	3492	96.93	0.668	3542	100.85	-3.839	3592	104.19	-0.508
3443	93.53	-1.417	3493	96.96	0.044	3543	100.98	-3.581	3593	104.22	-0.756
3444	93.57	-1.664	3494	96.99	0.046	3544	101.10	-2.949	3594	104.26	-1.129
3445	93.60	-1.412	3495	97.03	-0.951	3545	101.17	-2.570	3595	104.31	-1.126
3446	93.64	-1.660	3496	97.06	-1.574	3546	101.21	-3.192	3596	104.36	-1.998
3447	93.69	-1.657	3497	97.13	-1.820	3547	101.25	-3.439	3597	104.39	-2.370
3448	93.76	-2.527	3498	97.18	-3.442	3548	101.29	-3.437	3598	104.47	-2.616
3449	93.80	-2.275	3499	97.23	-3.687	3549	101.41	-4.430	3599	104.56	-5.110
3450	93.88	-2.270	3500	97.31	-4.059	3550	101.45	-4.002	3600	104.62	-5.732

INDEX NO. 789 1302-GR-15 CHIYODA BRIDGE U-D MAX.ACCEL.= -15.068(GAL) T= 8.29(SEC) NO.19

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3601	104.67	-6.103	3651	108.70	-8.354	3701	114.39	-4.251
3602	104.72	-6.100	3652	108.76	-7.975	3702	114.47	-3.996
3603	104.79	-6.721	3653	108.81	-8.597	3703	114.56	-4.240
3604	104.83	-6.718	3654	108.87	-8.344	3704	114.62	-5.111
3605	104.90	-6.090	3655	108.93	-7.465	3705	114.71	-5.481
3606	104.97	-6.005	3656	108.99	-6.211	3706	114.78	-5.727
3607	105.11	-3.576	3657	109.05	-5.583	3707	114.89	-6.345
3608	105.28	-2.066	3658	109.19	-2.074	3708	114.94	-6.091
3609	105.36	-1.066	3659	109.25	-1.445	3709	115.04	-5.835
3610	105.42	-1.057	3660	109.28	-1.443	3710	115.12	-6.330
3611	105.46	-0.179	3661	109.31	-1.491	3711	115.21	-5.450
3612	105.50	-1.052	3662	109.38	-2.687	3712	115.26	-6.072
3613	105.54	-1.049	3663	109.55	-3.051	3713	115.32	-6.068
3614	105.56	-2.298	3664	109.77	-3.663	3714	115.41	-6.688
3615	105.63	-2.294	3665	109.99	-4.149	3715	115.56	-6.303
3616	105.69	-3.165	3666	110.21	-5.135	3716	115.68	-5.296
3617	105.76	-3.535	3667	110.32	-6.378	3717	115.72	-6.293
3618	105.88	-4.404	3668	110.40	-6.123	3718	115.78	-5.790
3619	106.00	-4.145	3669	110.55	-5.114	3719	115.85	-5.160
3620	106.15	-3.761	3670	110.72	-4.228	3720	115.92	-5.156
3621	106.20	-3.758	3671	110.76	-4.225	3721	115.99	-4.777
3622	106.25	-4.755	3672	110.88	-4.468	3722	116.07	-3.522
3623	106.32	-5.001	3673	111.02	-4.459	3723	116.12	-3.894
3624	106.35	-4.999	3674	111.18	-4.449	3724	116.17	-3.516
3625	106.38	-4.747	3675	111.26	-3.819	3725	116.22	-3.888
3626	106.44	-4.993	3676	111.43	-5.059	3726	116.27	-4.385
3627	106.52	-5.364	3677	111.69	-5.044	3727	116.33	-4.757
3628	106.65	-3.856	3678	111.71	-6.417	3728	116.41	-5.001
3629	106.73	-4.101	3679	111.75	-6.165	3729	116.48	-5.372
3630	106.93	-2.839	3680	111.95	-6.034	3730	116.55	-5.618
3631	107.12	-1.827	3681	112.03	-5.023	3731	116.65	-5.987
3632	107.17	-1.574	3682	112.15	-4.641	3732	116.84	-6.851
3633	107.21	-1.822	3683	112.18	-5.013			
3634	107.25	-2.194	3684	112.39	-4.125			
3635	107.33	-2.814	3685	112.43	-4.373			
3636	107.46	-2.806	3686	112.48	-4.995			
3637	107.67	-2.418	3687	112.52	-4.367			
3638	107.60	-3.035	3688	112.59	-4.738			
3639	107.86	-3.031	3689	112.85	-5.596			
3640	107.90	-2.778	3690	113.15	-5.202			
3641	107.94	-2.402	3691	113.49	-6.182			
3642	107.98	-3.024	3692	113.63	-5.923			
3643	108.11	-3.391	3693	113.81	-5.537			
3644	108.16	-2.763	3694	113.93	-6.154			
3645	108.20	-3.760	3695	113.97	-5.527			
3646	108.25	-4.007	3696	114.09	-4.895			
3647	108.39	-6.498	3697	114.18	-3.639			
3648	108.52	-7.115	3698	114.24	-4.010			
3649	108.58	-7.737	3699	114.30	-3.382			
3650	108.62	-8.359	3700	114.36	-4.628			

Table IX D-16 Digitized Accelerations of Earthquake Record with Index Number 790

INDEX NO. 790 1302-GR-15 CHIYODA BRIDGE TR. MAX.ACCEL.= -52.690(GAL) T=22.02(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.0	-12.139	51	0.71	-9.919	101	1.61	-8.296	151	2.44	-6.808
2	0.02	-12.761	52	0.72	-9.919	102	1.62	-8.544	152	2.46	-7.930
3	0.03	-12.885	53	0.73	-10.167	103	1.63	-8.542	153	2.47	-8.928
4	0.04	-12.256	54	0.76	-11.163	104	1.64	-10.041	154	2.49	-10.551
5	0.07	-11.005	55	0.79	-12.408	105	1.67	-12.912	155	2.50	-10.209
6	0.08	-10.378	56	0.80	-12.657	106	1.68	-14.785	156	2.51	-10.548
7	0.09	-10.001	57	0.81	-13.201	107	1.69	-14.535	157	2.53	-10.546
8	0.11	-10.000	58	0.82	-13.405	108	1.70	-13.783	158	2.55	-9.918
9	0.12	-10.623	59	0.83	-13.028	109	1.72	-11.406	159	2.57	-8.414
10	0.13	-11.247	60	0.84	-12.152	110	1.73	-9.154	160	2.60	-7.537
11	0.14	-12.120	61	0.86	-10.900	111	1.74	-7.902	161	2.62	-6.908
12	0.16	-12.493	62	0.88	-9.647	112	1.75	-6.651	162	2.63	-7.157
13	0.17	-13.367	63	0.89	-9.271	113	1.76	-6.400	163	2.65	-7.780
14	0.18	-13.365	64	0.91	-9.894	114	1.78	-7.272	164	2.67	-8.652
15	0.20	-13.738	65	0.93	-11.391	115	1.80	-7.895	165	2.69	-9.649
16	0.21	-13.736	66	0.95	-13.637	116	1.81	-7.893	166	2.71	-8.772
17	0.22	-13.485	67	0.97	-13.260	117	1.82	-8.141	167	2.73	-5.893
18	0.23	-12.482	68	0.99	-12.382	118	1.84	-8.513	168	2.75	-5.641
19	0.26	-10.354	69	1.03	-11.127	119	1.85	-8.762	169	2.76	-5.890
20	0.27	-10.228	70	1.05	-11.123	120	1.87	-9.760	170	2.78	-6.512
21	0.28	-9.977	71	1.07	-10.872	121	1.88	-10.633	171	2.79	-7.385
22	0.29	-9.975	72	1.08	-10.495	122	1.89	-10.382	172	2.81	-7.508
23	0.30	-10.223	73	1.09	-10.744	123	1.90	-9.755	173	2.82	-8.756
24	0.32	-11.221	74	1.10	-11.492	124	1.94	-8.250	174	2.83	-8.755
25	0.33	-12.094	75	1.12	-12.615	125	1.95	-7.873	175	2.84	-8.378
26	0.34	-12.468	76	1.13	-13.363	126	1.96	-7.871	176	2.86	-8.126
27	0.35	-12.218	77	1.15	-12.360	127	1.98	-8.495	177	2.87	-7.499
28	0.36	-11.840	78	1.17	-10.482	128	2.02	-9.739	178	2.89	-7.123
29	0.38	-11.214	79	1.19	-9.855	129	2.04	-10.361	179	2.90	-7.745
30	0.40	-10.961	80	1.20	-9.854	130	2.05	-10.734	180	2.93	-9.241
31	0.41	-10.835	81	1.22	-11.349	131	2.06	-10.732	181	2.94	-9.615
32	0.43	-10.832	82	1.24	-12.222	132	2.07	-10.357	182	2.95	-9.239
33	0.44	-10.830	83	1.25	-11.846	133	2.09	-9.729	183	2.97	-8.362
34	0.45	-10.829	84	1.28	-10.967	134	2.12	-8.475	184	3.00	-7.108
35	0.47	-11.451	85	1.30	-10.214	135	2.14	-8.472	185	3.01	-6.481
36	0.48	-11.449	86	1.33	-9.835	136	2.16	-9.345	186	3.02	-7.105
37	0.50	-11.197	87	1.37	-10.079	137	2.19	-11.341	187	3.04	-7.352
38	0.51	-11.196	88	1.41	-10.073	138	2.20	-11.590	188	3.06	-7.724
39	0.53	-11.194	89	1.43	-9.822	139	2.21	-11.338	189	3.08	-7.721
40	0.54	-11.192	90	1.44	-9.194	140	2.25	-9.083	190	3.11	-7.343
41	0.56	-10.314	91	1.46	-8.567	141	2.26	-8.456	191	3.14	-7.338
42	0.57	-10.313	92	1.47	-8.566	142	2.28	-8.204	192	3.15	-7.086
43	0.59	-10.311	93	1.48	-8.814	143	2.30	-8.826	193	3.17	-7.709
44	0.60	-10.308	94	1.49	-9.812	144	2.31	-10.575	194	3.19	-8.331
45	0.62	-10.806	95	1.51	-10.685	145	2.34	-12.196	195	3.21	-8.953
46	0.64	-11.429	96	1.53	-11.057	146	2.35	-12.194	196	3.23	-8.951
47	0.65	-12.177	97	1.55	-10.803	147	2.36	-11.943	197	3.25	-8.072
48	0.66	-11.801	98	1.57	-10.802	148	2.38	-9.940	198	3.28	-7.694
49	0.68	-11.423	99	1.58	-10.425	149	2.41	-7.186	199	3.30	-7.066
50	0.70	-10.296	100	1.59	-9.798	150	2.43	-6.559	200	3.32	-7.688

土木構造物における加速度強震記録（No. 9）

INDEX NO. 790 1302-GR-15 CHIYODA BRIDGE TR. MAX.ACCEL.= -52.690(GAL) T=22.02(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	3.34	-7.935	251	4.15	-3.823	301	5.18	-10.183	351	6.21	-7.289
202	3.36	-8.932	252	4.16	-3.571	302	5.20	-9.056	352	6.22	-9.162
203	3.37	-9.181	253	4.18	-3.569	303	5.21	-7.429	353	6.25	-10.408
204	3.39	-8.053	254	4.20	-3.816	304	5.24	-7.425	354	6.27	-11.280
205	3.41	-7.050	255	4.22	-5.313	305	5.26	-7.672	355	6.28	-11.028
206	3.43	-7.047	256	4.24	-5.935	306	5.28	-9.919	356	6.32	-9.522
207	3.45	-7.045	257	4.26	-6.309	307	5.30	-9.291	357	6.38	-5.388
208	3.47	-8.542	258	4.28	-6.305	308	5.32	-7.163	358	6.39	-4.762
209	3.48	-8.665	259	4.30	-5.428	309	5.33	-6.787	359	6.41	-7.885
210	3.49	-6.664	260	4.31	-5.426	310	5.34	-6.535	360	6.44	-14.381
211	3.51	-7.411	261	4.32	-5.674	311	5.36	-5.032	361	6.46	-16.878
212	3.54	-6.158	262	4.35	-6.546	312	5.38	-9.529	362	6.49	-11.374
213	3.56	-7.656	263	4.39	-8.791	313	5.39	-10.529	363	6.51	-5.746
214	3.57	-9.528	264	4.41	-10.038	314	5.41	-9.276	364	6.53	-8.493
215	3.58	-10.151	265	4.42	-10.286	315	5.43	-7.148	365	6.57	-10.613
216	3.59	-9.900	266	4.44	-10.408	316	5.45	-5.520	366	6.58	-12.236
217	3.61	-9.898	267	4.47	-9.405	317	5.47	-6.393	367	6.59	-11.985
218	3.62	-8.645	268	4.51	-7.839	318	5.50	-8.887	368	6.63	-7.855
219	3.64	-7.644	269	4.53	-7.897	319	5.52	-11.134	369	6.64	-7.228
220	3.65	-7.917	270	4.55	-6.144	320	5.53	-12.008	370	6.66	-8.726
221	3.66	-6.765	271	4.58	-10.015	321	5.54	-11.507	371	6.68	-10.723
222	3.69	-6.761	272	4.61	-8.511	322	5.56	-9.880	372	6.69	-11.221
223	3.71	-7.009	273	4.63	-7.508	323	5.59	-5.500	373	6.72	-9.717
224	3.72	-7.006	274	4.64	-9.007	324	5.61	-2.997	374	6.76	-8.837
225	3.75	-6.753	275	4.67	-8.753	325	5.62	-2.996	375	6.78	-6.833
226	3.76	-6.751	276	4.69	-6.500	326	5.63	-5.494	376	6.80	-6.831
227	3.77	-6.750	277	4.72	-5.496	327	5.65	-9.886	377	6.81	-7.829
228	3.80	-7.371	278	4.73	-8.494	328	5.68	-15.738	378	6.83	-9.077
229	3.81	-6.744	279	4.76	-9.116	329	5.69	-15.111	379	6.85	-10.949
230	3.85	-5.114	280	4.77	-9.990	330	5.71	-11.108	380	6.87	-13.447
231	3.86	-4.862	281	4.78	-9.363	331	5.72	-4.857	381	6.88	-14.069
232	3.87	-4.860	282	4.81	-7.859	332	5.75	2.398	382	6.89	-14.068
233	3.88	-4.859	283	4.83	-7.856	333	5.77	-0.690	383	6.92	-9.064
234	3.90	-5.982	284	4.86	-7.852	334	5.80	-11.096	384	6.95	-2.560
235	3.91	-7.230	285	4.91	-7.846	335	5.82	-17.468	385	6.96	-1.183
236	3.93	-8.228	286	4.93	-8.343	336	5.83	-13.091	386	6.97	-0.808
237	3.94	-9.226	287	4.96	-8.089	337	5.87	0.914	387	6.99	-3.555
238	3.95	-8.600	288	4.97	-8.338	338	5.88	4.291	388	7.01	-9.676
239	3.97	-6.972	289	5.00	-9.584	339	5.91	0.045	389	7.03	-13.674
240	3.98	-6.095	290	5.02	-11.206	340	5.93	-4.327	390	7.08	-6.292
241	4.00	-5.093	291	5.03	-12.204	341	5.94	-8.700	391	7.09	-5.291
242	4.01	-5.092	292	5.05	-11.202	342	5.95	-9.450	392	7.11	-7.163
243	4.02	-5.965	293	5.06	-9.325	343	5.98	-8.320	393	7.12	-8.787
244	4.05	-7.211	294	5.09	-7.447	344	6.00	-7.317	394	7.13	-9.911
245	4.07	-7.584	295	5.10	-6.820	345	6.01	-7.565	395	7.14	-10.035
246	4.08	-7.582	296	5.12	-6.567	346	6.03	-9.187	396	7.15	-10.033
247	4.09	-7.331	297	5.13	-6.816	347	6.07	-10.058	397	7.17	-10.280
248	4.10	-6.954	298	5.14	-8.688	348	6.12	-11.300	398	7.19	-10.277
249	4.11	-6.078	299	5.15	-9.312	349	6.15	-13.171	399	7.20	-10.901
250	4.14	-3.825	300	5.17	-9.934	350	6.20	-8.290	400	7.23	-13.021

INDEX NO. 790 1302-GR-15 CHIYODA BRIDGE TR. MAX.ACCEL.= -52.690(GAL) T=22.02(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	7.24	-13.396	451	8.43	-15.855	501	9.30	-10.361	551	10.23	-4.232
402	7.30	-7.512	452	8.45	-13.353	502	9.31	-8.109	552	10.26	-5.728
403	7.31	-6.510	453	8.47	-10.851	503	9.32	-5.983	553	10.29	-7.348
404	7.34	-8.632	454	8.48	-9.224	504	9.33	-3.481	554	10.30	-7.971
405	7.36	-11.754	455	8.49	-8.597	505	9.35	-2.854	555	10.32	-9.843
406	7.36	-14.252	456	8.52	-11.969	506	9.36	-3.977	556	10.34	-10.840
407	7.42	-6.495	457	8.53	-14.092	507	9.37	-7.100	557	10.35	-11.714
408	7.44	-4.992	458	8.54	-15.716	508	9.40	-10.847	558	10.36	-11.963
409	7.45	-4.867	459	8.55	-15.965	509	9.41	-12.095	559	10.38	-8.960
410	7.47	-10.239	460	8.56	-14.838	510	9.42	-11.844	560	10.39	-5.833
411	7.49	-15.486	461	8.59	-11.708	511	9.43	-11.592	561	10.40	-4.207
412	7.50	-17.859	462	8.60	-11.707	512	9.45	-7.840	562	10.42	-3.579
413	7.56	-10.977	463	8.62	-13.829	513	9.47	-6.212	563	10.43	-7.328
414	7.57	-10.100	464	8.64	-17.702	514	9.48	-6.461	564	10.45	-11.325
415	7.59	-12.848	465	8.66	-20.199	515	9.51	-9.582	565	10.46	-12.323
416	7.63	-17.592	466	8.68	-18.697	516	9.54	-12.078	566	10.47	-11.697
417	7.64	-18.466	467	8.70	-12.068	517	9.57	-10.574	567	10.50	-7.318
418	7.67	-10.962	468	8.71	-8.567	518	9.59	-7.820	568	10.52	-5.190
419	7.70	-6.333	469	8.72	-6.316	519	9.60	-6.819	569	10.53	-4.813
420	7.71	-3.331	470	8.73	-5.065	520	9.62	-10.191	570	10.54	-6.313
421	7.73	-8.953	471	8.74	-2.938	521	9.65	-15.563	571	10.58	-15.432
422	7.75	-13.325	472	8.75	-2.312	522	9.67	-18.185	572	10.60	-20.803
423	7.76	-13.323	473	8.76	-4.435	523	9.71	-9.304	573	10.61	-22.177
424	7.80	-9.943	474	8.78	-8.432	524	9.72	-6.803	574	10.63	-18.675
425	7.83	-7.690	475	8.80	-12.179	525	9.73	-5.301	575	10.65	-11.172
426	7.85	-6.437	476	8.81	-12.303	526	9.76	-10.797	576	10.66	-9.670
427	7.86	-8.935	477	8.84	-6.674	527	9.77	-11.796	577	10.68	-10.542
428	7.87	-10.184	478	8.86	-1.671	528	9.80	-8.667	578	10.70	-12.415
429	7.90	-16.679	479	8.88	-0.169	529	9.82	-5.914	579	10.74	-7.909
430	7.91	-18.053	480	8.89	-3.667	530	9.83	-4.912	580	10.75	-7.282
431	7.94	-16.924	481	8.92	-10.662	531	9.84	-6.786	581	10.77	-10.654
432	7.95	-16.047	482	8.94	-12.786	532	9.87	-13.032	582	10.81	-14.149
433	7.97	-10.670	483	8.95	-14.034	533	9.88	-14.530	583	10.83	-11.021
434	7.99	-8.043	484	8.96	-14.283	534	9.90	-13.028	584	10.84	-9.520
435	8.02	-11.413	485	8.97	-13.906	535	9.93	-9.274	585	10.85	-7.893
436	8.05	-13.909	486	8.99	-11.779	536	9.95	-7.146	586	10.87	-7.265
437	8.06	-14.158	487	9.00	-10.777	537	9.97	-10.144	587	10.89	-7.012
438	8.13	-6.149	488	9.01	-10.776	538	9.99	-17.515	588	10.90	-5.760
439	8.14	-4.521	489	9.03	-11.148	539	10.00	-20.639	589	10.92	-5.009
440	8.17	-8.268	490	9.04	-12.271	540	10.02	-20.637	590	10.93	-3.257
441	8.20	-13.263	491	9.05	-12.645	541	10.03	-16.635	591	10.94	-3.380
442	8.22	-17.135	492	9.10	-10.138	542	10.06	-8.380	592	10.98	-9.750
443	8.23	-17.509	493	9.13	-8.510	543	10.07	-6.504	593	10.99	-12.248
444	8.26	-11.504	494	9.15	-10.631	544	10.08	-5.878	594	11.00	-11.997
445	8.28	-9.502	495	9.16	-11.255	545	10.10	-8.876	595	11.01	-10.744
446	8.31	-6.998	496	9.17	-11.879	546	10.14	-16.120	596	11.04	-9.741
447	8.36	-19.615	497	9.20	-9.374	547	10.16	-17.492	597	11.06	-9.988
448	8.37	-19.864	498	9.24	-11.244	548	10.19	-12.863	598	11.08	-9.736
449	8.39	-18.987	499	9.26	-13.117	549	10.21	-5.484	599	11.09	-9.735
450	8.41	-17.484	500	9.27	-14.365	550	10.22	-5.233	600	11.11	-9.356

INDEX NO. 790 1302-GR-15 CHIYODA BRIDGE TR. MAX.ACCEL.= -52.690(GAL) T=22.02(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	11.13	-9.103	651	11.93	-13.226	701	12.80	-6.993	751	13.72	-6.862
602	11.19	-19.470	652	12.04	-13.350	702	12.81	-6.742	752	13.73	-10.610
603	11.20	-20.218	653	12.05	-14.223	703	12.84	-8.237	753	13.74	-13.733
604	11.23	-15.840	654	12.06	-14.597	704	12.85	-8.860	754	13.75	-14.982
605	11.24	-8.463	655	12.08	-10.594	705	12.86	-8.859	755	13.77	-16.355
606	11.25	-4.086	656	12.10	-6.841	706	12.86	-7.356	756	13.80	-17.601
607	11.26	-2.836	657	12.11	-7.090	707	12.91	-4.478	757	13.82	-18.847
608	11.27	-2.209	658	12.12	-6.838	708	12.93	-3.601	758	13.83	-21.095
609	11.28	-3.708	659	12.15	-7.085	709	12.94	-2.974	759	13.84	-20.719
610	11.31	-15.578	660	12.17	-7.081	710	12.95	-2.973	760	13.85	-19.218
611	11.32	-19.826	661	12.18	-6.655	711	12.97	-4.469	761	13.87	-16.715
612	11.33	-18.950	662	12.20	-6.202	712	13.01	-6.588	762	13.88	-15.714
613	11.36	-15.821	663	12.21	-6.201	713	13.05	-3.458	763	13.89	-14.462
614	11.38	-10.193	664	12.23	-7.948	714	13.09	1.298	764	13.91	-14.210
615	11.39	-7.817	665	12.25	-9.820	715	13.10	1.924	765	13.92	-14.208
616	11.40	-8.440	666	12.27	-7.067	716	13.11	-1.200	766	13.94	-14.205
617	11.43	-14.686	667	12.29	-5.190	717	13.14	-12.195	767	13.95	-12.329
618	11.45	-20.663	668	12.30	-4.814	718	13.18	-19.940	768	13.97	-7.825
619	11.46	-21.932	669	12.31	-6.063	719	13.20	-14.936	769	13.99	-2.198
620	11.47	-20.430	670	12.32	-7.685	720	13.24	-6.056	770	14.00	2.304
621	11.49	-17.677	671	12.35	-10.807	721	13.25	-1.929	771	14.01	5.805
622	11.50	-14.551	672	12.36	-13.305	722	13.27	-5.391	772	14.03	6.057
623	11.52	-8.948	673	12.37	-10.803	723	13.29	-10.923	773	14.05	1.435
624	11.53	-7.547	674	12.40	-6.425	724	13.30	-11.922	774	14.07	-0.437
625	11.55	-9.920	675	12.41	-5.548	725	13.31	-12.546	775	14.08	-1.935
626	11.58	-15.915	676	12.43	-9.295	726	13.32	-11.920	776	14.10	-0.183
627	11.59	-13.413	677	12.46	-13.916	727	13.33	-9.168	777	14.12	3.320
628	11.63	-7.783	678	12.47	-14.289	728	13.34	-7.542	778	14.15	7.449
629	11.64	-5.907	679	12.48	-12.663	729	13.36	-1.663	779	14.16	8.075
630	11.66	-4.279	680	12.50	-10.535	730	13.37	0.714	780	14.18	3.828
631	11.68	-4.275	681	12.51	-8.033	731	13.39	1.590	781	14.22	-5.666
632	11.71	-5.522	682	12.52	-5.782	732	13.40	1.592	782	14.25	-11.412
633	11.72	-3.770	683	12.53	-5.156	733	13.43	1.597	783	14.28	-8.908
634	11.74	-1.517	684	12.54	-4.905	734	13.45	1.350	784	14.32	-5.278
635	11.76	1.736	685	12.55	-4.278	735	13.47	0.477	785	14.34	-4.275
636	11.78	3.613	686	12.57	-5.150	736	13.48	-2.020	786	14.35	-4.024
637	11.79	4.489	687	12.59	-5.773	737	13.50	-4.269	787	14.36	-6.148
638	11.80	1.762	688	12.61	-4.519	738	13.51	-5.142	788	14.37	-10.146
639	11.83	-4.004	689	12.63	-3.267	739	13.52	-5.140	789	14.39	-21.518
640	11.85	-11.502	690	12.64	-2.640	740	13.53	-5.139	790	14.41	-28.514
641	11.86	-12.126	691	12.66	-2.888	741	13.55	-5.136	791	14.42	-23.013
642	11.87	-10.873	692	12.67	-2.637	742	13.57	-4.633	792	14.45	-9.134
643	11.90	-8.994	693	12.68	-3.885	743	13.58	-5.756	793	14.47	10.993
644	11.93	-7.491	694	12.69	-5.758	744	13.60	-7.006	794	14.49	17.371
645	11.94	-6.864	695	12.71	-9.756	745	13.63	-12.500	795	14.51	11.749
646	11.95	-5.862	696	12.73	-12.003	746	13.65	-13.122	796	14.52	0.125
647	11.96	-3.611	697	12.74	-12.876	747	13.66	-12.496	797	14.53	-4.374
648	11.98	-1.234	698	12.75	-12.876	748	13.67	-10.619	798	14.55	-17.120
649	11.99	-0.482	699	12.76	-12.373	749	13.69	-6.617	799	14.56	-18.744
650	12.00	-4.105	700	12.78	-9.871	750	13.71	-4.989	800	14.57	-13.743

INDEX NO. 790 1302-GR-15 CHIYODA BRIDGE TR. MAX.ACCEL.= -52.690(GAL) T=22.02(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	14.61	-1.113	851	15.37	-28.132	901	16.19	-7.768	951	17.03	1.102
802	14.62	3.014	852	15.39	-33.004	902	16.23	7.739	952	17.05	-5.270
803	14.63	5.265	853	15.40	-29.878	903	16.24	8.365	953	17.06	-6.518
804	14.64	0.642	854	15.41	-26.377	904	16.25	5.367	954	17.08	-6.642
805	14.67	-9.480	855	15.42	-21.000	905	16.26	-0.332	955	17.09	-6.639
806	14.68	-16.478	856	15.43	-3.873	906	16.28	-10.254	956	17.11	-6.012
807	14.70	-20.226	857	15.44	3.753	907	16.30	-14.252	957	17.13	-5.384
808	14.71	-23.099	858	15.45	6.004	908	16.31	-14.500	958	17.15	-5.381
809	14.73	-21.346	859	15.46	7.630	909	16.33	-12.873	959	17.16	-6.505
810	14.74	-17.970	860	15.47	8.881	910	16.34	-9.495	960	17.17	-9.504
811	14.75	-9.343	861	15.48	6.133	911	16.35	-7.745	961	17.19	-16.500
812	14.76	-6.467	862	15.50	3.010	912	16.36	-4.617	962	17.20	-16.749
813	14.77	-4.841	863	15.51	-0.237	913	16.38	-3.365	963	17.21	-14.372
814	14.78	-2.089	864	15.53	-2.735	914	16.41	-1.486	964	17.23	-11.495
815	14.80	-1.087	865	15.55	0.019	915	16.43	4.517	965	17.24	-8.994
816	14.82	-0.834	866	15.57	4.395	916	16.44	5.519	966	17.26	-7.366
817	14.83	-0.332	867	15.60	11.775	917	16.45	2.395	967	17.27	-7.864
818	14.84	1.169	868	15.62	14.528	918	16.47	0.273	968	17.29	-9.487
819	14.86	2.797	869	15.65	12.406	919	16.48	-2.851	969	17.31	-12.234
820	14.88	3.949	870	15.66	6.158	920	16.49	-3.474	970	17.32	-13.483
821	14.89	2.801	871	15.67	-3.590	921	16.51	-5.097	971	17.34	-6.730
822	14.91	3.928	872	15.69	-13.837	922	16.53	-7.218	972	17.36	3.148
823	14.93	-2.194	873	15.70	-17.960	923	16.54	-7.217	973	17.37	4.649
824	14.94	-4.692	874	15.71	-18.959	924	16.56	-7.965	974	17.38	5.901
825	14.95	-3.190	875	15.72	-19.583	925	16.59	-8.335	975	17.39	6.277
826	14.99	3.689	876	15.74	-17.705	926	16.61	-8.958	976	17.40	3.778
827	15.00	6.191	877	15.77	-11.077	927	16.63	-11.705	977	17.42	-3.958
828	15.01	2.817	878	15.78	-8.950	928	16.64	-14.823	978	17.43	-4.087
829	15.02	-4.681	879	15.79	-7.574	929	16.66	-19.074	979	17.44	-4.090
830	15.06	-23.300	880	15.81	-9.071	930	16.67	-19.699	980	17.46	-0.963
831	15.08	-27.798	881	15.84	-10.067	931	16.68	-18.447	981	17.49	6.291
832	15.10	-20.420	882	15.85	-9.690	932	16.69	-15.071	982	17.50	6.917
833	15.12	-3.292	883	15.86	-9.084	933	16.71	-14.068	983	17.51	7.919
834	15.13	1.334	884	15.87	-6.812	934	16.73	-12.586	984	17.52	7.670
835	15.14	3.460	885	15.93	2.321	935	16.75	-10.062	985	17.53	6.172
836	15.15	4.962	886	15.94	4.198	936	16.76	-8.811	986	17.55	1.425
837	15.17	3.464	887	15.96	4.200	937	16.77	-6.809	987	17.59	-3.945
838	15.19	0.717	888	15.97	3.326	938	16.78	-5.183	988	17.60	-5.193
839	15.20	-3.031	889	15.99	0.455	939	16.79	-1.807	989	17.64	-5.813
840	15.21	-3.404	890	16.00	-2.919	940	16.83	22.450	990	17.66	-6.435
841	15.22	-3.654	891	16.03	-10.290	941	16.85	15.577	991	17.68	-7.808
842	15.23	-3.152	892	16.04	-13.664	942	16.87	1.955	992	17.69	-8.431
843	15.25	-2.524	893	16.05	-18.537	943	16.88	-1.543	993	17.71	-5.679
844	15.27	-0.896	894	16.06	-22.285	944	16.89	-2.542	994	17.75	5.703
845	15.29	-0.268	895	16.08	-22.908	945	16.91	1.210	995	17.76	6.954
846	15.31	+0.890	896	16.09	-20.780	946	16.94	9.714	996	17.78	6.332
847	15.32	-3.014	897	16.13	-14.526	947	16.96	13.468	997	17.79	4.458
848	15.33	-6.515	898	16.14	-12.024	948	16.98	10.095	998	17.81	3.586
849	15.34	-12.887	899	16.16	-10.146	949	16.99	6.971	999	17.82	1.963
850	15.35	-25.259	900	16.17	-10.144	950	17.00	2.349	1000	17.85	0.716

土木構造物における加速度強震記録（No. 9）

INDEX NO. 790 1302-GR-15 CHIYODA BRIDGE TR. MAX.ACCEL.= -52.690(GAL) T=22.02(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	17.86	0.093	1051	18.69	-24.164	1101	19.42	-6.561	1151	20.06	-25.220
1002	17.87	-0.155	1052	18.70	-32.162	1102	19.43	-12.309	1152	20.07	-25.593
1003	17.88	0.346	1053	18.71	-31.286	1103	19.44	-14.432	1153	20.08	-26.216
1004	17.90	1.098	1054	18.72	-26.534	1104	19.46	-14.180	1154	20.10	-26.508
1005	17.91	3.225	1055	18.75	-18.031	1105	19.47	-12.304	1155	20.11	-25.337
1006	17.92	5.101	1056	18.76	-14.779	1106	19.48	-9.179	1156	20.13	-21.835
1007	17.93	10.478	1057	18.77	-14.028	1107	19.50	-1.425	1157	20.15	-11.082
1008	17.95	13.980	1058	18.78	-18.151	1108	19.51	4.453	1158	20.19	16.549
1009	17.96	16.857	1059	18.79	-21.899	1109	19.52	4.703	1159	20.20	17.550
1010	17.97	21.608	1060	18.81	-24.522	1110	19.53	5.331	1160	20.21	17.801
1011	17.98	21.360	1061	18.82	-25.770	1111	19.56	3.832	1161	20.23	10.430
1012	18.00	20.737	1062	18.83	-26.394	1112	19.55	0.708	1162	20.25	0.932
1013	18.01	15.738	1063	18.85	-26.767	1113	19.56	-1.790	1163	20.26	-1.441
1014	18.04	-0.132	1064	18.86	-26.139	1114	19.57	-3.039	1164	20.28	1.311
1015	18.05	-2.380	1065	18.87	-24.513	1115	19.58	-4.288	1165	20.29	8.438
1016	18.06	-3.880	1066	18.89	-21.386	1116	19.59	-7.286	1166	20.32	23.818
1017	18.08	-3.002	1067	18.93	-7.129	1117	19.60	-6.409	1167	20.33	24.569
1018	18.10	-2.748	1068	18.94	-4.878	1118	19.61	-5.409	1168	20.34	19.571
1019	18.11	-8.372	1069	18.95	-4.252	1119	19.62	-4.532	1169	20.37	12.574
1020	18.14	-17.867	1070	18.98	-4.875	1120	19.63	-2.655	1170	20.38	11.826
1021	18.16	-9.865	1071	18.98	-7.623	1121	19.66	5.349	1171	20.39	14.578
1022	18.20	9.266	1072	18.99	-8.871	1122	19.67	8.600	1172	20.41	19.705
1023	18.21	10.517	1073	19.00	-9.245	1123	19.69	8.602	1173	20.43	27.708
1024	18.23	2.145	1074	19.02	-8.367	1124	19.70	7.354	1174	20.44	28.334
1025	18.26	-22.850	1075	19.04	-6.114	1125	19.71	5.480	1175	20.45	23.336
1026	18.28	-28.972	1076	19.06	-4.237	1126	19.72	3.607	1176	20.46	14.462
1027	18.29	-29.222	1077	19.07	-5.485	1127	19.73	-0.517	1177	20.47	3.089
1028	18.30	-24.594	1078	19.09	-8.607	1128	19.74	-4.889	1178	20.49	-0.409
1029	18.31	-18.094	1079	19.10	-9.231	1129	19.75	-7.514	1179	20.50	-3.032
1030	18.35	5.787	1080	19.11	-7.355	1130	19.76	-8.512	1180	20.51	0.719
1031	18.36	9.038	1081	19.13	-2.102	1131	19.77	-9.136	1181	20.52	6.346
1032	18.37	13.415	1082	19.14	0.900	1132	19.78	-9.135	1182	20.54	23.224
1033	18.38	10.917	1083	19.16	4.028	1133	19.79	-8.508	1183	20.56	27.101
1034	18.39	6.919	1084	19.20	-13.342	1134	19.82	-5.129	1184	20.57	29.603
1035	18.43	-13.076	1085	19.22	-16.214	1135	19.84	-4.127	1185	20.58	26.855
1036	18.44	-16.324	1086	19.23	-12.213	1136	19.85	-4.125	1186	20.59	23.106
1037	18.47	-11.321	1087	19.26	4.917	1137	19.86	-4.998	1187	20.61	17.733
1038	18.48	-3.070	1088	19.27	7.169	1138	19.87	-6.872	1188	20.62	10.485
1039	18.50	8.434	1089	19.28	8.170	1139	19.88	-10.370	1189	20.63	8.111
1040	18.51	9.685	1090	19.29	7.921	1140	19.89	-14.744	1190	20.64	5.363
1041	18.52	9.686	1091	19.30	7.047	1141	19.91	-18.865	1191	20.65	3.738
1042	18.54	5.315	1092	19.31	5.174	1142	19.92	-19.239	1192	20.66	2.240
1043	18.56	1.317	1093	19.32	3.926	1143	19.93	-19.238	1193	20.68	-0.757
1044	18.57	5.569	1094	19.34	2.928	1144	19.94	-17.987	1194	20.70	-0.754
1045	18.60	14.324	1095	19.35	2.930	1145	19.97	-12.732	1195	20.71	0.498
1046	18.62	21.951	1096	19.36	4.431	1146	19.99	-11.104	1196	20.74	2.377
1047	18.63	15.702	1097	19.37	5.058	1147	20.00	-11.353	1197	20.76	-2.995
1048	18.64	9.829	1098	19.38	4.809	1148	20.01	-13.227	1198	20.79	-13.991
1049	18.66	-8.294	1099	19.39	0.060	1149	20.02	-17.975	1199	20.81	-25.863
1050	18.67	-16.916	1100	19.40	0.312	1150	20.05	-22.971	1200	20.82	-28.236

INDEX NO. 790 1302-GR-15 CHIYODA BRIDGE TR. MAX.ACCEL.= -52.690(GAL) T=22.02(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	20.83	-29.860	1251	21.58	-18.378	1301	22.20	1.960	1351	22.89	6.555
1202	20.85	-28.107	1252	21.59	-31.126	1302	22.21	5.086	1352	22.90	-15.693
1203	20.88	-22.103	1253	21.60	-33.625	1303	22.22	6.337	1353	22.92	-25.815
1204	20.89	-20.477	1254	21.61	-39.748	1304	22.23	4.214	1354	22.93	-34.688
1205	20.90	-20.226	1255	21.63	-35.371	1305	22.25	-0.784	1355	22.94	-42.061
1206	20.92	-20.222	1256	21.64	-17.869	1306	22.26	-16.032	1356	22.96	-37.309
1207	20.94	-19.845	1257	21.66	12.884	1307	22.28	-25.278	1357	22.97	-17.683
1208	20.97	-8.216	1258	21.67	21.510	1308	22.29	-28.402	1358	22.98	0.069
1209	21.00	19.540	1259	21.68	23.636	1309	22.30	-29.401	1359	22.99	9.696
1210	21.01	22.041	1260	21.69	26.637	1310	22.31	-26.524	1360	23.01	15.823
1211	21.02	21.917	1261	21.70	24.514	1311	22.32	-22.523	1361	23.02	6.199
1212	21.03	18.169	1262	21.71	15.266	1312	22.36	-4.393	1362	23.04	-8.423
1213	21.05	12.671	1263	21.72	9.017	1313	22.37	1.609	1363	23.05	-27.671
1214	21.06	11.548	1264	21.73	3.018	1314	22.38	2.860	1364	23.07	-39.793
1215	21.07	15.049	1265	21.74	-0.856	1315	22.39	3.236	1365	23.08	-42.041
1216	21.10	27.179	1266	21.75	-7.606	1316	22.40	0.738	1366	23.09	-38.290
1217	21.11	28.680	1267	21.76	-9.727	1317	22.42	-3.885	1367	23.10	-29.664
1218	21.12	29.306	1268	21.77	-10.351	1318	22.44	-7.757	1368	23.12	-8.537
1219	21.13	29.682	1269	21.80	-10.972	1319	22.45	-4.755	1369	23.13	3.590
1220	21.14	29.059	1270	21.81	-14.095	1320	22.47	1.623	1370	23.14	8.717
1221	21.15	27.436	1271	21.83	-24.092	1321	22.50	15.502	1371	23.15	9.092
1222	21.16	25.687	1272	21.85	-30.214	1322	22.51	15.503	1372	23.16	6.843
1223	21.17	25.314	1273	21.86	-30.838	1323	22.52	14.754	1373	23.17	-0.654
1224	21.19	25.941	1274	21.87	-27.337	1324	22.53	10.381	1374	23.18	-4.779
1225	21.23	28.697	1275	21.88	-21.335	1325	22.56	-5.490	1375	23.19	-10.151
1226	21.24	27.198	1276	21.90	-5.083	1326	22.58	-10.363	1376	23.20	-10.525
1227	21.25	19.450	1277	21.91	4.419	1327	22.59	-5.985	1377	23.21	-8.649
1228	21.27	6.952	1278	21.92	7.545	1328	22.60	-0.609	1378	23.22	-4.273
1229	21.30	-21.793	1279	21.93	10.172	1329	22.63	25.145	1379	23.23	6.104
1230	21.31	-28.791	1280	21.94	5.798	1330	22.64	30.147	1380	23.26	27.484
1231	21.33	-34.539	1281	21.95	0.425	1331	22.65	32.523	1381	23.27	31.485
1232	21.34	-39.163	1282	21.96	-12.198	1332	22.67	30.275	1382	23.28	32.861
1233	21.35	-36.036	1283	21.98	-37.320	1333	22.68	12.651	1383	23.29	31.988
1234	21.36	-33.160	1284	22.00	-46.317	1334	22.70	0.779	1384	23.31	23.490
1235	21.37	-29.033	1285	22.01	-49.440	1335	22.71	-21.218	1385	23.32	20.617
1236	21.39	-3.281	1286	22.02	-52.690	1336	22.72	-24.842	1386	23.33	17.743
1237	21.40	2.721	1287	22.03	-48.938	1337	22.73	-26.841	1387	23.34	16.745
1238	21.41	4.097	1288	22.04	-40.687	1338	22.74	-29.589	1388	23.36	17.372
1239	21.42	-24.151	1289	22.05	-25.186	1339	22.75	-31.212	1389	23.38	18.250
1240	21.43	-12.274	1290	22.07	3.442	1340	22.76	-30.961	1390	23.39	15.126
1241	21.46	-33.895	1291	22.08	12.318	1341	22.78	-29.458	1391	23.41	11.504
1242	21.47	-37.018	1292	22.09	16.069	1342	22.79	-26.332	1392	23.42	8.130
1243	21.48	-40.017	1293	22.10	19.321	1343	22.80	-22.706	1393	23.44	-7.366
1244	21.49	-39.016	1294	22.11	18.447	1344	22.81	-18.079	1394	23.46	-17.864
1245	21.50	-29.889	1295	22.13	-4.550	1345	22.82	-11.329	1395	23.47	-21.237
1246	21.52	-4.512	1296	22.14	-12.798	1346	22.83	-2.827	1396	23.49	-21.735
1247	21.53	-0.136	1297	22.15	-15.422	1347	22.84	9.925	1397	23.50	-12.858
1248	21.54	3.366	1298	22.16	-18.295	1348	22.85	15.926	1398	23.53	7.396
1249	21.55	6.868	1299	22.17	-14.919	1349	22.87	18.554	1399	23.54	11.648
1250	21.56	-4.380	1300	22.18	-5.418	1350	22.88	15.180	1400	23.56	12.275

INDEX NO. 790 1302-GR-15 CHIYODA BRIDGE TR. MAX.ACCEL.= -52.690(GAL) T=22.02(SEC) NO. 8

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1401	23.57	10.151	1451	24.29	39.253	1501	24.94	13.717	1551	25.65	-19.558
1402	23.59	-12.596	1452	24.30	45.004	1502	24.95	14.594	1552	25.67	-7.181
1403	23.60	-26.593	1453	24.31	49.506	1503	24.97	15.220	1553	25.69	6.448
1404	23.62	-33.716	1454	24.32	50.256	1504	24.99	15.223	1554	25.70	9.699
1405	23.63	-33.093	1455	24.33	44.008	1505	25.00	16.225	1555	25.71	10.950
1406	23.64	-21.713	1456	24.34	35.385	1506	25.01	15.851	1556	25.72	11.952
1407	23.65	-11.212	1457	24.35	27.510	1507	25.03	18.854	1557	25.73	11.703
1408	23.67	21.791	1458	24.36	21.387	1508	25.05	20.357	1558	25.74	5.080
1409	23.68	25.293	1459	24.37	15.639	1509	25.06	18.233	1559	25.75	3.206
1410	23.69	27.169	1460	24.38	13.515	1510	25.08	10.987	1560	25.77	0.334
1411	23.70	28.170	1461	24.39	11.641	1511	25.09	8.113	1561	25.78	-1.914
1412	23.71	24.796	1462	24.42	16.146	1512	25.10	7.488	1562	25.79	-4.413
1413	23.72	16.547	1463	24.44	19.022	1513	25.11	6.240	1563	25.80	-7.037
1414	23.74	6.675	1464	24.45	20.024	1514	25.12	5.367	1564	25.81	-11.410
1415	23.75	-2.197	1465	24.46	19.401	1515	25.15	4.122	1565	25.83	-15.283
1416	23.78	2.181	1466	24.48	17.904	1516	25.16	2.248	1566	25.85	-16.530
1417	23.81	11.060	1467	24.50	17.531	1517	25.17	-2.076	1567	25.86	-17.779
1418	23.82	13.011	1468	24.51	18.782	1518	25.19	-12.748	1568	25.5.	-12.772
1419	23.83	2.688	1469	24.53	22.161	1519	25.20	-18.746	1569	25.91	-12.146
1420	23.85	-8.559	1470	24.54	21.662	1520	25.21	-18.870	1570	25.92	-11.645
1421	23.86	-22.807	1471	24.55	19.788	1521	25.23	-15.992	1571	25.93	-14.893
1422	23.88	-41.803	1472	24.57	17.166	1522	25.26	-10.364	1572	25.95	-18.016
1423	23.90	-49.550	1473	24.59	16.043	1523	25.27	-8.237	1573	25.96	-19.014
1424	23.92	-44.549	1474	24.60	15.044	1524	25.29	-10.358	1574	25.97	-19.013
1425	23.94	-29.546	1475	24.61	14.796	1525	25.32	-12.854	1575	25.98	-18.762
1426	23.97	0.207	1476	24.62	16.422	1526	25.33	-12.229	1576	26.00	-16.508
1427	23.98	8.459	1477	24.65	19.677	1527	25.34	-9.726	1577	26.02	-16.755
1428	23.99	13.210	1478	24.66	19.803	1528	25.35	-4.976	1578	26.03	-17.129
1429	24.00	16.637	1479	24.67	18.179	1529	25.37	5.777	1579	26.05	-19.876
1430	24.02	-3.035	1480	24.68	14.181	1530	25.38	15.029	1580	26.06	-18.751
1431	24.05	-26.531	1481	24.70	5.308	1531	25.39	19.781	1581	26.07	-18.374
1432	24.06	-39.904	1482	24.71	-4.564	1532	25.41	22.283	1582	26.08	-15.622
1433	24.07	-50.027	1483	24.72	-9.313	1533	25.42	21.410	1583	26.09	-9.370
1434	24.08	-51.400	1484	24.73	-11.562	1534	25.44	18.912	1584	26.12	10.383
1435	24.10	-47.024	1485	24.74	-12.186	1535	25.45	17.414	1585	26.13	13.635
1436	24.11	-22.523	1486	24.78	-4.680	1536	25.46	10.540	1586	26.15	13.637
1437	24.12	2.854	1487	24.79	-2.178	1537	25.47	2.168	1587	26.16	11.388
1438	24.14	36.107	1488	24.80	-1.302	1538	25.48	-1.331	1588	26.17	-2.110
1439	24.16	44.485	1489	24.81	-2.177	1539	25.49	-5.705	1589	26.20	-14.856
1440	24.17	41.360	1490	24.82	-6.550	1540	25.50	-9.578	1590	26.21	-17.729
1441	24.18	35.362	1491	24.83	-12.174	1541	25.52	-11.826	1591	26.22	-17.478
1442	24.19	26.238	1492	24.84	-18.547	1542	25.53	-9.574	1592	26.23	-17.477
1443	24.21	-5.259	1493	24.86	-25.169	1543	25.55	-4.573	1593	26.25	-14.600
1444	24.22	-12.508	1494	24.87	-26.793	1544	25.56	-1.445	1594	26.28	-2.970
1445	24.23	-19.257	1495	24.88	-23.665	1545	25.58	-1.942	1595	26.29	-0.719
1446	24.24	-22.756	1496	24.89	-20.540	1546	25.59	-5.317	1596	26.30	0.158
1447	24.25	-16.254	1497	24.90	-14.539	1547	25.61	-12.689	1597	26.31	-0.091
1448	24.26	-8.378	1498	24.91	-1.912	1548	25.62	-19.062	1598	26.32	-1.965
1449	24.27	14.249	1499	24.92	9.465	1549	25.63	-20.936	1599	26.33	-6.963
1450	24.28	33.002	1500	24.93	11.466	1550	25.64	-21.684	1600	26.35	-8.835

INDEX NO. 790 1302-GR-15 CHIYODA BRIDGE TR. MAX.ACCEL.= -52.690(GAL) T=22.02(SEC) NO. 9

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1601	26.36	-8.210	1651	27.08	7.640	1701	27.75	8.233	1751	28.41	-3.798
1602	26.37	-6.959	1652	27.09	10.890	1702	27.77	5.361	1752	28.42	0.829
1603	26.38	-1.957	1653	27.10	12.143	1703	27.79	0.615	1753	28.44	6.832
1604	26.40	6.671	1654	27.11	12.143	1704	27.80	-0.383	1754	28.45	9.833
1605	26.41	10.798	1655	27.13	7.146	1705	27.82	0.244	1755	28.46	13.585
1606	26.42	12.299	1656	27.14	-0.102	1706	27.84	0.496	1756	28.47	13.587
1607	26.43	10.800	1657	27.15	-1.351	1707	27.85	0.248	1757	28.48	11.462
1608	26.45	1.053	1658	27.16	-1.975	1708	27.86	-0.625	1758	28.50	3.340
1609	26.48	-14.068	1659	27.17	-2.349	1709	27.88	-2.248	1759	28.52	-7.281
1610	26.49	-18.566	1660	27.18	-0.472	1710	27.89	-4.121	1760	28.53	-8.530
1611	26.50	-18.940	1661	27.19	2.655	1711	27.91	-5.368	1761	28.54	-9.529
1612	26.51	-18.316	1662	27.21	15.533	1712	27.92	-5.117	1762	28.56	-7.277
1613	26.52	-14.938	1663	27.22	18.159	1713	27.93	-2.866	1763	28.57	-3.525
1614	26.53	-8.686	1664	27.23	19.160	1714	27.94	1.761	1764	28.58	-0.774
1615	26.56	11.194	1665	27.24	18.537	1715	27.97	16.015	1765	28.59	1.652
1616	26.57	11.695	1666	27.25	17.288	1716	27.98	18.016	1766	28.60	3.729
1617	26.58	12.071	1667	27.26	11.664	1717	27.99	18.643	1767	28.61	4.480
1618	26.59	10.197	1668	27.27	5.917	1718	28.01	18.020	1768	28.62	4.732
1619	26.60	8.073	1669	27.29	3.418	1719	28.02	16.522	1769	28.65	4.486
1620	26.62	-2.429	1670	27.30	1.920	1720	28.03	10.524	1770	28.67	3.490
1621	26.63	-5.547	1671	27.31	1.422	1721	28.05	7.026	1771	28.68	3.491
1622	26.64	-7.546	1672	27.34	6.051	1722	28.06	5.402	1772	28.70	4.368
1623	26.65	-8.794	1673	27.36	6.429	1723	28.08	3.280	1773	28.71	5.619
1624	26.66	-7.793	1674	27.37	5.805	1724	28.09	1.282	1774	28.72	8.871
1625	26.68	-5.416	1675	27.39	4.308	1725	28.10	-0.342	1775	28.73	12.998
1626	26.72	5.715	1676	27.40	3.685	1726	28.11	-3.090	1776	28.75	13.875
1627	26.74	10.210	1677	27.41	3.311	1727	28.12	-7.338	1777	28.76	13.877
1628	26.75	12.094	1678	27.42	3.312	1728	28.13	-9.212	1778	28.77	13.628
1629	26.76	12.095	1679	27.43	3.064	1729	28.14	-11.085	1779	28.79	6.756
1630	26.77	12.721	1680	27.44	2.940	1730	28.15	-11.459	1780	28.80	3.008
1631	26.78	12.473	1681	27.45	3.567	1731	28.16	-11.458	1781	28.81	0.134
1632	26.79	11.474	1682	27.47	4.194	1732	28.17	-10.832	1782	28.82	-0.239
1633	26.80	5.650	1683	27.48	4.571	1733	28.20	-9.203	1783	28.83	0.387
1634	26.82	-4.272	1684	27.50	3.699	1734	28.21	-8.825	1784	28.86	3.766
1635	26.84	-12.144	1685	27.52	3.326	1735	28.22	-9.824	1785	28.88	5.394
1636	26.85	-14.767	1686	27.53	4.202	1736	28.23	-10.698	1786	28.89	5.770
1637	26.86	-17.016	1687	27.54	7.705	1737	28.25	-13.570	1787	28.90	4.772
1638	26.87	-17.393	1688	27.55	12.207	1738	28.26	-14.568	1788	28.91	2.648
1639	26.88	-17.013	1689	27.57	16.209	1739	28.27	-15.817	1789	28.92	-0.475
1640	26.90	-14.886	1690	27.58	19.211	1740	28.28	-14.941	1790	28.93	-6.224
1641	26.92	-11.134	1691	27.59	20.461	1741	28.29	-13.689	1791	28.96	-12.845
1642	26.95	-5.004	1692	27.60	21.464	1742	28.30	-10.938	1792	28.97	-14.468
1643	26.97	-1.627	1693	27.62	20.215	1743	28.31	-6.436	1793	28.98	-15.716
1644	26.98	-1.500	1694	27.64	12.093	1744	28.32	-3.560	1794	28.99	-16.715
1645	27.00	-5.622	1695	27.65	8.845	1745	28.33	-1.308	1795	29.00	-14.839
1646	27.02	-8.370	1696	27.66	8.845	1746	28.34	+0.057	1796	29.01	-14.213
1647	27.03	-34743	1697	27.67	9.348	1747	28.35	0.445	1797	29.02	-12.337
1648	27.04	-10.366	1698	27.69	10.976	1748	28.37	-0.429	1798	29.04	-8.334
1649	27.05	-7.240	1699	27.71	10.729	1749	28.38	-3.176	1799	29.06	-5.330
1650	27.06	-4.364	1700	27.73	9.731	1750	28.40	-5.049	1800	29.07	-5.954

土木構造物における加速度強震記録（No.9）

INDEX NO. 790 1302-GR-15 CHIYODA BRIDGE TR. MAX.ACCEL.= -52.690(GAL) T=22.02(SEC) NO.10

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1801	29.10	-10.574	1851	29.85	19.291	1901	30.53	-9.373	1951	31.32	-3.762
1802	29.11	-10.073	1852	29.86	20.157	1902	30.54	-1.996	1952	31.35	3.866
1803	29.13	-10.371	1853	29.87	22.033	1903	30.56	15.132	1953	31.37	4.495
1804	29.15	-5.068	1854	29.88	22.659	1904	30.57	17.000	1954	31.38	2.996
1805	29.16	-3.441	1855	29.89	16.912	1905	30.58	18.634	1955	31.40	-1.375
1806	29.17	-3.440	1856	29.90	13.038	1906	30.59	19.886	1956	31.41	-2.373
1807	29.18	-3.688	1857	29.92	6.540	1907	30.60	18.387	1957	31.42	-2.498
1808	29.19	-6.562	1858	29.94	5.668	1908	30.61	15.263	1958	31.43	0.004
1809	29.20	-15.060	1859	29.95	7.545	1909	30.62	9.265	1959	31.46	7.258
1810	29.23	-23.631	1860	29.97	11.298	1910	30.63	7.016	1960	31.47	9.885
1811	29.24	-24.556	1861	29.98	15.924	1911	30.64	5.767	1961	31.48	10.887
1812	29.25	-25.394	1862	29.99	17.926	1912	30.66	4.270	1962	31.49	10.888
1813	29.26	-23.428	1863	30.01	18.670	1913	30.67	3.022	1963	31.50	10.889
1814	29.27	-20.926	1864	30.02	18.680	1914	30.68	1.649	1964	31.52	9.017
1815	29.29	-15.278	1865	30.03	17.055	1915	30.69	-0.600	1965	31.53	7.519
1816	29.30	-13.297	1866	30.04	13.931	1916	30.71	-11.972	1966	31.55	6.896
1817	29.31	-13.171	1867	30.06	3.559	1917	30.73	-15.220	1967	31.56	6.898
1818	29.33	-14.168	1868	30.07	-7.313	1918	30.74	-15.593	1968	31.57	7.399
1819	29.34	-13.916	1869	30.09	-12.936	1919	30.76	-12.466	1969	31.60	8.403
1820	29.35	-13.289	1870	30.10	-14.684	1920	30.77	-7.714	1970	31.62	9.281
1821	29.36	-11.039	1871	30.11	-15.558	1921	30.78	1.413	1971	31.64	9.283
1822	29.38	-2.160	1872	30.12	-15.932	1922	30.79	3.413	1972	31.65	9.285
1823	29.40	2.343	1873	30.15	-11.927	1923	30.80	7.166	1973	31.67	8.788
1824	29.41	2.969	1874	30.16	-11.550	1924	30.82	7.168	1974	31.69	7.155
1825	29.42	2.970	1875	30.17	-13.424	1925	30.83	6.544	1975	31.70	4.667
1826	29.43	0.221	1876	30.20	-16.920	1926	30.84	3.797	1976	31.72	1.169
1827	29.45	-13.401	1877	30.21	-17.419	1927	30.86	2.299	1977	31.74	-5.327
1828	29.47	-19.147	1878	30.22	-17.167	1928	30.88	2.892	1978	31.75	-5.826
1829	29.48	-19.521	1879	30.23	-16.541	1929	30.90	5.680	1979	31.76	-7.200
1830	29.49	-16.695	1880	30.25	-8.163	1930	30.92	5.933	1980	31.77	-5.949
1831	29.53	1.735	1881	30.28	5.591	1931	30.95	6.312	1981	31.82	10.558
1832	29.54	6.112	1882	30.29	6.218	1932	30.96	7.189	1982	31.83	12.810
1833	29.56	2.989	1883	30.30	5.969	1933	31.00	9.444	1983	31.86	13.061
1834	29.57	-3.259	1884	30.31	2.220	1934	31.04	10.825	1984	31.85	9.063
1835	29.59	-16.255	1885	30.33	-7.902	1935	31.06	12.953	1985	31.86	0.190
1836	29.60	-17.504	1886	30.34	-15.274	1936	31.09	12.706	1986	31.88	-4.433
1837	29.61	-16.003	1887	30.35	-16.273	1937	31.10	12.458	1987	31.89	-5.056
1838	29.62	-13.251	1888	30.36	-14.397	1938	31.11	12.210	1988	31.90	-6.555
1839	29.66	2.379	1889	30.37	-11.896	1939	31.12	10.710	1989	31.91	-5.554
1840	29.67	5.755	1890	30.39	-4.519	1940	31.13	8.337	1990	31.94	0.951
1841	29.68	5.257	1891	30.40	15.984	1941	31.14	3.713	1991	31.95	2.703
1842	29.70	3.384	1892	30.42	26.236	1942	31.15	-6.285	1992	31.96	3.579
1843	29.73	-10.237	1893	30.43	32.236	1943	31.17	-7.533	1993	31.99	6.085
1844	29.75	-26.106	1894	30.44	32.739	1944	31.18	-8.407	1994	32.00	7.960
1845	29.77	-25.855	1895	30.45	30.866	1945	31.19	-8.780	1995	32.03	11.588
1846	29.78	-26.479	1896	30.46	27.367	1946	31.20	-8.153	1996	32.04	12.214
1847	29.79	-24.603	1897	30.47	20.358	1947	31.24	-3.523	1997	32.05	12.466
1848	29.80	-21.477	1898	30.48	5.120	1948	31.25	-3.521	1998	32.06	9.717
1849	29.81	-5.650	1899	30.51	-8.502	1949	31.29	-5.266	1999	32.08	-1.030
1850	29.84	12.779	1900	30.52	-13.375	1950	31.30	-5.265	2000	32.10	-11.152

INDEX NO. 790 1302-GR-15 CHIYODA BRIDGE TR. MAX.ACCEL.= -52.690(GAL) T=22.02(SEC) NO.11

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2001	32.11	-11.776	2051	32.83	10.700	2101	33.67	5.444	2151	34.67	-12.791
2002	32.12	-9.024	2052	32.84	10.577	2102	33.70	4.572	2152	34.68	-8.789
2003	32.13	-2.773	2053	32.88	-3.167	2103	33.73	3.952	2153	34.73	5.217
2004	32.16	21.962	2054	32.89	-1.541	2104	33.75	3.955	2154	34.75	10.719
2005	32.16	27.234	2055	32.92	5.963	2105	33.76	4.206	2155	34.79	5.725
2006	32.19	27.485	2056	32.95	13.593	2106	33.78	5.459	2156	34.80	3.852
2007	32.20	20.612	2057	32.96	12.094	2107	33.81	7.338	2157	34.81	3.978
2008	32.22	-3.510	2058	32.97	1.345	2108	33.82	7.965	2158	34.82	5.605
2009	32.24	-23.662	2059	32.93	-5.653	2109	33.83	7.967	2159	34.83	8.981
2010	32.25	-30.869	2060	33.00	-12.275	2110	33.84	7.343	2160	34.86	16.360
2011	32.26	-32.754	2061	33.02	-14.648	2111	33.85	5.219	2161	34.87	17.862
2012	32.27	-29.628	2062	33.04	-12.395	2112	33.86	-0.780	2162	34.88	18.988
2013	32.28	-21.127	2063	33.06	-6.517	2113	33.89	-11.526	2163	34.90	18.742
2014	32.30	4.251	2064	33.07	-4.765	2114	33.90	-14.149	2164	34.91	18.993
2015	32.31	9.002	2065	33.08	-3.889	2115	33.91	-15.147	2165	34.92	18.744
2016	32.32	11.879	2066	33.10	-4.137	2116	33.92	-14.021	2166	34.93	20.871
2017	32.33	12.680	2067	33.11	-6.011	2117	33.95	-5.267	2167	34.95	26.249
2018	32.34	9.506	2068	33.12	-7.384	2118	33.98	0.987	2168	34.97	30.751
2019	32.36	-9.491	2069	33.16	-16.379	2119	33.99	2.989	2169	34.98	31.753
2020	32.36	-27.612	2070	33.17	-18.003	2120	34.00	2.365	2170	34.99	28.004
2021	32.39	-32.735	2071	33.18	-19.251	2121	34.01	-2.633	2171	35.02	16.257
2022	32.40	-35.985	2072	33.19	-17.749	2122	34.05	-16.878	2172	35.04	3.011
2023	32.41	-32.658	2073	33.20	-14.622	2123	34.07	-23.000	2173	35.05	0.637
2024	32.42	-28.357	2074	33.21	-11.122	2124	34.08	-20.873	2174	35.06	-0.361
2025	32.44	-15.729	2075	33.24	11.133	2125	34.10	-14.871	2175	35.08	4.642
2026	32.45	-11.853	2076	33.25	13.884	2126	34.14	-1.240	2176	35.11	9.395
2027	32.46	-10.691	2077	33.26	15.761	2127	34.15	0.387	2177	35.12	10.772
2028	32.47	-9.725	2078	33.27	13.512	2128	34.17	0.763	2178	35.13	10.524
2029	32.48	-10.723	2079	33.28	9.689	2129	34.19	-1.359	2179	35.14	8.651
2030	32.49	-12.972	2080	33.31	-8.481	2130	34.23	-11.102	2180	35.16	4.527
2031	32.50	-13.721	2081	33.33	-10.479	2131	34.24	-10.227	2181	35.17	0.654
2032	32.52	-11.218	2082	33.34	-9.228	2132	34.25	-8.725	2182	35.19	-0.544
2033	32.54	-5.216	2083	33.35	-7.352	2133	34.29	8.281	2183	35.20	-1.217
2034	32.56	5.913	2084	33.37	1.776	2134	34.31	12.534	2184	35.21	-0.590
2035	32.57	6.539	2085	33.38	4.403	2135	34.32	12.409	2185	35.22	-0.339
2036	32.58	8.296	2086	33.39	4.779	2136	34.33	11.412	2186	35.25	2.290
2037	32.60	7.293	2087	33.40	3.531	2137	34.38	5.044	2187	35.27	3.418
2038	32.62	5.796	2088	33.41	-3.343	2138	34.40	4.921	2188	35.28	3.545
2039	32.63	4.796	2089	33.43	-16.091	2139	34.41	5.797	2189	35.30	3.547
2040	32.64	5.423	2090	33.44	-21.088	2140	34.42	8.049	2190	35.32	2.925
2041	32.66	8.552	2091	33.46	-23.686	2141	34.46	18.305	2191	35.34	1.053
2042	32.69	12.306	2092	33.47	-23.710	2142	34.47	19.806	2192	35.36	1.305
2043	32.70	12.558	2093	33.49	-19.957	2143	34.49	19.559	2193	35.37	1.557
2044	32.71	12.309	2094	33.52	-12.703	2144	34.50	17.060	2194	35.38	5.309
2045	32.73	10.811	2095	33.53	-12.076	2145	34.52	9.438	2195	35.41	14.563
2046	32.75	4.564	2096	33.55	-11.449	2146	34.54	7.066	2196	35.42	17.064
2047	32.76	1.566	2097	33.59	-10.443	2147	34.58	8.697	2197	35.43	17.316
2048	32.77	1.567	2098	33.60	-8.942	2148	34.61	9.950	2198	35.44	17.067
2049	32.78	1.818	2099	33.64	4.193	2149	34.64	-0.671	2199	35.46	10.195
2050	32.81	8.448	2100	33.66	5.067	2150	34.66	-12.042	2200	35.48	1.948

INDEX NO. 790 1302-GR-15 CHIYODA BRIDGE TR. MAX.ACCEL.= -52.690(GAL) T=22.02(SEC) NO.12

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2201	35.49	2.574	2251	36.32	-15.059	2301	37.23	3.444	2351	38.21	19.456
2202	35.50	4.201	2252	36.33	-15.932	2302	37.25	2.197	2352	38.22	18.208
2203	35.52	12.953	2253	36.34	-16.306	2303	37.26	0.698	2353	38.23	16.710
2204	35.54	22.831	2254	36.38	-11.301	2304	37.27	-0.301	2354	38.26	14.213
2205	35.55	24.084	2255	36.39	-11.299	2305	37.29	1.027	2355	38.28	11.967
2206	35.56	21.900	2256	36.40	-11.298	2306	37.31	6.206	2356	38.30	10.344
2207	35.59	9.965	2257	36.44	-12.792	2307	37.34	8.084	2357	38.31	9.346
2208	35.60	7.714	2258	36.46	-14.161	2308	37.35	9.336	2358	38.32	6.847
2209	35.61	5.846	2259	36.50	-14.159	2309	37.37	9.339	2359	38.34	4.099
2210	35.62	4.593	2260	36.51	-14.157	2310	37.44	9.346	2360	38.36	2.103
2211	35.63	6.470	2261	36.52	-13.531	2311	37.48	9.728	2361	38.40	-1.641
2212	35.66	11.724	2262	36.54	-10.404	2312	37.53	10.357	2362	38.43	-8.388
2213	35.68	13.976	2263	36.55	-5.651	2313	37.53	11.111	2363	38.44	-9.636
2214	35.69	14.228	2264	36.58	0.103	2314	37.54	11.112	2364	38.45	-9.884
2215	35.71	13.980	2265	36.59	1.229	2315	37.55	10.239	2365	38.47	-7.132
2216	35.73	12.105	2266	36.60	0.231	2316	37.56	8.990	2366	38.49	-2.129
2217	35.74	9.609	2267	36.64	-5.139	2317	37.57	6.116	2367	38.51	1.624
2218	35.75	3.736	2268	36.66	-6.011	2318	37.59	2.870	2368	38.52	2.500
2219	35.76	-1.138	2269	36.69	1.994	2319	37.60	0.371	2369	38.53	3.001
2220	35.77	-3.261	2270	36.72	4.247	2320	37.61	-0.503	2370	38.56	2.630
2221	35.78	-4.135	2271	36.74	4.250	2321	37.62	-0.502	2371	38.57	2.632
2222	35.80	-2.582	2272	36.77	4.254	2322	37.65	2.253	2372	38.58	3.634
2223	35.82	2.621	2273	36.80	4.633	2323	37.66	2.255	2373	38.61	6.138
2224	35.85	7.376	2274	36.83	2.512	2324	37.70	-0.240	2374	38.62	7.014
2225	35.86	7.627	2275	36.84	0.889	2325	37.72	0.013	2375	38.64	7.016
2226	35.88	3.629	2276	36.85	1.141	2326	37.74	3.515	2376	38.65	8.269
2227	35.90	-3.263	2277	36.86	1.910	2327	37.76	15.519	2377	38.67	9.521
2228	35.91	-6.241	2278	36.88	4.270	2328	37.77	18.020	2378	38.69	12.524
2229	35.92	-6.984	2279	36.90	7.147	2329	37.79	19.397	2379	38.71	14.027
2230	35.96	-6.609	2280	36.91	6.399	2330	37.81	6.526	2380	38.73	14.655
2231	35.97	-6.858	2281	36.92	8.400	2331	37.85	-2.969	2381	38.74	14.656
2232	36.01	-9.977	2282	36.93	7.776	2332	37.86	-4.218	2382	38.75	14.158
2233	36.03	-9.100	2283	36.94	5.652	2333	37.88	-2.965	2383	38.76	13.160
2234	36.04	-6.848	2284	36.95	0.279	2334	37.90	-0.587	2384	38.80	11.290
2235	36.07	8.281	2285	36.97	-6.093	2335	37.93	3.168	2385	38.82	11.293
2236	36.08	10.158	2286	36.98	-7.592	2336	37.95	4.795	2386	38.85	12.796
2237	36.09	12.410	2287	36.99	-8.840	2337	37.97	5.423	2387	38.87	13.174
2238	36.10	13.161	2288	37.00	-9.215	2338	37.98	5.424	2388	38.88	11.675
2239	36.12	6.268	2289	37.04	-3.958	2339	37.99	4.801	2389	38.89	7.926
2240	36.14	-6.834	2290	37.05	-3.581	2340	38.01	2.679	2390	38.90	0.929
2241	36.16	-13.206	2291	37.06	-4.830	2341	38.02	1.431	2391	38.91	-3.195
2242	36.17	-11.705	2292	37.09	-11.326	2342	38.04	1.058	2392	38.92	-7.068
2243	36.19	-7.327	2293	37.11	-18.698	2343	38.05	3.184	2393	38.93	-7.692
2244	36.22	3.303	2294	37.13	-22.820	2344	38.07	10.063	2394	38.95	-5.814
2245	36.23	5.804	2295	37.14	-20.069	2345	38.09	12.085	2395	38.97	-0.812
2246	36.25	7.306	2296	37.15	-15.067	2346	38.10	12.441	2396	38.99	9.566
2247	36.26	5.558	2297	37.18	3.437	2347	38.12	10.944	2397	39.00	12.568
2248	36.27	3.934	2298	37.20	6.814	2348	38.14	9.072	2398	39.01	12.319
2249	36.29	-7.438	2299	37.21	8.441	2349	38.15	9.949	2399	39.02	10.445
2250	36.31	-12.686	2300	37.22	7.568	2350	38.18	17.703	2400	39.03	6.322

INDEX NO. 790 1302-GR-15 CHIYODA BRIDGE TR. MAX.ACCEL.= -52.690(GAL) T=22.02(SEC) NO.13

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2401	39.05	-0.301	2451	39.88	-0.809	2501	40.72	-8.066	2551	41.87	4.972
2402	39.06	-4.049	2452	39.90	-3.307	2502	40.73	-10.814	2552	41.89	5.599
2403	39.07	-5.798	2453	39.92	-8.804	2503	40.75	-11.437	2553	41.91	7.476
2404	39.08	-7.046	2454	39.94	-11.677	2504	40.76	-9.059	2554	41.92	10.353
2405	39.09	-7.045	2455	39.95	-11.301	2505	40.81	0.323	2555	41.95	14.608
2406	39.11	-5.168	2456	39.96	-9.674	2506	40.83	0.700	2556	41.96	15.234
2407	39.13	0.711	2457	39.97	-7.547	2507	40.85	0.078	2557	41.97	12.736
2408	39.15	11.713	2458	39.99	-3.170	2508	40.86	0.080	2558	41.99	3.489
2409	39.16	24.039	2459	40.00	2.082	2509	40.88	0.707	2559	42.03	-6.631
2410	39.17	24.466	2460	40.02	5.959	2510	40.91	2.587	2560	42.05	-3.879
2411	39.18	0.967	2461	40.04	8.837	2511	40.93	2.714	2561	42.08	4.376
2412	39.20	-2.780	2462	40.05	10.714	2512	40.94	2.091	2562	42.09	6.003
2413	39.22	-4.028	2463	40.06	11.840	2513	40.97	-0.655	2563	42.12	2.882
2414	39.23	-5.151	2464	40.07	12.717	2514	40.99	-1.403	2564	42.15	-1.864
2415	39.24	-3.899	2465	40.09	12.969	2515	41.01	-0.024	2565	42.16	-0.238
2416	39.27	2.356	2466	40.10	13.095	2516	41.05	1.732	2566	42.19	5.392
2417	39.28	3.107	2467	40.11	11.472	2517	41.07	2.108	2567	42.21	10.019
2418	39.30	3.484	2468	40.13	7.475	2518	41.11	2.365	2568	42.22	11.521
2419	39.31	0.236	2469	40.14	5.852	2519	41.13	3.368	2569	42.23	12.397
2420	39.35	-14.009	2470	40.15	5.103	2520	41.14	5.620	2570	42.25	10.524
2421	39.36	-15.508	2471	40.16	5.354	2521	41.18	14.125	2571	42.26	6.527
2422	39.37	-18.006	2472	40.18	5.983	2522	41.19	16.877	2572	42.28	-2.345
2423	39.38	-17.130	2473	40.21	6.987	2523	41.21	18.129	2573	42.31	-4.092
2424	39.39	-14.878	2474	40.22	6.112	2524	41.23	16.757	2574	42.32	-3.215
2425	39.43	-2.623	2475	40.23	4.239	2525	41.25	12.385	2575	42.34	2.413
2426	39.45	-0.496	2476	40.24	-3.884	2526	41.27	9.512	2576	42.36	3.291
2427	39.46	0.506	2477	40.27	-8.506	2527	41.29	8.265	2577	42.37	3.202
2428	39.49	0.760	2478	40.28	-10.629	2528	41.31	6.643	2578	42.38	-1.081
2429	39.50	1.138	2479	40.30	-8.251	2529	41.34	3.398	2579	42.40	-11.204
2430	39.52	2.640	2480	40.31	-2.249	2530	41.36	0.900	2580	42.44	-25.573
2431	39.54	5.267	2481	40.34	12.381	2531	41.38	-1.597	2581	42.45	-27.946
2432	39.55	5.894	2482	40.35	13.382	2532	41.39	-2.596	2582	42.46	-24.194
2433	39.56	5.395	2483	40.36	13.758	2533	41.41	-4.093	2583	42.47	-19.943
2434	39.57	4.147	2484	40.37	10.010	2534	41.42	-4.467	2584	42.50	-8.315
2435	39.60	1.025	2485	40.40	3.764	2535	41.43	-3.985	2585	42.51	-5.814
2436	39.61	0.652	2486	40.41	2.016	2536	41.45	-5.337	2586	42.52	-4.937
2437	39.62	0.403	2487	40.43	3.518	2537	41.50	2.045	2587	42.56	-6.807
2438	39.63	1.200	2488	40.47	11.274	2538	41.59	10.933	2588	42.57	-7.430
2439	39.66	4.659	2489	40.48	8.775	2539	41.62	12.312	2589	42.58	-5.929
2440	39.67	4.661	2490	40.49	1.152	2540	41.64	12.564	2590	42.59	-1.552
2441	39.68	4.412	2491	40.52	-5.844	2541	41.67	12.068	2591	42.62	7.577
2442	39.70	2.539	2492	40.53	-5.343	2542	41.68	11.445	2592	42.63	9.454
2443	39.73	-1.831	2493	40.54	-5.841	2543	41.69	11.947	2593	42.64	10.455
2444	39.75	-3.079	2494	40.58	-5.336	2544	41.72	12.950	2594	42.65	9.832
2445	39.77	-3.076	2495	40.60	-5.582	2545	41.74	15.078	2595	42.67	6.334
2446	39.79	-3.072	2496	40.62	-6.205	2546	41.76	15.706	2596	42.70	4.839
2447	39.82	-2.819	2497	40.63	-6.954	2547	41.77	13.708	2597	42.71	3.590
2448	39.84	-0.941	2498	40.66	-1.199	2548	41.81	8.588	2598	42.75	2.721
2449	39.85	0.661	2499	40.67	0.053	2549	41.84	6.467	2599	42.77	2.724
2450	39.87	0.438	2500	40.68	-1.946	2550	41.86	5.470	2600	42.78	3.225

土木構造物における加速度強震記録（No.9）

INDEX NO. 790 1302-GR-15 CHIYODA BRIDGE TR. MAX.ACCEL.= -52.690(GAL) T=22.02(SEC) NO.14

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2601	42.79	5.101	2651	43.73	3.109	2701	44.73	-3.126	2751	45.63	11.627
2602	42.80	9.227	2652	43.75	3.362	2702	44.75	-2.123	2752	45.66	10.756
2603	42.82	18.981	2653	43.77	5.239	2703	44.77	-0.996	2753	45.68	11.884
2604	42.83	22.232	2654	43.81	11.244	2704	44.81	3.384	2754	45.72	19.139
2605	42.84	23.234	2655	43.82	12.871	2705	44.83	5.137	2755	45.73	20.516
2606	42.86	23.986	2656	43.84	13.248	2706	44.84	5.744	2756	45.75	20.893
2607	42.88	20.239	2657	43.87	11.378	2707	44.85	5.516	2757	45.77	17.396
2608	42.91	13.244	2658	43.89	10.506	2708	44.89	4.522	2758	45.79	12.775
2609	42.92	12.745	2659	43.91	10.758	2709	44.92	4.525	2759	45.80	12.026
2610	42.95	15.624	2660	43.95	12.640	2710	44.94	4.903	2760	45.82	12.279
2611	42.98	22.004	2661	43.98	11.768	2711	44.95	5.404	2761	45.85	14.784
2612	42.99	22.630	2662	43.99	8.645	2712	44.96	7.030	2762	45.86	14.785
2613	43.01	20.133	2663	44.02	2.274	2713	44.97	9.157	2763	45.88	14.537
2614	43.03	16.760	2664	44.03	-0.599	2714	45.00	19.036	2764	45.89	14.165
2615	43.04	14.512	2665	44.04	-0.848	2715	45.01	21.914	2765	45.92	14.418
2616	43.05	12.639	2666	44.05	-1.471	2716	45.03	22.915	2766	45.96	13.923
2617	43.06	12.765	2667	44.09	-3.091	2717	45.04	24.042	2767	45.97	13.551
2618	43.08	13.142	2668	44.10	-5.339	2718	45.05	21.544	2768	45.98	12.303
2619	43.12	14.398	2669	44.14	-13.959	2719	45.07	16.047	2769	45.99	10.804
2520	43.14	13.526	2670	44.16	-16.081	2720	45.11	9.427	2770	46.02	5.183
2621	43.15	10.852	2671	44.17	-16.955	2721	45.12	9.053	2771	46.03	1.809
2622	43.16	7.903	2672	44.18	-16.703	2722	45.13	10.555	2772	46.04	1.811
2623	43.18	-1.969	2673	44.20	-10.201	2723	45.15	14.932	2773	46.05	1.437
2624	43.19	-4.592	2674	44.23	-2.321	2724	45.17	21.686	2774	46.08	2.961
2625	43.21	-6.090	2675	44.24	-0.069	2725	45.18	22.938	2775	46.09	3.567
2626	43.22	-31.963	2676	44.26	0.807	2726	45.20	23.585	2776	46.10	3.569
2627	43.27	2.793	2677	44.27	1.185	2727	45.21	22.316	2777	46.11	4.070
2628	43.28	2.420	2678	44.30	-0.311	2728	45.22	19.193	2778	46.12	2.572
2629	43.29	-0.953	2679	44.32	-0.684	2729	45.23	13.570	2779	46.13	0.947
2630	43.34	-184.447	2680	44.33	-0.432	2730	45.25	7.821	2780	46.15	-4.600
2631	43.35	+22.319	2681	44.34	2.069	2731	45.26	5.699	2781	46.17	-9.172
2632	43.37	-19.817	2682	44.38	7.950	2732	45.27	4.825	2782	46.18	-11.045
2633	43.42	-51.935	2683	44.39	7.701	2733	45.28	4.827	2783	46.20	-7.918
2634	43.43	-4.559	2684	44.41	5.828	2734	45.31	6.080	2784	46.24	0.838
2635	43.45	-4.556	2685	44.43	-0.543	2735	45.35	7.712	2785	46.25	1.715
2636	43.47	-6.677	2686	44.45	-4.041	2736	45.39	8.092	2786	46.26	2.091
2637	43.49	-6.800	2687	44.46	-4.415	2737	45.40	7.718	2787	46.28	0.843
2638	43.51	-6.422	2688	44.48	-3.162	2738	45.42	5.847	2788	46.30	-1.653
2639	43.53	-2.670	2689	44.51	-2.157	2739	45.43	5.598	2789	46.31	-1.902
2640	43.55	1.708	2690	44.53	-2.154	2740	45.44	5.224	2790	46.32	-2.901
2641	43.58	11.962	2691	44.55	-31.401	2741	45.45	6.476	2791	46.35	-0.772
2642	43.59	15.339	2692	44.57	-5.024	2742	45.47	8.979	2792	46.38	2.357
2643	43.61	17.217	2693	44.61	-9.393	2743	45.49	13.107	2793	46.39	2.734
2644	43.63	17.595	2694	44.62	-10.642	2744	45.51	13.485	2794	46.40	2.486
2645	43.65	17.598	2695	44.63	-10.765	2745	45.52	10.987	2795	46.41	1.487
2646	43.67	16.975	2696	44.64	-10.764	2746	45.54	6.614	2796	46.43	0.614
2647	43.68	15.727	2697	44.65	-10.138	2747	45.56	5.367	2797	46.45	-0.008
2648	43.70	12.979	2698	44.67	-7.635	2748	45.59	6.621	2798	46.46	-0.382
2649	43.71	9.230	2699	44.69	-5.132	2749	45.60	9.372	2799	46.47	-1.006
2650	43.72	5.107	2700	44.71	-4.005	2750	45.61	10.999	2800	46.48	-1.253

INDEX NO. 790 1302-GR-15 CHIYODA BRIDGE TR. MAX.ACCEL.= -52.690(GAL) T=22.02(SEC) NO.15

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2801	46.51	-2.249	2851	47.47	-5.866	2901	48.33	-4.747	2951	49.34	4.770
2802	46.54	-2.246	2852	47.48	-6.864	2902	48.35	-4.494	2952	49.38	5.401
2803	46.55	-1.619	2853	47.49	-5.613	2903	48.38	-4.239	2953	49.42	6.031
2804	46.57	-0.366	2854	47.50	-3.362	2904	48.41	-2.610	2954	49.48	6.664
2805	46.59	1.136	2855	47.53	10.143	2905	48.43	-0.732	2955	49.50	5.793
2806	46.61	2.139	2856	47.55	11.144	2906	48.45	0.145	2956	49.51	4.919
2807	46.62	1.891	2857	47.56	9.896	2907	48.46	0.522	2957	49.53	2.672
2808	46.65	0.895	2858	47.58	3.399	2908	48.47	0.274	2958	49.56	1.051
2809	46.67	0.647	2859	47.60	0.526	2909	48.52	-4.470	2959	49.58	0.428
2810	46.68	0.274	2860	47.61	-0.097	2910	48.53	-5.343	2960	49.59	0.805
2811	46.70	0.027	2861	47.62	1.780	2911	48.55	-3.841	2961	49.60	2.057
2812	46.71	-0.397	2862	47.65	6.408	2912	48.56	-1.965	2962	49.62	3.935
2813	46.73	-1.844	2863	47.66	10.535	2913	48.60	12.041	2963	49.65	6.064
2814	46.75	-5.986	2864	47.67	11.787	2914	48.61	14.189	2964	49.67	7.692
2815	46.77	-7.839	2865	47.68	12.163	2915	48.62	15.545	2965	49.68	6.943
2816	46.82	-5.332	2866	47.70	10.416	2916	48.64	14.922	2966	49.70	5.321
2817	46.83	-4.055	2867	47.71	8.168	2917	48.65	11.423	2967	49.73	2.076
2818	46.88	-8.076	2868	47.73	6.045	2918	48.68	4.678	2968	49.74	2.451
2819	46.89	-8.197	2869	47.75	5.672	2919	48.69	4.429	2969	49.76	3.704
2820	46.91	-7.195	2870	47.76	5.049	2920	48.70	4.055	2970	49.80	8.585
2821	46.95	-2.814	2871	47.77	5.301	2921	48.71	6.057	2971	49.81	8.712
2822	46.96	-1.563	2872	47.79	5.304	2922	48.75	17.063	2972	49.83	7.089
2823	46.97	-1.811	2873	47.83	6.934	2923	48.76	17.439	2973	49.85	-0.658
2824	46.99	-3.058	2874	47.85	6.187	2924	48.77	18.440	2974	49.87	-4.031
2825	47.02	-5.304	2875	47.87	7.565	2925	48.78	15.316	2975	49.88	-5.279
2826	47.03	-5.553	2876	47.89	8.942	2926	48.79	8.944	2976	49.91	-4.025
2827	47.04	-6.301	2877	47.90	7.569	2927	48.82	7.322	2977	49.93	-2.147
2828	47.09	-2.168	2878	47.93	8.447	2928	48.83	6.574	2978	49.96	-1.768
2829	47.10	-2.168	2879	47.95	9.700	2929	48.84	6.325	2979	49.97	-1.767
2830	47.12	-2.790	2880	47.96	9.202	2930	48.87	11.955	2980	49.99	-2.388
2831	47.14	-3.412	2881	48.00	8.207	2931	48.90	15.834	2981	50.02	-2.385
2832	47.16	-3.409	2882	48.01	7.334	2932	48.93	16.213	2982	50.05	-1.381
2833	47.20	-3.404	2883	48.02	7.585	2933	48.96	14.342	2983	50.06	-0.754
2834	47.22	-4.651	2884	48.03	9.087	2934	49.00	12.098	2984	50.09	-2.625
2835	47.24	-5.898	2885	48.07	16.968	2935	49.01	12.369	2985	50.11	-3.622
2836	47.25	-6.522	2886	48.08	18.219	2936	49.02	12.726	2986	50.12	-3.621
2837	47.26	-6.521	2887	48.10	18.096	2937	49.06	15.607	2987	50.13	-1.744
2838	47.27	-6.269	2888	48.11	15.223	2938	49.08	16.109	2988	50.16	1.010
2839	47.29	-5.641	2889	48.15	5.103	2939	49.09	14.485	2989	50.17	1.387
2840	47.31	-5.264	2890	48.16	1.605	2940	49.10	11.862	2990	50.18	0.637
2841	47.32	-5.013	2891	48.17	1.232	2941	49.11	8.613	2991	50.19	-0.985
2842	47.33	-5.511	2892	48.18	0.358	2942	49.14	2.618	2992	50.22	-4.856
2843	47.34	-6.759	2893	48.19	1.235	2943	49.15	1.118	2993	50.24	-5.479
2844	47.36	-8.301	2894	48.23	6.614	2944	49.16	+0.256	2994	50.25	-4.226
2845	47.37	-8.631	2895	48.24	7.741	2945	49.17	-0.504	2995	50.29	-1.972
2846	47.38	-7.128	2896	48.26	8.368	2946	49.20	1.000	2996	50.32	-2.342
2847	47.41	-4.625	2897	48.27	6.995	2947	49.23	4.131	2997	50.34	-2.339
2848	47.43	-3.372	2898	48.28	3.747	2948	49.25	4.758	2998	50.35	-2.088
2849	47.44	-2.746	2899	48.30	-1.875	2949	49.29	4.264	2999	50.36	-1.337
2850	47.46	+3.368	2900	48.32	-3.498	2950	49.31	4.266	3000	50.38	1.417

INDEX NO. 790 1302-GR-15 CHIYODA BRIDGE TR. MAX.ACCEL.= -52.690(GAL) T=22.02(SEC) NO.16

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3001	50.40	2.294	3051	51.48	6.073	3101	52.56	-3.896	3151	53.72	-2.361
3002	50.41	2.296	3052	51.50	5.201	3102	52.59	-3.269	3152	53.75	0.393
3003	50.45	1.427	3053	51.51	3.952	3103	52.60	-2.017	3153	53.79	2.669
3004	50.47	1.179	3054	51.53	1.705	3104	52.63	0.486	3154	53.80	2.941
3005	50.48	2.055	3055	51.56	-1.416	3105	52.64	4.988	3155	53.87	-2.840
3006	50.50	5.683	3056	51.58	-3.788	3106	52.68	12.119	3156	53.89	-1.837
3007	50.53	8.812	3057	51.60	-3.410	3107	52.71	15.997	3157	53.92	0.042
3008	50.54	6.564	3058	51.65	0.347	3108	52.72	16.375	3158	53.95	1.672
3009	50.55	7.316	3059	51.66	-0.777	3109	52.74	16.377	3159	53.99	1.052
3010	50.60	1.572	3060	51.69	-1.647	3110	52.77	15.756	3160	54.02	0.056
3011	50.61	1.324	3061	51.71	-2.644	3111	52.80	16.635	3161	54.03	-0.192
3012	50.62	0.325	3062	51.74	-3.641	3112	52.83	17.640	3162	54.06	0.687
3013	50.65	4.079	3063	51.76	-3.138	3113	52.86	16.768	3163	54.07	0.438
3014	50.69	6.565	3064	51.78	-3.134	3114	52.87	15.770	3164	54.08	0.065
3015	50.70	6.337	3065	51.80	-2.507	3115	52.88	13.647	3165	54.10	0.067
3016	50.72	6.469	3066	51.81	-1.880	3116	52.90	10.150	3166	54.13	0.697
3017	50.74	4.717	3067	51.82	-0.629	3117	52.92	7.778	3167	54.14	0.699
3018	50.75	4.094	3068	51.84	2.624	3118	52.95	7.532	3168	54.16	0.075
3019	50.76	3.720	3069	51.86	6.127	3119	52.98	7.536	3169	54.18	0.703
3020	50.78	4.349	3070	51.89	9.255	3120	52.99	7.288	3170	54.19	0.455
3021	50.84	5.732	3071	51.91	10.759	3121	53.04	2.545	3171	54.24	-1.163
3022	50.86	3.235	3072	51.93	12.012	3122	53.07	1.049	3172	54.25	-1.161
3023	50.89	-1.511	3073	51.96	13.141	3123	53.09	0.051	3173	54.27	-1.159
3024	50.91	-4.756	3074	51.98	13.144	3124	53.10	-0.822	3174	54.29	-0.281
3025	50.92	-4.758	3075	51.99	13.396	3125	53.12	-0.319	3175	54.31	-0.278
3026	50.93	-6.256	3076	52.02	15.274	3126	53.14	0.059	3176	54.35	-1.147
3027	50.94	-7.005	3077	52.05	17.529	3127	53.17	1.213	3177	54.38	-1.143
3028	50.96	-6.377	3078	52.06	16.031	3128	53.19	0.690	3178	54.40	0.109
3029	50.99	-2.247	3079	52.07	14.782	3129	53.20	-0.183	3179	54.43	1.614
3030	51.01	-1.870	3080	52.09	12.910	3130	53.22	-3.181	3180	54.45	2.241
3031	51.02	-3.493	3081	52.10	10.661	3131	53.24	-6.053	3181	54.46	1.994
3032	51.05	-7.864	3082	52.11	10.412	3132	53.26	-5.050	3182	54.50	1.124
3033	51.06	-11.985	3083	52.12	9.164	3133	53.29	-1.921	3183	54.59	0.386
3034	51.10	-8.606	3084	52.16	7.919	3134	53.31	-0.043	3184	54.61	0.369
3035	51.13	-5.653	3085	52.18	7.922	3135	53.33	-0.290	3185	54.62	-0.484
3036	51.15	-4.850	3086	52.20	6.675	3136	53.35	-2.162	3186	54.64	-1.731
3037	51.17	-4.597	3087	52.22	5.677	3137	53.37	-5.659	3187	54.66	-2.353
3038	51.22	-4.214	3088	52.23	4.654	3138	53.38	-5.908	3188	54.67	-2.601
3039	51.25	-4.211	3089	52.25	2.607	3139	53.40	-3.780	3189	54.69	-1.724
3040	51.26	-3.564	3090	52.27	2.685	3140	53.45	5.726	3190	54.74	-1.967
3041	51.27	-2.833	3091	52.29	4.563	3141	53.47	6.979	3191	54.75	-2.591
3042	51.29	-0.080	3092	52.32	5.193	3142	53.48	7.355	3192	54.77	-2.963
3043	51.33	7.551	3093	52.35	6.196	3143	53.50	4.233	3193	54.80	-4.209
3044	51.34	9.178	3094	52.41	5.955	3144	53.53	-0.137	3194	54.81	-4.832
3045	51.36	7.930	3095	52.43	5.582	3145	53.55	-0.010	3195	54.82	-4.831
3046	51.38	5.163	3096	52.46	-0.913	3146	53.59	1.871	3196	54.83	-4.579
3047	51.39	2.935	3097	52.47	-2.536	3147	53.62	4.001	3197	54.84	-3.577
3048	51.40	2.061	3098	52.49	-2.659	3148	53.64	3.004	3198	54.88	0.427
3049	51.42	2.563	3099	52.53	-3.529	3149	53.66	2.631	3199	54.89	1.678
3050	51.46	5.695	3100	52.57	-4.273	3150	53.69	0.135	3200	54.90	1.680

INDEX NO. 790 1302-GR-15 CHIYODA BRIDGE TR. MAX.ACCEL.= -52.690(GAL) T=22.02(SEC) NO.17

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3201	54.91	1.432	3251	55.81	6.933	3301	56.94	4.844	3351	58.06	5.501
3202	54.93	-1.065	3252	55.83	7.935	3302	56.95	3.595	3352	58.07	5.128
3203	54.96	-4.560	3253	55.84	7.937	3303	56.97	0.847	3353	58.09	5.756
3204	54.97	-5.184	3254	55.85	7.939	3304	57.02	-4.521	3354	58.12	7.010
3205	54.98	-3.556	3255	55.87	7.067	3305	57.03	-4.770	3355	58.13	7.010
3206	55.00	1.076	3256	55.89	6.445	3306	57.06	-3.640	3356	58.15	6.139
3207	55.02	3.948	3257	55.91	6.672	3307	57.09	-3.260	3357	58.17	5.766
3208	55.03	4.824	3258	55.93	6.449	3308	57.11	-4.133	3358	58.20	5.145
3209	55.05	5.576	3259	55.94	8.326	3309	57.13	-5.755	3359	58.21	5.147
3210	55.06	5.327	3260	55.98	11.332	3310	57.14	-6.628	3360	58.24	4.900
3211	55.08	4.706	3261	56.01	11.961	3311	57.15	-6.627	3361	58.26	4.904
3212	55.11	4.459	3262	56.03	11.963	3312	57.17	-5.750	3362	58.27	4.530
3213	55.14	4.089	3263	56.04	11.466	3313	57.20	-4.495	3363	58.29	3.909
3214	55.16	4.967	3264	56.07	9.220	3314	57.25	-3.239	3364	58.32	3.662
3215	55.17	4.969	3265	56.10	6.099	3315	57.27	-3.485	3365	58.33	4.164
3216	55.18	6.220	3266	56.12	5.851	3316	57.31	-3.230	3366	58.34	4.166
3217	55.20	9.097	3267	56.15	6.106	3317	57.33	-3.852	3367	58.36	7.043
3218	55.23	15.477	3268	56.18	6.985	3318	57.35	-4.099	3368	58.38	9.547
3219	55.24	16.976	3269	56.20	6.988	3319	57.37	-6.596	3369	58.40	10.424
3220	55.25	16.605	3270	56.23	6.492	3320	57.39	-6.969	3370	58.42	11.052
3221	55.27	14.983	3271	56.25	4.620	3321	57.40	-6.967	3371	58.44	11.054
3222	55.28	12.359	3272	56.26	4.247	3322	57.42	-5.484	3372	58.45	10.806
3223	55.31	8.363	3273	56.26	4.874	3323	57.44	-2.588	3373	58.48	8.310
3224	55.32	6.490	3274	56.32	6.755	3324	57.46	-1.334	3374	58.51	8.064
3225	55.33	6.866	3275	56.34	7.633	3325	57.48	-1.081	3375	58.52	8.316
3226	55.35	6.618	3276	56.37	5.262	3326	57.50	-0.703	3376	58.54	7.693
3227	55.37	7.246	3277	56.39	3.640	3327	57.52	-0.950	3377	58.56	8.320
3228	55.40	9.125	3278	56.42	3.395	3328	57.56	-2.569	3378	58.58	9.574
3229	55.41	9.377	3279	56.44	3.397	3329	57.58	-2.567	3379	58.60	8.952
3230	55.42	9.754	3280	56.47	3.651	3330	57.60	-2.564	3380	58.62	8.079
3231	55.44	8.506	3281	56.49	0.779	3331	57.62	-2.561	3381	58.67	5.836
3232	55.46	7.908	3282	56.52	0.158	3332	57.65	-1.932	3382	58.68	6.46
3233	55.47	4.760	3283	56.54	-0.213	3333	57.66	-2.180	3383	58.70	7.091
3234	55.48	4.512	3284	56.58	0.042	3334	57.68	-3.178	3384	58.74	8.347
3235	55.50	4.389	3285	56.62	1.047	3335	57.71	-5.298	3385	58.75	7.923
3236	55.52	5.017	3286	56.64	1.676	3336	57.74	-5.670	3386	58.78	6.853
3237	55.55	9.772	3287	56.66	1.929	3337	57.76	-5.041	3387	58.80	6.730
3238	55.58	10.400	3288	56.68	2.307	3338	57.80	-3.160	3388	58.83	6.859
3239	55.60	10.154	3289	56.70	2.059	3339	57.84	-2.156	3389	58.85	7.737
3240	55.63	8.282	3290	56.72	1.436	3340	57.87	-1.901	3390	58.88	7.991
3241	55.65	7.660	3291	56.73	0.813	3341	57.89	-1.899	3391	58.91	9.621
3242	55.67	7.664	3292	56.74	1.065	3342	57.90	-0.021	3392	58.93	10.673
3243	55.69	7.041	3293	56.78	3.571	3343	57.92	1.231	3393	58.95	9.627
3244	55.70	6.043	3294	56.80	4.198	3344	57.93	2.733	3394	58.97	8.379
3245	55.72	4.171	3295	56.81	3.930	3345	57.95	5.235	3395	59.03	5.012
3246	55.74	2.924	3296	56.85	1.705	3346	57.97	7.613	3396	59.09	0.896
3247	55.75	2.299	3297	56.86	1.456	3347	57.98	8.240	3397	59.11	0.649
3248	55.77	2.052	3298	56.87	1.958	3348	57.99	8.866	3398	59.12	0.400
3249	55.78	2.303	3299	56.89	2.586	3349	58.02	7.994	3399	59.16	1.406
3250	55.79	3.805	3300	56.92	4.465	3350	58.05	6.374	3400	59.23	1.791

土木構造物における加速度強震記録（No.9）

INDEX NO. 790 1302-GR-15 CHIYODA BRIDGE TR. MAX.ACCEL.= -52.690(GAL) T=22.02(SEC) NO.18

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3401	59.24	0.793	3451	60.07	-0.255	3501	62.14	1.200	3551	63.54	-3.604
3402	59.29	-2.951	3452	60.09	1.247	3502	62.18	1.829	3552	63.59	-4.597
3403	59.30	-2.950	3453	60.73	3.677	3503	62.21	3.084	3553	63.62	-4.217
3404	59.31	-2.573	3454	60.74	4.754	3504	62.28	4.345	3554	63.64	-4.215
3405	59.32	-2.571	3455	60.75	5.130	3505	62.34	4.976	3555	63.66	-4.212
3406	59.35	-0.817	3456	60.77	4.882	3506	62.40	4.360	3556	63.68	-2.959
3407	59.37	-1.064	3457	60.78	3.365	3507	62.45	4.618	3557	63.71	-2.080
340E	59.40	-2.319	3458	60.80	2.762	3508	62.47	4.996	3558	63.73	-1.952
3409	59.42	-2.933	3459	60.84	1.517	3509	62.48	4.997	3559	63.75	-1.699
3410	59.43	-2.681	3460	60.89	-0.725	3510	62.51	1.677	3560	63.77	-2.321
3411	59.46	-1.052	3461	60.92	-1.346	3511	62.55	0.631	3561	63.80	-3.567
3412	59.48	0.200	3462	60.93	-2.344	3512	62.56	0.833	3562	63.82	-2.940
3413	59.51	0.456	3463	60.94	-1.843	3513	62.58	0.886	3563	63.83	-2.937
3414	59.53	0.833	3464	60.96	-1.215	3514	62.61	0.916	3564	63.85	-3.185
3415	59.57	2.964	3465	61.01	-1.209	3515	62.69	0.652	3565	63.88	-3.556
3416	59.60	3.342	3466	61.03	-0.830	3516	62.72	0.655	3566	63.90	-3.803
3417	59.64	2.349	3467	61.05	0.047	3517	62.73	0.032	3567	63.92	-3.551
3418	59.68	1.855	3468	61.07	1.675	3518	62.75	-0.849	3568	63.95	-2.047
3419	59.70	1.483	3469	61.10	3.554	3519	62.76	-1.838	3569	63.96	-1.420
3420	59.72	1.735	3470	61.12	5.057	3520	62.78	-2.086	3570	63.97	-1.418
3421	59.74	2.736	3471	61.13	5.059	3521	62.81	-0.956	3571	64.00	-1.414
3422	59.77	4.807	3472	61.16	5.187	3522	62.83	-1.454	3572	64.03	-1.410
3423	59.79	5.245	3473	61.20	4.193	3523	62.84	-1.827	3573	64.05	-0.158
3424	59.81	4.623	3474	61.30	3.582	3524	62.87	-3.074	3574	64.08	1.473
3425	59.84	3.127	3475	61.39	2.970	3525	62.89	-3.321	3575	64.11	2.352
3426	59.87	3.132	3476	61.45	2.352	3526	62.90	-3.069	3576	64.13	3.604
3427	59.96	1.894	3477	61.46	2.979	3527	62.91	-2.443	3577	64.15	4.232
3428	60.04	1.530	3478	61.48	4.482	3528	62.93	-1.815	3578	64.16	4.699
3429	60.07	0.034	3479	61.52	5.802	3529	62.95	-1.187	3579	64.18	4.811
3430	60.09	-0.586	3480	61.54	6.241	3530	62.97	-0.934	3580	64.20	4.615
3431	60.10	-0.961	3481	61.57	5.994	3531	62.99	-0.931	3581	64.22	5.242
3432	60.12	-0.333	3482	61.59	5.622	3532	63.01	-0.553	3582	64.24	6.619
3433	60.16	1.172	3483	61.63	4.128	3533	63.03	-0.550	3583	64.25	6.371
3434	60.19	2.801	3484	61.67	1.864	3534	63.05	0.078	3584	64.28	7.875
3435	60.21	2.554	3485	61.72	0.691	3535	63.06	1.080	3585	64.30	9.753
3436	60.24	1.558	3486	61.76	-2.230	3536	63.08	1.957	3586	64.34	10.009
3437	60.26	2.185	3487	61.78	-2.976	3537	63.12	4.088	3587	64.37	10.638
3438	60.32	2.195	3488	61.81	-2.347	3538	63.15	4.091	3588	64.40	10.392
3439	60.34	1.573	3489	61.87	0.161	3539	63.18	4.470	3589	64.43	10.397
3440	60.39	0.330	3490	61.88	0.287	3540	63.26	5.357	3590	64.45	10.649
3441	60.44	-2.413	3491	61.91	-0.334	3541	63.27	4.859	3591	64.47	10.402
3442	60.48	-3.406	3492	61.92	-0.082	3542	63.30	3.613	3592	64.51	8.282
3443	60.52	-4.278	3493	61.94	0.546	3543	63.32	2.616	3593	64.54	6.037
3444	60.53	-5.276	3494	61.96	2.801	3544	63.36	2.371	3594	64.57	5.166
3445	60.54	-5.900	3495	62.00	3.054	3545	63.39	2.625	3595	64.58	4.543
3446	60.55	-5.647	3496	62.01	3.931	3546	63.40	0.752	3596	64.60	4.546
3447	60.58	-3.769	3497	62.03	3.933	3547	63.43	-1.119	3597	64.62	4.173
3448	60.60	-1.892	3498	62.05	3.062	3548	63.46	-1.990	3598	64.66	1.429
3449	60.62	-1.263	3499	62.06	2.191	3549	63.50	-3.234	3599	64.68	1.058
3450	60.64	-1.135	3500	62.12	1.572	3550	63.53	-2.981	3600	64.71	2.937

INDEX NO. 790 1302-GR-15 CHIYODA BRIDGE TR. MAX.ACCEL.= -52.690(GAL) T=22.02(SEC) NO.19

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3601	64.73	2.939	3651	66.06	0.501	3701	67.40	-0.811	3751	68.86	-0.730
3602	64.75	2.942	3652	66.09	0.756	3702	67.44	-2.431	3752	68.90	-0.099
3603	64.77	2.319	3653	66.11	1.758	3703	67.49	-4.299	3753	68.94	0.282
3604	64.79	0.823	3654	66.13	3.012	3704	67.53	-5.543	3754	68.97	0.911
3605	64.82	0.201	3655	66.17	4.517	3705	67.58	-6.162	3755	68.98	-0.338
3606	64.83	-0.672	3656	66.21	5.272	3706	67.63	-7.779	3756	69.03	-0.081
3607	64.84	-0.920	3657	66.24	5.901	3707	67.70	-8.144	3757	69.06	0.048
3608	64.89	-1.163	3658	66.26	5.529	3708	67.74	-8.138	3758	69.08	-0.574
3609	64.90	-1.537	3659	66.28	5.282	3709	67.75	-7.512	3759	69.09	-1.573
3610	64.94	-2.781	3660	66.32	3.662	3710	67.77	-6.884	3760	69.11	-3.444
3611	64.96	-1.904	3661	66.35	3.416	3711	67.78	-5.007	3761	69.13	-3.692
3612	65.00	-0.648	3662	66.36	3.043	3712	67.82	-2.503	3762	69.14	-3.190
3613	65.02	-0.020	3663	66.37	3.920	3713	67.84	-2.250	3763	69.16	-2.813
3614	65.04	-0.267	3664	66.39	4.548	3714	67.85	-1.672	3764	69.19	-0.934
3615	65.06	-0.264	3665	66.40	4.548	3715	67.87	-0.870	3765	69.20	-0.557
3616	65.06	-0.011	3666	66.41	4.925	3716	67.89	0.758	3766	69.22	-1.805
3617	65.10	0.367	3667	66.43	4.678	3717	67.92	2.637	3767	69.25	-3.650
3618	65.12	1.619	3668	66.46	3.685	3718	67.94	4.515	3768	69.26	-3.423
3619	65.16	8.628	3669	66.50	3.937	3719	67.96	5.142	3769	69.30	-3.167
3620	65.21	8.006	3670	66.53	4.317	3720	67.97	5.395	3770	69.36	-2.785
3621	65.23	7.384	3671	66.56	3.696	3721	68.00	5.774	3771	69.40	-2.154
3622	65.25	7.137	3672	66.59	3.450	3722	68.03	5.777	3772	69.44	-0.649
3623	65.28	6.517	3673	66.64	1.206	3723	68.05	5.781	3773	69.47	0.106
3624	65.31	5.895	3674	66.68	0.587	3724	68.09	5.911	3774	69.51	1.612
3625	65.33	5.524	3675	66.72	0.343	3725	68.11	5.664	3775	69.54	2.491
3626	65.36	5.527	3676	66.75	-0.028	3726	68.14	5.043	3776	69.56	1.619
3627	65.38	4.996	3677	66.78	-0.023	3727	68.17	3.422	3777	69.60	1.874
3628	65.39	3.408	3678	66.81	0.230	3728	68.19	2.801	3778	69.65	1.381
3629	65.40	2.159	3679	66.83	1.233	3729	68.21	2.803	3779	69.70	1.888
3630	65.42	0.286	3680	66.86	1.862	3730	68.22	2.805	3780	69.76	1.396
3631	65.44	-1.210	3681	66.90	3.743	3731	68.28	2.188	3781	69.80	1.652
3632	65.47	-3.332	3682	66.93	4.622	3732	68.30	1.940	3782	69.82	2.029
3633	65.49	-4.204	3683	66.97	5.002	3733	68.33	0.695	3783	69.87	2.287
3634	65.52	-6.074	3684	67.00	6.007	3734	68.35	0.073	3784	69.91	3.542
3635	65.55	-6.445	3685	67.03	5.387	3735	68.37	0.076	3785	69.93	4.420
3636	65.58	-6.692	3686	67.06	5.015	3736	68.44	1.586	3786	69.96	5.424
3637	65.60	-7.763	3687	67.09	6.270	3737	68.49	2.468	3787	69.99	6.678
3638	65.64	-6.433	3688	67.11	7.022	3738	68.51	2.846	3788	70.01	7.431
3639	65.71	-5.549	3689	67.13	5.775	3739	68.53	2.849	3789	70.03	6.559
3640	65.77	-4.540	3690	67.15	4.903	3740	68.55	2.227	3790	70.06	6.188
3641	65.81	-4.534	3691	67.16	5.155	3741	68.58	1.605	3791	70.10	4.945
3642	65.84	-3.655	3692	67.18	4.908	3742	68.61	-0.641	3792	70.17	4.078
3643	65.86	-2.651	3693	67.22	4.413	3743	68.65	-1.635	3793	70.25	1.841
3644	65.88	-2.399	3694	67.24	4.540	3744	68.67	-1.632	3794	70.28	1.219
3645	65.90	-2.646	3695	67.26	3.294	3745	68.68	-1.631	3795	70.30	0.972
3646	65.93	-4.141	3696	67.30	1.174	3746	68.71	-2.502	3796	70.33	1.227
3647	65.96	-4.263	3697	67.32	0.177	3747	68.72	-2.874	3797	70.34	0.978
3648	65.98	-3.011	3698	67.33	-0.446	3748	68.73	-2.674	3798	70.36	0.605
3649	66.01	-1.131	3699	67.37	-0.566	3749	68.77	-1.592	3799	70.41	-0.387
3650	66.03	0.122	3700	67.38	-0.565	3750	68.81	-1.362	3800	70.46	-1.006

INDEX NO. 790 1302-GR-15 CHIYODA BRIDGE TR. MAX.ACCEL.= -52.690(GAL) T=22.02(SEC) NO.20

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3801	70.51	-1.374	3851	71.79	3.184	3901	73.10	4.371	3951	74.55	-3.302
3802	70.55	-2.243	3852	71.82	2.613	3902	73.14	3.751	3952	74.56	-2.425
3803	70.57	-2.240	3853	71.84	3.816	3903	73.20	2.384	3953	74.59	-1.172
3804	70.60	-1.986	3854	71.87	3.820	3904	73.24	1.515	3954	74.59	-0.545
3805	70.63	-1.357	3855	71.90	3.824	3905	73.28	0.645	3955	74.60	0.081
3806	70.65	-1.194	3856	71.91	3.576	3906	73.32	-0.350	3956	74.61	0.082
3807	70.67	-1.192	3857	71.94	2.955	3907	73.37	-1.217	3957	74.62	0.084
3808	70.68	-1.350	3858	71.96	1.708	3908	73.41	-1.837	3958	74.64	-0.164
3809	70.70	-1.971	3859	71.99	0.712	3909	73.46	-2.205	3959	74.66	0.089
3810	70.72	-1.970	3860	72.02	-0.784	3910	73.49	-2.450	3960	74.67	0.091
3811	70.73	-1.968	3861	72.04	-2.031	3911	73.53	-2.445	3961	74.68	0.467
3812	70.75	-1.340	3862	72.05	-2.404	3912	73.55	-3.067	3962	74.71	1.096
3813	70.78	-0.1096	3863	72.08	-1.775	3913	73.57	-3.064	3963	74.72	1.098
3814	70.79	-0.1086	3864	72.11	-1.520	3914	73.59	-2.561	3964	74.74	0.475
3815	70.81	-0.332	3865	72.14	-1.516	3915	73.63	-2.556	3965	74.78	-0.144
3816	70.83	-1.328	3866	72.17	-2.138	3916	73.65	-2.178	3966	74.82	-0.513
3817	70.86	-1.574	3867	72.18	-1.760	3917	73.69	-2.922	3967	74.87	-1.381
3818	70.88	-2.197	3868	72.20	-0.883	3918	73.72	-3.543	3968	74.90	-1.376
3819	70.90	-1.984	3869	72.24	1.372	3919	73.75	-4.413	3969	74.94	-1.372
3820	70.94	-1.699	3870	72.26	2.876	3920	73.76	-4.413	3970	74.96	-1.119
3821	70.95	-1.687	3871	72.27	3.253	3921	73.80	-5.407	3971	74.98	-0.990
3822	70.97	-1.934	3872	72.29	3.255	3922	73.84	-5.777	3972	74.99	-0.739
3823	70.99	-2.806	3873	72.30	2.631	3923	73.86	-6.273	3973	75.01	-0.736
3824	71.01	-3.179	3874	72.32	1.385	3924	73.89	-5.645	3974	75.04	0.142
3825	71.02	-2.551	3875	72.34	-0.112	3925	73.91	-5.766	3975	75.06	0.145
3826	71.06	-1.296	3876	72.38	-0.485	3926	73.94	-5.137	3976	75.09	-0.132
3827	71.08	-1.294	3877	72.39	-0.480	3927	73.98	-4.131	3977	75.11	-0.098
3828	71.10	-1.291	3878	72.41	-1.103	3928	74.02	-3.250	3978	75.16	0.159
3829	71.11	-1.914	3879	72.42	-1.101	3929	74.05	-3.371	3979	75.25	0.545
3830	71.14	-3.159	3880	72.45	-1.973	3930	74.10	-4.614	3980	75.35	0.814
3831	71.19	-2.903	3881	72.47	-2.595	3931	74.12	-4.612	3981	75.41	0.816
3832	71.26	-3.518	3882	72.49	-3.342	3932	74.14	-4.359	3982	75.44	0.571
3833	71.27	-3.516	3883	72.52	-3.587	3933	74.15	-3.357	3983	75.46	-0.050
3834	71.30	-1.637	3884	72.54	-3.584	3934	74.18	-2.728	3984	75.48	-0.048
3835	71.32	-1.633	3885	72.57	-3.330	3935	74.20	-2.476	3985	75.50	-0.420
3836	71.35	-1.254	3886	72.60	-2.076	3936	74.21	-2.724	3986	75.52	-0.042
3837	71.39	-1.249	3887	72.62	-1.698	3937	74.24	-2.959	3987	75.55	0.212
3838	71.43	-1.242	3888	72.65	-0.444	3938	74.26	-2.717	3988	75.57	-0.036
3839	71.45	-1.240	3889	72.68	0.135	3939	74.28	-2.715	3989	75.61	-0.906
3840	71.47	-1.862	3890	72.71	0.191	3940	74.29	-2.087	3990	75.64	-1.651
3841	71.50	-2.483	3891	72.76	0.196	3941	74.32	-1.459	3991	75.66	-1.649
3842	71.51	-3.107	3892	72.81	-1.046	3942	74.34	-1.206	3992	75.73	-1.264
3843	71.54	-2.478	3893	72.83	-1.043	3943	74.35	-1.204	3993	75.81	-1.004
3844	71.57	-1.849	3894	72.85	-1.040	3944	74.38	-1.700	3994	75.82	-1.003
3845	71.58	-1.597	3895	72.87	-0.787	3945	74.40	-1.447	3995	75.84	-0.625
3846	71.62	0.034	3896	72.92	1.095	3946	74.45	-1.691	3996	75.86	0.003
3847	71.67	1.292	3897	72.99	2.354	3947	74.46	-2.063	3997	75.89	0.256
3848	71.71	1.923	3898	73.04	3.937	3948	74.50	-2.308	3998	75.91	0.885
3849	71.75	2.802	3899	73.07	4.866	3949	74.52	-2.680	3999	75.95	0.890
3850	71.77	3.181	3900	73.09	5.620	3950	74.54	-3.053	4000	75.97	0.393

INDEX NO. 790 1302-GR-15 CHIYODA BRIDGE TR. MAX.ACCEL.= -52.690(GAL) T=22.02(SEC) NO.21

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
4001	76.00	0.397	4051	77.71	5.263	4101	79.08	-7.174	4151	80.49	6.025
4002	76.04	-0.597	4052	77.75	4.394	4102	79.12	-6.543	4152	80.51	5.029
4003	76.08	-0.842	4053	77.84	4.406	4103	79.15	-6.539	4153	80.54	4.782
4004	76.11	-1.213	4054	77.89	4.038	4104	79.18	-6.285	4154	80.57	3.787
4005	76.13	-1.460	4055	77.93	4.669	4105	79.20	-5.657	4155	80.60	2.541
4006	76.14	-2.458	4056	77.96	4.423	4106	79.22	-4.404	4156	80.62	1.668
4007	76.15	-2.706	4057	77.99	3.427	4107	79.25	-3.775	4157	80.63	1.295
4008	76.16	-2.705	4058	78.01	1.535	4108	79.27	-3.398	4158	80.64	1.297
4009	76.18	-3.078	4059	78.04	0.309	4109	79.28	-3.665	4159	80.66	1.925
4010	76.21	-3.323	4060	78.06	-0.063	4110	79.31	-4.892	4160	80.68	1.676
4011	76.25	-3.317	4061	78.08	-0.061	4111	79.32	-4.889	4161	80.69	0.678
4012	76.29	-2.437	4062	78.11	0.319	4112	79.34	-4.887	4162	80.73	-2.442
4013	76.33	-2.181	4063	78.17	0.577	4113	79.35	-4.885	4163	80.74	-3.315
4014	76.34	-1.804	4064	78.18	0.954	4114	79.37	-4.383	4164	80.75	-3.438
4015	76.35	-1.801	4065	78.20	0.955	4115	79.40	-4.379	4165	80.76	-3.061
4016	76.38	-2.673	4066	78.23	3.710	4116	79.43	-4.375	4166	80.78	-1.558
4017	76.40	-2.671	4067	78.25	5.588	4117	79.49	-4.866	4167	80.82	0.447
4018	76.44	-2.415	4068	78.27	5.590	4118	79.54	-4.609	4168	80.83	1.323
4019	76.49	-2.408	4069	78.30	5.094	4119	79.59	-4.977	4169	80.84	1.075
4020	76.56	-2.148	4070	78.31	4.721	4120	79.64	-4.596	4170	80.86	-0.795
4021	76.62	-2.389	4071	78.33	5.349	4121	79.66	-4.342	4171	80.89	-1.168
4022	76.68	-1.756	4072	78.37	6.228	4122	79.68	-4.840	4172	80.91	-0.541
4023	76.72	-2.125	4073	78.40	7.858	4123	79.70	-5.837	4173	80.92	0.086
4024	76.77	-2.618	4074	78.41	7.984	4124	79.74	-7.331	4174	80.94	1.715
4025	76.80	-2.614	4075	78.42	7.736	4125	79.77	-6.828	4175	80.96	2.217
4026	76.83	-3.235	4076	78.44	6.489	4126	79.80	-6.198	4176	80.99	2.972
4027	76.85	-3.606	4077	78.47	5.496	4127	79.84	-5.442	4177	81.03	3.226
4028	76.88	-4.227	4078	78.49	4.870	4128	79.89	-5.560	4178	81.05	3.604
4029	76.90	-5.100	4079	78.51	5.124	4129	79.92	-4.556	4179	81.07	4.482
4030	76.93	-4.596	4080	78.55	5.753	4130	79.95	-3.302	4180	81.10	5.986
4031	76.97	-3.965	4081	78.56	4.379	4131	79.98	-3.548	4181	81.12	5.739
4032	76.99	-3.587	4082	78.58	3.882	4132	80.02	-2.667	4182	81.14	5.492
4033	77.01	-4.209	4083	78.60	2.636	4133	80.06	-2.662	4183	81.17	4.496
4034	77.04	-3.580	4084	78.64	0.391	4134	80.08	-2.908	4184	81.20	4.500
4035	77.06	-3.577	4085	78.68	0.667	4135	80.11	-2.905	4185	81.21	4.501
4036	77.08	-3.324	4086	78.70	0.775	4136	80.12	-1.778	4186	81.23	6.380
4037	77.12	-2.943	4087	78.73	-0.471	4137	80.14	-0.525	4187	81.26	6.634
4038	77.14	-3.366	4088	78.75	-0.468	4138	80.18	2.480	4188	81.28	6.636
4039	77.18	-4.310	4089	78.78	-0.465	4139	80.20	3.984	4189	81.32	7.016
4040	77.21	-4.557	4090	78.82	-0.210	4140	80.23	4.612	4190	81.42	6.655
4041	77.23	-4.553	4091	78.83	-0.458	4141	80.25	5.241	4191	81.49	6.790
4042	77.26	-4.049	4092	78.86	-1.454	4142	80.28	5.620	4192	81.51	5.918
4043	77.32	-4.041	4093	78.89	-2.950	4143	80.30	7.124	4193	81.53	4.046
4044	77.35	-3.662	4094	78.92	-3.697	4144	80.34	7.753	4194	81.55	3.423
4045	77.36	-2.160	4095	78.94	-4.193	4145	80.35	7.755	4195	81.56	3.801
4046	77.39	-0.936	4096	78.97	-4.814	4146	80.37	7.883	4196	81.58	3.178
4047	77.42	-0.277	4097	79.99	-5.186	4147	80.39	8.536	4197	81.63	2.560
4048	77.51	2.360	4098	79.02	-6.682	4148	80.41	8.014	4198	81.68	1.192
4049	77.65	6.130	4099	79.03	-7.430	4149	80.44	8.267	4199	81.77	0.204
4050	77.88	5.009	4100	79.05	-8.053	4150	80.46	8.521	4200	81.80	-0.686

INDEX NO. 790 1302-SR-15 CHIYODA BRIDGE TR. MAX.ACCEL.= -52.690(GAL) T=22.02(SEC) NO.22

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
4201	81.04	-0.661	4251	83.39	3.430	4301	84.92	3.772	4351	86.41	-1.893
4202	81.87	-1.203	4252	83.46	-1.437	4302	84.95	3.150	4352	86.43	-2.265
4203	81.92	-2.275	4253	83.49	-1.430	4303	85.01	-0.590	4353	86.45	-2.263
4204	81.97	-2.519	4254	83.54	-3.299	4304	85.06	-2.738	4354	86.46	-1.511
4205	82.00	-2.514	4255	83.58	-4.168	4305	85.08	-3.081	4355	86.49	-0.258
4206	82.03	-3.759	4256	83.62	-4.708	4306	85.10	-3.328	4356	86.53	1.748
4207	82.04	-3.507	4257	83.63	-5.161	4307	85.12	-3.325	4357	86.55	2.751
4208	82.07	-2.254	4258	83.69	-3.932	4308	85.13	-4.323	4358	86.57	3.005
4209	82.09	-2.251	4259	83.73	-4.522	4309	85.16	-5.820	4359	86.60	3.633
4210	82.11	-2.248	4260	83.75	-3.895	4310	85.18	-6.567	4360	86.63	3.638
4211	82.15	-2.867	4261	83.76	-4.518	4311	85.19	-6.940	4361	86.67	4.017
4212	82.17	-3.739	4262	83.78	-3.691	4312	85.21	-6.688	4362	86.70	3.397
4213	82.21	-3.484	4263	83.80	-3.262	4313	85.23	-5.434	4363	86.73	1.902
4214	82.27	-3.475	4264	83.84	-2.007	4314	85.25	-5.681	4364	86.75	1.530
4215	82.35	-2.214	4265	83.87	-2.003	4315	85.30	-6.300	4365	86.76	2.156
4216	82.41	-2.206	4266	83.91	-1.997	4316	85.32	-6.922	4366	86.79	2.411
4217	82.47	-2.198	4267	83.96	-2.615	4317	85.36	-6.667	4367	86.83	2.791
4218	82.50	-2.194	4268	84.01	-2.983	4318	85.44	-7.030	4368	86.85	2.418
4219	82.52	-3.066	4269	84.04	-1.854	4319	85.52	-6.894	4369	86.86	2.795
4220	82.55	-4.311	4270	84.08	-0.224	4320	85.56	-6.889	4370	86.87	2.796
4221	82.58	-4.057	4271	84.13	2.408	4321	85.57	-6.886	4371	86.88	3.048
4222	82.61	-4.053	4272	84.20	4.293	4322	85.60	-6.633	4372	86.90	3.675
4223	82.64	-3.799	4273	84.22	5.172	4323	85.61	-5.881	4373	86.92	4.929
4224	82.65	-2.797	4274	84.24	4.925	4324	85.63	-5.628	4374	86.94	4.682
4225	82.66	-1.918	4275	84.28	4.305	4325	85.65	-5.625	4375	86.96	4.684
4226	82.72	-0.288	4276	84.33	4.062	4326	85.68	-6.246	4376	86.98	4.687
4227	82.75	-0.033	4277	84.38	3.694	4327	85.70	-6.244	4377	87.00	4.940
4228	82.79	0.347	4278	84.39	3.946	4328	85.71	-5.992	4378	87.03	4.693
4229	82.82	0.552	4279	84.41	3.949	4329	85.74	-5.363	4379	87.04	4.445
4230	82.86	0.902	4280	84.43	5.202	4330	85.76	-4.110	4380	87.08	3.076
4231	82.88	0.735	4281	84.46	7.706	4331	85.77	-4.358	4381	87.10	2.579
4232	82.91	0.364	4282	84.48	8.084	4332	85.78	-3.733	4382	87.12	2.582
4233	82.93	0.367	4283	84.50	8.337	4333	85.80	-4.355	4383	87.14	2.834
4234	82.96	0.622	4284	84.54	8.342	4334	85.82	-4.101	4384	87.16	3.212
4235	82.99	1.376	4285	84.58	7.848	4335	85.83	-4.599	4385	87.18	3.464
4236	83.01	1.379	4286	84.61	7.476	4336	85.85	-3.472	4386	87.21	2.219
4237	83.03	2.256	4287	84.63	7.730	4337	85.86	-2.468	4387	87.22	2.471
4238	83.05	3.133	4288	84.64	8.357	4338	85.90	-1.215	4388	87.24	2.848
4239	83.07	3.511	4289	84.66	8.359	4339	85.94	-0.585	4389	87.26	3.476
4240	83.10	3.516	4290	84.68	8.487	4340	85.97	-0.331	4390	87.27	3.728
4241	83.14	3.146	4291	84.70	7.491	4341	86.04	2.304	4391	87.29	4.105
4242	83.17	3.775	4292	84.74	5.621	4342	86.12	4.191	4392	87.30	4.106
4243	83.19	4.153	4293	84.75	6.498	4343	86.17	4.198	4393	87.31	4.108
4244	83.21	2.906	4294	84.77	6.876	4344	86.22	5.204	4394	87.33	3.236
4245	83.25	1.911	4295	84.80	7.504	4345	86.23	3.956	4395	87.37	2.241
4246	83.26	1.037	4296	84.81	7.255	4346	86.25	3.084	4396	87.40	0.370
4247	83.27	1.664	4297	84.83	6.258	4347	86.29	0.590	4397	87.41	0.122
4248	83.29	1.916	4298	84.86	4.388	4348	86.32	0.219	4398	87.43	-0.250
4249	83.33	2.548	4299	84.88	4.140	4349	86.33	-0.029	4399	87.45	-0.872
4250	83.35	2.050	4300	84.90	3.769	4350	86.37	-0.648	4400	87.49	-2.117

INDEX NO. 790 1302-SR-15 CHIYODA BRIDGE TR. MAX.ACCEL.= -52.690(GAL) T=22.02(SEC) NO.23

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
4401	87.50	-2.115	4451	88.90	0.580	4501	90.26	2.024	4551	91.55	-4.045
4402	87.52	-2.737	4452	88.92	-0.667	4502	90.31	1.156	4552	91.60	-4.663
4403	87.56	-2.108	4453	88.95	-1.912	4503	90.33	0.784	4553	91.63	-5.408
4404	87.63	-1.222	4454	88.97	-1.939	4504	90.36	0.787	4554	91.65	-5.406
4405	87.69	-0.589	4455	88.99	-1.906	4505	90.37	0.790	4555	91.67	-5.028
4406	87.70	-0.212	4456	89.02	-2.527	4506	90.39	0.792	4556	91.74	-5.017
4407	87.72	-0.209	4457	89.05	-3.168	4507	90.40	1.043	4557	91.79	-5.387
4408	87.76	+1.204	4458	89.08	-4.018	4508	90.41	1.670	4558	91.80	-5.134
4409	87.79	-2.200	4459	89.12	-4.638	4509	90.44	2.675	4559	91.83	-4.130
4410	87.80	-2.198	4460	89.15	-5.134	4510	90.47	3.554	4560	91.86	-3.501
4411	87.83	-2.444	4461	89.19	-5.128	4511	90.50	3.058	4561	91.88	-3.499
4412	87.85	-2.441	4462	89.21	-5.375	4512	90.52	2.061	4562	91.90	-3.495
4413	87.87	-2.438	4463	89.23	-5.746	4513	90.54	1.438	4563	91.92	-2.867
4414	87.90	-1.934	4464	89.25	-5.745	4514	90.55	1.439	4564	91.95	-2.613
4415	87.93	-1.305	4465	89.26	-5.368	4515	90.56	1.441	4565	91.98	-1.609
4416	87.94	-1.303	4466	89.28	-5.116	4516	90.58	1.694	4566	92.03	-1.603
4417	87.96	-1.551	4467	89.29	-4.489	4517	90.61	1.823	4567	92.06	-0.723
4418	87.98	-1.547	4468	89.31	-4.236	4518	90.63	1.200	4568	92.08	-0.719
4419	88.00	-1.546	4469	89.32	-3.059	4519	90.65	0.204	4569	92.11	-0.717
4420	88.01	-1.544	4470	89.34	-3.857	4520	90.68	-1.042	4570	92.12	-0.714
4421	88.02	-0.917	4471	89.38	-4.851	4521	90.70	-1.289	4571	92.13	-0.713
4422	88.04	0.335	4472	89.39	-4.475	4522	90.71	-1.663	4572	92.15	-0.335
4423	88.05	0.587	4473	89.41	-4.473	4523	90.73	-1.035	4573	92.18	0.918
4424	88.06	0.338	4474	89.43	-4.219	4524	90.77	-0.405	4574	92.20	0.922
4425	88.08	0.341	4475	89.45	-3.641	4525	90.80	-0.400	4575	92.22	0.924
4426	88.11	0.345	4476	89.47	-3.639	4526	90.83	-0.396	4576	92.24	0.053
4427	88.13	0.099	4477	89.49	-4.460	4527	90.85	-0.644	4577	92.26	-0.319
4428	88.15	0.600	4478	89.51	-4.458	4528	90.87	-0.641	4578	92.29	-0.066
4429	88.16	1.228	4479	89.53	-4.205	4529	90.89	-0.387	4579	92.32	-0.561
4430	88.17	1.103	4480	89.61	-1.943	4530	90.94	0.245	4580	92.36	-0.306
4431	88.20	1.982	4481	89.67	-3.434	4531	90.98	0.875	4581	92.40	0.324
4432	88.22	2.611	4482	89.72	1.823	4532	90.99	0.876	4582	92.43	0.579
4433	88.23	2.613	4483	89.74	2.325	4533	91.01	1.129	4583	92.45	0.582
4434	88.25	2.615	4484	89.76	2.578	4534	91.02	2.131	4584	92.47	0.584
4435	88.29	1.746	4485	89.77	1.955	4535	91.05	2.760	4585	92.50	1.214
4436	88.40	0.260	4486	89.79	1.332	4536	91.06	2.762	4586	92.52	1.842
4437	88.46	-0.481	4487	89.81	1.334	4537	91.08	2.764	4587	92.54	2.220
4438	88.47	-0.730	4488	89.83	1.963	4538	91.11	2.518	4588	92.56	2.223
4439	88.49	-0.102	4489	89.86	1.718	4539	91.14	2.397	4589	92.58	1.976
4440	88.52	1.153	4490	89.88	1.720	4540	91.17	2.402	4590	92.64	0.983
4441	88.56	2.033	4491	89.90	1.973	4541	91.21	2.408	4591	92.68	0.990
4442	88.59	2.412	4492	89.93	1.977	4542	91.28	1.542	4592	92.78	1.004
4443	88.63	2.668	4493	89.94	1.978	4543	91.36	0.678	4593	92.79	0.755
4444	88.68	2.674	4494	89.95	1.980	4544	91.39	-0.317	4594	92.91	0.647
4445	88.71	2.680	4495	90.00	2.612	4545	91.40	-0.940	4595	92.95	-0.222
4446	88.76	2.835	4496	90.09	4.500	4546	91.43	-1.562	4596	92.97	-0.219
4447	88.76	1.564	4497	90.11	4.752	4547	91.45	-2.808	4597	93.01	-0.213
4448	88.83	0.945	4498	90.13	4.756	4548	91.47	-3.056	4598	93.04	-0.209
4449	88.85	0.574	4499	90.16	3.885	4549	91.49	-3.678	4599	93.11	-1.075
4450	88.87	0.627	4500	90.21	3.267	4550	91.51	-4.050	4600	93.15	-0.819

INDEX NO. 790 1302-GR-15 CHIYODA BRIDGE TR. MAX.ACCEL.= -52.690(GAL) T=22.02(SEC) NO.24

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
4601	93.19	-0.814	4651	95.16	0.337	4701	96.52	-5.974	4751	98.50	-0.322
4602	93.21	-1.061	4652	95.19	0.965	4702	96.55	-5.095	4752	98.53	-0.567
4603	93.24	-1.432	4653	95.20	1.342	4703	96.57	-4.467	4753	98.56	-1.188
4604	93.28	-1.677	4654	95.22	1.344	4704	96.60	-4.963	4754	98.63	-2.678
4605	93.30	-2.298	4655	95.25	0.974	4705	96.64	-4.958	4755	98.70	-4.668
4606	93.32	-3.045	4656	95.26	0.726	4706	96.65	-4.955	4756	98.72	-4.416
4607	93.34	-3.043	4657	95.29	0.980	4707	96.68	-4.452	4757	98.81	-3.778
4608	93.36	-2.666	4658	95.34	2.612	4708	96.74	-2.568	4758	98.90	-2.264
4609	93.40	-1.785	4659	95.36	2.365	4709	96.79	-0.936	4759	98.96	-3.507
4610	93.45	-0.527	4660	95.39	1.993	4710	96.83	-0.306	4760	98.99	-3.502
4611	93.52	1.357	4661	95.41	1.996	4711	96.84	0.571	4761	99.00	-3.125
4612	93.60	2.868	4662	95.43	1.999	4712	96.86	0.573	4762	99.05	-1.869
4613	93.67	3.378	4663	95.45	2.252	4713	96.90	0.703	4763	99.07	-1.616
4614	93.71	4.009	4664	95.48	2.631	4714	96.96	0.338	4764	99.10	-2.112
4615	93.76	3.765	4665	95.50	2.304	4715	96.99	0.591	4765	99.15	-2.479
4616	93.78	3.769	4666	95.53	1.763	4716	97.01	0.094	4766	99.18	-2.225
4617	93.82	4.025	4667	95.56	1.142	4717	97.03	-0.527	4767	99.21	-1.846
4618	93.86	4.029	4668	95.57	-0.232	4718	97.06	-0.524	4768	99.26	-1.840
4619	93.88	3.783	4669	95.59	0.146	4719	97.07	-0.522	4769	99.31	-2.707
4620	93.90	3.161	4670	95.63	1.027	4720	97.12	0.359	4770	99.36	-1.199
4621	93.93	2.290	4671	95.66	1.781	4721	97.14	0.738	4771	99.38	-1.197
4622	93.96	1.919	4672	95.67	1.783	4722	97.17	0.367	4772	99.40	-1.444
4623	94.02	3.177	4673	95.72	0.789	4723	97.21	0.122	4773	99.44	-0.814
4624	94.06	2.308	4674	95.74	0.167	4724	97.28	0.382	4774	99.46	-0.310
4625	94.11	1.065	4675	95.75	0.169	4725	97.32	-0.237	4775	99.50	0.695
4626	94.16	-0.553	4676	95.78	1.173	4726	97.38	-0.854	4776	99.55	1.952
4627	94.21	-1.796	4677	95.80	0.801	4727	97.41	-0.849	4777	99.60	2.209
4628	94.24	-2.667	4678	95.81	1.177	4728	97.43	0.028	4778	99.65	2.591
4629	94.27	-2.663	4679	95.83	1.180	4729	97.51	1.665	4779	99.70	2.598
4630	94.30	-3.284	4680	95.87	-0.064	4730	97.57	2.297	4780	99.74	1.729
4631	94.32	-3.281	4681	95.93	0.818	4731	97.62	3.929	4781	99.84	0.492
4632	94.34	-3.279	4682	95.97	1.075	4732	97.64	4.557	4782	99.94	-0.744
4633	94.36	-2.775	4683	96.01	0.830	4733	97.67	5.186	4783	99.98	-1.988
4634	94.40	-2.145	4684	96.05	-0.165	4734	97.69	5.190	4784	100.01	-2.608
4635	94.43	-2.016	4685	96.09	-1.659	4735	97.73	4.320	4785	100.04	-3.604
4636	94.55	-1.749	4686	96.12	-1.655	4736	97.78	3.077	4786	100.07	-4.224
4637	94.63	-1.362	4687	96.17	-2.273	4737	97.89	0.968	4787	100.10	-4.470
4638	94.68	-2.355	4688	96.22	-2.516	4738	97.97	-0.022	4788	100.14	-4.590
4639	94.69	-2.855	4689	96.24	-2.888	4739	98.04	-0.261	4789	100.17	-5.086
4640	94.75	-1.846	4690	96.26	-3.510	4740	98.10	0.248	4790	100.21	-4.205
4641	94.83	-1.209	4691	96.30	-4.130	4741	98.15	-0.621	4791	100.24	-4.201
4642	94.86	-0.955	4692	96.32	-4.503	4742	98.21	-0.862	4792	100.26	-3.573
4643	94.92	-2.447	4693	96.35	-5.373	4743	98.26	-1.480	4793	100.28	-2.945
4644	94.94	-2.444	4694	96.36	-5.372	4744	98.27	-1.478	4794	100.31	-2.942
4645	94.99	-2.438	4695	96.38	-4.743	4745	98.31	0.402	4795	100.33	-2.938
4646	95.05	-1.178	4696	96.40	-4.740	4746	98.37	0.410	4796	100.35	-3.560
4647	95.08	-1.425	4697	96.42	-4.738	4747	98.40	-0.211	4797	100.37	-3.557
4648	95.10	-1.172	4698	96.46	-5.607	4748	98.43	-0.832	4798	100.39	-2.930
4649	95.12	-1.169	4699	96.48	-5.979	4749	98.45	-1.203	4799	100.42	-2.051
4650	95.13	-0.543	4700	96.50	-6.602	4750	98.47	-0.575	4800	100.45	-1.047

INDEX NO. 790 1302-GR-15 CHIYODA BRIDGE TR. MAX.ACCEL.= -52.690(GAL) T=22.02(SEC) NO.25

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
4801	100.47	-1.043	4851	102.75	-1.348	4901	105.15	-1.386	4951	107.88	-0.377
4802	100.49	-1.665	4852	102.79	-1.343	4902	105.22	-1.377	4952	107.91	-0.623
4803	100.53	-1.910	4853	102.81	-1.715	4903	105.26	-1.371	4953	108.00	-1.486
4804	100.56	-1.406	4854	102.92	-3.449	4904	105.31	-1.613	4954	108.10	-1.597
4805	100.60	-0.775	4855	102.93	-2.948	4905	105.37	-1.855	4955	108.21	-1.831
4806	100.67	0.860	4856	102.98	-1.940	4906	105.41	-2.850	4956	108.34	-1.813
4807	100.72	0.616	4857	103.01	-1.060	4907	105.46	-4.093	4957	108.39	-1.556
4808	100.75	0.872	4858	103.04	-0.682	4908	105.49	-5.338	4958	108.43	-1.550
4809	100.78	0.875	4859	103.06	-0.679	4909	105.51	-5.336	4959	108.44	-1.549
4810	100.81	0.630	4860	103.09	-0.676	4910	105.54	-5.081	4960	108.48	-2.042
4811	100.86	-0.614	4861	103.12	-0.421	4911	105.59	-4.699	4961	108.54	-2.660
4812	100.91	-1.231	4862	103.14	0.208	4912	105.64	-5.317	4962	108.59	-3.277
4813	100.94	-1.602	4863	103.16	1.460	4913	105.68	-4.437	4963	108.65	-4.519
4814	100.98	-1.347	4864	103.18	1.838	4914	105.72	-3.806	4964	108.70	-4.512
4815	101.02	-0.966	4865	103.20	1.591	4915	105.75	-3.427	4965	108.75	-5.131
4816	101.06	-0.710	4866	103.25	0.972	4916	105.79	-3.422	4966	108.78	-4.873
4817	101.10	0.295	4867	103.33	0.859	4917	105.91	-3.030	4967	108.82	-4.621
4818	101.14	0.301	4868	103.36	0.611	4918	106.06	-0.804	4968	108.88	-3.612
4819	101.19	0.933	4869	103.40	-0.007	4919	106.10	-1.254	4969	108.96	-2.725
4820	101.21	0.936	4870	103.45	-0.250	4920	106.12	-1.750	4970	109.03	-1.965
4821	101.24	1.190	4871	103.51	-1.617	4921	106.20	-2.364	4971	109.08	-1.459
4822	101.28	1.321	4872	103.56	-1.609	4922	106.28	-3.604	4972	109.11	-1.705
4823	101.33	1.328	4873	103.61	-1.228	4923	106.34	-4.595	4973	109.16	-2.322
4824	101.38	0.084	4874	103.67	-0.970	4924	106.37	-4.340	4974	109.25	-2.310
4825	101.43	-0.909	4875	103.68	-1.217	4925	106.41	-4.335	4975	109.31	-2.301
4826	101.44	-0.908	4876	103.72	-1.537	4926	106.44	-3.705	4976	109.44	-2.658
4827	101.49	-1.525	4877	103.78	0.047	4927	106.49	-3.698	4977	109.52	-2.271
4828	101.52	-2.146	4878	103.80	0.299	4928	106.53	-3.067	4978	109.57	-2.514
4829	101.55	-3.016	4879	103.83	0.053	4929	106.63	-1.803	4979	109.59	-2.886
4830	101.65	-3.377	4880	103.86	-0.193	4930	106.69	-1.044	4980	109.64	-3.505
4831	101.79	-3.808	4881	103.89	-0.564	4931	106.73	-1.039	4981	109.68	-4.374
4832	101.86	-3.972	4882	103.91	-0.311	4932	106.77	-0.784	4982	109.74	-3.665
4833	101.95	-3.960	4883	103.94	0.319	4933	106.81	-1.403	4983	109.82	-3.730
4834	102.02	-3.950	4884	103.97	0.323	4934	106.85	-2.272	4984	109.90	-2.219
4835	102.06	-3.944	4885	104.01	0.453	4935	106.91	-3.263	4985	109.95	-2.211
4836	102.11	-4.108	4886	104.06	0.460	4936	106.94	-3.259	4986	109.99	-2.830
4837	102.18	-4.553	4887	104.09	0.089	4937	106.99	-3.503	4987	110.01	-3.077
4838	102.22	-4.922	4888	104.13	-0.779	4938	107.08	-1.990	4988	110.06	-3.445
4839	102.26	-4.916	4889	104.19	-2.396	4939	107.12	-3.235	4989	110.11	-4.313
4840	102.30	-4.536	4890	104.23	-2.390	4940	107.25	-4.216	4990	110.16	-4.682
4841	102.34	-3.905	4891	104.30	-2.755	4941	107.30	-4.209	4991	110.18	-4.429
4842	102.39	-3.024	4892	104.34	-3.250	4942	107.33	-4.704	4992	110.23	-4.422
4843	102.44	-1.766	4893	104.39	-4.243	4943	107.36	-4.700	4993	110.29	-4.038
4844	102.46	-1.138	4894	104.46	-3.608	4944	107.42	-3.567	4994	110.34	-4.260
4845	102.49	-1.134	4895	104.55	-3.971	4945	107.48	-2.559	4995	110.44	-4.017
4846	102.57	-2.248	4896	104.63	-3.334	4946	107.51	-2.555	4996	110.53	-4.879
4847	102.66	-2.860	4897	104.74	-2.318	4947	107.58	-0.419	4997	110.56	-4.625
4848	102.68	-2.607	4898	104.83	-0.805	4948	107.62	-0.414	4998	110.60	-3.743
4849	102.71	-2.353	4899	104.91	-1.045	4949	107.70	-0.277	4999	110.65	-3.361
4850	102.73	-1.726	4900	105.01	-1.033	4950	107.79	-0.640	5000	110.72	-2.477

INDEX NO. 790 1302-39-15 CHIYODA BRIDGE TR. MAX.ACCEL.= -52.690(GAL) T=22.02(SEC) NO.26

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
5001	110.78	-2.719	5051	113.51	-5.709	5101	116.84	-3.858
5002	110.81	-2.963	5052	113.57	-6.076	5102	116.89	-3.611
5003	110.85	-2.739	5053	113.61	-5.820	5103	116.94	-4.104
5004	110.91	-2.700	5054	113.69	-5.309	5104	116.97	-4.100
5005	111.00	-1.811	5055	113.84	-5.164			
5006	111.03	-1.808	5056	113.95	-3.899			
5007	111.07	-2.052	5057	114.03	-2.887			
5008	111.16	-2.914	5058	114.08	-3.756			
5009	111.24	-4.277	5059	114.11	-4.126			
5010	111.27	-3.898	5060	114.17	-3.242			
5011	111.32	-4.267	5061	114.26	-2.855			
5012	111.39	-4.507	5062	114.31	-3.473			
5013	111.47	-4.745	5063	124.37	-3.214			
5014	111.52	-5.739	5064	114.42	-4.332			
5015	111.58	-5.481	5065	114.50	-3.445			
5016	111.65	-4.845	5066	114.56	-4.686			
5017	111.78	-5.078	5067	114.59	-4.432			
5018	111.82	-5.322	5068	114.64	-3.801			
5019	111.86	-5.067	5069	114.75	-4.499			
5020	111.90	-3.810	5070	114.80	-5.027			
5021	111.93	-3.557	5071	114.83	-5.649			
5022	111.99	-1.924	5072	114.85	-5.396			
5023	112.07	-2.537	5073	114.90	-5.639			
5024	112.09	-2.534	5074	114.98	-5.377			
5025	112.12	-3.154	5075	115.02	-4.746			
5026	112.16	-2.524	5076	115.05	-5.367			
5027	112.21	-2.516	5077	115.15	-4.729			
5028	112.27	-2.259	5078	115.23	-4.968			
5029	112.32	-2.251	5079	115.30	-5.708			
5030	112.36	-3.121	5080	115.36	-5.574			
5031	112.38	-3.743	5081	115.43	-5.940			
5032	112.41	-4.364	5082	115.50	-6.180			
5033	112.46	-4.357	5083	115.60	-5.915			
5034	112.51	-4.350	5084	115.74	-5.771			
5035	112.54	-4.971	5085	115.85	-6.506			
5036	112.56	-4.717	5086	115.99	-6.486			
5037	112.60	-4.087	5087	116.12	-6.716			
5038	112.63	-4.333	5088	116.16	-6.712			
5039	112.67	-3.326	5089	116.21	-6.455			
5040	112.73	-2.444	5090	116.25	-6.700			
5041	112.76	-2.190	5091	116.29	-6.445			
5042	112.80	-2.184	5092	116.33	-5.814			
5043	112.86	-2.176	5093	116.35	-5.561			
5044	112.93	-1.791	5094	116.39	-6.055			
5045	113.02	-2.403	5095	116.41	-6.427			
5046	113.12	-3.015	5096	116.48	-6.418			
5047	113.21	-3.626	5097	116.56	-6.907			
5048	113.32	-3.862	5098	116.62	-6.524			
5049	113.41	-4.473	5099	116.70	-6.762			
5050	113.48	-5.714	5100	116.77	-3.003			

Table IX D-17 Digitized Accelerations of Earthquake Record with Index Number 791

INDEX NO. 791 1302-P1-12 CHIYODA BRIDGE LG. MAX.ACCEL.= -60.441(GAL) T=12.53(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.0	-9.658	51	0.80	-8.973	101	1.72	-3.051	151	2.67	-1.630
2	0.01	-9.408	52	0.83	-9.351	102	1.74	-4.927	152	2.69	-1.882
3	0.02	-8.784	53	0.85	-8.728	103	1.75	-7.429	153	2.71	-2.883
4	0.04	-8.786	54	0.87	-8.729	104	1.77	-9.680	154	2.72	-3.759
5	0.05	-7.162	55	0.88	-10.481	105	1.80	-11.807	155	2.74	-5.305
6	0.07	-5.539	56	0.90	-11.482	106	1.81	-13.059	156	2.75	-6.886
7	0.09	-3.665	57	0.93	-12.734	107	1.84	-11.936	157	2.77	-8.763
8	0.11	-2.041	58	0.94	-11.860	108	1.85	-11.562	158	2.79	-10.390
9	0.12	-1.417	59	0.96	-11.237	109	1.88	-10.939	159	2.81	-11.891
10	0.14	-1.669	60	0.98	-9.614	110	1.89	-10.949	160	2.83	-14.143
11	0.15	-2.670	61	1.00	-8.115	111	1.90	-11.192	161	2.85	-14.520
12	0.16	-4.171	62	1.01	-6.866	112	1.92	-11.568	162	2.88	-14.522
13	0.18	-5.798	63	1.04	-7.744	113	1.94	-12.195	163	2.91	-13.650
14	0.20	-7.049	64	1.06	-8.620	114	1.96	-12.321	164	2.93	-13.026
15	0.21	-8.300	65	1.08	-9.622	115	1.97	-11.072	165	2.95	-12.153
16	0.23	-8.926	66	1.10	-10.249	116	1.99	-9.574	166	2.98	-11.155
17	0.24	-8.302	67	1.12	-9.625	117	2.00	-8.575	167	3.00	-10.282
18	0.25	-7.428	68	1.13	-9.001	118	2.03	-7.702	168	3.01	-8.033
19	0.27	-6.180	69	1.15	-7.753	119	2.06	-7.705	169	3.03	-6.409
20	0.28	-4.930	70	1.17	-7.129	120	2.09	-7.332	170	3.04	-5.160
21	0.29	-3.057	71	1.18	-6.756	121	2.11	-7.084	171	3.06	-3.537
22	0.30	-2.682	72	1.21	-8.008	122	2.13	-6.586	172	3.07	-2.913
23	0.32	-4.559	73	1.22	-9.258	123	2.15	-7.212	173	3.10	-1.665
24	0.34	-7.060	74	1.23	-10.885	124	2.18	-8.089	174	3.13	-0.792
25	0.35	-8.311	75	1.25	-11.511	125	2.20	-9.091	175	3.15	-0.419
26	0.36	-10.188	76	1.28	-11.514	126	2.22	-9.718	176	3.16	-0.420
27	0.37	-12.063	77	1.30	-10.891	127	2.23	-9.719	177	3.17	-1.671
28	0.38	-13.939	78	1.32	-10.017	128	2.25	-8.845	178	3.18	-3.172
29	0.39	-15.940	79	1.34	-9.394	129	2.26	-7.846	179	3.19	-4.423
30	0.40	-18.941	80	1.36	-9.396	130	2.27	-7.222	180	3.20	-6.049
31	0.42	-16.442	81	1.37	-9.022	131	2.28	-6.848	181	3.21	-8.799
32	0.44	-14.444	82	1.40	-8.149	132	2.30	-7.474	182	3.22	-9.800
33	0.45	-11.944	83	1.42	-8.151	133	2.31	-8.725	183	3.23	-11.301
34	0.46	-10.071	84	1.44	-7.527	134	2.33	-9.977	184	3.24	-12.302
35	0.48	-9.072	85	1.46	-8.154	135	2.35	-11.228	185	3.25	-12.303
36	0.50	-10.574	86	1.48	-10.031	136	2.36	-12.229	186	3.26	-12.178
37	0.52	-11.576	87	1.50	-11.907	137	2.38	-12.856	187	3.28	-9.680
38	0.55	-12.828	88	1.51	-12.909	138	2.41	-11.983	188	3.30	-6.682
39	0.56	-12.454	89	1.52	-13.534	139	2.42	-10.984	189	3.31	-3.933
40	0.58	-12.206	90	1.54	-12.910	140	2.44	-10.361	190	3.33	-2.684
41	0.60	-10.957	91	1.55	-12.287	141	2.45	-9.737	191	3.36	-2.687
42	0.61	-9.458	92	1.56	-11.413	142	2.47	-9.988	192	3.38	-4.188
43	0.63	-7.834	93	1.58	-11.039	143	2.48	-9.990	193	3.42	-6.317
44	0.64	-6.980	94	1.59	-9.165	144	2.51	-9.992	194	3.45	-8.194
45	0.66	-4.962	95	1.61	-7.917	145	2.53	-9.993	195	3.47	-10.071
46	0.68	-5.464	96	1.63	-7.043	146	2.54	-9.494	196	3.49	-11.697
47	0.71	-6.091	97	1.64	-5.296	147	2.56	-6.621	197	3.52	-10.449
48	0.73	-7.343	98	1.66	-4.420	148	2.58	-5.123	198	3.53	-9.201
49	0.76	-8.345	99	1.69	-2.174	149	2.61	-3.500	199	3.55	-7.702
50	0.77	-9.596	100	1.70	-1.549	150	2.65	-2.003	200	3.58	-6.455

INDEX NO. 791 1302-PI-12 CHIYODA BRIDGE LG. MAX.ACCEL.= -60.441(GAL) T=12.53(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	3.59	-5.881	251	4.37	-0.270	301	5.18	-15.086	351	6.05	-4.282
202	3.61	-6.082	252	4.39	3.979	302	5.19	-16.962	352	6.06	-3.659
203	3.62	-7.333	253	4.41	5.227	303	5.21	-16.964	353	6.08	-3.035
204	3.64	-8.585	254	4.42	5.226	304	5.23	-14.465	354	6.10	-2.161
205	3.65	-10.460	255	4.44	3.725	305	5.24	-11.341	355	6.12	-1.538
206	3.67	-11.337	256	4.45	3.099	306	5.26	-9.218	356	6.14	-2.665
207	3.69	-9.213	257	4.46	-3.527	307	5.28	-4.719	357	6.15	-4.291
208	3.71	-6.465	258	4.47	-6.028	308	5.29	-4.345	358	6.16	-5.792
209	3.72	-3.906	259	4.48	-8.654	309	5.30	-4.006	359	6.17	-7.793
210	3.73	-2.092	260	4.49	-11.405	310	5.31	-5.847	360	6.19	-9.689
211	3.74	-0.218	261	4.50	-15.031	311	5.33	-6.849	361	6.20	-11.545
212	3.75	0.782	262	4.52	-16.907	312	5.34	-8.349	362	6.22	-12.796
213	3.76	1.155	263	4.54	-16.909	313	5.35	-9.600	363	6.23	-14.797
214	3.78	0.279	264	4.57	-16.286	314	5.37	-11.227	364	6.25	-14.568
215	3.79	-2.222	265	4.59	-14.163	315	5.39	-8.729	365	6.26	-12.675
216	3.81	-5.348	266	4.60	-12.289	316	5.41	-7.480	366	6.28	-10.801
217	3.83	-9.850	267	4.62	-10.415	317	5.42	-5.981	367	6.30	-8.678
218	3.84	-12.351	268	4.63	-8.541	318	5.43	-4.357	368	6.31	-6.679
219	3.85	-13.252	269	4.65	-5.918	319	5.45	-3.483	369	6.32	-5.055
220	3.88	-15.634	270	4.66	-4.294	320	5.46	-2.234	370	6.33	-3.556
221	3.90	-13.731	271	4.67	-3.045	321	5.47	-2.485	371	6.35	-2.558
222	3.92	-10.003	272	4.69	-2.171	322	5.48	-4.361	372	6.37	-2.809
223	3.94	-8.110	273	4.70	-0.921	323	5.50	-7.113	373	6.39	-4.061
224	3.95	-6.110	274	4.72	0.076	324	5.51	-8.989	374	6.40	-5.312
225	3.96	-4.236	275	4.74	-0.175	325	5.53	-10.990	375	6.42	-5.688
226	3.98	-1.487	276	4.75	-1.176	326	5.56	-11.867	376	6.44	-6.314
227	4.00	-0.489	277	4.76	-2.052	327	5.59	-12.120	377	6.46	-7.191
228	4.02	-1.366	278	4.78	-3.678	328	5.61	-11.872	378	6.47	-8.192
229	4.03	-3.242	279	4.79	-3.679	329	5.64	-11.249	379	6.48	-10.068
230	4.05	-5.493	280	4.81	-3.431	330	5.66	-10.375	380	6.50	-15.195
231	4.07	-7.620	281	4.83	-2.808	331	5.67	-8.751	381	6.52	-19.196
232	4.09	-9.247	282	4.85	-2.809	332	5.69	-3.503	382	6.53	-24.322
233	4.12	-10.499	283	4.87	-3.310	333	5.70	-1.254	383	6.55	-26.199
234	4.13	-10.500	284	4.88	-4.312	334	5.71	0.995	384	6.56	-26.199
235	4.16	-8.377	285	4.90	-5.563	335	5.72	3.244	385	6.57	-21.575
236	4.17	-6.753	286	4.91	-7.064	336	5.73	4.494	386	6.58	-18.701
237	4.19	-4.880	287	4.94	-9.941	337	5.74	5.118	387	6.59	-12.701
238	4.20	-3.631	288	4.96	-11.444	338	5.76	4.491	388	6.61	-5.453
239	4.22	-3.007	289	4.98	-12.695	339	5.78	3.615	389	6.62	1.546
240	4.24	-4.509	290	4.99	-12.696	340	5.80	1.739	390	6.63	3.420
241	4.25	-5.759	291	5.01	-10.323	341	5.82	0.111	391	6.64	5.044
242	4.26	-8.886	292	5.03	-7.824	342	5.84	-1.765	392	6.65	6.668
243	4.27	-10.761	293	5.05	-3.451	343	5.87	-2.642	393	6.66	6.667
244	4.29	-13.888	294	5.07	-1.827	344	5.88	-3.019	394	6.67	5.416
245	4.30	-14.639	295	5.09	1.421	345	5.90	-2.770	395	6.69	3.790
246	4.31	-14.640	296	5.12	0.169	346	5.92	-2.396	396	6.70	2.914
247	4.33	-13.766	297	5.13	-1.707	347	5.94	-2.149	397	6.72	2.287
248	4.34	-11.267	298	5.14	-5.708	348	5.97	-3.026	398	6.73	1.662
249	4.35	-8.143	299	5.15	-9.334	349	6.00	-3.653	399	6.74	3.161
250	4.36	-4.894	300	5.17	-12.461	350	6.02	-3.905	400	6.75	5.035

INDEX NO. 791 1302-PI-12 CHIYODA BRIDGE LG. MAX.ACCEL.= -60.441(GAL) T=12.53(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	6.77	6.909	451	7.51	5.722	501	8.17	-0.831	551	8.81	8.992
402	6.78	8.908	452	7.53	1.346	502	8.19	-1.708	552	8.82	7.241
403	6.80	10.781	453	7.54	-5.030	503	8.20	-2.959	553	8.83	1.865
404	6.82	10.154	454	7.55	-15.906	504	8.23	-4.586	554	8.84	-2.011
405	6.83	8.278	455	7.55	-19.906	505	8.24	-7.087	555	8.85	-6.012
406	6.84	5.778	456	7.57	-27.533	506	8.25	-9.588	556	8.86	-9.013
407	6.85	3.027	457	7.58	-29.408	507	8.27	-12.339	557	8.87	-12.139
408	6.86	-0.850	458	7.59	-30.784	508	8.28	-13.360	558	8.88	-15.389
409	6.88	-4.351	459	7.60	-32.650	509	8.29	-14.216	559	8.90	-15.641
410	6.90	-7.602	460	7.61	-30.911	510	8.30	-13.592	560	8.91	-14.767
411	6.92	-10.979	461	7.62	-27.786	511	8.31	-11.718	561	8.92	-10.393
412	6.93	-12.855	462	7.63	-23.662	512	8.32	-9.969	562	8.93	-5.893
413	6.94	-15.231	463	7.64	-17.038	513	8.34	-7.720	563	8.94	-1.894
414	6.96	-17.108	464	7.65	-14.414	514	8.35	-6.221	564	8.95	2.605
415	6.99	-18.359	465	7.66	-10.914	515	8.37	-5.223	565	8.96	6.729
416	7.02	-19.862	466	7.67	-7.790	516	8.38	-6.474	566	8.97	8.228
417	7.04	-19.614	467	7.68	-6.166	517	8.40	-8.350	567	8.98	9.978
418	7.05	-17.469	468	7.69	-4.917	518	8.41	-10.226	568	9.00	8.726
419	7.06	-14.616	469	7.70	-3.293	519	8.42	-14.602	569	9.01	4.725
420	7.08	-12.992	470	7.71	-3.544	520	8.44	-17.854	570	9.02	-4.151
421	7.09	-10.243	471	7.73	-4.170	521	8.46	-19.105	571	9.03	-11.777
422	7.11	-6.994	472	7.74	-4.546	522	8.47	-18.981	572	9.04	-18.153
423	7.12	-5.121	473	7.76	-5.173	523	8.48	-15.107	573	9.05	-21.278
424	7.13	-3.871	474	7.78	-6.050	524	8.49	-13.233	574	9.06	-26.779
425	7.14	-2.622	475	7.80	-6.426	525	8.50	-11.358	575	9.07	-29.530
426	7.16	-2.249	476	7.82	-5.178	526	8.51	-8.484	576	9.09	-30.157
427	7.17	-3.500	477	7.84	-4.304	527	8.52	-3.985	577	9.11	-26.908
428	7.18	-4.751	478	7.85	-0.556	528	8.54	-1.862	578	9.12	-26.784
429	7.21	-6.377	479	7.86	1.444	529	8.55	0.763	579	9.13	-23.034
430	7.22	-7.878	480	7.87	3.318	530	8.56	3.637	580	9.14	-16.536
431	7.24	-7.880	481	7.88	3.942	531	8.58	4.260	581	9.16	-12.287
432	7.25	-6.756	482	7.90	4.316	532	8.59	4.009	582	9.17	-9.163
433	7.26	-5.757	483	7.91	2.815	533	8.60	3.633	583	9.18	-6.289
434	7.27	-3.882	484	7.92	0.939	534	8.61	2.382	584	9.20	-2.165
435	7.28	-2.384	485	7.93	-1.312	535	8.62	0.257	585	9.23	6.332
436	7.29	0.490	486	7.94	-4.438	536	8.64	-6.370	586	9.25	7.956
437	7.30	2.115	487	7.95	-6.313	537	8.65	-8.371	587	9.27	8.704
438	7.31	1.864	488	7.96	-8.939	538	8.66	-9.871	588	9.29	8.703
439	7.34	0.987	489	7.97	-12.315	539	8.67	-12.372	589	9.31	6.576
440	7.37	-0.641	490	7.99	-15.316	540	8.68	-14.623	590	9.32	3.700
441	7.38	-0.892	491	8.00	-16.193	541	8.70	-16.999	591	9.33	1.824
442	7.40	-0.393	492	8.01	-14.693	542	8.71	-14.501	592	9.35	0.823
443	7.41	0.855	493	8.03	-12.820	543	8.72	-12.876	593	9.36	0.447
444	7.43	3.104	494	8.04	-9.446	544	8.73	-8.878	594	9.37	2.571
445	7.44	4.604	495	8.06	-6.447	545	8.74	-3.378	595	9.38	4.195
446	7.45	8.102	496	8.07	-4.948	546	8.75	0.371	596	9.39	6.320
447	7.46	9.727	497	8.09	-2.700	547	8.76	2.371	597	9.40	8.694
448	7.48	10.726	498	8.11	-1.201	548	8.77	6.369	598	9.41	12.442
449	7.49	10.725	499	8.13	0.047	549	8.78	7.369	599	9.43	13.316
450	7.50	9.474	500	8.15	0.420	550	8.79	8.993	600	9.44	11.440

土木構造物における加速度強震記録（No. 9）

INDEX NO. 791 1302-PI-12 CHIYODA BRIDGE LG. MAX.ACCEL.= -60.441(GAL) T=12.53(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	9.45	9.064	651	10.09	27.637	701	10.76	-25.917	751	11.41	-24.722
602	9.46	7.169	652	10.10	30.306	702	10.78	-24.419	752	11.42	-28.847
603	9.47	1.563	653	10.11	32.136	703	10.80	-20.670	753	11.43	-35.473
604	9.48	-5.188	654	10.13	31.259	704	10.81	-16.921	754	11.44	-37.724
605	9.49	-11.189	655	10.14	29.633	705	10.82	-13.672	755	11.45	-39.725
606	9.50	-16.315	656	10.15	26.882	706	10.83	-10.298	756	11.47	-40.977
607	9.51	-17.940	657	10.16	23.257	707	10.84	-6.649	757	11.48	-40.602
608	9.52	-22.317	658	10.17	19.506	708	10.85	-4.175	758	11.49	-36.853
609	9.53	-23.692	659	10.18	15.380	709	10.86	-2.551	759	11.50	-33.479
610	9.54	-25.568	660	10.19	11.005	710	10.88	-2.927	760	11.51	-25.605
611	9.56	-25.570	661	10.20	7.129	711	10.90	-4.428	761	11.52	-17.356
612	9.57	-23.695	662	10.21	0.378	712	10.93	-7.556	762	11.53	-13.482
613	9.58	-22.196	663	10.22	-2.123	713	10.95	-9.183	763	11.54	-10.357
614	9.59	-16.197	664	10.24	-4.250	714	10.97	-10.684	764	11.55	-8.733
615	9.60	-11.073	665	10.23	-6.753	715	10.99	-11.061	765	11.56	-8.109
616	9.61	-8.574	666	10.30	-8.130	716	11.00	-8.812	766	11.57	-7.360
617	9.62	-6.324	667	10.33	-9.381	717	11.02	-6.688	767	11.58	-6.735
618	9.63	-4.075	668	10.34	-12.508	718	11.04	3.060	768	11.60	-6.737
619	9.64	-2.826	669	10.36	-15.509	719	11.05	6.059	769	11.62	-6.114
620	9.65	-0.952	670	10.37	-19.260	720	11.06	11.058	770	11.63	-2.990
621	9.67	-2.203	671	10.39	-22.637	721	11.07	14.182	771	11.65	0.134
622	9.69	-3.705	672	10.40	-26.263	722	11.08	17.431	772	11.66	5.508
623	9.70	-5.331	673	10.41	-30.014	723	11.09	19.930	773	11.68	11.006
624	9.72	-6.582	674	10.43	-31.390	724	11.10	21.805	774	11.69	14.380
625	9.74	-6.834	675	10.45	-33.267	725	11.12	24.928	775	11.71	17.379
626	9.76	-7.461	676	10.47	-32.018	726	11.13	22.552	776	11.72	19.878
627	9.78	-8.713	677	10.49	-28.895	727	11.14	19.802	777	11.73	21.751
628	9.80	-9.089	678	10.50	-26.396	728	11.15	16.926	778	11.74	22.126
629	9.81	-9.340	679	10.51	-23.146	729	11.16	9.675	779	11.75	20.625
630	9.84	-11.217	680	10.52	-19.772	730	11.17	-1.201	780	11.76	15.499
631	9.85	-10.343	681	10.54	-10.774	731	11.18	-5.951	781	11.77	9.374
632	9.86	-8.844	682	10.56	-4.776	732	11.19	-12.953	782	11.79	-4.378
633	9.87	-6.970	683	10.57	-0.776	733	11.20	-15.204	783	11.80	-13.004
634	9.88	-4.722	684	10.58	6.222	734	11.21	-18.330	784	11.81	-15.630
635	9.89	-3.471	685	10.59	9.471	735	11.22	-17.206	785	11.82	-18.506
636	9.90	-1.597	686	10.60	12.971	736	11.23	-14.081	786	11.84	-19.382
637	9.91	-1.223	687	10.61	16.470	737	11.24	-9.957	787	11.85	-18.134
638	9.92	-0.974	688	10.62	18.969	738	11.25	2.792	788	11.87	-15.010
639	9.93	-2.225	689	10.63	21.219	739	11.26	5.541	789	11.88	-6.136
640	9.96	-4.727	690	10.64	22.468	740	11.27	12.290	790	11.89	-0.887
641	9.97	-7.853	691	10.65	22.217	741	11.29	16.789	791	11.90	1.863
642	9.98	-9.103	692	10.66	21.216	742	11.30	17.163	792	11.91	6.237
643	9.99	-11.604	693	10.67	18.466	743	11.32	16.786	793	11.92	9.736
644	10.01	-15.106	694	10.68	13.090	744	11.33	14.911	794	11.93	12.860
645	10.02	-13.357	695	10.69	-4.037	745	11.34	11.785	795	11.94	16.109
646	10.03	-7.982	696	10.70	-8.788	746	11.35	7.659	796	11.96	12.357
647	10.05	1.641	697	10.71	-13.788	747	11.36	3.908	797	11.97	9.231
648	10.06	10.140	698	10.72	-17.414	748	11.37	-5.593	798	11.98	3.481
649	10.07	15.139	699	10.73	-21.415	749	11.38	-10.469	799	11.99	-1.645
650	10.08	24.513	700	10.75	-25.041	750	11.39	-14.220	800	12.00	-5.646

INDEX NO. 791 1302-PI-12 CHIYODA BRIDGE LG. MAX.ACCEL.= -60.441(GAL) T=12.53(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	12.01	-14.522	851	12.70	12.422	901	13.45	3.485	951	14.13	18.804
802	12.02	-17.773	852	12.71	15.546	902	13.47	5.983	952	14.15	15.678
803	12.04	-20.649	853	12.72	17.545	903	13.48	6.982	953	14.16	11.926
804	12.05	-23.901	854	12.74	19.168	904	13.50	8.106	954	14.17	9.051
805	12.06	-25.401	855	12.76	21.042	905	13.51	6.730	955	14.18	0.050
806	12.08	-26.028	856	12.78	22.540	906	13.53	3.979	956	14.19	-7.826
807	12.10	-24.155	857	12.80	23.163	907	13.54	1.853	957	14.20	-11.952
808	12.12	-19.906	858	12.82	22.662	908	13.55	0.102	958	14.21	-16.703
809	12.13	-15.407	859	12.83	20.410	909	13.56	-1.399	959	14.22	-19.579
810	12.15	-11.283	860	12.84	17.034	910	13.57	-3.650	960	14.23	-22.330
811	12.18	-3.411	861	12.85	13.909	911	13.59	-4.276	961	14.25	-25.081
812	12.20	1.212	862	12.87	8.158	912	13.60	-4.277	962	14.26	-26.207
813	12.22	5.211	863	12.88	-1.094	913	13.61	-3.654	963	14.28	-25.708
814	12.25	8.083	864	12.90	-8.095	914	13.63	-3.030	964	14.29	-23.459
815	12.26	9.082	865	12.91	-11.846	915	13.65	-1.782	965	14.30	-19.460
816	12.28	13.081	866	12.92	-15.972	916	13.66	-2.658	966	14.31	-16.960
817	12.29	16.705	867	12.93	-19.673	917	13.68	-4.284	967	14.32	-11.462
818	12.30	24.579	868	12.95	-21.974	918	13.70	-5.160	968	14.34	-6.963
819	12.32	32.577	869	12.97	-25.475	919	13.72	-6.787	969	14.35	-2.589
820	12.33	37.576	870	12.99	-27.478	920	13.74	-7.039	970	14.36	-1.214
821	12.34	39.576	871	13.01	-26.479	921	13.76	-7.541	971	14.37	2.535
822	12.35	40.825	872	13.02	-23.605	922	13.78	-8.417	972	14.39	5.908
823	12.36	42.449	873	13.03	-21.481	923	13.79	-11.919	973	14.40	8.282
824	12.37	42.323	874	13.04	-17.731	924	13.81	-14.670	974	14.42	9.156
825	12.39	40.572	875	13.05	-13.232	925	13.83	-17.921	975	14.43	11.030
826	12.40	38.071	876	13.06	-4.733	926	13.84	-20.422	976	14.45	15.778
827	12.41	26.320	877	13.08	4.515	927	13.86	-22.924	977	14.47	19.026
828	12.42	10.319	878	13.09	9.015	928	13.87	-23.425	978	14.49	23.650
829	12.43	-0.681	879	13.10	13.013	929	13.88	-22.175	979	14.50	24.149
830	12.44	-11.632	880	13.11	14.633	930	13.89	-20.051	980	14.51	26.023
831	12.46	-24.184	881	13.12	15.637	931	13.90	-17.552	981	14.52	24.522
832	12.47	-39.810	882	13.14	14.635	932	13.91	-14.553	982	14.53	21.021
833	12.49	-49.937	883	13.15	12.134	933	13.93	-9.554	983	14.54	15.021
834	12.50	-55.938	884	13.18	7.757	934	13.94	-7.555	984	14.57	8.018
835	12.52	-59.439	885	13.20	4.380	935	13.95	-6.931	985	14.58	0.393
836	12.53	-60.441	886	13.23	0.878	936	13.96	-6.932	986	14.59	-12.234
837	12.55	-58.192	887	13.25	-1.749	937	13.97	-7.558	987	14.60	-18.359
838	12.56	-56.069	888	13.27	-2.375	938	13.99	-9.060	988	14.61	-22.735
839	12.57	-52.569	889	13.28	-1.501	939	14.01	-11.312	989	14.62	-26.861
840	12.58	-47.944	890	13.29	-0.502	940	14.02	-10.437	990	14.63	-29.362
841	12.60	-41.570	891	13.31	0.746	941	14.03	-9.188	991	14.64	-34.238
842	12.61	-36.571	892	13.32	0.995	942	14.04	-5.063	992	14.66	-37.364
843	12.62	-30.322	893	13.34	0.494	943	14.05	-1.689	993	14.67	-35.490
844	12.63	-24.698	894	13.36	-1.133	944	14.06	2.810	994	14.68	-31.741
845	12.64	-19.574	895	13.38	-2.010	945	14.07	9.559	995	14.69	-21.617
846	12.65	-15.074	896	13.39	-3.010	946	14.08	11.683	996	14.70	-13.993
847	12.66	-4.951	897	13.41	-2.387	947	14.09	15.433	997	14.71	-7.618
848	12.67	0.576	898	13.42	-1.512	948	14.10	18.057	998	14.72	5.256
849	12.68	4.796	899	13.43	0.111	949	14.11	20.306	999	14.73	12.630
850	12.69	9.672	900	13.44	1.610	950	14.12	20.680	1000	14.74	15.129

INDEX NO. 791 1302-PI-12 CHIYODA BRIDGE LG. MAX.ACCEL.= -60.441(GAL) T=12.53(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	14.75	16.379	1051	15.36	9.704	1101	15.89	8.786	1151	16.52	9.984
1002	14.76	21.128	1052	15.37	17.703	1102	15.90	5.669	1152	16.53	3.484
1003	14.77	22.377	1053	15.38	25.577	1103	15.91	1.033	1153	16.54	-3.517
1004	14.79	23.250	1054	15.39	29.762	1104	15.93	-3.466	1154	16.57	-0.394
1005	14.80	22.875	1055	15.40	34.200	1105	15.95	-8.968	1155	16.60	-16.273
1006	14.81	19.749	1056	15.41	35.575	1106	15.96	-17.469	1156	16.64	-17.150
1007	14.82	17.248	1057	15.42	39.949	1107	15.97	-23.595	1157	16.65	-13.276
1008	14.83	13.747	1058	15.43	40.198	1108	15.98	-27.346	1158	16.66	-10.402
1009	14.85	10.621	1059	15.44	36.198	1109	15.99	-29.222	1159	16.68	-7.779
1010	14.86	8.745	1060	15.45	31.072	1110	16.01	-31.099	1160	16.70	-9.031
1011	14.87	7.994	1061	15.46	26.071	1111	16.02	-28.349	1161	16.72	-9.907
1012	14.89	6.367	1062	15.47	16.570	1112	16.03	-24.600	1162	16.77	-14.286
1013	14.90	6.366	1063	15.48	8.695	1113	16.04	-14.101	1163	16.78	-14.287
1014	14.92	6.990	1064	15.49	-9.181	1114	16.05	-5.226	1164	16.80	-13.164
1015	14.94	7.863	1065	15.50	-18.432	1115	16.06	7.397	1165	16.82	-6.540
1016	14.96	8.612	1066	15.51	-22.433	1116	16.07	14.397	1166	16.83	3.834
1017	14.98	9.110	1067	15.52	-27.934	1117	16.08	25.896	1167	16.84	9.958
1018	14.99	7.359	1068	15.54	-30.686	1118	16.09	29.020	1168	16.85	12.082
1019	15.00	3.608	1069	15.56	-33.052	1119	16.10	31.144	1169	16.86	15.956
1020	15.01	0.733	1070	15.57	-35.813	1120	16.12	33.143	1170	16.87	16.330
1021	15.02	-3.769	1071	15.58	-36.189	1121	16.13	31.017	1171	16.89	15.079
1022	15.03	-8.269	1072	15.59	-34.565	1122	16.14	24.016	1172	16.90	9.828
1023	15.04	-23.770	1073	15.60	-32.815	1123	16.15	20.015	1173	16.91	4.327
1024	15.05	-27.521	1074	15.61	-29.691	1124	16.16	16.889	1174	16.92	-5.799
1025	15.06	-38.647	1075	15.62	-16.692	1125	16.17	13.264	1175	16.93	-15.300
1026	15.07	-41.898	1076	15.63	-13.443	1126	16.18	4.387	1176	16.94	-24.301
1027	15.08	-45.649	1077	15.64	-6.193	1127	16.19	1.637	1177	16.95	-27.426
1028	15.09	-48.899	1078	15.65	12.181	1128	16.20	-8.364	1178	16.96	-42.303
1029	15.10	-50.151	1079	15.66	19.180	1129	16.22	-12.365	1179	16.97	-45.178
1030	15.11	-49.776	1080	15.67	23.304	1130	16.25	-26.743	1180	16.98	-52.804
1031	15.12	-47.402	1081	15.68	24.679	1131	16.27	-30.745	1181	17.00	-54.656
1032	15.13	-43.652	1082	15.69	28.178	1132	16.28	-35.871	1182	17.01	-53.932
1033	15.14	-35.278	1083	15.70	26.927	1133	16.30	-38.748	1183	17.02	-48.307
1034	15.15	-29.029	1084	15.71	24.051	1134	16.32	-37.499	1184	17.03	-41.308
1035	15.16	-20.155	1085	15.72	20.925	1135	16.33	-35.000	1185	17.04	-37.683
1036	15.17	-14.030	1086	15.73	16.549	1136	16.34	-27.876	1186	17.05	-25.684
1037	15.18	2.469	1087	15.74	11.173	1137	16.35	-16.501	1187	17.06	-22.435
1038	15.19	10.093	1088	15.75	6.673	1138	16.36	-6.252	1188	17.07	-9.811
1039	15.20	13.217	1089	15.76	4.172	1139	16.37	1.997	1189	17.08	-6.562
1040	15.21	16.717	1090	15.77	-0.703	1140	16.38	7.371	1190	17.09	5.062
1041	15.22	18.590	1091	15.78	-3.204	1141	16.39	10.246	1191	17.10	13.312
1042	15.23	22.339	1092	15.79	-4.455	1142	16.40	16.994	1192	17.11	19.685
1043	15.25	21.963	1093	15.80	-4.706	1143	16.41	18.868	1193	17.13	25.434
1044	15.26	20.088	1094	15.81	-1.957	1144	16.42	20.993	1194	17.14	27.308
1045	15.27	15.587	1095	15.82	1.792	1145	16.44	22.366	1195	17.15	26.432
1046	15.28	11.836	1096	15.83	7.041	1146	16.45	22.740	1196	17.16	22.682
1047	15.30	5.460	1097	15.84	9.041	1147	16.46	19.989	1197	17.17	19.556
1048	15.32	1.083	1098	15.85	11.290	1148	16.48	17.113	1198	17.18	15.680
1049	15.34	3.831	1099	15.86	12.164	1149	16.50	13.611	1199	17.19	9.429
1050	15.35	6.330	1100	15.87	12.288	1150	16.51	8.611	1200	17.20	6.804

INDEX NO. 791 1302-PI-12 CHIYODA BRIDGE LG. MAX.ACCEL.= -60.441(GAL) T=12.53(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	17.21	0.928	1251	17.77	-19.993	1301	18.33	-20.789	1351	18.95	-7.965
1202	17.22	-7.074	1252	17.78	-15.869	1302	18.34	-22.415	1352	18.96	-11.091
1203	17.24	-8.450	1253	17.79	-12.745	1303	18.35	-22.166	1353	18.97	-14.217
1204	17.25	-7.576	1254	17.80	-9.621	1304	18.36	-19.917	1354	18.98	-17.468
1205	17.26	-5.077	1255	17.81	-5.372	1305	18.37	-13.043	1355	18.99	-20.844
1206	17.28	-1.328	1256	17.82	0.378	1306	18.38	-8.668	1356	19.00	-23.345
1207	17.29	0.671	1257	17.83	6.876	1307	18.39	-3.919	1357	19.01	-25.720
1208	17.30	1.670	1258	17.84	9.251	1308	18.40	0.580	1358	19.02	-28.472
1209	17.31	3.794	1259	17.85	10.750	1309	18.41	7.204	1359	19.03	-30.097
1210	17.32	3.168	1260	17.86	12.624	1310	18.42	16.828	1360	19.04	-32.973
1211	17.33	2.043	1261	17.88	13.623	1311	18.43	24.452	1361	19.05	-33.349
1212	17.34	-0.834	1262	17.89	14.247	1312	18.44	25.951	1362	19.07	-30.850
1213	17.35	-5.459	1263	17.91	14.245	1313	18.45	28.450	1363	19.08	-25.802
1214	17.36	-8.710	1264	17.92	15.494	1314	18.46	30.950	1364	19.09	-22.353
1215	17.37	-10.961	1265	17.93	17.743	1315	18.47	32.073	1365	19.10	-19.228
1216	17.38	-13.461	1266	17.94	18.993	1316	18.49	31.447	1366	19.11	-16.979
1217	17.39	-16.087	1267	17.95	21.242	1317	18.50	28.321	1367	19.12	-15.355
1218	17.40	-16.089	1268	17.96	21.241	1318	18.51	23.820	1368	19.13	-13.481
1219	17.41	-14.839	1269	17.98	19.740	1319	18.52	20.695	1369	19.14	-12.232
1220	17.42	-11.714	1270	17.99	16.239	1320	18.53	19.194	1370	19.17	-10.358
1221	17.43	-4.715	1271	18.01	8.737	1321	18.54	15.568	1371	19.18	-9.734
1222	17.44	3.534	1272	18.02	2.111	1322	18.55	13.442	1372	19.20	-8.736
1223	17.45	10.782	1273	18.03	-1.765	1323	18.56	11.192	1373	19.22	-4.613
1224	17.46	18.157	1274	18.04	-7.891	1324	18.58	9.940	1374	19.23	-1.488
1225	17.47	30.156	1275	18.05	-10.641	1325	18.59	9.939	1375	19.24	3.385
1226	17.48	34.030	1276	18.06	-20.518	1326	18.60	10.814	1376	19.25	6.134
1227	17.49	42.904	1277	18.07	-25.018	1327	18.61	10.812	1377	19.26	9.759
1228	17.50	45.403	1278	18.08	-30.644	1328	18.62	11.436	1378	19.27	11.008
1229	17.51	46.902	1279	18.09	-33.895	1329	18.63	11.436	1379	19.28	14.382
1230	17.52	49.276	1280	18.10	-36.646	1330	18.65	10.309	1380	19.29	15.756
1231	17.53	49.901	1281	18.11	-38.521	1331	18.66	9.933	1381	19.30	15.880
1232	17.54	46.525	1282	18.12	-38.897	1332	18.68	9.682	1382	19.31	15.254
1233	17.55	38.274	1283	18.13	-38.523	1333	18.69	10.556	1383	19.32	12.129
1234	17.56	34.524	1284	18.14	-34.524	1334	18.71	9.929	1384	19.33	9.002
1235	17.57	25.648	1285	18.15	-26.400	1335	18.72	10.803	1385	19.34	5.752
1236	17.58	14.147	1286	18.16	-19.775	1336	18.74	11.427	1386	19.35	2.251
1237	17.59	9.397	1287	18.17	-15.276	1337	18.75	12.050	1387	19.36	-3.500
1238	17.60	-6.730	1288	18.18	-5.402	1338	18.78	13.048	1388	19.37	-6.625
1239	17.61	16.730	1289	18.19	5.597	1339	18.79	13.922	1389	19.38	-8.626
1240	17.62	26.481	1290	18.20	9.846	1340	18.81	15.796	1390	19.39	-9.877
1241	17.63	30.607	1291	18.21	14.470	1341	18.82	16.420	1391	19.40	-10.503
1242	17.65	32.858	1292	18.22	15.594	1342	18.83	15.544	1392	19.41	-10.503
1243	17.66	36.609	1293	18.23	15.844	1343	18.85	14.043	1393	19.42	-6.504
1244	17.68	39.112	1294	18.24	14.718	1344	18.86	12.167	1394	19.43	-1.744
1245	17.69	38.237	1295	18.25	10.967	1345	18.88	7.291	1395	19.44	12.494
1246	17.71	35.489	1296	18.26	5.466	1346	18.89	5.415	1396	19.45	18.243
1247	17.72	31.990	1297	18.27	-4.285	1347	18.90	3.289	1397	19.46	23.992
1248	17.73	28.615	1298	18.29	-8.786	1348	18.91	1.663	1398	19.47	25.866
1249	17.75	25.742	1299	18.30	-15.412	1349	18.93	-1.214	1399	19.48	30.240
1250	17.76	22.493	1300	18.32	-18.038	1350	18.94	-4.340	1400	19.49	31.614

土木構造物における加速度強震記録（No.9）

INDEX NO. 791 1302-PI-12 CHIYODA BRIDGE LG. MAX.ACCEL.= -60.441(GAL) T=12.53(SEC) NO. 8

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1401	19.50	33.239	1451	20.23	9.429	1501	20.94	-30.504	1551	21.57	-29.807
1402	19.51	31.987	1452	20.25	8.177	1502	20.95	-31.505	1552	21.58	-25.182
1403	19.53	28.862	1453	20.26	7.551	1503	20.97	-31.882	1553	21.59	-18.809
1404	19.56	24.234	1454	20.28	6.549	1504	21.00	-32.509	1554	21.60	-16.184
1405	19.57	17.483	1455	20.30	4.423	1505	21.01	-31.010	1555	21.61	-9.935
1406	19.58	15.232	1456	20.32	3.171	1506	21.02	-29.136	1556	21.62	-7.561
1407	19.59	12.982	1457	20.34	1.295	1507	21.03	-26.637	1557	21.63	-5.437
1408	19.60	7.231	1458	20.36	-1.957	1508	21.04	-23.387	1558	21.64	-4.438
1409	19.61	4.165	1459	20.37	-2.957	1509	21.05	-20.638	1559	21.67	-3.190
1410	19.62	1.979	1460	20.38	-3.208	1510	21.07	-13.614	1560	21.69	-2.942
1411	19.63	0.353	1461	20.40	-1.085	1511	21.08	-7.890	1561	21.70	-2.568
1412	19.66	-2.274	1462	20.41	0.789	1512	21.09	2.609	1562	21.71	-1.068
1413	19.68	-4.151	1463	20.42	2.663	1513	21.10	7.983	1563	21.72	1.306
1414	19.70	-6.652	1464	20.43	3.537	1514	21.11	12.732	1564	21.73	4.430
1415	19.71	-8.654	1465	20.45	3.286	1515	21.13	15.231	1565	21.74	6.555
1416	19.73	-14.280	1466	20.47	1.784	1516	21.15	18.104	1566	21.75	9.804
1417	19.75	-21.532	1467	20.48	0.783	1517	21.16	19.978	1567	21.76	16.552
1418	19.76	-25.783	1468	20.50	-0.468	1518	21.17	19.476	1568	21.77	18.676
1419	19.78	-32.160	1469	20.52	-2.345	1519	21.19	17.850	1569	21.78	20.301
1420	19.80	-35.536	1470	20.53	-2.596	1520	21.21	15.724	1570	21.80	19.049
1421	19.81	-39.662	1471	20.56	-2.973	1521	21.23	14.721	1571	21.81	18.046
1422	19.82	-41.663	1472	20.57	-2.349	1522	21.26	14.470	1572	21.82	15.298
1423	19.84	-43.914	1473	20.58	-0.850	1523	21.27	14.719	1573	21.83	9.422
1424	19.85	-44.165	1474	20.59	2.024	1524	21.28	17.218	1574	21.84	5.546
1425	19.86	-41.042	1475	20.60	5.399	1525	21.29	19.716	1575	21.85	-1.205
1426	19.87	-37.042	1476	20.61	8.398	1526	21.30	23.591	1576	21.86	-5.031
1427	19.89	-33.543	1477	20.62	12.397	1527	21.31	30.090	1577	21.88	-9.082
1428	19.90	-30.044	1478	20.63	18.771	1528	21.32	35.839	1578	21.89	-11.583
1429	19.91	-26.296	1479	20.64	22.270	1529	21.34	39.838	1579	21.91	-14.710
1430	19.92	-21.421	1480	20.65	24.269	1530	21.35	41.962	1580	21.93	-17.087
1431	19.93	-16.422	1481	20.66	26.394	1531	21.36	43.836	1581	21.95	-19.588
1432	19.94	-13.172	1482	20.67	28.018	1532	21.37	43.210	1582	21.96	-20.839
1433	19.95	-8.798	1483	20.69	27.766	1533	21.38	40.959	1583	21.97	-20.840
1434	19.96	-5.299	1484	20.70	25.265	1534	21.39	35.458	1584	21.99	-20.592
1435	19.97	4.825	1485	20.71	22.390	1535	21.41	28.707	1585	22.01	-19.968
1436	19.98	7.324	1486	20.73	19.263	1536	21.42	16.706	1586	22.03	-19.595
1437	19.99	11.823	1487	20.74	13.512	1537	21.43	5.080	1587	22.04	-17.096
1438	20.00	16.322	1488	20.75	8.512	1538	21.44	-1.171	1588	22.05	-13.097
1439	20.02	16.696	1489	20.77	-0.490	1539	21.45	-12.797	1589	22.06	-8.972
1440	20.05	15.818	1490	20.78	-7.616	1540	21.46	-19.173	1590	22.07	-5.473
1441	20.06	12.692	1491	20.79	-11.242	1541	21.47	-32.549	1591	22.08	-0.724
1442	20.08	9.566	1492	20.80	-13.743	1542	21.48	-36.674	1592	22.10	2.774
1443	20.11	6.939	1493	20.82	-15.244	1543	21.49	-39.175	1593	22.12	5.023
1444	20.13	5.312	1494	20.83	-15.995	1544	21.50	-43.301	1594	22.14	5.896
1445	20.15	4.310	1495	20.84	-16.371	1545	21.51	-46.177	1595	22.15	7.645
1446	20.17	4.684	1496	20.86	-18.873	1546	21.52	-47.803	1596	22.16	9.520
1447	20.18	6.558	1497	20.88	-21.374	1547	21.53	-47.304	1597	22.17	12.269
1448	20.20	8.431	1498	20.89	-23.500	1548	21.54	-45.680	1598	22.18	14.768
1449	20.21	9.681	1499	20.90	-25.876	1549	21.55	-42.305	1599	22.19	19.892
1450	20.22	10.305	1500	20.92	-29.252	1550	21.56	-36.806	1600	22.20	22.391

INDEX NO. 791 1302-PI-12 CHIYODA BRIDGE LG. MAX.ACCEL.= -60.441(GAL) T=12.53(SEC) NO. 9

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1601	22.21	25.390	1651	22.99	-5.175	1701	23.70	-32.482	1751	24.41	15.086
1602	22.22	27.514	1652	23.00	-2.676	1702	23.72	-28.484	1752	24.43	5.334
1603	22.23	28.763	1653	23.02	-1.177	1703	23.74	-24.985	1753	24.44	1.208
1604	22.25	30.387	1654	23.03	0.572	1704	23.75	-20.486	1754	24.45	-5.418
1605	22.26	30.386	1655	23.05	1.821	1705	23.76	-15.987	1755	24.46	-7.918
1606	22.27	30.385	1656	23.07	3.069	1706	23.78	-10.363	1756	24.47	-13.044
1607	22.29	28.258	1657	23.08	4.318	1707	23.79	-5.239	1757	24.49	-16.671
1608	22.31	25.132	1658	23.09	6.442	1708	23.80	-2.115	1758	24.51	-17.548
1609	22.32	22.881	1659	23.11	7.566	1709	23.82	5.759	1759	24.54	-17.049
1610	22.33	18.505	1660	23.12	6.315	1710	23.83	9.382	1760	24.55	-15.175
1611	22.35	13.128	1661	23.14	5.438	1711	23.84	13.757	1761	24.56	-12.301
1612	22.37	9.377	1662	23.16	2.937	1712	23.85	15.756	1762	24.57	-9.801
1613	22.38	5.501	1663	23.17	1.061	1713	23.86	17.630	1763	24.58	-4.678
1614	22.40	1.374	1664	23.18	-0.439	1714	23.88	18.003	1764	24.59	-2.178
1615	22.41	-0.627	1665	23.20	-1.941	1715	23.90	18.002	1765	24.60	3.570
1616	22.43	-1.503	1666	23.22	0.182	1716	23.91	19.126	1766	24.61	6.070
1617	22.44	-2.754	1667	23.23	1.181	1717	23.92	20.375	1767	24.62	6.694
1618	22.46	-4.631	1668	23.25	2.430	1718	23.94	21.374	1768	24.63	7.693
1619	22.47	-6.882	1669	23.27	2.178	1719	23.96	21.372	1769	24.64	6.568
1620	22.48	-5.882	1670	23.28	2.177	1720	23.97	19.498	1770	24.65	3.692
1621	22.50	-8.259	1671	23.30	3.050	1721	23.98	16.745	1771	24.66	1.566
1622	22.52	-7.385	1672	23.32	4.549	1722	24.00	13.619	1772	24.67	-6.435
1623	22.53	-5.138	1673	23.34	6.797	1723	24.01	10.493	1773	24.68	-9.311
1624	22.54	-3.262	1674	23.35	9.671	1724	24.04	6.806	1774	24.69	-14.937
1625	22.55	-0.763	1675	23.37	12.545	1725	24.05	4.343	1775	24.70	-20.438
1626	22.56	1.236	1676	23.38	15.419	1726	24.07	0.988	1776	24.71	-22.564
1627	22.57	2.735	1677	23.40	16.917	1727	24.08	-0.388	1777	24.73	-24.940
1628	22.58	4.985	1678	23.41	20.791	1728	24.10	-0.764	1778	24.74	-26.190
1629	22.59	4.984	1679	23.42	22.916	1729	24.12	-1.016	1779	24.75	-24.941
1630	22.61	3.732	1680	23.43	24.665	1730	24.13	-1.391	1780	24.76	-22.442
1631	22.63	2.480	1681	23.45	25.538	1731	24.14	+2.892	1781	24.77	-19.318
1632	22.65	0.979	1682	23.46	26.787	1732	24.15	+4.144	1782	24.78	-15.319
1633	22.68	-1.899	1683	23.48	26.786	1733	24.16	+6.395	1783	24.79	-9.570
1634	22.69	-4.400	1684	23.49	25.285	1734	24.19	+7.648	1784	24.80	-4.070
1635	22.70	-5.901	1685	23.50	23.159	1735	24.20	+7.647	1785	24.81	-1.321
1636	22.72	-6.902	1686	23.51	20.283	1736	24.23	+5.149	1786	24.82	0.053
1637	22.74	-6.903	1687	23.52	16.907	1737	24.24	+2.400	1787	24.84	1.302
1638	22.76	-6.908	1688	23.53	13.281	1738	24.25	1.349	1788	24.86	-0.450
1639	22.78	-6.907	1689	23.54	8.906	1739	24.26	7.723	1789	24.87	-3.576
1640	22.79	-5.658	1690	23.55	1.656	1740	24.27	10.847	1790	24.89	-5.827
1641	22.81	-5.659	1691	23.56	-3.471	1741	24.28	16.596	1791	24.90	-7.953
1642	22.83	-8.286	1692	23.57	-7.221	1742	24.29	19.720	1792	24.91	-9.704
1643	22.84	-9.787	1693	23.58	-12.097	1743	24.30	22.844	1793	24.92	-7.205
1644	22.86	-12.039	1694	23.59	-16.598	1744	24.31	25.219	1794	24.94	-5.082
1645	22.88	-14.791	1695	23.60	-21.224	1745	24.32	28.968	1795	24.95	-1.998
1646	22.91	-17.168	1696	23.61	-25.100	1746	24.34	30.841	1796	24.96	1.292
1647	22.92	-16.919	1697	23.63	-29.852	1747	24.35	29.590	1797	24.97	4.616
1648	22.95	-16.296	1698	23.65	-33.728	1748	24.37	27.714	1798	24.98	6.665
1649	22.97	-13.173	1699	23.66	-34.354	1749	24.39	24.338	1799	24.99	9.290
1650	22.98	-10.048	1700	23.68	-34.606	1750	24.40	19.587	1800	25.01	11.413

INDEX NO. 791 1302-PI-12 CHIYODA BRIDGE LG. MAX.ACCEL.= -60.441(GAL) T=12.53(SEC) NO.10

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1801	25.02	11.162	1851	25.73	24.194	1901	26.44	15.796	1951	27.14	31.363
1802	25.03	10.286	1852	25.76	26.602	1902	26.45	18.659	1952	27.15	27.612
1803	25.05	8.409	1853	25.77	26.725	1903	26.47	19.293	1953	27.16	23.611
1804	25.07	5.283	1854	25.80	24.223	1904	26.48	17.417	1954	27.17	18.736
1805	25.09	2.156	1855	25.81	21.722	1905	26.49	14.916	1955	27.18	10.484
1806	25.11	-2.096	1856	25.82	19.847	1906	26.50	13.040	1956	27.19	6.359
1807	25.14	-5.473	1857	25.85	16.969	1907	26.52	10.914	1957	27.20	-3.317
1808	25.15	-10.349	1858	25.88	12.842	1908	26.54	9.662	1958	27.21	-7.803
1809	25.17	-13.475	1859	25.89	9.966	1909	26.55	8.512	1959	27.23	-13.019
1810	25.19	-14.852	1860	25.91	5.714	1910	26.57	4.785	1960	27.24	-16.896
1811	25.21	-12.354	1861	25.93	3.337	1911	26.59	-1.591	1961	27.26	-18.397
1812	25.22	-10.230	1862	25.95	0.211	1912	26.60	-5.593	1962	27.28	-16.899
1813	25.23	-7.230	1863	25.97	-2.416	1913	26.61	-8.844	1963	27.30	-14.400
1814	25.25	-1.357	1864	25.98	-2.792	1914	26.63	-11.345	1964	27.31	-11.901
1815	25.26	5.017	1865	26.00	-3.168	1915	26.64	-13.221	1965	27.32	-10.027
1816	25.27	7.391	1866	26.02	-2.795	1916	26.66	-16.098	1966	27.34	-8.028
1817	25.28	12.641	1867	26.04	-3.672	1917	26.68	-17.099	1967	27.36	-6.780
1818	25.29	15.890	1868	26.05	-5.548	1918	26.69	-17.476	1968	27.39	-7.033
1819	25.30	20.639	1869	26.06	-7.799	1919	26.70	-15.601	1969	27.41	-7.034
1820	25.32	23.262	1870	26.07	-10.424	1920	26.72	-13.103	1970	27.44	-6.036
1821	25.33	22.636	1871	26.09	-12.551	1921	26.74	-9.979	1971	27.45	-9.913
1822	25.35	21.135	1872	26.10	-13.802	1922	26.75	-5.855	1972	27.47	-10.539
1823	25.36	19.509	1873	26.12	-13.928	1923	26.76	-3.606	1973	27.50	-8.666
1824	25.38	17.632	1874	26.13	-13.679	1924	26.77	1.143	1974	27.51	-7.417
1825	25.39	15.757	1875	26.14	-12.180	1925	26.78	3.392	1975	27.53	-4.919
1826	25.41	12.505	1876	26.15	-9.930	1926	26.79	5.516	1976	27.55	-2.421
1827	25.42	7.129	1877	26.16	-6.681	1927	26.80	7.265	1977	27.56	0.203
1828	25.43	2.753	1878	26.17	0.568	1928	26.81	8.140	1978	27.59	2.326
1829	25.44	-4.623	1879	26.18	6.817	1929	26.85	9.137	1979	27.60	3.325
1830	25.45	-7.749	1880	26.19	10.066	1930	26.86	11.261	1980	27.61	3.325
1831	25.46	-14.374	1881	26.20	11.941	1931	26.87	13.510	1981	27.62	1.198
1832	25.47	-17.375	1882	26.21	14.440	1932	26.88	14.759	1982	27.64	-0.678
1833	25.48	-19.251	1883	26.22	16.439	1933	26.89	17.383	1983	27.66	-3.804
1834	25.49	-22.377	1884	26.23	17.188	1934	26.91	19.882	1984	27.67	-6.305
1835	25.50	-24.377	1885	26.25	14.686	1935	26.92	21.130	1985	27.68	-7.932
1836	25.51	-25.879	1886	26.26	12.185	1936	26.93	22.005	1986	27.71	-10.184
1837	25.53	-26.005	1887	26.27	8.434	1937	26.94	21.504	1987	27.74	-9.311
1838	25.55	-25.007	1888	26.28	1.433	1938	26.96	20.253	1988	27.75	-8.437
1839	25.57	-23.133	1889	26.29	-3.067	1939	26.98	18.378	1989	27.77	-6.813
1840	25.58	-21.009	1890	26.31	-5.569	1940	27.00	16.499	1990	27.78	-6.189
1841	25.60	-17.885	1891	26.32	-8.820	1941	27.02	15.498	1991	27.80	-2.941
1842	25.61	-14.012	1892	26.33	-10.446	1942	27.04	16.996	1992	27.81	-0.192
1843	25.63	-8.263	1893	26.35	-11.322	1943	27.05	19.245	1993	27.82	3.308
1844	25.65	-5.764	1894	26.36	-11.073	1944	27.06	23.369	1994	27.83	7.182
1845	25.66	-2.640	1895	26.38	-8.574	1945	27.07	26.868	1995	27.84	10.306
1846	25.67	1.234	1896	26.39	-6.700	1946	27.08	29.618	1996	27.85	13.430
1847	25.68	6.233	1897	26.40	-1.077	1947	27.09	32.617	1997	27.86	18.804
1848	25.69	14.232	1898	26.41	3.047	1948	27.10	34.491	1998	27.89	20.052
1849	25.71	16.856	1899	26.42	10.672	1949	27.11	35.490	1999	27.90	18.551
1850	25.72	19.355	1900	26.43	13.796	1950	27.13	34.239	2000	27.91	14.550

INDEX NO. 791 1302-PI-12 CHIYODA BRIDGE LG. MAX.ACCEL.= -60.441(GAL) T=12.53(SEC) NO.11

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2001	27.92	12.049	2051	28.57	-32.880	2101	29.36	-31.694	2151	30.06	-3.128
2002	27.93	9.174	2052	28.59	-30.131	2102	29.38	-4.946	2152	30.08	1.073
2003	27.94	5.673	2053	28.61	-27.257	2103	29.39	-4.697	2153	30.09	7.246
2004	27.95	-1.078	2054	28.63	-24.385	2104	29.40	-4.322	2154	30.11	10.119
2005	27.96	-3.579	2055	28.65	-21.261	2105	29.41	-3.448	2155	30.13	12.243
2006	27.97	-6.329	2056	28.66	-16.762	2106	29.42	-2.449	2156	30.14	14.867
2007	27.98	-8.206	2057	28.67	-12.388	2107	29.44	-1.826	2157	30.15	17.117
2008	28.00	-9.332	2058	28.70	-4.390	2108	29.45	-1.202	2158	30.16	18.616
2009	28.01	-10.833	2059	28.71	2.859	2109	29.47	-0.953	2159	30.18	18.739
2010	28.03	-11.834	2060	28.73	7.108	2110	29.49	-0.955	2160	30.20	14.612
2011	28.04	-12.460	2061	28.74	10.857	2111	29.50	0.669	2161	30.21	11.486
2012	28.05	-14.336	2062	28.75	16.856	2112	29.52	3.168	2162	30.23	8.110
2013	28.06	-16.587	2063	28.77	19.354	2113	29.53	5.042	2163	30.24	5.109
2014	28.08	-18.214	2064	28.79	21.228	2114	29.54	7.292	2164	30.25	1.734
2015	28.09	-20.340	2065	28.80	21.227	2115	29.55	8.540	2165	30.26	-2.518
2016	28.10	-21.591	2066	28.83	21.224	2116	29.57	9.539	2166	30.28	-5.019
2017	28.12	-21.967	2067	28.84	20.723	2117	29.60	11.412	2167	30.29	-8.145
2018	28.14	-22.594	2068	28.87	19.721	2118	29.61	12.910	2168	30.30	-10.396
2019	28.16	-20.720	2069	28.89	19.970	2119	29.62	15.285	2169	30.32	-12.023
2020	28.17	-18.846	2070	28.92	20.592	2120	29.63	18.659	2170	30.33	-12.898
2021	28.18	-15.722	2071	28.94	20.985	2121	29.64	20.533	2171	30.34	-9.274
2022	28.19	-11.973	2072	28.95	20.714	2122	29.65	23.782	2172	30.35	-4.525
2023	28.20	-8.724	2073	28.97	18.837	2123	29.66	25.657	2173	30.36	-0.401
2024	28.21	-5.350	2074	28.99	15.086	2124	29.68	27.530	2174	30.37	6.223
2025	28.22	-1.226	2075	29.01	9.709	2125	29.69	30.779	2175	30.38	10.347
2026	28.24	2.648	2076	29.03	6.208	2126	29.70	31.778	2176	30.40	15.471
2027	28.25	6.397	2077	29.04	-5.169	2127	29.73	28.401	2177	30.41	19.595
2028	28.26	15.396	2078	29.05	-9.419	2128	29.74	25.275	2178	30.42	27.844
2029	28.27	19.396	2079	29.06	-13.170	2129	29.75	18.274	2179	30.43	32.593
2030	28.28	23.020	2080	29.07	-17.045	2130	29.76	13.774	2180	30.44	33.842
2031	28.29	30.019	2081	29.08	-24.922	2131	29.77	8.398	2181	30.46	34.591
2032	28.30	39.517	2082	29.09	-30.548	2132	29.78	4.522	2182	30.48	28.589
2033	28.31	41.392	2083	29.11	-34.424	2133	29.79	-4.979	2183	30.51	21.337
2034	28.32	43.266	2084	29.13	-36.300	2134	29.81	-8.356	2184	30.52	16.586
2035	28.33	45.140	2085	29.14	-35.427	2135	29.82	-12.232	2185	30.53	11.460
2036	28.35	42.639	2086	29.16	-32.053	2136	29.83	-14.107	2186	30.55	7.459
2037	28.36	39.513	2087	29.17	-24.679	2137	29.84	-15.733	2187	30.56	4.832
2038	28.37	36.137	2088	29.18	-19.679	2138	29.86	-17.360	2188	30.58	1.081
2039	28.38	32.386	2089	29.19	-10.555	2139	29.87	-14.611	2189	30.59	-1.920
2040	28.39	18.011	2090	29.21	-5.432	2140	29.88	-10.862	2190	30.61	-5.672
2041	28.40	12.885	2091	29.22	5.942	2141	29.89	-8.237	2191	30.62	-9.547
2042	28.41	7.884	2092	29.23	8.566	2142	29.90	-3.238	2192	30.64	-12.299
2043	28.42	-2.992	2093	29.25	11.693	2143	29.92	0.260	2193	30.65	-14.800
2044	28.43	-6.993	2094	29.27	12.689	2144	29.93	2.135	2194	30.66	-16.801
2045	28.44	-12.119	2095	29.28	11.187	2145	29.95	4.008	2195	30.68	-16.053
2046	28.46	-15.620	2096	29.29	8.062	2146	29.97	3.131	2196	30.69	-16.678
2047	28.49	-23.498	2097	29.30	6.811	2147	29.99	1.005	2197	30.71	-17.179
2048	28.51	-29.250	2098	29.31	5.310	2148	30.01	-0.622	2198	30.72	-15.681
2049	28.53	-32.127	2099	29.32	0.559	2149	30.03	-2.124	2199	30.73	-13.432
2050	28.55	-33.128	2100	29.34	-2.067	2150	30.05	-3.751	2200	30.75	-10.933

土木構造物における加速度強震記録（No.9）

INDEX NO. 791 1302-PI-12 CHIYODA BRIDGE LG. MAX.ACCEL.= -60.441(GAL) T=12.53(SEC) NO.12

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2201	30.77	-9.435	2251	31.47	30.632	2301	32.14	20.202	2351	32.86	13.143
2202	30.79	-8.312	2252	31.48	30.631	2302	32.15	16.451	2352	32.88	11.641
2203	30.82	-7.689	2253	31.49	28.506	2303	32.16	13.200	2353	32.90	10.389
2204	30.84	-6.441	2254	31.50	24.129	2304	32.17	6.199	2354	32.93	7.512
2205	30.86	-5.193	2255	31.51	20.629	2305	32.18	4.699	2355	32.94	5.511
2206	30.89	-4.320	2256	31.53	16.877	2306	32.19	1.197	2356	32.96	3.385
2207	30.91	-2.696	2257	31.54	13.626	2307	32.21	-1.679	2357	32.97	3.008
2208	30.92	-3.323	2258	31.55	8.875	2308	32.22	-1.805	2358	33.01	2.381
2209	30.94	-4.826	2259	31.57	4.374	2309	32.24	-2.682	2359	33.03	2.129
2210	30.96	-7.076	2260	31.59	-0.003	2310	32.27	-3.559	2360	33.05	0.252
2211	30.97	-8.576	2261	31.60	-3.254	2311	32.28	-5.810	2361	33.08	-2.125
2212	30.98	-10.452	2262	31.62	-11.506	2312	32.30	-8.311	2362	33.10	-4.002
2213	31.00	-12.704	2263	31.63	-13.632	2313	32.31	-11.188	2363	33.12	-5.504
2214	31.02	-12.456	2264	31.65	-18.133	2314	32.32	-12.814	2364	33.14	-5.005
2215	31.03	-11.457	2265	31.67	-22.510	2315	32.34	-15.940	2365	33.15	-3.131
2216	31.05	-10.583	2266	31.69	-26.761	2316	32.35	-15.316	2366	33.17	-0.008
2217	31.06	-8.084	2267	31.70	-29.512	2317	32.37	-15.942	2367	33.19	1.241
2218	31.08	-4.960	2268	31.72	-33.389	2318	32.38	-14.068	2368	33.20	3.740
2219	31.09	-0.712	2269	31.73	-35.890	2319	32.40	-8.820	2369	33.21	5.614
2220	31.10	1.413	2270	31.74	-38.516	2320	32.42	-4.446	2370	33.23	5.987
2221	31.11	4.787	2271	31.76	-36.893	2321	32.43	-0.198	2371	33.25	5.111
2222	31.12	8.411	2272	31.77	-32.268	2322	32.44	2.552	2372	33.26	1.610
2223	31.13	9.660	2273	31.78	-24.894	2323	32.45	4.176	2373	33.27	-0.891
2224	31.15	11.658	2274	31.79	-20.520	2324	32.46	7.425	2374	33.28	-2.767
2225	31.17	9.987	2275	31.81	-15.771	2325	32.47	10.174	2375	33.30	-4.893
2226	31.19	6.280	2276	31.82	-12.897	2326	32.48	11.423	2376	33.31	-7.144
2227	31.20	1.654	2277	31.83	-10.398	2327	32.50	13.672	2377	33.32	-7.770
2228	31.21	-3.847	2278	31.84	-7.148	2328	32.52	12.795	2378	33.33	-5.396
2229	31.22	-7.847	2279	31.86	-5.025	2329	32.54	10.919	2379	33.34	-3.522
2230	31.23	-11.723	2280	31.87	-4.402	2330	32.56	9.042	2380	33.36	0.352
2231	31.24	-14.599	2281	31.89	-4.028	2331	32.57	6.166	2381	33.37	4.351
2232	31.25	-18.725	2282	31.91	-4.280	2332	32.59	4.040	2382	33.38	12.599
2233	31.26	-20.601	2283	31.93	-4.281	2333	32.60	0.538	2383	33.40	15.598
2234	31.27	-22.226	2284	31.94	-4.032	2334	32.62	-1.712	2384	33.42	17.722
2235	31.29	-23.103	2285	31.96	-1.909	2335	32.63	-3.588	2385	33.43	18.971
2236	31.30	-21.604	2286	31.97	-0.159	2336	32.64	-4.839	2386	33.45	20.594
2237	31.31	-19.480	2287	31.98	2.590	2337	32.66	-5.216	2387	33.46	19.343
2238	31.32	-16.605	2288	32.00	6.087	2338	32.67	-4.342	2388	33.48	17.841
2239	31.33	-12.856	2289	32.01	10.212	2339	32.68	-2.718	2389	33.49	15.591
2240	31.34	-8.982	2290	32.02	13.711	2340	32.69	-0.843	2390	33.50	12.840
2241	31.35	-4.358	2291	32.03	17.210	2341	32.70	4.406	2391	33.51	8.464
2242	31.36	-0.109	2292	32.04	24.834	2342	32.72	7.029	2392	33.52	5.463
2243	31.37	4.265	2293	32.05	28.333	2343	32.73	10.153	2393	33.54	2.712
2244	31.38	7.765	2294	32.06	31.583	2344	32.74	13.027	2394	33.55	-4.039
2245	31.39	15.139	2295	32.07	33.707	2345	32.75	14.277	2395	33.56	-6.540
2246	31.40	17.888	2296	32.08	35.956	2346	32.77	17.150	2396	33.57	-11.291
2247	31.41	21.637	2297	32.09	37.705	2347	32.78	16.649	2397	33.59	-13.542
2248	31.42	24.261	2298	32.11	33.954	2348	32.81	14.396	2398	33.60	-14.418
2249	31.43	26.510	2299	32.12	29.703	2349	32.83	14.395	2399	33.61	-13.918
2250	31.45	29.258	2300	32.13	23.202	2350	32.85	13.768	2400	33.62	-11.420

INDEX NO. 791 1302-PI-12 CHIYODA BRIDGE LG. MAX.ACCEL.= -60.441(GAL) T=12.53(SEC) NO.13

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2401	33.63	-8.296	2451	34.31	0.149	2501	35.10	-0.915	2551	35.85	-6.600
2402	33.64	-6.671	2452	34.33	-0.228	2502	35.12	-1.291	2552	35.86	-3.100
2403	33.65	-4.173	2453	34.34	-2.479	2503	35.13	-1.292	2553	35.87	0.774
2404	33.66	2.826	2454	34.37	-6.606	2504	35.14	0.457	2554	35.88	4.148
2405	33.67	4.326	2455	34.38	-10.107	2505	35.15	2.331	2555	35.89	8.022
2406	33.70	6.698	2456	34.39	-13.233	2506	35.16	6.581	2556	35.90	11.147
2407	33.71	3.572	2457	34.41	-16.109	2507	35.17	8.454	2557	35.91	14.395
2408	33.72	0.822	2458	34.43	-16.861	2508	35.18	11.828	2558	35.92	15.395
2409	33.73	-3.054	2459	34.44	-15.862	2509	35.19	16.328	2559	35.94	18.518
2410	33.74	-6.555	2460	34.46	-13.113	2510	35.20	19.202	2560	35.95	19.767
2411	33.75	-13.181	2461	34.47	-10.614	2511	35.21	21.326	2561	35.97	20.016
2412	33.76	-15.661	2462	34.48	-8.615	2512	35.22	22.451	2562	35.99	20.389
2413	33.77	-17.683	2463	34.49	-6.741	2513	35.23	24.950	2563	36.01	20.388
2414	33.78	-19.558	2464	34.50	-4.617	2514	35.24	26.449	2564	36.05	20.759
2415	33.79	-20.184	2465	34.51	-3.367	2515	35.25	26.448	2565	36.08	19.507
2416	33.81	-17.810	2466	34.53	-2.744	2516	35.28	23.071	2566	36.11	17.879
2417	33.82	-14.686	2467	34.56	-3.246	2517	35.29	20.570	2567	36.13	17.003
2418	33.83	-9.687	2468	34.58	-5.498	2518	35.30	16.819	2568	36.14	17.002
2419	33.84	-5.188	2469	34.61	-7.625	2519	35.31	10.443	2569	36.17	17.000
2420	33.86	7.935	2470	34.63	-8.877	2520	35.33	6.566	2570	36.20	17.872
2421	33.87	9.810	2471	34.65	-9.878	2521	35.35	4.065	2571	36.21	18.121
2422	33.88	11.934	2472	34.66	-8.380	2522	35.36	-0.561	2572	36.23	17.619
2423	33.89	14.183	2473	34.68	-7.131	2523	35.37	-3.011	2573	36.26	14.742
2424	33.91	14.932	2474	34.70	-5.258	2524	35.39	-5.438	2574	36.28	7.866
2425	33.93	11.555	2475	34.72	-4.259	2525	35.41	-5.440	2575	36.29	3.740
2426	33.95	7.178	2476	34.73	-4.010	2526	35.43	-3.941	2576	36.30	0.864
2427	33.96	3.552	2477	34.75	-6.137	2527	35.45	-0.443	2577	36.31	-2.012
2428	33.98	2.051	2478	34.76	-8.888	2528	35.46	2.681	2578	36.32	-5.513
2429	34.00	3.549	2479	34.78	+14.514	2529	35.47	5.805	2579	36.33	-6.389
2430	34.01	8.548	2480	34.79	+17.765	2530	35.49	7.429	2580	36.34	-7.015
2431	34.02	11.672	2481	34.81	+19.642	2531	35.50	8.678	2581	36.36	-6.516
2432	34.04	17.046	2482	34.83	+20.643	2532	35.52	9.427	2582	36.38	-4.268
2433	34.05	21.170	2483	34.84	+19.394	2533	35.54	7.550	2583	36.39	-0.894
2434	34.06	24.044	2484	34.85	+16.270	2534	35.56	4.424	2584	36.40	1.981
2435	34.07	27.168	2485	34.86	+13.770	2535	35.57	1.547	2585	36.41	4.105
2436	34.08	29.043	2486	34.87	+9.772	2536	35.58	-0.328	2586	36.42	8.354
2437	34.09	30.417	2487	34.88	+5.898	2537	35.60	-4.205	2587	36.43	11.103
2438	34.10	31.666	2488	34.89	+1.398	2538	35.62	-7.956	2588	36.45	12.726
2439	34.11	32.415	2489	34.90	2.351	2539	35.63	-9.582	2589	36.46	12.476
2440	34.13	29.914	2490	34.91	5.225	2540	35.65	+12.458	2590	36.48	9.974
2441	34.14	26.412	2491	34.92	7.475	2541	35.67	+15.585	2591	36.50	8.347
2442	34.15	21.912	2492	34.93	10.599	2542	35.69	+17.587	2592	36.52	7.721
2443	34.16	18.786	2493	34.95	12.472	2543	35.71	+19.464	2593	36.53	7.970
2444	34.17	14.035	2494	34.96	13.721	2544	35.73	+19.715	2594	36.55	7.968
2445	34.19	9.659	2495	34.99	14.094	2545	35.75	+20.716	2595	36.57	6.842
2446	34.20	5.407	2496	35.01	13.717	2546	35.77	+21.593	2596	36.58	4.966
2447	34.22	3.531	2497	35.03	10.090	2547	35.79	+21.595	2597	36.61	3.714
2448	34.23	2.030	2498	35.05	8.214	2548	35.81	+21.346	2598	36.63	1.212
2449	34.25	1.403	2499	35.07	4.088	2549	35.83	+17.973	2599	36.65	0.585
2450	34.28	0.776	2500	35.08	1.336	2550	35.84	+13.848	2600	36.67	0.833

INDEX NO. 791 1302-PI-12 CHIYODA BRIDGE LG. MAX.ACCEL.= -60.441(GAL) T=12.53(SEC) NO.14

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2601	36.68	0.832	2651	37.50	-8.610	2701	38.23	6.705	2751	38.98	1.394
2602	36.71	-2.045	2652	37.51	-6.986	2702	38.25	-0.796	2752	38.99	8.768
2603	36.73	-3.672	2653	37.53	-4.488	2703	38.27	-3.798	2753	39.00	14.517
2604	36.75	-5.173	2654	37.55	-2.989	2704	38.29	-6.299	2754	39.02	17.016
2605	36.76	-6.800	2655	37.56	-1.240	2705	38.30	-8.175	2755	39.03	16.140
2606	36.78	-9.426	2656	37.57	-0.365	2706	38.32	-10.177	2756	39.04	17.264
2607	36.80	-10.302	2657	37.58	1.508	2707	38.34	-11.678	2757	39.06	16.388
2608	36.82	-10.054	2658	37.60	1.507	2708	38.35	-12.929	2758	39.08	14.886
2609	36.83	-9.180	2659	37.62	1.505	2709	38.36	-13.305	2759	39.11	13.634
2610	36.85	-7.307	2660	37.63	-0.371	2710	38.38	-12.682	2760	39.12	14.132
2611	36.86	-6.307	2661	37.65	-3.997	2711	38.40	-10.809	2761	39.14	15.756
2612	36.87	-3.809	2662	37.67	-5.874	2712	38.41	-8.309	2762	39.15	17.630
2613	36.89	-0.935	2663	37.69	-8.750	2713	38.42	-5.810	2763	39.16	19.129
2614	36.90	1.064	2664	37.70	-10.751	2714	38.43	-3.311	2764	39.18	19.753
2615	36.92	-0.187	2665	37.71	-12.253	2715	38.44	-0.687	2765	39.20	20.751
2616	36.93	-2.063	2666	37.73	-14.379	2716	38.45	1.812	2766	39.22	19.125
2617	36.95	-4.564	2667	37.74	-13.380	2717	38.46	4.561	2767	39.23	16.998
2618	36.97	-7.066	2668	37.75	-11.506	2718	38.47	6.311	2768	39.25	13.872
2619	36.99	-10.318	2669	37.76	-9.507	2719	38.48	8.185	2769	39.26	9.871
2620	37.00	-12.569	2670	37.77	-7.007	2720	38.49	9.059	2770	39.27	6.245
2621	37.01	-14.445	2671	37.78	-4.508	2721	38.50	10.058	2771	39.29	2.869
2622	37.03	-12.946	2672	37.79	-2.384	2722	38.52	10.057	2772	39.30	-0.632
2623	37.04	-8.573	2673	37.80	-0.635	2723	38.53	9.430	2773	39.31	-3.883
2624	37.05	-6.698	2674	37.81	0.864	2724	38.55	7.929	2774	39.32	-6.009
2625	37.07	-4.425	2675	37.84	2.112	2725	38.57	5.053	2775	39.34	-8.261
2626	37.08	-1.049	2676	37.86	1.611	2726	38.59	3.801	2776	39.35	-7.637
2627	37.09	1.673	2677	37.88	-0.267	2727	38.60	3.550	2777	39.38	-5.138
2628	37.10	1.548	2678	37.90	-1.893	2728	38.62	2.298	2778	39.39	-3.265
2629	37.11	1.672	2679	37.92	-3.395	2729	38.64	1.671	2779	39.41	-0.141
2630	37.12	2.796	2680	37.94	-4.396	2730	38.66	0.420	2780	39.42	2.983
2631	37.13	2.795	2681	37.95	-4.148	2731	38.68	-3.206	2781	39.44	8.981
2632	37.16	2.043	2682	37.96	-2.523	2732	38.70	-6.958	2782	39.45	10.606
2633	37.18	2.916	2683	37.97	-0.649	2733	38.71	-10.834	2783	39.46	13.105
2634	37.21	2.664	2684	37.98	1.651	2734	38.73	-13.960	2784	39.48	15.353
2635	37.24	2.411	2685	37.99	3.724	2735	38.74	-17.086	2785	39.49	16.602
2636	37.26	2.410	2686	38.00	5.223	2736	38.75	-20.337	2786	39.51	17.226
2637	37.29	2.782	2687	38.02	7.598	2737	38.76	-22.838	2787	39.53	17.349
2638	37.32	2.155	2688	38.04	7.971	2738	38.77	-26.339	2788	39.56	16.097
2639	37.34	2.028	2689	38.05	6.720	2739	38.79	-27.965	2789	39.58	15.095
2640	37.35	2.027	2690	38.07	4.843	2740	38.80	-26.466	2790	39.60	14.218
2641	37.37	1.526	2691	38.08	3.217	2741	38.81	-23.593	2791	39.62	13.591
2642	37.38	1.025	2692	38.09	1.091	2742	38.83	-20.219	2792	39.65	12.964
2643	37.40	1.523	2693	38.11	-0.535	2743	38.85	-17.595	2793	39.68	12.337
2644	37.41	0.897	2694	38.12	-1.536	2744	38.87	-15.722	2794	39.70	10.335
2645	37.42	0.271	2695	38.13	-0.662	2745	38.89	-14.473	2795	39.73	6.833
2646	37.43	0.521	2696	38.15	1.212	2746	38.92	-13.226	2796	39.75	3.081
2647	37.45	-0.356	2697	38.16	2.460	2747	38.93	-12.602	2797	39.78	-2.421
2648	37.46	-0.231	2698	38.18	3.709	2748	38.95	-10.353	2798	39.79	-5.422
2649	37.47	-0.107	2699	38.19	5.208	2749	38.96	-5.854	2799	39.82	-8.924
2650	37.48	-0.609	2700	38.21	7.207	2750	38.97	-2.480	2800	39.84	-10.551

INDEX NO. 791 1302-PI-12 CHIYODA BRIDGE LG. MAX.ACCEL.= -60.441(GAL) T=12.53(SEC) NO.15

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2801	39.85	-11.177	2851	40.93	-3.392	2901	41.96	-6.101	2951	42.75	+17.793
2802	39.87	-9.679	2852	40.95	-2.769	2902	41.98	-7.353	2952	42.76	+20.669
2803	39.89	-7.556	2853	40.97	-2.771	2903	41.99	-6.729	2953	42.77	+21.545
2804	39.91	-5.682	2854	40.98	-2.772	2904	42.02	-4.856	2954	42.79	+22.795
2805	39.93	-2.808	2855	41.01	-4.024	2905	42.04	-2.358	2955	42.81	+23.798
2806	39.94	0.065	2856	41.03	-5.276	2906	42.05	-0.984	2956	42.82	+23.799
2807	39.97	1.313	2857	41.05	-6.152	2907	42.07	-0.736	2957	42.84	+22.301
2808	40.00	1.936	2858	41.07	-7.779	2908	42.10	-2.613	2958	42.89	+17.304
2809	40.03	1.933	2859	41.09	-6.531	2909	42.12	-5.615	2959	42.91	+10.431
2810	40.05	2.931	2860	41.11	-5.282	2910	42.14	-7.242	2960	42.94	-5.558
2811	40.08	4.179	2861	41.12	-3.408	2911	42.16	+10.119	2961	42.96	+2.685
2812	40.11	5.677	2862	41.14	-1.284	2912	42.18	+11.120	2962	42.98	1.063
2813	40.12	6.175	2863	41.16	0.964	2913	42.20	+10.246	2963	42.99	-5.187
2814	40.15	6.173	2864	41.19	4.962	2914	42.21	+8.623	2964	43.00	-10.311
2815	40.18	6.796	2865	41.20	5.085	2915	42.23	-8.499	2965	43.01	-15.435
2816	40.20	8.044	2866	41.22	4.709	2916	42.24	-4.625	2966	43.03	-18.809
2817	40.23	10.167	2867	41.25	4.457	2917	42.25	-1.626	2967	43.05	-23.432
2818	40.24	10.790	2868	41.27	5.580	2918	42.26	1.124	2968	43.06	-31.306
2819	40.26	12.413	2869	41.29	7.328	2919	42.27	3.622	2969	43.08	-34.680
2820	40.28	13.662	2870	41.30	9.827	2920	42.28	6.872	2970	43.10	-36.928
2821	40.29	14.161	2871	41.32	11.950	2921	42.29	9.746	2971	43.11	-37.927
2822	40.32	12.908	2872	41.33	13.575	2922	42.31	12.869	2972	43.13	-37.425
2823	40.35	11.281	2873	41.34	15.574	2923	42.33	13.242	2973	43.14	-34.925
2824	40.37	9.155	2874	41.36	17.698	2924	42.35	11.366	2974	43.16	-33.049
2825	40.39	6.903	2875	41.37	18.322	2925	42.36	10.739	2975	43.18	-30.797
2826	40.40	6.152	2876	41.39	18.070	2926	42.39	10.362	2976	43.19	-28.546
2827	40.42	9.275	2877	41.42	17.193	2927	42.41	11.361	2977	43.21	-27.919
2828	40.44	10.774	2878	41.44	16.566	2928	42.42	12.234	2978	43.23	-26.042
2829	40.45	12.398	2879	41.47	15.314	2929	42.44	13.108	2979	43.27	-24.164
2830	40.47	15.021	2880	41.49	14.311	2930	42.45	15.107	2980	43.29	-23.163
2831	40.50	16.269	2881	41.52	12.434	2931	42.46	16.981	2981	43.30	-19.787
2832	40.52	16.267	2882	41.55	10.557	2932	42.47	18.855	2982	43.32	-15.411
2833	40.54	15.390	2883	41.57	7.805	2933	42.49	19.479	2983	43.34	-10.784
2834	40.55	14.389	2884	41.59	4.553	2934	42.50	19.478	2984	43.36	-5.907
2835	40.58	9.762	2885	41.61	2.302	2935	42.52	17.977	2985	43.37	-3.156
2836	40.61	6.135	2886	41.63	-0.200	2936	42.53	16.101	2986	43.39	-0.345
2837	40.63	0.508	2887	41.66	-5.577	2937	42.54	14.600	2987	43.44	+4.849
2838	40.64	-2.368	2888	41.68	-8.079	2938	42.56	12.973	2988	43.46	+4.851
2839	40.66	+4.245	2889	41.70	+10.705	2939	42.58	12.722	2989	43.55	+5.858
2840	40.69	+4.872	2890	41.72	+11.957	2940	42.60	12.345	2990	43.56	+5.609
2841	40.71	+5.999	2891	41.74	+12.333	2941	42.62	11.718	2991	43.58	+2.736
2842	40.73	+2.751	2892	41.76	+11.480	2942	42.64	10.842	2992	43.60	+0.257
2843	40.75	+1.253	2893	41.79	+10.213	2943	42.65	9.216	2993	43.62	-3.261
2844	40.77	+0.629	2894	41.81	-7.984	2944	42.66	7.090	2994	43.63	-5.384
2845	40.79	0.120	2895	41.83	-6.091	2945	42.68	4.089	2995	43.65	-8.634
2846	40.80	+0.257	2896	41.85	-5.467	2946	42.69	0.087	2996	43.69	-6.256
2847	40.82	+0.883	2897	41.87	-4.219	2947	42.70	-2.913	2997	43.73	-3.782
2848	40.86	-2.136	2898	41.89	-2.971	2948	42.71	-7.539	2998	43.74	-1.751
2849	40.88	-3.013	2899	41.91	-2.972	2949	42.72	+10.780	2999	43.77	4.624
2850	40.90	-4.015	2900	41.94	-4.850	2950	42.73	+13.666	3000	43.78	6.760

INDEX NO. 791 1302-P1-12 CHIYODA BRIDGE LG. MAX.ACCEL.= -60.441(GAL) T=12.53(SEC) NO.16

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3001	43.80	9.247	3051	44.37	9.910	3101	45.07	-0.421	3151	46.86	13.123
3002	43.81	10.496	3052	44.38	8.209	3102	45.88	0.828	3152	46.88	12.497
3003	43.84	13.389	3053	44.90	7.032	3103	45.89	2.702	3153	46.90	10.745
3004	43.85	8.742	3054	44.93	4.530	3104	45.90	4.951	3154	46.92	7.994
3005	43.88	4.920	3055	44.95	3.278	3105	45.93	4.949	3155	46.96	5.617
3006	43.90	1.864	3056	44.96	2.652	3106	45.94	4.073	3156	46.95	1.241
3007	43.92	-1.638	3057	44.98	2.651	3107	45.97	1.821	3157	46.96	-0.885
3008	43.93	-4.264	3058	45.00	4.525	3108	45.98	-0.681	3158	46.98	-2.886
3009	43.95	-7.016	3059	45.02	5.398	3109	46.01	-1.557	3159	47.00	-2.013
3010	43.97	-7.018	3060	45.03	6.396	3110	46.02	-1.059	3160	47.02	-1.139
3011	43.99	-5.894	3061	45.06	6.644	3111	46.04	1.190	3161	47.04	0.484
3012	44.01	-4.270	3062	45.09	6.392	3112	46.06	3.688	3162	47.06	1.107
3013	44.03	-1.522	3063	45.12	5.515	3113	46.08	5.687	3163	47.08	1.730
3014	44.04	3.727	3064	45.14	3.138	3114	46.10	6.185	3164	47.10	-0.397
3015	44.07	1.600	3065	45.17	5.135	3115	46.11	9.684	3165	47.13	-3.899
3016	44.10	2.947	3066	45.18	6.019	3116	46.13	10.307	3166	47.15	-6.400
3017	44.13	2.595	3067	45.19	7.259	3117	46.17	8.804	3167	47.17	-8.527
3018	44.15	2.343	3068	45.21	9.507	3118	46.19	6.927	3168	47.19	-10.529
3019	44.17	1.092	3069	45.23	11.631	3119	46.22	5.425	3169	47.21	-10.031
3020	44.20	-1.785	3070	45.25	12.629	3120	46.24	5.924	3170	47.23	-8.157
3021	44.22	-3.287	3071	45.28	13.253	3121	46.25	7.798	3171	47.25	-6.533
3022	44.24	-4.789	3072	45.28	13.627	3122	46.27	10.046	3172	47.27	-4.660
3023	44.26	-7.416	3073	45.31	13.625	3123	46.28	12.170	3173	47.29	-2.787
3024	44.29	-7.418	3074	45.33	12.748	3124	46.29	14.170	3174	47.30	-1.788
3025	44.31	-6.794	3075	45.35	11.871	3125	46.31	17.293	3175	47.31	+0.164
3026	44.33	-5.546	3076	45.39	12.119	3126	46.32	18.542	3176	47.32	0.085
3027	44.35	-3.423	3077	45.41	12.741	3127	46.34	19.166	3177	47.34	0.084
3028	44.36	-1.799	3078	45.43	12.989	3128	46.35	17.414	3178	47.36	0.082
3029	44.38	-3.051	3079	45.46	13.362	3129	46.37	15.538	3179	47.37	0.081
3030	44.42	-3.303	3080	45.48	13.610	3130	46.39	11.411	3180	47.40	0.704
3031	44.45	-4.556	3081	45.50	12.109	3131	46.41	9.284	3181	47.42	3.077
3032	44.49	-6.809	3082	45.51	12.108	3132	46.44	7.032	3182	47.44	5.826
3033	44.52	-6.561	3083	45.55	13.990	3133	46.46	7.031	3183	47.46	8.074
3034	44.54	-4.364	3084	45.57	14.228	3134	46.48	7.655	3184	47.47	10.198
3035	44.56	-2.190	3085	45.59	14.601	3135	46.51	8.277	3185	47.48	12.697
3036	44.58	-0.316	3086	45.61	14.600	3136	46.52	10.151	3186	47.50	14.696
3037	44.60	0.931	3087	45.63	12.723	3137	46.54	11.025	3187	47.51	15.945
3038	44.62	-0.570	3088	45.65	11.847	3138	46.56	11.398	3188	47.52	16.319
3039	44.63	-2.071	3089	45.66	9.971	3139	46.59	10.146	3189	47.54	15.442
3040	44.65	-3.947	3090	45.69	7.720	3140	46.62	6.643	3190	47.55	13.191
3041	44.67	-6.449	3091	45.70	4.218	3141	46.64	7.391	3191	47.58	10.689
3042	44.69	-7.700	3092	45.71	1.717	3142	46.67	6.139	3192	47.60	8.562
3043	44.70	-7.452	3093	45.72	-0.784	3143	46.70	4.387	3193	47.62	4.936
3044	44.72	-4.953	3094	45.74	-3.785	3144	46.72	3.760	3194	47.64	3.059
3045	44.73	-2.829	3095	45.75	-7.162	3145	46.75	5.007	3195	47.65	2.184
3046	44.76	-0.581	3096	45.77	-9.664	3146	46.77	7.130	3196	47.67	1.182
3047	44.78	2.542	3097	45.79	-10.915	3147	46.79	8.130	3197	47.69	2.805
3048	44.81	5.790	3098	45.81	-9.291	3148	46.82	10.252	3198	47.71	4.303
3049	44.82	7.666	3099	45.83	-7.043	3149	46.83	12.126	3199	47.72	6.177
3050	44.84	9.163	3100	45.86	-2.670	3150	46.84	12.750	3200	47.74	8.051

INDEX NO. 791 1302-P1-12 CHIYODA BRIDGE LG. MAX.ACCEL.= -60.441(GAL) T=12.53(SEC) NO.17

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3201	47.75	10.550	3251	48.77	7.966	3301	49.87	12.125	3351	50.95	5.038
3202	47.76	12.049	3252	48.79	7.715	3302	49.90	9.246	3352	50.97	2.786
3203	47.78	12.423	3253	48.82	8.587	3303	49.92	7.371	3353	50.98	1.285
3204	47.80	11.796	3254	48.84	9.460	3304	49.94	4.495	3354	51.01	-1.217
3205	47.82	10.544	3255	48.86	11.708	3305	49.96	3.493	3355	51.02	-2.218
3206	47.84	9.043	3256	48.87	13.332	3306	49.98	4.367	3356	51.04	-3.845
3207	47.85	8.417	3257	48.89	14.581	3307	50.00	4.989	3357	51.07	-4.472
3208	47.87	8.415	3258	48.91	15.579	3308	50.03	6.612	3358	51.09	-2.974
3209	47.90	9.913	3259	48.93	15.827	3309	50.05	8.110	3359	51.11	-1.476
3210	47.92	9.536	3260	48.94	14.327	3310	50.06	8.235	3360	51.13	0.398
3211	47.94	9.909	3261	48.97	12.199	3311	50.07	6.609	3361	51.14	1.397
3212	47.97	9.282	3262	49.01	9.321	3312	50.12	2.855	3362	51.16	3.270
3213	47.99	7.780	3263	49.04	6.196	3313	50.14	0.979	3363	51.18	2.643
3214	48.00	5.904	3264	49.05	4.193	3314	50.16	-0.898	3364	51.20	1.331
3215	48.01	3.403	3265	49.08	1.691	3315	50.20	-1.526	3365	51.23	-0.111
3216	48.03	-0.348	3266	49.10	-0.187	3316	50.22	-0.903	3366	51.26	-0.738
3217	48.04	-4.224	3267	49.12	-1.438	3317	50.25	0.344	3367	51.28	0.385
3218	48.05	-6.725	3268	49.15	-3.690	3318	50.27	1.593	3368	51.32	1.632
3219	48.06	-9.601	3269	49.17	-5.567	3319	50.28	2.217	3369	51.34	4.130
3220	48.07	-11.852	3270	49.19	-5.318	3320	50.31	3.090	3370	51.35	5.879
3221	48.09	-12.478	3271	49.22	-2.021	3321	50.33	3.088	3371	51.36	7.378
3222	48.13	-11.981	3272	49.24	-1.948	3322	50.35	2.586	3372	51.39	7.126
3223	48.15	-9.733	3273	49.27	-1.325	3323	50.37	2.209	3373	51.41	5.624
3224	48.17	-7.235	3274	49.29	-0.952	3324	50.39	2.583	3374	51.44	3.372
3225	48.19	-5.737	3275	49.32	0.295	3325	50.40	3.082	3375	51.45	1.496
3226	48.20	-4.112	3276	49.34	2.419	3326	50.43	4.330	3376	51.48	+0.006
3227	48.22	-2.739	3277	49.36	4.667	3327	50.45	5.578	3377	51.50	-0.633
3228	48.24	-2.743	3278	49.37	7.916	3328	50.46	6.577	3378	51.53	-1.261
3229	48.26	-1.867	3279	49.39	11.290	3329	50.47	7.201	3379	51.55	-1.263
3230	48.29	-0.244	3280	49.40	14.289	3330	50.50	7.825	3380	51.57	-1.014
3231	48.32	1.253	3281	49.42	16.788	3331	50.53	5.322	3381	51.58	0.860
3232	48.34	2.876	3282	49.44	18.910	3332	50.55	1.945	3382	51.60	2.983
3233	48.37	4.749	3283	49.45	18.660	3333	50.57	-1.807	3383	51.61	4.857
3234	48.39	5.747	3284	49.47	18.908	3334	50.59	-4.433	3384	51.63	6.105
3235	48.42	4.870	3285	49.49	18.657	3335	50.61	-6.685	3385	51.65	6.479
3236	48.46	3.992	3286	49.52	18.029	3336	50.64	-7.938	3386	51.68	5.851
3237	48.48	2.990	3287	49.58	18.025	3337	50.67	-7.689	3387	51.70	4.600
3238	48.50	2.113	3288	49.61	17.147	3338	50.69	-6.691	3388	51.72	2.473
3239	48.52	1.112	3289	49.63	14.895	3339	50.70	-4.567	3389	51.74	2.346
3240	48.53	1.985	3290	49.66	14.018	3340	50.72	-1.444	3390	51.76	3.345
3241	48.56	2.983	3291	49.68	9.891	3341	50.73	0.430	3391	51.79	4.592
3242	48.58	4.482	3292	49.71	7.139	3342	50.75	2.679	3392	51.82	5.215
3243	48.60	6.355	3293	49.72	5.888	3343	50.77	5.302	3393	51.85	3.988
3244	48.62	7.978	3294	49.74	5.386	3344	50.78	6.801	3394	51.87	0.585
3245	48.65	9.851	3295	49.76	5.635	3345	50.80	7.800	3395	51.91	-2.293
3246	48.67	10.474	3296	49.78	6.258	3346	50.83	7.792	3396	51.94	-3.671
3247	48.68	10.723	3297	49.80	8.506	3347	50.85	7.545	3397	51.95	-3.671
3248	48.71	10.721	3298	49.82	10.005	3348	50.87	6.544	3398	51.98	-0.548
3249	48.73	9.844	3299	49.83	12.878	3349	50.89	6.542	3399	52.01	2.199
3250	48.75	8.593	3300	49.85	13.252	3350	50.92	6.540	3400	52.03	4.072

INDEX NO. 791 1302-PI-12 CHIYODA BRIDGE LG. MAX.ACCEL.= -60.441(GAL) T=12.53(SEC) NO.18

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3401	52.05	6.446	3451	53.39	4.585	3501	54.03	8.093	3551	56.14	8.112
3402	52.07	8.569	3452	53.43	4.082	3502	54.86	7.841	3552	56.18	7.483
3403	52.10	10.816	3453	53.46	4.580	3503	54.90	7.462	3553	56.23	6.604
3404	52.12	12.315	3454	53.48	5.329	3504	54.93	7.710	3554	56.27	4.850
3405	52.15	14.688	3455	53.51	5.451	3505	54.96	7.707	3555	56.30	3.348
3406	52.17	16.185	3456	53.54	4.074	3506	55.00	6.829	3556	56.32	2.346
3407	52.20	15.693	3457	53.59	1.070	3507	55.05	7.200	3557	56.34	1.720
3408	52.27	14.428	3458	53.63	-1.184	3508	55.07	9.573	3558	56.36	3.843
3409	52.30	14.425	3459	53.67	-3.812	3509	55.11	10.571	3559	56.38	4.217
3410	52.35	13.421	3460	53.68	-3.813	3510	55.12	11.445	3560	56.40	5.715
3411	52.39	13.418	3461	53.71	-4.440	3511	55.15	12.067	3561	56.42	6.713
3412	52.42	13.415	3462	53.76	-5.069	3512	55.17	12.066	3562	56.45	7.336
3413	52.46	13.162	3463	53.79	-4.822	3513	55.19	11.314	3563	56.46	5.835
3414	52.49	14.659	3464	53.82	-3.824	3514	55.22	9.436	3564	56.49	3.958
3415	52.52	15.282	3465	53.86	-2.952	3515	55.25	7.309	3565	56.51	1.456
3416	52.55	15.030	3466	53.89	-2.330	3516	55.27	5.682	3566	56.53	0.454
3417	52.58	12.777	3467	53.91	-1.707	3517	55.30	3.680	3567	56.55	0.203
3418	52.62	10.274	3468	53.93	-1.708	3518	55.33	3.427	3568	56.57	0.701
3419	52.65	7.771	3469	53.96	-2.835	3519	55.37	3.424	3569	56.59	1.324
3420	52.68	5.894	3470	53.99	-3.838	3520	55.39	3.922	3570	56.62	1.322
3421	52.71	4.267	3471	54.01	-4.465	3521	55.41	3.671	3571	56.64	1.695
3422	52.74	1.764	3472	54.02	-4.716	3522	55.44	2.418	3572	56.66	1.694
3423	52.76	1.387	3473	54.05	-4.718	3523	55.45	1.792	3573	56.68	1.067
3424	52.79	1.385	3474	54.08	-3.595	3524	55.48	2.665	3574	56.71	0.815
3425	52.81	3.508	3475	54.11	-1.973	3525	55.50	4.288	3575	56.73	0.813
3426	52.84	4.506	3476	54.14	-0.726	3526	55.53	5.786	3576	56.76	1.686
3427	52.85	5.380	3477	54.16	0.523	3527	55.56	6.409	3577	56.78	2.559
3428	52.87	7.253	3478	54.19	3.271	3528	55.58	6.407	3578	56.80	3.557
3429	52.89	8.626	3479	54.21	5.644	3529	55.61	5.279	3579	56.03	4.805
3430	52.91	8.249	3480	54.23	9.017	3530	55.65	4.277	3580	56.85	5.679
3431	52.93	7.623	3481	54.25	11.265	3531	55.68	4.274	3581	56.86	5.428
3432	52.96	7.371	3492	54.27	12.869	3532	55.71	4.271	3582	56.89	3.550
3433	53.00	6.993	3483	54.30	14.512	3533	55.74	4.519	3583	56.92	1.423
3434	53.02	6.991	3484	54.31	15.385	3534	55.75	4.893	3584	56.95	-1.080
3435	53.04	6.989	3485	54.35	17.008	3535	55.76	6.392	3585	56.99	-2.083
3436	53.07	6.362	3486	54.37	16.131	3536	55.78	7.391	3586	57.01	-2.710
3437	53.09	3.860	3487	54.41	14.502	3537	55.81	7.638	3587	57.04	-4.338
3438	53.10	1.734	3488	54.45	12.624	3538	55.83	7.636	3588	57.08	-5.341
3439	53.12	-1.143	3489	54.48	10.746	3539	55.87	8.008	3589	57.12	-5.094
3440	53.14	-3.769	3490	54.51	8.870	3540	55.89	9.882	3590	57.14	-5.095
3441	53.15	-5.895	3491	54.54	6.742	3541	55.91	11.755	3591	57.16	-2.849
3442	53.18	-7.272	3492	54.57	4.115	3542	55.93	12.753	3592	57.20	-1.975
3443	53.20	-5.899	3493	54.58	3.239	3543	55.95	13.752	3593	57.22	-0.102
3444	53.22	-2.526	3494	54.61	4.986	3544	55.97	15.000	3594	57.24	2.772
3445	53.25	-0.028	3495	54.64	6.483	3545	55.98	15.874	3595	57.26	5.645
3446	53.26	1.221	3496	54.68	8.105	3546	56.01	15.996	3596	57.28	8.768
3447	53.27	3.345	3497	54.72	9.352	3547	56.04	14.994	3597	57.29	11.267
3448	53.30	3.718	3498	54.75	8.100	3548	56.07	12.867	3598	57.30	13.266
3449	53.34	4.590	3499	54.78	7.472	3549	56.08	11.616	3599	57.32	14.265
3450	53.36	4.588	3500	54.81	7.720	3550	56.11	9.739	3600	57.34	15.138

INDEX NO. 791 1302-PI-12 CHIYODA BRIDGE LG. MAX.ACCEL.= -60.441(GAL) T=12.53(SEC) NO.19

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3601	57.36	13.636	3651	58.70	5.776	3701	60.14	10.158	3751	61.67	8.657
3602	57.39	11.134	3652	58.73	5.774	3702	60.18	10.154	3752	61.68	7.406
3603	57.41	8.632	3653	58.77	5.146	3703	60.22	10.151	3753	61.69	5.155
3604	57.43	5.880	3654	58.80	4.018	3704	60.27	9.522	3754	61.72	2.528
3605	57.46	3.253	3655	58.84	2.765	3705	60.30	10.145	3755	61.74	-0.599
3606	57.48	1.377	3656	58.90	1.260	3706	60.34	11.141	3756	61.76	-1.850
3607	57.50	1.624	3657	58.92	-0.617	3707	60.38	9.888	3757	61.78	-0.852
3608	57.53	2.247	3658	58.95	-2.244	3708	60.42	8.895	3758	61.81	-1.229
3609	57.55	2.246	3659	58.98	-1.997	3709	60.45	8.007	3759	61.84	-1.232
3610	57.58	2.493	3660	59.00	-0.748	3710	60.49	4.879	3760	61.86	-1.233
3611	57.60	2.491	3661	59.02	0.875	3711	60.52	4.252	3761	61.88	-2.485
3612	57.65	3.737	3662	59.04	1.749	3712	60.56	4.498	3762	61.91	-2.488
3613	57.68	4.735	3663	59.05	3.998	3713	60.58	5.371	3763	61.94	-2.490
3614	57.72	6.857	3664	59.07	6.121	3714	60.60	6.620	3764	61.96	-0.617
3615	57.75	8.479	3665	59.09	6.744	3715	60.63	8.243	3765	61.98	1.881
3616	57.78	9.726	3666	59.12	6.742	3716	60.66	9.490	3766	62.00	3.380
3617	57.81	9.724	3667	59.14	5.865	3717	60.67	8.239	3767	62.02	4.378
3618	57.85	9.721	3668	59.17	4.987	3718	60.70	5.487	3768	62.05	4.626
3619	57.89	9.718	3669	59.20	4.860	3719	60.74	2.983	3769	62.08	3.748
3620	57.92	9.985	3670	59.24	7.357	3720	60.79	0.730	3770	62.10	3.496
3621	57.94	9.963	3671	59.27	9.605	3721	60.84	0.476	3771	62.12	4.370
3622	57.98	11.210	3672	59.30	11.727	3722	60.89	0.971	3772	62.15	6.867
3623	58.01	11.583	3673	59.33	13.475	3723	60.93	2.218	3773	62.17	8.741
3624	58.03	11.581	3674	59.35	14.098	3724	60.94	2.843	3774	62.19	11.489
3625	58.05	10.954	3675	59.37	14.096	3725	60.98	3.214	3775	62.20	13.488
3626	58.08	11.202	3676	59.40	13.469	3726	61.00	2.962	3776	62.23	15.111
3627	58.10	10.950	3677	59.45	7.214	3727	61.04	3.209	3777	62.25	15.359
3628	58.12	10.324	3678	59.48	3.087	3728	61.07	5.707	3778	62.28	16.357
3629	58.13	9.948	3679	59.51	-0.415	3729	61.09	7.830	3779	62.31	16.355
3630	58.15	10.946	3680	59.53	-3.292	3730	61.12	10.077	3780	62.35	17.226
3631	58.18	12.944	3681	59.55	-4.919	3731	61.14	11.951	3781	62.39	15.722
3632	58.20	14.192	3682	59.60	-8.298	3732	61.17	12.448	3782	62.45	14.468
3633	58.22	14.441	3683	59.62	-9.300	3733	61.20	11.821	3783	62.47	14.216
3634	58.24	13.314	3684	59.66	-10.553	3734	61.24	10.193	3784	62.51	13.838
3635	58.26	11.687	3685	59.68	-10.555	3735	61.25	9.566	3785	62.56	13.584
3636	58.28	10.435	3686	59.70	-8.681	3736	61.28	9.814	3786	62.58	12.957
3637	58.31	9.183	3687	59.72	-7.433	3737	61.32	10.811	3787	62.59	13.266
3638	58.34	8.306	3688	59.74	-5.934	3738	61.34	11.434	3788	62.63	12.328
3639	58.37	8.554	3689	59.75	-4.310	3739	61.37	13.557	3789	62.68	13.449
3640	58.40	8.891	3690	59.78	-2.438	3740	61.39	15.555	3790	62.71	13.447
3641	58.43	9.798	3691	59.80	-0.939	3741	61.42	14.553	3791	62.75	13.444
3642	58.46	10.671	3692	59.82	0.309	3742	61.45	13.925	3792	62.82	12.313
3643	58.49	10.618	3693	59.83	0.933	3743	61.47	14.548	3793	62.84	11.061
3644	58.51	10.042	3694	59.87	1.555	3744	61.50	14.796	3794	62.88	8.183
3645	58.54	11.289	3695	59.92	2.176	3745	61.53	14.793	3795	62.94	4.303
3646	58.56	11.037	3696	59.95	4.048	3746	61.56	14.791	3796	62.98	2.800
3647	58.59	10.160	3697	59.98	6.421	3747	61.58	15.615	3797	63.02	1.767
3648	58.61	8.283	3698	60.02	7.292	3748	61.60	14.538	3798	63.05	0.919
3649	58.64	7.031	3699	60.07	8.538	3749	61.62	12.661	3799	63.08	0.916
3650	58.66	6.029	3700	60.10	9.536	3750	61.65	10.158	3800	63.11	2.414

INDEX NO. 791 1302-PI-12 CHIYODA BRIDGE LG. MAX.ACCEL.= -60.441(GAL) T=12.53(SEC) NO.20

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3801	63.15	3.911	3851	64.78	4.775	3901	66.43	-1.485	3951	68.01	7.634
3802	63.17	5.159	3852	64.81	4.773	3902	66.47	0.136	3952	68.03	8.507
3803	63.20	7.436	3853	64.84	4.771	3903	66.50	2.009	3953	68.04	8.006
3804	63.23	8.654	3854	64.86	5.644	3904	66.53	3.506	3954	68.08	6.753
3805	63.25	8.902	3855	64.89	7.891	3905	66.55	5.254	3955	68.12	5.750
3806	63.29	7.149	3856	64.93	7.263	3906	66.58	5.876	3956	68.15	5.748
3807	63.32	5.897	3857	64.98	5.759	3907	66.62	6.499	3957	68.17	6.370
3808	63.35	3.019	3858	65.01	5.757	3908	66.66	6.745	3958	68.20	7.868
3809	63.39	-0.109	3859	65.02	6.256	3909	66.70	7.117	3959	68.24	9.740
3810	63.41	-1.361	3860	65.05	7.503	3910	66.73	7.739	3960	68.27	11.737
3811	63.43	-2.613	3861	65.09	8.125	3911	66.77	8.361	3961	68.29	12.736
3812	63.46	-4.365	3862	65.13	8.497	3912	66.81	8.608	3962	68.31	13.609
3813	63.48	-3.992	3863	65.17	9.368	3913	66.86	8.353	3963	68.33	12.107
3814	63.51	-2.119	3864	65.23	9.739	3914	66.91	7.099	3964	68.37	12.104
3815	63.55	-0.623	3865	65.27	10.360	3915	66.94	7.347	3965	68.39	11.852
3816	63.58	1.000	3866	65.33	10.695	3916	66.96	7.970	3966	68.43	11.473
3817	63.61	1.622	3867	65.37	10.977	3917	67.01	6.467	3967	68.46	11.471
3818	63.65	2.244	3868	65.42	10.723	3918	67.03	5.840	3968	68.49	11.219
3819	63.69	2.490	3869	65.45	10.970	3919	67.07	5.587	3969	68.53	10.590
3820	63.75	4.236	3870	65.48	12.343	3920	67.10	5.584	3970	68.56	9.963
3821	63.77	5.109	3871	65.51	13.840	3921	67.13	6.082	3971	68.60	8.710
3822	63.82	4.855	3872	65.53	15.088	3922	67.16	6.704	3972	68.62	8.333
3823	63.86	3.976	3873	65.56	16.961	3923	67.18	7.952	3973	68.65	7.706
3824	63.92	3.971	3874	65.58	18.834	3924	67.21	8.950	3974	68.67	6.829
3825	63.97	3.342	3875	65.61	19.207	3925	67.23	8.949	3975	68.68	6.453
3826	64.01	2.714	3876	65.66	18.578	3926	67.29	7.040	3976	68.72	6.459
3827	64.05	4.211	3877	65.69	17.700	3927	67.33	5.565	3977	68.75	6.697
3828	64.07	6.084	3878	65.74	17.321	3928	67.37	3.687	3978	68.77	6.696
3829	64.10	6.331	3879	65.75	17.320	3929	67.40	2.059	3979	68.79	7.069
3830	64.14	6.703	3880	65.79	15.817	3930	67.41	1.434	3980	68.80	5.943
3831	64.17	6.701	3881	65.82	14.565	3931	67.44	0.556	3981	68.83	4.440
3832	64.21	6.448	3882	65.84	12.688	3932	67.47	0.554	3982	68.87	3.562
3833	64.24	5.820	3883	65.87	10.435	3933	67.51	0.175	3983	68.90	2.559
3834	64.28	5.442	3884	65.91	8.557	3934	67.53	-0.452	3984	68.95	1.680
3835	64.31	6.315	3885	65.92	7.931	3935	67.56	0.796	3985	69.00	1.551
3836	64.34	7.937	3886	65.95	6.054	3936	67.59	2.043	3986	69.04	1.048
3837	64.37	9.184	3887	65.98	4.551	3937	67.64	3.540	3987	69.08	0.420
3838	64.40	10.682	3888	66.00	2.549	3938	67.66	4.163	3988	69.12	2.167
3839	64.43	10.179	3889	66.03	-0.828	3939	67.69	5.161	3989	69.17	4.663
3840	64.46	9.552	3890	66.06	-2.331	3940	67.72	6.658	3990	69.19	6.538
3841	64.49	8.549	3891	66.09	-3.583	3941	67.75	7.655	3991	69.21	8.409
3842	64.52	8.547	3892	66.12	-3.835	3942	67.78	7.903	3992	69.24	10.657
3843	64.56	9.168	3893	66.16	-4.214	3943	67.81	8.650	3993	69.27	11.279
3844	64.60	9.790	3894	66.20	-3.592	3944	67.84	7.648	3994	69.30	12.027
3845	64.63	10.038	3895	66.23	-2.970	3945	67.86	7.021	3995	69.33	12.024
3846	64.65	10.411	3896	66.26	-2.347	3946	67.89	6.394	3996	69.37	11.146
3847	64.68	9.784	3897	66.29	-2.349	3947	67.90	6.143	3997	69.40	10.519
3848	64.72	8.281	3898	66.32	-2.602	3948	67.93	5.516	3998	69.44	9.516
3849	64.75	6.653	3899	66.35	-2.355	3949	67.96	6.013	3999	69.45	8.800
3850	64.76	5.402	3900	66.39	-2.108	3950	67.98	6.636	4000	69.47	8.263

INDEX NO. 791 1302-PI-12 CHIYODA BRIDGE LG. MAX.ACCEL.= -60.441(GAL) T=12.53(SEC) NO.21

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
4001	69.50	6.386	4051	71.11	6.755	4101	72.48	3.769	4151	73.94	1.273
4002	69.52	5.510	4052	71.14	6.752	4102	72.49	4.143	4152	73.97	1.521
4003	69.55	3.757	4053	71.18	6.124	4103	72.51	4.142	4153	74.02	2.392
4004	69.56	2.881	4054	71.21	5.497	4104	72.54	3.264	4154	74.05	2.764
4005	69.57	2.505	4055	71.24	3.994	4105	72.56	2.262	4155	74.09	3.011
4006	69.60	2.753	4056	71.28	3.366	4106	72.57	2.261	4156	74.12	4.258
4007	69.63	4.000	4057	71.31	2.989	4107	72.60	1.009	4157	74.15	5.881
4008	69.67	4.997	4058	71.34	3.237	4108	72.62	0.132	4158	74.18	7.756
4009	69.70	5.244	4059	71.37	3.859	4109	72.64	0.631	4159	74.20	9.002
4010	69.74	5.867	4060	71.40	4.232	4110	72.70	1.501	4160	74.23	9.625
4011	69.77	6.864	4061	71.43	4.479	4111	72.74	2.740	4161	74.25	9.373
4012	69.81	6.861	4062	71.45	4.477	4112	72.78	4.119	4162	74.27	7.496
4013	69.85	6.858	4063	71.48	4.475	4113	72.83	4.740	4163	74.31	5.868
4014	69.89	7.104	4064	71.51	5.848	4114	72.88	4.736	4164	74.34	4.366
4015	69.91	6.478	4065	71.54	6.970	4115	72.92	4.983	4165	74.39	2.737
4016	69.94	5.975	4066	71.57	8.843	4116	72.95	4.730	4166	74.42	1.859
4017	69.98	4.972	4067	71.61	9.215	4117	72.98	3.653	4167	74.45	1.231
4018	70.03	3.718	4068	71.64	9.462	4118	73.02	3.225	4168	74.48	0.229
4019	70.08	2.464	4069	71.67	9.835	4119	73.04	2.223	4169	74.51	-0.398
4020	70.11	-0.913	4070	71.70	10.707	4120	73.07	0.345	4170	74.54	0.849
4021	70.15	-2.166	4071	71.73	12.080	4121	73.09	-0.531	4171	74.57	1.472
4022	70.19	-3.170	4072	71.75	13.078	4122	73.11	-0.282	4172	74.59	2.720
4023	70.25	-3.675	4073	71.78	14.576	4123	73.15	-0.036	4173	74.61	3.969
4024	70.29	-3.679	4074	71.79	14.950	4124	73.18	0.961	4174	74.63	5.842
4025	70.35	-4.183	4075	71.82	14.073	4125	73.21	2.209	4175	74.66	6.214
4026	70.40	-3.062	4076	71.85	12.195	4126	73.24	2.456	4176	74.69	5.212
4027	70.42	-1.439	4077	71.88	9.693	4127	73.28	2.453	4177	74.71	4.586
4028	70.45	0.434	4078	71.92	7.190	4128	73.31	4.950	4178	74.74	3.958
4029	70.47	1.932	4079	71.94	6.813	4129	73.34	6.573	4179	74.77	3.331
4030	70.50	3.680	4080	71.96	6.561	4130	73.36	7.447	4180	74.80	2.703
4031	70.53	4.552	4081	72.00	6.184	4131	73.38	6.944	4181	74.83	2.076
4032	70.55	5.176	4082	72.03	6.431	4132	73.41	5.692	4182	74.85	1.199
4033	70.60	5.172	4083	72.05	6.804	4133	73.44	5.065	4183	74.90	1.695
4034	70.63	5.795	4084	72.07	6.802	4134	73.47	4.937	4184	74.92	2.943
4035	70.66	5.541	4085	72.11	6.174	4135	73.49	4.935	4185	74.95	4.566
4036	70.68	5.290	4086	72.14	5.297	4136	73.53	5.932	4186	74.97	5.440
4037	70.72	4.286	4087	72.16	4.045	4137	73.56	6.180	4187	74.99	5.188
4038	70.74	4.285	4088	72.18	4.294	4138	73.59	5.927	4188	75.02	4.935
4039	70.77	4.282	4089	72.21	4.541	4139	73.62	5.050	4189	75.05	5.433
4040	70.80	4.280	4090	72.24	5.164	4140	73.64	3.798	4190	75.08	6.430
4041	70.83	3.653	4091	72.26	5.162	4141	73.66	2.796	4191	75.11	7.053
4042	70.85	3.650	4092	72.28	4.285	4142	73.69	1.544	4192	75.13	7.051
4043	70.87	4.274	4093	72.30	3.283	4143	73.72	0.916	4193	75.15	5.349
4044	70.90	4.897	4094	72.33	2.656	4144	73.74	0.915	4194	75.18	3.672
4045	70.93	5.145	4095	72.35	1.654	4145	73.76	1.708	4195	75.20	1.795
4046	70.96	4.642	4096	72.38	1.027	4146	73.79	2.786	4196	75.22	-0.456
4047	70.99	4.015	4097	72.39	1.026	4147	73.82	3.408	4197	75.26	-1.959
4048	71.02	4.262	4098	72.41	2.275	4148	73.83	2.782	4198	75.31	-2.964
4049	71.05	5.260	4099	72.43	2.898	4149	73.86	1.529	4199	75.34	-3.592
4050	71.07	5.758	4100	72.45	3.521	4150	73.90	1.526	4200	75.38	-3.594

INDEX NO. 791 1302-P1-12 CHIYODA BRIDGE LG. MAX.ACCEL.= -60.441(GAL) T=12.53(SEC) NO.22

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
4201	75.41	-3.347	4251	76.87	-2.715	4301	77.94	-0.428	4351	79.55	-2.561
4202	75.46	-3.351	4252	76.90	-4.718	4302	77.96	-1.055	4352	79.59	-0.690
4203	75.48	-2.728	4253	76.92	-5.970	4303	77.99	-1.682	4353	79.61	0.559
4204	75.51	-2.105	4254	76.94	-6.597	4304	78.01	-2.934	4354	79.64	2.181
4205	75.53	-0.482	4255	76.98	-6.399	4305	78.02	-3.560	4355	79.66	3.805
4206	75.56	-0.235	4256	77.01	-4.852	4306	78.04	-2.687	4356	79.69	5.053
4207	75.59	-0.487	4257	77.02	-3.228	4307	78.06	-1.189	4357	79.71	4.800
4208	75.62	-0.740	4258	77.04	-2.979	4308	78.09	0.434	4358	79.75	3.547
4209	75.64	-0.741	4259	77.05	-2.355	4309	78.11	1.683	4359	79.77	2.670
4210	75.65	1.383	4260	77.06	-1.731	4310	78.14	2.306	4360	79.82	1.042
4211	75.69	3.505	4261	77.09	-1.984	4311	78.18	1.677	4361	79.83	1.666
4212	75.72	4.753	4262	77.12	-2.611	4312	78.21	1.675	4362	79.85	2.289
4213	75.74	6.000	4263	77.15	-2.989	4313	78.26	1.295	4363	79.89	2.286
4214	75.76	7.249	4264	77.17	-1.740	4314	78.28	3.044	4364	79.92	1.458
4215	75.78	7.872	4265	77.19	-0.492	4315	78.31	4.291	4365	79.94	1.406
4216	75.81	8.245	4266	77.21	1.381	4316	78.33	5.165	4366	79.96	1.905
4217	75.84	8.492	4267	77.23	2.630	4317	78.35	5.538	4367	80.00	2.527
4218	75.86	9.491	4268	77.25	3.129	4318	78.38	6.161	4368	80.02	3.525
4219	75.88	10.364	4269	77.26	3.377	4319	78.42	6.407	4369	80.03	3.524
4220	75.89	11.113	4270	77.29	2.875	4320	78.44	7.405	4370	80.09	3.519
4221	75.91	12.111	4271	77.32	1.622	4321	78.48	7.402	4371	80.12	3.267
4222	75.94	12.984	4272	77.34	0.996	4322	78.52	7.399	4372	80.15	2.640
4223	75.96	13.932	4273	77.36	1.620	4323	78.54	7.397	4373	80.17	1.387
4224	75.99	15.230	4274	77.37	1.868	4324	78.56	8.021	4374	80.20	0.135
4225	76.06	10.224	4275	77.39	3.116	4325	78.59	9.268	4375	80.26	-2.745
4226	76.10	8.721	4276	77.41	3.365	4326	78.61	10.516	4376	80.31	-4.999
4227	76.13	7.468	4277	77.43	4.363	4327	78.65	10.513	4377	80.34	-6.627
4228	76.16	4.964	4278	77.46	4.736	4328	78.71	9.009	4378	80.39	-7.505
4229	76.22	2.586	4279	77.49	3.734	4329	78.75	6.130	4379	80.42	-8.508
4230	76.26	1.083	4280	77.50	3.482	4330	78.81	5.250	4380	80.45	-9.385
4231	76.29	-0.294	4281	77.53	2.481	4331	78.85	4.622	4381	80.49	-10.388
4232	76.32	0.954	4282	77.55	0.979	4332	78.88	4.620	4382	80.53	-10.641
4233	76.34	2.201	4283	77.56	0.603	4333	78.91	4.867	4383	80.57	-10.395
4234	76.37	2.575	4284	77.58	0.601	4334	78.94	5.489	4384	80.60	-8.272
4235	76.39	2.323	4285	77.60	1.224	4335	78.96	5.737	4385	80.63	-5.150
4236	76.42	1.320	4286	77.63	1.847	4336	79.00	5.235	4386	80.65	-3.527
4237	76.46	-1.809	4287	77.65	2.471	4337	79.04	4.856	4387	80.68	-1.404
4238	76.51	-3.062	4288	77.67	2.718	4338	79.11	3.351	4388	80.71	1.468
4239	76.53	-3.063	4289	77.70	2.467	4339	79.15	2.347	4389	80.76	3.714
4240	76.55	-2.190	4290	77.71	1.841	4340	79.20	0.843	4390	80.80	4.087
4241	76.59	-1.193	4291	77.72	1.214	4341	79.24	-0.785	4391	80.83	4.959
4242	76.61	-0.945	4292	77.75	-0.913	4342	79.28	-2.913	4392	80.86	4.957
4243	76.64	-0.947	4293	77.77	-1.914	4343	79.30	-3.915	4393	80.91	4.703
4244	76.66	-1.199	4294	77.80	-3.167	4344	79.33	-5.543	4394	80.93	4.701
4245	76.71	-1.203	4295	77.82	-4.793	4345	79.34	-6.169	4395	80.96	3.448
4246	76.75	0.669	4296	77.84	-3.921	4346	79.37	-5.672	4396	81.01	0.945
4247	76.77	1.292	4297	77.87	-1.423	4347	79.41	-5.300	4397	81.06	-0.933
4248	76.79	1.041	4298	77.88	-0.799	4348	79.44	-5.302	4398	81.08	-1.812
4249	76.81	0.414	4299	77.91	0.074	4349	79.48	-4.430	4399	81.11	-2.439
4250	76.83	-1.213	4300	77.92	0.448	4350	79.51	-3.183	4400	81.13	-1.941

INDEX NO. 791 1302-P1-12 CHIYODA BRIDGE LG. MAX.ACCEL.= -60.441(GAL) T=12.53(SEC) NO.23

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
4401	81.17	-0.944	4451	82.59	-7.435	4501	84.12	-1.685	4551	85.73	-3.192
4402	81.19	-0.945	4452	82.63	-6.188	4502	84.15	-1.687	4552	85.77	-2.570
4403	81.22	-1.573	4453	82.66	-4.316	4503	84.18	-0.440	4553	85.81	-2.574
4404	81.25	-2.201	4454	82.70	-1.194	4504	84.22	-0.443	4554	85.84	-2.826
4405	81.28	-2.203	4455	82.74	1.303	4505	84.25	-0.446	4555	85.87	-2.578
4406	81.30	-0.705	4456	82.76	2.176	4506	84.29	-1.324	4556	85.90	-3.456
4407	81.34	0.917	4457	82.79	2.674	4507	84.32	-2.201	4557	85.92	-4.083
4408	81.36	1.790	4458	82.82	2.672	4508	84.33	-1.078	4558	85.96	-3.836
4409	81.39	3.030	4459	82.84	2.420	4509	84.37	0.545	4559	86.04	-1.968
4410	81.41	4.411	4460	82.87	1.792	4510	84.39	2.293	4560	86.08	-1.096
4411	81.44	3.784	4461	82.92	-0.712	4511	84.42	4.416	4561	86.13	-1.100
4412	81.47	1.907	4462	82.95	-1.339	4512	84.46	5.037	4562	86.17	-0.728
4413	81.49	0.905	4463	82.98	-0.217	4513	84.49	4.784	4563	86.20	-0.481
4414	81.52	-0.973	4464	83.01	0.408	4514	84.55	3.530	4564	86.24	-0.484
4415	81.55	-0.100	4465	83.04	0.404	4515	84.58	2.527	4565	86.26	-0.485
4416	81.58	0.897	4466	83.07	-0.0724	4516	84.60	2.275	4566	86.29	-1.362
4417	81.60	1.521	4467	83.10	-2.602	4517	84.63	1.023	4567	86.31	-2.239
4418	81.61	1.770	4468	83.17	-6.482	4518	84.65	-0.854	4568	86.34	-3.242
4419	81.64	1.518	4469	83.22	-4.987	4519	84.68	-3.106	4569	86.38	-4.745
4420	81.66	0.641	4470	83.24	-3.738	4520	84.71	-4.983	4570	86.42	-5.123
4421	81.69	-0.611	4471	83.27	-3.115	4521	84.73	-6.360	4571	86.46	-4.251
4422	81.71	-1.613	4472	83.29	-2.867	4522	84.76	-5.113	4572	86.48	-3.253
4423	81.73	-1.365	4473	83.31	-3.119	4523	84.79	-3.240	4573	86.51	-1.755
4424	81.77	1.132	4474	83.37	-4.373	4524	84.82	-1.743	4574	86.53	-1.382
4425	81.79	2.130	4475	83.39	-3.500	4525	84.85	-0.120	4575	86.57	-1.385
4426	81.82	4.003	4476	83.41	-2.877	4526	84.88	1.127	4576	86.60	-0.763
4427	81.84	4.001	4477	83.44	-1.629	4527	84.91	2.250	4577	86.64	-0.766
4428	81.87	3.373	4478	83.46	0.244	4528	84.95	2.496	4578	86.67	-0.769
4429	81.90	2.496	4479	83.47	-0.006	4529	84.98	1.244	4579	86.69	-0.520
4430	81.92	1.869	4480	83.50	-0.010	4530	85.01	-0.633	4580	86.74	-1.649
4431	81.95	0.867	4481	83.52	-0.011	4531	85.04	-1.886	4581	86.77	-2.277
4432	81.99	2.363	4482	83.54	-0.263	4532	85.07	-1.888	4582	86.79	-3.904
4433	82.04	2.735	4483	83.58	-0.891	4533	85.11	-1.642	4583	86.82	-5.531
4434	82.07	2.732	4484	83.60	-1.267	4534	85.16	-0.646	4584	86.85	-5.658
4435	82.09	2.980	4485	83.62	-1.894	4535	85.21	-0.025	4585	86.87	-5.660
4436	82.13	3.352	4486	83.65	-1.021	4536	85.25	0.597	4586	86.90	-4.037
4437	82.18	4.223	4487	83.69	-1.025	4537	85.28	1.220	4587	86.93	-1.915
4438	82.21	3.721	4488	83.70	-0.401	4538	85.31	1.842	4588	86.96	-0.917
4439	82.24	2.468	4489	83.72	-0.402	4539	85.34	1.215	4589	86.98	1.206
4440	82.27	2.091	4490	83.74	-1.279	4540	85.37	-0.039	4590	87.01	1.204
4441	82.30	2.338	4491	83.76	-2.156	4541	85.40	-1.291	4591	87.06	0.325
4442	82.33	2.336	4492	83.79	-3.158	4542	85.42	-2.167	4592	87.09	-0.553
4443	82.36	1.833	4493	83.82	-5.035	4543	85.46	-3.795	4593	87.13	-2.431
4444	82.39	0.831	4494	83.85	-6.913	4544	85.49	-4.422	4594	87.17	-4.685
4445	82.43	-1.047	4495	83.87	-6.914	4545	85.52	-4.675	4595	87.20	-5.561
4446	82.44	-3.548	4496	83.91	-5.418	4546	85.55	-4.678	4596	87.24	-7.190
4447	82.47	-4.300	4497	83.96	-4.047	4547	85.60	-3.182	4597	87.28	-7.818
4448	82.50	-5.802	4498	84.02	-3.801	4548	85.63	-3.184	4598	87.31	-7.196
4449	82.53	-7.430	4499	84.05	-3.179	4549	85.66	-3.186	4599	87.34	-5.898
4450	82.56	-7.682	4500	84.09	-2.307	4550	85.68	-3.188	4600	87.38	-4.451

土木構造物における加速度強震記録（No. 9）

INDEX NO. 791 1302-PI-12 CHIYODA BRIDGE LG. MAX.ACCEL.= -60.441(GAL) T=12.53(SEC) NO.24

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
4601	87.40	-3.453	4651	89.11	0.282	4701	90.58	-5.590	4751	92.06	-2.837
4602	87.44	-2.831	4652	89.14	-0.595	4702	90.60	-5.591	4752	92.07	-2.588
4603	87.47	-2.834	4653	89.17	-2.223	4703	90.65	-4.970	4753	92.11	-3.842
4604	87.50	-2.836	4654	89.21	-3.476	4704	90.68	-4.098	4754	92.14	-4.469
4605	87.54	-2.589	4655	89.23	-4.353	4705	90.72	-1.851	4755	92.21	-5.349
4606	87.57	-2.592	4656	89.25	-4.979	4706	90.75	-0.979	4756	92.25	-5.728
4607	87.59	-2.844	4657	89.27	-5.731	4707	90.78	1.519	4757	92.29	-5.481
4608	87.62	-2.846	4658	89.30	-6.734	4708	90.80	2.269	4758	92.32	-5.984
4609	87.63	-3.097	4659	89.36	-9.239	4709	90.82	3.516	4759	92.37	-5.407
4610	87.66	-2.224	4660	89.39	-9.241	4710	90.84	3.889	4760	92.41	-4.866
4611	87.69	-1.602	4661	89.43	-9.869	4711	90.86	3.012	4761	92.46	-3.870
4612	87.72	-0.979	4662	89.45	-9.621	4712	90.89	1.760	4762	92.49	-3.247
4613	87.77	-0.358	4663	89.47	-8.623	4713	90.91	0.133	4763	92.54	-3.251
4614	87.80	-0.361	4664	89.49	-7.999	4714	90.94	-1.369	4764	92.57	-3.504
4615	87.84	-0.614	4665	89.51	-7.126	4715	90.97	-2.997	4765	92.62	-4.758
4616	87.88	0.893	4666	89.53	-6.128	4716	91.00	-4.499	4766	92.65	-6.010
4617	87.92	1.129	4667	89.55	-5.254	4717	91.03	-5.876	4767	92.70	-7.889
4618	87.97	1.125	4668	89.57	-4.256	4718	91.05	-7.128	4768	92.74	-9.142
4619	88.01	0.872	4669	89.60	-2.758	4719	91.08	-8.381	4769	92.78	-9.521
4620	88.06	-0.067	4670	89.62	-1.510	4720	91.10	-9.383	4770	92.81	-8.898
4621	88.10	-1.260	4671	89.63	0.114	4721	91.13	-9.385	4771	92.85	-8.277
4622	88.13	-1.887	4672	89.66	-0.514	4722	91.15	-8.762	4772	92.87	-7.403
4623	88.16	-1.915	4673	89.69	-1.141	4723	91.18	-7.889	4773	92.89	-5.530
4624	88.21	-1.019	4674	89.72	-2.018	4724	91.21	-6.642	4774	92.93	-3.968
4625	88.26	-1.649	4675	89.75	-3.021	4725	91.24	-5.019	4775	92.96	-2.661
4626	88.30	-2.526	4676	89.79	-3.649	4726	91.29	-5.273	4776	92.99	-2.663
4627	88.35	-4.156	4677	89.82	-3.652	4727	91.33	-5.901	4777	93.01	-3.290
4628	88.39	-5.659	4678	89.84	-3.404	4728	91.35	-6.903	4778	93.05	-5.168
4629	88.43	-6.287	4679	89.88	-3.032	4729	91.38	-6.656	4779	93.09	-7.046
4630	88.46	-8.165	4680	89.90	-3.033	4730	91.42	-5.409	4780	93.11	-8.298
4631	88.49	-10.042	4681	89.92	-2.785	4731	91.44	-4.786	4781	93.14	-8.925
4632	88.51	-10.419	4682	89.96	-2.164	4732	91.48	-4.789	4782	93.16	-8.677
4633	88.52	-11.169	4683	90.00	-2.666	4733	91.50	-4.791	4783	93.18	-8.054
4634	88.54	-9.921	4684	90.03	-3.669	4734	91.53	-5.293	4784	93.21	-7.056
4635	88.58	-9.299	4685	90.08	-5.173	4735	91.57	-6.297	4785	93.24	-6.434
4636	88.61	-8.052	4686	90.12	-6.802	4736	91.59	-7.173	4786	93.26	-5.560
4637	88.65	-6.805	4687	90.16	-7.680	4737	91.62	-8.175	4787	93.28	-5.187
4638	88.69	-6.184	4688	90.18	-8.682	4738	91.65	-7.303	4788	93.31	-5.439
4639	88.73	-4.811	4689	90.22	-9.560	4739	91.68	-6.056	4789	93.34	-6.067
4640	88.76	-3.939	4690	90.25	-10.563	4740	91.70	-6.058	4790	93.37	-4.944
4641	88.79	-2.692	4691	90.27	-11.439	4741	91.74	-6.310	4791	93.40	-4.321
4642	88.83	-2.069	4692	90.30	-11.316	4742	91.77	-6.563	4792	93.44	-3.950
4643	88.86	-2.072	4693	90.31	-9.193	4743	91.80	-7.191	4793	93.47	-3.703
4644	88.90	-2.075	4694	90.34	-7.570	4744	91.85	-6.320	4794	93.52	-4.581
4645	88.95	0.170	4695	90.37	-5.947	4745	91.87	-5.072	4795	93.55	-6.084
4646	88.99	1.042	4696	90.40	-4.700	4746	91.89	-3.198	4796	93.59	-7.962
4647	89.02	2.165	4697	90.42	-3.076	4747	91.93	-2.576	4797	93.64	-7.717
4648	89.04	2.788	4698	90.46	-3.329	4748	91.96	-1.329	4798	93.68	-6.845
4649	89.06	2.786	4699	90.49	-3.957	4749	91.99	-1.956	4799	93.72	-6.223
4650	89.09	1.284	4700	90.53	-4.960	4750	92.02	-2.209	4800	93.76	-6.227

INDEX NO. 791 1302-PI-12 CHIYODA BRIDGE LG. MAX.ACCEL.= -60.441(GAL) T=12.53(SEC) NO.25

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
4801	93.80	-6.230	4851	95.35	-4.104	4901	97.10	-5.757	4951	99.24	-6.933
4802	93.84	-4.608	4852	95.39	-3.233	4902	97.15	-7.011	4952	99.29	-6.937
4803	93.88	-3.361	4853	95.43	-3.486	4903	97.18	-7.639	4953	99.34	-8.191
4804	93.91	-2.739	4854	95.46	-4.739	4904	97.20	-8.015	4954	99.38	-8.195
4805	93.95	-2.492	4855	95.49	-5.991	4905	97.24	-8.893	4955	99.42	-9.448
4806	93.97	-2.993	4856	95.52	-6.244	4906	97.28	-8.647	4956	99.47	-12.202
4807	94.00	-4.621	4857	95.56	-7.246	4907	97.31	-8.649	4957	99.51	-12.830
4808	94.03	-5.874	4858	95.59	-6.374	4908	97.41	-9.658	4958	99.56	-12.584
4809	94.06	-7.375	4859	95.62	-6.377	4909	97.46	-9.287	4959	99.59	-12.837
4810	94.10	-9.879	4860	95.66	-7.255	4910	97.51	-8.416	4960	99.65	-13.216
4811	94.12	-10.255	4861	95.70	-9.383	4911	97.57	-8.921	4961	99.68	-13.844
4812	94.14	-9.382	4862	95.73	-10.010	4912	97.62	-7.425	4962	99.72	-13.597
4813	94.18	-8.135	4863	95.75	-11.013	4913	97.66	-7.178	4963	99.75	-13.225
4814	94.21	-6.888	4864	95.78	-9.514	4914	97.70	-8.057	4964	99.81	-12.605
4815	94.24	-5.265	4865	95.82	-7.767	4915	97.74	-7.435	4965	99.85	-10.733
4816	94.28	-3.768	4866	95.84	-6.654	4916	97.78	-6.563	4966	99.88	-9.486
4817	94.31	-3.146	4867	95.88	-6.032	4917	97.82	-5.317	4967	99.91	-8.613
4818	94.34	-1.898	4868	95.92	-5.160	4918	97.87	-4.946	4968	99.94	-7.990
4819	94.36	-1.525	4869	95.95	-5.413	4919	97.92	-5.200	4969	99.98	-7.993
4820	94.39	-0.902	4870	95.99	-5.416	4920	97.97	-4.954	4970	100.00	-6.996
4821	94.42	-0.655	4871	96.02	-5.669	4921	98.02	-4.958	4971	100.04	-5.749
4822	94.45	+0.657	4872	96.05	-6.046	4922	98.05	-4.335	4972	100.06	-5.501
4823	94.47	-0.659	4873	96.09	-6.300	4923	98.08	-4.338	4973	100.08	-6.627
4824	94.49	-1.161	4874	96.14	-6.053	4924	98.13	-3.716	4974	100.11	-7.879
4825	94.52	-1.538	4875	96.17	-5.806	4925	98.15	-4.968	4975	100.14	-8.882
4826	94.55	-2.790	4876	96.21	-4.809	4926	98.27	-5.229	4976	100.16	-9.509
4827	94.58	-2.543	4877	96.25	-4.563	4927	98.32	-4.983	4977	100.18	-10.135
4828	94.61	-1.545	4878	96.29	-3.565	4928	98.35	-6.235	4978	100.20	-10.137
4829	94.63	-1.547	4879	96.32	-3.568	4929	98.39	-7.488	4979	100.23	-10.139
4830	94.66	-1.299	4880	96.36	-2.322	4930	98.42	-8.740	4980	100.26	-9.892
4831	94.69	-2.427	4881	96.38	-2.948	4931	98.46	-9.994	4981	100.28	-9.518
4832	94.73	-4.305	4882	96.41	-3.575	4932	98.50	-11.247	4982	100.30	-8.895
4833	94.76	-6.182	4883	96.43	-4.202	4933	98.53	-11.875	4983	100.34	-8.023
4834	94.78	-7.809	4884	96.47	-6.080	4934	98.56	-11.252	4984	100.36	-7.650
4835	94.81	-9.061	4885	96.51	-6.959	4935	98.59	-11.880	4985	100.40	-6.404
4836	94.86	-11.190	4886	96.54	-6.961	4936	98.63	-10.008	4986	100.42	-5.530
4837	94.90	-11.569	4887	96.58	-6.964	4937	98.67	-7.886	4987	100.45	-6.657
4838	94.93	-11.571	4888	96.60	-6.716	4938	98.71	-6.264	4988	100.47	-5.909
4839	94.96	-10.698	4889	96.63	-6.719	4939	98.75	-5.393	4989	100.49	-5.035
4840	94.99	-10.076	4890	96.65	-6.470	4940	98.78	-4.395	4990	100.51	-5.037
4841	95.03	-9.704	4891	96.69	-6.098	4941	98.86	-4.652	4991	100.54	-5.040
4842	95.06	-9.081	4892	96.73	-6.102	4942	98.90	-4.155	4992	100.57	-4.792
4843	95.09	-7.834	4893	96.77	-7.605	4943	98.93	-3.782	4993	100.61	-5.670
4844	95.10	-7.210	4894	96.82	-7.609	4944	98.96	-3.785	4994	100.65	-7.048
4845	95.14	-6.338	4895	96.87	-6.114	4945	99.00	-4.038	4995	100.68	-7.676
4846	95.18	-5.966	4896	96.91	-6.741	4946	99.04	-4.041	4996	100.71	-8.303
4847	95.21	-6.218	4897	96.94	-6.119	4947	99.09	-5.046	4997	100.76	-9.183
4848	95.23	-5.721	4898	96.98	-5.122	4948	99.12	-4.424	4998	100.79	-9.560
4849	95.28	-5.349	4899	97.01	-5.250	4949	99.15	-4.676	4999	100.82	-10.188
4850	95.32	-5.103	4900	97.06	-5.504	4950	99.18	-5.053	5000	100.86	-11.441

INDEX NO. 791 1302-PI-12 CHIYODA BRIDGE LG. MAX.ACCEL.= -60.441(GAL) T=12.53(SEC) NO.26

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
5001	100.89	-11.693	5051	102.70	-11.592	5101	105.12	-14.416
5002	100.92	-12.321	5052	102.74	-12.471	5102	105.16	-14.669
5003	100.95	-12.698	5053	102.78	-13.474	5103	105.20	-14.422
5004	100.97	-12.950	5054	102.85	-12.979	5104	105.24	-14.676
5005	100.99	-12.702	5055	102.89	-12.108	5105	105.27	-14.429
5006	101.02	-12.704	5056	102.93	-11.736	5106	105.30	-15.306
5007	101.05	-12.456	5057	102.97	-11.114	5107	105.35	-15.685
5008	101.10	-12.086	5058	103.03	-11.119	5108	105.39	-15.938
5009	101.12	-12.088	5059	103.06	-10.872	5109	105.44	-15.692
5010	101.14	-12.039	5060	103.09	-11.124	5110	105.47	-15.445
5011	101.17	-12.092	5061	103.12	-11.377	5111	105.50	-14.447
5012	101.20	-12.094	5062	103.20	-11.758	5112	105.53	-12.950
5013	101.23	-11.846	5063	103.23	-13.261	5113	105.57	-12.328
5014	101.25	-11.848	5064	103.27	-14.514	5114	105.61	-11.956
5015	101.26	-11.849	5065	103.30	-15.516	5115	105.65	-12.834
5016	101.30	-12.102	5066	103.34	-17.019	5116	105.67	-12.836
5017	101.35	-12.981	5067	103.38	-18.273	5117	105.71	-12.964
5018	101.38	-12.984	5068	103.43	-17.402	5118	105.75	-12.968
5019	101.43	-12.113	5069	103.46	-16.785	5119	105.81	-12.972
5020	101.47	-11.491	5070	103.51	-15.284	5120	105.86	-12.977
5021	101.50	-10.869	5071	103.58	-14.039	5121	105.92	-13.231
5022	101.53	-9.621	5072	103.66	-13.419	5122	105.96	-13.860
5023	101.57	-8.749	5073	103.71	-11.800	5123	106.00	-14.113
5024	101.60	-8.127	5074	103.78	-12.181	5124	106.06	-14.118
5025	101.61	-8.127	5075	103.84	-12.811	5125	106.11	-15.123
5026	101.64	-9.255	5076	103.87	-12.064	5126	106.15	-14.875
5027	101.68	-10.258	5077	103.95	-10.570	5127	106.19	-15.129
5028	101.73	-10.262	5078	103.99	-12.448	5128	106.25	-15.759
5029	101.77	-10.266	5079	104.06	-12.454	5129	106.32	-16.639
5030	101.81	-10.519	5080	104.13	-13.084	5130	106.39	-17.020
5031	101.83	-10.521	5081	104.18	-13.339	5131	106.43	-17.023
5032	101.88	-10.275	5082	104.23	-12.863	5132	106.49	-16.778
5033	101.93	-10.904	5083	104.27	-12.471	5133	106.54	-16.408
5034	101.97	-11.532	5084	104.34	-13.102	5134	106.62	-14.914
5035	102.03	-11.783	5085	104.39	-14.356	5135	106.67	-15.168
5036	102.06	-10.665	5086	104.45	-14.611	5136	106.72	-16.422
5037	102.11	-9.419	5087	104.56	-15.995	5137	106.74	-16.424
5038	102.15	-8.797	5088	104.60	-15.998	5138	106.79	-15.553
5039	102.20	-8.426	5089	104.64	-15.002	5139	106.84	-15.182
5040	102.26	-9.931	5090	104.69	-15.631	5140	106.89	-15.811
5041	102.33	-10.937	5091	104.73	-15.634			
5042	102.37	-11.815	5092	104.76	-15.386			
5043	102.41	-12.018	5093	104.79	-14.764			
5044	102.43	-12.195	5094	104.83	-13.767			
5045	102.48	-10.949	5095	104.86	-13.770			
5046	102.51	-10.951	5096	104.92	-13.399			
5047	102.54	-10.954	5097	104.95	-13.777			
5048	102.58	-10.332	5098	105.00	-14.031			
5049	102.61	-10.085	5099	105.04	-14.034			
5050	102.67	-11.840	5100	105.07	-14.037			

Table IX D-18 Digitized Accelerations of Earthquake Record with Index Number 792

INDEX NO. 792 1302-PI-12 CHIYODA BRIDGE U-D MAX.ACCEL.= -17.593(GAL) T=17.08(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.0	-13.239	51	0.96	-7.059	101	2.02	-4.262	151	2.91	-4.952
2	0.03	-12.491	52	0.97	-6.000	102	2.04	-3.638	152	2.94	-4.704
3	0.05	-10.118	53	0.99	-4.561	103	2.05	-2.764	153	2.95	-4.704
4	0.06	-8.869	54	1.01	-3.312	104	2.07	-2.140	154	2.96	-4.705
5	0.07	-7.619	55	1.03	-3.564	105	2.09	-2.641	155	2.99	-4.958
6	0.09	-6.371	56	1.06	-5.066	106	2.11	-4.518	156	3.02	-4.959
7	0.11	-5.373	57	1.07	-5.692	107	2.13	-6.395	157	3.04	-4.711
8	0.15	-4.376	58	1.09	-7.318	108	2.14	-8.020	158	3.07	-4.088
9	0.20	-4.753	59	1.11	-8.576	109	2.15	-8.546	159	3.08	-4.089
10	0.21	-6.005	60	1.12	-7.321	110	2.18	-9.273	160	3.10	-4.965
11	0.22	-7.256	61	1.14	-7.072	111	2.20	-9.024	161	3.12	-5.842
12	0.23	-8.756	62	1.17	-6.449	112	2.22	-8.651	162	3.14	-7.093
13	0.25	-10.382	63	1.19	-5.451	113	2.24	-8.652	163	3.16	-8.720
14	0.26	-11.008	64	1.21	-4.827	114	2.27	-6.155	164	3.18	-9.721
15	0.28	-10.759	65	1.23	-4.579	115	2.28	-4.655	165	3.21	-9.348
16	0.29	-10.386	66	1.26	-3.956	116	2.30	-3.657	166	3.24	-8.476
17	0.31	-9.762	67	1.28	-3.958	117	2.32	-2.533	167	3.27	-6.852
18	0.34	-7.889	68	1.30	-3.959	118	2.33	-5.034	168	3.29	-6.229
19	0.36	-6.641	69	1.33	-4.461	119	2.35	-6.660	169	3.31	-4.981
20	0.39	-6.017	70	1.34	-6.087	120	2.36	-8.911	170	3.34	-2.858
21	0.41	-6.269	71	1.37	-6.714	121	2.37	-9.912	171	3.36	-1.609
22	0.42	-5.770	72	1.41	-7.967	122	2.38	-11.413	172	3.39	-0.986
23	0.44	-4.771	73	1.44	-8.594	123	2.39	-12.789	173	3.41	+1.238
24	0.46	-5.023	74	1.46	-9.221	124	2.41	-11.415	174	3.43	+3.989
25	0.48	-5.849	75	1.48	-8.347	125	2.43	-10.292	175	3.45	+6.491
26	0.49	+6.650	76	1.50	-7.349	126	2.45	+9.043	176	3.46	+7.491
27	0.51	+7.277	77	1.52	-6.725	127	2.47	-7.419	177	3.47	+9.367
28	0.53	-7.903	78	1.55	-5.227	128	2.49	+5.296	178	3.49	+9.119
29	0.54	-8.529	79	1.56	-5.478	129	2.51	-3.672	179	3.51	+8.745
30	0.55	-8.779	80	1.58	+6.355	130	2.53	-1.173	180	3.53	+8.496
31	0.56	+8.280	81	1.61	+9.232	131	2.54	-1.175	181	3.55	+8.123
32	0.58	-8.281	82	1.63	+10.483	132	2.56	-1.426	182	3.56	+8.124
33	0.60	+7.657	83	1.65	+11.984	133	2.58	-4.303	183	3.58	+8.125
34	0.61	+7.034	84	1.67	-12.611	134	2.59	+6.178	184	3.60	+7.876
35	0.63	+6.911	85	1.69	-12.612	135	2.61	+8.804	185	3.62	+6.878
36	0.66	+7.912	86	1.70	-12.613	136	2.63	+7.056	186	3.63	+6.878
37	0.67	+9.788	87	1.74	-11.741	137	2.65	-6.808	187	3.64	+6.005
38	0.69	+11.040	88	1.76	-11.117	138	2.67	-5.559	188	3.66	+4.756
39	0.71	+11.291	89	1.78	+9.619	139	2.69	+4.310	189	3.68	+3.507
40	0.72	+11.667	90	1.79	+8.620	140	2.70	-3.436	190	3.70	+3.134
41	0.75	+11.419	91	1.80	-7.121	141	2.71	-2.437	191	3.72	+2.510
42	0.77	+10.420	92	1.82	+6.122	142	2.73	-3.063	192	3.75	+2.262
43	0.78	+9.171	93	1.84	+5.248	143	2.75	+4.315	193	3.76	+2.763
44	0.81	+7.923	94	1.86	+5.500	144	2.77	+5.816	194	3.78	+4.639
45	0.82	+7.674	95	1.88	+5.751	145	2.80	+7.068	195	3.79	+6.265
46	0.84	+6.425	96	1.91	+6.128	146	2.83	+7.196	196	3.80	+8.141
47	0.87	+6.677	97	1.94	+5.881	147	2.85	+6.822	197	3.81	+9.641
48	0.89	+6.929	98	1.96	+6.132	148	2.86	+6.198	198	3.82	+11.268
49	0.91	+7.931	99	1.98	+5.133	149	2.88	+4.950	199	3.83	+11.268
50	0.93	+7.932	100	2.01	+5.511	150	2.90	+4.951	200	3.85	+11.270

土木構造物における加速度強震記録 (No. 9)

INDEX NO. 792 1302-PI-12 CHIYODA BRIDGE U-D MAX.ACCEL.= -17.593(GAL) T=17.08(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	3.87	-11.521	251	4.80	-6.337	301	5.78	-6.032	351	6.72	-5.849
202	3.89	-10.647	252	4.82	-4.214	302	5.80	-5.158	352	6.75	-7.101
203	3.90	-10.398	253	4.83	-2.589	303	5.82	-5.160	353	6.78	-7.104
204	3.92	-8.774	254	4.84	-0.715	304	5.84	-5.411	354	6.80	-7.105
205	3.94	-6.650	255	4.86	2.533	305	5.85	-5.412	355	6.83	-6.482
206	3.95	-5.027	256	4.87	3.407	306	5.86	-4.913	356	6.85	-5.859
207	3.96	-4.152	257	4.89	3.781	307	5.88	-4.289	357	6.87	-4.610
208	3.98	-2.778	258	4.91	2.530	308	5.89	-3.665	358	6.89	-3.987
209	3.99	-3.654	259	4.93	0.404	309	5.91	-3.291	359	6.91	-3.988
210	4.02	-5.157	260	4.94	-1.847	310	5.92	-3.292	360	6.93	-3.989
211	4.04	-7.033	261	4.95	-3.348	311	5.93	-3.543	361	6.95	-3.991
212	4.06	-9.035	262	4.97	-4.974	312	5.95	-3.919	362	6.98	-3.743
213	4.09	-10.286	263	4.99	-6.226	313	5.97	-4.795	363	7.00	-4.244
214	4.11	-11.538	264	5.00	-6.227	314	6.00	-6.422	364	7.02	-5.246
215	4.12	-12.289	265	5.04	-6.604	315	6.02	-7.924	365	7.04	-5.247
216	4.14	-13.415	266	5.05	-5.980	316	6.04	-8.301	366	7.05	-6.123
217	4.16	-13.792	267	5.09	-6.233	317	6.06	-8.302	367	7.08	-7.375
218	4.18	-12.293	268	5.12	-6.861	318	6.09	-8.929	368	7.10	-7.127
219	4.19	-11.044	269	5.15	-6.863	319	6.10	-9.180	369	7.12	-6.253
220	4.20	-9.794	270	5.18	-7.115	320	6.12	-9.181	370	7.13	-4.629
221	4.21	-7.920	271	5.21	-7.491	321	6.13	-8.932	371	7.14	-3.380
222	4.22	-6.671	272	5.24	-8.243	322	6.15	-9.183	372	7.17	-2.132
223	4.23	-6.047	273	5.25	-9.119	323	6.16	-8.684	373	7.19	-2.758
224	4.26	-6.549	274	5.28	-10.121	324	6.19	-7.061	374	7.23	-3.386
225	4.29	-7.551	275	5.30	-10.373	325	6.20	-3.937	375	7.26	-3.388
226	4.30	-8.177	276	5.32	-9.874	326	6.22	-3.313	376	7.29	-4.015
227	4.32	-9.053	277	5.34	-8.251	327	6.23	-2.064	377	7.31	-4.016
228	4.36	-10.056	278	5.36	-6.127	328	6.25	-1.690	378	7.35	-4.394
229	4.38	-9.432	279	5.38	-4.253	329	6.27	-1.692	379	7.37	-4.896
230	4.40	-8.809	280	5.40	-2.630	330	6.29	-2.943	380	7.38	-4.897
231	4.41	-6.934	281	5.42	-1.381	331	6.31	-4.570	381	7.40	-6.523
232	4.42	-5.685	282	5.45	-1.008	332	6.33	-4.821	382	7.41	-7.774
233	4.43	-3.811	283	5.47	-1.885	333	6.34	-4.322	383	7.43	-7.400
234	4.44	-2.937	284	5.49	-3.386	334	6.36	-3.948	384	7.46	-7.527
235	4.47	-2.939	285	5.51	-5.263	335	6.39	-3.950	385	7.47	-7.778
236	4.49	-3.815	286	5.52	-6.889	336	6.41	-4.577	386	7.50	-6.780
237	4.50	-4.441	287	5.54	-8.265	337	6.44	-4.579	387	7.52	-6.907
238	4.53	-4.693	288	5.57	-8.642	338	6.46	-4.581	388	7.54	-7.408
239	4.54	-5.069	289	5.59	-7.894	339	6.48	-4.582	389	7.56	-8.160
240	4.56	-5.320	290	5.61	-7.020	340	6.49	-5.458	390	7.58	-9.036
241	4.59	-6.322	291	5.62	-5.521	341	6.51	-7.084	391	7.60	-7.162
242	4.61	-7.574	292	5.64	-4.272	342	6.53	-7.961	392	7.62	-6.289
243	4.65	-8.201	293	5.65	-3.273	343	6.56	-7.963	393	7.64	-5.290
244	4.66	-9.077	294	5.66	-2.398	344	6.59	-8.965	394	7.67	-4.042
245	4.69	-10.704	295	5.68	-2.649	345	6.60	-10.216	395	7.68	-5.293
246	4.71	-11.331	296	5.70	-3.901	346	6.62	-9.967	396	7.70	-5.044
247	4.73	-10.457	297	5.71	-5.402	347	6.65	-8.969	397	7.72	-4.671
248	4.75	-10.083	298	5.73	-6.028	348	6.66	-8.345	398	7.75	-4.423
249	4.77	-8.835	299	5.75	-5.780	349	6.68	-6.846	399	7.79	-3.800
250	4.79	-8.211	300	5.77	-5.781	350	6.70	-5.848	400	7.82	-2.428

INDEX NO. 792 1302-PI-12 CHIYODA BRIDGE U-D MAX.ACCEL.= -17.593(GAL) T=17.08(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	7.86	-2.806	451	8.85	-6.127	501	9.81	-2.021	551	10.63	-2.129
402	7.88	-4.308	452	8.87	-7.753	502	9.84	-4.323	552	10.65	-1.131
403	7.90	-5.934	453	8.89	-9.379	503	9.86	-5.574	553	10.68	-0.758
404	7.92	-7.185	454	8.90	-9.130	504	9.89	-7.452	554	10.70	-2.509
405	7.94	-7.812	455	8.92	-8.256	505	9.91	-8.828	555	10.71	-4.760
406	7.96	-8.438	456	8.93	-7.007	506	9.93	-10.079	556	10.73	-7.511
407	7.98	-8.440	457	8.95	-5.383	507	9.94	-10.705	557	10.74	-9.512
408	8.00	-6.941	458	8.96	-4.135	508	9.96	-9.582	558	10.75	-12.012
409	8.01	-6.567	459	8.98	-3.511	509	9.98	-9.208	559	10.76	-13.264
410	8.04	-4.069	460	9.00	-2.263	510	10.01	-7.710	560	10.79	-13.390
411	8.05	-4.070	461	9.02	-2.014	511	10.04	-6.462	561	10.80	-12.766
412	8.08	-2.571	462	9.05	-3.141	512	10.05	-5.213	562	10.81	-12.392
413	8.09	-2.822	463	9.07	-5.017	513	10.07	-3.589	563	10.83	-12.144
414	8.11	-4.699	464	9.09	-6.019	514	10.08	-2.715	564	10.85	-11.145
415	8.13	-5.575	465	9.10	-7.520	515	10.10	-0.341	565	10.86	-10.270
416	8.15	-6.577	466	9.12	-8.521	516	10.11	0.283	566	10.88	-8.647
417	8.18	-7.829	467	9.15	-9.148	517	10.13	0.906	567	10.89	-5.523
418	8.20	-6.955	468	9.16	-8.899	518	10.14	0.906	568	10.91	-3.399
419	8.21	-5.331	469	9.18	-7.900	519	10.16	0.529	569	10.92	1.850
420	8.23	-4.457	470	9.20	-7.277	520	10.17	0.028	570	10.94	3.724
421	8.25	-2.584	471	9.22	-6.403	521	10.19	-0.598	571	10.95	4.348
422	8.26	-1.585	472	9.24	-6.030	522	10.20	-1.599	572	10.97	3.097
423	8.28	0.789	473	9.25	-4.781	523	10.22	-2.850	573	10.98	1.846
424	8.30	0.413	474	9.27	-4.157	524	10.24	-4.101	574	11.01	0.594
425	8.31	-0.213	475	9.29	-4.783	525	10.25	-5.352	575	11.03	-0.408
426	8.33	-0.214	476	9.31	-4.909	526	10.27	-5.978	576	11.06	-1.660
427	8.35	-1.091	477	9.32	-5.535	527	10.28	-6.604	577	11.08	-2.286
428	8.38	-1.093	478	9.33	-5.911	528	10.29	-6.355	578	11.11	-2.538
429	8.40	-1.469	479	9.35	-5.663	529	10.31	-5.981	579	11.12	-1.039
430	8.42	-2.471	480	9.38	-5.289	530	10.33	-5.357	580	11.14	0.210
431	8.44	-2.722	481	9.39	-5.541	531	10.35	-4.359	581	11.15	1.709
432	8.46	-2.724	482	9.41	-5.917	532	10.36	-5.610	582	11.16	2.958
433	8.48	-1.475	483	9.44	-6.544	533	10.37	-6.611	583	11.18	3.332
434	8.50	-2.102	484	9.46	-7.171	534	10.38	-7.487	584	11.20	2.081
435	8.52	-3.353	485	9.48	-6.297	535	10.40	-9.863	585	11.21	1.204
436	8.55	-4.855	486	9.50	-5.049	536	10.42	-9.614	586	11.23	-0.047
437	8.59	-5.233	487	9.51	-4.049	537	10.43	-8.365	587	11.25	-1.923
438	8.62	-5.860	488	9.53	-3.050	538	10.45	-7.366	588	11.26	-3.549
439	8.65	-7.737	489	9.56	-4.053	539	10.46	-6.117	589	11.28	-5.426
440	8.67	-7.989	490	9.58	-4.929	540	10.47	-4.868	590	11.30	-6.302
441	8.69	-7.990	491	9.60	-5.555	541	10.49	-4.869	591	11.31	-6.303
442	8.72	-6.492	492	9.62	-6.182	542	10.51	-5.120	592	11.33	-4.804
443	8.73	-5.868	493	9.64	-6.683	543	10.52	-5.122	593	11.34	-3.305
444	8.75	-5.369	494	9.66	-6.435	544	10.54	-5.248	594	11.35	-2.930
445	8.77	-1.496	495	9.67	-3.311	545	10.55	-5.748	595	11.36	-1.681
446	8.78	-0.622	496	9.68	-1.686	546	10.56	-6.124	596	11.37	-1.432
447	8.80	0.377	497	9.71	-0.938	547	10.57	-4.250	597	11.38	-1.683
448	8.81	-0.874	498	9.73	-1.190	548	10.59	-4.001	598	11.40	-3.934
449	8.82	-2.375	499	9.76	-1.817	549	10.60	-3.002	599	11.42	-3.560
450	8.84	-4.251	500	9.80	-1.945	550	10.61	-2.378	600	11.43	-2.937

INDEX NO. 792 1302-P1-12 CHIYODA BRIDGE U-D MAX.ACCEL.= -17.593(GAL) T=17.08(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	11.45	-2.938	651	12.26	-8.121	701	13.03	-6.803	751	13.90	-5.115
602	11.47	-2.690	652	12.27	-7.497	702	13.04	-7.054	752	13.92	-3.616
603	11.49	-2.316	653	12.29	-6.624	703	13.06	-8.055	753	13.94	-0.868
604	11.50	-2.942	654	12.30	-4.749	704	13.09	-8.182	754	13.96	-0.619
605	11.52	-4.193	655	12.31	-3.750	705	13.10	-7.933	755	13.98	0.630
606	11.54	-5.695	656	12.32	-2.876	706	13.12	-6.309	756	13.99	0.629
607	11.56	-6.196	657	12.33	-3.127	707	13.14	-5.061	757	14.00	0.378
608	11.57	-6.197	658	12.36	-3.129	708	13.15	-3.811	758	14.02	-1.498
609	11.58	-5.322	659	12.37	-3.380	709	13.17	-2.313	759	14.03	-3.999
610	11.60	-3.699	660	12.39	-4.381	710	13.18	-1.688	760	14.04	-5.250
611	11.62	-3.450	661	12.41	-5.007	711	13.19	0.060	761	14.05	-7.126
612	11.63	-2.826	662	12.42	-5.633	712	13.21	-0.566	762	14.06	-9.126
613	11.65	-2.202	663	12.44	-6.885	713	13.24	-1.443	763	14.08	-11.002
614	11.66	-2.703	664	12.45	-6.636	714	13.25	-1.819	764	14.09	-11.628
615	11.67	-2.704	665	12.48	-5.013	715	13.27	-2.069	765	14.10	-12.004
616	11.69	-1.831	666	12.49	-3.513	716	13.29	-1.821	766	14.12	-11.755
617	11.71	-2.082	667	12.51	0.360	717	13.31	-1.198	767	14.13	-9.506
618	11.73	-0.833	668	12.52	1.360	718	13.32	-0.323	768	14.15	-7.632
619	11.74	-0.209	669	12.53	3.483	719	13.33	0.301	769	14.16	-5.758
620	11.76	0.790	670	12.55	4.732	720	13.34	1.550	770	14.17	-3.634
621	11.77	1.414	671	12.56	5.356	721	13.36	2.549	771	14.19	-2.385
622	11.78	1.163	672	12.57	5.106	722	13.38	0.673	772	14.20	-0.636
623	11.79	0.412	673	12.58	2.980	723	13.39	-0.203	773	14.22	-1.888
624	11.81	-1.964	674	12.59	0.479	724	13.40	-1.204	774	14.24	-3.139
625	11.83	-2.591	675	12.60	-2.022	725	13.42	-2.080	775	14.25	-4.015
626	11.86	-3.592	676	12.62	-3.898	726	13.43	-2.706	776	14.27	-4.641
627	11.87	-4.093	677	12.63	-7.399	727	13.45	-3.958	777	14.30	-5.268
628	11.89	-5.720	678	12.65	-10.275	728	13.47	-2.209	778	14.32	-5.269
629	11.91	-6.721	679	12.67	-10.651	729	13.50	-1.586	779	14.33	-4.145
630	11.92	-7.472	680	12.69	-9.403	730	13.51	-0.337	780	14.34	-2.521
631	11.94	-5.973	681	12.70	-7.529	731	13.52	1.912	781	14.36	-1.272
632	11.95	-3.724	682	12.71	-5.655	732	13.54	2.706	782	14.38	-0.024
633	11.96	-0.475	683	12.73	-3.156	733	13.55	3.160	783	14.40	-0.275
634	11.97	1.399	684	12.74	-0.532	734	13.58	1.283	784	14.42	-0.902
635	11.99	3.023	685	12.76	1.342	735	13.60	-0.843	785	14.45	-1.279
636	12.00	3.522	686	12.78	2.341	736	13.61	-3.094	786	14.46	-1.530
637	12.02	2.646	687	12.80	1.339	737	13.63	-4.971	787	14.49	-0.656
638	12.04	1.395	688	12.82	-1.162	738	13.64	-6.221	788	14.51	0.842
639	12.05	0.144	689	12.84	-3.914	739	13.66	-8.098	789	14.53	0.841
640	12.06	-1.982	690	12.86	-5.790	740	13.67	-8.848	790	14.54	0.590
641	12.07	-1.983	691	12.87	-6.791	741	13.68	-9.724	791	14.56	0.339
642	12.10	-1.735	692	12.88	-7.417	742	13.69	-10.100	792	14.59	-0.914
643	12.12	-2.361	693	12.90	-4.918	743	13.70	-10.351	793	14.60	-1.665
644	12.13	-3.238	694	12.91	-3.419	744	13.72	-11.352	794	14.61	-3.165
645	12.15	-4.239	695	12.93	-2.420	745	13.75	-11.979	795	14.62	-3.415
646	12.17	-5.115	696	12.95	-2.172	746	13.77	-11.730	796	14.64	-5.292
647	12.19	-6.367	697	12.96	-0.923	747	13.80	-10.732	797	14.65	-5.043
648	12.21	-7.368	698	12.98	-2.049	748	13.83	-10.109	798	14.67	-3.794
649	12.23	-8.244	699	13.00	-3.926	749	13.84	-8.861	799	14.69	-3.170
650	12.24	-9.370	700	13.01	-5.177	750	13.86	-6.987	800	14.70	-1.546

INDEX NO. 792 1302-P1-12 CHIYODA BRIDGE U-D MAX.ACCEL.= -17.593(GAL) T=17.08(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	14.71	-1.547	851	15.63	3.887	901	16.58	-4.556	951	17.52	1.876
802	14.73	-0.423	852	15.64	4.511	902	16.59	-2.682	952	17.53	2.875
803	14.74	0.576	853	15.67	3.635	903	16.62	-2.309	953	17.55	3.499
804	14.75	1.450	854	15.68	2.383	904	16.65	-0.811	954	17.57	4.122
805	14.78	0.948	855	15.70	0.508	905	16.67	0.438	955	17.58	3.872
806	14.80	-0.678	856	15.71	-0.368	906	16.71	1.310	956	17.60	1.995
807	14.82	-2.555	857	15.72	-1.369	907	16.73	2.308	957	17.62	-0.256
808	14.85	-3.182	858	15.73	-2.869	908	16.75	2.306	958	17.63	-2.132
809	14.87	-3.808	859	15.74	-4.746	909	16.78	2.055	959	17.64	-3.383
810	14.90	-4.435	860	15.75	-5.746	910	16.81	1.052	960	17.66	-5.259
811	14.92	-4.437	861	15.76	-5.997	911	16.83	0.426	961	17.67	-5.885
812	14.93	-2.938	862	15.77	-7.498	912	16.87	-1.452	962	17.70	-6.137
813	14.95	-1.939	863	15.79	-6.249	913	16.89	-2.953	963	17.71	-5.638
814	14.96	-1.690	864	15.80	-4.375	914	16.91	-2.955	964	17.73	-5.639
815	14.98	-1.941	865	15.82	-3.126	915	16.94	-2.457	965	17.77	-6.767
816	15.01	-3.818	866	15.84	-1.878	916	16.96	-2.459	966	17.78	-7.393
817	15.02	-4.694	867	15.87	-1.130	917	16.99	-2.460	967	17.80	-7.769
818	15.04	-6.320	868	15.89	-0.506	918	17.01	-5.462	968	17.83	-8.021
819	15.05	-7.196	869	15.92	-0.133	919	17.02	-7.338	969	17.84	-8.647
820	15.07	-7.572	870	15.94	-0.135	920	17.03	-9.964	970	17.86	-10.024
821	15.09	-6.699	871	15.96	-0.762	921	17.04	-12.465	971	17.87	-9.774
822	15.10	-5.075	872	15.98	-2.263	922	17.05	-14.090	972	17.90	-8.276
823	15.12	-2.951	873	16.00	-3.264	923	17.06	-15.591	973	17.92	-6.653
824	15.13	-1.077	874	16.02	-5.141	924	17.08	-17.593	974	17.93	-5.779
825	15.15	0.547	875	16.04	-7.017	925	17.10	-16.719	975	17.94	-4.530
826	15.17	2.420	876	16.07	-7.644	926	17.11	-14.844	976	17.95	-3.530
827	15.19	1.794	877	16.09	-7.895	927	17.12	-12.970	977	17.97	-1.532
828	15.22	0.917	878	16.10	-7.397	928	17.13	-9.596	978	17.99	0.592
829	15.24	0.915	879	16.13	-6.149	929	17.14	-7.847	979	18.00	1.216
830	15.25	2.414	880	16.15	-5.150	930	17.15	-6.972	980	18.03	1.215
831	15.28	3.912	881	16.16	-3.026	931	17.16	-5.348	981	18.04	0.088
832	15.29	4.286	882	16.18	-1.777	932	17.18	-5.100	982	18.06	-0.913
833	15.31	6.160	883	16.20	-0.153	933	17.21	-4.726	983	18.09	-0.915
834	15.33	5.534	884	16.21	1.345	934	17.23	-4.478	984	18.10	-0.041
835	15.36	4.032	885	16.22	1.345	935	17.25	-3.855	985	18.12	0.583
836	15.38	1.780	886	16.24	-0.157	936	17.27	-3.231	986	18.13	0.957
837	15.40	1.779	887	16.26	-2.283	937	17.29	-2.607	987	18.14	0.706
838	15.41	1.528	888	16.28	-2.909	938	17.30	-1.233	988	18.16	0.080
839	15.43	1.402	389	16.30	-2.661	939	17.31	0.391	989	18.17	0.079
840	15.44	2.401	890	16.32	-2.037	940	17.33	2.514	990	18.18	0.328
841	15.45	2.650	891	16.33	-1.413	941	17.34	4.139	991	18.21	0.951
842	15.47	3.024	892	16.36	-2.665	942	17.36	5.012	992	18.23	1.200
843	15.49	4.897	893	16.39	-3.292	943	17.38	4.761	993	18.24	1.574
844	15.52	4.021	894	16.41	-3.919	944	17.40	4.509	994	18.26	2.198
845	15.53	3.645	895	16.44	-4.171	945	17.42	3.508	995	18.27	2.447
846	15.55	2.768	896	16.46	-3.923	946	17.43	2.258	996	18.29	1.571
847	15.56	2.142	897	16.48	-3.049	947	17.45	1.631	997	18.31	-0.305
848	15.58	2.016	898	16.50	-3.550	948	17.46	1.380	998	18.32	-1.556
849	15.60	2.640	899	16.53	-4.177	949	17.48	1.379	999	18.33	-2.807
850	15.61	3.263	900	16.55	-4.804	950	17.51	1.627	1000	18.34	-3.433

土木構造物における加速度強震記録（No. 9）

INDEX NO. 792 1302-PI-12 CHIYODA BRIDGE U-D MAX.ACCEL.= -17.593(GAL) T=17.08(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	18.36	-4.059	1051	19.14	2.136	1101	19.92	-7.172	1151	20.65	0.652
1002	18.39	-4.436	1052	19.16	3.009	1102	19.94	-5.923	1152	20.66	-0.599
1003	18.40	-3.562	1053	19.17	4.008	1103	19.96	-5.299	1153	20.68	-2.975
1004	18.42	-2.313	1054	19.18	4.882	1104	19.98	-5.301	1154	20.69	-3.852
1005	18.43	-0.939	1055	19.19	4.631	1105	20.00	-5.302	1155	20.70	-5.477
1006	18.44	0.935	1056	19.21	3.756	1106	20.02	-5.303	1156	20.71	-5.228
1007	18.46	2.434	1057	19.22	2.755	1107	20.03	-5.304	1157	20.73	-5.229
1008	18.47	4.683	1058	19.23	1.254	1108	20.06	-5.306	1158	20.74	-5.730
1009	18.50	4.931	1059	19.25	-0.373	1109	20.07	-4.557	1159	20.75	-6.981
1010	18.52	4.054	1060	19.27	-0.999	1110	20.09	-3.683	1160	20.77	-7.607
1011	18.54	3.178	1061	19.30	-1.626	1111	20.11	-2.810	1161	20.78	-8.233
1012	18.56	2.177	1062	19.32	-1.003	1112	20.12	-2.435	1162	20.79	-8.658
1013	18.57	1.301	1063	19.34	-1.254	1113	20.13	-1.436	1163	20.81	-8.859
1014	18.58	0.050	1064	19.36	-1.255	1114	20.14	-1.312	1164	20.82	-8.860
1015	18.59	-1.575	1065	19.37	-2.257	1115	20.16	-2.938	1165	20.83	-7.736
1016	18.60	-3.076	1066	19.40	-3.508	1116	20.17	-4.189	1166	20.84	-5.862
1017	18.61	-4.077	1067	19.41	-4.760	1117	20.19	-8.566	1167	20.85	-4.863
1018	18.63	-4.328	1068	19.43	-5.385	1118	20.20	-9.567	1168	20.86	-3.613
1019	18.65	-4.330	1069	19.44	-6.011	1119	20.22	-11.443	1169	20.88	-3.365
1020	18.66	-3.830	1070	19.46	-6.912	1120	20.23	-12.444	1170	20.90	-2.991
1021	18.69	-2.582	1071	19.48	-5.139	1121	20.25	-13.945	1171	20.91	-2.992
1022	18.71	-2.209	1072	19.49	-4.140	1122	20.27	-14.947	1172	20.92	-2.993
1023	18.73	-3.086	1073	19.50	-2.891	1123	20.29	-14.948	1173	20.94	-2.369
1024	18.75	-4.087	1074	19.51	-3.767	1124	20.31	-14.324	1174	20.95	-1.495
1025	18.77	-4.338	1075	19.53	0.857	1125	20.32	-13.075	1175	20.96	1.379
1026	18.79	-4.965	1076	19.54	2.356	1126	20.34	-8.951	1176	20.97	2.628
1027	18.81	-4.466	1077	19.55	4.105	1127	20.35	-2.202	1177	20.98	4.503
1028	18.82	-2.842	1078	19.57	3.854	1128	20.36	0.172	1178	20.99	6.502
1029	18.83	-0.343	1079	19.59	3.227	1129	20.37	1.422	1179	21.00	7.751
1030	18.85	2.406	1080	19.60	2.852	1130	20.38	4.170	1180	21.01	8.376
1031	18.87	5.280	1081	19.62	2.851	1131	20.40	6.044	1181	21.02	8.625
1032	18.88	6.654	1082	19.64	2.224	1132	20.41	7.418	1182	21.03	8.374
1033	18.89	7.528	1083	19.65	2.473	1133	20.42	8.043	1183	21.05	7.123
1034	18.91	8.152	1084	19.67	2.847	1134	20.43	7.542	1184	21.07	5.621
1035	18.92	6.651	1085	19.69	2.845	1135	20.44	6.291	1185	21.09	3.370
1036	18.94	4.525	1086	19.70	2.220	1136	20.45	4.666	1186	21.10	1.869
1037	18.95	2.274	1087	19.72	0.718	1137	20.46	3.415	1187	21.12	-0.632
1038	18.97	-0.477	1088	19.73	-0.533	1138	20.47	2.539	1188	21.13	-2.008
1039	18.98	-3.478	1089	19.74	-2.908	1139	20.49	1.288	1189	21.15	-3.885
1040	19.00	-5.980	1090	19.75	-5.034	1140	20.51	0.912	1190	21.16	-2.010
1041	19.02	-7.481	1091	19.76	-6.910	1141	20.52	1.536	1191	21.20	-4.263
1042	19.04	-7.232	1092	19.78	-9.536	1142	20.53	2.410	1192	21.22	-4.890
1043	19.05	-5.608	1093	19.80	-11.162	1143	20.54	3.659	1193	21.24	-4.641
1044	19.06	-4.484	1094	19.82	-11.789	1144	20.55	4.659	1194	21.27	-3.394
1045	19.07	-3.235	1095	19.84	-12.041	1145	20.57	5.282	1195	21.29	-2.770
1046	19.08	-2.610	1096	19.86	-12.042	1146	20.58	5.532	1196	21.31	-0.521
1047	19.09	-1.361	1097	19.88	-12.043	1147	20.59	5.281	1197	21.33	1.977
1048	19.10	-0.737	1098	19.89	-10.919	1148	20.61	4.029	1198	21.34	2.851
1049	19.11	-0.113	1099	19.90	-9.295	1149	20.62	3.153	1199	21.35	3.851
1050	19.13	0.887	1100	19.91	-8.046	1150	20.64	1.902	1200	21.37	4.099

INDEX NO. 792 1302-PI-12 CHIYODA BRIDGE U-D MAX.ACCEL.= -17.593(GAL) T=17.08(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	21.38	4.724	1251	22.20	6.789	1301	23.15	-2.280	1351	24.00	0.910
1202	21.41	4.846	1252	22.22	5.162	1302	23.16	-0.656	1352	24.03	0.533
1203	21.43	3.220	1253	22.24	3.035	1303	23.19	0.843	1353	24.05	-0.093
1204	21.45	1.719	1254	22.27	1.159	1304	23.22	2.466	1354	24.07	-0.345
1205	21.47	0.467	1255	22.29	0.157	1305	23.24	3.339	1355	24.09	0.779
1206	21.48	-1.409	1256	22.32	0.155	1306	23.26	4.587	1356	24.11	1.777
1207	21.49	-1.785	1257	22.35	-1.097	1307	23.28	4.711	1357	24.13	2.651
1208	21.50	-1.535	1258	22.36	-1.848	1308	23.30	4.585	1358	24.15	4.275
1209	21.51	-0.911	1259	22.38	-3.099	1309	23.32	3.458	1359	24.17	5.523
1210	21.53	0.088	1260	22.40	-4.976	1310	23.33	1.832	1360	24.19	6.522
1211	21.56	0.336	1261	22.42	-6.227	1311	23.34	0.582	1361	24.21	6.521
1212	21.58	0.959	1262	22.43	-6.853	1312	23.35	-0.919	1362	24.22	7.770
1213	21.60	0.958	1263	22.45	-6.605	1313	23.37	-2.545	1363	24.24	8.768
1214	21.61	-0.543	1264	22.47	-6.230	1314	23.38	-4.046	1364	24.26	8.767
1215	21.62	-2.044	1265	22.48	-5.607	1315	23.39	-4.422	1365	24.28	8.516
1216	21.63	-3.295	1266	22.50	-4.358	1316	23.40	-3.173	1366	24.30	8.139
1217	21.65	-5.547	1267	22.52	-2.484	1317	23.42	-2.924	1367	24.33	7.512
1218	21.66	-7.047	1268	22.54	-1.236	1318	23.43	-1.925	1368	24.35	6.886
1219	21.68	-8.048	1269	22.56	-2.487	1319	23.45	-0.676	1369	24.37	6.260
1220	21.70	-8.300	1270	22.58	-3.364	1320	23.46	0.823	1370	24.39	5.633
1221	21.71	-7.176	1271	22.61	-4.366	1321	23.47	1.823	1371	24.40	5.632
1222	21.73	-5.927	1272	22.63	-4.367	1322	23.48	2.697	1372	24.41	5.881
1223	21.75	-4.303	1273	22.65	-3.494	1323	23.51	1.570	1373	24.43	5.880
1224	21.77	-3.430	1274	22.67	-1.871	1324	23.53	-0.931	1374	24.46	6.503
1225	21.78	-2.806	1275	22.69	-0.996	1325	23.54	-3.432	1375	24.49	4.751
1226	21.79	-1.556	1276	22.70	1.252	1326	23.55	-4.808	1376	24.50	2.250
1227	21.80	1.568	1277	22.72	2.501	1327	23.56	-6.309	1377	24.52	-2.002
1228	21.81	2.817	1278	22.73	3.125	1328	23.57	-6.935	1378	24.53	-4.127
1229	21.82	3.817	1279	22.74	3.374	1329	23.60	-6.936	1379	24.55	-5.128
1230	21.83	6.190	1280	22.76	3.498	1330	23.61	-6.062	1380	24.58	-5.380
1231	21.85	6.439	1281	22.77	2.247	1331	23.62	-5.063	1381	24.59	-4.506
1232	21.86	6.688	1282	22.79	-0.004	1332	23.64	-3.189	1382	24.61	-3.633
1233	21.88	7.062	1283	22.82	-2.131	1333	23.65	-1.690	1383	24.63	-2.634
1234	21.90	6.810	1284	22.84	-4.008	1334	23.67	-0.066	1384	24.65	-1.760
1235	21.92	5.559	1285	22.87	-5.885	1335	23.68	1.433	1385	24.67	-2.011
1236	21.94	4.338	1286	22.89	-6.886	1336	23.70	1.806	1386	24.68	-2.637
1237	21.95	2.682	1287	22.92	-6.888	1337	23.72	3.055	1387	24.71	-3.889
1238	21.96	1.931	1288	22.93	-6.889	1338	23.74	1.803	1388	24.72	-4.765
1239	21.97	1.930	1289	22.95	-6.641	1339	23.76	0.552	1389	24.74	-3.017
1240	21.99	2.554	1290	22.96	-5.891	1340	23.79	-1.575	1390	24.76	-2.393
1241	22.01	2.802	1291	22.97	-4.767	1341	23.81	-3.201	1391	24.78	0.106
1242	22.03	2.801	1292	22.99	-3.143	1342	23.83	-4.453	1392	24.80	1.104
1243	22.05	2.550	1293	23.01	-1.645	1343	23.86	-4.205	1393	24.81	1.729
1244	22.07	2.298	1294	23.02	-0.896	1344	23.87	-3.831	1394	24.83	2.602
1245	22.10	0.671	1295	23.04	-1.272	1345	23.89	-3.583	1395	24.86	4.225
1246	22.12	0.044	1296	23.05	-1.898	1346	23.91	-2.584	1396	24.89	4.223
1247	22.14	0.918	1297	23.07	-2.774	1347	23.93	-2.335	1397	24.91	3.972
1248	22.16	2.542	1298	23.09	-3.150	1348	23.94	-1.336	1398	24.93	3.970
1249	22.17	4.166	1299	23.11	-2.902	1349	23.96	0.538	1399	24.95	4.844
1250	22.18	5.290	1300	23.13	-2.903	1350	23.98	1.411	1400	24.97	4.593

INDEX NO. 792 1302-P1-12 CHIYODA BRIDGE U-D MAX.ACCEL.= -17.593(GAL) T=17.08(SEC) NO. 8

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1401	24.99	3.541	1451	26.09	3.513	1501	27.12	2.438	1551	28.48	2.215
1402	25.02	2.089	1452	26.10	3.512	1502	27.14	3.436	1552	28.50	2.463
1403	25.04	1.713	1453	26.12	3.761	1503	27.16	3.685	1553	28.51	3.087
1404	25.06	1.461	1454	26.14	5.009	1504	27.18	4.308	1554	28.53	4.711
1405	25.07	0.460	1455	26.15	5.633	1505	27.21	4.306	1555	28.55	5.585
1406	25.09	-1.041	1456	26.17	5.632	1506	27.23	4.305	1556	28.56	6.584
1407	25.12	-2.043	1457	26.19	5.630	1507	27.26	4.928	1557	28.58	7.582
1408	25.13	-2.044	1458	26.22	5.128	1508	27.28	5.301	1558	28.61	5.956
1409	25.14	-2.419	1459	26.25	4.502	1509	27.32	5.298	1559	28.63	5.329
1410	25.17	-1.797	1460	26.26	3.875	1510	27.34	5.297	1560	28.65	4.453
1411	25.20	0.076	1461	26.27	1.375	1511	27.36	5.046	1561	28.67	2.826
1412	25.22	1.709	1462	26.28	2.499	1512	27.38	4.419	1562	28.69	1.324
1413	25.25	2.948	1463	26.30	-0.252	1513	27.41	2.792	1563	28.72	0.073
1414	25.26	3.822	1464	26.31	-2.378	1514	27.43	1.291	1564	28.75	-1.180
1415	25.29	4.570	1465	26.32	-3.629	1515	27.46	1.789	1565	28.77	-1.931
1416	25.31	4.568	1466	26.34	-5.305	1516	27.48	2.787	1566	28.80	-1.433
1417	25.34	2.941	1467	26.35	-4.632	1517	27.50	3.660	1567	28.82	-0.810
1418	25.37	2.314	1468	26.36	-4.882	1518	27.53	4.658	1568	28.84	-0.186
1419	25.38	2.313	1469	26.38	-4.634	1519	27.55	5.282	1569	28.86	1.437
1420	25.41	2.312	1470	26.40	-3.760	1520	27.57	4.405	1570	28.88	2.311
1421	25.44	2.309	1471	26.42	-2.137	1521	27.60	2.778	1571	28.90	3.559
1422	25.46	1.057	1472	26.44	-1.513	1522	27.62	1.277	1572	28.92	6.183
1423	25.48	0.182	1473	26.45	-1.264	1523	27.65	0.650	1573	28.95	5.931
1424	25.49	-0.445	1474	26.49	-0.891	1524	27.66	0.024	1574	28.98	7.178
1425	25.53	-1.072	1475	26.51	-0.893	1525	27.69	-0.603	1575	28.99	6.303
1426	25.56	-2.074	1476	26.53	-0.645	1526	27.71	0.521	1576	29.01	5.928
1427	25.58	-2.701	1477	26.57	-0.272	1527	27.72	1.144	1577	29.04	5.050
1428	25.61	-2.703	1478	26.60	0.601	1528	27.74	2.143	1578	29.06	3.173
1429	25.64	-2.080	1479	26.63	1.598	1529	27.77	4.016	1579	29.08	1.546
1430	25.67	-1.457	1480	26.66	2.221	1530	27.78	4.890	1580	29.10	1.295
1431	25.70	-2.084	1481	26.68	3.095	1531	27.81	4.013	1581	29.12	-0.957
1432	25.72	-3.961	1482	26.69	3.469	1532	27.84	2.136	1582	29.14	-2.583
1433	25.75	-4.838	1483	26.71	4.092	1533	27.86	1.260	1583	29.16	-2.584
1434	25.77	-4.589	1484	26.73	4.091	1534	27.91	0.881	1584	29.19	-3.586
1435	25.79	-4.341	1485	26.75	2.839	1535	27.92	0.880	1585	29.21	-4.213
1436	25.82	-3.342	1486	26.77	2.213	1536	27.95	+0.372	1586	29.24	-4.465
1437	25.83	-2.468	1487	26.78	1.337	1537	27.98	-1.624	1587	29.26	-4.842
1438	25.84	-1.469	1488	26.80	-0.289	1538	28.00	-2.501	1588	29.30	-3.969
1439	25.86	+0.596	1489	26.82	-1.165	1539	28.03	-1.878	1589	29.32	-3.596
1440	25.88	0.403	1490	26.84	-2.417	1540	28.07	-0.756	1590	29.33	-2.346
1441	25.89	1.277	1491	26.85	-2.793	1541	28.13	0.865	1591	29.35	-2.098
1442	25.91	2.901	1492	26.88	-4.045	1542	28.16	1.113	1592	29.37	-1.099
1443	25.93	4.774	1493	26.90	-2.172	1543	28.20	2.360	1593	29.39	0.399
1444	25.95	5.648	1494	26.93	-1.299	1544	28.26	3.981	1594	29.41	2.022
1445	25.98	7.646	1495	26.97	-0.301	1545	28.29	4.604	1595	29.43	2.896
1446	26.00	8.019	1496	26.98	-0.053	1546	28.33	4.851	1596	29.45	4.145
1447	26.02	7.768	1497	27.00	0.948	1547	28.36	5.974	1597	29.48	4.768
1448	26.04	5.266	1498	27.02	1.570	1548	28.39	5.346	1598	29.51	4.766
1449	26.06	4.015	1499	27.04	1.318	1549	28.42	4.094	1599	29.54	4.263
1450	26.07	3.389	1500	27.09	1.565	1550	28.46	3.216	1600	29.57	3.636

INDEX NO. 792 1302-P1-12 CHIYODA BRIDGE U-D MAX.ACCEL.= -17.593(GAL) T=17.08(SEC) NO. 9

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1601	29.59	2.385	1651	30.71	4.304	1701	31.82	-3.526	1751	32.81	-2.597
1602	29.60	1.384	1652	30.75	3.927	1702	31.83	-3.402	1752	32.83	-1.724
1603	29.64	0.131	1653	30.78	2.049	1703	31.84	-3.152	1753	32.86	-1.351
1604	29.66	-1.120	1654	30.80	0.173	1704	31.86	-2.903	1754	32.90	-1.603
1605	29.67	-1.371	1655	30.82	-1.079	1705	31.87	-1.904	1755	32.93	-2.231
1606	29.68	-0.872	1656	30.84	-2.090	1706	31.88	-0.030	1756	32.95	-1.357
1607	29.69	0.127	1657	30.87	-3.332	1707	31.89	1.220	1757	32.96	0.142
1608	29.71	0.126	1658	30.88	-3.708	1708	31.90	2.469	1758	32.97	0.766
1609	29.73	0.374	1659	30.91	-2.835	1709	31.92	3.342	1759	32.99	2.390
1610	29.77	0.122	1660	30.93	-1.587	1710	31.93	3.341	1760	33.01	3.513
1611	29.79	-1.130	1661	30.95	-0.338	1711	31.95	2.215	1761	33.03	1.887
1612	29.82	-1.382	1662	30.98	0.909	1712	31.97	1.588	1762	33.05	0.385
1613	29.85	-1.384	1663	31.00	1.283	1713	31.99	1.212	1763	33.08	0.008
1614	29.87	-1.136	1664	31.03	0.656	1714	32.01	-0.039	1764	33.12	-0.369
1615	29.89	-0.512	1665	31.07	-0.597	1715	32.02	-0.290	1765	33.14	-0.871
1616	29.92	0.111	1666	31.09	-0.598	1716	32.04	0.208	1766	33.16	-0.873
1617	29.93	-0.515	1667	31.12	-1.475	1717	32.06	0.832	1767	33.18	-0.624
1618	29.95	-0.766	1668	31.15	-2.677	1718	32.08	1.205	1768	33.21	0.249
1619	29.98	-2.393	1669	31.18	-3.354	1719	32.10	2.454	1769	33.22	0.624
1620	30.01	-3.020	1670	31.19	-4.355	1720	32.12	2.453	1770	33.24	1.872
1621	30.03	-4.522	1671	31.21	-5.232	1721	32.13	1.577	1771	33.25	3.996
1622	30.05	-5.774	1672	31.22	-5.858	1722	32.16	0.950	1772	33.27	4.370
1623	30.07	-5.525	1673	31.24	-5.359	1723	32.18	0.949	1773	33.29	4.993
1624	30.09	-5.277	1674	31.26	-2.485	1724	32.19	2.447	1774	33.32	4.366
1625	30.12	-4.653	1675	31.27	-1.611	1725	32.21	3.696	1775	33.35	4.114
1626	30.14	-4.280	1676	31.29	-0.612	1726	32.23	4.320	1776	33.38	4.987
1627	30.17	-4.032	1677	31.30	0.887	1727	32.25	5.943	1777	33.40	5.611
1628	30.20	-3.409	1678	31.31	1.886	1728	32.27	6.317	1778	33.42	5.859
1629	30.21	-3.035	1679	31.34	3.759	1729	32.30	5.690	1779	33.44	5.982
1630	30.24	-3.662	1680	31.37	5.006	1730	32.33	4.813	1780	33.47	4.730
1631	30.25	-3.662	1681	31.40	5.754	1731	32.34	3.812	1781	33.49	3.104
1632	30.27	-5.165	1682	31.43	6.627	1732	32.36	4.435	1782	33.51	2.227
1633	30.30	-5.541	1683	31.45	5.501	1733	32.39	5.058	1783	33.54	1.851
1634	30.31	-5.542	1684	31.46	4.250	1734	32.41	4.807	1784	33.56	0.349
1635	30.33	-4.919	1685	31.48	2.999	1735	32.44	3.180	1785	33.59	-0.903
1636	30.36	-3.671	1686	31.50	1.747	1736	32.47	1.678	1786	33.61	-1.904
1637	30.37	-2.797	1687	31.52	0.121	1737	32.49	0.426	1787	33.63	-2.906
1638	30.39	-1.798	1688	31.53	-0.755	1738	32.52	-1.451	1788	33.66	-4.783
1639	30.41	-0.550	1689	31.56	-1.382	1739	32.54	-2.202	1789	33.68	-5.410
1640	30.43	0.324	1690	31.58	-1.758	1740	32.56	-1.954	1790	33.69	-5.535
1641	30.45	2.573	1691	31.59	-1.134	1741	32.58	-2.206	1791	33.71	-5.162
1642	30.46	3.197	1692	31.61	-0.886	1742	32.60	-1.957	1792	33.73	-4.913
1643	30.51	7.894	1693	31.63	-0.262	1743	32.63	-1.584	1793	33.76	-4.540
1644	30.53	8.892	1694	31.67	0.110	1744	32.65	-3.460	1794	33.78	-3.042
1645	30.55	8.890	1695	31.69	0.734	1745	32.66	-4.462	1795	33.80	-1.418
1646	30.58	8.939	1696	31.70	1.358	1746	32.69	-5.714	1796	33.84	-0.171
1647	30.61	8.311	1697	31.73	1.106	1747	32.71	-6.965	1797	33.86	1.077
1648	30.64	7.684	1698	31.75	0.479	1748	32.73	-6.966	1798	33.87	2.326
1649	30.66	6.432	1699	31.77	-0.522	1749	32.77	-5.719	1799	33.89	3.825
1650	30.69	5.181	1700	31.80	-1.399	1750	32.79	-3.396	1800	33.91	4.199

INDEX NO, 792 1302-P1-12 CHIYODA BRIDGE U-D MAX.ACCEL.= -17.593(GAL) T=17.08(SEC) NO.10

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1801	33.93	3.322	1851	35.12	0.738	1901	36.21	0.036	1951	37.88	2.167
1802	33.95	2.695	1852	35.14	0.736	1902	36.22	-0.340	1952	37.92	2.789
1803	33.97	2.069	1853	35.16	0.360	1903	36.26	-0.343	1953	37.96	3.037
1804	33.99	2.068	1854	35.18	0.983	1904	36.30	0.904	1954	38.00	4.033
1805	34.02	1.691	1855	35.20	1.607	1905	36.33	1.777	1955	38.03	4.656
1806	34.05	1.689	1856	35.23	2.480	1906	36.35	2.776	1956	38.05	5.905
1807	34.07	1.937	1857	35.25	3.104	1907	36.36	3.650	1957	38.06	5.905
1808	34.09	2.311	1858	35.26	4.103	1908	36.39	4.648	1958	38.08	4.403
1809	34.11	2.060	1859	35.27	3.852	1909	36.42	4.896	1959	38.11	3.401
1810	34.14	0.682	1860	35.30	3.475	1910	36.45	5.394	1960	38.14	2.774
1811	34.18	1.055	1861	35.31	3.475	1911	36.50	4.766	1961	38.18	1.521
1812	34.19	1.304	1862	35.33	4.348	1912	36.54	4.138	1962	38.21	0.894
1813	34.21	2.552	1863	35.35	4.721	1913	36.56	3.886	1963	38.25	0.016
1814	34.23	2.926	1864	35.38	5.470	1914	36.60	3.258	1964	38.28	-0.362
1815	34.25	4.175	1865	35.40	5.718	1915	36.65	2.254	1965	38.31	0.636
1816	34.26	5.923	1866	35.41	6.092	1916	36.68	2.503	1966	38.33	1.135
1817	34.28	6.797	1867	35.43	6.091	1917	36.71	3.751	1967	38.36	2.383
1818	34.31	8.045	1868	35.44	5.840	1918	36.73	4.749	1968	38.38	3.381
1819	34.34	7.168	1869	35.45	5.465	1919	36.74	6.623	1969	38.40	4.255
1820	34.36	6.167	1870	35.47	4.588	1920	36.77	6.871	1970	38.42	4.878
1821	34.38	4.915	1871	35.49	3.962	1921	36.80	7.869	1971	38.46	5.501
1822	34.41	3.038	1872	35.52	2.335	1922	36.84	8.116	1972	38.48	5.625
1823	34.43	1.537	1873	35.53	0.259	1923	36.88	8.114	1973	38.50	4.373
1824	34.44	-0.389	1874	35.57	-2.044	1924	36.91	7.236	1974	38.53	2.746
1825	34.47	-1.591	1875	35.60	-3.421	1925	36.97	5.733	1975	38.54	1.495
1826	34.50	-3.563	1876	35.62	-4.672	1926	37.00	4.480	1976	38.56	-0.006
1827	34.52	-4.220	1877	35.64	-5.549	1927	37.06	3.476	1977	38.58	0.492
1828	34.56	-4.597	1878	35.66	-5.550	1928	37.10	3.223	1978	38.59	2.116
1829	34.58	-3.724	1879	35.68	-5.051	1929	37.16	2.594	1979	38.61	2.740
1830	34.60	-2.101	1880	35.69	-3.803	1930	37.20	2.216	1980	38.64	2.988
1831	34.63	-1.227	1881	35.72	-2.555	1931	37.22	2.214	1981	38.68	3.985
1832	34.66	0.021	1882	35.75	-1.306	1932	37.26	2.461	1982	38.72	3.732
1833	34.68	0.019	1883	35.77	-0.058	1933	37.29	2.460	1983	38.74	3.980
1834	34.71	0.392	1884	35.78	0.941	1934	37.33	2.207	1984	38.77	5.603
1835	34.74	0.640	1885	35.81	1.189	1935	37.36	2.204	1985	38.80	6.101
1836	34.77	1.263	1886	35.84	1.562	1936	37.40	2.452	1986	38.84	7.099
1837	34.80	2.260	1887	35.88	1.560	1937	37.43	2.450	1987	38.87	7.096
1838	34.83	2.508	1888	35.90	1.307	1938	37.44	3.073	1988	38.90	6.219
1839	34.85	3.131	1889	35.93	1.555	1939	37.47	2.197	1989	38.93	6.217
1840	34.88	3.130	1890	35.96	1.303	1940	37.50	0.945	1990	38.96	6.215
1841	34.91	2.253	1891	35.98	0.677	1941	37.53	-0.308	1991	38.98	6.713
1842	34.93	1.376	1892	36.00	0.676	1942	37.57	-0.560	1992	39.00	7.337
1843	34.96	0.749	1893	36.01	1.175	1943	37.61	-0.939	1993	39.01	7.711
1844	34.98	1.248	1894	36.03	1.799	1944	37.65	-0.941	1994	39.05	7.708
1845	35.00	2.246	1895	36.05	3.422	1945	37.70	-0.945	1995	39.08	6.456
1846	35.02	2.870	1896	36.07	4.671	1946	37.74	-0.697	1996	39.11	5.829
1847	35.03	3.119	1897	36.10	4.918	1947	37.77	-0.075	1997	39.13	4.328
1848	35.04	2.618	1898	36.13	4.417	1948	37.81	0.922	1998	39.16	3.951
1849	35.06	1.992	1899	36.15	3.415	1949	37.83	1.546	1999	39.19	3.948
1850	35.09	1.365	1900	36.17	2.538	1950	37.85	1.794	2000	39.22	4.196

INDEX NO, 792 1302-P1-12 CHIYODA BRIDGE U-D MAX.ACCEL.= -17.593(GAL) T=17.08(SEC) NO.11

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2001	39.25	5.194	2051	40.78	0.333	2101	41.84	1.881	2151	43.09	-2.709
2002	39.29	5.441	2052	40.81	0.956	2102	41.85	2.505	2152	43.12	-2.086
2003	39.33	4.938	2053	40.84	2.578	2103	41.87	3.129	2153	43.15	-1.463
2004	39.39	3.934	2054	40.89	2.200	2104	41.88	3.128	2154	43.17	-1.465
2005	39.45	2.430	2055	40.91	2.573	2105	41.90	2.502	2155	43.21	-0.843
2006	39.49	2.052	2056	40.93	2.821	2106	41.92	1.626	2156	43.25	-0.596
2007	39.52	2.049	2057	40.96	3.194	2107	41.94	0.999	2157	43.28	0.027
2008	39.56	1.797	2058	41.01	3.191	2108	41.95	1.873	2158	43.32	0.025
2009	39.60	1.796	2059	41.04	3.439	2109	41.98	2.496	2159	43.36	0.021
2010	39.63	0.542	2060	41.07	4.062	2110	42.01	3.119	2160	43.39	0.644
2011	39.67	-1.086	2061	41.09	4.060	2111	42.03	3.118	2161	43.43	1.017
2012	39.71	-0.214	2062	41.12	3.808	2112	42.06	3.115	2162	43.47	1.639
2013	39.74	1.034	2063	41.16	2.930	2113	42.09	2.488	2163	43.51	2.510
2014	39.78	1.657	2064	41.20	1.928	2114	42.12	0.986	2164	43.55	3.133
2015	39.80	2.279	2065	41.23	1.675	2115	42.14	0.360	2165	43.59	3.130
2016	39.84	3.277	2066	41.25	1.673	2116	42.17	-0.642	2166	43.62	3.128
2017	39.87	3.899	2067	41.29	1.921	2117	42.21	-1.520	2167	43.64	3.126
2018	39.91	3.022	2068	41.30	2.170	2118	42.24	-2.148	2168	43.67	3.124
2019	39.95	3.269	2069	41.32	2.544	2119	42.27	-2.150	2169	43.68	3.123
2020	39.99	3.266	2070	41.33	2.793	2120	42.30	-1.652	2170	43.71	2.621
2021	40.01	3.514	2071	41.35	3.417	2121	42.32	-1.278	2171	43.74	2.244
2022	40.02	5.139	2072	41.37	4.040	2122	42.34	-0.030	2172	43.77	1.992
2023	40.05	6.011	2073	41.38	4.664	2123	42.36	0.593	2173	43.81	2.864
2024	40.08	7.260	2074	41.41	5.037	2124	42.38	1.467	2174	43.85	4.361
2025	40.10	8.258	2075	41.43	4.410	2125	42.41	3.090	2175	43.89	5.484
2026	40.13	7.381	2076	41.45	3.534	2126	42.43	4.338	2176	43.91	6.107
2027	40.15	5.504	2077	41.46	3.159	2127	42.46	6.212	2177	43.95	6.104
2028	40.17	3.877	2078	41.47	3.158	2128	42.49	6.460	2178	43.99	6.351
2029	40.20	2.001	2079	41.48	4.032	2129	42.52	6.207	2179	44.01	6.975
2030	40.22	0.749	2080	41.49	5.281	2130	42.55	5.955	2180	44.04	6.973
2031	40.26	-0.254	2081	41.50	5.906	2131	42.58	5.328	2181	44.08	6.720
2032	40.28	0.120	2082	41.51	6.905	2132	42.61	5.326	2182	44.11	4.843
2033	40.32	-0.508	2083	41.53	7.529	2133	42.65	5.323	2183	44.13	3.591
2034	40.35	-1.760	2084	41.54	8.153	2134	42.68	4.945	2184	44.15	3.340
2035	40.37	-1.137	2085	41.56	8.151	2135	42.72	4.943	2185	44.18	1.713
2036	40.38	-0.513	2086	41.58	7.525	2136	42.75	5.190	2186	44.21	1.086
2037	40.41	0.735	2087	41.59	7.274	2137	42.78	5.564	2187	44.24	0.459
2038	40.43	0.983	2088	41.60	6.024	2138	42.79	5.812	2188	44.26	1.082
2039	40.45	1.357	2089	41.62	5.397	2139	42.81	6.811	2189	44.28	1.706
2040	40.47	0.730	2090	41.64	5.646	2140	42.83	7.685	2190	44.32	3.203
2041	40.50	-0.146	2091	41.66	5.644	2141	42.85	8.683	2191	44.34	3.327
2042	40.52	0.352	2092	41.69	5.392	2142	42.87	9.307	2192	44.38	3.574
2043	40.55	0.350	2093	41.71	4.766	2143	42.90	9.055	2193	44.42	3.321
2044	40.58	0.723	2094	41.73	3.514	2144	42.93	7.427	2194	44.44	3.320
2045	40.60	1.596	2095	41.75	2.263	2145	42.95	5.926	2195	44.47	1.693
2046	40.63	2.219	2096	41.76	2.262	2146	42.98	3.674	2196	44.49	1.691
2047	40.66	1.957	2097	41.77	1.636	2147	43.00	2.172	2197	44.53	0.813
2048	40.69	0.465	2098	41.78	1.260	2148	43.02	0.920	2198	44.56	0.812
2049	40.72	-1.163	2099	41.81	1.509	2149	43.06	-1.582	2199	44.59	1.310
2050	40.74	0.086	2100	41.82	1.883	2150	43.08	-2.208	2200	44.61	2.308

INDEX NO. 792 1302-PI-12 CHIYODA BRIDGE U-D MAX.ACCEL.= -17.593(GAL) T=17.08(SEC) NO.12

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2201	44.63	2.556	2251	46.21	3.196	2301	47.66	5.466	2351	49.11	1.986
2202	44.67	2.553	2252	46.24	2.819	2302	47.70	5.214	2352	49.14	2.609
2203	44.70	2.301	2253	46.26	3.692	2303	47.73	4.587	2353	49.16	2.858
2204	44.74	2.299	2254	46.29	5.315	2304	47.77	3.709	2354	49.18	1.981
2205	44.77	2.567	2255	46.32	5.563	2305	47.78	3.333	2355	49.21	1.104
2206	44.81	2.919	2256	46.35	5.561	2306	47.82	1.830	2356	49.23	1.102
2207	44.85	3.166	2257	46.38	5.309	2307	47.84	1.454	2357	49.26	1.975
2208	44.89	1.663	2258	46.41	4.601	2308	47.88	1.201	2358	49.29	2.868
2209	44.91	1.662	2259	46.45	4.929	2309	47.91	0.024	2359	49.33	4.096
2210	44.95	1.034	2260	46.49	5.926	2310	47.93	1.447	2360	49.36	4.719
2211	44.97	0.783	2261	46.52	5.924	2311	47.97	2.319	2361	49.40	5.090
2212	45.01	1.280	2262	46.53	5.672	2312	48.00	2.942	2362	49.44	6.337
2213	45.03	1.654	2263	46.54	5.297	2313	48.03	3.940	2363	49.48	6.334
2214	45.05	2.277	2264	46.56	5.046	2314	48.06	4.188	2364	49.53	6.956
2215	45.09	3.774	2265	46.60	4.043	2315	48.10	4.185	2365	49.56	6.704
2216	45.12	6.022	2266	46.64	3.165	2316	48.13	3.683	2366	49.61	6.951
2217	45.17	7.268	2267	46.66	2.789	2317	48.14	3.307	2367	49.64	6.948
2218	45.21	7.891	2268	46.70	2.536	2318	48.16	3.055	2368	49.68	6.070
2219	45.24	8.514	2269	46.74	2.158	2319	48.19	3.303	2369	49.71	4.443
2220	45.28	7.261	2270	46.78	2.155	2320	48.24	2.675	2370	49.73	3.566
2221	45.30	6.384	2271	46.81	1.903	2321	48.26	2.923	2371	49.75	4.065
2222	45.33	5.132	2272	46.84	2.400	2322	48.28	2.921	2372	49.77	4.064
2223	45.36	3.880	2273	46.88	3.648	2323	48.30	3.545	2373	49.79	5.062
2224	45.39	2.079	2274	46.92	4.020	2324	48.31	4.796	2374	49.81	5.310
2225	45.42	4.376	2275	46.93	4.644	2325	48.34	6.417	2375	49.85	5.958
2226	45.44	5.000	2276	46.96	4.892	2326	48.37	7.665	2376	49.88	3.181
2227	45.46	5.623	2277	46.98	4.641	2327	48.40	8.530	2377	49.91	1.303
2228	45.48	6.247	2278	47.01	4.389	2328	48.42	9.161	2378	49.94	1.051
2229	45.51	7.245	2279	47.04	4.636	2329	48.44	9.160	2379	49.96	1.925
2230	45.53	5.993	2280	47.06	4.885	2330	48.48	9.782	2380	49.99	2.173
2231	45.56	5.116	2281	47.09	5.508	2331	48.52	9.779	2381	50.01	2.546
2232	45.57	4.115	2282	47.11	4.631	2332	48.56	10.151	2382	50.05	3.793
2233	45.61	4.113	2283	47.13	3.755	2333	48.56	8.900	2383	50.08	3.166
2234	45.65	3.860	2284	47.16	1.878	2334	48.62	8.272	2384	50.11	3.164
2235	45.68	3.857	2285	47.19	0.676	2335	48.66	8.269	2385	50.14	3.787
2236	45.73	4.104	2286	47.22	1.124	2336	48.68	7.392	2386	50.17	4.035
2237	45.78	4.976	2287	47.23	2.123	2337	48.72	6.140	2387	50.22	4.657
2238	45.81	4.724	2288	47.25	2.996	2338	48.75	5.512	2388	50.26	5.278
2239	45.82	4.723	2289	47.27	3.620	2339	48.79	4.685	2389	50.29	5.276
2240	45.84	3.472	2290	47.30	5.243	2340	48.81	4.508	2390	50.32	5.024
2241	45.86	2.595	2291	47.33	5.865	2341	48.84	4.756	2391	50.34	4.773
2242	45.89	1.968	2292	47.37	5.237	2342	48.86	5.379	2392	50.38	4.395
2243	45.92	1.341	2293	47.41	5.485	2343	48.88	5.753	2393	50.41	3.767
2244	45.97	1.588	2294	47.45	5.857	2344	48.90	3.876	2394	50.45	3.140
2245	46.00	1.835	2295	47.48	5.855	2345	48.93	2.624	2395	50.48	3.137
2246	46.03	2.208	2296	47.51	5.602	2346	48.96	1.747	2396	50.51	3.385
2247	46.07	2.208	2297	47.54	4.600	2347	48.99	1.120	2397	50.55	3.758
2248	46.10	2.828	2298	47.57	4.848	2348	49.02	1.118	2398	50.57	4.006
2249	46.14	3.451	2299	47.60	4.846	2349	49.06	1.115	2399	50.60	4.379
2250	46.17	3.448	2300	47.62	4.845	2350	49.08	1.614	2400	50.62	4.377

INDEX NO. 792 1302-PI-12 CHIYODA BRIDGE U-D MAX.ACCEL.= -17.593(GAL) T=17.08(SEC) NO.13

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2401	50.65	4.375	2451	52.02	3.402	2501	53.61	3.288	2551	55.16	4.928
2402	50.68	4.374	2452	52.05	2.775	2502	53.66	3.534	2552	55.19	5.551
2403	50.71	4.371	2453	52.06	2.774	2503	53.71	3.156	2553	55.24	6.548
2404	50.72	4.370	2454	52.09	2.397	2504	53.73	4.155	2554	55.26	6.921
2405	50.74	4.619	2455	52.13	2.394	2505	53.77	5.402	2555	55.30	7.168
2406	50.76	5.617	2456	52.17	2.392	2506	53.79	6.275	2556	55.33	6.916
2407	50.77	5.867	2457	52.20	2.639	2507	53.82	6.648	2557	55.39	5.287
2408	50.78	6.491	2458	52.22	3.013	2508	53.86	7.271	2558	55.42	4.659
2409	50.80	7.489	2459	52.26	3.635	2509	53.90	8.142	2559	55.45	4.407
2410	50.82	7.863	2460	52.29	3.257	2510	53.92	7.891	2560	55.49	3.405
2411	50.84	7.486	2461	52.33	3.005	2511	53.96	7.514	2561	55.51	2.778
2412	50.87	7.235	2462	52.35	3.003	2512	53.99	7.886	2562	55.53	3.402
2413	50.90	7.233	2463	52.39	3.000	2513	54.00	7.635	2563	55.58	3.398
2414	50.93	6.606	2464	52.42	3.248	2514	54.03	7.634	2564	55.62	3.648
2415	50.95	6.229	2465	52.45	3.621	2515	54.04	7.883	2565	55.64	3.644
2416	50.98	5.602	2466	52.49	4.493	2516	54.07	7.881	2566	55.67	4.017
2417	51.01	4.724	2467	52.51	5.741	2517	54.09	8.129	2567	55.71	3.764
2418	51.03	3.723	2468	52.53	7.365	2518	54.11	9.128	2568	55.75	3.136
2419	51.05	2.847	2469	52.56	7.988	2519	54.14	9.751	2569	55.78	2.759
2420	51.08	1.220	2470	52.58	8.236	2520	54.16	9.999	2570	55.81	2.132
2421	51.09	0.596	2471	52.61	7.986	2521	54.18	9.497	2571	55.84	1.880
2422	51.11	0.592	2472	52.64	7.982	2522	54.21	8.496	2572	55.87	1.503
2423	51.14	0.840	2473	52.67	8.230	2523	54.27	6.992	2573	55.89	2.126
2424	51.16	1.214	2474	52.70	8.603	2524	54.29	6.990	2574	55.92	3.499
2425	51.18	1.462	2475	52.73	7.976	2525	54.32	6.363	2575	55.94	3.998
2426	51.20	2.461	2476	52.77	7.722	2526	54.36	5.735	2576	55.98	4.071
2427	51.23	3.336	2477	52.79	7.096	2527	54.41	4.732	2577	56.01	5.867
2428	51.25	4.332	2478	52.82	6.719	2528	54.43	3.480	2578	56.04	6.116
2429	51.28	4.955	2479	52.86	5.467	2529	54.46	2.603	2579	56.08	6.488
2430	51.31	5.578	2480	52.89	3.589	2530	54.48	2.227	2580	56.12	6.485
2431	51.33	5.826	2481	52.95	1.710	2531	54.53	1.348	2581	56.16	6.482
2432	51.36	7.699	2482	53.00	0.456	2532	54.56	1.346	2582	56.19	6.230
2433	51.38	8.948	2483	53.03	-0.171	2533	54.59	1.344	2583	56.21	4.603
2434	51.40	9.571	2484	53.07	-1.424	2534	54.61	1.592	2584	56.24	4.351
2435	51.42	9.945	2485	53.10	-1.676	2535	54.64	2.840	2585	56.28	4.350
2436	51.45	9.318	2486	53.15	-2.304	2536	54.66	3.464	2586	56.30	4.347
2437	51.49	8.690	2487	53.22	0.441	2537	54.69	4.337	2587	56.34	4.595
2438	51.53	8.437	2488	53.25	0.689	2538	54.72	6.584	2588	56.37	4.842
2439	51.58	7.809	2489	53.26	1.063	2539	54.75	7.207	2589	56.41	4.589
2440	51.61	6.807	2490	53.29	2.311	2540	54.78	8.080	2590	56.44	4.337
2441	51.64	7.679	2491	53.32	3.559	2541	54.80	8.453	2591	56.47	4.335
2442	51.68	8.426	2492	53.35	5.056	2542	54.84	8.201	2592	56.50	4.583
2443	51.72	7.424	2493	53.38	5.054	2543	54.86	7.575	2593	56.53	4.581
2444	51.76	5.921	2494	53.40	4.803	2544	54.89	6.572	2594	56.55	4.579
2445	51.79	5.294	2495	53.42	4.801	2545	54.93	6.819	2595	56.58	4.577
2446	51.83	4.916	2496	53.45	4.800	2546	54.98	6.316	2596	56.62	4.824
2447	51.86	5.163	2497	53.48	5.047	2547	55.02	5.688	2597	56.66	6.071
2448	51.90	4.910	2498	53.49	4.421	2548	55.05	4.686	2598	56.69	6.444
2449	51.95	4.282	2499	53.53	4.544	2549	55.10	5.307	2599	56.76	7.939
2450	51.99	4.029	2500	53.58	3.540	2550	55.13	4.681	2600	56.79	7.687

INDEX NO. 792 1302-P1-12 CHIYODA BRIDGE U-D MAX.ACCEL.= -17.593(GAL) T=17.08(SEC) NO.14

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2601	56.81	8.061	2651	58.47	8.441	2701	60.23	10.189	2751	62.17	10.425
2602	56.84	8.558	2652	58.50	8.189	2702	60.28	11.561	2752	62.20	10.172
2603	56.86	8.557	2653	58.51	8.186	2703	60.29	11.060	2753	62.22	10.670
2604	56.89	9.180	2654	58.54	8.811	2704	60.32	10.433	2754	62.25	10.668
2605	56.92	8.303	2655	58.56	8.810	2705	60.35	10.430	2755	62.29	10.166
2606	56.94	8.651	2656	58.59	7.307	2706	60.39	10.053	2756	62.31	9.789
2607	56.97	8.299	2657	58.63	6.305	2707	60.42	10.050	2757	62.35	9.161
2608	56.99	7.673	2658	58.66	5.677	2708	60.48	10.046	2758	62.37	8.285
2609	57.02	7.671	2659	58.69	5.050	2709	60.53	10.292	2759	62.40	8.282
2610	57.05	6.794	2660	58.72	4.173	2710	60.57	9.790	2760	62.43	8.280
2611	57.08	6.791	2661	58.75	2.921	2711	60.59	8.163	2761	62.46	9.153
2612	57.11	5.789	2662	58.78	2.543	2712	60.63	8.160	2762	62.49	9.401
2613	57.15	5.787	2663	58.82	2.791	2713	60.70	7.905	2763	62.52	9.774
2614	57.17	5.160	2664	58.85	2.788	2714	60.74	8.153	2764	62.56	9.146
2615	57.20	6.033	2665	58.89	3.410	2715	60.77	7.900	2765	62.61	7.268
2616	57.23	6.406	2666	58.93	4.032	2716	60.81	8.147	2766	62.63	7.892
2617	57.28	6.152	2667	58.97	4.655	2717	60.85	8.145	2767	62.66	7.639
2618	57.32	6.399	2668	58.99	5.903	2718	60.89	7.891	2768	62.70	7.261
2619	57.34	6.148	2669	59.02	5.901	2719	60.94	7.513	2769	62.74	5.758
2620	57.36	5.521	2670	59.03	6.275	2720	60.98	7.760	2770	62.77	5.631
2621	57.40	5.144	2671	59.07	6.523	2721	61.03	7.256	2771	62.81	4.503
2622	57.42	4.517	2672	59.10	7.770	2722	61.08	7.253	2772	62.85	4.750
2623	57.44	3.890	2673	59.14	7.767	2723	61.12	6.875	2773	62.88	4.998
2624	57.45	2.890	2674	59.17	7.765	2724	61.15	6.623	2774	62.91	4.746
2625	57.49	3.637	2675	59.22	8.137	2725	61.18	6.246	2775	62.95	5.368
2626	57.52	3.510	2676	59.26	8.384	2726	61.21	4.994	2776	62.99	5.615
2627	57.56	4.132	2677	59.30	8.755	2727	61.23	4.367	2777	63.02	6.238
2628	57.58	4.755	2678	59.34	8.753	2728	61.27	4.114	2778	63.04	7.486
2629	57.61	5.129	2679	59.36	8.127	2729	61.35	4.234	2779	63.07	8.110
2630	57.66	4.499	2680	59.40	6.624	2730	61.38	4.231	2780	63.10	8.107
2631	57.71	4.496	2681	59.44	4.996	2731	61.41	4.229	2781	63.13	7.605
2632	57.76	4.743	2682	59.49	4.368	2732	61.43	4.853	2782	63.17	7.227
2633	57.80	4.740	2683	59.51	4.116	2733	61.47	5.475	2783	63.19	6.976
2634	57.87	4.859	2684	59.55	3.488	2734	61.50	6.098	2784	63.22	5.974
2635	57.90	4.857	2685	59.58	3.485	2735	61.54	6.470	2785	63.25	6.221
2636	57.96	4.853	2686	59.61	4.108	2736	61.58	6.091	2786	63.27	6.845
2637	58.00	5.725	2687	59.64	3.481	2737	61.62	5.839	2787	63.31	7.467
2638	58.04	5.973	2688	59.68	3.104	2738	61.64	5.213	2788	63.35	7.465
2639	58.07	6.345	2689	59.72	2.851	2739	61.68	4.585	2789	63.37	7.463
2640	58.10	6.593	2690	59.75	2.473	2740	61.76	5.704	2790	63.39	8.086
2641	58.14	6.090	2691	59.79	2.470	2741	61.79	6.077	2791	63.43	8.709
2642	58.18	5.712	2692	59.84	2.717	2742	61.83	7.574	2792	63.47	9.331
2643	58.21	5.460	2693	59.94	4.335	2743	61.87	8.821	2793	63.50	9.329
2644	58.25	5.707	2694	59.98	5.207	2744	61.90	8.569	2794	63.53	9.702
2645	58.28	5.955	2695	60.01	5.580	2745	61.93	8.317	2795	63.56	9.449
2646	58.31	6.328	2696	60.05	6.202	2746	62.00	9.187	2796	63.58	9.447
2647	58.34	6.326	2697	60.09	6.824	2747	62.03	9.434	2797	63.62	9.444
2648	58.37	6.948	2698	60.12	7.447	2748	62.08	9.806	2798	63.66	9.692
2649	58.40	7.571	2699	60.16	8.944	2749	62.12	9.803	2799	63.68	9.065
2650	58.43	8.194	2700	60.19	9.566	2750	62.14	10.427	2800	63.72	8.813

INDEX NO. 792 1302-P1-12 CHIYODA BRIDGE U-D MAX.ACCEL.= -17.593(GAL) T=17.08(SEC) NO.15

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2801	63.75	8.186	2851	65.56	5.181	2901	67.36	6.551	2951	69.46	4.524
2802	63.79	7.183	2852	65.58	5.179	2902	67.41	6.297	2952	69.52	6.145
2803	63.83	7.180	2853	65.62	4.926	2903	67.49	6.917	2953	69.54	6.143
2804	63.84	6.556	2854	65.65	4.923	2904	67.52	7.540	2954	69.58	6.390
2805	63.87	6.552	2855	65.68	5.172	2905	67.55	7.787	2955	69.62	7.388
2806	63.91	5.924	2856	65.71	5.794	2906	67.59	7.909	2956	69.67	6.759
2807	63.94	5.672	2857	65.75	6.042	2907	67.63	7.531	2957	69.70	7.132
2808	63.97	5.294	2858	65.79	6.039	2908	67.66	7.779	2958	69.75	6.754
2809	64.02	4.416	2859	65.81	5.787	2909	67.69	7.777	2959	69.81	6.999
2810	64.06	4.038	2860	65.85	4.910	2910	67.72	7.774	2960	69.85	6.747
2811	64.10	4.285	2861	65.88	4.532	2911	67.76	8.147	2961	69.88	6.119
2812	64.13	4.658	2862	65.91	5.405	2912	67.80	7.519	2962	69.96	4.864
2813	64.17	4.656	2863	65.95	5.777	2913	67.84	7.266	2963	70.00	4.861
2814	64.21	6.152	2864	65.98	6.025	2914	67.89	6.888	2964	70.03	5.109
2815	64.25	7.150	2865	65.04	6.646	2915	67.92	6.885	2965	70.07	5.731
2816	64.27	8.023	2866	66.10	6.641	2916	68.02	5.878	2966	70.12	5.727
2817	64.30	9.022	2867	66.14	6.638	2917	68.06	5.625	2967	70.16	6.100
2818	64.32	8.770	2868	66.18	6.635	2918	68.11	4.746	2968	70.21	6.721
2819	64.35	8.393	2869	66.21	7.008	2919	68.17	4.617	2969	70.26	6.717
2820	64.39	8.140	2870	66.25	6.755	2920	68.21	4.989	2970	70.29	6.964
2821	64.42	8.138	2871	66.30	6.752	2921	68.27	4.735	2971	70.33	7.337
2822	64.45	7.761	2872	66.32	6.750	2922	68.32	5.231	2972	70.39	7.333
2823	64.48	7.759	2873	66.37	6.372	2923	68.37	5.602	2973	70.43	7.955
2824	64.51	7.506	2874	66.40	6.620	2924	68.40	5.350	2974	70.47	7.952
2825	64.54	7.129	2875	66.43	6.993	2925	68.45	6.846	2975	70.50	6.699
2826	64.58	7.752	2876	66.46	6.991	2926	68.49	7.468	2976	70.54	6.697
2827	64.60	8.000	2877	66.48	7.239	2927	68.54	7.465	2977	70.56	6.321
2828	64.63	8.623	2878	66.49	7.863	2928	68.56	8.088	2978	70.60	6.318
2829	64.67	8.995	2879	66.51	8.487	2929	68.59	8.711	2979	70.66	6.689
2830	64.72	9.618	2880	66.54	8.860	2930	68.62	8.709	2980	70.69	6.686
2831	64.74	10.240	2881	66.57	8.858	2931	68.64	8.082	2981	70.72	6.433
2832	64.78	10.487	2882	66.61	9.104	2932	68.66	8.081	2982	70.77	6.305
2833	64.82	10.485	2883	66.65	9.102	2933	68.70	8.953	2983	70.80	6.303
2834	64.86	9.981	2884	66.69	8.849	2934	68.73	8.826	2984	70.84	6.675
2835	64.90	8.978	2885	66.73	8.846	2935	68.78	9.447	2985	70.88	6.422
2836	64.93	9.227	2886	66.78	8.217	2936	68.82	9.444	2986	70.94	4.793
2837	64.97	9.224	2887	66.85	8.212	2937	68.88	8.815	2987	70.98	4.540
2838	65.01	9.221	2888	66.88	8.210	2938	68.92	9.687	2988	71.01	5.037
2839	65.05	8.968	2889	66.91	7.333	2939	68.95	10.309	2989	71.06	4.784
2840	65.09	8.965	2890	66.95	6.705	2940	69.00	10.306	2990	71.11	4.531
2841	65.14	8.961	2891	66.98	6.703	2941	69.04	9.803	2991	71.14	4.153
2842	65.18	8.708	2892	67.02	6.950	2942	69.09	8.175	2992	71.20	3.899
2843	65.22	8.331	2893	67.04	7.199	2943	69.12	7.297	2993	71.24	3.897
2844	65.26	8.078	2894	67.08	7.196	2944	69.17	6.044	2994	71.29	4.393
2845	65.30	7.450	2895	67.13	7.192	2945	69.21	5.416	2995	71.33	5.390
2846	65.34	7.447	2896	67.17	7.189	2946	69.25	4.789	2996	71.36	6.013
2847	65.41	7.441	2897	67.22	7.561	2947	69.29	3.536	2997	71.41	6.884
2848	65.46	6.188	2898	67.26	6.933	2948	69.34	3.032	2998	71.45	7.507
2849	65.48	6.686	2899	67.30	5.680	2949	69.37	3.260	2999	71.49	9.128
2850	65.52	6.184	2900	67.32	5.928	2950	69.42	4.027	3000	71.53	10.001

INDEX NO. 792 1302-PI-12 CHIYODA BRIDGE U-D MAX.ACCEL.= -17.593(GAL) T=17.08(SEC) NO.16

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3001	71.56	10.749	3051	73.50	3.110	3101	75.43	1.347	3151	77.76	3.429
3002	71.58	11.372	3052	73.59	4.604	3102	75.48	1.093	3152	77.79	3.428
3003	71.60	11.746	3053	73.65	5.475	3103	75.51	1.091	3153	77.85	1.799
3004	71.63	11.494	3054	73.70	6.721	3104	75.55	1.088	3154	77.89	2.671
3005	71.67	10.491	3055	73.76	7.342	3105	75.61	1.334	3155	77.93	3.043
3006	71.72	9.238	3056	73.81	6.838	3106	75.65	1.081	3156	77.97	3.040
3007	71.75	7.735	3057	73.86	7.084	3107	75.73	1.077	3157	78.01	2.662
3008	71.80	7.732	3058	73.90	7.081	3108	75.73	1.325	3158	78.06	2.659
3009	71.83	7.730	3059	73.95	7.078	3109	75.76	1.573	3159	78.11	2.655
3010	71.87	7.977	3060	73.98	7.076	3110	75.80	1.070	3160	78.15	2.652
3011	71.90	7.350	3061	74.02	5.823	3111	75.81	1.944	3161	78.20	3.024
3012	71.94	6.097	3062	74.06	6.195	3112	75.85	2.191	3162	78.24	1.771
3013	71.97	4.595	3063	74.09	4.942	3113	75.89	3.813	3163	78.28	2.018
3014	72.01	4.217	3064	74.12	3.940	3114	75.92	3.811	3164	78.34	3.014
3015	72.04	4.215	3065	74.18	3.312	3115	75.96	3.183	3165	78.38	3.260
3016	72.06	4.464	3066	74.19	4.560	3116	76.01	3.430	3166	78.42	3.008
3017	72.09	4.212	3067	74.22	5.433	3117	76.04	3.802	3167	78.45	2.131
3018	72.13	3.584	3068	74.26	6.056	3118	76.08	3.800	3168	78.48	1.128
3019	72.18	2.580	3069	74.31	5.552	3119	76.11	4.922	3169	78.53	0.500
3020	72.29	1.947	3070	74.35	5.174	3120	76.19	4.417	3170	78.58	0.747
3021	72.34	2.819	3071	74.39	4.546	3121	76.25	4.663	3171	78.62	1.369
3022	72.36	3.067	3072	74.43	3.293	3122	76.32	5.658	3172	78.68	1.990
3023	72.42	3.063	3073	74.47	2.666	3123	76.38	5.404	3173	78.72	2.612
3024	72.44	3.436	3074	74.50	2.039	3124	76.46	4.398	3174	78.76	2.903
3025	72.47	3.684	3075	74.54	1.785	3125	76.54	4.642	3175	78.82	3.854
3026	72.51	4.307	3076	74.58	2.283	3126	76.60	4.638	3176	78.86	3.852
3027	72.53	4.930	3077	74.62	2.905	3127	76.67	4.393	3177	78.94	3.971
3028	72.56	5.303	3078	74.66	3.277	3128	76.73	4.629	3178	78.99	3.967
3029	72.61	5.050	3079	74.70	4.149	3129	76.80	4.624	3179	79.03	5.089
3030	72.65	5.297	3080	74.74	4.772	3130	76.84	4.996	3180	79.07	5.462
3031	72.67	5.545	3081	74.76	4.770	3131	76.88	4.119	3181	79.12	5.458
3032	72.71	6.167	3082	74.81	5.392	3132	76.93	3.115	3182	79.17	6.079
3033	72.75	6.540	3083	74.84	5.764	3133	76.98	3.111	3183	79.22	7.326
3034	72.78	6.537	3084	74.87	5.762	3134	77.03	3.108	3184	79.25	4.949
3035	72.81	6.785	3085	74.90	5.760	3135	77.08	2.855	3185	79.29	4.321
3036	72.86	6.782	3086	74.93	6.008	3136	77.13	3.975	3186	79.34	3.692
3037	72.89	6.779	3087	74.97	6.006	3137	77.16	3.973	3187	79.38	3.439
3038	72.93	5.901	3088	74.99	5.754	3138	77.23	2.469	3188	79.42	3.436
3039	72.98	6.148	3089	75.03	5.501	3139	77.28	2.215	3189	79.47	2.308
3040	73.01	5.646	3090	75.05	5.749	3140	77.32	2.212	3190	79.52	1.055
3041	73.06	4.662	3091	75.08	6.623	3141	77.36	3.084	3191	79.53	0.803
3042	73.09	4.390	3092	75.09	7.246	3142	77.41	4.331	3192	79.57	0.426
3043	73.14	3.386	3093	75.11	7.620	3143	77.44	4.329	3193	79.61	0.423
3044	73.21	1.881	3094	75.14	6.743	3144	77.49	4.325	3194	79.63	-0.204
3045	73.24	1.879	3095	75.16	6.991	3145	77.55	3.695	3195	79.67	-0.831
3046	73.27	1.877	3096	75.20	6.989	3146	77.58	3.444	3196	79.70	-0.834
3047	73.31	2.749	3097	75.24	6.360	3147	77.63	3.440	3197	79.74	-1.086
3048	73.34	2.997	3098	75.28	5.108	3148	77.69	3.686	3198	79.79	-1.465
3049	73.40	3.367	3099	75.32	4.230	3149	77.72	3.683	3199	79.83	-1.718
3050	73.45	3.114	3100	75.36	3.852	3150	77.75	3.431	3200	79.86	-2.096

INDEX NO. 792 1302-PI-12 CHIYODA BRIDGE U-D MAX.ACCEL.= -17.593(GAL) T=17.08(SEC) NO.17

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3201	79.91	-2.099	3251	82.00	0.251	3301	84.06	-0.896	3351	86.06	-0.540
3202	79.94	-2.351	3252	82.03	0.498	3302	84.11	-1.150	3352	86.11	-0.169
3203	79.97	-2.353	3253	82.08	0.495	3303	84.16	-0.904	3353	86.14	0.079
3204	80.01	-1.481	3254	82.11	-0.007	3304	84.21	0.343	3354	86.19	-0.175
3205	80.05	-0.859	3255	82.14	-1.009	3305	84.24	0.966	3355	86.24	-0.803
3206	80.09	-0.237	3256	82.17	0.239	3306	84.27	0.714	3356	86.29	-1.057
3207	80.13	0.635	3257	82.19	0.237	3307	84.32	-0.165	3357	86.33	-0.559
3208	80.19	0.631	3258	82.23	0.484	3308	84.37	0.081	3358	86.36	0.063
3209	80.24	0.378	3259	82.26	1.107	3309	84.40	0.704	3359	86.41	-0.190
3210	80.27	0.625	3260	82.30	1.104	3310	84.44	1.326	3360	86.45	-0.818
3211	80.29	0.998	3261	82.35	0.226	3311	84.48	2.573	3361	86.49	-1.696
3212	80.34	0.995	3262	82.37	0.474	3312	84.51	2.821	3362	86.54	-1.825
3213	80.38	1.242	3263	82.41	0.846	3313	84.54	2.819	3363	86.59	-2.078
3214	80.42	1.239	3264	82.45	0.219	3314	84.56	3.192	3364	86.63	-2.331
3215	80.47	1.611	3265	82.48	-0.034	3315	84.60	2.940	3365	86.67	-1.833
3216	80.52	2.233	3266	82.52	-0.411	3316	84.62	2.313	3366	86.71	-2.087
3217	80.56	2.229	3267	82.55	-0.664	3317	84.66	1.310	3367	86.74	-2.089
3218	80.59	2.227	3268	82.59	-1.417	3318	84.69	1.058	3368	86.79	-2.342
3219	80.62	1.975	3269	82.72	-1.301	3319	84.72	1.556	3369	86.84	-2.971
3220	80.73	2.217	3270	82.77	-0.430	3320	84.75	1.554	3370	86.87	-2.098
3221	80.78	1.339	3271	82.82	0.442	3321	84.78	1.551	3371	86.92	-1.226
3222	80.82	1.336	3272	82.88	0.187	3322	84.82	1.549	3372	86.96	-1.229
3223	80.86	1.583	3273	82.94	1.058	3323	84.85	1.546	3373	86.99	-0.232
3224	80.89	1.581	3274	82.98	2.055	3324	84.89	1.294	3374	87.04	-0.859
3225	80.92	1.328	3275	83.03	2.926	3325	84.92	1.291	3375	87.05	-1.236
3226	80.95	1.326	3276	83.05	3.550	3326	84.95	1.039	3376	87.10	-0.864
3227	80.99	0.698	3277	83.10	4.172	3327	84.98	0.662	3377	87.16	-1.118
3228	81.03	0.945	3278	83.14	3.919	3328	85.00	0.660	3378	87.23	-1.498
3229	81.06	0.693	3279	83.17	3.917	3329	85.03	-0.217	3379	87.29	-2.127
3230	81.09	0.691	3280	83.22	2.038	3330	85.07	-0.845	3380	87.34	-2.381
3231	81.13	0.314	3281	83.26	1.410	3331	85.10	-1.222	3381	87.39	-2.759
3232	81.16	0.311	3282	83.31	0.157	3332	85.12	-1.474	3382	87.43	-3.388
3233	81.20	0.558	3283	83.35	-0.096	3333	85.16	-1.851	3383	87.49	-4.017
3234	81.24	0.555	3284	83.40	-0.475	3334	85.23	-1.982	3384	87.55	-4.896
3235	81.27	0.303	3285	83.45	-1.353	3335	85.27	-1.359	3385	87.60	-4.399
3236	81.31	0.550	3286	83.47	-1.355	3336	85.30	-1.111	3386	87.65	-4.028
3237	81.37	1.546	3287	83.53	-1.983	3337	85.36	-1.366	3387	87.70	-3.407
3238	81.43	1.292	3288	83.57	-2.112	3338	85.43	-2.621	3388	87.74	-2.785
3239	81.46	0.914	3289	83.62	-1.740	3339	85.47	-3.249	3389	87.79	-1.913
3240	81.52	0.286	3290	83.67	-1.744	3340	85.52	-3.002	3390	87.83	-1.916
3241	81.58	1.156	3291	83.70	-1.996	3341	85.58	-2.631	3391	87.89	-3.045
3242	81.63	1.527	3292	83.74	-2.623	3342	85.62	-2.634	3392	87.94	-3.673
3243	81.67	0.900	3293	83.77	-2.126	3343	85.68	-2.013	3393	87.99	-3.677
3244	81.70	0.647	3294	83.80	-2.128	3344	85.77	-3.645	3394	88.03	-3.680
3245	81.74	0.019	3295	83.82	-2.380	3345	85.81	-2.648	3395	88.08	-3.433
3246	81.78	-0.609	3296	83.85	-2.381	3346	85.83	-1.150	3396	88.11	-3.436
3247	81.84	-0.612	3297	83.87	-2.133	3347	85.87	-0.527	3397	88.15	-2.814
3248	81.89	-0.616	3298	83.92	-1.136	3348	85.91	-0.155	3398	88.18	-2.815
3249	81.92	-0.368	3299	83.96	-1.139	3349	85.94	-0.157	3399	88.21	-2.818
3250	81.95	0.254	3300	83.98	-1.160	3350	85.99	-0.536	3400	88.24	-2.820

土木構造物における加速度強震記録（No. 9）

INDEX NO. 792 1302-PI-12 CHIYODA BRIDGE U-D MAX.ACCEL.= -17.593(GAL) T=17.08(SEC) NO.18

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3401	88.27	-3.448	3451	90.14	+4.082	3501	92.53	-0.628	3551	94.83	-7.043
3402	88.31	-3.200	3452	90.20	-4.711	3502	92.59	-2.567	3552	94.88	-7.297
3403	88.35	-3.203	3453	90.24	-4.965	3503	92.64	-3.306	3553	94.91	-7.049
3404	88.40	-2.581	3454	90.29	-4.968	3504	92.69	-4.015	3554	94.96	-7.303
3405	88.44	-1.959	3455	90.34	-5.346	3505	92.74	-4.018	3555	95.01	-7.306
3406	88.48	-1.587	3456	90.39	-5.600	3506	92.78	-4.396	3556	95.06	-7.685
3407	88.53	-1.591	3457	90.44	-5.354	3507	92.82	-5.274	3557	95.11	-7.688
3408	88.57	-1.594	3458	90.49	-4.732	3508	92.85	-6.276	3558	95.14	-7.065
3409	88.63	-1.348	3459	90.55	-2.862	3509	92.90	-7.780	3559	95.17	-7.316
3410	88.66	-1.600	3460	90.60	-1.615	3510	92.93	-8.407	3560	95.20	-7.319
3411	88.70	-2.228	3461	90.65	-0.993	3511	92.96	-9.034	3561	95.28	-5.325
3412	88.74	-2.855	3462	90.68	-0.121	3512	93.00	-8.787	3562	95.35	-7.080
3413	88.77	-2.858	3463	90.73	1.125	3513	93.03	-8.789	3563	95.41	-6.460
3414	88.79	-2.609	3464	90.78	0.872	3514	93.08	-8.543	3564	95.47	-5.214
3415	88.82	-3.112	3465	90.83	1.493	3515	93.15	-7.797	3565	95.53	-4.968
3416	88.85	-3.114	3466	90.89	1.239	3516	93.21	-7.802	3566	95.57	-4.596
3417	88.90	-3.742	3467	90.94	0.860	3517	93.26	-7.556	3567	95.62	-3.975
3418	88.92	-2.744	3468	90.99	2.231	3518	93.30	-7.309	3568	95.67	-3.978
3419	88.95	-3.996	3469	91.04	-0.647	3519	93.35	-7.313	3569	95.72	-3.732
3420	88.97	-4.622	3470	91.09	-1.650	3520	93.41	-6.692	3570	95.76	-3.610
3421	89.00	-4.624	3471	91.15	-2.280	3521	93.47	-6.071	3571	95.80	-4.237
3422	89.05	-5.253	3472	91.20	-3.533	3522	93.51	-5.449	3572	95.84	-4.616
3423	89.07	-5.005	3473	91.25	-4.161	3523	93.55	-5.452	3573	95.89	-3.994
3424	89.11	-4.382	3474	91.29	-5.040	3524	93.60	-5.080	3574	95.92	-3.996
3425	89.15	-3.760	3475	91.33	-4.417	3525	93.65	-4.459	3575	95.95	-3.749
3426	89.20	-3.389	3476	91.41	-7.048	3526	93.71	-3.839	3576	95.97	-4.625
3427	89.25	-4.017	3477	91.48	-6.553	3527	93.74	-2.966	3577	96.02	-4.878
3428	89.30	-4.646	3478	91.52	-6.556	3528	93.80	-2.970	3578	96.12	-4.635
3429	89.34	-4.649	3479	91.57	-5.935	3529	93.86	-3.475	3579	96.16	-4.889
3430	89.39	-4.652	3480	91.63	-5.939	3530	93.90	-3.477	3580	96.21	-4.892
3431	89.43	-4.030	3481	91.68	-5.318	3531	93.95	-3.231	3581	96.26	-4.646
3432	89.46	-3.158	3482	91.73	-4.946	3532	94.00	-3.235	3582	96.32	-5.275
3433	89.51	-2.786	3483	91.78	-4.700	3533	94.06	-3.489	3583	96.36	-5.028
3434	89.55	-3.414	3484	91.82	-4.327	3534	94.10	-3.492	3584	96.40	-4.031
3435	89.57	-3.416	3485	91.85	-4.079	3535	94.15	-2.995	3585	96.45	-3.409
3436	89.61	-3.419	3486	91.90	-3.083	3536	94.18	-2.372	3586	96.49	-4.037
3437	89.65	-3.172	3487	91.93	-3.710	3537	94.22	-2.000	3587	96.52	-4.040
3438	89.68	-2.549	3488	91.95	-3.087	3538	94.24	-2.626	3588	96.58	-5.293
3439	89.71	-2.551	3489	92.00	-3.090	3539	94.29	-2.630	3589	96.62	-5.921
3440	89.73	-2.552	3490	92.05	-3.094	3540	94.35	-3.884	3590	96.65	-6.549
3441	89.77	-1.930	3491	92.09	-3.347	3541	94.39	-3.987	3591	96.70	-6.552
3442	89.80	-1.558	3492	92.13	-2.474	3542	94.42	-3.890	3592	96.74	-6.555
3443	89.82	-1.309	3493	92.17	-1.852	3543	94.47	-3.893	3593	96.79	-6.809
3444	89.87	-0.938	3494	92.21	-1.605	3544	94.51	-3.646	3594	96.83	-7.437
3445	89.90	-0.940	3495	92.27	-0.985	3545	94.56	-3.274	3595	96.87	-7.440
3446	89.93	-1.567	3496	92.31	-1.238	3546	94.60	-3.902	3596	96.90	-7.442
3447	89.97	-2.195	3497	92.33	-1.239	3547	94.65	-4.531	3597	96.95	-7.196
3448	90.01	-3.073	3498	92.39	-1.243	3548	94.70	-5.409	3598	96.98	-6.948
3449	90.05	-3.450	3499	92.42	-0.371	3549	94.75	-5.787	3599	97.02	-6.950
3450	90.09	-3.703	3500	92.48	-0.375	3550	94.79	-6.666	3600	97.05	-6.327

INDEX NO. 792 1302-PI-12 CHIYODA BRIDGE U-D MAX.ACCEL.= -17.593(GAL) T=17.08(SEC) NO.19

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3601	97.08	-5.329	3651	99.17	-8.603	3701	101.08	-6.868	3751	102.98	-11.379
3602	97.10	-5.331	3652	99.20	-8.355	3702	101.12	-6.871	3752	103.01	-11.006
3603	97.14	-5.334	3653	99.24	-8.358	3703	101.16	-6.874	3753	103.04	-12.259
3604	97.19	-5.587	3654	99.28	-9.236	3704	101.20	-7.126	3754	103.09	-12.637
3605	97.23	-5.340	3655	99.32	-8.614	3705	101.23	-7.254	3755	103.15	-11.766
3606	97.27	-4.718	3656	99.36	-8.617	3706	101.28	-7.506	3756	103.19	-11.395
3607	97.30	-4.720	3657	99.40	-7.995	3707	101.32	-7.261	3757	103.23	-11.397
3608	97.34	-4.472	3658	99.44	-6.748	3708	101.38	-7.514	3758	103.28	-10.776
3609	97.37	-4.475	3659	99.48	-5.500	3709	101.41	-7.267	3759	103.31	-10.778
3610	97.41	-4.103	3660	99.52	-4.629	3710	101.44	-7.269	3760	103.36	-11.031
3611	97.46	-3.481	3661	99.55	-4.006	3711	101.49	-7.273	3761	103.38	-11.033
3612	97.50	-4.359	3662	99.61	-3.610	3712	101.54	-7.526	3762	103.42	-11.411
3613	97.54	-4.986	3663	99.64	-2.762	3713	101.57	-8.403	3763	103.46	-11.413
3614	97.57	-4.114	3664	99.68	-2.765	3714	101.60	-9.406	3764	103.50	-10.542
3615	97.61	-4.117	3665	99.71	-2.768	3715	101.64	-9.408	3765	103.54	-10.794
3616	97.66	-3.870	3666	99.75	-3.020	3716	101.67	-10.661	3766	103.66	-11.803
3617	97.72	-3.499	3667	99.80	-4.274	3717	101.72	-10.914	3767	103.73	-12.183
3618	97.75	-3.752	3668	99.85	-4.652	3718	101.76	-11.042	3768	103.79	-12.813
3619	97.80	-4.755	3669	99.90	-5.781	3719	101.80	-11.045	3769	103.86	-12.193
3620	97.87	-5.010	3670	99.95	-7.035	3720	101.83	-11.047	3770	103.92	-11.197
3621	97.91	-6.013	3671	99.96	-7.036	3721	101.87	-11.049	3771	103.98	-11.576
3622	97.95	-6.265	3672	100.00	-7.038	3722	101.91	-11.927	3772	104.04	-11.830
3623	98.00	-6.019	3673	100.03	-7.666	3723	101.94	-12.555	3773	104.08	-11.584
3624	98.05	-5.397	3674	100.07	-8.044	3724	101.98	-12.808	3774	104.13	-10.962
3625	98.09	-5.651	3675	100.10	-8.046	3725	102.01	-12.560	3775	104.16	-10.589
3626	98.14	-5.654	3676	100.13	-8.048	3726	102.07	-11.939	3776	104.19	-10.217
3627	98.18	-5.407	3677	100.16	-7.800	3727	102.11	-11.942	3777	104.24	-10.595
3628	98.22	-5.409	3678	100.20	-7.428	3728	102.14	-11.694	3778	104.28	-10.848
3629	98.25	-5.162	3679	100.24	-7.681	3729	102.16	-11.321	3779	104.31	-11.725
3630	98.30	-5.416	3680	100.28	-8.059	3730	102.19	-11.322	3780	104.35	-12.103
3631	98.36	-6.295	3681	100.31	-8.937	3731	102.22	-11.325	3781	104.40	-12.356
3632	98.39	-6.422	3682	100.35	-8.689	3732	102.24	-11.326	3782	104.45	-12.985
3633	98.44	-6.301	3683	100.40	-8.943	3733	102.26	-11.578	3783	104.50	-13.114
3634	98.48	-6.054	3684	100.44	-9.821	3734	102.29	-11.580	3784	104.54	-12.741
3635	98.53	-4.807	3685	100.45	-8.822	3735	102.32	-11.082	3785	104.59	-12.495
3636	98.59	-5.186	3686	100.48	-8.824	3736	102.35	-11.084	3786	104.64	-12.748
3637	98.64	-6.065	3687	100.51	-8.826	3737	102.38	-10.461	3787	104.70	-12.127
3638	98.68	-5.693	3688	100.54	-8.578	3738	102.41	-10.463	3788	104.71	-14.503
3639	98.72	-5.445	3689	100.58	-8.581	3739	102.45	-10.091	3789	104.80	-15.010
3640	98.77	-4.199	3690	100.61	-9.208	3740	102.49	-10.719	3790	104.85	-16.014
3641	98.78	-6.950	3691	100.64	-7.961	3741	102.53	-10.472	3791	104.88	-15.391
3642	98.82	-6.703	3692	100.69	-7.589	3742	102.59	-10.976	3792	104.93	-14.519
3643	98.86	-6.956	3693	100.73	-6.592	3743	102.61	-10.478	3793	104.99	-14.774
3644	98.89	-6.958	3694	100.77	-6.220	3744	102.66	-10.731	3794	105.05	-14.778
3645	98.95	-7.337	3695	100.81	-5.974	3745	102.72	-10.735	3795	105.12	-14.533
3646	99.00	-7.966	3696	100.85	-5.976	3746	102.76	-10.989	3796	105.18	-15.037
3647	99.03	-8.218	3697	100.92	-6.606	3747	102.83	-11.366	3797	105.22	-14.540
3648	99.07	-8.596	3698	100.95	-5.984	3748	102.84	-11.994	3798	105.27	-14.793
3649	99.11	-8.599	3699	100.99	-5.862	3749	102.89	-12.247	3799	105.37	-14.175
3650	99.14	-8.601	3700	101.03	-6.491	3750	102.94	-12.251	3800	105.41	-14.428

INDEX NO. 792 1302-P1-12 CHIYODA BRIDGE U-D MAX.ACCEL.= -17.593(GAL) T=17.08(SEC) NO.20

NO.	(SEC)	(GAL)
3801	105.45	-13.931
3802	105.49	-12.934
3803	105.52	-12.062
3804	105.56	-12.064
3805	105.61	-11.693
3806	105.66	-11.946
3807	105.70	-12.074
3808	105.74	-12.327
3809	105.79	-12.331
3810	105.81	-13.957
3811	105.87	-14.212
3812	105.93	-14.216
3813	105.98	-15.095
3814	106.03	-15.723
3815	106.10	-15.228
3816	106.14	-14.855
3817	106.19	-14.859
3818	106.23	-15.487
3819	106.28	-15.491
3820	106.33	-16.120
3821	106.36	-15.246
3822	106.40	-15.750
3823	106.47	-15.504
3824	106.50	-14.882
3825	106.55	-14.635
3826	106.60	-14.013
3827	106.64	-14.266
3828	106.71	-14.521
3829	106.75	-15.149
3830	106.80	-15.153
3831	106.84	-15.781
3832	106.87	-16.408
3833	106.91	-16.410
3834	106.95	-15.914
3835	107.00	-15.917

Table IX D-19 Digitized Accelerations of Earthquake Record with Index Number 793

INDEX NO. 793 1302-P1-12 CHIYODA BRIDGE TR. MAX.ACCEL.=-103.738(GAL) T=20.33(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.0	-11.993	51	0.75	-13.632	101	1.44	-6.395	151	2.14	-11.908
2	0.02	-12.368	52	0.76	-15.507	102	1.45	-7.770	152	2.15	-13.283
3	0.04	-12.618	53	0.77	-16.382	103	1.47	-10.145	153	2.16	-15.158
4	0.05	-12.994	54	0.80	-18.008	104	1.49	-12.396	154	2.17	-17.408
5	0.08	-13.869	55	0.82	-17.133	105	1.50	-14.271	155	2.19	-18.658
6	0.09	-13.870	56	0.84	-15.259	106	1.51	-17.846	156	2.20	-20.659
7	0.10	-12.745	57	0.86	-13.634	107	1.52	-19.271	157	2.22	-21.284
8	0.11	-11.495	58	0.87	-12.134	108	1.53	-20.846	158	2.24	-19.159
9	0.13	-8.995	59	0.88	-10.259	109	1.55	-18.522	159	2.25	-17.285
10	0.14	-6.746	60	0.89	-8.635	110	1.57	-16.647	160	2.26	-15.410
11	0.15	-5.246	61	0.90	-7.135	111	1.58	-14.772	161	2.27	-12.785
12	0.16	-3.496	62	0.91	-5.510	112	1.59	-11.522	162	2.28	-10.535
13	0.17	-1.996	63	0.93	-7.010	113	1.60	-9.898	163	2.29	-5.536
14	0.20	-3.372	64	0.94	-8.885	114	1.62	-9.523	164	2.30	-2.911
15	0.21	-8.747	65	0.95	-10.135	115	1.63	-10.148	165	2.32	-2.661
16	0.23	-11.872	66	0.96	-13.011	116	1.64	-11.773	166	2.34	-11.661
17	0.24	-13.622	67	0.97	-16.386	117	1.65	-13.649	167	2.36	-3.162
18	0.25	-15.498	68	0.98	-18.886	118	1.66	-15.524	168	2.37	-7.912
19	0.26	-18.248	69	0.99	-19.261	119	1.68	-17.649	169	2.38	-11.287
20	0.28	-19.873	70	1.00	-21.261	120	1.69	-19.524	170	2.39	-14.912
21	0.30	-21.248	71	1.02	-19.762	121	1.70	-20.149	171	2.40	-16.162
22	0.32	-21.499	72	1.03	-15.637	122	1.71	-21.900	172	2.42	-18.663
23	0.34	-19.999	73	1.04	-14.137	123	1.73	-21.025	173	2.44	-18.663
24	0.35	-18.749	74	1.05	-12.762	124	1.74	-19.150	174	2.47	-18.039
25	0.36	-14.999	75	1.06	-10.263	125	1.75	-15.025	175	2.49	-16.789
26	0.37	-10.875	76	1.08	-8.388	126	1.76	-11.526	176	2.50	-16.164
27	0.38	-9.250	77	1.10	-5.263	127	1.77	-8.651	177	2.52	-15.540
28	0.39	-7.125	78	1.13	-6.389	128	1.79	-5.901	178	2.54	-15.540
29	0.41	-5.250	79	1.14	-7.639	129	1.81	-1.652	179	2.55	-15.290
30	0.43	-4.126	80	1.16	-8.640	130	1.82	-1.652	180	2.57	-14.915
31	0.44	-3.501	81	1.17	-9.514	131	1.83	-1.027	181	2.59	-16.416
32	0.45	-4.751	82	1.18	-10.765	132	1.84	-2.902	182	2.60	-18.666
33	0.46	-7.252	83	1.19	-12.015	133	1.86	-8.528	183	2.62	-22.791
34	0.47	-9.377	84	1.20	-13.890	134	1.87	-11.903	184	2.65	-23.167
35	0.49	-12.252	85	1.22	-12.140	135	1.88	-14.903	185	2.66	-21.042
36	0.50	-15.752	86	1.23	-11.516	136	1.89	-18.653	186	2.67	-19.417
37	0.52	-17.377	87	1.24	-9.891	137	1.90	-20.653	187	2.68	-17.918
38	0.53	-18.003	88	1.26	-8.016	138	1.92	-22.529	188	2.69	-15.668
39	0.56	-16.504	89	1.27	-6.767	139	1.93	-22.779	189	2.70	-13.543
40	0.57	-15.254	90	1.28	-8.642	140	1.95	-22.529	190	2.72	-11.793
41	0.59	-14.254	91	1.30	-9.892	141	1.97	-20.405	191	2.74	-9.919
42	0.61	-13.004	92	1.31	-12.642	142	1.99	-17.530	192	2.76	-9.044
43	0.62	-11.755	93	1.33	-15.767	143	2.00	-13.780	193	2.77	-8.419
44	0.64	-10.505	94	1.34	-17.018	144	2.01	-10.905	194	2.79	-9.295
45	0.66	-9.630	95	1.36	-19.268	145	2.03	-8.656	195	2.81	-10.170
46	0.68	-8.381	96	1.38	-17.768	146	2.05	-7.781	196	2.82	-11.420
47	0.69	-8.631	97	1.39	-15.894	147	2.06	-5.906	197	2.84	-11.795
48	0.71	-9.881	98	1.40	-13.644	148	2.08	-4.782	198	2.85	-12.046
49	0.73	-11.131	99	1.41	-12.394	149	2.11	-6.907	199	2.87	-10.546
50	0.74	-12.632	100	1.43	-10.519	150	2.12	-9.407	200	2.88	-9.671

土木構造物における加速度強震記録（No.9）

INDEX NO. 793 1302-PI-12 CHIYODA BRIDGE TR. MAX.ACCEL.=-103.738(GAL) T=20.33(SEC). NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	2.89	-6.796	251	3.63	-9.810	301	4.24	-4.196	351	4.94	-10.458
202	2.91	-4.547	252	3.64	-8.560	302	4.25	-1.446	352	4.95	-12.334
203	2.92	-2.922	253	3.65	-6.885	303	4.26	-0.196	353	4.98	-13.334
204	2.94	1.453	254	3.67	-6.060	304	4.28	1.054	354	5.00	-14.585
205	2.95	0.953	255	3.69	-10.436	305	4.29	1.678	355	5.03	-15.585
206	2.96	-2.173	256	3.69	-12.686	306	4.30	-0.072	356	5.04	-15.835
207	2.97	-5.048	257	3.70	-14.936	307	4.32	-3.822	357	5.06	-15.961
208	2.98	-10.048	258	3.71	-17.061	308	4.33	-6.697	358	5.07	-12.836
209	3.00	-13.049	259	3.72	-18.311	309	4.34	-11.948	359	5.08	-10.586
210	3.01	-14.923	260	3.73	-19.936	310	4.35	-14.948	360	5.10	-7.836
211	3.02	-15.549	261	3.74	-20.187	311	4.36	-16.448	361	5.11	0.163
212	3.06	-15.299	262	3.75	-18.437	312	4.37	-18.948	362	5.12	1.663
213	3.07	-13.425	263	3.76	-17.812	313	4.38	-21.948	363	5.13	7.163
214	3.08	-10.550	264	3.77	-15.937	314	4.39	-23.823	364	5.14	8.038
215	3.10	-8.675	265	3.78	-14.687	315	4.40	-24.824	365	5.15	9.288
216	3.13	-7.301	266	3.80	-15.813	316	4.41	-22.949	366	5.17	7.162
217	3.14	-0.801	267	3.81	-17.438	317	4.42	-19.199	367	5.18	2.787
218	3.15	-10.676	268	3.82	-18.688	318	4.44	-16.949	368	5.19	-1.338
219	3.16	-11.926	269	3.84	-20.688	319	4.45	-14.824	369	5.20	-4.838
220	3.17	-14.051	270	3.85	-21.564	320	4.46	-9.950	370	5.21	-11.963
221	3.19	-14.302	271	3.86	-20.064	321	4.47	-6.825	371	5.22	-14.339
222	3.21	-14.302	272	3.87	-16.939	322	4.48	-5.575	372	5.23	-16.839
223	3.23	-14.552	273	3.88	-13.189	323	4.49	-3.825	373	5.25	-20.714
224	3.24	-15.803	274	3.89	-10.564	324	4.51	-5.700	374	5.27	-23.464
225	3.25	-17.428	275	3.91	-4.564	325	4.53	-7.326	375	5.28	-26.340
226	3.27	-18.053	276	3.91	-1.440	326	4.54	-7.576	376	5.30	-28.590
227	3.29	-15.929	277	3.92	1.435	327	4.56	-7.952	377	5.32	-33.965
228	3.30	-14.304	278	3.93	4.060	328	4.59	-9.452	378	5.33	-35.840
229	3.32	-11.554	279	3.94	6.185	329	4.62	-10.453	379	5.36	-37.841
230	3.33	-9.679	280	3.96	4.434	330	4.64	-10.628	380	5.37	-33.466
231	3.34	-7.429	281	3.97	3.184	331	4.66	-11.703	381	5.38	-28.091
232	3.36	-6.805	282	3.99	1.309	332	4.68	-13.329	382	5.39	-19.467
233	3.39	-5.805	283	4.00	-0.566	333	4.70	-15.204	383	5.40	-11.842
234	3.40	-7.055	284	4.02	-2.017	334	4.73	-17.080	384	5.41	-7.842
235	3.41	-8.056	285	4.03	-7.567	335	4.74	-20.955	385	5.42	-3.592
236	3.42	-9.306	286	4.04	-9.817	336	4.75	-23.455	386	5.43	-1.092
237	3.43	-10.806	287	4.05	-15.193	337	4.76	-25.080	387	5.44	1.407
238	3.44	-11.806	288	4.06	-17.692	338	4.77	-26.330	388	5.46	3.782
239	3.45	-12.056	289	4.07	-23.443	339	4.79	-24.831	389	5.47	1.532
240	3.46	-11.182	290	4.08	-25.068	340	4.80	-23.206	390	5.48	-1.343
241	3.48	-9.932	291	4.10	-28.318	341	4.82	-19.456	391	5.50	-3.469
242	3.50	-7.432	292	4.11	-28.318	342	4.83	-17.331	392	5.52	-4.094
243	3.51	-5.933	293	4.14	-26.444	343	4.84	-9.082	393	5.54	-5.469
244	3.52	-3.558	294	4.15	-25.694	344	4.85	-7.457	394	5.55	-7.344
245	3.54	-2.683	295	4.17	-24.195	345	4.86	-5.582	395	5.57	-10.095
246	3.55	-4.183	296	4.18	-21.695	346	4.88	-0.457	396	5.58	-12.345
247	3.57	-6.684	297	4.19	-18.820	347	4.89	-1.707	397	5.59	-15.220
248	3.58	-8.809	298	4.20	-15.445	348	4.90	-3.833	398	5.62	-18.721
249	3.60	-10.684	299	4.21	-12.820	349	4.92	-6.333	399	5.63	-21.596
250	3.61	-11.060	300	4.22	-6.570	350	4.93	-8.208	400	5.64	-22.846

INDEX NO. 793 1302-PI-12 CHIYODA BRIDGE TR. MAX.ACCEL.=-103.738(GAL) T=20.33(SEC). NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	5.66	+24.722	451	6.38	+13.984	501	7.12	-5.373	551	7.88	-14.637
402	5.68	-25.722	452	6.39	+11.860	502	7.14	-5.498	552	7.89	-17.137
403	5.69	+23.847	453	6.41	-11.610	503	7.15	-6.124	553	7.90	+22.087
404	5.71	+22.722	454	6.43	-9.985	504	7.17	-7.624	554	7.92	-26.387
405	5.73	-20.098	455	6.44	-8.111	505	7.18	-8.624	555	7.93	+29.537
406	5.74	-19.848	456	6.45	-6.611	506	7.19	-9.249	556	7.94	+35.263
407	5.75	+19.473	457	6.46	-6.611	507	7.20	+11.374	557	7.95	+36.888
408	5.77	-19.724	458	6.47	-5.486	508	7.22	+10.250	558	7.97	+38.763
409	5.78	-20.099	459	6.48	-6.236	509	7.24	-9.875	559	7.98	+39.513
410	5.80	+19.349	460	6.49	-7.112	510	7.26	-9.001	560	8.00	+37.889
411	5.82	+13.099	461	6.52	-7.487	511	7.28	-8.376	561	8.02	+30.389
412	5.84	-8.725	462	6.54	-7.737	512	7.29	-7.751	562	8.03	+23.764
413	5.85	1.400	463	6.55	-7.487	513	7.31	-8.376	563	8.04	+18.264
414	5.88	3.400	464	6.57	-6.863	514	7.32	-9.877	564	8.05	+16.139
415	5.89	6.775	465	6.58	-8.363	515	7.34	+11.127	565	8.06	+11.515
416	5.90	7.149	466	6.60	+14.363	516	7.35	+12.377	566	8.07	-9.140
417	5.91	7.149	467	6.61	+18.364	517	7.37	+14.627	567	8.08	-8.140
418	5.93	7.149	468	6.62	+20.239	518	7.38	+13.503	568	8.09	-8.765
419	5.94	6.898	469	6.63	+23.489	519	7.40	-12.253	569	8.12	+9.016
420	5.96	7.523	470	6.64	+25.364	520	7.43	+11.253	570	8.13	-7.766
421	5.97	8.398	471	6.66	+26.614	521	7.44	+10.379	571	8.14	-5.391
422	5.98	8.648	472	6.68	+25.490	522	7.46	+10.254	572	8.16	-2.767
423	6.01	9.147	473	6.70	+23.240	523	7.47	+12.754	573	8.18	4.233
424	6.02	7.897	474	6.71	+20.740	524	7.49	+16.505	574	8.19	5.483
425	6.04	31.522	475	6.73	+16.366	525	7.50	+18.130	575	8.21	4.608
426	6.05	-6.728	476	6.75	+10.366	526	7.51	+21.630	576	8.22	2.482
427	6.06	-15.229	477	6.76	-7.242	527	7.53	+23.255	577	8.23	-0.643
428	6.07	+18.729	478	6.77	-5.617	528	7.55	+20.756	578	8.25	+1.643
429	6.08	+21.979	479	6.78	-2.742	529	7.56	+18.881	579	8.26	+1.643
430	6.09	+26.604	480	6.80	-1.117	530	7.58	+17.006	580	8.28	1.731
431	6.10	+27.854	481	6.81	-0.867	531	7.60	+5.381	581	8.29	3.981
432	6.12	+30.605	482	6.83	-1.368	532	7.61	0.118	582	8.31	4.356
433	6.13	+28.980	483	6.85	+2.368	533	7.62	2.993	583	8.32	3.730
434	6.16	+26.739	484	6.87	-3.618	534	7.64	4.868	584	8.33	1.855
435	6.18	+23.356	485	6.89	+31.369	535	7.65	61.493	585	8.34	-1.895
436	6.19	+21.856	486	6.91	-3.244	536	7.67	3.367	586	8.36	-7.020
437	6.20	+18.231	487	6.93	+2.369	537	7.68	11.492	587	8.37	+10.521
438	6.22	+14.857	488	6.94	+2.370	538	7.69	-2.883	588	8.38	+14.021
439	6.23	+11.857	489	6.95	+2.995	539	7.70	-5.758	589	8.39	+17.146
440	6.24	-9.107	490	6.96	+5.120	540	7.71	-7.634	590	8.40	+20.271
441	6.26	-2.357	491	6.97	-9.245	541	7.74	-8.634	591	8.42	+21.396
442	6.27	-0.732	492	6.99	+11.746	542	7.75	+6.759	592	8.44	+22.272
443	6.28	0.767	493	7.00	+13.121	543	7.76	+7.384	593	8.46	+21.772
444	6.29	1.392	494	7.02	+15.246	544	7.79	+6.510	594	8.48	+21.023
445	6.30	0.517	495	7.03	+14.996	545	7.80	+7.635	595	8.49	+20.148
446	6.31	+11.983	496	7.04	+13.122	546	7.81	+8.010	596	8.51	+21.023
447	6.32	+4.233	497	7.06	-12.497	547	7.82	-9.260	597	8.53	+22.023
448	6.34	+11.109	498	7.07	+10.372	548	7.83	+9.511	598	8.55	+22.649
449	6.35	+13.109	499	7.09	-7.872	549	7.85	+10.761	599	8.57	+21.774
450	6.36	-13.734	500	7.10	-6.998	550	7.87	+12.011	600	8.58	+20.524

INDEX NO. 793 1302-P1-12 CHIYODA BRIDGE TR. MAX.ACCEL.=-103.738(GAL) T=20.33(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	8.59	-18.024	651	9.24	-31.161	701	9.89	-21.049	751	10.51	-4.935
602	8.61	-16.775	652	9.25	-32.412	702	9.91	-25.174	752	10.52	-2.185
603	8.62	-15.150	653	9.26	-33.412	703	9.92	-25.799	753	10.53	5.440
604	8.63	-14.525	654	9.27	-30.287	704	9.95	-27.050	754	10.54	6.440
605	8.65	-12.526	655	9.28	-28.162	705	9.98	-27.300	755	10.55	8.315
606	8.68	-10.651	656	9.29	-16.038	706	9.99	-27.925	756	10.56	6.939
607	8.69	-7.901	657	9.30	-14.913	707	10.01	-26.176	757	10.58	8.314
608	8.70	-5.651	658	9.31	-8.163	708	10.02	-23.051	758	10.59	7.064
609	8.71	-3.652	659	9.32	-1.788	709	10.04	-18.301	759	10.60	5.564
610	8.72	-0.277	660	9.34	11.587	710	10.05	-9.177	760	10.61	3.939
611	8.73	2.223	661	9.35	13.712	711	10.06	-3.052	761	10.62	2.688
612	8.76	2.723	662	9.36	15.336	712	10.07	2.573	762	10.63	3.313
613	8.77	2.097	663	9.38	17.586	713	10.08	5.823	763	10.64	3.938
614	8.79	-1.278	664	9.39	13.036	714	10.09	7.948	764	10.65	3.938
615	8.81	-4.154	665	9.40	10.711	715	10.10	8.573	765	10.66	4.188
616	8.83	-8.029	666	9.41	5.335	716	10.11	7.697	766	10.67	3.937
617	8.84	-12.029	667	9.42	-8.915	717	10.13	6.447	767	10.68	2.437
618	8.85	-18.404	668	9.43	-12.040	718	10.14	-5.803	768	10.69	-2.938
619	8.86	-21.404	669	9.44	-15.665	719	10.15	-8.303	769	10.71	-15.938
620	8.87	-24.529	670	9.45	-22.940	720	10.16	-10.178	770	10.72	-27.939
621	8.88	-31.155	671	9.46	-24.541	721	10.17	-11.804	771	10.73	-33.689
622	8.90	-31.780	672	9.49	-25.166	722	10.18	-14.054	772	10.74	-39.814
623	8.92	-32.780	673	9.50	-24.541	723	10.19	-12.929	773	10.75	-42.939
624	8.94	-30.281	674	9.51	-24.292	724	10.21	-9.429	774	10.77	-51.689
625	8.95	-23.781	675	9.52	-25.792	725	10.22	-2.805	775	10.79	-55.315
626	8.97	-13.281	676	9.54	-28.667	726	10.23	-1.430	776	10.80	-52.940
627	8.98	-8.782	677	9.55	-32.417	727	10.24	1.070	777	10.81	-48.565
628	8.99	-3.407	678	9.57	-35.293	728	10.25	-3.055	778	10.82	-37.815
629	9.00	0.718	679	9.59	-36.043	729	10.26	-8.055	779	10.83	-33.940
630	9.01	5.218	680	9.60	-34.543	730	10.27	-10.180	780	10.84	-26.566
631	9.02	9.218	681	9.61	-32.293	731	10.28	-15.681	781	10.85	-21.941
632	9.03	10.967	682	9.62	-27.169	732	10.29	-23.556	782	10.86	-10.441
633	9.04	13.092	683	9.63	-21.294	733	10.30	-24.931	783	10.88	8.309
634	9.05	14.717	684	9.64	-12.294	734	10.31	-26.681	784	10.89	13.434
635	9.07	14.717	685	9.65	1.581	735	10.32	-29.306	785	10.90	17.433
636	9.08	12.592	686	9.66	7.956	736	10.33	-29.432	786	10.91	19.808
637	9.09	7.216	687	9.67	14.706	737	10.35	-25.682	787	10.92	21.058
638	9.10	3.466	688	9.68	15.955	738	10.36	-21.557	788	10.93	20.058
639	9.11	-0.034	689	9.69	17.830	739	10.37	-19.307	789	10.94	17.308
640	9.12	-7.409	690	9.71	15.705	740	10.39	-15.557	790	10.95	15.182
641	9.13	-10.784	691	9.72	13.204	741	10.40	-17.308	791	10.96	10.057
642	9.14	-17.160	692	9.74	10.329	742	10.41	-19.558	792	10.97	6.932
643	9.15	-20.785	693	9.75	9.079	743	10.42	-23.933	793	10.98	3.807
644	9.16	-23.285	694	9.77	6.954	744	10.43	-27.683	794	11.00	1.807
645	9.17	-25.410	695	9.79	2.703	745	10.45	-30.559	795	11.02	5.181
646	9.18	-27.035	696	9.81	-11.297	746	10.46	-31.809	796	11.03	9.181
647	9.19	-27.910	697	9.83	-6.797	747	10.47	-30.559	797	11.04	11.181
648	9.20	-28.661	698	9.84	-9.298	748	10.48	-27.184	798	11.05	13.431
649	9.22	-29.036	699	9.86	-14.673	749	10.49	-20.184	799	11.06	12.181
650	9.23	-29.911	700	9.87	-17.173	750	10.50	-14.559	800	11.07	6.930

INDEX NO. 793 1302-P1-12 CHIYODA BRIDGE TR. MAX.ACCEL.=-103.738(GAL) T=20.33(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	11.08	4.680	851	11.67	-9.331	901	12.21	-19.466	951	12.81	-10.601
802	11.09	-3.820	852	11.68	-12.081	902	12.22	-27.716	952	12.84	-11.852
803	11.11	-9.320	853	11.69	-12.581	903	12.23	-32.216	953	12.85	-12.102
804	11.12	-11.196	854	11.70	-12.332	904	12.24	-34.966	954	12.87	-9.977
805	11.13	-14.071	855	11.71	-12.207	905	12.25	-35.592	955	12.88	-9.602
806	11.15	-12.571	856	11.72	-11.332	906	12.26	-36.967	956	12.89	-11.478
807	11.16	-9.821	857	11.73	-10.457	907	12.27	-38.592	957	12.90	-15.353
808	11.17	-6.947	858	11.74	-11.957	908	12.29	-40.092	958	12.91	-16.978
809	11.18	-6.697	859	11.75	-14.082	909	12.30	-40.717	959	12.92	-23.353
810	11.20	-4.697	860	11.76	-18.458	910	12.32	-41.093	960	12.93	-27.103
811	11.21	-4.697	861	11.77	-21.083	911	12.33	-40.843	961	12.94	-31.603
812	11.22	-12.447	862	11.78	-25.208	912	12.34	-39.218	962	12.95	-34.354
813	11.23	-15.073	863	11.79	-28.708	913	12.35	-35.468	963	12.97	-36.229
814	11.24	-19.448	864	11.80	-30.959	914	12.36	-30.843	964	12.99	-37.980
815	11.25	-20.823	865	11.81	-32.834	915	12.37	-25.094	965	13.02	-38.980
816	11.26	-23.323	866	11.82	-31.334	916	12.38	-21.344	966	13.04	-39.480
817	11.27	-24.573	867	11.83	-30.334	917	12.39	-11.344	967	13.05	-36.730
818	11.28	-27.324	868	11.84	-28.834	918	12.40	-5.469	968	13.06	-33.356
819	11.29	-28.699	869	11.85	-27.584	919	12.41	4.781	969	13.07	-29.231
820	11.30	-29.699	870	11.86	-24.085	920	12.42	11.156	970	13.08	-25.981
821	11.32	-29.699	871	11.87	-22.585	921	12.43	13.030	971	13.09	-21.356
822	11.34	-31.575	872	11.88	-20.835	922	12.45	15.280	972	13.10	-14.981
823	11.35	-33.075	873	11.90	-18.710	923	12.46	15.280	973	13.11	-11.731
824	11.36	-33.450	874	11.91	-17.710	924	12.48	14.655	974	13.12	-3.732
825	11.37	-33.450	875	11.92	-14.961	925	12.50	13.779	975	13.13	-1.607
826	11.38	-32.200	876	11.93	-10.461	926	12.51	16.779	976	13.15	2.143
827	11.39	-33.326	877	11.94	-6.961	927	12.52	19.904	977	13.16	4.767
828	11.40	-25.326	878	11.95	-1.211	928	12.53	21.279	978	13.17	7.017
829	11.41	-21.576	879	11.96	1.538	929	12.54	22.528	979	13.18	7.392
830	11.42	-19.076	880	11.97	5.413	930	12.55	25.028	980	13.19	9.142
831	11.43	-8.576	881	11.98	9.788	931	12.57	26.028	981	13.20	8.267
832	11.44	2.298	882	11.99	14.288	932	12.58	23.528	982	13.21	6.767
833	11.45	6.423	883	12.00	17.788	933	12.59	20.153	983	13.22	4.267
834	11.46	9.548	884	12.01	21.663	934	12.60	18.278	984	13.23	0.766
835	11.47	10.923	885	12.02	26.787	935	12.61	6.527	985	13.25	-1.984
836	11.48	13.673	886	12.03	28.287	936	12.62	-1.349	986	13.26	-11.859
837	11.49	12.797	887	12.04	26.537	937	12.64	-14.473	987	13.27	-14.484
838	11.51	11.297	888	12.05	24.912	938	12.65	-16.973	988	13.28	-16.985
839	11.52	9.047	889	12.06	23.412	939	12.66	-25.224	989	13.29	-20.360
840	11.53	8.797	890	12.07	22.412	940	12.67	-27.099	990	13.31	-22.735
841	11.56	7.671	891	12.09	20.536	941	12.69	-20.349	991	13.32	-24.235
842	11.57	8.921	892	12.10	19.286	942	12.70	-31.599	992	13.35	-23.986
843	11.58	9.796	893	12.11	18.536	943	12.71	-28.475	993	13.36	-22.486
844	11.59	11.546	894	12.13	17.286	944	12.72	-25.350	994	13.37	-21.236
845	11.61	9.420	895	12.14	11.911	945	12.73	-21.975	995	13.38	-16.112
846	11.62	5.670	896	12.15	7.535	946	12.75	-14.600	996	13.41	-11.362
847	11.63	3.420	897	12.16	1.410	947	12.76	-12.600	997	13.45	-7.613
848	11.64	1.420	898	12.17	-2.965	948	12.77	-11.100	998	13.46	-3.738
849	11.65	-2.330	899	12.18	-7.465	949	12.78	-10.476	999	13.47	2.137
850	11.66	-6.831	900	12.19	-13.216	950	12.80	-10.351	1000	13.49	7.012

土木構造物における加速度強震記録（No. 9）

INDEX NO. 793 1302-PI-12 CHIYODA BRIDGE TR. MAX.ACCEL.=-103.738(GAL) T=20.33(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	13.50	10.887	1051	14.12	-33.000	1101	14.78	-35.387	1151	15.39	25.477
1002	13.51	12.761	1052	14.14	-31.750	1102	14.80	-28.887	1152	15.40	23.977
1003	13.52	14.261	1053	14.15	-33.625	1103	14.81	-22.887	1153	15.41	21.477
1004	13.54	15.511	1054	14.16	-34.501	1104	14.82	-19.637	1154	15.42	18.852
1005	13.55	15.886	1055	14.18	-35.501	1105	14.83	15.237	1155	15.43	15.977
1006	13.57	11.510	1056	14.20	-36.751	1106	14.84	21.237	1156	15.44	8.727
1007	13.59	9.385	1057	14.21	-37.627	1107	14.85	30.737	1157	15.45	-2.024
1008	13.61	2.134	1058	14.23	-34.502	1108	14.86	32.987	1158	15.46	-15.399
1009	13.62	6.884	1059	14.24	-29.627	1109	14.87	33.862	1159	15.47	-18.524
1010	13.63	4.909	1060	14.27	-23.503	1110	14.88	34.736	1160	15.48	-20.399
1011	13.64	1.134	1061	14.29	-17.503	1111	14.89	34.611	1161	15.49	-24.649
1012	13.65	-5.241	1062	14.30	-15.003	1112	14.90	27.236	1162	15.50	-25.900
1013	13.66	-11.242	1063	14.32	-11.753	1113	14.91	19.861	1163	15.52	-26.775
1014	13.67	-27.367	1064	14.34	-10.754	1114	14.92	12.861	1164	15.55	-26.526
1015	13.68	-33.492	1065	14.36	-8.879	1115	14.93	10.236	1165	15.56	-27.151
1016	13.70	-40.492	1066	14.37	-8.004	1116	14.94	8.110	1166	15.57	-27.776
1017	13.71	-43.242	1067	14.40	-8.005	1117	14.95	-0.140	1167	15.59	-30.401
1018	13.72	-65.618	1068	14.41	-7.630	1118	14.96	-2.640	1168	15.61	-31.277
1019	13.73	-46.868	1069	14.42	-3.130	1119	14.97	-6.890	1169	15.64	-31.277
1020	13.74	-39.993	1070	14.43	-1.255	1120	15.01	-11.266	1170	15.65	-31.277
1021	13.76	-31.743	1071	14.44	1.495	1121	15.02	-16.391	1171	15.66	-32.903
1022	13.77	-20.244	1072	14.45	6.369	1122	15.03	-21.141	1172	15.68	-34.153
1023	13.78	-16.244	1073	14.46	9.119	1123	15.04	-27.766	1173	15.69	-36.778
1024	13.79	-13.994	1074	14.47	12.119	1124	15.05	-32.892	1174	15.70	-39.278
1025	13.80	-11.744	1075	14.48	16.494	1125	15.06	-39.517	1175	15.71	-41.779
1026	13.81	-8.244	1076	14.49	25.368	1126	15.07	-41.767	1176	15.72	-47.154
1027	13.83	-6.995	1077	14.50	35.618	1127	15.08	-47.767	1177	15.74	-50.029
1028	13.84	-4.745	1078	14.51	37.743	1128	15.09	-50.017	1178	15.75	-48.404
1029	13.85	-2.370	1079	14.52	39.618	1129	15.11	-52.643	1179	15.76	-46.280
1030	13.87	2.880	1080	14.53	40.868	1130	15.12	-49.893	1180	15.77	-41.280
1031	13.88	6.379	1081	14.54	42.368	1131	15.14	-47.393	1181	15.78	-32.405
1032	13.89	10.879	1082	14.56	40.492	1132	15.15	-38.768	1182	15.79	-18.155
1033	13.90	17.754	1083	14.57	34.742	1133	15.16	-31.519	1183	15.80	-12.655
1034	13.91	20.629	1084	14.58	30.367	1134	15.17	-20.894	1184	15.81	-6.155
1035	13.92	21.629	1085	14.60	26.492	1135	15.18	-17.519	1185	15.82	-0.406
1036	13.94	19.128	1086	14.61	22.742	1136	15.19	-9.894	1186	15.83	4.469
1037	13.95	17.628	1087	14.62	16.366	1137	15.20	10.356	1187	15.85	8.469
1038	13.96	12.003	1088	14.63	8.991	1138	15.21	17.980	1188	15.86	16.469
1039	13.98	10.003	1089	14.64	6.866	1139	15.22	30.105	1189	15.88	23.468
1040	13.99	8.002	1090	14.65	5.866	1140	15.23	38.980	1190	15.89	31.343
1041	14.01	7.127	1091	14.66	2.365	1141	15.26	46.605	1191	15.91	40.843
1042	14.02	5.627	1092	14.67	0.490	1142	15.27	49.730	1192	15.92	41.468
1043	14.03	-7.123	1093	14.69	-0.135	1143	15.28	50.854	1193	15.93	42.592
1044	14.04	-10.248	1094	14.70	-3.635	1144	15.29	49.354	1194	15.95	39.467
1045	14.05	-23.624	1095	14.71	-6.886	1145	15.30	48.104	1195	15.96	29.342
1046	14.07	-32.499	1096	14.72	-10.636	1146	15.31	41.729	1196	15.97	24.842
1047	14.08	-37.374	1097	14.73	-19.511	1147	15.33	37.978	1197	15.98	13.467
1048	14.09	-42.374	1098	14.74	-24.636	1148	15.35	30.978	1198	15.99	0.717
1049	14.10	-43.875	1099	14.75	-29.386	1149	15.36	29.353	1199	16.00	-8.784
1050	14.11	-37.750	1100	14.76	-32.887	1150	15.38	27.478	1200	16.01	-14.534

INDEX NO. 793 1302-PI-12 CHIYODA BRIDGE TR. MAX.ACCEL.=-103.738(GAL) T=20.33(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	16.02	-19.534	1251	16.57	-5.044	1301	17.15	-42.305	1351	17.78	-45.086
1202	16.03	-29.784	1252	16.58	-9.044	1302	17.16	-42.555	1352	17.80	-47.567
1203	16.04	-36.410	1253	16.60	-10.920	1303	17.18	-44.681	1353	17.81	-41.942
1204	16.05	-42.660	1254	16.61	-12.920	1304	17.20	-42.931	1354	17.82	-37.317
1205	16.05	-62.785	1255	16.62	-14.545	1305	17.21	-33.056	1355	17.83	-31.567
1206	16.07	-68.535	1256	16.64	-16.045	1306	17.23	-16.806	1356	17.85	-28.568
1207	16.08	-84.410	1257	16.65	-16.421	1307	17.24	12.693	1357	17.86	-27.068
1208	16.09	-93.286	1258	16.66	-14.921	1308	17.25	17.943	1358	17.88	-26.068
1209	16.10	-97.036	1259	16.68	-11.171	1309	17.26	22.193	1359	17.89	-26.068
1210	16.11	-99.786	1260	16.69	-8.921	1310	17.27	24.693	1360	17.90	-22.943
1211	16.12	-102.786	1261	16.70	-7.422	1311	17.28	26.942	1361	17.91	-15.944
1212	16.13	-100.912	1262	16.71	-6.047	1312	17.29	24.192	1362	17.93	-12.694
1213	16.14	-99.037	1263	16.72	-5.672	1313	17.30	21.067	1363	17.95	6.306
1214	16.15	-79.412	1264	16.74	-6.922	1314	17.31	18.817	1364	17.96	12.680
1215	16.16	-62.037	1265	16.75	-7.798	1315	17.32	14.067	1365	17.97	16.430
1216	16.17	-54.662	1266	16.77	-9.048	1316	17.33	11.317	1366	17.98	19.055
1217	16.18	-36.787	1267	16.78	-9.423	1317	17.34	7.442	1367	18.00	20.679
1218	16.19	-14.037	1268	16.79	-7.549	1318	17.35	5.567	1368	18.01	17.804
1219	16.20	6.963	1269	16.80	-6.049	1319	17.36	-3.934	1369	18.02	15.054
1220	16.21	16.087	1270	16.81	-1.924	1320	17.37	-5.309	1370	18.03	11.929
1221	16.22	19.337	1271	16.82	2.451	1321	17.39	-8.184	1371	18.04	6.429
1222	16.23	20.962	1272	16.83	10.576	1322	17.41	-9.810	1372	18.05	-1.821
1223	16.24	19.712	1273	16.84	13.701	1323	17.42	-10.310	1373	18.06	-5.321
1224	16.25	18.212	1274	16.85	15.825	1324	17.43	-10.685	1374	18.08	-10.072
1225	16.26	18.711	1275	16.86	16.450	1325	17.44	-11.310	1375	18.09	-16.072
1226	16.27	20.586	1276	16.87	17.700	1326	17.45	-11.060	1376	18.10	-20.447
1227	16.28	22.211	1277	16.89	13.075	1327	17.47	-8.811	1377	18.12	-24.072
1228	16.29	25.586	1278	16.90	10.450	1328	17.49	-4.186	1378	18.13	-26.822
1229	16.30	27.586	1279	16.91	10.199	1329	17.51	0.189	1379	18.14	-33.573
1230	16.31	29.836	1280	16.93	13.574	1330	17.52	3.814	1380	18.15	-37.073
1231	16.32	30.460	1281	16.94	15.199	1331	17.53	6.313	1381	18.16	-39.948
1232	16.33	27.085	1282	16.95	15.824	1332	17.55	12.938	1382	18.17	-42.448
1233	16.34	22.960	1283	16.96	16.449	1333	17.56	16.438	1383	18.18	-45.074
1234	16.35	18.935	1284	16.97	11.823	1334	17.57	19.688	1384	18.20	-45.324
1235	16.36	10.209	1285	16.98	9.323	1335	17.59	25.562	1385	18.21	-43.824
1236	16.37	-2.416	1286	16.99	6.448	1336	17.60	28.187	1386	18.22	-41.074
1237	16.38	-10.666	1287	17.00	-13.302	1337	17.61	30.687	1387	18.23	-34.699
1238	16.39	-11.291	1288	17.01	-27.802	1338	17.63	32.561	1388	18.24	-28.325
1239	16.41	-15.792	1289	17.02	-31.927	1339	17.65	30.186	1389	18.26	-23.325
1240	16.43	-20.167	1290	17.03	-46.928	1340	17.66	25.436	1390	18.27	-20.950
1241	16.45	-25.542	1291	17.04	-50.678	1341	17.67	19.186	1391	18.29	-16.575
1242	16.46	-28.792	1292	17.05	-53.553	1342	17.68	14.436	1392	18.30	-12.451
1243	16.48	-31.043	1293	17.06	-54.803	1343	17.69	9.935	1393	18.31	-9.326
1244	16.49	-32.543	1294	17.07	-54.554	1344	17.70	1.685	1394	18.32	-4.826
1245	16.50	-32.293	1295	17.08	-52.054	1345	17.71	-2.440	1395	18.34	-2.951
1246	16.51	-32.293	1296	17.09	-49.304	1346	17.72	-14.565	1396	18.35	4.049
1247	16.52	-28.293	1297	17.10	-47.429	1347	17.73	-19.190	1397	18.36	5.923
1248	16.53	-26.043	1298	17.11	-45.554	1348	17.74	-23.441	1398	18.37	12.298
1249	16.54	-18.419	1299	17.12	-43.804	1349	17.75	-35.691	1399	18.38	15.423
1250	16.55	-8.919	1300	17.14	-42.305	1350	17.76	-42.441	1400	18.39	18.298

INDEX NO. 793 1302-PI-12 CHIYODA BRIDGE TR. MAX.ACCEL.=-133.738(GAL) T=20.33(SEC) NO. 8

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1401	18.40	19.047	1451	19.05	-13.339	1501	19.66	44.524	1551	20.26	-22.236
1402	18.42	18.422	1452	19.07	-19.590	1502	19.67	38.774	1552	20.21	-24.736
1403	18.44	17.172	1453	19.09	-22.215	1503	19.69	35.399	1553	20.22	-28.111
1404	18.45	15.922	1454	19.09	-23.090	1504	19.69	22.899	1554	20.23	-31.986
1405	18.46	15.296	1455	19.10	-20.715	1505	19.70	18.399	1555	20.24	-46.986
1406	18.48	18.671	1456	19.11	-19.715	1506	19.72	11.273	1556	20.25	-52.987
1407	18.49	22.171	1457	19.13	2.409	1507	19.73	-20.977	1557	20.27	-65.612
1408	18.50	28.546	1458	19.14	11.409	1508	19.74	-31.352	1558	20.28	-84.487
1409	19.51	32.545	1459	19.15	17.909	1509	19.75	-37.477	1559	20.29	-96.613
1410	18.52	37.420	1460	19.16	21.784	1510	19.76	-42.728	1560	20.30	-97.988
1411	18.53	42.545	1461	19.17	24.033	1511	19.77	-52.728	1561	20.31	-103.488
1412	18.54	46.295	1462	19.19	25.283	1512	19.78	-57.103	1562	20.33	-103.738
1413	18.55	48.795	1463	19.20	23.658	1513	19.79	-62.228	1563	20.34	-101.613
1414	18.56	53.544	1464	19.22	18.407	1514	19.80	-66.853	1564	20.35	-94.113
1415	18.57	52.044	1465	19.23	16.532	1515	19.81	-77.479	1565	20.36	-67.989
1416	18.58	49.919	1466	19.24	14.032	1516	19.82	-79.979	1566	20.37	-61.114
1417	18.59	48.669	1467	19.26	14.032	1517	19.84	-82.479	1567	20.38	-54.739
1418	18.60	45.544	1468	19.27	14.032	1518	19.85	-85.729	1568	20.39	-9.614
1419	18.61	37.544	1469	19.28	14.655	1519	19.86	-79.480	1569	20.40	6.261
1420	18.62	34.669	1470	19.30	15.531	1520	19.87	-70.355	1570	20.41	10.261
1421	18.63	31.168	1471	19.31	13.406	1521	19.88	-63.355	1571	20.43	12.260
1422	18.64	26.043	1472	19.32	10.156	1522	19.89	-45.605	1572	20.44	9.885
1423	18.66	25.418	1473	19.33	3.655	1523	19.90	-36.230	1573	20.45	0.635
1424	18.67	22.042	1474	19.34	-10.095	1524	19.91	-24.355	1574	20.46	-10.990
1425	18.68	18.417	1475	19.35	-14.595	1525	19.92	3.145	1575	20.47	-14.615
1426	18.70	12.792	1476	19.36	-36.095	1526	19.93	11.019	1576	20.49	-10.616
1427	18.71	4.542	1477	19.37	-43.720	1527	19.94	17.269	1577	20.50	-14.366
1428	18.72	-0.583	1478	19.38	-56.096	1528	19.95	17.394	1578	20.51	2.009
1429	18.73	-6.564	1479	19.39	-61.221	1529	19.97	16.144	1579	20.52	25.509
1430	18.74	-8.834	1480	19.40	-63.471	1530	19.98	14.644	1580	20.53	43.383
1431	18.75	-15.459	1481	19.41	-65.971	1531	19.99	9.518	1581	20.54	56.008
1432	18.78	-17.959	1482	19.42	-69.847	1532	20.00	5.143	1582	20.55	58.633
1433	18.79	-16.960	1483	19.44	-70.697	1533	20.01	2.518	1583	20.57	61.508
1434	18.81	-21.210	1484	19.45	-69.222	1534	20.03	8.768	1584	20.58	61.508
1435	18.82	-20.960	1485	19.46	-59.722	1535	20.04	17.017	1585	20.60	51.507
1436	18.84	-19.711	1486	19.47	-51.222	1536	20.05	40.767	1586	20.61	41.257
1437	18.85	-16.961	1487	19.48	-43.847	1537	20.06	51.642	1587	20.62	34.257
1438	18.87	-13.461	1488	19.49	-26.973	1538	20.07	53.517	1588	20.63	19.132
1439	18.88	-10.836	1489	19.51	-10.848	1539	20.08	59.267	1589	20.64	7.382
1440	18.89	-8.711	1490	19.52	15.152	1540	20.09	62.141	1590	20.65	0.631
1441	18.90	-4.212	1491	19.53	18.652	1541	20.10	61.141	1591	20.66	-2.494
1442	18.91	-2.337	1492	19.54	23.652	1542	20.11	59.016	1592	20.68	-7.619
1443	18.93	-0.712	1493	19.56	29.151	1543	20.12	54.016	1593	20.71	-12.994
1444	18.94	1.163	1494	19.57	33.776	1544	20.13	46.766	1594	20.72	-16.495
1445	18.96	2.537	1495	19.58	41.151	1545	20.14	38.516	1595	20.73	-22.495
1446	18.97	2.787	1496	19.59	43.151	1546	20.15	18.140	1596	20.74	-33.620
1447	18.99	0.662	1497	19.61	45.900	1547	20.16	0.640	1597	20.75	-38.995
1448	19.01	-1.463	1498	19.62	50.025	1548	20.17	-8.485	1598	20.76	-50.371
1449	19.03	-6.589	1499	19.64	51.400	1549	20.18	-14.610	1599	20.77	-55.246
1450	19.04	-10.339	1500	19.65	48.275	1550	20.19	-17.360	1600	20.78	-64.996

INDEX NO. 793 1302-PI-12 CHIYODA BRIDGE TR. MAX.ACCEL.=-103.738(GAL) T=20.33(SEC) NO. 9

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1601	20.80	-66.622	1651	21.35	38.619	1701	21.92	78.608	1751	22.49	-61.652
1602	20.82	-65.372	1652	21.36	34.244	1702	21.93	74.608	1752	22.50	-64.402
1603	20.83	-48.122	1653	21.37	28.993	1703	21.94	66.358	1753	22.51	-65.778
1604	20.84	-33.122	1654	21.38	26.618	1704	21.95	50.483	1754	22.53	-65.653
1605	20.85	-7.122	1655	21.39	24.118	1705	21.96	43.608	1755	22.55	-63.528
1606	20.87	-2.373	1656	21.40	29.743	1706	21.97	24.732	1756	22.56	-60.779
1607	20.88	0.752	1657	21.41	34.492	1707	21.98	19.482	1757	22.57	-54.529
1608	20.89	5.627	1658	21.42	47.492	1708	21.99	10.107	1758	22.58	-51.279
1609	20.90	6.877	1659	21.43	57.242	1709	22.00	-8.518	1759	22.60	-43.654
1610	20.92	7.752	1660	21.44	66.867	1710	22.01	-14.018	1760	22.61	-38.029
1611	20.94	12.001	1661	21.45	72.242	1711	22.03	-28.894	1761	22.62	-33.155
1612	20.95	15.751	1662	21.46	76.741	1712	22.04	-39.019	1762	22.63	-28.405
1613	20.96	31.876	1663	21.47	74.241	1713	22.05	-51.645	1763	22.64	-13.530
1614	20.97	38.250	1664	21.48	68.991	1714	22.06	-56.520	1764	22.65	0.470
1615	20.98	49.375	1665	21.49	61.616	1715	22.08	-73.020	1765	22.66	25.845
1616	20.99	52.250	1666	21.50	57.116	1716	22.09	-82.520	1766	22.67	31.344
1617	21.00	55.750	1667	21.51	41.241	1717	22.10	-91.020	1767	22.68	50.469
1618	21.01	50.375	1668	21.52	24.741	1718	22.12	-94.646	1768	22.69	58.344
1619	21.02	56.250	1669	21.53	8.615	1719	22.13	-96.146	1769	22.71	62.094
1620	21.03	49.500	1670	21.54	4.240	1720	22.14	-95.271	1770	22.72	62.093
1621	21.04	45.124	1671	21.55	1.615	1721	22.15	-82.396	1771	22.73	60.593
1622	21.05	34.249	1672	21.56	-6.635	1722	22.16	-71.646	1772	22.74	56.468
1623	21.06	14.999	1673	21.57	-7.261	1723	22.17	-43.646	1773	22.75	53.343
1624	21.07	2.874	1674	21.59	-9.511	1724	22.18	-35.647	1774	22.76	40.593
1625	21.08	-14.877	1675	21.60	-18.011	1725	22.19	-5.897	1775	22.77	37.468
1626	21.09	-21.877	1676	21.62	-26.637	1726	22.20	8.103	1776	22.79	28.342
1627	21.10	-27.502	1677	21.64	-39.012	1727	22.21	27.478	1777	22.81	19.717
1628	21.12	-30.502	1678	21.65	-47.262	1728	22.22	46.228	1778	22.83	14.592
1629	21.13	-30.127	1679	21.67	-55.087	1729	22.23	48.352	1779	22.85	8.841
1630	21.14	-28.003	1680	21.69	-61.637	1730	22.24	52.227	1780	22.86	6.341
1631	21.15	-25.253	1681	21.70	-62.263	1731	22.26	56.977	1781	22.87	2.216
1632	21.16	-21.753	1682	21.71	-64.513	1732	22.27	61.727	1782	22.88	-5.159
1633	21.17	-16.628	1683	21.72	-57.888	1733	22.28	68.476	1783	22.89	-9.534
1634	21.18	-16.003	1684	21.73	-53.263	1734	22.30	74.226	1784	22.90	-18.035
1635	21.19	-21.003	1685	21.74	-40.139	1735	22.31	77.351	1785	22.91	-33.285
1636	21.20	-31.754	1686	21.75	-33.514	1736	22.32	79.476	1786	22.92	-40.910
1637	21.21	-36.129	1687	21.76	-25.514	1737	22.33	81.601	1787	22.93	-44.035
1638	21.22	-56.754	1688	21.77	-18.264	1738	22.35	78.100	1788	22.94	-55.910
1639	21.23	-65.629	1689	21.78	-11.264	1739	22.36	68.975	1789	22.95	-60.661
1640	21.24	-68.879	1690	21.79	-3.639	1740	22.37	43.225	1790	22.96	-64.161
1641	21.25	-71.380	1691	21.81	8.735	1741	22.38	41.600	1791	22.97	-67.286
1642	21.26	-74.255	1692	21.82	21.110	1742	22.39	36.225	1792	22.98	-70.161
1643	21.27	-72.130	1693	21.83	26.110	1743	22.40	21.599	1793	23.00	-65.537
1644	21.28	-53.255	1694	21.85	37.359	1744	22.41	-10.776	1794	23.02	-42.662
1645	21.29	-35.380	1695	21.86	46.859	1745	22.42	-17.151	1795	23.03	-24.662
1646	21.30	-30.005	1696	21.87	60.859	1746	22.44	-29.276	1796	23.04	-21.537
1647	21.31	27.869	1697	21.88	66.609	1747	22.45	-46.402	1797	23.05	-11.537
1648	21.32	32.494	1698	21.89	75.483	1748	22.46	-52.777	1798	23.07	-7.163
1649	21.33	35.494	1699	21.90	77.983	1749	22.47	-57.777	1799	23.08	-7.038
1650	21.34	38.244	1700	21.91	79.608	1750	22.48	-59.777	1800	23.09	-7.288

土木構造物における加速度強震記録 (No. 9)

INDEX NO. 793 1302-PI-12 CHIYODA BRIDGE TR. MAX.ACCEL.=-103.738(GAL) T=20.33(SEC) NO.10

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1801	23.11	-8.287	1851	23.72	29.076	1901	24.44	-18.562	1951	25.13	2.175
1802	23.12	-9.789	1852	23.73	33.450	1902	24.45	-14.812	1952	25.14	-2.575
1803	23.13	-6.914	1853	23.75	31.950	1903	24.46	-11.938	1953	25.15	-14.075
1804	23.14	-0.164	1854	23.76	30.700	1904	24.47	-9.688	1954	25.16	-16.200
1805	23.15	1.961	1855	23.77	27.575	1905	24.48	-5.813	1955	25.18	-17.451
1806	23.16	11.585	1856	23.78	22.825	1906	24.50	-3.688	1956	25.19	-19.076
1807	23.17	16.335	1857	23.79	18.074	1907	24.52	-2.689	1957	25.21	-17.201
1808	23.18	23.960	1858	23.80	12.699	1908	24.54	-2.689	1958	25.22	-14.701
1809	23.19	28.460	1859	23.81	4.449	1909	24.56	0.060	1959	25.23	-12.827
1810	23.21	32.460	1860	23.83	-6.676	1910	24.58	3.935	1960	25.24	-10.327
1811	23.22	35.085	1861	23.84	-11.427	1911	24.59	6.435	1961	25.25	-9.702
1812	23.23	35.709	1862	23.86	-14.927	1912	24.60	12.560	1962	25.27	-9.077
1813	23.25	33.959	1863	23.88	-18.052	1913	24.62	14.684	1963	25.29	-8.203
1814	23.26	31.459	1564	23.92	-19.928	1914	24.63	16.309	1964	25.30	-6.578
1815	23.27	27.083	1865	23.92	-23.178	1915	24.65	11.934	1965	25.31	-3.703
1816	23.29	24.083	1866	23.94	-24.428	1916	24.66	2.434	1966	25.32	-1.828
1817	23.30	18.708	1867	23.95	-24.176	1917	24.67	-6.067	1967	25.33	-0.204
1818	23.31	6.333	1868	23.97	-22.304	1918	24.68	-11.067	1968	25.34	1.671
1819	23.32	-6.417	1869	23.98	-16.054	1919	24.70	-15.942	1969	25.36	3.296
1820	23.33	-10.167	1870	24.00	-10.054	1920	24.71	-17.817	1970	25.37	3.046
1821	23.34	-18.043	1871	24.01	-4.930	1921	24.73	-18.443	1971	25.39	1.171
1822	23.35	-26.293	1872	24.02	4.320	1922	24.75	-16.193	1972	25.41	-2.580
1823	23.36	-29.543	1873	24.03	12.570	1923	24.76	-13.818	1973	25.42	-2.830
1824	23.37	-34.293	1874	24.04	13.445	1924	24.77	-10.318	1974	25.43	-4.080
1825	23.39	-40.669	1875	24.05	17.820	1925	24.79	-6.318	1975	25.45	-3.205
1826	23.40	-44.044	1876	24.07	20.194	1926	24.80	-5.194	1976	25.46	-1.956
1827	23.43	-50.794	1877	24.08	21.069	1927	24.82	-6.694	1977	25.48	-0.706
1828	23.44	-53.419	1878	24.09	22.069	1928	24.84	-7.945	1978	25.50	0.169
1829	23.45	-56.795	1879	24.10	23.319	1929	24.87	-8.320	1979	25.52	0.168
1830	23.48	-62.920	1880	24.11	22.069	1930	24.88	-4.570	1980	25.54	-1.332
1831	23.50	-67.296	1881	24.12	19.943	1931	24.89	3.680	1981	25.57	-2.833
1832	23.52	-64.546	1882	24.14	17.068	1932	24.91	15.679	1982	25.58	-2.833
1833	23.53	-61.046	1883	24.16	15.818	1933	24.92	19.179	1983	25.59	-1.708
1834	23.54	-44.296	1884	24.17	14.567	1934	24.93	24.179	1984	25.60	3.292
1835	23.55	-32.296	1885	24.19	11.442	1935	24.94	23.929	1985	25.61	6.791
1836	23.56	-24.922	1886	24.21	9.192	1936	24.96	27.178	1986	25.63	19.166
1837	23.57	-18.922	1887	24.23	5.066	1937	24.97	25.053	1987	25.64	25.791
1838	23.58	-11.297	1888	24.24	-0.059	1938	24.98	22.553	1988	25.65	30.291
1839	23.59	-6.922	1889	24.25	-4.684	1939	24.99	19.427	1989	25.66	32.416
1840	23.60	-3.047	1890	24.26	-6.934	1940	25.00	17.427	1990	25.67	33.415
1841	23.61	-0.547	1891	24.27	-13.059	1941	25.01	12.677	1991	25.68	28.290
1842	23.62	1.328	1892	24.28	-16.184	1942	25.03	13.302	1992	25.69	25.915
1843	23.64	3.952	1893	24.30	-18.060	1943	25.04	14.177	1993	25.70	23.415
1844	23.65	6.202	1894	24.31	-18.185	1944	25.05	16.051	1994	25.71	16.415
1845	23.66	7.452	1895	24.34	-18.435	1945	25.06	18.551	1995	25.72	13.290
1846	23.67	10.076	1896	24.35	-16.936	1946	25.07	19.551	1996	25.73	5.414
1847	23.68	13.451	1897	24.37	-16.311	1947	25.08	20.426	1997	25.74	2.164
1848	23.69	20.201	1898	24.38	-17.186	1948	25.10	17.676	1998	25.75	0.914
1849	23.70	22.951	1899	24.41	-18.687	1949	25.11	11.176	1999	25.76	-0.086
1850	23.71	26.576	1900	24.43	-19.062	1950	25.12	7.550	2000	25.77	-0.336

INDEX NO. 793 1302-PI-12 CHIYODA BRIDGE TR. MAX.ACCEL.=-103.738(GAL) T=20.33(SEC) NO.11

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2001	25.78	+0.337	2051	26.37	-14.222	2101	27.10	+8.361	2151	27.79	+4.877
2002	25.79	+2.587	2052	26.38	-7.223	2102	27.11	+7.111	2152	27.80	+5.501
2003	25.80	-7.337	2053	26.39	+2.473	2103	27.13	+3.736	2153	27.81	+4.626
2004	25.81	-10.837	2054	26.40	+6.402	2104	27.14	+4.236	2154	27.83	+2.751
2005	25.82	-15.587	2055	26.41	+1.277	2105	27.15	+5.237	2155	27.84	+2.126
2006	25.83	-18.713	2056	26.43	+1.902	2106	27.17	+6.112	2156	27.86	+2.000
2007	25.84	-26.963	2057	26.44	+2.276	2107	27.18	+6.737	2157	27.87	+2.375
2008	25.85	-31.463	2058	26.45	+4.526	2108	27.20	+4.613	2158	27.88	+2.625
2009	25.86	+33.963	2059	26.46	+7.401	2109	27.22	+2.488	2159	27.90	+3.000
2010	25.87	-34.963	2060	26.47	+9.901	2110	27.23	+7.012	2160	27.91	+2.125
2011	25.88	+36.963	2061	26.48	+12.526	2111	27.24	+11.262	2161	27.92	+1.376
2012	25.89	+35.089	2062	26.50	+15.650	2112	27.25	+13.762	2162	27.93	+3.251
2013	25.90	+33.589	2063	26.51	+17.775	2113	27.26	+15.261	2163	27.95	+7.751
2014	25.91	+31.964	2064	26.53	+16.900	2114	27.28	+16.261	2164	27.96	+12.127
2015	25.92	+22.214	2065	26.54	+14.900	2115	27.30	+14.511	2165	27.98	+16.002
2016	25.93	+13.964	2066	26.56	+12.649	2116	27.31	+8.510	2166	27.99	+16.877
2017	25.94	+12.840	2067	26.57	+9.399	2117	27.32	+5.010	2167	28.02	+16.877
2018	25.96	+9.090	2068	26.58	+5.399	2118	27.33	+3.135	2168	28.04	+16.878
2019	25.98	+3.660	2069	26.60	+1.524	2119	27.34	+0.260	2169	28.05	+16.878
2020	25.99	+5.535	2070	26.62	+3.477	2120	27.35	+3.490	2170	28.07	+16.378
2021	26.00	+7.659	2071	26.64	+5.852	2121	27.36	+7.365	2171	28.08	+15.754
2022	26.02	+9.284	2072	26.66	+8.603	2122	27.37	+9.241	2172	28.11	+14.754
2023	26.03	+10.659	2073	26.68	+10.478	2123	27.39	+12.741	2173	28.12	+14.754
2024	26.04	+15.284	2074	26.70	+11.728	2124	27.40	+14.741	2174	28.13	+14.754
2025	26.06	+20.408	2075	26.71	+13.729	2125	27.41	+17.866	2175	28.15	+15.360
2026	26.07	+24.783	2076	26.74	+15.354	2126	27.42	+18.117	2176	28.17	+15.830
2027	26.08	+26.783	2077	26.76	+12.605	2127	27.44	+18.117	2177	28.18	+14.130
2028	26.09	+27.408	2078	26.78	+10.730	2128	27.45	+15.992	2178	28.19	+12.631
2029	26.11	+24.408	2079	26.79	+8.480	2129	27.46	+14.117	2179	28.20	+11.631
2030	26.12	+21.907	2080	26.80	+6.355	2130	27.47	+13.243	2180	28.21	+9.506
2031	26.13	+17.407	2081	26.81	+3.980	2131	27.49	+11.618	2181	28.22	+7.631
2032	26.14	+12.657	2082	26.83	+2.481	2132	27.50	+9.118	2182	28.23	+6.381
2033	26.16	+5.219	2083	26.85	+3.731	2133	27.52	+7.619	2183	28.25	+5.757
2034	26.17	+7.719	2084	26.87	+5.231	2134	27.54	+6.994	2184	28.26	+5.757
2035	26.18	+11.094	2085	26.88	+5.607	2135	27.55	+5.994	2185	28.27	+6.007
2036	26.19	+13.719	2086	26.90	+3.982	2136	27.57	+5.244	2186	28.29	+7.882
2037	26.21	+13.719	2087	26.92	+3.357	2137	27.59	+5.245	2187	28.30	+8.757
2038	26.23	+13.470	2088	26.93	+0.607	2138	27.61	+6.495	2188	28.31	+9.383
2039	26.24	+13.220	2089	26.94	1.017	2139	27.63	+8.370	2189	28.32	+10.008
2040	26.25	+13.720	2090	26.96	1.892	2140	27.64	+9.245	2190	28.33	+10.008
2041	26.26	+14.720	2091	26.97	2.767	2141	27.66	+10.246	2191	28.35	+9.133
2042	26.27	+16.846	2092	26.99	0.891	2142	27.68	+9.621	2192	28.37	+8.259
2043	26.28	+19.345	2093	27.01	-2.609	2143	27.70	+7.747	2193	28.38	+5.009
2044	26.29	+21.971	2094	27.02	-3.484	2144	27.71	+5.872	2194	28.39	+0.884
2045	26.30	+23.596	2095	27.03	-0.234	2145	27.72	+4.622	2195	28.40	3.616
2046	26.31	+25.721	2096	27.04	-10.485	2146	27.73	+3.122	2196	28.41	5.116
2047	26.32	+26.347	2097	27.05	-12.360	2147	27.74	+2.122	2197	28.43	6.990
2048	26.34	+23.597	2098	27.06	-12.735	2148	27.75	0.002	2198	28.44	8.615
2049	26.35	+22.347	2099	27.07	-11.860	2149	27.76	1.877	2199	28.45	10.115
2050	26.36	+18.347	2100	27.09	-10.235	2150	27.78	3.877	2200	28.46	10.865

INDEX NO. 793 1302-P1-12 CHIYODA BRIDGE TR. MAX.ACCEL.=-103.738(GAL) T=20.33(SEC) NO.12

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2201	28.47	12.490	2251	29.09	33.476	2301	29.79	13.715	2351	30.48	-0.047
2202	28.48	13.114	2252	29.10	25.653	2302	29.82	14.340	2352	30.50	-1.542
2203	28.49	13.739	2253	29.11	22.553	2303	29.83	12.840	2353	30.51	-4.048
2204	28.52	19.739	2254	29.12	17.603	2304	29.85	10.964	2354	30.52	-5.923
2205	28.53	27.113	2255	29.14	11.976	2305	29.86	9.089	2355	30.53	-7.423
2206	28.54	28.988	2256	29.15	2.102	2306	29.87	7.214	2356	30.55	-8.048
2207	28.55	32.736	2257	29.16	-1.023	2307	29.89	1.714	2357	30.56	-8.423
2208	28.56	35.988	2258	29.17	-9.273	2308	29.90	1.089	2358	30.58	-9.049
2209	28.57	38.488	2259	29.18	-13.773	2309	29.91	-0.787	2359	30.60	-9.049
2210	28.58	39.488	2260	29.19	-17.898	2310	29.92	-2.287	2360	30.61	-10.549
2211	28.59	37.612	2261	29.20	-21.148	2311	29.93	-3.287	2361	30.64	-12.800
2212	28.60	35.362	2262	29.21	-24.899	2312	29.96	-4.163	2362	30.65	-15.675
2213	28.61	33.487	2263	29.23	-26.399	2313	29.99	-4.538	2363	30.67	-17.300
2214	28.62	30.987	2264	29.24	-29.024	2314	30.01	-7.163	2364	30.69	-19.176
2215	28.63	25.862	2265	29.26	-32.150	2315	30.02	-8.414	2365	30.70	-20.676
2216	28.64	19.362	2266	29.28	-33.150	2316	30.03	-10.539	2366	30.73	-18.926
2217	28.65	15.486	2267	29.31	-35.151	2317	30.05	-11.789	2367	30.74	-16.677
2218	28.66	9.986	2268	29.32	-31.776	2318	30.06	-13.540	2368	30.75	-13.927
2219	28.67	3.736	2269	29.33	-28.526	2319	30.08	-14.790	2369	30.76	-11.677
2220	28.68	-2.889	2270	29.35	-22.276	2320	30.09	-13.290	2370	30.78	-9.177
2221	28.69	-7.389	2271	29.36	-16.526	2321	30.10	-11.415	2371	30.80	-7.053
2222	28.70	-10.515	2272	29.37	-11.027	2322	30.11	-9.540	2372	30.81	-4.678
2223	28.72	-12.765	2273	29.38	0.598	2323	30.12	-4.041	2373	30.82	-3.803
2224	28.73	-16.640	2274	29.39	4.473	2324	30.13	-2.166	2374	30.83	1.572
2225	28.74	-19.765	2275	29.41	11.847	2325	30.14	-0.666	2375	30.84	4.197
2226	28.76	-24.891	2276	29.43	16.847	2326	30.15	0.334	2376	30.85	6.321
2227	28.77	-27.391	2277	29.45	18.847	2327	30.17	-4.917	2377	30.86	8.571
2228	28.78	-30.016	2278	29.46	20.096	2328	30.18	-8.042	2378	30.88	11.196
2229	28.80	-33.141	2279	29.47	19.847	2329	30.19	-19.792	2379	30.90	13.320
2230	28.81	-34.392	2280	29.50	18.221	2330	30.20	-21.792	2380	30.91	14.320
2231	28.83	-35.017	2281	29.52	16.721	2331	30.21	-23.667	2381	30.92	17.070
2232	28.84	-32.892	2282	29.53	14.845	2332	30.22	-27.667	2382	30.93	19.445
2233	28.86	-29.392	2283	29.55	14.470	2333	30.23	-29.668	2383	30.94	22.320
2234	28.87	-23.143	2284	29.56	13.220	2334	30.26	-27.043	2384	30.96	24.069
2235	28.88	-8.518	2285	29.57	11.344	2335	30.28	-22.168	2385	30.97	27.069
2236	28.89	-3.393	2286	29.58	7.469	2336	30.29	-13.669	2386	30.98	28.569
2237	28.90	8.607	2287	29.59	4.969	2337	30.30	-11.419	2387	30.99	28.944
2238	28.91	15.857	2288	29.61	-2.031	2338	30.31	-9.794	2388	31.01	24.943
2239	28.92	19.481	2289	29.62	-2.281	2339	30.33	-9.794	2389	31.02	20.818
2240	28.93	25.731	2290	29.63	-3.907	2340	30.35	-12.295	2390	31.03	18.193
2241	28.94	27.981	2291	29.64	-7.407	2341	30.36	-14.795	2391	31.04	12.943
2242	28.95	30.856	2292	29.66	-7.407	2342	30.37	-16.045	2392	31.05	6.193
2243	28.96	32.981	2293	29.67	-4.032	2343	30.39	-17.670	2393	31.07	-3.558
2244	28.98	35.480	2294	29.68	-1.908	2344	30.40	-15.170	2394	31.08	-10.308
2245	29.00	39.730	2295	29.69	1.842	2345	30.42	-12.046	2395	31.09	-13.808
2246	29.01	40.980	2296	29.70	5.467	2346	30.43	-9.796	2396	31.10	-23.933
2247	29.03	40.979	2297	29.71	7.967	2347	30.44	-7.921	2397	31.11	-28.683
2248	29.05	40.979	2298	29.73	11.217	2348	30.45	-3.171	2398	31.12	-34.059
2249	29.06	38.854	2299	29.74	13.091	2349	30.46	-2.172	2399	31.13	-39.559
2250	29.08	37.229	2300	29.77	13.091	2350	30.47	-0.672	2400	31.14	-45.309

INDEX NO. 793 1302-P1-12 CHIYODA BRIDGE TR. MAX.ACCEL.=-103.738(GAL) T=20.33(SEC) NO.13

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2401	31.15	-55.059	2451	31.76	-15.445	2501	32.35	35.549	2551	33.13	-18.220
2402	31.16	-57.934	2452	31.77	-16.945	2502	32.36	38.419	2552	33.17	-17.096
2403	31.17	-60.810	2453	31.78	-17.946	2503	32.37	41.168	2553	33.20	-15.471
2404	31.18	-64.935	2454	31.80	-18.196	2504	32.39	42.293	2554	33.23	-11.097
2405	31.19	-68.310	2455	31.81	-16.071	2505	32.40	40.418	2555	33.24	-7.972
2406	31.21	-70.435	2456	31.82	-15.446	2506	32.42	32.167	2556	33.25	-1.972
2407	31.22	-68.186	2457	31.83	-10.822	2507	32.43	26.418	2557	33.26	0.903
2408	31.23	-65.061	2458	31.84	-7.322	2508	32.44	24.917	2558	33.27	2.527
2409	31.24	-57.186	2459	31.85	-0.697	2509	32.45	18.542	2559	33.28	4.777
2410	31.25	-51.436	2460	31.86	2.928	2510	32.46	13.167	2560	33.30	6.277
2411	31.26	-41.311	2461	31.87	4.803	2511	32.47	8.417	2561	33.32	7.026
2412	31.27	-34.311	2462	31.88	10.052	2512	32.48	3.416	2562	33.33	6.276
2413	31.28	-23.561	2463	31.90	13.302	2513	32.50	-7.209	2563	33.35	5.401
2414	31.29	-18.062	2464	31.91	13.927	2514	32.52	-12.459	2564	33.36	3.275
2415	31.30	7.313	2465	31.92	13.676	2515	32.53	-15.459	2565	33.38	3.275
2416	31.32	24.438	2466	31.93	13.426	2516	32.55	-18.210	2566	33.40	3.275
2417	31.33	35.938	2467	31.95	11.801	2517	32.58	-21.210	2567	33.42	3.524
2418	31.34	40.562	2468	31.96	11.801	2518	32.60	-23.335	2568	33.43	2.024
2419	31.36	44.187	2469	31.97	12.676	2519	32.62	-25.211	2569	33.45	-0.851
2420	31.37	47.562	2470	31.99	13.925	2520	32.64	-27.086	2570	33.47	-4.602
2421	31.38	52.686	2471	32.00	14.925	2521	32.65	-27.711	2571	33.48	-8.727
2422	31.39	54.936	2472	32.01	16.800	2522	32.67	-27.712	2572	33.49	-11.602
2423	31.42	56.811	2473	32.02	16.800	2523	32.69	-25.587	2573	33.50	-12.477
2424	31.44	54.060	2474	32.03	15.925	2524	32.70	-22.212	2574	33.51	-13.852
2425	31.45	48.060	2475	32.04	14.050	2525	32.71	-17.838	2575	33.52	-15.477
2426	31.46	45.560	2476	32.05	8.424	2526	32.72	-12.713	2576	33.53	-16.352
2427	31.48	35.435	2477	32.06	6.549	2527	32.73	-8.963	2577	33.55	-15.228
2428	31.49	25.559	2478	32.07	2.951	2528	32.74	-7.088	2578	33.56	-14.603
2429	31.51	20.184	2479	32.08	-10.576	2529	32.75	-1.963	2579	33.57	-13.603
2430	31.52	5.559	2480	32.09	-17.952	2530	32.77	1.786	2580	33.59	-13.604
2431	31.54	-4.566	2481	32.10	-20.701	2531	32.78	5.036	2581	33.61	-13.854
2432	31.55	-10.567	2482	32.11	-23.077	2532	32.80	8.536	2582	33.63	-14.854
2433	31.56	-30.942	2483	32.12	-27.077	2533	32.82	13.285	2583	33.64	-14.604
2434	31.57	-36.317	2484	32.14	-29.453	2534	32.83	16.410	2584	33.65	-14.480
2435	31.58	-39.817	2485	32.15	-26.078	2535	32.86	21.285	2585	33.66	-12.980
2436	31.59	-45.567	2486	32.16	-22.953	2536	32.87	24.035	2586	33.67	-10.230
2437	31.60	-51.568	2487	32.17	-19.703	2537	32.89	27.034	2587	33.69	-4.730
2438	31.61	-54.818	2488	32.18	-16.828	2538	32.91	28.534	2588	33.70	5.394
2439	31.63	-54.318	2489	32.20	-8.953	2539	32.93	27.658	2589	33.72	12.019
2440	31.64	-48.693	2490	32.21	-5.329	2540	32.95	25.783	2590	33.73	13.894
2441	31.65	-36.443	2491	32.22	+2.204	2541	32.97	23.033	2591	33.74	15.519
2442	31.66	-33.944	2492	32.24	+0.079	2542	32.98	19.533	2592	33.76	16.768
2443	31.67	-27.944	2493	32.25	2.171	2543	32.99	13.157	2593	33.78	16.768
2444	31.68	-17.194	2494	32.26	3.795	2544	33.00	8.407	2594	33.81	16.517
2445	31.70	+10.819	2495	32.28	8.795	2545	33.02	4.657	2595	33.83	15.892
2446	31.71	+8.319	2496	32.29	15.545	2546	33.04	-3.593	2596	33.86	15.516
2447	31.72	+5.820	2497	32.30	18.045	2547	33.05	-7.469	2597	33.89	14.891
2448	31.73	-7.195	2498	32.32	25.044	2548	33.06	-11.219	2598	33.90	13.641
2449	31.74	+9.320	2499	32.33	29.169	2549	33.08	-13.219	2599	33.92	10.890
2450	31.75	-12.195	2500	32.34	32.669	2550	33.09	-16.095	2600	33.93	4.015

INDEX NO. 793 1302-PI-12 CHIYODA BRIDGE TR. MAX.ACCEL.=-103.738(GAL) T=20.33(SEC) NO.14

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2601	33.95	1.015	2651	34.56	-24.371	2701	35.22	9.367	2751	35.91	21.730
2602	33.96	-2.735	2652	34.57	-20.996	2702	35.23	11.117	2752	35.92	18.105
2603	33.97	-5.361	2653	34.58	-16.621	2703	35.24	12.617	2753	35.93	14.979
2604	33.98	-9.361	2654	34.59	-14.372	2704	35.25	12.991	2754	35.94	11.229
2605	33.99	-13.861	2655	34.60	-11.122	2705	35.26	11.741	2755	35.95	7.729
2606	34.01	-15.486	2656	34.61	-6.497	2706	35.28	11.116	2756	35.96	5.229
2607	34.02	-17.611	2657	34.62	-1.372	2707	35.30	11.366	2757	35.98	1.604
2608	34.04	-20.112	2658	34.63	0.253	2708	35.31	12.365	2758	35.99	0.353
2609	34.06	-22.112	2659	34.64	1.627	2709	35.32	14.865	2759	36.02	-0.522
2610	34.07	-23.987	2660	34.65	2.002	2710	35.33	16.740	2760	36.06	-1.148
2611	34.08	-25.863	2661	34.66	-0.248	2711	35.34	18.740	2761	36.08	-2.148
2612	34.09	-27.113	2662	34.67	-4.123	2712	35.35	20.240	2762	36.09	-1.899
2613	34.10	-27.113	2663	34.69	-9.748	2713	35.36	21.865	2763	36.11	-0.649
2614	34.11	-24.988	2664	34.72	-10.624	2714	35.37	22.239	2764	36.13	0.351
2615	34.12	-21.613	2665	34.73	-8.874	2715	35.39	21.614	2765	36.14	0.601
2616	34.13	-18.113	2666	34.74	-7.249	2716	35.42	19.114	2766	36.15	0.725
2617	34.14	-15.989	2667	34.75	-5.750	2717	35.43	17.238	2767	36.17	-0.525
2618	34.15	-10.489	2668	34.76	-3.875	2718	35.44	15.988	2768	36.18	-1.525
2619	34.16	-8.364	2669	34.77	-2.250	2719	35.46	13.488	2769	36.20	-3.651
2620	34.17	-2.614	2670	34.78	-0.625	2720	35.48	10.987	2770	36.21	-5.651
2621	34.19	-0.739	2671	34.79	0.250	2721	35.49	7.737	2771	36.24	-7.526
2622	34.20	0.885	2672	34.80	-3.500	2722	35.50	3.987	2772	36.25	-7.026
2623	34.21	1.760	2673	34.82	-6.001	2723	35.54	-3.014	2773	36.27	-6.027
2624	34.22	2.135	2674	34.83	-8.751	2724	35.55	-5.639	2774	36.28	-4.527
2625	34.25	3.134	2675	34.84	-10.626	2725	35.58	-12.514	2775	36.30	-1.652
2626	34.26	4.384	2676	34.86	-11.001	2726	35.59	-18.890	2776	36.31	2.098
2627	34.27	11.759	2677	34.87	-10.752	2727	35.60	-22.515	2777	36.32	4.972
2628	34.28	15.509	2678	34.88	-8.877	2728	35.62	-25.265	2778	36.33	6.222
2629	34.29	16.384	2679	34.89	-4.127	2729	35.63	-29.766	2779	36.34	13.847
2630	34.30	10.009	2680	34.91	-1.627	2730	35.65	-32.016	2780	36.35	16.347
2631	34.31	20.008	2681	34.92	-0.128	2731	35.66	-32.016	2781	36.36	18.722
2632	34.33	22.508	2682	34.94	1.497	2732	35.67	-31.391	2782	36.37	21.222
2633	34.34	19.383	2683	34.95	-1.878	2733	35.68	-28.661	2783	36.38	21.221
2634	34.35	12.883	2684	34.97	-4.753	2734	35.70	-22.392	2784	36.39	21.846
2635	34.36	9.882	2685	34.98	-6.254	2735	35.71	-16.642	2785	36.40	22.096
2636	34.37	6.507	2686	34.99	-8.129	2736	35.72	-9.892	2786	36.42	21.846
2637	34.38	4.257	2687	35.01	-10.004	2737	35.73	-2.642	2787	36.45	21.845
2638	34.39	-2.993	2688	35.03	-8.880	2738	35.74	3.483	2788	36.46	20.595
2639	34.40	-2.743	2689	35.04	-7.255	2739	35.75	7.233	2789	36.47	18.094
2640	34.41	-4.869	2690	35.06	-5.130	2740	35.76	10.482	2790	36.48	14.969
2641	34.43	-7.494	2691	35.08	-1.005	2741	35.77	11.982	2791	36.49	11.594
2642	34.45	-10.119	2692	35.09	0.244	2742	35.80	14.482	2792	36.50	8.594
2643	34.46	-12.369	2693	35.10	1.119	2743	35.81	16.106	2793	36.51	5.844
2644	34.47	-13.620	2694	35.11	1.494	2744	35.82	18.981	2794	36.52	2.969
2645	34.49	-15.745	2695	35.12	1.244	2745	35.83	20.606	2795	36.53	-5.407
2646	34.50	-18.620	2696	35.13	0.619	2746	35.84	22.481	2796	36.54	-10.657
2647	34.51	-21.245	2697	35.15	0.618	2747	35.85	26.606	2797	36.55	-16.782
2648	34.52	-22.746	2698	35.18	2.493	2748	35.87	28.855	2798	36.56	-19.282
2649	34.53	-24.371	2699	35.20	5.617	2749	35.89	27.355	2799	36.57	-22.157
2650	34.54	-26.246	2700	35.21	7.242	2750	35.90	24.480	2800	36.59	-23.158

INDEX NO. 793 1302-PI-12 CHIYODA BRIDGE TR. MAX.ACCEL.=-103.738(GAL) T=20.33(SEC) NO.15

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2801	36.61	-24.658	2851	37.36	9.703	2901	38.01	-17.683	2951	38.79	13.552
2802	36.62	-27.158	2852	37.37	11.078	2902	38.02	-18.684	2952	38.81	12.052
2803	36.64	-29.158	2853	37.38	14.203	2903	38.04	-17.434	2953	38.83	9.802
2804	36.65	-31.034	2854	37.39	15.453	2904	38.06	-13.434	2954	38.84	7.677
2805	36.66	-32.034	2855	37.40	16.078	2905	38.07	-10.559	2955	38.85	5.802
2806	36.68	-33.284	2856	37.42	16.702	2906	38.08	-7.810	2956	38.86	3.926
2807	36.69	-31.159	2857	37.43	16.452	2907	38.09	-2.935	2957	38.87	1.551
2808	36.70	-28.660	2858	37.45	15.827	2908	38.10	-0.810	2958	38.89	-0.949
2809	36.71	-21.785	2859	37.47	13.951	2909	38.11	1.690	2959	38.90	-3.450
2810	36.72	-17.910	2860	37.48	9.576	2910	38.12	3.690	2960	38.92	-3.450
2811	36.73	-10.285	2861	37.49	6.701	2911	38.14	5.564	2961	38.94	-3.450
2812	36.74	-2.035	2862	37.50	4.201	2912	38.16	6.314	2962	38.96	-3.451
2813	36.75	1.090	2863	37.51	-0.299	2913	38.18	6.564	2963	38.99	-3.451
2814	36.76	3.715	2864	37.52	-6.674	2914	38.21	5.063	2964	39.01	-3.201
2815	36.78	5.589	2865	37.53	-14.925	2915	38.24	3.813	2965	39.02	-1.577
2816	36.81	9.963	2866	37.55	-21.550	2916	38.25	1.937	2966	39.03	3.423
2817	36.84	11.713	2867	37.56	-26.300	2917	38.27	0.687	2967	39.04	6.173
2818	36.86	13.838	2868	37.57	-28.425	2918	38.29	-1.564	2968	39.05	7.173
2819	36.87	16.087	2869	37.58	-31.676	2919	38.30	-2.188	2969	39.06	9.048
2820	36.89	16.962	2870	37.59	-33.551	2920	38.31	-3.439	2970	39.07	11.922
2821	36.90	18.712	2871	37.61	-35.801	2921	38.34	-9.190	2971	39.08	15.422
2822	36.91	18.962	2872	37.63	-38.426	2922	38.36	-11.065	2972	39.09	16.047
2823	36.93	17.211	2873	37.64	-39.677	2923	38.37	-9.815	2973	39.11	17.547
2824	36.94	15.336	2874	37.66	-36.392	2924	38.38	-8.315	2974	39.13	19.546
2825	36.95	13.086	2875	37.67	-33.802	2925	38.39	-6.065	2975	39.14	20.296
2826	36.96	11.586	2876	37.68	-29.303	2926	38.40	-4.190	2976	39.16	19.046
2827	36.97	10.210	2877	37.69	-23.677	2927	38.42	3.059	2977	39.17	15.921
2828	36.99	8.585	2878	37.70	-14.178	2928	38.45	6.934	2978	39.18	14.295
2829	37.00	9.210	2879	37.71	-4.803	2929	38.46	3.183	2979	39.19	11.795
2830	37.02	10.710	2880	37.72	4.697	2930	38.49	-6.317	2980	39.20	10.170
2831	37.04	12.959	2881	37.73	10.447	2931	38.50	-10.067	2981	39.22	7.045
2832	37.06	14.834	2882	37.74	14.197	2932	38.52	-16.818	2982	39.23	5.420
2833	37.07	16.084	2883	37.75	16.946	2933	38.53	-17.443	2983	39.25	3.919
2834	37.08	17.084	2884	37.76	19.571	2934	38.55	-17.193	2984	39.27	1.919
2835	37.10	15.458	2885	37.78	23.696	2935	38.57	-16.819	2985	39.28	0.294
2836	37.13	13.583	2886	37.81	24.570	2936	38.58	-16.569	2986	39.29	-0.582
2837	37.16	11.082	2887	37.84	24.320	2937	38.60	-14.319	2987	39.30	-1.582
2838	37.17	9.207	2888	37.87	23.444	2938	38.62	-15.195	2988	39.31	-4.682
2839	37.19	6.457	2889	37.88	22.819	2939	38.64	-15.195	2989	39.32	-6.082
2840	37.22	2.956	2890	37.89	21.569	2940	38.65	-14.945	2990	39.35	-7.333
2841	37.24	1.581	2891	37.90	16.569	2941	38.66	-12.820	2991	39.37	-6.708
2842	37.25	-0.545	2892	37.92	12.443	2942	38.67	-10.946	2992	39.38	-5.208
2843	37.26	-3.420	2893	37.93	6.943	2943	38.68	-6.821	2993	39.39	-3.333
2844	37.28	-4.670	2894	37.94	6.068	2944	38.70	-2.946	2994	39.40	-1.459
2845	37.29	-5.420	2895	37.95	-2.807	2945	38.71	0.429	2995	39.41	1.041
2846	37.31	-3.296	2896	37.96	-9.432	2946	38.72	3.054	2996	39.43	3.666
2847	37.32	-1.421	2897	37.97	-11.058	2947	38.73	5.554	2997	39.44	7.416
2848	37.33	2.829	2898	37.98	-12.933	2948	38.75	8.678	2998	39.45	9.041
2849	37.34	4.954	2899	37.99	-14.558	2949	38.76	11.303	2999	39.46	11.915
2850	37.35	7.204	2900	38.00	-16.433	2950	38.77	12.928	3000	39.47	12.915

INDEX NO. 793 1302-PI-12 CHIYODA BRIDGE TR. MAX.ACCEL.=-103.738(GAL) T=20.33(SEC) NO.16

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3001	39.48	15.415	3051	40.19	8.277	3101	40.98	3.512	3151	41.69	-2.250
3002	39.49	16.040	3052	40.20	6.027	3102	40.99	1.262	3152	41.70	-4.125
3003	39.51	15.414	3053	40.21	4.527	3103	41.00	-2.238	3153	41.71	-6.376
3004	39.53	14.539	3054	40.23	-2.473	3104	41.01	-2.613	3154	41.73	-8.626
3005	39.54	14.164	3055	40.25	-6.974	3105	41.03	-1.364	3155	41.74	-8.251
3006	39.55	13.914	3056	40.27	-8.849	3106	41.04	-0.863	3156	41.75	-9.001
3007	39.57	13.914	3057	40.28	-12.350	3107	41.06	0.386	3157	41.76	-7.502
3008	39.59	13.913	3058	40.29	-12.475	3108	41.08	-1.364	3158	41.78	-6.002
3009	39.61	13.913	3059	40.33	-11.600	3109	41.09	-4.865	3159	41.79	-4.252
3010	39.62	13.288	3060	40.34	-10.601	3110	41.10	-6.115	3160	41.80	-2.377
3011	39.63	12.662	3061	40.35	-9.351	3111	41.11	-9.490	3161	41.81	-0.503
3012	39.64	12.037	3062	40.38	-6.851	3112	41.12	-11.365	3162	41.82	0.747
3013	39.65	11.037	3063	40.40	-4.852	3113	41.13	-13.990	3163	41.84	1.372
3014	39.67	9.536	3064	40.43	-3.352	3114	41.15	-15.616	3164	41.86	0.747
3015	39.69	8.911	3065	40.46	-2.728	3115	41.15	-16.241	3165	41.87	-0.504
3016	39.70	8.266	3066	40.47	-2.353	3116	41.20	-16.491	3166	41.89	-1.754
3017	39.71	8.536	3067	40.48	-2.103	3117	41.21	-17.492	3167	41.90	-2.754
3016	39.72	8.786	3068	40.52	-1.729	3118	41.23	-19.617	3168	41.94	-1.130
3019	39.74	13.535	3069	40.53	-2.604	3119	41.24	-21.992	3169	41.95	-0.505
3020	39.75	15.410	3070	40.54	-3.654	3120	41.26	-25.117	3170	41.96	0.745
3021	39.76	16.285	3071	40.55	-4.654	3121	41.27	-32.118	3171	41.97	-0.756
3022	39.77	17.535	3072	40.57	-6.980	3122	41.29	-32.993	3172	41.99	-1.756
3023	39.78	18.910	3073	40.59	-9.230	3123	41.30	-34.368	3173	42.00	-3.631
3024	39.79	20.160	3074	40.59	-12.605	3124	41.32	-32.119	3174	42.01	-4.881
3025	39.80	20.784	3075	40.60	-14.605	3125	41.33	-27.119	3175	42.03	-5.132
3026	39.81	21.784	3076	40.62	-16.231	3126	41.34	-21.119	3176	42.05	-2.757
3027	39.82	22.409	3077	40.64	-17.481	3127	41.35	-17.619	3177	42.06	-1.507
3028	39.84	23.034	3078	40.66	-18.357	3128	41.36	-12.494	3178	42.07	0.118
3029	39.85	21.783	3079	40.68	-18.732	3129	41.38	-5.245	3179	42.09	2.743
3030	39.86	20.283	3080	40.70	-17.857	3130	41.39	-2.745	3180	42.10	4.617
3031	39.87	19.033	3081	40.71	-15.983	3131	41.42	-2.370	3181	42.11	4.617
3032	39.88	16.158	3082	40.72	-14.733	3132	41.44	-2.121	3182	42.14	3.742
3033	39.89	14.908	3083	40.73	-11.608	3133	41.46	1.504	3183	42.16	2.491
3034	39.90	12.782	3084	40.74	-10.358	3134	41.47	5.254	3184	42.17	0.666
3035	39.91	10.997	3085	40.76	-8.733	3135	41.49	13.503	3185	42.19	-1.009
3036	39.93	6.407	3086	40.78	-6.859	3136	41.50	18.628	3186	42.21	-2.260
3037	39.94	5.782	3087	40.79	-4.609	3137	41.52	23.003	3187	42.24	0.865
3038	39.96	5.157	3088	40.81	-1.734	3138	41.53	23.878	3188	42.26	3.989
3039	39.97	4.156	3089	40.82	4.640	3139	41.54	24.877	3189	42.28	4.239
3040	39.99	4.156	3090	40.84	7.140	3140	41.55	23.377	3190	42.30	3.114
3041	40.01	4.781	3091	40.85	9.640	3141	41.56	20.877	3191	42.32	1.238
3042	40.03	6.280	3092	40.86	13.765	3142	41.58	17.751	3192	42.34	-0.387
3043	40.04	6.655	3093	40.87	17.265	3143	41.59	14.252	3193	42.35	-0.387
3044	40.06	7.905	3094	40.88	18.639	3144	41.60	10.376	3194	42.36	-0.638
3045	40.07	8.154	3095	40.90	19.889	3145	41.62	7.626	3195	42.38	-0.638
3046	40.09	8.529	3096	40.91	19.014	3146	41.63	6.001	3196	42.40	-1.263
3047	40.12	9.153	3097	40.93	16.763	3147	41.65	5.375	3197	42.43	-3.514
3048	40.14	9.403	3098	40.95	12.763	3148	41.66	5.125	3198	42.44	-4.889
3049	40.15	9.778	3099	40.96	5.388	3149	41.67	0.875	3199	42.46	-6.389
3050	40.17	10.778	3100	40.97	4.513	3150	41.68	0.250	3200	42.47	-7.764

INDEX NO. 793 1302-PI-12 CHIYODA BRIDGE TR. MAX.ACCEL.=-103.738(GAL) T=20.33(SEC) NO.17

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3201	42.48	-7.390	3251	43.22	2.722	3301	44.03	22.332	3351	44.85	-1.058
3202	42.50	-5.515	3252	43.23	0.597	3302	44.05	19.582	3352	44.86	-6.183
3203	42.51	-4.265	3253	43.24	10.971	3303	44.06	15.207	3353	44.88	-6.808
3204	42.53	-2.766	3254	43.25	12.846	3304	44.07	6.581	3354	44.90	-7.434
3205	42.55	-2.391	3255	43.29	14.346	3305	44.09	1.206	3355	44.92	-6.809
3206	42.57	-2.641	3256	43.31	14.345	3306	44.10	-5.794	3356	44.94	-6.809
3207	42.59	-2.142	3257	43.33	12.220	3307	44.12	-8.670	3357	44.95	-6.809
3208	42.62	-1.142	3258	43.34	10.720	3308	44.15	-11.170	3358	44.96	-6.810
3209	42.64	0.107	3259	43.37	6.969	3309	44.17	-13.795	3359	44.98	-7.060
3210	42.66	2.357	3260	43.39	5.344	3310	44.20	-15.046	3360	44.99	-7.060
3211	42.67	0.857	3261	43.42	3.468	3311	44.22	-15.296	3361	45.01	-6.811
3212	42.69	2.357	3262	43.43	1.468	3312	44.24	-12.547	3362	45.04	-5.561
3213	42.71	3.981	3263	43.47	-0.033	3313	44.25	-10.422	3363	45.05	-4.061
3214	42.73	6.731	3264	43.48	0.217	3314	44.27	-7.922	3364	45.07	-3.687
3215	42.74	7.981	3265	43.50	3.342	3315	44.28	-4.922	3365	45.08	-2.437
3216	42.76	10.355	3266	43.51	3.967	3316	44.30	1.577	3366	45.13	-1.188
3217	42.77	12.855	3267	43.52	5.466	3317	44.31	2.702	3367	45.14	-0.563
3218	42.78	15.605	3268	43.53	7.091	3318	44.33	4.577	3368	45.17	0.312
3219	42.79	18.605	3269	43.55	7.966	3319	44.35	7.076	3369	45.18	1.311
3220	42.80	21.979	3270	43.57	7.966	3320	44.36	10.576	3370	45.21	1.561
3221	42.81	26.229	3271	43.58	6.215	3321	44.37	13.701	3371	45.24	1.935
3222	42.82	31.229	3272	43.60	3.715	3322	44.39	14.701	3372	45.25	1.310
3223	42.83	34.729	3273	43.63	0.840	3323	44.40	16.200	3373	45.27	-0.190
3224	42.84	40.354	3274	43.64	-1.286	3324	44.42	16.825	3374	45.30	-0.566
3225	42.85	44.604	3275	43.67	-6.161	3325	44.44	15.075	3375	45.33	-0.566
3226	42.86	45.853	3276	43.69	-9.287	3326	44.45	12.574	3376	45.36	0.058
3227	42.87	46.728	3277	43.70	-13.162	3327	44.47	9.074	3377	45.39	0.683
3228	42.89	47.728	3278	43.71	-15.682	3328	44.49	5.699	3378	45.42	0.682
3229	42.90	48.353	3279	43.73	-20.912	3329	44.50	3.824	3379	45.45	0.932
3230	42.91	49.103	3280	43.74	-24.162	3330	44.52	1.448	3380	45.47	2.306
3231	42.94	44.477	3281	43.76	-28.288	3331	44.53	-0.052	3381	45.48	2.931
3232	42.96	37.102	3282	43.77	-30.038	3332	44.55	0.198	3382	45.50	3.931
3233	42.97	33.601	3283	43.78	-30.663	3333	44.56	1.072	3383	45.52	2.680
3234	42.99	28.601	3284	43.80	-29.664	3334	44.59	2.947	3384	45.53	1.803
3235	43.00	18.351	3285	43.81	-25.289	3335	44.62	6.447	3385	45.55	-1.945
3236	43.01	13.631	3286	43.82	-16.414	3336	44.63	6.696	3386	45.56	-3.570
3237	43.02	9.101	3287	43.83	-14.289	3337	44.65	7.946	3387	45.57	-5.070
3238	43.03	5.100	3288	43.84	-8.539	3338	44.66	8.946	3388	45.59	-6.196
3239	43.04	0.600	3289	43.85	-3.040	3339	44.68	11.195	3389	45.61	-6.446
3240	43.06	-5.775	3290	43.86	-1.165	3340	44.70	12.445	3390	45.63	-4.322
3241	43.08	-8.651	3291	43.88	2.710	3341	44.71	13.695	3391	45.65	-2.822
3242	43.09	-10.151	3292	43.89	3.960	3342	44.72	14.070	3392	45.67	-0.947
3243	43.10	-10.776	3293	43.91	5.834	3343	44.74	15.319	3393	45.69	1.927
3244	43.12	-10.776	3294	43.93	7.084	3344	44.76	15.944	3394	45.71	5.177
3245	43.13	-10.777	3295	43.94	9.834	3345	44.78	14.694	3395	45.73	8.927
3246	43.16	-9.652	3296	43.96	12.208	3346	44.80	11.318	3396	45.75	12.801
3247	43.18	-8.652	3297	43.97	16.833	3347	44.81	8.443	3397	45.76	14.676
3248	43.19	-6.778	3298	43.98	20.458	3348	44.82	5.693	3398	45.78	16.800
3249	43.20	-5.653	3299	43.99	21.958	3349	44.83	3.818	3399	45.79	19.175
3250	43.21	-2.153	3300	44.01	24.458	3350	44.84	1.442	3400	45.80	16.675

INDEX NO. 793 1302-PI-12 CHIYODA BRIDGE TR. MAX.ACCEL.=-103.738(GAL) T=20.33(SEC) NO.18

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3401	45.81	14.550	3451	46.53	25.287	3501	47.38	-0.228	3551	48.20	0.757
3402	45.82	11.675	3452	46.54	26.162	3502	47.40	1.022	3552	48.21	-1.118
3403	45.84	8.600	3453	46.56	26.412	3503	47.42	2.646	3553	48.22	-3.243
3404	45.85	6.549	3454	46.58	26.411	3504	47.43	2.646	3554	48.23	-5.869
3405	45.86	3.799	3455	46.60	26.411	3505	47.45	1.396	3555	48.24	-8.369
3406	45.87	-2.576	3456	46.61	26.786	3506	47.48	-1.730	3556	48.25	-10.244
3407	45.88	-3.826	3457	46.62	27.661	3507	47.50	-2.355	3557	48.26	-12.119
3408	45.89	-7.076	3458	46.63	29.035	3508	47.54	-3.606	3558	48.27	-13.869
3409	45.90	-8.076	3459	46.64	27.410	3509	47.59	-3.607	3559	48.28	-15.120
3410	45.92	-9.577	3460	46.68	23.634	3510	47.61	-3.607	3560	48.31	-16.995
3411	45.93	-8.952	3461	46.71	19.034	3511	47.62	-3.358	3561	48.32	-16.745
3412	45.95	-7.452	3462	46.73	16.409	3512	47.66	-1.483	3562	48.33	-16.120
3413	45.96	-4.953	3463	46.74	14.158	3513	47.67	0.142	3563	48.34	-14.495
3414	45.98	-5.578	3464	46.76	11.658	3514	47.68	1.016	3564	48.36	-13.246
3415	46.01	-5.328	3465	46.77	9.033	3515	47.70	2.016	3565	48.37	-11.371
3416	46.02	-2.829	3466	46.79	6.283	3516	47.73	-0.109	3566	48.39	-9.496
3417	46.03	-0.954	3467	46.81	3.407	3517	47.75	-1.360	3567	48.40	-8.247
3418	46.04	1.546	3468	46.82	3.407	3518	47.77	+2.985	3568	48.43	-6.747
3419	46.05	4.171	3469	46.84	1.407	3519	47.79	-2.985	3569	48.44	-7.623
3420	46.06	6.421	3470	46.85	-2.968	3520	47.81	-3.611	3570	48.46	-9.748
3421	46.07	8.920	3471	46.87	-4.844	3521	47.83	-4.611	3571	48.47	-11.998
3422	46.08	9.795	3472	46.89	-5.844	3522	47.84	-5.362	3572	48.48	-13.248
3423	46.09	10.295	3473	46.90	-7.469	3523	47.86	-4.112	3573	48.49	-14.748
3424	46.10	10.920	3474	46.91	-5.970	3524	47.87	-3.487	3574	48.51	-16.624
3425	46.12	10.545	3475	46.93	-4.095	3525	47.89	-2.237	3575	48.53	-18.249
3426	46.13	7.544	3476	46.94	-2.470	3526	47.90	0.012	3576	48.54	-17.374
3427	46.14	5.044	3477	46.96	0.905	3527	47.92	0.887	3577	48.55	-16.374
3428	46.15	2.044	3478	46.97	3.530	3528	47.93	3.262	3578	48.56	-14.874
3429	46.16	-0.456	3479	46.98	6.404	3529	47.95	6.637	3579	48.57	-13.000
3430	46.17	-4.206	3480	46.99	9.154	3530	47.96	8.261	3580	48.58	-10.125
3431	46.19	-6.457	3481	47.01	12.779	3531	47.97	11.136	3581	48.59	-8.000
3432	46.21	-9.957	3482	47.03	16.154	3532	47.98	12.761	3582	48.60	-5.000
3433	46.22	-12.707	3483	47.04	17.403	3533	47.99	15.261	3583	48.61	-3.750
3434	46.24	-13.208	3484	47.05	19.153	3534	48.00	20.386	3584	48.62	1.499
3435	46.26	-13.458	3485	47.06	21.028	3535	48.01	21.885	3585	48.63	5.499
3436	46.29	-13.209	3486	47.09	23.152	3536	48.02	24.385	3586	48.65	7.624
3437	46.32	-11.959	3487	47.11	23.277	3537	48.03	26.385	3587	48.66	8.874
3438	46.33	-9.209	3488	47.13	22.277	3538	48.05	28.635	3588	48.68	10.498
3439	46.35	-6.709	3489	47.15	19.526	3539	48.06	30.134	3589	48.69	10.498
3440	46.37	-2.210	3490	47.16	17.651	3540	48.07	29.884	3590	48.71	10.248
3441	46.39	0.040	3491	47.17	15.401	3541	48.08	27.759	3591	48.73	12.122
3442	46.40	2.290	3492	47.18	13.276	3542	48.09	26.134	3592	48.76	12.997
3443	46.41	5.790	3493	47.19	9.025	3543	48.11	22.134	3593	48.77	13.372
3444	46.42	8.539	3494	47.20	3.775	3544	48.12	19.258	3594	48.80	14.246
3445	46.44	10.289	3495	47.23	2.025	3545	48.14	16.008	3595	48.81	13.371
3446	46.45	11.789	3496	47.25	0.149	3546	48.15	13.258	3596	48.82	11.496
3447	46.47	15.913	3497	47.27	-1.351	3547	48.16	10.258	3597	48.84	9.995
3448	46.49	18.538	3498	47.30	-1.727	3548	48.17	8.383	3598	48.85	8.120
3449	46.51	20.413	3499	47.35	-1.727	3549	48.18	5.632	3599	48.86	6.245
3450	46.52	22.537	3500	47.36	-1.478	3550	48.19	3.757	3600	48.87	4.620

INDEX NO. 793 1302-PI-12 CHIYODA BRIDGE TR. MAX.ACCEL.=-103.738(GAL) T=20.33(SEC) NO.19

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3601	48.88	4.494	3651	49.77	10.478	3701	50.69	10.212	3751	51.43	7.898
3602	48.90	4.494	3652	49.78	11.103	3702	50.71	8.711	3752	51.44	5.573
3603	48.91	4.744	3653	49.79	12.103	3703	50.72	7.336	3753	51.46	2.698
3604	48.92	4.744	3654	49.82	12.102	3704	50.74	5.211	3754	51.48	-0.178
3605	48.94	5.369	3655	49.83	9.352	3705	50.75	4.586	3755	51.50	-0.553
3606	48.96	5.118	3656	49.85	5.602	3706	50.76	4.585	3756	51.51	-0.803
3607	48.97	4.493	3657	49.87	-0.274	3707	50.80	4.335	3757	51.55	-3.679
3608	48.99	3.618	3658	49.88	-3.899	3708	50.81	5.210	3758	51.56	-5.179
3609	49.01	2.367	3659	49.90	-7.524	3709	50.82	5.459	3759	51.57	-6.304
3610	49.03	0.117	3660	49.92	-9.400	3710	50.83	5.834	3760	51.60	-8.180
3611	49.05	-0.258	3661	49.94	-8.150	3711	50.84	6.459	3761	51.61	-8.805
3612	49.08	-2.384	3662	49.96	-6.025	3712	50.87	6.458	3762	51.62	-7.930
3613	49.10	-2.634	3663	49.98	-4.150	3713	50.88	4.583	3763	51.63	-6.680
3614	49.12	-3.010	3664	50.00	-1.026	3714	50.89	3.333	3764	51.65	-5.431
3615	49.13	-3.635	3665	50.01	0.599	3715	50.91	1.958	3765	51.66	-3.806
3616	49.15	-4.885	3666	50.03	1.849	3716	50.93	0.707	3766	51.67	-1.681
3617	49.17	-5.885	3667	50.04	3.473	3717	50.96	0.457	3767	51.68	0.819
3618	49.19	-6.886	3668	50.06	5.098	3718	50.97	0.332	3768	51.69	3.194
3619	49.21	-8.136	3669	50.08	7.598	3719	50.99	0.331	3769	51.71	5.318
3620	49.22	-6.637	3670	50.10	11.472	3720	51.01	-2.419	3770	51.72	6.568
3621	49.23	-5.012	3671	50.13	12.347	3721	51.03	-5.919	3771	51.75	6.068
3622	49.24	-4.137	3672	50.15	12.971	3722	51.05	-9.420	3772	51.77	5.067
3623	49.26	-0.637	3673	50.16	13.346	3723	51.06	-10.670	3773	51.78	5.067
3624	49.28	2.863	3674	50.18	13.346	3724	51.07	-12.545	3774	51.81	4.692
3625	49.30	6.362	3675	50.20	12.720	3725	51.08	-16.420	3775	51.84	5.066
3626	49.31	9.862	3676	50.22	11.470	3726	51.09	-17.421	3776	51.86	5.316
3627	49.33	11.111	3677	50.25	9.344	3727	51.11	-18.296	3777	51.88	4.440
3628	49.35	12.111	3678	50.28	7.094	3728	51.12	-16.171	3778	51.89	2.315
3629	49.36	13.986	3679	50.30	5.219	3729	51.13	-13.921	3779	51.92	-1.686
3630	49.38	14.235	3680	50.32	2.343	3730	51.14	-12.671	3780	51.93	-4.061
3631	49.40	14.860	3681	50.34	1.968	3731	51.15	-10.172	3781	51.95	-6.311
3632	49.41	14.860	3682	50.35	2.218	3732	51.16	-6.797	3782	51.97	-8.437
3633	49.43	17.109	3683	50.38	2.592	3733	51.17	-5.047	3783	52.00	-9.687
3634	49.45	18.109	3684	50.41	3.217	3734	51.18	-3.172	3784	52.02	-10.687
3635	49.48	19.359	3685	50.43	2.966	3735	51.19	+2.297	3785	52.04	-11.563
3636	49.49	19.358	3686	50.45	2.841	3736	51.20	+0.623	3786	52.06	-9.813
3637	49.51	17.608	3687	50.46	2.591	3737	51.22	-0.202	3787	52.07	-7.938
3638	49.53	16.358	3688	50.49	1.965	3738	51.23	1.202	3788	52.08	-5.689
3639	49.55	15.107	3689	50.50	2.215	3739	51.26	3.201	3789	52.09	-3.564
3640	49.57	13.482	3690	50.52	3.465	3740	51.27	5.076	3790	52.10	-1.314
3641	49.60	12.231	3691	50.53	5.089	3741	51.28	6.576	3791	52.11	0.811
3642	49.62	11.356	3692	50.54	6.964	3742	51.29	8.826	3792	52.12	3.436
3643	49.63	10.981	3693	50.55	8.464	3743	51.32	12.700	3793	52.14	5.060
3644	49.64	11.231	3694	50.56	9.089	3744	51.33	13.950	3794	52.15	5.685
3645	49.66	11.855	3695	50.58	11.089	3745	51.35	15.450	3795	52.17	6.935
3646	49.69	12.485	3696	50.59	12.963	3746	51.37	16.450	3796	52.18	7.185
3647	49.71	11.604	3697	50.61	13.338	3747	51.39	14.824	3797	52.19	8.809
3648	49.73	10.729	3698	50.62	12.713	3748	51.40	12.699	3798	52.20	10.434
3649	49.74	9.354	3699	50.65	12.087	3749	51.41	10.574	3799	52.22	13.309
3650	49.76	10.479	3700	50.67	11.462	3750	51.42	8.948	3800	52.23	16.059

INDEX NO. 793 1302-P1-12 CHIYODA BRIDGE TR. MAX.ACCEL.=-103.738(GAL) T=20.33(SEC) NO.20

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3801	52.24	17.654	3851	53.20	-4.634	3901	54.22	3.773	3951	55.12	11.381
3802	52.26	19.308	3852	53.21	-3.709	3902	54.23	6.273	3952	55.15	11.131
3803	52.27	21.308	3853	53.23	-2.210	3903	54.26	8.147	3953	55.16	10.381
3804	52.29	19.433	3854	53.25	-1.585	3904	54.27	9.022	3954	55.18	11.005
3805	52.32	15.932	3855	53.27	-1.210	3905	54.29	11.646	3955	55.21	11.630
3806	52.35	11.931	3856	53.30	-1.211	3906	54.31	12.896	3956	55.22	12.004
3807	52.37	10.181	3857	53.31	0.664	3907	54.33	13.896	3957	55.24	11.754
3808	52.38	6.806	3858	53.33	1.914	3908	54.34	14.520	3958	55.25	11.629
3809	52.42	3.680	3859	53.34	2.538	3909	54.35	15.395	3959	55.27	9.879
3810	52.46	2.180	3860	53.36	3.163	3910	54.39	13.645	3960	55.28	8.003
3811	52.48	2.179	3861	53.38	3.413	3911	54.41	12.519	3961	55.29	7.378
3812	52.49	3.179	3862	53.39	2.912	3912	54.43	10.644	3962	55.30	5.503
3813	52.50	4.679	3863	53.42	3.162	3913	54.44	8.894	3963	55.31	4.253
3814	52.51	7.803	3864	53.43	3.787	3914	54.46	8.893	3964	55.33	3.002
3815	52.52	10.178	3865	53.45	5.661	3915	54.48	7.643	3965	55.36	1.627
3816	52.54	13.553	3866	53.46	7.161	3916	54.50	6.142	3966	55.38	1.002
3817	52.56	15.428	3867	53.47	9.035	3917	54.53	4.517	3967	55.40	0.001
3818	52.57	17.302	3868	53.48	11.411	3918	54.55	1.892	3968	55.42	-1.249
3819	52.58	19.677	3869	53.50	14.536	3919	54.57	1.016	3969	55.43	-2.749
3820	52.61	17.802	3870	53.51	16.035	3920	54.60	0.016	3970	55.44	-3.749
3821	52.62	16.928	3871	53.53	20.285	3921	54.62	0.015	3971	55.45	-5.250
3822	52.64	15.301	3872	53.54	19.410	3922	54.65	0.640	3972	55.49	-6.376
3823	52.65	12.551	3873	53.57	19.659	3923	54.69	2.139	3973	55.51	-4.501
3824	52.67	10.176	3874	53.60	19.034	3924	54.70	2.764	3974	55.52	-0.751
3825	52.68	8.675	3875	53.62	17.783	3925	54.72	3.764	3975	55.55	5.624
3826	52.70	7.050	3876	53.65	16.283	3926	54.73	4.638	3976	55.56	7.373
3827	52.73	4.549	3877	53.67	13.782	3927	54.75	6.263	3977	55.57	9.748
3828	52.74	3.299	3878	53.68	12.157	3928	54.76	6.513	3978	55.58	12.873
3829	52.77	0.049	3879	53.71	7.032	3929	54.78	7.137	3979	55.61	17.997
3830	52.79	-0.202	3880	53.72	5.781	3930	54.79	7.512	3980	55.63	19.872
3831	52.82	-0.827	3881	53.74	3.031	3931	54.81	6.012	3981	55.65	21.122
3832	52.83	0.298	3882	53.76	1.031	3932	54.82	5.637	3982	55.66	21.122
3833	52.86	2.547	3883	53.78	0.406	3933	54.84	5.386	3983	55.69	19.996
3834	52.87	3.422	3884	53.79	0.655	3934	54.85	4.761	3984	55.72	18.120
3835	52.89	4.671	3885	53.82	0.405	3935	54.88	3.761	3985	55.74	14.995
3836	52.90	7.171	3886	53.84	0.404	3936	54.89	4.385	3986	55.77	11.870
3837	52.92	11.046	3887	53.85	1.029	3937	54.90	4.135	3987	55.79	3.244
3838	52.93	11.421	3888	53.88	1.529	3938	54.92	2.695	3988	55.81	-0.256
3839	52.94	12.921	3889	53.90	2.153	3939	54.94	1.885	3989	55.83	-5.757
3840	52.96	13.045	3890	53.93	1.278	3940	54.96	0.634	3990	55.84	-10.382
3841	53.00	11.045	3891	53.97	0.652	3941	54.97	-0.241	3991	55.86	-13.257
3842	53.02	8.294	3892	54.01	0.652	3942	54.99	-0.366	3992	55.88	-12.507
3843	53.04	7.669	3893	54.05	0.026	3943	55.01	-0.492	3993	55.89	-5.758
3844	53.06	6.668	3894	54.08	-0.225	3944	55.02	1.133	3994	55.91	-1.758
3845	53.08	4.918	3895	54.10	0.900	3945	55.03	5.258	3995	55.92	4.367
3846	53.10	3.668	3896	54.12	2.149	3946	55.04	7.133	3996	55.93	7.491
3847	53.11	2.292	3897	54.15	3.774	3947	55.05	8.383	3997	55.94	12.616
3848	53.13	-0.208	3898	54.16	4.024	3948	55.07	10.757	3998	55.95	16.366
3849	53.16	-2.083	3899	54.18	4.398	3949	55.09	11.632	3999	55.97	19.866
3850	53.18	-3.334	3900	54.20	3.773	3950	55.11	11.382	4000	55.98	20.241

INDEX NO. 793 1302-P1-12 CHIYODA BRIDGE TR. MAX.ACCEL.=-103.738(GAL) T=20.33(SEC) NO.21

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
4001	55.99	20.241	4051	56.87	25.975	4101	57.80	3.958	4151	58.88	13.189
4002	56.00	20.865	4052	56.89	22.659	4102	57.81	5.208	4152	58.90	15.438
4003	56.01	19.365	4053	56.90	20.724	4103	57.82	6.208	4153	58.92	16.563
4004	56.02	18.365	4054	56.91	16.474	4104	57.83	7.707	4154	58.93	17.938
4005	56.03	18.115	4055	56.93	13.724	4105	57.85	8.707	4155	58.96	19.812
4006	56.04	17.115	4056	56.96	10.848	4106	57.87	9.582	4156	58.97	20.812
4007	56.06	16.489	4057	56.97	9.223	4107	57.89	9.081	4157	59.00	21.436
4008	56.07	16.489	4058	56.98	9.098	4108	57.91	8.081	4158	59.02	20.186
4009	56.09	17.114	4059	56.99	9.723	4109	57.93	7.206	4159	59.06	17.435
4010	56.11	17.364	4060	57.02	9.722	4110	57.95	5.955	4160	59.08	15.560
4011	56.13	16.883	4061	57.04	9.472	4111	57.96	4.955	4161	59.11	12.434
4012	56.14	13.363	4062	57.06	7.346	4112	57.98	5.205	4162	59.13	11.434
4013	56.15	10.512	4063	57.08	5.096	4113	58.00	5.580	4163	59.16	10.558
4014	56.17	6.382	4064	57.10	3.221	4114	58.01	5.829	4164	59.17	8.808
4015	56.18	2.612	4065	57.11	2.221	4115	58.03	6.829	4165	59.18	6.933
4016	56.20	-6.013	4066	57.14	1.470	4116	58.05	7.073	4166	59.20	5.433
4017	56.21	-7.889	4067	57.17	1.219	4117	58.07	6.578	4167	59.21	4.432
4018	56.23	-10.389	4068	57.19	0.969	4118	58.10	5.953	4168	59.24	1.557
4019	56.24	-12.639	4069	57.22	1.468	4119	58.11	5.327	4169	59.26	1.181
4020	56.28	-12.264	4070	57.24	4.593	4120	58.13	4.327	4170	59.28	2.681
4021	56.29	-11.140	4071	57.26	7.093	4121	58.16	4.576	4171	59.30	4.306
4022	56.31	-10.140	4072	57.27	8.343	4122	58.18	4.951	4172	59.32	5.181
4023	56.34	-7.641	4073	57.28	9.342	4123	58.21	6.451	4173	59.34	5.555
4024	56.36	-7.641	4074	57.30	10.967	4124	58.23	7.075	4174	59.36	5.805
4025	56.39	-7.891	4075	57.33	11.967	4125	58.25	7.700	4175	59.37	4.679
4026	56.40	-6.767	4076	57.34	12.716	4126	58.27	9.575	4176	59.39	2.429
4027	56.43	-5.517	4077	57.36	12.341	4127	58.29	10.699	4177	59.43	-0.322
4028	56.45	-5.768	4078	57.38	11.091	4128	58.31	12.199	4178	59.45	-1.572
4029	56.48	-7.268	4079	57.40	9.465	4129	58.33	13.449	4179	59.46	-2.822
4030	56.50	-8.519	4080	57.43	6.715	4130	58.36	14.698	4180	59.47	-2.572
4031	56.53	-6.394	4081	57.45	3.839	4131	58.39	15.072	4181	59.51	-2.323
4032	56.54	-4.894	4082	57.46	1.214	4132	58.42	12.947	4182	59.53	-1.073
4033	56.57	-3.020	4083	57.47	-0.911	4133	58.44	11.696	4183	59.55	-0.073
4034	56.58	-2.020	4084	57.49	-4.037	4134	58.47	11.071	4184	59.57	0.301
4035	56.60	-0.145	4085	57.51	-6.662	4135	58.50	12.320	4185	59.60	-0.699
4036	56.62	0.479	4086	57.53	-9.287	4136	58.54	12.570	4186	59.62	-1.325
4037	56.63	3.729	4087	57.54	-8.037	4137	58.57	11.069	4187	59.64	-2.575
4038	56.66	9.354	4088	57.57	-6.413	4138	58.60	8.818	4188	59.65	-2.826
4039	56.67	16.603	4089	57.58	-5.413	4139	58.63	6.943	4189	59.67	-2.951
4040	56.68	19.653	4090	57.60	-6.163	4140	58.64	5.068	4190	59.70	-1.701
4041	56.70	22.728	4091	57.61	-5.788	4141	58.66	2.942	4191	59.71	-0.076
4042	56.71	25.228	4092	57.62	-5.789	4142	58.68	1.817	4192	59.72	0.548
4043	56.72	27.477	4093	57.64	-6.039	4143	58.70	0.942	4193	59.73	2.423
4044	56.74	29.102	4094	57.66	-6.039	4144	58.73	0.568	4194	59.76	3.922
4045	56.77	28.477	4095	57.68	-5.790	4145	58.75	2.441	4195	59.78	4.297
4046	56.79	26.976	4096	57.70	-5.165	4146	58.77	4.315	4196	59.81	4.547
4047	56.81	27.226	4097	57.72	-3.291	4147	58.80	6.440	4197	59.83	4.546
4048	56.84	27.850	4098	57.74	-1.416	4148	58.82	8.315	4198	59.85	5.546
4049	56.85	27.950	4099	57.75	0.084	4149	58.83	9.314	4199	59.87	5.796
4050	56.86	26.975	4100	57.77	2.459	4150	58.86	11.314	4200	59.88	6.420

土木構造物における加速度強震記録（No. 9）

INDEX NO. 793 1302-PI-12 CHIYODA BRIDGE TR. MAX.ACCEL.=-103.738(GAL) T=20.33(SEC) NO.22

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
4201	59.89	6.795	4251	60.46	9.029	4301	61.76	10.011	4351	62.99	15.613
4202	59.91	7.420	4252	60.61	8.778	4302	61.78	11.885	4352	63.02	15.863
4203	59.92	7.170	4253	60.82	9.528	4303	61.80	13.385	4353	63.03	15.863
4204	59.94	5.919	4254	60.84	7.528	4304	61.81	13.010	4354	63.06	14.987
4205	59.96	5.294	4255	60.87	6.652	4305	61.84	14.134	4355	63.08	14.112
4206	59.97	4.044	4256	60.89	6.277	4306	61.87	13.384	4356	63.11	13.111
4207	59.99	2.418	4257	60.90	6.527	4307	61.90	12.508	4357	63.13	13.361
4208	60.01	1.543	4258	60.91	7.152	4308	61.92	12.508	4358	63.15	13.361
4209	60.02	0.918	4259	60.93	6.651	4309	61.96	11.007	4359	63.17	13.360
4210	60.04	0.543	4260	60.94	5.651	4310	61.99	10.382	4360	63.18	12.485
4211	60.05	0.542	4261	60.95	4.491	4311	62.02	8.756	4361	63.20	11.234
4212	60.08	2.042	4262	60.97	3.150	4312	62.05	6.880	4362	63.23	9.984
4213	60.09	3.292	4263	60.99	1.150	4313	62.07	6.630	4363	63.25	9.984
4214	60.11	3.041	4264	61.01	0.900	4314	62.10	7.505	4364	63.27	10.858
4215	60.12	2.416	4265	61.02	-0.351	4315	62.13	7.754	4365	63.29	12.108
4216	60.15	2.415	4266	61.07	1.523	4316	62.17	8.753	4366	63.32	13.357
4217	60.17	2.415	4267	61.08	4.523	4317	62.19	8.503	4367	63.33	13.732
4218	60.19	3.915	4268	61.10	6.773	4318	62.22	5.627	4368	63.35	13.107
4219	60.20	5.789	4269	61.11	8.898	4319	62.25	4.127	4369	63.37	11.856
4220	60.22	7.414	4270	61.12	10.697	4320	62.30	1.751	4370	63.39	11.231
4221	60.23	8.664	4271	61.14	13.147	4321	62.32	0.501	4371	63.40	10.606
4222	60.24	10.914	4272	61.16	14.397	4322	62.33	0.500	4372	63.42	9.731
4223	60.26	12.163	4273	61.17	14.397	4323	62.36	2.625	4373	63.44	8.480
4224	60.28	12.788	4274	61.19	14.646	4324	62.39	3.249	4374	63.46	7.855
4225	60.29	13.163	4275	61.21	15.271	4325	62.42	4.249	4375	63.48	8.354
4226	60.32	12.912	4276	61.23	16.271	4326	62.45	5.498	4376	63.51	9.354
4227	60.34	12.537	4277	61.25	16.895	4327	62.47	6.748	4377	63.54	10.228
4228	60.35	13.162	4278	61.27	16.895	4328	62.50	6.497	4378	63.56	10.853
4229	60.37	14.661	4279	61.28	16.270	4329	62.52	4.872	4379	63.58	9.978
4230	60.40	16.286	4280	61.30	14.144	4330	62.55	4.621	4380	63.62	9.352
4231	60.41	16.911	4281	61.31	11.019	4331	62.58	4.871	4381	63.64	8.477
4232	60.43	17.910	4282	61.34	8.768	4332	62.60	5.495	4382	63.66	9.601
4233	60.45	17.910	4283	61.35	6.893	4333	62.62	5.245	4383	63.69	9.976
4234	60.47	16.784	4284	61.36	6.018	4334	62.63	4.620	4384	63.72	10.600
4235	60.49	16.409	4285	61.38	3.143	4335	62.66	3.369	4385	63.74	9.099
4236	60.51	16.409	4286	61.39	3.393	4336	62.67	2.744	4386	63.77	8.474
4237	60.52	16.034	4287	61.42	4.392	4337	62.69	1.744	4387	63.80	8.098
4238	60.54	17.658	4288	61.45	5.892	4338	62.71	1.743	4388	63.83	8.723
4239	60.55	17.658	4289	61.47	6.516	4339	62.73	1.993	4389	63.86	8.472
4240	60.58	18.908	4290	61.49	5.641	4340	62.75	2.618	4390	63.88	8.097
4241	60.59	20.157	4291	61.51	4.390	4341	62.78	3.867	4391	63.92	7.846
4242	60.61	21.157	4292	61.54	2.890	4342	62.82	5.492	4392	63.96	6.220
4243	60.64	19.531	4293	61.56	1.139	4343	62.84	7.616	4393	64.00	6.845
4244	60.65	17.406	4294	61.58	1.139	4344	62.86	9.241	4394	64.02	8.344
4245	60.68	13.656	4295	61.61	1.389	4345	62.88	10.065	4395	64.05	10.594
4246	60.69	11.406	4296	61.64	2.388	4346	62.90	12.490	4396	64.07	11.843
4247	60.71	10.530	4297	61.67	3.887	4347	62.91	12.490	4397	64.09	13.718
4248	60.73	9.155	4298	61.69	4.887	4348	62.94	12.739	4398	64.11	16.468
4249	60.76	9.154	4299	61.73	6.511	4349	62.96	13.739	4399	64.12	16.843
4250	60.78	8.779	4300	61.75	8.261	4350	62.98	14.614	4400	64.14	16.842

INDEX NO. 793 1302-PI-12 CHIYODA BRIDGE TR. MAX.ACCEL.=-103.738(GAL) T=20.33(SEC) NO.23

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
4401	64.17	15.967	4451	65.47	3.818	4501	66.71	11.546	4551	67.74	9.152
4402	64.20	17.341	4452	65.49	5.067	4502	66.74	12.420	4552	67.76	9.402
4403	64.22	18.841	4453	65.53	6.317	4503	66.77	12.670	4553	67.78	9.901
4404	64.24	20.465	4454	65.57	8.565	4504	66.81	13.044	4554	67.80	9.651
4405	64.26	20.465	4455	65.58	10.566	4505	66.84	11.543	4555	67.82	9.025
4406	64.28	19.465	4456	65.60	12.440	4506	66.87	10.293	4556	67.84	9.025
4407	64.31	17.589	4457	65.62	13.690	4507	66.88	9.292	4557	67.86	9.025
4408	64.32	16.714	4458	65.63	14.565	4508	66.93	6.542	4558	67.89	8.399
4409	64.36	16.088	4459	65.66	15.189	4509	66.94	5.916	4559	67.90	9.274
4410	64.40	14.837	4460	65.70	15.189	4510	66.96	4.666	4560	67.93	9.899
4411	64.45	12.587	4461	65.72	14.688	4511	66.97	4.666	4561	67.94	10.523
4412	64.51	11.086	4462	65.74	14.313	4512	67.00	4.290	4562	67.95	11.148
4413	64.55	9.085	4463	65.76	13.688	4513	67.02	4.290	4563	67.96	11.773
4414	64.60	7.834	4464	65.78	12.187	4514	67.05	5.165	4564	67.98	12.398
4415	64.63	6.833	4465	65.79	10.937	4515	67.06	6.164	4565	68.00	12.397
4416	64.69	3.457	4466	65.81	9.061	4516	67.09	7.664	4566	68.02	11.772
4417	64.71	2.832	4467	65.84	8.436	4517	67.10	9.539	4567	68.04	11.521
4418	64.74	1.081	4468	65.86	9.061	4518	67.11	10.163	4568	68.06	11.146
4419	64.77	-0.169	4469	65.87	10.560	4519	67.13	11.163	4569	68.09	10.896
4420	64.79	-1.044	4470	65.90	11.610	4520	67.14	10.538	4570	68.10	10.520
4421	64.84	-1.046	4471	65.92	12.435	4521	67.16	9.287	4571	68.14	9.270
4422	64.86	-1.421	4472	65.94	13.309	4522	67.17	8.412	4572	68.16	9.269
4423	64.88	0.079	4473	65.97	13.059	4523	67.19	8.412	4573	68.19	9.269
4424	64.89	1.078	4474	66.01	12.183	4524	67.20	7.787	4574	68.21	9.018
4425	64.91	2.578	4475	66.04	10.308	4525	67.21	7.161	4575	68.24	9.268
4426	64.93	4.453	4476	66.08	9.057	4526	67.24	7.036	4576	68.25	9.518
4427	64.94	6.703	4477	66.11	7.431	4527	67.28	5.535	4577	68.26	10.142
4428	64.96	8.202	4478	66.13	7.181	4528	67.29	4.910	4578	68.29	10.766
4429	64.97	8.827	4479	66.16	6.930	4529	67.30	4.035	4579	68.31	11.141
4430	64.99	9.202	4480	66.19	6.305	4530	67.31	3.285	4580	68.34	9.641
4431	65.01	8.326	4481	66.22	4.929	4531	67.33	2.784	4581	68.36	8.390
4432	65.03	7.951	4482	66.24	5.804	4532	67.34	2.284	4582	68.37	7.140
4433	65.05	9.701	4483	66.26	6.429	4533	67.36	2.284	4583	68.38	5.890
4434	65.08	11.200	4484	66.28	8.053	4534	67.37	2.284	4584	68.40	4.640
4435	65.10	12.075	4485	66.30	9.303	4535	67.40	2.283	4585	68.42	3.014
4436	65.11	8.699	4486	66.33	10.177	4536	67.42	1.908	4586	68.45	3.264
4437	65.13	6.574	4487	66.35	10.177	4537	67.43	1.907	4587	68.50	4.513
4438	65.14	4.949	4488	66.38	9.926	4538	67.46	-0.218	4588	68.54	4.887
4439	65.16	3.449	4489	66.40	9.926	4539	67.49	-1.469	4589	68.57	5.511
4440	65.18	1.698	4490	66.41	10.801	4540	67.52	-1.719	4590	68.60	6.386
4441	65.20	0.823	4491	66.44	11.800	4541	67.54	-1.220	4591	68.63	6.135
4442	65.23	-0.178	4492	66.46	12.175	4542	67.56	-1.220	4592	68.66	6.135
4443	65.26	-0.178	4493	66.48	12.174	4543	67.58	-0.595	4593	68.69	7.384
4444	65.28	-0.179	4494	66.52	11.549	4544	67.60	0.654	4594	68.73	5.508
4445	65.31	0.196	4495	66.54	11.549	4545	67.62	2.279	4595	68.77	4.883
4446	65.34	1.320	4496	66.59	10.548	4546	67.64	3.779	4596	68.81	4.507
4447	65.37	2.945	4497	66.62	9.547	4547	67.66	5.653	4597	68.82	9.132
4448	65.38	3.570	4498	66.63	11.422	4548	67.68	6.903	4598	68.85	5.256
4449	65.41	3.819	4499	66.65	11.796	4549	67.70	7.903	4599	68.89	5.006
4450	65.45	3.568	4500	66.68	11.546	4550	67.72	8.527	4600	68.92	6.755

INDEX NO. 793 1302-PI-12 CHIYODA BRIDGE TR. MAX.ACCEL.=-103.738(GAL) T=20.33(SEC) NO.24

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
4601	68.95	7.005	4651	70.19	8.357	4701	71.64	9.581	4751	72.92	-4.317
4602	68.98	7.379	4652	70.23	7.106	4702	71.67	9.580	4752	72.93	-6.316
4603	69.01	8.004	4653	70.27	5.480	4703	71.73	9.829	4753	72.95	-8.818
4604	69.04	5.878	4654	70.32	5.230	4704	71.76	10.079	4754	72.97	-9.443
4605	69.07	4.252	4655	70.34	5.479	4705	71.78	11.328	4755	73.01	-10.069
4606	69.09	2.752	4656	70.38	3.354	4706	71.80	13.203	4756	73.04	-9.820
4607	69.11	1.501	4657	70.41	0.728	4707	71.82	14.452	4757	73.07	-10.070
4608	69.14	0.626	4658	70.46	0.977	4705	71.86	14.827	4758	73.09	-7.695
4609	69.16	1.626	4659	70.56	-0.900	4709	71.89	14.575	4759	73.11	-5.821
4610	69.18	2.500	4660	70.61	-2.151	4710	71.91	13.576	4760	73.13	-3.321
4611	69.21	3.750	4661	70.64	-2.776	4711	71.95	11.075	4761	73.14	-1.696
4612	69.23	4.749	4662	70.68	-2.777	4712	71.98	11.324	4762	73.15	-0.197
4613	69.26	5.374	4663	70.70	-2.777	4713	71.99	10.199	4763	73.16	0.803
4614	69.28	6.623	4664	70.73	-3.403	4714	72.03	9.823	4764	73.18	1.178
4615	69.30	8.123	4665	70.76	-1.528	4715	72.06	9.198	4765	73.20	0.303
4616	69.33	10.248	4666	70.78	-0.029	4716	72.11	9.822	4766	73.21	-0.948
4617	69.35	10.747	4667	70.80	3.096	4717	72.15	10.446	4767	73.24	-2.448
4618	69.37	11.747	4668	70.82	5.596	4718	72.17	11.321	4768	73.26	-3.449
4619	69.40	12.996	4669	70.85	7.470	4719	72.21	12.945	4769	73.28	-2.199
4620	69.42	14.246	4670	70.89	8.720	4720	72.25	13.820	4770	73.29	-1.949
4621	69.44	14.621	4671	70.91	9.844	4721	72.28	13.319	4771	73.31	-1.575
4622	69.46	14.870	4672	70.94	10.719	4722	72.30	14.194	4772	73.32	-0.325
4623	69.48	14.870	4673	70.97	11.343	4723	72.32	15.443	4773	73.34	-1.325
4624	69.51	15.119	4674	71.00	11.967	4724	72.34	17.443	4774	73.35	-2.450
4625	69.55	15.119	4675	71.03	10.842	4725	72.38	17.442	4775	73.37	-3.451
4626	69.57	16.118	4676	71.04	9.467	4726	72.40	17.442	4776	73.39	-4.326
4627	69.59	14.868	4677	71.06	7.966	4727	72.44	17.191	4777	73.40	-4.701
4628	69.61	12.993	4678	71.08	6.091	4728	72.46	16.191	4778	73.41	-4.076
4629	69.65	12.742	4679	71.10	5.216	4729	72.48	14.316	4779	73.43	-2.577
4630	69.66	10.492	4680	71.11	4.840	4730	72.49	12.815	4780	73.45	-1.827
4631	69.68	9.616	4681	71.14	4.840	4731	72.50	10.565	4781	73.46	-0.702
4632	69.70	8.616	4682	71.16	4.840	4732	72.52	8.565	4782	73.47	0.298
4633	69.72	7.991	4683	71.18	4.214	4733	72.54	5.439	4783	73.48	1.797
4634	69.73	6.490	4684	71.20	3.964	4734	72.57	5.314	4784	73.50	1.547
4635	69.74	5.490	4685	71.23	4.213	4735	72.60	6.063	4785	73.52	0.672
4636	69.76	4.865	4686	71.26	4.213	4736	72.63	6.688	4786	73.54	-0.579
4637	69.79	4.239	4687	71.28	3.337	4737	72.65	6.437	4787	73.56	-1.204
4638	69.80	5.114	4688	71.30	3.587	4738	72.67	6.937	4788	73.57	-1.204
4639	69.82	4.864	4689	71.32	4.837	4739	72.69	7.312	4789	73.58	-0.704
4640	69.87	7.988	4690	71.34	6.336	4740	72.71	8.186	4790	73.60	0.295
4641	69.91	8.612	4691	71.35	6.711	4741	72.72	9.186	4791	73.61	1.170
4642	69.95	9.236	4692	71.38	7.335	4742	72.74	10.061	4792	73.64	2.169
4643	69.98	9.236	4693	71.42	7.960	4743	72.75	10.186	4793	73.66	1.919
4644	70.00	9.860	4694	71.45	8.584	4744	72.77	8.560	4794	73.68	1.294
4645	70.03	10.485	4695	71.47	8.834	4745	72.79	6.435	4795	73.70	0.668
4646	70.07	10.234	4696	71.51	10.083	4746	72.81	5.810	4796	73.73	-0.332
4647	70.10	9.608	4697	71.55	10.207	4747	72.84	3.559	4797	73.77	-1.583
4648	70.13	9.233	4698	71.57	11.332	4748	72.86	1.559	4798	73.78	-1.333
4649	70.16	8.607	4699	71.60	10.456	4749	72.88	0.058	4799	73.81	0.916
4650	70.17	8.607	4700	71.61	10.456	4750	72.90	-2.192	4800	73.82	2.416

INDEX NO. 793 1302-PI-12 CHIYODA BRIDGE TR. MAX.ACCEL.=-103.738(GAL) T=20.33(SEC) NO.25

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
4801	73.84	4.291	4851	74.86	8.397	4901	76.07	10.626	4951	77.21	0.606
4802	73.86	5.540	4852	74.87	8.647	4902	76.09	10.750	4952	77.22	0.230
4803	73.87	6.790	4853	74.89	9.522	4903	76.11	8.250	4953	77.24	0.855
4804	73.89	6.540	4854	74.92	9.146	4904	76.13	6.625	4954	77.27	0.854
4805	73.91	6.540	4855	74.94	9.146	4905	76.15	5.124	4955	77.29	0.229
4806	73.93	6.539	4856	74.96	8.521	4906	76.18	3.499	4956	77.31	-0.021
4807	73.96	5.914	4857	74.98	7.270	4907	76.19	4.123	4957	77.34	-0.022
4808	73.98	7.413	4858	74.99	6.645	4908	76.23	3.873	4958	77.36	2.103
4809	74.00	8.038	4859	75.01	7.270	4909	76.25	3.498	4959	77.37	2.728
4810	74.01	9.538	4860	75.03	8.144	4910	76.27	4.372	4960	77.40	5.227
4811	74.03	8.912	4861	75.05	8.769	4911	76.30	3.247	4961	77.42	6.477
4812	74.06	7.662	4862	75.07	10.019	4912	76.33	2.246	4962	77.45	6.726
4813	74.08	7.286	4863	75.08	9.394	4913	76.35	1.496	4963	77.49	5.850
4814	74.10	6.661	4864	75.11	8.268	4914	76.36	1.746	4964	77.51	3.725
4815	74.12	6.411	4865	75.14	7.268	4915	76.38	1.745	4965	77.53	2.475
4816	74.14	7.285	4866	75.17	6.392	4916	76.40	1.745	4966	77.55	0.849
4817	74.15	8.160	4867	75.18	5.766	4917	76.41	1.745	4967	77.58	-1.026
4818	74.17	10.660	4868	75.21	6.266	4918	76.43	0.619	4968	77.61	-2.902
4819	74.18	12.285	4869	75.24	7.286	4919	76.44	-0.006	4969	77.63	-3.152
4820	74.20	13.534	4870	75.25	7.891	4920	76.47	-1.631	4970	77.64	-2.652
4821	74.21	14.409	4871	75.27	9.390	4921	76.48	-2.507	4971	77.67	-1.403
4822	74.23	16.034	4872	75.29	8.515	4922	76.50	-3.757	4972	77.70	-0.403
4823	74.25	16.033	4873	75.31	7.264	4923	76.51	-3.507	4973	77.73	1.721
4824	74.28	14.533	4874	75.33	7.014	4924	76.52	-3.257	4974	77.74	3.346
4825	74.29	13.283	4875	75.36	6.639	4925	76.55	-2.883	4975	77.76	5.220
4826	74.33	11.657	4876	75.38	6.888	4926	76.58	-3.133	4976	77.77	7.720
4827	74.34	11.032	4877	75.39	6.888	4927	76.61	-2.884	4977	77.79	8.345
4828	74.36	10.781	4878	75.41	6.638	4928	76.64	-2.634	4978	77.80	9.970
4829	74.39	9.781	4879	75.43	5.762	4929	76.66	0.490	4979	77.82	11.969
4830	74.42	9.530	4880	75.45	5.137	4930	76.68	0.865	4980	77.86	11.344
4831	74.44	8.530	4881	75.48	5.136	4931	76.70	0.615	4981	77.88	10.968
4832	74.46	6.655	4882	75.51	4.511	4932	76.73	-0.011	4982	77.91	10.093
4833	74.48	4.779	4883	75.54	4.510	4933	76.76	-0.386	4983	77.93	9.468
4834	74.51	4.154	4884	75.57	3.885	4934	76.78	-1.637	4984	77.95	8.216
4835	74.52	3.529	4885	75.60	3.884	4935	76.81	-1.637	4985	77.97	6.591
4836	74.53	4.153	4886	75.64	4.383	4936	76.83	-1.638	4986	78.00	6.965
4837	74.55	4.403	4887	75.66	5.008	4937	76.86	-2.263	4987	78.02	7.840
4838	74.57	5.027	4888	75.69	5.008	4938	76.88	-2.264	4988	78.04	8.714
4839	74.60	6.277	4889	75.73	5.632	4939	76.90	-2.014	4989	78.06	9.964
4840	74.62	7.277	4890	75.76	6.006	4940	76.92	-0.389	4990	78.09	11.588
4841	74.65	7.276	4891	75.82	6.255	4941	76.94	1.110	4991	78.11	11.838
4842	74.67	5.401	4892	75.84	6.255	4942	76.97	3.610	4992	78.13	12.212
4843	74.69	4.151	4893	75.87	4.129	4943	77.00	4.359	4993	78.16	12.212
4844	74.71	2.900	4894	75.89	3.629	4944	77.03	3.734	4994	78.18	11.962
4845	74.73	0.900	4895	75.93	4.628	4945	77.05	4.233	4995	78.21	10.961
4846	74.75	1.774	4896	75.95	6.753	4946	77.09	4.858	4996	78.24	9.461
4847	74.77	3.399	4897	75.99	7.752	4947	77.12	5.232	4997	78.27	7.835
4848	74.79	4.899	4898	76.01	7.502	4948	77.13	5.857	4998	78.28	7.210
4849	74.81	7.148	4899	76.04	9.001	4949	77.15	4.981	4999	78.29	5.335
4850	74.83	7.773	4900	76.05	9.251	4950	77.18	3.106	5000	78.31	4.084

INDEX NO. 793 1302-P1-12 CHIYODA BRIDGE TR. MAX.ACCEL.=-103.738(GAL) T=20.33(SEC) NO.26

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
5001	78.34	1.459	5051	79.57	-0.689	5101	80.78	5.790	5151	82.37	1.011
5002	78.35	-0.041	5052	79.58	0.436	5102	80.81	6.039	5152	82.39	1.635
5003	78.38	-1.292	5053	79.59	2.061	5103	80.87	6.413	5153	82.42	2.885
5004	78.39	-1.417	5054	79.61	2.936	5104	80.89	6.413	5154	82.45	3.509
5005	78.41	-0.418	5055	79.63	2.936	5105	80.93	5.537	5155	82.48	3.509
5006	78.42	0.457	5056	79.66	3.310	5106	80.97	4.286	5156	82.51	3.258
5007	78.44	1.707	5057	79.69	3.559	5107	81.00	2.036	5157	82.54	2.633
5008	78.45	3.332	5058	79.70	4.809	5108	81.01	2.910	5158	82.56	1.757
5009	78.46	4.832	5059	79.73	6.433	5109	81.04	3.285	5159	82.59	-1.994
5010	78.47	5.457	5060	79.76	6.433	5110	81.06	3.534	5160	82.62	-2.619
5011	78.50	6.706	5061	79.80	5.807	5111	81.09	4.159	5161	82.65	-1.495
5012	78.52	6.081	5062	79.83	5.182	5112	81.12	2.658	5162	82.67	-0.870
5013	78.54	5.295	5063	79.85	4.931	5113	81.14	1.158	5163	82.70	-0.245
5014	78.56	3.705	5064	79.88	3.931	5114	81.18	-0.093	5164	82.72	0.754
5015	78.59	1.829	5065	79.91	2.680	5115	81.22	-1.344	5165	82.74	1.004
5016	78.63	0.953	5066	79.93	2.305	5116	81.25	-1.719	5166	82.79	-0.872
5017	78.66	0.953	5067	79.94	2.305	5117	81.29	-1.970	5167	82.87	-0.748
5018	78.69	2.077	5068	79.97	2.929	5118	81.34	-3.596	5168	82.91	-2.124
5019	78.70	2.327	5069	79.99	3.304	5119	81.39	-3.847	5169	82.94	-2.375
5020	78.74	2.327	5070	80.02	3.928	5120	81.42	-3.347	5170	82.97	-2.375
5021	78.77	1.826	5071	80.05	4.553	5121	81.45	-1.473	5171	83.00	-0.251
5022	78.80	1.451	5072	80.06	4.552	5122	81.48	-0.223	5172	83.02	0.374
5023	78.83	0.825	5073	80.09	4.802	5123	81.51	+0.474	5173	83.03	1.624
5024	78.89	-0.051	5074	80.13	4.801	5124	81.54	-0.724	5174	83.06	2.873
5025	78.92	-0.677	5075	80.15	4.551	5125	81.58	-0.725	5175	83.08	3.498
5026	78.95	-1.927	5076	80.20	3.050	5126	81.60	0.400	5176	83.11	4.122
5027	78.98	-1.928	5077	80.21	3.050	5127	81.62	2.899	5177	83.15	4.496
5028	79.02	-2.929	5078	80.24	1.799	5128	81.65	3.523	5178	83.17	4.246
5029	79.08	-3.180	5079	80.27	1.174	5129	81.69	2.648	5179	83.23	3.245
5030	79.10	-3.180	5080	80.29	0.549	5130	81.71	2.398	5180	83.26	2.244
5031	79.13	-2.056	5081	80.32	0.548	5131	81.74	4.522	5181	83.31	+0.507
5032	79.15	-0.806	5082	80.34	0.422	5132	81.77	6.397	5182	83.34	-2.007
5033	79.19	0.193	5083	80.36	1.047	5133	81.80	6.646	5183	83.37	-2.008
5034	79.23	0.193	5084	80.38	2.297	5134	81.84	5.145	5184	83.41	+0.883
5035	79.25	0.442	5085	80.40	3.546	5135	81.88	5.770	5185	83.44	0.366
5036	79.27	-0.433	5086	80.44	4.796	5136	81.91	4.519	5186	83.47	0.365
5037	79.29	-1.308	5087	80.45	5.420	5137	81.94	3.019	5187	83.50	+0.510
5038	79.31	-1.934	5088	80.47	7.295	5138	81.99	1.767	5188	83.54	+0.511
5039	79.34	-2.934	5089	80.49	6.170	5139	82.02	2.017	5189	83.57	-0.261
5040	79.35	-3.309	5090	80.52	5.294	5140	82.06	2.266	5190	83.60	0.363
5041	79.37	-3.165	5091	80.54	3.669	5141	82.09	2.891	5191	83.64	+0.138
5042	79.39	-2.685	5092	80.58	3.418	5142	82.11	2.390	5192	83.65	+1.763
5043	79.40	-2.061	5093	80.60	3.418	5143	82.14	2.015	5193	83.68	-1.763
5044	79.41	-0.439	5094	80.62	1.792	5144	82.18	2.264	5194	83.73	-1.514
5045	79.43	-0.061	5095	80.64	1.417	5145	82.21	2.263	5195	83.76	+0.890
5046	79.45	-1.061	5096	80.67	0.167	5146	82.24	1.763	5196	83.79	+0.140
5047	79.47	-1.687	5097	80.70	-0.084	5147	82.29	0.512	5197	83.82	+0.141
5048	79.50	-2.562	5098	80.72	1.041	5148	82.31	-0.488	5198	83.86	1.984
5049	79.52	-2.063	5099	80.73	3.291	5149	82.33	-0.864	5199	83.88	3.483
5050	79.54	-1.063	5100	80.75	4.790	5150	82.35	-0.239	5200	83.91	4.482

INDEX NO. 793 1302-P1-12 CHIYODA BRIDGE TR. MAX.ACCEL.=-103.738(GAL) T=20.33(SEC) NO.27

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
5201	83.95	5.732	5251	85.42	-2.670	5301	86.69	-0.818	5351	88.05	-2.718
5202	83.97	6.357	5252	85.44	-3.920	5302	86.71	-0.943	5352	88.07	-3.718
5203	84.01	6.981	5253	85.46	-4.921	5303	86.72	-0.318	5353	88.10	-4.593
5204	84.06	7.605	5254	85.48	-5.546	5304	86.74	0.306	5354	88.13	-6.344
5205	84.09	8.229	5255	85.51	-6.921	5305	86.77	0.681	5355	88.15	-7.219
5206	84.11	8.229	5256	85.54	-7.797	5306	86.80	0.930	5356	88.17	-7.345
5207	84.15	7.353	5257	85.57	-8.173	5307	86.82	0.430	5357	88.19	-6.970
5208	84.18	5.478	5258	85.60	-8.798	5308	86.85	-1.196	5358	88.21	-6.096
5209	84.20	3.227	5259	85.61	-8.798	5309	86.87	-2.071	5359	88.23	-4.221
5210	84.22	0.727	5260	85.63	-7.549	5310	86.89	-2.072	5360	88.25	-3.221
5211	84.25	1.601	5261	85.65	-6.049	5311	86.97	-1.448	5361	88.28	-2.347
5212	84.30	2.600	5262	85.66	-5.424	5312	87.03	-0.949	5362	88.30	-0.722
5213	84.34	3.850	5263	85.67	-4.424	5313	87.07	0.050	5363	88.34	-0.098
5214	84.38	5.099	5264	85.68	-3.550	5314	87.10	0.300	5364	88.36	-0.348
5215	84.41	5.974	5265	85.71	-1.550	5315	87.14	0.049	5365	88.38	+1.974
5216	84.44	6.348	5266	85.72	+1.050	5316	87.18	-0.202	5366	88.40	-2.849
5217	84.46	5.098	5267	85.73	+0.300	5317	87.21	0.298	5367	88.43	-4.099
5218	84.48	3.847	5268	85.75	-1.301	5318	87.23	0.672	5368	88.45	-5.350
5219	84.49	2.972	5269	85.77	-2.551	5319	87.25	-0.203	5369	88.49	-5.101
5220	84.50	1.972	5270	85.79	-2.552	5320	87.28	-1.204	5370	88.52	+4.226
5221	84.51	1.347	5271	85.82	+1.927	5321	87.31	+2.079	5371	88.54	-3.601
5222	84.54	-1.404	5272	85.84	+0.677	5322	87.34	-2.080	5372	88.57	-2.602
5223	84.58	+1.530	5273	85.87	1.072	5323	87.35	-2.080	5373	88.60	-1.353
5224	84.61	-0.280	5274	85.90	-0.179	5324	87.37	-2.455	5374	88.63	-0.728
5225	84.65	+1.156	5275	85.92	-0.804	5325	87.40	-2.456	5375	88.66	+0.104
5226	84.69	-2.032	5276	85.95	+0.304	5326	87.42	+2.456	5376	88.70	0.521
5227	84.72	+1.782	5277	85.97	+0.305	5327	87.45	+2.457	5377	88.73	1.145
5228	84.74	0.342	5278	85.98	0.320	5328	87.48	+1.832	5378	88.75	1.520
5229	84.77	1.342	5279	86.03	-0.806	5329	87.50	+0.957	5379	88.78	1.519
5230	84.81	1.966	5280	86.07	-0.932	5330	87.52	-0.333	5380	88.80	0.394
5231	84.84	2.591	5281	86.10	+0.307	5331	87.53	0.292	5381	88.84	0.018
5232	84.87	3.840	5282	86.17	2.192	5332	87.55	0.291	5382	88.86	+0.232
5233	84.90	4.715	5283	86.21	3.816	5333	87.58	2.166	5383	88.92	-1.858
5234	84.93	5.714	5284	86.23	4.691	5334	87.61	1.290	5384	88.93	+2.608
5235	84.96	6.588	5285	86.25	5.690	5335	87.65	1.915	5385	88.96	0.141
5236	84.98	5.338	5286	86.28	7.190	5336	87.67	2.164	5386	89.00	1.515
5237	85.02	2.963	5287	86.30	6.939	5337	87.69	1.914	5387	89.02	2.515
5238	85.05	0.087	5288	86.32	5.689	5338	87.71	1.913	5388	89.05	3.389
5239	85.06	-2.163	5289	86.35	4.188	5339	87.73	1.663	5389	89.10	4.263
5240	85.08	-2.664	5290	86.37	3.188	5340	87.77	0.413	5390	89.14	3.263
5241	85.12	-3.289	5291	86.41	1.687	5341	87.80	0.037	5391	89.17	1.637
5242	85.15	-3.040	5292	86.44	1.312	5342	87.83	+0.589	5392	89.18	1.262
5243	85.18	-2.790	5293	86.46	1.311	5343	87.86	-1.464	5393	89.22	1.886
5244	85.21	-2.416	5294	86.50	1.311	5344	87.88	-1.465	5394	89.26	1.886
5245	85.24	-1.791	5295	86.54	1.060	5345	87.90	-1.215	5395	89.29	3.385
5246	85.27	-0.292	5296	86.55	1.059	5346	87.92	-0.590	5396	89.32	2.884
5247	85.29	0.333	5297	86.58	0.684	5347	87.93	0.035	5397	89.36	2.258
5248	85.32	-0.168	5298	86.61	-0.191	5348	87.96	0.034	5398	89.38	0.383
5249	85.35	-1.168	5299	86.63	-0.817	5349	87.99	+0.591	5399	89.42	-1.493
5250	85.37	+2.044	5300	86.65	-0.817	5350	88.02	-1.217	5400	89.48	-3.994

INDEX NO. 793 1302-PI-12 CHIYODA BRIDGE TR. MAX.ACCEL.=-103.738(GAL) T=20.33(SEC) NO.28

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
5401	89.51	+4.994	5451	90.92	-3.520	5501	92.57	-8.675	5551	94.22	-1.955
5402	89.54	+4.745	5452	90.94	-2.520	5502	92.60	-6.800	5552	94.24	-1.955
5403	89.58	+3.745	5453	90.96	-0.395	5503	92.63	-5.551	5553	94.27	+0.706
5404	89.61	+2.496	5454	90.98	0.854	5504	92.66	-5.801	5554	94.31	-0.081
5405	89.63	+1.621	5455	90.99	1.479	5505	92.70	-6.427	5555	94.35	0.168
5406	89.65	+1.497	5456	91.01	2.479	5506	92.75	-6.678	5556	94.44	-1.959
5407	89.67	+2.497	5457	91.04	1.653	5507	92.79	-7.054	5557	94.48	-3.209
5408	89.70	+3.997	5458	91.07	0.977	5508	92.83	-7.930	5558	94.51	-4.085
5409	89.73	+5.873	5459	91.10	0.352	5509	92.87	-9.555	5559	94.54	-5.086
5410	89.75	+6.623	5460	91.14	-1.274	5510	92.90	-8.056	5560	94.57	-5.961
5411	89.79	+6.999	5461	91.17	-2.149	5511	92.92	-4.556	5561	94.60	-5.962
5412	89.82	+7.875	5462	91.20	-3.150	5512	92.94	-2.056	5562	94.63	-5.962
5413	89.85	+9.126	5463	91.21	-3.400	5513	92.96	-0.807	5563	94.64	+5.837
5414	89.88	+9.876	5464	91.27	-2.276	5514	92.98	0.443	5564	94.67	-4.588
5415	89.89	+11.001	5465	91.30	-1.277	5515	93.00	2.693	5565	94.70	-1.838
5416	89.91	+10.126	5466	91.33	-1.027	5516	93.04	1.817	5566	94.73	-0.589
5417	89.93	+8.627	5467	91.36	-0.403	5517	93.07	-0.059	5567	94.75	+0.214
5418	89.97	+8.002	5468	91.40	1.472	5518	93.10	-2.184	5568	94.77	-1.465
5419	90.01	+7.628	5469	91.42	1.596	5519	93.12	+2.810	5569	94.81	-1.715
5420	90.04	+7.004	5470	91.45	0.595	5520	93.17	-2.561	5570	94.85	-1.716
5421	90.06	+6.129	5471	91.48	-0.655	5521	93.20	-2.311	5571	94.88	-1.717
5422	90.07	+5.129	5472	91.50	-1.530	5522	93.24	-1.937	5572	94.91	-1.467
5423	90.08	+4.879	5473	91.52	-2.156	5523	93.26	+2.562	5573	94.94	-1.468
5424	90.12	+4.505	5474	91.56	-1.281	5524	93.29	-3.563	5574	94.97	-1.718
5425	90.15	+5.381	5475	91.61	-1.032	5525	93.31	-3.563	5575	94.99	-2.344
5426	90.19	+5.506	5476	91.65	-1.283	5526	93.36	-2.564	5576	95.01	-3.344
5427	90.22	+4.507	5477	91.69	-0.034	5527	93.39	-1.940	5577	95.03	-3.969
5428	90.26	+3.633	5478	91.72	1.216	5528	93.42	-1.315	5578	95.04	-4.595
5429	90.32	+3.634	5479	91.78	2.215	5529	93.47	-1.066	5579	95.06	-5.845
5430	90.35	+3.009	5480	91.81	1.839	5530	93.50	-1.942	5580	95.10	-5.846
5431	90.38	+3.260	5481	91.87	1.213	5531	93.53	-3.192	5581	95.15	-5.222
5432	90.42	+3.511	5482	91.91	0.962	5532	93.56	-3.818	5582	95.19	-5.222
5433	90.46	+3.511	5483	91.96	0.336	5533	93.60	-4.444	5583	95.21	-5.223
5434	90.50	+3.262	5484	92.01	-0.665	5534	93.65	-3.569	5584	95.24	-4.973
5435	90.54	+2.013	5485	92.03	-0.915	5535	93.67	-3.820	5585	95.27	-4.599
5436	90.56	+1.763	5486	92.05	-0.040	5536	93.71	+5.696	5586	95.32	-4.850
5437	90.59	+0.764	5487	92.08	1.209	5537	93.76	-5.446	5587	95.34	-4.600
5438	90.61	0.736	5488	92.12	1.833	5538	93.80	+5.447	5588	95.37	-4.851
5439	90.63	-2.111	5489	92.17	-0.042	5539	93.82	-5.447	5589	95.40	-4.351
5440	90.66	-2.485	5490	92.21	-1.543	5540	93.85	-5.448	5590	95.45	-3.352
5441	90.68	-0.985	5491	92.23	-2.544	5541	93.87	-5.698	5591	95.48	-3.353
5442	90.71	+0.641	5492	92.28	-3.169	5542	93.89	+5.699	5592	95.51	-2.478
5443	90.74	-3.141	5493	92.32	-3.795	5543	93.92	+5.449	5593	95.53	-2.478
5444	90.75	-2.892	5494	92.35	-5.046	5544	93.98	+4.200	5594	95.56	-3.354
5445	90.78	-3.767	5495	92.40	-7.672	5545	94.02	-2.576	5595	95.58	-4.604
5446	90.81	-3.518	5496	92.43	-8.547	5546	94.04	-1.076	5596	95.63	-5.480
5447	90.82	-3.518	5497	92.47	-7.673	5547	94.07	+0.077	5597	95.66	-6.731
5448	90.85	-3.518	5498	92.48	-7.048	5548	94.10	0.173	5598	95.68	-7.106
5449	90.87	-3.769	5499	92.50	-7.290	5549	94.14	-0.078	5599	95.71	-7.107
5450	90.89	-4.394	5500	92.55	-8.924	5550	94.18	-0.704	5600	95.75	-7.108

INDEX NO. 793 1302-PI-12 CHIYODA BRIDGE TR. MAX.ACCEL.=-103.738(GAL) T=20.33(SEC) NO.29

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
5601	95.79	-6.233	5651	97.69	-8.018	5701	99.51	-4.051	5751	101.08	+7.204
5602	95.82	-4.984	5652	97.72	-8.393	5702	99.55	-3.427	5752	101.11	-5.955
5603	95.88	-3.360	5653	97.75	-6.144	5703	99.59	-3.677	5753	101.14	-5.080
5604	95.91	-2.485	5654	97.79	-8.644	5704	99.64	-3.178	5754	101.17	-4.081
5605	95.94	-2.111	5655	97.83	-8.395	5705	99.67	-3.679	5755	101.20	-4.081
5606	96.00	-3.987	5656	97.87	-7.521	5706	99.70	-4.304	5756	101.23	-4.707
5607	96.04	-4.063	5657	97.89	-7.146	5707	99.74	-4.930	5757	101.26	-4.958
5608	96.09	-6.114	5658	97.92	-5.897	5708	99.77	-5.305	5758	101.30	-4.458
5609	96.13	-6.864	5659	97.95	-4.397	5709	99.79	-5.556	5759	101.33	-4.334
5610	96.15	-7.115	5660	97.98	-3.773	5710	99.85	-6.557	5760	101.38	-5.960
5611	96.16	-7.115	5661	98.01	-3.399	5711	99.90	-7.183	5761	101.41	-7.210
5612	96.18	-5.615	5662	98.07	+2.775	5712	99.95	-6.934	5762	101.45	-8.461
5613	96.21	-4.616	5663	98.11	-2.775	5713	99.99	-7.185	5763	101.48	-9.712
5614	96.23	+3.366	5664	98.14	-2.776	5714	100.03	-7.560	5764	101.53	-9.962
5615	96.27	+2.117	5665	98.18	-3.027	5715	100.07	-7.811	5765	101.57	-9.963
5616	96.32	+1.493	5666	98.21	-3.027	5716	100.12	-7.187	5766	101.60	-9.714
5617	96.35	-0.869	5667	98.25	-3.028	5717	100.14	-7.812	5767	101.64	-9.964
5618	96.40	-1.119	5668	98.28	-3.404	5718	100.17	-8.438	5768	101.65	-9.965
5619	96.43	-1.495	5669	98.32	+2.154	5719	100.19	-8.813	5769	101.70	-9.716
5620	96.47	+4.621	5670	98.35	-3.030	5720	100.20	-8.563	5770	101.75	-9.716
5621	96.51	-3.996	5671	98.40	+4.281	5721	100.21	-8.564	5771	101.78	-9.967
5622	96.54	-3.372	5672	98.43	+4.656	5722	100.24	-8.814	5772	101.81	-9.968
5623	96.58	-3.123	5673	98.47	-4.907	5723	100.26	-9.439	5773	101.84	-10.343
5624	96.63	-1.873	5674	98.53	-5.283	5724	100.30	+10.190	5774	101.88	-10.344
5625	96.66	-3.374	5675	98.57	-4.659	5725	100.33	-11.066	5775	101.91	-10.344
5626	96.72	-3.125	5676	98.59	-4.409	5726	100.36	+12.316	5776	101.94	-10.595
5627	96.75	-4.251	5677	98.63	-4.660	5727	100.38	+12.567	5777	101.99	-10.596
5628	96.81	-6.127	5678	98.68	-6.161	5728	100.40	+12.317	5778	102.03	-10.347
5629	96.83	-6.252	5679	98.72	-6.786	5729	100.43	-11.693	5779	102.08	-10.098
5630	96.87	-5.253	5680	98.77	-6.787	5730	100.46	-10.443	5780	102.10	-10.348
5631	96.91	-4.629	5681	98.83	-7.163	5731	100.48	-9.818	5781	102.13	-9.723
5632	96.94	+3.754	5682	98.87	-7.789	5732	100.51	-9.569	5782	102.17	-8.474
5633	96.97	-1.880	5683	98.92	-9.040	5733	100.54	-8.819	5783	102.21	-8.100
5634	97.03	-3.631	5684	98.96	-9.291	5734	100.56	+9.445	5784	102.24	-8.725
5635	97.08	-4.382	5685	99.00	-9.042	5735	100.58	-9.445	5785	102.26	-10.601
5636	97.14	+3.758	5686	99.04	-9.042	5736	100.61	-9.821	5786	102.28	-11.851
5637	97.21	+3.384	5687	99.07	-8.793	5737	100.65	-10.446	5787	102.30	-12.476
5638	97.24	-2.760	5688	99.10	-8.168	5738	100.68	-10.447	5788	102.31	-13.102
5639	97.27	+3.385	5689	99.13	-8.669	5739	100.71	-10.448	5789	102.34	-13.727
5640	97.32	+4.261	5690	99.16	-9.295	5740	100.74	-10.198	5790	102.36	-13.478
5641	97.36	+5.887	5691	99.19	-10.545	5741	100.78	-8.949	5791	102.39	-13.478
5642	97.40	+8.013	5692	99.21	-11.545	5742	100.80	-7.949	5792	102.43	-13.479
5643	97.43	+8.388	5693	99.24	-12.421	5743	100.84	+7.325	5793	102.47	-14.104
5644	97.48	+8.764	5694	99.26	-11.671	5744	100.87	-6.326	5794	102.50	-14.480
5645	97.51	+8.639	5695	99.29	-11.422	5745	100.89	-5.701	5795	102.53	-16.231
5646	97.52	+8.140	5696	99.32	-9.797	5746	100.92	+6.202	5796	102.57	-12.981
5647	97.54	+7.140	5697	99.35	-8.548	5747	100.97	+8.077	5797	102.63	-11.733
5648	97.60	+5.016	5698	99.39	-7.673	5748	100.99	+8.703	5798	102.67	-10.858
5649	97.62	+5.642	5699	99.42	+6.299	5749	101.01	+8.203	5799	102.70	-10.859
5650	97.67	+7.767	5700	99.47	+4.050	5750	101.05	+8.204	5800	102.74	-10.735

INDEX NO. 793 1302-PI-12 CHIYODA BRIDGE TR. MAX.ACCEL.=-103.738(GAL) T=20.33(SEC) NO.30

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
5801	102.78	-11.380	5851	104.49	-13.016	5901	105.97	-15.543
5802	102.81	-11.361	5852	104.53	-13.642	5902	106.00	-16.169
5803	102.84	-11.986	5853	104.56	-13.643	5903	106.02	-16.169
5804	102.87	-12.362	5854	104.57	-13.643	5904	106.06	-16.420
5805	102.89	-12.112	5855	104.60	-12.268	5905	106.09	-15.545
5806	102.90	-11.488	5856	104.66	-15.519	5906	106.12	-14.296
5807	102.93	-10.238	5857	104.69	-15.770	5907	106.15	-13.421
5008	102.96	-9.238	5558	104.73	-15.771	5908	106.18	-12.797
5809	102.98	-8.614	5859	104.76	-15.521	5909	106.21	-12.423
5810	103.00	-9.239	5660	104.79	-15.272	5910	106.25	-12.173
5811	103.04	-10.115	5861	104.83	-15.273	5911	106.28	-12.174
5812	103.07	-10.490	5862	104.87	-15.523	5912	106.32	-11.800
5813	103.10	-9.866	5863	104.90	-15.774	5913	106.34	-11.550
5814	103.12	-9.866	5864	104.93	-14.649	5914	106.36	-11.550
5815	103.16	-10.117	5865	104.97	-14.275	5915	106.39	-10.926
5816	103.19	-10.743	5866	105.00	-14.276	5916	106.43	-10.802
5817	103.23	-11.368	5867	105.03	-14.026	5917	106.48	-12.052
5818	103.26	-11.369	5868	105.05	-13.401	5918	106.51	-12.428
5819	103.31	-11.995	5869	105.08	-13.652	5919	106.55	-12.679
5820	103.34	-12.370	5870	105.13	-13.402	5920	106.58	-13.054
5821	103.38	-13.621	5871	105.13	-13.903	5921	106.63	-13.930
5822	103.42	-14.247	5872	105.16	-14.904	5922	106.65	-14.681
5823	103.45	-14.873	5873	105.20	-16.779	5923	106.67	-15.556
5824	103.46	-15.748	5874	105.21	-16.154	5924	106.69	-16.806
5825	103.48	-14.873	5875	105.26	-15.905	5925	106.72	-18.057
5826	103.50	-14.623	5876	105.30	-15.531	5926	106.75	-18.307
5827	103.53	-14.249	5877	105.33	-15.282	5927	106.79	-18.058
5828	103.55	-14.499	5878	105.39	-14.908	5928	106.81	-17.808
5829	103.58	-15.750	5879	105.41	-14.908	5929	106.83	-17.184
5830	103.60	-15.750	5880	105.44	-15.158	5930	106.85	-16.809
5831	103.63	-15.251	5881	105.49	-15.534	5931	106.89	-16.810
5832	103.66	-14.251	5882	105.51	-15.785	5932	106.90	-16.560
5833	103.69	-12.752	5883	105.53	-16.160	5933	106.92	-16.560
5834	103.72	-12.127	5884	105.56	-15.911			
5835	103.76	-11.753	5685	105.57	-15.911			
5836	103.81	-12.129	5886	105.58	-15.286			
5837	103.84	-12.629	5887	105.59	-14.661			
5838	103.87	-12.630	5888	105.61	-13.412			
5839	103.91	-13.631	5889	105.62	-13.662			
5840	103.95	-14.257	5890	105.64	-13.912			
5841	104.01	-14.258	5891	105.67	-14.538			
5842	104.05	-13.383	5892	105.69	-14.913			
5843	104.11	-12.759	5893	105.75	-15.164			
5844	104.16	-12.760	5894	105.78	-15.165			
5845	104.20	-12.136	5695	105.81	-15.540			
5846	104.27	-12.637	5896	105.84	-15.291			
5847	104.32	-12.638	5897	105.87	-14.916			
5848	104.36	-13.014	5898	105.90	-14.667			
5849	104.41	-12.390	5899	105.92	-14.667			
5850	104.45	-13.016	5900	105.95	-14.918			

Table IX D-20 Digitized Accelerations of Earthquake Record with Index Number 794

INDEX NO. 794 1362-FU-10 CHIYODA BRIDGE LG. MAX.ACCEL.= 39.384(GAL) T=14.07(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.0	9.386	51	0.62	2.710	101	1.31	3.670	151	2.01	1.506
2	0.01	9.637	52	0.63	2.711	102	1.32	2.671	152	2.02	1.509
3	0.02	9.763	53	0.64	2.212	103	1.33	1.047	153	2.03	1.509
4	0.03	8.139	54	0.66	0.590	104	1.34	-0.201	154	2.04	2.386
5	0.04	7.140	55	0.67	-1.283	105	1.35	-1.825	155	2.07	3.640
6	0.05	6.266	56	0.68	-2.282	106	1.37	-2.073	156	2.09	4.016
7	0.06	5.643	57	0.70	-1.908	107	1.38	-2.697	157	2.10	3.769
8	0.07	4.769	58	0.71	-1.029	108	1.39	-2.696	158	2.13	4.271
9	0.08	4.394	59	0.72	-0.028	109	1.40	-2.195	159	2.14	3.648
10	0.09	2.896	60	0.74	1.475	110	1.41	-0.568	160	2.15	3.650
11	0.10	0.898	61	0.76	3.727	111	1.43	1.059	161	2.17	4.277
12	0.11	-0.976	62	0.78	5.605	112	1.44	2.185	162	2.19	5.029
13	0.12	-1.975	63	0.80	6.482	113	1.45	3.187	163	2.20	5.280
14	0.13	-1.974	64	0.81	6.859	114	1.46	4.064	164	2.21	5.032
15	0.14	-1.973	65	0.83	7.485	115	1.48	4.690	165	2.22	4.658
16	0.15	-1.097	66	0.84	7.407	116	1.51	5.945	166	2.23	3.785
17	0.17	0.155	67	0.86	7.239	117	1.54	6.949	167	2.26	2.538
18	0.18	1.407	68	0.87	6.865	118	1.56	7.576	168	2.29	1.917
19	0.19	2.658	69	0.88	6.242	119	1.57	7.577	169	2.30	1.168
20	0.20	3.034	70	0.90	4.994	120	1.58	7.578	170	2.31	0.795
21	0.21	3.661	71	0.91	3.495	121	1.59	7.579	171	2.32	0.795
22	0.22	2.786	72	0.92	1.871	122	1.60	7.330	172	2.33	0.797
23	0.23	1.539	73	0.94	-0.251	123	1.61	6.332	173	2.34	1.423
24	0.24	0.914	74	0.95	-1.250	124	1.62	4.833	174	2.36	2.301
25	0.25	0.540	75	0.96	-2.498	125	1.64	2.585	175	2.40	3.930
26	0.26	0.791	76	0.97	-3.373	126	1.65	0.087	176	2.46	7.939
27	0.27	1.793	77	0.98	-3.122	127	1.66	-1.162	177	2.48	8.067
28	0.30	3.922	78	0.99	-3.121	128	1.67	-1.411	178	2.50	8.319
29	0.33	4.549	79	1.00	-2.493	129	1.68	-2.659	179	2.51	8.070
30	0.34	4.301	80	1.02	-1.866	130	1.69	-3.033	180	2.52	7.696
31	0.35	3.678	81	1.05	-0.362	131	1.71	-2.781	181	2.54	6.824
32	0.36	2.429	82	1.06	0.264	132	1.74	-2.153	182	2.55	6.200
33	0.38	1.556	83	1.07	1.265	133	1.76	-2.150	183	2.56	4.951
34	0.39	1.557	84	1.08	1.891	134	1.77	-2.149	184	2.57	4.328
35	0.41	0.934	85	1.09	3.143	135	1.78	-2.397	185	2.59	4.204
36	0.42	0.937	86	1.12	4.395	136	1.80	-3.020	186	2.60	4.207
37	0.44	0.314	87	1.13	5.273	137	1.81	-2.769	187	2.62	3.334
38	0.46	0.566	88	1.14	5.649	138	1.82	-2.143	188	2.63	3.085
39	0.47	0.318	89	1.15	5.650	139	1.84	1.360	189	2.64	2.462
40	0.48	0.568	90	1.16	5.651	140	1.86	4.738	190	2.65	2.087
41	0.49	1.444	91	1.17	5.028	141	1.87	5.489	191	2.66	-0.411
42	0.51	3.947	92	1.19	5.029	142	1.88	6.240	192	2.68	-2.534
43	0.52	4.949	93	1.21	4.783	143	1.90	5.492	193	2.69	-3.532
44	0.53	4.950	94	1.23	4.409	144	1.91	4.369	194	2.70	-5.531
45	0.54	4.950	95	1.24	4.661	145	1.93	2.497	195	2.72	-4.903
46	0.55	4.701	96	1.25	5.037	146	1.94	2.123	196	2.73	-4.277
47	0.56	4.078	97	1.27	5.290	147	1.95	2.124	197	2.75	-4.024
48	0.57	3.4455	98	1.28	5.291	148	1.96	2.126	198	2.76	-3.398
49	0.59	2.831	99	1.29	5.042	149	1.98	2.128	199	2.78	-2.771
50	0.61	2.834	100	1.30	4.543	150	1.99	1.879	200	2.80	-2.769

INDEX NO. 794 1302-FU-10 CHIYODA BRIDGE LG. MAX.ACCEL.= 39.384(GAL) T=14.07(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	2.81	-2.392	251	3.41	-1.068	301	4.09	5.392	351	4.76	8.099
202	2.82	-2.391	252	3.42	2.809	302	4.12	4.145	352	4.77	6.225
203	2.83	-1.765	253	3.43	4.660	303	4.14	3.522	353	4.80	-2.896
204	2.84	-0.888	254	3.44	5.561	304	4.15	3.523	354	4.82	-8.393
205	2.86	1.488	255	3.45	8.063	305	4.16	3.900	355	4.83	-9.642
206	2.88	3.617	256	3.46	9.814	306	4.17	3.901	356	4.84	-9.891
207	2.89	4.868	257	3.47	11.315	307	4.18	3.902	357	4.85	-10.015
208	2.90	5.494	258	3.49	12.317	308	4.19	4.778	358	4.86	-10.264
209	2.91	5.746	259	3.50	13.194	309	4.20	5.655	359	4.87	-8.137
210	2.92	5.371	260	3.52	13.570	310	4.22	6.032	360	4.89	-3.760
211	2.94	1.749	261	3.53	14.197	311	4.23	6.159	361	4.93	3.245
212	2.95	-2.249	262	3.54	13.948	312	4.24	5.910	362	4.94	5.121
213	2.97	-4.747	263	3.55	13.324	313	4.25	4.911	363	4.95	6.122
214	2.98	-6.746	264	3.56	10.826	314	4.26	4.037	364	4.96	6.999
215	2.99	-7.620	265	3.58	8.953	315	4.28	2.164	365	4.97	7.375
216	3.00	-7.993	266	3.59	6.454	316	4.29	0.916	366	5.00	7.628
217	3.01	-7.992	267	3.60	3.580	317	4.30	0.167	367	5.02	8.256
218	3.03	-7.114	268	3.62	-0.542	318	4.32	-0.206	368	5.05	8.259
219	3.04	-6.489	269	3.63	-3.041	319	4.34	-0.828	369	5.06	8.261
220	3.05	-4.862	270	3.65	-4.913	320	4.35	-0.827	370	5.08	8.513
221	3.07	-2.735	271	3.66	-6.662	321	4.36	-1.076	371	5.09	6.015
222	3.08	-0.233	272	3.67	-7.536	322	4.37	-2.324	372	5.10	3.141
223	3.09	1.143	273	3.68	-8.535	323	4.38	-3.323	373	5.11	1.517
224	3.10	2.769	274	3.70	-10.032	324	4.39	-4.822	374	5.14	-2.229
225	3.11	3.395	275	3.72	-11.030	325	4.41	-7.819	375	5.17	-5.101
226	3.12	4.272	276	3.73	-12.278	326	4.42	-9.318	376	5.18	-7.349
227	3.14	5.274	277	3.75	-12.526	327	4.44	-10.941	377	5.19	-8.598
228	3.16	6.777	278	3.76	-12.525	328	4.45	-11.189	378	5.20	-10.221
229	3.17	8.403	279	3.77	-10.773	329	4.46	-11.813	379	5.21	-11.470
230	3.19	10.031	280	3.79	-8.896	330	4.47	-11.562	380	5.22	-11.469
231	3.20	11.032	281	3.80	-6.019	331	4.49	-10.685	381	5.23	-11.218
232	3.21	11.283	282	3.81	-3.893	332	4.50	-9.683	382	5.24	-9.592
233	3.22	12.159	283	3.82	-1.642	333	4.52	-7.806	383	5.25	-7.466
234	3.23	11.535	284	3.83	-0.141	334	4.53	-5.930	384	5.29	3.039
235	3.24	9.161	285	3.84	1.610	335	4.54	-4.678	385	5.30	5.541
236	3.25	7.663	286	3.85	2.862	336	4.56	-2.551	386	5.31	5.793
237	3.26	6.039	287	3.87	5.614	337	4.58	2.951	387	5.32	6.169
238	3.27	2.666	288	3.89	6.867	338	4.59	8.578	388	5.33	6.170
239	3.28	-0.583	289	3.91	8.119	339	4.60	10.205	389	5.36	6.174
240	3.29	-2.707	290	3.92	8.496	340	4.61	13.081	390	5.37	5.175
241	3.30	-3.831	291	3.93	8.747	341	4.62	14.957	391	5.38	5.801
242	3.31	-5.455	292	3.94	8.748	342	4.63	15.833	392	5.39	6.427
243	3.32	-7.328	293	3.97	7.876	343	4.64	16.334	393	5.40	8.929
244	3.33	-7.327	294	3.98	7.628	344	4.65	16.336	394	5.43	14.432
245	3.34	-7.326	295	3.99	7.254	345	4.67	15.463	395	5.44	16.934
246	3.35	-7.075	296	4.00	7.256	346	4.68	13.215	396	5.45	17.685
247	3.36	-6.449	297	4.02	7.508	347	4.69	11.215	397	5.46	18.312
248	3.37	-5.823	298	4.04	7.886	348	4.71	10.342	398	5.48	17.688
249	3.39	-3.570	299	4.05	7.262	349	4.73	9.970	399	5.49	16.190
250	3.40	-2.319	300	4.07	6.639	350	4.75	9.347	400	5.50	11.816

INDEX NO. 794 1302-FU-10 CHIYODA BRIDGE LG. MAX.ACCEL.= 39.384(GAL) T=14.07(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	5.52	4.193	451	6.22	-9.469	501	7.00	5.753	551	7.77	15.974
402	5.53	0.570	452	6.23	-11.343	502	7.01	4.505	552	7.78	14.725
403	5.54	-1.554	453	6.24	-12.842	503	7.02	2.006	553	7.79	13.227
404	5.55	-2.928	454	6.25	-13.965	504	7.03	0.757	554	7.81	11.978
405	5.56	-3.802	455	6.26	-13.339	505	7.04	-2.366	555	7.82	9.106
406	5.57	-4.425	456	6.27	-11.213	506	7.06	-6.865	556	7.84	7.857
407	5.59	-4.423	457	6.28	-8.336	507	7.08	-11.487	557	7.86	6.985
408	5.64	-5.916	458	6.30	-7.084	508	7.09	-15.735	558	7.87	5.736
409	5.65	-5.665	459	6.31	-5.958	509	7.12	-19.857	559	7.88	4.487
410	5.66	-5.769	460	6.32	-6.581	510	7.13	-22.105	560	7.89	2.613
411	5.67	-4.538	461	6.35	-7.203	511	7.14	-21.479	561	7.90	-1.011
412	5.69	-1.785	462	6.36	-7.202	512	7.15	-20.227	562	7.94	-9.255
413	5.70	-0.784	463	6.37	-6.325	513	7.17	-17.725	563	7.95	-11.378
414	5.71	0.093	464	6.39	-5.073	514	7.19	-16.224	564	7.96	-13.252
415	5.72	0.719	465	6.40	-3.196	515	7.21	-12.346	565	7.97	-14.376
416	5.73	1.095	466	6.43	1.182	516	7.25	-7.965	566	7.98	-14.750
417	5.75	1.473	467	6.45	2.810	517	7.27	-5.963	567	7.99	-14.748
418	5.78	1.226	468	6.46	3.811	518	7.28	-4.337	568	8.00	-13.122
419	5.80	0.978	469	6.47	4.187	519	7.29	-1.585	569	8.02	-10.620
420	5.81	0.980	470	6.48	3.564	520	7.31	1.666	570	8.06	-2.740
421	5.82	1.231	471	6.50	2.566	521	7.33	7.044	571	8.07	-1.489
422	5.83	2.482	472	6.52	0.069	522	7.34	8.296	572	8.09	-0.237
423	5.84	3.109	473	6.54	-2.053	523	7.35	9.172	573	8.10	0.389
424	5.85	3.735	474	6.56	-3.051	524	7.38	9.675	574	8.11	0.766
425	5.86	4.362	475	6.57	-4.300	525	7.39	10.927	575	8.12	0.768
426	5.87	4.362	476	6.58	-4.548	526	7.42	12.431	576	8.15	-0.480
427	5.88	2.864	477	6.60	-4.547	527	7.44	12.433	577	8.17	-2.101
428	5.89	2.240	478	6.61	-4.921	528	7.45	12.185	578	8.18	-2.600
429	5.90	-1.259	479	6.62	-3.669	529	7.46	11.936	579	8.20	-2.098
430	5.92	-5.006	480	6.64	-1.792	530	7.48	10.312	580	8.22	-1.720
431	5.93	-6.630	481	6.67	3.213	531	7.49	9.688	581	8.24	-2.718
432	5.94	-8.003	482	6.70	5.091	532	7.50	7.815	582	8.25	-5.091
433	5.95	-8.002	483	6.71	5.217	533	7.51	5.941	583	8.28	-11.338
434	5.96	-7.001	484	6.72	4.593	534	7.52	4.693	584	8.29	-15.586
435	5.98	-2.624	485	6.73	3.344	535	7.53	2.819	585	8.31	-16.833
436	6.00	4.004	486	6.74	2.721	536	7.54	1.196	586	8.32	-16.583
437	6.01	6.256	487	6.76	-2.651	537	7.55	-0.429	587	8.33	-14.956
438	6.02	7.382	488	6.77	-3.650	538	7.56	-0.677	588	8.34	-13.456
439	6.03	7.008	489	6.78	-5.648	539	7.58	-1.675	589	8.35	-8.079
440	6.05	6.384	490	6.79	-5.272	540	7.61	-3.796	590	8.39	7.426
441	6.07	5.512	491	6.80	-3.771	541	7.64	-6.167	591	8.40	11.303
442	6.08	5.513	492	6.83	1.233	542	7.65	-6.166	592	8.41	12.929
443	6.10	7.017	493	6.85	3.235	543	7.66	-5.915	593	8.42	15.431
444	6.14	11.021	494	6.86	4.486	544	7.67	-5.289	594	8.45	20.184
445	6.15	12.398	495	6.88	4.239	545	7.70	7.341	595	8.47	22.061
446	6.16	11.399	496	6.90	5.116	546	7.72	12.218	596	8.48	22.688
447	6.17	10.150	497	6.94	6.370	547	7.73	13.719	597	8.49	23.689
448	6.18	8.026	498	6.96	6.998	548	7.74	15.345	598	8.50	24.191
449	6.19	2.653	499	6.98	7.000	549	7.75	15.972	599	8.51	23.192
450	6.21	-7.219	500	6.99	6.752	550	7.76	15.723	600	8.52	21.693

INDEX NO. 794 1302-FU-10 CHIYODA BRIDGE LG. MAX.ACCEL.= 39.384(GAL) T=14.07(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	8.53	19.819	651	9.22	11.905	701	9.92	0.616	751	10.65	12.707
602	8.54	17.445	652	9.23	10.531	702	9.94	8.619	752	10.66	8.834
603	8.55	14.321	653	9.24	4.282	703	9.95	10.871	753	10.67	3.210
604	8.57	7.074	654	9.25	-5.216	704	9.97	12.247	754	10.72	-9.159
605	8.58	3.575	655	9.28	-13.007	705	9.98	11.074	755	10.73	-13.282
606	8.59	1.951	656	9.29	-17.586	706	10.00	9.376	756	10.74	-15.531
607	8.60	0.953	657	9.30	-20.085	707	10.01	4.128	757	10.75	-16.530
608	8.62	-0.920	658	9.31	-21.833	708	10.05	-5.368	758	10.76	-16.904
609	8.64	-3.417	659	9.32	-22.708	709	10.07	-10.249	759	10.77	-17.153
610	8.65	-5.541	660	9.33	-23.207	710	10.08	-12.988	760	10.78	-13.401
611	8.66	-6.665	661	9.34	-23.455	711	10.09	-13.363	761	10.79	-10.275
612	8.67	-10.663	662	9.35	-23.454	712	10.11	-11.860	762	10.82	4.104
613	8.69	-15.911	663	9.36	-22.953	713	10.12	-9.609	763	10.83	8.105
614	8.71	-18.283	664	9.38	-19.950	714	10.13	-6.482	764	10.84	10.732
615	8.72	-21.657	665	9.39	-16.574	715	10.14	-5.231	765	10.85	12.607
616	8.73	-21.906	666	9.40	-13.572	716	10.15	-4.355	766	10.86	13.859
617	8.74	-20.655	667	9.42	-5.570	717	10.16	-2.728	767	10.87	14.110
618	8.75	-18.779	668	9.43	-2.819	718	10.18	-0.852	768	10.88	14.112
619	8.76	-14.778	669	9.44	-1.943	719	10.19	2.401	769	10.90	13.863
620	8.81	1.478	670	9.46	0.559	720	10.22	8.654	770	10.92	12.991
621	8.82	5.354	671	9.47	2.936	721	10.24	13.157	771	10.95	12.995
622	8.83	6.607	672	9.48	4.813	722	10.25	14.033	772	10.96	12.997
623	8.85	7.234	673	9.49	7.314	723	10.26	15.284	773	10.98	13.248
624	8.86	5.406	674	9.50	8.814	724	10.27	15.661	774	11.00	13.501
625	8.87	2.986	675	9.51	10.815	725	10.28	15.412	775	11.01	13.503
626	8.88	0.113	676	9.52	13.943	726	10.29	13.788	776	11.02	12.629
627	8.90	-3.385	677	9.54	15.819	727	10.31	10.040	777	11.03	12.005
628	8.91	-5.133	678	9.56	17.572	728	10.32	6.291	778	11.04	10.756
629	8.92	-4.757	679	9.59	19.700	729	10.33	-0.708	779	11.05	9.757
630	8.93	-4.506	680	9.61	20.953	730	10.35	-7.331	780	11.06	8.008
631	8.95	-3.503	681	9.62	21.329	731	10.36	-12.078	781	11.07	3.635
632	8.97	-3.501	682	9.63	21.580	732	10.37	-14.702	782	11.09	+0.613
633	8.98	-3.500	683	9.64	20.208	733	10.38	-15.951	783	11.10	-4.986
634	8.99	-4.374	684	9.65	18.708	734	10.39	-17.200	784	11.11	-6.611
635	9.01	-5.996	685	9.66	15.709	735	10.41	-19.323	785	11.12	-7.984
636	9.03	-5.993	686	9.68	8.711	736	10.43	-21.695	786	11.13	-8.483
637	9.04	-5.992	687	9.70	-2.286	737	10.45	-22.568	787	11.14	-8.482
638	9.06	-4.740	688	9.71	-5.035	738	10.46	-22.692	788	11.16	-8.229
639	9.07	-1.988	689	9.72	-7.409	739	10.47	-22.316	789	11.18	-6.602
640	9.08	0.888	690	9.73	-11.532	740	10.48	-19.189	790	11.19	-6.351
641	9.10	5.640	691	9.74	-12.406	741	10.49	-16.437	791	11.20	-6.349
642	9.11	11.767	692	9.75	-14.155	742	10.50	-12.811	792	11.21	-6.097
643	9.13	15.768	693	9.77	-12.277	743	10.52	-9.060	793	11.23	-6.970
644	9.14	17.770	694	9.80	-10.774	744	10.53	-2.432	794	11.26	-7.217
645	9.15	20.022	695	9.81	-10.397	745	10.56	8.321	795	11.27	+7.591
646	9.16	20.648	696	9.83	-9.770	746	10.57	11.573	796	11.28	-6.590
647	9.17	20.650	697	9.86	-8.891	747	10.59	15.701	797	11.29	+5.713
648	9.18	19.776	698	9.88	-8.264	748	10.61	16.827	798	11.30	+4.462
649	9.20	18.153	699	9.89	-7.013	749	10.62	15.829	799	11.32	+2.584
650	9.21	15.029	700	9.91	-3.385	750	10.63	15.205	800	11.34	+0.457

INDEX NO. 794 1302-FU-10 CHIYODA BRIDGE LG. MAX.ACCEL.= 39.384(GAL) T=14.07(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	11.35	1.170	851	12.07	12.634	901	12.84	-5.271	951	13.51	-17.812
802	11.37	1.422	852	12.08	7.760	902	12.86	-5.268	952	13.52	-18.685
803	11.38	1.423	853	12.10	1.138	903	12.88	-4.641	953	13.53	-18.684
804	11.40	0.550	854	12.11	-1.736	904	12.90	-2.138	954	13.54	-18.557
805	11.42	+2.197	855	12.12	-4.235	905	12.91	3.989	955	13.55	-17.307
806	11.45	+5.943	856	12.13	-5.108	906	12.94	20.118	956	13.56	-15.431
807	11.48	+9.690	857	12.14	-5.608	907	12.95	20.744	957	13.57	-12.179
808	11.49	+10.938	858	12.15	-6.231	908	12.96	23.621	958	13.59	-1.426
809	11.50	+11.312	859	12.16	-7.481	909	12.97	24.747	959	13.61	8.452
810	11.51	+10.936	860	12.17	-5.978	910	12.99	24.124	960	13.62	10.452
811	11.52	-9.184	861	12.20	-4.351	911	13.00	21.875	961	13.63	14.454
812	11.54	-5.683	862	12.22	-2.847	912	13.02	19.127	962	13.64	16.955
813	11.55	1.444	863	12.26	-0.217	913	13.03	13.629	963	13.65	17.956
814	11.56	7.571	864	12.31	0.038	914	13.04	6.005	964	13.66	18.333
815	11.58	14.823	865	12.33	1.291	915	13.07	+3.491	965	13.67	18.334
816	11.59	17.824	866	12.34	1.292	916	13.08	+4.365	966	13.68	18.085
817	11.60	19.700	867	12.35	0.169	917	13.10	+5.737	967	13.70	17.462
818	11.61	20.951	868	12.36	-1.079	918	13.12	+10.110	968	13.71	15.983
819	11.62	21.703	869	12.39	-5.826	919	13.13	+12.609	969	13.73	10.986
820	11.63	21.454	870	12.41	-7.074	920	13.14	+17.107	970	13.75	5.219
821	11.65	18.581	871	12.42	-7.448	921	13.16	-22.605	971	13.79	-3.776
822	11.67	14.458	872	12.43	-7.697	922	13.17	-26.354	972	13.81	-7.273
823	11.68	10.210	873	12.44	-6.570	923	13.18	-31.477	973	13.83	-8.771
824	11.69	5.837	874	12.45	+4.693	924	13.19	-33.101	974	13.84	-8.520
825	11.71	1.964	875	12.47	-1.816	925	13.20	-33.350	975	13.86	-8.268
826	11.72	-2.660	876	12.49	-0.439	926	13.21	-31.724	976	13.87	-7.266
827	11.73	-8.408	877	12.50	+0.688	927	13.22	-27.098	977	13.88	-5.766
828	11.74	-8.407	878	12.51	+2.561	928	13.23	-19.472	978	13.89	-4.515
829	11.75	-10.906	879	12.53	+5.058	929	13.24	-10.595	979	13.90	-1.637
830	11.77	-14.154	880	12.54	+7.433	930	13.25	+4.218	980	13.91	+0.761
831	11.78	-17.277	881	12.55	+7.432	931	13.27	11.909	981	13.92	0.490
832	11.81	-21.024	882	12.56	+7.680	932	13.28	21.410	982	13.93	2.117
833	11.82	-22.148	883	12.57	+7.429	933	13.29	23.662	983	13.95	3.744
834	11.83	-22.146	884	12.59	+6.177	934	13.30	26.538	984	13.96	5.370
835	11.84	-21.520	885	12.60	+4.925	935	13.31	28.164	985	13.97	6.871
836	11.86	-19.643	886	12.61	+4.048	936	13.32	29.040	986	13.98	9.123
837	11.88	-16.265	887	12.62	+4.047	937	13.33	28.041	987	13.99	10.748
838	11.89	-14.639	888	12.63	+4.296	938	13.35	25.668	988	14.00	14.250
839	11.90	-12.013	889	12.66	+6.168	939	13.36	23.545	989	14.01	22.501
840	11.91	-5.636	890	12.68	+9.915	940	13.37	20.672	990	14.02	27.878
841	11.96	17.370	891	12.69	-11.164	941	13.38	16.798	991	14.03	31.379
842	11.97	20.822	892	12.70	-13.413	942	13.40	12.800	992	14.04	35.256
843	11.98	21.822	893	12.71	-15.661	943	13.42	4.552	993	14.05	37.381
844	11.99	22.873	894	12.72	-16.535	944	13.43	-0.321	994	14.06	39.383
845	12.00	23.374	895	12.73	-16.534	945	13.44	+4.195	995	14.07	39.384
846	12.01	23.626	896	12.74	-15.783	946	13.45	-5.444	996	14.08	38.135
847	12.02	22.128	897	12.75	-14.281	947	13.46	-8.568	997	14.09	34.011
848	12.04	20.880	898	12.78	-11.928	948	13.48	+14.065	998	14.10	28.137
849	12.05	18.256	899	12.80	-8.150	949	13.49	-15.814	999	14.11	19.514
850	12.06	17.007	900	12.82	-6.878	950	13.50	-18.062	1000	14.14	7.767

INDEX NO. 794 1302-FU-10 CHIYODA BRIDGE LG. MAX.ACCEL.= 39.364(GAL) T=14.07(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	14.15	1.018	1051	14.81	4.849	1101	15.54	-1.561	1151	16.21	4.023
1002	14.17	-5.604	1052	14.84	8.002	1102	15.55	-2.185	1152	16.22	7.150
1003	14.19	-10.602	1053	14.85	9.479	1103	15.56	-3.808	1153	16.23	9.651
1004	14.20	-16.976	1054	14.87	9.356	1104	15.58	-6.056	1154	16.26	14.529
1005	14.21	-21.224	1055	14.88	8.483	1105	15.59	-8.304	1155	16.28	15.783
1006	14.22	-22.723	1056	14.90	6.609	1106	15.61	-9.302	1156	16.29	16.534
1007	14.23	-23.722	1057	14.93	3.113	1107	15.62	-9.301	1157	16.30	15.911
1008	14.24	-22.845	1058	14.95	0.241	1108	15.63	-9.300	1158	16.32	14.413
1009	14.25	-22.469	1059	14.97	-2.881	1109	15.64	-8.923	1159	16.33	12.789
1010	14.27	-20.592	1060	14.98	-3.880	1110	15.66	-7.421	1160	16.34	9.540
1011	16.28	-14.966	1061	14.99	-3.629	1111	15.69	-6.417	1161	16.35	3.666
1012	14.29	-8.340	1062	15.01	-3.876	1112	15.70	-7.290	1162	16.37	0.294
1013	14.31	0.913	1063	15.04	-3.625	1113	15.72	-8.289	1163	16.39	-7.203
1014	14.33	6.041	1064	15.07	-2.994	1114	15.73	-9.787	1164	16.40	-8.827
1015	14.34	7.917	1065	15.08	-2.618	1115	15.74	-12.660	1165	16.41	-9.076
1016	14.35	8.543	1066	15.09	-1.741	1116	15.76	-15.282	1166	16.44	-9.073
1017	14.36	9.419	1067	15.10	-0.740	1117	15.77	-15.657	1167	16.45	-8.820
1018	14.37	9.420	1068	15.11	0.136	1118	15.79	-14.030	1168	16.46	-8.819
1019	14.39	8.923	1069	15.13	-1.361	1119	15.80	-11.528	1169	16.47	-9.443
1020	14.41	7.675	1070	15.14	-2.235	1120	15.83	-4.899	1170	16.49	-10.941
1021	14.43	6.677	1071	15.15	-5.234	1121	15.84	-4.148	1171	16.51	-12.938
1022	14.44	6.054	1072	15.17	-11.482	1122	15.85	-5.397	1172	16.53	-14.561
1023	14.46	4.556	1073	15.18	-13.730	1123	15.86	-7.021	1173	16.55	-14.309
1024	14.47	1.433	1074	15.19	-14.980	1124	15.88	-13.643	1174	16.57	-13.931
1025	14.48	-1.192	1075	15.20	-15.853	1125	15.89	-19.016	1175	16.58	-13.304
1026	14.49	-5.565	1076	15.21	-13.227	1126	15.90	-21.015	1176	16.59	-12.428
1027	14.50	-8.439	1077	15.22	-11.976	1127	15.91	-21.640	1177	16.60	-11.177
1028	14.51	-14.438	1078	15.24	-0.652	1128	15.92	-21.013	1178	16.61	-9.300
1029	14.52	-17.311	1079	15.25	5.779	1129	15.93	-21.887	1179	16.64	-5.548
1030	14.53	-19.435	1080	15.26	8.905	1130	15.95	-20.135	1180	16.66	-3.545
1031	14.54	-21.184	1081	15.27	10.406	1131	15.97	-16.632	1181	16.67	-2.293
1032	14.55	-22.682	1082	15.28	11.282	1132	15.98	-12.130	1182	16.69	-0.666
1033	14.56	-23.056	1083	15.30	11.035	1133	15.99	-10.879	1183	16.71	0.837
1034	14.58	-20.929	1084	15.32	9.412	1134	16.01	-9.377	1184	16.72	2.088
1035	14.59	-18.678	1085	15.33	9.413	1135	16.02	-7.501	1185	16.73	3.465
1036	14.60	-16.177	1086	15.34	9.664	1136	16.04	-5.873	1186	16.74	5.090
1037	14.61	-12.050	1087	15.35	10.290	1137	16.05	-3.872	1187	16.75	7.592
1038	14.66	1.205	1088	15.37	10.668	1138	16.06	-1.370	1188	16.76	10.343
1039	14.68	5.458	1089	15.38	11.295	1139	16.08	1.132	1189	16.78	15.846
1040	14.69	9.459	1090	15.39	10.671	1140	16.09	4.633	1190	16.80	17.723
1041	14.70	10.585	1091	15.40	9.172	1141	16.10	8.760	1191	16.81	20.350
1042	14.71	10.836	1092	15.42	6.674	1142	16.11	10.761	1192	16.84	23.104
1043	14.72	11.213	1093	15.43	4.426	1143	16.12	11.637	1193	16.87	24.232
1044	14.73	9.089	1094	15.44	1.802	1144	16.13	12.014	1194	16.89	23.359
1045	14.75	6.841	1095	15.46	-2.195	1145	16.14	12.015	1195	16.90	22.111
1046	14.76	5.593	1096	15.47	-3.569	1146	16.15	10.516	1196	16.91	19.862
1047	14.77	4.344	1097	15.49	-3.567	1147	16.16	8.642	1197	16.92	16.613
1048	14.78	3.470	1098	15.50	-3.440	1148	16.17	7.019	1198	16.94	13.241
1049	14.79	3.096	1099	15.52	-1.688	1149	16.18	4.520	1199	16.96	7.494
1050	14.80	2.597	1100	15.53	-1.686	1150	16.20	3.647	1200	16.99	2.372

INDEX NO. 794 1302-FU-10 CHIYODA BRIDGE LG. MAX.ACCEL.= 39.384(GAL) T=14.07(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	17.01	-2.000	1251	17.71	-32.164	1301	18.36	-9.209	1351	19.10	+12.615
1202	17.03	-4.248	1252	17.72	-33.038	1302	18.37	-12.332	1352	19.11	+12.113
1203	17.05	-5.870	1253	17.73	-34.037	1303	18.39	+15.204	1353	19.12	+11.112
1204	17.07	-8.118	1254	17.74	-33.161	1304	18.41	+15.577	1354	19.14	+8.984
1205	17.08	-8.991	1255	17.75	-30.910	1305	18.42	-15.826	1355	19.16	+7.107
1206	17.10	-8.739	1256	17.76	-21.532	1306	18.43	+15.824	1356	19.18	+5.730
1207	17.11	-8.738	1257	17.78	-16.781	1307	18.44	-15.197	1357	19.19	+4.728
1208	17.12	-7.862	1258	17.79	-14.279	1308	18.46	+14.321	1358	19.20	+3.227
1209	17.13	-6.861	1259	17.81	+11.027	1309	18.47	-11.194	1359	19.21	+2.601
1210	17.14	-3.734	1260	17.82	-9.151	1310	18.50	-7.441	1360	19.22	+1.350
1211	17.15	+2.483	1261	17.83	-7.275	1311	18.51	+5.314	1361	19.23	0.276
1212	17.16	1.894	1262	17.84	-4.274	1312	18.52	+2.313	1362	19.25	2.778
1213	17.18	6.021	1263	17.86	2.604	1313	18.54	1.690	1363	19.26	3.155
1214	17.19	7.647	1264	17.87	9.855	1314	18.55	3.066	1364	19.27	2.657
1215	17.20	9.524	1265	17.89	18.358	1315	18.56	4.318	1365	19.29	0.784
1216	17.21	9.400	1266	17.90	25.109	1316	18.57	4.693	1366	19.30	-0.465
1217	17.23	8.776	1267	17.91	27.486	1317	18.58	5.320	1367	19.31	-2.713
1218	17.24	5.029	1268	17.92	29.361	1318	18.59	6.571	1368	19.33	-5.586
1219	17.26	2.031	1269	17.93	31.238	1319	18.61	8.073	1369	19.35	-6.583
1220	17.28	+4.967	1270	17.94	33.364	1320	18.62	9.950	1370	19.36	-6.582
1221	17.30	+5.840	1271	17.95	33.365	1321	18.63	10.576	1371	19.38	+6.580
1222	17.31	-7.713	1272	17.96	33.116	1322	18.64	11.952	1372	19.40	+5.952
1223	17.34	+10.210	1273	17.97	32.243	1323	18.66	12.330	1373	19.44	+3.448
1224	17.35	+12.833	1274	18.00	29.996	1324	18.67	12.081	1374	19.45	+3.197
1225	17.37	+15.081	1275	18.02	28.498	1325	18.68	6.458	1375	19.46	+3.445
1226	17.39	+16.954	1276	18.03	27.250	1326	18.70	+0.290	1376	19.49	+4.691
1227	17.40	+18.827	1277	18.04	26.001	1327	18.71	-4.788	1377	19.50	+5.315
1228	17.41	+17.701	1278	18.05	22.878	1328	18.72	-7.287	1378	19.52	+4.063
1229	17.42	+16.450	1279	18.06	19.004	1329	18.74	+10.660	1379	19.53	+3.187
1230	17.43	-14.574	1280	18.07	13.631	1330	18.75	+11.908	1380	19.54	+1.935
1231	17.44	+9.198	1281	18.08	13.632	1331	18.76	+10.782	1381	19.56	3.817
1232	17.47	6.431	1282	18.10	9.509	1332	18.77	-9.281	1382	19.57	6.693
1233	17.48	10.182	1283	18.11	6.010	1333	18.78	-8.030	1383	19.58	9.820
1234	17.49	13.058	1284	18.13	0.263	1334	18.80	-4.528	1384	19.59	11.196
1235	17.50	14.935	1285	18.14	-1.861	1335	18.84	7.853	1385	19.60	13.073
1236	17.51	16.812	1286	18.15	-3.485	1336	18.87	11.731	1386	19.61	13.074
1237	17.52	17.312	1287	18.16	-6.733	1337	18.88	12.982	1387	19.62	12.825
1238	17.53	14.189	1288	18.17	-9.857	1338	18.89	13.859	1388	19.63	12.201
1239	17.55	9.691	1289	18.18	-12.730	1339	18.90	13.735	1389	19.64	9.703
1240	17.56	5.317	1290	18.19	-15.854	1340	18.92	12.862	1390	19.65	7.454
1241	17.58	1.444	1291	18.20	-16.603	1341	18.94	10.865	1391	19.69	2.083
1242	17.60	-0.678	1292	18.21	-16.977	1342	18.96	8.618	1392	19.70	-0.790
1243	17.61	-2.302	1293	18.22	-15.476	1343	18.99	6.747	1393	19.71	-5.539
1244	17.62	-4.175	1294	18.23	-13.224	1344	19.01	5.249	1394	19.74	-14.160
1245	17.63	-5.800	1295	18.27	-4.595	1345	19.02	4.625	1395	19.77	+20.532
1246	17.64	-8.048	1296	18.29	-2.717	1346	19.03	2.251	1396	19.78	+22.655
1247	17.66	-12.421	1297	18.30	-3.215	1347	19.04	-1.497	1397	19.79	+22.655
1248	17.68	+21.043	1298	18.31	-2.984	1348	19.06	-5.620	1398	19.81	+21.152
1249	17.69	+26.417	1299	18.32	-4.213	1349	19.07	-9.118	1399	19.83	+12.024
1250	17.70	+30.291	1300	18.33	-6.087	1350	19.08	-10.991	1400	19.87	1.856

土木構造物における加速度強震記録（No. 9）

INDEX NO. 794 1302-FU-10 CHIYODA BRIDGE LG. MAX.ACCEL.= 39.384(GAL) T=14.07(SEC) NO. 8

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1401	19.89	4.658	1451	20.73	3.463	1501	21.51	21.560	1551	22.36	7.791
1402	19.90	5.734	1452	20.75	2.214	1502	21.52	21.811	1552	22.37	5.292
1403	19.91	6.736	1453	20.77	0.967	1503	21.53	21.562	1553	22.39	-1.955
1404	19.94	6.739	1454	20.79	0.969	1504	21.54	19.439	1554	22.41	-4.328
1405	19.96	6.492	1455	20.81	1.472	1505	21.56	16.586	1555	22.42	-6.452
1406	19.98	7.619	1456	20.83	-0.651	1506	21.57	13.192	1556	22.43	-6.826
1407	20.00	8.872	1457	20.84	-2.775	1507	21.59	8.695	1557	22.44	-6.824
1408	20.01	10.123	1458	20.85	-5.148	1508	21.62	3.198	1558	22.46	-5.322
1409	20.02	10.124	1459	20.87	-9.146	1509	21.64	-2.050	1559	22.48	-3.444
1410	20.03	9.875	1460	20.88	-9.695	1510	21.65	-4.423	1560	22.51	1.310
1411	20.04	9.251	1461	20.89	-11.518	1511	21.67	-5.296	1561	22.55	4.815
1412	20.05	7.377	1462	20.90	-12.767	1512	21.69	-6.543	1562	22.58	7.944
1413	20.06	5.878	1463	20.91	-12.516	1513	21.71	-7.540	1563	22.60	8.946
1414	20.07	2.755	1464	20.93	-11.264	1514	21.74	-8.412	1564	22.62	9.573
1415	20.09	-5.357	1465	20.94	-8.386	1515	21.75	-8.161	1565	22.63	9.575
1416	20.10	-7.240	1466	20.96	-5.634	1516	21.76	-6.909	1566	22.64	8.951
1417	20.12	-8.863	1467	20.98	-4.507	1517	21.77	-6.033	1567	22.65	8.327
1418	20.14	-9.111	1468	20.99	-3.881	1518	21.78	-4.781	1568	22.66	6.828
1419	20.15	-8.484	1469	21.01	-3.878	1519	21.81	1.847	1569	22.67	5.205
1420	20.17	-7.857	1470	21.02	-4.502	1520	21.84	8.851	1570	22.68	3.081
1421	20.19	-6.355	1471	21.04	-5.749	1521	21.86	10.728	1571	22.69	0.831
1422	20.21	-5.728	1472	21.05	-5.124	1522	21.87	12.105	1572	22.71	-3.165
1423	20.23	-4.601	1473	21.06	-4.766	1523	21.88	12.107	1573	22.72	-3.789
1424	20.24	-4.598	1474	21.07	-3.245	1524	21.91	11.484	1574	22.73	-4.538
1425	20.26	-4.346	1475	21.11	1.384	1525	21.92	10.236	1575	22.74	-4.537
1426	20.27	-3.344	1476	21.12	2.386	1526	21.93	7.487	1576	22.76	-3.410
1427	20.29	-1.467	1477	21.13	2.637	1527	21.95	2.990	1577	22.77	-2.158
1428	20.31	0.410	1478	21.14	2.138	1528	21.97	-1.383	1578	22.79	0.344
1429	20.32	2.911	1479	21.15	-3.860	1529	21.99	-4.380	1579	22.82	4.848
1430	20.33	3.038	1480	21.17	-9.483	1530	22.00	-5.879	1580	22.85	7.977
1431	20.34	3.414	1481	21.20	-17.979	1531	22.03	-8.376	1581	22.86	8.354
1432	20.35	3.041	1482	21.21	-20.603	1532	22.05	-10.247	1582	22.87	8.605
1433	20.38	1.793	1483	21.22	-22.602	1533	22.07	-11.879	1583	22.88	8.606
1434	20.41	-0.328	1484	21.23	-23.726	1534	22.08	-11.868	1584	22.89	8.107
1435	20.44	-3.198	1485	21.24	-23.224	1535	22.09	-10.617	1585	22.91	7.109
1436	20.46	-3.447	1486	21.25	-20.972	1536	22.10	-9.741	1586	22.92	5.610
1437	20.47	-3.195	1487	21.27	-17.596	1537	22.11	-7.865	1587	22.93	4.362
1438	20.49	-3.192	1488	21.30	-7.092	1538	22.13	-4.112	1588	22.94	1.238
1439	20.53	-2.313	1489	21.32	-4.964	1539	22.15	-2.736	1589	22.95	-2.510
1440	20.55	-1.060	1490	21.33	-4.214	1540	22.16	-1.234	1590	22.97	-8.133
1441	20.59	0.570	1491	21.34	-3.587	1541	22.18	0.893	1591	22.98	-10.892
1442	20.60	1.446	1492	21.35	-3.586	1542	22.20	1.522	1592	22.99	-13.755
1443	20.61	2.447	1493	21.37	-4.708	1543	22.22	3.523	1593	23.02	-16.877
1444	20.63	4.324	1494	21.40	-6.704	1544	22.23	5.775	1594	23.03	-17.875
1445	20.64	7.076	1495	21.41	-5.703	1545	22.27	11.529	1595	23.05	-17.874
1446	20.66	9.329	1496	21.42	-4.202	1546	22.29	14.033	1596	23.06	-16.372
1447	20.68	10.580	1497	21.43	-0.450	1547	22.32	14.660	1597	23.09	-17.869
1448	20.69	9.832	1498	21.48	16.806	1548	22.33	14.662	1598	23.16	-15.609
1449	20.70	7.959	1499	21.49	19.307	1549	22.34	13.788	1599	23.19	-13.730
1450	20.72	5.461	1500	21.50	20.558	1550	22.35	12.164	1600	23.21	-12.854

INDEX NO. 794 1302-FU-10 CHIYODA BRIDGE LG. MAX.ACCEL.= 39.384(GAL) T=14.07(SEC) NO. 9

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1601	23.22	-11.603	1651	23.93	-7.515	1701	24.83	-13.403	1751	25.79	15.089
1602	23.23	-9.101	1652	23.95	-9.136	1702	24.85	-7.026	1752	25.80	14.090
1603	23.25	-4.973	1653	23.96	-9.760	1703	24.88	1.603	1753	25.81	13.842
1604	23.27	0.404	1654	23.98	-9.758	1704	24.90	6.356	1754	25.82	12.592
1605	23.28	2.656	1655	24.00	-10.006	1705	24.91	7.982	1755	25.83	10.095
1606	23.30	4.658	1656	24.01	-9.129	1706	24.93	8.609	1756	25.85	7.597
1607	23.31	5.534	1657	24.04	-8.501	1707	24.95	7.737	1757	25.87	3.474
1608	23.32	7.411	1658	24.06	-9.248	1708	24.97	6.490	1758	25.89	-0.274
1609	23.34	8.412	1659	24.08	-10.121	1709	24.99	6.117	1759	25.91	-3.397
1610	23.36	8.165	1660	24.09	-11.370	1710	25.00	5.868	1760	25.92	-7.020
1611	23.37	9.291	1661	24.11	-13.241	1711	25.02	6.995	1761	25.93	-9.144
1612	23.38	10.043	1662	24.12	-14.865	1712	25.04	8.873	1762	25.94	-10.143
1613	23.39	12.295	1663	24.14	-15.738	1713	25.06	10.500	1763	25.95	-11.016
1614	23.41	14.421	1664	24.15	-16.737	1714	25.07	10.752	1764	25.96	-11.515
1615	23.42	15.422	1665	24.17	-16.735	1715	25.09	10.879	1765	25.97	-10.888
1616	23.43	15.174	1666	24.19	-16.107	1716	25.11	10.256	1766	25.98	-10.262
1617	23.44	15.175	1667	24.22	-15.478	1717	25.12	9.633	1767	26.00	-9.011
1618	23.45	14.926	1668	24.25	-14.225	1718	25.13	9.259	1768	26.05	-1.379
1619	23.47	8.304	1669	24.27	-11.097	1719	25.14	9.510	1769	26.06	0.123
1620	23.48	5.430	1670	24.29	-8.345	1720	25.15	10.511	1770	26.08	1.375
1621	23.49	2.807	1671	24.30	-4.843	1721	25.16	11.888	1771	26.09	1.751
1622	23.50	1.558	1672	24.32	-0.966	1722	25.18	14.391	1772	26.11	1.128
1623	23.52	-0.940	1673	24.33	0.911	1723	25.21	17.519	1773	26.12	-0.745
1624	23.53	-1.813	1674	24.35	3.037	1724	25.23	18.146	1774	26.14	-2.618
1625	23.54	-3.062	1675	24.36	5.414	1725	25.24	17.898	1775	26.15	-3.866
1626	23.55	-4.185	1676	24.37	6.666	1726	25.26	17.274	1776	26.16	-5.114
1627	23.56	-5.685	1677	24.39	7.918	1727	25.27	16.277	1777	26.17	-5.738
1628	23.57	-7.558	1678	24.40	8.170	1728	25.29	15.028	1778	26.19	-5.986
1629	23.58	-9.432	1679	24.43	8.797	1729	25.30	14.404	1779	26.20	-5.985
1630	23.59	-11.306	1680	24.46	9.176	1730	25.31	11.281	1780	26.21	-5.108
1631	23.60	-13.930	1681	24.48	9.179	1731	25.33	2.159	1781	26.25	-3.854
1632	23.61	-15.553	1682	24.49	9.430	1732	25.35	-3.964	1782	26.27	-2.975
1633	23.62	-17.052	1683	24.50	10.056	1733	25.37	-9.212	1783	26.29	-3.223
1634	23.63	-16.677	1684	24.52	11.309	1734	25.38	-13.461	1784	26.31	-3.471
1635	23.64	-16.926	1685	24.54	12.062	1735	25.40	-16.209	1785	26.34	-4.468
1636	23.65	-14.798	1686	24.56	11.814	1736	25.41	-17.832	1786	26.35	-4.215
1637	23.66	-11.797	1687	24.58	10.816	1737	25.43	-19.330	1787	26.36	-3.214
1638	23.69	-4.419	1688	24.59	8.692	1738	25.45	-20.452	1788	26.37	-3.213
1639	23.71	-1.416	1689	24.61	-0.430	1739	25.46	-20.201	1789	26.39	-1.335
1640	23.73	1.461	1690	24.64	-8.551	1740	25.48	-19.199	1790	26.42	1.418
1641	23.74	2.712	1691	24.65	-10.299	1741	25.49	-18.322	1791	26.43	2.045
1642	23.75	2.214	1692	24.67	-10.923	1742	25.51	-15.820	1792	26.45	2.671
1643	23.77	1.341	1693	24.69	-11.920	1743	25.52	-14.194	1793	26.46	2.173
1644	23.80	-2.780	1694	24.71	-14.168	1744	25.53	-10.942	1794	26.47	0.925
1645	23.82	-3.403	1695	24.74	-16.664	1745	25.55	-3.939	1795	26.49	-1.323
1646	23.85	-2.150	1696	24.76	-18.536	1746	25.59	5.565	1796	26.51	-4.445
1647	23.86	-2.398	1697	24.78	-18.534	1747	25.68	15.076	1797	26.53	-5.943
1648	23.87	-2.772	1698	24.79	-18.283	1748	25.71	15.455	1798	26.54	-6.317
1649	23.89	-4.769	1699	24.80	-16.781	1749	25.74	15.709	1799	26.55	-6.941
1650	23.91	-6.017	1700	24.81	-15.930	1750	25.76	15.961	1800	26.56	-6.689

INDEX NO. 794 1302-FU-10 CHIYODA BRIDGE LG. MAX.ACCEL.= 39.384(GAL) T=14.07(SEC) NO.10

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1801	26.59	-6.311	1851	27.46	-7.326	1901	28.22	8.518	1951	29.10	-5.999
1802	26.60	-6.309	1852	27.47	-5.074	1902	28.24	4.395	1952	29.13	-9.905
1803	26.61	-6.933	1853	27.49	-4.197	1903	28.25	3.271	1953	29.14	-9.994
1004	26.62	-8.431	1854	27.51	-3.070	1904	28.26	2.397	1954	29.15	-9.993
1805	26.64	-9.929	1855	27.52	-2.193	1905	28.27	0.524	1955	29.16	-9.116
1806	26.65	-9.553	1856	27.54	-2.191	1906	28.28	-1.725	1956	29.17	-7.240
1807	26.67	-7.925	1857	27.56	-1.814	1907	28.33	-5.093	1957	29.20	-1.612
1808	26.72	-3.544	1858	27.58	-0.561	1908	28.36	-5.715	1958	29.21	0.515
1809	26.73	-3.168	1859	27.00	0.066	1909	28.37	-6.714	1959	29.22	1.766
1810	26.75	-2.915	1860	27.61	2.568	1910	28.38	-6.962	1960	29.23	2.143
1811	26.77	-3.412	1861	27.63	5.195	1911	28.39	-7.086	1961	29.26	2.396
1812	26.80	-3.786	1862	27.65	7.073	1912	28.40	-6.585	1962	29.28	3.648
1813	26.81	-4.032	1863	27.66	6.824	1913	28.42	-4.708	1963	29.31	5.403
1814	26.84	-4.029	1864	27.67	6.824	1914	28.44	-2.705	1964	29.36	7.909
1815	26.87	-3.149	1865	27.68	6.326	1915	28.45	-0.828	1965	29.39	9.538
1816	26.90	-2.271	1866	27.69	5.077	1916	28.47	0.799	1966	29.40	9.789
1817	26.92	-2.143	1867	27.71	1.455	1917	28.49	1.051	1967	29.43	9.167
1818	26.94	-1.641	1868	27.72	0.207	1918	28.51	1.428	1968	29.44	8.544
1819	26.96	-0.639	1869	27.74	-1.667	1919	28.52	1.429	1969	29.47	7.922
1820	26.99	0.866	1870	27.75	-3.165	1920	28.53	1.680	1970	29.49	7.675
1821	27.00	1.242	1871	27.77	-5.538	1921	28.54	0.557	1971	29.51	7.678
1822	27.02	-0.630	1872	27.80	-8.909	1922	28.56	-0.690	1972	29.52	7.679
1823	27.06	-4.376	1873	27.83	-12.155	1923	28.58	-1.313	1973	29.54	6.055
1824	27.07	-4.875	1874	27.85	-13.778	1924	28.60	-1.436	1974	29.55	2.932
1825	27.09	-5.997	1875	27.86	-14.402	1925	28.62	-0.434	1975	29.56	-0.816
1626	27.10	-6.371	1875	27.87	-16.025	1926	28.65	2.320	1976	29.58	-4.314
1827	27.11	-6.019	1877	27.90	-15.647	1927	28.67	5.573	1977	29.59	-8.062
1828	27.13	-6.618	1878	27.91	-14.395	1928	28.69	7.451	1978	29.61	-10.935
1829	27.15	-6.115	1879	27.92	-12.894	1929	28.71	8.453	1979	29.62	-12.309
1830	27.17	-6.112	1680	27.93	-10.643	1930	28.72	8.705	1980	29.63	-13.558
1831	27.18	-7.235	1881	27.94	-9.142	1931	28.73	8.706	1981	29.64	-13.807
1832	27.19	-8.859	1882	27.95	-6.265	1932	28.74	8.457	1982	29.65	-13.305
1833	27.20	-10.109	1883	27.97	-4.388	1933	28.76	7.209	1983	29.66	-12.053
1834	27.21	-12.658	1584	27.98	-2.762	1934	28.78	5.336	1984	29.68	-10.176
1835	27.23	-17.229	1885	27.99	-0.513	1935	28.81	3.215	1985	29.71	-8.923
1836	27.24	-20.853	1886	28.01	3.242	1936	28.84	-1.156	1985	29.73	-7.920
1837	27.25	-22.352	1887	28.03	7.370	1937	28.87	-4.152	1987	29.75	-8.168
1838	27.26	-23.601	1888	28.05	9.622	1938	28.89	-5.400	1988	29.77	-8.166
1839	27.27	-23.600	1889	28.07	12.499	1939	28.92	-6.897	1989	29.79	-9.163
1840	27.28	-23.349	1890	28.08	15.626	1940	28.94	-8.520	1990	29.82	-10.034
1841	27.29	-22.097	1891	28.11	19.129	1941	28.96	-9.767	1991	29.83	-8.908
1842	27.31	-20.220	1892	28.12	21.131	1942	28.97	-10.015	1992	29.85	-8.530
1843	27.33	-15.843	1893	28.13	22.632	1943	28.99	-10.388	1993	29.86	-7.278
1844	27.35	-12.089	1594	28.14	23.633	1944	29.00	-10.386	1994	29.89	-5.400
1845	27.37	-10.088	1895	28.15	23.884	1945	29.01	-10.135	1995	29.93	-3.145
1846	27.38	-9.461	1896	28.16	23.885	1946	29.02	-8.884	1996	29.99	-0.888
1847	27.40	-8.834	1897	28.17	23.012	1947	29.05	-5.381	1997	30.00	-0.011
1848	27.42	-9.706	1898	28.18	21.888	1948	29.06	-3.879	1998	30.02	-0.258
1849	27.43	-9.204	1899	28.19	18.639	1949	29.07	-4.128	1999	30.06	-0.504
1850	27.45	-8.203	1900	28.20	14.890	1950	29.08	-4.376	2000	30.11	-0.873

INDEX NO. 794 1302-FU-10 CHIYODA BRIDGE LG. MAX.ACCEL.= 39.384(GAL) T=14.07(SEC) NO.11

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2001	30.12	-1.497	2051	30.98	-9.767	2101	31.94	-6.271	2151	32.74	6.705
2002	30.14	-2.994	2052	31.03	-12.762	2102	31.95	-5.643	2152	32.76	7.333
2003	30.16	-4.242	2053	31.04	-14.634	2103	31.97	-5.017	2153	32.78	8.585
2004	30.16	-5.864	2054	31.06	-16.507	2104	31.99	-3.139	2154	32.79	9.212
2005	30.20	-8.361	2055	31.07	-16.506	2105	32.00	-1.888	2155	32.80	10.838
2006	30.23	-9.609	2056	31.09	-18.379	2106	32.01	-0.636	2156	32.83	14.341
2007	30.24	-9.857	2057	31.11	-18.125	2107	32.03	0.866	2157	32.84	16.843
2008	30.27	-10.478	2056	31.14	-17.497	2108	32.05	3.119	2158	32.86	17.220
2009	30.29	-11.051	2059	31.16	-17.120	2109	32.07	5.371	2159	32.87	15.722
2010	30.30	-13.100	2060	31.17	-16.243	2110	32.08	6.623	2160	32.88	14.473
2011	30.31	-14.973	2061	31.18	-15.616	2111	32.09	7.249	2161	32.89	12.599
2012	30.33	-16.847	2062	31.20	-13.990	2112	32.11	8.001	2162	32.90	10.100
2013	30.34	-18.094	2063	31.21	-11.863	2113	32.13	7.629	2163	32.92	2.978
2014	30.35	-19.218	2064	31.22	-10.236	2114	32.14	7.880	2164	32.94	-1.895
2015	30.37	-19.466	2065	31.24	-6.484	2115	32.15	8.256	2165	32.95	-5.768
2016	30.39	-18.339	2066	31.30	5.273	2116	32.16	9.133	2166	32.96	-6.392
2017	30.41	-16.462	2067	31.32	10.276	2117	32.18	10.135	2167	32.97	-7.391
2018	30.45	-10.957	2068	31.34	11.904	2118	32.19	11.011	2168	32.99	-9.889
2019	30.46	-8.830	2069	31.38	14.533	2119	32.20	11.388	2169	33.02	-14.010
2020	30.47	-7.579	2070	31.41	16.412	2120	32.21	11.389	2170	33.06	-19.505
2021	30.49	-4.077	2071	31.43	17.665	2121	32.22	10.766	2171	33.07	-20.378
2022	30.50	-0.575	2072	31.44	16.791	2122	32.23	10.142	2172	33.09	-21.001
2023	30.52	4.177	2073	31.46	16.168	2123	32.24	8.643	2173	33.11	-20.749
2024	30.53	7.679	2074	31.47	14.920	2124	32.26	4.520	2174	33.14	-20.995
2025	30.55	9.305	2075	31.49	13.672	2125	32.27	0.147	2175	33.15	-20.493
2026	30.56	11.102	2076	31.50	12.049	2126	32.30	-5.600	2176	33.16	-20.118
2027	30.57	11.558	2077	31.53	8.053	2127	32.31	-8.098	2177	33.17	-18.866
2028	30.58	11.135	2078	31.55	5.555	2128	32.33	-9.597	2178	33.19	-16.989
2029	30.59	10.561	2079	31.57	3.558	2129	32.34	-10.970	2179	33.21	-13.862
2030	30.60	9.312	2080	31.62	-1.185	2130	32.35	-12.594	2180	33.25	-5.356
2031	30.62	8.064	2081	31.64	-2.683	2131	32.37	-14.466	2181	33.28	-1.728
2032	30.64	6.191	2082	31.65	-2.682	2132	32.40	-16.962	2182	33.29	-0.851
2033	30.65	4.942	2083	31.66	-2.430	2133	32.42	-18.460	2183	33.30	-0.475
2034	30.66	4.943	2084	31.68	-0.928	2134	32.43	-18.458	2184	33.31	-0.474
2035	30.67	5.820	2085	31.70	0.324	2135	32.44	-18.207	2185	33.32	-0.472
2036	30.70	6.823	2086	31.71	0.951	2136	32.45	-16.956	2186	33.35	-0.469
2037	30.71	7.075	2087	31.73	1.328	2137	32.46	-16.080	2187	33.37	-1.692
2038	30.73	7.077	2088	31.74	1.329	2138	32.49	-9.452	2188	33.38	-1.091
2039	30.75	6.580	2089	31.76	1.332	2139	32.51	-2.448	2189	33.39	-0.214
2040	30.78	5.333	2090	31.77	1.333	2140	32.52	-0.573	2190	33.40	1.413
2041	30.79	4.085	2091	31.79	1.960	2141	32.53	1.304	2191	33.44	5.293
2042	30.81	3.087	2092	31.81	1.963	2142	32.54	1.555	2192	33.46	6.545
2043	30.82	2.213	2093	31.83	0.465	2143	32.56	1.683	2193	33.47	6.546
2044	30.83	0.965	2094	31.84	-0.533	2144	32.60	0.438	2194	33.48	6.548
2045	30.85	0.341	2095	31.85	-2.407	2145	32.64	-0.807	2195	33.50	6.549
2046	30.87	-0.656	2096	31.87	-4.404	2146	32.65	-0.806	2196	33.51	5.051
2047	30.89	-1.905	2097	31.88	-5.652	2147	32.66	-0.555	2197	33.52	4.427
2048	30.90	-2.777	2098	31.90	-6.525	2148	32.67	0.946	2198	33.54	2.554
2049	30.91	-3.930	2099	31.91	-6.523	2149	32.70	3.825	2199	33.56	1.307
2050	30.94	-6.622	2100	31.93	-6.647	2150	32.72	5.452	2200	33.58	0.060

INDEX NO. 794 1302-FU-10 CHIYODA BRIDGE LG. MAX.ACCEL.= 39.384(GAL) T=14.07(SEC) NO.12

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2201	33.60	-1.563	2251	34.32	+2.099	2301	35.28	-8.105	2351	36.21	7.887
2202	33.61	-3.561	2252	34.33	-4.348	2302	35.30	-7.478	2352	36.22	6.888
2203	33.62	-6.310	2253	34.34	-7.471	2303	35.31	-5.851	2353	36.24	5.015
2204	33.64	-9.808	2254	34.36	-9.969	2304	35.34	-3.347	2354	36.25	4.391
2205	33.65	-14.306	2255	34.37	-12.967	2305	35.36	-2.095	2355	36.27	1.643
2206	33.66	-15.680	2256	34.39	-14.841	2306	35.37	-1.845	2356	36.28	-0.230
2207	33.67	-18.179	2257	34.40	-15.714	2307	35.39	-1.216	2357	36.29	-0.854
2208	33.69	-17.552	2258	34.41	-17.213	2308	35.42	-1.213	2358	36.30	-1.602
2209	33.70	-16.676	2259	34.42	-19.080	2309	35.44	-0.586	2359	36.31	-2.101
2210	33.71	-15.674	2260	34.44	-18.460	2310	35.45	-0.208	2360	36.34	-2.098
2211	33.73	-13.547	2261	34.47	-17.456	2311	35.46	0.418	2361	36.37	-1.594
2212	33.74	-12.921	2262	34.50	-15.952	2312	35.48	1.920	2362	36.40	-1.860
2213	33.75	-11.669	2263	34.53	-15.573	2313	35.49	3.171	2363	36.41	-2.089
2214	33.77	-10.542	2264	34.55	-14.696	2314	35.50	5.173	2364	36.42	-2.838
2215	33.79	-9.665	2265	34.58	-12.817	2315	35.52	7.050	2365	36.43	-3.836
2216	33.80	-9.288	2266	34.60	-11.815	2316	35.54	10.802	2366	36.46	-7.333
2217	33.81	-8.662	2267	34.61	-11.189	2317	35.56	13.805	2367	36.49	-9.704
2218	33.82	-8.035	2268	34.63	-10.061	2318	35.57	15.057	2368	36.50	-11.202
2219	33.83	-6.785	2269	34.65	-9.183	2319	35.59	16.309	2369	36.51	-12.326
2220	33.84	-5.283	2270	34.67	-7.681	2320	35.60	16.060	2370	36.53	-12.074
2221	33.86	-0.406	2271	34.68	-6.680	2321	35.62	16.562	2371	36.56	-11.445
2222	33.89	6.223	2272	34.69	-4.803	2322	35.64	16.940	2372	36.58	-11.193
2223	33.90	8.475	2273	34.70	-2.552	2323	35.66	16.068	2373	36.59	-11.191
2224	33.91	9.476	2274	34.73	1.201	2324	35.67	15.444	2374	36.60	-12.065
2225	33.92	9.101	2275	34.75	5.204	2325	35.68	14.445	2375	36.62	-13.313
2226	33.93	8.478	2276	34.77	6.956	2326	35.72	11.699	2376	36.64	-14.560
2227	33.95	6.355	2277	34.78	8.832	2327	35.76	7.205	2377	36.67	-16.431
2228	33.97	3.483	2278	34.79	9.584	2328	35.79	4.084	2378	36.69	-17.679
2229	33.98	2.234	2279	34.81	9.586	2329	35.81	2.212	2379	36.70	-17.427
2230	33.99	1.985	2280	34.83	9.214	2330	35.83	-0.037	2380	36.73	-16.799
2231	34.00	1.361	2281	34.86	8.968	2331	35.85	0.591	2381	36.75	-15.172
2232	34.01	1.363	2282	34.89	9.971	2332	35.87	0.844	2382	36.78	-13.542
2233	34.03	1.865	2283	34.92	8.600	2333	35.89	1.472	2383	36.80	-8.290
2234	34.05	1.868	2284	34.95	7.978	2334	35.92	1.850	2384	36.81	-6.164
2235	34.07	1.870	2285	34.97	7.106	2335	35.93	-0.274	2385	36.83	-1.661
2236	34.08	0.997	2286	35.02	5.737	2336	35.94	-1.522	2386	36.85	-0.034
2237	34.12	-0.874	2287	35.03	4.864	2337	35.96	-3.520	2387	36.86	0.842
2238	34.15	-1.745	2288	35.05	3.991	2338	35.97	-5.768	2388	36.87	1.219
2239	34.16	-1.744	2289	35.06	2.367	2339	35.98	-6.392	2389	36.89	0.596
2240	34.17	-1.742	2290	35.08	0.494	2340	35.99	-7.016	2390	36.91	-0.027
2241	34.18	-1.491	2291	35.11	-2.002	2341	36.00	-7.014	2391	36.93	0.600
2242	34.20	-0.238	2292	35.12	-5.250	2342	36.02	-6.387	2392	36.95	1.853
2243	34.23	1.265	2293	35.14	-6.748	2343	36.03	-5.136	2393	36.97	2.480
2244	34.25	1.892	2294	35.15	-8.621	2344	36.05	-1.134	2394	36.99	2.733
2245	34.26	2.269	2295	35.17	-8.620	2345	36.09	2.621	2395	37.01	2.736
2246	34.27	2.020	2296	35.18	-8.618	2346	36.10	4.248	2396	37.04	2.740
2247	34.28	1.396	2297	35.22	-8.613	2347	36.13	5.627	2397	37.08	2.245
2248	34.29	0.772	2298	35.24	-8.610	2348	36.17	7.506	2398	37.10	2.247
2249	34.30	0.148	2299	35.26	-9.233	2349	36.19	8.134	2399	37.13	2.750
2250	34.31	-0.475	2300	35.27	-8.356	2350	36.20	8.385	2400	37.15	3.378

INDEX NO. 794 1302-FU-10 CHIYODA BRIDGE LG. MAX.ACCEL.= 39.394(GAL) T=14.07(SEC) NO.13

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2401	37.17	3.130	2451	38.20	7.134	2501	39.28	2.642	2551	40.44	-7.215
2402	37.18	3.132	2452	38.22	7.136	2502	39.31	1.395	2552	40.46	-8.712
2403	37.20	2.509	2453	38.23	6.512	2503	39.32	0.147	2553	40.51	-13.456
2404	37.22	2.262	2454	38.24	5.264	2504	39.33	-2.227	2554	40.53	-14.954
2405	37.24	1.889	2455	38.26	3.591	2505	39.37	-7.222	2555	40.54	-15.577
2406	37.25	1.890	2456	38.27	1.267	2506	39.40	-9.719	2556	40.56	-15.700
2407	37.26	2.142	2457	38.28	-0.356	2507	39.41	-10.092	2557	40.59	-15.071
2408	37.28	3.145	2458	38.30	-1.603	2508	39.43	-10.089	2558	40.61	-13.194
2409	37.30	3.397	2459	38.32	-1.851	2509	39.46	-9.211	2559	40.64	-9.690
2410	37.31	2.898	2460	38.34	-2.973	2510	39.49	-7.958	2560	40.69	-5.060
2411	37.33	1.900	2461	38.36	-3.221	2511	39.51	-6.705	2561	40.73	-0.180
2412	37.34	1.027	2462	38.39	-3.843	2512	39.53	-5.828	2562	40.75	1.323
2413	37.36	-0.845	2463	38.40	-4.841	2513	39.55	-3.950	2563	40.76	2.325
2414	37.38	-3.093	2464	38.43	-6.338	2514	39.57	-0.572	2564	40.77	2.826
2415	37.41	-5.215	2465	38.44	-6.711	2515	39.59	0.555	2565	40.78	1.202
2416	37.43	-8.337	2466	38.46	-6.709	2516	39.61	0.933	2566	40.79	-0.922
2417	37.44	-11.335	2467	38.47	-6.707	2517	39.67	0.690	2567	40.81	-2.920
2418	37.46	-13.207	2468	38.49	-6.080	2518	39.68	1.191	2568	40.82	-6.668
2419	37.49	-14.079	2469	38.51	-5.203	2519	39.70	0.944	2569	40.84	-10.791
2420	37.52	-12.576	2470	38.53	-3.326	2520	39.72	-0.304	2570	40.85	-12.040
2421	37.53	-14.074	2471	38.54	-1.949	2521	39.73	-1.553	2571	40.86	-13.163
2422	37.55	-14.696	2472	38.56	-0.447	2522	39.74	-4.301	2572	40.87	-13.161
2423	37.57	-15.318	2473	38.57	0.180	2523	39.77	-7.798	2573	40.89	-12.909
2424	37.58	-16.317	2474	38.58	0.181	2524	39.78	-8.671	2574	40.94	-11.404
2425	37.60	-16.316	2475	38.60	-0.692	2525	39.80	-9.294	2575	40.96	-10.776
2426	37.61	-16.064	2476	38.61	-1.315	2526	39.81	-9.293	2576	40.98	-10.399
2427	37.62	-15.436	2477	38.63	-2.313	2527	39.83	-7.790	2577	41.00	-9.396
2428	37.64	-13.185	2478	38.65	-2.560	2528	39.87	-4.411	2578	41.01	-8.644
2429	37.66	-11.057	2479	38.67	-2.559	2529	39.97	10.727	2579	41.03	-6.517
2430	37.68	-9.430	2480	38.69	-1.055	2530	40.00	13.980	2580	41.08	0.489
2431	37.72	-8.551	2481	38.73	1.449	2531	40.01	13.981	2581	41.09	1.490
2432	37.76	-7.295	2482	38.74	2.075	2532	40.02	14.358	2582	41.10	2.992
2433	37.80	-6.915	2483	38.76	2.328	2533	40.04	13.111	2583	41.12	2.994
2434	37.84	-7.535	2484	38.78	2.081	2534	40.06	10.612	2584	41.14	2.746
2435	37.86	-7.782	2485	38.81	1.834	2535	40.07	6.614	2585	41.16	2.374
2436	37.88	-7.780	2486	38.83	1.836	2536	40.10	1.693	2586	41.17	2.375
2437	37.91	-8.151	2487	38.86	1.465	2537	40.12	-5.880	2587	41.18	2.376
2438	37.93	-7.524	2488	38.88	2.343	2538	40.14	-12.252	2588	41.19	2.628
2439	37.96	-6.646	2489	38.92	4.223	2539	40.16	-13.499	2589	41.20	3.629
2440	37.97	-5.643	2490	38.97	5.978	2540	40.22	-15.992	2590	41.23	5.882
2441	37.99	-3.767	2491	38.99	6.231	2541	40.25	-17.239	2591	41.30	10.641
2442	38.02	-0.887	2492	39.01	5.359	2542	40.26	-17.237	2592	41.34	12.770
2443	38.04	0.364	2493	39.03	5.111	2543	40.28	-16.860	2593	41.36	13.898
2444	38.08	2.242	2494	39.04	4.738	2544	40.29	-15.358	2594	41.38	14.776
2445	38.07	4.494	2495	39.07	5.616	2545	40.32	-13.855	2595	41.40	14.528
2446	38.09	4.746	2496	39.10	7.873	2546	40.35	-9.476	2596	41.41	14.529
2447	38.12	5.500	2497	39.13	8.748	2547	40.37	-7.599	2597	41.43	13.657
2448	38.14	5.876	2498	39.15	8.502	2548	40.39	-5.346	2598	41.46	12.661
2449	38.15	6.128	2499	39.18	6.380	2549	40.41	-5.594	2599	41.48	11.413
2450	38.18	7.132	2500	39.22	4.759	2550	40.42	-5.593	2600	41.49	10.789

INDEX NO. 794 1302-FU-10 CHIYODA BRIDGE LG. MAX.ACCEL.= 39.384(GAL) T=14.07(SEC) NO.14

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2601	41.50	10.540	2651	42.48	-24.638	2701	43.75	-6.683	2751	44.93	1.964
2602	41.51	9.562	2652	42.50	-25.961	2702	43.77	-6.805	2752	44.96	1.592
2603	41.53	8.293	2653	42.51	-26.209	2703	43.80	-7.052	2753	44.99	1.845
2604	41.55	6.421	2654	42.52	-25.956	2704	43.81	-7.676	2754	45.02	1.600
2605	41.57	3.174	2655	42.53	-25.081	2705	43.83	-9.298	2755	45.04	1.352
2606	41.59	0.677	2656	42.56	-23.203	2706	43.85	-9.921	2756	45.05	0.728
2607	41.61	0.428	2657	42.64	-13.692	2707	43.87	-10.169	2757	45.06	0.104
2608	41.63	0.306	2658	42.68	-9.438	2708	43.88	-9.917	2758	45.08	-2.144
2609	41.65	0.558	2659	42.70	-7.309	2709	43.90	-9.290	2759	45.10	-4.016
2610	41.66	2.435	2660	42.73	-5.681	2710	43.92	-7.162	2760	45.11	-5.264
2611	41.68	3.312	2661	42.77	-2.301	2711	43.94	-6.410	2761	45.13	-5.887
2612	41.70	3.939	2662	42.80	-0.922	2712	43.96	-6.157	2762	45.14	-5.886
2613	41.71	3.941	2663	42.82	-0.920	2713	43.97	-5.906	2763	45.16	-5.633
2614	41.73	3.694	2664	42.84	-1.169	2714	44.03	-7.774	2764	45.17	-4.007
2615	41.75	3.696	2665	42.85	-0.916	2715	44.04	-7.398	2765	45.19	-2.505
2616	41.77	3.448	2666	42.87	-0.538	2716	44.06	-7.145	2766	45.21	-0.002
2617	41.78	3.450	2667	42.90	0.090	2717	44.08	-5.893	2767	45.23	1.001
2618	41.79	3.951	2668	42.94	1.345	2718	44.12	-3.638	2768	45.24	1.001
2619	41.81	4.954	2669	42.97	1.599	2719	44.16	-0.382	2769	45.25	1.003
2620	41.84	5.957	2670	43.00	1.978	2720	44.17	0.494	2770	45.27	0.756
2621	41.85	5.958	2671	43.02	1.601	2721	44.19	2.121	2771	45.32	-0.883
2622	41.86	5.959	2672	43.05	1.730	2722	44.21	4.249	2772	45.37	-2.732
2623	41.87	6.336	2673	43.09	1.110	2723	44.24	5.877	2773	45.41	-3.103
2624	41.89	5.338	2674	43.13	0.490	2724	44.27	6.256	2774	45.42	-2.475
2625	41.91	4.465	2675	43.14	0.491	2725	44.29	6.633	2775	45.44	-2.098
2626	41.94	4.469	2676	43.16	0.743	2726	44.30	6.635	2776	45.46	-0.596
2627	41.96	3.846	2677	43.18	0.496	2727	44.32	5.637	2777	45.49	1.283
2628	41.98	4.473	2678	43.21	-0.250	2728	44.33	5.388	2778	45.52	3.162
2629	42.01	5.103	2679	43.23	-0.747	2729	44.36	2.893	2779	45.57	6.042
2630	42.05	5.733	2680	43.26	-1.744	2730	44.43	-0.848	2780	45.60	8.046
2631	42.10	7.615	2681	43.28	-3.242	2731	44.44	-0.597	2781	45.64	9.301
2632	42.12	9.117	2682	43.30	-4.239	2732	44.45	-0.972	2782	45.67	9.929
2633	42.16	11.371	2683	43.33	-5.485	2733	44.47	0.281	2783	45.68	10.556
2634	42.18	11.625	2684	43.35	-5.733	2734	44.51	1.161	2784	45.69	9.933
2635	42.20	11.627	2685	43.36	-6.357	2735	44.54	1.790	2785	45.72	9.061
2636	42.21	11.128	2686	43.38	-6.729	2736	44.56	1.542	2786	45.76	7.441
2637	42.22	10.754	2687	43.41	-6.726	2737	44.57	1.294	2787	45.79	6.195
2638	42.24	10.131	2688	43.42	-6.724	2738	44.60	0.297	2788	45.80	4.946
2639	42.25	9.133	2689	43.45	-6.971	2739	44.63	-0.949	2789	45.81	3.447
2640	42.26	8.259	2690	43.46	-6.469	2740	44.65	-1.571	2790	45.84	-3.299
2641	42.27	6.760	2691	43.49	-5.841	2741	44.68	-2.193	2791	45.86	-5.172
2642	42.29	3.013	2692	43.53	-4.585	2742	44.73	-3.686	2792	45.87	-6.170
2643	42.31	-1.110	2693	43.58	-3.579	2743	44.76	-4.308	2793	45.89	-7.043
2644	42.34	-8.356	2694	43.61	-3.326	2744	44.79	-5.305	2794	45.91	-7.665
2645	42.37	-15.102	2695	43.62	-3.824	2745	44.81	-5.927	2795	45.93	-8.287
2646	42.39	-18.599	2696	43.65	-5.071	2746	44.83	-5.924	2796	45.97	-8.533
2647	42.40	-20.222	2697	43.67	-6.318	2747	44.84	-5.298	2797	46.04	-8.648
2648	42.42	-21.471	2698	43.70	-6.940	2748	44.86	-4.046	2798	46.06	-8.647
2649	42.43	-22.969	2699	43.72	-7.562	2749	44.88	-2.168	2799	46.07	-7.770
2650	42.45	-23.967	2700	43.73	-7.561	2750	44.92	0.961	2800	46.08	-7.144

INDEX NO. 794 1302-FU-10 CHIYODA BRIDGE LG. MAX.ACCEL.= 39.384(GAL) T=14.07(SEC) NO.15

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2801	46.09	-6.142	2851	47.47	-5.971	2901	48.87	-1.673	2951	50.24	-8.253
2802	46.11	-4.640	2852	47.49	-5.094	2902	48.91	-1.043	2952	50.25	-7.626
2803	46.14	-2.512	2853	47.52	-3.591	2903	48.93	-0.415	2953	50.28	-5.373
2804	46.16	-1.134	2854	47.54	-1.213	2904	48.98	3.341	2954	50.30	-3.870
2805	46.17	0.118	2855	47.56	-0.585	2905	48.99	3.592	2955	50.32	-3.743
2806	46.19	0.495	2856	47.58	-0.333	2906	49.01	4.344	2956	50.34	-3.241
2807	46.24	-0.375	2857	47.61	0.296	2907	49.02	3.846	2957	50.38	-3.860
2808	46.27	-0.746	2858	47.64	1.300	2908	49.07	1.602	2958	50.40	-4.357
2809	46.29	-2.868	2859	47.66	2.802	2909	49.08	1.604	2959	50.44	-3.227
2810	46.31	-4.490	2860	47.68	4.055	2910	49.09	1.105	2960	50.47	-2.224
2811	46.34	-6.987	2861	47.72	5.059	2911	49.12	1.483	2961	50.50	-0.595
2812	46.36	-8.235	2862	47.74	5.311	2912	49.18	0.865	2962	50.56	1.661
2813	46.38	-8.482	2863	47.77	5.066	2913	49.25	0.625	2963	50.60	3.792
2814	46.40	-8.855	2864	47.81	5.320	2914	49.27	-0.123	2964	50.65	6.173
2815	46.41	-8.603	2865	47.85	4.201	2915	49.29	-1.245	2965	50.68	5.552
2816	46.43	-8.226	2866	47.88	3.830	2916	49.32	-2.867	2966	50.72	4.932
2817	46.45	-6.973	2867	47.90	2.957	2917	49.35	-4.737	2967	50.78	4.685
2818	46.48	-4.845	2868	47.92	2.584	2918	49.44	-7.477	2968	50.82	5.194
2819	46.51	-2.340	2869	47.94	1.712	2919	49.48	-9.472	2969	50.83	4.946
2820	46.54	-1.087	2870	47.96	1.714	2920	49.50	-9.845	2970	50.87	4.075
2821	46.56	-1.335	2871	47.97	1.716	2921	49.52	-9.592	2971	50.91	1.830
2822	46.57	-2.208	2872	48.01	1.971	2922	49.54	-8.340	2972	50.93	1.207
2823	46.60	-3.205	2873	48.05	2.601	2923	49.58	-7.334	2973	50.94	1.834
2824	46.65	-7.824	2874	48.07	2.602	2924	49.60	-7.582	2974	50.97	2.463
2825	46.69	-11.369	2875	48.10	1.357	2925	49.61	-7.581	2975	50.99	2.716
2826	46.72	-13.564	2876	48.12	1.359	2926	49.63	-8.204	2976	51.03	4.596
2827	46.74	-14.562	2877	48.14	1.612	2927	49.65	-9.451	2977	51.07	5.601
2828	46.75	-14.561	2878	48.18	1.742	2928	49.67	-9.199	2978	51.11	5.855
2829	46.78	-14.558	2879	48.20	1.119	2929	49.68	-8.947	2979	51.13	6.233
2830	46.81	-13.678	2880	48.22	0.747	2930	49.70	-8.570	2980	51.15	6.236
2831	46.86	-12.049	2881	48.23	0.123	2931	49.78	-5.809	2981	51.19	5.615
2832	46.88	-10.170	2882	48.26	-0.498	2932	49.82	-5.180	2982	51.23	4.995
2833	46.89	-8.919	2883	48.28	-0.496	2933	49.85	-4.802	2983	51.27	3.125
2834	46.91	-7.417	2884	48.31	-0.743	2934	49.88	-5.672	2984	51.34	1.258
2835	46.93	-4.914	2885	48.33	-0.740	2935	49.89	-6.296	2985	51.45	-1.978
2836	46.95	-2.661	2886	48.34	-1.988	2936	49.92	-6.667	2986	51.53	-5.342
2837	46.97	-2.908	2887	48.37	-3.610	2937	49.94	-6.915	2987	51.56	-5.964
2838	46.99	-2.905	2888	48.38	-3.983	2938	49.95	-7.039	2988	51.57	-5.713
2839	47.02	-3.902	2889	48.40	-3.981	2939	49.97	-6.411	2989	51.60	-4.833
2840	47.05	-4.148	2890	48.42	-2.979	2940	49.99	-6.284	2990	51.63	-3.830
2841	47.10	-4.767	2891	48.45	-2.100	2941	50.01	-5.406	2991	51.65	-3.828
2842	47.21	-4.754	2892	48.46	-1.098	2942	50.03	-5.404	2992	51.67	-3.826
2843	47.28	-5.370	2893	48.48	-1.346	2943	50.06	-6.900	2993	51.68	-3.198
2844	47.31	-5.991	2894	48.51	-1.718	2944	50.10	-7.270	2994	51.70	-2.947
2845	47.33	-6.614	2895	48.59	-1.082	2945	50.13	-7.892	2995	51.71	-2.320
2846	47.35	-6.611	2896	48.66	-2.573	2946	50.14	-7.640	2996	51.72	-1.088
2847	47.38	-6.983	2897	48.67	-2.573	2947	50.16	-7.637	2997	51.75	-0.440
2848	47.41	-6.730	2898	48.70	-2.319	2948	50.18	-7.885	2998	51.77	0.187
2849	47.43	-6.102	2039	48.75	-2.312	2949	50.20	-8.132	2999	51.79	0.315
2850	47.45	-5.973	2900	48.83	-2.309	2950	50.22	-8.505	3000	51.80	0.317

INDEX NO. 794 1302-FU-10 CHIYODA BRIDGE LG. MAX.ACCEL.= 39.384(GAL) T=14.07(SEC) NO.16

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3001	51.82	0.319	3051	53.60	3.664	3101	55.44	-5.982	3151	57.11	6.475
3002	51.84	-0.305	3052	53.61	3.916	3102	55.45	-5.356	3152	57.14	8.229
3003	51.86	-0.927	3053	53.63	3.669	3103	55.46	-5.354	3153	57.18	9.735
3004	51.88	-1.549	3054	53.66	3.296	3104	55.49	-5.351	3154	57.23	10.990
3005	51.90	-2.796	3055	53.68	2.049	3105	55.55	-4.094	3155	57.26	11.618
3006	51.93	-4.417	3056	53.71	1.178	3106	55.63	-1.583	3156	57.29	11.373
3007	51.96	-5.914	3057	53.74	-0.693	3107	55.67	-0.703	3157	57.33	11.377
3008	51.98	-7.286	3058	53.77	-1.315	3108	55.70	-0.199	3158	57.34	10.753
3009	52.00	-7.535	3059	53.81	-1.934	3109	55.73	-0.196	3159	57.35	9.080
3010	52.02	-7.157	3060	53.87	-3.302	3110	55.77	0.058	3160	57.38	8.258
3011	52.04	-6.279	3061	53.89	-3.550	3111	55.79	0.437	3161	57.43	3.915
3012	52.06	-5.401	3062	53.91	-3.297	3112	55.82	0.191	3162	57.52	-4.348
3013	52.10	-3.772	3063	53.93	-2.044	3113	55.86	0.445	3163	57.58	-8.216
3014	52.11	-3.520	3064	53.96	-0.415	3114	55.89	0.199	3164	57.60	-8.214
3015	52.14	-3.392	3065	53.98	0.462	3115	55.90	-0.175	3165	57.63	-7.586
3016	52.23	-3.130	3066	54.02	2.691	3116	55.92	-1.047	3166	57.69	-7.328
3017	52.39	-3.736	3067	54.05	5.471	3117	55.97	-2.917	3167	57.72	-6.699
3018	52.46	-3.977	3068	54.08	7.474	3118	56.02	-4.160	3168	57.74	-5.697
3019	52.48	-4.599	3069	54.10	9.977	3119	56.05	-6.031	3169	57.77	-4.193
3020	52.53	-5.843	3070	54.12	12.229	3120	56.08	-6.652	3170	57.80	-2.314
3021	52.59	-6.211	3071	54.14	12.231	3121	56.10	-6.650	3171	57.82	-1.686
3022	52.65	-6.204	3072	54.16	12.235	3122	56.11	-6.649	3172	57.86	-1.057
3023	52.68	-5.575	3073	54.23	9.743	3123	56.14	-5.520	3173	57.90	0.323
3024	52.69	-4.948	3074	54.39	4.138	3124	56.17	-3.891	3174	57.93	1.327
3025	52.71	-4.071	3075	54.49	0.775	3125	56.23	-0.509	3175	57.95	1.580
3026	52.74	-2.442	3076	54.51	-0.347	3126	56.29	2.373	3176	57.97	0.707
3027	52.77	-0.938	3077	54.54	-1.044	3127	56.32	3.251	3177	57.98	0.959
3028	52.79	-0.561	3078	54.58	-3.714	3128	56.33	3.254	3178	58.02	1.588
3029	52.81	-1.183	3079	54.61	-4.086	3129	56.35	3.256	3179	58.05	1.966
3030	52.84	-1.180	3080	54.66	-5.579	3130	56.37	2.758	3180	58.08	3.221
3031	52.86	-0.927	3081	54.78	-8.189	3131	56.40	2.137	3181	58.12	4.476
3032	52.91	-0.297	3082	54.79	-8.188	3132	56.44	0.517	3182	58.17	5.107
3033	52.93	0.082	3083	54.84	-6.432	3133	56.50	-1.351	3183	58.21	5.737
3034	52.95	-0.541	3084	54.86	-6.429	3134	56.54	-2.220	3184	58.24	5.741
3035	52.98	-1.162	3085	54.89	-6.925	3135	56.61	-4.087	3185	58.27	4.870
3036	53.05	-3.904	3086	54.92	-7.296	3136	56.63	-5.084	3186	58.31	3.624
3037	53.10	-5.523	3087	54.96	-7.292	3137	56.65	-5.707	3187	58.35	2.378
3038	53.12	-6.395	3088	55.00	-6.037	3138	56.67	-6.330	3188	58.36	2.006
3039	53.14	-6.393	3089	55.04	-5.782	3139	56.68	-6.953	3189	58.38	1.134
3040	53.17	-6.139	3090	55.07	-4.778	3140	56.70	-7.575	3190	58.41	-0.738
3041	53.18	-6.137	3091	55.09	-4.526	3141	56.73	-8.572	3191	58.44	-1.984
3042	53.25	-7.005	3092	55.13	-1.396	3142	56.75	-8.319	3192	58.53	-7.349
3043	53.28	-7.001	3093	55.15	-0.268	3143	56.77	-7.692	3193	58.56	-8.095
3044	53.30	-6.997	3094	55.18	0.360	3144	56.79	-7.065	3194	58.58	-9.343
3045	53.32	-6.120	3095	55.20	0.363	3145	56.83	-4.935	3195	58.60	-9.340
3046	53.37	-3.988	3096	55.22	-0.260	3146	56.86	-2.055	3196	58.62	-9.337
3047	53.42	-2.732	3097	55.26	-0.880	3147	56.94	1.579	3197	58.69	-8.078
3048	53.48	0.150	3098	55.35	-3.618	3148	56.98	2.084	3198	58.79	-4.691
3049	53.52	1.780	3099	55.39	-5.238	3149	57.05	3.968	3199	58.84	-3.436
3050	53.57	3.286	3100	55.42	-5.235	3150	57.07	4.971	3200	58.85	-3.683

INDEX NO. 794 1302-FU-10 CHIYODA BRIDGE LG. MAX.ACCEL.= 39.384(GAL) T=14.07(SEC) NO.17

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3201	58.87	-3.431	3251	60.39	-4.742	3301	62.19	1.606	3351	63.86	6.189
3202	58.89	-2.054	3252	60.43	-3.488	3302	62.22	1.860	3352	63.90	6.443
3203	58.93	0.201	3253	60.45	-3.485	3303	62.24	0.988	3353	63.94	6.698
3204	58.97	1.706	3254	60.49	-2.231	3304	62.26	0.615	3354	63.98	7.078
3205	59.01	2.711	3255	60.50	-2.229	3305	62.29	-1.256	3355	64.00	7.081
3206	59.07	3.343	3256	60.52	-1.351	3306	62.32	-2.752	3356	64.03	6.459
3207	59.09	3.347	3257	60.56	0.653	3307	62.34	-3.750	3357	64.05	5.586
3208	59.11	2.724	3258	60.61	4.785	3308	62.36	-4.374	3358	64.07	4.964
3209	59.13	1.851	3259	60.65	6.665	3309	62.38	-5.245	3359	64.09	3.966
3210	59.15	0.604	3260	60.68	7.294	3310	62.41	-5.242	3360	64.11	3.094
3211	59.19	-1.267	3261	60.70	8.421	3311	62.46	-5.860	3361	64.13	1.847
3212	59.21	-2.889	3262	60.72	8.924	3312	62.56	-6.848	3362	64.14	1.223
3213	59.25	-2.884	3263	60.75	8.677	3313	62.63	-8.215	3363	64.16	1.226
3214	59.33	-5.624	3264	60.79	8.432	3314	62.65	-7.961	3364	64.18	1.229
3215	59.38	-7.243	3265	60.89	7.820	3315	62.67	-6.960	3365	64.22	2.108
3216	59.39	-7.742	3266	60.97	8.079	3316	62.70	-6.081	3366	64.27	2.739
3217	59.41	-7.615	3267	61.02	8.961	3317	62.76	-4.199	3367	64.29	2.992
3218	59.43	-7.112	3268	61.06	8.966	3318	62.80	-2.944	3368	64.31	2.119
3219	59.47	-6.732	3269	61.08	8.468	3319	62.83	-2.940	3369	64.34	1.497
3220	59.51	-6.727	3270	61.09	7.470	3320	62.85	-3.812	3370	64.39	+0.621
3221	59.53	-6.725	3271	61.11	6.597	3321	62.87	-4.434	3371	64.42	-1.617
3222	59.55	-6.722	3272	61.14	4.726	3322	62.90	-5.681	3372	64.44	-1.615
3223	59.57	-6.969	3273	61.17	2.229	3323	62.95	-6.925	3373	64.46	-1.362
3224	59.59	-6.467	3274	61.20	0.483	3324	62.98	-7.171	3374	64.49	-1.359
3225	59.60	-5.840	3275	61.23	-0.389	3325	63.01	-7.167	3375	64.51	-1.606
3226	59.63	-4.838	3276	61.26	-2.009	3326	63.06	-6.911	3376	64.53	-1.853
3227	59.66	-3.584	3277	61.30	-3.254	3327	63.08	-7.534	3377	64.56	-2.475
3228	59.68	-3.581	3278	61.33	-4.501	3328	63.11	-7.280	3378	64.59	-3.472
3229	59.70	-3.578	3279	61.34	-4.749	3329	63.16	-6.024	3379	64.63	-4.717
3230	59.73	-3.324	3280	61.36	-4.747	3330	63.21	-4.767	3380	64.65	-5.339
3231	59.78	-3.569	3281	61.38	-4.745	3331	63.24	-4.138	3381	64.68	-5.585
3232	59.83	-3.312	3282	61.42	-4.490	3332	63.27	-3.510	3382	64.70	-5.958
3233	59.86	-2.308	3283	61.46	-4.235	3333	63.32	-3.504	3383	64.72	-6.205
3234	59.90	-3.803	3284	61.50	-3.605	3334	63.35	-3.126	3384	64.73	-6.454
3235	59.95	-0.422	3285	61.52	-3.227	3335	63.36	-2.873	3385	64.75	-5.826
3236	59.97	0.331	3286	61.55	-2.599	3336	63.39	-1.871	3386	64.78	-3.967
3237	60.00	0.583	3287	61.56	-1.597	3337	63.41	+0.388	3387	64.82	-2.692
3238	60.01	0.335	3288	61.58	-1.345	3338	63.43	1.010	3388	64.87	-1.062
3239	60.02	-0.538	3289	61.61	-1.591	3339	63.47	3.515	3389	64.91	-0.807
3240	60.03	-1.537	3290	61.64	-0.713	3340	63.49	4.518	3390	64.94	-0.178
3241	60.05	-2.410	3291	61.66	-0.460	3341	63.51	5.395	3391	64.96	-0.425
3242	60.08	-4.032	3292	61.71	1.421	3342	63.52	6.146	3392	64.99	-0.422
3243	60.10	-5.529	3293	61.76	2.427	3343	63.56	6.151	3393	65.02	-0.418
3244	60.12	-6.776	3294	61.83	1.812	3344	63.60	6.781	3394	65.05	-0.414
3245	60.13	-7.150	3295	61.94	3.325	3345	63.63	6.410	3395	65.09	-0.660
3246	60.15	-7.897	3296	61.99	3.707	3346	63.68	6.665	3396	65.12	-1.656
3247	60.18	-8.164	3297	62.03	3.461	3347	63.73	7.296	3397	65.13	-1.654
3248	60.22	-7.639	3298	62.08	2.843	3348	63.78	7.928	3398	65.16	-1.026
3249	60.26	-7.250	3299	62.13	2.848	3349	63.80	7.681	3399	65.21	-0.394
3250	60.34	-6.374	3300	62.16	2.227	3350	63.83	6.909	3400	65.25	0.486

INDEX NO. 794 1302-FU-10 CHIYODA BRIDGE LG. MAX.ACCEL.= 39.384(GAL) T=14.07(SEC) NO.18

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3401	65.27	0.488	3451	67.09	-8.248	3501	68.46	1.384	3551	69.77	2.422
3402	65.29	0.241	3452	67.13	-8.531	3502	68.48	1.387	3552	69.79	3.675
3403	65.33	0.495	3453	67.16	-8.277	3503	68.50	1.139	3553	69.80	3.425
3404	65.35	0.490	3454	67.19	-7.648	3504	68.52	0.517	3554	69.82	3.178
3405	65.39	-0.996	3455	67.23	-7.019	3505	68.54	-0.481	3555	69.84	2.181
3406	65.41	-0.994	3456	67.25	-6.399	3506	68.56	-0.728	3556	69.88	0.686
3407	65.42	-1.243	3457	67.28	-5.762	3507	68.59	-0.850	3557	69.91	-1.186
3408	65.45	-1.364	3458	67.30	-4.510	3508	68.63	-0.220	3558	69.95	-2.431
3409	65.54	0.272	3459	67.32	-3.257	3509	68.65	-0.468	3559	69.97	-2.428
3410	65.51	1.965	3460	67.35	-2.378	3510	68.67	-1.340	3560	69.98	-2.427
3411	65.69	2.284	3461	67.39	-1.749	3511	68.69	-1.087	3561	70.00	-1.925
3412	65.67	2.287	3462	67.42	-1.745	3512	68.71	-1.335	3562	70.01	-0.048
3413	65.69	2.040	3463	67.47	-0.114	3513	68.73	-1.082	3563	70.06	4.082
3414	65.70	3.792	3464	67.50	2.265	3514	68.75	-0.830	3564	70.08	5.960
3415	65.74	-2.629	3465	67.52	0.893	3515	68.77	-0.453	3565	70.12	7.215
3416	65.76	-2.075	3466	67.55	0.896	3516	68.79	-0.450	3566	70.16	7.470
3417	65.80	-3.321	3467	67.56	1.272	3517	68.81	-1.322	3567	70.19	7.474
3418	65.84	-4.816	3468	67.59	1.901	3518	68.83	-2.320	3568	70.21	6.976
3419	65.88	-5.811	3469	67.61	3.153	3519	68.86	-3.191	3569	70.22	5.978
3420	65.90	-7.184	3470	67.64	4.408	3520	68.89	-3.812	3570	70.25	5.106
3421	65.92	-7.806	3471	67.68	5.037	3521	68.92	-5.058	3571	70.28	3.485
3422	65.94	-7.804	3472	67.72	5.917	3522	68.95	-6.430	3572	70.31	1.614
3423	65.96	-7.802	3473	67.75	6.295	3523	68.97	-6.552	3573	70.34	0.368
3424	65.99	-7.797	3474	67.76	6.298	3524	68.99	-6.549	3574	70.37	-0.254
3425	66.03	-7.167	3475	67.79	6.051	3525	69.02	-5.921	3575	70.40	-0.500
3426	66.08	-6.911	3476	67.80	6.053	3526	69.04	-5.544	3576	70.43	-0.872
3427	66.13	-5.905	3477	67.82	5.429	3527	69.07	-5.290	3577	70.46	-0.618
3428	66.23	-3.757	3478	67.84	5.057	3528	69.10	-4.036	3578	70.49	0.011
3429	66.33	-1.505	3479	67.86	4.435	3529	69.14	-3.407	3579	70.50	-0.237
3430	66.33	-0.623	3480	67.88	3.563	3530	69.16	-3.029	3580	70.53	-0.484
3431	66.41	-0.870	3481	67.91	2.941	3531	69.18	-3.026	3581	70.57	-1.729
3432	66.44	-1.117	3482	67.93	2.568	3532	69.21	-2.772	3582	70.62	-2.723
3433	66.47	-1.112	3483	67.95	1.946	3533	69.23	-2.394	3583	70.65	-3.343
3434	66.49	-0.610	3484	67.96	1.698	3534	69.26	-2.142	3584	70.69	-3.589
3435	66.53	0.019	3485	67.98	1.575	3535	69.29	-2.637	3585	70.72	-3.960
3436	66.57	1.775	3486	68.01	1.326	3536	69.33	-3.007	3586	70.74	-2.832
3437	66.60	2.029	3487	68.03	2.206	3537	69.37	-3.002	3587	70.80	-2.575
3438	66.62	1.781	3488	68.06	2.335	3538	69.40	-2.750	3588	70.83	-1.821
3439	66.66	1.785	3489	68.10	2.340	3539	69.42	-2.122	3589	70.86	-1.568
3440	66.68	1.538	3490	68.13	2.844	3540	69.45	-1.110	3590	70.88	-1.565
3441	66.70	0.291	3491	68.16	2.597	3541	69.48	-1.114	3591	70.91	-2.186
3442	66.73	-0.081	3492	68.19	2.600	3542	69.52	-1.984	3592	70.95	-2.431
3443	66.77	-0.951	3493	68.22	1.979	3543	69.58	-1.977	3593	70.98	-2.178
3444	66.82	-3.445	3494	68.24	1.357	3544	69.61	-2.348	3594	71.02	-2.173
3445	66.85	-4.690	3495	68.27	0.736	3545	69.64	-2.344	3595	71.05	-1.544
3446	66.89	-5.686	3496	68.29	0.739	3546	69.66	-2.342	3596	71.08	-0.290
3447	66.92	-6.337	3497	68.32	1.616	3547	69.68	-1.714	3597	71.12	0.589
3448	66.96	-7.302	3498	68.38	1.374	3548	69.70	-0.837	3598	71.16	1.719
3449	67.00	-7.296	3499	68.41	1.129	3549	69.72	0.166	3599	71.18	3.847
3450	67.05	-8.290	3500	68.44	1.632	3550	69.75	1.545	3600	71.21	4.226

INDEX NO. 794 1302-FU-10 CHIYODA BRIDGE LG. MAX.ACCEL.= 39.384(GAL) T=14.07(SEC) NO.19

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3601	71.24	3.605	3651	73.17	2.594	3701	74.80	3.046	3751	76.84	-2.725
3602	71.28	2.734	3652	73.20	2.847	3702	74.84	2.801	3752	76.86	-2.473
3603	71.33	0.865	3653	73.24	1.102	3703	74.86	3.053	3753	76.88	-1.470
3604	71.38	-0.753	3654	73.30	0.736	3704	74.88	3.682	3754	76.73	0.035
3605	71.45	-1.620	3655	73.39	-1.129	3705	74.92	4.936	3755	76.74	0.413
3606	71.48	-2.241	3656	73.46	-2.370	3706	74.94	4.939	3756	76.78	1.042
3607	71.51	-1.737	3657	73.52	-3.863	3707	74.96	4.691	3757	76.83	1.674
3608	71.56	-0.481	3658	73.56	-4.232	3708	75.00	4.446	3758	76.89	3.056
3609	71.59	-0.478	3659	73.59	-4.479	3709	75.02	4.449	3759	76.94	2.811
3610	71.63	-0.722	3660	73.63	-4.849	3710	75.06	4.954	3760	76.98	3.067
3611	71.69	-1.340	3661	73.65	-4.597	3711	75.12	5.586	3761	77.01	3.695
3612	71.74	-1.334	3662	73.68	-4.593	3712	75.18	6.969	3762	77.02	3.947
3613	71.77	-1.330	3663	73.71	-3.964	3713	75.23	6.599	3763	77.05	4.575
3614	71.80	-1.077	3664	73.73	-3.337	3714	75.26	6.354	3764	77.07	4.953
3615	71.81	-0.699	3665	73.75	-3.334	3715	75.29	5.733	3765	77.08	4.955
3616	71.83	-0.647	3666	73.78	-3.581	3716	75.34	5.114	3766	77.10	4.956
3617	71.86	1.806	3667	73.79	-3.573	3717	75.38	4.119	3767	77.13	4.086
3618	71.89	3.310	3668	73.82	-3.575	3718	75.45	2.251	3768	77.17	4.090
3619	71.91	3.688	3669	73.85	-2.947	3719	75.49	0.757	3769	77.20	3.470
3620	71.94	3.941	3670	73.89	-1.693	3720	75.53	0.137	3770	77.24	3.099
3621	71.97	3.695	3671	73.90	-1.690	3721	75.55	-0.235	3771	77.27	2.853
3622	72.00	3.699	3672	73.93	-1.436	3722	75.57	0.142	3772	77.30	2.856
3623	72.06	3.082	3673	73.96	-1.682	3723	75.60	-0.229	3773	77.32	2.859
3624	72.13	1.215	3674	73.98	-1.055	3724	75.62	-0.226	3774	77.34	3.362
3625	72.19	0.598	3675	74.01	-0.427	3725	75.66	0.403	3775	77.37	4.365
3626	72.26	0.356	3676	74.04	1.077	3726	75.72	1.411	3776	77.39	5.618
3627	72.28	0.233	3677	74.06	1.455	3727	75.74	1.288	3777	77.42	4.996
3628	72.31	0.237	3678	74.10	1.710	3728	75.76	0.791	3778	77.43	4.873
3629	72.32	-0.262	3679	74.17	2.718	3729	75.79	0.169	3779	77.46	4.251
3630	72.34	-0.984	3680	74.21	3.593	3730	75.82	-1.077	3780	77.52	2.259
3631	72.37	-1.881	3681	74.27	4.605	3731	75.84	-1.074	3781	77.60	-0.606
3632	72.38	-2.379	3682	74.30	4.360	3732	75.88	-0.570	3782	77.65	-1.858
3633	72.40	-3.501	3683	74.32	4.862	3733	75.94	0.438	3783	77.67	-2.472
3634	72.42	-2.623	3684	74.34	4.990	3734	75.99	1.319	3784	77.69	-1.970
3635	72.46	-1.369	3685	74.36	4.357	3735	76.01	1.322	3785	77.71	-2.218
3636	72.50	-0.740	3686	74.39	4.370	3736	76.03	1.074	3786	77.75	-1.338
3637	72.54	0.181	3687	74.41	3.748	3737	76.06	0.202	3787	77.85	1.175
3638	72.50	1.398	3688	74.44	2.752	3738	76.09	-0.794	3788	77.94	1.811
3639	72.53	1.652	3689	74.47	1.881	3739	76.18	-5.157	3789	77.97	3.190
3640	72.66	1.656	3690	74.51	1.260	3740	76.22	-6.527	3790	78.00	4.444
3641	72.70	1.285	3691	74.53	0.888	3741	76.24	-6.725	3791	78.01	5.320
3642	72.76	1.044	3692	74.56	0.892	3742	76.25	-6.773	3792	78.02	5.321
3643	72.82	0.926	3693	74.59	0.896	3743	76.27	-7.146	3793	78.06	5.451
3644	72.91	0.062	3694	74.62	0.649	3744	76.30	-7.143	3794	78.09	5.955
3645	72.94	0.315	3695	74.65	0.902	3745	76.33	-6.516	3795	78.13	6.584
3646	72.97	-0.806	3696	74.66	0.904	3746	76.39	-5.881	3796	78.17	6.965
3647	72.99	-0.553	3697	74.69	1.533	3747	76.44	-4.625	3797	78.20	8.219
3648	73.03	0.076	3698	74.73	2.163	3748	76.49	-4.619	3798	78.22	9.096
3649	73.07	1.957	3699	74.76	3.042	3749	76.57	-3.983	3799	78.23	8.848
3650	73.11	2.837	3700	74.78	3.044	3750	76.62	-3.352	3800	78.24	8.974

INDEX NO. 794 1302-FU-10 CHIYODA BRIDGE LG. MAX.ACCEL.= 39.384(GAL) T=14.07(SEC) NO.20

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3801	78.25	8.975	3851	80.38	2.490	3901	82.08	5.576	3951	83.71	3.902
3802	78.29	7.480	3852	80.42	3.119	3902	82.11	5.829	3952	83.75	5.157
3803	78.39	4.993	3853	80.47	5.626	3903	82.13	5.332	3953	83.79	6.037
3804	78.44	2.624	3854	80.50	4.754	3904	82.17	4.961	3954	83.81	6.416
3805	78.47	2.377	3855	80.52	4.756	3905	82.19	5.214	3955	83.84	6.419
3806	78.51	3.257	3856	80.55	4.510	3906	82.22	5.843	3956	83.87	6.672
3807	78.55	2.398	3857	80.57	4.137	3907	82.29	6.477	3957	83.93	7.054
3808	78.62	2.021	3858	80.61	3.517	3908	82.36	6.861	3958	83.97	6.185
3809	78.66	2.277	3859	80.65	2.648	3909	82.38	6.238	3959	84.01	5.814
3810	78.72	2.034	3860	80.66	2.274	3910	82.41	4.991	3960	84.04	5.568
3811	78.78	3.291	3861	80.70	2.279	3911	82.45	2.871	3961	84.10	5.451
3812	78.86	3.351	3862	80.75	2.660	3912	82.48	1.249	3962	84.15	5.832
3813	78.89	3.680	3863	80.79	2.666	3913	82.52	0.004	3963	84.19	5.213
3814	78.90	3.326	3864	80.83	2.045	3914	82.56	-0.990	3964	84.23	4.967
3815	78.93	2.934	3865	80.89	3.177	3915	82.60	-1.485	3965	84.25	4.595
3816	78.97	2.063	3866	80.92	2.932	3916	82.64	-1.856	3966	84.30	3.351
3817	79.07	1.077	3867	80.96	3.811	3917	82.67	-1.226	3967	84.35	3.982
3818	79.12	-0.417	3868	81.00	5.441	3918	82.70	-0.973	3968	84.36	3.609
3819	79.16	-0.412	3869	81.03	6.070	3919	82.74	-1.210	3969	84.38	3.361
3820	79.17	-0.786	3870	81.04	5.571	3920	82.80	-1.460	3970	84.48	5.248
3821	79.19	-0.784	3871	81.06	5.324	3921	82.86	-2.579	3971	84.54	5.505
3822	79.22	0.845	3872	81.10	4.704	3922	82.90	-1.948	3972	84.55	5.507
3823	79.25	1.724	3873	81.16	3.461	3923	82.92	-1.320	3973	84.59	5.012
3824	79.28	1.728	3874	81.19	2.964	3924	82.94	-1.068	3974	84.63	5.267
3825	79.29	2.479	3875	81.21	2.967	3925	82.98	0.187	3975	84.66	5.270
3826	79.32	0.607	3876	81.23	3.595	3926	83.03	2.443	3976	84.69	5.899
3827	79.34	0.485	3877	81.27	3.849	3927	83.06	5.322	3977	84.72	5.902
3828	79.40	-1.257	3878	81.30	3.603	3928	83.08	5.699	3978	84.76	6.783
3829	79.47	-2.625	3879	81.33	2.983	3929	83.09	5.701	3979	84.82	7.790
3830	79.48	-2.872	3880	81.35	2.985	3930	83.11	5.703	3980	84.88	8.048
3831	79.50	-2.370	3881	81.37	3.613	3931	83.14	5.082	3981	84.92	7.802
3832	79.52	-1.492	3882	81.39	4.965	3932	83.18	4.211	3982	84.94	7.555
3833	79.55	-1.114	3883	81.41	5.742	3933	83.22	3.217	3983	84.97	7.184
3834	79.56	-0.236	3884	81.42	4.898	3934	83.25	2.970	3984	85.01	6.564
3835	79.60	0.142	3885	81.45	5.122	3935	83.28	3.224	3985	85.04	5.693
3836	79.61	-0.232	3886	81.49	5.502	3936	83.31	3.853	3986	85.08	4.698
3837	79.65	-0.227	3887	81.55	4.885	3937	83.34	4.732	3987	85.12	4.703
3838	79.71	0.156	3888	81.62	3.644	3938	83.37	5.735	3988	85.17	4.709
3839	79.77	-0.087	3889	81.66	3.398	3939	83.39	6.988	3989	85.22	4.964
3840	79.79	-0.459	3890	81.68	2.401	3940	83.42	6.991	3990	85.24	4.968
3841	79.90	0.180	3891	81.72	3.030	3941	83.44	6.993	3991	85.27	3.846
3842	80.09	2.328	3892	81.78	4.039	3942	83.46	6.746	3992	85.34	1.979
3843	80.10	2.204	3893	81.86	5.798	3943	83.49	6.125	3993	85.39	0.986
3844	80.13	2.833	3894	81.91	5.804	3944	83.52	4.503	3994	85.43	0.741
3845	80.15	3.461	3895	81.93	6.182	3945	83.54	3.632	3995	85.47	0.371
3846	80.18	4.089	3896	81.95	5.934	3946	83.57	3.010	3996	85.51	2.251
3847	80.20	4.092	3897	81.97	5.312	3947	83.59	3.013	3997	85.57	3.508
3848	80.24	3.472	3898	81.99	4.689	3948	83.62	2.641	3998	85.59	2.010
3849	80.29	2.853	3899	82.00	4.691	3949	83.63	2.643	3999	85.62	1.640
3850	80.35	1.986	3900	82.05	4.947	3950	83.67	2.648	4000	85.66	1.895

INDEX NO. 794 1302-FU-10 CHIYODA BRIDGE LG. MAX.ACCEL.= 39.384(GAL) T=14.07(SEC) NO.21

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
4001	85.69	2.274	4051	87.91	4.799	4101	90.62	4.761	4151	93.07	7.814
4002	85.72	2.527	4052	87.95	4.803	4102	90.65	5.389	4152	93.10	8.818
4003	85.75	2.906	4053	88.05	3.566	4103	90.70	5.395	4153	93.14	8.199
4004	85.81	5.413	4054	88.13	4.451	4104	90.73	5.399	4154	93.18	8.453
4005	85.87	6.296	4055	88.17	3.831	4105	90.78	4.780	4155	93.23	7.959
4006	85.94	7.304	4056	88.20	4.460	4106	90.83	4.536	4156	93.28	6.966
4007	85.97	7.309	4057	88.24	5.965	4107	90.87	4.791	4157	93.33	5.472
4008	86.01	7.063	4058	88.27	5.469	4108	90.90	4.169	4158	93.37	4.852
4009	86.05	6.943	4059	88.30	5.097	4109	90.94	4.425	4159	93.43	4.234
4010	86.09	7.323	4060	88.35	3.854	4110	91.00	6.058	4160	93.47	4.114
4011	86.12	6.702	4061	88.42	2.362	4111	91.05	6.688	4161	93.50	4.493
4012	86.15	5.831	4062	88.45	1.742	4112	91.08	6.068	4162	93.53	4.497
4013	86.18	4.834	4063	88.48	1.120	4113	91.13	6.074	4163	93.55	4.749
4014	86.21	2.763	4064	88.50	1.372	4114	91.15	6.076	4164	93.58	5.128
4015	86.25	2.968	4065	88.53	2.250	4115	91.21	7.333	4165	93.69	7.017
4016	86.28	2.971	4066	88.57	3.506	4116	91.31	9.221	4166	93.74	7.023
4017	86.34	2.354	4067	88.60	4.135	4117	91.37	9.229	4167	93.78	7.278
4018	86.45	2.110	4068	88.63	4.764	4118	91.40	9.402	4168	93.81	7.031
4019	86.50	1.493	4069	88.71	4.523	4119	91.42	8.984	4169	93.96	6.676
4020	86.53	1.128	4070	88.85	4.290	4120	91.45	8.363	4170	94.07	4.939
4021	86.56	1.131	4071	88.96	3.929	4121	91.50	7.744			
4022	86.59	1.385	4072	89.02	4.561	4122	91.55	5.501			
4023	86.61	1.763	4073	89.04	4.189	4123	91.59	4.256			
4024	86.65	1.767	4074	89.06	4.567	4124	91.64	3.637			
4025	86.69	1.772	4075	89.11	5.448	4125	91.68	3.017			
4026	86.72	2.026	4076	89.19	7.083	4126	91.72	3.022			
4027	86.76	2.031	4077	89.26	8.592	4127	91.74	2.400			
4028	86.82	2.663	4078	89.30	9.597	4128	91.79	2.656			
4029	86.84	4.291	4079	89.33	9.600	4129	91.85	2.662			
4030	86.90	6.173	4080	89.39	8.108	4130	91.93	3.673			
4031	86.95	7.430	4081	89.47	7.117	4131	92.01	4.557			
4032	86.99	7.809	4082	89.54	5.002	4132	92.12	4.322			
4033	87.05	8.693	4083	89.57	5.005	4133	92.19	4.330			
4034	87.10	9.324	4084	89.61	5.260	4134	92.23	3.460			
4035	87.13	9.327	4085	89.66	5.267	4135	92.26	3.089			
4036	87.15	9.955	4086	89.78	4.656	4136	92.29	3.718			
4037	87.20	9.960	4087	89.88	4.669	4137	92.32	3.472			
4038	87.35	8.479	4088	90.01	5.560	4138	92.38	3.728			
4039	87.47	8.994	4089	90.10	4.946	4139	92.49	6.242			
4040	87.51	8.749	4090	90.18	5.330	4140	92.55	6.875			
4041	87.54	7.503	4091	90.23	5.087	4141	92.65	8.388			
4042	87.59	6.259	4092	90.27	4.467	4142	92.73	9.022			
4043	87.63	5.389	4093	90.30	4.470	4143	92.78	8.528			
4044	87.69	4.770	4094	90.33	4.975	4144	92.83	9.410			
4045	87.73	3.777	4095	90.38	5.980	4145	92.86	9.413			
4046	87.76	3.530	4096	90.43	6.612	4146	92.89	8.793			
4047	87.79	3.159	4097	90.49	6.370	4147	92.94	8.798			
4048	87.81	3.161	4098	90.52	5.997	4148	92.98	8.179			
4049	87.83	3.789	4099	90.55	5.127	4149	93.02	8.183			
4050	87.88	5.045	4100	90.60	4.508	4150	93.04	7.561			

Table IX D-21 Digitized Accelerations of Earthquake Record with Index Number 795

INDEX NO. 795 1302-FU-10 CHIYODA BRIDGE U-D MAX.ACCEL.= -16.217(GAL) T=10.80(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.0	2.807	51	0.60	8.950	101	1.22	-2.765	151	1.89	6.390
2	0.01	3.183	52	0.61	8.334	102	1.23	-2.139	152	1.90	5.515
3	0.02	3.433	53	0.62	8.084	103	1.26	-2.138	153	1.92	5.516
4	0.03	3.434	54	0.63	7.460	104	1.28	-1.137	154	1.93	5.767
5	0.05	5.060	55	0.64	6.461	105	1.29	0.488	155	1.94	6.392
6	0.07	6.310	56	0.65	5.586	106	1.31	2.864	156	1.95	6.393
7	0.08	2.311	57	0.66	4.336	107	1.32	5.115	157	1.96	5.143
8	0.09	1.061	58	0.68	3.087	108	1.33	5.991	158	1.98	4.269
9	0.10	0.062	59	0.69	2.087	109	1.34	5.991	159	2.00	2.395
10	0.11	-0.188	60	0.72	-0.161	110	1.36	5.991	160	2.02	0.521
11	0.12	0.063	61	0.74	-2.035	111	1.37	5.992	161	2.03	-1.104
12	0.14	0.064	62	0.75	-2.660	112	1.38	5.118	162	2.04	-1.103
13	0.16	0.315	63	0.76	-3.034	113	1.39	4.493	163	2.05	-1.353
14	0.17	0.690	64	0.77	-2.409	114	1.40	3.868	164	2.06	-1.352
15	0.18	1.315	65	0.78	-2.159	115	1.41	3.244	165	2.08	-0.477
16	0.19	1.316	66	0.79	-1.158	116	1.43	3.495	166	2.09	-0.476
17	0.21	0.691	67	0.80	-0.533	117	1.44	3.870	167	2.11	0.150
18	0.22	0.442	68	0.82	0.093	118	1.45	3.621	168	2.13	1.400
19	0.24	0.943	69	0.83	0.344	119	1.46	3.621	169	2.14	0.776
20	0.25	1.560	70	0.84	1.344	120	1.47	2.622	170	2.16	1.027
21	0.27	2.569	71	0.85	2.595	121	1.48	1.747	171	2.17	1.027
22	0.28	3.194	72	0.87	4.095	122	1.49	0.747	172	2.18	1.403
23	0.29	4.195	73	0.88	4.721	123	1.50	0.122	173	2.20	2.279
24	0.30	4.696	74	0.89	5.471	124	1.51	-1.126	174	2.21	2.904
25	0.31	5.696	75	0.90	5.472	125	1.52	-1.376	175	2.22	3.279
26	0.32	6.571	76	0.91	5.097	126	1.53	-1.376	176	2.23	3.280
27	0.33	7.022	77	0.92	4.472	127	1.54	-1.375	177	2.24	3.280
28	0.34	8.197	78	0.93	2.973	128	1.55	-1.125	178	2.26	3.031
29	0.35	8.698	79	0.94	1.348	129	1.56	-0.249	179	2.28	2.657
30	0.36	6.823	80	0.96	1.099	130	1.58	0.376	180	2.30	2.658
31	0.38	4.574	81	0.98	0.100	131	1.59	1.377	181	2.32	2.659
32	0.39	2.699	82	0.99	-0.149	132	1.60	1.377	182	2.33	2.909
33	0.40	1.450	83	1.01	-1.149	133	1.62	1.378	183	2.34	2.910
34	0.41	-0.175	84	1.02	-2.023	134	1.63	1.128	184	2.35	2.910
35	0.42	-1.174	85	1.03	-2.648	135	1.64	1.129	185	2.37	2.911
36	0.43	-0.924	86	1.04	-3.022	136	1.65	1.005	186	2.39	2.662
37	0.44	-0.923	87	1.05	-3.647	137	1.66	2.255	187	2.41	2.413
38	0.46	-0.548	88	1.06	-3.021	138	1.68	3.506	188	2.43	2.664
39	0.47	-0.172	89	1.07	-3.396	139	1.71	5.757	189	2.45	2.914
40	0.48	-0.172	90	1.08	-3.021	140	1.73	5.758	190	2.46	2.665
41	0.49	-0.171	91	1.09	-2.145	141	1.74	5.509	191	2.48	3.291
42	0.50	-0.796	92	1.11	-0.270	142	1.76	6.009	192	2.49	3.292
43	0.51	-1.170	93	1.12	1.981	143	1.78	6.385	193	2.50	3.042
44	0.52	-0.920	94	1.14	2.857	144	1.79	6.386	194	2.51	2.667
45	0.53	0.080	95	1.15	2.858	145	1.81	5.762	195	2.53	2.043
46	0.54	1.956	96	1.16	2.608	146	1.82	5.137	196	2.54	1.794
47	0.56	5.707	97	1.17	2.358	147	1.83	6.012	197	2.56	2.045
48	0.57	6.957	98	1.18	1.109	148	1.85	7.263	198	2.58	2.045
49	0.58	8.208	99	1.19	-1.391	149	1.87	7.639	199	2.60	2.671
50	0.59	8.958	100	1.20	-3.015	150	1.88	7.014	200	2.63	2.922

INDEX NO. 795 1302-FU-10 CHIYODA BRIDGE U-D MAX.ACCEL.= -16.217(GAL) T=10.80(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	2.66	3.674	251	3.43	1.458	301	4.21	1.493	351	5.22	1.536
202	2.67	3.924	252	3.44	1.458	302	4.22	1.743	352	5.24	0.662
203	2.69	5.176	253	3.45	1.209	303	4.24	2.119	353	5.26	0.663
204	2.71	5.801	254	3.46	-0.166	304	4.26	1.495	354	5.27	0.913
205	2.72	5.802	255	3.47	-0.415	305	4.27	0.870	355	5.28	1.789
206	2.73	5.552	256	3.48	-0.665	306	4.29	-0.379	356	5.30	4.290
207	2.74	5.003	257	3.49	-0.164	307	4.31	-1.878	357	5.32	3.416
208	2.75	4.928	258	3.51	0.837	308	4.33	-1.628	358	5.35	2.417
209	2.77	4.304	259	3.52	2.087	309	4.34	-1.877	359	5.39	1.294
210	2.78	3.929	260	3.54	2.713	310	4.35	-1.627	360	5.42	0.920
211	2.79	3.930	261	3.55	2.713	311	4.39	-0.125	361	5.44	1.171
212	2.80	3.680	262	3.56	1.839	312	4.43	0.877	362	5.45	1.171
213	2.81	3.056	263	3.59	0.590	313	4.44	1.502	363	5.46	1.797
214	2.82	2.306	264	3.60	-0.160	314	4.45	2.753	364	5.47	3.672
215	2.84	0.557	265	3.64	-1.033	315	4.46	3.378	365	5.49	4.673
216	2.85	-1.442	266	3.66	-1.657	316	4.47	3.629	366	5.50	5.549
217	2.86	-1.067	267	3.67	-0.031	317	4.48	3.754	367	5.51	5.924
218	2.87	-0.441	268	3.69	0.845	318	4.49	4.004	368	5.52	5.925
219	2.91	2.060	269	3.71	1.095	319	4.50	2.755	369	5.53	5.675
220	2.95	3.562	270	3.72	1.471	320	4.55	-0.368	370	5.55	4.426
221	2.96	3.312	271	3.74	1.472	321	4.57	-1.867	371	5.57	3.177
222	2.97	3.563	272	3.77	2.098	322	4.59	-2.241	372	5.59	0.677
223	2.98	3.313	273	3.80	2.099	323	4.60	-2.241	373	5.61	-0.571
224	2.99	3.064	274	3.81	2.100	324	4.62	-1.615	374	5.64	-2.820
225	3.01	1.814	275	3.82	1.850	325	4.63	-1.364	375	5.65	-4.069
226	3.04	-0.684	276	3.84	0.601	326	4.67	0.262	376	5.67	-4.944
227	3.06	-2.683	277	3.85	-0.023	327	4.69	1.138	377	5.68	-4.943
228	3.07	-3.808	278	3.87	-1.023	328	4.76	3.391	378	5.70	-4.943
229	3.09	0.818	279	3.88	-1.397	329	4.79	5.268	379	5.72	-4.441
230	3.10	0.819	280	3.89	-1.647	330	4.80	4.643	380	5.73	-3.191
231	3.12	1.444	281	3.90	-0.396	331	4.82	3.394	381	5.75	-2.565
232	3.14	1.195	282	3.92	0.854	332	4.83	1.894	382	5.77	-0.689
233	3.17	2.447	283	3.93	2.355	333	4.84	0.895	383	5.79	2.812
234	3.18	2.697	284	3.94	2.731	334	4.85	-0.355	384	5.80	4.062
235	3.19	3.573	285	3.95	2.481	335	4.87	0.271	385	5.81	4.688
236	3.20	4.823	286	3.97	1.482	336	4.92	0.898	386	5.82	4.938
237	3.21	5.823	287	3.99	0.608	337	4.97	1.525	387	5.84	5.314
238	3.22	6.449	288	4.03	0.608	338	4.98	1.776	388	5.85	6.190
239	3.23	7.324	289	4.01	1.109	339	4.99	1.526	389	5.89	7.191
240	3.25	7.700	290	4.02	1.734	340	5.01	1.277	390	5.91	7.442
241	3.26	7.076	291	4.04	2.110	341	5.04	0.028	391	5.92	6.942
242	3.27	6.826	292	4.05	2.360	342	5.06	-0.596	392	5.93	4.068
243	3.30	6.452	293	4.07	2.736	343	5.09	-1.595	393	5.95	-1.556
244	3.31	4.578	294	4.10	2.738	344	5.11	-1.594	394	5.96	-2.431
245	3.34	2.704	295	4.12	2.488	345	5.12	-0.718	395	5.97	-3.430
246	3.36	0.830	296	4.14	2.489	346	5.14	0.533	396	5.98	-3.180
247	3.38	-0.044	297	4.15	2.740	347	5.16	1.534	397	5.99	-2.555
248	3.39	-0.419	298	4.16	2.115	348	5.17	2.160	398	6.00	-1.304
249	3.40	-0.418	299	4.18	1.491	349	5.19	2.410	399	6.03	-0.303
250	3.41	0.832	300	4.20	1.492	350	5.20	2.160	400	6.04	-0.052

INDEX NO. 795 1302-FU-10 CHIYODA BRIDGE U-D MAX.ACCEL.= -18.217(GAL) T=10.80(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	6.05	-0.302	451	6.79	5.981	501	7.52	5.139	551	8.26	7.921
402	6.07	-1.174	452	6.81	5.932	502	7.53	3.284	552	8.27	7.922
403	6.10	-3.050	453	6.81	5.157	503	7.56	-4.860	553	8.28	7.672
404	6.11	-3.049	454	6.83	2.852	504	7.57	-6.109	554	8.30	6.673
405	6.12	-2.799	455	6.85	0.734	505	7.58	-6.109	555	8.33	4.549
406	6.13	-1.298	456	6.86	-1.516	506	7.60	-4.600	556	8.36	1.426
407	6.15	1.203	457	6.87	-2.390	507	7.61	-3.983	557	8.38	-0.168
408	6.17	4.704	458	6.88	-2.142	508	7.64	-3.356	558	8.39	-1.073
409	6.18	3.454	459	6.90	-0.889	509	7.66	-2.730	559	8.40	-1.447
410	6.20	0.705	460	6.91	-0.635	510	7.67	-1.855	560	8.41	-1.447
411	6.22	-0.294	461	6.93	-0.888	511	7.69	-0.854	561	8.42	-1.447
412	6.23	-0.544	462	6.95	-1.762	512	7.70	1.272	562	8.44	-1.196
413	6.24	-1.293	463	6.96	-2.136	513	7.71	1.647	563	8.45	-1.195
414	6.25	-1.543	464	6.97	-1.886	514	7.72	1.897	564	8.47	-1.695
415	6.26	-1.917	465	6.98	-1.260	515	7.73	2.023	565	8.49	-2.694
416	6.27	-1.917	466	7.00	-0.260	516	7.74	1.398	566	8.50	-2.693
417	6.29	-2.166	467	7.02	0.366	517	7.75	0.398	567	8.51	-2.443
418	6.31	-1.915	468	7.03	0.617	518	7.77	-1.476	568	8.53	-1.817
419	6.33	-1.539	469	7.07	0.619	519	7.78	-2.975	569	8.55	-1.816
420	6.34	-1.289	470	7.10	0.995	520	7.79	-3.975	570	8.56	-2.065
421	6.36	-0.913	471	7.11	0.121	521	7.80	-4.599	571	8.57	-2.940
422	6.37	-0.912	472	7.13	-1.504	522	7.81	-4.849	572	8.58	-4.565
423	6.39	-0.912	473	7.16	-1.503	523	7.83	-6.098	573	8.59	-6.814
424	6.41	-1.161	474	7.17	-0.877	524	7.84	-5.847	574	8.60	-7.813
425	6.43	-0.285	475	7.19	1.249	525	7.86	-5.222	575	8.61	-7.813
426	6.45	0.956	476	7.21	4.375	526	7.88	-2.471	576	8.62	-6.313
427	6.47	2.467	477	7.22	6.000	527	7.89	0.655	577	8.63	-4.062
428	6.51	3.094	478	7.23	6.001	528	7.93	8.907	578	8.67	5.439
429	6.53	3.469	479	7.24	5.751	529	7.95	10.533	579	8.68	6.690
430	6.54	3.220	480	7.25	4.501	530	7.97	10.283	580	8.69	7.315
431	6.55	1.970	481	7.26	3.502	531	7.98	9.034	581	8.71	6.066
432	6.56	-1.529	482	7.27	2.627	532	7.99	6.784	582	8.72	4.191
433	6.58	-2.403	483	7.29	1.378	533	8.01	2.785	583	8.73	3.567
434	6.59	-2.153	484	7.30	0.129	534	8.02	1.536	584	8.75	2.943
435	6.60	-1.277	485	7.31	-0.871	535	8.03	0.786	585	8.76	2.319
436	6.62	-0.901	486	7.32	-2.995	536	8.04	-0.213	586	8.80	1.445
437	6.63	-2.151	487	7.33	-3.995	537	8.05	-0.213	587	8.81	1.070
438	6.64	-3.401	488	7.34	-5.369	538	8.06	0.037	588	8.82	1.321
439	6.65	-5.275	489	7.36	-5.993	539	8.08	1.038	589	8.83	1.696
440	6.67	-6.524	490	7.37	-5.993	540	8.10	2.289	590	8.85	4.198
441	6.68	-6.524	491	7.38	-5.993	541	8.11	2.040	591	8.86	4.198
442	6.69	-5.023	492	7.39	-4.742	542	8.13	0.790	592	8.87	5.073
443	6.70	-0.898	493	7.40	-3.867	543	8.14	-0.459	593	8.89	3.324
444	6.71	1.228	494	7.41	-3.492	544	8.15	-1.458	594	8.91	-0.425
445	6.72	2.476	495	7.42	-1.616	545	8.16	-1.458	595	8.92	-0.800
446	6.73	2.479	496	7.43	1.260	546	8.17	-1.458	596	8.93	-1.049
447	6.75	2.854	497	7.46	6.261	547	8.18	0.043	597	8.94	-1.424
448	6.76	3.730	498	7.48	8.137	548	8.20	3.169	598	8.95	-0.173
449	6.77	4.355	499	7.50	8.512	549	8.24	6.920	599	8.96	1.702
450	6.78	5.356	500	7.51	8.263	550	8.25	7.921	600	8.98	5.453

INDEX NO. 795 1302-FU-10 CHIYODA BRIDGE U-D MAX.ACCEL.= -18.217(GAL) T=19.80(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	8.99	6.329	651	9.70	4.610	701	10.60	0.525	751	11.26	-2.197
602	9.00	6.704	652	9.72	4.236	702	10.63	2.401	752	11.27	-2.821
603	9.01	7.329	653	9.73	4.237	703	10.65	3.902	753	11.29	-2.820
604	9.02	7.080	654	9.75	3.363	704	10.66	5.153	754	11.34	-3.193
605	9.04	5.456	655	9.77	2.113	705	10.68	5.528	755	11.36	-3.442
606	9.07	1.707	656	9.78	-0.761	706	10.69	5.779	756	11.37	-2.317
607	9.09	-1.042	657	9.79	-1.385	707	10.70	5.529	757	11.38	-0.691
608	9.10	-2.917	658	9.80	-1.385	708	10.71	5.280	758	11.39	-0.066
609	9.11	-4.166	659	9.81	-1.635	709	10.72	4.030	759	11.40	0.810
610	9.12	-7.166	660	9.82	-1.385	710	10.73	-0.095	760	11.42	2.061
611	9.13	-9.290	661	9.84	-0.500	711	10.74	-4.719	761	11.43	2.436
612	9.14	-10.915	662	9.85	0.117	712	10.75	-12.094	762	11.44	3.311
613	9.15	-11.539	663	9.85	0.118	713	10.77	-14.718	763	11.45	3.937
614	9.16	-12.539	664	9.90	-0.131	714	10.78	-16.593	764	11.47	4.563
615	9.17	-12.539	665	9.92	-0.130	715	10.79	-17.592	765	11.48	5.188
616	9.18	-11.538	666	9.94	0.121	716	10.80	-18.217	766	11.49	4.938
617	9.19	-7.787	667	9.97	0.122	717	10.81	-16.591	767	11.50	6.064
618	9.22	2.539	668	10.00	-0.126	718	10.84	-12.840	768	11.51	1.814
619	9.23	5.464	669	10.03	-0.750	719	10.85	-9.714	769	11.52	0.315
620	9.24	8.340	670	10.04	-0.999	720	10.87	-5.038	770	11.53	-2.185
621	9.25	9.965	671	10.06	-2.249	721	10.88	-1.038	771	11.54	-5.309
622	9.26	10.215	672	10.08	-2.873	722	10.90	0.663	772	11.55	-5.934
623	9.27	10.216	673	10.10	-3.872	723	10.91	2.413	773	11.56	-6.684
624	9.28	9.716	674	10.11	-4.746	724	10.92	2.164	774	11.57	-7.683
625	9.29	8.467	675	10.13	-5.121	725	10.93	2.414	775	11.58	-7.932
626	9.30	7.217	676	10.14	-4.870	726	10.94	2.164	776	11.59	-8.307
627	9.31	5.593	677	10.16	-4.494	727	10.95	0.915	777	11.61	-8.056
628	9.32	2.468	678	10.17	-5.244	728	10.97	-0.709	778	11.63	-7.681
629	9.34	-1.656	679	10.19	-4.368	729	10.99	-1.583	779	11.64	-6.180
630	9.35	-2.905	680	10.20	-3.368	730	11.00	-2.208	780	11.66	-3.054
631	9.36	-4.530	681	10.21	-2.117	731	11.01	-2.583	781	11.70	4.323
632	9.38	-5.154	682	10.24	-0.241	732	11.02	-2.582	782	11.71	4.948
633	9.40	-6.403	683	10.27	1.760	733	11.03	-2.332	783	11.72	5.199
634	9.42	-6.402	684	10.29	2.636	734	11.04	-1.331	784	11.73	4.324
635	9.43	-6.402	685	10.31	3.262	735	11.05	-1.331	785	11.74	3.075
636	9.44	-5.151	686	10.33	3.263	736	11.07	-1.580	786	11.76	1.200
637	9.45	-4.276	687	10.35	3.263	737	11.08	-2.205	787	11.79	-0.298
638	9.47	0.100	688	10.36	3.014	738	11.09	-2.829	788	11.82	-0.672
639	9.49	4.476	689	10.38	2.765	739	11.10	-3.828	789	11.84	-1.921
640	9.50	5.727	690	10.40	1.766	740	11.12	-4.078	790	11.86	-2.170
641	9.51	6.727	691	10.42	0.892	741	11.13	-4.452	791	11.88	-2.794
642	9.53	6.478	692	10.44	0.268	742	11.14	-4.702	792	11.89	-2.419
643	9.54	4.853	693	10.46	-0.356	743	11.15	-4.701	793	11.90	-1.793
644	9.60	-0.144	694	10.47	-0.731	744	11.16	-4.451	794	11.91	-0.793
645	9.62	-1.019	695	10.49	-0.730	745	11.17	-3.826	795	11.95	2.084
646	9.63	-1.643	696	10.54	-0.728	746	11.19	-1.325	796	11.96	3.084
647	9.64	-0.767	697	10.56	-0.977	747	11.21	-0.074	797	11.97	3.085
648	9.66	1.358	698	10.57	-0.976	748	11.22	0.302	798	11.98	2.460
649	9.68	3.609	699	10.58	-0.726	749	11.24	0.303	799	12.00	-0.039
650	9.69	4.980	700	10.59	-0.101	750	11.25	-1.572	800	12.02	-2.164

INDEX NO. 795 1302-FU-10 CHIYODA BRIDGE U-D MAX.ACCEL.= -18.217(GAL) T=10.80(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	12.03	-1.288	851	12.72	8.618	901	13.46	-6.725	951	14.25	3.809
802	12.04	-0.537	852	12.73	7.368	902	13.47	-5.474	952	14.26	1.685
803	12.05	1.463	853	12.75	5.494	903	13.50	5.027	953	14.28	-2.439
804	12.07	2.464	854	12.76	2.994	904	13.52	7.778	954	14.30	-4.563
805	12.09	3.090	855	12.78	1.245	905	13.53	8.153	955	14.32	-5.187
806	12.11	3.716	856	12.79	-1.629	906	13.54	8.778	956	14.34	-6.186
807	12.13	3.967	857	12.81	-1.879	907	13.55	8.154	957	14.36	-5.936
808	12.15	3.717	858	12.84	-4.377	908	13.56	6.904	958	14.37	-6.560
809	12.16	3.093	859	12.85	-5.877	909	13.57	5.030	959	14.38	-5.059
810	12.17	2.218	860	12.86	-7.001	910	13.58	2.905	960	14.40	-4.809
811	12.19	-2.531	861	12.88	-9.750	911	13.60	-0.844	961	14.42	-3.183
812	12.20	-4.930	862	12.89	-11.375	912	13.62	-5.218	962	14.43	-1.932
813	12.21	-4.280	863	12.91	-12.499	913	13.65	-6.967	963	14.44	-0.057
814	12.22	-4.779	864	12.92	-11.874	914	13.66	-7.591	964	14.46	7.569
815	12.25	-4.778	865	12.94	-9.998	915	13.67	-7.841	965	14.48	12.695
816	12.27	-5.152	866	12.96	-7.747	916	13.69	-6.965	966	14.49	12.071
817	12.28	-4.932	867	12.98	-5.496	917	13.70	-6.339	967	14.51	10.821
818	12.29	-4.526	868	13.00	-2.995	918	13.72	-4.839	968	14.52	8.322
819	12.30	-1.776	869	13.02	-0.119	919	13.73	-1.963	969	14.53	6.197
820	12.34	6.226	870	13.03	0.506	920	13.74	-0.088	970	14.55	4.948
821	12.35	7.476	871	13.04	1.881	921	13.75	4.038	971	14.57	2.699
822	12.37	7.477	872	13.08	5.008	922	13.77	6.289	972	14.63	-2.049
823	12.38	6.852	873	13.11	7.510	923	13.78	7.164	973	14.65	-3.673
824	12.39	5.978	874	13.12	8.635	924	13.79	7.290	974	14.66	-4.297
825	12.40	4.354	875	13.13	9.135	925	13.81	7.540	975	14.67	-4.297
826	12.41	1.654	876	13.14	9.136	926	13.82	6.666	976	14.68	-4.296
827	12.43	-0.665	877	13.15	8.636	927	13.84	5.042	977	14.70	-2.421
828	12.44	-1.520	878	13.16	6.137	928	13.87	1.918	978	14.73	2.206
829	12.45	-3.395	879	13.17	3.888	929	13.89	-0.956	979	14.74	3.456
830	12.46	-3.519	880	13.18	-0.612	930	13.91	-2.830	980	14.75	4.082
831	12.48	-2.018	881	13.20	-6.986	931	13.92	-3.454	981	14.76	4.457
832	12.50	1.483	882	13.21	-8.485	932	13.93	-4.079	982	14.77	4.208
833	12.51	2.859	883	13.22	-10.736	933	13.94	-4.454	983	14.78	0.708
834	12.52	3.733	884	13.23	-11.985	934	13.95	-4.703	984	14.80	-3.291
835	12.53	3.734	885	13.24	-12.235	935	13.97	-4.453	985	14.82	-4.540
836	12.55	3.485	886	13.25	-12.109	936	13.99	-3.577	986	14.83	-6.165
837	12.56	3.485	887	13.26	-10.609	937	14.01	-3.201	987	14.84	-6.539
838	12.57	3.736	888	13.27	-8.733	938	14.03	-3.200	988	14.86	-7.163
839	12.58	4.737	889	13.28	-5.733	939	14.04	-3.449	989	14.87	-7.538
840	12.60	5.612	890	13.30	-3.107	940	14.06	-3.824	990	14.88	-7.537
841	12.61	5.613	891	13.31	0.768	941	14.07	-5.073	991	14.89	-7.537
842	12.62	5.613	892	13.32	1.894	942	14.09	-6.572	992	14.90	-6.912
843	12.63	6.239	893	13.33	1.894	943	14.11	-8.196	993	14.93	-5.660
844	12.64	6.239	894	13.34	1.895	944	14.12	-9.071	994	14.96	-3.534
845	12.65	6.740	895	13.35	1.270	945	14.14	-9.445	995	14.98	-2.533
846	12.66	10.365	896	13.36	0.021	946	14.16	-8.194	996	14.99	-1.657
847	12.67	11.990	897	13.38	-1.479	947	14.18	-4.443	997	15.01	-1.282
848	12.68	12.241	898	13.42	-6.227	948	14.20	2.183	998	15.02	-1.531
849	12.70	11.742	899	13.43	-6.976	949	14.22	4.434	999	15.04	-2.155
850	12.71	10.492	900	13.45	-6.976	950	14.23	4.434	1000	15.06	-2.155

INDEX NO. 795 1302-FU-10 CHIYODA BRIDGE U-D MAX.ACCEL.= -18.217(GAL) T=10.80(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	15.07	-2.529	1051	15.84	-1.496	1101	16.62	-2.710	1151	17.43	-4.259
1002	15.08	-1.904	1052	15.86	-0.244	1102	16.69	-4.832	1152	17.44	-4.549
1003	15.09	-0.403	1053	15.88	0.132	1103	16.70	-4.832	1153	17.45	-5.173
1004	15.11	2.223	1054	15.89	-0.118	1104	16.71	-4.831	1154	17.46	-5.173
1005	15.14	4.724	1055	15.90	-0.743	1105	16.72	-3.580	1155	17.47	-4.673
1006	15.15	5.099	1056	15.93	-4.241	1106	16.75	-1.079	1156	17.48	-3.672
1007	15.16	5.975	1057	15.95	-6.490	1107	16.76	-0.204	1157	17.50	-2.797
1008	15.17	6.475	1058	15.96	-6.240	1108	16.78	0.797	1158	17.51	-0.546
1009	15.18	5.851	1059	15.97	-5.365	1109	16.79	1.047	1159	17.52	2.705
1010	15.19	4.601	1060	15.98	-2.239	1110	16.80	1.048	1160	17.54	6.705
1011	15.21	2.102	1061	16.01	3.512	1111	16.81	0.549	1161	17.55	8.456
1012	15.22	0.102	1062	16.02	5.887	1112	16.85	-1.325	1162	17.56	7.206
1013	15.23	-1.397	1063	16.03	5.638	1113	16.88	-3.198	1163	17.58	4.707
1014	15.24	-1.397	1064	16.07	3.015	1114	16.91	-5.447	1164	17.60	3.208
1015	15.25	-0.896	1065	16.10	1.766	1115	16.92	-6.447	1165	17.61	1.458
1016	15.26	-0.270	1066	16.11	1.017	1116	16.93	-7.446	1166	17.63	1.209
1017	15.27	0.105	1067	16.13	2.268	1117	16.94	-8.321	1167	17.64	1.085
1018	15.29	0.106	1068	16.14	3.643	1118	16.95	-8.320	1168	17.65	1.085
1019	15.34	-0.142	1069	16.15	4.519	1119	16.96	-7.820	1169	17.66	1.711
1020	15.35	0.358	1070	16.16	5.519	1120	16.98	-6.569	1170	17.68	2.711
1021	15.37	1.984	1071	16.17	6.019	1121	17.01	-5.318	1171	17.69	3.587
1022	15.39	3.235	1072	16.18	5.770	1122	17.03	-3.442	1172	17.71	3.587
1023	15.40	4.111	1073	16.19	5.520	1123	17.05	-2.441	1173	17.72	2.713
1024	15.42	4.486	1074	16.20	2.646	1124	17.06	-2.440	1174	17.73	1.838
1025	15.44	4.487	1075	16.21	-1.104	1125	17.07	-2.065	1175	17.74	0.839
1026	15.45	3.238	1076	16.22	-3.853	1126	17.08	-2.065	1176	17.75	0.214
1027	15.46	2.988	1077	16.23	-5.103	1127	17.09	-2.439	1177	17.76	0.465
1028	15.48	-2.386	1078	16.24	-6.102	1128	17.10	-3.439	1178	17.77	1.465
1029	15.50	-3.260	1079	16.25	-7.102	1129	17.12	-5.188	1179	17.79	2.341
1030	15.51	-3.260	1080	16.26	-7.102	1130	17.13	-6.437	1180	17.81	2.342
1031	15.52	-2.385	1081	16.27	-5.976	1131	17.14	-8.937	1181	17.82	2.342
1032	15.55	0.742	1082	16.28	-4.101	1132	17.16	-10.811	1182	17.83	-3.032
1033	15.57	2.618	1083	16.33	-3.277	1133	17.17	-11.686	1183	17.84	-4.281
1034	15.58	2.618	1084	16.35	-9.403	1134	17.19	-10.060	1184	17.86	-4.906
1035	15.59	2.619	1085	16.36	-9.403	1135	17.21	-7.559	1185	17.87	-5.155
1036	15.60	1.994	1086	16.37	-9.403	1136	17.23	-4.933	1186	17.89	-5.155
1037	15.62	0.495	1087	16.38	-8.404	1137	17.24	-3.933	1187	17.92	-5.153
1038	15.65	-2.004	1088	16.40	-6.530	1138	17.25	-3.682	1188	17.93	-5.528
1039	15.66	-2.003	1089	16.43	-2.531	1139	17.26	-3.932	1189	17.95	-5.527
1040	15.67	-2.003	1090	16.44	-2.157	1140	17.27	-3.931	1190	17.98	-5.276
1041	15.69	0.748	1091	16.46	-2.157	1141	17.28	-5.181	1191	18.00	-4.900
1042	15.72	4.125	1092	16.47	-1.158	1142	17.30	-5.805	1192	18.02	-4.649
1043	15.75	5.501	1093	16.50	-0.534	1143	17.32	-7.179	1193	18.03	-4.649
1044	15.76	5.126	1094	16.52	-0.160	1144	17.33	-5.929	1194	18.04	-4.023
1045	15.77	3.876	1095	16.53	-0.714	1145	17.35	-4.053	1195	18.05	-2.147
1046	15.78	3.002	1096	16.55	-1.339	1146	17.37	-2.177	1196	18.07	-0.272
1047	15.79	0.752	1097	16.56	-1.963	1147	17.38	-1.801	1197	18.08	0.354
1048	15.80	-0.247	1098	16.57	-2.587	1148	17.39	-1.801	1198	18.09	0.729
1049	15.81	-1.747	1099	16.58	-2.962	1149	17.40	-2.051	1199	18.11	0.105
1050	15.82	-1.748	1100	16.60	-2.711	1150	17.41	-3.300	1200	18.13	-0.519

土木構造物における加速度強震記録（No. 9）

INDEX NO. 795 1302-FU-10 CHIYODA BRIDGE U-0 MAX.ACCEL.= -18.217(GAL) T=10.80(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	18.15	-0.268	1251	18.88	-5.611	1301	19.73	-2.073	1351	20.41	-1.918
1202	18.16	0.732	1252	18.89	-4.735	1302	19.75	1.803	1352	20.42	-2.293
1203	18.17	0.733	1253	18.91	-3.484	1303	19.76	3.428	1353	20.43	-2.292
1204	18.18	0.483	1254	18.93	-0.358	1304	19.77	3.429	1354	20.44	-2.042
1205	18.19	-0.141	1255	18.96	3.018	1305	19.78	3.179	1355	20.45	-1.041
1206	18.22	-2.015	1256	18.99	5.269	1306	19.79	2.555	1356	20.47	-0.791
1207	18.24	-3.264	1257	19.02	8.146	1307	19.80	1.555	1357	20.48	-0.165
1208	18.25	-3.889	1258	19.03	8.646	1308	19.81	0.306	1358	20.50	-0.039
1209	18.26	-4.513	1259	19.05	8.647	1309	19.82	-0.944	1359	20.56	0.213
1210	18.27	-4.513	1260	19.06	8.397	1310	19.83	-3.068	1360	20.57	-0.411
1211	18.28	-4.263	1261	19.07	6.898	1311	19.85	-6.318	1361	20.58	-0.410
1212	18.29	-4.012	1262	19.08	6.773	1312	19.87	-10.442	1362	20.59	-1.035
1213	18.30	-3.012	1263	19.09	2.524	1313	19.88	-11.816	1363	20.60	-1.285
1214	18.33	1.490	1264	19.11	-0.601	1314	19.89	-12.066	1364	20.61	-2.285
1215	18.34	2.991	1265	19.12	-2.475	1315	19.90	-12.191	1365	20.62	-4.409
1216	18.36	3.991	1266	19.13	-4.349	1316	19.91	-11.565	1366	20.64	-6.283
1217	18.37	3.742	1267	19.15	-3.599	1317	19.92	-9.940	1367	20.65	-7.532
1218	18.38	2.492	1268	19.17	-2.723	1318	19.93	-7.939	1368	20.66	-7.907
1219	18.39	1.243	1269	19.19	-2.347	1319	19.95	-5.188	1369	20.68	-7.281
1220	18.41	0.243	1270	19.20	-2.346	1320	19.96	-4.563	1370	20.69	-6.406
1221	18.42	0.244	1271	19.24	-2.345	1321	19.97	-4.188	1371	20.71	-5.155
1222	18.43	0.244	1272	19.27	-2.343	1322	19.98	-3.937	1372	20.72	-4.530
1223	18.45	0.245	1273	19.28	-2.093	1323	19.99	-3.312	1373	20.73	-4.154
1224	18.47	-0.004	1274	19.29	-1.717	1324	20.01	-3.311	1374	20.74	-4.154
1225	18.48	-0.628	1275	19.30	0.158	1325	20.02	-2.936	1375	20.75	-4.778
1226	18.49	-0.628	1276	19.32	1.534	1326	20.03	-2.064	1376	20.76	-5.028
1227	18.51	-0.127	1277	19.35	2.785	1327	20.04	-1.059	1377	20.77	-5.402
1228	18.52	0.498	1278	19.36	3.036	1328	20.05	0.816	1378	20.78	-4.777
1229	18.55	1.750	1279	19.38	3.036	1329	20.06	2.192	1379	20.79	-4.151
1230	18.57	3.001	1280	19.39	2.537	1330	20.08	2.442	1380	20.80	-3.526
1231	18.58	3.376	1281	19.41	1.913	1331	20.09	2.818	1381	20.81	-3.276
1232	18.59	3.126	1282	19.42	0.913	1332	20.11	2.194	1382	20.83	-3.275
1233	18.60	2.127	1283	19.43	-0.336	1333	20.13	0.944	1383	20.84	-3.524
1234	18.61	0.628	1284	19.44	-0.961	1334	20.14	0.070	1384	20.85	-3.773
1235	18.63	-1.247	1285	19.45	-0.961	1335	20.16	-0.929	1385	20.86	-3.273
1236	18.64	-2.496	1286	19.46	-0.710	1336	20.17	-1.804	1386	20.88	-2.272
1237	18.66	-2.870	1287	19.48	-0.084	1337	20.18	-2.178	1387	20.90	-1.396
1238	18.67	-2.620	1288	19.50	2.167	1338	20.19	-3.053	1388	20.93	-0.395
1239	18.68	-1.619	1289	19.52	3.418	1339	20.21	-4.677	1389	20.96	0.481
1240	18.71	1.507	1290	19.54	3.668	1340	20.22	-4.426	1390	20.97	1.107
1241	18.74	4.008	1291	19.55	2.794	1341	20.24	-4.675	1391	20.98	0.857
1242	18.75	4.259	1292	19.56	2.169	1342	20.26	-4.800	1392	20.99	0.233
1243	18.76	4.634	1293	19.57	0.920	1343	20.28	-5.049	1393	21.00	-1.017
1244	18.77	4.009	1294	19.59	-0.329	1344	20.29	-5.049	1394	21.01	-1.641
1245	18.78	2.760	1295	19.62	-3.078	1345	20.31	-3.923	1395	21.02	-1.641
1246	18.80	0.886	1296	19.66	-5.951	1346	20.33	-3.297	1396	21.03	-1.891
1247	18.82	-1.863	1297	19.68	-6.950	1347	20.34	-2.046	1397	21.04	-1.890
1248	18.84	-3.112	1298	19.69	-7.075	1348	20.36	-2.045	1398	21.05	-1.640
1249	18.85	-4.362	1299	19.70	-5.449	1349	20.38	-1.420	1399	21.07	-2.264
1250	18.86	-5.361	1300	19.71	-5.449	1350	20.39	-1.419	1400	21.08	-2.264

INDEX NO. 795 1302-FU-10 CHIYODA BRIDGE U-0 MAX.ACCEL.= -18.217(GAL) T=10.80(SEC) NO. 8

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1401	21.09	-2.888	1451	21.92	2.649	1501	22.63	-7.445	1551	23.48	1.468
1402	21.11	-3.137	1452	21.94	2.650	1502	22.64	-7.444	1552	23.49	0.468
1403	21.12	-3.512	1453	21.95	2.025	1503	22.65	-6.944	1553	23.52	-2.031
1404	21.13	-4.136	1454	21.98	1.402	1504	22.66	-5.944	1554	23.53	-3.530
1405	21.14	-4.136	1455	22.00	1.402	1505	22.68	-4.068	1555	23.55	-4.529
1406	21.16	-3.510	1456	22.01	1.653	1506	22.70	-2.192	1556	23.56	-4.779
1407	21.17	-2.259	1457	22.03	1.029	1507	22.72	-1.566	1557	23.57	-4.778
1408	21.18	-1.009	1458	22.04	0.779	1508	22.74	-1.315	1558	23.60	-5.152
1409	21.20	0.867	1459	22.05	0.155	1509	22.75	-1.814	1559	23.64	-5.900
1410	21.21	1.867	1460	22.06	-1.470	1510	22.77	-2.814	1560	23.67	-6.774
1411	21.22	2.243	1461	22.07	-2.719	1511	22.78	-4.063	1561	23.69	-6.773
1412	21.24	2.243	1462	22.08	-4.844	1512	22.80	-5.562	1562	23.70	-6.523
1413	21.25	2.244	1463	22.09	-6.843	1513	22.81	-7.437	1563	23.71	-5.647
1414	21.27	2.495	1464	22.10	-8.718	1514	22.83	-8.061	1564	23.73	-3.396
1415	21.29	3.121	1465	22.11	-9.093	1515	22.85	-8.685	1565	23.75	-2.145
1416	21.30	3.746	1466	22.12	-9.342	1516	22.86	-8.685	1566	23.76	-1.270
1417	21.31	4.997	1467	22.13	-9.342	1517	22.87	-9.059	1567	23.77	-0.645
1418	21.34	7.498	1468	22.14	-7.591	1518	22.88	-8.184	1568	23.78	-0.519
1419	21.36	8.499	1469	22.16	-6.591	1519	22.89	-6.308	1569	23.79	-1.143
1420	21.38	8.750	1470	22.17	-5.715	1520	22.93	-3.182	1570	23.80	-2.393
1421	21.39	8.500	1471	22.18	-5.965	1521	22.95	-0.680	1571	23.82	-2.768
1422	21.40	7.826	1472	22.19	-6.214	1522	22.97	0.570	1572	23.83	-3.642
1423	21.41	5.126	1473	22.22	-6.588	1523	22.99	1.696	1573	23.84	-3.767
1424	21.44	-0.873	1474	22.23	-6.588	1524	23.01	2.322	1574	23.85	-3.766
1425	21.46	-4.247	1475	22.24	-6.587	1525	23.03	2.573	1575	23.87	-3.015
1426	21.47	-4.621	1476	22.25	-6.836	1526	23.04	2.573	1576	23.88	-2.140
1427	21.48	-4.621	1477	22.27	-8.460	1527	23.05	2.324	1577	23.90	-1.264
1428	21.50	-3.370	1478	22.28	-8.460	1528	23.06	0.824	1578	23.92	-0.638
1429	21.52	-3.119	1479	22.29	-8.710	1529	23.09	-1.050	1579	23.93	-0.512
1430	21.55	-2.742	1480	22.30	-8.459	1530	23.13	-3.298	1580	23.95	-0.887
1431	21.58	-2.991	1481	22.31	-8.834	1531	23.16	-4.171	1581	23.96	-1.511
1432	21.61	-2.740	1482	22.32	-7.583	1532	23.18	-4.546	1582	23.99	-3.635
1433	21.63	-2.739	1483	22.34	-4.708	1533	23.19	-4.545	1583	24.02	-6.134
1434	21.65	-2.988	1484	22.39	6.670	1534	23.22	-3.668	1584	24.03	-6.508
1435	21.66	-3.363	1485	22.41	8.545	1535	23.26	-3.917	1585	24.05	-6.132
1436	21.67	-3.362	1486	22.42	9.921	1536	23.27	-3.667	1586	24.06	-5.632
1437	21.68	-3.987	1487	22.43	9.046	1537	23.28	-2.416	1587	24.09	-4.630
1438	21.69	-3.111	1488	22.45	8.047	1538	23.29	-1.166	1588	24.11	-4.255
1439	21.71	-2.985	1489	22.46	7.423	1539	23.31	0.460	1589	24.12	-4.004
1440	21.72	-3.360	1490	22.48	6.174	1540	23.33	0.711	1590	24.14	-4.254
1441	21.73	-4.235	1491	22.49	5.299	1541	23.34	0.462	1591	24.15	-4.253
1442	21.75	-5.484	1492	22.50	4.925	1542	23.36	-0.413	1592	24.17	-3.752
1443	21.76	-5.483	1493	22.51	4.675	1543	23.39	-2.036	1593	24.18	-3.127
1444	21.77	-5.233	1494	22.52	3.675	1544	23.40	-2.786	1594	24.21	-1.875
1445	21.79	-4.607	1495	22.53	2.626	1545	23.41	-2.786	1595	24.23	-1.875
1446	21.80	-2.731	1496	22.54	1.051	1546	23.42	-2.410	1596	24.24	-1.249
1447	21.83	0.020	1497	22.55	-2.698	1547	23.43	-0.660	1597	24.26	-0.248
1448	21.87	1.696	1498	22.56	-3.323	1548	23.45	0.716	1598	24.27	-1.122
1449	21.86	2.522	1499	22.59	-6.196	1549	23.46	0.967	1599	24.31	-1.496
1450	21.90	2.648	1500	22.62	-7.445	1550	23.47	1.467	1600	24.34	-1.744

INDEX NO. 795 1302-FU-10 CHIYODA BRIDGE U-D MAX.ACCEL.= -18.217(GAL) T=10.80(SEC) NO. 9

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1601	24.37	-1.493	1651	25.20	0.793	1701	26.00	-2.172	1751	26.89	0.868
1602	24.40	-1.742	1652	25.22	0.794	1702	26.01	-3.422	1752	26.91	0.493
1603	24.42	-0.616	1653	25.23	0.565	1703	26.03	-5.046	1753	26.92	-0.381
1604	24.44	-1.115	1654	25.24	0.295	1704	26.04	-5.046	1754	26.93	-2.256
1605	24.46	-1.114	1655	25.26	-0.329	1705	26.06	-5.045	1755	26.94	-3.889
1606	24.47	-0.864	1656	25.27	-0.704	1706	26.08	-4.419	1756	26.96	-5.754
1607	24.49	0.012	1657	25.30	-1.328	1707	26.11	-2.542	1757	26.97	-7.878
1608	24.50	0.387	1658	25.34	-1.576	1708	26.13	-0.416	1758	26.99	-8.253
1609	24.51	0.388	1659	25.37	-1.575	1709	26.15	-0.041	1759	27.01	-7.627
1610	24.52	0.388	1660	25.38	-0.949	1710	26.16	-0.040	1760	27.05	-6.125
1611	24.53	0.389	1661	25.40	0.177	1711	26.18	-0.664	1761	27.09	-4.498
1612	24.54	-0.861	1662	25.43	2.428	1712	26.21	-1.913	1762	27.10	-4.248
1613	24.55	-2.110	1663	25.45	3.054	1713	26.24	-3.411	1763	27.11	-4.497
1614	24.59	-5.859	1664	25.46	3.679	1714	26.29	-5.035	1764	27.13	-4.747
1615	24.60	-6.108	1665	25.47	3.930	1715	26.30	-5.284	1765	27.15	-5.371
1616	24.61	-6.483	1666	25.48	3.680	1716	26.31	-5.658	1766	27.17	-6.370
1617	24.63	-6.482	1667	25.49	3.056	1717	26.32	-5.408	1767	27.18	-6.120
1618	24.64	-3.981	1668	25.50	2.181	1718	26.34	-4.782	1768	27.19	-5.119
1619	24.66	-2.106	1669	25.51	0.931	1719	26.36	-2.281	1769	27.21	-2.618
1620	24.69	0.021	1670	25.53	-1.943	1720	26.37	-1.906	1770	27.24	-0.492
1621	24.71	1.022	1671	25.55	-5.317	1721	26.39	-1.965	1771	27.25	0.509
1622	24.72	1.272	1672	25.57	-6.691	1722	26.40	-1.904	1772	27.26	0.759
1623	24.73	1.522	1673	25.58	-7.065	1723	26.42	-2.778	1773	27.27	1.134
1624	24.74	1.148	1674	25.59	-7.315	1724	26.45	-2.777	1774	27.28	1.685
1625	24.75	-0.101	1675	25.61	-7.064	1725	26.47	-2.526	1775	27.29	1.885
1626	24.77	-2.600	1676	25.62	-6.814	1726	26.49	-2.275	1776	27.32	2.137
1627	24.82	-7.098	1677	25.64	-6.438	1727	26.52	-1.899	1777	27.35	2.138
1628	24.85	-10.222	1678	25.65	-6.187	1728	26.54	-1.898	1778	27.37	2.514
1629	24.87	-12.096	1679	25.67	-6.187	1729	26.55	-1.898	1779	27.40	1.890
1630	24.88	-11.846	1680	25.69	-6.186	1730	26.56	-2.147	1780	27.41	1.640
1631	24.89	-11.470	1681	25.70	-5.810	1731	26.57	-3.147	1781	27.42	-0.859
1632	24.90	-10.220	1682	25.71	-5.560	1732	26.58	-3.396	1782	27.43	-3.109
1633	24.91	-8.719	1683	25.72	-4.935	1733	26.59	-4.271	1783	27.45	-5.608
1634	24.95	-3.093	1684	25.73	-3.934	1734	26.61	-3.270	1784	27.46	-7.482
1635	24.96	-1.217	1685	25.75	-3.308	1735	26.62	-2.394	1785	27.47	-7.107
1636	24.97	0.033	1686	25.76	-3.058	1736	26.65	-1.143	1786	27.48	-6.481
1637	24.98	0.659	1687	25.77	-2.682	1737	26.66	-0.768	1787	27.50	-6.106
1638	24.99	1.284	1688	25.80	-2.056	1738	26.67	-0.767	1788	27.53	-2.979
1639	25.00	1.784	1689	25.82	-2.305	1739	26.69	-1.641	1789	27.54	-1.979
1640	25.01	1.535	1695	25.84	-2.304	1740	26.70	-2.641	1790	27.55	-1.978
1641	25.02	0.910	1691	25.85	-2.304	1741	26.72	-3.890	1791	27.56	-2.228
1642	25.05	-0.714	1692	25.86	-1.803	1742	26.73	-4.764	1792	27.57	-2.602
1643	25.06	-1.588	1693	25.88	-0.803	1743	26.74	-4.514	1793	27.58	-3.852
1644	25.07	-2.213	1694	25.89	0.698	1744	26.76	-3.263	1794	27.60	-6.351
1645	25.08	-1.587	1695	25.91	3.074	1745	26.78	-1.137	1795	27.62	-7.600
1646	25.09	-0.712	1696	25.93	3.325	1746	26.80	-0.137	1796	27.64	-7.599
1647	25.11	-0.086	1697	25.94	3.075	1747	26.82	0.490	1797	27.65	-7.599
1648	25.13	0.165	1698	25.95	2.450	1748	26.84	1.365	1798	27.66	-6.973
1649	25.14	0.541	1699	25.96	1.576	1749	26.86	1.366	1799	27.67	-6.348
1650	25.17	0.542	1700	25.98	0.327	1750	26.88	1.117	1800	27.68	-5.098

INDEX NO. 795 1302-FU-10 CHIYODA BRIDGE U-D MAX.ACCEL.= -18.217(GAL) T=10.80(SEC) NO.10

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1801	27.70	-2.972	1851	28.68	-0.304	1901	29.63	-2.262	1951	30.48	1.775
1802	27.72	-1.096	1852	28.70	-1.428	1902	29.64	-2.262	1952	30.49	0.150
1803	27.74	-0.720	1853	28.73	-3.301	1903	29.66	-3.386	1953	30.50	-1.974
1804	27.75	-0.470	1854	28.75	-3.301	1904	29.69	-4.385	1954	30.52	-6.223
1805	27.79	-0.343	1855	28.76	-3.675	1905	29.71	-6.259	1955	30.54	-8.097
1806	27.81	-0.717	1856	28.78	-3.674	1906	29.76	-7.756	1956	30.55	-8.347
1807	27.83	-1.341	1857	28.82	-3.423	1907	29.77	-8.131	1957	30.56	-8.471
1808	27.85	-1.590	1858	28.87	-3.670	1908	29.78	-8.131	1958	30.58	-8.471
1809	27.86	-2.840	1859	28.91	-3.419	1909	29.79	-7.880	1959	30.59	-7.220
1810	27.88	-3.839	1860	28.93	-3.043	1910	29.80	-6.880	1960	30.60	-6.220
1811	27.91	-4.712	1861	28.95	-3.042	1911	29.82	-5.004	1961	30.62	-4.344
1812	27.93	-5.087	1862	28.98	-3.291	1912	29.85	-2.877	1962	30.65	-2.218
1813	27.94	-4.836	1863	29.00	-3.915	1913	29.88	-1.251	1963	30.67	-0.967
1814	27.96	-4.460	1864	29.01	-3.164	1914	29.89	-0.626	1964	30.69	-0.591
1815	27.98	-1.960	1865	29.03	-7.788	1915	29.90	-0.001	1965	30.70	-0.590
1816	27.99	-1.084	1866	29.04	-9.413	1916	29.91	2.000	1966	30.72	-0.839
1817	28.01	-0.083	1867	29.05	-10.037	1917	29.93	2.876	1967	30.74	-1.464
1818	28.02	0.167	1868	29.06	-10.287	1918	29.94	2.877	1968	30.77	-3.087
1819	28.04	0.543	1869	29.07	-10.037	1919	29.96	2.377	1969	30.80	-4.586
1820	28.08	0.795	1870	29.08	-9.411	1920	29.97	1.378	1970	30.81	-5.586
1821	28.09	0.795	1871	29.10	-6.660	1921	29.98	0.503	1971	30.82	-5.835
1822	28.10	0.796	1872	29.12	-1.660	1922	29.99	-1.746	1972	30.83	-5.585
1823	28.11	-0.079	1873	29.13	-0.409	1923	30.00	-3.871	1973	30.85	-4.709
1824	28.12	-0.953	1874	29.14	0.216	1924	30.01	-5.120	1974	30.86	-4.333
1825	28.13	-1.703	1875	29.16	1.217	1925	30.02	-6.245	1975	30.88	-2.457
1826	28.15	-2.827	1876	29.17	1.218	1926	30.03	-6.495	1976	30.92	-0.580
1827	28.16	-3.202	1877	29.19	2.219	1927	30.05	-7.494	1977	30.98	2.297
1828	28.17	-3.201	1878	29.22	2.845	1928	30.07	-7.493	1978	31.02	5.174
1829	28.19	-2.575	1879	29.23	3.220	1929	30.08	-7.743	1979	31.06	6.051
1830	28.21	-2.324	1880	29.24	3.221	1930	30.09	-7.742	1980	31.08	6.677
1831	28.23	-1.948	1881	29.26	2.596	1931	30.10	-7.742	1981	31.10	6.677
1832	28.33	-1.069	1882	29.27	1.347	1932	30.11	-7.491	1982	31.13	7.054
1833	28.36	-1.068	1883	29.28	-0.527	1933	30.12	-6.241	1983	31.17	6.805
1834	28.37	-1.317	1884	29.30	-0.527	1934	30.14	-4.740	1984	31.18	6.431
1835	28.38	-1.567	1885	29.32	0.349	1935	30.16	-3.114	1985	31.20	5.807
1836	28.39	-2.567	1886	29.33	0.975	1936	30.18	-2.238	1986	31.21	5.182
1837	28.40	-3.191	1887	29.34	1.975	1937	30.20	-1.612	1987	31.22	2.433
1838	28.43	-4.690	1888	29.38	5.977	1938	30.21	-1.612	1988	31.23	0.558
1839	28.45	-5.939	1889	29.40	5.978	1939	30.24	-2.486	1989	31.24	-2.316
1840	28.46	-5.688	1890	29.42	5.979	1940	30.26	-3.360	1990	31.27	-8.065
1841	28.47	-5.688	1891	29.43	5.104	1941	30.27	-3.984	1991	31.29	-9.564
1842	28.49	-5.062	1892	29.45	2.605	1942	30.28	-3.984	1992	31.30	-10.189
1843	28.51	-3.811	1893	29.47	-0.769	1943	30.30	-2.483	1993	31.31	-11.188
1844	28.55	-0.434	1894	29.49	-5.518	1944	30.32	0.018	1994	31.32	-12.438
1845	28.60	2.818	1895	29.51	-7.517	1945	30.35	3.520	1995	31.33	-12.187
1846	28.61	3.819	1896	29.52	-7.767	1946	30.39	5.146	1996	31.34	-11.562
1847	28.62	3.819	1897	29.53	-7.767	1947	30.40	5.146	1997	31.36	-11.186
1848	28.64	3.194	1898	29.55	-6.890	1948	30.42	4.522	1998	31.38	-9.060
1849	28.65	2.570	1899	29.59	-4.389	1949	30.45	3.274	1999	31.40	-6.184
1850	28.67	1.321	1900	29.62	-3.513	1950	30.47	2.650	2000	31.43	-4.058

土木構造物における加速度強震記録（No.9）

INDEX NO. 795 1302-FU-10 CHIYODA BRIDGE U-D MAX.ACCEL.= -18.217(GAL) T=10.80(SEC) NO.11

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2001	31.44	-3.683	2051	32.50	-6.385	2101	33.47	1.282	2151	34.40	1.573
2002	31.46	-3.432	2052	32.51	-6.135	2102	33.49	0.283	2152	34.42	0.699
2003	31.48	-3.681	2053	32.53	-4.884	2103	33.51	-0.965	2153	34.44	0.075
2004	31.50	-3.930	2054	32.54	-3.384	2104	33.54	-0.965	2154	34.46	-0.299
2005	31.53	-4.928	2055	32.59	1.368	2105	33.55	-1.214	2155	34.47	-0.549
2006	31.56	-6.802	2056	32.63	2.994	2106	33.57	-1.588	2156	34.48	-0.548
2007	31.58	-6.801	2057	32.62	3.620	2107	33.59	-1.337	2157	34.50	-0.547
2008	31.60	-5.551	2058	32.63	3.371	2108	33.61	-0.712	2158	34.52	-0.546
2009	31.62	-4.675	2059	32.64	2.746	2109	33.63	0.289	2159	34.54	-0.921
2010	31.64	-4.924	2060	32.65	1.871	2110	33.65	2.165	2160	34.55	-1.170
2011	31.66	-5.173	2061	32.66	0.622	2111	33.66	2.540	2161	34.57	-1.170
2012	31.68	-5.547	2062	32.67	-1.253	2112	33.67	1.541	2162	34.58	-0.919
2013	31.69	-4.921	2063	32.69	-3.127	2113	33.69	0.667	2163	34.61	0.583
2014	31.71	-3.670	2064	32.72	-4.127	2114	33.72	-4.207	2164	34.62	1.208
2015	31.74	-2.419	2065	32.71	-4.126	2115	33.73	-4.832	2165	34.64	0.709
2016	31.77	-1.543	2066	32.72	-4.126	2116	33.74	-5.001	2166	34.65	0.709
2017	31.84	0.335	2067	32.74	-3.500	2117	33.75	-5.456	2167	34.66	-0.290
2018	31.89	0.838	2068	32.76	-3.499	2118	33.77	-4.830	2168	34.67	-0.915
2019	31.90	1.088	2069	32.77	-3.498	2119	33.79	-3.329	2169	34.69	-2.414
2020	31.92	0.839	2070	32.80	-3.497	2120	33.81	-2.078	2170	34.71	-4.913
2021	31.94	0.214	2071	32.82	-3.746	2121	33.83	-1.702	2171	34.75	-6.286
2022	31.95	0.215	2072	32.84	-4.120	2122	33.85	-1.451	2172	34.76	-7.161
2023	31.97	0.466	2073	32.85	-3.745	2123	33.86	-1.951	2173	34.78	-6.535
2024	31.98	0.842	2074	32.86	-3.494	2124	33.88	-2.950	2174	34.81	-6.158
2025	32.00	1.092	2075	32.88	-2.868	2125	33.90	-4.199	2175	34.83	-5.157
2026	32.02	0.593	2076	32.90	-1.618	2126	33.91	-4.449	2176	34.85	-5.157
2027	32.03	0.844	2077	32.91	-0.367	2127	33.93	-4.823	2177	34.86	-4.781
2028	32.06	0.845	2078	32.93	0.259	2128	33.94	-4.572	2178	34.87	-5.031
2029	32.06	1.471	2079	32.94	0.507	2129	33.97	-3.321	2179	34.90	-5.405
2030	32.09	2.097	2080	32.95	0.510	2130	33.99	-2.070	2180	34.92	-6.904
2031	32.11	2.347	2081	32.98	0.511	2131	34.01	-1.069	2181	34.94	-7.528
2032	32.12	2.973	2082	33.00	-0.363	2132	34.04	-0.443	2182	34.95	-8.152
2033	32.14	2.724	2083	33.03	-1.237	2133	34.12	0.436	2183	34.97	-7.902
2034	32.15	2.474	2084	33.08	-2.860	2134	34.14	0.187	2184	34.99	-6.651
2035	32.17	1.850	2085	33.11	-4.358	2135	34.16	-0.687	2185	35.01	-5.400
2036	32.18	0.226	2086	33.15	-4.982	2136	34.18	-1.687	2186	35.03	-3.274
2037	32.20	-1.649	2087	33.18	-6.105	2137	34.19	-2.936	2187	35.05	-1.648
2038	32.21	-2.273	2088	33.24	-7.353	2138	34.20	-3.185	2188	35.07	-0.647
2039	32.22	-3.148	2089	33.26	-7.352	2139	34.22	-4.435	2189	35.09	-1.021
2040	32.23	-3.147	2090	33.28	-7.351	2140	34.24	-4.434	2190	35.10	-1.270
2041	32.24	-2.897	2091	33.29	-6.726	2141	34.27	-4.183	2191	35.12	-1.019
2042	32.26	-2.896	2092	33.30	-5.850	2142	34.28	-3.932	2192	35.14	-1.644
2043	32.28	-2.020	2093	33.32	-3.974	2143	34.29	-3.557	2193	35.15	-2.518
2044	32.31	-1.644	2094	33.35	-0.473	2144	34.30	-2.681	2194	35.17	-3.517
2045	32.34	-0.768	2095	33.37	1.778	2145	34.32	-1.680	2195	35.18	-4.392
2046	32.37	-1.266	2096	33.39	4.029	2146	34.34	-0.430	2196	35.19	-4.391
2047	32.40	-2.265	2097	33.40	5.154	2147	34.35	1.446	2197	35.21	-3.891
2048	32.43	-2.889	2098	33.41	6.030	2148	34.36	1.697	2198	35.24	-2.264
2049	32.45	-3.512	2099	33.43	3.780	2149	34.38	2.447	2199	35.26	-1.388
2050	32.48	-4.761	2100	33.44	2.781	2150	34.39	2.198	2200	35.28	-1.387

INDEX NO. 795 1302-FU-10 CHIYODA BRIDGE U-D MAX.ACCEL.= -18.217(GAL) T=10.80(SEC) NO.12

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2201	35.31	-1.636	2251	36.31	1.409	2301	37.33	-0.047	2351	38.23	0.493
2202	35.32	-2.510	2252	36.33	0.159	2302	37.34	1.579	2352	38.28	-0.130
2203	35.34	-2.885	2253	36.36	0.160	2303	37.36	2.954	2353	38.48	-1.371
2204	35.35	-3.134	2254	36.36	0.411	2304	37.37	4.205	2354	38.51	-1.370
2205	35.36	-2.884	2255	36.37	1.661	2305	37.39	5.081	2355	38.52	-1.619
2206	35.39	-1.632	2256	36.40	3.538	2306	37.40	5.456	2356	38.53	-2.244
2207	35.43	-0.131	2257	36.43	4.414	2307	37.41	6.332	2357	38.54	-1.743
2208	35.45	0.245	2258	36.45	5.415	2308	37.42	6.082	2358	38.57	1.383
2209	35.46	-0.004	2259	36.47	5.165	2309	37.43	6.083	2359	38.58	1.758
2210	35.47	-0.629	2260	36.48	5.166	2310	37.44	5.458	2360	38.59	2.009
2211	35.49	-1.628	2261	36.50	4.167	2311	37.45	4.584	2361	38.60	2.384
2212	35.51	-2.502	2262	36.51	3.542	2312	37.46	2.709	2362	38.62	2.635
2213	35.53	-3.251	2263	36.52	2.918	2313	37.48	0.210	2363	38.65	2.306
2214	35.55	-3.500	2264	36.53	2.043	2314	37.49	-1.040	2364	38.67	1.512
2215	35.58	-2.874	2265	36.55	-0.456	2315	37.50	-1.664	2365	38.70	0.513
2216	35.63	-3.497	2266	36.56	-1.455	2316	37.52	-2.039	2366	38.71	0.514
2217	35.64	-2.871	2267	36.58	-1.705	2317	37.54	-2.038	2367	38.72	0.514
2218	35.68	-3.244	2268	36.59	-1.704	2318	37.57	-1.786	2368	38.74	0.516
2219	35.71	-4.118	2269	36.62	-1.703	2319	37.60	-1.410	2369	38.76	0.767
2220	35.73	-3.492	2270	36.65	-1.702	2320	37.61	-2.035	2370	38.78	0.017
2221	35.75	-3.241	2271	36.67	-1.451	2321	37.62	-2.909	2371	38.81	0.644
2222	35.76	-2.241	2272	36.69	-1.200	2322	37.64	-4.158	2372	38.84	1.395
2223	35.78	-1.615	2273	36.71	-1.449	2323	37.66	-6.157	2373	38.87	1.646
2224	35.79	-0.989	2274	36.73	-2.323	2324	37.67	-7.032	2374	38.88	1.897
2225	35.81	-0.988	2275	36.75	-3.947	2325	37.69	-7.531	2375	38.90	2.397
2226	35.83	-1.237	2276	36.76	-3.947	2326	37.71	-8.280	2376	38.93	2.398
2227	35.85	-1.861	2277	36.78	-6.571	2327	37.72	-8.530	2377	38.94	1.524
2228	35.87	-1.611	2278	36.80	-8.445	2328	37.73	-8.279	2378	38.97	0.525
2229	35.88	-0.985	2279	36.82	-9.694	2329	37.74	-7.654	2379	39.00	-1.348
2230	35.90	-0.359	2280	36.83	-9.694	2330	37.76	-4.403	2380	39.02	-2.222
2231	35.91	0.891	2281	36.85	-9.443	2331	37.78	-3.777	2381	39.03	-3.222
2232	35.94	3.393	2282	36.89	-8.442	2332	37.80	-3.151	2382	39.04	-3.221
2233	35.96	4.393	2283	36.94	-6.564	2333	37.81	-3.400	2383	39.07	-3.845
2234	35.98	3.270	2284	36.97	-5.938	2334	37.87	-3.648	2384	39.11	-4.094
2235	36.01	2.270	2285	36.99	-5.312	2335	37.97	-6.143	2385	39.19	-4.465
2236	36.02	1.396	2286	37.02	-5.061	2336	38.00	-5.892	2386	39.23	-4.088
2237	36.04	0.147	2287	37.04	-4.435	2337	38.02	-5.891	2387	39.25	-4.462
2238	36.06	-0.853	2288	37.06	-4.059	2338	38.03	-5.266	2388	39.27	-4.711
2239	36.08	-1.102	2289	37.08	-4.433	2339	38.04	-4.390	2389	39.29	-5.086
2240	36.09	-1.101	2290	37.13	-4.432	2340	38.07	-1.514	2390	39.30	-5.085
2241	36.12	-0.475	2291	37.12	-3.806	2341	38.09	0.362	2391	39.32	-4.834
2242	36.14	-0.849	2292	37.14	-3.180	2342	38.10	1.613	2392	39.33	-4.459
2243	36.16	-0.223	2293	37.17	-1.929	2343	38.11	1.613	2393	39.35	-4.708
2244	36.18	0.653	2294	37.19	-2.178	2344	38.13	1.864	2394	39.37	-5.457
2245	36.20	1.653	2295	37.20	-1.928	2345	38.14	2.364	2395	39.39	-6.706
2246	36.21	2.905	2296	37.22	-2.427	2346	38.15	2.365	2396	39.42	-6.705
2247	36.23	3.155	2297	37.25	-3.426	2347	38.16	1.740	2397	39.43	-7.079
2248	36.24	2.906	2298	37.26	-3.800	2348	38.18	1.491	2398	39.44	-7.079
2249	36.26	2.966	2299	37.28	-3.799	2349	38.20	0.867	2399	39.46	-6.203
2250	36.28	2.032	2300	37.30	-1.923	2350	38.21	0.492	2400	39.48	-5.202

INDEX NO. 795 1302-FU-10 CHIYODA BRIDGE U-D MAX.ACCEL.= -18.217(GAL) T=10.80(SEC) NO.13

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2401	39.49	-4.327	2451	40.40	-2.662	2501	41.38	-4.119	2551	42.69	-1.187
2402	39.52	-2.076	2452	40.42	-2.661	2502	41.40	-4.493	2552	42.74	-1.185
2403	39.54	-0.825	2453	40.43	-2.661	2503	41.43	-4.492	2553	42.80	-0.558
2404	39.56	-0.574	2454	40.44	-2.660	2504	41.44	-4.742	2554	42.83	-0.556
2405	39.57	0.352	2455	40.47	-2.409	2505	41.46	-4.241	2555	42.87	-1.179
2406	39.59	1.052	2456	40.50	-2.408	2506	41.48	-3.865	2556	42.90	-2.053
2407	39.60	1.053	2457	40.52	-1.782	2507	41.52	-3.238	2557	42.92	-3.302
2408	39.61	1.054	2458	40.53	-1.406	2508	41.59	-1.735	2558	42.95	-4.300
2409	39.63	1.054	2459	40.54	-1.156	2509	41.60	-2.235	2559	42.96	-3.800
2410	39.65	0.180	2460	40.56	-1.405	2510	41.62	-3.859	2560	43.01	-3.798
2411	39.67	0.181	2461	40.58	-2.279	2511	41.67	-6.357	2561	43.08	-3.545
2412	39.68	-0.818	2462	40.65	-5.776	2512	41.68	-6.981	2562	43.13	-3.542
2413	39.69	-0.818	2463	40.67	-6.400	2513	41.70	-6.981	2563	43.16	-3.541
2414	39.70	-0.567	2464	40.68	-6.650	2514	41.73	-6.730	2564	43.18	-3.163
2415	39.72	-0.192	2465	40.69	-7.274	2515	41.75	-6.729	2565	43.21	-2.289
2416	39.73	0.059	2466	40.70	-6.774	2516	41.79	-7.227	2566	43.22	-2.288
2417	39.75	0.434	2467	40.71	-6.773	2517	41.81	-7.226	2567	43.25	-2.537
2418	39.77	1.060	2468	40.72	-6.773	2518	41.82	-7.350	2568	43.26	-2.536
2419	39.78	1.061	2469	40.73	-5.772	2519	41.83	-6.975	2569	43.28	-2.536
2420	39.81	1.062	2470	40.75	-5.147	2520	41.86	-5.724	2570	43.30	-2.285
2421	39.82	1.063	2471	40.77	-3.271	2521	41.89	-3.597	2571	43.31	-1.909
2422	39.86	0.189	2472	40.80	-0.144	2522	41.94	-0.470	2572	43.32	-1.034
2423	39.87	-0.185	2473	40.82	1.107	2523	41.98	1.406	2573	43.34	-0.033
2424	39.90	-1.434	2474	40.84	1.107	2524	42.02	2.783	2574	43.37	0.843
2425	39.93	-2.682	2475	40.86	1.108	2525	42.06	4.035	2575	43.40	1.845
2426	39.95	-3.307	2476	40.89	1.360	2526	42.08	4.411	2576	43.42	2.846
2427	39.97	-4.181	2477	40.93	0.486	2527	42.09	4.161	2577	43.44	2.847
2428	40.00	-5.179	2478	40.96	0.738	2528	42.13	2.913	2578	43.46	2.848
2429	40.02	-5.179	2479	40.97	0.738	2529	42.17	-0.210	2579	43.49	2.599
2430	40.03	-5.178	2480	40.99	0.489	2530	42.20	-1.209	2580	43.51	1.975
2431	40.04	-4.553	2481	41.01	-1.010	2531	42.22	-1.833	2581	43.56	-0.523
2432	40.05	-3.332	2482	41.03	-2.259	2532	42.24	-2.707	2582	43.62	-1.145
2433	40.07	-2.052	2483	41.04	-2.884	2533	42.25	-3.082	2583	43.65	-1.769
2434	40.09	-1.175	2484	41.06	-2.883	2534	42.26	-3.081	2584	43.67	-2.393
2435	40.10	0.075	2485	41.07	-2.883	2535	42.28	-3.080	2585	43.70	-3.267
2436	40.12	1.326	2486	41.08	-2.632	2536	42.30	-3.080	2586	43.71	-3.891
2437	40.13	1.701	2487	41.11	-2.006	2537	42.32	-3.079	2587	43.72	-4.391
2438	40.14	1.702	2488	41.12	-1.755	2538	42.35	-2.452	2588	43.73	-4.390
2439	40.15	1.452	2489	41.14	-1.380	2539	42.40	-1.825	2589	43.75	-2.264
2440	40.17	1.078	2490	41.16	-1.379	2540	42.45	-0.573	2590	43.78	-0.638
2441	40.18	0.829	2491	41.17	-1.628	2541	42.47	+0.322	2591	43.79	+0.387
2442	40.20	0.204	2492	41.19	-2.003	2542	42.49	0.054	2592	43.82	-0.636
2443	40.23	0.706	2493	41.20	-2.627	2543	42.50	0.055	2593	43.84	-0.885
2444	40.24	0.706	2494	41.22	-2.626	2544	42.52	+1.195	2594	43.97	-4.004
2445	40.27	0.208	2495	41.23	-3.001	2545	42.54	+1.819	2595	43.98	-4.004
2446	40.29	0.208	2496	41.24	-2.625	2546	42.56	-2.068	2596	44.01	-4.003
2447	40.31	-0.416	2497	41.26	-2.375	2547	42.59	-2.441	2597	44.05	-3.500
2448	40.33	-1.665	2498	41.28	-1.749	2548	42.60	-2.441	2598	44.08	-2.875
2449	40.37	-2.663	2499	41.29	-1.748	2549	42.63	+2.189	2599	44.11	-2.873
2450	40.39	-2.913	2500	41.31	-1.997	2550	42.66	-1.813	2600	44.18	-2.245

INDEX NO. 795 1302-FU-10 CHIYODA BRIDGE U-D MAX.ACCEL.= -18.217(GAL) T=10.80(SEC) NO.14

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2601	44.26	-2.242	2651	45.55	2.690	2701	46.77	0.744	2751	48.19	+2.069
2602	44.30	-2.240	2652	45.58	1.817	2702	46.80	0.121	2752	48.20	-2.318
2603	44.31	-2.239	2653	45.66	-3.180	2703	46.84	+0.128	2753	48.22	-2.942
2604	44.33	+2.238	2654	45.69	-4.803	2704	46.88	+0.751	2754	48.24	-3.567
2605	44.35	-1.612	2655	45.70	-6.553	2705	46.91	-1.750	2755	48.25	-3.316
2606	44.38	+0.611	2656	45.72	-5.927	2706	46.94	-2.374	2756	48.27	+2.940
2607	44.39	+0.361	2657	45.75	-4.676	2707	46.98	-2.997	2757	48.33	-2.938
2608	44.41	0.015	2658	45.77	-4.300	2708	47.00	-2.996	2758	48.36	+2.311
2609	44.42	0.016	2659	45.79	-4.049	2709	47.03	-2.620	2759	48.38	-2.310
2610	44.45	0.017	2660	45.80	-4.049	2710	47.06	+2.993	2760	48.39	+2.060
2611	44.48	+0.857	2661	45.82	-4.048	2711	47.07	+2.993	2761	48.41	+1.684
2612	44.50	+1.231	2662	45.85	-4.297	2712	47.11	+2.366	2762	48.43	+0.433
2613	44.51	-1.480	2663	45.86	-4.296	2713	47.14	+2.115	2763	48.44	+0.183
2614	44.52	-1.480	2664	45.88	-4.045	2714	47.17	+2.364	2764	48.46	+0.182
2615	44.54	-1.479	2665	45.90	-3.419	2715	47.20	+2.612	2765	48.49	0.195
2616	44.56	-1.478	2666	45.92	-3.043	2716	47.22	+2.611	2766	48.54	0.447
2617	44.60	-1.477	2667	45.93	-2.168	2717	47.23	+2.361	2767	48.60	1.074
2618	44.64	-1.225	2668	45.95	-0.917	2718	47.25	+2.110	2768	48.66	2.077
2619	44.71	+0.972	2669	45.97	0.709	2719	47.26	+1.734	2769	48.67	2.077
2620	44.76	-1.220	2670	46.00	1.460	2720	47.31	+0.857	2770	48.70	1.826
2621	44.80	+1.468	2671	46.02	1.211	2721	47.34	+0.231	2771	48.74	1.205
2622	44.83	+2.091	2672	46.04	0.837	2722	47.36	0.145	2772	48.78	0.582
2623	44.86	+3.715	2673	46.07	0.588	2723	47.38	0.771	2773	48.81	0.208
2624	44.87	+3.965	2674	46.09	0.589	2724	47.40	0.147	2774	48.83	+0.416
2625	44.90	+3.463	2675	46.14	0.841	2725	47.42	0.148	2775	48.85	+0.665
2626	44.97	+3.085	2676	46.21	1.094	2726	47.44	+0.102	2776	48.87	+0.664
2627	45.02	+3.708	2677	46.26	1.096	2727	47.46	+1.351	2777	48.89	+0.663
2628	45.04	+3.957	2678	46.28	1.097	2728	47.48	+1.975	2778	48.92	+0.662
2629	45.05	-5.207	2679	46.30	0.598	2729	47.51	+1.098	2779	48.95	+0.036
2630	45.08	-6.205	2680	46.32	0.224	2730	47.55	+1.347	2780	49.00	0.466
2631	45.10	-6.205	2681	46.35	-1.275	2731	47.57	+1.721	2781	49.03	0.218
2632	45.11	-6.204	2682	46.36	+2.274	2732	47.59	+2.345	2782	49.06	+0.031
2633	45.14	-6.203	2683	46.38	+3.273	2733	47.61	+2.594	2783	49.10	+0.654
2634	45.16	-6.452	2684	46.42	-5.522	2734	47.62	+2.969	2784	49.20	+1.650
2635	45.17	-6.201	2685	46.44	-6.146	2735	47.64	+2.968	2785	49.26	+2.272
2636	45.19	-5.576	2686	46.45	-6.395	2736	47.67	+3.217	2786	49.29	+2.271
2637	45.20	+4.700	2687	46.47	-6.770	2737	47.69	+3.216	2787	49.31	+2.895
2638	45.23	+2.199	2688	46.48	-6.769	2738	47.74	+2.964	2788	49.34	+3.766
2639	45.26	+1.198	2689	46.50	-6.768	2739	47.80	+2.086	2789	49.36	+4.143
2640	45.28	-0.572	2690	46.52	-6.767	2740	47.84	+1.709	2790	49.37	+4.142
2641	45.31	0.304	2691	46.54	-6.766	2741	47.86	+1.458	2791	49.42	+4.140
2642	45.34	0.931	2692	46.57	-6.765	2742	47.88	+1.457	2792	49.45	+4.139
2643	45.37	1.307	2693	46.59	-6.139	2743	47.90	+2.332	2793	49.48	+4.762
2644	45.42	1.559	2694	46.61	-5.263	2744	47.93	+3.580	2794	49.52	+5.011
2645	45.45	1.936	2695	46.63	+4.637	2745	47.97	+5.454	2795	49.53	+5.010
2646	45.47	2.187	2696	46.65	+3.386	2746	47.98	+6.078	2796	49.54	+4.509
2647	45.49	2.938	2697	46.69	+1.134	2747	48.01	+5.452	2797	49.57	+3.508
2648	45.50	3.563	2698	46.71	+0.258	2748	48.02	+5.451	2798	49.59	+2.633
2649	45.52	3.939	2699	46.73	0.117	2749	48.05	+5.200	2799	49.65	+1.380
2650	45.53	3.565	2700	46.74	0.118	2750	48.14	+3.946	2800	49.68	+1.878

土木構造物における加速度強震記録（No. 9）

INDEX NO. 795 1302-FU-10 CHIYODA BRIDGE U-D MAX.ACCEL.= -18.217(GAL) T=10.80(SEC) NO.15

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2801	49.72	-1.076	2851	51.05	2.432	2901	52.28	-2.764	2951	54.48	-0.167
2802	49.76	-2.500	2852	51.07	2.433	2902	52.34	-1.512	2952	54.52	-0.790
2803	49.80	-3.123	2853	51.11	2.186	2903	52.38	-1.260	2953	54.55	-1.414
2804	49.81	-3.123	2854	51.14	2.186	2904	52.41	-1.258	2954	54.59	-1.412
2805	49.82	-2.872	2855	51.17	2.437	2905	52.57	-1.126	2955	54.61	-1.661
2806	49.83	-2.247	2856	51.20	1.938	2906	52.68	-2.997	2956	54.62	-1.410
2807	49.87	0.255	2857	51.23	0.930	2907	52.81	-3.616	2957	54.65	-0.534
2808	49.89	0.506	2858	51.27	0.316	2908	52.84	-3.615	2958	54.67	-0.150
2809	49.92	0.507	2859	51.29	0.318	2909	52.86	-3.614	2959	54.69	0.467
2810	49.96	0.259	2860	51.32	0.069	2910	52.88	-3.113	2960	54.70	0.218
2811	50.04	0.013	2861	51.34	-0.306	2911	52.92	-2.736	2961	54.73	-0.406
2812	50.05	-0.362	2862	51.35	-0.305	2912	53.03	0.394	2962	54.75	-0.405
2813	50.07	-0.986	2863	51.38	-0.054	2913	53.07	1.270	2963	54.78	-1.404
2814	50.09	-0.985	2864	51.42	0.573	2914	53.09	2.021	2964	54.79	-1.403
2815	50.10	-0.735	2865	51.45	1.199	2915	53.11	2.022	2965	54.81	-1.152
2816	50.14	-0.108	2866	51.47	1.575	2916	53.13	1.398	2966	54.83	-0.526
2817	50.16	-0.607	2867	51.50	1.577	2917	53.19	-0.225	2967	54.86	0.100
2818	50.17	-0.357	2868	51.53	1.578	2918	53.25	-2.347	2968	54.87	0.101
2819	50.18	-0.981	2869	51.55	0.954	2919	53.30	-2.970	2969	54.89	0.102
2820	50.20	-1.855	2870	51.56	1.204	2920	53.33	-2.718	2970	54.93	-0.146
2821	50.22	-2.230	2871	51.58	1.580	2921	53.37	-2.966	2971	54.99	-2.019
2822	50.23	-2.479	2872	51.61	1.581	2922	53.40	-2.715	2972	55.03	-2.642
2823	50.24	-2.479	2873	51.62	0.957	2923	53.43	-2.714	2973	55.07	-3.515
2824	50.27	-2.477	2874	51.64	0.333	2924	53.48	-2.962	2974	55.10	-3.889
2825	50.29	-2.477	2875	51.66	-0.291	2925	53.52	-3.085	2975	55.12	-3.889
2826	50.34	-2.225	2876	51.69	-1.165	2926	53.56	-2.708	2976	55.14	-3.638
2827	50.37	-2.223	2877	51.71	-1.789	2927	53.62	-1.455	2977	55.16	-3.261
2828	50.39	-2.472	2878	51.73	-2.413	2928	53.67	-0.828	2978	55.22	-2.384
2829	50.43	-3.470	2879	51.75	-2.162	2929	53.70	0.048	2979	55.27	-1.757
2830	50.46	-4.344	2880	51.78	-1.911	2930	53.72	0.049	2980	55.29	-2.006
2831	50.49	-5.343	2881	51.79	-1.910	2931	53.74	0.425	2981	55.30	-1.381
2832	50.53	-6.591	2882	51.81	-1.910	2932	53.79	-0.198	2982	55.39	-0.127
2833	50.56	-8.465	2883	51.82	-1.534	2933	53.86	-0.195	2983	55.42	0.125
2834	50.58	-9.089	2884	51.84	-1.534	2934	53.90	-1.068	2984	55.45	0.501
2835	50.60	-9.338	2885	51.86	-1.283	2935	53.95	-2.316	2985	55.49	0.253
2836	50.61	-9.338	2886	51.87	-0.657	2936	54.01	-2.938	2986	55.50	0.504
2837	50.62	-8.837	2887	51.90	-0.031	2937	54.04	-4.187	2987	55.54	0.505
2838	50.67	-5.960	2888	51.94	0.346	2938	54.08	-5.435	2988	55.61	-0.117
2839	50.71	-4.458	2889	51.95	0.346	2939	54.09	-5.434	2989	55.65	-0.115
2840	50.74	-3.832	2890	51.97	0.347	2940	54.11	-5.184	2990	55.68	0.136
2841	50.76	-3.831	2891	51.99	-0.527	2941	54.15	-4.307	2991	55.71	0.513
2842	50.79	-3.830	2892	52.02	-1.526	2942	54.21	-2.429	2992	55.75	0.764
2843	50.80	-4.079	2893	52.04	-1.525	2943	54.27	-1.176	2993	55.77	1.140
2844	50.81	-4.079	2894	52.07	-2.398	2944	54.32	-0.549	2994	55.81	1.141
2845	50.83	-3.828	2895	52.10	-2.772	2945	54.33	-1.799	2995	55.82	1.142
2846	50.85	-3.827	2896	52.14	-3.020	2946	54.36	-1.797	2996	55.87	0.269
2847	50.87	-3.201	2897	52.19	-3.394	2947	54.39	-1.421	2997	55.90	-0.355
2848	50.91	-1.950	2898	52.20	-3.393	2948	54.41	-1.170	2998	55.95	-1.353
2849	50.99	-0.071	2899	52.22	-3.392	2949	54.42	-0.544	2999	55.98	-2.351
2850	51.03	1.556	2900	52.24	-2.766	2950	54.45	-0.168	3000	56.01	-1.725

INDEX NO. 795 1302-FU-10 CHIYODA BRIDGE U-D MAX.ACCEL.= -18.217(GAL) T=10.80(SEC) NO.16

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3001	56.02	-2.224	3051	57.62	+0.028	3101	59.85	2.320	3151	61.98	-0.461
3002	56.03	-2.224	3052	57.65	0.848	3102	59.89	1.946	3152	62.02	-0.209
3003	56.06	-2.598	3053	57.68	0.850	3103	59.96	0.075	3153	62.06	0.793
3004	56.09	-3.472	3054	57.71	0.851	3104	60.06	-1.421	3154	62.11	1.044
3005	56.13	+4.095	3055	57.72	0.851	3105	60.21	+4.289	3155	62.15	1.671
3006	56.19	-5.342	3056	57.75	1.228	3106	60.25	-5.162	3156	62.22	2.049
3007	56.23	-5.965	3057	57.79	1.479	3107	60.27	-5.536	3157	62.27	2.676
3008	56.26	-5.964	3058	57.82	1.856	3108	60.29	-5.286	3158	62.32	2.929
3009	56.28	-5.463	3059	57.84	1.856	3109	60.32	+5.535	3159	62.35	2.430
3010	56.30	+4.462	3060	57.88	1.608	3110	60.33	-5.534	3160	62.38	2.056
3011	56.35	-3.585	3061	57.92	0.985	3111	60.36	+4.658	3161	62.41	1.183
3012	56.39	-2.583	3062	57.98	0.363	3112	60.39	+3.656	3162	62.44	0.809
3013	56.42	+2.332	3063	58.04	0.365	3113	60.42	+3.655	3163	62.48	0.186
3014	56.44	+1.956	3064	58.11	+0.632	3114	60.45	+3.403	3164	62.50	-0.063
3015	56.46	+1.955	3065	58.17	+0.879	3115	60.48	+3.028	3165	62.55	-0.436
3016	56.49	+1.704	3066	58.22	+1.251	3116	60.50	-2.151	3166	62.62	-0.058
3017	56.51	+1.328	3067	58.26	+1.875	3117	60.53	+1.525	3167	62.66	-0.681
3018	56.53	-0.452	3068	58.28	+2.124	3118	60.57	-0.523	3168	62.71	-1.679
3019	56.56	+0.450	3069	58.31	+2.498	3119	60.61	0.354	3169	62.76	-1.927
3020	56.59	+0.074	3070	58.33	+2.872	3120	60.67	0.481	3170	62.81	+2.299
3021	56.62	1.177	3071	58.36	+2.871	3121	60.72	+0.142	3171	62.85	+2.672
3022	56.66	1.629	3072	58.38	+2.494	3122	60.77	+0.514	3172	62.89	+3.296
3023	56.69	2.055	3073	58.42	+1.868	3123	60.80	+1.380	3173	62.96	+2.917
3024	56.71	2.056	3074	58.47	+2.116	3124	60.84	+2.011	3174	63.04	+1.414
3025	56.73	2.057	3075	58.50	+2.739	3125	60.88	+3.010	3175	63.11	+1.661
3026	56.75	2.058	3076	58.53	+3.113	3126	60.91	+3.008	3176	63.16	+1.034
3027	56.77	1.559	3077	58.56	+3.362	3127	60.94	+3.007	3177	63.21	+1.031
3028	56.79	0.935	3078	58.58	+3.111	3128	60.98	+3.255	3178	63.24	0.229
3029	56.82	0.311	3079	58.60	+3.735	3129	60.99	+3.255	3179	63.29	+0.403
3030	56.85	-0.688	3080	58.63	+3.109	3130	61.01	+3.004	3180	63.32	-0.151
3031	56.86	+1.312	3081	58.65	+2.857	3131	61.03	+3.003	3181	63.36	+0.649
3032	56.88	+1.311	3082	58.69	+3.106	3132	61.07	+2.127	3182	63.39	+0.648
3033	56.92	+1.559	3083	58.72	+3.730	3133	61.12	+1.124	3183	63.41	+1.023
3034	56.98	+2.557	3084	58.73	+3.729	3134	61.14	+1.123	3184	63.42	+0.772
3035	57.04	+3.804	3085	58.76	+2.853	3135	61.17	+0.872	3185	63.44	+0.771
3036	57.07	+4.053	3086	58.79	+2.477	3136	61.22	+1.120	3186	63.46	+0.395
3037	57.12	+4.176	3087	58.83	+1.850	3137	61.25	+0.868	3187	63.49	0.231
3038	57.15	+4.674	3088	58.85	+1.849	3138	61.30	+1.116	3188	63.52	0.233
3039	57.23	+2.796	3089	58.89	+1.598	3139	61.36	+1.988	3189	63.56	0.235
3040	57.27	+2.294	3090	58.94	+1.221	3140	61.44	+2.360	3190	63.61	0.487
3041	57.32	+1.291	3091	59.04	+1.841	3141	61.48	+3.233	3191	63.69	+0.385
3042	57.34	+1.291	3092	59.17	+0.960	3142	61.50	+2.357	3192	63.71	+0.134
3043	57.37	+1.539	3093	59.35	0.088	3143	61.54	+1.481	3193	63.75	0.243
3044	57.41	+1.538	3094	59.48	1.304	3144	61.57	+0.854	3194	63.81	+0.004
3045	57.45	+1.286	3095	59.55	1.307	3145	61.60	+0.853	3195	63.85	0.248
3046	57.49	+1.034	3096	59.61	1.309	3146	61.63	+1.102	3196	63.89	0.250
3047	57.54	+1.032	3097	59.68	1.562	3147	61.68	+1.100	3197	63.96	0.253
3048	57.57	+0.655	3098	59.75	2.190	3148	61.81	+1.344	3198	64.01	0.005
3049	57.59	+0.030	3099	59.80	2.818	3149	61.89	+1.715	3199	64.06	+0.368
3050	57.60	+0.029	3100	59.82	2.819	3150	61.92	+1.964	3200	64.09	+0.117

INDEX NO. 795 1302-FU-10 CHIYODA BRIDGE U-D MAX.ACCEL.= -18.217(GAL) T=10.80(SEC) NO.17

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3201	66.12	-0.990	3251	66.24	-0.022	3301	68.35	-1.428	3351	70.47	3.297
3202	66.15	-1.614	3252	66.31	-0.269	3302	68.38	-1.677	3352	70.70	2.798
3203	66.18	-1.863	3253	66.34	-0.268	3303	68.41	-1.676	3353	70.76	1.801
3204	66.21	-2.236	3254	66.39	0.360	3304	68.44	-0.799	3354	70.79	1.602
3205	66.26	-1.609	3255	66.45	-0.263	3305	68.47	-0.548	3355	70.83	1.179
3206	66.30	-1.358	3256	66.57	-0.508	3306	68.50	-0.547	3356	70.86	1.431
3207	66.33	-1.231	3257	66.74	0.750	3307	68.52	-0.796	3357	70.90	2.057
3208	66.35	-1.605	3258	66.76	0.126	3308	68.55	-0.544	3358	70.92	1.558
3209	66.38	-1.854	3259	66.79	-1.123	3309	68.58	0.082	3359	70.96	1.185
3210	66.41	-3.103	3260	66.83	-2.371	3310	68.61	1.084	3360	70.99	0.562
3211	66.43	-3.727	3261	66.87	-2.369	3311	68.64	1.085	3361	71.05	0.314
3212	66.44	-3.726	3262	66.89	-1.868	3312	68.68	1.336	3362	71.09	-0.059
3213	66.45	-4.726	3263	66.93	-1.491	3313	68.70	1.962	3363	71.14	-0.057
3214	66.48	-2.849	3264	67.01	-1.488	3314	68.73	2.963	3364	71.17	0.569
3215	66.53	-0.973	3265	67.08	-1.109	3315	68.75	3.965	3365	71.20	1.196
3216	66.59	0.280	3266	67.19	-1.480	3316	68.77	3.715	3366	71.23	1.197
3217	66.67	1.533	3267	67.24	-1.102	3317	68.81	3.467	3367	71.25	1.823
3218	66.73	2.411	3268	67.28	-0.851	3318	68.89	3.470	3368	71.27	1.824
3219	66.78	2.788	3269	67.31	-0.224	3319	69.00	2.476	3369	71.29	1.825
3220	66.83	2.790	3270	67.33	-0.224	3320	69.09	2.229	3370	71.34	1.577
3221	66.92	2.419	3271	67.37	0.653	3321	69.16	1.857	3371	71.35	0.827
3222	66.98	2.172	3272	67.43	0.406	3322	69.29	2.488	3372	71.39	0.954
3223	65.03	1.925	3273	67.48	0.408	3323	69.30	2.113	3373	71.43	0.581
3224	65.07	1.551	3274	67.51	-0.466	3324	69.33	1.614	3374	71.47	-0.043
3225	65.14	0.304	3275	67.54	-0.839	3325	69.37	-0.009	3375	71.49	-0.292
3226	65.19	0.056	3276	67.59	-0.837	3326	69.41	-0.633	3376	71.50	-0.041
3227	65.24	-0.942	3277	67.62	0.039	3327	69.43	0.243	3377	71.54	0.210
3228	65.27	-1.315	3278	67.65	-0.210	3328	69.48	-0.005	3378	71.56	0.211
3229	65.32	-1.813	3279	67.67	0.042	3329	69.52	-0.253	3379	71.60	0.838
3230	65.36	-1.811	3280	67.70	0.043	3330	69.57	0.624	3380	71.64	0.340
3231	65.38	-1.810	3281	67.75	-0.205	3331	69.60	0.625	3381	71.69	-0.033
3232	65.42	-3.058	3282	67.78	0.047	3332	69.61	0.375	3382	71.71	-0.032
3233	65.45	-2.807	3283	67.81	0.423	3333	69.63	0.001	3383	71.76	-0.655
3234	65.47	-3.431	3284	67.82	0.423	3334	69.64	-0.248	3384	71.79	-0.654
3235	65.51	-4.054	3285	67.85	1.674	3335	69.68	-1.247	3385	71.81	-1.278
3236	65.56	-4.677	3286	67.86	1.675	3336	69.73	-3.120	3386	71.84	-1.027
3237	65.69	-3.422	3287	67.88	2.301	3337	69.74	-4.494	3387	71.87	-0.650
3238	65.73	-3.420	3288	67.90	2.052	3338	69.77	-3.618	3388	71.91	-0.898
3239	65.75	-4.419	3289	67.94	1.678	3339	69.80	-2.367	3389	71.94	-0.647
3240	65.76	-4.418	3290	67.96	1.429	3340	69.83	-1.741	3390	71.98	-0.645
3241	65.79	-4.417	3291	68.00	0.806	3341	69.87	-1.364	3391	72.01	-0.894
3242	65.81	-4.041	3292	68.03	0.432	3342	69.90	-0.738	3392	72.04	-1.268
3243	65.86	-3.414	3293	68.06	1.059	3343	69.92	-0.737	3393	72.08	-1.266
3244	65.89	-3.163	3294	68.10	1.060	3344	69.97	-1.360	3394	72.10	-1.015
3245	65.91	-2.537	3295	68.12	1.061	3345	70.01	-1.108	3395	72.13	-1.514
3246	65.93	-1.911	3296	68.15	1.313	3346	70.05	-1.107	3396	72.16	-1.637
3247	65.96	-1.535	3297	68.17	-0.436	3347	70.12	-0.104	3397	72.18	-1.012
3248	65.98	-0.908	3298	68.24	-0.183	3348	70.31	0.780	3398	72.21	-0.885
3249	66.02	-0.907	3299	68.29	-0.806	3349	70.50	1.414	3399	72.23	-0.635
3250	66.11	-0.903	3300	68.32	-1.055	3350	70.64	3.045	3400	72.25	0.242

INDEX NO. 795 1302-FU-10 CHIYODA BRIDGE U-D MAX.ACCEL.= -18.217(GAL) T=10.80(SEC) NO.18

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3401	72.27	0.868	3451	73.96	1.318	3501	76.00	0.408	3551	78.41	2.513
3402	72.31	1.069	3452	73.99	1.319	3502	76.12	1.788	3552	78.43	1.764
3403	72.33	1.870	3453	74.06	1.947	3503	76.26	2.669	3553	78.47	1.766
3404	72.36	2.495	3454	74.19	2.328	3504	76.37	2.424	3554	78.50	1.517
3405	72.36	2.494	3455	74.20	2.828	3505	76.56	4.602	3555	78.52	2.143
3406	72.39	1.873	3456	74.23	2.579	3506	76.65	5.061	3556	78.56	2.145
3407	72.43	1.250	3457	74.26	2.331	3507	76.69	4.938	3557	78.60	2.397
3408	72.49	1.877	3458	74.37	2.960	3508	76.74	4.940	3558	78.66	3.024
3409	72.60	2.757	3459	74.44	2.588	3509	76.78	4.941	3559	78.70	3.401
3410	72.66	2.509	3460	74.46	2.964	3510	76.80	4.692	3560	78.74	3.653
3411	72.69	2.261	3461	74.50	2.966	3511	76.83	4.694	3561	78.79	2.780
3412	72.71	2.262	3462	74.53	2.968	3512	76.86	4.695	3562	78.81	2.781
3413	72.74	2.263	3463	74.58	2.595	3513	76.89	3.821	3563	78.84	2.782
3414	72.77	1.889	3464	74.61	2.346	3514	76.92	3.447	3564	78.87	2.534
3415	72.79	1.265	3465	74.67	1.598	3515	76.94	3.198	3565	78.91	2.785
3416	72.82	0.641	3466	74.68	1.599	3516	76.97	2.575	3566	78.96	3.662
3417	72.85	+0.232	3467	74.70	2.225	3517	77.00	1.576	3567	79.00	3.414
3418	72.87	-0.607	3468	74.75	3.977	3518	77.03	0.952	3568	79.08	2.168
3419	72.90	-0.855	3469	74.77	3.728	3519	77.07	0.704	3569	79.19	0.923
3420	72.95	-1.228	3470	74.81	2.480	3520	77.11	0.081	3570	79.21	0.299
3421	73.03	-2.475	3471	74.89	2.108	3521	77.15	0.082	3571	79.25	0.551
3422	73.10	-1.846	3472	75.00	0.612	3522	77.17	+0.792	3572	79.44	0.934
3423	73.14	-1.595	3473	75.01	0.613	3523	77.21	+1.040	3573	79.51	0.937
3424	73.15	-1.594	3474	75.04	0.864	3524	77.26	+1.288	3574	79.57	1.190
3425	73.17	-1.218	3475	75.07	0.866	3525	77.31	+0.410	3575	79.61	2.192
3426	73.20	+0.592	3476	75.10	1.117	3526	77.36	+0.658	3576	79.65	2.443
3427	73.22	+1.216	3477	75.12	0.868	3527	77.40	+0.657	3577	79.69	2.820
3428	73.27	+1.213	3478	75.15	0.869	3528	77.45	-1.030	3578	79.72	2.572
3429	73.32	+1.461	3479	75.19	+0.004	3529	77.49	+1.278	3579	79.74	2.197
3430	73.37	+1.834	3480	75.21	+0.003	3530	77.53	+1.026	3580	79.76	1.574
3431	73.41	+1.582	3481	75.25	-0.376	3531	77.57	+0.399	3581	79.79	1.575
3432	73.43	+1.206	3482	75.33	0.253	3532	77.63	+0.146	3582	79.85	0.953
3433	73.47	+1.829	3483	75.47	1.134	3533	77.67	0.230	3583	79.95	1.832
3434	73.50	+1.828	3484	75.52	1.886	3534	77.71	0.482	3584	80.04	1.586
3435	73.52	+1.827	3485	75.54	1.512	3535	77.76	1.109	3585	80.10	2.839
3436	73.54	+1.576	3486	75.55	1.762	3536	77.79	2.111	3586	80.15	4.216
3437	73.58	+1.575	3487	75.57	2.014	3537	77.83	2.737	3587	80.20	5.093
3438	73.62	+1.198	3488	75.61	0.765	3538	77.87	2.989	3588	80.23	5.470
3439	73.64	-0.572	3489	75.65	+0.108	3539	77.89	3.615	3589	80.26	5.721
3440	73.66	+0.321	3490	75.66	-0.107	3540	77.93	3.866	3590	80.29	5.722
3441	73.69	0.306	3491	75.67	0.143	3541	77.98	3.869	3591	80.32	5.473
3442	73.73	0.933	3492	75.69	+0.106	3542	78.03	4.371	3592	80.35	5.475
3443	73.75	0.933	3493	75.71	+0.105	3543	78.08	3.873	3593	80.39	4.602
3444	73.77	0.684	3494	75.74	0.398	3544	78.10	4.124	3594	80.41	4.603
3445	73.79	0.935	3495	75.77	0.397	3545	78.12	3.500	3595	80.44	5.104
3446	73.82	0.936	3496	75.80	0.399	3546	78.15	3.251	3596	80.47	5.730
3447	73.84	0.938	3497	75.83	0.775	3547	78.17	2.877	3597	80.50	5.482
3448	73.87	1.564	3498	75.88	+0.098	3548	78.19	2.878	3598	80.53	5.483
3449	73.89	1.565	3499	75.91	+0.471	3549	78.23	3.130	3599	80.56	5.234
3450	73.92	1.316	3500	75.93	+0.220	3550	78.31	3.508	3600	80.60	5.236

土木構造物における加速度強震記録（No.9）

INDEX NO. 795 1302-FU-10 CHIYODA BRIDGE U-D MAX.ACCEL.= -18.217(GAL) T=10.80(SEC) NO.19

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3601	80.64	3.383	3651	82.42	5.316	3701	83.96	5.633	3751	85.69	3.835
3602	80.66	2.364	3652	82.48	4.944	3702	83.99	4.759	3752	85.71	4.711
3603	80.68	2.615	3653	82.52	4.695	3703	84.02	4.385	3753	85.76	5.088
3604	80.74	2.117	3654	82.55	4.322	3704	84.05	4.387	3754	85.80	6.340
3605	80.77	2.119	3655	82.57	4.672	3705	84.08	4.013	3755	85.83	6.341
3606	80.82	1.746	3656	82.59	3.674	3706	84.13	3.765	3756	85.85	6.592
3607	80.87	0.874	3657	82.61	2.449	3707	84.16	3.516	3757	85.87	6.593
3608	80.90	0.875	3658	82.62	2.450	3708	84.22	3.769	3758	85.93	7.221
3609	80.93	1.126	3659	82.66	2.452	3709	84.25	3.770	3759	85.97	7.222
3610	80.95	1.127	3660	82.73	1.580	3710	84.28	3.522	3760	86.01	7.224
3611	80.98	1.379	3661	82.79	1.832	3711	84.31	3.523	3761	86.05	6.976
3612	81.00	1.754	3662	82.83	1.834	3712	84.34	3.150	3762	86.08	6.977
3613	81.02	1.755	3663	82.86	1.585	3713	84.42	2.778	3763	86.12	6.354
3614	81.04	2.131	3664	82.90	0.712	3714	84.47	2.530	3764	86.16	6.356
3615	81.05	1.756	3665	82.92	0.463	3715	84.51	3.157	3765	86.20	5.732
3616	81.08	1.508	3665	82.95	-0.161	3716	84.56	3.160	3766	86.23	5.483
3617	81.11	1.509	3667	82.97	-0.160	3717	84.59	3.161	3767	86.26	4.860
3618	81.14	0.260	3668	82.99	-0.409	3718	84.61	3.162	3768	86.28	4.486
3619	81.20	-0.112	3669	83.01	0.092	3719	84.64	3.163	3769	86.31	4.237
3620	81.30	0.517	3670	83.04	0.468	3720	84.65	2.914	3770	86.33	4.238
3621	81.39	0.521	3671	83.06	1.344	3721	84.68	3.165	3771	86.34	3.863
3622	81.45	0.774	3672	83.08	1.345	3722	84.71	3.166	3772	86.36	3.864
3623	81.52	1.777	3673	83.10	1.346	3723	84.75	3.793	3773	86.38	3.865
3624	81.57	2.654	3674	83.11	1.346	3724	84.78	3.794	3774	86.43	3.618
3625	81.61	2.656	3675	83.13	1.472	3725	84.81	4.421	3775	86.46	3.869
3626	81.62	2.656	3676	83.18	1.724	3726	84.86	5.048	3776	86.52	3.247
3627	81.65	2.407	3677	83.24	1.477	3727	84.90	5.300	3777	86.59	3.250
3628	81.66	2.408	3678	83.27	1.978	3728	84.92	5.301	3778	86.67	3.003
3629	81.68	2.159	3679	83.31	2.355	3729	84.95	5.927	3779	86.73	2.631
3630	81.71	3.160	3680	83.33	2.606	3730	84.97	5.678	3780	86.76	2.632
3631	81.79	4.288	3681	83.36	2.982	3731	85.00	5.679	3781	86.80	2.634
3632	81.83	5.165	3682	83.39	2.983	3732	85.05	5.681	3782	86.82	2.635
3633	81.86	5.167	3683	83.42	3.609	3733	85.09	5.683	3783	86.84	2.886
3634	81.89	5.168	3684	83.45	4.361	3734	85.14	5.436	3784	86.85	2.636
3635	81.92	6.169	3685	83.48	5.237	3735	85.18	5.062	3785	86.88	2.637
3636	81.94	5.545	3686	83.49	5.238	3736	85.21	4.814	3786	86.92	2.889
3637	81.97	5.296	3687	83.51	5.238	3737	85.24	4.815	3787	86.96	3.266
3638	82.02	4.673	3688	83.52	5.239	3738	85.27	4.461	3788	86.99	3.267
3639	82.04	4.675	3689	83.55	4.990	3739	85.31	3.568	3789	87.03	3.519
3640	82.07	4.675	3690	83.60	4.742	3740	85.35	2.570	3790	87.14	3.899
3641	82.10	4.677	3691	83.64	4.994	3741	85.37	1.946	3791	87.17	4.150
3642	82.15	5.804	3692	83.68	4.996	3742	85.40	1.322	3792	87.20	4.526
3643	82.17	6.430	3693	83.73	4.998	3743	85.42	1.323	3793	87.23	3.902
3644	82.20	6.431	3694	83.77	5.249	3744	85.43	1.324	3794	87.32	4.782
3645	82.23	6.183	3695	83.80	5.251	3745	85.46	1.324	3795	87.38	3.909
3646	82.26	5.309	3696	83.83	5.002	3746	85.48	1.575	3796	87.44	3.912
3647	82.28	5.310	3697	83.86	5.003	3747	85.51	2.202	3797	87.48	4.164
3648	82.30	5.561	3698	83.89	5.255	3748	85.56	2.829	3798	87.50	3.915
3649	82.34	6.187	3699	83.92	5.881	3749	85.59	3.206	3799	87.53	3.916
3650	82.36	6.189	3700	83.94	5.882	3750	85.64	3.208	3800	87.57	3.293

INDEX NO. 795 1302-FU-10 CHIYODA BRIDGE U-D MAX.ACCEL.= -18.217(GAL) T=10.80(SEC) NO.20

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3801	87.60	3.294	3851	89.41	3.623	3901	91.42	8.087	3951	93.35	6.048
3802	87.63	3.546	3852	89.46	4.250	3902	91.45	8.463	3952	93.38	6.924
3803	87.65	3.546	3853	89.50	5.252	3903	91.47	8.464	3953	93.41	6.926
3804	87.67	3.922	3854	89.55	6.754	3904	91.50	8.216	3954	93.43	6.677
3805	87.68	4.173	3855	89.58	7.756	3905	91.54	7.842	3955	93.47	6.678
3806	87.71	4.174	3856	89.62	9.007	3906	91.57	7.844	3956	93.54	6.056
3807	87.75	4.551	3857	89.64	9.009	3907	91.63	8.096	3957	93.59	5.808
3808	87.78	4.552	3858	89.67	9.260	3908	91.71	7.225	3958	93.63	5.810
3809	87.83	5.179	3859	89.70	9.261	3909	91.75	7.476	3959	93.64	6.311
3810	87.88	5.432	3860	89.73	9.637	3910	91.78	6.978	3960	93.68	6.062
3811	87.92	5.808	3861	89.75	9.638	3911	91.80	6.979	3961	93.74	6.315
3812	87.93	6.059	3862	89.79	9.390	3912	91.87	7.482	3962	93.78	6.892
3813	87.96	6.060	3863	89.83	8.767	3913	91.95	7.235	3963	93.84	7.944
3814	87.99	5.812	3864	89.90	8.395	3914	91.99	6.362	3964	93.89	7.321
3815	88.05	5.814	3865	89.98	7.773	3915	92.01	6.363	3965	93.93	7.323
3816	88.07	5.815	3866	90.05	6.902	3916	92.04	6.364	3966	93.98	7.324
3817	88.09	5.566	3867	90.11	6.529	3917	92.06	5.740	3967	94.00	7.076
3818	88.12	5.567	3868	90.16	5.656	3918	92.07	5.741			
3819	88.15	5.569	3869	90.21	5.284	3919	92.10	5.992			
3820	88.20	6.071	3870	90.28	4.661	3920	92.13	5.993			
3821	88.25	7.073	3871	90.32	4.613	3921	92.16	6.245			
3822	88.27	7.074	3872	90.36	3.790	3922	92.20	6.246			
3823	88.30	6.450	3873	90.42	2.543	3923	92.22	6.247			
3824	88.36	6.203	3874	90.46	1.920	3924	92.25	5.124			
3825	88.43	6.206	3875	90.50	2.171	3925	92.28	5.125			
3826	88.47	5.832	3876	90.54	1.548	3926	92.30	5.126			
3827	88.50	6.209	3877	90.57	1.299	3927	92.31	4.751			
3828	88.52	5.834	3878	90.59	1.550	3928	92.34	4.753			
3829	88.53	5.835	3879	90.62	1.302	3929	92.36	5.379			
3830	88.56	5.836	3880	90.66	1.303	3930	92.45	4.383			
3831	88.58	6.087	3881	90.69	1.555	3931	92.54	4.387			
3832	88.63	4.964	3882	90.73	2.182	3932	92.61	5.390			
3833	88.68	4.966	3883	90.77	2.433	3933	92.72	5.395			
3834	88.76	4.595	3884	90.80	2.435	3934	92.77	5.147			
3835	88.85	3.974	3885	90.85	2.437	3935	92.82	5.150			
3836	88.90	3.351	3886	90.89	2.814	3936	92.86	5.151			
3837	88.94	3.103	3887	90.92	2.815	3937	92.88	5.652			
3838	89.00	2.480	3888	90.95	3.086	3938	92.89	5.153			
3839	89.05	1.858	3889	90.99	3.693	3939	92.92	5.154			
3840	89.09	1.234	3890	91.05	5.321	3940	92.96	4.531			
3841	89.13	0.861	3891	91.08	5.947	3941	92.99	4.782			
3842	89.15	0.612	3892	91.10	5.948	3942	93.01	4.533			
3843	89.17	0.613	3893	91.12	5.949	3943	93.03	4.534			
3844	89.19	0.239	3894	91.17	6.201	3944	93.06	4.785			
3845	89.21	0.240	3895	91.21	6.828	3945	93.10	5.037			
3846	89.23	0.491	3896	91.25	7.204	3946	93.15	5.414			
3847	89.26	0.867	3897	91.28	7.456	3947	93.18	5.666			
3848	89.30	1.493	3898	91.33	7.583	3948	93.26	5.668			
3849	89.34	2.120	3899	91.37	8.385	3949	93.28	6.045			
3850	89.38	2.997	3900	91.40	8.386	3950	93.32	5.797			

Table IX D-22 Digitized Accelerations of Earthquake Record with Index Number 796

INDEX NO. 796 1302-FU-10 CHIYODA BRIDGE TR. MAX.ACCEL.= -48.195(GAL) T=16.26(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.0	0.859	51	0.62	-1.013	101	1.42	1.865	151	2.34	2.244
2	0.01	1.484	52	0.65	-0.389	102	1.44	1.615	152	2.35	-0.006
3	0.02	3.109	53	0.66	0.237	103	1.49	0.615	153	2.36	-0.256
4	0.03	4.984	54	0.68	-0.263	104	1.51	-0.635	154	2.38	-0.631
5	0.04	4.359	55	0.70	-1.013	105	1.53	-1.259	155	2.39	-0.631
6	0.05	4.359	56	0.72	-2.513	106	1.55	-0.010	156	2.40	-0.381
7	0.07	4.109	57	0.73	-1.888	107	1.56	2.116	157	2.41	0.619
8	0.08	3.109	58	0.74	0.612	108	1.58	5.241	158	2.42	2.119
9	0.09	3.109	59	0.76	2.737	109	1.62	8.366	159	2.45	4.994
10	0.10	2.234	60	0.78	5.237	110	1.63	9.116	160	2.46	7.495
11	0.11	0.359	61	0.80	6.862	111	1.65	10.116	161	2.47	8.870
12	0.12	-1.016	62	0.81	8.112	112	1.67	9.866	162	2.49	9.120
13	0.14	1.484	63	0.82	8.363	113	1.68	8.866	163	2.50	9.120
14	0.16	2.485	64	0.83	7.487	114	1.69	6.991	164	2.51	9.120
15	0.17	2.485	65	0.84	6.862	115	1.71	6.866	165	2.52	8.870
16	0.18	2.485	66	0.86	5.613	116	1.74	1.741	166	2.55	8.620
17	0.20	2.235	67	0.87	4.112	117	1.76	-1.259	167	2.56	8.245
18	0.23	0.985	68	0.89	1.863	118	1.77	-1.884	168	2.57	7.995
19	0.24	0.610	69	0.90	1.613	119	1.78	-2.134	169	2.59	7.620
20	0.25	1.235	70	0.93	0.613	120	1.80	-1.883	170	2.60	7.370
21	0.26	1.485	71	0.98	-1.262	121	1.83	-1.884	171	2.62	6.995
22	0.27	2.110	72	0.99	-0.012	122	1.86	-0.633	172	2.63	7.245
23	0.28	2.735	73	1.01	3.113	123	1.87	-0.008	173	2.64	7.245
24	0.29	3.110	74	1.02	4.988	124	1.88	0.367	174	2.65	6.995
25	0.30	3.360	75	1.04	6.238	125	1.89	2.492	175	2.66	6.370
26	0.31	3.485	76	1.05	6.488	126	1.90	3.117	176	2.67	4.246
27	0.32	2.860	77	1.06	6.488	127	1.91	3.367	177	2.68	3.246
28	0.33	1.860	78	1.08	6.238	128	1.92	2.867	178	2.69	0.620
29	0.34	0.610	79	1.10	5.989	129	1.93	1.867	179	2.72	-4.629
30	0.35	-0.890	80	1.12	4.739	130	1.94	0.992	180	2.73	-7.004
31	0.37	-1.890	81	1.13	2.489	131	1.96	-1.883	181	2.74	-8.254
32	0.38	-3.390	82	1.15	-0.261	132	1.98	-3.383	182	2.75	-8.879
33	0.39	-5.640	83	1.16	-3.136	133	2.00	-3.133	183	2.77	-8.879
34	0.40	-6.264	84	1.18	-4.636	134	2.02	-2.508	184	2.78	-10.129
35	0.41	-4.515	85	1.19	-6.261	135	2.07	-0.382	185	2.81	-11.379
36	0.43	-1.390	86	1.21	-7.011	136	2.08	1.243	186	2.82	-11.129
37	0.44	1.236	87	1.22	-7.261	137	2.10	2.493	187	2.83	-10.129
38	0.45	3.111	88	1.23	-7.886	138	2.11	3.118	188	2.85	-6.379
39	0.46	3.986	89	1.24	-7.386	139	2.14	4.993	189	2.88	-2.629
40	0.47	3.986	90	1.25	-5.761	140	2.18	7.118	190	2.89	-1.754
41	0.48	3.986	91	1.27	-3.886	141	2.21	7.743	191	2.91	-0.504
42	0.50	3.986	92	1.29	-2.386	142	2.22	7.743	192	2.94	1.247
43	0.52	3.736	93	1.30	-1.386	143	2.24	7.243	193	2.96	2.497
44	0.53	3.736	94	1.32	-0.136	144	2.25	7.244	194	2.98	2.872
45	0.54	2.861	95	1.34	0.364	145	2.26	6.869	195	2.99	2.872
46	0.56	1.861	96	1.35	1.240	146	2.27	6.869	196	3.00	2.497
47	0.57	0.611	97	1.37	2.490	147	2.29	6.869	197	3.01	1.247
48	0.59	-0.639	98	1.38	2.740	148	2.31	5.994	198	3.02	0.372
49	0.60	-1.264	99	1.39	2.865	149	2.32	5.369	199	3.04	-0.878
50	0.61	-1.264	100	1.40	2.490	150	2.33	3.494	200	3.06	-1.503

INDEX NO. 796 1302-FU-10 CHIYODA BRIDGE TR. MAX.ACCEL.= -48.195(GAL) T=16.26(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	3.07	-2.128	251	4.01	-2.749	301	4.79	1.630	351	5.53	10.508
202	3.08	-2.753	252	4.03	-2.874	302	4.80	0.379	352	5.55	9.883
203	3.09	-3.503	253	4.05	-2.624	303	4.81	0.380	353	5.56	8.883
204	3.10	-2.378	254	4.06	-2.374	304	4.82	0.880	354	5.57	7.383
205	3.11	-1.378	255	4.08	-1.373	305	4.83	3.755	355	5.59	5.508
206	3.12	0.122	256	4.09	-1.623	306	4.85	9.755	356	5.61	1.383
207	3.15	6.498	257	4.10	-1.998	307	4.87	17.130	357	5.67	-6.117
208	3.17	7.623	258	4.13	-1.123	308	4.88	19.255	358	5.70	-8.867
209	3.18	7.373	259	4.14	-1.123	309	4.89	20.255	359	5.71	-7.616
210	3.21	5.498	260	4.15	-0.498	310	4.90	21.255	360	5.72	-6.366
211	3.25	3.248	261	4.17	1.252	311	4.91	20.630	361	5.74	-3.616
212	3.28	1.373	262	4.19	2.502	312	4.92	19.630	362	5.76	4.384
213	3.31	-0.877	263	4.20	3.127	313	4.93	17.505	363	5.78	9.509
214	3.33	-2.627	264	4.22	3.377	314	4.95	14.380	364	5.79	11.634
215	3.35	-3.877	265	4.23	3.127	315	4.98	7.380	365	5.80	12.884
216	3.37	-3.877	266	4.24	3.127	316	5.01	4.505	366	5.81	13.884
217	3.38	-3.001	267	4.25	2.752	317	5.02	3.881	367	5.83	14.134
218	3.39	-1.752	268	4.28	3.127	318	5.04	3.631	368	5.84	14.884
219	3.40	0.124	269	4.30	3.377	319	5.06	3.256	369	5.85	13.134
220	3.42	3.374	270	4.31	2.253	320	5.07	2.256	370	5.86	11.884
221	3.44	4.624	271	4.32	1.253	321	5.08	0.008	371	5.87	10.009
222	3.48	5.874	272	4.34	1.003	322	5.10	-3.494	372	5.89	7.010
223	3.50	6.624	273	4.36	-0.247	323	5.12	-6.994	373	5.90	0.634
224	3.52	5.999	274	4.37	-1.247	324	5.13	-6.744	374	5.93	-8.490
225	3.54	3.499	275	4.39	-1.247	325	5.14	-6.369	375	5.94	-11.365
226	3.55	2.499	276	4.40	-0.622	326	5.16	-5.119	376	5.95	-13.990
227	3.56	1.874	277	4.41	0.628	327	5.18	-2.994	377	5.96	-15.240
228	3.59	0.624	278	4.44	2.128	328	5.20	-2.244	378	5.97	-15.865
229	3.63	-0.625	279	4.46	3.128	329	5.22	-2.493	379	6.01	-17.990
230	3.64	-2.000	280	4.48	1.003	330	5.23	-3.368	380	6.02	-16.240
231	3.66	-1.375	281	4.49	-0.622	331	5.25	-5.618	381	6.03	-13.990
232	3.69	2.125	282	4.50	-4.372	332	5.27	-8.493	382	6.04	-11.240
233	3.72	3.750	283	4.52	-6.997	333	5.28	-11.368	383	6.06	-2.615
234	3.74	4.375	284	4.54	-8.871	334	5.29	-11.618	384	6.08	5.260
235	3.76	4.750	285	4.55	-9.747	335	5.30	-11.368	385	6.09	6.760
236	3.77	4.375	286	4.56	-10.122	336	5.31	-9.868	386	6.11	11.385
237	3.78	4.125	287	4.57	-10.747	337	5.33	-5.743	387	6.12	12.385
238	3.79	3.125	288	4.58	-10.497	338	5.36	-4.243	388	6.14	12.885
239	3.80	1.875	289	4.59	-8.246	339	5.37	-4.243	389	6.15	13.261
240	3.82	-1.250	290	4.60	-5.746	340	5.38	-3.868	390	6.17	13.011
241	3.84	-3.124	291	4.62	-2.621	341	5.40	-3.868	391	6.18	11.761
242	3.85	-3.500	292	4.64	0.129	342	5.41	-2.993	392	6.21	9.511
243	3.86	-3.499	293	4.66	3.379	343	5.42	-2.368	393	6.22	7.386
244	3.89	-1.874	294	4.68	4.004	344	5.43	0.132	394	6.23	4.261
245	3.92	-0.249	295	4.70	4.629	345	5.44	2.132	395	6.25	-0.614
246	3.94	0.251	296	4.72	4.754	346	5.46	5.008	396	6.29	-10.739
247	3.96	0.251	297	4.73	5.379	347	5.48	8.133	397	6.31	-16.489
248	3.97	0.001	298	4.75	4.379	348	5.49	9.258	398	6.32	-17.364
249	3.99	-0.074	299	4.76	3.754	349	5.51	10.133	399	6.33	-17.114
250	4.00	-2.124	300	4.77	3.129	350	5.52	10.133	400	6.34	-15.614

INDEX NO. 796 1302-FU-10 CHIYODA BRIDGE TR. MAX.ACCEL.= -48.195(GAL) T=16.26(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	6.35	-12.739	451	7.15	8.390	501	7.91	-7.607	551	8.62	-13.354
402	6.36	-5.488	452	7.18	16.390	502	7.92	-7.857	552	8.63	-10.854
403	6.39	5.887	453	7.20	19.890	503	7.93	-9.107	553	8.64	-7.729
404	6.41	12.887	454	7.23	22.390	504	7.94	-10.357	554	8.67	2.772
405	6.43	15.137	455	7.25	21.015	505	7.96	-13.857	555	8.68	6.897
406	6.44	16.012	456	7.26	19.516	506	7.98	-15.232	556	8.69	9.522
407	6.45	16.387	457	7.28	5.140	507	7.99	-15.856	557	8.71	11.022
408	6.47	17.137	458	7.32	-13.484	508	8.00	-16.481	558	8.72	12.647
409	6.49	16.887	459	7.33	-18.984	509	8.01	-16.231	559	8.73	12.272
410	6.50	15.887	460	7.35	-20.484	510	8.02	-14.981	560	8.74	10.772
411	6.51	15.262	461	7.36	-19.359	511	8.03	-13.356	561	8.75	7.647
412	6.52	11.262	462	7.38	-13.734	512	8.04	-12.731	562	8.77	3.272
413	6.55	1.012	463	7.39	-7.484	513	8.05	-11.856	563	8.79	-3.353
414	6.59	-8.862	464	7.40	-4.484	514	8.06	-11.481	564	8.80	-7.228
415	6.62	-15.238	465	7.41	-0.734	515	8.08	-10.231	565	8.81	-9.103
416	6.63	-19.237	466	7.42	5.016	516	8.09	-10.231	566	8.82	-9.728
417	6.64	-21.112	467	7.43	8.141	517	8.10	-9.356	567	8.83	-9.478
418	6.65	-23.487	468	7.44	10.766	518	8.11	-8.606	568	8.84	-7.978
419	6.67	-21.362	469	7.45	12.641	519	8.12	-7.481	569	8.87	-5.477
420	6.68	-15.737	470	7.46	13.516	520	8.13	-5.356	570	8.88	-4.852
421	6.69	-13.112	471	7.47	14.641	521	8.15	-2.606	571	8.89	-5.102
422	6.70	-11.862	472	7.48	14.016	522	8.17	2.520	572	8.90	-5.727
423	6.71	-9.987	473	7.49	12.516	523	8.18	3.395	573	8.91	-8.352
424	6.72	-7.737	474	7.50	10.641	524	8.19	5.020	574	8.94	-16.477
425	6.73	-6.112	475	7.51	7.392	525	8.21	6.269	575	8.95	-17.727
426	6.74	-4.237	476	7.52	1.392	526	8.24	8.895	576	8.96	-18.352
427	6.75	0.138	477	7.54	-6.483	527	8.26	10.770	577	8.97	-16.852
428	6.77	3.388	478	7.55	-12.608	528	8.28	11.395	578	8.99	-13.102
429	6.78	5.639	479	7.56	-15.233	529	8.30	11.395	579	9.02	-7.477
430	6.80	8.139	480	7.57	-16.733	530	8.31	11.145	580	9.03	-5.727
431	6.81	8.889	481	7.58	-16.858	531	8.33	10.520	581	9.04	-5.102
432	6.82	9.139	482	7.59	-14.233	532	8.34	9.270	582	9.05	-5.102
433	6.84	8.014	483	7.61	-9.983	533	8.35	7.020	583	9.06	-7.227
434	6.85	7.639	484	7.63	0.517	534	8.37	3.270	584	9.07	-12.227
435	6.86	6.764	485	7.67	13.517	535	8.39	-1.855	585	9.11	-23.101
435	6.88	6.389	486	7.68	16.767	536	8.40	-4.354	586	9.12	-25.476
437	6.90	6.139	487	7.69	18.392	537	8.41	-4.980	587	9.13	-26.101
438	6.93	5.139	488	7.70	19.267	538	8.42	-5.605	588	9.14	-25.851
439	6.94	4.264	489	7.71	21.642	539	8.43	-5.604	589	9.15	-23.601
440	6.95	2.639	490	7.73	19.518	540	8.44	-4.980	590	9.16	-20.351
441	6.97	-2.486	491	7.74	16.518	541	8.46	-4.356	591	9.17	-14.601
442	6.99	-4.361	492	7.75	13.767	542	8.49	-2.229	592	9.18	-12.101
443	7.01	-9.736	493	7.77	8.643	543	8.52	0.021	593	9.19	-7.476
444	7.03	-10.986	494	7.78	3.893	544	8.53	0.271	594	9.20	-3.226
445	7.04	-11.985	495	7.80	-1.482	545	8.54	0.646	595	9.21	8.149
446	7.06	-12.235	496	7.81	-2.732	546	8.55	-2.104	596	9.22	15.399
447	7.07	-11.360	497	7.83	-5.232	547	8.58	-8.229	597	9.23	20.899
448	7.08	-9.860	498	7.84	-5.857	548	8.59	-11.354	598	9.24	27.524
449	7.09	-8.235	499	7.85	-6.982	549	8.60	-13.229	599	9.25	29.149
450	7.10	-5.485	500	7.87	-7.232	550	8.61	-13.229	600	9.26	30.399

INDEX NO. 796 1302-FU-10 CHIYODA BRIDGE TR. MAX.ACCEL.= -48.195(GAL) T=16.26(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	9.27	31.899	651	9.89	32.402	701	10.59	+0.720	751	11.36	-12.217
602	9.28	29.899	652	9.90	32.152	702	10.61	0.905	752	11.37	-15.466
603	9.29	22.899	653	9.91	29.902	703	10.62	3.155	753	11.38	-17.717
604	9.30	14.649	654	9.92	26.527	704	10.63	5.280	754	11.39	-18.591
605	9.32	+1.476	655	9.93	22.027	705	10.65	8.405	755	11.40	-19.341
606	9.33	+6.226	656	9.95	15.652	706	10.66	9.530	756	11.41	-19.592
607	9.34	+8.850	657	9.97	7.402	707	10.67	9.530	757	11.42	-18.342
608	9.35	+10.350	658	9.99	2.027	708	10.68	9.280	758	11.44	-16.841
609	9.36	+10.350	659	10.00	+1.222	709	10.69	8.905	759	11.45	-16.216
610	9.37	+10.475	660	10.01	+0.973	710	10.70	7.656	760	11.46	-14.341
611	9.39	+9.475	661	10.03	0.027	711	10.71	6.405	761	11.47	+13.091
612	9.40	+9.475	662	10.05	2.528	712	10.72	3.656	762	11.48	+10.216
613	9.41	+8.850	663	10.07	3.403	713	10.74	+2.469	763	11.49	+8.966
614	9.42	+6.975	664	10.08	3.778	714	10.77	+7.219	764	11.50	+10.216
615	9.43	+6.100	665	10.10	2.278	715	10.78	+7.844	765	11.51	+12.716
616	9.44	+5.725	666	10.12	1.653	716	10.79	+7.844	766	11.52	+14.591
617	9.46	+5.475	667	10.14	1.028	717	10.81	+7.844	767	11.53	+17.341
618	9.47	+4.475	668	10.15	1.528	718	10.83	+7.344	768	11.54	+20.841
619	9.48	+3.225	669	10.16	3.153	719	10.85	+6.344	769	11.55	+23.716
620	9.49	+2.350	670	10.17	4.028	720	10.92	+2.968	770	11.56	+27.466
621	9.51	+1.100	671	10.18	5.903	721	10.95	+1.343	771	11.57	+31.091
622	9.52	+0.975	672	10.20	10.778	722	10.96	+0.468	772	11.58	+38.966
623	9.54	+1.600	673	10.22	13.528	723	10.97	1.282	773	11.59	+41.216
624	9.55	+3.850	674	10.23	15.404	724	10.98	2.532	774	11.60	+44.591
625	9.56	+5.099	675	10.24	16.276	725	10.99	2.782	775	11.61	+45.966
626	9.57	+6.599	676	10.25	15.279	726	11.00	2.907	776	11.62	+45.966
627	9.59	+9.474	677	10.26	14.029	727	11.01	4.407	777	11.63	+43.216
628	9.60	+12.599	678	10.28	8.654	728	11.03	4.657	778	11.64	+39.216
629	9.61	+13.474	679	10.29	3.029	729	11.06	5.907	779	11.66	+35.340
630	9.62	+15.224	680	10.31	+4.971	730	11.08	6.532	780	11.67	+26.090
631	9.63	+14.599	681	10.32	+8.471	731	11.09	7.782	781	11.68	+20.965
632	9.64	+13.099	682	10.33	+12.221	732	11.10	9.532	782	11.69	+11.465
633	9.67	+9.974	683	10.34	+14.096	733	11.11	10.407	783	11.70	+4.840
634	9.68	+7.724	684	10.36	+15.846	734	11.12	12.282	784	11.71	+2.590
635	9.69	+6.724	685	10.37	-15.596	735	11.15	17.782	785	11.72	2.785
636	9.70	+6.974	686	10.39	+13.971	736	11.17	19.658	786	11.73	3.785
637	9.72	+6.974	687	10.40	+10.846	737	11.18	20.283	787	11.74	+2.090
638	9.73	+7.224	688	10.41	+7.721	738	11.19	19.408	788	11.75	+7.590
639	9.74	+7.224	689	10.42	+7.221	739	11.20	18.783	789	11.77	+23.090
640	9.76	+6.724	690	10.43	+7.221	740	11.21	17.533	790	11.79	+25.965
641	9.77	+5.723	691	10.44	+7.846	741	11.22	16.283	791	11.80	+27.840
642	9.78	+2.973	692	10.46	+9.721	742	11.23	14.658	792	11.81	+21.590
643	9.79	2.152	693	10.47	+10.720	743	11.24	13.408	793	11.82	+17.590
644	9.80	8.152	694	10.48	+10.471	744	11.25	11.533	794	11.83	+13.090
645	9.82	16.777	695	10.51	+9.470	745	11.26	10.908	795	11.84	+8.340
646	9.83	21.527	696	10.53	+9.470	746	11.28	9.658	796	11.85	+6.089
647	9.84	25.402	697	10.54	+8.595	747	11.30	8.658	797	11.86	+2.590
648	9.85	26.652	698	10.55	+7.845	748	11.31	4.283	798	11.87	7.536
649	9.86	29.432	699	10.56	+6.345	749	11.32	+0.217	799	11.88	12.286
650	9.88	31.777	700	10.58	+2.970	750	11.34	+7.217	800	11.89	14.161

INDEX NO. 796 1302-FU-10 CHIYODA BRIDGE TR. MAX.ACCEL.= -48.195(GAL) T=16.26(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	11.90	16.786	851	12.66	21.539	901	13.27	2.542	951	13.95	13.919
802	11.92	20.536	852	12.67	21.539	902	13.28	4.792	952	13.97	15.170
803	11.93	24.786	853	12.68	22.789	903	13.29	3.667	953	13.98	15.670
804	11.94	24.161	854	12.70	24.289	904	13.31	5.917	954	13.99	15.045
805	11.95	24.411	855	12.72	24.789	905	13.33	6.292	955	14.00	14.045
806	11.96	25.161	856	12.73	23.914	906	13.34	5.667	956	14.02	11.920
807	11.97	25.161	857	12.75	22.914	907	13.35	5.542	957	14.03	9.670
808	11.99	24.536	858	12.76	21.665	908	13.37	-4.958	958	14.04	6.420
809	12.01	18.286	859	12.77	18.914	909	13.39	-8.833	959	14.05	4.545
810	12.03	15.911	860	12.78	17.290	910	13.40	-11.583	960	14.07	1.795
811	12.04	14.036	861	12.79	14.040	911	13.41	-13.208	961	14.09	-1.830
812	12.06	11.911	862	12.80	11.540	912	13.42	-14.832	962	14.11	-6.955
813	12.07	10.912	863	12.81	6.165	913	13.43	-13.708	963	14.12	-8.204
814	12.09	10.036	864	12.82	2.040	914	13.44	-11.208	964	14.13	-9.080
815	12.10	8.661	865	12.83	-2.085	915	13.45	-8.333	965	14.14	-8.829
816	12.11	7.037	866	12.85	-8.835	916	13.46	-5.457	966	14.15	-4.830
817	12.12	5.162	867	12.87	-11.960	917	13.47	-1.082	967	14.16	-0.705
818	12.13	1.037	868	12.88	-16.210	918	13.48	1.917	968	14.17	4.671
819	12.14	-3.088	869	12.90	-17.085	919	13.49	9.543	969	14.18	10.421
820	12.15	-6.463	870	12.91	-17.710	920	13.50	16.793	970	14.19	14.796
821	12.16	-12.838	871	12.92	-17.960	921	13.51	22.793	971	14.20	19.296
822	12.17	-16.088	872	12.93	-17.960	922	13.52	24.793	972	14.21	24.046
823	12.18	-19.838	873	12.94	-17.460	923	13.53	27.918	973	14.22	27.546
824	12.20	-29.963	874	12.95	-16.460	924	13.54	29.293	974	14.23	30.671
825	12.21	-34.213	875	12.96	-13.710	925	13.55	28.043	975	14.25	36.796
826	12.22	-38.713	876	12.97	-9.710	926	13.56	26.543	976	14.26	35.546
827	12.23	-40.588	877	12.98	-5.085	927	13.57	23.293	977	14.28	33.421
828	12.24	-42.463	878	12.99	3.790	928	13.58	20.418	978	14.29	23.546
829	12.25	-42.713	879	13.00	8.915	929	13.59	15.668	979	14.31	16.921
830	12.26	-40.338	880	13.01	10.790	930	13.63	3.043	980	14.32	10.921
831	12.28	-37.213	881	13.02	16.041	931	13.65	-6.957	981	14.33	6.171
832	12.34	-25.212	882	13.04	24.291	932	13.67	-17.957	982	14.34	-2.079
833	12.35	-23.962	883	13.05	27.541	933	13.69	-24.331	983	14.36	-7.829
834	12.36	-23.337	884	13.07	30.416	934	13.70	-28.706	984	14.37	-10.704
835	12.37	-22.212	885	13.08	33.041	935	13.71	-29.706	985	14.39	-12.203
836	12.39	-20.337	886	13.09	35.791	936	13.72	-29.706	986	14.40	-12.703
837	12.43	-18.212	887	13.11	37.041	937	13.73	-28.206	987	14.41	-13.328
838	12.44	-16.962	888	13.12	37.416	938	13.74	-26.581	988	14.42	-13.328
839	12.47	-14.587	889	13.13	36.166	939	13.75	-24.456	989	14.45	-12.703
840	12.48	-12.462	890	13.14	34.666	940	13.78	-8.706	990	14.48	-12.453
841	12.49	-8.087	891	13.15	20.166	941	13.80	-5.456	991	14.50	-12.703
842	12.54	16.413	892	13.16	16.291	942	13.81	-2.956	992	14.51	-12.703
843	12.55	17.789	893	13.17	12.166	943	13.82	+2.956	993	14.52	-14.203
844	12.56	21.164	894	13.18	3.041	944	13.84	-3.206	994	14.53	-15.828
845	12.57	22.789	895	13.19	-1.834	945	13.85	-2.581	995	14.55	-17.953
846	12.58	22.789	896	13.21	+9.709	946	13.86	-1.331	996	14.56	-20.203
847	12.60	22.789	897	13.22	-13.209	947	13.88	0.919	997	14.57	-21.953
848	12.61	22.164	898	13.23	-14.458	948	13.90	4.419	998	14.59	-19.703
849	12.63	21.539	899	13.25	-7.458	949	13.92	9.794	999	14.61	-13.953
850	12.65	20.914	900	13.26	-0.709	950	13.94	12.045	1000	14.63	-6.952

INDEX NO. 796 1302-FU-10 CHIYODA BRIDGE TR. MAX.ACCEL.= -48.195(GAL) T=16.26(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	14.64	+4.827	1051	15.37	-7.574	1101	16.00	-1.946	1151	16.61	-11.319
1002	14.66	+2.327	1052	15.38	+9.449	1102	16.01	0.554	1152	16.62	-11.944
1003	14.67	+0.452	1053	15.39	-10.074	1103	16.02	5.920	1153	16.63	+11.944
1004	14.68	0.173	1054	15.40	-10.949	1104	16.03	9.179	1154	16.65	-11.944
1005	14.71	0.923	1055	15.41	+11.574	1105	16.04	11.429	1155	16.66	+11.944
1006	14.73	1.548	1056	15.42	-12.199	1106	16.05	14.304	1156	16.67	-12.819
1007	14.75	1.548	1057	15.43	-14.074	1107	16.06	14.179	1157	16.68	-13.693
1008	14.76	1.548	1058	15.44	-15.449	1108	16.07	14.804	1158	16.69	-15.194
1009	14.79	2.548	1059	15.45	-16.699	1109	16.09	14.804	1159	16.70	-16.693
1010	14.81	2.548	1060	15.46	-17.074	1110	16.10	14.554	1160	16.72	-17.443
1011	14.82	1.048	1061	15.47	+17.324	1111	16.11	13.054	1161	16.74	+14.943
1012	14.84	+1.201	1062	15.50	-18.324	1112	16.12	12.054	1162	16.75	-11.818
1013	14.86	+1.826	1063	15.51	+19.574	1113	16.13	10.179	1163	16.76	-8.318
1014	14.90	+5.576	1064	15.52	-21.074	1114	16.14	8.929	1164	16.77	-3.818
1015	14.92	+7.826	1065	15.53	+22.074	1115	16.15	3.929	1165	16.79	11.432
1016	14.93	+8.451	1066	15.54	-22.574	1116	16.17	+9.446	1166	16.80	14.807
1017	14.94	+8.201	1067	15.55	+22.573	1117	16.19	-19.196	1167	16.81	16.432
1018	14.95	+6.701	1068	15.56	-22.198	1118	16.20	-27.446	1168	16.82	16.432
1019	14.96	+4.451	1069	15.59	-22.198	1119	16.21	+38.196	1169	16.83	17.807
1020	14.97	+0.451	1070	15.60	+22.823	1120	16.23	-43.321	1170	16.84	16.557
1021	14.99	3.799	1071	15.61	+24.323	1121	16.24	+45.821	1171	16.85	13.182
1022	15.00	5.674	1072	15.63	+28.073	1122	16.25	-47.820	1172	16.86	11.307
1023	15.01	6.924	1073	15.64	+31.073	1123	16.26	+48.195	1173	16.87	9.682
1024	15.02	7.799	1074	15.65	+31.948	1124	16.27	+45.070	1174	16.89	8.307
1025	15.03	8.674	1075	15.66	+32.073	1125	16.28	+43.570	1175	16.91	7.682
1026	15.05	9.550	1076	15.68	+31.448	1126	16.29	+34.070	1176	16.92	6.808
1027	15.06	9.550	1077	15.69	+29.198	1127	16.31	+19.445	1177	16.93	4.557
1028	15.07	10.175	1078	15.71	+26.073	1128	16.32	-11.445	1178	16.95	1.433
1029	15.08	11.674	1079	15.73	+23.323	1129	16.33	+8.945	1179	16.97	-3.692
1030	15.10	15.175	1080	15.74	+20.948	1130	16.34	+4.820	1180	16.99	+7.817
1031	15.12	17.425	1081	15.75	+19.697	1131	16.35	2.555	1181	17.00	+8.817
1032	15.13	19.300	1082	15.76	+17.572	1132	16.37	11.430	1182	17.01	-8.567
1033	15.15	21.300	1083	15.77	+14.573	1133	16.38	14.930	1183	17.02	+6.067
1034	15.16	22.550	1084	15.78	+12.448	1134	16.39	17.805	1184	17.03	+2.567
1035	15.18	21.925	1085	15.79	+11.197	1135	16.40	23.055	1185	17.05	7.808
1036	15.19	20.300	1086	15.80	+9.822	1136	16.42	28.180	1186	17.06	11.058
1037	15.20	18.175	1087	15.81	+8.698	1137	16.43	29.805	1187	17.08	13.308
1038	15.21	15.675	1088	15.83	+8.697	1138	16.44	31.181	1188	17.09	14.808
1039	15.22	13.425	1089	15.84	-8.947	1139	16.45	30.556	1189	17.10	14.808
1040	15.23	10.675	1090	15.86	+10.197	1140	16.46	29.930	1190	17.11	13.309
1041	15.24	7.050	1091	15.87	+10.197	1141	16.47	27.806	1191	17.13	11.433
1042	15.25	3.675	1092	15.88	+9.572	1142	16.48	24.556	1192	17.15	7.434
1043	15.26	0.925	1093	15.89	+8.322	1143	16.49	20.806	1193	17.16	6.433
1044	15.27	-1.200	1094	15.90	+7.447	1144	16.50	14.056	1194	17.17	6.183
1045	15.28	+2.700	1095	15.92	+6.322	1145	16.52	8.806	1195	17.19	7.684
1046	15.29	+3.325	1096	15.94	+5.697	1146	16.54	1.431	1196	17.20	8.309
1047	15.31	+3.325	1097	15.95	+5.447	1147	16.55	-2.494	1197	17.22	8.309
1048	15.33	+3.324	1098	15.97	+5.071	1148	16.57	+5.819	1198	17.24	9.809
1049	15.34	-3.674	1099	15.98	+4.822	1149	16.59	+8.194	1199	17.25	10.809
1050	15.35	+4.949	1100	15.99	+3.822	1150	16.60	+10.694	1200	17.27	12.959

土木構造物における加速度強震記録（No. 9）

INDEX NO. 796 1302-FU-10 CHIYODA BRIDGE TR. MAX.ACCEL.= -48.195(GAL) T=16.26(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	17.28	14.184	1251	17.99	-15.813	1301	18.63	2.815	1351	19.38	8.193
1202	17.30	17.809	1252	18.00	-11.813	1302	18.64	2.565	1352	19.39	12.318
1203	17.32	20.559	1253	18.02	-9.562	1303	18.65	1.690	1353	19.40	15.443
1204	17.33	21.184	1254	18.03	-8.313	1304	18.66	-1.810	1354	19.41	17.818
1205	17.34	21.184	1255	18.04	-6.688	1305	18.67	-5.560	1355	19.42	19.068
1206	17.35	20.684	1256	18.06	-4.188	1306	18.69	-9.435	1356	19.43	19.944
1207	17.36	20.309	1257	18.07	-3.187	1307	18.70	-10.935	1357	19.44	21.193
1208	17.38	19.684	1258	18.08	-1.688	1308	18.71	-12.185	1358	19.46	22.444
1209	17.39	18.810	1259	18.09	-0.062	1309	18.72	-12.810	1359	19.47	22.194
1210	17.40	16.935	1260	18.10	3.188	1310	18.73	-13.434	1360	19.48	20.694
1211	17.41	15.935	1261	18.11	5.063	1311	18.74	-13.434	1361	19.50	19.819
1212	17.42	11.310	1262	18.12	8.438	1312	18.75	-12.934	1362	19.52	18.319
1213	17.43	5.560	1263	18.13	10.188	1313	18.76	-11.309	1363	19.53	15.319
1214	17.44	-1.815	1264	18.14	11.063	1314	18.80	-6.059	1364	19.54	13.194
1215	17.46	-9.440	1265	18.15	11.438	1315	18.81	-4.434	1365	19.55	11.569
1216	17.47	-12.190	1266	18.16	11.686	1316	18.82	-3.184	1366	19.56	9.444
1217	17.48	-14.565	1267	18.17	10.188	1317	18.84	-3.184	1367	19.57	7.694
1218	17.49	-13.690	1268	18.18	8.688	1318	18.85	-3.809	1368	19.58	5.819
1219	17.50	-10.565	1269	18.20	6.438	1319	18.86	-4.434	1369	19.59	5.194
1220	17.52	-6.690	1270	18.21	5.563	1320	18.87	-5.684	1370	19.61	3.069
1221	17.54	-3.815	1271	18.24	1.438	1321	18.88	-8.184	1371	19.62	-1.181
1222	17.55	-3.190	1272	18.26	0.688	1322	18.89	-10.059	1372	19.63	-2.681
1223	17.56	-3.440	1273	18.27	0.688	1323	18.90	-11.934	1373	19.64	-4.806
1224	17.58	-4.440	1274	18.28	0.313	1324	18.91	-13.434	1374	19.66	-11.555
1225	17.60	-6.565	1275	18.29	1.563	1325	18.92	-13.809	1375	19.67	-16.055
1226	17.62	-8.814	1276	18.30	5.064	1326	18.93	-13.559	1376	19.68	-17.930
1227	17.64	-10.064	1277	18.32	8.439	1327	18.94	-12.309	1377	19.69	-18.930
1228	17.68	-6.314	1278	18.34	9.814	1328	18.95	-11.059	1378	19.70	-19.305
1229	17.69	-3.814	1279	18.35	10.439	1329	18.98	-4.809	1379	19.71	-18.680
1230	17.70	-2.314	1280	18.37	8.689	1330	19.04	8.442	1380	19.72	-17.305
1231	17.71	0.936	1281	18.38	1.439	1331	19.05	9.192	1381	19.73	-16.430
1232	17.72	5.311	1282	18.39	-4.936	1332	19.06	10.192	1382	19.74	-8.930
1233	17.74	12.436	1283	18.40	-11.311	1333	19.07	10.567	1383	19.78	10.165
1234	17.75	16.061	1284	18.41	-17.936	1334	19.09	8.942	1384	19.79	12.695
1235	17.76	18.436	1285	18.43	-22.811	1335	19.10	6.192	1385	19.81	16.070
1236	17.77	18.436	1286	18.44	-29.686	1336	19.12	0.442	1386	19.82	17.195
1237	17.78	17.186	1287	18.45	-31.311	1337	19.14	-5.556	1387	19.83	16.570
1238	17.79	13.436	1288	18.47	-33.811	1338	19.15	-11.308	1388	19.84	13.820
1239	17.80	9.686	1289	18.48	-34.436	1339	19.16	-15.183	1389	19.86	3.070
1240	17.82	6.812	1290	18.49	-34.811	1340	19.18	-17.933	1390	19.89	-7.179
1241	17.84	3.937	1291	18.50	-34.810	1341	19.19	-21.433	1391	19.92	-13.179
1242	17.86	0.062	1292	18.51	-34.810	1342	19.21	-24.307	1392	19.93	-17.054
1243	17.87	-2.688	1293	18.52	-34.185	1343	19.23	-25.557	1393	19.94	-18.304
1244	17.88	-4.938	1294	18.53	-32.310	1344	19.24	-25.057	1394	19.96	-19.554
1245	17.89	-7.563	1295	18.54	-28.935	1345	19.26	-24.057	1395	19.97	-19.179
1246	17.90	-8.813	1296	18.57	-15.685	1346	19.28	-22.182	1396	19.98	-18.679
1247	17.91	-10.313	1297	18.58	-9.560	1347	19.31	-19.432	1397	19.99	-18.304
1248	17.93	-12.188	1298	18.60	-1.935	1348	19.32	-18.182	1398	20.02	-13.304
1249	17.96	-16.438	1299	18.61	-0.435	1349	19.33	-16.557	1399	20.05	-6.679
1250	17.98	-16.188	1300	18.62	1.940	1350	19.36	-1.932	1400	20.06	-5.429

INDEX NO. 796 1302-FU-10 CHIYODA BRIDGE TR. MAX.ACCEL.= -48.195(GAL) T=16.26(SEC) NO. 8

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1401	20.08	-4.179	1451	20.82	-3.926	1501	21.55	-6.422	1551	22.25	-13.294
1402	20.09	-4.179	1452	20.83	-3.675	1502	21.58	-3.672	1552	22.26	-13.044
1403	20.10	-3.554	1453	20.85	-3.050	1503	21.61	0.078	1553	22.27	-13.294
1404	20.13	-3.554	1454	20.87	-2.175	1504	21.64	2.828	1554	22.29	-14.544
1405	20.14	-3.178	1455	20.89	-0.550	1505	21.65	4.078	1555	22.30	-16.044
1406	20.15	-1.678	1456	20.90	0.950	1506	21.67	4.078	1556	22.31	-16.669
1407	20.16	-0.053	1457	20.92	2.200	1507	21.68	4.078	1557	22.32	-17.919
1408	20.18	4.072	1458	20.93	3.450	1508	21.69	3.578	1558	22.33	-19.794
1409	20.19	5.947	1459	20.94	5.325	1509	21.70	1.328	1559	22.34	-21.169
1410	20.20	6.947	1460	20.96	7.200	1510	21.71	-1.422	1560	22.35	-21.044
1411	20.21	7.072	1461	20.98	9.575	1511	21.73	-5.797	1561	22.36	-20.169
1412	20.22	6.197	1462	21.00	11.700	1512	21.74	-10.671	1562	22.38	-14.544
1413	20.23	4.322	1463	21.01	12.700	1513	21.75	-11.547	1563	22.39	-9.544
1414	20.25	1.822	1464	21.02	12.950	1514	21.76	-12.171	1564	22.40	-6.668
1415	20.26	1.072	1465	21.03	12.950	1515	21.77	-13.421	1565	22.41	-4.169
1416	20.27	1.072	1466	21.04	13.450	1516	21.78	-14.796	1566	22.42	-1.044
1417	20.28	2.197	1467	21.05	10.951	1517	21.79	-14.921	1567	22.43	3.206
1418	20.29	3.197	1468	21.06	8.076	1518	21.80	-15.546	1568	22.44	5.082
1419	20.31	4.447	1469	21.08	3.076	1519	21.81	-13.671	1569	22.45	10.457
1420	20.33	7.573	1470	21.11	-2.674	1520	21.82	-9.546	1570	22.47	18.457
1421	20.36	11.448	1471	21.13	-9.049	1521	21.85	-5.046	1571	22.49	24.832
1422	20.43	15.198	1472	21.15	-12.799	1522	21.86	-2.921	1572	22.50	26.707
1423	20.44	16.073	1473	21.17	-16.424	1523	21.87	-2.546	1573	22.51	26.707
1424	20.45	16.448	1474	21.19	-20.174	1524	21.88	-2.796	1574	22.52	25.207
1425	20.47	16.448	1475	21.20	-21.049	1525	21.89	-4.046	1575	22.53	22.957
1426	20.48	16.823	1476	21.22	-22.299	1526	21.91	-4.671	1576	22.54	15.957
1427	20.49	17.198	1477	21.23	-22.299	1527	21.92	-4.671	1577	22.55	6.457
1428	20.50	18.698	1478	21.24	-22.048	1528	21.93	-4.171	1578	22.59	-9.668
1429	20.51	19.073	1479	21.25	-21.424	1529	21.94	-3.546	1579	22.61	-20.168
1430	20.52	19.073	1480	21.26	-20.798	1530	21.95	-1.671	1580	22.62	-22.793
1431	20.54	19.073	1481	21.27	-19.924	1531	21.96	-0.046	1581	22.63	-25.293
1432	20.56	18.448	1482	21.28	-18.299	1532	21.97	1.954	1582	22.64	-25.542
1433	20.57	17.824	1483	21.29	-13.048	1533	21.99	5.330	1583	22.65	-25.043
1434	20.58	17.199	1484	21.31	-4.423	1534	22.01	9.580	1584	22.69	-22.542
1435	20.59	13.824	1485	21.32	-2.298	1535	22.03	10.205	1585	22.71	-20.667
1436	20.61	10.073	1486	21.33	4.702	1536	22.04	10.455	1586	22.72	-19.042
1437	20.63	3.949	1487	21.34	6.577	1537	22.05	10.205	1587	22.73	-16.917
1438	20.64	2.699	1488	21.35	8.202	1538	22.06	9.330	1588	22.74	-14.917
1439	20.65	0.449	1489	21.37	10.452	1539	22.07	7.705	1589	22.75	-8.667
1440	20.66	0.074	1490	21.38	10.827	1540	22.09	0.705	1590	22.77	-3.542
1441	20.67	0.324	1491	21.39	10.827	1541	22.10	-2.420	1591	22.79	-0.042
1442	20.70	1.574	1492	21.40	11.202	1542	22.11	-6.170	1592	22.81	0.583
1443	20.72	3.199	1493	21.41	9.577	1543	22.12	-11.545	1593	22.82	1.333
1444	20.73	5.449	1494	21.42	7.077	1544	22.14	-14.420	1594	22.84	0.458
1445	20.76	2.949	1495	21.44	4.327	1545	22.16	-16.670	1595	22.85	-0.167
1446	20.77	1.699	1496	21.45	0.452	1546	22.17	-19.170	1596	22.86	-1.167
1447	20.78	0.699	1497	21.48	-1.797	1547	22.18	-20.169	1597	22.87	-3.291
1448	20.79	-3.175	1498	21.50	-4.922	1548	22.19	-20.669	1598	22.89	-4.916
1449	20.80	-2.051	1499	21.53	-6.172	1549	22.20	-18.169	1599	22.90	-7.541
1450	20.81	-3.926	1500	21.54	-6.422	1550	22.22	-15.919	1600	22.91	-8.791

INDEX NO. 796 1302-FU-10 CHIYODA BRIDGE TR. MAX.ACCEL.= -48.195(GAL) T=16.26(SEC) NO. 9

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1601	22.92	-9.416	1631	23.75	9.212	1701	24.52	2.216	1751	25.24	20.594
1602	22.93	-8.791	1652	23.76	9.837	1702	24.53	1.966	1752	25.25	22.219
1603	22.94	-7.916	1653	23.77	9.837	1703	24.55	2.591	1753	25.26	22.844
1604	22.97	-6.666	1654	23.79	9.837	1704	24.57	3.466	1754	25.27	23.469
1605	22.98	-4.791	1655	23.80	8.963	1705	24.58	2.966	1755	25.28	23.469
1606	23.00	-4.166	1656	23.81	8.338	1706	24.59	3.216	1756	25.30	21.594
1607	23.02	-3.541	1657	23.82	7.463	1707	24.60	2.341	1757	25.31	20.344
1608	23.04	-2.291	1658	23.84	2.713	1708	24.62	0.091	1758	25.32	19.094
1609	23.06	-1.291	1659	23.86	-0.537	1709	24.63	-1.409	1759	25.33	15.969
1610	23.07	-0.416	1660	23.87	-1.162	1710	24.65	-3.034	1760	25.34	13.469
1611	23.09	1.960	1661	23.88	-2.412	1711	24.66	-2.784	1761	25.36	8.969
1612	23.12	3.459	1662	23.90	-2.662	1712	24.67	-2.784	1762	25.39	2.719
1613	23.13	3.835	1663	23.92	-2.162	1713	24.68	-2.159	1763	25.40	0.719
1614	23.16	4.460	1664	23.94	-2.412	1714	24.70	0.341	1764	25.41	-1.405
1615	23.23	4.460	1665	23.96	-2.662	1715	24.71	2.217	1765	25.42	-2.655
1616	23.24	4.460	1666	23.97	-5.162	1716	24.72	5.091	1766	25.43	-3.655
1617	23.25	4.460	1667	23.98	-8.162	1717	24.73	8.967	1767	25.45	-3.030
1618	23.27	3.835	1668	24.00	-11.537	1718	24.75	13.592	1768	25.47	-1.155
1619	23.28	2.335	1669	24.02	-15.162	1719	24.76	17.217	1769	25.49	0.095
1620	23.29	-2.040	1670	24.03	-16.162	1720	24.78	19.967	1770	25.51	0.345
1621	23.31	-6.165	1671	24.05	-16.786	1721	24.79	20.967	1771	25.52	0.345
1622	23.33	-11.539	1672	24.07	-15.786	1722	24.80	20.342	1772	25.55	-0.780
1623	23.35	-16.039	1673	24.08	-14.536	1723	24.81	20.092	1773	25.56	-3.030
1624	23.36	-16.664	1674	24.09	-12.661	1724	24.82	18.842	1774	25.58	-4.280
1625	23.37	-17.289	1675	24.11	-10.536	1725	24.83	16.592	1775	25.59	-4.530
1626	23.38	-18.289	1676	24.12	-8.661	1726	24.85	11.342	1776	25.60	-4.530
1627	23.39	-17.414	1677	24.13	-8.036	1727	24.86	6.217	1777	25.62	-4.905
1628	23.40	-16.164	1678	24.14	-7.661	1728	24.88	-2.408	1778	25.65	-4.529
1629	23.41	-14.289	1679	24.17	-6.911	1729	24.91	-10.658	1779	25.67	-4.529
1630	23.43	-12.664	1680	24.20	-6.911	1730	24.92	-12.533	1780	25.68	-5.154
1631	23.44	-12.414	1681	24.21	-5.661	1731	24.93	-14.033	1781	25.69	-5.904
1632	23.45	-11.414	1682	24.22	-4.036	1732	24.94	-16.032	1782	25.70	-8.154
1633	23.46	-10.539	1683	24.23	-2.286	1733	24.95	-14.532	1783	25.72	-9.404
1634	23.47	-9.539	1684	24.25	2.215	1734	24.96	-12.407	1784	25.73	-10.654
1635	23.48	-8.039	1685	24.28	7.590	1735	24.98	-10.157	1785	25.74	-11.279
1636	23.50	-2.914	1686	24.29	8.965	1736	24.99	-8.657	1786	25.76	-11.904
1637	23.53	4.211	1687	24.31	10.215	1737	25.01	-7.407	1787	25.79	-12.779
1638	23.54	6.961	1688	24.32	10.840	1738	25.03	-5.282	1788	25.80	-14.404
1639	23.55	8.212	1689	24.33	11.090	1739	25.05	-4.157	1789	25.82	-15.154
1640	23.57	9.336	1690	24.35	9.965	1740	25.08	-3.532	1790	25.84	-15.404
1641	23.58	8.962	1691	24.36	8.340	1741	25.10	-2.282	1791	25.85	-15.154
1642	23.59	8.087	1692	24.37	6.465	1742	25.11	-1.907	1792	25.86	-14.278
1643	23.61	5.212	1693	24.39	3.090	1743	25.13	-1.657	1793	25.87	-13.028
1644	23.62	4.337	1694	24.41	0.465	1744	25.15	-1.282	1794	25.88	-11.153
1645	23.63	3.962	1695	24.42	0.465	1745	25.16	-0.657	1795	25.89	-8.653
1646	23.66	3.712	1696	24.44	-0.160	1746	25.17	-0.657	1796	25.90	-5.653
1647	23.68	3.712	1697	24.45	0.090	1747	25.18	0.594	1797	25.92	1.597
1648	23.69	4.837	1698	24.46	1.340	1748	25.19	2.594	1798	25.95	6.347
1649	23.71	6.712	1699	24.48	1.966	1749	25.20	7.219	1799	25.96	7.847
1650	23.73	8.962	1700	24.50	2.216	1750	25.22	14.219	1800	25.98	8.972

INDEX NO. 796 1302-FU-10 CHIYODA BRIDGE TR. MAX.ACCEL.= -48.195(GAL) T=16.26(SEC) NO.10

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1801	25.99	8.722	1851	26.56	-6.151	1901	27.37	19.353	1951	28.06	-3.519
1802	26.00	8.097	1852	26.57	-6.900	1902	27.38	19.728	1952	28.08	-3.519
1803	26.01	6.472	1853	26.58	-7.525	1903	27.39	19.728	1953	28.09	-3.769
1804	26.02	4.972	1854	26.59	-8.150	1904	27.40	19.478	1954	28.12	-4.394
1805	26.03	3.347	1855	26.62	-8.775	1905	27.41	19.103	1955	28.13	-3.769
1806	26.04	1.472	1856	26.63	-9.025	1906	27.42	18.478	1956	28.14	-3.518
1807	26.05	-0.528	1857	26.65	-8.525	1907	27.43	17.603	1957	28.15	-1.893
1808	26.06	-4.277	1858	26.67	-8.525	1908	27.44	13.478	1958	28.16	0.607
1809	26.07	-5.153	1859	26.69	-7.900	1909	27.46	9.478	1959	28.21	13.982
1810	26.08	-7.528	1860	26.70	-7.900	1910	27.47	3.354	1960	28.22	14.857
1811	26.10	-10.277	1861	26.71	-7.900	1911	27.49	-0.146	1961	28.23	15.232
1812	26.11	-12.527	1862	26.73	-9.400	1912	27.50	-2.646	1962	28.25	16.107
1813	26.12	-15.402	1863	26.74	-10.900	1913	27.51	-2.646	1963	28.27	15.607
1814	26.13	-17.652	1864	26.76	-11.900	1914	27.52	-2.646	1964	28.28	15.857
1815	26.14	-20.152	1865	26.77	-13.399	1915	27.53	-2.396	1965	28.30	16.482
1816	26.16	-23.027	1866	26.78	-14.525	1916	27.55	0.979	1966	28.32	17.857
1817	26.18	-25.902	1867	26.79	-15.149	1917	27.57	4.104	1967	28.33	17.607
1818	26.19	-27.402	1868	26.80	-15.774	1918	27.58	7.229	1968	28.35	17.858
1819	26.20	-28.027	1869	26.81	-15.774	1919	27.61	13.604	1969	28.36	17.858
1820	26.21	-28.652	1870	26.82	-13.649	1920	27.62	15.479	1970	28.40	15.983
1821	26.22	-28.652	1871	26.85	-11.149	1921	27.63	17.854	1971	28.44	14.483
1822	26.24	-27.527	1872	26.87	-9.274	1922	27.65	17.854	1972	28.45	13.483
1823	26.25	-26.527	1873	26.89	-6.274	1923	27.67	14.104	1973	28.46	11.358
1824	26.27	-25.277	1874	26.92	-4.399	1924	27.68	11.979	1974	28.47	7.733
1825	26.28	-23.777	1875	26.94	-3.524	1925	27.69	10.729	1975	28.48	-2.017
1826	26.29	-22.527	1876	26.95	-3.149	1926	27.70	9.729	1976	28.52	-11.892
1827	26.30	-20.652	1877	26.96	-3.149	1927	27.71	8.729	1977	28.53	-15.767
1828	26.31	-18.402	1878	26.97	-3.774	1928	27.72	8.355	1978	28.54	-16.392
1829	26.32	-15.901	1879	26.98	-5.274	1929	27.73	8.355	1979	28.59	-17.267
1830	26.33	-13.901	1880	26.99	-7.774	1930	27.75	8.605	1980	28.63	-17.891
1831	26.34	-9.901	1881	27.03	-14.023	1931	27.76	8.980	1981	28.64	-17.641
1832	26.35	-5.401	1882	27.05	-16.023	1932	27.78	10.855	1982	28.65	-17.391
1833	26.37	-3.401	1883	27.06	-17.023	1933	27.81	12.355	1983	28.66	-16.141
1834	26.38	2.849	1884	27.07	-17.273	1934	27.83	12.105	1984	28.67	-13.641
1835	26.39	6.599	1885	27.08	-17.273	1935	27.84	11.230	1985	28.70	-8.891
1836	26.40	9.849	1886	27.09	-16.398	1936	27.85	9.980	1986	28.71	-7.391
1837	26.41	12.099	1887	27.12	-14.273	1937	27.86	7.730	1987	28.72	-5.641
1838	26.42	14.224	1888	27.15	-11.398	1938	27.88	2.105	1988	28.73	-6.266
1839	26.43	15.474	1889	27.19	-7.148	1939	27.89	-1.770	1989	28.74	-6.266
1840	26.44	15.849	1890	27.20	-5.648	1940	27.91	-9.394	1990	28.76	-7.516
1841	26.45	16.474	1891	27.21	-4.148	1941	27.92	-15.520	1991	28.78	-9.641
1842	26.46	15.849	1892	27.22	-2.273	1942	27.93	-16.644	1992	28.79	-9.641
1843	26.47	14.599	1893	27.24	1.353	1943	27.94	-17.645	1993	28.80	-9.641
1844	26.48	13.349	1894	27.25	4.728	1944	27.95	-18.894	1994	28.81	-9.141
1845	26.49	12.099	1895	27.26	8.978	1945	27.96	-18.894	1995	28.82	-8.141
1846	26.50	9.349	1896	27.28	13.353	1946	27.97	-17.644	1996	28.83	-6.890
1847	26.51	7.474	1897	27.29	14.603	1947	27.98	-16.144	1997	28.84	-5.390
1848	26.52	2.724	1898	27.30	15.228	1948	27.99	-14.894	1998	28.86	-3.140
1849	26.54	-1.776	1899	27.31	15.853	1949	28.01	-11.394	1999	28.87	1.360
1850	26.55	-4.275	1900	27.34	17.478	1950	28.05	-4.144	2000	28.90	6.610

土木構造物における加速度強震記録（No. 9）

INDEX NO. 796 1302-FU-10 CHIYODA BRIDGE TR. MAX.ACCEL.= -48.195(GAL) T=16.26(SEC) NO.11

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2001	28.92	12.110	2051	29.68	12.113	2101	30.49	1.992	2151	31.27	-6.880
2002	28.93	15.860	2052	29.70	13.363	2102	30.51	1.367	2152	31.29	-9.380
2003	28.95	17.860	2053	29.72	12.738	2103	30.53	-0.758	2153	31.30	-10.880
2004	28.96	18.110	2054	29.73	12.113	2104	30.54	-2.633	2154	31.31	-12.505
2005	28.97	18.485	2055	29.74	10.863	2105	30.55	-4.883	2155	31.33	-15.755
2006	28.98	17.860	2056	29.75	9.364	2106	30.57	-6.883	2156	31.34	-16.380
2007	28.99	16.610	2057	29.76	6.988	2107	30.58	-6.633	2157	31.35	-16.380
2008	29.00	14.110	2058	29.77	1.488	2108	30.59	-5.383	2158	31.36	-16.380
2009	29.01	12.235	2059	29.81	-8.136	2109	30.61	-4.383	2159	31.37	-15.755
2010	29.03	6.485	2060	29.83	-12.511	2110	30.62	-3.133	2160	31.38	-15.504
2011	29.05	0.735	2061	29.84	-15.511	2111	30.64	-0.383	2161	31.39	-13.629
2012	29.07	-5.140	2062	29.85	-16.386	2112	30.66	3.242	2162	31.41	-9.504
2013	29.08	-7.764	2063	29.86	-16.636	2113	30.67	5.992	2163	31.44	-1.629
2014	29.09	-11.264	2064	29.87	-16.011	2114	30.68	9.243	2164	31.47	5.746
2015	29.10	-14.389	2065	29.88	-15.136	2115	30.69	12.118	2165	31.49	9.621
2016	29.11	-19.764	2066	29.90	-13.636	2116	30.70	13.368	2166	31.50	11.746
2017	29.12	-20.389	2067	29.91	-11.761	2117	30.72	14.367	2167	31.52	12.746
2018	29.13	-20.389	2068	29.94	-8.261	2118	30.74	15.493	2168	31.53	12.746
2019	29.14	-19.514	2069	29.96	-6.261	2119	30.76	16.493	2169	31.54	11.496
2020	29.15	-16.139	2070	29.97	-6.011	2120	30.78	16.618	2170	31.56	9.996
2021	29.17	-11.139	2071	29.98	-6.260	2121	30.79	14.493	2171	31.57	7.121
2022	29.21	7.986	2072	29.99	-7.135	2122	30.80	12.618	2172	31.59	4.996
2023	29.22	9.861	2073	30.00	-9.385	2123	30.81	8.743	2173	31.61	1.497
2024	29.23	12.111	2074	30.02	-10.635	2124	30.82	4.993	2174	31.62	-0.128
2025	29.24	12.986	2075	30.05	-14.010	2125	30.85	-7.507	2175	31.63	-1.128
2026	29.27	11.486	2076	30.06	-14.510	2126	30.86	-7.757	2176	31.64	-1.128
2027	29.29	0.486	2077	30.07	-14.760	2127	30.87	-7.507	2177	31.66	-1.128
2028	29.32	-12.764	2078	30.08	-14.510	2128	30.88	-6.882	2178	31.69	-0.503
2029	29.33	-15.763	2079	30.09	-13.885	2129	30.89	-5.381	2179	31.70	-0.503
2030	29.34	-19.138	2080	30.10	-13.260	2130	30.94	-2.506	2180	31.71	-0.753
2031	29.35	-20.138	2081	30.11	-11.385	2131	30.95	-1.881	2181	31.73	-1.378
2032	29.36	-20.138	2082	30.15	-6.635	2132	30.96	-2.256	2182	31.75	-2.378
2033	29.38	-18.763	2083	30.18	-3.510	2133	30.98	-3.381	2183	31.76	-3.003
2034	29.39	-16.513	2084	30.20	-1.260	2134	30.99	-5.631	2184	31.77	-1.503
2035	29.43	-9.513	2085	30.22	-0.635	2135	31.01	-7.131	2185	31.79	-0.253
2036	29.45	-8.888	2086	30.23	-0.385	2136	31.02	-7.131	2186	31.81	1.122
2037	29.47	-10.013	2087	30.24	-0.384	2137	31.03	-6.506	2187	31.82	1.748
2038	29.48	-10.888	2088	30.27	0.241	2138	31.04	-4.756	2188	31.84	2.373
2039	29.50	-14.762	2089	30.29	-0.009	2139	31.06	-1.631	2189	31.86	2.872
2040	29.52	-17.638	2090	30.31	-0.009	2140	31.08	-0.006	2190	31.87	4.123
2041	29.53	-17.637	2091	30.32	-0.259	2141	31.09	0.994	2191	31.90	6.623
2042	29.54	-17.387	2092	30.33	-0.009	2142	31.10	1.119	2192	31.93	8.248
2043	29.55	-16.762	2093	30.34	0.616	2143	31.12	0.119	2193	31.95	9.248
2044	29.56	-16.137	2094	30.38	1.616	2144	31.13	-0.505	2194	31.98	8.998
2045	29.57	-14.512	2095	30.39	2.241	2145	31.17	-1.755	2195	32.01	9.623
2046	29.58	-11.762	2096	30.41	2.866	2146	31.19	-2.380	2196	32.04	8.998
2047	29.60	-6.887	2097	30.42	3.491	2147	31.22	-2.380	2197	32.06	8.374
2048	29.62	-0.387	2098	30.44	4.492	2148	31.23	-3.005	2198	32.07	7.499
2049	29.64	5.988	2099	30.46	4.242	2149	31.24	-3.630	2199	32.08	4.624
2050	29.66	9.863	2100	30.47	3.617	2150	31.25	-4.505	2200	32.10	2.499

INDEX NO. 796 1302-FU-10 CHIYODA BRIDGE TR. MAX.ACCEL.= -48.195(GAL) T=16.26(SEC) NO.12

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2201	32.11	0.499	2251	32.93	-6.873	2301	33.81	3.881	2351	34.49	-3.866
2202	32.14	-2.626	2252	32.95	-6.873	2302	33.82	5.131	2352	34.52	-7.116
2203	32.17	-5.751	2253	32.99	-7.498	2303	33.84	7.006	2353	34.54	-8.991
2204	32.19	-7.126	2254	33.03	-7.747	2304	33.86	7.882	2354	34.55	-8.991
2205	32.21	-8.376	2255	33.07	-8.372	2305	33.87	8.256	2355	34.56	-8.491
2206	32.23	-10.876	2256	33.09	-9.622	2306	33.88	8.257	2356	34.58	-7.866
2207	32.25	-12.751	2257	33.10	-10.247	2307	33.90	8.257	2357	34.60	-5.615
2208	32.27	-13.750	2258	33.12	-10.872	2308	33.91	8.006	2358	34.61	-4.990
2209	32.28	-13.375	2259	33.14	-11.872	2309	33.93	7.007	2359	34.62	-3.740
2210	32.29	-13.375	2260	33.17	-14.746	2310	33.94	6.132	2360	34.63	-1.240
2211	32.30	-11.625	2261	33.18	-14.746	2311	33.95	5.132	2361	34.64	0.010
2212	32.31	-10.625	2262	33.19	-14.746	2312	33.97	3.632	2362	34.65	1.635
2213	32.33	-8.500	2263	33.21	-13.871	2313	33.99	2.632	2363	34.66	5.135
2214	32.36	-1.125	2264	33.25	-12.621	2314	34.00	1.757	2364	34.67	8.510
2215	32.37	3.500	2265	33.27	-12.621	2315	34.01	-0.118	2365	34.68	10.885
2216	32.38	5.375	2266	33.29	-12.621	2316	34.02	-1.993	2366	34.69	15.760
2217	32.39	6.375	2267	33.30	-12.621	2317	34.03	-3.368	2367	34.71	17.510
2218	32.40	5.500	2268	33.32	-12.246	2318	34.04	-5.493	2368	34.72	18.510
2219	32.41	5.500	2269	33.33	-11.621	2319	34.05	-6.610	2369	34.73	19.760
2220	32.42	2.625	2270	33.34	-10.746	2320	34.06	-7.493	2370	34.75	19.510
2221	32.44	-1.375	2271	33.35	-9.871	2321	34.07	-8.118	2371	34.76	19.135
2222	32.48	-10.250	2272	33.36	-7.996	2322	34.08	-8.743	2372	34.77	17.635
2223	32.49	-12.750	2273	33.37	-5.371	2323	34.10	-8.993	2373	34.78	16.010
2224	32.51	-12.749	2274	33.40	1.629	2324	34.12	-9.368	2374	34.80	12.635
2225	32.52	-13.999	2275	33.41	4.754	2325	34.13	-9.617	2375	34.81	8.385
2226	32.53	-13.874	2276	33.42	6.380	2326	34.14	-10.242	2376	34.82	8.010
2227	32.55	-12.000	2277	33.43	7.755	2327	34.15	-10.867	2377	34.83	6.511
2228	32.56	-10.749	2278	33.45	7.130	2328	34.16	-11.492	2378	34.86	3.761
2229	32.59	-7.374	2279	33.47	7.130	2329	34.17	-12.492	2379	34.87	1.511
2230	32.60	-5.624	2280	33.49	5.880	2330	34.18	-13.367	2380	34.89	-1.114
2231	32.61	-3.124	2281	33.52	4.630	2331	34.19	-15.367	2381	34.91	-2.614
2232	32.62	-1.874	2282	33.53	4.005	2332	34.20	-16.367	2382	34.92	-3.614
2233	32.63	0.001	2283	33.54	2.630	2333	34.21	-17.867	2383	34.94	-5.739
2234	32.65	2.626	2284	33.56	1.380	2334	34.22	-19.492	2384	34.95	-7.739
2235	32.66	3.501	2285	33.57	+0.495	2335	34.23	-20.117	2385	34.98	-12.489
2236	32.67	5.126	2286	33.58	+0.495	2336	34.24	-21.492	2386	35.01	-15.989
2237	32.69	6.126	2287	33.59	-1.870	2337	34.25	-21.492	2387	35.03	-17.614
2238	32.71	6.376	2288	33.60	-0.995	2338	34.26	-21.242	2388	35.04	-17.863
2239	32.72	5.752	2289	33.61	0.005	2339	34.27	-20.242	2389	35.05	-17.863
2240	32.74	3.626	2290	33.64	2.255	2340	34.32	-15.867	2390	35.06	-16.988
2241	32.75	2.627	2291	33.66	4.756	2341	34.34	-12.617	2391	35.08	-12.988
2242	32.76	1.377	2292	33.68	6.005	2342	34.35	-11.741	2392	35.11	-6.238
2243	32.77	-0.748	2293	33.69	7.256	2343	34.36	-9.241	2393	35.12	-3.113
2244	32.79	-3.873	2294	33.70	6.756	2344	34.38	-5.616	2394	35.13	-1.613
2245	32.81	-6.123	2295	33.72	6.756	2345	34.40	-4.116	2395	35.15	-0.363
2246	32.83	-7.498	2296	33.73	6.131	2346	34.41	-2.866	2396	35.17	0.012
2247	32.84	-8.373	2297	33.75	5.131	2347	34.43	-0.991	2397	35.19	-1.863
2248	32.85	-8.123	2298	33.77	4.506	2348	34.44	-0.616	2398	35.21	-2.738
2249	32.87	-7.498	2299	33.79	3.256	2349	34.45	-0.116	2399	35.24	-4.988
2250	32.91	-6.873	2300	33.80	3.256	2350	34.47	-1.741	2400	35.27	-6.238

INDEX NO. 796 1302-FU-10 CHIYODA BRIDGE TR. MAX.ACCEL.= -48.195(GAL) T=16.26(SEC) NO.13

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2401	35.28	-6.237	2451	36.38	-14.233	2501	37.29	-18.229	2551	38.11	2.400
2402	35.29	-5.362	2452	36.39	-14.233	2502	37.31	-18.229	2552	38.12	3.275
2403	35.30	-4.112	2453	36.40	-13.233	2503	37.33	-17.604	2553	38.14	4.525
2404	35.31	-2.862	2454	36.41	-11.983	2504	37.35	-15.728	2554	38.15	6.025
2405	35.33	-1.612	2455	36.43	-11.107	2505	37.36	-15.104	2555	38.18	10.525
2406	35.36	0.263	2456	36.45	-8.607	2506	37.38	-13.228	2556	38.21	13.025
2407	35.42	5.138	2457	36.47	-6.857	2507	37.40	-9.228	2557	38.22	13.400
2408	35.47	8.264	2458	36.49	-5.357	2508	37.41	-5.603	2558	38.23	13.400
2409	35.48	9.888	2459	36.50	-4.732	2509	37.44	2.022	2559	38.24	13.401
2410	35.50	11.139	2460	36.51	-4.982	2510	37.46	4.772	2560	38.25	13.401
2411	35.52	11.514	2461	36.52	-4.357	2511	37.47	6.647	2561	38.26	12.526
2412	35.53	10.639	2462	36.53	-4.357	2512	37.48	8.272	2562	38.28	11.275
2413	35.55	9.389	2463	36.54	-4.357	2513	37.49	9.022	2563	38.30	8.776
2414	35.56	7.764	2464	36.55	-5.232	2514	37.50	9.022	2564	38.31	7.151
2415	35.57	5.639	2465	36.56	-5.607	2515	37.51	9.022	2565	38.33	5.901
2416	35.60	0.764	2466	36.57	-6.482	2516	37.52	8.147	2566	38.34	5.651
2417	35.61	-0.736	2467	36.58	-6.857	2517	37.53	6.897	2567	38.35	4.651
2418	35.62	-2.361	2468	36.62	-7.731	2518	37.55	5.898	2568	38.36	4.026
2419	35.63	-3.611	2469	36.70	-7.481	2519	37.56	3.773	2569	38.37	4.026
2420	35.64	-3.861	2470	36.71	-7.106	2520	37.57	2.147	2570	38.38	4.026
2421	35.67	-4.236	2471	36.73	-6.606	2521	37.59	1.522	2571	38.39	4.276
2422	35.69	-3.611	2472	36.75	-4.981	2522	37.60	1.148	2572	38.40	5.901
2423	35.70	-2.736	2473	36.77	-4.981	2523	37.62	-0.102	2573	38.42	7.776
2424	35.72	-1.485	2474	36.78	-4.606	2524	37.63	-0.727	2574	38.45	9.651
2425	35.73	0.764	2475	36.79	-5.231	2525	37.65	-1.352	2575	38.47	11.152
2426	35.75	2.015	2476	36.80	-6.231	2526	37.66	-1.727	2576	38.48	11.526
2427	35.76	4.515	2477	36.81	-6.856	2527	37.67	-1.727	2577	38.49	11.526
2428	35.78	6.640	2478	36.83	-8.981	2528	37.68	-3.227	2578	38.50	11.526
2429	35.81	9.015	2479	36.85	-12.481	2529	37.71	-4.227	2579	38.51	11.276
2430	35.84	10.515	2480	36.87	-14.355	2530	37.74	-5.477	2580	38.52	9.652
2431	35.87	11.140	2481	36.88	-15.730	2531	37.76	-6.852	2581	38.54	6.527
2432	35.88	11.265	2482	36.90	-15.730	2532	37.77	-6.602	2582	38.55	4.402
2433	35.89	10.265	2483	36.91	-15.980	2533	37.78	-4.976	2583	38.56	2.777
2434	35.91	8.140	2484	36.94	-16.605	2534	37.79	-3.727	2584	38.57	1.902
2435	35.94	4.640	2485	36.97	-17.355	2535	37.80	-1.851	2585	38.58	1.152
2436	35.98	1.516	2486	36.99	-15.105	2536	37.82	1.649	2586	38.59	0.777
2437	36.00	1.516	2487	37.01	-12.980	2537	37.84	7.024	2587	38.61	1.027
2438	36.01	1.141	2488	37.05	-5.355	2538	37.86	9.649	2588	38.62	1.027
2439	36.05	1.391	2489	37.08	-2.229	2539	37.88	11.149	2589	38.64	1.402
2440	36.09	2.266	2490	37.09	-1.605	2540	37.89	11.524	2590	38.66	2.028
2441	36.11	2.016	2491	37.10	-1.230	2541	37.91	11.774	2591	38.67	2.027
2442	36.14	0.141	2492	37.11	-0.979	2542	37.92	11.524	2592	38.68	1.777
2443	36.15	-1.734	2493	37.12	-0.604	2543	37.94	10.649	2593	38.69	1.152
2444	36.17	-2.609	2494	37.13	-1.479	2544	37.96	9.399	2594	38.72	0.528
2445	36.20	-4.483	2495	37.15	-3.979	2545	37.98	7.774	2595	38.73	-0.097
2446	36.26	-8.108	2496	37.18	-7.104	2546	38.02	5.649	2596	38.74	-0.097
2447	36.30	-10.608	2497	37.23	-12.729	2547	38.04	4.400	2597	38.76	-0.097
2448	36.34	-12.483	2498	37.25	-15.104	2548	38.07	3.275	2598	38.77	0.153
2449	36.35	-13.358	2499	37.27	-17.604	2549	38.09	2.400	2599	38.79	0.778
2450	36.37	-13.733	2500	37.28	-17.854	2550	38.10	2.650	2600	38.81	0.778

INDEX NO. 796 1302-FU-10 CHIYODA BRIDGE TR. MAX.ACCEL.= -48.195(GAL) T=16.26(SEC) NO.14

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2601	38.83	0.153	2651	39.63	1.406	2701	40.46	-12.985	2751	41.36	10.914
2602	38.84	-0.097	2652	39.64	2.907	2702	40.48	-13.215	2752	41.37	11.539
2603	38.86	-1.722	2653	39.66	3.907	2703	40.49	-12.590	2753	41.38	12.164
2604	38.87	-1.972	2654	39.67	4.782	2704	40.50	-11.965	2754	41.40	12.164
2605	38.89	-1.972	2655	39.69	5.782	2705	40.52	-6.840	2755	41.42	11.289
2606	38.90	-1.722	2656	39.70	6.032	2706	40.56	0.661	2756	41.45	9.039
2607	38.91	-1.972	2657	39.71	6.032	2707	40.58	4.161	2757	41.48	6.915
2608	38.92	-1.722	2658	39.72	6.032	2708	40.59	5.786	2758	41.50	5.915
2609	38.94	-0.846	2659	39.73	5.782	2709	40.61	6.661	2759	41.52	4.040
2610	38.96	0.779	2660	39.75	5.157	2710	40.62	6.786	2760	41.53	2.165
2611	38.99	1.404	2661	39.76	4.532	2711	40.63	6.411	2761	41.54	1.165
2612	39.00	1.654	2662	39.79	3.282	2712	40.64	5.536	2762	41.56	-0.085
2613	39.02	2.029	2663	39.82	1.782	2713	40.65	3.286	2763	41.57	-0.085
2614	39.03	1.779	2664	39.85	0.157	2714	40.66	1.786	2764	41.59	-0.710
2615	39.04	0.779	2665	39.86	-0.092	2715	40.67	-0.464	2765	41.60	-0.710
2616	39.05	-0.471	2666	39.87	-0.467	2716	40.69	-2.984	2766	41.61	-0.835
2617	39.06	-1.721	2667	39.89	-0.467	2717	40.70	-5.484	2767	41.62	-0.460
2618	39.08	-5.471	2668	39.92	-0.467	2718	40.71	-6.839	2768	41.66	0.165
2619	39.09	-7.096	2669	39.93	-0.717	2719	40.73	-8.339	2769	41.67	0.540
2620	39.10	-7.471	2670	39.95	-1.092	2720	40.74	-8.964	2770	41.69	0.165
2621	39.11	-8.096	2671	39.96	-3.092	2721	40.75	-9.714	2771	41.70	-0.084
2622	39.12	-8.346	2672	39.97	-3.967	2722	40.77	-9.088	2772	41.73	-1.084
2623	39.13	-8.971	2673	39.99	-6.217	2723	40.79	-6.838	2773	41.75	-1.959
2624	39.15	-9.596	2674	40.01	-9.592	2724	40.82	-5.338	2774	41.76	-2.584
2625	39.16	-9.596	2675	40.03	-11.842	2725	40.87	-2.463	2775	41.78	-3.209
2626	39.17	-8.720	2676	40.05	-14.342	2726	40.91	0.287	2776	41.80	-4.959
2627	39.20	-5.345	2677	40.09	-17.842	2727	40.93	0.662	2777	41.84	-4.334
2628	39.22	-4.095	2678	40.12	-20.716	2728	40.94	1.037	2778	41.88	-4.584
2629	39.23	-3.470	2679	40.14	-22.716	2729	40.96	0.787	2779	41.91	-4.709
2630	39.25	-3.095	2680	40.15	-22.966	2730	40.98	0.162	2780	41.92	-5.584
2631	39.27	-2.845	2681	40.16	-23.591	2731	40.99	0.162	2781	41.93	-6.209
2632	39.31	-2.220	2682	40.17	-22.716	2732	41.00	-0.713	2782	41.95	-7.458
2633	39.37	-0.970	2683	40.19	-20.591	2733	41.02	-1.337	2783	41.98	-8.958
2634	39.39	-0.970	2684	40.21	-18.341	2734	41.03	-1.087	2784	42.01	-9.958
2635	39.41	-0.595	2685	40.22	-17.091	2735	41.04	-2.586	2785	42.04	-9.958
2636	39.42	-0.844	2686	40.23	-16.466	2736	41.05	-5.087	2786	42.07	-8.708
2637	39.43	-1.844	2687	40.24	-15.841	2737	41.06	-7.087	2787	42.13	-7.833
2638	39.44	-3.719	2688	40.25	-15.841	2738	41.08	-9.337	2788	42.16	-7.207
2639	39.45	-4.594	2689	40.26	-15.841	2739	41.11	-10.837	2789	42.21	-6.207
2640	39.47	-6.219	2690	40.28	-15.841	2740	41.12	-10.587	2790	42.24	-4.707
2641	39.48	-7.094	2691	40.30	-16.466	2741	41.13	-9.337	2791	42.25	-4.332
2642	39.49	-7.719	2692	40.31	-16.715	2742	41.15	-6.212	2792	42.27	-2.832
2643	39.50	-8.344	2693	40.32	-17.090	2743	41.16	-4.962	2793	42.30	-0.832
2644	39.51	-8.344	2694	40.34	-16.840	2744	41.17	-4.712	2794	42.32	-0.332
2645	39.52	-8.094	2695	40.35	-16.465	2745	41.19	-3.712	2795	42.34	0.043
2646	39.53	-7.844	2696	40.37	-16.215	2746	41.24	-1.587	2796	42.36	0.669
2647	39.55	-6.219	2697	40.39	-15.215	2747	41.29	1.039	2797	42.38	2.044
2648	39.57	-4.344	2698	40.40	-13.840	2748	41.30	3.289	2798	42.40	2.669
2649	39.59	-3.094	2699	40.41	-13.590	2749	41.33	7.039	2799	42.42	3.294
2650	39.60	-1.594	2700	40.43	-13.215	2750	41.34	9.289	2800	42.43	4.169

INDEX NO. 796 1302-FU-10 CHIYODA BRIDGE TR. MAX.ACCEL.= -48.195(GAL) T=16.26(SEC) NO.15

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2801	42.44	5.794	2851	43.41	+9.702	2901	44.25	-16.948	2951	45.19	-8.694
2802	42.45	7.294	2852	43.45	-8.077	2902	44.27	-15.448	2952	45.22	-7.444
2803	42.47	9.669	2853	43.46	-7.452	2903	44.28	-13.198	2953	45.25	-4.694
2804	42.49	11.169	2854	43.47	-6.827	2904	44.31	-11.073	2954	45.29	-1.819
2805	42.50	13.419	2855	43.48	-5.327	2905	44.34	-9.448	2955	45.31	-0.559
2806	42.51	14.669	2856	43.50	-2.826	2906	44.35	-9.198	2956	45.33	2.056
2807	42.53	15.919	2857	43.52	-1.202	2907	44.36	-8.823	2957	45.35	3.306
2808	42.54	15.294	2858	43.53	-1.202	2908	44.37	-8.573	2958	45.36	3.807
2809	42.55	15.294	2859	43.55	-0.326	2909	44.39	-7.573	2959	45.37	3.806
2810	42.56	14.419	2860	43.57	0.049	2910	44.40	-6.573	2960	45.38	3.432
2811	42.57	13.419	2861	43.61	0.674	2911	44.41	-4.698	2961	45.40	2.807
2812	42.59	10.919	2862	43.63	0.569	2912	44.43	-1.822	2962	45.42	1.182
2813	42.62	8.169	2863	43.65	0.174	2913	44.46	3.303	2963	45.44	-1.068
2814	42.69	3.795	2864	43.66	-0.451	2914	44.48	6.053	2964	45.46	-1.693
2815	42.73	-2.580	2865	43.69	-1.326	2915	44.50	7.053	2965	45.47	-2.068
2816	42.76	-5.080	2866	43.71	-1.951	2916	44.51	7.303	2966	45.48	-1.068
2817	42.77	-5.705	2867	43.72	-2.576	2917	44.52	7.678	2967	45.49	-1.443
2818	42.78	-5.580	2868	43.74	-3.826	2918	44.54	7.428	2968	45.51	0.432
2819	42.81	-4.955	2869	43.76	-5.075	2919	44.55	6.428	2969	45.52	2.307
2820	42.84	-4.954	2870	43.77	-6.325	2920	44.56	5.803	2970	45.56	5.182
2821	42.86	-5.829	2871	43.79	-8.700	2921	44.58	4.928	2971	45.58	7.056
2822	42.88	-6.829	2872	43.80	-9.575	2922	44.59	3.053	2972	45.60	8.558
2823	42.90	-7.454	2873	43.81	-10.825	2923	44.60	0.803	2973	45.62	9.306
2824	42.92	-8.079	2874	43.83	-9.700	2924	44.62	-0.072	2974	45.63	9.058
2825	42.93	-8.329	2875	43.86	-6.825	2925	44.63	-0.447	2975	45.66	8.808
2826	42.95	-7.829	2876	43.89	-4.700	2926	44.64	-0.947	2976	45.68	7.808
2827	42.96	-7.454	2877	43.91	-3.075	2927	44.65	-0.947	2977	45.69	6.558
2828	42.98	-6.829	2878	43.92	-3.075	2928	44.66	-0.946	2978	45.71	5.308
2829	43.00	-6.204	2879	43.93	-3.075	2929	44.69	0.679	2979	45.73	3.433
2830	43.01	-4.954	2880	43.94	-3.700	2930	44.72	3.054	2980	45.74	0.808
2831	43.02	-4.079	2881	43.95	-4.575	2931	44.75	3.054	2981	45.76	-1.317
2832	43.03	-2.454	2882	43.97	-5.574	2932	44.77	3.054	2982	45.77	-1.692
2833	43.06	-0.328	2883	43.99	-7.450	2933	44.79	3.054	2983	45.79	-2.567
2834	43.10	1.422	2884	44.01	-8.324	2934	44.82	3.304	2984	45.82	-2.567
2835	43.11	2.422	2885	44.03	-9.949	2935	44.84	2.429	2985	45.84	-2.567
2836	43.13	1.797	2886	44.04	-10.824	2936	44.87	1.804	2986	45.87	-2.066
2837	43.15	1.172	2887	44.05	-11.449	2937	44.89	1.430	2987	45.91	-1.941
2838	43.18	0.797	2888	44.07	-11.199	2938	44.92	0.555	2988	45.93	-3.316
2839	43.20	-0.078	2889	44.10	-11.449	2939	44.94	-1.070	2989	45.95	-3.816
2840	43.22	-0.078	2890	44.11	-11.824	2940	44.97	-1.945	2990	45.96	-3.816
2841	43.23	-0.453	2891	44.12	-12.449	2941	45.00	-3.570	2991	45.97	-3.441
2842	43.24	-1.953	2892	44.13	-13.074	2942	45.01	-3.570	2992	45.99	-3.066
2843	43.25	-2.328	2893	44.15	-13.699	2943	45.03	-3.570	2993	46.02	-0.316
2844	43.26	-4.453	2894	44.16	-15.074	2944	45.08	-3.820	2994	46.05	2.060
2845	43.28	-6.328	2895	44.17	-15.949	2945	45.09	-4.195	2995	46.08	2.683
2846	43.30	-8.327	2896	44.19	-16.574	2946	45.10	-4.819	2996	46.10	2.435
2847	43.32	-9.577	2897	44.20	-17.199	2947	45.13	-7.069	2997	46.13	2.435
2848	43.33	-10.927	2898	44.21	-17.574	2948	45.15	-8.694	2998	46.14	0.185
2849	43.34	-10.827	2899	44.22	-17.573	2949	45.17	-9.694	2999	46.17	-1.315
2850	43.36	-10.577	2900	44.24	-16.949	2950	45.18	-9.694	3000	46.19	-3.190

INDEX NO. 796 1302-FU-10 CHIYODA BRIDGE TR. MAX.ACCEL.= -48.195(GAL) T=16.26(SEC) NO.16

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3001	46.20	+2.940	3051	47.21	0.690	3101	48.40	-4.430	3151	49.84	-4.299
3002	46.22	+2.065	3052	47.24	1.440	3102	48.44	+3.930	3152	49.85	-5.174
3003	46.26	-0.439	3053	47.25	1.940	3103	48.47	+3.305	3153	49.86	-5.924
3004	46.31	2.061	3054	47.27	1.190	3104	48.50	-3.305	3154	49.87	-6.799
3005	46.33	3.311	3055	47.29	0.190	3105	48.53	+2.680	3155	49.88	-7.674
3006	46.34	4.561	3056	47.31	-0.685	3106	48.57	+1.679	3156	49.89	-8.924
3007	46.36	5.186	3057	47.34	-1.060	3107	48.60	+1.804	3157	49.90	-8.799
3008	46.37	5.186	3058	47.38	-1.685	3108	48.63	0.321	3158	49.91	-8.549
3009	46.38	5.186	3059	47.41	+2.310	3109	48.67	2.696	3159	49.93	+7.298
3010	46.40	4.936	3060	47.42	-3.934	3110	48.71	4.821	3160	49.97	-5.298
3011	46.42	4.311	3061	47.44	+3.934	3111	48.73	6.446	3161	50.00	-4.298
3012	46.44	2.686	3062	47.45	+5.184	3112	48.75	8.321	3162	50.01	-4.923
3013	46.45	1.436	3063	47.46	+6.434	3113	48.76	8.571	3163	50.02	-4.923
3014	46.47	0.811	3064	47.49	+8.684	3114	48.82	10.571	3164	50.04	+5.798
3015	46.49	-0.438	3065	47.53	+13.684	3115	48.87	12.197	3165	50.05	+6.798
3016	46.51	-1.689	3066	47.55	+14.684	3116	48.88	12.822	3166	50.08	+8.673
3017	46.53	-1.938	3067	47.56	+14.434	3117	48.92	10.072	3167	50.10	+9.548
3018	46.56	-4.438	3068	47.62	-12.934	3118	48.97	6.947	3168	50.12	+10.173
3019	46.59	-5.438	3069	47.70	+10.433	3119	48.99	6.572	3169	50.17	+11.798
3020	46.61	+8.063	3070	47.71	+9.433	3120	49.04	5.323	3170	50.19	+12.422
3021	46.64	-7.438	3071	47.72	+8.558	3121	49.09	5.073	3171	50.20	+12.422
3022	46.66	+7.688	3072	47.74	+6.808	3122	49.12	4.448	3172	50.22	+11.172
3023	46.67	-8.313	3073	47.76	+4.933	3123	49.14	4.073	3173	50.25	+10.297
3024	46.68	+9.563	3074	47.78	+2.808	3124	49.15	3.823	3174	50.26	+9.922
3025	46.69	+10.813	3075	47.82	+0.308	3125	49.18	1.198	3175	50.28	+9.922
3026	46.70	+11.438	3076	47.84	1.442	3126	49.20	+0.427	3176	50.32	+9.922
3027	46.71	-12.063	3077	47.86	2.318	3127	49.22	+1.052	3177	50.33	+9.297
3028	46.72	-12.062	3078	47.89	2.942	3128	49.25	+1.926	3178	50.35	+8.422
3029	46.74	-10.938	3079	47.90	3.318	3129	49.28	+2.551	3179	50.36	+7.422
3030	46.77	+9.687	3080	47.91	3.568	3130	49.32	+4.176	3180	50.40	+4.921
3031	46.80	+7.437	3081	47.93	3.068	3131	49.36	+4.426	3181	50.43	+2.421
3032	46.82	+7.187	3082	47.95	2.443	3132	49.36	-4.176	3182	50.50	3.329
3033	46.83	+7.687	3083	47.99	0.818	3133	49.40	+3.926	3183	50.53	4.579
3034	46.85	-8.687	3084	48.03	+0.432	3134	49.45	-3.176	3184	50.55	5.454
3035	46.88	-9.562	3085	48.04	+1.057	3135	49.47	+2.926	3185	50.56	5.204
3036	46.91	-10.812	3086	48.06	+1.307	3136	49.48	+3.176	3186	50.58	4.329
3037	46.93	-11.187	3087	48.08	+2.307	3137	49.50	+4.425	3187	50.59	3.954
3038	46.94	-10.937	3088	48.09	-2.307	3138	49.53	-6.800	3188	50.61	2.454
3039	46.96	-10.312	3089	48.11	+2.307	3139	49.56	+7.050	3189	50.62	1.455
3040	46.99	-9.061	3090	48.14	-2.306	3140	49.58	-7.425	3190	50.64	+0.045
3041	47.02	+7.186	3091	48.18	-2.306	3141	49.60	-7.425	3191	50.65	-1.295
3042	47.03	-7.186	3092	48.23	-1.681	3142	49.62	+6.800	3192	50.68	+3.795
3043	47.05	-7.436	3093	48.26	+1.931	3143	49.67	+6.550	3193	50.69	+5.045
3044	47.08	+8.061	3094	48.28	+2.556	3144	49.69	+6.549	3194	50.71	+5.420
3045	47.09	+8.061	3095	48.30	+3.181	3145	49.70	+5.924	3195	50.73	+5.670
3046	47.11	+8.311	3096	48.33	+4.181	3146	49.72	+4.924	3196	50.74	+5.795
3047	47.12	+8.436	3097	48.34	+4.181	3147	49.75	+3.424	3197	50.76	+4.920
3048	47.13	-7.436	3098	48.35	+4.431	3148	49.78	+3.049	3198	50.78	+3.045
3049	47.15	+5.561	3099	48.36	+4.180	3149	49.80	+3.049	3199	50.80	-1.170
3050	47.18	+2.185	3100	48.39	+4.180	3150	49.82	+3.049	3200	50.84	2.080

INDEX NO. 796 1302-FU-10 CHIYODA BRIDGE TR. MAX.ACCEL.= -48.195(GAL) T=16.26(SEC) NO.17

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3201	50.85	2.706	3251	52.06	5.836	3301	53.47	-6.783	3351	54.41	0.221
3202	50.87	2.955	3252	52.11	3.336	3302	53.48	-5.283	3352	54.42	-0.404
3203	50.88	2.736	3253	52.16	0.836	3303	53.50	-3.658	3353	54.43	-0.404
3204	50.89	2.081	3254	52.23	-0.414	3304	53.53	-0.906	3354	54.44	-1.279
3205	50.91	-0.169	3255	52.22	-1.664	3305	53.57	1.092	3355	54.45	-2.279
3206	50.95	-1.669	3256	52.24	-2.914	3306	53.61	2.093	3356	54.46	-3.154
3207	50.98	-3.544	3257	52.27	-4.163	3307	53.64	3.967	3357	54.47	-4.529
3208	51.00	-4.419	3258	52.28	-4.786	3308	53.66	4.593	3358	54.48	-4.529
3209	51.02	-5.419	3259	52.30	-5.663	3309	53.67	4.343	3359	54.52	-6.278
3210	51.03	-5.169	3260	52.32	-6.288	3310	53.68	4.593	3360	54.58	-8.903
3211	51.06	-4.544	3261	52.36	-7.163	3311	53.70	4.593	3361	54.63	-9.903
3212	51.09	-4.543	3262	52.37	-7.163	3312	53.72	3.593	3362	54.66	-10.778
3213	51.12	-3.543	3263	52.40	-6.798	3313	53.73	3.593	3363	54.68	-10.778
3214	51.16	-1.668	3264	52.42	-6.163	3314	53.75	3.093	3364	54.69	-12.153
3215	51.21	0.207	3265	52.45	-5.267	3315	53.76	3.093	3365	54.70	-10.278
3216	51.25	1.082	3266	52.48	-5.287	3316	53.77	2.718	3366	54.72	-8.903
3217	51.26	1.082	3267	52.50	-5.912	3317	53.79	3.968	3367	54.76	-6.778
3218	51.26	1.457	3268	52.52	-5.162	3318	53.81	3.968	3368	54.80	-4.902
3219	51.30	0.832	3269	52.56	-4.912	3319	53.83	3.968	3369	54.83	-2.777
3220	51.32	0.208	3270	52.59	-3.662	3320	53.85	3.718	3370	54.84	-1.152
3221	51.35	-0.417	3271	52.65	-1.162	3321	53.86	3.094	3371	54.86	0.348
3222	51.37	-1.042	3272	52.69	0.088	3322	53.88	2.094	3372	54.88	1.723
3223	51.40	-1.917	3273	52.74	1.089	3323	53.90	1.219	3373	54.90	2.973
3224	51.42	-2.917	3274	52.78	1.714	3324	53.92	0.219	3374	54.93	5.223
3225	51.44	-4.167	3275	52.80	2.464	3325	53.93	0.219	3375	54.98	7.723
3226	51.45	-4.167	3276	52.82	2.089	3326	53.95	0.469	3376	55.00	9.099
3227	51.47	-4.167	3277	52.84	2.089	3327	54.00	0.594	3377	55.01	9.098
3228	51.49	-3.917	3278	52.86	1.464	3328	54.02	-0.031	3378	55.02	8.474
3229	51.53	-2.042	3279	52.90	-0.035	3329	54.04	-0.656	3379	55.05	7.599
3230	51.54	-1.666	3280	52.93	-0.660	3330	54.05	-1.031	3380	55.13	5.349
3231	51.56	-2.291	3281	52.97	-2.285	3331	54.06	-1.906	3381	55.23	3.475
3232	51.58	-3.791	3282	53.01	-2.285	3332	54.07	-2.906	3382	55.25	2.850
3233	51.60	-4.416	3283	53.04	-2.535	3333	54.08	-3.531	3383	55.26	2.600
3234	51.62	-5.041	3284	53.07	-2.910	3334	54.10	-4.405	3384	55.28	2.850
3235	51.63	-4.791	3285	53.10	-3.785	3335	54.11	-5.030	3385	55.31	2.850
3236	51.65	-4.166	3286	53.12	-2.910	3336	54.13	-5.405	3386	55.34	3.100
3237	51.71	-2.061	3287	53.15	-2.660	3337	54.16	-5.655	3387	55.35	3.475
3238	51.74	-1.041	3288	53.18	-2.034	3338	54.19	-5.155	3388	55.37	2.850
3239	51.76	-1.040	3289	53.20	-2.034	3339	54.20	-4.530	3389	55.39	2.225
3240	51.78	-1.040	3290	53.21	-2.534	3340	54.22	-4.530	3390	55.41	1.975
3241	51.81	-1.290	3291	53.23	-2.534	3341	54.23	-4.155	3391	55.46	0.600
3242	51.83	-0.790	3292	53.24	-3.536	3342	54.24	-2.905	3392	55.53	-1.024
3243	51.84	-0.415	3293	53.26	-4.409	3343	54.26	-1.405	3393	55.59	-1.649
3244	51.86	0.835	3294	53.29	-6.284	3344	54.28	1.095	3394	55.62	-2.274
3245	51.93	5.835	3295	53.32	-8.659	3345	54.30	2.720	3395	55.64	-3.148
3246	51.97	7.335	3296	53.34	-8.909	3346	54.31	2.471	3396	55.65	-3.774
3247	51.99	7.961	3297	53.35	-9.284	3347	54.33	1.846	3397	55.68	-4.399
3248	52.01	7.961	3298	53.38	-9.034	3348	54.34	1.471	3398	55.70	-5.648
3249	52.03	7.711	3299	53.42	-8.283	3349	54.36	1.471	3399	55.72	-6.273
3250	52.04	6.836	3300	53.45	-7.408	3350	54.39	0.596	3400	55.74	-7.398

INDEX NO. 796 1302-FU-10 CHIYODA BRIDGE TR. MAX.ACCEL.= -48.195(GAL) T=16.26(SEC) NO.18

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3401	55.76	-9.273	3451	56.94	5.857	3501	58.65	-5.511	3551	59.75	-1.756
3402	55.78	-9.898	3452	56.95	6.482	3502	58.67	-5.260	3552	59.77	-1.756
3403	55.81	-10.773	3453	56.97	6.857	3503	58.68	-4.635	3553	59.80	-1.506
3404	55.82	-10.523	3454	57.00	8.482	3504	58.70	-3.010	3554	59.82	-0.506
3405	55.83	-11.398	3455	57.03	8.482	3505	58.72	-1.510	3555	59.84	0.120
3406	55.84	-11.148	3456	57.04	8.482	3506	58.74	-0.885	3556	59.85	0.745
3407	55.86	-10.898	3457	57.06	8.232	3507	58.75	-0.510	3557	59.88	2.120
3408	55.90	-9.898	3458	57.11	6.608	3508	58.76	-0.510	3558	59.90	2.995
3409	55.94	-8.397	3459	57.24	4.106	3509	58.78	-0.510	3559	59.91	2.995
3410	55.99	-5.897	3460	57.35	1.609	3510	58.80	-0.260	3560	59.94	2.745
3411	56.01	-5.272	3461	57.37	1.234	3511	58.82	-0.510	3561	59.96	2.120
3412	56.03	-4.272	3462	57.39	1.109	3512	58.84	-0.510	3562	59.98	1.870
3413	56.05	-1.772	3463	57.42	0.859	3513	58.86	-0.260	3563	60.00	0.870
3414	56.08	-0.147	3464	57.43	1.109	3514	58.87	0.115	3564	60.02	-0.004
3415	56.11	0.353	3465	57.45	1.734	3515	58.89	1.115	3565	60.06	-0.629
3416	56.14	0.104	3466	57.48	1.734	3516	58.94	3.991	3566	60.08	-0.629
3417	56.17	0.104	3467	57.50	1.735	3517	58.96	4.241	3567	60.10	-0.754
3418	56.23	0.354	3468	57.52	1.484	3518	58.97	4.241	3568	60.14	-0.754
3419	56.25	0.104	3469	57.54	0.860	3519	58.99	4.241	3569	60.16	-0.379
3420	56.27	-0.146	3470	57.56	-0.015	3520	59.03	4.616	3570	60.19	-0.129
3421	56.29	-1.146	3471	57.58	-1.640	3521	59.05	3.991	3571	60.21	1.121
3422	56.32	-2.396	3472	57.66	-3.140	3522	59.10	3.366	3572	60.24	2.746
3423	56.33	-3.271	3473	57.68	-3.515	3523	59.15	2.742	3573	60.26	2.996
3424	56.35	-3.396	3474	57.71	-3.765	3524	59.18	2.742	3574	60.28	2.747
3425	56.36	-3.395	3475	57.76	-3.765	3525	59.22	2.742	3575	60.29	3.372
3426	56.39	-3.645	3476	57.88	-5.389	3526	59.25	2.117	3576	60.31	2.122
3427	56.43	-3.645	3477	58.05	-6.013	3527	59.29	2.367	3577	60.35	0.622
3428	56.46	-3.645	3478	58.07	-6.013	3528	59.31	2.367	3578	60.39	-2.503
3429	56.49	-3.645	3479	58.09	-5.388	3529	59.33	2.992	3579	60.42	-4.128
3430	56.51	-3.895	3480	58.10	-4.138	3530	59.34	2.743	3580	60.46	-4.378
3431	56.52	-4.270	3481	58.13	-3.263	3531	59.36	2.493	3581	60.50	-4.753
3432	56.54	-4.895	3482	58.16	-1.388	3532	59.37	1.493	3582	60.52	-5.377
3433	56.57	-4.894	3483	58.19	-0.388	3533	59.38	0.868	3583	60.55	-5.627
3434	56.60	-4.894	3484	58.22	0.237	3534	59.39	-0.007	3584	60.57	-5.377
3435	56.61	-5.144	3485	58.24	0.488	3535	59.41	-1.007	3585	60.58	-5.377
3436	56.63	-6.144	3486	58.27	0.613	3536	59.43	-1.632	3586	60.59	-5.502
3437	56.64	-6.769	3487	58.29	0.238	3537	59.44	-1.882	3587	60.61	-4.002
3438	56.67	-7.644	3488	58.33	-1.012	3538	59.46	-2.882	3588	60.62	-3.377
3439	56.69	-8.269	3489	58.35	-1.262	3539	59.47	-2.882	3589	60.64	-1.127
3440	56.70	-8.019	3490	58.37	-2.262	3540	59.49	-3.132	3590	60.66	0.123
3441	56.71	-7.394	3491	58.40	-3.761	3541	59.51	-3.757	3591	60.68	1.123
3442	56.73	-6.769	3492	58.44	-5.012	3542	59.52	-4.382	3592	60.70	1.123
3443	56.74	-5.769	3493	58.45	-5.637	3543	59.53	-5.007	3593	60.72	1.124
3444	56.76	-4.019	3494	58.47	-5.886	3544	59.54	-6.007	3594	60.77	1.874
3445	56.78	-2.394	3495	58.50	-4.886	3545	59.56	-7.382	3595	60.80	2.374
3446	56.81	-0.519	3496	58.52	-4.886	3546	59.57	-7.631	3596	60.81	1.874
3447	56.84	1.731	3497	58.53	-4.886	3547	59.59	-8.006	3597	60.83	1.874
3448	56.88	4.232	3498	58.58	-4.886	3548	59.60	-7.381	3598	60.84	2.124
3449	56.91	5.482	3499	58.62	-6.136	3549	59.64	-6.506	3599	60.86	2.999
3450	56.92	5.857	3500	58.64	-6.136	3550	59.70	-4.256	3600	60.91	4.249

INDEX NO. 796 1302-FU-10 CHIYODA BRIDGE TR. MAX.ACCEL.= -48.195(GAL) T=16.26(SEC) NO.19

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3601	60.92	4.249	3651	62.44	3.006	3701	64.18	0.638	3751	65.76	-2.230
3602	60.93	4.624	3652	62.48	3.381	3702	64.35	0.514	3752	65.79	-2.229
3603	60.96	3.999	3653	62.53	3.631	3703	64.45	0.015	3753	65.82	-2.854
3604	60.98	3.374	3654	62.52	2.756	3704	64.48	-0.360	3754	65.85	-3.479
3605	61.08	-0.625	3655	62.55	2.132	3705	64.50	-1.235	3755	65.88	-3.479
3606	61.18	-3.499	3656	62.57	2.382	3706	64.52	-2.485	3756	65.89	-3.479
3607	61.19	-3.249	3657	62.59	2.382	3707	64.56	-3.360	3757	65.91	-3.479
3608	61.23	-2.874	3658	62.62	3.382	3708	64.58	-5.985	3758	65.95	-2.854
3609	61.26	-1.624	3659	62.68	4.007	3709	64.60	-6.235	3759	65.99	-2.604
3610	61.30	-0.999	3660	62.71	4.632	3710	64.61	-6.235	3760	66.02	-2.228
3611	61.33	-0.374	3661	62.74	4.632	3711	64.62	-5.984	3761	66.05	-1.978
3612	61.35	-0.624	3662	62.81	4.633	3712	64.64	-5.360	3762	66.09	-1.353
3613	61.37	-1.249	3663	62.87	4.633	3713	64.66	-5.109	3763	66.13	-0.353
3614	61.40	-1.874	3664	62.90	4.008	3714	64.68	-5.609	3764	66.17	-0.103
3615	61.43	-2.498	3665	62.95	2.758	3715	64.73	-7.359	3765	66.19	0.522
3616	61.45	-2.873	3666	63.03	2.759	3716	64.75	-7.359	3766	66.24	1.147
3617	61.47	-4.373	3667	63.09	2.134	3717	64.76	-7.109	3767	66.28	2.148
3618	61.50	-6.248	3668	63.12	1.884	3718	64.77	-6.484	3768	66.31	2.773
3619	61.54	-7.998	3669	63.13	0.884	3719	64.80	-5.484	3769	66.32	2.773
3620	61.56	-8.623	3670	63.16	-0.366	3720	64.83	-4.234	3770	66.34	1.898
3621	61.59	-9.246	3671	63.18	-1.241	3721	64.84	-4.483	3771	66.40	1.523
3622	61.60	-9.498	3672	63.21	-2.491	3722	64.86	-3.358	3772	66.43	0.273
3623	61.62	-9.498	3673	63.26	-3.741	3723	64.88	-2.358	3773	66.52	-0.976
3624	61.65	-9.498	3674	63.31	-4.740	3724	64.90	-1.108	3774	66.60	-1.851
3625	61.68	-7.997	3675	63.34	-5.365	3725	64.91	-0.233	3775	66.68	-2.851
3626	61.71	-6.747	3676	63.41	-5.615	3726	64.93	0.142	3776	66.72	-3.100
3627	61.73	-5.497	3677	63.47	-4.490	3727	64.96	1.142	3777	66.75	-3.100
3628	61.75	-5.247	3678	63.51	-4.739	3728	65.03	3.392	3778	66.78	-2.600
3629	61.77	-5.247	3679	63.54	-4.489	3729	65.08	4.017	3779	66.81	-1.975
3630	61.79	-5.247	3680	63.55	-4.489	3730	65.12	4.643	3780	66.83	-1.350
3631	61.82	-5.247	3681	63.57	-4.489	3731	65.15	4.643	3781	66.87	-0.350
3632	61.84	-5.497	3682	63.59	-3.489	3732	65.19	4.893	3782	66.91	0.900
3633	61.89	-5.871	3683	63.64	-1.989	3733	65.22	4.893	3783	66.93	0.900
3634	61.91	-5.496	3684	63.69	-0.114	3734	65.27	4.643	3784	66.96	0.275
3635	61.93	-4.871	3685	63.73	0.887	3735	65.31	4.643	3785	66.98	-0.974
3636	61.97	-3.371	3686	63.75	1.137	3736	65.36	4.019	3786	67.00	-1.849
3637	62.02	-1.121	3687	63.77	1.262	3737	65.40	2.769	3787	67.03	-3.099
3638	62.10	3.629	3688	63.79	1.262	3738	65.43	1.894	3788	67.06	-4.349
3639	62.14	5.505	3689	63.81	0.887	3739	65.46	0.894	3789	67.08	-4.724
3640	62.15	6.130	3690	63.84	0.637	3740	65.47	0.269	3790	67.09	-4.724
3641	62.16	5.880	3691	63.87	-0.613	3741	65.50	0.519	3791	67.12	-3.849
3642	62.18	6.130	3692	63.91	-1.238	3742	65.52	0.519	3792	67.16	-3.224
3643	62.20	5.255	3693	63.93	-1.363	3743	65.54	0.519	3793	67.23	-2.598
3644	62.24	4.630	3694	63.96	-1.362	3744	65.57	1.145	3794	67.34	-1.973
3645	62.29	2.505	3695	63.98	-0.737	3745	65.59	1.145	3795	67.40	-2.472
3646	62.31	1.880	3696	64.01	0.513	3746	65.60	0.895	3796	67.44	-2.222
3647	62.33	1.255	3697	64.04	0.888	3747	65.62	0.645	3797	67.45	-1.972
3648	62.36	1.256	3698	64.07	1.513	3748	65.64	-0.355	3798	67.49	-0.972
3649	62.37	1.131	3699	64.09	1.513	3749	65.69	-1.605	3799	67.52	-0.722
3650	62.40	1.506	3700	64.11	1.513	3750	65.72	-1.855	3800	67.55	-0.972

INDEX NO. 796 1302-FU-10 CHIYODA BRIDGE TR. MAX.ACCEL.= -48.195(GAL) T=16.26(SEC) NO.20

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3801	67.60	-0.597	3851	68.94	3.034	3901	70.42	-2.084	3951	71.92	-8.828
3802	67.64	-1.221	3852	68.96	3.409	3902	70.43	-1.709	3952	71.93	-10.077
3803	67.67	-0.971	3853	68.98	3.659	3903	70.44	-0.834	3953	71.95	-10.828
3804	67.68	-1.221	3854	69.01	3.160	3904	70.52	4.291	3954	71.97	-10.452
3805	67.70	-0.721	3855	69.03	2.535	3905	70.53	4.916	3955	71.99	-8.952
3806	67.71	-0.346	3856	69.06	1.285	3906	70.56	5.916	3956	72.04	-7.327
3807	67.75	-0.096	3857	69.11	-1.215	3907	70.58	5.917	3957	72.07	-6.452
3808	67.78	0.904	3858	69.14	-1.840	3908	70.61	5.667	3958	72.09	-6.452
3809	67.83	1.155	3859	69.23	-3.464	3909	70.64	5.042	3959	72.12	-5.827
3810	67.85	0.904	3860	69.30	-5.339	3910	70.67	4.667	3960	72.15	-5.202
3811	67.91	-0.095	3861	69.33	-5.089	3911	70.71	4.667	3961	72.17	-4.577
3812	67.95	-0.095	3862	69.38	-3.839	3912	70.75	5.542	3962	72.18	-3.951
3813	67.97	-0.345	3863	69.42	-2.589	3913	70.78	6.167	3963	72.20	-2.326
3814	67.98	-0.345	3864	69.45	-2.588	3914	70.80	6.167	3964	72.25	0.799
3815	68.00	0.280	3865	69.47	-1.963	3915	70.84	5.042	3965	72.27	0.174
3816	68.01	0.280	3866	69.48	-1.963	3916	70.92	4.418	3966	72.31	-0.201
3817	68.03	0.280	3867	69.50	-2.213	3917	70.95	3.793	3967	72.35	0.424
3818	68.05	1.155	3868	69.51	-3.463	3918	70.98	2.793	3968	72.37	0.424
3819	68.07	1.531	3869	69.53	-5.338	3919	71.00	3.418	3969	72.40	0.799
3820	68.08	1.781	3870	69.57	-8.213	3920	71.03	4.043	3970	72.42	1.799
3821	68.10	2.156	3871	69.61	-9.838	3921	71.06	4.668	3971	72.45	2.800
3822	68.13	2.156	3872	69.62	-10.463	3922	71.09	5.544	3972	72.47	3.050
3823	68.15	2.406	3873	69.64	-10.463	3923	71.11	5.919	3973	72.49	3.050
3824	68.19	2.156	3874	69.66	-9.838	3924	71.14	5.919	3974	72.50	2.800
3825	68.20	2.156	3875	69.67	-8.337	3925	71.18	6.544	3975	72.53	1.550
3826	68.22	1.906	3876	69.69	-5.837	3926	71.20	6.544	3976	72.55	0.675
3827	68.24	2.781	3877	69.72	-5.212	3927	71.21	6.794	3977	72.58	-0.575
3828	68.29	4.282	3878	69.74	-3.587	3928	71.24	7.419	3978	72.61	-1.825
3829	68.32	4.907	3879	69.77	-3.587	3929	71.26	8.044	3979	72.64	-4.074
3830	68.35	5.532	3880	69.79	-3.587	3930	71.28	7.794	3980	72.66	-4.700
3831	68.37	5.907	3881	69.81	-3.587	3931	71.31	5.920	3981	72.69	-5.324
3832	68.38	4.907	3882	69.82	-4.462	3932	71.35	5.295	3982	72.73	-5.949
3833	68.41	5.532	3883	69.85	-5.462	3933	71.37	3.670	3983	72.75	-6.199
3834	68.43	5.282	3884	69.86	-6.962	3934	71.39	3.420	3984	72.77	-6.199
3835	68.46	5.532	3885	69.87	-7.961	3935	71.42	3.670	3985	72.80	-5.324
3836	68.48	4.407	3886	69.88	-8.837	3936	71.46	4.045	3986	72.82	-4.699
3837	68.51	3.407	3887	69.90	-9.837	3937	71.49	4.295	3987	72.85	-3.823
3838	68.54	2.533	3888	69.91	-11.086	3938	71.51	4.296	3988	72.89	-2.198
3839	68.57	1.533	3889	69.92	-11.712	3939	71.54	3.796	3989	72.90	-2.198
3840	68.60	0.908	3890	69.95	-11.961	3940	71.57	3.796	3990	72.93	-2.448
3841	68.64	-0.592	3891	69.98	-11.711	3941	71.60	3.796	3991	73.00	-4.323
3842	68.67	-1.592	3892	70.01	-11.461	3942	71.64	4.296	3992	73.03	-4.698
3843	68.71	-0.717	3893	70.03	-11.461	3943	71.67	4.046	3993	73.04	-4.448
3844	68.76	-1.591	3894	70.10	-9.836	3944	71.70	4.046	3994	73.05	-4.073
3845	68.79	-1.716	3895	70.22	-5.835	3945	71.72	3.796	3995	73.08	-2.823
3846	68.81	-1.091	3896	70.25	-4.585	3946	71.74	3.172	3996	73.15	-0.947
3847	68.84	-1.091	3897	70.28	-3.585	3947	71.76	1.547	3997	73.21	0.303
3848	68.87	-0.216	3898	70.32	-2.710	3948	71.78	0.047	3998	73.23	0.928
3849	68.90	1.159	3899	70.34	-2.335	3949	71.82	-1.828	3999	73.29	0.303
3850	68.92	2.409	3900	70.36	-1.709	3950	71.87	-6.203	4000	73.34	0.554

INDEX NO. 796 1302-FU-10 CHIYODA BRIDGE TR. MAX.ACCEL.= -48.195(GAL) T=16.26(SEC) NO.21

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
4001	73.38	0.554	4051	75.13	0.561	4101	77.13	11.695	4151	78.66	0.327
4002	73.40	0.929	4052	75.15	2.186	4102	77.17	11.070	4152	78.67	0.952
4003	73.43	1.554	4053	75.18	4.062	4103	77.19	9.570	4153	78.69	1.202
4004	73.45	2.179	4054	75.22	6.812	4104	77.22	7.945	4154	78.75	2.202
4005	73.48	2.429	4055	75.25	8.687	4105	77.25	7.321	4155	78.78	2.827
4006	73.52	3.429	4056	75.27	9.187	4106	77.28	6.696	4156	78.80	3.077
4007	73.53	3.179	4057	75.29	9.187	4107	77.31	6.446	4157	78.83	3.078
4008	73.55	3.429	4058	75.31	8.937	4108	77.34	6.696	4158	78.86	2.203
4009	73.57	2.555	4059	75.34	7.687	4109	77.40	5.821	4159	78.90	1.328
4010	73.66	0.305	4060	75.38	6.688	4110	77.45	4.821	4160	78.94	0.703
4011	73.70	-0.570	4061	75.42	5.437	4111	77.46	4.572	4161	78.97	-0.297
4012	73.73	-0.570	4062	75.51	3.313	4112	77.49	3.572	4162	79.00	-1.547
4013	73.77	-0.319	4063	75.55	1.688	4113	77.56	2.947	4163	79.01	-1.547
4014	73.84	1.181	4064	75.56	1.688	4114	77.59	1.697	4164	79.02	-0.922
4015	73.93	4.056	4065	75.60	1.688	4115	77.62	0.697	4165	79.04	-0.547
4016	73.97	3.806	4066	75.72	3.564	4116	77.64	-0.303	4166	79.07	0.578
4017	73.99	3.431	4067	75.73	3.314	4117	77.66	-0.553	4167	79.10	3.078
4018	74.07	3.682	4068	75.75	2.689	4118	77.68	-0.553	4168	79.15	5.329
4019	74.09	4.057	4069	75.79	0.689	4119	77.70	-0.302	4169	79.16	5.954
4020	74.16	5.932	4070	75.87	-3.935	4120	77.73	-0.302	4170	79.18	5.954
4021	74.18	5.932	4071	75.89	-4.185	4121	77.76	0.323	4171	79.20	5.954
4022	74.20	5.682	4072	75.90	-5.435	4122	77.79	-0.302	4172	79.23	4.704
4023	74.22	4.682	4073	75.91	-4.560	4123	77.82	-1.177	4173	79.28	3.454
4024	74.28	3.807	4074	75.93	-3.560	4124	77.85	-1.802	4174	79.30	3.205
4025	74.38	2.183	4075	75.97	-2.560	4125	77.86	-1.802	4175	79.33	3.205
4026	74.41	0.933	4076	75.99	-2.560	4126	77.88	-1.552	4176	79.37	3.080
4027	74.44	0.933	4077	76.01	-2.935	4127	77.92	-1.302	4177	79.42	3.080
4028	74.45	1.183	4078	76.06	-4.185	4128	77.97	0.324	4178	79.45	3.080
4029	74.48	2.184	4079	76.10	-4.809	4129	78.03	1.574	4179	79.47	3.705
4030	74.53	3.684	4080	76.15	-5.434	4130	78.04	2.449	4180	79.49	4.705
4031	74.58	4.684	4081	76.19	-5.434	4131	78.07	3.699	4181	79.50	4.705
4032	74.62	4.059	4082	76.23	-5.184	4132	78.09	4.074	4182	79.52	4.455
4033	74.64	3.434	4083	76.26	-5.184	4133	78.10	4.074	4183	79.56	3.831
4034	74.66	3.184	4084	76.28	-4.809	4134	78.12	3.824	4184	79.59	2.581
4035	74.70	1.559	4085	76.31	-4.559	4135	78.14	2.825	4185	79.61	1.956
4036	74.74	0.060	4086	76.33	-3.559	4136	78.18	1.575	4186	79.64	1.956
4037	74.77	-0.940	4087	76.40	-2.933	4137	78.23	0.575	4187	79.65	2.206
4038	74.78	-1.815	4088	76.45	-1.683	4138	78.25	0.325	4188	79.67	2.831
4039	74.80	-1.815	4089	76.53	-0.183	4139	78.31	-0.925	4189	79.72	4.706
4040	74.81	-1.565	4090	76.67	1.568	4140	78.35	-1.175	4190	79.75	5.331
4041	74.82	-1.315	4091	76.71	3.068	4141	78.36	-1.175	4191	79.77	5.582
4042	74.85	-0.940	4092	76.76	3.694	4142	78.38	-0.924	4192	79.78	5.332
4043	74.90	1.560	4093	76.84	4.944	4143	78.40	-0.674	4193	79.80	4.707
4044	74.93	2.435	4094	76.89	5.569	4144	78.44	0.576	4194	79.83	3.832
4045	74.94	2.810	4095	76.91	6.819	4145	78.50	1.201	4195	79.89	1.332
4046	74.95	2.810	4096	76.92	8.069	4146	78.51	1.826	4196	79.91	1.207
4047	74.99	2.561	4097	76.95	8.944	4147	78.54	1.826	4197	79.94	0.332
4048	75.06	0.686	4098	76.98	9.819	4148	78.58	1.951	4198	79.96	0.332
4049	75.10	-0.314	4099	77.01	9.820	4149	78.59	1.576	4199	79.98	0.332
4050	75.11	-0.314	4100	77.05	10.445	4150	78.64	0.702	4200	80.00	0.583

INDEX NO. 796 1302-FU-10 CHIYODA BRIDGE TR. MAX.ACCEL.= -48.195(GAL) T=16.26(SEC) NO.22

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
4201	80.03	0.957	4251	81.56	4.089	4301	83.51	7.348	4351	84.98	7.479
4202	80.05	1.208	4252	81.59	3.464	4302	83.53	7.098	4352	85.06	6.355
4203	80.08	1.458	4253	81.61	2.590	4303	83.55	5.473	4353	85.12	6.605
4204	80.10	1.083	4254	81.64	1.590	4304	83.58	4.848	4354	85.14	6.605
4205	80.12	1.083	4255	81.66	1.590	4305	83.59	4.098	4355	85.16	6.355
4206	80.17	2.583	4256	81.70	1.590	4306	83.61	4.098	4356	85.17	5.980
4207	80.25	1.959	4257	81.74	0.340	4307	83.63	4.348	4357	85.19	5.105
4208	80.34	0.959	4258	81.80	-3.159	4308	83.66	4.099	4358	85.21	4.730
4209	80.37	1.584	4259	81.91	-3.159	4309	83.68	4.349	4359	85.24	3.480
4210	80.40	1.334	4260	81.93	-2.159	4310	83.71	4.724	4360	85.26	3.230
4211	80.43	1.334	4261	82.09	1.591	4311	83.79	4.349	4361	85.28	2.856
4212	80.45	1.335	4262	82.13	3.092	4312	83.89	4.725	4362	85.31	3.481
4213	80.48	0.960	4263	82.14	3.092	4313	83.94	4.725	4363	85.34	3.481
4214	80.51	0.960	4264	82.17	2.842	4314	83.95	4.725	4364	85.38	2.231
4215	80.54	1.585	4265	82.19	2.217	4315	83.96	4.475	4365	85.51	-0.518
4216	80.59	2.835	4266	82.21	1.967	4316	83.99	4.100	4366	85.57	-1.768
4217	80.64	3.710	4267	82.25	0.967	4317	84.01	4.100	4367	85.58	-2.143
4218	80.69	5.335	4268	82.26	0.967	4318	84.03	4.100	4368	85.60	-1.893
4219	80.71	5.961	4269	82.28	1.842	4319	84.05	4.725	4369	85.63	-0.643
4220	80.74	6.586	4270	82.30	3.093	4320	84.07	5.350	4370	85.66	0.607
4221	80.76	6.836	4271	82.36	5.343	4321	84.09	5.100	4371	85.69	2.857
4222	80.77	6.836	4272	82.37	5.343	4322	84.11	5.350	4372	85.71	3.482
4223	80.80	5.961	4273	82.40	5.593	4323	84.12	5.350	4373	85.73	4.107
4224	80.84	5.086	4274	82.46	4.468	4324	84.13	4.725	4374	85.75	4.733
4225	80.89	4.461	4275	82.61	3.844	4325	84.15	3.476	4375	85.77	4.733
4226	80.92	5.337	4276	82.72	3.219	4326	84.18	2.476	4376	85.79	4.983
4227	80.96	5.587	4277	82.74	2.220	4327	84.21	1.976	4377	85.81	4.983
4228	80.98	6.212	4278	82.75	1.970	4328	84.22	1.601	4378	85.84	5.108
4229	81.00	5.962	4279	82.77	1.595	4329	84.23	1.351	4379	85.87	5.108
4230	81.03	5.087	4280	82.80	0.720	4330	84.25	1.351	4380	85.89	5.358
4231	81.05	5.587	4281	82.82	0.970	4331	84.26	1.351	4381	85.92	5.609
4232	81.08	5.587	4282	82.84	0.970	4332	84.29	0.726	4382	85.98	7.234
4233	81.09	5.587	4283	82.86	0.970	4333	84.33	1.226	4383	86.02	8.109
4234	81.11	5.588	4284	82.89	1.595	4334	84.43	3.102	4384	86.04	7.609
4235	81.14	6.212	4285	82.92	1.970	4335	84.47	3.727	4385	86.06	7.859
4236	81.19	6.838	4286	82.97	3.095	4336	84.48	3.727	4386	86.09	7.234
4237	81.22	7.213	4287	83.03	4.346	4337	84.50	2.852	4387	86.12	6.609
4238	81.25	7.213	4288	83.05	4.721	4338	84.52	3.102	4388	86.17	5.984
4239	81.26	7.463	4289	83.08	4.971	4339	84.55	2.227	4389	86.20	5.110
4240	81.28	7.213	4290	83.10	4.971	4340	84.57	1.978	4390	86.22	4.735
4241	81.31	7.213	4291	83.13	5.596	4341	84.62	1.228	4391	86.23	4.735
4242	81.34	6.588	4292	83.18	6.221	4342	84.64	1.228	4392	86.25	4.735
4243	81.36	6.339	4293	83.22	6.222	4343	84.66	1.853	4393	86.27	4.985
4244	81.39	5.089	4294	83.24	6.597	4344	84.69	2.478	4394	86.31	5.610
4245	81.41	4.464	4295	83.27	7.472	4345	84.73	4.353	4395	86.35	7.235
4246	81.43	3.839	4296	83.32	9.222	4346	84.78	5.978	4396	86.37	7.485
4247	81.44	3.839	4297	83.35	9.847	4347	84.80	5.978	4397	86.38	6.985
4248	81.48	3.464	4298	83.37	9.847	4348	84.82	6.228	4398	86.41	6.985
4249	81.52	4.089	4299	83.43	8.597	4349	84.86	6.229	4399	86.43	6.985
4250	81.54	3.839	4300	83.47	8.348	4350	84.94	7.229	4400	86.46	6.361

土木構造物における加速度強震記録（No. 9）

INDEX NO. 796 1302-FU-10 CHIYODA BRIDGE TR. MAX.ACCEL.= -48.195(GAL) T=16.26(SEC) NO.23

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
4401	86.50	5.986	4451	88.31	6.744	4501	90.15	3.502	4551	91.99	7.385
4402	86.53	5.111	4452	88.39	6.494	4502	90.17	4.127	4552	92.01	7.385
4403	86.54	5.111	4453	88.41	6.494	4503	90.20	5.127	4553	92.03	7.135
4404	86.57	5.361	4454	88.45	6.494	4504	90.25	6.627	4554	92.05	7.010
4405	86.60	5.351	4455	88.47	6.495	4505	90.36	9.503	4555	92.07	7.385
4406	86.63	5.986	4456	88.49	6.495	4506	90.44	10.876	4556	92.12	7.760
4407	86.66	6.236	4457	88.52	5.495	4507	90.49	11.503	4557	92.16	8.261
4408	86.70	7.487	4458	88.55	4.620	4508	90.55	11.753	4558	92.17	8.261
4409	86.73	7.862	4459	88.57	3.995	4509	90.58	11.754	4559	92.18	8.011
4410	86.80	6.987	4460	88.59	4.245	4510	90.60	11.504	4560	92.20	7.136
4411	86.85	6.612	4461	88.60	4.495	4511	90.63	11.504	4561	92.23	6.761
4412	86.89	6.363	4462	88.66	5.120	4512	90.68	9.629	4562	92.26	6.511
4413	86.90	5.113	4463	88.71	5.245	4513	90.73	9.004	4563	92.28	5.886
4414	86.93	3.238	4464	88.76	5.246	4514	90.76	8.379	4564	92.29	5.886
4415	86.98	1.613	4465	88.80	5.496	4515	90.80	7.755	4565	92.31	5.886
4416	87.02	-0.262	4466	88.82	5.246	4516	90.82	7.380	4566	92.33	6.136
4417	87.05	-1.137	4467	88.85	4.246	4517	90.83	7.130	4567	92.35	6.386
4418	87.07	-1.137	4468	88.88	3.996	4518	90.85	6.130	4568	92.38	6.762
4419	87.09	-1.511	4469	88.90	3.996	4519	90.86	5.255	4569	92.40	6.511
4420	87.12	-1.511	4470	88.91	3.996	4520	90.87	4.630	4570	92.41	6.511
4421	87.14	-1.761	4471	88.93	4.247	4521	90.90	4.255	4571	92.43	6.512
4422	87.16	-1.261	4472	88.96	4.247	4522	90.93	4.005	4572	92.46	4.887
4423	87.18	0.614	4473	88.99	4.497	4523	90.96	3.380	4573	92.48	4.887
4424	87.21	1.239	4474	89.04	5.122	4524	90.98	3.630	4574	92.50	4.637
4425	87.24	1.864	4475	89.09	5.122	4525	91.00	3.881	4575	92.52	4.012
4426	87.25	2.239	4476	89.11	5.122	4526	91.03	3.631	4576	92.54	4.262
4427	87.27	1.989	4477	89.13	4.872	4527	91.05	3.881	4577	92.57	4.887
4428	87.33	1.614	4478	89.17	4.622	4528	91.08	4.256	4578	92.63	4.638
4429	87.36	1.365	4479	89.22	3.623	4529	91.11	4.506	4579	92.66	4.888
4430	87.38	2.240	4480	89.26	1.748	4530	91.14	4.881	4580	92.68	5.138
4431	87.41	3.490	4481	89.31	0.998	4531	91.18	6.131	4581	92.70	5.763
4432	87.45	3.115	4482	89.36	-0.252	4532	91.20	5.506	4582	92.74	6.138
4433	87.53	5.991	4483	89.38	-0.502	4533	91.23	5.507	4583	92.78	6.388
4434	87.61	7.491	4484	89.39	-0.502	4534	91.26	4.881	4584	92.81	6.388
4435	87.64	7.491	4485	89.40	-0.002	4535	91.29	4.632	4585	92.82	6.388
4436	87.67	7.866	4486	89.43	0.624	4536	91.33	4.257	4586	92.83	6.138
4437	87.72	8.491	4487	89.47	1.874	4537	91.36	4.257	4587	92.86	5.264
4438	87.75	9.241	4488	89.52	3.124	4538	91.39	3.632	4588	92.90	5.264
4439	87.79	8.991	4489	89.55	3.499	4539	91.41	3.007	4589	92.93	5.264
4440	87.82	10.117	4490	89.59	3.249	4540	91.42	2.757	4590	92.96	4.889
4441	87.85	10.117	4491	89.62	3.250	4541	91.45	2.757	4591	92.99	5.764
4442	87.88	10.742	4492	89.66	2.875	4542	91.50	3.833	4592	93.05	5.514
4443	87.91	10.867	4493	89.74	2.875	4543	91.59	5.758	4593	93.16	7.015
4444	87.92	9.867	4494	89.85	3.501	4544	91.68	7.008	4594	93.32	8.016
4445	87.95	8.992	4495	89.87	3.501	4545	91.72	8.009	4595	93.41	8.891
4446	87.98	8.367	4496	89.90	4.751	4546	91.74	8.259	4596	93.44	8.891
4447	88.00	7.992	4497	89.93	5.001	4547	91.80	7.759	4597	93.47	8.891
4448	88.03	8.243	4498	89.97	5.001	4548	91.89	8.009	4598	93.50	8.641
4449	88.10	8.618	4499	90.06	3.876	4549	91.94	7.385	4599	93.53	8.641
4450	88.22	7.118	4500	90.14	4.127	4550	91.96	7.385	4600	93.55	8.642

INDEX NO. 796 1302-FU-10 CHIYODA BRIDGE TR. MAX.ACCEL.= -48.195(GAL) T=16.26(SEC) NO.24

NO.	(SEC)	(GAL)
4601	93.58	8.642
4602	93.61	9.517
4603	93.65	9.892
4604	93.69	10.142
4605	93.71	10.142
4606	93.74	9.893
4607	93.81	9.643
4608	93.97	8.268
4609	94.04	8.644
4610	94.08	8.644
4611	94.12	9.269
4612	94.15	9.019
4613	94.19	8.394

Table IX D-23 Digitized Accelerations of Earthquake Record with Index Number 797

INDEX NO. 797 1305-GR-15 HORONAN BRIDGE LG. MAX.ACCEL.= -50.327(GAL) T=18.08(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.02	3.516	51	0.70	0.605	101	1.32	1.701	151	1.95	-0.716
2	0.06	3.862	52	0.72	2.102	102	1.33	1.947	152	1.97	0.531
3	0.07	4.129	53	0.73	2.473	103	1.35	2.318	153	1.98	2.777
4	0.09	5.125	54	0.75	2.719	104	1.36	2.314	154	1.99	3.024
5	0.10	-0.127	55	0.78	3.337	105	1.38	2.561	155	2.00	4.646
6	0.12	3.493	56	0.79	3.459	106	1.39	2.931	156	2.01	4.895
7	0.13	2.867	57	0.80	3.956	107	1.40	3.179	157	2.02	4.642
8	0.15	1.736	58	0.81	3.704	108	1.41	3.801	158	2.03	3.764
9	0.17	5.980	59	0.83	3.701	109	1.42	4.174	159	2.04	2.761
10	0.18	6.355	60	0.84	2.824	110	1.43	5.421	160	2.05	2.757
11	0.19	4.727	61	0.85	2.195	111	1.44	5.794	161	2.07	3.378
12	0.21	3.867	62	0.86	2.692	112	1.45	5.417	162	2.09	4.873
13	0.22	3.218	63	0.87	3.065	113	1.47	1.662	163	2.10	5.871
14	0.24	2.216	64	0.88	3.689	114	1.49	-0.844	164	2.11	5.618
15	0.25	2.962	65	0.89	4.061	115	1.50	-0.595	165	2.12	4.990
16	0.27	3.208	66	0.90	2.809	116	1.52	1.699	166	2.13	4.362
17	0.28	4.080	67	0.91	2.306	117	1.53	3.771	167	2.14	3.109
18	0.29	4.202	68	0.92	1.804	118	1.54	4.144	168	2.16	2.480
19	0.30	3.574	69	0.93	1.426	119	1.55	4.766	169	2.17	2.725
20	0.32	2.322	70	0.94	2.424	120	1.56	4.764	170	2.19	2.720
21	0.33	3.193	71	0.95	3.422	121	1.57	4.135	171	2.21	3.342
22	0.34	3.441	72	0.97	4.918	122	1.58	4.132	172	2.22	4.213
23	0.35	4.188	73	0.98	5.915	123	1.59	3.503	173	2.23	4.211
24	0.37	3.185	74	0.99	5.913	124	1.61	2.876	174	2.24	4.209
25	0.38	1.556	75	1.00	4.286	125	1.62	0.747	173	2.25	3.331
26	0.39	3.804	76	1.01	4.533	126	1.63	0.994	176	2.26	1.202
27	0.40	4.427	77	1.02	3.655	127	1.64	1.617	177	2.28	1.073
28	0.41	4.426	78	1.04	3.400	128	1.65	2.240	178	2.29	1.445
29	0.42	5.048	79	1.05	3.398	129	1.66	2.862	179	2.31	3.314
30	0.43	4.169	80	1.06	3.019	130	1.67	3.110	180	2.32	4.561
31	0.45	2.291	81	1.08	0.515	131	1.68	3.481	181	2.33	4.934
32	0.47	1.411	82	1.09	0.510	132	1.70	3.225	182	2.34	6.432
33	0.48	2.532	83	1.11	1.757	133	1.72	3.220	183	2.35	6.179
34	0.49	3.405	84	1.12	3.254	134	1.75	3.214	184	2.37	5.174
35	0.50	3.778	85	1.13	4.875	135	1.76	2.586	185	2.38	3.920
36	0.51	4.151	86	1.14	5.499	136	1.77	1.832	186	2.40	0.541
37	0.52	3.774	87	1.15	5.246	137	1.78	1.830	187	2.41	-0.712
38	0.53	3.396	88	1.16	5.244	138	1.79	2.452	188	2.42	-1.716
39	0.55	2.517	89	1.17	2.117	139	1.80	2.450	189	2.43	-0.843
40	0.56	1.889	90	1.18	-1.513	140	1.81	1.947	190	2.44	0.405
41	0.58	2.884	91	1.19	-0.640	141	1.82	0.944	191	2.45	3.901
42	0.60	5.905	92	1.22	6.726	142	1.83	0.691	192	2.46	4.524
43	0.61	6.501	93	1.23	7.599	143	1.84	0.563	193	2.47	5.147
44	0.62	7.251	94	1.24	7.346	144	1.85	2.508	194	2.48	4.892
45	0.63	7.249	95	1.25	6.095	145	1.87	3.680	195	2.49	4.890
46	0.64	7.246	96	1.26	2.341	146	1.88	4.928	196	2.50	5.138
47	0.65	5.369	97	1.27	0.089	147	1.89	5.052	197	2.51	6.011
48	0.67	1.237	98	1.28	-0.164	148	1.90	4.424	198	2.52	8.257
49	0.68	0.236	99	1.29	-0.792	149	1.91	2.545	199	2.53	8.879
50	0.69	0.608	100	1.30	0.705	150	1.93	0.665	200	2.54	8.878

INDEX NO. 797 1305-GR-15 HORONAN BRIDGE LG. MAX.ACCEL.= -50.327(GAL) T=18.08(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	2.56	2.997	251	3.13	2.219	301	3.71	0.818	351	4.29	-1.724
202	2.57	-0.507	252	3.14	1.642	302	3.72	-0.810	352	4.30	0.772
203	2.58	-1.634	253	3.15	0.964	303	3.73	0.688	353	4.31	1.645
204	2.59	-2.886	254	3.17	0.336	304	3.74	1.936	354	4.32	2.018
205	2.60	-2.514	255	3.18	-0.293	305	3.75	1.932	355	4.33	2.266
206	2.63	-1.896	256	3.19	-0.670	306	3.76	1.930	356	4.34	2.263
207	2.64	-1.023	257	3.20	-0.049	307	3.78	3.175	357	4.35	1.135
208	2.65	-0.652	258	3.21	0.575	308	3.79	5.421	358	4.36	0.508
209	2.66	3.969	259	3.23	6.443	309	3.80	7.543	359	4.38	1.003
210	2.67	5.342	260	3.24	8.941	310	3.81	8.540	360	4.39	2.625
211	2.68	5.964	261	3.25	11.562	311	3.82	9.413	361	4.40	3.497
212	2.69	5.963	262	3.26	11.562	312	3.83	7.910	362	4.41	4.994
213	2.70	5.459	263	3.27	7.808	313	3.85	4.782	363	4.42	4.993
214	2.71	5.081	264	3.28	4.680	314	3.86	2.904	364	4.43	4.990
215	2.72	5.703	265	3.29	4.302	315	3.87	2.275	365	4.44	4.610
216	2.74	5.449	266	3.30	3.300	316	3.89	1.645	366	4.45	4.358
217	2.75	5.447	267	3.31	3.672	317	3.91	1.890	367	4.46	3.106
218	2.76	4.818	268	3.33	3.918	318	3.92	1.637	368	4.47	1.229
219	2.78	-1.438	269	3.34	4.041	319	3.93	1.885	369	4.48	0.475
220	2.79	-2.441	270	3.35	3.038	320	3.94	8.867	370	4.49	0.849
221	2.80	-2.442	271	3.36	0.909	321	3.95	7.613	371	4.50	4.971
222	2.81	1.929	272	3.37	-0.717	322	3.96	7.236	372	4.52	10.841
223	2.82	6.552	273	3.38	-0.721	323	3.97	6.859	373	4.53	14.338
224	2.83	8.799	274	3.39	-0.473	324	3.99	5.979	374	4.54	15.086
225	2.84	10.047	275	3.40	1.149	325	4.00	5.101	375	4.55	12.457
226	2.85	10.045	276	3.43	3.892	326	4.01	2.599	376	4.56	6.954
227	2.86	6.917	277	3.44	5.138	327	4.03	-5.032	377	4.57	4.328
228	2.87	5.039	278	3.45	6.136	328	4.04	-5.660	378	4.58	2.076
229	2.88	3.537	279	3.46	5.509	329	4.05	-6.286	379	4.60	2.694
230	2.89	3.783	280	3.48	-2.623	330	4.06	-5.414	380	4.62	4.190
231	2.90	5.655	281	3.49	-4.876	331	4.07	-2.291	381	4.63	5.187
232	2.91	6.278	282	3.50	-4.628	332	4.08	1.080	382	4.64	5.809
233	2.92	7.151	283	3.51	-2.755	333	4.09	1.453	383	4.65	4.307
234	2.93	7.149	284	3.52	-0.883	334	4.10	1.700	384	4.66	1.179
235	2.94	2.895	285	3.53	-0.884	335	4.11	0.823	385	4.68	-2.327
236	2.95	-1.484	286	3.54	1.612	336	4.12	0.196	386	4.70	-3.706
237	2.96	-3.235	287	3.56	3.482	337	4.13	-0.808	387	4.71	-5.209
238	2.97	-5.488	288	3.57	4.479	338	4.14	0.815	388	4.72	-5.586
239	2.98	-0.742	289	3.58	4.853	339	4.15	1.687	389	4.73	-3.713
240	3.00	3.878	290	3.59	6.724	340	4.16	2.310	390	4.74	-2.468
241	3.01	5.875	291	3.60	7.097	341	4.18	2.304	391	4.77	10.150
242	3.02	6.874	292	3.61	4.843	342	4.19	2.302	392	4.78	11.648
243	3.03	6.621	293	3.62	3.341	343	4.20	1.675	393	4.79	12.145
244	3.05	5.617	294	3.63	1.715	344	4.21	2.296	394	4.80	10.893
245	3.06	4.738	295	3.64	1.336	345	4.23	3.292	395	4.81	5.014
246	3.07	4.112	296	3.66	3.206	346	4.24	2.663	396	4.82	1.387
247	3.08	3.734	297	3.67	5.452	347	4.25	0.786	397	4.83	0.510
248	3.09	3.106	298	3.68	6.450	348	4.26	-1.717	398	4.84	1.006
249	3.11	2.475	299	3.69	4.823	349	4.27	-3.595	399	4.86	2.253
250	3.12	2.472	300	3.70	3.321	350	4.28	-3.346	400	4.87	1.124

INDEX NO. 797 1305-GR-15 HOROMAN BRIDGE LG. MAX.ACCEL.= -50.327(GAL) T=18.08(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	4.88	0.121	451	5.53	3.952	501	6.16	-0.982	551	6.76	4.004
402	4.89	-0.757	452	5.54	5.824	502	6.17	-0.591	552	6.77	3.753
403	4.90	0.741	453	5.55	8.946	503	6.18	-0.967	553	6.78	2.126
404	4.92	6.360	454	5.56	10.618	504	6.19	-1.595	554	6.79	0.621
405	4.93	9.483	455	5.57	10.942	505	6.20	-1.224	555	6.80	1.119
406	4.94	10.355	456	5.58	10.312	506	6.22	-0.978	556	6.81	2.741
407	4.95	7.603	457	5.61	8.431	507	6.25	-0.111	557	6.82	3.364
408	4.96	5.100	458	5.62	8.302	508	6.26	0.885	558	6.83	3.612
409	4.97	3.848	459	5.63	10.549	509	6.27	1.758	559	6.84	3.110
410	4.99	4.093	460	5.64	12.547	510	6.28	2.756	560	6.85	-2.270
411	5.00	4.214	461	5.65	13.171	511	6.29	4.378	561	6.86	-3.522
412	5.01	3.213	462	5.66	12.543	512	6.30	4.752	562	6.87	-4.648
413	5.02	0.004	463	5.67	10.666	513	6.31	3.248	563	6.88	-2.777
414	5.03	-2.043	464	5.69	-6.091	514	6.34	-7.885	564	6.89	-1.779
415	5.04	-2.046	465	5.70	-7.718	515	6.35	-9.139	565	6.90	-1.783
416	5.06	4.076	466	5.71	-11.220	516	6.36	-10.391	566	6.92	-3.410
417	5.07	9.447	467	5.73	-0.601	517	6.37	-9.517	567	6.93	-9.539
418	5.08	10.944	468	5.74	2.897	518	6.38	-6.395	568	6.94	-10.166
419	5.09	12.317	469	5.75	3.145	519	6.40	0.474	569	6.95	-8.668
420	5.10	5.564	470	5.77	3.140	520	6.41	4.096	570	6.97	7.074
421	5.11	3.187	471	5.78	2.886	521	6.42	5.344	571	6.98	10.447
422	5.12	2.560	472	5.79	3.133	522	6.43	5.361	572	6.99	10.945
423	5.13	3.432	473	5.80	3.882	523	6.44	5.089	573	7.00	10.066
424	5.15	10.676	474	5.81	6.379	524	6.46	3.459	574	7.01	5.939
425	5.16	12.300	475	5.82	7.376	525	6.47	2.581	575	7.02	3.312
426	5.17	13.545	476	5.83	8.074	526	6.48	0.952	576	7.03	2.685
427	5.18	12.669	477	5.84	8.872	527	6.49	-3.675	577	7.05	4.805
428	5.20	7.414	478	5.85	9.242	528	6.50	-3.426	578	7.06	5.177
429	5.21	1.035	479	5.89	8.359	529	6.51	-9.180	579	7.07	5.175
430	5.22	-0.842	480	5.90	6.730	530	6.52	-13.683	580	7.08	4.298
431	5.23	-2.095	481	5.91	4.228	531	6.53	-13.436	581	7.09	2.045
432	5.24	-3.098	482	5.92	-0.776	532	6.54	-11.187	582	7.10	1.167
433	5.26	-3.102	483	5.93	-2.029	533	6.57	12.929	583	7.11	2.663
434	5.29	-0.986	484	5.94	-1.406	534	6.58	15.427	584	7.12	3.911
435	5.32	2.131	485	5.97	9.836	535	6.59	16.674	585	7.13	4.908
436	5.34	3.377	486	5.98	11.833	536	6.60	15.423	586	7.15	4.279
437	5.35	3.999	487	5.99	11.207	537	6.61	6.418	587	7.17	-5.853
438	5.36	3.746	488	6.00	9.330	538	6.63	2.540	588	7.18	-6.480
439	5.37	3.119	489	6.02	-2.303	539	6.64	-0.963	589	7.19	-6.858
440	5.41	-6.143	490	6.03	-3.555	540	6.65	-0.716	590	7.21	-5.988
441	5.42	-6.146	491	6.04	-3.556	541	6.66	-0.093	591	7.22	-5.866
442	5.43	-6.148	492	6.05	1.065	542	6.67	-0.721	592	7.23	-5.617
443	5.44	-4.525	493	6.06	3.187	543	6.68	-2.224	593	7.24	-4.619
444	5.46	1.096	494	6.07	2.937	544	6.69	-8.603	594	7.27	14.246
445	5.47	5.842	495	6.08	2.058	545	6.70	-12.479	595	7.28	17.368
446	5.48	6.839	496	6.10	-3.571	546	6.71	-15.232	596	7.29	17.743
447	5.49	6.837	497	6.11	-7.200	547	6.72	-14.984	597	7.30	19.115
448	5.50	6.586	498	6.12	-6.577	548	6.73	-13.736	598	7.31	15.737
449	5.51	5.582	499	6.13	-4.455	549	6.74	-8.488	599	7.32	10.235
450	5.52	4.080	500	6.15	-2.584	550	6.75	2.632	600	7.33	7.982

INDEX NO. 797 1305-GR-15 HOROMAN BRIDGE LG. MAX.ACCEL.= -50.327(GAL) T=18.08(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	7.34	2.978	651	8.01	-4.570	701	8.62	-5.730	751	9.28	10.346
602	7.36	0.723	652	8.03	-3.951	702	8.63	+2.234	752	9.30	5.091
603	7.37	-0.904	653	8.05	-3.081	703	8.64	-1.361	753	9.31	3.464
604	7.38	-2.031	654	8.06	-3.335	704	8.65	-0.364	754	9.32	2.712
605	7.39	-5.034	655	8.07	-2.086	705	8.66	-1.241	755	9.34	1.206
606	7.40	-5.411	656	8.10	14.654	706	8.67	-3.493	756	9.35	0.829
607	7.41	-3.789	657	8.11	17.777	707	8.68	-10.997	757	9.36	0.826
608	7.44	5.952	658	8.12	17.526	708	8.69	-14.625	758	9.37	1.698
609	7.45	7.574	659	8.13	15.397	709	8.70	-14.251	759	9.40	20.690
610	7.46	7.573	660	8.14	12.519	710	8.71	-8.630	760	9.41	22.937
611	7.48	6.068	661	8.15	12.517	711	8.74	20.237	761	9.42	24.811
612	7.50	2.312	662	8.18	11.890	712	8.75	22.110	762	9.45	+25.023
613	7.53	0.430	663	8.18	13.135	713	8.76	20.358	763	9.46	+30.575
614	7.54	-1.825	664	8.19	11.882	714	8.78	-5.649	764	9.47	+32.202
615	7.55	+2.072	665	8.20	9.129	715	8.79	+10.026	765	9.48	+35.330
616	7.56	-1.203	666	8.21	7.252	716	8.80	+10.653	766	9.50	4.790
617	7.57	0.919	667	8.22	6.248	717	8.81	+10.155	767	9.51	15.536
618	7.58	2.541	668	8.23	6.745	718	8.82	-3.203	768	9.52	19.158
619	7.59	3.789	669	8.24	12.118	719	8.83	4.714	769	9.53	14.156
620	7.60	4.037	670	8.25	13.990	720	8.84	8.087	770	9.55	+4.225
621	7.61	1.657	671	8.26	14.363	721	8.85	8.460	771	9.56	-14.853
622	7.62	-1.846	672	8.27	13.737	722	8.87	+8.047	772	9.57	+15.730
623	7.63	-1.847	673	8.29	4.105	723	8.88	+6.799	773	9.58	+15.106
624	7.65	-0.603	674	8.30	+2.898	724	8.89	+8.675	774	9.59	+14.233
625	7.67	+0.232	675	8.31	-4.650	725	8.91	-0.806	775	9.60	-10.487
626	7.69	-1.238	676	8.32	-5.902	726	8.92	2.692	776	9.61	+9.739
627	7.70	0.259	677	8.33	-5.996	727	8.93	4.064	777	9.62	+9.491
628	7.72	1.880	678	8.35	-6.159	728	8.96	-11.319	778	9.63	+9.744
629	7.73	5.626	679	8.36	-6.163	729	8.97	-15.447	779	9.64	-9.497
630	7.74	6.248	680	8.37	-7.791	730	8.98	-14.199	780	9.65	-5.499
631	7.75	6.497	681	8.38	+9.919	731	9.00	2.046	781	9.67	13.994
632	7.76	6.620	682	8.39	+10.920	732	9.01	3.791	782	9.68	16.742
633	7.78	6.490	683	8.40	-12.674	733	9.02	2.789	783	9.69	18.488
634	7.79	6.861	684	8.41	-12.675	734	9.05	+14.094	784	9.70	16.363
635	7.80	6.607	685	8.43	4.819	735	9.06	+14.971	785	9.72	8.733
636	7.81	5.982	686	8.44	8.816	736	9.07	+13.722	786	9.73	6.479
637	7.84	-4.778	687	8.45	10.689	737	9.10	5.268	787	9.74	7.102
638	7.85	-6.405	688	8.46	11.187	738	9.11	6.767	788	9.75	10.850
639	7.86	-6.157	689	8.47	3.307	739	9.12	9.638	789	9.76	15.221
640	7.87	-4.910	690	8.49	-6.822	740	9.13	9.512	790	9.77	16.469
641	7.89	-2.414	691	8.50	-10.575	741	9.14	8.885	791	9.78	15.217
642	7.90	-1.416	692	8.51	-11.577	742	9.17	+10.750	792	9.80	2.337
643	7.91	-1.419	693	8.52	-11.329	743	9.18	-12.001	793	9.81	+2.418
644	7.92	+1.672	694	8.55	-2.587	744	9.19	-11.504	794	9.82	-1.544
645	7.93	+2.051	695	8.56	+0.714	745	9.20	-5.883	795	9.83	2.577
646	7.95	+2.055	696	8.57	1.283	746	9.23	3.360	796	9.85	10.072
647	7.97	-1.810	697	8.58	0.030	747	9.24	7.981	797	9.86	10.321
648	7.98	-2.439	698	8.59	-1.597	748	9.25	10.604	798	9.87	9.194
649	7.99	-3.567	699	8.60	-5.976	749	9.26	11.602	799	9.90	-5.064
650	8.00	+3.944	700	8.61	-6.228	750	9.27	11.850	800	9.91	-8.193

INDEX NO. 797 1305-GR-15 HOROHAN BRIDGE LG. MAX.ACCEL.= -50.327(GAL) T=18.08(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	9.92	-8.444	851	10.52	-15.978	901	11.16	23.355	951	11.77	-10.305
802	9.93	-7.323	852	10.53	-15.355	902	11.17	23.353	952	11.78	-6.557
803	9.94	-6.075	853	10.54	-14.733	903	11.18	24.226	953	11.80	11.188
804	9.96	3.168	854	10.55	-14.360	904	11.19	21.099	954	11.81	13.061
805	9.97	7.541	855	10.56	-14.361	905	11.21	13.719	955	11.82	14.434
806	9.98	9.664	856	10.57	-12.614	906	11.22	9.840	956	11.85	-7.825
807	9.99	11.036	857	10.58	-9.742	907	11.23	6.462	957	11.86	-8.953
808	10.00	8.284	858	10.61	16.249	908	11.24	4.211	958	11.87	-6.830
809	10.01	5.157	859	10.62	19.121	909	11.26	-10.421	959	11.90	9.787
810	10.02	-4.347	860	10.63	19.245	910	11.27	-14.298	960	11.91	11.785
811	10.03	-7.600	861	10.66	-1.390	911	11.28	-15.551	961	11.92	12.782
812	10.04	-8.852	862	10.67	-1.392	912	11.29	-14.302	962	11.93	12.780
813	10.05	-6.355	863	10.68	1.106	913	11.31	2.441	963	11.95	12.525
814	10.07	1.140	864	10.70	11.475	914	11.32	6.188	964	11.97	11.895
815	10.08	5.012	865	10.71	13.097	915	11.33	6.812	965	11.98	10.266
816	10.09	5.011	866	10.72	13.721	916	11.35	-7.570	966	11.99	7.514
817	10.10	5.634	867	10.73	13.718	917	11.36	-10.073	967	12.01	-4.367
818	10.11	4.380	868	10.74	11.592	918	11.37	-10.699	968	12.02	-6.494
819	10.12	4.129	869	10.75	8.088	919	11.38	-8.326	969	12.03	-8.747
820	10.13	3.499	870	10.76	5.335	920	11.40	7.792	970	12.04	-6.624
821	10.14	3.372	871	10.77	3.082	921	11.41	8.540	971	12.05	-1.253
822	10.15	-0.005	872	10.78	1.079	922	11.42	8.914	972	12.06	1.869
823	10.17	-13.012	873	10.79	-3.549	923	11.43	3.536	973	12.07	3.242
824	10.18	-15.514	874	10.82	-14.806	924	11.44	-4.844	974	12.08	4.114
825	10.19	-17.140	875	10.83	-17.309	925	11.45	-5.721	975	12.09	4.487
826	10.21	-3.697	876	10.84	-17.060	926	11.46	-5.473	976	12.11	5.107
827	10.22	1.726	877	10.85	-14.187	927	11.48	1.647	977	12.12	5.730
828	10.23	3.724	878	10.86	-8.315	928	11.49	2.769	978	12.13	5.978
829	10.25	-6.606	879	10.88	15.553	929	11.50	2.517	979	12.14	5.975
830	10.26	-9.783	880	10.89	17.800	930	11.51	-0.611	980	12.16	2.345
831	10.27	-10.036	881	10.90	16.300	931	11.52	-4.114	981	12.18	-8.161
832	10.28	-7.163	882	10.93	-6.834	932	11.53	-4.115	982	12.19	-10.040
833	10.30	13.205	883	10.94	-7.461	933	11.54	-2.869	983	12.20	-9.790
834	10.31	16.452	884	10.95	-6.963	934	11.55	0.254	984	12.21	-8.543
835	10.32	15.575	885	10.96	-5.592	935	11.57	7.999	985	12.22	-6.921
836	10.33	13.698	886	10.98	1.778	936	11.58	8.570	986	12.23	-3.549
837	10.34	7.570	887	10.99	3.526	937	11.59	8.119	987	12.24	-3.801
838	10.35	5.693	888	11.00	3.522	938	11.60	6.865	988	12.25	-3.555
839	10.36	3.815	889	11.01	1.646	939	11.62	5.235	989	12.27	-3.185
840	10.37	4.061	890	11.02	-2.108	940	11.63	3.733	990	12.29	-3.440
841	10.39	6.556	891	11.04	-9.738	941	11.64	-1.895	991	12.30	-3.818
842	10.41	9.052	892	11.05	-12.117	942	11.67	-19.652	992	12.31	-4.446
843	10.42	11.548	893	11.06	-10.868	943	11.68	-22.030	993	12.32	-5.322
844	10.43	12.546	894	11.07	-8.370	944	11.69	-20.782	994	12.33	-5.950
845	10.44	13.168	895	11.08	-6.750	945	11.71	-8.788	995	12.34	-5.451
846	10.45	12.292	896	11.09	-6.625	946	11.72	-5.289	996	12.36	-0.081
847	10.46	-9.216	897	11.10	-7.505	947	11.73	-2.418	997	12.37	7.789
848	10.49	-18.469	898	11.11	-8.131	948	11.74	-8.047	998	12.38	8.912
849	10.50	-19.722	899	11.12	-6.384	949	11.75	-11.424	999	12.39	5.535
850	10.51	-19.724	900	11.13	-1.637	950	11.76	-13.052	1000	12.41	-6.346

INDEX NO. 797 1305-GR-15 HOROHAN BRIDGE LG. MAX.ACCEL.= -50.327(GAL) T=18.08(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	12.42	-9.725	1051	13.09	5.852	1101	13.69	3.321	1151	14.36	-6.394
1002	12.43	-9.475	1052	13.10	5.600	1102	13.70	-8.184	1152	14.37	8.893
1003	12.44	-6.978	1053	13.11	4.097	1103	13.71	-11.061	1153	14.38	5.515
1004	12.46	6.265	1054	13.14	-7.413	1104	13.72	-11.438	1154	14.40	-17.866
1005	12.47	8.139	1055	13.15	-9.040	1105	13.73	-9.814	1155	14.41	-19.119
1006	12.48	9.260	1056	13.17	-8.168	1106	13.76	16.051	1156	14.42	-16.995
1007	12.49	7.384	1057	13.18	-6.297	1107	13.77	18.048	1157	14.44	-2.502
1008	12.51	-5.998	1058	13.20	-3.801	1108	13.78	18.047	1158	14.45	2.620
1009	12.52	-11.000	1059	13.21	-2.179	1109	13.81	10.289	1159	14.46	3.244
1010	12.53	-12.003	1060	13.22	-0.057	1110	13.82	8.287	1160	14.47	-5.760
1011	12.54	-12.254	1061	13.23	3.941	1111	13.83	8.783	1161	14.49	-31.890
1012	12.55	-9.382	1062	13.24	5.688	1112	13.84	9.405	1162	14.50	-36.893
1013	12.57	-6.513	1063	13.25	6.061	1113	13.85	9.528	1163	14.51	-37.270
1014	12.58	-5.766	1064	13.26	4.183	1114	13.86	7.276	1164	14.52	-36.646
1015	12.59	-6.019	1065	13.27	1.429	1115	13.90	-42.486	1165	14.56	-13.717
1016	12.60	-6.396	1066	13.28	1.677	1116	13.91	-44.736	1166	14.57	17.214
1017	12.61	-6.773	1067	13.29	3.174	1117	13.92	-45.239	1167	14.58	17.212
1018	12.62	-3.650	1068	13.30	6.922	1118	13.93	-32.869	1168	14.59	13.460
1019	12.65	9.593	1069	13.31	11.420	1119	13.96	-7.251	1169	14.62	-17.299
1020	12.66	11.964	1070	13.32	15.292	1120	13.97	-3.378	1170	14.63	-21.426
1021	12.67	11.087	1071	13.33	9.664	1121	13.98	14.882	1171	14.64	-26.555
1022	12.68	10.085	1072	13.35	-6.592	1122	13.99	-16.259	1172	14.65	-27.807
1023	12.69	8.582	1073	13.36	-9.095	1123	14.00	-19.636	1173	14.66	-26.934
1024	12.70	9.079	1074	13.37	-4.473	1124	14.01	-22.263	1174	14.67	-23.812
1025	12.71	11.076	1075	13.39	10.147	1125	14.02	-15.516	1175	14.71	7.803
1026	12.72	13.822	1076	13.40	11.770	1126	14.05	34.726	1175	14.72	10.176
1027	12.73	13.819	1077	13.41	13.019	1127	14.06	42.098	1177	14.73	10.798
1028	12.74	15.567	1078	13.42	10.516	1128	14.07	44.346	1178	14.74	7.670
1029	12.75	14.941	1079	13.43	4.012	1129	14.08	34.344	1179	14.75	4.294
1030	12.76	10.812	1080	13.44	2.386	1130	14.10	-19.038	1180	14.77	-24.713
1031	12.78	6.058	1081	13.45	2.008	1131	14.11	-19.665	1181	14.78	-30.716
1032	12.80	2.552	1082	13.46	2.880	1132	14.12	-18.167	1182	14.79	-31.093
1033	12.83	-0.080	1083	13.47	5.378	1133	14.13	-12.296	1183	14.81	-29.223
1034	12.84	-0.958	1084	13.48	11.374	1134	14.15	5.825	1184	14.83	-2.354
1035	12.86	-3.213	1085	13.49	14.496	1135	14.16	7.071	1185	14.84	9.018
1036	12.87	-2.967	1086	13.50	14.744	1136	14.17	6.194	1186	14.85	11.017
1037	12.88	-2.344	1087	13.51	12.868	1137	14.18	3.942	1187	14.86	15.138
1038	12.89	-1.347	1088	13.53	-1.513	1138	14.19	-0.435	1188	14.87	16.636
1039	12.90	0.776	1089	13.54	-10.017	1139	14.20	-6.815	1189	14.88	17.384
1040	12.92	6.396	1090	13.55	-15.145	1140	14.21	-12.067	1190	14.89	15.257
1041	12.94	10.890	1091	13.57	-17.649	1141	14.23	-33.447	1191	14.90	-11.505
1042	12.96	12.762	1092	13.59	-24.654	1142	14.24	-34.950	1192	14.93	-19.880
1043	12.98	17.504	1093	13.60	-28.407	1143	14.25	-35.951	1193	14.94	-27.883
1044	13.00	20.376	1094	13.61	-29.784	1144	14.28	-44.084	1194	14.95	-29.758
1045	13.01	22.622	1095	13.62	-30.161	1145	14.29	2.662	1195	14.96	-32.387
1046	13.02	22.621	1096	13.63	-26.413	1146	14.30	1.786	1196	14.97	-29.639
1047	13.03	14.867	1097	13.65	2.455	1147	14.31	-1.341	1197	15.01	-8.400
1048	13.05	8.737	1098	13.66	8.077	1148	14.32	-10.220	1198	15.02	1.097
1049	13.06	6.859	1099	13.67	12.324	1149	14.33	-10.847	1199	15.03	1.844
1050	13.07	5.607	1100	13.68	8.947	1150	14.35	0.647	1200	15.04	0.967

INDEX NO. 797 1305-GR-15 HOROMAN BRIDGE LG. MAX.ACCEL.= -50.327(GAL) T=18.08(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	15.06	-1.287	1251	15.70	-22.081	1301	16.34	-2.873	1351	17.03	-10.304
1202	15.07	-5.041	1252	15.71	-23.333	1302	16.36	-6.754	1352	17.04	-10.056
1203	15.08	-14.919	1253	15.72	-23.085	1303	16.39	-27.012	1353	17.05	-8.559
1204	15.09	-18.047	1254	15.73	-22.838	1304	16.40	-29.514	1354	17.07	-2.563
1205	15.10	-20.549	1255	15.75	-20.593	1305	16.41	-28.640	1355	17.09	3.807
1206	15.11	-19.676	1256	15.76	-19.346	1306	16.42	-23.268	1356	17.10	7.178
1207	15.12	-15.305	1257	15.77	-14.848	1307	16.43	-14.772	1357	17.11	7.300
1208	15.14	0.690	1258	15.80	16.393	1308	16.44	-12.275	1358	17.13	7.296
1209	15.15	6.189	1259	15.81	21.516	1309	16.45	-10.025	1359	17.15	6.041
1210	15.16	4.686	1260	15.82	21.889	1310	16.46	-8.779	1360	17.16	5.414
1211	15.18	-14.695	1261	15.83	18.760	1311	16.47	-10.907	1361	17.17	2.534
1212	15.19	-16.822	1262	15.84	14.133	1312	16.48	-12.909	1362	17.18	0.657
1213	15.20	-19.074	1263	15.85	11.880	1313	16.49	-14.788	1363	17.19	1.280
1214	15.21	-15.077	1264	15.86	12.502	1314	16.50	-14.164	1364	17.20	7.903
1215	15.22	-6.955	1265	15.87	14.374	1315	16.51	-4.668	1365	17.23	29.145
1216	15.23	-4.331	1266	15.88	13.746	1316	16.52	-3.044	1366	17.24	32.766
1217	15.24	-2.085	1267	15.89	13.496	1317	16.53	-2.048	1367	17.25	32.390
1218	15.25	-9.589	1268	15.90	8.368	1318	16.54	-1.426	1368	17.26	30.138
1219	15.26	-12.717	1269	15.91	-6.886	1319	16.55	-1.804	1369	17.27	21.635
1220	15.27	-15.343	1270	15.92	-10.014	1320	16.56	-3.056	1370	17.28	9.382
1221	15.28	-13.845	1271	15.93	-11.640	1321	16.57	-2.807	1371	17.29	2.380
1222	15.31	16.521	1272	15.94	-9.517	1322	16.58	-1.810	1372	17.30	1.752
1223	15.32	19.519	1273	15.95	1.229	1323	16.61	7.057	1373	17.32	2.122
1224	15.33	20.142	1274	15.96	15.476	1324	16.63	7.928	1374	17.33	2.494
1225	15.36	-9.242	1275	15.97	18.369	1325	16.64	7.675	1375	17.34	1.490
1226	15.37	-12.999	1276	15.98	19.971	1326	16.65	7.672	1376	17.35	-0.012
1227	15.38	-13.998	1277	16.00	19.967	1327	16.66	7.418	1377	17.37	-1.516
1228	15.39	-13.998	1278	16.01	19.090	1328	16.67	6.792	1378	17.38	-2.770
1229	15.40	-3.128	1279	16.03	19.959	1329	16.68	5.789	1379	17.39	-4.647
1230	15.41	3.245	1280	16.04	19.955	1330	16.69	5.537	1380	17.40	-7.649
1231	15.43	8.616	1281	16.05	19.329	1331	16.70	7.033	1381	17.42	-20.906
1232	15.44	12.113	1282	16.09	-5.933	1332	16.71	10.280	1382	17.43	-25.408
1233	15.45	13.984	1283	16.10	-8.561	1333	16.75	31.770	1383	17.44	-25.660
1234	15.46	14.606	1284	16.11	-8.561	1334	16.76	36.892	1384	17.45	-25.661
1235	15.48	15.226	1285	16.14	2.180	1335	16.77	38.264	1385	17.46	-25.164
1236	15.49	15.849	1286	16.15	5.552	1336	16.78	37.012	1386	17.47	-23.542
1237	15.50	16.598	1287	16.16	6.549	1337	16.79	35.134	1387	17.48	-17.045
1238	15.52	16.218	1288	16.17	7.421	1338	16.80	31.633	1388	17.49	-15.798
1239	15.53	15.964	1289	16.18	7.170	1339	16.85	-17.882	1389	17.50	-14.050
1240	15.54	16.460	1290	16.19	6.543	1340	16.87	-31.887	1390	17.51	-12.803
1241	15.55	17.208	1291	16.21	1.912	1341	16.88	-34.389	1391	17.52	-11.556
1242	15.56	17.206	1292	16.22	0.284	1342	16.89	-35.641	1392	17.53	-8.182
1243	15.59	-10.303	1293	16.23	-1.593	1343	16.90	-35.393	1393	17.54	-4.311
1244	15.60	-10.305	1294	16.24	-0.721	1344	16.91	-30.147	1394	17.55	-2.687
1245	15.62	-7.809	1295	16.25	0.526	1345	16.94	6.595	1395	17.56	-4.066
1246	15.63	7.437	1296	16.27	5.896	1346	16.95	10.842	1396	17.58	-13.697
1247	15.64	9.561	1297	16.28	7.643	1347	16.96	12.839	1397	17.59	-13.950
1248	15.65	16.932	1298	16.29	7.017	1348	16.98	11.586	1398	17.60	-11.826
1249	15.66	16.681	1299	16.31	2.635	1349	17.01	-5.172	1399	17.63	14.039
1250	15.69	-19.829	1300	16.32	-0.994	1350	17.02	-10.300	1400	17.64	15.037

INDEX NO. 797 1305-GR-15 HOROMAN BRIDGE LG. MAX.ACCEL.= -50.327(GAL) T=18.08(SEC) NO. 8

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1401	17.65	16.409	1451	18.45	1.575	1501	19.15	31.018	1551	19.85	-40.415
1402	17.66	15.533	1452	18.46	1.324	1502	19.16	27.515	1552	19.87	-37.919
1403	17.67	13.655	1453	18.47	0.072	1503	19.17	23.637	1553	19.88	-29.672
1404	17.69	1.275	1454	18.48	-2.181	1504	19.18	19.011	1554	19.89	-18.926
1405	17.71	-9.230	1455	18.50	-7.937	1505	19.22	-13.125	1555	19.90	-10.054
1406	17.76	-28.619	1456	18.51	-7.939	1506	19.23	-23.629	1556	19.91	-3.931
1407	17.77	-30.122	1457	18.54	-6.572	1507	19.24	-30.256	1557	19.92	-0.184
1408	17.78	-29.874	1458	18.56	-7.327	1508	19.25	-31.258	1558	19.93	3.688
1409	17.79	-29.626	1459	18.57	-7.081	1509	19.26	-32.637	1559	19.94	3.937
1410	17.80	-26.755	1460	18.58	-3.707	1510	19.27	-31.013	1560	19.96	-1.569
1411	17.81	-24.007	1461	18.61	14.908	1511	19.28	-27.016	1561	19.97	-1.071
1412	17.88	22.974	1462	18.62	16.156	1512	19.35	8.341	1562	19.99	-1.577
1413	17.89	22.598	1463	18.63	14.279	1513	19.36	17.462	1563	20.00	-1.578
1414	17.90	25.220	1464	18.65	-11.352	1514	19.37	18.460	1564	20.01	-2.581
1415	17.91	25.843	1465	18.66	-18.105	1515	19.38	18.708	1565	20.02	-5.833
1416	17.92	25.216	1466	18.67	-21.232	1516	19.39	14.457	1566	20.03	-6.461
1417	17.93	24.337	1467	18.68	-23.859	1517	19.40	9.453	1567	20.04	-5.839
1418	17.94	22.085	1468	18.69	-23.236	1518	19.41	5.575	1568	20.05	-4.966
1419	17.96	9.205	1469	18.71	-11.617	1519	19.42	3.324	1569	20.06	4.905
1420	17.97	-0.424	1470	18.72	-6.118	1520	19.43	3.946	1570	20.07	4.904
1421	17.98	-8.052	1471	18.73	0.504	1521	19.44	5.193	1571	20.08	7.026
1422	17.99	-11.180	1472	18.74	5.249	1522	19.45	7.065	1572	20.09	10.022
1423	18.01	-16.310	1473	18.77	11.868	1523	19.46	8.063	1573	20.10	8.770
1424	18.02	-21.062	1474	18.78	16.364	1524	19.47	5.186	1574	20.11	6.893
1425	18.05	-40.570	1475	18.79	18.363	1525	19.49	-9.072	1575	20.13	2.263
1426	18.06	-45.447	1476	18.80	19.236	1526	19.50	-13.199	1576	20.14	1.635
1427	18.07	-48.700	1477	18.81	19.608	1527	19.51	-15.075	1577	20.15	1.631
1428	18.08	-50.327	1478	18.82	17.355	1528	19.52	-16.079	1578	20.17	4.377
1429	18.09	-47.830	1479	18.89	-24.163	1529	19.54	-15.833	1579	20.18	4.749
1430	18.12	-14.462	1480	18.90	-31.166	1530	19.55	-15.837	1580	20.20	2.494
1431	18.13	-8.715	1481	18.91	-32.795	1531	19.57	-16.716	1581	20.21	-0.134
1432	18.14	-7.218	1482	18.92	-32.547	1532	19.58	-15.594	1582	20.22	-4.137
1433	18.16	-9.098	1483	18.93	-25.300	1533	19.59	-13.097	1583	20.23	-8.390
1434	18.17	-9.100	1484	18.95	-7.431	1534	19.62	5.647	1584	20.24	-8.392
1435	18.18	-0.979	1485	18.96	-4.932	1535	19.63	10.143	1585	20.25	-6.394
1436	18.20	13.641	1486	18.97	-1.809	1536	19.64	13.265	1586	20.26	-6.146
1437	18.21	15.638	1487	18.98	0.188	1537	19.65	13.887	1587	20.27	-6.898
1438	18.22	12.886	1488	18.99	0.185	1538	19.66	12.635	1588	20.28	-3.403
1439	18.24	6.567	1489	19.00	-1.691	1539	19.67	11.382	1589	20.29	-1.529
1440	18.25	2.628	1490	19.01	-5.696	1540	19.68	10.756	1590	20.30	1.343
1441	18.26	4.252	1491	19.02	-6.197	1541	19.69	13.251	1591	20.31	2.590
1442	18.29	23.992	1492	19.03	-5.949	1542	19.72	18.994	1592	20.33	3.835
1443	18.30	27.615	1493	19.04	-3.702	1543	19.73	20.492	1593	20.34	5.208
1444	18.31	27.613	1494	19.05	-1.830	1544	19.74	22.113	1594	20.35	6.704
1445	18.37	-11.904	1495	19.07	-0.335	1545	19.75	20.863	1595	20.36	8.328
1446	18.38	-15.530	1496	19.08	2.035	1546	19.76	15.859	1596	20.37	8.325
1447	18.39	-19.909	1497	19.09	4.159	1547	19.81	-33.030	1597	20.39	5.945
1448	18.40	-19.661	1498	19.12	23.026	1548	19.82	-38.033	1598	20.40	3.443
1449	18.41	-18.412	1499	19.13	29.148	1549	19.83	-40.035	1599	20.41	0.939
1450	18.44	-3.295	1500	19.14	31.645	1550	19.84	-42.287	1600	20.43	-2.315

INDEX NO. 797 1305-GR-15 HOROMAN BRIDGE LG. MAX.ACCEL.= -50.327(GAL) T=18.08(SEC) NO. 9

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1601	20.44	-4.195	1651	21.06	-17.231	1701	21.68	2.232	1751	22.25	-11.762
1602	20.45	-4.822	1652	21.07	-16.232	1702	21.69	-5.771	1752	22.27	-18.423
1603	20.47	-4.826	1653	21.08	-14.110	1703	21.70	-11.274	1753	22.28	-19.924
1604	20.48	-4.328	1654	21.09	-10.988	1704	21.71	-15.026	1754	22.29	-21.177
1605	20.49	-3.331	1655	21.10	-9.992	1705	21.72	-16.029	1755	22.30	-20.304
1606	20.50	-0.211	1656	21.11	-10.888	1706	21.73	-15.156	1756	22.31	-15.057
1607	20.51	1.037	1657	21.12	-12.497	1707	21.74	-13.033	1757	22.32	-12.184
1608	20.52	1.035	1658	21.13	-13.500	1708	21.75	-11.160	1758	22.33	-10.061
1609	20.53	-0.467	1659	21.14	-9.752	1709	21.76	-10.788	1759	22.34	-7.690
1610	20.54	-2.095	1660	21.18	20.112	1710	21.77	-10.540	1760	22.35	-7.694
1611	20.55	-4.849	1661	21.19	21.610	1711	21.78	-11.419	1761	22.36	-8.571
1612	20.57	-5.227	1662	21.20	19.983	1712	21.79	-12.047	1762	22.37	-9.323
1613	20.59	-5.232	1663	21.21	17.480	1713	21.80	-10.799	1763	22.38	-8.700
1614	20.61	-5.488	1664	21.22	13.354	1714	21.81	-7.302	1764	22.39	-2.453
1615	20.63	-5.868	1665	21.23	7.601	1715	21.82	-2.179	1765	22.40	4.920
1616	20.64	-6.747	1666	21.24	0.473	1716	21.83	0.942	1766	22.41	15.040
1617	20.66	-9.377	1667	21.26	11.592	1717	21.84	2.315	1767	22.44	34.159
1618	20.68	-11.255	1668	21.27	12.840	1718	21.85	1.313	1768	22.45	38.531
1619	20.69	-13.759	1669	21.28	10.961	1719	21.86	-0.564	1769	22.46	40.778
1620	20.71	-17.014	1670	21.29	8.835	1720	21.87	-8.443	1770	22.47	42.151
1621	20.72	-18.016	1671	21.30	-4.169	1721	21.88	-12.821	1771	22.48	38.024
1622	20.73	-17.144	1672	21.31	-11.422	1722	21.89	-13.073	1772	22.49	30.397
1623	20.74	-15.272	1673	21.32	-10.924	1723	21.90	-11.450	1773	22.51	18.392
1624	20.75	-12.400	1674	21.33	-9.301	1724	21.92	-7.955	1774	22.52	5.388
1625	20.76	-9.903	1675	21.35	-5.930	1725	21.93	-6.083	1775	22.58	-15.252
1626	20.78	-9.657	1676	21.36	-2.433	1726	21.94	-5.710	1776	22.61	-25.135
1627	20.79	-9.286	1677	21.37	1.438	1727	21.95	-5.462	1777	22.62	-28.264
1628	20.80	-9.038	1678	21.38	-1.064	1728	21.96	-6.341	1778	22.63	-29.516
1629	20.81	-7.666	1679	21.39	-3.816	1729	21.98	-6.095	1779	22.64	-28.642
1630	20.82	-6.667	1680	21.40	-13.069	1730	21.99	-2.974	1780	22.65	-28.020
1631	20.83	-3.295	1681	21.41	-17.823	1731	22.01	2.147	1781	22.66	-26.523
1632	20.84	1.201	1682	21.42	-17.825	1732	22.02	7.643	1782	22.67	-20.276
1633	20.85	1.574	1683	21.44	-15.705	1733	22.03	9.141	1783	22.68	-16.405
1634	20.86	3.197	1684	21.45	-14.457	1734	22.04	11.387	1784	22.69	-14.156
1635	20.87	3.194	1685	21.46	-13.835	1735	22.06	12.634	1785	22.70	-11.033
1636	20.88	2.191	1686	21.47	-14.714	1736	22.07	13.006	1786	22.71	-9.536
1637	20.89	2.188	1687	21.48	-15.090	1737	22.08	13.251	1787	22.72	-7.788
1638	20.90	2.435	1688	21.49	-15.344	1738	22.10	11.998	1788	22.73	1.957
1639	20.91	4.058	1689	21.50	-13.845	1739	22.11	7.995	1789	22.76	13.700
1640	20.93	5.305	1690	21.51	-6.849	1740	22.12	4.867	1790	22.77	14.323
1641	20.94	5.552	1691	21.53	1.021	1741	22.13	2.989	1791	22.78	14.321
1642	20.95	1.923	1692	21.54	3.269	1742	22.14	-2.137	1792	22.79	11.817
1643	20.96	-0.330	1693	21.56	2.015	1743	22.16	-7.017	1793	22.81	7.812
1644	20.97	-3.209	1694	21.57	-0.488	1744	22.17	-10.395	1794	22.82	5.810
1645	20.98	-2.585	1695	21.58	-2.115	1745	22.18	-16.524	1795	22.83	4.933
1646	20.99	-1.963	1696	21.60	-0.246	1746	22.19	-17.776	1796	22.84	3.929
1647	21.00	-0.340	1697	21.61	1.376	1747	22.20	-17.528	1797	22.85	4.300
1648	21.02	1.281	1698	21.62	1.998	1748	22.21	-16.780	1798	22.86	5.798
1649	21.03	-4.347	1699	21.65	3.864	1749	22.23	-11.536	1799	22.88	6.795
1650	21.05	-15.479	1700	21.67	3.611	1750	22.24	-10.289	1800	22.89	5.917

INDEX NO. 797 1305-GR-15 HOROMAN BRIDGE LG. MAX.ACCEL.= -50.327(GAL) T=18.08(SEC) NO.10

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1801	22.90	1.538	1851	23.57	2.614	1901	24.21	-11.679	1951	24.87	5.649
1802	22.93	-14.095	1852	23.58	1.362	1902	24.22	-11.307	1952	24.89	-5.107
1803	22.94	-17.347	1853	23.59	1.608	1903	24.23	-11.059	1953	24.90	-8.985
1804	22.95	-17.975	1854	23.60	1.855	1904	24.24	-9.811	1954	24.92	-11.740
1805	22.96	-19.353	1855	23.62	2.475	1905	24.25	-5.690	1955	24.93	-11.741
1806	22.97	-15.480	1856	23.63	0.973	1906	24.27	-4.193	1956	24.94	-12.120
1807	23.00	-8.986	1857	23.65	-1.282	1907	24.28	-3.196	1957	24.95	-11.873
1808	23.02	-6.617	1858	23.66	-1.286	1908	24.29	-2.574	1958	24.98	-10.629
1809	23.04	-5.998	1859	23.68	-0.416	1909	24.30	-2.578	1959	25.00	-9.010
1810	23.05	-8.125	1860	23.69	0.208	1910	24.31	-2.329	1960	25.03	-6.269
1811	23.06	-11.629	1861	23.70	-1.045	1911	24.32	-1.707	1961	25.06	-5.650
1812	23.08	-15.383	1862	23.71	-3.172	1912	24.33	1.914	1962	25.08	-5.530
1813	23.09	-17.010	1863	23.72	-5.676	1913	24.34	3.162	1963	25.09	-6.784
1814	23.10	-17.137	1864	23.73	-7.303	1914	24.36	2.533	1964	25.10	-9.037
1815	23.11	-13.017	1865	23.74	-7.555	1915	24.37	1.654	1965	25.13	-18.544
1816	23.13	-7.271	1866	23.75	-5.807	1916	24.38	1.276	1966	25.14	-20.047
1817	23.14	-4.524	1867	23.77	-0.438	1917	24.40	1.521	1967	25.15	-20.049
1818	23.15	-2.651	1868	23.78	2.933	1918	24.42	1.892	1968	25.16	-19.551
1819	23.16	-2.279	1869	23.79	3.681	1919	24.43	-0.236	1969	25.17	-17.304
1820	23.18	-2.034	1870	23.80	-0.072	1920	24.44	-3.114	1970	25.18	-12.057
1821	23.21	-2.542	1871	23.82	-5.702	1921	24.45	-3.991	1971	25.19	-8.810
1822	23.22	-2.545	1872	23.83	-7.079	1922	24.46	-4.370	1972	25.20	-6.313
1823	23.23	-2.047	1873	23.84	-7.957	1923	24.47	-3.747	1973	25.21	-4.691
1824	23.24	-1.049	1874	23.85	-7.959	1924	24.49	-1.252	1974	25.24	-1.198
1825	23.25	1.573	1875	23.88	-6.718	1925	24.52	2.490	1975	25.25	2.549
1826	23.27	9.191	1876	23.89	-6.970	1926	24.54	3.736	1976	25.26	4.796
1827	23.28	9.815	1877	23.90	-7.597	1927	24.55	3.734	1977	25.28	6.293
1828	23.29	9.562	1878	23.92	-10.228	1928	24.57	1.853	1978	25.29	5.164
1829	23.30	7.685	1879	23.95	-15.861	1929	24.58	-2.774	1979	25.30	2.287
1830	23.32	0.303	1880	23.97	-19.117	1930	24.59	-11.404	1980	25.34	-5.849
1831	23.33	-2.198	1881	23.98	-19.494	1931	24.60	-13.907	1981	25.35	-5.602
1832	23.34	-2.450	1882	23.99	-19.247	1932	24.62	-15.160	1982	25.36	-4.979
1833	23.35	-2.204	1883	24.00	-17.624	1933	24.65	-17.168	1983	25.37	-3.108
1834	23.36	-1.333	1884	24.01	-14.876	1934	24.66	-16.296	1984	25.39	1.012
1835	23.37	-1.334	1885	24.03	-2.508	1935	24.67	-15.050	1985	25.40	1.635
1836	23.38	-1.837	1886	24.04	0.990	1936	24.68	-11.553	1986	25.41	1.383
1837	23.39	-2.465	1887	24.05	4.112	1937	24.71	2.440	1987	25.42	-2.995
1838	23.40	-2.842	1888	24.06	5.860	1938	24.72	4.688	1988	25.45	-17.370
1839	23.41	-1.345	1889	24.08	6.354	1939	24.73	5.686	1989	25.46	-19.255
1840	23.43	4.025	1890	24.09	7.728	1940	24.74	6.309	1990	25.47	-19.007
1841	23.44	5.896	1891	24.10	10.474	1941	24.76	5.302	1991	25.48	-16.134
1842	23.45	7.894	1892	24.11	10.846	1942	24.77	5.299	1992	25.49	-11.139
1843	23.46	8.143	1893	24.12	10.845	1943	24.78	6.287	1993	25.50	-10.266
1844	23.47	8.141	1894	24.13	9.592	1944	24.80	12.541	1994	25.51	-9.643
1845	23.48	6.536	1895	24.14	7.465	1945	24.81	14.414	1995	25.53	-8.523
1846	23.49	5.635	1896	24.15	3.962	1946	24.82	16.036	1996	25.54	-6.652
1847	23.50	5.633	1897	24.16	2.710	1947	24.83	16.660	1997	25.55	-6.029
1848	23.53	5.625	1898	24.18	-0.421	1948	24.84	15.532	1998	25.58	-3.788
1849	23.54	5.622	1899	24.19	-3.924	1949	24.85	13.905	1999	25.60	-2.917
1850	23.55	4.118	1900	24.20	-5.851	1950	24.86	10.777	2000	25.62	-2.672

INDEX NO. 797 1305-GR-15 HOROMAN BRIDGE LG. MAX.ACCEL.= -50.327(GAL) T=18.08(SEC) NO.11

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2001	25.63	-2.174	2051	26.36	5.685	2101	27.16	-9.950	2151	27.82	-0.122
2002	25.65	-3.054	2052	26.39	-2.999	2102	27.17	-10.452	2152	27.84	-2.127
2003	25.66	-4.056	2053	26.40	-3.627	2103	27.18	-10.204	2153	27.85	-5.255
2004	25.67	-4.935	2054	26.41	-4.504	2104	27.19	-9.582	2154	27.87	-13.134
2005	25.68	-5.062	2055	26.42	-6.132	2105	27.21	-7.712	2155	27.88	-18.263
2006	25.69	-4.689	2056	26.43	-5.589	2106	27.24	-3.970	2156	27.89	-18.264
2007	25.71	-2.822	2057	26.44	-4.637	2107	27.26	-2.724	2157	27.90	-19.267
2008	25.74	-2.204	2058	26.45	-4.263	2108	27.27	-1.978	2158	27.91	-18.365
2009	25.76	-1.959	2059	26.46	4.103	2109	27.28	-6.357	2159	27.93	-17.152
2010	25.77	-2.212	2060	26.49	5.475	2110	27.31	-12.738	2160	27.95	-14.906
2011	25.79	-4.090	2061	26.50	4.848	2111	27.32	-14.240	2161	27.96	-13.034
2012	25.80	-5.594	2062	26.51	3.596	2112	27.33	-14.619	2162	27.99	-1.915
2013	25.82	-9.475	2063	26.53	-2.785	2113	27.35	-15.249	2163	28.00	5.581
2014	25.84	-13.604	2064	26.54	-5.164	2114	27.36	-15.002	2164	28.01	6.453
2015	25.85	-17.732	2065	26.55	-7.666	2115	27.37	-14.005	2165	28.02	5.825
2016	25.86	-19.610	2066	26.56	-8.044	2116	27.38	-12.757	2166	28.03	5.823
2017	25.87	-20.861	2067	26.58	-8.048	2117	27.39	-10.260	2167	28.05	5.193
2018	25.88	-19.365	2068	26.60	-8.179	2118	27.40	-2.013	2168	28.06	4.815
2019	25.89	-14.118	2069	26.62	-4.058	2119	27.41	-0.765	2169	28.10	4.806
2020	25.90	-7.996	2070	26.63	-2.810	2120	27.42	0.483	2170	28.12	5.049
2021	25.91	-5.873	2071	26.64	-1.564	2121	27.43	1.980	2171	28.14	5.044
2022	25.92	-4.000	2072	26.65	-1.567	2122	27.45	1.309	2172	28.16	4.165
2023	25.93	-3.003	2073	26.66	-2.069	2123	27.46	-14.652	2173	28.17	3.287
2024	25.94	-1.756	2074	26.67	-3.072	2124	27.47	-20.031	2174	28.18	1.409
2025	25.96	-0.760	2075	26.69	-4.578	2125	27.48	-20.409	2175	28.19	-3.469
2026	25.98	0.859	2076	26.71	-6.208	2126	27.49	-19.536	2176	28.21	-4.973
2027	26.01	2.352	2077	26.73	-7.007	2127	27.51	-17.665	2177	28.22	-5.352
2028	26.02	3.598	2078	26.74	-6.590	2128	27.52	-17.293	2178	28.25	-5.359
2029	26.05	7.641	2079	26.76	-5.346	2129	27.54	-17.298	2179	28.26	-5.612
2030	26.06	9.089	2080	26.78	-4.350	2130	27.55	-18.801	2180	28.28	-7.242
2031	26.07	6.959	2081	26.79	-4.354	2131	27.56	-18.803	2181	28.29	-7.495
2032	26.08	3.833	2082	26.80	-5.606	2132	27.57	-16.057	2182	28.30	-6.373
2033	26.10	-6.047	2083	26.81	-7.484	2133	27.58	-14.184	2183	28.32	-5.751
2034	26.11	-10.926	2084	26.83	-9.237	2134	27.59	-13.936	2184	28.34	-5.132
2035	26.13	-12.430	2085	26.86	-15.121	2135	27.60	-13.940	2185	28.35	-4.760
2036	26.16	-14.314	2086	26.87	-18.375	2136	27.62	-13.319	2186	28.36	-5.389
2037	26.18	-13.693	2087	26.88	-19.252	2137	27.63	-10.447	2187	28.37	-4.516
2038	26.19	-13.070	2088	26.89	-19.629	2138	27.67	9.292	2188	28.38	-3.893
2039	26.21	-9.326	2089	26.90	-19.381	2139	27.68	10.789	2189	28.40	0.476
2040	26.22	-7.705	2090	26.91	-18.384	2140	27.69	12.036	2190	28.42	4.221
2041	26.23	-8.706	2091	26.92	-16.512	2141	27.70	13.036	2191	28.44	5.467
2042	26.25	-9.336	2092	26.95	-10.645	2142	27.72	13.030	2192	28.46	6.587
2043	26.26	-9.964	2093	27.02	2.087	2143	27.73	12.403	2193	28.47	5.958
2044	26.27	-8.467	2094	27.04	4.957	2144	27.74	11.775	2194	28.48	4.705
2045	26.30	3.276	2095	27.05	5.579	2145	27.75	10.271	2195	28.51	1.949
2046	26.31	7.772	2096	27.06	5.577	2146	27.76	7.769	2196	28.53	-2.306
2047	26.32	9.644	2097	27.07	6.075	2147	27.77	4.265	2197	28.54	-5.685
2048	26.33	9.642	2098	27.08	4.821	2148	27.78	1.763	2198	28.55	-6.063
2049	26.34	8.764	2099	27.10	2.318	2149	27.79	-0.365	2199	28.56	-6.690
2050	26.35	8.763	2100	27.15	-7.822	2150	27.80	-0.742	2200	28.57	-6.069

INDEX NO. 797 1305-GR-15 HOROMAN BRIDGE LG. MAX.ACCEL.= -50.327(GAL) T=18.08(SEC) NO.12

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2201	28.59	-6.073	2251	29.33	-1.890	2301	30.04	1.048	2351	30.89	-3.674
2202	28.60	-6.325	2252	29.34	-2.519	2302	30.05	-0.580	2352	30.91	-3.928
2203	28.61	-7.579	2253	29.35	-2.272	2303	30.07	0.415	2353	30.92	-5.182
2204	28.62	-11.831	2254	29.37	-1.026	2304	30.09	0.661	2354	30.93	-6.435
2205	28.63	-15.084	2255	29.38	0.220	2305	30.10	-0.468	2355	30.94	-6.188
2206	28.64	-16.336	2256	29.39	0.592	2306	30.12	-2.722	2356	30.95	-4.690
2207	28.66	-16.967	2257	29.40	-0.284	2307	30.14	-5.478	2357	30.97	-0.444
2208	28.68	-14.472	2258	29.42	-1.541	2308	30.15	-7.354	2358	30.98	0.427
2209	28.72	-12.608	2259	29.46	-3.801	2309	30.17	-3.986	2359	31.00	1.047
2210	28.75	-11.989	2260	29.47	-3.802	2310	30.20	-1.119	2360	31.02	1.667
2211	28.76	-11.118	2261	29.50	-5.311	2311	30.21	-1.122	2361	31.03	2.664
2212	28.77	-9.996	2262	29.52	-7.567	2312	30.23	-1.125	2362	31.04	4.786
2213	28.78	-7.498	2263	29.55	-8.824	2313	30.25	-2.381	2363	31.06	6.533
2214	28.81	0.120	2264	29.56	-8.577	2314	30.27	-3.638	2364	31.07	5.279
2215	28.82	3.491	2265	29.58	-7.957	2315	30.29	-4.017	2365	31.08	3.152
2216	28.83	5.363	2266	29.60	-5.462	2316	30.31	-4.273	2366	31.10	0.646
2217	28.84	5.363	2267	29.61	-5.463	2317	30.32	-4.274	2367	31.12	-1.235
2218	28.85	4.609	2268	29.62	-5.716	2318	30.33	-4.652	2368	31.16	-2.995
2219	28.86	3.107	2269	29.63	-6.595	2319	30.34	-5.531	2369	31.17	-4.497
2220	28.88	-3.024	2270	29.64	-8.472	2320	30.35	-6.909	2370	31.19	-5.252
2221	28.89	-5.776	2271	29.65	-9.600	2321	30.37	-7.164	2371	31.23	-1.138
2222	28.90	-8.030	2272	29.66	-9.352	2322	30.42	-5.926	2372	31.25	0.732
2223	28.91	-9.282	2273	29.67	-8.105	2323	30.46	-5.061	2373	31.26	0.480
2224	28.92	-10.034	2274	29.68	-5.857	2324	30.48	-4.692	2374	31.27	0.729
2225	28.93	-9.411	2275	29.70	-0.738	2325	30.49	-5.321	2375	31.29	0.097
2226	28.94	-7.913	2276	29.71	0.510	2326	30.52	-6.576	2376	31.30	-0.531
2227	28.96	-1.795	2277	29.72	2.006	2327	30.54	-8.083	2377	31.33	0.711
2228	28.98	0.951	2278	29.73	2.003	2328	30.57	-9.964	2378	31.34	0.458
2229	28.99	2.573	2279	29.74	0.876	2329	30.58	-11.718	2379	31.36	-2.422
2230	29.00	3.196	2280	29.75	-2.252	2330	30.59	-12.971	2380	31.37	-4.299
2231	29.01	0.692	2281	29.76	-2.880	2331	30.60	-12.974	2381	31.38	-4.926
2232	29.03	-5.187	2282	29.78	-2.384	2332	30.62	-12.727	2382	31.42	-3.686
2233	29.04	-11.691	2283	29.80	-2.015	2333	30.64	-11.734	2383	31.44	-2.694
2234	29.05	-11.069	2284	29.81	-1.768	2334	30.66	-10.865	2384	31.46	-2.447
2235	29.06	-10.072	2285	29.82	-2.895	2335	30.68	-10.243	2385	31.48	-3.328
2236	29.08	-10.076	2286	29.83	-4.521	2336	30.69	-10.497	2386	31.50	-3.709
2237	29.10	-10.706	2287	29.85	-12.153	2337	30.70	-10.750	2387	31.53	-2.215
2238	29.11	-14.459	2288	29.86	-13.655	2338	30.71	-10.751	2388	31.54	-2.468
2239	29.12	-14.211	2289	29.87	-12.532	2339	30.72	-10.254	2389	31.55	-3.971
2240	29.13	-13.214	2290	29.89	-9.037	2340	30.73	-8.007	2390	31.58	-12.603
2241	29.15	-9.218	2291	29.91	-2.044	2341	30.74	-5.761	2391	31.59	-13.481
2242	29.16	-1.597	2292	29.92	0.704	2342	30.76	-6.139	2392	31.60	-13.859
2243	29.17	0.650	2293	29.93	1.703	2343	30.78	-11.145	2393	31.62	-12.365
2244	29.18	1.898	2294	29.94	1.950	2344	30.80	-14.277	2394	31.63	-10.493
2245	29.22	3.137	2295	29.95	1.072	2345	30.81	-14.529	2395	31.65	-10.122
2246	29.23	3.134	2296	29.96	0.444	2346	30.82	-14.280	2396	31.66	-9.501
2247	29.25	2.255	2297	29.97	0.690	2347	30.83	-11.533	2397	31.67	-7.379
2248	29.27	0.000	2298	30.00	1.934	2348	30.85	-8.163	2398	31.68	-7.005
2249	29.28	-0.877	2299	30.01	2.556	2349	30.86	-8.165	2399	31.69	-8.509
2250	29.30	-1.509	2300	30.03	2.052	2350	30.88	-4.046	2400	31.70	-5.509

INDEX NO. 797 1305-GR-15 HORONAN BRIDGE LG. MAX.ACCEL.= -50.327(GAL) T=18.08(SEC) NO.13

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2401	31.71	-4.514	2451	32.44	-5.579	2501	33.03	0.641	2551	33.71	-14.910
2402	31.75	-2.523	2452	32.46	-7.334	2502	33.05	0.262	2552	33.72	-11.059
2403	31.77	-2.279	2453	32.47	-7.336	2503	33.07	-1.620	2553	33.73	-10.040
2404	31.79	-2.533	2454	32.49	-6.716	2504	33.08	-1.620	2554	33.74	-7.544
2405	31.81	-3.789	2455	32.51	-7.096	2505	33.10	-1.001	2555	33.75	-7.545
2406	31.83	-5.295	2456	32.52	-7.100	2506	33.12	-0.632	2556	33.76	-7.298
2407	31.85	-6.549	2457	32.53	-6.852	2507	33.13	-1.008	2557	33.77	-7.176
2408	31.86	-8.427	2458	32.54	-5.604	2508	33.14	-2.262	2558	33.78	-6.680
2409	31.87	-9.680	2459	32.55	-2.107	2509	33.16	-4.768	2559	33.80	-5.683
2410	31.88	-9.682	2460	32.56	0.640	2510	33.17	-4.770	2560	33.81	-5.437
2411	31.90	-8.187	2461	32.57	2.511	2511	33.18	-2.648	2561	33.82	-4.815
2412	31.92	-7.943	2462	32.58	3.010	2512	33.20	-1.403	2562	33.83	-5.318
2413	31.94	-7.949	2463	32.59	2.383	2513	33.22	-1.407	2563	33.85	-5.697
2414	31.95	-6.951	2464	32.60	0.505	2514	33.23	-1.659	2564	33.86	-5.074
2415	31.96	-5.704	2465	32.61	-1.624	2515	33.24	-1.663	2565	33.87	-4.452
2416	31.98	-0.459	2466	32.62	-2.251	2516	33.26	-2.544	2566	33.88	-3.456
2417	31.99	0.539	2467	32.64	-2.006	2517	33.27	-3.170	2567	33.89	-3.458
2418	32.00	0.537	2468	32.65	-2.010	2518	33.28	-3.174	2568	33.90	-3.710
2419	32.01	0.783	2469	32.66	-2.262	2519	33.29	-3.175	2569	33.91	-4.588
2420	32.03	0.529	2470	32.67	-4.640	2520	33.31	-2.680	2570	33.94	-10.472
2421	32.05	-2.602	2471	32.68	-4.890	2521	33.32	-2.310	2571	33.96	-11.602
2422	32.09	-6.362	2472	32.69	-7.519	2522	33.34	-2.314	2572	33.97	-11.730
2423	32.11	-8.868	2473	32.70	-7.521	2523	33.35	-2.316	2573	33.98	-11.107
2424	32.13	-10.123	2474	32.71	-6.273	2524	33.36	-1.444	2574	33.99	-9.485
2425	32.15	-8.877	2475	32.72	-0.277	2525	33.37	0.178	2575	34.01	-7.365
2426	32.16	-7.631	2476	32.73	0.969	2526	33.38	0.601	2576	34.03	-2.243
2427	32.18	-5.760	2477	32.74	0.967	2527	33.40	0.546	2577	34.06	1.873
2428	32.19	-5.764	2478	32.75	1.841	2528	33.41	-1.707	2578	34.07	2.120
2429	32.20	-5.767	2479	32.76	-1.163	2529	33.43	-6.338	2579	34.08	1.858
2430	32.21	-7.020	2480	32.77	-3.416	2530	33.44	-8.215	2580	34.10	0.988
2431	32.22	-7.021	2481	32.78	-4.043	2531	33.45	-9.468	2581	34.11	-0.016
2432	32.23	-7.650	2482	32.79	-4.296	2532	33.46	-9.470	2582	34.13	0.230
2433	32.24	-7.651	2483	32.82	-3.428	2533	33.47	-9.472	2583	34.14	1.227
2434	32.25	-7.904	2484	32.83	-3.430	2534	33.48	-8.350	2584	34.15	3.100
2435	32.26	-7.907	2485	32.84	-4.683	2535	33.50	-5.482	2585	34.16	3.972
2436	32.27	-8.285	2486	32.85	-7.187	2536	33.52	-3.985	2586	34.17	4.719
2437	32.29	-9.791	2487	32.86	-8.439	2537	33.53	-3.865	2587	34.18	4.717
2438	32.31	-7.044	2488	32.88	-8.444	2538	33.55	-5.494	2588	34.19	3.213
2439	32.32	-5.171	2489	32.90	-7.574	2539	33.57	-7.625	2589	34.22	-1.169
2440	32.33	-4.924	2490	32.91	-7.576	2540	33.58	-8.252	2590	34.25	-4.051
2441	32.34	-5.179	2491	32.92	-8.705	2541	33.59	-8.379	2591	34.27	-5.931
2442	32.35	-6.680	2492	32.93	-9.082	2542	33.60	-8.381	2592	34.28	-6.311
2443	32.36	-9.558	2493	32.94	-9.085	2543	33.61	-7.136	2593	34.29	-5.437
2444	32.37	-9.810	2494	32.95	-8.461	2544	33.62	-5.512	2594	34.30	-4.690
2445	32.38	-9.812	2495	32.96	-5.091	2545	33.63	-5.514	2595	34.31	-3.568
2446	32.39	-8.065	2496	32.97	-3.467	2546	33.64	-8.143	2596	34.32	-2.570
2447	32.40	-4.318	2497	32.98	1.529	2547	33.65	-8.020	2597	34.33	-2.574
2448	32.41	-3.946	2498	32.99	1.777	2548	33.68	-16.652	2598	34.36	-2.829
2449	32.42	-2.449	2499	33.00	1.274	2549	33.69	-17.655	2599	34.38	-3.461
2450	32.43	-4.827	2500	33.02	1.520	2550	33.70	-17.032	2600	34.39	-3.463

INDEX NO. 797 1305-GR-15 HORONAN BRIDGE LG. MAX.ACCEL.= -50.327(GAL) T=18.08(SEC) NO.14

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2601	34.40	+3.466	2651	35.18	1.205	2701	35.88	-11.228	2751	36.36	-1.530
2602	34.41	+3.218	2652	35.19	2.203	2702	35.90	-7.857	2752	36.58	-1.909
2603	34.42	+2.347	2653	35.20	2.201	2703	35.91	+3.985	2753	36.59	-3.163
2604	34.45	4.646	2654	35.21	-0.302	2704	35.92	+2.113	2754	36.61	+4.417
2605	34.46	5.892	2655	35.23	-2.807	2705	35.94	+0.242	2755	36.62	+4.671
2606	34.47	6.265	2656	35.24	-4.311	2706	35.95	0.755	2756	36.64	+5.300
2607	34.48	5.387	2657	35.26	-4.941	2707	35.97	1.374	2757	36.65	+5.928
2608	34.50	1.257	2658	35.29	-5.947	2708	35.98	1.372	2758	36.66	-9.432
2609	34.52	+3.122	2659	35.30	-5.950	2709	35.99	-0.131	2759	36.68	-12.312
2610	34.53	+5.500	2660	35.31	-5.079	2710	36.00	-3.258	2760	36.69	-12.939
2611	34.54	+5.752	2661	35.32	+4.082	2711	36.01	+8.637	2761	36.70	+13.568
2612	34.55	+5.755	2662	35.34	-0.086	2712	36.02	+10.514	2762	36.72	-13.321
2613	34.57	+3.885	2663	35.35	3.411	2713	36.03	+10.266	2763	36.73	+10.825
2614	34.60	+2.393	2664	35.36	3.408	2714	36.04	+10.269	2764	36.75	+5.206
2615	34.63	+1.401	2665	35.37	2.155	2715	36.06	+6.524	2765	36.77	-1.336
2616	34.65	+2.407	2666	35.40	+1.601	2716	36.07	+5.276	2766	36.78	0.786
2617	34.67	+3.285	2667	35.41	+4.355	2717	36.08	+4.530	2767	36.79	5.284
2618	34.68	+5.790	2668	35.42	+4.358	2718	36.09	+6.783	2768	36.81	6.904
2619	34.70	+6.869	2669	35.43	+3.486	2719	36.10	+8.035	2769	36.82	6.652
2620	34.71	+6.671	2670	35.45	+1.614	2720	36.11	+8.664	2770	36.83	5.649
2621	34.73	+4.552	2671	35.46	+0.743	2721	36.13	+8.917	2771	36.85	4.395
2622	34.75	+3.931	2672	35.47	+0.995	2722	36.14	+8.045	2772	36.86	2.266
2623	34.76	+3.060	2673	35.48	+1.248	2723	36.16	+7.675	2773	36.87	1.013
2624	34.78	+3.315	2674	35.51	+3.755	2724	36.17	+8.303	2774	36.88	0.636
2625	34.80	+3.945	2675	35.52	+5.384	2725	36.18	+10.806	2775	36.90	0.882
2626	34.82	+4.202	2676	35.53	+5.637	2726	36.19	+11.310	2776	36.92	1.251
2627	34.83	+4.579	2677	35.55	+5.766	2727	36.20	+10.436	2777	36.93	0.874
2628	34.86	+7.716	2678	35.56	+4.519	2728	36.21	+9.439	2778	36.94	+0.253
2629	34.90	+10.847	2679	35.57	+2.646	2729	36.22	+5.067	2779	36.95	+3.383
2630	34.92	+12.226	2680	35.58	0.475	2730	36.24	-4.071	2780	36.97	+6.138
2631	34.93	+12.835	2681	35.60	1.472	2731	36.25	+3.700	2781	36.98	+6.389
2632	34.94	+9.732	2682	35.61	0.592	2732	36.27	+4.953	2782	37.00	+2.646
2633	34.96	+3.736	2683	35.63	+2.537	2733	36.29	+6.834	2783	37.02	+1.150
2634	34.97	-1.240	2684	35.65	+3.791	2734	36.30	+7.711	2784	37.03	0.471
2635	34.98	-0.493	2685	35.66	+2.046	2735	36.31	+7.215	2785	37.04	0.719
2636	35.00	0.004	2686	35.68	+0.426	2736	36.32	+7.468	2786	37.05	0.466
2637	35.01	1.249	2687	35.70	0.196	2737	36.33	+6.221	2787	37.06	+0.162
2638	35.02	2.497	2688	35.72	2.688	2738	36.34	+6.222	2788	37.08	+1.667
2639	35.03	4.244	2689	35.74	5.309	2739	36.35	+3.100	2789	37.09	-2.670
2640	35.04	4.866	2690	35.75	7.806	2740	36.37	+1.605	2790	37.11	+5.300
2641	35.05	4.865	2691	35.76	7.554	2741	36.38	+0.359	2791	37.12	+2.427
2642	35.06	3.988	2692	35.78	4.674	2742	36.39	+0.361	2792	37.13	+0.804
2643	35.07	2.985	2693	35.79	1.921	2743	36.41	+0.616	2793	37.15	1.066
2644	35.08	+2.645	2694	35.81	+10.709	2744	36.42	+0.868	2794	37.16	+0.938
2645	35.09	+5.272	2695	35.82	+13.713	2745	36.43	+2.498	2795	37.19	+5.194
2646	35.10	+6.525	2696	35.83	+14.089	2746	36.46	+4.378	2796	37.20	+5.822
2647	35.11	+5.901	2697	35.84	+15.968	2747	36.47	+4.382	2797	37.21	+5.625
2648	35.13	+5.282	2698	35.85	+15.969	2748	36.50	+2.888	2798	37.23	+5.205
2649	35.15	+3.162	2699	35.86	+14.973	2749	36.52	+1.646	2799	37.24	+5.209
2650	35.16	+1.291	2700	35.87	+13.725	2750	36.55	+1.653	2800	37.26	+5.212

土木構造物における加速度強震記録（No. 9）

INDEX NO. 797 1305-GR-15 HOROMAN BRIDGE LG. MAX.ACCEL.= -50.327(GAL) T=18.08(SEC) NO.15

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2801	37.27	-6.467	2851	37.94	-0.391	2901	38.62	-7.445	2951	39.39	-3.645
2802	37.28	-6.468	2852	37.96	1.105	2902	38.64	-8.324	2952	39.40	-3.022
2803	37.29	-6.720	2853	37.98	3.474	2903	38.65	-8.076	2953	39.41	-4.150
2804	37.30	-6.473	2854	38.01	5.965	2904	38.67	-7.205	2954	39.42	-6.651
2805	37.32	-3.104	2855	38.02	5.712	2905	38.68	-6.459	2955	39.44	-11.407
2806	37.33	-2.107	2856	38.03	5.086	2906	38.70	-4.088	2956	39.45	-12.786
2807	37.34	-1.484	2857	38.04	2.207	2907	38.71	-2.216	2957	39.46	-12.339
2808	37.35	-1.485	2858	38.06	-1.298	2908	38.72	-1.593	2958	39.49	-10.921
2809	37.36	-1.739	2859	38.08	-2.926	2909	38.74	-0.974	2959	39.51	-10.051
2810	37.38	-2.744	2860	38.09	-3.804	2910	38.76	-0.980	2960	39.52	-8.804
2811	37.39	-2.997	2861	38.10	-3.807	2911	38.77	0.018	2961	39.53	-6.932
2812	37.40	-2.125	2862	38.11	-3.809	2912	38.79	2.512	2962	39.56	-1.439
2813	37.42	-0.629	2863	38.12	-1.439	2913	38.80	2.760	2963	39.57	0.433
2814	37.43	0.992	2864	38.13	-0.191	2914	38.82	2.505	2964	39.58	0.661
2815	37.45	0.988	2865	38.15	1.428	2915	38.83	1.678	2965	39.59	0.427
2816	37.47	0.733	2866	38.16	1.427	2916	38.84	1.000	2966	39.60	-0.200
2817	37.48	0.356	2867	38.17	1.049	2917	38.86	-1.881	2967	39.61	-0.828
2818	37.50	0.348	2868	38.20	-1.334	2918	38.87	-4.010	2968	39.65	-0.838
2819	37.52	0.095	2869	38.22	-1.713	2919	38.90	-6.891	2969	39.68	-0.594
2820	37.53	-0.533	2870	38.23	-1.467	2920	38.92	-6.897	2970	39.69	-0.223
2821	37.54	-1.537	2871	38.24	-1.720	2921	38.96	-6.033	2971	39.70	1.898
2822	37.56	-1.792	2872	38.25	-2.598	2922	38.97	-6.034	2972	39.71	2.521
2823	37.58	-2.171	2873	38.26	-4.475	2923	38.99	-5.040	2973	39.72	2.518
2824	37.59	-3.423	2874	38.27	-6.353	2924	39.00	-4.416	2974	39.73	3.016
2825	37.60	-6.178	2875	38.28	-7.356	2925	39.01	-1.921	2975	39.74	1.744
2826	37.61	-6.555	2876	38.29	-7.357	2926	39.03	0.575	2976	39.75	-1.364
2827	37.63	-6.309	2877	38.30	-7.359	2927	39.04	0.966	2977	39.78	-6.747
2828	37.64	-5.936	2878	38.31	-6.737	2928	39.05	0.569	2978	39.79	-6.748
2829	37.65	-4.066	2879	38.32	-5.865	2929	39.07	-1.562	2979	39.85	-8.141
2830	37.70	-0.954	2880	38.34	-2.996	2930	39.11	-4.445	2980	39.87	-7.770
2831	37.71	-0.956	2881	38.35	-2.999	2931	39.13	-6.327	2981	39.88	-6.899
2832	37.72	-0.959	2882	38.36	-2.750	2932	39.15	-6.956	2982	39.89	-6.524
2833	37.73	-0.712	2883	38.37	-2.753	2933	39.16	-8.210	2983	39.92	-2.159
2834	37.74	-0.964	2884	38.38	-2.382	2934	39.17	-8.212	2984	39.93	-1.910
2835	37.76	-3.470	2885	38.40	-3.636	2935	39.18	-7.964	2985	39.95	-0.041
2836	37.77	-4.097	2886	38.42	-4.266	2936	39.19	-7.591	2986	39.96	0.581
2837	37.78	-4.348	2887	38.43	-4.519	2937	39.20	-6.719	2987	39.97	0.954
2838	37.79	-4.352	2888	38.44	-5.271	2938	39.22	-3.225	2988	39.98	0.701
2839	37.81	-2.606	2889	38.45	-5.274	2939	39.23	-0.978	2989	40.00	-0.305
2840	37.82	-1.699	2890	38.46	-4.276	2940	39.25	0.768	2990	40.02	-1.185
2841	37.83	-0.737	2891	38.48	-2.407	2941	39.26	0.765	2991	40.04	-1.189
2842	37.84	-0.730	2892	38.50	-0.538	2942	39.27	0.261	2992	40.05	-2.442
2843	37.85	-1.868	2893	38.53	0.954	2943	39.29	-0.368	2993	40.06	-3.070
2844	37.86	-3.120	2894	38.55	1.575	2944	39.31	-0.747	2994	40.07	-4.073
2845	37.88	-6.250	2895	38.56	1.948	2945	39.32	-1.000	2995	40.08	-5.575
2846	37.89	-7.878	2896	38.57	1.945	2946	39.33	-1.629	2996	40.09	-5.578
2847	37.90	-7.256	2897	38.58	1.318	2947	39.34	-2.632	2997	40.10	-5.331
2848	37.91	-6.632	2898	38.59	-2.436	2948	39.35	-4.759	2998	40.11	-5.582
2849	37.92	-5.135	2899	38.60	-5.814	2949	39.36	-5.136	2999	40.14	-4.091
2850	37.93	-2.262	2900	38.61	-5.815	2950	39.37	-4.889	3000	40.17	-3.224

INDEX NO. 797 1305-GR-15 HOROMAN BRIDGE LG. MAX.ACCEL.= -50.327(GAL) T=18.08(SEC) NO.16

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3001	40.20	-2.231	3051	41.15	-3.105	3101	42.01	-3.953	3151	42.75	-2.148
3002	40.21	-1.610	3052	41.17	-4.984	3102	42.02	-3.332	3152	42.77	-1.277
3003	40.23	-1.865	3053	41.18	-4.112	3103	42.03	-2.460	3153	42.79	-0.033
3004	40.25	-0.994	3054	41.20	-3.742	3104	42.04	-2.461	3154	42.80	-0.286
3005	40.27	0.251	3055	41.21	-3.496	3105	42.06	-1.218	3155	42.82	-0.916
3006	40.29	-0.631	3056	41.22	-3.496	3106	42.07	-1.220	3156	42.85	-1.799
3007	40.32	-0.139	3057	41.23	-3.750	3107	42.09	-2.100	3157	42.87	-4.054
3008	40.33	0.234	3058	41.25	-5.254	3108	42.10	-2.103	3158	42.89	-3.434
3009	40.35	0.479	3059	41.26	-5.383	3109	42.12	-1.859	3159	42.91	-3.189
3010	40.36	0.227	3060	41.28	-5.389	3110	42.13	-0.860	3160	42.93	-2.569
3011	40.38	-1.020	3061	41.32	-4.774	3111	42.14	-0.864	3161	42.94	-2.573
3012	40.39	-1.280	3062	41.33	-4.150	3112	42.15	-0.865	3162	42.95	-2.575
3013	40.40	-2.283	3063	41.35	-1.907	3113	42.16	-1.744	3163	42.97	-3.079
3014	40.47	-3.552	3064	41.36	-1.910	3114	42.17	-2.996	3164	42.99	-4.335
3015	40.51	-3.553	3065	41.37	-1.912	3115	42.18	-2.999	3165	43.01	-5.341
3016	40.52	-2.941	3066	41.39	-2.791	3116	42.19	-1.252	3166	43.02	-5.343
3017	40.55	-0.469	3067	41.40	-4.421	3117	42.22	0.615	3167	43.03	-5.844
3018	40.59	-0.458	3068	41.41	-4.671	3118	42.23	-0.638	3168	43.04	-4.598
3019	40.60	-0.461	3069	41.42	-5.926	3119	42.25	-2.768	3169	43.05	-2.726
3020	40.63	0.157	3070	41.46	-5.685	3120	42.27	-3.772	3170	43.06	-1.730
3021	40.64	0.154	3071	41.48	-5.440	3121	42.28	-2.774	3171	43.08	-1.108
3022	40.65	-0.475	3072	41.49	-4.193	3122	42.29	-1.526	3172	43.09	-1.362
3023	40.68	-2.608	3073	41.51	-2.573	3123	42.30	-0.905	3173	43.11	-1.742
3024	40.71	-4.239	3074	41.53	-1.953	3124	42.31	-0.657	3174	43.13	-1.747
3025	40.72	-4.866	3075	41.54	-1.706	3125	42.32	-0.911	3175	43.15	-1.501
3026	40.73	-4.620	3076	41.56	-1.711	3126	42.33	-2.789	3176	43.17	-0.881
3027	40.74	-4.621	3077	41.57	-2.214	3127	42.34	-5.541	3177	43.18	-0.510
3028	40.76	-4.003	3078	41.59	-3.219	3128	42.35	-5.293	3178	43.20	-0.515
3029	40.79	-2.761	3079	41.60	-3.472	3129	42.40	-4.682	3179	43.24	-0.525
3030	40.80	-2.764	3080	41.61	-4.101	3130	42.42	-4.436	3180	43.26	-0.529
3031	40.81	-2.392	3081	41.63	-3.604	3131	42.43	-3.190	3181	43.27	-0.533
3032	40.82	-2.642	3082	41.64	-3.232	3132	42.45	-0.944	3182	43.29	-1.162
3033	40.84	-4.525	3083	41.65	-2.609	3133	42.46	-0.697	3183	43.30	-1.165
3034	40.85	-5.276	3084	41.66	-2.362	3134	42.48	-1.202	3184	43.31	-1.419
3035	40.86	-4.905	3085	41.67	-2.864	3135	42.49	-1.954	3185	43.33	-1.173
3036	40.88	-4.035	3086	41.68	-3.493	3136	42.51	-0.960	3186	43.35	-1.178
3037	40.89	-3.412	3087	41.70	-3.872	3137	42.53	0.910	3187	43.38	-0.938
3038	40.90	-3.415	3088	41.71	-4.125	3138	42.54	1.156	3188	43.41	-0.569
3039	40.92	-4.919	3089	41.75	-3.887	3139	42.56	0.278	3189	43.42	-0.324
3040	40.93	-5.547	3090	41.79	-3.648	3140	42.57	0.024	3190	43.45	1.544
3041	40.96	-6.174	3091	41.82	-3.529	3141	42.58	0.022	3191	43.47	3.289
3042	40.97	-4.931	3092	41.84	-3.909	3142	42.60	1.516	3192	43.48	3.536
3043	41.00	-3.065	3093	41.86	-3.664	3143	42.62	2.511	3193	43.49	3.910
3044	41.05	-1.204	3094	41.88	-2.420	3144	42.63	2.259	3194	43.50	4.157
3045	41.08	-0.336	3095	41.90	-2.924	3145	42.64	1.381	3195	43.52	3.902
3046	41.10	0.283	3096	41.92	-3.931	3146	42.66	-0.248	3196	43.53	2.649
3047	41.11	0.281	3097	41.94	-4.185	3147	42.67	-1.128	3197	43.54	1.771
3048	41.12	-0.596	3098	41.96	-3.315	3148	42.70	-2.383	3198	43.56	1.442
3049	41.13	-1.225	3099	41.97	-2.444	3149	42.72	-2.764	3199	43.59	1.634
3050	41.14	-1.853	3100	41.99	-3.324	3150	42.74	-2.769	3200	43.60	1.631

INDEX NO. 797 1305-GR-15 HORONAN BRIDGE LG. MAX.ACCEL.= -50.327(GAL) T=18.08(SEC) NO.17

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3201	43.63	1.997	3251	44.83	-3.565	3301	45.85	-0.332	3351	46.81	2.418
3202	43.66	0.490	3252	44.85	-3.320	3302	45.86	-0.335	3352	46.82	2.415
3203	43.67	0.737	3253	44.86	-3.074	3303	45.88	-0.341	3353	46.84	1.535
3204	43.68	-0.516	3254	44.88	-2.079	3304	45.92	-1.225	3354	46.85	0.906
3205	43.70	-1.145	3255	44.89	0.042	3305	45.94	-2.106	3355	46.87	-0.348
3206	43.71	-1.399	3256	44.91	1.662	3306	45.95	-1.859	3356	46.88	-2.226
3207	43.73	-1.779	3257	44.93	1.033	3307	45.96	-1.612	3357	46.89	-2.854
3208	43.87	-1.449	3258	44.95	0.493	3308	45.98	-1.241	3358	46.90	-2.858
3209	43.93	-0.956	3259	44.96	-0.226	3309	46.00	-0.370	3359	46.91	-3.485
3210	43.98	0.287	3260	44.99	-0.657	3310	46.01	0.001	3360	46.93	-3.239
3211	43.97	0.659	3261	45.01	-0.863	3311	46.02	0.249	3361	46.95	-2.620
3212	43.98	0.657	3262	45.03	-0.242	3312	46.03	-0.253	3362	47.00	-1.132
3213	43.99	0.030	3263	45.04	0.006	3313	46.04	-1.507	3363	47.05	0.854
3214	44.00	-0.600	3264	45.05	1.002	3314	46.05	-1.885	3364	47.08	1.721
3215	44.01	-0.053	3265	45.06	1.250	3315	46.08	-1.267	3365	47.10	1.465
3216	44.03	-1.483	3266	45.07	1.671	3316	46.10	-0.021	3366	47.12	0.461
3217	44.05	-0.361	3267	45.08	1.619	3317	46.12	0.596	3367	47.14	-0.703
3210	44.06	0.259	3268	45.13	0.739	3318	46.15	0.841	3368	47.17	-3.302
3219	44.08	0.256	3269	45.14	-0.525	3319	46.17	1.334	3369	47.18	-4.805
3220	44.10	-0.249	3270	45.20	-2.788	3320	46.18	1.331	3370	47.20	-6.060
3221	44.12	-1.504	3271	45.22	-3.419	3321	46.19	0.078	3371	47.21	-6.814
3222	44.15	-1.638	3272	45.25	-5.300	3322	46.20	0.077	3372	47.22	-5.941
3223	44.19	-1.649	3273	45.27	-6.306	3323	46.22	-0.803	3373	47.24	-4.446
3224	44.23	-1.035	3274	45.29	-6.936	3324	46.23	-0.806	3374	47.27	-2.578
3225	44.26	-0.042	3275	45.30	-6.940	3325	46.25	-0.312	3375	47.30	-1.960
3226	44.28	0.203	3276	45.32	-7.320	3326	46.27	-0.566	3376	47.32	-0.341
3227	44.30	0.198	3277	45.35	-6.701	3327	46.29	-1.447	3377	47.33	-0.595
3228	44.31	-0.056	3278	45.39	-3.961	3328	46.31	-3.078	3378	47.34	-0.598
3229	44.32	-0.058	3279	45.43	-1.098	3329	46.33	-4.584	3379	47.36	-0.352
3230	44.34	0.187	3280	45.45	-0.478	3330	46.34	-4.084	3380	47.38	-0.607
3231	44.36	0.558	3281	45.46	-0.231	3331	46.36	-4.591	3381	47.39	-0.610
3232	44.37	-0.695	3282	45.49	-0.238	3332	46.38	-4.096	3382	47.41	0.511
3233	44.39	-3.827	3283	45.51	-1.118	3333	46.41	-3.729	3383	47.43	1.255
3234	44.40	-3.829	3284	45.52	-1.747	3334	46.42	-3.732	3384	47.44	1.877
3235	44.42	-3.207	3285	45.54	-2.625	3335	46.44	-3.736	3385	47.46	2.497
3236	44.45	-1.966	3286	45.55	-4.255	3336	46.46	-4.366	3386	47.47	1.995
3237	44.47	-1.097	3287	45.56	-4.007	3337	46.47	-4.619	3387	47.49	1.365
3238	44.49	-0.476	3288	45.58	-3.013	3338	46.48	-4.623	3388	47.51	0.985
3239	44.50	-0.479	3289	45.59	-3.014	3339	46.50	-4.626	3389	47.53	0.728
3240	44.53	-0.487	3290	45.61	-2.769	3340	46.52	-2.508	3390	47.56	0.095
3241	44.58	-0.501	3291	45.64	-2.028	3341	46.54	-1.638	3391	47.60	-1.163
3242	44.63	-1.390	3292	45.69	-1.540	3342	46.55	-1.266	3392	47.62	-2.170
3243	44.66	-2.021	3293	45.72	-0.298	3343	46.57	-1.521	3393	47.64	-2.175
3244	44.68	-1.152	3294	45.75	0.320	3344	46.62	-1.534	3394	47.66	-1.554
3245	44.72	-0.537	3295	45.77	0.064	3345	46.70	-1.303	3395	47.67	-0.932
3246	44.74	-0.167	3296	45.78	-0.188	3346	46.73	-1.062	3396	47.69	1.188
3247	44.76	0.452	3297	45.79	-1.442	3347	46.75	-1.316	3397	47.71	2.182
3248	44.77	-0.801	3298	45.81	-3.072	3348	46.76	0.179	3398	47.73	2.427
3249	44.78	-0.802	3299	45.83	-1.826	3349	46.78	1.424	3399	47.75	2.547
3250	44.81	-2.685	3300	45.84	-1.206	3350	46.80	2.045	3400	47.78	2.539

INDEX NO. 797 1305-GR-15 HORONAN BRIDGE LG. MAX.ACCEL.= -50.327(GAL) T=18.08(SEC) NO.18

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3401	47.79	2.536	3451	48.85	0.634	3501	49.94	-0.276	3551	50.83	1.740
3402	47.81	1.531	3452	48.87	0.879	3502	49.95	-0.279	3552	50.85	1.362
3403	47.83	-0.350	3453	48.89	1.250	3503	49.96	-0.281	3553	50.86	1.984
3404	47.85	-2.231	3454	48.90	1.246	3504	49.98	-0.037	3554	50.88	2.603
3405	47.87	-2.235	3455	48.92	0.366	3505	49.99	0.586	3555	50.90	3.848
3406	47.89	-2.491	3456	48.94	-1.264	3506	50.01	0.331	3556	50.92	3.844
3407	47.91	-2.497	3457	48.96	-2.769	3507	50.02	0.077	3557	50.93	3.590
3408	47.94	-3.502	3458	48.98	-2.774	3508	50.05	0.321	3558	50.95	2.334
3409	47.96	-3.759	3459	48.99	-2.527	3509	50.06	0.568	3559	50.97	1.705
3410	47.98	-2.889	3460	49.01	-1.908	3510	50.07	1.814	3560	51.01	0.070
3411	48.01	-3.146	3461	49.02	-1.910	3511	50.08	2.186	3561	51.05	-1.817
3412	48.03	-2.651	3462	49.04	-1.665	3512	50.09	1.934	3562	51.07	-2.447
3413	48.05	-1.282	3463	49.06	-0.045	3513	50.11	0.929	3563	51.10	-2.453
3414	48.06	-1.285	3464	49.07	0.577	3514	50.13	0.299	3564	51.11	-2.208
3415	48.08	-2.290	3465	49.08	0.574	3515	50.15	0.294	3565	51.12	-2.208
3416	48.10	-3.546	3466	49.10	0.319	3516	50.18	0.037	3566	51.14	-0.339
3417	48.13	-4.178	3467	49.13	-0.064	3517	50.24	-1.604	3567	51.17	1.529
3418	48.16	-4.186	3468	49.16	-0.072	3518	50.26	-0.985	3568	51.18	1.900
3419	48.18	-3.316	3469	49.18	-0.328	3519	50.28	-0.988	3569	51.19	2.522
3420	48.20	-3.570	3470	49.26	-1.348	3520	50.30	-0.120	3570	51.20	2.521
3421	48.21	-2.949	3471	49.28	-1.353	3521	50.33	0.873	3571	51.21	2.518
3422	48.23	-1.704	3472	49.31	-0.486	3522	50.35	1.118	3572	51.22	2.515
3423	48.25	-1.459	3473	49.33	0.508	3523	50.37	0.862	3573	51.24	1.635
3424	48.30	-1.722	3474	49.34	0.755	3524	50.40	0.854	3574	51.28	0.375
3425	48.32	-1.478	3475	49.35	0.753	3525	50.43	0.597	3575	51.31	-1.260
3426	48.33	-1.481	3476	49.37	-0.128	3526	50.45	0.842	3576	51.34	-1.516
3427	48.35	-1.735	3477	49.39	-1.383	3527	50.47	1.460	3577	51.36	-2.147
3428	48.38	1.008	3478	49.41	-2.014	3528	50.49	2.079	3578	51.43	-0.040
3429	48.39	1.753	3479	49.43	-2.267	3529	50.50	1.827	3579	51.52	1.812
3430	48.41	1.373	3480	49.44	-2.271	3530	50.52	1.196	3580	51.54	1.807
3431	48.43	1.118	3481	49.47	-1.777	3531	50.55	0.815	3581	51.56	0.926
3432	48.45	-0.138	3482	49.48	-1.405	3532	50.56	0.187	3582	51.60	-0.334
3433	48.48	-0.769	3483	49.50	0.464	3533	50.58	-1.068	3583	51.63	-1.967
3434	48.50	-1.774	3484	49.52	0.709	3534	50.59	-1.694	3584	51.64	-2.596
3435	48.51	-2.403	3485	49.53	0.706	3535	50.60	-0.822	3585	51.65	-2.348
3436	48.52	-3.279	3486	49.56	0.199	3536	50.62	0.422	3586	51.66	-2.599
3437	48.55	-1.538	3487	49.60	-1.063	3537	50.63	0.419	3587	51.68	-0.731
3438	48.57	-1.167	3488	49.65	-1.199	3538	50.65	1.039	3588	51.70	-0.111
3439	48.58	-1.170	3489	49.68	-0.833	3539	50.68	-1.095	3589	51.71	0.512
3440	48.59	-1.549	3490	49.73	0.036	3540	50.70	-0.226	3590	51.72	-0.116
3441	48.61	-2.429	3491	49.73	1.029	3541	50.72	0.146	3591	51.73	-0.744
3442	48.62	-2.682	3492	49.75	1.649	3542	50.73	-0.107	3592	51.75	-2.000
3443	48.64	-2.686	3493	49.77	1.643	3543	50.74	-0.736	3593	51.78	-2.256
3444	48.68	-1.572	3494	49.81	1.382	3544	50.75	-1.738	3594	51.84	-1.772
3445	48.71	-1.579	3495	49.84	1.376	3545	50.76	-1.116	3595	51.92	-0.793
3446	48.74	-2.086	3496	49.87	1.616	3546	50.78	0.380	3596	51.93	0.028
3447	48.75	-3.090	3497	49.88	1.616	3547	50.79	1.627	3597	51.94	0.702
3448	48.76	-2.843	3498	49.89	1.611	3548	50.80	2.250	3598	51.95	-0.176
3449	48.78	-2.473	3499	49.91	1.608	3549	50.81	2.623	3599	51.98	-1.058
3450	48.81	-1.231	3500	49.93	0.728	3550	50.82	2.389	3600	51.99	-1.686

土木構造物における加速度強震記録（No. 9）

INDEX NO. 797 1305-GR-15 HOROMAN BRIDGE LG. MAX.ACCEL.= -50.327(GAL) T=10.08(SEC) NO.19

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3601	52.01	-2.067	3651	53.42	1.316	3701	54.55	-0.856	3751	55.89	0.418
3602	52.05	-1.702	3652	53.45	0.682	3702	54.56	-1.484	3752	55.93	1.284
3603	52.08	-1.709	3653	53.46	0.681	3703	54.57	-1.484	3753	55.97	2.149
3604	52.10	-1.465	3654	53.47	0.677	3704	54.58	-0.863	3754	56.03	2.259
3605	52.12	-0.220	3655	53.50	-0.581	3705	54.62	0.001	3755	56.09	1.491
3606	52.13	0.027	3656	53.53	-0.839	3706	54.63	-0.000	3756	56.16	0.850
3607	52.14	0.399	3657	53.55	-1.220	3707	54.68	0.987	3757	56.18	0.843
3608	52.16	-0.857	3658	53.57	-1.224	3708	54.70	0.356	3758	56.19	1.217
3609	52.19	-2.114	3659	53.58	-0.602	3709	54.73	-0.277	3759	56.21	0.586
3610	52.21	-2.119	3660	53.61	1.265	3710	54.75	-1.534	3760	56.23	0.031
3611	52.24	-0.878	3661	53.62	1.263	3711	54.77	-1.538	3761	56.25	1.201
3612	52.28	0.612	3662	53.64	2.258	3712	54.79	-0.917	3762	56.28	-0.056
3613	52.32	2.477	3663	53.65	2.254	3713	54.82	0.324	3763	56.29	0.189
3614	52.35	1.596	3664	53.70	1.868	3714	54.87	0.561	3764	56.32	1.182
3615	52.38	-0.288	3665	53.71	0.864	3715	54.92	0.923	3765	56.35	2.424
3616	52.39	0.333	3666	53.73	0.608	3716	54.94	1.792	3766	56.37	3.045
3617	52.42	0.325	3667	53.75	-0.021	3717	54.95	1.791	3767	56.38	3.042
3618	52.45	-0.307	3668	53.76	-0.024	3718	54.96	1.538	3768	56.39	3.038
3619	52.50	1.556	3669	53.78	0.845	3719	54.98	0.657	3769	56.41	2.159
3620	52.55	1.793	3670	53.80	1.215	3720	55.01	0.274	3770	56.43	1.779
3621	52.57	2.786	3671	53.82	0.961	3721	55.04	-0.608	3771	56.46	1.522
3622	52.59	2.782	3672	53.84	-0.044	3722	55.07	-0.991	3772	56.47	1.767
3623	52.61	2.526	3673	53.86	0.574	3723	55.08	-0.744	3773	56.49	2.389
3624	52.65	0.892	3674	53.87	0.573	3724	55.10	-0.375	3774	56.51	3.009
3625	52.68	0.009	3675	53.89	0.317	3725	55.14	1.115	3775	56.53	4.253
3626	52.77	0.851	3676	53.93	1.183	3726	55.20	0.869	3776	56.60	2.610
3627	52.83	-0.406	3677	53.96	1.175	3727	55.21	0.598	3777	56.64	2.348
3628	52.85	-0.661	3678	53.99	1.791	3728	55.25	1.461	3778	56.65	2.347
3629	52.89	-0.422	3679	54.02	1.784	3729	55.29	2.701	3779	56.68	2.338
3630	52.92	0.196	3680	54.04	1.777	3730	55.30	2.450	3780	56.70	1.707
3631	52.93	0.193	3681	54.06	1.524	3731	55.36	3.309	3781	56.72	-0.173
3632	52.97	1.434	3682	54.08	0.518	3732	55.38	2.427	3782	56.73	-0.176
3633	52.98	1.430	3683	54.11	3.009	3733	55.42	1.168	3783	56.74	0.447
3634	53.00	1.424	3684	54.13	2.755	3734	55.45	0.160	3784	56.81	1.305
3635	53.05	0.161	3685	54.14	2.752	3735	55.47	0.155	3785	56.86	1.042
3636	53.08	0.155	3686	54.17	2.370	3736	55.48	0.151	3786	56.88	1.661
3637	53.09	0.151	3687	54.22	0.605	3737	55.49	0.150	3787	56.90	2.282
3638	53.10	-0.100	3688	54.23	0.604	3738	55.53	2.013	3788	56.91	2.903
3639	53.11	0.771	3689	54.30	-0.289	3739	55.54	2.011	3789	56.92	2.650
3640	53.13	1.390	3690	54.34	-0.360	3740	55.57	2.003	3790	56.94	2.020
3641	53.14	1.389	3691	54.36	0.819	3741	55.61	1.993	3791	57.01	-0.249
3642	53.19	2.000	3692	54.37	0.818	3742	55.65	1.732	3792	57.05	-0.883
3643	53.22	1.743	3693	54.42	0.930	3743	55.69	1.347	3793	57.06	-0.636
3644	53.23	1.365	3694	54.44	0.298	3744	55.71	1.091	3794	57.09	0.607
3645	53.25	-0.516	3695	54.45	0.295	3745	55.73	1.337	3795	57.13	2.221
3646	53.26	0.356	3696	54.46	0.294	3746	55.75	2.831	3796	57.16	3.089
3647	53.29	1.349	3697	54.49	1.410	3747	55.77	3.450	3797	57.17	2.835
3648	53.34	2.210	3698	54.50	2.407	3748	55.80	2.319	3798	57.20	1.952
3649	53.37	3.202	3699	54.51	2.155	3749	55.85	1.931	3799	57.23	1.570
3650	53.39	1.323	3700	54.52	1.526	3750	55.88	0.421	3800	57.27	0.684

INDEX NO. 797 1305-GR-15 HOROMAN BRIDGE LG. MAX.ACCEL.= -50.327(GAL) T=10.08(SEC) NO.20

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3801	57.29	0.678	3851	58.69	1.563	3901	60.51	1.963	3951	61.99	3.452
3802	57.32	0.297	3852	58.73	0.927	3902	60.56	1.324	3952	62.01	3.195
3803	57.35	1.163	3853	58.77	0.918	3903	60.59	1.068	3953	62.04	2.188
3804	57.38	1.781	3854	58.80	1.161	3904	60.60	1.064	3954	62.07	2.179
3805	57.41	2.148	3855	58.82	1.155	3905	60.62	1.558	3955	62.12	2.166
3806	57.46	2.386	3856	58.85	1.146	3906	60.65	2.552	3956	62.18	2.400
3807	57.51	1.872	3857	58.90	0.508	3907	60.67	2.547	3957	62.19	2.400
3808	57.53	1.867	3858	58.96	0.743	3908	60.70	2.538	3958	62.22	3.016
3809	57.54	1.238	3859	59.01	0.729	3909	60.75	2.776	3959	62.26	3.006
3810	57.57	2.106	3860	59.06	1.717	3910	60.79	2.889	3960	62.28	2.499
3811	57.64	2.962	3861	59.08	1.461	3911	60.80	2.888	3961	62.29	2.747
3812	57.72	3.317	3862	59.12	0.451	3912	60.81	2.885	3962	62.31	2.117
3813	57.75	3.060	3863	59.17	0.439	3913	60.83	2.504	3963	62.32	2.116
3814	57.78	1.425	3864	59.21	0.428	3914	60.85	2.499	3964	62.33	1.862
3815	57.79	1.424	3865	59.25	0.417	3915	60.87	3.119	3965	62.36	1.230
3816	57.80	0.545	3866	59.28	0.413	3916	60.89	3.114	3966	62.37	1.228
3817	57.81	0.544	3867	59.33	1.022	3917	60.91	3.107	3967	62.38	1.473
3818	57.84	0.786	3868	59.39	0.756	3918	60.96	2.469	3968	62.41	1.716
3819	57.87	1.027	3869	59.46	0.986	3919	60.99	2.212	3969	62.42	2.090
3820	57.91	1.016	3870	59.55	0.964	3920	61.01	1.832	3970	62.47	3.574
3821	57.92	1.390	3871	59.59	1.579	3921	61.03	2.077	3971	62.52	4.188
3822	57.98	1.748	3872	59.61	2.198	3922	61.05	3.071	3972	62.53	3.684
3823	58.01	2.240	3873	59.63	2.192	3923	61.07	3.316	3973	62.57	3.924
3824	58.02	2.237	3874	59.66	1.310	3924	61.10	3.059	3974	62.61	3.915
3825	58.05	2.856	3875	59.70	1.798	3925	61.12	2.804	3975	62.64	3.282
3826	58.07	2.851	3876	59.76	1.535	3926	61.15	2.421	3976	62.68	2.646
3827	58.08	2.849	3877	59.81	1.521	3927	61.18	2.162	3977	62.72	2.384
3828	58.10	2.592	3878	59.84	2.137	3928	61.21	2.656	3978	62.74	2.629
3829	58.14	2.583	3879	59.86	2.382	3929	61.25	3.893	3979	62.78	3.245
3830	58.16	2.576	3880	59.88	2.751	3930	61.28	4.262	3980	62.81	4.113
3831	58.18	2.572	3881	59.89	2.750	3931	61.29	4.259	3981	62.85	4.478
3832	58.21	2.314	3882	59.90	2.748	3932	61.31	3.377	3982	62.89	4.217
3833	58.26	2.176	3883	59.91	2.494	3933	61.33	2.623	3983	62.97	2.946
3834	58.29	2.168	3884	59.94	1.237	3934	61.36	2.116	3984	62.99	3.814
3835	58.30	2.165	3885	59.98	1.227	3935	61.38	1.737	3985	63.00	3.815
3836	58.31	2.536	3886	60.01	0.844	3936	61.40	1.730	3986	63.07	3.793
3837	58.32	2.535	3887	60.03	0.588	3937	61.51	2.577	3987	63.08	3.790
3838	58.34	4.030	3888	60.05	0.582	3938	61.62	3.548	3988	63.13	2.904
3839	58.36	3.775	3889	60.08	0.826	3939	61.67	2.910	3989	63.15	2.523
3840	58.38	3.769	3890	60.10	1.445	3940	61.70	2.901	3990	63.16	2.522
3841	58.42	4.010	3891	60.13	2.063	3941	61.76	1.635	3991	63.18	2.765
3842	58.45	3.751	3892	60.16	2.055	3942	61.80	2.250	3992	63.21	3.756
3843	58.47	3.994	3893	60.17	2.052	3943	61.81	2.249	3993	63.22	3.756
3844	58.49	4.365	3894	60.19	1.422	3944	61.82	2.246	3994	63.26	3.369
3845	58.51	3.736	3895	60.22	1.414	3945	61.84	2.241	3995	63.31	1.605
3846	58.52	3.358	3896	60.25	1.406	3946	61.88	3.106	3996	63.39	1.460
3847	58.56	1.847	3897	60.28	2.023	3947	61.89	3.476	3997	63.41	1.830
3848	58.61	2.984	3898	60.33	2.633	3948	61.92	3.720	3998	63.50	3.430
3849	58.62	1.207	3899	60.37	2.000	3949	61.97	2.832	3999	63.58	3.662
3850	58.65	1.823	3900	60.42	1.361	3950	61.98	3.453	4000	63.65	3.518

INDEX NO. 797 1305-GR-15 HORONAN BRIDGE LG. MAX.ACCEL.= -50.327(GAL) T=16.08(SEC) NO.21

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
4001	63.69	4.007	4051	66.14	4.992	4101	68.82	4.542	4151	69.95	3.997
4002	63.73	5.245	4052	66.15	5.240	4102	68.84	4.536	4152	69.97	4.240
4003	63.74	5.244	4053	66.19	5.228	4103	68.87	4.030	4153	69.98	4.239
4004	63.76	5.615	4054	66.22	5.220	4104	68.91	4.018	4154	69.99	4.860
4005	63.89	4.331	4055	66.25	5.567	4105	68.98	4.501	4155	70.00	4.859
4006	64.04	4.040	4056	66.28	4.954	4106	69.03	4.486	4156	70.01	5.856
4007	64.11	4.898	4057	66.45	3.285	4107	69.09	3.972	4157	70.02	5.854
4008	64.15	5.137	4058	66.61	4.243	4108	69.14	4.209	4158	70.03	5.600
4009	64.23	4.865	4059	66.69	4.473	4109	69.17	3.824	4159	70.05	4.346
4010	64.24	4.865	4060	66.73	5.088	4110	69.21	4.815	4160	70.06	3.718
4011	64.30	4.222	4061	66.76	5.704	4111	69.23	4.560	4161	70.08	2.088
4012	64.35	3.583	4062	66.80	6.070	4112	69.26	3.552	4162	70.09	1.839
4013	64.36	3.333	4063	66.83	6.061	4113	69.28	4.171	4163	70.11	2.331
4014	64.39	2.948	4064	66.84	6.058	4114	69.29	4.170	4164	70.12	3.952
4015	64.43	3.814	4065	66.98	4.773	4115	69.32	4.785	4165	70.13	4.575
4016	64.51	4.417	4066	66.99	4.770	4116	69.33	4.533	4166	70.14	4.823
4017	64.59	4.148	4067	67.06	5.003	4117	69.34	4.530	4167	70.15	3.318
4018	64.63	4.137	4068	67.09	5.368	4118	69.35	4.529	4168	70.16	3.318
4019	64.65	3.880	4069	67.14	5.105	4119	69.37	4.149	4169	70.17	3.313
4020	64.68	3.874	4070	67.17	4.724	4120	69.38	3.521	4170	70.18	3.311
4021	64.71	4.365	4071	67.20	4.464	4121	69.40	3.514	4171	70.21	5.179
4022	64.74	5.357	4072	67.23	4.082	4122	69.45	4.752	4172	70.23	5.424
4023	64.76	5.601	4073	67.28	4.070	4123	69.49	4.743	4173	70.24	4.920
4024	64.81	4.464	4074	67.29	4.067	4124	69.50	4.489	4174	70.26	3.292
4025	64.86	3.826	4075	67.33	4.680	4125	69.53	3.482	4175	70.27	3.288
4026	64.91	2.562	4076	67.52	5.631	4126	69.54	3.229	4176	70.29	3.532
4027	64.95	2.803	4077	67.55	5.249	4127	69.56	3.722	4177	70.31	5.777
4028	64.98	3.420	4078	67.61	5.859	4128	69.58	4.344	4178	70.32	5.526
4029	65.03	4.906	4079	67.73	5.201	4129	69.60	3.838	4179	70.33	5.148
4030	65.05	4.651	4080	67.83	4.800	4130	69.62	3.833	4180	70.35	3.891
4031	65.08	3.769	4081	67.92	4.901	4131	69.64	3.828	4181	70.37	3.637
4032	65.11	3.761	4082	67.97	5.139	4132	69.66	4.073	4182	70.38	4.133
4033	65.37	4.318	4083	67.98	4.886	4133	69.67	3.820	4183	70.39	4.132
4034	65.44	4.549	4084	68.01	4.879	4134	69.68	3.441	4184	70.40	4.128
4035	65.50	5.160	4085	68.03	3.873	4135	69.69	3.189	4185	70.43	4.120
4036	65.52	5.154	4086	68.07	4.113	4136	69.70	3.062	4186	70.44	4.119
4037	65.56	3.894	4087	68.41	5.023	4137	69.71	4.308	4187	70.47	4.737
4038	65.58	3.887	4088	68.43	4.768	4138	69.74	5.927	4188	70.49	4.730
4039	65.61	4.756	4089	68.45	5.262	4139	69.75	5.298	4189	70.50	4.729
4040	65.64	5.372	4090	68.47	5.257	4140	69.77	3.419	4190	70.51	5.101
4041	65.69	5.358	4091	68.55	4.613	4141	69.78	2.165	4191	70.67	4.433
4042	65.72	5.100	4092	68.59	4.352	4142	69.79	2.539	4192	70.72	3.794
4043	65.74	4.846	4093	68.62	3.720	4143	69.80	2.785	4193	70.88	3.753
4044	65.79	3.584	4094	68.64	4.339	4144	69.81	3.657	4194	70.93	3.991
4045	65.82	3.825	4095	68.66	4.333	4145	69.82	3.655	4195	70.96	4.358
4046	65.86	4.440	4096	68.68	4.078	4146	69.83	3.779	4196	70.98	3.727
4047	65.93	5.067	4097	68.70	3.447	4147	69.85	3.024	4197	71.02	2.842
4048	65.96	5.038	4098	68.73	3.689	4148	69.87	2.393	4198	71.03	3.090
4049	66.02	4.774	4099	68.76	3.432	4149	69.90	2.759	4199	71.04	3.711
4050	66.08	4.383	4100	68.79	3.924	4150	69.93	3.002	4200	71.07	4.954

INDEX NO. 797 1305-GR-15 HORONAN BRIDGE LG. MAX.ACCEL.= -50.327(GAL) T=18.08(SEC) NO.22

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
4201	71.08	4.950	4251	71.95	3.473	4301	73.61	5.164	4351	75.13	2.642
4202	71.10	4.945	4252	72.03	4.078	4302	73.62	4.912	4352	75.14	2.090
4203	71.23	3.038	4253	72.08	3.615	4303	73.65	4.030	4353	75.17	4.133
4204	71.25	3.907	4254	72.12	3.679	4304	73.66	3.402	4354	75.19	4.502
4205	71.27	3.902	4255	72.14	3.675	4305	73.72	4.011	4355	75.20	4.250
4206	71.28	3.649	4256	72.17	2.167	4306	73.73	4.010	4356	75.21	4.248
4207	71.29	3.395	4257	72.21	2.782	4307	73.74	4.506	4357	75.22	3.619
4208	71.30	3.395	4258	72.24	3.022	4308	73.77	6.123	4358	75.24	3.864
4209	71.31	3.642	4259	72.28	3.638	4309	73.78	5.870	4359	75.26	4.734
4210	71.33	4.511	4260	72.30	4.007	4310	73.79	5.243	4360	75.27	5.730
4211	71.34	4.507	4261	72.33	3.750	4311	73.80	4.866	4361	75.28	5.728
4212	71.36	3.629	4262	72.36	3.992	4312	73.81	4.862	4362	75.30	5.475
4213	71.37	2.999	4263	72.38	2.736	4313	73.89	4.218	4363	75.32	4.844
4214	71.38	3.248	4264	72.42	3.601	4314	73.97	3.946	4364	75.34	3.588
4215	71.39	4.244	4265	72.45	3.363	4315	74.03	2.930	4365	75.36	3.582
4216	71.41	4.489	4266	72.46	3.342	4316	74.05	3.176	4366	75.37	3.582
4217	71.42	5.112	4267	72.48	3.335	4317	74.09	4.415	4367	75.39	3.825
4218	71.44	4.856	4268	72.51	4.203	4318	74.15	4.775	4368	75.40	4.447
4219	71.46	3.603	4269	72.55	3.316	4319	74.26	4.120	4369	75.42	4.692
4220	71.47	3.223	4270	72.56	3.314	4320	74.34	3.474	4370	75.44	4.687
4221	71.48	3.223	4271	72.58	3.060	4321	74.36	3.719	4371	75.46	4.431
4222	71.50	4.466	4272	72.60	2.055	4322	74.39	4.463	4372	75.50	3.848
4223	71.51	4.839	4273	72.63	3.297	4323	74.41	4.456	4373	75.52	3.543
4224	71.53	4.584	4274	72.65	3.292	4324	74.44	3.824	4374	75.53	4.038
4225	71.55	4.205	4275	72.67	3.266	4325	74.48	3.812	4375	75.55	5.658
4226	71.56	4.201	4276	72.69	3.280	4326	74.52	4.053	4376	75.56	5.905
4227	71.58	4.196	4277	72.72	4.148	4327	74.56	4.668	4377	75.57	5.904
4228	71.60	3.564	4278	72.75	4.140	4328	74.60	5.282	4378	75.58	5.651
4229	71.61	3.564	4279	72.78	5.132	4329	74.61	4.654	4379	75.60	3.770
4230	71.62	3.309	4280	72.80	4.876	4330	74.63	4.024	4380	75.62	2.266
4231	71.63	3.558	4281	72.93	4.718	4331	74.65	3.393	4381	75.63	3.387
4232	71.65	4.177	4282	73.05	3.187	4332	74.68	3.386	4382	75.64	4.009
4233	71.67	4.423	4283	73.10	3.798	4333	74.74	4.369	4383	75.66	4.380
4234	71.68	4.419	4284	73.11	3.797	4334	74.78	4.609	4384	75.68	5.624
4235	71.69	3.917	4285	73.13	4.040	4335	74.81	5.226	4385	75.70	6.243
4236	71.70	3.288	4286	73.14	4.039	4336	74.84	5.218	4386	75.71	6.241
4237	71.71	3.536	4287	73.16	5.282	4337	74.89	4.956	4387	75.72	5.989
4238	71.73	4.157	4288	73.17	5.281	4338	74.92	4.949	4388	75.73	5.362
4239	71.74	4.404	4289	73.19	4.401	4339	74.94	5.194	4389	75.75	3.482
4240	71.75	4.151	4290	73.22	4.143	4340	74.96	4.957	4390	75.76	3.104
4241	71.76	3.274	4291	73.29	3.999	4341	74.97	4.935	4391	75.77	3.102
4242	71.77	2.696	4292	73.38	3.976	4342	74.98	4.557	4392	75.78	3.722
4243	71.78	3.144	4293	73.42	4.965	4343	75.01	5.550	4393	75.79	4.346
4244	71.79	4.140	4294	73.44	5.210	4344	75.02	6.671	4394	75.81	4.591
4245	71.80	4.387	4295	73.45	5.832	4345	75.03	6.419	4395	75.83	5.209
4246	71.82	4.134	4296	73.47	5.576	4346	75.04	6.417	4396	75.85	3.705
4247	71.83	3.505	4297	73.49	4.946	4347	75.06	4.912	4397	75.87	3.076
4248	71.84	2.877	4298	73.51	4.692	4348	75.07	4.158	4398	75.88	2.197
4249	71.86	2.624	4299	73.53	4.561	4349	75.10	4.151	4399	75.89	1.193
4250	71.90	2.862	4300	73.60	5.294	4350	75.12	3.270	4400	75.90	2.693

土木構造物における加速度強震記録（No.9）

INDEX NO. 797 1305-GR-15 HOROMAN BRIDGE LG. MAX.ACCEL.= -50.327(GAL) T=18.08(SEC) NO.23

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
4401	75.91	2.689	4451	76.77	5.714	4501	77.94	4.535	4551	78.91	4.906
4402	75.92	3.936	4452	76.78	5.963	4502	77.97	4.526	4552	78.94	4.646
4403	75.93	5.184	4453	76.80	4.707	4503	78.01	4.766	4553	78.99	4.509
4404	75.94	6.432	4454	76.83	4.074	4504	78.02	4.763	4554	79.01	4.506
4405	75.95	6.555	4455	76.85	3.818	4505	78.05	6.630	4555	79.03	5.748
4406	75.96	5.676	4456	76.88	3.810	4506	78.07	7.625	4556	79.05	6.368
4407	75.97	3.173	4457	76.91	4.304	4507	78.08	7.374	4557	79.07	6.114
4408	75.98	3.420	4458	76.93	4.674	4508	78.09	6.120	4558	79.08	6.110
4409	75.99	3.420	4459	76.95	4.918	4509	78.11	4.864	4559	79.09	6.110
4410	76.00	3.167	4460	76.97	5.038	4510	78.14	4.232	4560	79.11	4.854
4411	76.02	3.411	4461	77.01	5.527	4511	78.15	3.478	4561	79.13	4.599
4412	76.03	3.407	4462	77.04	5.268	4512	78.18	3.472	4562	79.15	3.969
4413	76.04	3.405	4463	77.07	4.887	4513	78.19	4.095	4563	79.16	3.967
4414	76.06	3.151	4464	77.10	5.505	4514	78.20	5.092	4564	79.17	4.212
4415	76.07	3.524	4465	77.11	5.502	4515	78.21	6.088	4565	79.20	5.455
4416	76.09	5.641	4466	77.12	4.999	4516	78.22	5.460	4566	79.22	6.324
4417	76.10	5.640	4467	77.14	3.744	4517	78.24	4.832	4567	79.24	6.945
4418	76.11	6.887	4468	77.15	3.991	4518	78.25	4.453	4568	79.26	6.939
4419	76.12	6.510	4469	77.18	4.232	4519	78.29	4.441	4569	79.27	6.685
4420	76.13	5.633	4470	77.21	4.850	4520	78.32	5.060	4570	79.28	5.808
4421	76.15	5.377	4471	77.24	5.467	4521	78.33	4.431	4571	79.30	5.804
4422	76.16	4.995	4472	77.26	5.461	4522	78.35	4.428	4572	79.32	5.424
4423	76.20	4.737	4473	77.27	6.084	4523	78.36	5.674	4573	79.33	5.171
4424	76.23	4.731	4474	77.29	6.078	4524	78.37	6.296	4574	79.35	5.042
4425	76.25	4.726	4475	77.31	5.199	4525	78.38	6.543	4575	79.36	6.662
4426	76.27	4.970	4476	77.33	4.568	4526	78.39	6.293	4576	79.37	6.660
4427	76.29	4.339	4477	77.35	3.687	4527	78.40	5.415	4577	79.39	6.405
4428	76.31	4.584	4478	77.37	3.684	4528	78.42	3.533	4578	79.43	5.770
4429	76.33	5.204	4479	77.38	3.306	4529	78.43	3.530	4579	79.46	5.387
4430	76.35	5.574	4480	77.40	4.174	4530	78.45	3.151	4580	79.50	5.000
4431	76.36	5.571	4481	77.45	4.538	4531	78.47	3.147	4581	79.54	5.741
4432	76.38	5.317	4482	77.47	4.781	4532	78.52	4.008	4582	79.56	5.737
4433	76.40	3.436	4483	77.49	5.153	4533	78.54	5.252	4583	79.57	5.983
4434	76.41	3.434	4484	77.50	5.149	4534	78.60	6.237	4584	79.58	5.105
4435	76.43	3.679	4485	77.52	5.144	4535	78.62	6.482	4585	79.59	5.103
4436	76.46	4.922	4486	77.54	4.514	4536	78.63	5.354	4586	79.60	5.101
4437	76.48	5.165	4487	77.60	5.122	4537	78.65	4.598	4587	79.62	5.595
4438	76.50	4.660	4488	77.64	5.738	4538	78.68	4.592	4588	79.65	6.588
4439	76.53	4.528	4489	77.65	5.734	4539	78.70	4.336	4589	79.66	6.585
4440	76.54	4.525	4490	77.66	5.733	4540	78.72	4.081	4590	79.67	6.958
4441	76.55	4.271	4491	77.68	4.476	4541	78.74	4.325	4591	79.69	6.328
4442	76.57	3.018	4492	77.71	3.595	4542	78.76	5.819	4592	79.72	5.569
4443	76.58	3.641	4493	77.72	3.842	4543	78.78	6.815	4593	79.76	4.683
4444	76.60	4.260	4494	77.74	5.086	4544	78.79	6.186	4594	79.79	4.677
4445	76.61	4.256	4495	77.77	5.704	4545	78.81	5.558	4595	79.80	4.424
4446	76.62	4.255	4496	77.79	5.697	4546	78.82	4.930	4596	79.81	5.547
4447	76.64	3.498	4497	77.81	5.693	4547	78.84	4.923	4597	79.84	7.163
4448	76.67	3.490	4498	77.82	5.690	4548	78.87	5.541	4598	79.85	7.159
4449	76.72	4.978	4499	77.84	5.060	4549	78.88	5.789	4599	79.87	6.208
4450	76.75	5.969	4500	77.85	5.182	4550	78.89	5.786	4600	79.89	5.650

INDEX NO. 797 1305-GR-15 HOROMAN BRIDGE LG. MAX.ACCEL.= -50.327(GAL) T=18.08(SEC) NO.24

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
4601	79.90	5.273	4651	81.83	4.643	4701	83.52	4.452	4751	85.08	3.920
4602	79.91	5.020	4652	81.84	4.640	4702	83.54	4.196	4752	85.12	3.032
4603	79.93	4.265	4653	81.90	5.874	4703	83.55	4.817	4753	85.14	3.528
4604	79.95	4.259	4654	81.97	5.231	4704	83.59	4.808	4754	85.26	4.490
4605	79.97	4.628	4655	82.01	4.971	4705	83.60	4.805	4755	85.40	3.211
4606	80.02	4.866	4656	82.03	4.966	4706	83.62	4.801	4756	85.44	3.823
4607	80.40	4.891	4657	82.07	4.329	4707	83.63	4.547	4757	85.45	3.823
4608	80.42	5.386	4658	82.09	3.699	4708	83.65	4.542	4758	85.49	4.063
4609	80.44	6.006	4659	82.11	3.069	4709	83.67	5.037	4759	85.52	5.304
4610	80.45	6.003	4660	82.14	3.563	4710	83.68	5.033	4760	85.54	5.299
4611	80.48	5.496	4661	82.19	5.598	4711	83.70	4.779	4761	85.61	5.029
4612	80.53	5.107	4662	82.24	4.786	4712	83.72	4.150	4762	85.62	5.028
4613	80.55	3.851	4663	82.28	4.278	4713	83.73	4.146	4763	85.70	4.006
4614	80.57	3.598	4664	82.29	4.273	4714	83.77	4.761	4764	85.78	4.111
4615	80.58	3.720	4665	82.32	4.764	4715	83.79	5.035	4765	85.82	3.975
4616	80.60	4.588	4666	82.36	4.504	4716	83.81	4.125	4766	85.84	3.720
4617	80.64	5.577	4667	82.39	3.872	4717	83.82	4.123	4767	85.86	3.465
4618	80.68	5.817	4668	82.41	4.490	4718	83.85	5.364	4768	85.88	3.959
4619	80.71	5.560	4669	82.42	4.489	4719	83.87	5.984	4769	85.90	5.203
4620	80.74	4.929	4670	82.47	5.725	4720	83.89	5.981	4770	85.91	5.576
4621	80.78	4.293	4671	82.49	5.094	4721	83.90	5.726	4771	86.05	3.664
4622	80.80	4.287	4672	82.52	3.837	4722	83.93	4.470	4772	86.15	3.890
4623	80.82	4.033	4673	82.70	4.791	4723	83.97	3.333	4773	86.19	4.254
4624	80.84	4.527	4674	82.76	4.649	4724	84.01	4.074	4774	86.24	4.866
4625	80.90	5.511	4675	82.83	4.131	4725	84.03	4.318	4775	86.28	4.606
4626	80.97	5.492	4676	82.91	3.109	4726	84.05	4.938	4776	86.33	4.216
4627	80.98	5.239	4677	82.92	3.109	4727	84.07	5.432	4777	86.38	3.955
4628	81.02	5.229	4678	82.95	3.351	4728	84.09	5.176	4778	86.41	3.572
4629	81.09	4.210	4679	82.97	3.721	4729	84.13	4.543	4779	86.43	3.567
4630	81.13	3.950	4680	83.01	5.833	4730	84.19	4.777	4780	86.46	4.183
4631	81.16	4.442	4681	83.02	5.833	4731	84.40	4.096	4781	86.49	4.424
4632	81.19	4.184	4682	83.03	5.829	4732	84.42	4.091	4782	86.50	4.424
4633	81.22	3.928	4683	83.04	5.326	4733	84.51	5.318	4783	86.71	4.117
4634	81.28	5.412	4684	83.07	4.694	4734	84.52	5.564	4784	86.91	4.691
4635	81.36	5.642	4685	83.18	3.414	4735	84.57	4.428	4785	86.96	4.052
4636	81.40	5.631	4686	83.19	3.413	4736	84.61	3.792	4786	86.97	4.051
4637	81.42	5.625	4687	83.22	3.903	4737	84.67	3.651	4787	87.00	4.041
4638	81.45	4.741	4688	83.23	2.401	4738	84.69	4.021	4788	87.03	4.409
4639	81.52	5.349	4689	83.25	3.022	4739	84.71	4.264	4789	87.06	5.277
4640	81.56	5.589	4690	83.27	3.642	4740	84.72	4.637	4790	87.07	4.649
4641	81.61	6.200	4691	83.29	4.510	4741	84.75	4.004	4791	87.10	4.392
4642	81.63	6.195	4692	83.31	5.131	4742	84.79	3.369	4792	87.13	3.383
4643	81.64	5.961	4693	83.33	5.126	4743	84.82	3.610	4793	87.18	2.744
4644	81.67	5.309	4694	83.35	4.870	4744	84.90	3.967	4794	87.20	2.739
4645	81.69	4.054	4695	83.36	4.869	4745	84.94	4.205	4795	87.24	3.605
4646	81.70	3.676	4696	83.40	4.858	4746	84.98	4.569	4796	87.27	3.973
4647	81.73	4.945	4697	83.45	3.971	4747	84.99	4.568	4797	87.29	4.861
4648	81.76	5.285	4698	83.46	4.217	4748	85.03	4.557	4798	87.32	5.457
4649	81.79	5.903	4699	83.47	3.965	4749	85.05	4.552	4799	87.35	5.825
4650	81.81	5.648	4700	83.50	3.831	4750	85.06	4.549	4800	87.37	5.820

INDEX NO. 797 1305-GR-15 MOROMAN BRIDGE LG. MAX.ACCEL.= -50.327(GAL) T=18.08(SEC) NO.25

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
4801	87.40	5.562	4851	89.80	4.560	4901	92.54	4.720	4951	95.15	4.163
4802	87.43	5.180	4852	89.83	5.177	4902	92.66	4.814	4952	95.17	4.657
4803	87.46	4.922	4853	89.93	4.910	4903	92.71	4.176	4953	95.19	4.653
4804	87.84	4.074	4854	89.92	4.530	4904	92.73	4.169	4954	95.36	3.358
4805	87.86	4.441	4855	89.93	4.156	4905	92.78	5.033	4955	95.43	3.713
4806	87.90	4.183	4856	89.96	4.764	4906	92.86	4.760	4956	95.55	4.307
4807	87.94	3.547	4857	90.02	5.128	4907	92.87	4.759	4957	95.66	4.029
4808	88.01	4.029	4858	90.26	5.315	4908	93.13	4.315	4958	95.75	3.389
4809	88.05	4.018	4859	90.52	5.622	4909	93.14	4.314	4959	95.83	3.861
4810	88.08	4.636	4860	90.53	4.996	4910	93.17	3.681	4960	95.87	4.225
4811	88.09	4.382	4861	90.76	5.560	4911	93.20	4.297	4961	95.90	4.218
4812	88.15	4.366	4862	90.80	5.800	4912	93.21	4.296	4962	96.05	4.177
4813	88.20	4.103	4863	90.83	5.792	4913	93.25	4.658	4963	96.20	3.264
4814	88.25	3.092	4864	90.85	5.786	4914	93.32	4.642	4964	96.28	4.117
4815	88.26	3.087	4865	90.87	5.782	4915	93.41	4.243	4965	96.31	4.111
4816	88.30	3.701	4866	90.88	4.653	4916	93.48	4.599	4966	96.34	2.851
4817	88.36	4.562	4867	90.91	5.147	4917	93.52	4.838	4967	96.36	2.846
4818	88.44	4.667	4868	90.93	5.516	4918	93.53	4.586	4968	96.38	3.090
4819	88.46	4.936	4869	90.95	5.260	4919	93.59	5.070	4969	96.41	3.082
4820	88.49	3.653	4870	90.99	5.749	4920	93.60	5.066	4970	96.44	3.075
4821	88.52	3.646	4871	91.33	5.161	4921	93.63	4.810	4971	96.45	3.074
4822	88.54	3.889	4872	91.36	5.153	4922	93.66	4.552	4972	96.47	3.444
4823	88.58	3.004	4873	91.41	5.390	4923	93.70	3.915	4973	96.49	3.687
4824	88.63	3.365	4874	91.49	6.245	4924	93.76	2.900	4974	96.51	4.056
4825	88.67	3.607	4875	91.52	5.111	4925	93.81	4.389	4975	96.54	4.049
4826	88.69	3.851	4876	91.53	5.110	4926	93.87	4.122	4976	96.58	3.665
4827	88.71	4.221	4877	91.69	4.442	4927	93.88	4.120	4977	96.63	3.150
4828	88.73	4.840	4878	91.72	4.434	4928	93.95	4.101	4978	96.66	3.144
4829	88.74	6.087	4879	91.75	5.301	4929	94.06	4.947	4979	96.70	3.632
4830	88.79	5.449	4880	91.78	5.294	4930	94.07	4.946	4980	96.71	3.631
4831	88.86	3.931	4881	91.81	5.286	4931	94.17	4.669	4981	96.79	3.609
4832	88.88	4.552	4882	91.85	5.024	4932	94.19	4.412	4982	96.80	3.607
4833	88.92	5.415	4883	91.92	5.507	4933	94.20	4.660	4983	96.88	4.210
4834	89.01	4.517	4884	91.95	5.499	4934	94.24	5.276	4984	96.95	3.694
4835	89.05	5.382	4885	91.98	4.366	4935	94.26	5.521	4985	96.98	3.309
4836	89.06	4.753	4886	92.02	4.606	4936	94.30	5.261	4986	97.03	3.297
4837	89.09	4.495	4887	92.04	3.976	4937	94.36	4.619	4987	97.10	3.277
4838	89.28	4.627	4888	92.05	3.972	4938	94.44	3.599	4988	97.15	3.640
4839	89.38	4.921	4889	92.09	4.836	4939	94.53	4.576	4989	97.20	3.252
4840	89.45	5.528	4890	92.14	5.200	4940	94.56	4.192	4990	97.25	3.238
4841	89.48	5.895	4891	92.16	4.943	4941	94.60	4.806	4991	97.26	3.238
4842	89.49	4.391	4892	92.19	4.562	4942	94.68	2.662	4992	97.29	2.979
4843	89.50	4.390	4893	92.23	3.925	4943	94.71	2.404	4993	97.32	3.221
4844	89.54	4.379	4894	92.27	2.914	4944	94.72	2.900	4994	97.35	3.839
4845	89.57	4.870	4895	92.29	3.284	4945	94.82	3.875	4995	97.36	3.835
4846	89.61	4.985	4896	92.33	3.276	4946	94.86	4.488	4996	97.37	4.082
4847	89.65	4.975	4897	92.37	4.514	4947	94.89	4.106	4997	97.68	3.127
4848	89.68	5.467	4898	92.41	4.754	4948	94.93	3.595	4998	97.73	3.363
4849	89.70	6.087	4899	92.43	4.748	4949	94.98	3.582	4999	97.78	3.975
4850	89.72	5.832	4900	92.47	4.487	4950	95.01	4.075	5000	97.91	3.691

INDEX NO. 797 1305-GR-15 MOROMAN BRIDGE LG. MAX.ACCEL.= -50.327(GAL) T=18.08(SEC) NO.26

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
5001	98.05	3.280	5051	101.52	4.624	5101	106.26	3.034	5151	120.08	-11.974
5002	98.10	4.266	5052	101.55	3.990	5102	106.36	3.631	5152	120.16	-11.997
5003	98.15	4.004	5053	101.57	3.110	5103	106.75	2.905	5153	120.22	-12.388
5004	98.19	3.620	5054	101.58	2.734	5104	106.49	0.825	5154	120.27	-12.650
5005	98.22	3.862	5055	101.60	2.979	5105	106.79	1.123	5155	120.33	-12.416
5006	98.25	3.853	5056	101.62	3.597	5106	106.85	1.356	5156	120.35	-11.797
5007	98.31	3.588	5057	101.63	3.596	5107	106.90	1.344	5157	121.25	-13.906
5008	98.33	3.581	5058	101.66	3.587	5108	106.97	0.700	5158	124.07	-15.269
5009	98.40	2.938	5059	101.68	2.958	5109	107.03	0.308	5159	126.80	-17.695
5010	98.45	3.549	5060	101.70	3.577	5110	107.04	0.056	5160	128.37	-17.015
5011	98.50	3.788	5061	101.73	4.195	5111	107.37	-0.029	5161	128.40	-18.898
5012	98.64	5.000	5062	101.75	4.187	5112	107.53	0.554	5162	128.63	-18.710
5013	98.74	3.851	5063	101.76	4.187	5113	107.69	0.512	5163	128.67	-18.720
5014	98.90	3.434	5064	101.79	3.929	5114	107.73	0.875	5164	128.72	-18.109
5015	98.97	4.290	5065	101.81	3.922	5115	107.83	-0.150	5165	128.79	-18.127
5016	99.04	3.396	5066	101.84	3.666	5116	107.92	-0.175	5166	128.83	-18.387
5017	99.12	3.376	5067	101.87	3.032	5117	107.99	0.434	5167	128.85	-18.592
5018	99.15	4.617	5068	101.91	3.271	5118	110.21	+2.523	5168	128.87	-18.147
5019	99.16	4.615	5069	101.94	3.514	5119	112.76	+5.313	5169	128.91	-19.033
5020	99.21	3.728	5070	101.96	3.259	5120	115.68	-7.700	5170	128.92	-19.034
5021	99.22	3.975	5071	101.98	2.379	5121	116.09	-7.559	5171	128.97	-19.048
5022	99.31	3.576	5072	102.01	2.246	5122	116.23	+7.721	5172	129.37	-19.778
5023	99.40	3.926	5073	102.04	3.862	5123	116.32	-8.618	5173	129.41	-18.913
5024	99.41	3.925	5074	102.15	2.583	5124	116.36	-9.003	5174	129.44	-19.795
5025	99.48	4.156	5075	102.16	2.581	5125	116.42	49.394	5175	129.47	-20.428
5026	99.49	4.154	5076	102.19	3.449	5126	116.43	+9.147	5176	129.49	-19.558
5027	99.54	3.890	5077	102.23	3.812	5127	116.51	-8.541	5177	129.52	-18.942
5028	99.60	4.250	5078	102.29	3.173	5128	117.09	49.193	5178	129.58	-20.082
5029	99.67	4.731	5079	102.35	3.407	5129	118.06	+9.823	5179	129.67	+19.480
5030	99.77	3.831	5080	102.38	3.774	5130	118.07	+9.825	5180	129.73	-19.247
5031	99.83	3.189	5081	102.40	4.393	5131	118.13	+9.591	5181	129.82	-18.645
5032	99.84	3.188	5082	102.41	4.142	5132	118.15	+9.596	5182	129.87	+18.907
5033	99.89	3.798	5083	102.50	3.118	5133	118.18	+10.728	5183	129.88	-19.535
5034	99.90	3.547	5084	102.53	3.109	5134	118.20	+10.733	5184	129.94	+19.926
5035	100.31	4.316	5085	102.73	5.807	5135	118.21	-10.737	5185	130.00	-19.941
5036	100.34	3.682	5086	103.02	3.857	5136	118.25	+9.873	5186	130.04	+19.953
5037	100.37	3.048	5087	103.36	3.894	5137	118.29	+9.883	5187	130.05	+20.581
5038	100.41	3.038	5088	103.66	1.585	5138	118.33	+9.644	5188	130.10	+19.947
5039	100.59	3.617	5089	103.80	3.153	5139	118.34	+9.646	5189	130.15	-19.982
5040	100.60	3.614	5090	103.84	2.766	5140	119.03	+11.327	5190	130.20	+20.245
5041	100.69	3.215	5091	103.85	2.766	5141	119.50	+12.823	5191	130.23	+20.251
5042	100.70	3.213	5092	103.91	2.749	5142	119.58	+11.844	5192	130.26	+18.761
5043	100.90	3.912	5093	103.95	2.738	5143	119.64	+12.234	5193	130.30	+20.019
5044	100.92	4.155	5094	103.99	2.726	5144	119.71	+12.255	5194	130.34	+20.657
5045	100.98	3.266	5095	104.00	2.727	5145	119.78	+12.021	5195	130.47	+19.814
5046	101.18	4.336	5096	104.04	3.589	5146	119.88	+12.298	5196	130.49	+20.320
5047	101.19	4.335	5097	104.09	3.078	5147	119.95	+12.940	5197	130.70	+20.499
5048	101.43	3.396	5098	104.11	3.073	5148	119.96	+12.944	5198	131.26	+20.895
5049	101.45	3.391	5099	104.16	2.934	5149	120.00	+11.703	5199	132.62	+21.627
5050	101.49	3.132	5100	104.25	3.035	5150	120.03	+11.962			

Table IX D-24 Digitized Accelerations of Earthquake Record with Index Number 798

INDEX NO. 798 1305-GR-15 HOROMAN BRIDGE U-D MAX.ACCEL.= -26.215(GAL) T=15.41(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.0	4.197	51	0.75	3.711	101	1.44	5.726	151	2.24	5.869
2	0.05	4.198	52	0.76	3.462	102	1.45	5.976	152	2.26	5.245
3	0.07	5.448	53	0.78	3.212	103	1.46	5.602	153	2.28	4.620
4	0.08	5.448	54	0.79	3.462	104	1.48	5.977	154	2.29	3.820
5	0.10	5.198	55	0.81	3.463	105	1.50	5.352	155	2.30	3.620
6	0.11	4.199	56	0.84	3.713	106	1.51	5.353	156	2.32	3.621
7	0.13	3.574	57	0.85	4.336	107	1.52	6.228	157	2.34	4.371
8	0.14	3.824	58	0.86	5.589	108	1.54	7.229	158	2.35	4.746
9	0.15	4.825	59	0.89	6.214	109	1.55	7.229	159	2.36	4.746
10	0.17	6.450	60	0.90	6.590	110	1.56	6.979	160	2.37	4.497
11	0.19	6.075	61	0.91	6.840	111	1.57	6.354	161	2.39	4.122
12	0.21	5.201	62	0.93	6.840	112	1.59	5.105	162	2.40	4.372
13	0.22	5.076	63	0.95	6.590	113	1.62	4.730	163	2.42	4.998
14	0.23	5.076	64	0.96	6.841	114	1.65	4.481	164	2.43	4.748
15	0.25	5.076	65	0.98	6.591	115	1.66	3.856	165	2.44	4.499
16	0.26	5.452	66	0.99	6.341	116	1.67	4.107	166	2.46	3.874
17	0.28	5.702	67	1.00	5.092	117	1.69	4.357	167	2.48	3.874
18	0.30	5.452	68	1.02	4.717	118	1.70	4.107	168	2.49	3.749
19	0.31	5.453	69	1.04	3.842	119	1.72	4.107	169	2.51	4.125
20	0.32	5.453	70	1.05	4.093	120	1.73	4.358	170	2.53	5.000
21	0.35	5.453	71	1.06	4.093	121	1.74	4.983	171	2.57	6.251
22	0.37	5.454	72	1.08	4.718	122	1.76	5.608	172	2.58	5.751
23	0.39	5.204	73	1.09	5.343	123	1.77	6.234	173	2.59	4.502
24	0.40	5.704	74	1.11	5.969	124	1.79	5.984	174	2.60	4.127
25	0.42	5.705	75	1.12	5.969	125	1.81	6.235	175	2.62	4.127
26	0.43	5.705	76	1.13	5.719	126	1.83	6.235	176	2.63	4.128
27	0.44	5.705	77	1.14	5.095	127	1.84	4.735	177	2.66	4.753
28	0.45	5.455	78	1.15	4.720	128	1.86	3.861	178	2.70	5.629
29	0.47	6.331	79	1.16	4.720	129	1.88	4.111	179	2.72	5.379
30	0.49	6.706	80	1.17	4.720	130	1.91	4.362	180	2.73	5.130
31	0.50	6.957	81	1.18	4.971	131	1.93	4.362	181	2.75	3.505
32	0.51	6.457	82	1.20	5.346	132	1.95	4.737	182	2.76	2.005
33	0.52	5.457	83	1.21	5.346	133	1.96	5.613	183	2.78	2.506
34	0.54	3.582	84	1.23	5.597	134	1.97	5.363	184	2.79	3.506
35	0.55	2.957	85	1.24	5.347	135	1.99	4.489	185	2.82	5.382
36	0.56	2.583	86	1.25	5.597	136	2.00	3.864	186	2.84	6.882
37	0.57	2.208	87	1.27	5.097	137	2.01	3.489	187	2.85	7.632
38	0.58	2.833	88	1.28	4.473	138	2.02	3.739	188	2.86	7.633
39	0.59	4.083	89	1.29	4.473	139	2.04	4.490	189	2.88	5.883
40	0.60	4.959	90	1.30	4.098	140	2.05	4.740	190	2.91	4.634
41	0.61	5.584	91	1.31	3.848	141	2.06	4.490	191	2.92	4.009
42	0.62	5.959	92	1.33	4.099	142	2.07	4.115	192	2.94	3.634
43	0.64	5.959	93	1.34	4.724	143	2.08	3.491	193	2.95	3.635
44	0.65	6.210	94	1.35	4.099	144	2.10	3.866	194	2.97	3.885
45	0.67	5.960	95	1.36	3.474	145	2.11	3.866	195	3.00	5.761
46	0.68	5.960	96	1.37	3.225	146	2.14	4.742	196	3.01	6.136
47	0.70	5.335	97	1.38	2.850	147	2.18	5.367	197	3.02	6.386
48	0.71	5.086	98	1.39	3.100	148	2.19	5.868	198	3.04	6.137
49	0.72	4.461	99	1.40	4.100	149	2.21	6.368	199	3.05	5.512
50	0.74	3.836	100	1.42	5.101	150	2.22	6.118	200	3.07	5.512

INDEX NO. 798 1305-GR-15 HOROMAN BRIDGE U-D MAX.ACCEL.= -26.215(GAL) T=15.41(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	3.09	5.763	251	3.84	6.154	301	4.63	2.672	351	5.43	1.315
202	3.10	5.763	252	3.86	4.655	302	4.64	3.922	352	5.45	1.940
203	3.11	5.263	253	3.87	3.655	303	4.66	4.423	353	5.46	2.941
204	3.13	4.014	254	3.89	3.281	304	4.67	5.048	354	5.47	3.566
205	3.15	3.639	255	3.91	2.781	305	4.69	5.048	355	5.48	5.191
206	3.16	3.014	256	3.98	5.157	306	4.70	4.174	356	5.50	6.067
207	3.18	3.265	257	4.03	7.409	307	4.72	4.174	357	5.51	6.567
208	3.20	3.890	258	4.05	7.409	308	4.74	3.300	358	5.53	4.942
209	3.22	4.891	259	4.06	7.409	309	4.75	3.550	359	5.55	1.818
210	3.23	6.141	260	4.07	6.784	310	4.77	4.175	360	5.56	-0.182
211	3.25	7.391	261	4.08	6.160	311	4.78	4.425	361	5.57	-1.682
212	3.27	7.642	262	4.09	5.285	312	4.80	4.801	362	5.58	-2.057
213	3.28	7.767	263	4.10	4.910	313	4.83	4.802	363	5.59	-1.806
214	3.30	5.892	264	4.11	4.036	314	4.85	5.052	364	5.62	-0.806
215	3.31	5.518	265	4.12	4.286	315	4.88	4.553	365	5.64	0.070
216	3.32	4.893	266	4.14	4.286	316	4.90	4.178	366	5.65	0.695
217	3.33	4.893	267	4.17	4.537	317	4.91	4.178	367	5.68	1.321
218	3.34	5.518	268	4.20	4.538	318	4.92	4.179	368	5.70	1.446
219	3.36	7.394	269	4.21	4.913	319	4.94	4.804	369	5.74	0.822
220	3.37	7.644	270	4.23	5.163	320	4.96	5.054	370	5.75	0.072
221	3.39	7.769	271	4.25	5.163	321	4.98	5.430	371	5.77	-0.177
222	3.42	6.145	272	4.26	4.914	322	4.99	4.805	372	5.78	0.073
223	3.48	3.396	273	4.27	4.914	323	5.01	4.181	373	5.80	1.073
224	3.49	3.397	274	4.28	5.539	324	5.02	3.931	374	5.81	3.198
225	3.50	3.647	275	4.30	5.290	325	5.03	3.556	375	5.83	5.074
226	3.51	3.022	276	4.31	4.665	326	5.04	3.806	376	5.86	6.700
227	3.53	4.272	277	4.32	4.290	327	5.05	4.807	377	5.89	8.075
228	3.54	5.148	278	4.33	3.415	328	5.08	5.057	378	5.91	6.825
229	3.55	5.523	279	4.34	2.166	329	5.09	5.433	379	5.92	5.951
230	3.56	5.523	280	4.35	0.916	330	5.11	5.433	380	5.94	3.076
231	3.58	5.523	281	4.37	1.917	331	5.12	5.683	381	5.95	2.702
232	3.59	5.524	282	4.39	1.917	332	5.14	5.183	382	5.97	2.202
233	3.60	4.524	283	4.40	2.292	333	5.15	5.184	383	5.98	2.452
234	3.61	4.899	284	4.41	2.917	334	5.16	4.184	384	5.99	2.202
235	3.63	4.650	285	4.42	2.292	335	5.17	4.559	385	6.00	3.703
236	3.64	4.025	286	4.43	2.043	336	5.18	4.434	386	6.03	6.203
237	3.66	2.775	287	4.45	2.043	337	5.20	5.685	387	6.04	7.454
238	3.67	3.026	288	4.46	2.293	338	5.21	6.935	388	6.05	7.454
239	3.69	3.026	289	4.47	3.168	339	5.22	7.685	389	6.07	8.079
240	3.72	3.652	290	4.48	5.044	340	5.23	8.311	390	6.09	6.830
241	3.73	3.027	291	4.50	5.669	341	5.24	7.436	391	6.11	6.580
242	3.74	2.777	292	4.52	5.670	342	5.26	6.186	392	6.14	5.331
243	3.76	1.778	293	4.53	6.295	343	5.29	3.687	393	6.16	4.706
244	3.77	1.778	294	4.55	6.295	344	5.30	1.812	394	6.18	3.456
245	3.78	1.778	295	4.56	6.671	345	5.32	0.687	395	6.20	3.332
246	3.79	3.653	296	4.57	6.671	346	5.33	-0.187	396	6.22	4.333
247	3.80	4.904	297	4.58	6.046	347	5.34	-0.187	397	6.25	6.208
248	3.81	5.529	298	4.60	4.796	348	5.36	-0.562	398	6.28	9.584
249	3.82	6.404	299	4.61	2.922	349	5.38	-0.811	399	6.30	11.209
250	3.83	6.779	300	4.62	2.922	350	5.41	-0.186	400	6.31	12.460

INDEX NO. 798 1305-GR-15 HOROHAN BRIDGE U-D MAX.ACCEL.= -26.215(GAL) T=15.41(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	6.32	12.460	451	7.14	11.022	501	7.89	1.495	551	8.54	5.634
402	6.33	12.210	452	7.16	-2.647	502	7.92	-1.005	552	8.55	4.134
403	6.34	9.960	453	7.17	-2.646	503	7.95	-4.129	553	8.56	4.134
404	6.36	4.961	454	7.19	-2.396	504	7.97	-5.754	554	8.57	4.134
405	6.37	1.836	455	7.20	-2.096	505	7.99	-6.628	555	8.58	3.509
406	6.38	-0.164	456	7.21	-2.396	506	8.00	-6.120	556	8.59	0.635
407	6.39	2.336	457	7.23	-1.145	507	8.01	-4.878	557	8.60	-0.115
408	6.42	6.087	458	7.26	1.355	508	8.02	-2.003	558	8.61	-1.365
409	6.44	8.337	459	7.29	4.231	509	8.03	-1.378	559	8.62	-1.614
410	6.46	9.338	460	7.32	5.482	510	8.04	-1.377	560	8.63	-1.364
411	6.47	9.088	461	7.33	6.107	511	8.05	-2.002	561	8.64	-0.489
412	6.49	7.464	462	7.35	5.482	512	8.06	-1.377	562	8.65	-1.364
413	6.51	2.214	463	7.37	3.608	513	8.07	-0.127	563	8.66	0.761
414	6.53	-1.661	464	7.39	1.684	514	8.08	1.124	564	8.69	4.512
415	6.54	-1.661	465	7.41	-0.391	515	8.09	2.624	565	8.70	5.512
416	6.55	-1.660	466	7.42	-2.266	516	8.11	5.749	566	8.71	5.762
417	6.57	-0.535	467	7.44	-4.640	517	8.12	8.999	567	8.73	6.138
418	6.59	1.966	468	7.45	-3.765	518	8.13	10.625	568	8.74	5.888
419	6.61	5.091	469	7.47	-1.515	519	8.14	11.500	569	8.75	6.388
420	6.63	7.717	470	7.48	0.735	520	8.15	13.125	570	8.76	6.264
421	6.64	8.967	471	7.49	3.611	521	8.17	13.375	571	8.77	5.639
422	6.66	10.592	472	7.51	5.236	522	8.18	7.501	572	8.79	2.514
423	6.67	10.843	473	7.53	6.736	523	8.19	6.251	573	8.80	1.014
424	6.69	9.968	474	7.55	6.737	524	8.20	5.001	574	8.82	-1.110
425	6.71	8.093	475	7.56	6.487	525	8.21	5.876	575	8.83	-1.360
426	6.73	5.969	476	7.57	6.987	526	8.23	5.377	576	8.84	-1.110
427	6.75	3.094	477	7.58	6.987	527	8.25	5.877	577	8.85	-0.109
428	6.76	0.970	478	7.59	5.238	528	8.27	6.252	578	8.86	2.641
429	6.78	-0.780	479	7.61	4.238	529	8.28	7.128	579	8.87	5.891
430	6.79	-2.655	480	7.62	3.988	530	8.29	8.753	580	8.88	8.391
431	6.81	-2.654	481	7.64	4.489	531	8.30	9.003	581	8.89	8.766
432	6.82	-3.029	482	7.65	4.489	532	8.31	9.379	582	8.90	9.642
433	6.83	0.096	483	7.66	3.989	533	8.32	9.629	583	8.91	9.642
434	6.86	3.597	484	7.68	1.740	534	8.33	4.379	584	8.93	9.392
435	6.89	6.347	485	7.69	0.490	535	8.35	-5.371	585	8.94	6.892
436	6.92	7.098	486	7.70	-0.385	536	8.36	-8.995	586	8.95	1.643
437	6.94	7.223	487	7.72	-1.010	537	8.37	-9.870	587	8.96	1.643
438	6.95	5.974	488	7.73	-1.009	538	8.38	-9.870	588	8.97	0.393
439	6.97	3.474	489	7.74	-0.759	539	8.39	-9.620	589	8.98	0.143
440	6.98	-0.401	490	7.75	0.117	540	8.40	-8.119	590	9.00	0.769
441	6.99	-2.901	491	7.76	1.366	541	8.41	-6.494	591	9.01	-0.106
442	7.00	-8.650	492	7.78	2.617	542	8.43	-4.619	592	9.02	-0.731
443	7.01	-8.400	493	7.79	2.617	543	8.44	-2.744	593	9.03	-1.981
444	7.02	-7.150	494	7.80	3.242	544	8.45	-0.868	594	9.04	-2.605
445	7.03	-5.275	495	7.81	2.993	545	8.46	3.632	595	9.05	-2.355
446	7.05	-2.774	496	7.83	2.743	546	8.48	8.382	596	9.06	-1.105
447	7.06	-1.899	497	7.84	3.243	547	8.49	12.133	597	9.07	0.165
448	7.08	-0.148	498	7.86	3.244	548	8.50	13.133	598	9.08	2.020
449	7.10	0.102	499	7.87	3.619	549	8.51	12.508	599	9.09	3.646
450	7.12	0.103	500	7.88	2.744	550	8.53	6.883	600	9.11	3.646

INDEX NO. 798 1305-GR-15 HOROHAN BRIDGE U-D MAX.ACCEL.= -26.215(GAL) T=15.41(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	9.12	1.521	651	9.81	9.412	701	10.59	-8.321	751	11.24	3.693
602	9.14	-0.103	652	9.83	7.287	702	10.60	-10.571	752	11.25	4.943
603	9.15	1.147	653	9.84	5.662	703	10.61	-8.696	753	11.26	5.819
604	9.17	5.148	654	9.85	5.413	704	10.63	-4.570	754	11.27	5.819
605	9.18	6.648	655	9.88	5.413	705	10.64	1.180	755	11.28	5.819
606	9.19	1.023	656	9.90	4.789	706	10.65	2.055	756	11.30	5.944
607	9.20	-0.977	657	9.93	3.539	707	10.66	2.680	757	11.32	5.320
608	9.22	-2.601	658	9.94	1.665	708	10.67	2.180	758	11.34	4.945
609	9.23	-3.851	659	9.96	-0.710	709	10.68	0.306	759	11.35	4.321
610	9.25	-4.476	660	9.97	-1.960	710	10.70	-1.319	760	11.37	4.946
611	9.26	-4.476	661	9.98	-2.585	711	10.71	-1.944	761	11.38	5.821
612	9.27	-3.850	662	9.99	-1.334	712	10.72	-1.943	762	11.40	5.571
613	9.29	-2.600	663	10.00	0.166	713	10.73	-0.068	763	11.41	4.697
614	9.31	-2.349	664	10.02	5.166	714	10.74	1.807	764	11.42	3.447
615	9.32	-1.349	665	10.03	5.791	715	10.76	2.682	765	11.43	1.572
616	9.34	1.401	666	10.04	6.417	716	10.77	2.683	766	11.45	-0.677
617	9.35	1.777	667	10.05	7.417	717	10.79	2.808	767	11.46	-1.927
618	9.37	0.277	668	10.06	7.167	718	10.80	1.808	768	11.47	-1.927
619	9.38	0.277	669	10.09	6.793	719	10.81	0.559	769	11.48	-1.927
620	9.39	-0.472	670	10.10	4.918	720	10.83	-3.191	770	11.50	-1.301
621	9.40	1.403	671	10.12	3.293	721	10.85	-5.066	771	11.51	-0.676
622	9.41	6.778	672	10.14	2.794	722	10.86	-6.565	772	11.53	1.449
623	9.42	9.028	673	10.17	3.045	723	10.87	-5.065	773	11.55	3.700
624	9.43	11.528	674	10.19	3.045	724	10.88	-2.315	774	11.57	4.325
625	9.44	12.153	675	10.20	-0.080	725	10.90	2.435	775	11.58	4.326
626	9.45	12.779	676	10.22	-0.079	726	10.91	5.186	776	11.59	3.701
627	9.46	12.279	677	10.24	-0.329	727	10.92	5.561	777	11.61	3.951
628	9.48	11.279	678	10.26	0.172	728	10.93	4.686	778	11.63	5.576
629	9.49	6.280	679	10.28	0.172	729	10.94	1.187	779	11.64	5.827
630	9.51	0.655	680	10.31	0.548	730	10.95	-0.688	780	11.65	4.952
631	9.52	-3.845	681	10.32	1.173	731	10.97	-0.438	781	11.66	4.077
632	9.53	-6.345	682	10.33	2.673	732	10.99	-1.313	782	11.69	2.828
633	9.54	-6.094	683	10.35	4.674	733	11.00	-2.812	783	11.70	1.828
634	9.55	-4.469	684	10.36	5.049	734	11.01	-4.437	784	11.71	0.578
635	9.59	-2.968	685	10.38	4.424	735	11.03	-6.062	785	11.72	-0.296
636	9.61	-1.718	686	10.39	1.674	736	11.04	-6.061	786	11.73	-1.296
637	9.62	0.533	687	10.40	-2.825	737	11.05	-5.686	787	11.74	-2.171
638	9.63	0.283	688	10.41	-5.700	738	11.06	-3.811	788	11.75	-2.546
639	9.65	-0.342	689	10.42	-6.325	739	11.08	-2.560	789	11.77	-1.295
640	9.66	-1.967	690	10.44	-3.200	740	11.09	-1.685	790	11.79	-0.045
641	9.67	-3.467	691	10.46	2.051	741	11.10	-1.310	791	11.80	1.580
642	9.69	-3.591	692	10.47	4.551	742	11.11	-0.435	792	11.82	3.956
643	9.71	-1.090	693	10.48	6.801	743	11.12	0.191	793	11.84	5.581
644	9.73	1.160	696	10.49	8.177	744	11.14	0.566	794	11.85	6.457
645	9.74	34410	695	10.50	7.927	745	11.16	0.316	795	11.86	7.457
646	9.75	64285	696	10.51	7.302	746	11.17	0.317	796	11.87	5.332
647	9.77	104911	697	10.52	4.427	747	11.18	0.317	797	11.89	1.832
648	9.78	124536	698	10.54	0.678	748	11.20	2.067	798	11.90	0.583
649	9.79	124286	699	10.57	-2.822	749	11.22	3.068	799	11.91	-2.792
650	9.80	11.911	700	10.58	-5.947	750	11.23	3.318	800	11.92	-3.792

土木構造物における加速度強震記録（No. 9）

INDEX NO. 798 1305-GR-15 HORONAN BRIDGE U-D MAX.ACCEL.= -26.215(GAL) T=15.41(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	11.93	-4.042	851	12.69	5.100	901	13.36	0.614	951	13.98	-12.247
802	11.94	-4.042	852	12.69	4.850	902	13.37	2.490	952	13.99	-16.497
803	11.95	-3.166	853	12.71	1.975	903	13.38	3.740	953	14.00	-17.746
804	11.96	-1.916	854	12.72	-1.525	904	13.39	3.740	954	14.01	-18.371
805	11.98	-0.666	855	12.74	-5.649	905	13.41	3.115	955	14.02	-18.371
806	12.00	0.210	856	12.76	-7.149	906	13.42	1.616	956	14.03	-16.871
807	12.02	-0.290	857	12.77	-9.773	907	13.43	-0.884	957	14.04	-13.996
808	12.03	-0.290	858	12.79	-11.023	908	13.44	-2.759	958	14.07	-1.370
809	12.05	0.211	859	12.80	-11.648	909	13.45	-5.009	959	14.08	3.130
810	12.07	0.836	860	12.81	-11.648	910	13.46	-8.259	960	14.09	4.381
811	12.09	0.837	861	12.82	-11.147	911	13.47	-9.758	961	14.10	4.631
812	12.11	0.587	862	12.83	-8.022	912	13.48	-13.383	962	14.11	4.381
813	12.12	0.337	863	12.84	-5.522	913	13.49	-13.133	963	14.12	3.506
814	12.14	-0.037	864	12.85	0.228	914	13.51	-13.383	964	14.13	3.131
815	12.16	-2.537	865	12.88	11.604	915	13.52	-13.132	965	14.14	3.382
816	12.17	-2.911	866	12.89	15.229	916	13.54	-2.007	966	14.15	4.007
817	12.18	-0.661	867	12.90	17.104	917	13.55	-0.006	967	14.16	4.007
818	12.22	7.465	868	12.91	18.980	918	13.56	1.494	968	14.17	2.882
819	12.23	9.715	869	12.93	17.730	919	13.57	2.494	969	14.19	-4.992
820	12.24	10.965	870	12.94	12.105	920	13.59	2.869	970	14.20	-8.242
821	12.25	11.965	871	12.95	7.355	921	13.61	2.870	971	14.22	-10.367
822	12.26	10.591	872	12.96	1.901	922	13.62	2.120	972	14.23	-12.616
823	12.28	8.716	873	12.97	-5.894	923	13.64	2.121	973	14.24	-14.491
824	12.29	1.341	874	12.98	-8.519	924	13.67	1.621	974	14.25	-15.366
825	12.31	-3.784	875	12.99	-9.144	925	13.68	1.621	975	14.26	-16.116
826	12.32	-7.158	876	13.00	-8.894	926	13.69	1.622	976	14.27	-16.116
827	12.33	-10.783	877	13.01	-4.518	927	13.70	0.622	977	14.28	-13.365
828	12.35	-12.283	878	13.03	-3.018	928	13.71	-1.253	978	14.29	-6.115
829	12.36	-13.907	879	13.05	-1.393	929	13.72	-3.753	979	14.31	0.010
830	12.38	-15.157	880	13.07	-2.017	930	13.74	-7.502	980	14.32	3.386
831	12.39	-15.907	881	13.08	-3.267	931	13.75	-10.752	981	14.33	5.636
832	12.41	-15.656	882	13.09	-3.892	932	13.76	-12.252	982	14.34	7.136
833	12.43	-14.656	883	13.10	-3.891	933	13.77	-13.251	983	14.35	7.887
834	12.45	-11.905	884	13.11	-3.641	934	13.79	-14.126	984	14.37	6.137
835	12.46	-7.655	885	13.12	-1.766	935	13.80	-14.501	985	14.39	1.387
836	12.47	-3.905	886	13.15	1.859	936	13.82	-14.500	986	14.40	0.013
837	12.48	3.345	887	13.17	4.610	937	13.83	-14.500	987	14.41	0.263
838	12.49	5.220	888	13.18	5.610	938	13.84	-14.500	988	14.42	1.513
839	12.50	6.846	889	13.19	5.861	939	13.85	-13.250	989	14.44	6.513
840	12.52	5.971	890	13.20	6.611	940	13.86	-10.750	990	14.45	10.389
841	12.53	4.096	891	13.21	6.236	941	13.88	-4.499	991	14.47	12.264
842	12.55	2.472	892	13.23	4.986	942	13.89	3.376	992	14.49	13.890
843	12.56	-0.653	893	13.25	3.487	943	13.90	5.251	993	14.50	14.640
844	12.57	-1.278	894	13.26	2.487	944	13.91	6.877	994	14.52	13.765
845	12.59	-0.402	895	13.27	1.239	945	13.92	7.127	995	14.54	12.516
846	12.61	1.473	896	13.30	-1.887	946	13.93	7.252	996	14.56	12.516
847	12.63	3.973	897	13.31	-3.762	947	13.94	6.002	997	14.57	11.891
848	12.64	6.849	898	13.32	-4.387	948	13.95	3.502	998	14.58	10.892
849	12.66	8.224	899	13.34	-3.511	949	13.96	0.378	999	14.59	10.017
850	12.67	7.349	900	13.35	-1.636	950	13.97	-3.997	1000	14.60	8.017

INDEX NO. 798 1305-GR-15 HORONAN BRIDGE U-D MAX.ACCEL.= -26.215(GAL) T=15.41(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	14.61	-6.858	1051	15.25	8.407	1101	15.96	-21.077	1151	16.68	14.813
1002	14.62	-9.732	1052	15.26	4.282	1102	15.97	-22.327	1152	16.69	15.064
1003	14.63	-12.232	1053	15.27	2.407	1103	15.98	-22.327	1153	16.71	15.064
1004	14.64	-16.732	1054	15.28	0.532	1104	15.99	-21.827	1154	16.75	13.815
1005	14.65	-17.732	1055	15.29	-0.592	1105	16.00	-20.201	1155	16.78	11.941
1006	14.66	-17.107	1056	15.31	-2.717	1106	16.01	-15.826	1156	16.81	8.441
1007	14.67	-13.981	1057	15.33	-7.842	1107	16.04	-11.451	1157	16.84	4.317
1008	14.68	-9.356	1058	15.35	-10.716	1108	16.06	-8.950	1158	16.85	1.817
1009	14.69	-5.106	1059	15.36	-14.466	1109	16.07	-6.700	1159	16.86	-0.183
1010	14.70	-1.731	1060	15.38	-21.716	1110	16.08	-4.450	1160	16.88	-6.432
1011	14.71	1.019	1061	15.40	-25.590	1111	16.10	-1.950	1161	16.89	-11.557
1012	14.72	4.020	1062	15.41	-26.215	1112	16.12	0.051	1162	16.90	-13.807
1013	14.73	5.770	1063	15.43	-22.214	1113	16.14	1.302	1163	16.92	-15.056
1014	14.74	8.270	1064	15.44	-18.839	1114	16.16	0.677	1164	16.93	-16.431
1015	14.75	10.396	1065	15.45	-13.964	1115	16.17	-0.823	1165	16.94	-17.056
1015	14.76	16.521	1066	15.46	-11.464	1116	16.19	-7.072	1166	16.96	-16.805
1017	14.77	16.771	1067	15.47	-6.713	1117	16.21	-10.072	1167	16.97	-15.805
1018	14.78	18.021	1068	15.49	0.662	1118	16.22	-12.197	1168	17.00	-13.680
1019	14.79	15.521	1069	15.50	5.662	1119	16.23	-13.822	1169	17.01	-9.554
1020	14.81	8.397	1070	15.51	7.162	1120	16.24	-13.196	1170	17.04	-4.429
1021	14.82	-0.853	1071	15.52	7.538	1121	16.25	-11.071	1171	17.06	-1.678
1022	14.83	-6.853	1072	15.53	5.663	1122	16.26	-6.071	1172	17.08	0.072
1023	14.84	-9.477	1073	15.54	2.913	1123	16.27	-2.571	1173	17.09	1.323
1024	14.85	-10.352	1074	15.56	-4.961	1124	16.30	5.680	1174	17.11	0.698
1025	14.86	-10.102	1075	15.57	-9.086	1125	16.32	6.556	1175	17.12	-0.552
1026	14.87	-8.227	1076	15.58	-10.336	1126	16.33	7.556	1176	17.13	-0.802
1027	14.88	-4.226	1077	15.59	-11.586	1127	16.34	7.931	1177	17.14	-0.552
1028	14.90	-0.726	1078	15.61	-11.335	1128	16.36	6.431	1178	17.15	1.949
1029	14.91	1.899	1079	15.62	-9.460	1129	16.37	3.682	1179	17.18	6.574
1030	14.92	2.774	1080	15.65	-4.460	1130	16.38	0.807	1180	17.19	9.575
1031	14.94	4.400	1081	15.66	-1.334	1131	16.39	-0.568	1181	17.20	10.825
1032	14.95	3.775	1082	15.67	1.291	1132	16.40	-1.818	1182	17.21	11.075
1033	14.97	2.900	1083	15.68	2.166	1133	16.42	-1.817	1183	17.22	10.200
1034	14.99	1.276	1084	15.69	2.791	1134	16.44	-0.942	1184	17.23	8.076
1035	15.01	-0.224	1085	15.70	2.292	1135	16.46	-1.441	1185	17.24	7.701
1036	15.02	-1.224	1086	15.71	-0.208	1136	16.47	-3.316	1186	17.26	7.451
1037	15.04	-1.223	1087	15.73	-3.083	1137	16.49	-10.066	1187	17.27	6.451
1038	15.06	-2.098	1088	15.74	-4.957	1138	16.51	-16.440	1188	17.30	8.577
1039	15.07	-3.348	1089	15.75	-3.707	1139	16.53	-20.440	1189	17.31	7.702
1040	15.08	-3.347	1090	15.77	-1.832	1140	16.54	-21.065	1190	17.32	6.203
1041	15.09	-3.347	1091	15.79	-0.331	1141	16.55	-21.439	1191	17.33	3.328
1042	15.10	-2.222	1092	15.80	-2.456	1142	16.56	-20.564	1192	17.35	0.828
1043	15.12	0.654	1093	15.82	-10.956	1143	16.57	-18.314	1193	17.37	-3.296
1044	15.13	3.779	1094	15.83	-13.456	1144	16.59	-13.314	1194	17.38	-6.796
1045	15.15	6.904	1095	15.84	-13.830	1145	16.60	-7.563	1195	17.40	-8.796
1046	15.17	9.780	1096	15.86	-13.830	1146	16.61	-3.813	1196	17.41	-9.620
1047	15.19	12.280	1097	15.89	-13.204	1147	16.62	1.937	1197	17.42	-10.045
1048	15.20	13.906	1098	15.92	-13.453	1148	16.64	7.563	1198	17.44	-9.795
1049	15.22	15.406	1099	15.94	-13.828	1149	16.65	10.188	1199	17.46	-8.170
1050	15.23	15.906	1100	15.95	-15.078	1150	16.66	12.938	1200	17.49	-6.919

INDEX NO. 798 1305-GR-15 HORONAN BRIDGE U-D MAX.ACCEL.= -26.215(GAL) T=15.41(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	17.52	-6.293	1251	18.33	-18.275	1301	19.20	-8.881	1351	20.30	-0.731
1202	17.55	-5.667	1252	18.34	-18.525	1302	19.22	-6.880	1352	20.32	-4.231
1203	17.56	-4.167	1253	18.35	-18.025	1303	19.24	-5.380	1353	20.34	-5.731
1204	17.57	-2.917	1254	18.37	-12.399	1304	19.26	-4.130	1354	20.35	-6.730
1205	17.58	0.333	1255	18.38	-9.099	1305	19.28	-2.879	1355	20.36	-6.980
1206	17.60	10.834	1256	18.39	-6.274	1306	19.30	-0.629	1356	20.38	-7.730
1207	17.62	13.959	1257	18.41	-4.398	1307	19.31	1.996	1357	20.40	-7.229
1208	17.63	14.834	1258	18.44	-2.898	1308	19.32	2.997	1358	20.44	-4.354
1209	17.64	16.210	1259	18.45	-2.272	1309	19.34	2.622	1359	20.47	-3.103
1210	17.66	15.085	1260	18.47	-5.022	1310	19.35	1.872	1360	20.48	-3.728
1211	17.67	9.460	1261	18.50	-11.271	1311	19.37	-1.377	1361	20.50	-4.977
1212	17.69	0.836	1262	18.51	-14.021	1312	19.43	-8.126	1362	20.52	-6.227
1213	17.70	-4.914	1263	18.52	-15.771	1313	19.44	-10.626	1363	20.53	-6.226
1214	17.71	-10.914	1264	18.53	-16.396	1314	19.45	-12.500	1364	20.54	-5.976
1215	17.72	-12.788	1265	18.55	-15.770	1315	19.47	-12.750	1365	20.57	-3.726
1216	17.73	-13.788	1266	18.57	-13.895	1316	19.48	-10.625	1366	20.60	0.775
1217	17.75	-14.413	1267	18.59	-13.269	1317	19.51	-3.124	1367	20.63	3.276
1218	17.77	-14.662	1268	18.60	-13.269	1318	19.55	1.627	1368	20.66	5.401
1219	17.79	-13.162	1269	18.62	-13.519	1319	19.57	4.127	1369	20.68	5.777
1220	17.80	-10.662	1270	18.64	-13.643	1320	19.59	5.753	1370	20.70	5.777
1221	17.83	-1.661	1271	18.67	-12.018	1321	19.61	6.003	1371	20.73	5.153
1222	17.84	2.589	1272	18.71	-9.517	1322	19.64	5.504	1372	20.76	3.904
1223	17.86	4.090	1273	18.73	-7.516	1323	19.66	3.879	1373	20.80	3.029
1224	17.87	4.715	1274	18.74	-6.266	1324	19.68	2.005	1374	20.81	2.655
1225	17.90	4.715	1275	18.76	-4.766	1325	19.72	-1.744	1375	20.86	3.906
1226	17.91	5.341	1276	18.77	-3.140	1326	19.73	-1.994	1376	20.87	4.156
1227	17.93	7.966	1277	18.79	-2.265	1327	19.76	-1.494	1377	20.88	3.906
1228	17.95	6.966	1278	18.83	-2.264	1328	19.78	-1.993	1378	20.89	2.657
1229	17.96	8.342	1279	18.85	-3.139	1329	19.79	-1.493	1379	20.91	1.157
1230	17.99	8.092	1280	18.87	-4.638	1330	19.80	-0.243	1380	20.92	0.532
1231	18.01	7.093	1281	18.88	-6.263	1331	19.82	0.133	1381	20.93	-1.468
1232	18.02	5.843	1282	18.90	-8.763	1332	19.85	-0.742	1382	20.94	-0.842
1233	18.04	-7.406	1283	18.91	-11.262	1333	19.88	-0.741	1383	20.98	1.033
1234	18.05	-13.405	1284	18.92	-12.137	1334	19.95	0.761	1384	21.03	2.660
1235	18.07	-16.031	1285	18.94	-11.887	1335	19.97	2.011	1385	21.06	2.910
1236	18.08	-16.656	1286	18.95	-10.637	1336	20.00	6.637	1386	21.07	2.410
1237	18.09	-17.030	1287	18.97	-6.886	1337	20.01	7.637	1387	21.08	0.161
1238	18.11	-15.530	1288	18.98	-2.511	1338	20.03	9.262	1388	21.11	-1.964
1239	18.13	-13.529	1289	19.00	0.990	1339	20.06	9.013	1389	21.12	-2.963
1240	18.15	-10.529	1290	19.01	2.240	1340	20.07	7.138	1390	21.13	-3.588
1241	18.16	-3.154	1291	19.03	1.740	1341	20.10	4.389	1391	21.15	-2.963
1242	18.18	0.972	1292	19.05	-5.509	1342	20.12	2.514	1392	21.18	-1.087
1243	18.20	4.097	1293	19.07	-9.384	1343	20.14	1.515	1393	21.21	1.039
1244	18.21	5.722	1294	19.08	-11.259	1344	20.16	0.640	1394	21.23	1.414
1245	18.23	6.598	1295	19.10	-13.758	1345	20.19	3.016	1395	21.25	-0.711
1246	18.24	5.223	1296	19.12	-16.383	1346	20.21	4.267	1396	21.27	-3.085
1247	18.25	4.223	1297	19.14	-17.632	1347	20.23	5.267	1397	21.30	-5.459
1248	18.27	-7.776	1298	19.15	-16.757	1348	20.25	4.642	1398	21.32	-7.709
1249	18.28	-9.651	1299	19.16	-15.132	1349	20.27	3.393	1399	21.34	-8.958
1250	18.31	-15.275	1300	19.17	-11.757	1350	20.28	2.143	1400	21.37	-10.208

INDEX NO. 798 1305-GR-15 HORONAN BRIDGE U-D MAX.ACCEL.= -26.215(GAL) T=15.41(SEC) NO. 8

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1401	21.40	-11.457	1451	22.38	-0.311	1501	23.46	-10.537	1551	24.60	-13.012
1402	21.41	-10.957	1452	22.42	2.065	1502	23.47	-10.287	1552	24.61	-12.387
1403	21.43	-10.332	1453	22.43	2.690	1503	23.48	-8.411	1553	24.64	-9.011
1404	21.45	-7.456	1454	22.45	2.941	1504	23.51	-4.911	1554	24.71	-1.134
1405	21.47	-3.456	1455	22.47	1.191	1505	23.53	-1.160	1555	24.73	0.241
1406	21.49	-0.580	1456	22.50	-0.058	1506	23.56	0.840	1556	24.74	0.241
1407	21.51	0.795	1457	22.53	-3.557	1507	23.57	1.091	1557	24.76	-0.383
1408	21.53	0.421	1458	22.56	-6.057	1508	23.58	1.216	1558	24.77	-1.633
1409	21.54	0.171	1459	22.58	-6.932	1509	23.60	-0.409	1559	24.78	-3.758
1410	21.56	-0.454	1460	22.59	-7.306	1510	23.65	-3.907	1560	24.81	-5.382
1411	21.58	-3.203	1461	22.61	-6.431	1511	23.71	-6.156	1561	24.82	-6.257
1412	21.60	-3.828	1462	22.62	-4.430	1512	23.74	-7.656	1562	24.84	-6.632
1413	21.62	-3.578	1463	22.72	0.447	1513	23.77	-7.655	1563	24.85	-6.631
1414	21.69	-3.576	1464	22.76	1.448	1514	23.78	-6.530	1564	24.87	-5.756
1415	21.73	-3.825	1465	22.78	2.073	1515	23.80	-4.279	1565	24.88	-4.506
1416	21.74	-4.200	1466	22.79	2.323	1516	23.81	-2.404	1566	24.89	-2.630
1417	21.75	-5.075	1467	22.80	0.824	1517	23.84	-0.528	1567	24.93	0.245
1418	21.76	-6.325	1468	22.82	-0.176	1518	23.87	1.472	1568	24.94	1.496
1419	21.77	-9.324	1469	22.84	-0.676	1519	23.90	0.848	1569	24.95	2.121
1420	21.79	-12.074	1470	22.86	-0.425	1520	23.91	0.223	1570	24.97	1.871
1421	21.80	-13.324	1471	22.87	0.575	1521	23.93	-1.276	1571	25.00	0.247
1422	21.81	-14.573	1472	22.90	1.826	1522	23.94	-3.526	1572	25.02	-0.628
1423	21.84	-15.198	1473	22.91	1.201	1523	23.96	-3.526	1573	25.04	-1.003
1424	21.88	-14.697	1474	22.93	1.201	1524	23.97	-3.525	1574	25.05	-1.002
1425	21.90	-13.946	1475	22.94	0.202	1525	23.99	-3.275	1575	25.06	-1.252
1426	21.91	-13.446	1476	22.96	-1.298	1526	24.00	-3.275	1576	25.08	-2.876
1427	21.93	-12.446	1477	22.98	-1.298	1527	24.02	-3.774	1577	25.09	-4.126
1428	21.95	-9.696	1478	23.00	-0.797	1528	24.05	-6.274	1578	25.12	-7.626
1429	22.00	-3.569	1479	23.02	-0.797	1529	24.09	-9.523	1579	25.14	-8.000
1430	22.01	1.056	1480	23.04	-1.671	1530	24.12	-10.772	1580	25.15	-8.250
1431	22.03	2.056	1481	23.06	-1.046	1531	24.13	-11.397	1581	25.18	-8.249
1432	22.04	3.307	1482	23.08	0.205	1532	24.15	-11.396	1582	25.21	-7.374
1433	22.06	2.682	1483	23.10	2.080	1533	24.18	-11.146	1583	25.24	-6.498
1434	22.09	1.808	1484	23.12	2.331	1534	24.26	-9.269	1584	25.25	-5.873
1435	22.10	1.183	1485	23.13	1.831	1535	24.29	-8.018	1585	25.27	-4.872
1436	22.11	0.688	1486	23.15	0.831	1536	24.31	-7.393	1586	25.28	-4.872
1437	22.13	0.558	1487	23.16	-1.044	1537	24.33	-5.268	1587	25.32	-5.746
1438	22.15	0.809	1488	23.18	-4.418	1538	24.35	-5.142	1588	25.34	-4.871
1439	22.17	1.435	1489	23.20	-6.293	1539	24.37	-6.141	1589	25.36	-4.620
1440	22.18	0.810	1490	23.21	-6.668	1540	24.40	-7.391	1590	25.38	-4.870
1441	22.19	-0.690	1491	23.23	-6.417	1541	24.42	-7.641	1591	25.39	-6.120
1442	22.21	-2.565	1492	23.24	-6.042	1542	24.44	-6.765	1592	25.43	-9.494
1443	22.23	-6.314	1493	23.29	-4.541	1543	24.46	-4.265	1593	25.45	+10.118
1444	22.27	-12.063	1494	23.32	-3.540	1544	24.48	-3.014	1594	25.46	+10.743
1445	22.28	-13.063	1495	23.33	-3.540	1545	24.50	-3.639	1595	25.47	+10.743
1446	22.29	-13.688	1496	23.34	-4.164	1546	24.51	-4.514	1596	25.49	-8.992
1447	22.30	-14.313	1497	23.39	-6.913	1547	24.52	-6.763	1597	25.52	-7.117
1448	22.32	-14.312	1498	23.42	-9.287	1548	24.55	+10.763	1598	25.53	-6.116
1449	22.34	-10.562	1499	23.44	-9.537	1549	24.58	+12.637	1599	25.54	-5.491
1450	22.35	-7.812	1500	23.45	+10.537	1550	24.59	-13.012	1600	25.56	-5.491

INDEX NO. 798 1305-GR-15 HOROMAN BRIDGE U-D MAX.ACCEL.= -26.215(GAL) T=15.41(SEC) NO. 9

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1601	25.59	-6.365	1651	26.63	-2.092	1701	27.65	-2.445	1751	28.90	-7.917
1602	25.62	-6.989	1652	26.64	0.283	1702	27.66	-2.444	1752	28.92	+7.917
1603	25.64	-7.989	1653	26.65	0.533	1703	27.67	-3.444	1753	28.94	-7.666
1604	25.65	-8.864	1654	26.67	0.034	1704	27.69	-5.319	1754	28.96	-7.041
1605	25.67	-10.113	1655	26.69	-1.216	1705	27.71	-6.818	1755	28.97	-6.041
1606	25.68	-10.113	1656	26.72	-3.090	1706	27.72	-7.568	1756	29.00	-5.799
1607	25.69	-8.863	1657	26.74	-4.090	1707	27.74	-7.943	1757	29.06	-5.414
1608	25.70	-8.363	1658	26.75	-4.339	1708	27.75	-7.318	1758	29.08	-4.788
1609	25.73	-5.487	1659	26.77	-4.339	1709	27.77	-6.067	1759	29.10	-4.163
1610	25.76	-4.611	1660	26.80	1.786	1710	27.80	-5.441	1760	29.11	-3.288
1611	25.79	-3.861	1661	26.82	2.787	1711	27.83	-5.191	1761	29.13	-2.037
1612	25.83	-4.235	1662	26.83	2.537	1712	27.84	-5.190	1762	29.14	-0.787
1613	25.86	-4.859	1663	26.85	2.163	1713	27.87	-5.690	1763	29.15	-0.662
1614	25.89	-5.234	1664	26.87	0.038	1714	27.89	-5.689	1764	29.17	-1.286
1615	25.90	-4.858	1665	26.88	-1.837	1715	27.94	-4.813	1765	29.20	-3.161
1616	25.92	-4.233	1666	26.90	-2.461	1716	28.02	-4.186	1766	29.22	-5.660
1617	25.93	-4.233	1667	26.91	-3.086	1717	28.06	-3.936	1767	29.23	-7.285
1618	25.94	-5.482	1668	26.93	-3.086	1718	28.07	-3.935	1768	29.25	-7.910
1619	25.96	-6.982	1669	26.94	-2.585	1719	28.11	-4.435	1769	29.27	-8.159
1620	25.98	-7.357	1670	26.96	-0.085	1720	28.14	-4.809	1770	29.34	-8.533
1621	26.00	-7.356	1671	26.98	1.790	1721	28.16	-4.558	1771	29.42	-8.531
1622	26.02	-6.731	1672	27.00	3.666	1722	28.18	-3.558	1772	29.46	-7.905
1623	26.05	-4.605	1673	27.02	4.667	1723	28.21	-2.932	1773	29.49	-6.654
1624	26.08	-3.854	1674	27.03	5.292	1724	28.25	-2.307	1774	29.52	-7.029
1625	26.10	-4.479	1675	27.07	4.417	1725	28.27	-2.056	1775	29.53	-5.778
1626	26.13	-6.353	1676	27.08	2.168	1726	28.30	-2.305	1776	29.55	-4.778
1627	26.15	-8.603	1677	27.11	0.668	1727	28.31	-3.180	1777	29.57	-4.152
1628	26.18	-11.727	1678	27.12	0.294	1728	28.32	-5.430	1778	29.61	-4.402
1629	26.20	-14.852	1679	27.14	-0.331	1729	28.34	-7.304	1779	29.64	-6.651
1630	26.21	-15.852	1680	27.16	-0.330	1730	28.36	-10.054	1780	29.68	-7.275
1631	26.22	-18.101	1681	27.18	-0.955	1731	28.38	-11.679	1781	29.69	-9.150
1632	26.25	-18.101	1682	27.19	-2.205	1732	28.39	-11.679	1782	29.70	-10.649
1633	26.28	-15.600	1683	27.21	-4.079	1733	28.40	-11.428	1783	29.72	-10.399
1634	26.30	-9.975	1684	27.23	-4.704	1734	28.41	-10.428	1784	29.75	-9.524
1635	26.32	-7.349	1685	27.24	-4.704	1735	28.50	-4.176	1785	29.83	-6.021
1636	26.34	-5.224	1686	27.25	-4.954	1736	28.51	-4.426	1786	29.89	-4.770
1637	26.35	-3.973	1687	27.27	-5.328	1737	28.55	-6.050	1787	29.92	-4.144
1638	26.36	-3.973	1688	27.29	-5.952	1738	28.59	-7.549	1788	29.94	-4.394
1639	26.38	-4.473	1689	27.31	-5.327	1739	28.63	-8.798	1789	29.95	-5.019
1640	26.39	-6.723	1690	27.34	-4.451	1740	28.65	-9.423	1790	29.97	-5.144
1641	26.40	-9.222	1691	27.38	-3.201	1741	28.66	-9.172	1791	29.99	-5.143
1642	26.42	-11.972	1692	27.40	-3.700	1742	28.68	-7.922	1792	30.01	-4.518
1643	26.43	-13.847	1693	27.43	-3.700	1743	28.70	-4.171	1793	30.03	-2.892
1644	26.45	-16.471	1694	27.46	-3.699	1744	28.74	-2.671	1794	30.05	-1.392
1645	26.47	-16.846	1695	27.50	-3.448	1745	28.75	-2.295	1795	30.07	-1.016
1646	26.49	-16.845	1696	27.53	-3.697	1746	28.78	-2.920	1796	30.08	+1.891
1647	26.51	-14.095	1697	27.56	-4.321	1747	28.80	-3.169	1797	30.11	-3.765
1648	26.57	-9.719	1698	27.58	-4.696	1748	28.83	-4.419	1798	30.14	-5.640
1649	26.60	-7.093	1699	27.60	-4.446	1749	28.86	-6.043	1799	30.15	-6.889
1650	26.61	-5.218	1700	27.63	-3.445	1750	28.89	-7.543	1800	30.18	-7.264

INDEX NO. 798 1305-GR-15 HOROMAN BRIDGE U-D MAX.ACCEL.= -26.215(GAL) T=15.41(SEC) NO.10

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1801	30.20	-7.263	1851	31.45	-7.861	1901	32.76	-4.332	1951	34.08	-5.303
1802	30.22	-6.638	1852	31.46	-8.111	1902	32.78	-5.582	1952	34.10	-4.678
1803	30.24	-6.012	1853	31.48	-7.860	1903	32.80	-6.581	1953	34.13	-3.427
1804	30.26	-4.762	1854	31.52	-8.109	1904	32.82	-6.581	1954	34.16	-2.177
1805	30.29	-3.262	1855	31.55	-8.109	1905	32.84	-6.581	1955	34.17	-1.801
1806	30.32	-2.511	1856	31.58	-8.108	1906	32.87	-5.580	1956	34.18	+1.551
1807	30.34	-3.760	1857	31.61	-9.732	1907	32.89	-4.079	1957	34.21	-1.300
1808	30.36	-4.760	1858	31.63	-9.107	1908	32.92	-1.579	1958	34.23	-1.550
1809	30.38	-6.009	1859	31.66	-8.856	1909	32.95	-1.203	1959	34.26	-2.174
1810	30.41	-6.009	1860	31.71	-5.980	1910	32.96	-1.578	1960	34.28	-1.299
1811	30.45	-7.508	1861	31.78	-4.729	1911	32.99	-1.577	1961	34.30	-1.798
1812	30.47	-8.132	1862	31.82	-4.103	1912	33.03	-2.826	1962	34.33	-3.048
1813	30.49	-7.882	1863	31.84	-4.352	1913	33.05	-4.326	1963	34.36	-2.547
1814	30.52	-6.881	1864	31.91	-3.851	1914	33.07	-6.200	1964	34.41	-1.921
1815	30.54	-7.006	1865	31.96	-3.225	1915	33.10	-7.200	1965	34.45	-1.545
1816	30.57	-6.005	1866	31.98	-2.225	1916	33.11	-7.450	1966	34.48	-1.294
1817	30.59	-5.130	1867	32.01	-2.224	1917	33.12	-7.450	1967	34.51	-0.294
1818	30.61	-4.129	1868	32.03	-2.473	1918	33.14	-7.449	1968	34.53	1.082
1819	30.64	-5.004	1869	32.06	-3.098	1919	33.17	-6.323	1969	34.54	0.457
1820	30.67	-5.378	1870	32.08	-4.097	1920	33.20	-3.448	1970	34.56	-0.167
1821	30.68	-4.502	1871	32.11	-3.847	1921	33.22	-1.947	1971	34.57	-2.642
1822	30.71	-3.252	1872	32.15	-4.346	1922	33.25	-0.947	1972	34.60	-3.292
1823	30.72	-2.252	1873	32.17	-4.346	1923	33.27	-0.696	1973	34.62	-3.916
1824	30.74	-1.626	1874	32.18	-4.720	1924	33.29	-1.571	1974	34.63	-3.916
1825	30.75	-1.626	1875	32.20	-5.969	1925	33.33	-2.445	1975	34.64	-3.916
1826	30.79	-2.500	1876	32.22	-7.219	1926	33.35	-3.069	1976	34.65	-3.040
1827	30.82	-3.499	1877	32.23	-7.219	1927	33.37	-3.694	1977	34.69	-1.414
1828	30.86	-4.749	1878	32.26	-6.343	1928	33.39	-4.693	1978	34.73	-0.414
1829	30.87	-4.123	1879	32.30	-5.093	1929	33.41	-5.318	1979	34.76	-0.413
1830	30.92	-4.997	1880	32.31	-5.092	1930	33.43	-5.568	1980	34.79	-1.037
1831	30.95	-5.622	1881	32.34	-5.342	1931	33.46	-5.317	1981	34.83	-1.411
1832	30.97	-6.246	1882	32.36	-6.591	1932	33.49	-5.066	1982	34.86	-2.661
1833	31.00	-6.870	1883	32.37	-8.091	1933	33.52	-4.691	1983	34.87	-4.535
1834	31.02	-7.245	1884	32.38	-6.591	1934	33.55	-4.940	1984	34.89	-5.410
1835	31.04	-7.495	1885	32.40	-5.090	1935	33.58	-6.189	1985	34.91	-4.535
1836	31.06	-8.119	1886	32.42	-4.090	1936	33.60	-7.439	1986	34.93	-3.659
1837	31.07	-9.119	1887	32.44	-3.214	1937	33.62	-8.064	1987	34.95	-2.659
1838	31.09	-9.994	1888	32.45	-3.714	1938	33.63	-9.063	1988	34.97	-1.408
1839	31.10	-9.993	1889	32.47	-4.089	1939	33.65	-7.563	1989	35.01	-2.282
1840	31.12	-8.493	1890	32.49	-5.338	1940	33.68	-7.187	1990	35.04	-2.282
1841	31.16	-5.117	1891	32.53	-6.837	1941	33.71	-7.187	1991	35.05	-2.906
1842	31.19	-3.491	1892	32.55	-6.837	1942	33.73	-7.811	1992	35.07	-3.906
1843	31.23	-3.490	1893	32.57	-6.587	1943	33.75	-7.561	1993	35.10	-6.030
1844	31.28	-3.739	1894	32.58	-5.961	1944	33.81	-6.559	1994	35.11	-7.030
1845	31.32	-4.114	1895	32.61	-4.711	1945	33.89	-5.308	1995	35.13	-7.780
1846	31.35	-3.863	1896	32.64	-3.210	1946	33.93	-4.432	1996	35.14	-7.779
1847	31.38	-4.112	1897	32.67	-1.959	1947	33.96	-5.306	1997	35.16	-7.779
1848	31.40	-4.737	1898	32.69	-0.959	1948	33.98	-5.930	1998	35.21	-6.903
1849	31.42	-5.986	1899	32.71	-1.834	1949	34.03	-5.929	1999	35.25	-5.652
1850	31.43	-6.861	1900	32.73	-3.083	1950	34.06	-5.929	2000	35.28	-5.926

INDEX NO. 798 1305-GR-15 HOROMAN BRIDGE U-D MAX.ACCEL.= -26.215(GAL) T=15.41(SEC) NO.11

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2001	35.32	-5.276	2051	36.56	-4.623	2101	37.82	-4.095	2151	39.12	-5.317
2002	35.35	-6.150	2052	36.58	-4.372	2102	37.84	-5.095	2152	39.13	-5.441
2003	35.37	-6.775	2053	36.60	-3.372	2103	37.86	-4.845	2153	39.14	-5.941
2004	35.40	-8.024	2054	36.62	-2.122	2104	37.87	-5.344	2154	39.16	-5.941
2005	35.42	-9.648	2055	36.63	-1.871	2105	37.89	-5.094	2155	39.17	-5.440
2006	35.44	-9.273	2056	36.65	-2.371	2106	37.90	-4.219	2156	39.21	-2.939
2007	35.47	-9.272	2057	36.67	-2.995	2107	37.93	-2.343	2157	39.25	-1.689
2008	35.50	-9.021	2058	36.69	-3.370	2108	37.94	-1.718	2158	39.27	-1.313
2009	35.55	-6.520	2059	36.70	-3.745	2109	37.95	-1.717	2159	39.30	-1.312
2010	35.58	-5.020	2060	36.72	-3.369	2110	37.96	-1.342	2160	39.32	-1.937
2011	35.62	-4.394	2061	36.74	-2.494	2111	37.98	-1.717	2161	39.35	-2.811
2012	35.64	-4.643	2062	36.77	-2.118	2112	38.00	-2.591	2162	39.40	-4.435
2013	35.66	-4.643	2063	36.79	-2.118	2113	38.01	-2.841	2163	39.42	-5.310
2014	35.68	-5.517	2064	36.81	-2.742	2114	38.03	-2.840	2164	39.44	-6.310
2015	35.73	-6.766	2065	36.83	-4.242	2115	38.10	-2.589	2165	39.46	-7.309
2016	35.75	-7.141	2066	36.84	-5.492	2116	38.26	-1.085	2166	39.47	-7.684
2017	35.78	-7.140	2067	36.86	-7.491	2117	38.29	-1.710	2167	39.48	-7.934
2018	35.80	-7.140	2068	36.90	-6.866	2118	38.31	-2.709	2168	39.49	-8.308
2019	35.82	-7.139	2069	36.92	-7.740	2119	38.33	-1.834	2169	39.52	-7.058
2020	35.85	-7.139	2070	36.94	-7.490	2120	38.36	-1.458	2170	39.55	-5.182
2021	35.87	-5.888	2071	36.98	-5.864	2121	38.38	-1.083	2171	39.60	-2.681
2022	35.89	-5.013	2072	37.01	-5.238	2122	38.41	-0.832	2172	39.64	-2.055
2023	35.92	-3.387	2073	37.03	-4.863	2123	38.44	-1.082	2173	39.67	-1.805
2024	35.93	-2.762	2074	37.05	-4.612	2124	38.47	-1.706	2174	39.69	-1.179
2025	35.95	-2.511	2075	37.07	-5.487	2125	38.49	-2.705	2175	39.70	-1.679
2026	35.97	-2.136	2076	37.09	-5.861	2126	38.51	-2.705	2176	39.72	-2.053
2027	36.00	-1.885	2077	37.11	-6.486	2127	38.53	-2.704	2177	39.73	-2.678
2028	36.03	-1.760	2078	37.13	-6.236	2128	38.55	-3.329	2178	39.77	-2.677
2029	36.07	-1.509	2079	37.16	-4.235	2129	38.58	-3.578	2179	39.81	-2.426
2030	36.10	-1.258	2080	37.24	-2.483	2130	38.69	-4.578	2180	39.86	-0.800
2031	36.12	-1.258	2081	37.28	-1.732	2131	38.62	-5.202	2181	39.90	-0.174
2032	36.15	-1.757	2082	37.30	-1.732	2132	38.65	-6.077	2182	39.92	-0.174
2033	36.19	-2.381	2083	37.33	-1.481	2133	38.67	-6.451	2183	39.94	-0.424
2034	36.21	-2.756	2084	37.35	-0.230	2134	38.69	-6.451	2184	39.97	-1.048
2035	36.23	-2.755	2085	37.40	0.520	2135	38.71	-6.450	2185	40.01	-2.047
2036	36.24	-3.380	2086	37.42	0.771	2136	38.72	-6.200	2186	40.04	-2.921
2037	36.26	-4.630	2087	37.43	0.271	2137	38.75	-4.950	2187	40.05	-3.296
2038	36.28	-6.504	2088	37.48	-2.603	2138	38.78	-3.074	2188	40.06	-3.296
2039	36.29	-7.754	2089	37.52	-4.727	2139	38.81	-2.074	2189	40.09	-2.420
2040	36.31	-9.003	2090	37.55	-5.351	2140	38.82	-2.073	2190	40.11	-1.795
2041	36.32	-9.003	2091	37.57	-5.976	2141	38.85	-2.697	2191	40.14	-2.044
2042	36.34	-9.253	2092	37.60	-6.350	2142	38.88	-2.947	2192	40.19	-2.293
2043	36.35	-9.003	2093	37.63	-6.600	2143	38.90	-2.696	2193	40.23	-1.167
2044	36.42	-5.001	2094	37.69	-5.473	2144	38.92	-1.196	2194	40.35	-1.414
2045	36.45	-3.375	2095	37.73	-4.222	2145	38.94	-0.820	2195	40.39	-0.788
2046	36.47	-3.125	2096	37.74	-3.597	2146	39.00	0.556	2196	40.43	-1.038
2047	36.48	-3.375	2097	37.75	-2.347	2147	39.03	0.807	2197	40.47	-1.037
2048	36.51	-3.999	2098	37.77	-1.971	2148	39.04	0.807	2198	40.49	-1.036
2049	36.53	-4.624	2099	37.79	-1.971	2149	39.06	-0.318	2199	40.51	-1.411
2050	36.55	-4.873	2100	37.80	-2.846	2150	39.08	-2.817	2200	40.53	-1.410

INDEX NO. 798 1305-GR-15 HOROMAN BRIDGE U-D MAX.ACCEL.= -26.215(GAL) T=15.41(SEC) NO.12

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2201	40.58	-2.659	2251	42.04	-4.127	2301	43.57	-0.344	2351	45.37	-1.804
2202	40.66	-2.658	2252	42.05	-4.627	2302	43.60	0.657	2352	45.40	-0.928
2203	40.70	-2.657	2253	42.07	-5.252	2303	43.62	1.283	2353	45.44	-0.303
2204	40.77	-3.530	2254	42.09	-5.626	2304	43.64	1.533	2354	45.48	-0.801
2205	40.84	-3.279	2255	42.11	-5.000	2305	43.65	1.533	2355	45.50	-0.301
2206	40.86	-3.278	2256	42.16	-3.750	2306	43.67	1.534	2356	45.54	-0.300
2207	40.89	-1.778	2257	42.20	-2.249	2307	43.70	0.409	2357	45.62	-1.423
2208	40.90	-2.277	2258	42.22	-1.873	2308	43.72	-0.590	2358	45.72	-1.796
2209	40.93	-2.277	2259	42.24	-2.123	2309	43.74	-0.840	2359	45.77	-2.045
2210	40.95	-2.901	2260	42.27	-1.622	2310	43.76	-0.839	2360	45.88	-0.293
2211	40.97	-3.026	2261	42.30	-2.746	2311	43.78	-0.589	2361	45.97	0.709
2212	41.01	-2.650	2262	42.34	-3.746	2312	43.82	-0.030	2362	46.00	0.960
2213	41.04	-1.024	2263	42.36	-4.370	2313	43.85	+0.212	2363	46.02	0.710
2214	41.07	-0.274	2264	42.39	-4.119	2314	43.87	+0.212	2364	46.03	0.336
2215	41.08	-0.398	2265	42.42	-4.119	2315	43.89	0.039	2365	46.14	0.088
2216	41.11	-0.398	2266	42.44	-2.868	2316	43.92	-0.586	2366	46.23	0.465
2217	41.13	-1.522	2267	42.47	-2.243	2317	43.96	-1.460	2367	46.27	-0.534
2218	41.18	-1.896	2268	42.48	-2.242	2318	43.99	-2.084	2368	46.29	-0.784
2219	41.22	-2.145	2269	42.49	-2.242	2319	44.01	-2.459	2369	46.32	-2.033
2220	41.23	-1.645	2270	42.51	-2.742	2320	44.04	-2.208	2370	46.35	-2.407
2221	41.28	-0.644	2271	42.53	-3.116	2321	44.08	-2.207	2371	46.39	-1.531
2222	41.30	-0.393	2272	42.56	-3.116	2322	44.13	-1.581	2372	46.44	-1.780
2223	41.32	-0.018	2273	42.58	-2.865	2323	44.16	-1.205	2373	46.46	-1.780
2224	41.33	-0.268	2274	42.59	-2.865	2324	44.24	-1.829	2374	46.48	-1.779
2225	41.35	-0.892	2275	42.61	-2.240	2325	44.31	-2.452	2375	46.51	-2.404
2226	41.37	-1.892	2276	42.63	-1.614	2326	44.36	-2.701	2376	46.53	-1.778
2227	41.40	-2.141	2277	42.66	-1.614	2327	44.38	-2.701	2377	46.56	-0.903
2228	41.41	-3.141	2278	42.69	-2.113	2328	44.43	-2.200	2378	46.59	-0.527
2229	41.43	-4.016	2279	42.71	-2.488	2329	44.49	-1.198	2379	46.62	-0.901
2230	41.45	-3.515	2280	42.72	-3.362	2330	44.53	-0.822	2380	46.65	-1.401
2231	41.48	-4.389	2281	42.74	-3.112	2331	44.55	-1.197	2381	46.69	-2.400
2232	41.54	-2.888	2282	42.77	-2.486	2332	44.58	-2.446	2382	46.71	-2.399
2233	41.58	-1.012	2283	42.79	-1.861	2333	44.60	-3.071	2383	46.74	-2.399
2234	41.61	0.238	2284	42.83	-2.485	2334	44.62	-3.945	2384	46.77	-1.148
2235	41.63	0.239	2285	43.15	-2.478	2335	44.64	-3.695	2385	46.80	-0.522
2236	41.65	0.239	2286	43.17	-2.227	2336	44.67	-2.819	2386	46.83	-0.772
2237	41.68	-0.1635	2287	43.20	-2.477	2337	44.69	-2.444	2387	46.86	-0.771
2238	41.70	-2.135	2288	43.22	-2.726	2338	44.71	-1.569	2388	46.90	-1.395
2239	41.72	-3.384	2289	43.25	-3.726	2339	44.74	-1.193	2389	46.93	-1.144
2240	41.73	+3.384	2290	43.26	-4.350	2340	44.91	-3.689	2390	46.97	-1.143
2241	41.75	-3.134	2291	43.28	-4.350	2341	44.98	-3.062	2391	47.00	-1.143
2242	41.78	-2.883	2292	43.29	-4.350	2342	45.05	-3.061	2392	47.05	-0.517
2243	41.80	-3.132	2293	43.32	-3.474	2343	45.10	-2.435	2393	47.09	-0.516
2244	41.84	-3.382	2294	43.35	-2.223	2344	45.13	-1.559	2394	47.13	-0.765
2245	41.87	-4.006	2295	43.38	-1.222	2345	45.15	-1.559	2395	47.15	-0.764
2246	41.89	-5.005	2296	43.41	-0.972	2346	45.18	-2.058	2396	47.19	-1.389
2247	41.91	-4.130	2297	43.44	-0.846	2347	45.21	-3.057	2397	47.22	-2.013
2248	41.95	-3.754	2298	43.49	-0.845	2348	45.23	-3.307	2398	47.25	-2.387
2249	41.99	-3.503	2299	43.53	-1.469	2349	45.25	-3.307	2399	47.26	-2.387
2255	42.02	-4.378	2300	43.55	-0.594	2350	45.31	-2.430	2400	47.31	-1.761

INDEX NO. 798 1305-GR-15 HOROHAN BRIDGE U-D MAX.ACCEL.= -26.215(GAL) T=15.41(SEC) NO.13

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2401	47.38	-0.695	2451	50.29	-2.320	2501	52.58	1.230	2551	58.67	1.364
2402	47.47	-0.508	2452	50.34	-1.694	2502	52.62	0.606	2552	58.72	0.990
2403	47.58	-0.565	2453	50.40	-1.068	2503	52.66	-0.643	2553	58.77	0.741
2404	47.64	-1.379	2454	50.44	0.433	2504	52.68	-1.643	2554	58.79	0.742
2405	47.68	-0.878	2455	50.47	0.559	2505	52.72	-1.892	2555	58.82	1.067
2406	47.72	-0.252	2456	50.50	0.184	2506	52.74	-1.391	2556	58.85	2.493
2407	47.75	0.124	2457	50.54	-1.690	2507	52.79	-0.390	2557	58.89	2.869
2408	47.79	-1.125	2458	50.57	-2.314	2508	52.83	0.236	2558	59.08	1.373
2409	47.85	-1.749	2459	50.59	-2.314	2509	53.05	0.615	2559	59.63	2.885
2410	47.90	-2.373	2460	50.62	-2.063	2510	53.26	1.495	2560	59.89	2.891
2411	47.95	-1.122	2461	50.66	-0.812	2511	53.33	1.746	2561	59.93	2.642
2412	48.00	0.379	2462	50.69	0.188	2512	53.36	0.872	2562	60.21	1.273
2413	48.06	0.380	2463	50.71	0.189	2513	53.38	-0.002	2563	60.61	2.157
2414	48.10	-0.119	2464	50.74	-0.436	2514	53.41	-0.627	2564	60.75	1.610
2415	48.15	-1.368	2465	50.77	-1.310	2515	53.43	-0.626	2565	60.76	2.535
2416	48.18	-1.367	2466	50.81	-1.059	2516	53.53	0.501	2566	60.85	2.662
2417	48.21	-1.116	2467	50.85	-1.058	2517	53.60	1.503	2567	60.90	3.164
2418	48.24	0.134	2468	50.91	0.193	2518	53.68	1.504	2568	60.93	3.539
2419	48.28	0.385	2469	50.93	-0.431	2519	53.75	0.631	2569	60.98	3.290
2420	48.30	0.751	2470	50.97	-1.431	2520	53.96	0.511	2570	61.06	2.292
2421	48.35	0.762	2471	51.01	-1.679	2521	54.84	2.530	2571	61.09	2.293
2422	48.41	0.138	2472	51.06	-1.678	2522	54.88	3.031	2572	61.18	3.170
2423	48.44	-0.236	2473	51.10	-1.052	2523	54.91	2.531	2573	61.32	3.548
2424	48.48	-0.485	2474	51.13	-0.427	2524	54.94	3.407	2574	61.69	2.306
2425	48.50	-1.360	2475	51.15	-0.427	2525	54.96	3.408	2575	62.05	1.939
2426	48.54	-1.734	2476	51.18	-0.426	2526	55.02	2.159	2576	62.36	2.571
2427	48.57	-1.484	2477	51.24	-1.674	2527	55.27	1.914	2577	62.51	2.949
2428	48.62	-0.857	2478	51.29	-1.923	2528	55.31	1.540	2578	63.00	3.584
2429	48.77	-1.354	2479	51.34	-2.297	2529	55.35	1.541	2579	63.63	4.473
2430	49.06	0.152	2480	51.38	-2.046	2530	55.37	1.291	2580	63.97	4.231
2431	49.09	-0.097	2481	51.50	-1.044	2531	55.56	1.296	2581	64.03	4.607
2432	49.12	-1.721	2482	51.56	-0.667	2532	55.87	2.178	2582	64.06	3.983
2433	49.15	-1.721	2483	51.58	-0.167	2533	56.32	1.563	2583	64.10	2.734
2434	49.22	-0.844	2484	51.61	-0.666	2534	56.91	1.826	2584	64.31	3.613
2435	49.39	-1.715	2485	51.64	-1.040	2535	57.03	0.953	2585	65.29	3.260
2436	49.44	-1.089	2486	51.90	-1.035	2536	57.08	2.829	2586	66.19	4.655
2437	49.51	-0.213	2487	52.14	-0.780	2537	57.10	2.580	2587	66.65	4.915
2438	49.56	-0.711	2488	52.18	-0.154	2538	57.11	2.205	2588	67.34	3.930
2439	49.94	-0.203	2489	52.22	-0.153	2539	57.14	1.581	2589	67.94	4.319
2440	49.99	0.798	2490	52.26	0.848	2540	57.16	0.956	2590	68.01	4.579
2441	50.03	1.674	2491	52.28	1.473	2541	57.17	0.956	2591	68.06	4.696
2442	50.05	1.424	2492	52.30	1.474	2542	57.42	1.587	2592	68.11	5.197
2443	50.08	0.175	2493	52.32	0.849	2543	57.47	2.838	2593	68.13	5.198
2444	50.11	-1.324	2494	52.35	0.600	2544	57.55	3.465	2594	68.15	5.198
2445	50.13	-1.699	2495	52.39	-0.024	2545	57.57	3.215	2595	68.18	4.324
2446	50.16	-1.073	2496	52.41	-0.024	2546	57.82	3.091	2596	68.21	4.325
2447	50.20	-0.447	2497	52.45	0.227	2547	57.68	2.842	2597	68.35	3.953
2448	50.22	-0.447	2498	52.49	0.478	2548	57.93	-0.027	2598	68.47	3.080
2449	50.24	-0.447	2499	52.53	1.479	2549	58.39	1.233	2599	68.50	3.956
2450	50.27	-1.946	2500	52.56	1.729	2550	58.63	1.238	2600	68.54	4.582

INDEX NO. 798 1305-GR-15 HOROHAN BRIDGE U-D MAX.ACCEL.= -26.215(GAL) T=15.41(SEC) NO.14

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2601	68.62	4.583	2651	74.91	5.097	2701	77.59	6.156	2751	81.04	6.857
2602	68.65	5.584	2652	74.94	6.098	2702	77.63	5.782	2752	81.11	6.484
2603	68.67	5.585	2653	74.97	6.723	2703	77.65	5.783	2753	81.52	7.118
2604	68.71	5.335	2654	74.99	6.724	2704	77.68	6.408	2754	81.92	5.626
2605	68.77	4.962	2655	75.02	5.725	2705	77.70	7.033	2755	82.37	6.386
2606	68.88	5.589	2656	75.06	5.475	2706	77.72	7.034	2756	82.85	6.397
2607	68.93	5.340	2657	75.08	5.101	2707	77.74	6.784	2757	83.36	6.033
2608	68.98	4.091	2658	75.12	5.351	2708	77.78	5.536	2758	83.73	5.667
2609	69.04	3.718	2659	75.14	5.977	2709	77.81	5.786	2759	83.78	6.293
2610	69.07	3.968	2660	75.16	5.977	2710	77.85	6.662	2760	83.82	7.293
2611	69.11	4.969	2661	75.19	6.103	2711	77.91	7.038	2761	83.84	7.919
2612	69.14	5.220	2662	75.22	5.729	2712	77.95	7.039	2762	83.96	6.421
2613	69.17	4.971	2663	75.25	5.730	2713	78.00	6.165	2763	84.22	6.677
2614	69.20	4.346	2664	75.28	5.480	2714	78.02	6.166	2764	84.58	6.935
2615	69.24	4.347	2665	75.30	5.106	2715	78.07	6.667	2765	84.65	6.687
2616	69.33	4.349	2666	75.33	5.731	2716	78.11	6.668	2766	84.76	7.314
2617	69.45	5.227	2667	75.35	6.357	2717	78.14	6.668	2767	84.91	7.067
2618	69.49	5.603	2668	75.39	5.733	2718	78.18	5.794	2768	85.38	6.953
2619	69.53	4.604	2669	75.42	5.733	2719	78.21	5.170	2769	85.84	6.713
2620	69.57	5.854	2670	75.48	5.485	2720	78.25	5.171	2770	86.34	7.599
2621	69.81	4.985	2671	75.56	5.737	2721	78.29	6.046	2771	86.80	6.734
2622	70.05	4.990	2672	75.79	5.742	2722	78.33	6.047	2772	87.17	6.742
2623	70.20	4.368	2673	75.96	5.370	2723	78.45	6.175	2773	87.65	7.003
2624	70.27	5.245	2674	76.05	5.747	2724	78.55	5.427	2774	88.13	7.388
2625	70.32	5.246	2675	76.13	5.749	2725	78.68	7.055	2775	88.36	8.018
2626	70.41	5.248	2676	76.16	4.875	2726	78.72	6.806	2776	88.40	8.644
2627	70.61	4.377	2677	76.20	4.251	2727	79.01	7.688	2777	88.42	8.895
2628	70.65	4.128	2678	76.22	4.751	2728	79.09	6.814	2778	88.47	8.021
2629	70.70	4.379	2679	76.25	5.127	2729	79.50	7.698	2779	88.51	6.772
2630	70.73	5.255	2680	76.33	6.378	2730	79.59	7.075	2780	88.55	7.022
2631	70.76	5.631	2631	76.44	5.756	2731	79.64	7.076	2781	88.57	6.773
2632	70.81	4.382	2682	76.62	7.010	2732	79.66	6.827	2782	88.60	6.774
2633	70.85	3.567	2683	76.64	7.010	2733	79.70	5.828	2783	88.63	8.024
2634	70.90	3.759	2684	76.68	6.136	2734	79.73	5.828	2784	88.66	8.650
2635	71.02	5.261	2685	76.70	4.886	2735	79.77	5.829	2785	88.69	8.026
2636	71.08	4.763	2686	76.73	5.137	2736	79.81	6.455	2786	88.74	8.027
2637	71.24	4.642	2687	76.78	6.613	2737	79.85	7.331	2787	88.81	7.403
2638	71.27	5.267	2688	76.81	6.639	2738	79.90	7.082	2788	89.04	7.784
2639	71.34	4.394	2689	76.84	6.390	2739	80.00	5.834	2789	89.51	8.044
2640	71.61	4.649	2690	76.98	5.515	2740	80.05	6.085	2790	89.90	8.302
2641	72.06	4.659	2691	76.90	5.141	2741	80.07	6.461	2791	89.93	7.803
2642	72.47	4.418	2692	76.99	5.393	2742	80.09	6.461	2792	89.96	7.804
2643	72.90	5.928	2693	77.15	5.521	2743	80.13	6.462	2793	90.00	7.805
2644	73.05	6.056	2694	77.36	5.401	2744	80.17	5.588	2794	90.13	8.307
2645	73.13	5.633	2695	77.37	5.526	2745	80.22	5.589	2795	90.37	8.313
2646	73.18	5.059	2696	77.42	6.402	2746	80.35	6.092	2796	90.40	8.938
2647	73.25	4.435	2697	77.47	6.403	2747	80.56	6.471	2797	90.63	8.064
2648	73.80	5.073	2698	77.51	5.779	2748	80.82	5.852	2798	90.67	7.065
2649	74.35	5.085	2699	77.53	5.405	2749	80.97	6.231	2799	90.69	7.440
2650	74.79	5.344	2700	77.55	6.655	2750	81.01	7.106	2800	90.76	7.696

INDEX NO. 798 1305-GR-15 HORONAN BRIDGE U-D MAX.ACCEL.= -26.215(GAL) T=15.41(SEC) NO.15

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2801	91.22	7.456	2851	124.64	3.323
2802	91.63	7.715	2852	125.47	3.711
2803	91.76	8.093	2853	126.05	2.849
2804	91.92	7.097	2854	126.69	2.488
2805	92.18	8.353	2855	127.47	1.880
2806	92.61	7.737	2856	128.17	2.146
2807	92.66	6.863	2857	128.96	2.163
2808	92.77	7.491	2858	129.86	1.058
2809	93.15	7.249	2859	130.59	1.324
2810	93.59	7.508	2860	131.31	1.090
2811	93.99	6.892	2861	131.80	0.350
2812	94.22	6.522	2862	132.16	0.109
2813	94.68	7.908	2863	132.45	1.365
2814	95.10	7.542	2864	132.83	1.373
2815	95.94	7.310	2865	133.25	0.508
2816	96.75	8.203	2866	133.63	0.765
2817	97.75	7.850	2867	134.05	0.775
2818	99.17	9.007	2868	134.26	1.155
2819	99.90	9.898			
2820	100.83	10.168			
2821	101.72	9.813			
2822	102.92	10.839			
2823	104.08	9.365			
2824	105.22	9.265			
2825	106.24	9.287			
2826	107.43	9.314			
2827	108.53	9.088			
2828	109.82	8.241			
2829	110.94	7.516			
2830	111.67	7.657			
2831	112.38	7.298			
2832	113.08	7.063			
2833	113.69	7.326			
2834	114.37	6.216			
2835	115.03	5.606			
2836	115.68	5.745			
2837	116.26	5.133			
2838	116.83	5.396			
2839	117.51	5.411			
2840	118.22	5.051			
2841	119.05	4.445			
2842	119.72	3.835			
2843	120.14	4.593			
2844	120.69	3.856			
2845	121.28	4.244			
2846	121.81	4.255			
2847	122.39	3.643			
2848	122.95	3.280			
2849	123.67	3.296			
2850	124.36	3.062			

Table IX D-25 Digitized Accelerations of Earthquake Record with Index Number 799

INDEX NO. 799 1305-GR-15 HORONAN BRIDGE TR. MAX.ACCEL.= -79.435(GAL) T=14.55(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.03	-4.649	51	0.62	-1.746	101	1.19	-5.017	151	1.82	-0.669
2	0.06	3.524	52	0.63	-2.121	102	1.20	0.607	152	1.83	-0.669
3	0.07	2.274	53	0.64	-2.371	103	1.21	2.482	153	1.85	-2.170
4	0.08	0.649	54	0.65	-2.746	104	1.22	3.106	154	1.86	-3.420
5	0.09	-1.477	55	0.66	-1.497	105	1.24	0.106	155	1.87	-5.046
6	0.10	-1.477	56	0.67	1.003	106	1.25	-3.645	156	1.88	-3.171
7	0.11	-0.602	57	0.68	3.127	107	1.26	-6.395	157	1.91	1.828
8	0.12	-0.228	58	0.69	3.752	108	1.27	-6.646	158	1.92	3.702
9	0.13	-0.228	59	0.70	4.877	109	1.28	-5.646	159	1.93	4.627
10	0.14	-0.228	60	0.72	-2.749	110	1.30	-1.272	160	1.94	1.451
11	0.15	-0.479	61	0.73	-5.250	111	1.32	0.602	161	1.95	-1.174
12	0.16	0.146	62	0.74	-7.750	112	1.33	0.977	162	1.96	-2.174
13	0.17	-1.854	63	0.75	-6.500	113	1.34	1.226	163	1.97	-3.050
14	0.18	-1.480	64	0.76	-5.251	114	1.36	-2.399	164	1.98	-3.050
15	0.20	-1.230	65	0.77	-3.126	115	1.38	-3.650	165	1.99	-3.051
16	0.21	-1.731	66	0.78	-2.501	116	1.39	-4.650	166	2.05	-0.303
17	0.22	-2.481	67	0.79	-1.752	117	1.40	-3.651	167	2.06	0.572
18	0.23	-1.731	68	0.80	-1.502	118	1.42	2.223	168	2.08	-0.554
19	0.25	1.643	69	0.81	-2.127	119	1.43	4.348	169	2.09	-1.554
20	0.26	1.892	70	0.82	-3.628	120	1.44	4.847	170	2.10	-2.805
21	0.27	-0.858	71	0.83	-3.378	121	1.45	-0.153	171	2.11	-2.805
22	0.29	-1.484	72	0.84	-4.004	122	1.46	-4.904	172	2.12	-2.181
23	0.30	-1.484	73	0.86	-0.005	123	1.47	-5.529	173	2.13	-1.556
24	0.31	-1.235	74	0.87	1.245	124	1.48	-5.779	174	2.15	-1.307
25	0.33	-0.860	75	0.88	1.870	125	1.49	-3.905	175	2.16	-1.307
26	0.34	-0.861	76	0.89	2.494	126	1.50	-0.905	176	2.17	-2.808
27	0.35	-1.736	77	0.90	2.244	127	1.51	-0.906	177	2.18	-4.058
28	0.36	-1.861	78	0.92	1.369	128	1.53	-0.906	178	2.19	-4.683
29	0.37	-2.112	79	0.93	0.368	129	1.54	-1.782	179	2.20	-4.684
30	0.38	-2.737	80	0.94	-0.507	130	1.55	-1.532	180	2.22	0.565
31	0.39	-0.613	81	0.95	-1.133	131	1.56	-0.283	181	2.24	2.814
32	0.40	-0.613	82	0.96	-1.133	132	1.57	1.217	182	2.25	3.689
33	0.41	0.012	83	0.98	-1.134	133	1.58	1.592	183	2.26	3.188
34	0.42	-0.238	84	1.00	-1.259	134	1.59	-2.159	184	2.28	2.188
35	0.43	-2.114	85	1.01	-1.510	135	1.61	-4.660	185	2.29	0.937
36	0.44	-4.614	86	1.02	-2.135	136	1.62	-4.910	186	2.30	-0.313
37	0.45	-6.114	87	1.03	-2.761	137	1.63	-1.536	187	2.32	-3.189
38	0.46	-3.365	88	1.04	-4.261	138	1.64	-0.036	188	2.33	-4.689
39	0.47	-1.493	89	1.05	-4.886	139	1.65	0.589	189	2.34	-5.314
40	0.48	-0.616	90	1.06	-5.512	140	1.66	0.713	190	2.36	-2.190
41	0.49	0.384	91	1.08	-4.638	141	1.67	0.338	191	2.39	3.684
42	0.50	-0.241	92	1.10	-1.513	142	1.68	+1.538	192	2.40	5.308
43	0.51	-1.117	93	1.11	3.486	143	1.69	-2.163	193	2.41	5.558
44	0.52	-1.117	94	1.12	4.986	144	1.71	-0.289	194	2.42	3.807
45	0.53	-1.492	95	1.13	5.485	145	1.73	0.335	195	2.43	2.182
46	0.55	-0.243	96	1.14	3.985	146	1.75	1.210	196	2.45	+4.944
47	0.57	0.006	97	1.15	0.484	147	1.77	0.959	197	2.46	-5.319
48	0.58	-0.494	98	1.16	-3.641	148	1.78	0.708	198	2.47	-5.570
49	0.60	-0.870	99	1.17	-4.641	149	1.80	-0.293	199	2.48	-4.196
50	0.61	-1.495	100	1.18	-6.142	150	1.81	-1.168	200	2.51	4.053

土木構造物における加速度強震記録（No.9）

INDEX NO. 799 1305-GR-15 HOROMAN BRIDGE TR. MAX.ACCEL.= -79.435(GAL) T=14.55(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	2.52	4.928	251	3.18	-9.849	301	3.78	-4.123	351	4.51	-6.403
202	2.54	3.302	252	3.19	-12.974	302	3.80	1.126	352	4.54	5.221
203	2.56	-4.324	253	3.20	-13.000	303	3.82	2.125	353	4.55	6.095
204	2.57	-5.574	254	3.21	-12.100	304	3.83	2.250	354	4.57	5.345
205	2.58	-5.574	255	3.24	4.899	305	3.86	-10.502	355	4.59	-3.781
206	2.59	-5.075	256	3.25	8.898	306	3.87	-12.127	356	4.60	-5.407
207	2.60	-2.700	257	3.26	8.273	307	3.88	-10.877	357	4.61	-6.032
208	2.61	-2.076	256	3.27	7.273	306	3.89	-8.628	358	4.63	-3.533
209	2.63	-0.951	259	3.28	2.022	309	3.91	0.246	359	4.64	-2.283
210	2.64	-2.452	260	3.29	0.022	310	3.92	3.996	360	4.65	-1.409
211	2.66	-4.076	261	3.30	0.021	311	3.93	4.620	361	4.66	-1.659
212	2.67	-4.078	262	3.31	1.021	312	3.95	4.370	362	4.67	-2.910
213	2.68	-2.828	263	3.32	1.270	313	3.97	2.744	363	4.70	-6.661
214	2.70	2.171	264	3.33	1.395	314	3.98	2.118	364	4.71	-6.036
215	2.71	4.670	265	3.34	-2.230	315	3.99	0.868	365	4.73	-2.912
216	2.72	4.170	266	3.36	-12.356	316	4.01	-1.006	366	4.75	2.962
217	2.74	-4.081	267	3.37	-14.607	317	4.03	-2.884	367	4.76	5.462
218	2.75	-5.706	268	3.38	-12.982	318	4.04	-3.509	368	4.77	5.462
219	2.76	-5.832	269	3.39	-8.962	319	4.05	-4.384	369	4.78	5.211
220	2.77	-3.957	270	3.41	1.142	320	4.06	-6.260	370	4.80	-0.665
221	2.79	-1.708	271	3.42	4.266	321	4.07	-6.385	371	4.82	-4.416
222	2.80	-0.958	272	3.43	4.766	322	4.08	-4.011	372	4.84	-11.167
223	2.81	-3.084	273	3.44	3.266	323	4.11	0.863	373	4.85	-11.542
224	2.82	-4.709	274	3.45	-0.860	324	4.12	3.613	374	4.89	2.936
225	2.83	-3.834	275	3.47	-6.236	325	4.13	3.862	375	4.90	4.436
226	2.84	-5.210	276	3.48	-6.486	326	4.14	2.862	376	4.91	3.630
227	2.87	2.164	277	3.49	-5.486	327	4.15	1.987	377	4.92	1.330
228	2.88	4.288	278	3.50	-2.362	328	4.16	0.986	378	4.93	-0.920
229	2.89	5.288	279	3.51	-0.987	329	4.18	0.735	379	4.94	-1.295
230	2.90	4.788	280	3.52	-0.113	330	4.23	0.358	380	4.95	-1.671
231	2.91	3.286	281	3.53	1.262	331	4.24	0.982	381	4.96	-1.422
232	2.92	0.412	282	3.54	-2.238	332	4.25	1.232	382	4.97	-1.422
233	2.94	-2.839	283	3.55	-4.364	333	4.26	1.357	383	4.98	-1.422
234	2.95	-4.964	284	3.56	-2.864	334	4.27	0.107	384	4.99	-2.548
235	2.96	-5.965	285	3.59	6.009	335	4.30	-9.270	385	5.00	-3.798
236	2.97	-4.215	286	3.60	6.884	336	4.31	-10.520	386	5.01	-3.923
237	2.99	-2.091	287	3.61	7.259	337	4.35	3.353	387	5.02	-2.049
238	3.00	0.534	288	3.62	2.883	338	4.36	4.103	388	5.04	0.451
239	3.01	1.408	289	3.63	-1.367	339	4.37	3.477	389	5.05	1.450
240	3.03	-1.958	290	3.64	-2.243	340	4.39	-3.523	390	5.06	0.825
241	3.04	-1.593	291	3.65	-4.493	341	4.40	-6.274	391	5.07	-0.051
242	3.06	-0.719	292	3.66	-2.618	342	4.41	-6.524	392	5.09	-2.051
243	3.07	-0.719	293	3.68	-1.619	343	4.42	-2.275	393	5.10	-3.552
244	3.08	-0.970	294	3.69	-0.995	344	4.43	2.975	394	5.12	1.697
245	3.10	-2.596	295	3.70	0.255	345	4.44	4.600	395	5.14	7.821
246	3.11	-1.596	296	3.71	0.504	346	4.45	5.474	396	5.15	9.071
247	3.13	1.778	297	3.73	0.254	347	4.46	5.724	397	5.16	10.070
248	3.14	4.028	298	3.75	-3.122	348	4.47	4.099	398	5.17	9.070
249	3.15	5.402	299	3.76	-4.748	349	4.49	-4.152	399	5.19	0.319
250	3.16	2.652	300	3.77	-4.498	350	4.50	-6.278	400	5.21	-1.681

INDEX NO. 799 1305-GR-15 HOROMAN BRIDGE TR. MAX.ACCEL.= -79.435(GAL) T=14.55(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	5.22	-2.557	451	5.91	-3.085	501	6.61	6.261	551	7.30	-19.016
402	5.24	-4.183	452	5.92	-3.085	502	6.63	0.886	552	7.32	2.608
403	5.25	-5.683	453	5.93	-3.086	503	6.64	+10.865	553	7.33	4.982
404	5.26	-4.809	454	5.94	-2.461	504	6.65	+15.240	554	7.34	4.357
405	5.28	-4.559	455	5.95	-2.337	505	6.66	-14.366	555	7.36	-16.269
406	5.29	-4.810	456	5.97	3.538	506	6.67	-12.491	556	7.38	-17.895
407	5.30	-5.060	457	5.99	10.537	507	6.68	-1.866	557	7.39	-16.395
408	5.31	-10.935	458	6.00	11.661	508	6.69	5.133	558	7.40	-8.146
409	5.33	+14.562	459	6.02	5.286	509	6.70	6.758	559	7.41	-4.521
410	5.34	-14.437	460	6.04	-10.215	510	6.71	7.383	560	7.42	6.728
411	5.36	-3.688	461	6.05	-14.966	511	6.72	2.132	561	7.43	10.478
412	5.39	8.436	462	6.06	-15.966	512	6.74	-1.744	562	7.44	11.353
413	5.40	10.311	463	6.07	-15.966	513	6.75	-4.620	563	7.45	10.102
414	5.41	11.310	464	6.08	-14.717	514	6.76	-2.995	564	7.47	6.227
415	5.42	10.060	465	6.12	-1.843	515	6.77	-1.120	565	7.48	2.476
416	5.44	5.684	466	6.13	0.781	516	6.78	-0.246	566	7.49	1.351
417	5.45	4.434	467	6.15	1.030	517	6.79	-0.496	567	7.50	2.600
418	5.47	4.933	468	6.16	1.655	518	6.80	-1.996	568	7.52	7.350
419	5.48	4.432	469	6.17	2.654	519	6.81	-5.747	569	7.53	7.974
420	5.50	4.682	470	6.18	4.529	520	6.83	+13.998	570	7.55	8.349
421	5.51	3.431	471	6.21	8.653	521	6.84	+13.873	571	7.58	-5.778
422	5.52	-0.569	472	6.22	9.027	522	6.85	+15.123	572	7.59	-8.278
423	5.54	-41.195	473	6.23	71.402	523	6.86	+13.624	573	7.60	-9.028
424	5.55	-5.820	474	6.26	-3.225	524	6.89	1.375	574	7.61	-5.654
425	5.57	-4.571	475	6.27	-5.475	525	6.91	3.249	575	7.62	-0.279
426	5.58	-3.321	476	6.28	-6.225	526	6.92	1.374	576	7.63	1.345
427	5.59	-11.697	477	6.31	5.398	527	6.94	-4.502	577	7.64	1.970
428	5.60	-2.323	478	6.32	6.023	528	6.96	-6.128	578	7.65	2.969
429	5.62	-2.698	479	6.33	6.898	529	6.97	-4.003	579	7.66	2.469
430	5.63	-3.824	480	6.34	4.397	530	7.00	13.621	580	7.68	0.218
431	5.64	-5.074	481	6.35	-2.353	531	7.01	16.620	581	7.70	+1.782
432	5.65	-5.199	482	6.36	-4.479	532	7.02	17.620	582	7.71	-2.658
433	5.66	-41.200	483	6.37	-5.854	533	7.06	+12.507	583	7.72	-5.158
434	5.68	-41.451	484	6.38	-4.604	534	7.07	+15.382	584	7.73	-6.159
435	5.69	-41.451	485	6.39	-1.729	535	7.08	+13.758	585	7.74	-7.284
436	5.70	-61.077	486	6.42	9.894	536	7.10	-5.383	586	7.75	-6.660
437	5.71	-6.702	487	6.43	10.644	537	7.11	+2.884	587	7.76	-1.910
438	5.72	-7.327	488	6.44	8.768	538	7.12	-2.634	588	7.78	4.714
439	5.73	-7.828	489	6.45	6.268	539	7.13	-5.135	589	7.79	7.964
440	5.75	-0.454	490	6.47	-9.983	540	7.14	+10.635	590	7.80	9.588
441	5.76	71.796	491	6.48	+12.858	541	7.15	+21.011	591	7.81	10.713
442	5.78	125.795	492	6.49	-9.984	542	7.16	+20.761	592	7.82	9.338
443	5.79	161.670	493	6.50	-7.234	543	7.18	+16.137	593	7.83	8.837
444	5.80	10.294	494	6.52	3.515	544	7.22	8.986	594	7.85	8.212
445	5.81	17.669	495	6.53	3.140	545	7.23	10.236	595	7.86	-5.539
446	5.82	111.669	496	6.54	3.139	546	7.24	12.611	596	7.87	-9.789
447	5.84	-63.332	497	6.56	-8.612	547	7.25	8.860	597	7.88	-8.790
448	5.85	+141.958	498	6.57	-9.987	548	7.27	-7.640	598	7.91	3.209
449	5.87	+17.583	499	6.59	2.887	549	7.28	+10.891	599	7.92	4.959
450	5.90	-8.710	500	6.60	4.512	550	7.29	+11.266	600	7.93	4.583

INDEX NO. 799 1305-GR-15 MORIMAN BRIDGE TR. MAX.ACCEL.= -79.435(GAL) T=14.55(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	7.94	-7.667	651	8.57	9.557	701	9.18	-10.467	751	9.83	3.881
602	7.95	-8.918	652	8.58	9.307	702	9.20	-1.968	752	9.84	0.131
603	7.96	-11.293	653	8.59	-5.819	703	9.21	1.282	753	9.85	-5.119
604	7.97	-11.043	654	8.60	-10.069	704	9.22	1.281	754	9.86	-4.370
605	8.01	12.080	655	8.61	-14.694	705	9.23	-3.969	755	9.87	-5.495
606	8.02	14.080	656	8.62	-15.445	706	9.24	-5.045	756	9.89	-4.246
607	8.03	11.579	657	8.63	-12.695	707	9.25	-8.095	757	9.90	-2.371
608	8.04	0.829	658	8.65	-3.571	708	9.26	-9.470	758	9.91	1.503
609	8.06	-7.672	659	8.66	1.304	709	9.28	-7.596	759	9.93	7.002
610	8.07	-7.422	660	8.67	1.304	710	9.29	-5.097	760	9.94	9.127
611	8.08	-6.798	661	8.69	-3.947	711	9.30	-0.972	761	9.95	3.876
612	8.11	8.326	662	8.70	-10.948	712	9.31	1.527	762	9.97	-10.374
613	8.12	12.700	663	8.71	-11.073	713	9.32	3.402	763	9.98	-27.500
614	8.13	12.825	664	8.72	-3.824	714	9.33	3.777	764	9.99	-28.500
615	8.14	7.575	665	8.74	3.175	715	9.35	2.401	765	10.00	-28.875
616	8.16	-1.801	666	8.75	7.300	716	9.37	0.775	766	10.01	-21.376
617	8.17	-3.301	667	8.76	9.550	717	9.39	-1.226	767	10.03	-1.252
618	8.18	-3.427	668	8.77	8.299	718	9.41	0.026	768	10.04	3.373
619	8.19	-5.177	669	8.79	-12.577	719	9.42	0.023	769	10.05	5.247
620	8.20	-8.303	670	8.80	-15.077	720	9.43	0.898	770	10.07	-4.003
621	8.22	-18.554	671	8.81	-16.327	721	9.44	0.897	771	10.09	-7.629
622	8.23	-22.054	672	8.83	-9.203	722	9.45	-2.478	772	10.10	-3.880
623	8.24	-22.054	673	8.85	-1.954	723	9.46	-7.104	773	10.11	6.620
624	8.25	-21.180	674	8.86	1.546	724	9.47	-8.104	774	10.12	9.245
625	8.26	-18.305	675	8.87	2.170	725	9.48	-8.979	775	10.13	11.994
626	8.27	-6.930	676	8.89	2.295	726	9.49	-7.605	776	10.14	13.244
627	8.28	-2.931	677	8.90	-3.956	727	9.50	-4.855	777	10.16	12.743
628	8.29	-1.932	678	8.91	-8.331	728	9.51	-3.231	778	10.18	6.867
629	8.30	0.068	679	8.92	-10.332	729	9.52	-2.606	779	10.19	0.492
630	8.31	-0.557	680	8.93	-9.832	730	9.53	-2.357	780	10.20	-12.009
631	8.32	-1.432	681	8.94	-3.833	731	9.54	-3.232	781	10.22	-21.760
632	8.33	-3.058	682	8.96	18.667	732	9.56	-2.983	782	10.23	-21.010
633	8.34	-3.058	683	8.97	22.541	733	9.58	0.642	783	10.24	-17.510
634	8.35	-2.809	684	8.98	25.416	734	9.62	8.890	784	10.25	-12.136
635	8.37	4.690	685	8.99	23.915	735	9.64	8.889	785	10.26	-12.636
636	8.38	5.315	686	9.00	15.415	736	9.65	8.639	786	10.28	-20.512
637	8.39	6.190	687	9.02	-16.961	737	9.66	7.638	787	10.29	-26.012
638	8.40	1.189	688	9.03	-19.836	738	9.67	3.263	788	10.30	-28.138
639	8.41	-3.311	689	9.04	-16.462	739	9.68	-7.112	789	10.31	-28.388
640	8.42	-5.937	690	9.05	-12.462	740	9.69	-11.613	790	10.32	-19.139
641	8.43	-4.937	691	9.06	-7.337	741	9.70	-11.988	791	10.34	11.361
642	8.44	-1.188	692	9.07	5.287	742	9.71	-10.739	792	10.35	21.610
643	8.47	20.561	693	9.08	11.037	743	9.73	4.010	793	10.36	22.235
644	8.48	21.686	694	9.09	11.662	744	9.75	7.635	794	10.37	18.860
645	8.49	19.560	695	9.10	12.161	745	9.76	10.134	795	10.38	6.859
646	8.50	-11.315	696	9.11	4.535	746	9.77	8.009	796	10.39	-3.142
647	8.51	-16.315	697	9.12	0.535	747	9.78	7.633	797	10.40	-2.267
648	8.52	-20.441	698	9.14	-3.716	748	9.79	7.883	798	10.41	5.608
649	8.54	-16.441	699	9.16	-7.716	749	9.80	7.803	799	10.43	18.607
650	8.56	6.183	700	9.17	-10.717	750	9.82	7.007	800	10.44	22.231

INDEX NO. 799 1305-GR-15 MORIMAN BRIDGE TR. MAX.ACCEL.= -79.435(GAL) T=14.55(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	10.45	20.981	851	11.07	11.331	901	11.63	7.558	951	12.24	-8.091
802	10.47	14.105	852	11.08	12.831	902	11.64	10.308	952	12.25	-3.341
803	10.48	-18.395	853	11.09	6.830	903	11.65	11.933	953	12.27	5.532
804	10.49	-20.646	854	11.11	-11.046	904	11.66	12.182	954	12.28	8.157
805	10.50	-19.396	855	11.12	-12.921	905	11.67	4.807	955	12.29	8.407
806	10.51	-18.646	856	11.13	-14.546	906	11.68	2.556	956	12.30	6.281
807	10.54	-5.147	857	11.14	-14.547	907	11.69	1.931	957	12.31	-7.594
808	10.55	-1.898	858	11.15	-12.297	908	11.72	2.805	958	12.33	-16.095
809	10.56	-2.148	859	11.16	-11.048	909	11.73	1.055	959	12.34	-19.095
810	10.58	-5.024	860	11.18	-7.048	910	11.74	-3.196	960	12.35	-16.595
811	10.59	-5.649	861	11.20	-1.049	911	11.75	-11.072	961	12.38	-4.347
812	10.60	-4.150	862	11.22	0.825	912	11.76	-11.197	962	12.39	-1.722
813	10.61	-0.650	863	11.23	0.825	913	11.77	-8.322	963	12.40	0.277
814	10.63	7.224	864	11.24	0.324	914	11.78	-4.948	964	12.41	-2.598
815	10.64	8.474	865	11.25	-1.551	915	11.79	5.052	965	12.42	-6.398
816	10.65	8.848	866	11.26	-3.801	916	11.80	7.177	966	12.43	-9.099
817	10.66	4.223	867	11.27	-6.302	917	11.81	10.926	967	12.44	-11.849
818	10.67	-0.778	868	11.28	-6.177	918	11.82	11.676	968	12.45	-10.650
819	10.68	-3.403	869	11.29	-4.553	919	11.84	-3.825	969	12.48	-8.101
020	10.69	-5.028	870	11.30	-2.053	920	11.85	-6.076	970	12.49	-8.226
821	10.70	-5.654	871	11.32	4.571	921	11.86	-6.201	971	12.50	-4.351
822	10.71	-6.279	872	11.33	7.571	922	11.87	-2.702	972	12.51	-1.727
823	10.72	-6.280	873	11.34	9.945	923	11.89	-1.327	973	12.52	0.772
024	10.73	-6.030	874	11.35	8.320	924	11.90	-0.703	974	12.54	5.772
825	10.74	-4.405	875	11.36	-3.431	925	11.91	-3.453	975	12.56	11.096
826	10.75	-2.906	876	11.37	-16.056	926	11.93	-7.204	976	12.57	14.521
827	10.77	-1.531	877	11.38	-19.931	927	11.94	-8.454	977	12.58	11.145
828	10.78	-2.782	878	11.39	-22.557	928	11.95	-6.829	978	12.60	-9.606
029	10.79	-5.283	879	11.40	-20.932	929	11.96	-5.580	979	12.62	-16.981
830	10.80	-6.283	880	11.42	-6.183	930	11.97	-1.331	980	12.63	-14.732
831	10.81	-6.783	881	11.43	-3.308	931	11.98	-0.081	981	12.66	9.392
832	10.82	-5.534	882	11.44	1.566	932	11.99	1.544	982	12.67	11.892
833	10.83	-3.034	883	11.45	-1.934	933	12.00	2.043	983	12.68	10.016
834	10.84	-0.409	884	11.46	-4.435	934	12.01	1.418	984	12.69	6.641
835	10.86	9.465	885	11.47	-5.060	935	12.02	0.543	985	12.71	-7.735
836	10.87	10.714	886	11.48	-5.685	936	12.03	-1.333	986	12.72	-7.485
837	10.88	8.214	887	11.49	-3.186	937	12.04	-3.208	987	12.73	-5.611
838	10.90	-5.682	888	11.50	0.564	938	12.05	-3.459	988	12.75	0.764
839	10.91	-6.412	889	11.51	2.438	939	12.06	-3.834	989	12.76	1.138
840	10.92	-0.663	890	11.52	-2.812	940	12.08	-3.585	990	12.77	-0.112
841	10.94	10.711	891	11.53	-6.613	941	12.10	-3.585	991	12.78	-4.738
842	10.96	13.086	892	11.54	-14.188	942	12.11	-4.211	992	12.79	-6.988
843	10.97	9.960	893	11.55	-15.314	943	12.12	-4.711	993	12.80	-7.113
844	10.98	3.210	894	11.56	-14.063	944	12.14	-2.587	994	12.81	-4.364
845	10.99	-23.041	895	11.57	-8.064	945	12.16	0.787	995	12.83	-3.010
846	11.00	-27.291	896	11.58	-6.190	946	12.18	-2.588	996	12.84	-4.885
847	11.01	-28.792	897	11.59	-1.690	947	12.20	-6.590	997	12.85	-4.760
848	11.02	-25.792	898	11.60	-0.065	948	12.21	-9.840	998	12.86	-4.134
849	11.03	-21.417	899	11.61	1.809	949	12.22	-10.215	999	12.87	-0.009
850	11.06	9.457	900	11.62	5.184	950	12.23	-10.591	1000	12.88	-2.262

土木構造物における加速度強震記録（No.9）

INDEX NO. 799 1305-GR-15 HORONAI BRIDGE TR. MAX.ACCEL.= -79.435(GAL) T=14.55(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	12.89	-4.117	1051	13.51	24.233	1101	14.11	30.958	1151	14.74	2.808
1002	12.90	-4.117	1052	13.52	28.607	1102	14.12	33.458	1152	14.75	-4.568
1003	12.93	-2.994	1053	13.53	32.857	1103	14.13	36.458	1153	14.76	-8.318
1004	12.94	-2.994	1054	13.54	32.607	1104	14.14	35.207	1154	14.77	-2.569
1005	12.95	-4.494	1055	13.55	30.356	1105	14.16	10.457	1155	14.78	4.806
1006	12.96	-5.120	1056	13.56	29.106	1106	14.17	2.706	1156	14.79	6.806
1007	12.97	-6.995	1057	13.58	27.605	1107	14.18	0.956	1157	14.80	8.681
1008	12.98	-6.496	1058	13.60	26.979	1108	14.20	0.580	1158	14.81	9.805
1009	12.99	-6.746	1059	13.61	13.229	1109	14.21	-3.921	1159	14.82	-10.071
1010	13.00	-6.121	1060	13.63	-20.022	1110	14.22	-6.421	1160	14.83	-15.946
1011	13.02	-4.872	1061	13.64	-30.523	1111	14.24	-26.172	1161	14.84	-19.446
1012	13.04	-1.748	1062	13.65	-32.273	1112	14.25	-28.922	1162	14.85	-22.197
1013	13.05	-0.998	1063	13.66	-29.146	1113	14.26	-31.298	1163	14.86	-17.072
1014	13.06	-3.499	1064	13.68	-20.524	1114	14.27	-30.048	1164	14.87	-11.647
1015	13.07	-5.374	1065	13.69	-17.024	1115	14.28	-27.548	1165	14.88	2.302
1016	13.09	+26.125	1066	13.70	-16.650	1116	14.29	-18.424	1166	14.89	7.052
1017	13.10	-28.626	1067	13.71	-20.650	1117	14.35	35.574	1167	14.90	10.551
1018	13.11	-27.126	1068	13.72	-25.776	1118	14.36	38.948	1168	14.91	12.301
1019	13.12	-24.001	1069	13.73	-26.776	1119	14.37	43.823	1169	14.92	10.051
1020	13.13	-14.752	1070	13.74	-20.276	1120	14.38	44.698	1170	14.93	1.800
1021	13.14	-10.377	1071	13.76	0.098	1121	14.39	44.322	1171	14.95	-8.951
1022	13.15	-7.752	1072	13.77	11.222	1122	14.40	39.697	1172	14.96	-10.076
1023	13.16	-6.503	1073	13.78	20.097	1123	14.41	21.196	1173	14.97	-9.076
1024	13.17	-8.003	1074	13.79	23.347	1124	14.43	11.070	1174	14.98	-2.577
1025	13.18	-9.254	1075	13.80	25.221	1125	14.44	0.570	1175	15.00	18.797
1026	13.19	-6.879	1076	13.81	23.346	1126	14.46	-6.681	1176	15.01	27.922
1027	13.20	-2.129	1077	13.82	14.220	1127	14.47	+15.931	1177	15.02	27.796
1028	13.23	23.994	1078	13.83	11.095	1128	14.49	-31.432	1178	15.03	24.671
1029	13.24	27.119	1079	13.84	8.220	1129	14.50	-37.807	1179	15.04	20.796
1030	13.25	28.369	1080	13.86	5.594	1130	14.51	-52.433	1180	15.05	-8.330
1031	13.26	26.368	1081	13.87	-4.782	1131	14.52	-57.558	1181	15.06	-11.830
1032	13.26	-11.508	1082	13.88	-16.532	1132	14.53	-73.184	1182	15.07	-13.831
1033	13.29	-18.758	1083	13.89	-24.408	1133	14.54	-77.560	1183	15.08	-11.956
1034	13.30	-21.384	1084	13.90	-31.408	1134	14.55	+79.435	1184	15.10	-2.832
1035	13.31	-19.509	1085	13.91	-36.284	1135	14.56	-65.685	1185	15.11	-1.207
1036	13.33	-13.885	1086	13.92	-35.034	1136	14.58	-55.186	1186	15.12	-4.833
1037	13.34	-6.260	1087	13.93	-31.285	1137	14.59	-38.686	1187	15.14	-11.583
1038	13.35	-4.136	1088	13.95	-24.660	1138	14.60	-25.561	1188	15.15	-13.709
1039	13.36	-7.261	1089	13.96	-19.161	1139	14.61	-18.687	1189	15.16	-15.209
1040	13.37	-12.387	1090	13.98	-10.786	1140	14.62	-4.437	1190	15.18	-5.710
1041	13.38	-13.637	1091	13.99	-5.287	1141	14.63	-0.187	1191	15.19	-3.835
1042	13.39	-14.262	1092	14.00	-0.787	1142	14.64	6.187	1192	15.20	-1.086
1043	13.40	-15.513	1093	14.01	1.088	1143	14.65	14.061	1193	15.21	-3.586
1044	13.41	-18.763	1094	14.02	-1.413	1144	14.66	22.311	1194	15.22	-7.962
1045	13.42	-20.389	1095	14.03	-4.788	1145	14.67	40.435	1195	15.23	-9.087
1046	13.43	-22.264	1096	14.04	-27.414	1146	14.69	53.810	1196	15.24	-7.837
1047	13.44	-20.514	1097	14.05	-33.164	1147	14.70	57.809	1197	15.25	-4.088
1048	13.45	-31.265	1098	14.06	-33.539	1148	14.71	59.684	1198	15.26	-3.838
1049	13.46	-26.890	1099	14.07	-28.165	1149	14.72	49.434	1199	15.27	-3.214
1050	13.47	-21.766	1100	14.10	20.084	1150	14.73	23.808	1200	15.28	+2.339

INDEX NO. 799 1305-GR-15 HORONAI BRIDGE TR. MAX.ACCEL.= -79.435(GAL) T=14.55(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	15.29	-2.089	1251	15.89	-16.114	1301	16.57	11.984	1351	17.19	2.083
1202	15.30	-2.340	1252	15.90	-11.114	1302	16.58	12.233	1352	17.21	-12.293
1203	15.31	-2.340	1253	15.92	1.635	1303	16.59	10.608	1353	17.22	-14.418
1204	15.33	0.159	1254	15.93	6.384	1304	16.60	7.482	1354	17.23	-14.293
1205	15.34	-4.592	1255	15.94	7.384	1305	16.61	4.232	1355	17.25	-9.419
1206	15.35	-13.092	1256	15.95	8.009	1306	16.62	-0.393	1356	17.26	5.580
1207	15.36	+22.342	1257	15.97	6.508	1307	16.63	-7.144	1357	17.27	8.580
1208	15.37	-21.643	1258	15.98	4.632	1308	16.66	-22.395	1358	17.28	10.080
1209	15.38	-19.343	1259	16.00	2.757	1309	16.67	+28.146	1359	17.29	8.954
1210	15.40	2.906	1260	16.01	-4.244	1310	16.68	+31.396	1360	17.30	2.329
1211	15.41	17.156	1261	16.02	-5.244	1311	16.69	+31.396	1361	17.31	-16.047
1212	15.42	20.280	1262	16.03	-6.745	1312	16.70	+24.772	1362	17.32	-21.172
1213	15.43	27.655	1263	16.04	-7.370	1313	16.73	-4.523	1363	17.33	-22.672
1214	15.44	31.529	1264	16.05	-7.995	1314	16.74	12.601	1364	17.34	-17.923
1215	15.45	28.156	1265	16.08	-8.621	1315	16.75	16.601	1365	17.37	13.951
1216	15.46	1.153	1266	16.11	-8.998	1316	16.76	20.851	1366	17.38	17.701
1217	15.48	+28.723	1267	16.12	-9.748	1317	16.77	21.101	1367	17.39	23.450
1218	15.49	+34.098	1268	16.13	-10.624	1318	16.78	18.850	1368	17.40	25.950
1219	15.50	+35.723	1269	16.14	+11.873	1319	16.79	9.725	1369	17.41	28.074
1220	15.51	+32.348	1270	16.16	-15.625	1320	16.80	8.099	1370	17.42	27.449
1221	15.52	+26.974	1271	16.17	-18.875	1321	16.81	5.724	1371	17.43	24.949
1222	15.53	-18.099	1272	16.18	+21.125	1322	16.82	6.099	1372	17.45	2.948
1223	15.55	-14.975	1273	16.19	+23.001	1323	16.84	10.723	1373	17.46	-2.428
1224	15.56	-8.225	1274	16.20	-24.251	1324	16.85	13.597	1374	17.47	-3.428
1225	15.57	-5.101	1275	16.21	+23.127	1325	16.87	14.972	1375	17.48	-0.678
1226	15.58	3.524	1276	16.24	-20.253	1326	16.88	12.221	1376	17.49	2.196
1227	15.61	20.647	1277	16.25	-22.379	1327	16.90	11.595	1377	17.51	18.070
1228	15.63	24.771	1278	16.27	+35.755	1328	16.92	10.969	1378	17.52	21.445
1229	15.64	26.397	1279	16.28	-38.255	1329	16.93	10.594	1379	17.53	19.194
1230	15.65	25.146	1280	16.29	-40.005	1330	16.94	9.719	1380	17.56	-15.682
1231	15.66	23.896	1281	16.30	-38.131	1331	16.95	8.843	1381	17.57	-19.933
1232	15.67	18.895	1282	16.31	-30.506	1332	16.96	8.843	1382	17.59	+17.183
1233	15.70	-3.606	1283	16.34	10.118	1333	16.99	+9.033	1383	17.61	11.941
1234	15.71	-6.482	1284	16.35	18.743	1334	17.00	+10.659	1384	17.62	15.565
1235	15.72	-6.482	1285	16.36	27.867	1335	17.01	+11.034	1385	17.63	20.190
1236	15.73	-1.658	1286	16.37	30.492	1336	17.02	-9.784	1386	17.64	19.940
1237	15.75	11.392	1287	16.38	32.616	1337	17.03	-5.160	1387	17.65	13.439
1238	15.76	15.266	1288	16.39	29.616	1338	17.04	-0.660	1388	17.67	-22.687
1239	15.77	18.141	1289	16.40	25.615	1339	17.05	6.339	1389	17.68	-26.562
1240	15.78	16.266	1290	16.41	14.490	1340	17.06	9.214	1390	17.69	-28.437
1241	15.79	8.765	1291	16.44	-13.761	1341	17.07	10.714	1391	17.70	-26.688
1242	15.80	-3.360	1292	16.46	-33.137	1342	17.08	9.338	1392	17.72	-18.813
1243	15.81	-9.236	1293	16.47	-36.013	1343	17.09	-3.412	1393	17.73	+12.189
1244	15.82	+10.986	1294	16.48	+37.388	1344	17.10	-4.663	1394	17.74	+9.814
1245	15.83	+11.611	1295	16.49	+35.513	1345	17.11	+7.788	1395	17.75	+10.690
1246	15.84	-12.862	1296	16.50	+31.369	1346	17.12	-9.039	1396	17.76	+13.815
1247	15.85	+14.737	1297	16.53	-3.515	1347	17.13	+9.789	1397	17.77	+18.691
1248	15.86	+17.238	1298	16.54	3.735	1348	17.15	+1.249	1398	17.78	-20.566
1249	15.87	+18.988	1299	16.55	7.984	1349	17.16	3.709	1399	17.79	-21.441
1250	15.88	+17.988	1300	16.56	9.234	1350	17.18	4.334	1400	17.80	-21.692

INDEX NO. 799 1305-GR-15 HOROMAN BRIDGE TR. MAX.ACCEL.= -79.435(GAL) T=14.55(SEC) NO. 8

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1401	17.81	-19.617	1451	18.41	-6.592	1501	19.11	-23.870	1551	19.77	24.353
1402	17.82	-16.192	1452	18.42	3.407	1502	19.12	-19.246	1552	19.78	25.603
1403	17.83	-12.816	1453	18.43	5.156	1503	19.13	2.377	1553	19.79	20.353
1404	17.84	-7.693	1454	18.47	1.656	1504	19.18	5.252	1554	19.80	13.977
1405	17.85	-4.194	1455	18.49	-6.595	1505	19.19	7.677	1555	19.81	9.227
1406	17.86	1.805	1456	18.50	-11.095	1506	19.20	9.751	1556	19.82	5.726
1407	17.87	7.930	1457	18.51	-11.971	1507	19.21	10.376	1557	19.83	3.851
1408	17.88	12.930	1458	18.52	-12.556	1508	19.23	-5.000	1558	19.84	3.475
1409	17.89	15.604	1459	18.54	-13.472	1509	19.24	-7.876	1559	19.86	3.474
1410	17.90	17.679	1460	18.55	-13.972	1510	19.25	-7.376	1560	19.88	3.724
1411	17.91	14.054	1461	18.56	-13.598	1511	19.26	-3.002	1561	19.89	3.098
1412	17.93	-8.072	1462	18.57	-11.473	1512	19.27	0.498	1562	19.90	1.348
1413	17.94	-10.823	1463	18.58	-7.724	1513	19.28	2.373	1563	19.92	0.472
1414	17.95	-9.823	1464	18.61	25.025	1514	19.29	3.372	1564	19.93	1.472
1415	17.96	-8.573	1465	18.62	26.525	1515	19.30	4.872	1565	19.94	3.971
1416	17.98	3.051	1466	18.63	31.024	1516	19.31	6.872	1566	19.96	12.846
1417	17.99	3.550	1467	18.64	19.149	1517	19.32	8.496	1567	19.97	16.095
1418	18.00	1.675	1468	18.66	-21.227	1518	19.33	11.246	1568	19.98	17.344
1419	18.03	-16.976	1469	18.67	-27.852	1519	19.34	15.745	1569	19.99	15.219
1420	18.04	-16.702	1470	18.68	-31.603	1520	19.36	21.495	1570	20.01	-7.907
1421	18.05	-16.452	1471	18.69	-32.228	1521	19.38	20.619	1571	20.02	-24.407
1422	18.06	-13.078	1472	18.70	-27.479	1522	19.40	-9.382	1572	20.04	-30.783
1423	18.08	2.422	1473	18.73	-13.480	1523	19.41	-19.382	1573	20.05	-34.533
1424	18.09	6.046	1474	18.74	-10.980	1524	19.42	-26.383	1574	20.06	-31.909
1425	18.10	8.171	1475	18.75	-9.231	1525	19.43	-27.633	1575	20.07	-21.409
1426	18.11	9.545	1476	18.77	-14.857	1526	19.44	-28.258	1576	20.09	-5.535
1427	18.12	7.920	1477	18.79	-21.857	1527	19.46	-28.259	1577	20.10	3.965
1428	18.14	-1.456	1478	18.80	-24.358	1528	19.47	-29.135	1578	20.11	9.089
1429	18.15	-4.081	1479	18.81	-21.983	1529	19.48	-29.136	1579	20.12	12.464
1430	18.16	-6.832	1480	18.82	-19.483	1530	19.50	-28.636	1580	20.13	15.089
1431	18.17	-6.832	1481	18.83	-9.609	1531	19.51	-24.511	1581	20.14	19.838
1432	18.18	-5.957	1482	18.86	9.390	1532	19.52	-22.387	1582	20.15	21.838
1433	18.19	-3.208	1483	18.87	15.764	1533	19.53	-14.762	1583	20.16	22.712
1434	18.21	-2.208	1484	18.88	17.764	1534	19.55	-2.388	1584	20.17	23.962
1435	18.22	-2.959	1485	18.89	14.639	1535	19.58	16.360	1585	20.18	24.586
1436	18.23	-5.459	1486	18.91	-6.612	1536	19.59	17.985	1586	20.19	22.461
1437	18.24	-6.335	1487	18.92	-9.362	1537	19.60	20.110	1587	20.20	19.961
1438	18.25	-7.085	1488	18.93	-10.363	1538	19.61	21.235	1588	20.21	12.710
1439	18.26	-5.836	1489	18.94	-10.613	1539	19.62	19.359	1589	20.22	9.835
1440	18.28	-3.587	1490	18.95	-14.739	1540	19.64	-18.767	1590	20.23	7.960
1441	18.29	-3.337	1491	18.97	-11.614	1541	19.65	-16.642	1591	20.24	9.336
1442	18.31	-4.587	1492	18.98	-10.115	1542	19.66	-19.018	1592	20.26	14.458
1443	18.32	-5.008	1493	18.99	-11.115	1543	19.67	-23.768	1593	20.27	16.708
1444	18.33	-6.336	1494	19.00	-13.241	1544	19.68	-24.393	1594	20.28	17.583
1445	18.35	-6.964	1495	19.01	-14.866	1545	19.69	-25.143	1595	20.29	12.957
1446	18.36	-7.340	1496	19.02	-16.367	1546	19.70	-19.269	1596	20.31	-2.919
1447	18.37	-7.715	1497	19.04	-18.368	1547	19.72	-12.395	1597	20.32	-6.419
1448	18.38	-8.840	1498	19.06	-19.618	1548	19.74	10.604	1598	20.33	-5.420
1449	18.39	-10.091	1499	19.07	-23.119	1549	19.75	16.729	1599	20.34	-5.420
1450	18.40	-10.841	1500	19.09	-25.120	1550	19.76	21.853	1600	20.35	-3.545

INDEX NO. 799 1305-GR-15 HOROMAN BRIDGE TR. MAX.ACCEL.= -79.435(GAL) T=14.55(SEC) NO. 9

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1601	20.37	5.454	1651	21.00	+3.447	1701	21.69	9.525	1751	22.31	8.376
1602	20.39	7.453	1652	21.02	6.803	1702	21.70	6.650	1752	22.32	9.625
1603	20.40	7.578	1653	21.03	8.677	1703	21.71	0.649	1753	22.33	8.499
1604	20.41	1.577	1654	21.04	9.302	1704	21.73	-8.602	1754	22.34	6.749
1605	20.43	-6.674	1655	21.05	4.426	1705	21.75	-11.852	1755	22.35	3.374
1606	20.44	-16.174	1656	21.06	-3.199	1706	21.76	-12.852	1756	22.36	1.498
1607	20.45	-26.675	1657	21.07	-11.325	1707	21.77	-10.478	1757	22.37	-0.377
1608	20.46	-29.175	1658	21.08	-12.075	1708	21.78	-3.104	1758	22.38	-0.628
1609	20.47	-31.425	1659	21.09	-12.451	1709	21.79	-0.479	1759	22.40	-1.253
1610	20.48	-32.301	1660	21.10	-10.576	1710	21.80	1.396	1760	22.42	-2.004
1611	20.49	-29.676	1661	21.12	-4.702	1711	21.81	2.020	1761	22.44	-3.630
1612	20.50	-26.301	1662	21.13	-4.327	1712	21.82	-0.980	1762	22.46	-5.506
1613	20.51	-20.552	1663	21.14	-5.203	1713	21.83	-7.605	1763	22.47	-6.131
1614	20.54	3.947	1664	21.15	-7.453	1714	21.84	+13.356	1764	22.48	-6.382
1615	20.55	6.821	1665	21.17	-16.954	1715	21.85	+16.731	1765	22.49	-8.257
1616	20.56	7.446	1666	21.18	-16.704	1716	21.86	+15.482	1766	22.50	-10.382
1617	20.57	9.071	1667	21.19	-17.579	1717	21.87	+13.857	1767	22.51	-11.883
1618	20.58	9.695	1668	21.22	-4.706	1718	21.90	-4.983	1768	22.52	-13.133
1619	20.61	-22.556	1669	21.24	8.416	1719	21.91	-3.859	1769	22.53	-13.383
1620	20.62	-25.806	1670	21.26	9.043	1720	21.92	-5.734	1770	22.54	-11.634
1621	20.63	+27.682	1671	21.29	-8.958	1721	21.94	+11.485	1771	22.55	-10.384
1622	20.65	+17.308	1672	21.30	-12.709	1722	21.95	+13.110	1772	22.57	-2.885
1623	20.66	-7.433	1673	21.31	-13.709	1723	21.96	+13.736	1773	22.59	-0.261
1624	20.67	-51.559	1674	21.32	-12.210	1724	21.97	+10.611	1774	22.60	1.364
1625	20.68	-4.309	1675	21.34	-7.211	1725	21.99	-6.237	1775	22.61	1.988
1626	20.69	-5.434	1676	21.35	-5.586	1726	22.00	+3.487	1776	22.62	0.738
1627	20.71	-13.060	1677	21.36	-9.462	1727	22.01	1.637	1777	22.63	-0.513
1628	20.72	+15.186	1678	21.37	-18.462	1728	22.02	2.637	1778	22.65	0.737
1629	20.73	+15.686	1679	21.38	-20.712	1729	22.04	4.136	1779	22.67	3.861
1630	20.76	-5.562	1680	21.39	+23.338	1730	22.05	8.011	1780	22.70	14.360
1631	20.77	-3.687	1681	21.40	+21.463	1731	22.07	11.510	1781	22.71	14.734
1632	20.78	-4.438	1682	21.42	+15.089	1732	22.08	13.760	1782	22.72	15.484
1633	20.80	-9.939	1683	21.43	+12.589	1733	22.09	15.384	1783	22.73	11.609
1634	20.81	-11.189	1684	21.44	+13.214	1734	22.10	14.759	1784	22.74	-0.017
1635	20.82	-11.564	1685	21.45	+11.840	1735	22.11	9.134	1785	22.76	+18.268
1636	20.83	-9.315	1686	21.46	+13.090	1736	22.12	0.633	1786	22.77	+19.518
1637	20.85	2.684	1687	21.47	+14.966	1737	22.13	+16.868	1787	22.78	+20.144
1638	20.86	6.184	1688	21.48	+14.966	1738	22.14	+21.993	1788	22.80	+20.144
1639	20.87	8.059	1689	21.49	+14.342	1739	22.15	+25.368	1789	22.81	+18.895
1640	20.88	9.683	1690	21.50	-8.092	1740	22.16	+26.244	1790	22.83	+17.646
1641	20.89	9.933	1691	21.52	-5.343	1741	22.17	+23.994	1791	22.85	+16.396
1642	20.90	9.432	1692	21.53	-4.468	1742	22.19	+21.120	1792	22.86	+15.522
1643	20.91	7.557	1693	21.54	-6.719	1743	22.20	+19.370	1793	22.88	+12.647
1644	20.92	6.308	1694	21.56	-9.469	1744	22.21	+18.871	1794	22.89	+12.398
1645	20.94	1.306	1695	21.57	-9.970	1745	22.23	+19.497	1795	22.91	+13.274
1646	20.95	-3.570	1696	21.58	-9.095	1746	22.24	+20.122	1796	22.92	+13.274
1647	20.96	-6.070	1697	21.63	6.153	1747	22.25	+18.622	1797	22.93	+12.399
1648	20.97	-9.446	1698	21.66	9.901	1748	22.26	+13.248	1798	22.94	+11.400
1649	20.98	-9.071	1699	21.67	11.151	1749	22.29	2.876	1799	22.95	+9.150
1650	20.99	-7.821	1700	21.68	11.026	1750	22.30	6.500	1800	22.96	-7.901

INDEX NO. 799 1305-GR-15 HOROMAN BRIDGE TR. MAX.ACCEL.= -79.435(GAL) T=14.55(SEC) NO.10

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1801	22.98	-7.901	1851	23.64	-8.678	1901	24.35	-6.332	1951	25.00	-3.608
1802	22.99	-7.777	1852	23.65	-10.929	1902	24.36	-4.207	1952	25.01	-3.234
1803	23.00	-7.277	1853	23.66	-11.554	1903	24.37	-2.208	1953	25.02	-3.484
1804	23.01	-4.778	1854	23.67	-12.676	1904	24.38	-1.563	1954	25.03	-3.859
1805	23.03	6.096	1855	23.68	-11.430	1905	24.39	-3.083	1955	25.04	-3.235
1806	23.04	8.971	1856	23.70	-8.555	1906	24.40	-4.334	1956	25.06	-2.235
1807	23.05	8.221	1857	23.74	0.693	1907	24.41	-5.834	1957	25.07	-0.361
1808	23.06	4.595	1858	23.76	2.617	1908	24.42	-6.585	1958	25.08	0.014
1809	23.07	-10.930	1859	23.77	4.441	1909	24.43	-8.210	1959	25.09	-0.112
1810	23.08	-16.281	1860	23.78	5.191	1910	24.44	-5.461	1960	25.10	-1.737
1811	23.09	-17.906	1861	23.79	4.566	1911	24.46	-0.586	1961	25.12	-5.863
1812	23.10	-17.656	1862	23.80	2.440	1912	24.47	1.286	1962	25.13	-6.863
1813	23.11	-15.762	1863	23.81	-0.435	1913	24.48	2.788	1963	25.14	-7.114
1814	23.13	-11.158	1864	23.83	-2.686	1914	24.49	1.413	1964	25.15	-7.614
1815	23.14	-10.408	1865	23.84	-3.311	1915	24.51	-2.713	1965	25.16	-6.114
1816	23.15	-11.534	1866	23.85	-3.686	1916	24.52	-5.339	1966	25.17	-3.865
1817	23.16	-16.264	1867	23.86	-2.687	1917	24.54	-5.339	1967	25.19	5.259
1818	23.19	-10.535	1868	23.86	-2.688	1918	24.56	-4.715	1968	25.20	7.634
1819	23.20	-19.161	1869	23.89	-3.063	1919	24.57	-4.091	1969	25.21	8.508
1820	23.22	-20.161	1870	23.90	-3.688	1920	24.59	-4.342	1970	25.22	8.258
1821	23.23	-16.162	1871	23.91	-5.189	1921	24.60	-5.217	1971	25.24	4.882
1822	23.27	-0.288	1872	23.93	-6.440	1922	24.62	-5.593	1972	25.26	-3.119
1823	23.28	5.211	1873	23.94	-7.065	1923	24.63	-5.593	1973	25.27	-3.994
1824	23.29	3.961	1874	23.96	-7.441	1924	24.64	-6.719	1974	25.28	-4.619
1825	23.31	1.635	1875	23.99	-4.317	1925	24.65	-5.094	1975	25.29	-5.245
1826	23.32	0.210	1876	24.00	-3.442	1926	24.67	0.260	1976	25.31	-5.621
1827	23.33	-0.916	1877	24.02	-3.068	1927	24.68	2.760	1977	25.32	-5.371
1828	23.35	0.956	1878	24.03	-3.319	1928	24.69	2.530	1978	25.33	-4.997
1829	23.36	3.333	1879	24.05	-3.319	1929	24.70	-2.471	1979	25.34	-4.122
1830	23.37	2.456	1880	24.06	-3.695	1930	24.72	-8.722	1980	25.35	-1.248
1831	23.38	0.582	1881	24.07	-2.446	1931	24.73	-12.597	1981	25.37	0.877
1832	23.39	-3.043	1882	24.09	-0.321	1932	24.74	-12.972	1982	25.38	2.501
1833	23.42	-9.294	1883	24.10	-1.197	1933	24.75	-12.598	1983	25.39	3.001
1834	23.43	-11.545	1884	24.11	-2.072	1934	24.77	-2.974	1984	25.40	2.001
1835	23.44	-12.170	1885	24.12	-4.572	1935	24.78	1.526	1985	25.41	-0.750
1836	23.45	-12.795	1886	24.13	-6.448	1936	24.80	3.150	1986	25.43	-5.001
1837	23.46	-13.171	1887	24.17	-11.324	1937	24.81	3.400	1987	25.44	-5.251
1838	23.47	-11.671	1888	24.19	-14.450	1938	24.83	3.774	1988	25.45	-5.376
1839	23.49	-6.297	1889	24.20	-15.826	1939	24.85	1.648	1989	25.46	-4.127
1840	23.50	-6.047	1890	24.21	-15.826	1940	24.86	1.273	1990	25.47	-2.127
1841	23.51	-5.048	1891	24.22	-13.951	1941	24.87	0.897	1991	25.48	-0.628
1842	23.52	-5.298	1892	24.23	-12.327	1942	24.89	2.147	1992	25.49	-3.378
1843	23.53	-6.549	1893	24.25	-9.453	1943	24.90	3.146	1993	25.52	-9.380
1844	23.54	-6.674	1894	24.26	-8.576	1944	24.91	2.396	1994	25.53	-9.880
1845	23.55	-5.675	1895	24.27	-7.629	1945	24.93	-3.980	1995	25.56	0.244
1846	23.57	-2.925	1896	24.29	-8.829	1946	24.94	-8.356	1996	25.57	2.493
1847	23.59	3.824	1897	24.31	-8.830	1947	24.95	-11.106	1997	25.58	2.368
1848	23.60	5.824	1898	24.32	-8.830	1948	24.96	-10.981	1998	25.59	0.493
1849	23.61	6.198	1899	24.33	-8.581	1949	24.98	-7.607	1999	25.61	-10.133
1850	23.62	2.698	1900	24.34	-7.581	1950	24.99	-5.108	2000	25.62	-12.634

INDEX NO. 799 1305-GR-15 HOROMAN BRIDGE TR. MAX.ACCEL.= -79.435(GAL) T=14.55(SEC) NO.11

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2001	25.63	-13.509	2051	26.33	10.338	2101	27.13	-13.945	2151	27.90	7.524
2002	25.66	-10.760	2052	26.34	8.087	2102	27.14	-15.195	2152	27.92	9.649
2003	25.67	-10.136	2053	26.35	5.462	2103	27.15	-15.945	2153	27.93	11.398
2004	25.69	-10.386	2054	26.37	-9.289	2104	27.18	-10.196	2154	27.94	9.523
2005	25.70	-11.307	2055	26.38	-10.789	2105	27.22	-2.427	2155	27.95	7.022
2006	25.72	-12.013	2056	26.39	-11.665	2106	27.24	5.176	2156	27.96	3.772
2007	25.73	-10.763	2057	26.40	-12.415	2107	27.25	7.175	2157	27.97	1.896
2008	25.74	-9.263	2058	26.42	-9.541	2108	27.26	7.925	2158	28.01	-0.730
2009	25.76	-6.389	2059	26.45	-5.167	2109	27.27	6.300	2159	28.02	-3.481
2010	25.77	-5.640	2060	26.46	-4.292	2110	27.28	2.549	2160	28.03	-5.981
2011	25.78	-5.640	2061	26.48	-4.543	2111	27.29	-2.576	2161	28.04	-5.731
2012	25.79	-7.141	2062	26.52	-5.170	2112	27.30	-4.076	2162	28.05	-4.107
2013	25.82	-12.267	2063	26.53	-6.045	2113	27.31	-5.077	2163	28.08	3.267
2014	25.83	-13.517	2064	26.54	-7.296	2114	27.32	-6.327	2164	28.09	4.517
2015	25.84	-13.642	2065	26.55	-8.921	2115	27.35	-9.078	2165	28.10	5.641
2016	25.85	-10.518	2066	26.57	-12.297	2116	27.36	-9.079	2166	28.11	4.766
2017	25.86	-7.644	2067	26.58	-13.672	2117	27.37	-10.204	2167	28.12	2.515
2018	25.89	5.230	2068	26.59	-12.673	2118	27.38	-8.705	2168	28.13	-0.860
2019	25.90	6.605	2069	26.61	-9.924	2119	27.39	-5.830	2169	28.15	-3.236
2020	25.91	7.355	2070	26.62	-9.299	2120	27.40	0.170	2170	28.16	-5.111
2021	25.92	6.729	2071	26.64	-8.300	2121	27.41	2.044	2171	28.19	-7.862
2022	25.94	-2.147	2072	26.65	-7.425	2122	27.42	3.544	2172	28.21	-10.489
2023	25.95	-4.022	2073	26.67	-6.801	2123	27.43	3.793	2173	28.22	-12.364
2024	25.97	-5.272	2074	26.68	-4.551	2124	27.44	0.418	2174	28.24	-14.614
2025	25.98	-6.398	2075	26.69	-0.652	2125	27.46	-1.833	2175	28.25	-16.490
2026	26.00	-9.649	2076	26.71	1.822	2126	27.47	-3.583	2176	28.26	-16.740
2027	26.01	-9.525	2077	26.72	3.947	2127	27.49	-2.959	2177	28.27	-16.616
2028	26.02	-9.275	2078	26.73	3.572	2128	27.51	-3.210	2178	28.28	-14.741
2029	26.03	-7.650	2079	26.75	2.196	2129	27.52	-4.460	2179	28.30	-12.242
2030	26.04	-4.526	2080	26.77	-2.180	2130	27.54	-8.211	2180	28.31	-11.367
2031	26.07	2.098	2081	26.81	-9.432	2131	27.55	-9.086	2181	28.33	-10.743
2032	26.09	3.723	2082	26.82	-9.182	2132	27.56	-10.212	2182	28.34	-9.619
2033	26.11	4.222	2083	26.83	-9.183	2133	27.60	-13.338	2183	28.35	-8.994
2034	26.12	2.971	2084	26.84	-8.183	2134	27.62	-13.964	2184	28.38	-8.370
2035	26.13	1.346	2085	26.86	-5.934	2135	27.64	-14.590	2185	28.39	-7.745
2036	26.14	-2.155	2086	26.88	-6.309	2136	27.65	-13.341	2186	28.40	-6.871
2037	26.16	-6.905	2087	26.89	-7.560	2137	27.66	-8.716	2187	28.41	-5.621
2038	26.17	-8.781	2088	26.91	-8.186	2138	27.70	2.407	2188	28.42	-3.497
2039	26.18	-9.406	2089	26.93	-9.062	2139	27.71	5.907	2189	28.43	-2.372
2040	26.20	-8.157	2090	26.95	-8.812	2140	27.72	6.657	2190	28.44	-1.748
2041	26.21	-8.408	2091	26.97	-7.563	2141	27.73	7.281	2191	28.45	-2.623
2042	26.22	-9.408	2092	26.99	-6.689	2142	27.76	8.220	2192	28.48	-6.999
2043	26.23	-11.033	2093	27.01	-5.690	2143	27.78	-11.221	2193	28.49	-7.625
2044	26.25	-15.409	2094	27.02	-4.440	2144	27.80	-8.722	2194	28.50	-7.625
2045	26.26	-16.535	2095	27.04	-3.191	2145	27.81	-2.347	2195	28.52	-7.376
2046	26.27	-14.660	2096	27.05	-4.067	2146	27.82	-0.472	2196	28.53	-4.876
2047	26.28	-11.535	2097	27.08	-4.192	2147	27.83	1.527	2197	28.55	0.498
2048	26.30	-2.661	2098	27.09	-4.443	2148	27.86	1.849	2198	28.56	2.373
2049	26.31	4.588	2099	27.10	-6.318	2149	27.87	-3.225	2199	28.57	3.497
2050	26.32	7.213	2100	27.12	-11.694	2150	27.89	-0.725	2200	28.59	1.621

INDEX NO. 799 1305-GR-15 HOROHAN BRIDGE TR. MAX.ACCEL.= -79.435(GAL) T=14.55(SEC) NO.12

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2201	28.60	-2.879	2251	29.28	-5.907	2301	30.09	-1.689	2351	30.85	-3.970
2202	28.61	-4.754	2252	29.30	-4.657	2302	30.10	-2.315	2352	30.86	-4.595
2203	28.62	-3.630	2253	29.32	-4.158	2303	30.11	-5.190	2353	30.87	-4.846
2204	28.64	-1.131	2254	29.34	-5.764	2304	30.13	-6.691	2354	30.89	-4.972
2205	28.66	3.744	2255	29.36	-6.035	2305	30.14	-8.191	2355	30.90	-4.347
2206	28.67	2.493	2256	29.37	-7.410	2306	30.15	-7.192	2356	30.92	-2.098
2207	28.70	-8.508	2257	29.39	-7.036	2307	30.17	-1.818	2357	30.93	-2.348
2208	28.71	-7.908	2258	29.40	-6.412	2308	30.19	-0.193	2358	30.95	-6.474
2209	28.72	-5.509	2259	29.42	-5.787	2309	30.20	-3.444	2359	30.96	-7.349
2210	28.74	-1.134	2260	29.43	-4.913	2310	30.22	-2.944	2360	30.97	-8.225
2211	28.75	0.990	2261	29.44	-3.913	2311	30.23	-3.570	2361	31.00	-3.476
2212	28.76	-2.886	2262	29.46	-3.039	2312	30.24	-4.945	2362	31.01	-3.227
2213	28.76	-9.511	2263	29.46	-2.415	2313	30.25	-3.071	2363	31.02	-3.602
2214	28.79	-11.762	2264	29.49	-1.415	2314	30.27	1.053	2364	31.03	-4.602
2215	28.80	-11.262	2265	29.50	-0.790	2315	30.29	2.553	2365	31.04	-7.103
2216	28.81	-10.262	2266	29.51	0.084	2316	30.30	0.552	2366	31.06	-12.854
2217	28.82	-5.888	2267	29.53	-1.042	2317	30.31	-1.573	2367	31.08	-11.604
2218	28.83	-4.638	2268	29.54	-2.292	2318	30.32	-7.699	2368	31.09	-9.730
2219	28.85	-6.014	2269	29.55	-4.543	2319	30.34	-10.324	2369	31.12	-5.981
2220	28.87	-9.515	2270	29.58	-6.043	2320	30.35	-10.950	2370	31.13	-5.856
2221	28.88	-8.390	2271	29.59	-7.419	2321	30.37	-9.700	2371	31.14	-7.732
2222	28.90	-7.516	2272	29.60	-7.045	2322	30.41	-5.952	2372	31.16	-8.608
2223	28.91	-8.692	2273	29.61	-7.045	2323	30.43	-5.703	2373	31.17	-8.608
2224	28.94	-12.768	2274	29.62	-6.420	2324	30.44	-5.853	2374	31.19	-8.109
2225	28.95	-13.643	2275	29.64	-5.171	2325	30.46	-6.579	2375	31.20	-8.609
2226	28.96	-14.016	2276	29.65	-3.671	2326	30.47	-6.830	2376	31.23	-8.110
2227	28.97	-11.269	2277	29.67	-1.172	2327	30.48	-7.205	2377	31.24	-6.861
2228	28.98	-8.144	2278	29.69	1.702	2328	30.49	-6.956	2378	31.27	-2.487
2229	28.99	-6.645	2279	29.71	2.326	2329	30.51	-5.956	2379	31.29	-0.238
2230	29.01	-6.145	2280	29.72	3.201	2330	30.52	-4.581	2380	31.30	1.262
2231	29.02	-7.896	2281	29.73	3.625	2331	30.53	-6.582	2381	31.31	1.761
2232	29.03	-10.271	2282	29.75	2.950	2332	30.54	-5.457	2382	31.32	-4.489
2233	29.04	-10.522	2283	29.76	2.074	2333	30.56	-7.083	2383	31.34	-5.990
2234	29.05	-11.522	2284	29.78	0.448	2334	30.57	-7.709	2384	31.35	-7.240
2235	29.06	-9.648	2285	29.80	-0.428	2335	30.59	-4.585	2385	31.36	-7.866
2236	29.11	-5.925	2286	29.82	-1.678	2336	30.60	-2.085	2386	31.38	-8.116
2237	29.12	-3.150	2287	29.84	-2.304	2337	30.61	-2.085	2387	31.39	-8.492
2238	29.13	-2.900	2288	29.85	-3.304	2338	30.62	-2.086	2388	31.40	-9.742
2239	29.14	-4.151	2289	29.86	-5.180	2339	30.63	-3.336	2389	31.41	-11.243
2240	29.15	-7.026	2290	29.87	-6.680	2340	30.65	-6.087	2390	31.42	-11.618
2241	29.16	-9.527	2291	29.89	-6.306	2341	30.66	-7.712	2391	31.43	-11.619
2242	29.17	-10.902	2292	29.90	-4.432	2342	30.67	-6.588	2392	31.44	-10.369
2243	29.18	-11.777	2293	29.92	-2.057	2343	30.70	2.286	2393	31.47	-8.495
2244	29.19	-11.903	2294	29.93	-1.808	2344	30.72	3.035	2394	31.48	-8.245
2245	29.20	-10.903	2295	29.94	-1.183	2345	30.74	-2.341	2395	31.50	-7.871
2246	29.21	-10.904	2296	29.95	-1.434	2346	30.76	-3.967	2396	31.51	-9.372
2247	29.22	-10.904	2297	29.96	-3.559	2347	30.78	-3.342	2397	31.53	-9.747
2248	29.24	-12.155	2298	29.98	-4.185	2348	30.81	-0.593	2398	31.54	-9.998
2249	29.25	-12.405	2299	30.06	-1.188	2349	30.82	-0.969	2399	31.55	-9.998
2250	29.26	-12.156	2300	30.06	-1.189	2350	30.83	-1.969	2400	31.56	-9.749

INDEX NO. 799 1305-GR-15 HOROHAN BRIDGE TR. MAX.ACCEL.= -79.435(GAL) T=14.55(SEC) NO.13

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2401	31.58	-8.499	2451	32.33	-8.530	2501	33.06	-4.309	2551	33.74	-3.962
2402	31.60	-7.000	2452	32.34	-8.280	2502	33.08	-5.310	2552	33.75	-4.087
2403	31.63	-5.376	2453	32.35	-4.701	2503	33.11	-5.561	2553	33.76	-4.087
2404	31.64	-4.127	2454	32.37	-1.262	2504	33.13	-5.312	2554	33.77	-4.963
2405	31.67	-3.378	2455	32.38	-0.202	2505	33.14	-5.063	2555	33.78	-9.713
2406	31.69	-4.879	2456	32.41	-0.533	2506	33.15	-5.313	2556	33.79	-11.339
2407	31.72	-6.130	2457	32.43	-0.284	2507	33.16	-5.063	2557	33.80	-11.964
2408	31.74	-7.131	2458	32.45	0.590	2508	33.19	-1.315	2558	33.81	-12.214
2409	31.76	-6.882	2459	32.46	0.590	2509	33.20	-1.565	2559	33.83	-7.340
2410	31.77	-6.882	2460	32.48	-0.911	2510	33.21	-2.565	2560	33.85	-5.841
2411	31.78	-6.507	2461	32.49	-1.161	2511	33.22	-3.691	2561	33.86	-6.092
2412	31.80	-4.383	2462	32.51	-1.162	2512	33.23	-7.566	2562	33.87	-6.717
2413	31.81	-1.509	2463	32.52	-1.787	2513	33.24	-8.692	2563	33.88	-7.592
2414	31.82	-1.134	2464	32.54	-3.413	2514	33.25	-9.817	2564	33.89	-8.593
2415	31.84	-1.760	2465	32.55	-4.039	2515	33.26	-9.568	2565	33.90	-8.843
2416	31.85	-1.885	2466	32.56	-3.789	2516	33.27	-7.943	2566	33.91	-8.593
2417	31.86	-0.886	2467	32.57	-3.769	2517	33.29	-5.819	2567	33.92	-8.844
2418	31.88	3.114	2468	32.59	-2.540	2518	33.31	-5.194	2568	33.93	-9.220
2419	31.89	4.988	2469	32.60	-2.791	2519	33.33	-5.445	2569	33.95	-10.095
2420	31.91	4.862	2470	32.61	-3.416	2520	33.34	-5.696	2570	33.96	-10.720
2421	31.92	2.737	2471	32.62	-4.667	2521	33.35	-5.446	2571	33.97	-11.721
2422	31.93	0.487	2472	32.63	-6.792	2522	33.36	-5.197	2572	33.98	-11.471
2423	31.94	-3.639	2473	32.64	-7.292	2523	33.38	-4.822	2573	33.99	-10.222
2424	31.95	-4.639	2474	32.65	-7.043	2524	33.39	-5.448	2574	34.00	-8.972
2425	31.96	-4.390	2475	32.68	-2.919	2525	33.40	-6.698	2575	34.01	-7.347
2426	31.98	-4.641	2476	32.69	-2.169	2526	33.41	-8.199	2576	34.02	-5.848
2427	31.99	-4.891	2477	32.70	-2.170	2527	33.42	-8.199	2577	34.03	-4.848
2428	32.00	-5.691	2478	32.71	-2.795	2528	33.43	-8.824	2578	34.04	-5.349
2429	32.01	-7.767	2479	32.72	-6.046	2529	33.44	-8.825	2579	34.06	-8.100
2430	32.03	-12.643	2480	32.74	-5.796	2530	33.45	-9.200	2580	34.07	-8.100
2431	32.04	-13.143	2481	32.77	-2.798	2531	33.46	-9.450	2581	34.08	-8.600
2432	32.06	-1.519	2482	32.79	-1.923	2532	33.47	-10.076	2582	34.09	-7.726
2433	32.08	-0.019	2483	32.80	-1.549	2533	33.48	-10.451	2583	34.15	-2.226
2434	32.09	1.605	2484	32.81	-1.549	2534	33.49	-11.077	2584	34.16	-1.354
2435	32.10	0.355	2485	32.82	-2.175	2535	33.50	-11.077	2585	34.17	-1.604
2436	32.12	-5.521	2486	32.84	-4.676	2536	33.52	-4.578	2586	34.18	-3.480
2437	32.13	-8.147	2487	32.86	-6.551	2537	33.54	1.796	2587	34.20	-7.855
2438	32.14	-8.522	2488	32.87	-6.552	2538	33.55	2.796	2588	34.21	-8.231
2439	32.16	-7.898	2489	32.88	-5.927	2539	33.56	3.670	2589	34.22	-10.231
2440	32.19	-4.524	2490	32.91	-0.928	2540	33.57	3.670	2590	34.24	-8.607
2441	32.20	-3.399	2491	32.92	-1.179	2541	33.59	4.294	2591	34.25	-7.357
2442	32.21	-3.400	2492	32.93	-2.179	2542	33.61	4.044	2592	34.26	-6.483
2443	32.22	-4.650	2493	32.95	-4.305	2543	33.62	3.168	2593	34.28	-5.859
2444	32.24	-7.401	2494	32.97	-5.306	2544	33.63	1.918	2594	34.29	-5.734
2445	32.25	-7.651	2495	32.98	-5.931	2545	33.64	-2.458	2595	34.30	-5.484
2446	32.27	-5.402	2496	32.99	-5.682	2546	33.66	-6.834	2596	34.31	-4.860
2447	32.28	-3.278	2497	33.01	-4.432	2547	33.67	-8.459	2597	34.33	-0.360
2448	32.29	-2.153	2498	33.02	-3.433	2548	33.68	-10.710	2598	34.34	0.089
2449	32.30	-3.403	2499	33.03	-3.433	2549	33.69	-11.710	2599	34.36	0.638
2450	32.31	-6.779	2500	33.04	-4.059	2550	33.70	-11.085	2600	34.37	-1.238

土木構造物における加速度強震記録（No. 9）

INDEX NO. 799 1305-GR-15 HOROMAN BRIDGE TR. MAX.ACCEL.= -79.435(GAL) T=14.55(SEC) NO.14

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2601	34.38	-1.613	2651	35.02	-10.514	2701	35.70	-13.166	2751	36.38	2.431
2602	34.39	-1.363	2652	35.04	-10.514	2702	35.71	-11.667	2752	36.39	2.056
2603	34.42	1.701	2653	35.06	-10.266	2703	35.73	-6.793	2753	36.40	0.555
2604	34.43	2.760	2654	35.07	-10.516	2704	35.76	-4.069	2754	36.41	-0.445
2605	34.44	2.510	2655	35.08	-11.141	2705	35.77	-3.294	2755	36.43	-1.321
2606	34.45	1.684	2656	35.09	-11.767	2706	35.78	-3.920	2756	36.44	-1.697
2607	34.47	0.834	2657	35.10	-11.142	2707	35.81	-5.546	2757	36.45	-2.322
2608	34.48	-1.242	2658	35.11	-7.768	2708	35.82	-6.796	2758	36.46	-2.947
2609	34.50	-2.493	2659	35.13	-5.893	2709	35.83	-7.172	2759	36.47	-4.198
2610	34.51	-4.366	2660	35.14	-4.019	2710	35.84	-6.547	2760	36.48	-6.323
2611	34.52	-4.744	2661	35.17	-2.020	2711	35.86	-4.048	2761	36.49	-8.198
2612	34.53	-4.119	2662	35.18	-0.395	2712	35.89	0.451	2762	36.50	-8.824
2613	34.56	-1.370	2663	35.19	-0.771	2713	35.90	1.700	2763	36.51	-9.199
2614	34.57	-0.371	2664	35.20	0.679	2714	35.91	1.700	2764	36.52	-8.575
2615	34.58	-1.871	2665	35.21	2.353	2715	35.92	0.575	2765	36.53	-5.200
2616	34.59	-7.496	2666	35.22	2.353	2716	35.93	-2.551	2766	36.54	-2.701
2617	34.61	-9.747	2667	35.24	0.602	2717	35.95	-5.676	2767	36.55	-2.076
2618	34.62	-10.122	2668	35.25	-1.023	2718	35.96	-7.302	2768	36.57	-1.452
2619	34.63	-9.623	2669	35.27	-3.149	2719	35.97	-7.302	2769	36.58	-1.077
2620	34.64	-7.746	2670	35.28	-3.774	2720	35.99	-7.303	2770	36.60	-0.828
2621	34.65	-6.749	2671	35.29	-5.400	2721	36.01	-7.304	2771	36.61	-0.453
2622	34.66	-6.499	2672	35.30	-6.025	2722	36.02	-6.680	2772	36.62	0.796
2623	34.67	-6.750	2673	35.31	-4.901	2723	36.04	-5.805	2773	36.63	1.045
2624	34.68	-6.750	2674	35.34	-1.027	2724	36.05	-3.931	2774	36.64	0.795
2625	34.70	-7.376	2675	35.35	-1.277	2725	36.06	-2.056	2775	36.65	-2.330
2626	34.71	-5.501	2676	35.36	-2.903	2726	36.07	-0.806	2776	36.66	-3.581
2627	34.74	-3.003	2677	35.37	-6.028	2727	36.08	-0.432	2777	36.68	-5.706
2628	34.75	-2.003	2678	35.38	-8.529	2728	36.09	-1.057	2778	36.70	-7.582
2629	34.76	-1.378	2679	35.39	-11.779	2729	36.12	+2.933	2779	36.71	-8.503
2630	34.77	-1.629	2680	35.40	-12.404	2730	36.13	-2.934	2780	36.73	-9.708
2631	34.78	-2.504	2681	35.41	-11.155	2731	36.15	-2.935	2781	36.74	-9.334
2632	34.80	-4.130	2682	35.42	-9.280	2732	36.16	-1.435	2782	36.76	-8.459
2633	34.81	-5.380	2683	35.45	-5.261	2733	36.17	-0.811	2783	36.78	-7.461
2634	34.82	-6.631	2684	35.46	-4.657	2734	36.19	-1.061	2784	36.80	-8.086
2635	34.83	-8.506	2685	35.48	-6.032	2735	36.20	-1.312	2785	36.81	-8.337
2636	34.84	-9.756	2686	35.50	-8.158	2736	36.21	-3.187	2786	36.82	-8.712
2637	34.85	-9.757	2687	35.51	-10.534	2737	36.23	-4.813	2787	36.84	-8.088
2638	34.86	-9.007	2688	35.52	-10.534	2738	36.24	-6.688	2788	36.85	-6.588
2639	34.88	-6.508	2689	35.53	-10.535	2739	36.25	-8.169	2789	36.87	-5.964
2640	34.89	-4.634	2690	35.55	-9.286	2740	36.26	-10.064	2790	36.89	-5.340
2641	34.90	-4.009	2691	35.56	-8.661	2741	36.27	-12.065	2791	36.90	-5.340
2642	34.91	-3.384	2692	35.57	-8.036	2742	36.28	-12.440	2792	36.93	-3.717
2643	34.92	-4.010	2693	35.59	-9.912	2743	36.29	-13.066	2793	36.95	-3.717
2644	34.94	-4.260	2694	35.61	-10.538	2744	36.30	-12.191	2794	36.96	-4.593
2645	34.95	-4.261	2695	35.62	-10.788	2745	36.31	-11.191	2795	36.98	-4.343
2646	34.97	-4.262	2696	35.63	-10.539	2746	36.33	-7.192	2796	36.99	-4.094
2647	34.98	-5.137	2697	35.64	-10.289	2747	36.34	-2.318	2797	37.01	-3.470
2648	34.99	-7.763	2698	35.66	-11.415	2748	36.35	-0.443	2798	37.03	-3.721
2649	35.00	-9.263	2699	35.68	-13.916	2749	36.36	1.431	2799	37.04	-4.346
2650	35.01	-10.513	2700	35.69	-13.541	2750	36.37	1.681	2800	37.05	-4.346

INDEX NO. 799 1305-GR-15 HOROMAN BRIDGE TR. MAX.ACCEL.= -79.435(GAL) T=14.55(SEC) NO.15

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2801	37.06	-4.222	2851	37.86	-3.879	2901	38.63	-7.035	2951	39.52	-5.571
2802	37.07	-2.347	2852	37.88	-5.130	2902	38.64	-9.285	2952	39.53	-7.446
2803	37.10	1.652	2853	37.90	-6.755	2903	38.65	-10.285	2953	39.54	-6.947
2804	37.11	3.276	2854	37.92	-6.006	2904	38.66	-9.785	2954	39.55	-6.072
2805	37.13	3.525	2855	37.93	-8.007	2905	38.67	-8.786	2955	39.57	-4.448
2806	37.14	2.150	2856	37.94	-7.132	2906	38.69	-5.662	2956	39.59	-3.574
2807	37.15	0.025	2857	37.96	-4.008	2907	38.70	-3.788	2957	39.60	-3.199
2808	37.16	-2.975	2858	37.97	-0.508	2908	38.71	-2.788	2958	39.61	-3.200
2809	37.17	-6.976	2859	37.99	1.366	2909	38.72	-2.413	2959	39.63	-3.825
2810	37.18	-7.602	2860	38.00	2.240	2910	38.74	-2.664	2960	39.64	-4.451
2811	37.19	-7.977	2861	38.01	2.740	2911	38.75	-3.664	2961	39.65	-4.451
2812	37.21	-7.978	2862	38.03	1.240	2912	38.77	-4.540	2962	39.66	-3.577
2813	37.24	-6.729	2863	38.04	-0.636	2913	38.80	-5.791	2963	39.67	-2.202
2814	37.26	-5.230	2864	38.05	-7.387	2914	38.83	-5.793	2964	39.69	0.047
2815	37.27	-3.355	2865	38.08	-12.513	2915	38.87	-5.544	2965	39.70	1.047
2816	37.29	-0.231	2866	38.09	-14.638	2916	38.88	-4.920	2966	39.71	-0.578
2817	37.30	1.643	2867	38.10	-15.639	2917	38.89	-4.045	2967	39.72	-2.454
2818	37.31	2.266	2868	38.12	-15.764	2918	38.91	-2.796	2968	39.73	-6.454
2819	37.32	2.893	2869	38.13	-13.640	2919	38.93	-2.171	2969	39.74	-8.330
2820	37.34	3.142	2870	38.15	-7.515	2920	38.94	-2.172	2970	39.75	-8.830
2821	37.35	2.141	2871	38.17	-5.391	2921	38.97	-2.423	2971	39.76	-7.581
2822	37.36	0.266	2872	38.18	-5.016	2922	38.99	-2.174	2972	39.78	-5.707
2823	37.38	-1.609	2873	38.21	-4.393	2923	39.01	-2.175	2973	39.83	-1.209
2824	37.39	-5.110	2874	38.22	-4.143	2924	39.03	-1.550	2974	39.85	-0.334
2825	37.40	-6.735	2875	38.23	-4.144	2925	39.05	-1.801	2975	39.86	-0.585
2826	37.41	-7.361	2876	38.25	-4.394	2926	39.06	-2.427	2976	39.87	-1.836
2827	37.42	-8.737	2877	38.26	-6.270	2927	39.08	-3.927	2977	39.91	-4.962
2828	37.45	-7.862	2878	38.28	-6.271	2928	39.09	-4.928	2978	39.93	-4.963
2829	37.46	-5.613	2879	38.29	-6.021	2929	39.10	-6.428	2979	39.94	-4.713
2830	37.52	-0.865	2880	38.31	-5.647	2930	39.13	-7.680	2980	39.96	-4.089
2831	37.54	1.009	2881	38.33	-5.648	2931	39.15	-7.431	2981	39.97	-4.089
2832	37.56	-2.617	2882	38.35	-5.398	2932	39.16	-7.431	2982	39.99	-4.590
2833	37.58	-9.243	2883	38.36	-5.399	2933	39.18	-6.182	2983	40.00	-4.341
2834	37.60	-11.493	2884	38.38	-4.774	2934	39.20	-4.307	2984	40.01	-3.716
2835	37.61	-12.119	2885	38.39	-4.150	2935	39.21	-2.433	2985	40.03	-2.217
2836	37.62	-13.369	2886	38.40	-4.150	2936	39.22	-2.184	2986	40.05	-2.217
2837	37.63	-12.870	2887	38.41	-4.276	2937	39.23	-1.559	2987	40.06	-3.343
2838	37.65	-12.495	2888	38.43	-4.902	2938	39.24	-2.436	2988	40.07	-4.969
2839	37.67	-11.246	2889	38.45	-6.777	2939	39.27	-3.686	2989	40.09	-6.219
2840	37.68	-8.497	2890	38.46	-7.403	2940	39.30	-4.312	2990	40.11	-7.470
2841	37.70	-4.747	2891	38.47	-6.528	2941	39.32	-5.188	2991	40.13	-6.846
2842	37.71	-1.748	2892	38.51	-2.405	2942	39.34	-5.563	2992	40.15	-6.222
2843	37.72	0.127	2893	38.52	-1.155	2943	39.36	-3.689	2993	40.17	-4.972
2844	37.73	0.876	2894	38.53	0.094	2944	39.43	0.308	2994	40.19	-3.098
2845	37.75	0.251	2895	38.55	0.094	2945	39.45	1.307	2995	40.21	-0.974
2846	37.76	-1.000	2896	38.56	0.717	2946	39.46	1.306	2996	40.23	0.275
2847	37.79	-1.876	2897	38.59	0.717	2947	39.47	1.306	2997	40.25	0.649
2848	37.80	+2.252	2898	38.60	0.467	2948	39.48	1.806	2998	40.27	-0.852
2849	37.83	-2.628	2899	38.61	-1.409	2949	39.49	+0.695	2999	40.30	-1.228
2850	37.84	-3.003	2900	38.62	-5.534	2950	39.51	-3.695	3000	40.31	-0.978

INDEX NO. 799 1305-GR-15 HORDMAN BRIDGE TR. MAX.ACCEL.= -79.435(GAL) T=14.55(SEC) NO.16

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3001	40.33	0.271	3051	41.25	-3.516	3101	42.21	-1.930	3151	42.98	-0.836
3002	40.39	1.894	3052	41.27	-2.517	3102	42.23	-3.181	3152	42.99	-0.836
3003	40.40	2.768	3053	41.29	-1.892	3103	42.24	-2.931	3153	43.00	-2.462
3004	40.42	2.768	3054	41.30	-2.518	3104	42.25	-2.556	3154	43.01	-2.837
3005	40.43	2.517	3055	41.32	-3.769	3105	42.26	-1.932	3155	43.03	-3.463
3006	40.45	1.266	3056	41.34	-3.144	3106	42.27	-1.307	3156	43.04	-3.838
3007	40.47	-0.609	3057	41.36	-1.395	3107	42.28	-1.308	3157	43.06	-2.964
3008	40.48	-2.110	3058	41.37	-0.396	3108	42.29	-2.183	3158	43.09	-1.966
3009	40.50	-4.361	3059	41.38	-0.646	3109	42.31	-5.059	3159	43.12	-1.341
3010	40.52	-3.486	3060	41.40	-2.522	3110	42.32	-6.310	3160	43.13	-1.092
3011	40.54	-3.487	3061	41.41	-3.773	3111	42.33	-6.310	3161	43.15	-1.343
3012	40.56	-3.113	3062	41.43	-4.648	3112	42.35	-6.561	3162	43.18	-1.969
3013	40.58	-3.114	3063	41.47	-5.900	3113	42.36	-6.061	3163	43.23	-0.721
3014	40.59	-3.739	3064	41.46	-5.650	3114	42.37	-4.186	3164	43.28	-0.473
3015	40.61	-3.115	3065	41.50	-5.651	3115	42.39	-2.312	3165	43.31	-0.724
3016	40.63	-1.866	3066	41.51	-4.152	3116	42.41	-0.688	3166	43.33	-0.100
3017	40.66	-1.242	3067	41.53	-2.277	3117	42.42	0.562	3167	43.35	-0.351
3018	40.68	-0.618	3068	41.54	-1.653	3118	42.44	-0.314	3168	43.38	0.148
3019	40.69	-1.243	3069	41.55	-1.528	3119	42.47	-0.941	3169	43.39	-0.352
3020	40.70	-2.494	3070	41.56	-2.779	3120	42.49	-0.941	3170	43.40	-1.353
3021	40.71	-3.369	3071	41.59	-4.405	3121	42.50	-0.691	3171	43.41	-2.228
3022	40.72	-5.244	3072	41.60	-5.280	3122	42.51	-0.942	3172	43.43	-2.604
3023	40.73	-6.870	3073	41.61	-5.406	3123	42.52	-1.942	3173	43.44	-2.605
3024	40.74	-8.370	3074	41.63	-3.782	3124	42.53	-3.193	3174	43.46	-2.605
3025	40.75	-8.496	3075	41.65	-3.532	3125	42.54	-3.818	3175	43.49	-2.607
3026	40.76	-6.996	3076	41.66	-3.783	3126	42.55	-2.944	3176	43.51	-2.607
3027	40.76	-4.872	3077	41.68	-5.658	3127	42.57	-2.319	3177	43.53	-3.233
3028	40.80	-2.497	3078	41.70	-7.159	3128	42.59	-1.320	3178	43.56	-4.109
3029	40.81	-2.498	3079	41.71	-7.785	3129	42.60	-0.696	3179	43.57	-5.360
3030	40.83	-4.624	3080	41.73	-6.411	3130	42.62	-0.071	3180	43.59	-5.111
3031	40.85	-5.000	3081	41.75	-5.536	3131	42.64	-0.322	3181	43.61	-4.486
3032	40.87	-3.500	3082	41.79	-2.913	3132	42.65	0.177	3182	43.62	-2.612
3033	40.88	-1.251	3083	41.82	-1.914	3133	42.67	-0.073	3183	43.64	-1.738
3034	43.89	-0.626	3084	41.84	-2.790	3134	42.69	-2.199	3184	43.66	-0.113
3035	40.90	-1.127	3085	41.87	-6.041	3135	42.71	-2.575	3185	43.67	-0.114
3036	40.93	-1.128	3086	41.88	-4.792	3136	42.73	-1.951	3186	43.68	-0.989
3037	40.95	-2.379	3087	41.91	-1.668	3137	42.74	-1.951	3187	43.71	-2.241
3038	40.97	-3.754	3088	41.92	-0.543	3138	42.76	-2.577	3188	43.73	-3.616
3039	41.00	-4.630	3089	41.94	-1.794	3139	42.77	-2.328	3189	43.77	-2.618
3040	41.01	-5.256	3090	41.96	-3.170	3140	42.79	-3.453	3190	43.79	-1.994
3041	41.03	-4.382	3091	41.99	-4.671	3141	42.80	-5.329	3191	43.82	-2.245
3042	41.05	-3.507	3092	42.00	-5.296	3142	42.82	-6.330	3192	43.85	-1.996
3043	41.07	-3.509	3093	42.02	-5.922	3143	42.83	-7.205	3193	43.87	-1.997
3044	41.09	-3.759	3094	42.03	-6.298	3144	42.85	-7.081	3194	43.89	-2.248
3045	41.12	-2.885	3095	42.05	-6.049	3145	42.86	-6.206	3195	43.91	-2.249
3046	41.15	-3.512	3096	42.07	-5.424	3146	42.89	-3.957	3196	43.93	-2.625
3047	41.17	-2.888	3097	42.11	-4.676	3147	42.91	-1.583	3197	43.95	-2.625
3048	41.19	-2.888	3098	42.14	-3.802	3148	42.94	0.166	3198	43.96	-2.876
3049	41.21	-3.139	3099	42.17	-2.553	3149	42.95	-0.210	3199	44.00	-1.127
3050	41.23	-3.765	3100	42.19	-1.054	3150	42.97	-0.586	3200	44.02	-0.753

INDEX NO. 799 1305-GR-15 HORDMAN BRIDGE TR. MAX.ACCEL.= -79.435(GAL) T=14.55(SEC) NO.17

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3201	44.05	-0.754	3251	45.23	-1.803	3301	46.05	-0.712	3351	47.08	-3.378
3202	44.07	-0.755	3252	45.25	-0.178	3302	46.07	-0.712	3352	47.10	-4.004
3203	44.08	-1.631	3253	45.26	0.696	3303	46.10	-0.964	3353	47.11	-4.629
3204	44.09	-2.006	3254	45.28	1.070	3304	46.13	-1.340	3354	47.12	-4.379
3205	44.11	-2.007	3255	45.29	1.070	3305	46.15	-1.590	3355	47.19	-0.883
3206	44.13	-1.383	3256	45.31	0.444	3306	46.16	-1.341	3356	47.21	-0.883
3207	44.14	0.492	3257	45.33	-0.432	3307	46.18	-0.717	3357	47.24	-1.134
3208	44.15	0.491	3258	45.36	-2.308	3308	46.19	-0.467	3358	47.28	-1.511
3209	44.19	0.740	3259	45.38	-3.934	3309	46.21	-0.093	3359	47.32	-1.513
3210	44.24	0.488	3260	45.40	-5.185	3310	46.22	-0.344	3360	47.34	-1.514
3211	44.26	0.487	3261	45.41	-5.435	3311	46.23	-1.344	3361	47.36	-2.140
3212	44.29	0.736	3262	45.42	-5.436	3312	46.26	-2.220	3362	47.37	-2.390
3213	44.31	1.360	3263	45.44	-4.936	3313	46.28	-2.971	3363	47.39	-3.016
3214	44.33	2.359	3264	45.45	-3.687	3314	46.29	-2.721	3364	47.40	-3.391
3215	44.34	2.609	3265	45.47	-2.063	3315	46.32	-2.097	3365	47.42	-2.517
3216	44.36	2.983	3266	45.48	-2.063	3316	46.39	0.650	3366	47.44	-1.268
3217	44.39	2.357	3267	45.50	-1.814	3317	46.40	0.649	3367	47.45	-0.643
3218	44.42	2.356	3268	45.52	-1.440	3318	46.42	-0.226	3368	47.47	-0.644
3219	44.43	1.730	3269	45.55	-0.816	3319	46.43	-1.477	3369	47.49	-0.645
3220	44.45	0.054	3270	45.57	-0.192	3320	46.45	-2.103	3370	47.51	-1.146
3221	44.47	-1.397	3271	45.59	0.432	3321	46.46	-1.853	3371	47.54	-1.272
3222	44.50	-2.272	3272	45.60	1.057	3322	46.47	-0.854	3372	47.58	-1.524
3223	44.51	-2.273	3273	45.61	1.057	3323	46.50	-0.604	3373	47.62	-1.525
3224	44.53	-1.149	3274	45.63	0.181	3324	46.51	0.020	3374	47.64	-1.526
3225	44.56	-0.150	3275	45.66	-1.070	3325	46.54	0.644	3375	47.66	-0.902
3226	44.57	-0.151	3276	45.68	-2.196	3326	46.55	1.268	3376	47.67	-0.027
3227	44.59	-0.776	3277	45.70	-1.072	3327	46.56	0.768	3377	47.70	1.221
3228	44.61	-1.652	3278	45.72	-1.323	3328	46.58	-0.233	3378	47.71	1.846
3229	44.62	-2.653	3279	45.74	-0.698	3329	46.64	-2.985	3379	47.74	2.220
3230	44.64	-2.653	3280	45.75	-0.324	3330	46.65	-3.986	3380	47.76	1.594
3231	44.66	-2.029	3281	45.76	-0.325	3331	46.66	-4.236	3381	47.77	0.718
3232	44.70	-0.781	3282	45.78	0.175	3332	46.67	-3.736	3382	47.79	0.343
3233	44.73	-0.532	3283	45.79	-0.076	3333	46.71	-1.863	3383	47.81	0.092
3234	44.74	-0.533	3284	45.80	0.799	3334	46.72	-1.238	3384	47.85	-0.910
3235	44.76	-1.033	3285	45.81	1.423	3335	46.73	-0.614	3385	47.87	-0.911
3236	44.77	-2.034	3286	45.82	1.173	3336	46.75	-0.864	3386	47.93	-1.163
3237	44.79	-2.284	3287	45.83	0.546	3337	46.76	-2.115	3387	47.96	-0.914
3238	44.82	-3.536	3288	45.85	-0.703	3338	46.79	-2.741	3388	47.98	-0.665
3239	44.84	-3.912	3289	45.86	-1.328	3339	46.84	-5.243	3389	48.00	-0.041
3240	44.87	-3.913	3290	45.87	-1.079	3340	46.85	-5.243	3390	48.02	-0.042
3241	44.91	-3.290	3291	45.88	-1.579	3341	46.89	-3.995	3391	48.04	-0.043
3242	44.96	-2.417	3292	45.89	-0.455	3342	46.93	-3.122	3392	48.06	-0.293
3243	45.02	-1.794	3293	45.90	-0.080	3343	46.95	-2.748	3393	48.08	-0.919
3244	45.08	-0.797	3294	45.91	-0.331	3344	46.97	-2.124	3394	48.10	-1.170
3245	45.12	-1.048	3295	45.95	-1.332	3345	46.99	-1.499	3395	48.13	-1.296
3246	45.16	-1.425	3296	45.97	-1.583	3346	47.00	-1.500	3396	48.16	-0.922
3247	45.17	-2.300	3297	45.99	-1.959	3347	47.02	-3.000	3397	48.19	-0.923
3248	45.18	-2.926	3298	46.00	-2.210	3348	47.03	-2.751	3398	48.22	-0.924
3249	45.19	-3.301	3299	46.02	-2.210	3349	47.05	-3.377	3399	48.23	-1.550
3250	45.20	-3.052	3300	46.04	-0.711	3350	47.07	-3.128	3400	48.25	-2.176

土木構造物における加速度強震記録（No. 9）

INDEX NO. 799 1305-GR-15 HORDMAN BRIDGE TR. MAX.ACCEL.= -79.435(GAL) T=14.55(SEC) NO.18

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3401	48.27	-2.802	3451	49.37	-2.471	3501	51.47	0.194	3551	52.60	-1.737
3402	48.29	-2.802	3452	49.38	-2.471	3502	51.48	-0.057	3552	52.61	-1.477
3403	48.30	-3.053	3453	49.40	-0.972	3503	51.50	-1.302	3553	52.64	-0.479
3404	48.31	-2.556	3454	49.42	0.527	3504	51.52	-1.058	3554	52.68	1.394
3405	48.34	-1.554	3455	49.44	0.901	3505	51.53	-1.059	9555	52.71	2.268
3406	48.36	-0.056	3456	49.46	0.900	3506	51.57	0.190	3556	52.73	2.268
3407	48.39	-0.057	3457	49.52	-0.352	3507	51.62	-0.062	3557	52.75	2.017
3408	48.45	-4.684	3458	49.57	-0.604	3508	51.65	0.187	3558	52.77	1.391
3409	48.46	-4.434	3459	49.59	-0.605	3509	51.67	-0.064	3559	52.81	-0.111
3410	48.49	-3.811	3460	49.60	-1.605	3510	51.69	0.185	3560	52.85	-1.737
3411	48.51	-2.811	3461	49.62	-0.106	3511	51.73	-0.442	3561	52.86	-1.738
3412	48.54	-2.168	3462	49.63	-0.106	3512	51.76	-1.318	3562	52.89	-1.114
3413	48.59	-2.614	3463	49.64	-0.357	3513	51.78	-1.069	3563	52.92	-0.240
3414	48.65	-2.192	3464	49.66	-1.233	3514	51.80	-0.819	3564	52.94	0.384
3415	48.69	-1.318	3465	49.68	-1.608	3515	51.83	-0.446	3565	52.98	-0.117
3416	48.71	-2.194	3466	49.71	-1.610	3516	51.87	-0.447	3566	53.01	0.131
3417	48.72	-2.445	3467	49.78	-2.237	3517	51.88	0.177	3567	53.04	0.130
3418	48.74	-3.070	3468	49.65	-2.490	3518	51.90	0.176	3568	53.07	-0.121
3419	48.75	-3.071	3469	49.86	-1.366	3519	51.92	0.175	3569	53.08	-0.497
3420	48.77	-2.822	3470	49.93	-0.118	3520	51.96	-0.451	3570	53.10	-0.498
3421	48.79	-1.572	3471	49.96	-0.120	3521	51.99	-1.077	3571	53.13	1.001
3422	48.81	-0.948	3472	50.00	-0.621	3522	52.00	-1.077	3572	53.16	1.625
3423	48.83	-0.699	3473	50.02	-1.247	3523	52.02	-0.453	3573	53.18	1.124
3424	48.85	-0.325	3474	50.06	-0.374	3524	52.04	0.421	3574	53.22	1.122
3425	48.88	-0.951	3475	50.09	-0.625	3525	52.05	0.420	3575	53.24	0.747
3426	48.93	-1.328	3476	50.33	-1.385	3526	52.07	-0.705	3576	53.25	0.746
3427	48.97	-1.329	3477	50.58	-1.646	3527	52.09	-2.332	3577	53.26	2.246
3428	48.99	-0.955	3476	50.90	1.092	3528	52.11	-1.707	3578	53.28	2.870
3429	49.00	-0.706	3479	50.93	0.840	3529	52.14	-1.083	3579	53.29	3.370
3430	49.02	-1.207	3480	50.95	1.465	3530	52.18	0.415	3580	53.30	2.119
3431	49.03	-2.457	3481	50.96	0.839	3531	52.21	0.789	3581	53.33	0.868
3432	49.05	-2.833	3482	50.97	-0.036	3532	52.23	0.766	3582	53.34	0.242
3433	49.06	-2.583	3483	51.00	-1.037	3533	52.25	0.537	3583	53.36	0.242
3434	49.08	-1.959	3484	51.01	-0.412	3534	52.27	-0.089	3584	53.37	1.491
3435	49.09	-1.584	3485	51.02	-1.038	3535	52.30	-0.715	3585	53.39	2.740
3436	49.10	-1.585	3486	51.03	-1.039	3536	52.32	-0.715	3586	53.41	2.740
3437	49.12	-2.835	3487	51.07	-0.165	3537	52.34	-0.217	3587	53.42	2.739
3438	49.13	-3.086	3488	51.13	-0.042	3538	52.37	0.407	3588	53.46	2.737
3439	49.14	-3.836	3489	51.17	0.206	3539	52.39	0.782	3589	53.49	2.736
3440	49.15	-3.837	3490	51.19	0.455	3540	52.40	-0.469	3590	53.52	2.110
3441	49.17	-1.963	3491	51.20	-0.045	3541	52.42	-1.344	3591	53.55	2.109
3442	49.18	-0.338	3492	51.21	-1.046	3542	52.43	-1.095	3592	53.57	1.858
3443	49.19	-0.338	3493	51.24	-1.297	3543	52.45	-0.471	3593	53.59	2.107
3444	49.20	-0.339	3494	51.27	-1.048	3544	52.46	-0.722	3594	53.61	2.106
3445	49.23	-2.215	3495	51.31	-1.050	3545	52.48	-1.722	3595	53.64	1.230
3446	49.26	-0.986	3496	51.35	-1.926	3546	52.50	-1.723	3596	53.65	1.230
3447	49.29	-0.967	3497	51.36	-1.427	3547	52.52	-1.474	3597	53.68	1.229
3448	49.31	-0.344	3498	51.36	-0.802	3548	52.55	-1.100	3598	53.71	1.227
3449	49.34	-1.595	3499	51.44	1.070	3549	52.56	-1.100	3599	53.77	2.350
3450	49.36	-1.845	3500	51.46	0.194	3550	52.58	-1.352	3600	53.78	2.099

INDEX NO. 799 1305-GR-15 HORDMAN BRIDGE TR. MAX.ACCEL.= -79.435(GAL) T=14.55(SEC) NO.19

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3601	53.81	0.848	3651	55.35	1.660	3701	56.92	-0.028	3751	58.71	2.899
3602	53.84	0.597	3652	55.39	1.784	3702	56.99	1.219	3752	58.76	3.147
3603	53.87	0.596	3653	55.51	1.404	3703	57.03	1.217	3753	58.86	2.518
3604	53.88	-0.030	3654	55.56	1.402	3704	57.05	1.842	3754	58.91	2.766
3605	53.91	0.219	3655	55.57	0.776	3705	57.06	2.716	3755	58.95	2.264
3606	53.94	0.218	3656	55.58	0.776	3706	57.08	3.090	3756	58.99	1.513
3607	53.98	0.841	3657	55.62	1.399	3707	57.10	2.465	3757	59.01	1.512
3608	54.01	1.715	3658	55.65	1.398	3708	57.17	2.212	3758	59.03	1.261
3609	54.05	0.038	3659	55.73	2.620	3709	57.21	0.585	3759	59.04	1.510
3610	54.08	-0.038	3660	55.77	1.768	3710	57.24	1.209	3760	59.08	2.759
3611	54.11	-1.039	3661	55.80	1.392	3711	57.27	1.833	3761	59.11	2.758
3612	54.12	-1.040	3662	55.81	1.142	3712	57.30	2.082	3762	59.14	3.382
3613	54.13	-1.040	3663	55.82	0.786	3713	57.33	2.080	3763	59.18	3.130
3614	54.16	0.208	3664	55.85	1.390	3714	57.36	2.704	3764	59.22	2.503
3615	54.23	0.581	3665	55.87	1.639	3715	57.38	3.328	3765	59.24	1.877
3616	54.26	1.080	3666	55.91	0.138	3716	57.40	2.452	3766	59.26	1.877
3617	54.30	1.453	3667	55.94	0.137	3717	57.43	1.826	3767	59.29	2.750
3618	54.35	0.201	3668	55.98	0.137	3718	57.45	2.075	3768	59.33	2.749
3619	54.39	1.700	3669	56.01	1.008	3719	57.46	1.575	3769	59.35	2.498
3620	54.40	2.074	3670	56.06	1.632	3720	57.49	2.074	3770	59.37	2.247
3621	54.44	0.198	3671	56.07	2.006	3721	57.53	2.447	3771	59.39	2.496
3622	54.48	0.821	3672	56.10	2.255	3722	57.54	1.572	3772	59.43	2.245
3623	54.50	0.195	3673	56.13	1.754	3723	57.57	1.571	3773	59.48	3.743
3624	54.51	0.195	3674	56.16	1.128	3724	57.59	1.195	3774	59.51	3.367
3625	54.53	0.819	3675	56.18	0.752	3725	57.61	1.194	3775	59.55	2.240
3626	54.55	2.068	3676	56.21	1.000	3726	57.71	0.565	3776	59.58	2.489
3627	54.57	2.317	3677	56.25	0.624	3727	57.74	0.563	3777	59.63	2.487
3628	54.58	2.317	3678	56.28	1.498	3728	57.79	1.187	3778	59.69	2.360
3629	54.60	2.066	3679	56.29	2.497	3729	57.85	2.434	3779	59.76	2.607
3630	54.62	1.190	3680	56.30	3.122	3730	57.90	2.182	3780	59.82	2.354
3631	54.65	0.814	3681	56.32	2.246	3731	57.96	2.180	3781	59.86	2.353
3632	54.70	0.812	3682	56.35	1.245	3732	58.00	1.928	3782	59.88	2.977
3633	54.75	1.435	3683	56.37	1.494	3733	58.06	1.926	3783	59.92	3.600
3634	54.78	1.684	3684	56.39	2.118	3734	58.09	1.674	3784	59.94	4.599
3635	54.80	2.058	3685	56.43	2.117	3735	58.12	1.923	3785	59.97	4.346
3636	54.82	2.307	3686	56.48	1.865	3736	58.14	1.922	3786	59.99	3.472
3637	54.85	2.931	3687	56.50	1.664	3737	58.16	2.171	3787	60.01	3.347
3638	54.89	2.054	3688	56.51	1.063	3738	58.19	2.545	3788	60.04	2.720
3639	54.91	0.178	3689	56.53	0.966	3739	58.34	1.914	3789	60.06	2.720
3640	54.94	-0.446	3690	56.55	0.362	3740	58.39	1.662	3790	60.09	2.218
3641	54.98	-0.449	3691	56.56	0.361	3741	58.42	1.536	3791	60.18	2.215
3642	55.00	-0.450	3692	56.59	0.610	3742	58.45	2.535	3792	60.30	2.460
3643	55.03	0.174	3693	56.62	-0.016	3743	58.47	2.534	3793	60.41	2.455
3644	55.06	1.423	3694	56.64	0.608	3744	58.50	2.283	3794	60.47	3.078
3645	55.08	2.671	3695	56.66	1.482	3745	58.52	1.907	3795	60.51	3.076
3646	55.11	3.920	3696	56.68	1.056	3746	58.56	1.280	3796	60.54	3.700
3647	55.15	2.669	3697	56.71	0.980	3747	58.58	1.029	3797	60.56	3.949
3648	55.21	1.791	3698	56.74	0.354	3748	58.59	1.279	3798	60.57	3.449
3649	55.26	1.039	3699	56.76	-0.022	3749	58.62	2.528	3799	60.60	2.698
3650	55.30	1.037	3700	56.83	-0.274	3750	58.64	3.152	3800	60.64	2.196

INDEX NO. 799 1305-GR-15 HORDMAN BRIDGE TR. MAX.ACCEL.= -79.435(GAL) T=14.55(SEC) NO.20

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3801	60.67	1.195	3851	62.57	3.243	3901	64.83	3.151	3951	66.93	4.689
3802	60.70	1.443	3852	62.59	2.367	3902	64.85	3.775	3952	67.00	5.312
3803	60.74	1.442	3853	62.62	2.616	3903	64.90	4.146	3953	67.02	5.061
3804	60.76	1.616	3854	62.64	2.990	3904	64.97	5.145	3954	67.04	4.935
3805	60.77	2.691	3855	62.67	3.239	3905	65.03	5.142	3955	67.07	4.434
3806	60.79	3.440	3856	62.69	3.863	3906	65.06	4.766	3956	67.12	4.932
3807	60.81	3.689	3857	62.71	3.662	3907	65.08	5.015	3957	67.16	5.305
3808	60.82	3.314	3858	62.75	3.869	3908	65.10	4.765	3958	67.19	5.554
3809	60.86	2.438	3859	62.82	2.733	3909	65.13	4.139	3959	67.21	5.303
3810	60.87	1.812	3860	62.90	3.229	3910	65.15	3.888	3960	67.23	4.678
3811	60.90	1.186	3861	62.96	2.977	3911	65.19	3.886	3961	67.26	3.802
3812	60.93	0.809	3862	63.01	3.600	3912	65.23	4.384	3962	67.29	3.800
3813	60.96	1.183	3863	63.05	3.648	3913	65.27	4.383	3963	67.32	4.299
3814	60.98	1.007	3864	63.09	4.221	3914	65.30	4.131	3964	67.38	4.922
3815	61.00	2.682	3865	63.16	4.643	3915	65.33	3.880	3965	67.45	5.044
3816	61.02	3.306	3866	63.32	4.212	3916	65.36	4.129	3966	67.55	5.040
3817	61.03	3.680	3867	63.37	3.980	3917	65.39	4.753	3967	67.64	5.036
3818	61.10	3.678	3868	63.40	4.209	3918	65.42	5.002	3968	67.69	4.910
3819	61.17	4.300	3869	63.44	4.457	3919	65.45	5.376	3969	67.73	4.908
3820	61.19	4.299	3870	63.48	4.206	3920	65.47	5.375	3970	67.77	4.656
3821	61.21	4.046	3871	63.54	3.326	3921	65.50	5.124	3971	67.82	4.029
3822	61.25	3.046	3872	63.59	3.626	3922	65.52	5.123	3972	67.85	4.278
3823	61.27	3.298	3873	63.64	4.624	3923	65.55	4.747	3973	67.88	4.652
3824	61.34	3.668	3874	63.66	4.197	3924	65.56	4.498	3974	67.91	5.526
3825	61.39	3.666	3875	63.70	3.947	3925	65.63	4.743	3975	67.93	5.525
3826	61.44	3.664	3876	63.74	4.195	3926	65.72	4.115	3976	67.98	5.273
3827	61.48	3.662	3877	63.79	4.616	3927	65.82	4.360	3977	68.01	4.897
3828	61.53	2.785	3878	63.90	4.189	3928	65.98	4.729	3978	68.05	5.270
3829	61.55	3.284	3879	63.96	3.936	3929	66.02	4.978	3979	68.07	5.519
3830	61.58	4.283	3880	64.06	4.607	3930	66.07	5.601	3980	68.10	5.268
3831	61.61	3.407	3881	64.14	5.429	3931	66.10	5.599	3981	68.12	5.517
3832	61.71	2.403	3882	64.20	4.551	3932	66.13	5.346	3982	68.14	5.016
3833	61.89	1.771	3883	64.25	4.799	3933	66.17	5.096	3983	68.16	4.390
3834	61.92	2.394	3884	64.31	4.797	3934	66.30	4.966	3984	68.19	4.639
3835	61.95	2.143	3885	64.35	4.170	3935	66.33	4.339	3985	68.21	5.264
3836	61.99	2.391	3886	64.39	3.544	3936	66.37	5.338	3986	68.22	5.263
3837	62.03	2.390	3887	64.42	3.542	3937	66.40	5.587	3987	68.26	6.137
3838	62.06	2.139	3888	64.44	3.292	3938	66.41	5.586	3988	68.30	6.135
3839	62.10	1.512	3889	64.47	3.540	3939	66.43	5.335	3989	68.33	5.634
3840	62.12	1.136	3890	64.51	4.163	3940	66.48	4.083	3990	68.40	5.006
3841	62.15	2.010	3891	64.55	4.102	3941	66.51	4.332	3991	68.47	4.878
3842	62.18	2.759	3892	64.59	4.160	3942	66.59	4.954	3992	68.51	5.251
3843	62.20	3.256	3893	64.62	3.909	3943	66.64	5.327	3993	68.53	6.376
3844	62.25	2.381	3894	64.65	3.783	3944	66.67	4.700	3994	68.54	4.625
3845	62.30	1.754	3895	64.69	3.532	3945	66.69	4.700	3995	68.58	6.124
3846	62.35	2.377	3896	64.73	3.780	3946	66.72	4.073	3996	68.59	6.498
3847	62.42	3.249	3897	64.77	3.778	3947	66.77	4.946	3997	68.60	5.248
3848	62.46	2.621	3898	64.79	3.777	3948	66.79	4.695	3998	68.62	4.997
3849	62.51	2.995	3899	64.86	3.777	3949	66.82	4.069	3999	68.63	4.621
3850	62.54	3.244	3900	64.82	2.901	3950	66.85	4.068	4000	68.66	5.245

INDEX NO. 799 1305-GR-15 HORDMAN BRIDGE TR. MAX.ACCEL.= -79.435(GAL) T=14.55(SEC) NO.21

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
4001	68.67	4.995	4051	69.92	3.319	4101	72.04	4.482	4151	74.09	6.277
4002	68.68	4.369	4052	69.93	3.318	4102	72.29	4.847	4152	74.07	5.026
4003	68.70	3.369	4053	69.95	3.067	4103	72.43	4.841	4153	74.10	3.774
4004	68.72	5.243	4054	70.02	3.564	4104	72.48	4.214	4154	74.11	4.024
4005	68.77	5.241	4055	70.04	3.563	4105	72.51	4.464	4155	74.14	5.648
4006	68.89	4.611	4056	70.05	4.563	4106	72.53	5.713	4156	74.16	5.897
4007	68.94	3.984	4057	70.08	5.187	4107	72.55	5.712	4157	74.31	5.641
4008	68.99	3.607	4058	70.10	5.186	4108	72.57	5.711	4158	74.32	5.891
4009	69.03	3.960	4059	70.16	4.934	4109	72.61	5.460	4159	74.34	6.015
4010	69.07	4.654	4060	70.21	4.307	4110	72.64	4.833	4160	74.35	6.514
4011	69.08	4.603	4061	70.24	3.930	4111	72.69	4.081	4161	74.38	6.013
4012	69.10	3.727	4062	70.26	3.304	4112	72.75	4.454	4162	74.40	4.137
4013	69.12	3.976	4063	70.29	4.553	4113	72.79	5.077	4163	74.41	3.762
4014	69.13	3.976	4064	70.32	4.552	4114	72.81	5.326	4164	74.43	4.386
4015	69.15	4.850	4065	70.39	3.299	4115	72.83	6.575	4165	74.46	4.635
4016	69.17	4.849	4066	70.49	4.170	4116	72.86	7.075	4166	74.54	5.257
4017	69.20	5.223	4067	70.58	4.291	4117	72.88	5.573	4167	74.64	5.253
4018	69.30	5.844	4068	70.63	4.790	4118	72.89	4.948	4168	74.68	5.376
4019	69.33	3.968	4069	70.66	4.538	4119	72.91	4.072	4169	74.69	5.375
4020	69.36	4.841	4070	70.80	3.912	4120	72.92	5.072	4170	74.71	5.400
4021	69.42	4.839	4071	70.70	3.912	4121	72.94	5.946	4171	74.72	4.375
4022	69.44	5.463	4072	70.72	5.161	4122	72.97	5.695	4172	74.73	4.374
4023	69.46	5.462	4073	70.73	5.160	4123	72.99	5.444	4173	74.75	6.248
4024	69.47	3.962	4074	70.76	4.536	4124	73.02	5.443	4174	74.78	7.122
4025	69.48	3.961	4075	70.82	4.532	4125	73.06	5.692	4175	74.80	5.621
4026	69.51	4.586	4076	70.90	5.154	4126	73.08	6.940	4176	74.82	4.370
4027	69.52	4.835	4077	70.92	4.528	4127	73.11	7.814	4177	74.83	4.995
4028	69.53	4.835	4078	70.94	5.402	4128	73.12	7.314	4178	74.84	5.870
4029	69.55	3.959	4079	70.96	4.901	4129	73.15	6.938	4179	74.87	7.744
4030	69.56	3.958	4080	70.98	4.525	4130	73.20	5.436	4180	74.88	7.493
4031	69.58	4.208	4081	71.00	3.899	4131	73.22	5.310	4181	74.89	7.492
4032	69.59	5.207	4082	71.02	4.774	4132	73.25	5.684	4182	74.91	6.617
4033	69.61	5.206	4083	71.04	5.148	4133	73.32	5.681	4183	74.93	5.991
4034	69.64	3.955	4084	71.08	5.146	4134	73.40	4.803	4184	74.94	4.616
4035	69.67	3.704	4085	71.11	5.145	4135	73.46	5.050	4185	74.97	5.614
4036	69.69	3.576	4086	71.12	4.770	4136	73.49	4.424	4186	75.01	5.613
4037	69.70	3.952	4087	71.14	3.894	4137	73.54	5.047	4187	75.11	5.984
4038	69.72	4.576	4088	71.15	3.643	4138	73.61	5.669	4188	75.14	5.607
4039	69.73	5.451	4089	71.16	4.518	4139	73.64	6.293	4189	75.17	5.356
4040	69.75	4.575	4090	71.18	5.767	4140	73.67	6.542	4190	75.19	4.981
4041	69.77	3.950	4091	71.19	5.142	4141	73.70	6.540	4191	75.20	4.750
4042	69.79	3.324	4092	71.21	4.891	4142	73.73	6.039	4192	75.21	4.729
4043	69.86	3.946	4093	71.23	4.515	4143	73.77	5.663	4193	75.24	5.228
4044	69.82	4.823	4094	71.31	4.887	4144	73.80	6.287	4194	75.27	5.602
4045	69.83	4.947	4095	71.54	6.003	4145	73.82	6.286	4195	75.31	6.226
4046	69.85	3.321	4096	71.64	5.123	4146	73.84	6.285	4196	75.33	5.975
4047	69.86	2.946	4097	71.67	5.372	4147	73.85	5.659	4197	75.35	5.974
4048	69.87	2.946	4098	71.72	6.376	4148	73.86	4.408	4198	75.36	5.348
4049	69.89	3.945	4099	71.76	5.746	4149	73.89	4.158	4199	75.38	4.973
4050	69.90	3.944	4100	71.86	5.740	4150	74.01	5.403	4200	75.39	4.722

土木構造物における加速度強震記録（No.9）

INDEX NO. 799 1305-GR-15 HOROMAN BRIDGE TR. MAX.ACCEL.= -79.435(GAL) T=14.55(SEC) NO.22

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
4201	75.42	4.971	4251	76.48	4.928	4301	77.65	6.131	4351	78.75	5.460
4202	75.43	5.221	4252	76.50	5.802	4302	77.67	7.004	4352	78.78	6.084
4203	75.46	4.719	4253	76.52	6.801	4303	77.68	7.879	4353	78.80	5.709
4204	75.52	4.967	4254	76.54	7.051	4304	77.71	5.628	4354	78.83	5.207
4205	75.55	4.341	4255	76.58	6.174	4305	77.73	3.002	4355	78.85	4.206
4206	75.56	4.340	4256	76.60	5.548	4306	77.75	3.876	4356	78.87	4.205
4207	75.60	5.569	4257	76.62	6.172	4307	77.78	4.875	4357	78.90	4.029
4208	75.62	6.838	4258	76.65	5.546	4308	77.80	6.374	4358	78.96	5.077
4209	75.63	7.212	4259	76.72	4.918	4309	77.83	6.498	4359	79.07	5.697
4210	75.65	6.837	4260	76.74	4.292	4310	77.86	5.497	4360	79.10	4.821
4211	75.68	6.211	4261	76.78	4.291	4311	77.88	4.246	4361	79.13	5.445
4212	75.69	5.960	4262	76.83	5.164	4312	77.90	3.995	4362	79.17	5.443
4213	75.71	5.585	4263	76.89	5.766	4313	77.96	5.743	4363	79.20	5.692
4214	75.73	4.705	4264	76.93	6.160	4314	78.03	6.115	4364	79.21	5.441
4215	75.75	3.958	4265	76.96	6.159	4315	78.04	6.114	4365	79.22	5.691
4216	75.76	3.957	4266	76.99	6.157	4316	78.07	5.863	4366	79.24	5.690
4217	75.77	4.957	4267	77.02	5.906	4317	78.08	6.113	4367	79.27	6.084
4218	75.79	5.831	4268	77.03	5.531	4318	78.10	6.987	4368	79.29	6.688
4219	75.81	6.205	4269	77.05	6.155	4319	78.12	7.111	4369	79.30	6.063
4220	75.82	6.205	4270	77.06	6.155	4320	78.13	7.986	4370	79.31	5.187
4221	75.85	5.829	4271	77.08	6.779	4321	78.14	7.985	4371	79.33	4.562
4222	75.87	5.578	4272	77.09	7.028	4322	78.16	6.484	4372	79.34	4.561
4223	75.88	4.952	4273	77.10	7.278	4323	78.19	5.233	4373	79.36	5.060
4224	75.90	4.326	4274	77.12	6.027	4324	78.21	5.232	4374	79.39	5.436
4225	75.92	4.326	4275	77.14	4.776	4325	78.24	5.481	4375	79.41	6.059
4226	75.95	4.575	4276	77.15	3.401	4326	78.26	5.480	4376	79.43	6.308
4227	75.96	4.946	4277	77.16	2.526	4327	78.29	6.979	4377	79.44	6.307
4228	76.01	5.822	4278	77.18	3.900	4328	78.31	7.103	4378	79.46	5.182
4229	76.02	6.197	4279	77.20	5.774	4329	78.32	6.478	4379	79.49	4.180
4230	76.03	6.572	4280	77.21	6.773	4330	78.35	5.852	4380	79.51	3.930
4231	76.05	4.570	4281	77.23	6.773	4331	78.37	5.851	4381	79.52	4.179
4232	76.07	3.070	4282	77.25	5.396	4332	78.39	6.350	4382	79.54	5.678
4233	76.08	4.569	4283	77.27	4.771	4333	78.41	6.100	4383	79.56	5.677
4234	76.11	4.943	4284	77.28	4.145	4334	78.43	5.223	4384	79.58	5.427
4235	76.13	5.317	4285	77.29	4.270	4335	78.45	4.598	4385	79.62	5.175
4236	76.15	5.567	4286	77.31	4.519	4336	78.47	4.222	4386	79.65	4.174
4237	76.21	5.314	4287	77.33	6.143	4337	78.49	4.846	4387	79.67	3.923
4238	76.25	4.937	4288	77.35	6.767	4338	78.50	5.470	4388	79.68	3.922
4239	76.28	5.561	4289	77.37	6.517	4339	78.52	4.845	4389	79.70	4.422
4240	76.29	5.561	4290	77.39	5.891	4340	78.54	4.844	4390	79.72	5.046
4241	76.30	5.311	4291	77.44	5.264	4341	78.56	5.718	4391	79.73	6.046
4242	76.33	4.059	4292	77.45	5.763	4342	78.58	6.092	4392	79.75	6.045
4243	76.34	4.309	4293	77.47	6.138	4343	78.61	6.716	4393	79.77	5.794
4244	76.35	3.683	4294	77.49	6.387	4344	78.62	6.715	4394	79.80	4.793
4245	76.37	4.308	4295	77.51	6.761	4345	78.64	6.465	4395	79.83	5.042
4246	76.38	5.557	4296	77.52	6.511	4346	78.66	5.464	4396	79.85	5.666
4247	76.40	5.556	4297	77.56	4.259	4347	78.66	5.463	4397	79.87	5.665
4248	76.42	5.556	4298	77.59	3.633	4348	78.69	5.213	4398	79.91	4.789
4249	76.44	5.305	4299	77.61	3.882	4349	78.70	4.587	4399	79.93	3.913
4250	76.47	4.929	4300	77.63	3.881	4350	78.72	4.212	4400	79.94	3.912

INDEX NO. 799 1305-GR-15 HOROMAN BRIDGE TR. MAX.ACCEL.= -79.435(GAL) T=14.55(SEC) NO.23

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
4401	79.96	3.911	4451	81.77	6.213	4501	84.06	6.745	4551	86.39	4.775
4402	79.97	4.411	4452	81.80	5.712	4502	84.09	6.493	4552	86.51	5.145
4403	80.00	5.410	4453	81.84	5.085	4503	84.12	6.492	4553	86.75	5.761
4404	80.03	6.034	4454	81.86	5.335	4504	84.15	5.616	4554	86.79	6.009
4405	80.05	6.658	4455	81.89	6.208	4505	84.19	5.614	4555	86.82	5.133
4406	80.07	6.407	4456	81.90	5.958	4506	84.22	5.863	4556	86.85	6.006
4407	80.09	5.781	4457	81.92	5.332	4507	84.25	5.862	4557	86.88	6.005
4408	80.12	5.780	4458	81.95	4.706	4508	84.27	5.861	4558	86.93	5.754
4409	80.14	5.154	4459	81.97	4.705	4509	84.30	5.860	4559	86.99	6.376
4410	80.16	4.528	4460	82.03	5.953	4510	84.32	5.609	4560	87.06	6.873
4411	80.17	4.528	4461	82.08	5.951	4511	84.35	4.608	4561	87.11	5.121
4412	80.20	5.652	4462	82.15	6.573	4512	84.36	4.608	4562	87.56	6.602
4413	80.23	6.651	4463	82.27	6.318	4513	84.38	4.856	4563	87.78	6.343
4414	80.25	6.025	4464	82.34	6.190	4514	84.40	6.103	4564	87.96	6.086
4415	80.27	5.774	4465	82.39	5.938	4515	84.49	5.852	4565	88.01	5.709
4416	80.29	5.398	4466	82.44	5.061	4516	84.51	3.970	4566	88.05	5.957
4417	80.31	5.147	4467	82.47	4.435	4517	84.54	5.225	4567	88.12	6.956
4418	80.46	6.016	4468	82.50	4.058	4518	84.57	5.224	4568	88.16	6.703
4419	80.67	4.508	4469	82.52	4.308	4519	84.62	5.847	4569	88.21	6.326
4420	80.71	4.506	4470	82.56	5.556	4520	84.66	6.720	4570	88.33	6.071
4421	80.75	5.754	4471	82.62	6.554	4521	84.70	6.219	4571	88.39	5.069
4422	80.79	5.378	4472	82.65	5.302	4522	84.74	5.842	4572	88.44	5.692
4423	80.81	5.127	4473	82.70	5.300	4523	84.82	6.089	4573	88.47	8.190
4424	80.84	4.126	4474	82.74	4.673	4524	84.98	5.208	4574	88.54	6.063
4425	80.87	3.875	4475	82.78	4.672	4525	85.12	5.577	4575	88.60	5.435
4426	80.89	3.499	4476	82.80	4.671	4526	85.19	6.449	4576	88.63	5.434
4427	80.92	4.123	4477	82.83	4.670	4527	85.25	5.571	4577	88.73	6.555
4428	60.98	4.121	4478	82.86	5.294	4528	85.29	6.445	4578	88.81	6.052
4429	81.08	4.491	4479	82.88	5.293	4529	85.32	5.569	4579	88.84	6.051
4430	81.17	5.613	4480	82.95	4.665	4530	85.34	5.193	4580	89.09	6.540
4431	81.22	5.736	4481	83.01	4.663	4531	85.37	5.817	4581	89.14	5.413
4432	81.27	5.609	4482	83.04	4.911	4532	85.39	6.066	4582	89.56	5.897
4433	81.29	5.608	4483	83.07	5.535	4533	85.43	6.064	4583	90.06	6.251
4434	81.32	6.232	4484	83.09	5.659	4534	85.47	5.812	4584	90.16	6.872
4435	81.34	6.231	4485	83.12	5.908	4535	85.50	5.186	4585	90.22	6.870
4436	81.37	5.355	4486	83.36	5.898	4536	85.53	4.560	4586	90.26	6.868
4437	81.42	4.477	4487	83.53	5.266	4537	85.57	5.185	4587	90.29	7.117
4438	81.44	4.477	4488	83.58	5.889	4538	85.63	7.056	4588	90.38	6.488
4439	81.49	6.225	4489	83.63	5.512	4539	85.80	6.424	4589	90.61	5.729
4440	81.52	5.348	4490	83.66	5.261	4540	85.85	6.672	4590	90.66	5.977
4441	81.54	5.098	4491	83.69	4.634	4541	85.90	5.170	4591	90.69	6.600
4442	81.56	5.097	4492	83.71	4.884	4542	85.93	5.169	4592	90.76	6.723
4443	81.58	5.096	4493	83.74	6.132	4543	85.96	5.792	4593	90.84	5.970
4444	81.60	5.345	4494	83.78	6.756	4544	85.99	6.041	4594	90.90	5.717
4445	81.62	4.719	4495	83.80	5.880	4545	86.01	6.040	4595	90.99	6.588
4446	81.65	4.468	4496	83.82	6.129	4546	86.06	5.538	4596	91.06	6.960
4447	81.68	4.092	4497	83.86	5.628	4547	86.09	4.912	4597	91.09	6.334
4448	81.70	4.966	4498	83.88	5.877	4548	86.15	6.034	4598	91.17	6.581
4449	81.72	5.340	4499	83.92	5.060	4549	86.18	6.034	4599	91.26	5.702
4450	81.75	5.589	4500	83.95	5.249	4550	86.21	5.532	4600	91.56	6.315

INDEX NO. 799 1305-GR-15 HORONAN BRIDGE TR. MAX.ACCEL.= -79.435(GAL) T=14.55(SEC) NO.24

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
4601	91.91	6.927	4651	101.71	8.903	4701	126.01	-3.411	4751	130.85	-4.402
4602	92.17	5.916	4652	101.73	6.278	4702	126.10	-4.040	4752	130.90	-4.154
4603	92.37	5.058	4653	101.76	8.027	4703	126.13	-3.041	4753	130.92	-4.155
4604	92.58	6.274	4654	102.32	6.004	4704	126.18	-3.793	4754	130.95	-4.406
4605	92.94	6.259	4655	102.64	8.615	4705	126.21	-2.794	4755	130.98	-3.907
4606	93.35	6.018	4656	102.66	8.239	4706	126.23	-3.671	4756	131.02	-4.158
4607	93.77	5.976	4657	102.68	8.236	4707	126.27	-4.047	4757	131.06	-4.410
4608	94.22	7.205	4658	102.70	7.863	4708	126.33	-3.424	4758	131.10	-5.165
4609	94.63	5.316	4659	102.72	8.466	4709	126.36	-2.800	4759	131.30	-4.795
4610	94.91	7.055	4660	102.78	6.464	4710	126.38	-2.801	4760	131.33	-5.047
4611	95.30	6.789	4661	103.12	8.595	4711	126.40	-4.052	4761	131.39	-4.799
4612	95.93	5.514	4662	103.16	8.218	4712	126.42	-3.803	4762	131.43	-4.551
4613	96.51	6.865	4663	103.20	7.967	4713	126.44	-3.603	4763	131.47	-3.927
4614	96.92	6.849	4664	103.22	8.216	4714	126.46	-2.805	4764	131.51	-3.929
4615	97.43	7.203	4665	103.24	8.465	4715	126.49	-3.431	4765	131.55	-3.555
4616	97.96	7.181	4666	103.28	7.589	4716	126.50	-3.431	4766	131.68	-3.936
4617	98.47	8.411	4667	103.46	7.956	4717	126.54	-3.683	4767	131.83	-3.317
4618	99.05	7.387	4668	103.77	7.569	4718	126.71	-4.065	4768	131.97	-3.948
4619	99.56	7.115	4669	104.27	7.174	4719	129.03	-4.078	4769	132.09	-4.578
4620	100.03	7.097	4670	105.02	5.268	4720	129.38	-3.842	4770	132.24	-3.584
4621	100.40	7.957	4671	105.93	7.607	4721	129.44	-2.844	4771	132.37	-3.964
4622	100.80	7.941	4672	107.06	6.311	4722	129.46	-3.470	4772	132.47	-4.593
4623	101.00	8.308	4673	108.19	5.641	4723	129.50	-3.722	4773	132.63	-4.600
4624	101.06	8.305	4674	109.01	4.733	4724	129.54	-4.098	4774	132.75	-4.605
4625	101.09	8.054	4675	109.62	4.459	4725	129.60	-3.476	4775	132.84	-3.358
4626	101.14	7.927	4676	110.37	4.179	4726	129.63	-3.727	4776	132.94	-4.487
4627	101.19	7.925	4677	111.28	4.391	4727	129.68	-3.479	4777	133.02	-4.241
4628	101.23	7.673	4678	111.98	4.489	4728	129.73	-3.231	4778	133.11	-4.244
4629	101.26	7.672	4679	112.71	2.459	4729	129.79	-4.108	4779	133.18	-3.622
4630	101.28	7.671	4680	113.67	2.169	4730	129.83	-4.360	4780	133.24	-3.250
4631	101.31	7.670	4681	114.61	2.382	4731	129.89	-3.862	4781	133.31	-3.628
4632	101.34	7.419	4682	115.69	1.213	4732	129.95	-4.115	4782	133.38	-3.630
4633	101.36	7.293	4683	116.68	0.797	4733	130.08	-3.870	4783	133.48	-4.634
4634	101.38	7.292	4684	117.54	0.762	4734	130.13	-4.122	4784	133.55	-4.512
4635	101.41	7.916	4685	119.09	0.074	4735	130.17	-4.124	4785	133.62	-4.515
4636	101.43	7.665	4686	120.35	0.649	4736	130.20	-4.125	4786	133.68	-4.893
4637	101.45	7.664	4687	120.69	-5.115	4737	130.23	-4.376	4787	133.75	-5.271
4638	101.47	7.413	4688	121.43	-0.770	4738	130.25	-5.002	4788	133.82	-4.274
4639	101.48	7.663	4689	122.16	-1.426	4739	130.27	-3.878	4789	133.89	-4.901
4640	101.51	8.912	4690	122.95	-1.832	4740	130.30	-3.879	4790	133.98	-4.655
4641	101.54	7.410	4691	123.68	-1.862	4741	130.33	-4.381			
4642	101.55	7.660	4692	124.11	-1.079	4742	130.43	-5.384			
4643	101.56	7.410	4693	124.58	-1.522	4743	130.51	-4.138			
4644	101.58	7.909	4694	125.07	-2.167	4744	130.66	-4.144			
4645	101.60	8.533	4695	125.53	-2.185	4745	130.66	-3.520			
4646	101.62	6.532	4696	125.95	-2.027	4746	130.71	-3.771			
4647	101.63	7.657	4697	126.50	-2.600	4747	130.74	-4.397			
4648	101.64	7.656	4698	126.91	-2.617	4748	130.77	-4.148			
4649	101.66	7.281	4699	127.35	-2.885	4749	130.79	-4.149			
4650	101.69	7.905	4700	127.83	-2.529	4750	130.82	-4.400			

Table IX D-26 Digitized Accelerations of Earthquake Record with Index Number 800

INDEX NO. 800 1305-PI-8 HORONAN BRIDGE LG. MAX.ACCEL.= -78.346(GAL) T=16.01(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.08	0.608	51	0.77	-6.906	101	1.39	-1.044	151	2.06	-2.183
2	0.11	1.482	52	0.78	-7.531	102	1.40	-0.919	152	2.07	-2.558
3	0.18	1.856	53	0.79	-7.531	103	1.41	-1.669	153	2.08	-3.559
4	0.20	1.855	54	0.81	-4.157	104	1.42	-2.795	154	2.09	-4.684
5	0.21	-6.895	55	0.82	-0.657	105	1.43	-3.795	155	2.10	-4.684
6	0.22	-12.895	56	0.83	1.468	106	1.44	-4.670	156	2.11	-4.434
7	0.23	-9.520	57	0.85	1.842	107	1.46	-4.795	157	2.13	-4.185
8	0.24	2.105	58	0.86	1.842	108	1.48	-2.921	158	2.15	-3.185
9	0.25	-9.771	59	0.87	-0.658	109	1.50	-1.921	159	2.16	-3.435
10	0.26	-9.521	60	0.89	-4.033	110	1.51	-1.922	160	2.18	-3.436
11	0.27	-4.521	61	0.90	-8.409	111	1.52	-2.797	161	2.19	-4.186
12	0.28	1.604	62	0.91	-9.159	112	1.54	-3.797	162	2.20	-3.561
13	0.29	1.854	63	0.92	-8.659	113	1.55	-5.922	163	2.22	-1.561
14	0.30	-3.147	64	0.93	-8.285	114	1.56	-7.548	164	2.24	-1.311
15	0.31	-4.772	65	0.94	-8.159	115	1.57	-8.173	165	2.25	-0.437
16	0.32	-2.522	66	0.96	-2.660	116	1.58	-7.923	166	2.26	-0.062
17	0.33	-1.923	67	0.97	-2.035	117	1.59	-8.673	167	2.27	-0.687
18	0.34	-0.397	68	0.98	-1.285	118	1.60	-6.798	168	2.29	-1.563
19	0.35	-2.773	69	0.99	-1.535	119	1.61	-3.549	169	2.30	-2.813
20	0.36	-5.273	70	1.00	-1.911	120	1.62	-1.049	170	2.31	-4.063
21	0.37	-6.523	71	1.01	-3.161	121	1.64	1.451	171	2.32	-5.313
22	0.38	-6.523	72	1.03	-7.161	122	1.65	1.826	172	2.34	-6.064
23	0.39	-5.399	73	1.05	-7.912	123	1.66	2.201	173	2.35	-5.689
24	0.40	-2.899	74	1.06	-6.287	124	1.67	0.575	174	2.37	-5.439
25	0.41	-1.274	75	1.07	-5.662	125	1.68	0.575	175	2.39	-4.440
26	0.42	-1.524	76	1.09	-1.912	126	1.69	-1.925	176	2.41	-3.190
27	0.43	-2.524	77	1.11	-0.663	127	1.70	-3.425	177	2.42	-2.315
28	0.44	-5.650	78	1.12	-1.288	128	1.71	-6.301	178	2.44	-2.566
29	0.46	-8.775	79	1.13	-1.288	129	1.72	-6.926	179	2.45	-3.441
30	0.47	-8.525	80	1.14	-2.539	130	1.73	-7.176	180	2.46	-4.441
31	0.48	-7.525	81	1.15	-3.164	131	1.74	-6.552	181	2.48	-5.691
32	0.49	-5.651	82	1.16	-4.039	132	1.76	-5.427	182	2.49	-7.192
33	0.51	-1.901	83	1.17	-4.414	133	1.78	-3.802	183	2.50	-7.817
34	0.53	-1.026	84	1.18	-4.665	134	1.79	-2.927	184	2.51	-8.192
35	0.54	-1.902	85	1.19	-4.415	135	1.81	-2.553	185	2.52	-7.942
36	0.55	-2.777	86	1.20	-4.165	136	1.82	-2.303	186	2.53	-7.567
37	0.57	-3.402	87	1.21	-4.040	137	1.84	-2.303	187	2.55	-2.568
38	0.58	-4.027	88	1.24	-1.916	138	1.88	-3.429	188	2.56	-1.068
39	0.60	-3.778	89	1.25	-1.291	139	1.91	-4.430	189	2.58	0.182
40	0.64	-4.153	90	1.26	-1.541	140	1.93	-4.680	190	2.59	0.806
41	0.66	-4.529	91	1.28	-1.291	141	1.94	-5.931	191	2.60	0.806
42	0.67	-4.529	92	1.29	-2.542	142	1.95	-5.931	192	2.61	-1.319
43	0.68	-3.904	93	1.30	-3.792	143	1.96	-5.931	193	2.62	-2.944
44	0.69	-3.029	94	1.31	-5.917	144	1.97	-5.431	194	2.64	-6.320
45	0.71	-2.030	95	1.32	-6.293	145	1.99	-4.182	195	2.65	-6.320
46	0.72	-0.905	96	1.33	-6.668	146	2.00	-1.932	196	2.66	-6.945
47	0.73	-1.530	97	1.34	-6.543	147	2.01	-1.057	197	2.68	-5.070
48	0.74	-2.530	98	1.35	-6.043	148	2.03	-0.432	198	2.70	-2.571
49	0.75	-4.031	99	1.36	-4.168	149	2.04	-0.058	199	2.71	-1.321
50	0.76	-5.656	100	1.38	-1.919	150	2.05	-0.308	200	2.72	-1.072

土木構造物における加速度強震記録（No. 9）

INDEX NO. 800 1305-PI-8 HOROMAN BRIDGE LG. MAX.ACCEL.= -78.346(GAL) T=16.01(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	2.73	-1.072	251	3.44	-15.836	301	4.13	-8.651	351	4.84	-3.491
202	2.74	-1.322	252	3.45	-15.211	302	4.14	-11.476	352	4.87	-3.241
203	2.75	-2.197	253	3.46	-12.662	303	4.15	-10.651	353	4.88	-2.991
204	2.76	-3.823	254	3.47	-7.712	304	4.16	-11.726	354	4.89	-3.492
205	2.77	-5.072	255	3.50	8.162	305	4.17	-8.977	355	4.92	-5.117
206	2.79	-4.698	256	3.51	9.412	306	4.18	-5.652	356	4.94	-6.242
207	2.80	-4.698	257	3.52	10.412	307	4.19	-4.602	357	4.96	-7.743
208	2.81	-4.198	258	3.53	10.412	308	4.20	-2.102	358	4.97	-8.368
209	2.83	-2.949	259	3.54	9.412	309	4.21	-2.103	359	4.98	-7.743
210	2.84	-2.574	260	3.57	2.536	310	4.22	-1.103	360	4.99	-7.494
211	2.85	-2.324	261	3.58	0.411	311	4.23	-1.103	361	5.00	-5.244
212	2.86	-3.449	262	3.59	-2.214	312	4.24	-0.728	362	5.03	-3.369
213	2.89	-5.950	263	3.60	-2.840	313	4.27	-1.604	363	5.04	-2.495
214	2.90	-7.825	264	3.62	-4.090	314	4.30	-1.979	364	5.05	-1.370
215	2.91	-7.825	265	3.64	-5.716	315	4.31	-2.229	365	5.06	-1.370
216	2.92	-7.326	266	3.65	-7.591	316	4.32	-2.855	366	5.07	-1.120
217	2.94	-5.701	267	3.66	-8.216	317	4.33	-4.105	367	5.10	-0.496
218	2.96	-0.701	268	3.67	-8.591	318	4.35	-8.230	368	5.11	0.504
219	2.97	0.548	269	3.68	-6.842	319	4.36	-9.856	369	5.14	4.878
220	2.98	1.423	270	3.70	-6.717	320	4.38	-10.231	370	5.15	5.503
221	2.99	2.423	271	3.72	-1.718	321	4.39	-9.606	371	5.16	6.128
222	3.00	2.673	272	3.73	1.156	322	4.40	-7.482	372	5.17	6.128
223	3.01	1.173	273	3.76	2.657	323	4.42	-3.357	373	5.18	5.252
224	3.03	-0.328	274	3.77	3.657	324	4.44	1.143	374	5.19	2.127
225	3.04	-3.828	275	3.78	4.281	325	4.46	4.517	375	5.22	-6.374
226	3.06	-6.328	276	3.79	3.656	326	4.48	6.517	376	5.23	-9.624
227	3.08	-6.079	277	3.80	2.406	327	4.49	6.517	377	5.24	-9.624
228	3.09	-6.079	278	3.81	0.906	328	4.50	6.267	378	5.25	-10.624
229	3.10	-5.454	279	3.82	-1.344	329	4.52	5.016	379	5.26	-7.124
230	3.14	-4.830	280	3.83	-3.845	330	4.53	2.891	380	5.28	0.125
231	3.18	-1.706	281	3.84	-6.345	331	4.54	-0.859	381	5.29	2.375
232	3.20	0.294	282	3.85	-8.220	332	4.56	-3.860	382	5.30	5.125
233	3.21	-1.082	283	3.87	-8.595	333	4.57	-3.610	383	5.31	6.499
234	3.23	-3.832	284	3.88	-6.971	334	4.58	-3.860	384	5.32	7.125
235	3.25	-7.832	285	3.89	-4.221	335	4.60	0.764	385	5.33	7.249
236	3.26	-11.082	286	3.91	0.779	336	4.62	2.014	386	5.34	2.499
237	3.27	-11.458	287	3.92	10.653	337	4.63	3.014	387	5.37	-8.002
238	3.28	-12.063	288	3.93	11.278	338	4.64	3.263	388	5.38	-9.627
239	3.29	-11.708	289	3.94	10.653	339	4.65	2.388	389	5.39	-11.502
240	3.30	-8.958	290	3.96	3.778	340	4.66	1.138	390	5.40	-11.752
241	3.31	-4.584	291	3.99	-13.348	341	4.68	-0.987	391	5.41	-11.752
242	3.33	2.666	292	4.00	-16.098	342	4.69	-0.987	392	5.43	-1.128
243	3.34	5.666	293	4.02	-15.474	343	4.70	-1.113	393	5.46	5.121
244	3.35	8.791	294	4.04	-0.724	344	4.74	0.512	394	5.47	5.996
245	3.36	9.790	295	4.05	5.151	345	4.75	1.136	395	5.48	4.371
246	3.37	10.040	296	4.06	7.776	346	4.77	0.886	396	5.49	1.621
247	3.38	7.915	297	4.07	9.400	347	4.78	-0.989	397	5.51	-7.005
248	3.40	-3.210	298	4.08	8.775	348	4.80	-3.240	398	5.53	-13.005
249	3.42	-12.961	299	4.09	6.650	349	4.81	-3.246	399	5.54	-14.255
250	3.43	-15.836	300	4.12	-6.726	350	4.82	-3.490	400	5.55	-12.755

INDEX NO. 800 1305-PI-8 HOROMAN BRIDGE LG. MAX.ACCEL.= -78.346(GAL) T=16.01(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	5.57	+8.131	451	6.24	-21.645	501	6.97	20.965	551	7.70	-1.050
402	5.59	+5.006	452	6.25	-23.520	502	6.98	17.590	552	7.71	-5.425
403	5.60	-2.506	453	6.26	-23.520	503	7.02	-19.411	553	7.73	-14.051
404	5.61	+2.757	454	6.27	-19.520	504	7.03	-23.536	554	7.74	-16.801
405	5.62	+3.632	455	6.30	-5.896	505	7.04	-26.162	555	7.75	-18.176
406	5.64	+7.132	456	6.32	-3.146	506	7.05	-28.662	556	7.77	-17.927
407	5.65	+9.882	457	6.33	0.103	507	7.06	-24.287	557	7.78	-14.552
408	5.66	+11.258	458	6.35	1.728	508	7.07	-19.912	558	7.80	8.073
409	5.67	+10.258	459	6.37	2.353	509	7.11	25.212	559	7.82	17.622
410	5.68	+1.883	460	6.39	1.727	510	7.12	27.462	560	7.83	22.697
411	5.71	+13.866	461	6.40	0.852	511	7.13	27.711	561	7.84	22.697
412	5.72	+21.116	462	6.41	+9.773	512	7.14	23.711	562	7.85	21.697
413	5.73	+23.366	463	6.42	-2.898	513	7.16	19.336	563	7.86	17.697
414	5.74	+25.491	464	6.44	+11.149	514	7.18	0.960	564	7.90	-15.304
415	5.75	+26.116	465	6.45	-14.024	515	7.19	-8.290	565	7.91	-18.804
416	5.76	+23.365	466	6.46	+14.649	516	7.20	-9.415	566	7.92	-21.055
417	5.77	+18.365	467	6.47	-15.899	517	7.21	-11.790	567	7.93	-22.555
418	5.79	+7.135	468	6.48	+10.650	518	7.22	-12.415	568	7.96	-17.056
419	5.80	+13.010	469	6.52	13.724	519	7.23	-11.291	569	7.98	-6.931
420	5.81	+16.511	470	6.53	17.849	520	7.24	-9.041	570	8.01	3.819
421	5.83	+17.261	471	6.54	20.724	521	7.27	-2.166	571	8.02	7.068
422	5.84	+11.366	472	6.55	21.974	522	7.30	1.708	572	8.03	8.068
423	5.87	4.230	473	6.56	20.599	523	7.32	3.583	573	8.04	12.193
424	5.88	+7.738	474	6.57	17.098	524	7.34	6.457	574	8.05	12.443
425	5.89	+8.988	475	6.61	-6.402	525	7.35	7.707	575	8.07	13.817
426	5.90	7.862	476	6.63	+12.153	526	7.37	8.332	576	8.08	13.567
427	5.91	3.487	477	6.64	+13.403	527	7.38	8.331	577	8.09	10.692
428	5.93	+3.513	478	6.65	+12.528	528	7.39	4.706	578	8.12	-2.434
429	5.94	+6.513	479	6.68	-5.279	529	7.40	1.581	579	8.14	-13.684
430	5.95	+9.888	480	6.69	+3.779	530	7.42	+4.794	580	8.16	-16.184
431	5.96	+9.639	481	6.70	+3.029	531	7.44	+14.295	581	8.17	+15.935
432	5.97	+8.389	482	6.71	+2.779	532	7.45	+16.545	582	8.19	+16.435
433	5.99	+3.764	483	6.72	+2.155	533	7.46	+20.420	583	8.20	+13.935
434	6.00	1.360	484	6.73	+2.155	534	7.47	+21.420	584	8.23	-3.811
435	6.01	1.735	485	6.74	+1.405	535	7.48	+21.046	585	8.24	1.064
436	6.02	2.360	486	6.75	+1.155	536	7.49	+21.671	586	8.25	1.689
437	6.03	+0.140	487	6.77	1.969	537	7.50	+17.671	587	8.26	1.939
438	6.04	+2.265	488	6.79	6.844	538	7.54	10.203	588	8.27	1.938
439	6.06	+13.641	489	6.80	9.344	539	7.55	12.703	589	8.28	1.438
440	6.07	+20.141	490	6.82	10.343	540	7.56	15.078	590	8.29	1.063
441	6.08	+21.891	491	6.83	8.718	541	7.57	14.203	591	8.31	0.438
442	6.09	+21.891	492	6.84	4.717	542	7.59	8.202	592	8.32	0.437
443	6.10	+21.017	493	6.87	-6.033	543	7.61	0.327	593	8.33	1.062
444	6.15	16.357	494	6.88	+11.283	544	7.62	-2.048	594	8.35	2.937
445	6.16	10.232	495	6.89	+13.659	545	7.63	-3.549	595	8.36	5.437
446	6.17	19.857	496	6.90	+13.159	546	7.64	-4.299	596	8.37	8.061
447	6.18	19.232	497	6.91	+11.534	547	7.65	+3.924	597	8.39	9.311
448	6.19	15.481	498	6.92	-5.909	548	7.67	-2.424	598	8.40	9.311
449	6.22	+14.019	499	6.95	17.590	549	7.68	-1.175	599	8.41	9.061
450	6.23	+16.770	500	6.96	20.090	550	7.69	+0.425	600	8.42	6.810

INDEX NO. 800 1305-PI-8 HORONAN BRIDGE LG. MAX.ACCEL.= -78.346(GAL) T=16.01(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	8.45	2.810	651	9.21	-12.205	701	9.94	18.154	751	10.59	-2.484
602	8.47	0.559	652	9.22	-15.581	702	9.95	22.654	752	10.60	-2.109
603	8.48	0.809	653	9.23	-15.956	703	9.96	24.154	753	10.63	3.765
604	8.49	2.059	654	9.24	-17.081	704	9.97	25.154	754	10.64	5.390
605	8.51	2.434	655	9.25	-14.581	705	9.98	22.654	755	10.65	5.640
606	8.52	1.808	656	9.26	-9.456	706	9.99	17.404	756	10.66	6.014
607	8.53	-0.692	657	9.28	2.543	707	10.02	-7.097	757	10.67	5.389
608	8.55	-5.192	658	9.29	9.418	708	10.03	-12.472	758	10.69	3.889
609	8.58	-24.443	659	9.30	8.668	709	10.04	-13.473	759	10.71	1.639
610	8.59	-25.818	660	9.31	9.668	710	10.05	-14.098	760	10.72	0.388
611	8.60	-27.443	661	9.32	8.417	711	10.06	-5.723	761	10.73	0.638
612	8.61	-26.818	662	9.35	-4.208	712	10.09	7.401	762	10.75	2.513
613	8.62	-24.318	663	9.36	-7.084	713	10.10	8.276	763	10.76	3.512
614	8.65	-4.069	664	9.37	-8.584	714	10.11	7.776	764	10.77	3.762
615	8.66	-1.945	665	9.38	-9.709	715	10.12	6.776	765	10.78	4.387
616	8.67	1.681	666	9.39	-5.959	716	10.14	-0.100	766	10.79	3.512
617	8.68	2.305	667	9.42	15.290	717	10.15	-2.725	767	10.80	0.387
618	8.69	1.430	668	9.43	19.790	718	10.16	-3.600	768	10.81	-2.738
619	8.73	-13.446	669	9.44	21.290	719	10.17	-5.225	769	10.83	-14.114
620	8.74	-16.321	670	9.45	21.040	720	10.18	-4.976	770	10.84	-20.114
621	8.76	-16.321	671	9.47	17.914	721	10.19	-3.976	771	10.85	-22.366
622	8.77	-15.322	672	9.48	12.289	722	10.20	-3.351	772	10.86	-23.490
623	8.82	-11.822	673	9.50	8.788	723	10.21	-3.976	773	10.87	-23.490
624	8.83	-15.677	674	9.52	7.538	724	10.22	-4.601	774	10.89	-20.365
625	8.84	16.927	675	9.54	5.288	725	10.23	-8.352	775	10.90	-12.740
626	8.85	18.427	676	9.55	4.663	726	10.26	-21.977	776	10.91	-9.866
627	8.86	17.302	677	9.59	-0.713	727	10.27	-25.602	777	10.92	-4.491
628	8.88	16.051	678	9.60	-14.089	728	10.28	-27.852	778	10.93	-1.491
629	8.89	12.551	679	9.61	-13.464	729	10.29	-26.228	779	10.94	1.634
630	8.90	7.926	680	9.62	-12.639	730	10.30	-22.853	780	10.95	5.634
631	8.92	1.300	681	9.63	-9.714	731	10.33	7.022	781	10.97	12.385
632	8.94	-0.950	682	9.66	8.660	732	10.34	10.771	782	10.99	20.258
633	8.95	-2.700	683	9.67	15.035	733	10.35	14.146	783	11.00	22.882
634	8.96	-2.950	684	9.68	16.285	734	10.36	16.021	784	11.01	23.507
635	8.98	-2.701	685	9.69	15.660	735	10.37	15.396	785	11.02	24.257
636	9.00	0.049	686	9.70	13.159	736	10.40	-0.355	786	11.03	20.132
637	9.03	4.423	687	9.71	6.534	737	10.41	-7.980	787	11.04	10.632
638	9.04	6.798	688	9.74	-12.841	738	10.42	-12.230	788	11.08	-22.994
639	9.05	6.548	689	9.76	-21.342	739	10.43	-12.481	789	11.09	-28.119
640	9.06	5.923	690	9.77	-21.092	740	10.44	-13.106	790	11.10	-30.619
641	9.08	3.672	691	9.79	-17.342	741	10.45	-12.231	791	11.11	-31.245
642	9.09	2.172	692	9.82	-4.093	742	10.48	1.268	792	11.12	-18.120
643	9.10	0.922	693	9.83	2.907	743	10.49	4.768	793	11.15	9.254
644	9.11	0.922	694	9.84	2.906	744	10.50	7.018	794	11.16	13.004
645	9.12	1.796	695	9.85	2.031	745	10.51	8.643	795	11.17	14.629
646	9.14	3.921	696	9.87	-3.594	746	10.53	8.017	796	11.18	15.629
647	9.15	6.796	697	9.88	-6.094	747	10.54	6.767	797	11.19	15.754
648	9.16	7.046	698	9.89	-5.845	748	10.55	5.517	798	11.20	9.378
649	9.17	6.170	699	9.90	-4.595	749	10.57	-0.484	799	11.22	-13.122
650	9.18	3.420	700	9.91	-1.220	750	10.58	-2.484	800	11.23	-19.247

INDEX NO. 800 1305-PI-8 HORONAN BRIDGE LG. MAX.ACCEL.= -78.346(GAL) T=16.01(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	11.24	-21.997	851	11.92	5.864	901	12.62	-15.401	951	13.51	-36.044
802	11.25	-22.748	852	11.94	-1.762	902	12.64	-14.151	952	13.52	-38.544
803	11.26	-13.998	853	11.95	-3.387	903	12.65	-12.901	953	13.53	-40.045
804	11.29	11.251	854	11.96	-4.637	904	12.68	4.723	954	13.54	-36.795
805	11.30	26.376	855	11.97	-3.762	905	12.69	8.223	955	13.55	-31.170
806	11.32	28.251	856	11.99	-1.888	906	12.71	9.598	956	13.59	1.579
807	11.34	18.626	857	12.00	1.862	907	12.72	9.597	957	13.60	6.954
808	11.37	-23.250	858	12.01	3.737	908	12.73	8.597	958	13.61	8.829
809	11.38	-27.500	859	12.02	4.112	909	12.75	6.472	959	13.62	8.829
810	11.39	-29.626	860	12.03	1.987	910	12.77	3.971	960	13.64	6.703
811	11.40	-30.626	861	12.07	+11.264	911	12.79	2.971	961	13.66	3.328
812	11.41	-22.876	862	12.08	+12.015	912	12.82	2.345	962	13.67	2.953
813	11.45	15.998	863	12.09	+13.265	913	12.84	2.095	963	13.69	2.702
814	11.46	18.748	864	12.10	+10.390	914	12.85	1.095	964	13.70	2.702
815	11.47	19.998	865	12.11	-5.140	915	12.88	-1.031	965	13.71	2.702
816	11.48	18.498	866	12.14	8.859	916	12.90	-3.407	966	13.73	-0.173
817	11.49	12.247	867	12.15	13.234	917	12.91	-3.157	967	13.74	-4.049
818	11.50	6.122	868	12.16	14.984	918	12.92	-2.782	968	13.75	-9.424
819	11.51	3.622	869	12.17	14.984	919	12.96	3.092	969	13.76	-10.049
820	11.52	1.497	870	12.19	14.358	920	12.97	6.717	970	13.77	-9.800
821	11.53	0.747	871	12.20	12.483	921	12.99	8.217	971	13.78	-9.425
822	11.54	-0.629	872	12.21	10.608	922	13.00	8.216	972	13.79	-2.925
823	11.55	1.621	873	12.22	9.107	923	13.01	6.966	973	13.80	6.700
824	11.57	5.371	874	12.23	9.357	924	13.02	4.841	974	13.82	13.699
825	11.58	6.746	875	12.25	9.982	925	13.05	-3.035	975	13.83	13.449
826	11.59	7.370	876	12.26	10.607	926	13.07	-5.285	976	13.84	13.074
827	11.60	6.745	877	12.27	10.606	927	13.09	-5.035	977	13.85	10.324
828	11.61	3.995	878	12.28	9.981	928	13.12	-3.411	978	13.88	-20.552
829	11.65	-20.506	879	12.29	8.106	929	13.15	-3.662	979	13.89	-25.927
830	11.66	-22.006	880	12.30	5.481	930	13.16	-3.662	980	13.90	-31.552
831	11.67	+23.756	881	12.34	+21.770	931	13.17	-3.662	981	13.91	+31.553
832	11.68	+22.506	882	12.35	+26.895	932	13.18	-4.662	982	13.92	+32.053
833	11.70	+17.132	883	12.36	+29.645	933	13.19	-5.288	983	13.94	+21.303
834	11.72	4.493	884	12.37	+30.646	934	13.21	-6.788	984	13.97	-0.054
835	11.73	9.243	885	12.38	+30.771	935	13.24	-8.664	985	13.98	1.944
836	11.74	11.992	886	12.39	+28.896	936	13.25	-9.789	986	13.99	2.821
837	11.75	15.617	887	12.40	+23.146	937	13.26	-9.414	987	14.00	2.196
838	11.76	15.617	888	12.44	9.228	938	13.29	-8.914	988	14.02	-1.180
839	11.77	14.117	889	12.45	16.853	939	13.30	-8.540	989	14.03	-4.305
840	11.78	9.367	890	12.46	18.353	940	13.32	-9.165	990	14.04	-4.305
841	11.80	-2.384	891	12.47	18.977	941	13.34	-9.790	991	14.05	-4.680
842	11.81	-4.884	892	12.48	18.102	942	13.35	-10.041	992	14.06	-3.886
843	11.82	-9.384	893	12.50	15.352	943	13.36	-9.541	993	14.07	0.944
844	11.83	+9.509	894	12.51	6.102	944	13.38	-5.791	994	14.10	14.569
845	11.84	+10.760	895	12.53	-2.149	945	13.41	4.708	995	14.12	32.693
846	11.85	+8.510	896	12.55	-6.524	946	13.42	6.708	996	14.13	36.443
847	11.88	3.490	897	12.56	-9.024	947	13.43	7.708	997	14.14	39.943
848	11.89	7.364	898	12.58	+11.900	948	13.45	6.207	998	14.15	41.193
849	11.90	7.364	899	12.59	+19.150	949	13.49	+28.419	999	14.16	40.943
850	11.91	7.114	900	12.61	+16.025	950	13.50	+33.294	1000	14.17	37.817

INDEX NO. 800 1305-PI-8 HOROHAN BRIDGE LG. MAX.ACCEL.= -78.346(GAL) T=16.01(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	14.18	32.067	1051	14.93	-7.323	1101	15.69	-12.339	1151	16.37	-7.978
1002	14.22	-22.659	1052	14.96	11.052	1102	15.70	-14.839	1152	16.38	-2.728
1003	14.23	-31.684	1053	14.97	15.801	1103	15.71	-15.714	1153	16.41	5.521
1004	14.24	-35.809	1054	14.98	15.551	1104	15.72	-12.964	1154	16.42	6.646
1005	14.25	-36.809	1055	14.99	16.176	1105	15.74	26.035	1155	16.43	8.521
1006	14.26	-36.809	1056	15.00	14.926	1106	15.75	28.910	1156	16.44	8.521
1007	14.27	-33.310	1057	15.02	12.800	1107	15.76	32.660	1157	16.45	8.521
1008	14.28	-22.935	1058	15.04	12.425	1108	15.77	34.535	1158	16.46	7.895
1009	14.30	-6.060	1059	15.05	14.550	1109	15.78	28.284	1159	16.47	6.395
1010	14.32	2.814	1060	15.06	15.175	1110	15.82	-20.341	1160	16.48	1.020
1011	14.33	2.814	1061	15.07	15.174	1111	15.83	-22.467	1161	16.50	-9.855
1012	14.34	2.014	1062	15.08	14.299	1112	15.84	-25.092	1162	16.54	-41.606
1013	14.36	1.314	1063	15.09	11.799	1113	15.85	-22.967	1163	16.55	-42.856
1014	14.37	2.438	1064	15.12	-14.452	1114	15.86	-15.342	1164	16.56	-44.357
1015	14.38	4.688	1065	15.13	-16.952	1115	15.88	23.407	1165	16.57	-46.232
1016	14.41	25.687	1066	15.14	-16.327	1116	15.89	32.907	1166	16.58	-43.482
1017	14.43	29.437	1067	15.15	-15.577	1117	15.90	35.157	1167	16.59	-36.357
1018	14.44	31.437	1068	15.19	30.797	1118	15.91	35.782	1168	16.64	4.767
1019	14.45	31.687	1069	15.20	39.297	1119	15.92	37.531	1169	16.65	9.392
1020	14.46	28.937	1070	15.21	34.671	1120	15.93	23.906	1170	16.66	12.891
1021	14.49	-8.439	1071	15.22	40.296	1121	15.98	-59.595	1171	16.67	13.141
1022	14.50	-10.064	1072	15.23	35.671	1122	15.99	-72.220	1172	16.68	13.516
1023	14.51	-19.564	1073	15.27	-15.705	1123	16.00	-75.220	1173	16.69	13.516
1024	14.52	-19.690	1074	15.28	-19.580	1124	16.01	-78.346	1174	16.70	11.640
1025	14.55	4.685	1075	15.29	-21.205	1125	16.02	-76.221	1175	16.72	7.265
1026	14.56	9.435	1076	15.30	-19.955	1126	16.04	-51.221	1176	16.76	-6.861
1027	14.57	10.059	1077	15.33	-2.081	1127	16.07	20.778	1177	16.77	-9.236
1028	14.58	8.934	1078	15.34	4.044	1128	16.09	47.903	1178	16.78	-11.986
1029	14.63	-18.317	1079	15.35	5.794	1129	16.10	50.403	1179	16.79	-12.111
1030	14.64	-23.067	1080	15.36	3.293	1130	16.11	49.778	1180	16.80	-11.736
1031	14.65	-23.067	1081	15.38	-1.582	1131	16.12	48.902	1181	16.81	-10.862
1032	14.69	-8.818	1082	15.39	-11.062	1132	16.13	43.527	1182	16.86	28.137
1033	14.70	3.682	1083	15.40	-13.563	1133	16.14	36.527	1183	16.87	30.762
1034	14.71	5.306	1084	15.42	-14.208	1134	16.17	-5.349	1184	16.88	30.762
1035	14.72	6.681	1085	15.43	-2.708	1135	16.18	-16.724	1185	16.89	29.262
1036	14.74	7.931	1086	15.46	44.666	1136	16.19	-22.099	1186	16.90	25.761
1037	14.75	11.681	1087	15.47	52.291	1137	16.20	-24.599	1187	16.94	-8.739
1038	14.77	15.180	1088	15.48	57.665	1138	16.21	-25.349	1188	16.95	-12.615
1039	14.79	24.055	1089	15.49	62.915	1139	16.22	-22.975	1189	16.96	-13.365
1040	14.80	26.555	1090	15.50	59.165	1140	16.23	-20.100	1190	16.97	-11.740
1041	14.81	31.429	1091	15.51	51.540	1141	16.24	-14.100	1191	17.01	29.009
1042	14.82	31.679	1092	15.56	-33.336	1142	16.26	-11.600	1192	17.02	36.384
1043	14.83	31.804	1093	15.57	-44.086	1143	16.27	-9.225	1193	17.03	37.134
1044	14.84	28.679	1094	15.58	-46.837	1144	16.28	-8.226	1194	17.04	35.258
1045	14.85	23.054	1095	15.60	-35.337	1145	16.29	-8.226	1195	17.09	-20.493
1046	14.86	-6.822	1096	15.62	10.038	1146	16.31	-9.226	1196	17.10	-33.368
1047	14.89	-12.947	1097	15.63	18.662	1147	16.32	-10.477	1197	17.11	-38.993
1048	14.90	-17.697	1098	15.64	26.912	1148	16.33	-10.727	1198	17.12	-41.243
1049	14.91	-18.947	1099	15.65	26.662	1149	16.34	-10.477	1199	17.13	-44.744
1050	14.92	-19.323	1100	15.66	21.287	1150	16.35	-9.602	1200	17.14	-44.118

INDEX NO. 800 1305-PI-8 HOROHAN BRIDGE LG. MAX.ACCEL.= -78.346(GAL) T=16.01(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	17.15	-40.119	1251	17.97	24.990	1301	18.72	-1.026	1351	19.45	17.085
1202	17.19	-1.619	1252	17.98	27.865	1302	18.73	-2.276	1352	19.46	16.084
1203	17.20	5.880	1253	17.99	27.864	1303	18.74	-3.776	1353	19.47	12.709
1204	17.21	10.005	1254	18.00	27.864	1304	18.76	-7.277	1354	19.51	-3.542
1205	17.22	12.255	1255	18.01	27.239	1305	18.77	-9.277	1355	19.52	-7.917
1206	17.23	11.630	1256	18.02	24.114	1306	18.78	-10.152	1356	19.53	-11.793
1207	17.24	10.754	1257	18.04	11.738	1307	18.79	-10.902	1357	19.54	-12.667
1208	17.26	5.379	1258	18.05	8.988	1308	18.80	-11.777	1358	19.55	-12.793
1209	17.31	-35.497	1259	18.06	6.363	1309	18.81	-10.527	1359	19.56	-10.293
1210	17.32	-42.247	1260	18.07	5.988	1310	18.83	-8.403	1360	19.59	6.206
1211	17.33	-44.747	1261	18.08	5.613	1311	18.84	-6.153	1361	19.60	9.956
1212	17.34	-45.123	1262	18.10	7.237	1312	18.85	-5.278	1362	19.61	12.206
1213	17.35	-40.373	1263	18.11	9.362	1313	18.86	-4.904	1363	19.62	12.206
1214	17.37	-28.748	1264	18.12	9.987	1314	18.87	-5.154	1364	19.64	11.955
1215	17.40	4.251	1265	18.13	9.737	1315	18.88	-6.404	1365	19.68	+19.670
1216	17.41	21.751	1266	18.14	8.862	1316	18.89	-9.904	1366	19.69	+24.671
1217	17.42	33.876	1267	18.18	+231265	1317	18.90	+161780	1367	19.70	+27.671
1218	17.44	39.001	1268	18.19	+266015	1318	18.91	+196054	1368	19.71	+28.921
1219	17.45	41.125	1269	18.20	+266640	1319	18.93	+22.155	1369	19.73	+30.172
1220	17.46	41.750	1270	18.21	+266140	1320	18.94	+21.905	1370	19.74	+26.797
1221	17.47	41.500	1271	18.22	+14.140	1321	18.98	6.844	1371	19.76	-22.672
1222	17.48	40.000	1272	18.25	13.109	1322	19.00	13.469	1372	19.81	12.452
1223	17.51	36.874	1273	18.26	24.359	1323	19.01	20.093	1373	19.82	18.201
1224	17.57	+17.752	1274	18.27	28.359	1324	19.02	22.218	1374	19.83	20.701
1225	17.58	-27.877	1275	18.28	30.483	1325	19.03	22.468	1375	19.84	22.451
1226	17.59	+30.128	1276	18.30	31.358	1326	19.04	20.968	1376	19.85	22.451
1227	17.60	+32.628	1277	18.33	32.858	1327	19.05	18.468	1377	19.86	20.576
1228	17.61	+33.626	1278	18.34	33.857	1328	19.07	15.342	1378	19.87	15.575
1229	17.63	+29.378	1279	18.35	33.857	1329	19.08	9.842	1379	19.92	-9.551
1230	17.66	+14.379	1280	18.36	33.857	1330	19.11	-13.659	1380	19.93	-14.301
1231	17.67	-8.379	1281	18.42	+53.644	1331	19.12	+16.409	1381	19.94	+17.051
1232	17.68	-7.379	1282	18.43	+50.395	1332	19.13	+18.784	1382	19.95	+18.801
1233	17.69	-8.879	1283	18.44	+65.145	1333	19.14	+20.284	1383	19.96	+18.801
1234	17.70	-11.755	1284	18.45	+65.520	1334	19.15	+18.784	1384	19.97	+15.427
1235	17.73	-22.755	1285	18.46	+66.395	1335	19.16	+11.910	1385	20.02	16.322
1236	17.74	-23.130	1286	18.47	+55.020	1336	19.20	27.466	1386	20.03	21.322
1237	17.75	-22.881	1287	18.52	34.728	1337	19.21	28.964	1387	20.04	24.572
1238	17.76	-21.631	1288	18.53	42.720	1338	19.22	29.839	1388	20.05	25.822
1239	17.80	2.368	1289	18.54	47.476	1339	19.23	28.589	1389	20.06	26.196
1240	17.81	5.493	1290	18.55	50.353	1340	19.24	16.839	1390	20.08	24.696
1241	17.82	5.243	1291	18.56	50.103	1341	19.27	-61.682	1391	20.09	18.446
1242	17.83	5.243	1292	18.57	46.853	1342	19.29	+111.707	1392	20.13	-9.180
1243	17.84	4.618	1293	18.58	46.352	1343	19.30	+131.288	1393	20.14	-14.305
1244	17.87	-5.383	1294	18.60	39.477	1344	19.31	+131.038	1394	20.15	-17.305
1245	17.88	-6.683	1295	18.64	13.351	1345	19.35	+111.789	1395	20.16	-16.681
1246	17.89	-8.759	1296	18.65	7.101	1346	19.37	+10.914	1396	20.17	+15.431
1247	17.90	-8.259	1297	18.66	2.601	1347	19.39	-61.164	1397	20.19	+10.681
1248	17.91	-6.634	1298	18.67	1.350	1348	19.42	12.210	1398	20.20	-9.681
1249	17.92	+4.759	1299	18.68	+0.650	1349	19.43	15.460	1399	20.21	+10.182
1250	17.95	12.240	1300	18.71	+0.775	1350	19.44	16.335	1400	20.22	+10.182

INDEX NO. 800 1305-PI-8 HOROMAN BRIDGE LG. MAX.ACCEL.= -78.346(GAL) T=16.01(SEC) NO. 8

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1401	20.23	-12.057	1451	20.96	-32.572	1501	21.77	-9.714	1551	22.55	-11.230
1402	20.25	-18.433	1452	21.01	23.302	1502	21.79	-7.214	1552	22.58	-11.481
1403	20.26	-20.663	1453	21.02	29.551	1503	21.81	-1.715	1553	22.60	-11.656
1404	20.27	-22.933	1454	21.03	32.601	1504	21.83	2.285	1554	22.62	-13.106
1405	20.28	-24.058	1455	21.05	33.801	1505	21.84	2.660	1555	22.63	-13.982
1406	20.29	-21.663	1456	21.07	26.050	1506	21.86	1.784	1556	22.64	-12.657
1407	20.34	27.691	1457	21.12	-4.201	1507	21.87	0.534	1557	22.65	-12.232
1408	20.35	37.940	1458	21.13	-8.576	1508	21.88	-2.341	1558	22.66	-10.607
1409	20.36	40.440	1459	21.14	-10.826	1509	21.89	-3.217	1559	22.67	-7.658
1410	20.37	42.940	1460	21.15	-13.326	1510	21.90	-3.592	1560	22.69	-0.858
1411	20.38	40.815	1461	21.16	-15.576	1511	21.91	-3.342	1561	22.70	3.892
1412	20.39	35.815	1462	21.17	-14.952	1512	21.92	-1.717	1562	22.72	6.767
1413	20.45	-16.812	1463	21.18	-14.077	1513	21.93	3.908	1563	22.73	7.766
1414	20.46	-18.812	1464	21.19	-11.627	1514	21.97	16.907	1564	22.75	10.266
1415	20.47	-21.312	1465	21.24	16.297	1515	21.98	19.781	1565	22.76	10.891
1416	20.48	-20.687	1466	21.25	21.296	1516	21.99	21.282	1566	22.77	13.391
1417	20.49	-19.188	1467	21.26	22.672	1517	22.00	23.031	1567	22.79	20.640
1418	20.50	-15.688	1468	21.28	23.921	1518	22.01	22.781	1568	22.80	24.265
1419	20.52	3.937	1469	21.29	23.921	1519	22.02	21.156	1569	22.82	26.389
1420	20.54	11.561	1470	21.30	23.421	1520	22.03	17.406	1570	22.83	25.889
1421	20.55	15.436	1471	21.31	21.545	1521	22.07	-16.720	1571	22.84	23.389
1422	20.56	16.061	1472	21.32	16.045	1522	22.09	-23.220	1572	22.85	15.889
1423	20.57	13.936	1473	21.36	-10.456	1523	22.10	-23.221	1573	22.88	-2.987
1424	20.59	9.810	1474	21.39	-22.631	1524	22.11	-21.096	1574	22.89	-9.987
1425	20.60	5.060	1475	21.40	-23.031	1525	22.12	-17.596	1575	22.90	-13.112
1426	20.63	-0.315	1476	21.41	-24.082	1526	22.15	6.528	1576	22.91	-13.363
1427	20.64	-1.991	1477	21.42	-20.207	1527	22.16	9.903	1577	22.92	-14.738
1428	20.65	-4.191	1478	21.46	-3.082	1528	22.17	12.153	1578	22.94	-13.738
1429	20.67	-7.566	1479	21.47	2.667	1529	22.18	13.403	1579	22.96	-13.488
1430	20.68	-17.617	1480	21.48	4.792	1530	22.19	13.652	1580	22.97	-13.739
1431	20.70	-19.692	1481	21.49	4.292	1531	22.20	10.027	1581	22.99	-15.614
1432	20.71	-23.442	1482	21.51	2.416	1532	22.23	4.651	1582	23.01	-24.740
1433	20.72	-25.192	1483	21.53	-0.459	1533	22.24	3.152	1583	23.02	-25.490
1434	20.73	-24.818	1484	21.54	-0.709	1534	22.25	2.776	1584	23.03	-26.865
1435	20.74	-21.613	1485	21.55	-0.460	1535	22.26	0.900	1585	23.04	-25.865
1436	20.75	-16.068	1486	21.56	0.790	1536	22.30	-0.600	1586	23.05	-23.366
1437	20.76	16.306	1487	21.58	5.790	1537	22.32	-0.600	1587	23.08	-1.491
1438	20.80	26.931	1488	21.60	8.039	1538	22.33	-1.225	1588	23.10	4.509
1439	20.82	31.306	1489	21.62	7.769	1539	22.34	-1.476	1589	23.11	9.008
1440	20.83	33.555	1490	21.63	7.539	1540	22.35	-1.726	1590	23.12	10.258
1441	20.84	31.680	1491	21.65	6.289	1541	22.37	7.774	1591	23.13	10.508
1442	20.85	25.430	1492	21.67	4.413	1542	22.40	17.896	1592	23.14	10.008
1443	20.86	17.180	1493	21.68	2.163	1543	22.42	22.023	1593	23.16	8.382
1444	20.87	4.430	1494	21.69	-0.337	1544	22.43	23.647	1594	23.17	7.757
1445	20.89	-18.571	1495	21.70	-2.338	1545	22.44	22.147	1595	23.18	8.007
1446	20.90	-26.196	1496	21.71	-5.463	1546	22.46	4.646	1596	23.19	9.257
1447	20.91	-38.071	1497	21.73	-7.588	1547	22.50	-5.479	1597	23.21	14.131
1448	20.92	-43.197	1498	21.74	-9.588	1548	22.51	-9.104	1598	23.23	16.006
1449	20.93	-43.322	1499	21.75	-10.338	1549	22.52	-10.855	1599	23.24	16.381
1450	20.94	-40.822	1500	21.76	-10.839	1550	22.54	-11.480	1600	23.25	14.755

INDEX NO. 800 1305-PI-8 HOROMAN BRIDGE LG. MAX.ACCEL.= -78.346(GAL) T=16.01(SEC) NO. 9

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1601	23.26	10.755	1651	23.94	7.116	1701	24.69	-19.899	1751	25.52	7.459
1602	23.29	-10.620	1652	23.95	6.241	1702	24.71	-6.650	1752	25.53	1.834
1603	23.30	-13.121	1653	23.96	1.491	1703	24.74	3.475	1753	25.54	0.583
1604	23.31	-13.996	1654	23.98	-7.010	1704	24.75	8.599	1754	25.55	-1.292
1605	23.33	-15.121	1655	23.99	-10.885	1705	24.76	8.974	1755	25.57	-1.792
1606	23.34	-14.496	1656	24.00	-12.760	1706	24.77	8.974	1756	25.58	-1.542
1607	23.35	-10.497	1657	24.02	-12.761	1707	24.78	7.724	1757	25.63	8.957
1608	23.37	-3.122	1658	24.04	-12.761	1708	24.81	1.846	1758	25.65	9.831
1609	23.39	0.753	1659	24.05	-11.636	1709	24.83	-1.027	1759	25.66	10.456
1610	23.40	2.002	1660	24.06	-11.886	1710	24.84	-1.027	1760	25.68	10.456
1611	23.41	2.002	1661	24.08	-12.512	1711	24.85	-0.402	1761	25.70	11.080
1612	23.42	1.377	1662	24.09	-13.762	1712	24.87	2.347	1762	25.72	10.205
1613	23.44	2.251	1663	24.10	-15.637	1713	24.88	3.347	1763	25.74	9.329
1614	23.45	2.626	1664	24.11	-15.387	1714	24.89	3.347	1764	25.75	7.329
1615	23.47	4.126	1665	24.12	-12.513	1715	24.90	3.346	1765	25.78	0.204
1616	23.48	5.001	1666	24.17	12.112	1716	24.91	2.721	1766	25.80	-5.547
1617	23.49	5.251	1667	24.18	15.611	1717	24.92	1.221	1767	25.82	-8.297
1618	23.50	5.250	1668	24.19	15.986	1718	24.95	-4.280	1768	25.83	-10.047
1619	23.51	4.375	1669	24.20	13.861	1719	24.96	-5.530	1769	25.84	-10.048
1620	23.52	2.250	1670	24.21	10.361	1720	24.97	-5.280	1770	25.85	-10.048
1621	23.53	-0.500	1671	24.25	-20.140	1721	24.99	-4.280	1771	25.88	-7.548
1622	23.54	-2.001	1672	24.26	-22.390	1722	25.00	-2.781	1772	25.87	-4.798
1623	23.55	-2.376	1673	24.27	-23.016	1723	25.03	1.344	1773	25.89	5.326
1624	23.56	-1.126	1674	24.28	-20.516	1724	25.05	1.094	1774	25.90	9.826
1625	23.57	-0.501	1675	24.29	-16.391	1725	25.07	0.718	1775	25.92	11.451
1626	23.61	15.623	1676	24.33	6.358	1726	25.09	-2.157	1776	25.93	8.950
1627	23.62	17.873	1677	24.34	10.858	1727	25.11	-2.158	1777	25.95	4.950
1628	23.63	16.872	1678	24.35	11.483	1728	25.12	-1.156	1778	25.97	-4.925
1629	23.64	17.247	1679	24.37	11.233	1729	25.14	2.217	1779	25.98	-6.426
1630	23.66	11.622	1680	24.39	10.857	1730	25.19	10.466	1780	25.99	-5.301
1631	23.68	-1.753	1681	24.40	10.857	1731	25.20	12.090	1781	26.00	-5.301
1632	23.69	-5.503	1682	24.41	10.856	1732	25.22	11.840	1782	26.02	-1.801
1633	23.70	-8.254	1683	24.43	12.731	1733	25.23	11.465	1783	26.05	9.573
1634	23.71	-8.629	1684	24.44	15.356	1734	25.25	6.215	1784	26.06	10.823
1635	23.72	-6.004	1685	24.45	15.981	1735	25.26	-1.036	1785	26.07	10.198
1636	23.75	-1.130	1686	24.46	16.605	1736	25.29	-15.661	1786	26.08	9.572
1637	23.76	1.370	1687	24.47	16.355	1737	25.31	-17.912	1787	26.10	2.697
1638	23.77	2.245	1688	24.49	15.730	1738	25.32	-20.412	1788	26.11	1.197
1639	23.78	1.995	1689	24.50	13.230	1739	25.33	-19.912	1789	26.12	-0.053
1640	23.79	0.494	1690	24.52	9.479	1740	25.35	-18.913	1790	26.14	-0.679
1641	23.80	-0.756	1691	24.55	3.979	1741	25.37	-18.288	1791	26.15	0.821
1642	23.83	+16.862	1692	24.57	3.353	1742	25.40	-15.414	1792	26.18	1.696
1643	23.84	+19.132	1693	24.58	1.853	1743	25.41	-12.414	1793	26.19	1.195
1644	23.85	+18.882	1694	24.59	-1.772	1744	25.42	-7.914	1794	26.21	-0.430
1645	23.86	+19.257	1695	24.62	+10.023	1745	25.43	-1.789	1795	26.22	-3.055
1646	23.87	+16.383	1696	24.64	+16.523	1746	25.45	3.835	1796	26.23	-3.931
1647	23.88	+9.757	1697	24.65	+20.773	1747	25.47	6.585	1797	26.24	-4.306
1648	23.90	3.242	1698	24.66	+21.649	1748	25.48	10.835	1798	26.26	-2.431
1649	23.91	64117	1699	24.67	+22.024	1749	25.49	10.835	1799	26.30	1.318
1650	23.93	7.116	1700	24.68	+21.399	1750	25.50	10.584	1800	26.31	1.318

INDEX NO. 800 1305-PI-6 HORONAN BRIDGE LG. MAX.ACCEL.= -78.346(GAL) T=16.01(SEC) NO.10

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1801	26.32	1.066	1651	27.17	-6.575	1901	28.03	-0.968	1951	28.84	-0.359
1802	26.34	0.067	1652	27.18	-4.075	1902	28.07	14.907	1952	28.86	0.640
1803	26.35	0.692	1653	27.23	0.049	1903	28.09	15.656	1953	28.89	3.765
1804	26.36	0.692	1654	27.25	0.673	1904	28.09	18.656	1954	28.90	3.514
1805	26.37	2.566	1655	27.26	0.298	1905	28.10	19.656	1955	28.91	2.889
1806	26.41	14.941	1656	27.26	7.046	1906	28.12	19.905	1956	28.92	1.014
1807	26.43	16.190	1657	27.25	5.173	1907	28.16	12.529	1957	28.94	-2.486
1808	26.45	18.440	1658	27.31	-0.453	1908	28.19	10.029	1958	28.95	-5.987
1809	26.47	14.064	1659	27.33	-2.453	1909	28.21	7.029	1959	28.97	-6.237
1810	26.51	-4.936	1660	27.34	-3.453	1910	28.23	-3.972	1960	28.98	-5.612
1811	26.52	-12.187	1661	27.35	-4.329	1911	28.24	-13.472	1961	29.00	-4.738
1812	26.54	-16.562	1662	27.36	-3.704	1912	28.25	-19.222	1962	29.01	-4.738
1813	26.55	-16.312	1663	27.37	-0.329	1913	28.27	-22.347	1963	29.04	-4.364
1814	26.57	-15.938	1664	27.43	16.795	1914	28.26	-24.598	1964	29.05	-4.114
1815	26.58	-10.436	1665	27.45	19.669	1915	28.29	-25.348	1965	29.08	-4.989
1816	26.60	-2.563	1666	27.46	21.169	1916	28.30	-21.973	1966	29.10	-5.240
1817	26.61	0.061	1667	27.47	21.919	1917	28.31	-15.598	1967	29.11	-4.740
1818	26.62	1.936	1668	27.46	21.419	1918	28.34	-0.974	1968	29.13	-2.865
1819	26.63	3.186	1669	27.49	19.794	1919	28.36	5.026	1969	29.14	-0.616
1820	26.64	2.561	1670	27.50	16.418	1920	28.37	9.775	1970	29.19	8.883
1821	26.66	2.811	1671	27.55	-6.458	1921	28.38	10.150	1971	29.21	11.133
1822	26.67	3.185	1672	27.56	-8.958	1922	28.40	11.400	1972	29.23	11.633
1823	26.68	3.185	1673	27.57	-12.583	1923	28.43	10.149	1973	29.24	12.007
1824	26.69	4.435	1674	27.59	-12.834	1924	28.44	9.524	1974	29.26	11.132
1825	26.72	6.434	1675	27.60	-12.334	1925	28.46	7.399	1975	29.29	7.631
1826	26.73	6.684	1676	27.62	-10.084	1926	28.47	5.523	1976	29.32	3.256
1827	26.74	6.684	1677	27.65	-7.335	1927	28.48	2.023	1977	29.34	-0.120
1828	26.75	5.184	1678	27.66	-5.710	1928	28.50	-2.102	1978	29.36	-3.745
1829	26.78	-2.692	1679	27.66	-4.210	1929	28.52	-5.978	1979	29.38	-5.995
1830	26.80	-3.442	1680	27.69	-2.586	1930	28.53	-5.976	1980	29.40	-5.871
1831	26.81	-2.443	1681	27.72	4.039	1931	28.54	-4.978	1981	29.42	-4.996
1832	26.84	7.057	1682	27.74	10.163	1932	28.56	-3.478	1982	29.45	2.503
1833	26.85	8.932	1683	27.76	10.788	1933	28.56	2.771	1983	29.47	6.003
1834	26.86	10.606	1684	27.77	10.538	1934	28.60	3.521	1984	29.48	5.752
1835	26.87	11.056	1685	27.78	9.288	1935	28.61	4.021	1985	29.49	5.127
1836	26.88	8.681	1686	27.79	7.662	1936	28.62	2.520	1986	29.52	1.127
1837	26.92	-16.445	1687	27.82	-2.006	1937	28.63	-0.855	1987	29.54	-3.749
1838	26.94	-23.945	1688	27.83	-4.338	1938	28.65	-11.981	1988	29.55	-6.249
1839	26.96	-25.321	1689	27.84	-6.214	1939	28.67	-16.981	1989	29.56	-6.499
1840	26.97	-22.571	1690	27.85	-6.214	1940	28.68	-19.606	1990	29.57	-7.125
1841	27.02	6.428	1691	27.86	-6.464	1941	28.69	-18.981	1991	29.58	-6.249
1842	27.03	10.178	1692	27.87	-5.589	1942	28.70	-18.982	1992	29.61	-1.875
1843	27.04	14.053	1693	27.91	6.535	1943	28.71	-16.232	1993	29.64	5.999
1844	27.06	14.427	1694	27.93	12.910	1944	28.76	4.392	1994	29.66	8.874
1845	27.07	12.552	1695	27.94	14.284	1945	28.77	5.017	1995	29.67	8.874
1846	27.08	7.552	1696	27.95	13.159	1946	28.78	5.642	1996	29.68	8.874
1847	27.11	0.551	1697	27.96	10.659	1947	28.79	5.017	1997	29.69	8.873
1848	27.12	-3.699	1698	27.99	0.763	1948	28.80	3.516	1998	29.70	7.373
1849	27.14	-6.949	1699	28.00	-2.092	1949	28.82	1.266	1999	29.72	5.123
1850	27.15	-6.824	1700	28.01	-1.842	1950	28.83	0.016	2000	29.74	-5.628

INDEX NO. 800 1305-PI-8 HORONAN BRIDGE LG. MAX.ACCEL.= -78.346(GAL) T=16.01(SEC) NO.11

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2001	29.76	-10.378	2051	30.67	-1.522	2101	31.66	-11.417	2151	32.55	-4.811
2002	29.78	-12.004	2052	30.70	-5.898	2102	31.67	-12.043	2152	32.56	-3.186
2003	29.79	-11.379	2053	30.72	-5.648	2103	31.69	-12.293	2153	32.59	-0.312
2004	29.80	10.504	2054	30.74	-4.399	2104	31.70	-9.293	2154	32.62	4.313
2005	29.85	-3.255	2055	30.76	-2.274	2105	31.72	-2.419	2155	32.65	5.607
2006	29.87	-1.631	2056	30.79	0.225	2106	31.74	1.831	2156	32.66	5.437
2007	29.89	-0.631	2057	30.80	0.850	2107	31.76	2.081	2157	32.67	5.437
2008	29.90	-0.881	2058	30.83	-1.900	2108	31.78	1.580	2158	32.69	4.186
2009	29.92	-2.132	2059	30.84	-4.401	2109	31.80	-2.170	2159	32.71	2.561
2010	29.94	-4.007	2060	30.86	-5.651	2110	31.82	-5.046	2160	32.72	1.311
2011	29.96	-6.883	2061	30.87	-4.776	2111	31.84	-7.171	2161	32.74	-0.940
2012	29.97	-7.758	2062	30.88	-4.151	2112	31.87	-3.797	2162	32.75	-1.190
2013	29.98	-8.508	2063	30.91	0.848	2113	31.89	-1.047	2163	32.76	0.060
2014	29.99	-8.133	2064	30.93	1.473	2114	31.90	-0.422	2164	32.77	1.560
2015	30.00	-6.633	2065	30.95	1.472	2115	31.91	-0.423	2165	32.81	10.684
2016	30.02	-1.909	2066	30.97	2.097	2116	31.93	-0.923	2166	32.82	13.184
2017	30.05	4.991	2067	30.99	2.846	2117	31.94	-4.048	2167	32.83	12.933
2018	30.07	5.740	2068	31.01	3.971	2118	31.96	-4.049	2168	32.85	12.558
2019	30.08	5.115	2069	31.03	5.221	2119	31.97	-5.674	2169	32.88	9.183
2020	30.10	3.865	2070	31.04	5.220	2120	31.99	-4.174	2170	32.90	1.307
2021	30.12	-0.761	2071	31.05	5.345	2121	32.03	-0.425	2171	32.91	-1.443
2022	30.14	-1.886	2072	31.06	4.720	2122	32.05	0.575	2172	32.92	-3.444
2023	30.16	-2.136	2073	31.08	2.845	2123	32.08	-1.321	2173	32.94	-3.194
2024	30.17	0.238	2074	31.10	1.219	2124	32.11	-1.551	2174	32.95	-3.194
2025	30.21	7.615	2075	31.11	0.844	2125	32.13	-1.552	2175	32.96	-0.945
2026	30.22	8.237	2076	31.12	1.469	2126	32.14	0.573	2176	32.99	3.680
2027	30.23	8.237	2077	31.17	12.593	2127	32.17	5.572	2177	33.01	5.554
2028	30.25	6.987	2078	31.18	13.967	2128	32.16	6.322	2178	33.03	7.304
2029	30.26	2.612	2079	31.19	13.967	2129	32.19	6.697	2179	33.05	7.553
2030	30.29	-4.389	2080	31.21	12.092	2130	32.21	5.446	2180	33.07	5.428
2031	30.30	-6.264	2081	31.23	6.091	2131	32.25	1.945	2181	33.08	3.803
2032	30.32	-6.640	2082	31.26	0.466	2132	32.26	1.070	2182	33.10	0.052
2033	30.34	-6.265	2083	31.27	-1.410	2133	32.29	2.819	2183	33.12	-2.823
2034	30.35	-5.015	2084	31.28	-0.660	2134	32.31	4.444	2184	33.14	-4.073
2035	30.40	2.484	2085	31.29	-1.660	2135	32.33	4.694	2185	33.15	-4.074
2036	30.42	4.358	2086	31.31	0.840	2136	32.34	4.693	2186	33.16	-4.449
2037	30.44	4.983	2087	31.35	5.589	2137	32.36	3.193	2187	33.17	-3.824
2038	30.45	4.983	2088	31.38	7.638	2138	32.37	4.182	2188	33.19	-1.324
2039	30.46	4.107	2089	31.40	8.213	2139	32.38	4.182	2189	33.21	3.425
2040	30.47	3.107	2090	31.41	7.338	2140	32.39	4.683	2190	33.23	4.300
2041	30.49	-0.018	2091	31.43	4.837	2141	32.42	8.817	2191	33.25	3.424
2042	30.52	-6.269	2092	31.47	-3.164	2142	32.43	10.066	2192	33.27	1.549
2043	30.54	-8.769	2093	31.50	-5.664	2143	32.44	10.942	2193	33.29	-1.951
2044	30.56	-9.020	2094	31.52	-6.540	2144	32.45	10.941	2194	33.31	-2.577
2045	30.57	-9.395	2095	31.54	-6.290	2145	32.46	9.191	2195	33.32	-2.327
2046	30.58	-8.895	2096	31.57	-4.165	2146	32.49	2.315	2196	33.34	-0.452
2047	30.61	-0.398	2097	31.59	-1.916	2147	32.51	-2.185	2197	33.35	-0.077
2048	30.63	0.604	2098	31.61	-1.292	2148	32.52	-4.433	2198	33.37	1.172
2049	30.64	1.229	2099	31.63	-2.792	2149	32.53	-5.683	2199	33.38	0.922
2050	30.65	-0.022	2100	31.65	-7.167	2150	32.54	-5.688	2200	33.39	0.297

INDEX NO. 800 1305-PI-8 HORONAN BRIDGE LG. MAX.ACCEL.= -78.346(GAL) T=16.01(SEC) NO.12

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2201	33.42	-0.704	2251	34.31	14.528	2301	35.15	-1.114	2351	35.96	-4.256
2202	33.43	-0.079	2252	34.32	13.653	2302	35.17	2.536	2352	35.97	-4.256
2203	33.44	-0.454	2253	34.33	10.526	2303	35.18	4.865	2353	35.98	-3.631
2204	33.47	8.170	2254	34.36	1.902	2304	35.19	6.010	2354	35.99	-2.631
2205	33.49	10.295	2255	34.37	-2.598	2305	35.20	6.260	2355	36.01	2.368
2206	33.50	10.670	2256	34.39	-4.724	2306	35.21	5.385	2356	36.03	4.243
2207	33.51	10.669	2257	34.40	-5.099	2307	35.23	4.759	2357	36.04	5.243
2208	33.52	8.544	2258	34.41	-4.474	2308	35.24	1.884	2358	36.05	4.868
2209	33.54	4.794	2259	34.42	-3.599	2309	35.26	0.259	2359	36.07	3.992
2210	33.57	-6.582	2260	34.43	-2.974	2310	35.27	-0.742	2360	36.08	0.867
2211	33.58	-9.457	2261	34.45	1.775	2311	35.29	-0.742	2361	36.10	0.492
2212	33.60	-10.457	2262	34.47	2.650	2312	35.31	1.133	2362	36.11	0.492
2213	33.61	-10.583	2263	34.50	4.274	2313	35.33	2.632	2363	36.12	0.241
2214	33.63	-7.958	2264	34.52	5.524	2314	35.34	2.382	2364	36.15	0.491
2215	33.66	-2.459	2265	34.53	6.273	2315	35.35	2.382	2365	36.16	-0.135
2216	33.67	-1.084	2266	34.55	7.773	2316	35.37	0.882	2366	36.17	-1.635
2217	33.68	-0.709	2267	34.56	7.523	2317	35.39	-1.369	2367	36.20	-5.760
2218	33.70	-0.710	2268	34.57	6.023	2318	35.41	-1.369	2368	36.21	-7.011
2219	33.74	-3.210	2269	34.59	3.148	2319	35.43	-1.370	2369	36.22	-7.261
2220	33.76	-2.336	2270	34.60	-0.228	2320	35.45	0.755	2370	36.24	-7.011
2221	33.78	0.539	2271	34.61	-6.478	2321	35.47	5.504	2371	36.26	-5.512
2222	33.79	1.414	2272	34.63	-6.978	2322	35.49	6.504	2372	36.29	-2.262
2223	33.80	1.786	2273	34.64	-6.228	2323	35.51	6.879	2373	36.30	-1.138
2224	33.81	1.788	2274	34.65	-8.729	2324	35.52	6.253	2374	36.31	-1.138
2225	33.82	0.538	2275	34.67	-8.979	2325	35.53	5.328	2375	36.32	-1.388
2226	33.84	-0.587	2276	34.69	-6.230	2326	35.54	3.753	2376	36.34	-2.013
2227	33.85	-3.213	2277	34.72	-3.980	2327	35.58	-1.246	2377	36.35	-3.889
2228	33.87	-4.463	2278	34.73	-3.605	2326	35.59	-1.498	2378	36.37	-4.764
2229	33.88	-4.213	2279	34.75	-3.356	2329	35.60	-1.373	2379	36.38	-4.514
2230	33.90	-3.839	2280	34.76	-4.606	2330	35.62	-1.374	2380	36.39	-5.139
2231	33.94	-1.715	2281	34.79	-5.232	2331	35.63	-1.124	2381	36.41	0.485
2232	33.97	-1.090	2282	34.80	-4.982	2332	35.65	-0.749	2382	36.44	8.984
2233	33.99	-0.465	2283	34.81	-4.357	2333	35.66	-0.750	2383	36.45	10.859
2234	34.00	0.159	2284	34.84	-0.733	2334	35.67	-1.000	2384	36.46	12.109
2235	34.02	4.534	2285	34.85	0.767	2335	35.69	-2.000	2385	36.47	12.109
2236	34.05	9.033	2286	34.86	0.517	2336	35.71	-3.876	2386	36.48	11.234
2237	34.06	10.408	2287	34.88	0.766	2337	35.73	-3.251	2387	36.49	9.733
2238	34.07	10.033	2288	34.91	1.141	2338	35.75	-3.501	2388	36.50	6.608
2239	34.09	8.533	2289	34.92	1.390	2339	35.77	-3.877	2389	36.53	-2.017
2240	34.12	0.032	2290	34.94	2.390	2340	35.79	-4.502	2390	36.54	-2.892
2241	34.13	-2.218	2291	34.96	3.265	2341	35.81	-5.128	2391	36.55	-3.893
2242	34.14	-2.594	2292	34.97	4.265	2342	35.82	-4.753	2392	36.56	-4.768
2243	34.15	-2.594	2293	35.00	1.764	2343	35.83	-4.503	2393	36.57	-4.268
2244	34.16	-2.344	2294	35.95	-6.987	2344	35.85	-1.753	2394	36.58	-1.768
2245	34.18	-1.719	2295	35.36	-6.487	2345	35.87	3.621	2395	36.61	1.981
2246	34.23	8.405	2296	35.07	-8.862	2346	35.89	5.121	2396	36.62	4.231
2247	34.27	11.904	2297	35.09	-8.613	2347	35.90	5.121	2397	36.63	4.856
2248	34.28	14.529	2298	35.11	-6.736	2348	35.91	4.621	2398	36.64	5.855
2249	34.29	14.778	2299	35.12	-5.489	2349	35.92	2.120	2399	36.66	6.480
2250	34.30	14.778	2300	35.13	-3.864	2350	35.95	-3.255	2400	36.70	6.479

INDEX NO. 800 1305-PI-8 HORONAN BRIDGE LG. MAX.ACCEL.= -78.346(GAL) T=16.01(SEC) NO.13

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2401	36.72	7.104	2451	37.46	-12.162	2501	38.36	-3.305	2551	40.11	5.803
2402	36.73	8.729	2452	37.47	-12.162	2502	38.37	-3.930	2552	40.12	8.678
2403	36.74	10.228	2453	37.49	-8.537	2503	38.38	-4.305	2553	40.13	9.302
2404	36.75	9.728	2454	37.53	0.712	2504	38.40	-3.931	2554	40.14	9.552
2405	36.76	9.978	2455	37.54	2.587	2505	38.42	-2.681	2555	40.16	7.802
2406	36.77	9.726	2456	37.55	2.962	2506	38.48	1.318	2556	40.21	-7.949
2407	36.78	8.728	2457	37.56	2.712	2507	38.51	1.942	2557	40.22	-7.699
2408	36.81	-0.273	2458	37.58	2.086	2508	38.52	1.942	2558	40.23	-8.325
2409	36.82	-4.148	2459	37.60	0.211	2509	38.53	2.317	2559	40.24	-7.450
2410	36.83	-4.773	2460	37.61	-0.790	2510	38.55	1.691	2560	40.27	-1.450
2411	36.84	-4.774	2461	37.63	-0.790	2511	38.57	-2.684	2561	40.28	0.799
2412	36.86	-4.524	2462	37.64	-0.540	2512	38.59	-4.560	2562	40.30	1.674
2413	36.87	-1.774	2463	37.67	0.459	2513	38.61	-6.435	2563	40.31	2.049
2414	36.89	8.350	2464	37.69	1.709	2514	38.63	-7.685	2564	40.32	1.674
2415	36.91	10.850	2465	37.70	1.459	2515	38.64	-7.935	2565	40.35	-0.577
2416	36.92	10.850	2466	37.71	1.459	2516	38.65	-7.686	2566	40.36	-1.702
2417	36.93	11.850	2467	37.72	0.458	2517	38.67	-7.061	2567	40.37	-1.452
2418	36.94	10.599	2468	37.74	-2.667	2518	38.69	-4.312	2568	40.38	-1.702
2419	36.98	-9.527	2469	37.76	-5.167	2519	38.71	-0.187	2569	40.39	-0.828
2420	36.99	-14.902	2470	37.77	-6.168	2520	38.74	3.563	2570	40.42	0.672
2421	37.00	-15.652	2471	37.78	-6.168	2521	38.76	5.437	2571	40.44	1.296
2422	37.01	-15.902	2472	37.79	-3.918	2522	38.77	5.812	2572	40.45	1.671
2423	37.02	-15.902	2473	37.83	6.706	2523	38.78	5.312	2573	40.48	0.796
2424	37.03	-15.027	2474	37.85	12.706	2524	38.80	3.686	2574	40.50	0.670
2425	37.09	12.096	2475	37.86	13.331	2525	38.82	-2.689	2575	40.51	1.295
2426	37.10	15.346	2476	37.87	14.080	2526	38.83	-5.814	2576	40.54	2.044
2427	37.11	15.471	2477	37.88	13.830	2527	38.84	-6.690	2577	40.55	2.294
2428	37.12	15.096	2478	37.89	10.705	2528	38.86	-7.065	2578	40.57	1.669
2429	37.13	13.220	2479	37.93	-2.921	2529	38.87	-5.815	2579	40.59	1.043
2430	37.18	-0.905	2480	37.94	-6.046	2530	38.89	-0.816	2580	40.61	0.418
2431	37.19	-2.906	2481	37.95	-7.047	2531	38.92	6.184	2581	40.63	-1.083
2432	37.20	-4.156	2482	37.96	-7.921	2532	38.93	8.308	2582	40.66	-0.208
2433	37.21	-4.781	2483	37.97	-8.047	2533	38.95	8.683	2583	40.70	-0.209
2434	37.22	-4.781	2484	37.98	-7.047	2534	38.96	8.683	2584	40.72	-0.834
2435	37.23	-2.657	2485	38.01	-4.298	2535	38.97	7.183	2585	40.74	0.040
2436	37.25	-1.157	2486	38.02	-4.548	2536	39.00	3.057	2586	40.75	1.290
2437	37.28	8.342	2487	38.03	-3.673	2537	39.03	2.432	2587	40.77	1.040
2438	37.29	9.342	2488	38.05	-2.423	2538	39.88	2.057	2588	40.78	1.914
2439	37.30	10.217	2489	38.06	-3.049	2539	39.90	1.307	2589	40.80	0.414
2440	37.31	10.842	2490	38.09	-3.049	2540	39.91	0.807	2590	40.82	-1.086
2441	37.32	10.592	2491	38.12	-3.050	2541	39.93	0.807	2591	40.83	-1.711
2442	37.33	9.966	2492	38.14	-3.300	2542	39.95	1.308	2592	40.84	-2.962
2443	37.34	8.466	2493	38.21	-2.052	2543	39.96	2.556	2593	40.85	-3.337
2444	37.36	4.966	2494	38.22	-0.802	2544	39.98	2.930	2594	40.86	-2.712
2445	37.38	-2.910	2495	38.26	5.822	2545	39.99	0.430	2595	40.87	-0.838
2446	37.40	-7.035	2496	38.27	6.322	2546	40.02	-3.945	2596	40.90	1.662
2447	37.41	-9.910	2497	38.28	9.322	2547	40.03	-6.446	2597	40.92	4.412
2448	37.43	-12.161	2498	38.29	6.697	2548	40.04	-6.696	2598	40.93	5.786
2449	37.44	-13.161	2499	38.31	7.446	2549	40.06	-7.071	2599	40.95	5.786
2450	37.45	-12.786	2500	38.34	-1.804	2550	40.08	-4.947	2600	40.97	5.911

INDEX NO. 800 1305-P1-8 HOROKAN BRIDGE LG. MAX.ACCEL.= -78.346(GAL) T=16.01(SEC) NO.14

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2601	41.04	4.909	2651	42.01	3.515	2701	43.02	-0.881	2751	44.11	-2.402
2602	41.05	4.034	2652	42.03	3.764	2702	43.03	-0.006	2752	44.12	-2.403
2603	41.06	2.784	2653	42.04	2.264	2703	43.06	2.244	2753	44.13	-2.778
2604	41.08	1.533	2654	42.07	-0.486	2704	43.07	4.118	2754	44.15	-2.529
2605	41.11	-2.967	2655	42.08	-2.362	2705	43.09	5.243	2755	44.19	-1.904
2606	41.12	-2.967	2656	42.10	-3.612	2706	43.10	4.868	2756	44.23	-1.530
2607	41.13	-3.343	2657	42.11	-3.612	2707	43.11	3.992	2757	44.25	-0.905
2608	41.14	-2.466	2658	42.12	-3.113	2708	43.13	2.117	2758	44.28	-2.156
2609	41.17	1.656	2659	42.15	1.012	2709	43.16	-0.758	2759	44.31	-3.032
2610	41.19	2.906	2660	42.16	3.136	2710	43.16	-2.134	2760	44.32	-3.407
2611	41.21	3.156	2661	42.19	3.136	2711	43.20	-2.509	2761	44.34	-2.782
2612	41.23	0.405	2662	42.20	2.886	2712	43.21	-1.509	2762	44.37	2.217
2613	41.26	-6.095	2663	42.21	0.386	2713	43.24	-0.260	2763	44.40	2.217
2614	41.27	-7.970	2664	42.24	-2.115	2714	43.28	1.864	2764	44.41	2.216
2615	41.28	-9.971	2665	42.26	-3.990	2715	43.31	2.489	2765	44.44	0.341
2616	41.29	-9.721	2666	42.27	-5.240	2716	43.34	2.863	2766	44.45	-1.159
2617	41.30	-8.471	2667	42.28	-4.366	2717	43.37	3.487	2767	44.46	-1.160
2618	41.32	-5.096	2668	42.31	-1.491	2718	43.38	2.237	2768	44.47	-1.535
2619	41.35	3.153	2669	42.33	2.603	2719	43.39	1.987	2769	44.48	-1.285
2620	41.37	5.776	2670	42.35	3.508	2720	43.42	0.361	2770	44.49	0.340
2621	41.38	6.777	2671	42.37	3.683	2721	43.44	-2.389	2771	44.53	3.464
2622	41.40	7.402	2672	42.39	2.507	2722	43.46	-3.015	2772	44.55	4.716
2623	41.42	5.902	2673	42.42	-0.244	2723	43.48	-2.140	2773	44.57	2.838
2624	41.43	4.026	2674	42.45	-0.869	2724	43.51	0.609	2774	44.60	0.713
2625	41.46	0.526	2675	42.46	-1.119	2725	43.54	2.484	2775	44.62	-0.538
2626	41.49	-1.600	2676	42.51	1.005	2726	43.56	2.858	2776	44.63	-0.538
2627	41.51	-2.100	2677	42.58	5.878	2727	43.58	2.858	2777	44.65	-0.288
2628	41.55	-2.351	2678	42.60	7.003	2728	43.61	2.233	2778	44.73	2.210
2629	41.58	-2.727	2679	42.61	7.002	2729	43.64	0.357	2779	44.77	2.459
2630	41.60	-1.477	2680	42.62	5.503	2730	43.66	-0.519	2780	44.79	2.209
2631	41.62	0.023	2681	42.63	3.377	2731	43.68	-0.894	2781	44.80	1.958
2632	41.65	3.772	2682	42.67	-6.499	2732	43.69	-0.644	2782	44.81	0.708
2633	41.66	5.396	2683	42.69	-8.374	2733	43.71	-0.645	2783	44.84	-2.167
2634	41.68	5.396	2684	42.70	-8.624	2734	43.74	-0.270	2784	44.85	-4.667
2635	41.70	3.771	2685	42.72	-7.750	2735	43.75	0.355	2785	44.87	-5.293
2636	41.72	0.146	2686	42.74	-3.750	2736	43.77	-0.271	2786	44.88	-6.543
2637	41.74	-2.105	2687	42.78	2.249	2737	43.79	-1.146	2787	44.89	-5.918
2638	41.76	-2.980	2688	42.79	3.499	2738	43.80	-2.146	2788	44.90	-5.293
2639	41.78	-2.731	2689	42.80	4.124	2739	43.82	-2.147	2789	44.93	-2.169
2640	41.83	-1.232	2690	42.81	3.499	2740	43.83	-2.397	2790	44.95	-0.669
2641	41.85	-1.732	2691	42.84	0.623	2741	43.85	-1.272	2791	44.96	0.330
2642	41.86	-2.357	2692	42.87	-0.503	2742	43.89	0.977	2792	44.98	0.580
2643	41.87	-3.358	2693	42.88	-1.753	2743	43.92	0.601	2793	45.00	0.080
2644	41.89	-4.658	2694	42.89	-0.620	2744	43.95	0.351	2794	45.01	-0.921
2645	41.90	-6.483	2695	42.92	1.621	2745	43.97	0.350	2795	45.02	-1.546
2646	41.91	-6.483	2696	42.94	2.496	2746	44.00	1.850	2796	45.05	-1.547
2647	41.93	-7.609	2697	42.96	3.121	2747	44.04	3.649	2797	45.09	-1.547
2648	41.94	-6.609	2698	42.97	2.620	2748	44.05	4.099	2798	45.10	-1.548
2649	41.95	-4.484	2699	42.99	1.370	2749	44.07	3.098	2799	45.11	-2.173
2650	41.99	0.390	2700	43.01	-0.255	2750	44.09	0.098	2800	45.14	-3.673

INDEX NO. 800 1305-P1-8 HOROKAN BRIDGE LG. MAX.ACCEL.= -78.346(GAL) T=16.01(SEC) NO.15

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2801	45.16	-4.424	2851	46.43	-1.574	2901	47.55	-1.597	2951	48.69	-0.370
2802	45.17	-4.674	2852	46.44	-2.199	2902	47.57	-0.972	2952	48.72	-1.620
2803	45.18	-4.674	2853	46.46	-2.200	2903	47.60	1.527	2953	48.75	-3.496
2804	45.19	-4.674	2854	46.49	0.550	2904	47.63	2.777	2954	48.78	-3.246
2805	45.20	-4.049	2855	46.52	3.424	2905	47.64	3.026	2955	48.81	-2.622
2806	45.23	-1.550	2856	46.53	3.424	2906	47.65	3.026	2956	48.82	-2.247
2807	45.25	-0.676	2857	46.55	3.673	2907	47.67	1.901	2957	48.84	-0.123
2808	45.27	-0.926	2858	46.56	3.423	2908	47.70	-0.600	2958	48.88	5.376
2809	45.29	-0.301	2859	46.58	1.923	2909	47.72	-1.850	2959	48.90	5.751
2810	45.32	-2.177	2860	46.60	-0.578	2910	47.73	-2.050	2960	48.91	5.751
2811	45.34	-3.427	2861	46.62	-2.203	2911	47.74	-2.601	2961	48.93	4.501
2812	45.37	-3.178	2862	46.63	-2.828	2912	47.76	-1.976	2962	48.95	1.375
2813	45.39	-2.176	2863	46.64	-3.453	2913	47.79	-0.352	2963	48.97	1.000
2814	45.42	-0.679	2864	46.70	-3.455	2914	47.81	0.273	2964	48.98	1.000
2815	45.44	-0.304	2865	46.73	-3.455	2915	47.82	0.023	2965	49.01	0.749
2816	45.47	-0.305	2866	46.74	-3.205	2916	47.87	-1.853	2966	49.04	0.998
2817	45.50	-0.055	2867	46.78	0.544	2917	47.89	-1.854	2967	49.05	0.998
2818	45.52	0.319	2868	46.79	0.919	2918	47.94	-1.605	2968	49.06	0.748
2819	45.55	-0.557	2869	46.82	0.668	2919	47.96	-1.605	2969	49.08	-0.502
2820	45.59	-1.182	2870	46.84	-0.707	2920	47.98	-1.605	2970	49.09	-1.753
2821	45.61	-2.808	2871	46.86	-1.583	2921	48.00	-0.356	2971	49.10	-2.878
2822	45.63	-2.808	2872	46.87	-1.333	2922	48.04	4.643	2972	49.12	-3.128
2823	45.64	-2.558	2873	46.89	0.291	2923	48.06	4.893	2973	49.13	-3.253
2824	45.66	-2.809	2874	47.00	6.039	2924	48.08	4.893	2974	49.18	-0.130
2825	45.74	-1.560	2875	47.02	7.289	2925	48.10	3.142	2975	49.20	-0.380
2826	45.83	-0.687	2876	47.04	7.913	2926	48.14	1.891	2976	49.21	-1.005
2827	45.87	0.562	2877	47.06	7.288	2927	48.16	1.891	2977	49.24	-1.881
2828	45.89	0.312	2878	47.07	6.413	2928	48.18	2.141	2978	49.26	-2.256
2829	45.91	0.061	2879	47.09	3.537	2929	48.22	3.015	2979	49.27	-2.256
2830	45.93	-0.564	2880	47.11	-1.463	2930	48.24	3.015	2980	49.31	-0.757
2831	45.95	-0.940	2881	47.13	-2.213	2931	48.28	2.764	2981	49.33	-0.133
2832	45.97	-1.315	2882	47.14	-2.464	2932	48.31	1.513	2982	49.36	-0.133
2833	45.99	-3.065	2883	47.15	-2.839	2933	48.35	0.262	2983	49.40	-0.384
2834	46.00	-3.190	2884	47.17	-1.964	2934	48.37	0.012	2984	49.45	-1.885
2835	46.01	-2.816	2885	47.20	1.785	2935	48.38	-1.238	2985	49.47	-1.636
2836	46.02	-1.566	2886	47.22	4.035	2936	48.39	-1.614	2986	49.48	-2.260
2837	46.05	1.559	2887	47.24	2.784	2937	48.41	-0.989	2987	49.50	-2.511
2838	46.07	3.433	2888	47.27	0.909	2938	48.45	-0.115	2988	49.51	-3.761
2839	46.09	3.683	2889	47.30	-0.092	2939	48.47	0.010	2989	49.52	-4.136
2840	46.16	3.682	2890	47.32	-0.592	2940	48.48	0.260	2990	49.54	-4.137
2841	46.12	0.932	2891	47.35	-1.218	2941	48.51	-1.241	2991	49.57	-1.637
2842	46.15	-2.444	2892	47.39	-0.968	2942	48.52	-1.991	2992	49.60	1.737
2843	46.17	-4.069	2893	47.41	-0.969	2943	48.54	-2.617	2993	49.63	3.736
2844	46.18	-4.944	2894	47.42	-0.344	2944	48.55	-2.242	2994	49.64	3.361
2845	46.20	-4.070	2895	47.44	0.281	2945	48.56	-1.992	2995	49.66	3.361
2846	46.24	-0.695	2896	47.47	0.905	2946	48.61	0.507	2996	49.71	2.110
2847	46.27	0.304	2897	47.48	0.280	2947	48.63	2.131	2997	49.74	1.734
2848	46.30	0.553	2898	47.50	-0.971	2948	48.64	2.756	2998	49.80	1.233
2849	46.36	1.552	2899	47.52	-1.596	2949	48.65	2.131	2999	49.85	2.107
2850	46.40	0.301	2900	47.54	-2.471	2950	48.67	1.506	3000	49.88	1.731

INDEX NO. 800 1305-PI-8 HOROHAN BRIDGE LG. MAX.ACCEL.= -76.346(GAL) T=16.01(SEC) NO.16

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3001	49.90	1.731	3051	50.88	-2.914	3101	52.60	-1.936	3151	53.42	1.410
3002	49.92	2.106	3052	50.90	-2.209	3102	52.62	-1.437	3152	53.45	3.235
3003	49.95	2.730	3053	50.93	0.210	3103	52.66	1.687	3153	53.46	3.284
3004	49.97	2.730	3054	50.95	1.210	3104	52.66	2.937	3154	53.48	3.534
3005	49.99	2.479	3055	50.97	2.335	3105	52.10	3.562	3155	53.49	3.034
3006	50.01	1.479	3056	50.98	2.334	3106	52.11	3.312	3156	53.51	0.784
3007	50.03	0.603	3057	51.00	1.709	3107	52.12	2.687	3157	53.53	-0.467
3008	50.06	0.220	3058	51.11	-1.668	3108	52.14	1.186	3158	53.55	-1.343
3009	50.11	-0.398	3059	51.13	-2.294	3109	52.17	-2.690	3159	53.57	-0.468
3010	50.13	-1.899	3060	51.15	-2.044	3110	52.18	-3.315	3160	53.60	0.782
3011	50.16	-2.274	3061	51.17	-0.794	3111	52.19	-3.615	3161	53.63	3.906
3012	50.17	-3.524	3062	51.21	2.000	3112	52.20	-3.565	3162	53.65	4.201
3013	50.18	-3.525	3063	51.22	2.954	3113	52.24	-2.316	3163	53.67	3.905
3014	50.20	-1.650	3064	51.23	2.704	3114	52.27	-0.442	3164	53.72	1.404
3015	50.24	1.099	3065	51.24	2.079	3115	52.29	-0.442	3165	53.75	0.529
3016	50.25	2.349	3066	51.29	-1.922	3116	52.32	-1.068	3166	53.78	-1.472
3017	50.27	3.349	3067	51.30	-3.547	3117	52.40	-0.696	3167	53.80	-0.847
3018	50.30	2.098	3068	51.31	-3.297	3118	52.47	0.429	3168	53.81	0.152
3019	50.33	0.597	3069	51.33	-2.923	3119	52.52	1.178	3169	53.85	2.027
3020	50.34	-0.028	3070	51.37	-1.424	3120	52.58	0.802	3170	53.86	3.276
3021	50.35	-0.028	3071	51.41	-0.424	3121	52.60	0.177	3171	53.88	3.526
3022	50.37	1.096	3072	51.46	-0.425	3122	52.63	-1.324	3172	53.89	3.901
3023	50.39	2.096	3073	51.48	0.199	3123	52.67	-2.950	3173	53.91	2.400
3024	50.41	2.096	3074	51.51	0.449	3124	52.70	-3.200	3174	53.92	2.025
3025	50.42	2.095	3075	51.52	0.198	3125	52.74	-2.951	3175	53.95	-0.475
3026	50.43	2.095	3076	51.53	-1.052	3126	52.78	-1.077	3176	53.97	-1.976
3027	50.45	1.470	3077	51.54	-1.677	3127	52.81	-0.202	3177	53.98	-1.476
3028	50.48	0.220	3078	51.56	-2.927	3128	52.83	-0.203	3178	54.00	-0.227
3029	50.49	-0.031	3079	51.57	-4.177	3129	52.86	-0.079	3179	54.05	1.398
3030	50.51	0.219	3080	51.58	-4.178	3130	52.89	1.046	3180	54.07	1.772
3031	50.54	1.468	3081	51.59	-4.803	3131	52.91	2.420	3181	54.08	1.772
3032	50.55	1.468	3082	51.61	-3.553	3132	52.93	2.670	3182	54.10	1.772
3033	50.56	2.093	3083	51.64	-1.429	3133	52.95	1.419	3183	54.12	1.396
3034	50.57	1.842	3084	51.66	-0.429	3134	52.98	-0.081	3184	54.21	-0.231
3035	50.59	1.467	3085	51.68	0.195	3135	53.03	-0.707	3185	54.34	-0.858
3036	50.60	0.217	3086	51.71	-0.681	3136	53.06	-0.708	3186	54.41	-1.360
3037	50.62	-1.658	3087	51.75	-0.681	3137	53.10	-0.458	3187	54.45	-2.360
3038	50.63	-2.534	3088	51.77	-0.681	3138	53.12	0.166	3188	54.48	-1.986
3039	50.64	-3.284	3089	51.78	-1.682	3139	53.15	1.041	3189	54.51	-1.487
3040	50.65	-4.159	3090	51.80	-2.932	3140	53.18	2.665	3190	54.56	-0.488
3041	50.67	-3.784	3091	51.82	-2.933	3141	53.19	2.915	3191	54.58	1.012
3042	50.68	-3.535	3092	51.83	-2.933	3142	53.21	3.039	3192	54.60	1.011
3043	50.70	-2.035	3093	51.85	-2.058	3143	53.22	3.039	3193	54.61	1.011
3044	50.75	0.839	3094	51.89	1.441	3144	53.24	2.414	3194	54.63	0.761
3045	50.77	1.389	3095	51.91	1.815	3145	53.26	1.164	3195	54.68	-0.865
3046	50.79	2.068	3096	51.92	1.815	3146	53.29	-1.337	3196	54.69	-0.740
3047	50.81	1.838	3097	51.93	1.440	3147	53.32	-2.338	3197	54.72	-0.241
3048	50.82	0.636	3098	51.95	0.190	3148	53.33	-2.963	3198	54.78	1.008
3049	50.84	-1.288	3099	51.97	-1.936	3149	53.35	-2.088	3199	54.79	2.008
3050	50.87	-2.913	3100	51.99	-1.936	3150	53.38	-0.839	3200	54.81	2.007

INDEX NO. 800 1305-PI-6 HOROHAN BRIDGE LG. MAX.ACCEL.= -78.346(GAL) T=16.01(SEC) NO.17

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3201	54.82	1.132	3251	56.00	-2.017	3301	57.50	0.703	3351	59.00	2.298
3202	54.86	0.756	3252	56.01	-1.767	3302	57.54	-0.548	3352	59.02	1.298
3203	54.89	-0.494	3253	56.04	-0.892	3303	57.56	-1.173	3353	59.05	1.547
3204	54.98	+1.371	3254	56.06	0.732	3304	57.56	-1.173	3354	59.07	1.922
3205	55.09	-0.873	3255	56.09	1.357	3305	57.62	0.951	3355	59.08	1.921
3206	55.12	+1.499	3256	56.15	1.355	3306	57.66	1.325	3356	59.09	1.671
3207	55.13	+0.874	3257	56.19	1.105	3307	57.68	1.325	3357	59.11	0.921
3208	55.14	-0.874	3258	56.23	1.104	3308	57.71	0.699	3358	59.14	0.045
3209	55.18	+0.500	3259	56.24	0.729	3309	57.74	-0.926	3359	59.16	-0.580
3210	55.19	-0.250	3260	56.25	0.478	3310	57.76	+0.927	3360	59.18	+0.284
3211	55.21	-0.501	3261	56.28	-1.147	3311	57.77	-0.302	3361	59.25	1.543
3212	55.23	-0.876	3262	56.29	-0.522	3312	57.82	1.947	3362	59.30	2.542
3213	55.24	-1.501	3263	56.31	+0.523	3313	57.84	2.321	3363	59.33	2.791
3214	55.26	-1.127	3264	56.35	0.727	3314	57.86	2.321	3364	59.36	2.791
3215	55.27	+0.877	3265	56.37	0.726	3315	57.90	1.070	3365	59.38	0.665
3216	55.30	0.997	3266	56.41	0.350	3316	57.93	0.695	3366	59.42	0.040
3217	55.33	2.247	3267	56.42	0.350	3317	57.95	+0.806	3367	59.43	+0.836
3218	55.34	2.247	3268	56.52	1.973	3318	57.97	+0.806	3368	59.46	+0.961
3219	55.35	1.371	3269	56.56	1.722	3319	57.98	+0.356	3369	59.50	0.663
3220	55.37	0.496	3270	56.60	1.096	3320	58.08	0.941	3370	59.53	0.912
3221	55.38	0.121	3271	56.62	1.346	3321	58.13	0.940	3371	59.55	0.912
3222	55.39	+0.755	3272	56.64	1.345	3322	58.26	1.938	3372	59.58	0.036
3223	55.41	+1.380	3273	56.66	1.345	3323	58.28	1.687	3373	59.64	-1.215
3224	55.43	+1.380	3274	56.67	1.095	3324	58.30	0.687	3374	59.67	-0.965
3225	55.45	+0.256	3275	56.71	2.594	3325	58.33	0.061	3375	59.69	-1.216
3226	55.48	1.369	3276	56.73	2.844	3326	58.35	+0.814	3376	59.72	+0.591
3227	55.49	1.619	3277	56.75	2.968	3327	58.36	+2.064	3377	59.79	1.532
3228	55.51	1.743	3278	56.76	2.593	3328	58.39	+0.940	3378	59.83	1.656
3229	55.52	1.118	3279	56.78	1.093	3329	58.43	0.309	3379	59.84	1.656
3230	55.54	0.493	3280	56.79	+0.158	3330	58.46	0.684	3380	59.86	2.156
3231	55.57	+1.758	3281	56.82	-2.033	3331	58.48	0.684	3381	59.94	0.654
3232	55.59	+3.256	3282	56.86	+0.284	3332	58.50	0.433	3382	60.04	-0.348
3233	55.60	+3.009	3283	56.91	1.590	3333	58.52	+0.817	3383	60.08	+0.599
3234	55.62	+1.509	3284	56.94	2.215	3334	58.53	-1.192	3384	60.14	0.650
3235	55.66	1.115	3285	56.95	1.714	3335	58.55	-1.193	3385	60.16	0.650
3236	55.68	1.365	3286	56.97	1.339	3336	58.57	-0.943	3386	60.18	0.399
3237	55.69	2.240	3287	56.99	1.338	3337	58.61	0.056	3387	60.26	0.273
3238	55.70	2.614	3288	57.02	1.588	3338	58.65	1.930	3388	60.28	0.022
3239	55.73	1.739	3289	57.04	1.962	3339	58.66	2.805	3389	60.29	-0.022
3240	55.76	0.488	3290	57.05	2.587	3340	58.68	2.805	3390	60.33	+0.604
3241	55.78	-1.137	3291	57.07	0.712	3341	58.70	2.304	3391	60.36	-1.479
3242	55.80	-1.763	3292	57.10	-1.539	3342	58.72	1.929	3392	60.38	+0.605
3243	55.82	-2.013	3293	57.12	-2.414	3343	58.75	1.053	3393	60.41	+0.355
3244	55.83	-1.513	3294	57.15	0.085	3344	58.79	0.677	3394	60.42	-0.855
3245	55.87	0.361	3295	57.18	0.084	3345	58.83	1.551	3395	60.44	-1.231
3246	55.91	1.985	3296	57.20	0.084	3346	58.87	1.550	3396	60.46	-1.856
3247	55.92	1.735	3297	57.32	0.082	3347	58.89	0.675	3397	60.47	-1.857
3248	55.94	1.110	3298	57.33	0.082	3348	58.91	1.550	3398	60.50	-0.607
3249	55.97	+0.516	3299	57.42	0.330	3349	58.95	2.549	3399	60.54	1.267
3250	55.99	-2.016	3300	57.48	1.954	3350	58.98	2.298	3400	60.56	1.266

土木構造物における加速度強震記録（No.9）

INDEX NO. 800 1305-PI-8 HOROMAN BRIDGE LG. MAX.ACCEL.= -78.346(GAL) T=16.01(SEC) NO.18

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3401	60.58	1.266	3451	62.62	0.975	3501	64.49	3.438	3551	66.63	1.270
3402	60.62	0.640	3452	62.70	1.849	3502	64.51	3.437	3552	66.71	1.268
3403	60.66	0.669	3453	62.76	0.598	3503	64.64	1.184	3553	66.77	1.267
3404	60.72	2.514	3454	62.79	-0.026	3504	64.67	0.934	3554	66.83	2.140
3405	60.75	2.263	3455	62.81	-0.029	3505	64.69	1.184	3555	66.84	1.891
3406	60.79	1.637	3456	62.84	-0.029	3506	64.73	2.433	3556	66.87	1.890
3407	60.81	1.012	3457	62.89	1.470	3507	64.77	3.932	3557	66.89	0.639
3408	60.82	1.011	3458	62.91	1.469	3508	64.79	3.432	3558	66.90	0.014
3409	60.83	1.261	3459	62.93	1.219	3509	64.83	2.181	3559	66.91	0.639
3410	60.86	2.136	3460	62.96	0.344	3510	64.94	1.803	3560	66.93	0.889
3411	60.90	2.510	3461	62.99	0.343	3511	65.03	1.552	3561	66.96	1.638
3412	60.93	3.134	3462	63.01	0.842	3512	65.06	1.551	3562	66.99	3.137
3413	60.94	3.134	3463	63.05	1.642	3513	65.16	2.799	3563	67.00	3.137
3414	60.95	2.884	3464	63.07	1.591	3514	65.24	2.297	3564	67.03	3.387
3415	60.98	2.506	3465	63.09	0.986	3515	65.28	2.547	3565	67.04	3.386
3416	60.99	1.008	3466	63.13	0.340	3516	65.30	2.546	3566	67.14	2.509
3417	61.01	0.633	3467	63.15	0.840	3517	65.32	2.796	3567	67.21	2.258
3418	61.03	0.882	3468	63.19	2.086	3518	65.34	2.546	3568	67.24	2.507
3419	61.12	2.505	3469	63.22	1.588	3519	65.36	1.920	3569	67.26	2.757
3420	61.17	3.754	3470	63.24	1.213	3520	65.38	1.295	3570	67.27	2.757
3421	61.18	2.879	3471	63.27	-0.038	3521	65.41	2.169	3571	67.30	2.756
3422	61.20	2.504	3472	63.29	-0.038	3522	65.42	2.169	3572	67.34	2.255
3423	61.22	1.878	3473	63.36	-0.040	3523	65.45	2.793	3573	67.46	2.503
3424	61.25	0.878	3474	63.37	0.210	3524	65.49	3.418	3574	67.47	2.253
3425	61.26	0.877	3475	63.42	1.459	3525	65.52	4.042	3575	67.51	2.752
3426	61.31	1.501	3476	63.45	1.834	3526	65.57	2.541	3576	67.54	2.251
3427	61.33	2.501	3477	63.49	1.583	3527	65.60	2.291	3577	67.64	1.875
3428	61.37	3.125	3478	63.55	1.456	3528	65.65	2.289	3578	67.66	1.624
3429	61.39	2.875	3479	63.59	1.206	3529	65.70	1.288	3579	67.71	1.498
3430	61.44	2.499	3480	63.60	1.206	3530	65.71	1.913	3580	67.77	1.872
3431	61.49	1.623	3481	63.62	0.955	3531	65.76	1.037	3581	67.82	1.246
3432	61.56	1.246	3482	63.64	1.455	3532	65.83	-0.589	3582	67.86	2.495
3433	61.65	2.120	3483	63.70	0.579	3533	65.88	-1.215	3583	67.90	2.119
3434	61.80	1.492	3484	63.72	0.328	3534	65.92	-1.466	3584	67.92	3.119
3435	61.86	0.615	3485	63.78	1.627	3535	65.94	-0.967	3585	67.94	3.118
3436	61.91	0.864	3486	63.82	2.076	3536	65.98	0.033	3586	67.96	3.118
3437	61.93	0.864	3487	63.85	2.451	3537	65.99	0.033	3587	67.98	1.868
3438	61.98	1.488	3488	63.88	1.825	3538	66.03	0.032	3588	68.01	1.617
3439	62.00	1.863	3489	63.91	1.574	3539	66.04	-0.594	3589	68.03	1.241
3440	62.14	2.235	3490	63.93	1.199	3540	66.06	-0.594	3590	68.06	2.116
3441	62.28	1.857	3491	64.10	1.570	3541	66.09	0.280	3591	68.61	2.855
3442	62.32	1.606	3492	64.16	1.819	3542	66.13	0.655	3592	68.65	2.854
3443	62.33	0.856	3493	64.20	2.069	3543	66.14	0.655	3593	68.69	2.478
3444	62.36	-0.019	3494	64.23	1.816	3544	66.30	0.026	3594	68.71	1.853
3445	62.39	0.230	3495	64.29	1.442	3545	66.34	-0.349	3595	68.73	2.727
3446	62.41	0.229	3496	64.35	1.815	3546	66.36	-0.350	3596	68.76	2.727
3447	62.46	1.853	3497	64.40	2.690	3547	66.44	1.899	3597	68.84	1.225
3448	62.49	2.476	3498	64.42	2.439	3548	66.49	2.147	3598	68.87	2.475
3449	62.51	2.477	3499	64.44	3.314	3549	66.55	2.521	3599	68.90	2.224
3450	62.55	0.602	3500	64.47	3.688	3550	66.62	1.020	3600	68.93	1.849

INDEX NO. 800 1305-PI-8 HOROMAN BRIDGE LG. MAX.ACCEL.= -78.346(GAL) T=16.01(SEC) NO.19

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3601	68.95	1.598	3651	71.16	3.304	3701	72.67	1.148	3751	74.43	1.738
3602	68.96	1.223	3652	71.22	2.427	3702	72.70	0.773	3752	74.48	2.612
3603	68.98	0.972	3653	71.30	2.676	3703	72.72	0.772	3753	74.49	2.987
3604	68.99	1.222	3654	71.34	2.425	3704	72.75	1.396	3754	74.52	2.736
3605	69.01	1.472	3655	71.38	3.674	3705	72.76	1.396	3755	74.56	1.485
3606	69.04	1.846	3656	71.57	2.420	3706	72.77	1.396	3756	74.59	0.485
3607	69.07	1.221	3657	71.63	3.669	3707	72.79	1.396	3757	74.62	1.109
3608	69.09	0.970	3658	71.67	3.668	3708	72.82	0.270	3758	74.66	1.108
3609	69.10	1.845	3659	71.70	2.618	3709	72.84	0.270	3759	74.71	1.732
3610	69.15	3.094	3660	71.71	2.417	3710	72.87	0.519	3760	74.74	1.732
3611	69.18	3.093	3661	71.73	2.167	3711	72.92	1.768	3761	74.79	1.731
3612	69.21	1.843	3662	71.75	1.792	3712	72.94	1.768	3762	74.87	2.354
3613	69.26	1.217	3663	71.77	2.041	3713	72.98	0.767	3763	74.94	1.978
3614	69.49	3.462	3664	71.78	2.166	3714	73.01	0.766	3764	74.99	1.977
3615	69.54	2.461	3665	71.82	3.665	3715	73.03	1.141	3765	75.03	2.351
3616	69.65	0.834	3666	71.85	4.290	3716	73.08	1.390	3766	75.05	2.600
3617	69.66	0.634	3667	71.87	3.664	3717	73.12	1.139	3767	75.09	1.475
3618	69.73	1.832	3668	71.91	2.768	3718	73.14	1.139	3768	75.11	-0.776
3619	69.74	1.832	3669	71.92	2.768	3719	73.17	1.763	3769	75.13	-0.151
3620	69.89	2.704	3670	71.93	2.788	3720	73.19	2.638	3770	75.16	0.473
3621	70.00	1.827	3671	71.95	3.037	3721	73.24	2.137	3771	75.20	1.097
3622	70.03	1.826	3672	71.97	2.787	3722	73.32	1.135	3772	75.21	1.097
3623	70.07	3.325	3673	72.00	2.162	3723	73.39	1.759	3773	75.24	-0.154
3624	70.11	4.074	3674	72.03	1.786	3724	73.44	1.133	3774	75.26	0.096
3625	70.12	4.074	3675	72.05	1.536	3725	73.45	1.133	3775	75.27	0.096
3626	70.13	4.074	3676	72.09	3.910	3726	73.48	1.132	3776	75.31	1.095
3627	70.15	3.699	3677	72.13	4.534	3727	73.50	2.006	3777	75.34	1.095
3628	70.17	2.448	3678	72.14	4.534	3728	73.52	1.756	3778	75.36	1.094
3629	70.19	0.948	3679	72.15	4.534	3729	73.54	1.756	3779	75.39	0.218
3630	70.21	1.196	3680	72.19	3.283	3730	73.59	1.505	3780	75.41	0.218
3631	70.23	1.822	3681	72.20	3.283	3731	73.61	1.129	3781	75.43	0.488
3632	70.27	3.946	3682	72.25	3.032	3732	73.64	1.129	3782	75.47	1.717
3633	70.29	3.696	3683	72.29	1.781	3733	73.67	1.378	3783	75.48	1.717
3634	70.33	3.070	3684	72.31	1.530	3734	73.81	1.500	3784	75.49	1.716
3635	70.36	2.444	3685	72.33	2.030	3735	73.91	1.498	3785	75.52	1.716
3636	70.43	2.068	3686	72.37	3.654	3736	73.93	2.373	3786	75.55	-0.160
3637	70.44	2.066	3687	72.38	3.654	3737	73.94	2.123	3787	75.57	0.215
3638	70.52	2.441	3688	72.40	3.904	3738	73.98	1.122	3788	75.60	1.714
3639	70.55	3.691	3689	72.41	3.654	3739	74.02	0.871	3789	75.62	2.589
3640	70.57	3.690	3690	72.42	2.653	3740	74.05	0.871	3790	75.64	2.339
3641	70.61	1.815	3691	72.48	0.527	3741	74.09	1.120	3791	75.65	1.713
3642	70.63	1.564	3692	72.52	0.526	3742	74.12	1.369	3792	75.67	0.838
3643	70.64	1.564	3693	72.53	0.526	3743	74.15	1.118	3793	75.69	0.212
3644	70.66	2.439	3694	72.56	0.275	3744	74.18	1.743	3794	75.71	-0.163
3645	70.69	2.688	3695	72.57	0.275	3745	74.25	2.991	3795	75.73	0.712
3646	70.73	2.437	3696	72.59	1.150	3746	74.27	2.741	3796	75.74	0.712
3647	70.76	1.812	3697	72.60	1.150	3747	74.31	1.740	3797	75.77	1.461
3648	70.91	2.806	3698	72.63	1.774	3748	74.34	0.739	3798	75.79	1.086
3649	70.93	3.058	3699	72.65	1.524	3749	74.39	1.114	3799	75.82	0.460
3650	71.09	2.660	3700	72.66	1.148	3750	74.42	1.113	3800	75.90	-0.167

INDEX NO. 800 1305-P1-8 HOROMAN BRIDGE LG. MAX.ACCEL.= -78.346(GAL) T=16.01(SEC) NO.20

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3801	75.94	-0.168	3851	77.13	-0.191	3901	78.21	3.412	3951	79.03	4.520
3802	75.97	-0.168	3852	77.17	1.933	3902	78.23	2.786	3952	79.04	3.520
3803	75.99	0.456	3853	77.20	1.932	3903	78.25	0.636	3953	79.07	2.895
3804	76.03	2.061	3854	77.22	1.932	3904	78.26	-1.569	3954	79.09	0.769
3805	76.04	1.455	3855	77.24	1.431	3905	78.27	-0.964	3955	79.11	0.144
3806	76.06	0.455	3856	77.26	-0.569	3906	78.30	1.765	3956	79.12	0.394
3807	76.09	0.204	3857	77.28	-0.820	3907	78.32	4.036	3957	79.14	0.643
3808	76.10	-0.421	3858	77.32	0.680	3908	78.34	4.784	3958	79.16	0.643
3809	76.11	-0.171	3859	77.34	1.054	3909	78.35	2.659	3959	79.17	0.643
3810	76.12	0.079	3860	77.37	0.179	3910	78.37	0.159	3960	79.19	0.392
3811	76.14	0.703	3861	77.43	-0.197	3911	78.38	-0.592	3961	79.21	-0.233
3812	76.17	1.078	3862	77.46	0.802	3912	78.40	-1.092	3962	79.22	0.017
3813	76.18	1.327	3863	77.49	1.301	3913	78.41	-1.967	3963	79.24	1.016
3814	76.20	1.327	3864	77.53	2.925	3914	78.42	0.283	3964	79.26	2.266
3815	76.22	0.202	3865	77.55	2.925	3915	78.45	3.407	3965	79.28	2.265
3816	76.24	0.201	3866	77.56	2.925	3916	78.46	3.782	3966	79.29	2.515
3817	76.25	-0.174	3867	77.57	2.675	3917	78.47	4.032	3967	79.32	2.015
3818	76.28	0.206	3868	77.59	1.424	3918	78.48	4.031	3968	79.33	1.014
3819	76.31	0.700	3869	77.61	0.174	3919	78.49	1.906	3969	79.35	0.764
3820	76.32	0.700	3870	77.62	0.674	3920	78.51	-0.344	3970	79.37	0.764
3821	76.33	0.700	3871	77.64	0.423	3921	78.53	-1.344	3971	79.39	1.638
3822	76.35	0.699	3872	77.66	1.673	3922	78.54	-1.595	3972	79.40	2.513
3823	76.36	0.699	3873	77.73	2.671	3923	78.56	0.280	3973	79.42	2.262
3824	76.38	1.698	3874	77.76	2.671	3924	78.59	2.154	3974	79.43	2.262
3825	76.41	1.948	3875	77.77	2.046	3925	78.60	3.029	3975	79.44	1.637
3826	76.42	2.698	3876	77.79	2.045	3926	78.62	2.779	3976	79.46	0.762
3827	76.44	1.697	3877	77.80	0.170	3927	78.63	1.278	3977	79.49	-0.239
3828	76.47	1.072	3878	77.82	-1.205	3928	78.64	-0.597	3978	79.51	-0.865
3829	76.49	0.196	3879	77.83	-2.081	3929	78.66	-1.847	3979	79.53	-0.240
3830	76.50	-0.179	3880	77.84	-1.956	3930	78.68	-2.223	3980	79.56	0.385
3831	76.52	-0.179	3881	77.86	-0.706	3931	78.69	-1.348	3981	79.58	1.009
3832	76.55	1.070	3882	77.90	2.418	3932	78.72	0.526	3982	79.59	1.384
3833	76.59	1.319	3883	77.91	4.043	3933	78.75	1.151	3983	79.61	1.384
3834	76.61	1.319	3884	77.92	4.292	3934	78.76	1.651	3984	79.62	0.383
3835	76.64	0.818	3885	77.93	4.292	3935	78.77	1.900	3985	79.65	-0.242
3836	76.66	0.443	3886	77.95	0.042	3936	78.78	1.025	3986	79.67	-1.493
3837	76.68	0.693	3887	77.98	-1.834	3937	78.80	0.650	3987	79.69	-1.243
3838	76.71	1.317	3888	77.99	-2.269	3938	78.82	1.025	3988	79.72	1.256
3839	76.74	2.316	3889	78.00	-1.959	3939	78.85	2.274	3989	79.74	2.506
3840	76.76	2.316	3890	78.02	0.291	3940	78.87	2.898	3990	79.76	3.256
3841	76.78	2.316	3891	78.05	2.165	3941	78.88	2.273	3991	79.77	2.880
3842	76.80	1.440	3892	78.06	2.415	3942	78.89	2.273	3992	79.79	2.630
3843	76.83	1.440	3893	78.07	2.165	3943	78.90	0.773	3993	79.81	1.380
3844	76.92	0.813	3894	78.08	1.539	3944	78.93	-1.103	3994	79.83	-0.246
3845	76.96	1.062	3895	78.11	-0.711	3945	78.94	-2.228	3995	79.85	-0.621
3846	77.01	1.686	3896	78.12	-2.211	3946	78.95	-1.978	3996	79.87	0.753
3847	77.04	1.686	3897	78.14	-2.212	3947	78.96	-0.353	3997	79.89	1.628
3848	77.06	1.435	3898	78.16	0.538	3948	79.00	3.021	3998	79.91	3.128
3849	77.10	0.434	3899	78.19	3.662	3949	79.01	3.646	3999	79.93	2.877
3850	77.11	0.434	3900	78.20	3.412	3950	79.02	4.271	4000	79.94	2.252

INDEX NO. 800 1305-P1-8 HOROMAN BRIDGE LG. MAX.ACCEL.= -78.346(GAL) T=16.01(SEC) NO.21

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
4001	79.96	0.752	4051	81.15	1.678	4101	82.74	1.496	4151	84.63	0.158
4002	79.97	0.376	4052	81.29	0.600	4102	82.77	-0.055	4152	84.67	1.032
4003	80.00	0.126	4053	81.30	0.600	4103	82.80	-1.056	4153	84.70	0.531
4004	80.02	1.250	4054	81.36	-0.401	4104	82.82	-0.806	4154	84.74	0.155
4005	80.04	1.625	4055	81.39	0.223	4105	82.86	-0.432	4155	84.76	-0.470
4006	80.06	1.875	4056	81.44	1.722	4106	83.01	0.440	4156	84.78	-1.345
4007	80.09	1.874	4057	81.47	2.346	4107	83.06	0.814	4157	84.79	-1.096
4008	80.10	0.749	4058	81.48	2.096	4108	83.10	0.813	4158	84.80	-0.221
4009	80.11	0.374	4059	81.51	0.595	4109	83.12	1.688	4159	84.81	-1.346
4010	80.12	0.123	4060	81.54	-0.655	4110	83.14	1.688	4160	84.84	0.154
4011	80.13	-0.252	4061	81.56	-1.031	4111	83.16	1.187	4161	84.86	0.778
4012	80.14	0.623	4062	81.56	-1.031	4112	83.18	0.812	4162	84.88	0.778
4013	80.17	2.247	4063	81.62	0.843	4113	83.20	-0.064	4163	84.90	0.777
4014	80.19	3.122	4064	81.65	2.093	4114	83.22	-0.439	4164	84.92	-0.098
4015	80.20	3.497	4065	81.67	2.717	4115	83.26	-0.690	4165	84.93	-0.473
4016	80.21	3.246	4066	81.69	2.717	4116	83.30	-0.191	4166	84.94	-0.724
4017	80.23	2.621	4067	81.71	1.216	4117	83.34	2.059	4167	84.95	-1.099
4018	80.25	1.621	4068	81.74	-1.034	4118	83.38	2.933	4168	84.97	-0.474
4019	80.26	0.371	4069	81.75	-1.284	4119	83.40	3.308	4169	84.99	0.775
4020	80.27	-0.255	4070	81.76	-1.660	4120	83.42	2.432	4170	85.02	1.400
4021	80.29	-0.505	4071	81.78	-0.785	4121	83.44	0.807	4171	85.03	1.400
4022	80.30	0.120	4072	81.83	0.214	4122	83.46	-1.944	4172	85.06	-0.476
4023	80.34	1.869	4073	81.87	1.068	4123	83.48	-1.694	4173	85.08	-1.101
4024	80.37	1.994	4074	81.93	0.212	4124	83.49	-1.069	4174	85.09	-1.727
4025	80.40	1.618	4075	81.99	-0.039	4125	83.54	0.180	4175	85.12	-0.477
4026	80.45	1.992	4076	82.02	-0.665	4126	83.59	1.054	4176	85.15	0.522
4027	80.49	0.741	4077	82.03	-2.040	4127	83.64	1.427	4177	85.17	1.022
4028	80.52	-0.260	4078	82.10	2.334	4128	83.68	1.677	4178	85.19	0.521
4029	80.54	-0.885	4079	82.12	1.833	4129	83.73	2.051	4179	85.22	-1.354
4030	80.56	-0.886	4080	82.14	1.458	4130	83.74	2.051	4180	85.23	-1.729
4031	80.57	-0.636	4081	82.17	-0.416	4131	83.79	0.425	4181	85.27	-0.855
4032	80.61	1.613	4082	82.20	-1.669	4132	83.85	-0.451	4182	85.29	0.144
4033	80.65	2.488	4083	82.23	-2.044	4133	83.92	-0.203	4183	85.31	0.394
4034	80.67	3.112	4084	82.26	-0.420	4134	84.00	-0.080	4184	85.32	0.394
4035	80.73	2.236	4085	82.29	0.830	4135	84.06	-0.831	4185	85.35	-0.107
4036	80.77	0.985	4086	82.30	0.829	4136	84.15	-1.083	4186	85.37	-1.107
4037	80.80	0.735	4087	82.33	0.204	4137	84.23	-1.084	4187	85.39	-0.482
4038	80.83	0.984	4088	82.35	-0.047	4138	84.28	0.415	4188	85.42	0.142
4039	80.88	1.858	4089	82.37	-0.047	4139	84.31	1.664	4189	85.47	0.766
4040	80.91	2.233	4090	82.40	-0.047	4140	84.32	1.164	4190	85.50	0.140
4041	80.94	1.982	4091	82.42	0.202	4141	84.35	-0.087	4191	85.55	0.139
4042	80.97	2.231	4092	82.45	1.077	4142	84.37	-0.837	4192	85.59	-0.487
4043	81.00	2.856	4093	82.47	1.701	4143	84.40	-1.963	4193	85.61	-1.737
4044	81.01	2.230	4094	82.49	1.076	4144	84.46	2.036	4194	85.62	-1.487
4045	81.03	1.605	4095	82.57	0.824	4145	84.48	1.411	4195	85.63	-1.113
4046	81.04	0.730	4096	82.62	0.198	4146	84.50	0.785	4196	85.69	0.137
4047	81.06	-0.896	4097	82.66	0.197	4147	84.52	-0.715	4197	85.71	-0.114
4048	81.07	-2.021	4098	82.68	-0.053	4148	84.55	-1.966	4198	85.76	0.385
4049	81.09	-0.771	4099	82.70	0.821	4149	84.56	-1.466	4199	85.84	0.758
4050	81.12	0.228	4100	82.72	1.446	4150	84.58	-0.466	4200	85.90	0.132

INDEX NO. 800 1305-PI-8 HOROHAN BRIDGE LG. MAX.ACCEL.= -78.346(GAL) T=16.01(SEC) NO.22

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
4201	85.96	-0.494	4251	88.26	-0.915	4301	90.51	-0.835	4351	92.28	-0.871
4202	85.99	-0.745	4252	88.29	-0.291	4302	90.52	-1.211	4352	92.30	-0.497
4203	86.01	-1.745	4253	88.32	-0.292	4303	90.54	-1.211	4353	92.32	0.378
4204	86.03	-1.120	4254	88.35	-0.792	4304	90.56	-1.587	4354	92.35	0.378
4205	86.08	0.753	4255	88.37	-0.793	4305	90.59	-0.337	4355	92.38	-0.498
4206	86.12	0.753	4256	88.41	0.332	4306	90.61	0.662	4356	92.57	-0.677
4207	86.19	-0.124	4257	88.44	1.331	4307	90.62	2.412	4357	92.61	-0.128
4208	86.32	-1.126	4258	66.46	1.580	4308	90.63	1.037	4358	92.65	0.996
4209	86.37	-0.253	4259	88.52	-0.171	4309	90.65	1.661	4359	92.69	0.996
4210	86.46	-0.254	4260	88.55	-1.171	4310	90.72	1.160	4360	93.08	0.363
4211	86.57	0.119	4261	88.62	-0.922	4311	90.77	0.159	4361	93.12	0.362
4212	86.63	-0.883	4262	88.73	0.325	4312	90.81	-0.717	4362	93.21	-0.265
4213	86.66	-0.508	4263	88.83	-0.302	4313	90.84	-1.342	4363	93.26	-0.141
4214	86.72	-0.759	4264	88.90	0.072	4314	90.86	-0.842	4364	93.30	-1.142
4215	86.83	-0.887	4265	88.93	-0.554	4315	90.89	-0.468	4365	93.33	-1.142
4216	86.98	0.360	4266	88.95	-0.929	4316	90.94	0.781	4366	93.57	-0.772
4217	87.09	-0.767	4267	88.96	-1.430	4317	90.96	1.030	4367	93.60	-0.773
4218	87.16	-1.393	4268	89.01	-1.431	4318	91.03	0.154	4368	93.62	-0.773
4219	87.21	-1.769	4269	89.02	-1.805	4319	91.16	-0.724	4369	93.66	-2.024
4220	87.22	-1.144	4270	89.04	-0.931	4320	91.28	-0.226	4370	93.69	-0.275
4221	87.28	0.729	4271	89.08	0.318	4321	91.32	-0.102	4371	93.71	-0.275
4222	87.30	1.354	4272	89.10	0.693	4322	91.37	0.147	4372	93.75	-1.151
4223	87.33	0.103	4273	89.12	0.443	4323	91.40	0.147	4373	93.80	-1.402
4224	87.37	-1.398	4274	89.16	0.067	4324	91.43	-0.479	4374	93.84	-2.028
4225	87.40	-1.773	4275	89.19	-1.184	4325	91.46	-1.355	4375	94.44	-0.915
4226	87.46	0.101	4276	89.22	-0.935	4326	91.47	-1.980	4376	94.55	0.083
4227	87.49	0.975	4277	89.25	-0.310	4327	91.50	-2.355	4377	94.83	-0.547
4228	87.52	0.100	4278	89.32	-0.187	4328	91.52	-1.481	4378	94.89	-0.924
4229	87.59	-0.527	4279	89.55	0.059	4329	91.55	0.144	4379	94.92	-0.549
4230	87.66	-1.403	4280	89.80	-0.196	4330	91.62	-0.733	4380	94.96	-0.175
4231	87.69	-1.404	4281	89.85	1.303	4331	91.67	-0.234	4381	94.98	-0.550
4232	87.73	-0.280	4282	89.87	1.552	4332	91.75	-0.486	4382	95.00	-1.426
4233	87.75	0.345	4283	89.89	1.302	4333	91.81	0.388	4383	95.03	-1.426
4234	87.78	0.719	4284	89.94	-0.199	4334	91.87	0.387	4384	95.05	-0.927
4235	87.80	-1.156	4285	89.96	-0.825	4335	91.90	0.136	4385	95.10	1.322
4236	87.82	-0.906	4286	89.97	-0.949	4336	91.92	0.761	4386	95.12	1.072
4237	87.86	0.343	4287	90.04	-0.326	4337	91.93	0.761	4387	95.15	-0.179
4238	87.87	0.718	4288	90.14	-1.453	4338	91.95	0.135	4388	95.19	-1.805
4239	87.91	1.592	4289	90.19	-1.204	4339	91.99	0.135	4389	95.23	-2.430
4240	87.94	1.341	4290	90.21	-0.204	4340	92.02	-0.491	4390	95.28	-0.557
4241	87.99	0.465	4291	90.25	-0.205	4341	92.04	-1.366	4391	95.47	-0.560
4242	88.03	-1.411	4292	90.29	0.044	4342	92.08	-0.867	4392	95.74	0.059
4243	88.05	-1.161	4293	90.32	-0.207	4343	92.10	-0.868	4393	95.88	-0.194
4244	88.10	-1.162	4294	90.33	0.043	4344	92.13	-0.868	4394	95.95	-1.820
4245	88.11	-1.537	4295	90.36	-1.457	4345	92.16	-0.244	4395	96.04	-1.822
4246	88.14	-0.268	4296	90.38	-1.833	4346	92.18	0.131	4396	96.20	-0.950
4247	88.16	-0.163	4297	90.41	0.042	4347	92.20	0.381	4397	96.32	-1.202
4248	88.19	-0.789	4298	90.44	0.291	4348	92.22	-0.120	4398	96.33	-1.202
4249	88.21	-0.789	4299	90.45	0.416	4349	92.24	-1.120	4399	96.40	-0.579
4250	88.24	-1.165	4300	90.48	-0.585	4350	92.25	-1.121	4400	96.46	-0.830

INDEX NO. 800 1305-PI-8 HOROHAN BRIDGE LG. MAX.ACCEL.= -78.346(GAL) T=16.01(SEC) NO.23

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
4401	96.48	-1.456	4451	100.23	-2.031	4501	106.49	-2.157	4551	108.80	-3.078
4402	96.51	-2.706	4452	100.27	-1.407	4502	106.60	-3.159	4552	108.85	-2.579
4403	96.53	-3.831	4453	100.30	-2.907	4503	106.69	-2.786	4553	108.90	-2.205
4404	96.55	-1.707	4454	100.33	-3.283	4504	106.72	-3.411	4554	108.91	-2.205
4405	96.63	-0.459	4455	100.36	-2.409	4505	106.75	-2.537	4555	109.08	-2.584
4406	96.64	-0.084	4456	100.42	-1.160	4506	106.78	-3.038	4556	109.29	-2.838
4407	96.69	-0.085	4457	100.44	-1.160	4507	106.84	-4.039	4557	109.30	-2.839
4408	96.73	-1.586	4458	101.28	-1.052	4508	106.88	-2.540			
4409	96.74	-1.586	4459	101.97	-2.691	4509	106.92	-3.040			
4410	96.77	-1.962	4460	102.03	-0.817	4510	106.95	-3.666			
4411	96.78	-1.962	4461	102.06	-1.443	4511	106.98	-4.292			
4412	96.80	-2.212	4462	102.07	-1.693	4512	107.04	-3.418			
4413	96.84	-1.963	4463	102.11	-2.444	4513	107.08	-3.169			
4414	96.87	-0.714	4464	102.14	-2.319	4514	107.12	-2.545			
4415	96.91	-0.964	4465	102.16	-2.695	4515	107.13	-2.795			
4416	96.94	-2.215	4466	102.23	-1.696	4516	107.17	-3.171			
4417	96.97	-3.215	4467	103.18	-1.215	4517	107.22	-4.046			
4418	97.00	-2.966	4468	104.52	-3.117	4518	107.24	-4.297			
4419	97.04	-1.967	4469	104.53	-2.493	4519	107.27	-4.048			
4420	97.10	-1.093	4470	104.70	-1.496	4520	107.31	-3.423			
4421	97.13	-1.594	4471	104.75	-1.872	4521	107.34	-2.799			
4422	97.17	-2.595	4472	104.79	-1.498	4522	107.35	-2.799			
4423	97.21	-3.220	4473	104.81	-1.498	4523	107.75	-3.682			
4424	97.25	-1.971	4474	104.85	-2.124	4524	107.80	-3.433			
4425	97.32	-1.097	4475	104.88	-2.449	4525	107.81	-2.558			
4426	97.36	-0.473	4476	104.90	-1.502	4526	107.86	-3.434			
4427	97.39	-0.724	4477	105.05	-1.878	4527	107.89	-3.685			
4428	97.42	-1.600	4478	105.07	-1.878	4528	107.90	-3.685			
4429	97.45	-1.350	4479	105.09	-1.754	4529	107.95	-3.436			
4430	97.49	-0.726	4480	105.19	-0.881	4530	108.02	-2.188			
4431	97.60	-1.353	4481	105.23	-1.506	4531	108.03	-2.438			
4432	97.66	-0.729	4482	105.26	-3.382	4532	108.05	-3.063			
4433	97.75	-0.481	4483	105.30	-2.758	4533	108.06	-3.063			
4434	97.76	-0.106	4484	105.36	-1.509	4534	108.12	-3.190			
4435	97.80	-0.732	4485	105.39	-1.510	4535	108.13	-3.190			
4436	97.98	-2.361	4486	105.48	-3.137	4536	108.14	-3.190			
4437	98.09	-0.738	4487	105.53	-3.387	4537	108.15	-3.190			
4438	98.26	-0.741	4488	105.62	-1.264	4538	108.19	-2.191			
4439	98.41	-1.619	4489	105.73	-2.767	4539	108.24	-1.817			
4440	98.46	-1.120	4490	105.88	-4.019	4540	108.28	-2.818			
4441	98.53	-2.372	4491	105.93	-2.521	4541	108.29	-2.818			
4442	98.58	-0.998	4492	106.16	-2.525	4542	108.32	-2.819			
4443	98.63	-0.999	4493	106.25	-3.027	4543	108.35	-0.944			
4444	98.74	-0.501	4494	106.29	-3.403	4544	108.39	-1.570			
4445	98.94	-1.380	4495	106.33	-1.904	4545	108.43	-3.446			
4446	99.23	-1.136	4496	106.37	-3.404	4546	108.48	-1.947			
4447	99.34	-1.388	4497	106.42	-4.030	4547	108.60	-2.199			
4448	99.35	-1.388	4498	106.43	-3.781	4548	108.61	-2.200			
4449	99.53	-2.017	4499	106.47	-2.156	4549	108.74	-2.202			
4450	100.06	-2.278	4500	106.48	-1.907	4550	108.77	-3.078			

Table IX D-27 Digitized Accelerations of Earthquake Record with Index Number 801

INDEX NO. 801 1305-PI-6 HOROMAN BRIDGE U-D MAX.ACCEL.= -33.335(GAL) T=16.34(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.21	-8.149	51	0.80	-4.656	101	1.56	-8.165	151	2.40	-6.175
2	0.22	-9.149	52	0.81	-4.281	102	1.58	-7.165	152	2.41	-7.425
3	0.23	-7.524	53	0.82	-4.906	103	1.59	-5.665	153	2.42	-7.425
4	0.24	-7.024	54	0.83	-5.906	104	1.61	-4.040	154	2.44	-6.925
5	0.25	-6.899	55	0.85	-6.531	105	1.63	-4.041	155	2.45	-6.300
6	0.26	-6.025	56	0.86	-6.531	106	1.66	-4.666	156	2.47	-4.926
7	0.27	-5.400	57	0.86	-6.532	107	1.67	-5.291	157	2.49	-5.051
8	0.28	-5.524	58	0.90	-5.032	108	1.68	-6.291	158	2.50	-5.301
9	0.29	-5.900	59	0.91	-4.032	109	1.70	-6.791	159	2.55	-5.552
10	0.30	-6.025	60	0.93	-3.782	110	1.71	-7.166	160	2.58	-5.302
11	0.31	-6.275	61	0.94	-3.407	111	1.75	-6.917	161	2.59	-5.302
12	0.32	-5.775	62	0.96	-3.657	112	1.77	-6.917	162	2.62	-5.302
13	0.33	-6.025	63	0.96	-5.908	113	1.79	-6.292	163	2.64	-4.428
14	0.35	-6.651	64	0.99	-6.908	114	1.80	-6.293	164	2.66	-4.053
15	0.37	-6.651	65	1.00	-7.783	115	1.82	-5.668	165	2.67	-4.053
16	0.38	-7.526	66	1.01	-8.658	116	1.83	-5.668	166	2.68	-4.053
17	0.39	-7.651	67	1.03	-9.656	117	1.84	-5.918	167	2.69	-4.678
18	0.40	-7.901	68	1.04	-10.033	118	1.85	-6.543	168	2.70	-5.928
19	0.41	-7.901	69	1.05	-9.408	119	1.86	-5.918	169	2.72	-6.178
20	0.42	-8.276	70	1.06	-9.534	120	1.87	-5.918	170	2.73	-6.554
21	0.43	-7.901	71	1.07	-8.284	121	1.89	-5.044	171	2.74	-6.554
22	0.44	-7.902	72	1.09	-6.659	122	1.92	-3.669	172	2.76	-5.929
23	0.46	-6.902	73	1.10	-6.284	123	1.93	-3.419	173	2.78	-4.679
24	0.47	-6.777	74	1.11	-6.034	124	1.94	-2.794	174	2.79	-3.429
25	0.49	-3.402	75	1.12	-5.534	125	1.95	-2.794	175	2.81	-3.804
26	0.50	-3.027	76	1.14	-6.784	126	1.97	-3.045	176	2.82	-4.305
27	0.51	-3.652	77	1.15	-7.410	127	1.99	-3.670	177	2.83	-5.305
28	0.52	-4.902	78	1.16	-8.410	128	2.02	-4.670	178	2.85	-6.180
29	0.53	-5.277	79	1.17	-8.410	129	2.03	-5.296	179	2.86	-7.430
30	0.54	-6.153	80	1.18	-7.535	130	2.04	-6.170	180	2.87	-7.555
31	0.56	-6.153	81	1.19	-7.535	131	2.06	-6.296	181	2.88	-8.180
32	0.57	-6.153	82	1.25	-7.786	132	2.07	-6.546	182	2.89	-6.931
33	0.58	-5.903	83	1.34	-6.287	133	2.08	-6.296	183	2.92	-5.681
34	0.59	-5.653	84	1.35	-6.037	134	2.09	-5.921	184	2.95	-4.306
35	0.60	-5.653	85	1.36	-6.537	135	2.10	-4.921	185	2.97	-3.806
36	0.61	-5.903	86	1.38	-3.412	136	2.12	-4.671	186	2.98	-4.057
37	0.62	-6.153	87	1.39	-3.038	137	2.14	-4.672	187	2.99	-4.432
38	0.63	-6.278	88	1.40	-3.788	138	2.18	-4.422	188	3.01	-5.557
39	0.64	-5.904	89	1.41	-4.288	139	2.21	-4.673	189	3.02	-6.182
40	0.66	-5.654	90	1.42	-4.913	140	2.23	-4.673	190	3.03	-7.182
41	0.67	-4.654	91	1.44	-5.663	141	2.26	-5.548	191	3.04	-6.557
42	0.68	-4.404	92	1.45	-5.913	142	2.27	-5.923	192	3.06	-4.683
43	0.69	-5.280	93	1.46	-4.663	143	2.28	-5.923	193	3.08	-4.058
44	0.71	-5.904	94	1.48	-4.664	144	2.30	-6.548	194	3.09	-3.808
45	0.72	-7.155	95	1.49	-4.914	145	2.31	-6.299	195	3.10	-3.433
46	0.73	-7.405	96	1.50	-4.914	146	2.33	-5.299	196	3.12	-3.683
47	0.74	-7.780	97	1.51	-5.914	147	2.36	-5.049	197	3.14	-4.058
48	0.75	-6.905	98	1.53	-6.789	148	2.37	-4.674	198	3.17	-3.809
49	0.77	-5.905	99	1.54	-7.539	149	2.38	-5.300	199	3.19	-4.309
50	0.79	-4.905	100	1.55	-7.790	150	2.39	-5.924	200	3.21	-4.684

INDEX NO. 801 1305-PI-8 HOROMAN BRIDGE U-D MAX.ACCEL.= -33.335(GAL) T=16.34(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	3.23	-4.435	251	4.00	+4.694	301	4.84	-2.829	351	5.70	-3.089
202	3.24	-4.060	252	4.01	-4.069	302	4.85	-4.079	352	5.71	-3.839
203	3.26	-3.435	253	4.02	-3.444	303	4.86	-4.079	353	5.72	-5.589
204	3.26	-2.560	254	4.03	-3.444	304	4.87	-4.704	354	5.73	-6.589
205	3.30	-1.810	255	4.04	-3.694	305	4.88	-5.329	355	5.75	-7.840
206	3.32	-2.186	256	4.06	-4.320	306	4.89	-4.454	356	5.76	-7.840
207	3.33	-2.811	257	4.07	-4.695	307	4.96	-3.080	357	5.78	-7.590
208	3.34	-4.061	258	4.10	-4.695	308	4.99	-2.205	358	5.79	-5.715
209	3.36	-5.311	259	4.15	-4.445	309	5.00	-2.456	359	5.82	-4.465
210	3.36	-7.187	260	4.19	-4.696	310	5.01	-2.831	360	5.83	-4.090
211	3.39	-6.812	261	4.20	-4.446	311	5.04	-3.456	361	5.84	-4.716
212	3.40	-6.311	262	4.24	-4.947	312	5.05	-3.206	362	5.86	-4.966
213	3.41	-5.312	263	4.26	-5.322	313	5.08	-2.207	363	5.87	-6.216
214	3.43	-3.437	264	4.28	-5.322	314	5.09	-2.207	364	5.89	-6.216
215	3.45	-2.187	265	4.29	-5.572	315	5.11	-2.832	365	5.90	-6.216
216	3.47	-2.188	266	4.31	-4.448	316	5.13	-3.707	366	5.92	-5.966
217	3.50	-3.063	267	4.33	-2.198	317	5.14	-4.333	367	5.94	-4.717
218	3.52	-4.063	268	4.34	-2.198	318	5.15	-4.333	368	5.96	-4.092
219	3.53	-5.938	269	4.36	-2.198	319	5.17	-4.458	369	5.98	-3.842
220	3.54	-5.313	270	4.36	-2.573	320	5.19	-4.208	370	5.99	-4.092
221	3.58	-5.564	271	4.39	+2.823	321	5.22	-4.208	371	6.00	-5.343
222	3.61	-5.064	272	4.40	-4.324	322	5.23	-4.083	372	6.02	-6.218
223	3.62	-4.064	273	4.42	-4.074	323	5.24	-4.334	373	6.03	-6.843
224	3.63	-3.439	274	4.45	-3.824	324	5.25	-4.959	374	6.04	-7.843
225	3.65	-1.940	275	4.46	+2.824	325	5.26	-4.959	375	6.05	-8.093
226	3.67	+1.565	276	4.48	+2.575	326	5.27	-4.709	376	6.06	-6.968
227	3.68	-1.190	277	4.49	+2.575	327	5.29	-3.834	377	6.09	-5.719
228	3.69	-1.565	278	4.50	+2.575	328	5.31	-3.209	378	6.10	-5.344
229	3.71	-2.440	279	4.51	+2.825	329	5.33	-3.085	379	6.12	-5.969
230	3.73	-2.566	280	4.52	+2.625	330	5.36	-4.335	380	6.14	-6.219
231	3.74	-3.065	281	4.53	+2.200	331	5.38	-5.585	381	6.16	-6.595
232	3.75	-2.566	282	4.55	+2.201	332	5.40	-4.460	382	6.18	-6.595
233	3.77	-1.941	283	4.56	+2.450	333	5.42	-2.586	383	6.20	-5.970
234	3.78	-1.941	284	4.57	+2.450	334	5.44	-0.961	384	6.21	-5.970
235	3.79	-1.566	285	4.59	+3.076	335	5.46	0.289	385	6.22	-5.345
236	3.80	-1.567	286	4.61	+3.701	336	5.47	+0.586	386	6.24	-3.845
237	3.81	-1.567	287	4.62	+3.701	337	5.48	+0.961	387	6.26	-1.971
238	3.83	-2.192	288	4.64	+3.201	338	5.49	+3.086	388	6.27	-0.971
239	3.84	-2.192	289	4.66	+3.201	339	5.50	+4.337	389	6.29	0.279
240	3.86	-2.817	290	4.67	+3.202	340	5.51	+5.337	390	6.31	0.904
241	3.88	-2.817	291	4.69	+3.702	341	5.52	+5.962	391	6.33	0.029
242	3.89	-2.818	292	4.71	+3.702	342	5.53	+6.337	392	6.34	-0.972
243	3.91	+3.443	293	4.73	+4.703	343	5.54	+6.337	393	6.36	-2.472
244	3.92	-3.693	294	4.74	+5.328	344	5.55	+5.087	394	6.38	-3.722
245	3.93	-5.068	295	4.76	+5.328	345	5.57	+4.462	395	6.39	-4.347
246	3.94	-5.318	296	4.77	+5.328	346	5.59	+3.463	396	6.40	-4.097
247	3.95	-5.943	297	4.78	+5.703	347	5.61	+3.213	397	6.41	-4.723
248	3.96	-5.693	298	4.79	+4.703	348	5.63	+3.213	398	6.42	-3.473
249	3.97	-5.943	299	4.81	+3.703	349	5.66	+3.214	399	6.43	-2.598
250	3.98	-5.319	300	4.82	+3.704	350	5.68	+3.089	400	6.46	-1.777

土木構造物における加速度強震記録（No.９）

INDEX NO. 801 1305-PI-8 HOROMAN BRIDGE U-D MAX.ACCEL.= -33.335(GAL) T=16.34(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	6.47	3.902	451	7.40	-10.657	501	8.03	-4.739	551	8.66	-11.746
402	6.48	4.777	452	7.41	-6.732	502	8.05	-7.239	552	8.67	-9.871
403	6.49	4.777	453	7.43	-3.402	503	8.06	-7.864	553	8.68	-8.871
404	6.50	4.527	454	7.45	0.518	504	8.07	-8.489	554	8.69	-7.746
405	6.51	3.526	455	7.47	4.766	505	8.08	-8.739	555	8.70	-7.372
406	6.53	-0.224	456	7.48	5.392	506	8.09	-9.114	556	8.71	-7.372
407	6.55	-2.349	457	7.49	6.017	507	8.10	-9.490	557	8.72	-7.372
408	6.57	-5.099	458	7.50	6.017	508	8.11	-8.865	558	8.73	-7.997
409	6.58	-5.350	459	7.51	4.392	509	8.12	-7.615	559	8.74	-8.247
410	6.59	-5.350	460	7.53	-0.658	510	8.15	2.385	560	8.75	-8.872
411	6.60	-4.725	461	7.54	-4.983	511	8.16	5.385	561	8.76	-9.247
412	6.62	-3.475	462	7.55	-6.484	512	8.17	6.260	562	8.79	4.378
413	6.64	-2.600	463	7.56	-9.733	513	8.18	7.259	563	8.80	7.877
414	6.66	-1.975	464	7.57	-9.984	514	8.19	7.884	564	8.81	10.627
415	6.71	-0.726	465	7.58	-10.609	515	8.20	8.759	565	8.82	12.752
416	6.74	-0.101	466	7.59	-10.359	516	8.21	8.259	566	8.83	13.627
417	6.76	0.023	467	7.60	-8.484	517	8.22	6.634	567	8.84	13.002
418	6.77	-0.352	468	7.62	-5.734	518	8.24	4.134	568	8.85	6.751
419	6.78	-0.102	469	7.63	-4.109	519	8.25	-0.241	569	8.88	-0.249
420	6.79	-1.602	470	7.65	-1.610	520	8.27	-4.367	570	8.89	-4.499
421	6.80	-2.852	471	7.66	0.265	521	8.28	-5.992	571	8.90	-4.499
422	6.82	-3.102	472	7.69	1.765	522	8.29	-6.617	572	8.92	-4.749
423	6.84	-4.353	473	7.70	2.390	523	8.30	-6.617	573	8.94	-5.999
424	6.85	-4.103	474	7.71	5.015	524	8.31	-6.617	574	8.96	0.875
425	6.86	-4.103	475	7.72	5.015	525	8.32	-5.117	575	8.97	3.000
426	6.86	-3.228	476	7.73	5.015	526	8.34	-4.117	576	8.98	3.500
427	6.89	-0.728	477	7.74	5.014	527	8.35	-3.493	577	8.99	4.125
428	6.91	-0.103	478	7.76	2.889	528	8.36	-3.242	578	9.00	2.625
429	6.92	-0.104	479	7.77	1.389	529	8.37	-3.243	579	9.02	-3.625
430	6.94	-0.354	480	7.78	0.389	530	8.39	-3.743	580	9.03	-6.875
431	6.95	-1.229	481	7.79	-0.861	531	8.41	-4.368	581	9.04	-8.125
432	6.96	-2.479	482	7.81	-1.486	532	8.43	-5.993	582	9.05	-10.376
433	6.97	-3.729	483	7.82	-2.361	533	8.44	-6.869	583	9.06	-11.251
434	6.98	-4.729	484	7.84	-2.112	534	8.46	-7.494	584	9.08	-11.626
435	7.00	-5.605	485	7.85	-2.112	535	8.47	-8.744	585	9.11	-9.751
436	7.21	-5.105	486	7.86	-2.737	536	8.48	-9.494	586	9.13	-8.877
437	7.22	-4.480	487	7.87	-4.112	537	8.49	-8.244	587	9.14	-8.627
438	7.23	-2.855	488	7.89	-4.987	538	8.50	-8.619	588	9.15	-8.002
439	7.25	-0.980	489	7.90	-7.237	539	8.51	-6.495	589	9.16	-6.502
440	7.27	1.520	490	7.92	-8.738	540	8.53	-3.495	590	9.18	2.373
441	7.28	1.770	491	7.93	-9.988	541	8.54	-1.620	591	9.20	6.623
442	7.29	1.270	492	7.94	-9.986	542	8.55	-1.245	592	9.21	8.872
443	7.35	0.270	493	7.95	-9.988	543	8.56	-0.745	593	9.22	9.373
444	7.31	-1.606	494	7.96	-9.986	544	8.57	-0.495	594	9.23	10.372
445	7.34	-9.356	495	7.97	-9.488	545	8.58	-3.495	595	9.24	11.122
446	7.35	-11.981	496	7.98	-7.863	546	8.60	-7.246	596	9.25	10.497
447	7.36	-13.656	497	7.99	-5.989	547	8.62	-9.746	597	9.26	9.622
448	7.37	-14.856	498	8.00	-5.114	548	8.63	-11.621	598	9.27	8.372
449	7.38	-14.856	499	8.01	-4.364	549	8.64	-12.621	599	9.28	6.746
450	7.39	-12.982	500	8.02	-4.739	550	8.65	-12.621	600	9.29	6.122

INDEX NO. 801 1305-PI-8 HOROMAN BRIDGE U-D MAX.ACCEL.= -33.335(GAL) T=16.34(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	9.30	5.247	651	10.02	-4.512	701	10.58	5.107	751	11.25	0.849
602	9.31	4.121	652	10.03	-3.762	702	10.60	5.731	752	11.26	1.724
603	9.33	5.996	653	10.04	-3.762	703	10.62	5.981	753	11.27	2.099
604	9.34	6.871	654	10.05	-3.762	704	10.64	3.481	754	11.28	2.099
605	9.35	6.996	655	10.06	-4.762	705	10.65	-1.519	755	11.29	1.474
606	9.37	8.246	656	10.07	-6.637	706	10.66	-1.769	756	11.30	-1.027
607	9.38	5.120	657	10.08	-7.262	707	10.67	-2.519	757	11.32	-4.152
608	9.40	-1.380	658	10.10	-7.263	708	10.68	-2.519	758	11.33	-5.027
609	9.41	-3.255	659	10.11	-3.263	709	10.70	-2.520	759	11.34	-5.402
610	9.42	-4.130	660	10.12	0.862	710	10.71	-1.520	760	11.35	-5.652
611	9.43	-5.005	661	10.13	4.112	711	10.73	-1.270	761	11.36	-5.402
612	9.45	-5.005	662	10.14	6.612	712	10.75	-0.270	762	11.38	-4.152
613	9.48	-4.506	663	10.15	9.112	713	10.76	-0.270	763	11.40	-3.528
614	9.51	-3.881	664	10.16	9.986	714	10.77	-1.146	764	11.41	-3.278
615	9.52	-3.881	665	10.17	10.612	715	10.78	-1.521	765	11.42	-2.528
616	9.53	-2.631	666	10.18	10.111	716	10.79	-1.146	766	11.43	-2.528
617	9.54	-2.881	667	10.19	9.111	717	10.80	-0.646	767	11.44	-2.528
618	9.55	-4.381	668	10.20	3.236	718	10.81	-0.021	768	11.45	-2.903
619	9.56	-6.006	669	10.21	1.361	719	10.82	0.979	769	11.46	-3.153
620	9.57	-6.257	670	10.22	-2.139	720	10.84	1.854	770	11.47	-3.528
621	9.58	-6.007	671	10.23	-4.139	721	10.85	1.854	771	11.48	-3.529
622	9.59	-5.382	672	10.24	-4.390	722	10.86	1.853	772	11.49	-2.654
623	9.60	-2.632	673	10.25	-4.390	723	10.88	2.228	773	11.51	-1.404
624	9.61	0.618	674	10.26	-3.889	724	10.89	1.603	774	11.53	0.221
625	9.62	1.368	675	10.27	-2.640	725	10.90	1.353	775	11.54	0.846
626	9.63	2.243	676	10.28	-1.640	726	10.91	0.103	776	11.55	1.471
627	9.64	2.242	677	10.29	-0.390	727	10.92	-1.772	777	11.56	1.470
628	9.66	1.367	678	10.31	-0.140	728	10.94	-3.647	778	11.57	0.845
629	9.68	0.367	679	10.32	0.485	729	10.95	-3.648	779	11.60	-8.530
630	9.70	0.367	680	10.33	1.110	730	10.96	-4.148	780	11.61	-10.030
631	9.73	0.117	681	10.34	-0.391	731	10.97	-3.898	781	11.62	-11.280
632	9.74	-0.259	682	10.35	-1.891	732	10.98	-2.648	782	11.63	-12.031
633	9.75	-1.634	683	10.37	-6.641	733	10.99	-1.648	783	11.64	-11.781
634	9.77	-3.259	684	10.38	-8.141	734	11.01	0.602	784	11.65	-10.281
635	9.80	-2.634	685	10.39	-9.766	735	11.02	0.852	785	11.66	-6.781
636	9.82	-2.010	686	10.40	-10.016	736	11.03	0.227	786	11.68	-3.906
637	9.85	-1.635	687	10.41	-10.016	737	11.04	-1.023	787	11.69	-2.656
638	9.86	-1.635	688	10.42	-9.516	738	11.07	-2.649	788	11.70	-1.406
639	9.87	-1.635	689	10.43	-8.891	739	11.08	-3.274	789	11.71	-0.781
640	9.88	-2.260	690	10.46	-5.392	740	11.10	-3.899	790	11.72	-0.781
641	9.89	-3.510	691	10.48	-2.642	741	11.11	-3.524	791	11.73	-1.032
642	9.91	-5.386	692	10.49	-1.017	742	11.12	-3.275	792	11.74	-1.907
643	9.92	-7.011	693	10.50	-0.392	743	11.13	-2.900	793	11.76	-3.157
644	9.93	-7.511	694	10.51	1.858	744	11.14	-2.900	794	11.77	-3.782
645	9.94	-9.136	695	10.52	4.107	745	11.16	-3.775	795	11.79	-5.032
646	9.95	-9.761	696	10.53	4.357	746	11.17	-5.025	796	11.80	-5.157
647	9.96	-10.011	697	10.54	5.357	747	11.19	-5.775	797	11.82	-5.907
648	9.97	-9.511	698	10.55	5.357	748	11.20	-3.526	798	11.84	-3.283
649	9.99	-8.261	699	10.56	5.357	749	11.22	-1.026	799	11.86	-2.283
650	10.01	-6.012	700	10.57	5.357	750	11.23	0.224	800	11.87	-1.658

INDEX NO. 801 1305-P1-8 HOROMAN BRIDGE U-D MAX.ACCEL.= -33.335(GAL) T=16.34(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	11.88	-1.033	851	12.63	-1.667	901	13.35	-2.925	951	14.02	4.442
802	11.90	-2.033	852	12.65	-1.667	902	13.36	-2.675	952	14.03	4.692
803	11.91	-4.159	853	12.66	-2.292	903	13.37	-1.426	953	14.04	4.692
804	11.92	-5.659	854	12.67	-2.042	904	13.39	-0.801	954	14.05	4.692
805	11.93	-6.659	855	12.70	-0.793	905	13.40	0.449	955	14.06	4.692
806	11.94	-6.409	856	12.71	0.207	906	13.41	1.074	956	14.07	4.692
807	11.95	-3.534	857	12.72	0.832	907	13.42	2.199	957	14.08	4.691
808	11.97	1.716	858	12.74	1.707	908	13.43	1.949	958	14.09	4.441
809	11.98	3.716	859	12.75	1.207	909	13.45	0.949	959	14.10	3.816
810	11.99	4.716	860	12.76	-0.043	910	13.46	0.323	960	14.11	2.191
811	12.00	5.965	861	12.78	-3.919	911	13.47	-0.552	961	14.12	-0.309
812	12.01	7.215	862	12.80	-4.169	912	13.48	-0.302	962	14.14	-3.059
813	12.02	7.715	863	12.81	-4.419	913	13.50	0.323	963	14.15	-4.809
814	12.04	4.215	864	12.83	-3.544	914	13.52	3.073	964	14.16	-5.435
815	12.05	0.090	865	12.85	-1.670	915	13.54	4.323	965	14.17	-5.684
816	12.06	-1.535	866	12.87	-0.170	916	13.55	3.822	966	14.18	-4.183
817	12.07	-1.785	867	12.88	1.455	917	13.56	1.947	967	14.20	-3.560
818	12.09	-3.036	868	12.89	2.705	918	13.60	-5.678	968	14.21	-2.310
819	12.10	-2.161	869	12.90	3.705	919	13.61	-8.803	969	14.23	-2.310
820	12.11	-0.036	870	12.91	4.080	920	13.62	-10.428	970	14.25	-1.686
821	12.12	3.464	871	12.92	3.705	921	13.63	-10.928	971	14.26	-1.311
822	12.13	4.714	872	12.93	2.830	922	13.64	-12.053	972	14.27	-2.311
823	12.14	6.214	873	12.94	0.954	923	13.65	-11.178	973	14.28	-3.561
824	12.15	7.214	874	12.96	0.079	924	13.67	-2.679	974	14.29	-5.061
825	12.16	7.838	875	12.98	-1.546	925	13.69	5.946	975	14.30	-7.936
826	12.17	7.638	876	12.99	-2.296	926	13.72	13.196	976	14.31	-10.436
827	12.18	6.963	877	13.00	-2.046	927	13.73	14.445	977	14.32	-13.062
828	12.27	-3.913	878	13.01	1.079	928	13.74	15.070	978	14.33	-16.187
829	12.28	-5.163	879	13.03	5.953	929	13.76	14.445	979	14.34	-18.312
830	12.30	-5.413	880	13.04	9.078	930	13.77	11.445	980	14.36	-20.062
831	12.31	-5.788	881	13.05	9.328	931	13.78	5.820	981	14.38	-19.812
832	12.32	-5.788	882	13.06	10.328	932	13.79	2.820	982	14.40	-19.187
833	12.33	-4.163	883	13.07	10.078	933	13.80	-0.556	983	14.41	-17.937
834	12.34	-1.414	884	13.09	7.203	934	13.81	-1.180	984	14.42	-16.063
835	12.35	0.836	885	13.10	3.453	935	13.82	-1.180	985	14.44	-11.188
836	12.36	3.336	886	13.11	1.953	936	13.85	-1.556	986	14.45	-7.438
837	12.37	3.711	887	13.12	-0.423	937	13.86	-1.806	987	14.47	-4.688
838	12.38	5.586	888	13.13	-1.673	938	13.87	-3.931	988	14.49	-3.563
839	12.39	5.586	889	13.14	-1.048	939	13.88	-3.556	989	14.50	-2.313
840	12.41	5.961	890	13.15	0.827	940	13.89	-4.432	990	14.51	-1.689
841	12.42	5.335	891	13.18	3.702	941	13.90	-5.681	991	14.52	-1.064
842	12.52	0.334	892	13.19	5.577	942	13.91	-6.932	992	14.53	-1.939
843	12.54	-0.541	893	13.20	5.951	943	13.92	-7.307	993	14.54	-3.189
844	12.55	-1.166	894	13.21	6.326	944	13.93	-7.557	994	14.55	-5.064
845	12.56	-2.041	895	13.22	5.076	945	13.94	-8.182	995	14.57	-6.939
846	12.58	-1.416	896	13.24	3.451	946	13.95	-7.682	996	14.59	-10.065
847	12.59	-0.416	897	13.25	1.326	947	13.96	-6.057	997	14.60	-12.440
848	12.60	-0.042	898	13.27	0.326	948	13.98	-1.682	998	14.61	-12.689
849	12.61	1.083	899	13.28	0.576	949	13.99	2.067	999	14.62	-13.315
850	12.62	-0.042	900	13.33	-1.925	950	14.00	4.067	1000	14.63	-13.315

INDEX NO. 801 1305-P1-8 HOROMAN BRIDGE U-D MAX.ACCEL.= -33.335(GAL) T=16.34(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	14.64	-11.190	1051	15.34	15.677	1101	16.02	-13.331	1151	16.66	-10.213
1002	14.65	-8.440	1052	15.36	17.552	1102	16.03	-7.831	1152	16.68	-9.588
1003	14.67	-3.940	1053	15.37	17.302	1103	16.05	9.044	1153	16.69	-10.089
1004	14.68	-1.690	1054	15.38	16.676	1104	16.07	18.544	1154	16.71	-9.839
1005	14.70	0.184	1055	15.39	16.051	1105	16.08	23.043	1155	16.72	-10.464
1006	14.71	1.684	1056	15.41	13.551	1106	16.09	25.168	1156	16.73	-12.464
1007	14.72	2.309	1057	15.42	10.426	1107	16.10	25.793	1157	16.74	-15.589
1008	14.73	2.309	1058	15.43	6.551	1108	16.11	24.043	1158	16.75	-17.714
1009	14.74	2.059	1059	15.45	8.301	1109	16.12	15.293	1159	16.76	-18.340
1010	14.76	-0.066	1060	15.46	8.301	1110	16.14	8.543	1160	16.77	-18.340
1011	14.78	-3.817	1061	15.47	8.800	1111	16.15	6.668	1161	16.78	-18.340
1012	14.79	-6.692	1062	15.48	13.050	1112	16.16	4.792	1162	16.79	-18.090
1013	14.81	-9.192	1063	15.49	11.050	1113	16.17	2.792	1163	16.80	-17.465
1014	14.82	-10.067	1064	15.50	11.675	1114	16.18	2.792	1164	16.82	-12.215
1015	14.83	-9.817	1065	15.51	11.425	1115	16.19	3.667	1165	16.84	-9.715
1016	14.85	-9.192	1066	15.52	10.175	1116	16.20	5.917	1166	16.85	-8.090
1017	14.89	-7.068	1067	15.55	-7.951	1117	16.21	7.417	1167	16.86	-7.216
1018	14.92	-3.318	1068	15.56	-10.076	1118	16.22	7.792	1168	16.87	-7.216
1019	14.94	0.182	1069	15.57	-12.076	1119	16.23	7.542	1169	16.89	-7.216
1020	14.96	3.306	1070	15.58	-13.326	1120	16.24	4.667	1170	16.92	-8.341
1021	14.98	5.306	1071	15.59	-13.701	1121	16.25	2.166	1171	16.94	-8.967
1022	14.99	7.181	1072	15.60	-13.701	1122	16.27	-6.709	1172	16.96	-9.342
1023	15.00	8.056	1073	15.61	-8.701	1123	16.29	-22.834	1173	16.97	-8.717
1024	15.01	7.806	1074	15.63	12.923	1124	16.31	-28.584	1174	16.98	-7.467
1025	15.02	4.056	1075	15.64	14.424	1125	16.32	-30.459	1175	17.00	-5.967
1026	15.03	-2.194	1076	15.65	16.673	1126	16.33	-31.709	1176	17.01	-4.967
1027	15.04	-7.320	1077	15.66	16.798	1127	16.34	-33.335	1177	17.02	-3.342
1028	15.05	-14.945	1078	15.67	12.423	1128	16.35	-32.085	1178	17.04	-2.718
1029	15.06	-16.445	1079	15.71	-7.327	1129	16.36	-29.585	1179	17.06	-2.343
1030	15.07	-17.070	1080	15.72	-9.828	1130	16.38	-24.335	1180	17.07	-1.718
1031	15.08	-17.445	1081	15.74	-12.078	1131	16.39	-18.835	1181	17.08	-2.343
1032	15.09	-17.195	1082	15.75	-11.828	1132	16.40	-14.835	1182	17.10	-2.968
1033	15.10	-13.070	1083	15.76	-10.953	1133	16.41	-10.585	1183	17.11	-3.644
1034	15.12	-10.571	1084	15.79	0.422	1134	16.42	-9.085	1184	17.13	-3.644
1035	15.13	-8.071	1085	15.80	8.047	1135	16.43	-6.586	1185	17.14	-3.644
1036	15.15	-5.321	1086	15.81	9.046	1136	16.45	-3.336	1186	17.15	-3.644
1037	15.17	-2.696	1087	15.82	11.671	1137	16.46	-2.086	1187	17.18	+1.469
1038	15.18	-1.071	1088	15.83	12.296	1138	16.47	-1.086	1188	17.20	-0.044
1039	15.19	0.804	1089	15.84	13.546	1139	16.48	0.414	1189	17.22	-0.470
1040	15.20	2.304	1090	15.86	13.546	1140	16.49	0.788	1190	17.25	-0.220
1041	15.22	4.303	1091	15.87	12.296	1141	16.50	1.414	1191	17.26	-0.470
1042	15.23	4.303	1092	15.89	10.796	1142	16.51	5.913	1192	17.27	-1.345
1043	15.24	4.303	1093	15.91	8.295	1143	16.54	13.163	1193	17.29	-2.595
1044	15.25	3.803	1094	15.93	6.420	1144	16.55	15.163	1194	17.30	-4.596
1045	15.27	2.803	1095	15.95	5.170	1145	16.56	15.413	1195	17.31	-6.096
1046	15.29	1.928	1096	15.96	0.045	1146	16.57	15.788	1196	17.32	-5.846
1047	15.30	1.552	1097	15.97	-2.205	1147	16.58	15.163	1197	17.33	-4.846
1048	15.31	9.052	1098	15.99	-8.581	1148	16.59	14.162	1198	17.35	2.404
1049	15.32	10.927	1099	16.00	-10.456	1149	16.63	-8.088	1199	17.36	8.404
1050	15.33	13.802	1100	16.01	-12.081	1150	16.65	-10.463	1200	17.37	9.655

土木構造物における加速度強震記録（No. 9）

INDEX NO. 801 1305-PI-8 HOROMAN BRIDGE U-D MAX.ACCEL.= -33.335(GAL) T=16.34(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	17.38	10.279	1251	16.08	12.270	1301	18.73	-2.612	1351	19.42	5.255
1202	17.39	11.403	1252	16.10	14.145	1302	18.74	-2.612	1352	19.43	5.255
1203	17.40	10.153	1253	16.11	14.770	1303	18.75	-3.112	1353	19.44	5.905
1204	17.41	8.528	1254	16.12	15.395	1304	18.76	-3.738	1354	19.45	2.130
1205	17.42	7.028	1255	16.13	16.270	1305	18.77	-3.488	1355	19.48	-6.121
1206	17.44	0.276	1256	16.14	16.270	1306	18.78	-3.488	1356	19.49	-9.246
1207	17.45	-5.097	1257	16.15	15.770	1307	18.79	-2.613	1357	19.50	-9.871
1208	17.46	-6.973	1258	16.16	14.770	1308	18.80	-1.363	1358	19.51	-11.746
1209	17.47	-9.473	1259	16.17	13.769	1309	18.83	3.387	1359	19.52	-10.621
1210	17.48	-10.098	1260	16.18	11.394	1310	18.84	5.886	1360	19.53	-9.121
1211	17.52	-11.723	1261	16.19	7.894	1311	18.85	6.762	1361	19.54	-5.621
1212	17.53	-12.473	1262	16.20	5.644	1312	18.86	7.387	1362	19.56	-2.996
1213	17.54	-11.849	1263	16.21	4.769	1313	18.87	6.511	1363	19.57	-1.997
1214	17.55	-11.224	1264	16.22	3.769	1314	18.89	5.011	1364	19.58	-1.872
1215	17.56	-6.224	1265	16.23	2.518	1315	18.91	-1.614	1365	19.59	-2.872
1216	17.59	5.526	1266	16.25	2.518	1316	18.92	-3.114	1366	19.60	-5.747
1217	17.61	13.526	1267	16.27	2.143	1317	18.93	-2.614	1367	19.61	-9.247
1218	17.62	14.401	1268	16.28	1.893	1318	18.94	-1.115	1368	19.63	-13.372
1219	17.63	14.776	1269	16.30	1.518	1319	18.95	3.635	1369	19.65	-14.373
1220	17.64	15.401	1270	16.32	1.268	1320	18.96	6.510	1370	19.66	-14.998
1221	17.65	15.400	1271	16.33	0.267	1321	18.97	9.635	1371	19.67	-15.873
1222	17.67	14.150	1272	16.35	0.017	1322	18.98	9.885	1372	19.68	-16.498
1223	17.68	12.900	1273	16.37	0.017	1323	18.99	10.510	1373	19.69	-16.248
1224	17.70	11.650	1274	16.38	0.267	1324	19.01	10.885	1374	19.70	-14.373
1225	17.71	11.025	1275	16.39	1.517	1325	19.02	7.135	1375	19.71	-12.873
1226	17.72	11.650	1276	16.40	2.767	1326	19.05	2.509	1376	19.74	-5.624
1227	17.74	12.524	1277	16.41	4.642	1327	19.07	-0.991	1377	19.75	-3.374
1228	17.75	12.899	1278	16.43	6.266	1328	19.08	-2.866	1378	19.76	-0.499
1229	17.76	12.899	1279	16.45	7.391	1329	19.09	-3.741	1379	19.77	1.376
1230	17.77	11.399	1280	16.47	7.391	1330	19.11	-4.491	1380	19.78	2.626
1231	17.78	5.774	1281	16.49	6.891	1331	19.12	-4.867	1381	19.79	4.001
1232	17.79	2.774	1282	16.50	5.266	1332	19.14	-5.117	1382	19.81	5.500
1233	17.80	0.648	1283	16.51	3.765	1333	19.15	-5.117	1383	19.82	6.500
1234	17.81	-0.602	1284	16.52	1.890	1334	19.16	-3.367	1384	19.83	6.750
1235	17.82	-2.477	1285	16.53	0.890	1335	19.17	0.383	1385	19.84	6.500
1236	17.83	-5.102	1286	16.54	-0.610	1336	19.18	2.258	1386	19.85	6.500
1237	17.86	-6.102	1287	16.55	0.890	1337	19.20	4.008	1387	19.86	5.625
1238	17.87	-7.352	1288	16.56	1.765	1338	19.21	3.757	1388	19.87	4.375
1239	17.89	-8.352	1289	16.57	4.015	1339	19.22	2.757	1389	19.88	0.250
1240	17.90	-8.603	1290	16.58	6.515	1340	19.23	0.007	1390	19.90	-1.626
1241	17.93	-9.228	1291	16.59	9.015	1341	19.27	-14.618	1391	19.91	-3.501
1242	17.95	-9.478	1292	16.60	9.640	1342	19.28	-15.619	1392	19.93	-3.501
1243	17.97	-9.228	1293	16.61	9.889	1343	19.29	-18.119	1393	19.94	-2.626
1244	17.99	-8.979	1294	16.62	9.639	1344	19.31	-18.119	1394	19.96	-1.376
1245	18.00	-7.104	1295	16.63	8.139	1345	19.32	-16.619	1395	19.97	0.874
1246	18.01	-6.479	1296	16.65	5.139	1346	19.33	-14.369	1396	19.98	0.874
1247	18.02	-2.354	1297	16.66	0.264	1347	19.34	-9.994	1397	19.99	0.498
1248	18.05	2.646	1298	16.68	-1.612	1348	19.36	-4.994	1398	20.00	-0.002
1249	18.06	7.146	1299	16.69	-1.862	1349	19.38	2.005	1399	20.02	-2.252
1250	18.07	9.895	1300	16.71	-2.862	1350	19.40	3.255	1400	20.03	-4.877

INDEX NO. 801 1305-PI-8 HOROMAN BRIDGE U-D MAX.ACCEL.= -33.335(GAL) T=16.34(SEC) NO. 8

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1401	20.05	-10.127	1451	20.78	7.614	1501	21.46	-3.519	1551	22.27	3.597
1402	20.06	-14.377	1452	20.80	0.614	1502	21.48	-3.769	1552	22.28	3.597
1403	20.06	-16.503	1453	20.82	-4.261	1503	21.51	-6.144	1553	22.29	2.722
1404	20.09	-17.753	1454	20.83	-5.761	1504	21.53	-6.769	1554	22.30	1.472
1405	20.10	-18.753	1455	20.84	-6.386	1505	21.56	-7.020	1555	22.33	-6.404
1406	20.11	-19.003	1456	20.85	-6.761	1506	21.57	-7.645	1556	22.34	-10.154
1407	20.12	-19.378	1457	20.86	-6.137	1507	21.58	-7.395	1557	22.35	-11.404
1408	20.13	-19.128	1458	20.89	0.363	1508	21.59	-5.520	1558	22.36	-11.154
1409	20.14	-18.128	1459	20.90	5.238	1509	21.61	-3.020	1559	22.37	-10.529
1410	20.15	-15.629	1460	20.92	8.613	1510	21.63	4.854	1560	22.38	-8.654
1411	20.16	-10.629	1461	20.93	11.613	1511	21.64	6.104	1561	22.40	-2.780
1412	20.18	-4.004	1462	20.95	13.112	1512	21.65	7.729	1562	22.42	0.096
1413	20.20	0.996	1463	20.96	13.487	1513	21.66	7.479	1563	22.43	1.345
1414	20.21	3.996	1464	20.97	13.487	1514	21.67	5.604	1564	22.44	1.970
1415	20.22	4.246	1465	20.98	12.612	1515	21.68	1.479	1565	22.45	2.220
1416	20.23	5.870	1466	20.99	11.362	1516	21.71	-4.271	1566	22.46	1.970
1417	20.25	7.370	1467	21.01	9.361	1517	21.72	-7.022	1567	22.47	1.095
1418	20.27	7.995	1468	21.02	8.487	1518	21.73	-7.397	1568	22.49	0.095
1419	20.29	8.370	1469	21.03	7.862	1519	21.74	-7.397	1569	22.50	-2.031
1420	20.30	8.620	1470	21.04	7.861	1520	21.75	-7.147	1570	22.52	-4.531
1421	20.31	8.995	1471	21.05	7.861	1521	21.77	-6.772	1571	22.53	-5.531
1422	20.32	8.120	1472	21.06	8.111	1522	21.79	-6.272	1572	22.54	-4.906
1423	20.33	7.119	1473	21.08	9.736	1523	21.80	1.353	1573	22.55	-3.656
1424	20.34	4.994	1474	21.10	10.986	1524	21.83	2.852	1574	22.57	-0.531
1425	20.37	1.869	1475	21.11	12.860	1525	21.85	5.227	1575	22.59	3.593
1426	20.39	-1.631	1476	21.13	13.485	1526	21.86	6.102	1576	22.60	5.843
1427	20.41	-4.506	1477	21.14	14.110	1527	21.87	7.977	1577	22.61	7.343
1428	20.42	-5.131	1478	21.15	14.110	1528	21.88	10.227	1578	22.62	8.593
1429	20.45	-7.007	1479	21.16	13.235	1529	21.89	11.101	1579	22.63	8.968
1430	20.48	-8.007	1480	21.17	11.985	1530	21.91	11.101	1580	22.64	8.968
1431	20.50	-8.007	1481	21.18	10.110	1531	21.92	11.101	1581	22.65	8.718
1432	20.51	-6.758	1482	21.19	7.859	1532	21.93	10.601	1582	22.66	7.468
1433	20.52	-5.508	1483	21.22	5.359	1533	21.96	7.476	1583	22.68	4.967
1434	20.53	-3.883	1484	21.23	4.109	1534	21.97	6.850	1584	22.69	0.592
1435	20.55	31617	1485	21.24	2.734	1535	21.98	6.225	1585	22.71	-1.033
1436	20.57	10.492	1486	21.25	2.984	1536	22.00	5.600	1586	22.72	-1.283
1437	20.58	12.491	1487	21.26	2.734	1537	22.01	5.225	1587	22.73	-1.033
1438	20.59	14.116	1488	21.28	2.984	1538	22.03	4.600	1588	22.74	-0.408
1439	20.60	15.116	1489	21.31	3.358	1539	22.04	3.725	1589	22.77	0.467
1440	20.61	14.741	1490	21.33	3.608	1540	22.05	3.100	1590	22.78	1.466
1441	20.62	14.116	1491	21.34	3.358	1541	22.06	1.475	1591	22.80	1.466
1442	20.63	13.491	1492	21.35	2.733	1542	22.07	1.225	1592	22.81	-0.659
1443	20.65	11.616	1493	21.36	2.483	1543	22.09	1.224	1593	22.82	-2.284
1444	20.66	9.116	1494	21.37	0.607	1544	22.15	0.849	1594	22.84	-4.910
1445	20.68	8.865	1495	21.38	-1.393	1545	22.17	-0.027	1595	22.86	-6.785
1446	20.69	8.740	1496	21.39	-2.518	1546	22.19	-0.652	1596	22.87	-9.910
1447	20.72	8.740	1497	21.40	-2.893	1547	22.21	-1.652	1597	22.88	-10.160
1448	20.74	9.740	1498	21.41	-3.518	1548	22.22	-1.902	1598	22.89	-10.535
1449	20.75	9.490	1499	21.43	-3.768	1549	22.23	-0.777	1599	22.91	-10.535
1450	20.77	9.489	1500	21.45	-3.268	1550	22.25	2.722	1600	22.94	-10.786

INDEX NO. 801 1305-PI-8 HOROMAN BRIDGE U-D MAX.ACCEL.= -33.335(GAL) T=16.34(SEC) NO. 9

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1601	22.95	-10.786	1651	23.68	-1.294	1701	24.39	-2.177	1751	25.13	4.939
1602	22.96	-11.161	1652	23.70	-1.294	1702	24.43	-0.553	1752	25.15	4.314
1603	22.97	-13.786	1653	23.71	-0.420	1703	24.45	0.322	1753	25.17	1.439
1604	22.98	-12.911	1654	23.74	2.705	1704	24.46	0.947	1754	25.21	-0.687
1605	23.00	-12.911	1655	23.78	5.455	1705	24.47	0.697	1755	25.26	-6.187
1606	23.01	-11.286	1656	23.80	7.080	1706	24.48	-0.178	1756	25.30	-8.688
1607	23.03	-8.787	1657	23.81	7.954	1707	24.50	-1.429	1757	25.32	-9.313
1608	23.04	-4.787	1658	23.82	8.579	1708	24.52	-1.429	1758	25.34	-9.938
1609	23.06	0.963	1659	23.83	8.954	1709	24.53	-1.429	1759	25.35	-9.938
1610	23.09	4.838	1660	23.84	8.329	1710	24.55	-1.179	1760	25.36	-9.688
1611	23.11	5.462	1661	23.85	8.329	1711	24.57	-1.180	1761	25.37	-9.064
1612	23.12	7.087	1662	23.86	5.579	1712	24.58	-1.430	1762	25.39	-6.814
1613	23.14	8.337	1663	23.89	-1.047	1713	24.59	-2.054	1763	25.40	-4.939
1614	23.15	8.337	1664	23.90	-3.172	1714	24.60	-3.055	1764	25.42	-3.064
1615	23.16	7.712	1665	23.91	-4.922	1715	24.61	-3.930	1765	25.43	-0.939
1616	23.17	6.837	1666	23.92	-5.172	1716	24.62	-4.305	1766	25.44	-0.939
1617	23.19	5.211	1667	23.93	-5.172	1717	24.63	-4.555	1767	25.45	-0.315
1618	23.20	3.712	1668	23.94	-4.922	1718	24.64	-4.305	1768	25.47	-0.315
1619	23.21	2.711	1669	23.95	-4.047	1719	24.65	-4.055	1769	25.49	-0.565
1620	23.22	2.461	1670	23.96	-0.297	1720	24.66	-3.055	1770	25.50	-0.565
1621	23.24	2.961	1671	23.97	5.202	1721	24.67	-1.806	1771	25.53	0.310
1622	23.26	3.961	1672	23.98	7.702	1722	24.69	0.069	1772	25.56	0.309
1623	23.28	4.585	1673	23.99	9.202	1723	24.70	2.569	1773	25.59	0.684
1624	23.30	4.585	1674	24.00	10.202	1724	24.71	3.944	1774	25.62	0.059
1625	23.31	4.335	1675	24.01	10.452	1725	24.72	3.944	1775	25.66	-0.817
1626	23.32	2.710	1676	24.02	10.452	1726	24.74	3.694	1776	25.70	-2.192
1627	23.33	-0.415	1677	24.03	10.202	1727	24.76	2.068	1777	25.72	-2.443
1628	23.34	-3.540	1678	24.04	8.952	1728	24.77	0.568	1778	25.73	-3.693
1629	23.35	-7.665	1679	24.06	7.702	1729	24.79	0.443	1779	25.77	-3.693
1630	23.36	-9.916	1680	24.07	7.451	1730	24.80	-0.432	1780	25.79	-4.943
1631	23.37	-11.415	1681	24.09	7.951	1731	24.81	0.193	1781	25.80	-5.569
1632	23.38	-12.541	1682	24.11	7.951	1732	24.83	1.443	1782	25.82	-6.194
1633	23.39	-13.416	1683	24.13	8.576	1733	24.85	3.317	1783	25.83	-6.194
1634	23.41	-13.166	1684	24.14	8.326	1734	24.86	3.567	1784	25.84	-5.944
1635	23.42	-12.291	1685	24.16	6.825	1735	24.87	3.942	1785	25.85	-4.944
1636	23.43	-11.041	1686	24.18	5.200	1736	24.88	3.942	1786	25.86	-2.444
1637	23.44	-9.166	1687	24.20	3.700	1737	24.89	3.067	1787	25.88	3.931
1638	23.47	-2.792	1688	24.21	2.700	1738	24.91	1.442	1788	25.89	6.055
1639	23.50	2.833	1689	24.23	2.074	1739	24.92	-0.683	1789	25.90	7.305
1640	23.52	6.083	1690	24.24	0.574	1740	24.93	-0.434	1790	25.91	7.930
1641	23.53	6.708	1691	24.25	0.824	1741	24.94	-0.434	1791	25.92	7.680
1642	23.54	6.708	1692	24.27	1.449	1742	24.96	0.816	1792	25.93	7.055
1643	23.57	7.082	1693	24.28	2.324	1743	24.98	2.066	1793	25.94	6.180
1644	23.58	7.082	1694	24.29	2.324	1744	24.99	2.941	1794	25.95	3.305
1645	23.59	6.207	1695	24.31	2.949	1745	25.00	3.316	1795	25.98	-0.696
1646	23.60	5.582	1696	24.32	1.823	1746	25.02	3.316	1796	25.99	-2.321
1647	23.63	3.332	1697	24.34	0.198	1747	25.06	3.940	1797	26.00	-2.946
1648	23.64	1.206	1698	24.36	-1.302	1748	25.09	4.565	1798	26.01	-4.696
1649	23.65	0.206	1699	24.37	-1.677	1749	25.11	5.189	1799	26.02	-3.696
1650	23.67	-1.044	1700	24.38	-2.302	1750	25.12	5.189	1800	26.04	-1.821

INDEX NO. 801 1305-PI-8 HOROMAN BRIDGE U-D MAX.ACCEL.= -33.335(GAL) T=16.34(SEC) NO.10

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1801	26.05	0.054	1851	26.87	-6.501	1901	27.62	5.411	1951	28.45	2.401
1802	26.08	4.178	1852	26.88	-6.831	1902	27.65	3.660	1952	28.47	2.026
1803	26.09	6.053	1853	26.90	-5.331	1903	27.72	0.784	1953	28.50	2.025
1804	26.10	7.303	1854	26.91	-3.456	1904	27.74	0.159	1954	28.52	2.275
1805	26.11	8.303	1855	26.93	-0.331	1905	27.75	0.159	1955	28.53	1.150
1806	26.12	8.553	1856	26.95	1.918	1906	27.76	-0.091	1956	28.55	0.775
1807	26.14	9.178	1857	26.96	3.168	1907	27.77	-0.466	1957	28.56	0.525
1808	26.17	9.802	1858	26.97	3.543	1908	27.78	0.159	1958	28.58	0.525
1809	26.19	9.302	1859	26.98	3.918	1909	27.80	2.033	1959	28.59	1.024
1810	26.22	8.927	1860	26.99	4.168	1910	27.81	3.283	1960	28.61	2.024
1811	26.24	7.052	1861	27.02	4.543	1911	27.82	3.533	1961	28.64	4.149
1812	26.26	3.676	1862	27.04	3.292	1912	27.83	3.908	1962	28.66	3.274
1813	26.28	0.176	1863	27.05	3.042	1913	27.84	3.908	1963	28.67	3.523
1814	26.31	-2.449	1864	27.06	3.042	1914	27.85	3.033	1964	28.68	3.898
1815	26.32	-3.699	1865	27.07	2.417	1915	27.86	1.408	1965	28.69	3.648
1816	26.34	-4.575	1866	27.09	2.667	1916	27.88	-0.467	1966	28.72	3.023
1817	26.35	-4.075	1867	27.11	2.666	1917	27.90	-1.718	1967	28.73	3.023
1818	26.38	-2.825	1868	27.12	2.041	1918	27.91	-2.343	1968	28.74	3.022
1819	26.44	-2.076	1869	27.13	1.416	1919	27.92	-2.093	1969	28.77	5.147
1820	26.46	-1.576	1870	27.15	-1.959	1920	27.94	-1.093	1970	28.79	5.772
1821	26.47	-1.201	1871	27.17	-3.209	1921	27.95	-0.843	1971	28.80	7.272
1822	26.49	-1.201	1872	27.18	-3.835	1922	27.96	-0.218	1972	28.81	7.897
1823	26.50	-2.077	1873	27.19	-3.584	1923	27.97	-0.469	1973	28.83	8.897
1824	26.51	-2.702	1874	27.20	-3.334	1924	27.98	0.156	1974	28.84	8.022
1825	26.53	-3.077	1875	27.21	-2.335	1925	28.04	-1.344	1975	28.85	7.396
1826	26.54	-3.077	1876	27.23	-1.460	1926	28.07	-2.345	1976	28.86	5.521
1827	26.55	-3.077	1877	27.25	-0.460	1927	28.10	-3.220	1977	28.87	2.396
1828	26.56	-1.577	1878	27.26	0.415	1928	28.12	-3.595	1978	28.88	-0.679
1829	26.57	-1.202	1879	27.27	0.790	1929	28.13	-4.346	1979	28.90	-3.729
1830	26.59	1.297	1880	27.28	1.040	1930	28.15	-4.346	1980	28.91	-3.979
1831	26.61	1.547	1881	27.31	1.039	1931	28.16	-3.470	1981	28.92	-3.979
1832	26.62	1.922	1882	27.33	1.664	1932	28.17	-2.221	1982	28.93	-4.104
1833	26.64	0.422	1883	27.34	2.039	1933	28.20	1.279	1983	28.94	-1.230
1834	26.65	-2.078	1884	27.35	1.414	1934	28.23	4.778	1984	28.95	1.270
1835	26.67	-3.329	1885	27.36	2.913	1935	28.25	7.278	1985	28.96	3.145
1836	26.68	-3.954	1886	27.38	6.038	1936	28.26	8.278	1986	28.97	1.270
1837	26.69	-3.704	1887	27.40	7.663	1937	28.27	8.278	1987	28.98	0.645
1838	26.70	-2.829	1888	27.42	8.913	1938	28.28	8.278	1988	28.99	0.020
1839	26.72	-0.954	1889	27.44	9.788	1939	28.29	8.276	1989	29.00	-1.480
1840	26.74	2.171	1890	27.45	8.912	1940	28.30	7.028	1990	29.02	-2.105
1841	26.75	2.171	1891	27.46	8.912	1941	28.32	6.152	1991	29.03	-2.731
1842	26.76	2.546	1892	27.47	8.037	1942	28.33	4.902	1992	29.05	-2.856
1843	26.77	2.545	1893	27.50	4.287	1943	28.34	4.277	1993	29.07	-2.231
1844	26.79	1.045	1894	27.52	2.037	1944	28.35	3.902	1994	29.08	-0.356
1845	26.81	-1.455	1895	27.53	1.412	1945	28.36	3.902	1995	29.10	2.143
1846	26.82	-3.705	1896	27.55	1.161	1946	28.38	3.902	1996	29.13	4.143
1847	26.83	-4.955	1897	27.56	1.411	1947	28.40	4.527	1997	29.14	4.768
1848	26.84	-5.205	1898	27.57	2.661	1948	28.41	3.651	1998	29.15	5.143
1849	26.85	-6.831	1899	27.59	4.536	1949	28.42	3.026	1999	29.16	5.143
1850	26.86	-6.581	1900	27.61	5.411	1950	28.44	2.401	2000	29.17	5.142

土木構造物における加速度強震記録（No.9）

INDEX NO. 801 1305-P1-8 HOROHAN BRIDGE U-D MAX.ACCEL.= -33.335(GAL) T=16.34(SEC) NO.11

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2001	29.18	4.516	2051	30.12	0.382	2101	31.04	-0.754	2151	31.91	2.486
2002	29.20	3.267	2052	30.15	0.066	2102	31.10	-1.380	2152	31.92	3.486
2003	29.21	1.767	2053	30.17	-0.619	2103	31.12	-1.130	2153	31.93	4.111
2004	29.22	0.767	2054	30.18	-1.244	2104	31.14	0.120	2154	31.94	4.736
2005	29.23	0.142	2055	30.19	-1.869	2105	31.17	1.379	2155	31.95	4.736
2006	29.24	0.767	2056	30.20	-2.119	2106	31.19	2.620	2156	31.97	4.735
2007	29.27	1.017	2057	30.23	-0.994	2107	31.20	2.869	2157	31.99	4.735
2008	29.30	1.016	2058	30.25	0.880	2108	31.22	3.869	2158	32.02	4.735
2009	29.32	1.016	2059	30.26	0.680	2109	31.24	4.119	2159	32.04	5.110
2010	29.34	1.016	2060	30.27	2.755	2110	31.26	3.869	2160	32.05	5.110
2011	29.36	0.515	2061	30.29	3.130	2111	31.27	3.618	2161	32.07	5.109
2012	29.38	0.140	2062	30.31	4.130	2112	31.29	2.993	2162	32.09	4.234
2013	29.39	0.140	2063	30.32	4.505	2113	31.30	3.493	2163	32.11	4.234
2014	29.40	0.140	2064	30.34	3.879	2114	31.31	3.868	2164	32.12	4.234
2015	29.41	0.390	2065	30.35	3.629	2115	31.32	4.868	2165	32.13	4.733
2016	29.43	2.015	2066	30.36	3.004	2116	31.35	5.117	2166	32.14	5.108
2017	29.44	2.640	2067	30.37	2.379	2117	31.36	5.993	2167	32.15	5.983
2018	29.46	3.869	2068	30.39	1.379	2118	31.38	4.867	2168	32.17	6.608
2019	29.48	6.014	2069	30.40	1.628	2119	31.40	4.242	2169	32.18	6.608
2020	29.50	7.639	2070	30.42	2.003	2120	31.41	3.867	2170	32.20	5.483
2021	29.52	8.264	2071	30.43	4.128	2121	31.43	3.242	2171	32.22	4.483
2022	29.53	8.014	2072	30.45	6.376	2122	31.45	3.491	2172	32.25	1.732
2023	29.55	6.388	2073	30.46	7.878	2123	31.46	3.491	2173	32.28	-1.393
2024	29.56	4.513	2074	30.48	8.253	2124	31.49	1.991	2174	32.31	-0.269
2025	29.59	1.138	2075	30.49	8.502	2125	31.52	1.741	2175	32.34	-1.144
2026	29.62	-1.737	2076	30.50	7.377	2126	31.54	1.365	2176	32.36	-1.144
2027	29.65	-2.988	2077	30.51	4.252	2127	31.56	1.615	2177	32.38	-0.269
2028	29.66	-3.613	2078	30.53	0.127	2128	31.57	2.240	2178	32.46	0.980
2029	29.67	-3.613	2079	30.54	-1.998	2129	31.59	3.490	2179	32.51	2.604
2030	29.69	-3.863	2080	30.56	-3.248	2130	31.61	4.115	2180	32.55	3.479
2031	29.70	-4.364	2081	30.57	-4.624	2131	31.64	4.739	2181	32.57	3.854
2032	29.72	-4.114	2082	30.58	-4.624	2132	31.65	5.739	2182	32.58	4.104
2033	29.73	-3.489	2083	30.59	-4.124	2133	31.67	4.489	2183	32.60	5.103
2034	29.75	-1.614	2084	30.61	-3.499	2134	31.69	3.864	2184	32.62	4.853
2035	29.76	-0.989	2085	30.64	-3.124	2135	31.70	2.613	2185	32.64	3.853
2036	29.78	-0.364	2086	30.65	-3.124	2136	31.72	1.113	2186	32.65	2.603
2037	29.80	0.260	2087	30.67	-3.125	2137	31.73	0.488	2187	32.67	1.977
2038	29.81	0.885	2088	30.72	-2.250	2138	31.74	-1.512	2188	32.69	2.227
2039	29.84	0.635	2089	30.75	-1.250	2139	31.76	-2.387	2189	32.70	2.602
2040	29.86	0.010	2090	30.78	-0.626	2140	31.77	-3.762	2190	32.72	3.852
2041	29.89	0.634	2091	30.80	-0.376	2141	31.78	-2.888	2191	32.74	3.226
2042	29.92	1.009	2092	30.82	0.874	2142	31.79	-1.012	2192	32.77	1.726
2043	29.93	1.259	2093	30.84	2.998	2143	31.81	-0.013	2193	32.81	-0.149
2044	29.94	1.884	2094	30.86	2.623	2144	31.82	1.237	2194	32.85	-0.775
2045	29.96	2.759	2095	30.87	3.248	2145	31.83	1.487	2195	32.86	0.350
2046	29.99	2.508	2096	30.88	3.248	2146	31.85	1.237	2196	32.89	0.100
2047	30.02	2.508	2097	30.90	1.748	2147	31.86	0.987	2197	32.92	-0.776
2048	30.05	1.883	2098	30.93	0.497	2148	31.88	0.361	2198	32.95	-1.151
2049	30.07	1.632	2099	30.96	0.372	2149	31.89	-0.014	2199	32.99	-1.401
2050	30.10	1.632	2100	31.00	-0.504	2150	31.90	-0.264	2200	33.02	-1.402

INDEX NO. 801 1305-P1-8 HOROHAN BRIDGE U-D MAX.ACCEL.= -33.335(GAL) T=16.34(SEC) NO.12

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2201	33.05	-1.777	2251	33.89	-0.287	2301	34.77	0.703	2351	35.72	5.942
2202	33.07	-1.527	2252	33.90	-0.662	2302	34.81	0.078	2352	35.73	5.442
2203	33.10	-1.777	2253	33.91	-0.912	2303	34.83	0.078	2353	35.75	5.692
2204	33.12	-0.278	2254	33.93	-0.912	2304	34.85	-0.548	2354	35.78	2.942
2205	33.14	1.972	2255	33.94	-0.412	2305	34.87	-0.548	2355	35.80	2.316
2206	33.16	2.847	2256	33.95	0.838	2306	34.89	-0.298	2356	35.81	1.066
2207	33.17	3.847	2257	33.97	2.463	2307	34.92	0.327	2357	35.83	1.941
2208	33.18	3.847	2258	33.99	2.712	2308	34.93	0.702	2358	35.88	3.815
2209	33.19	3.846	2259	34.00	2.712	2309	34.94	0.951	2359	35.93	6.565
2210	33.21	2.596	2260	34.03	2.837	2310	34.95	-0.549	2360	35.95	7.565
2211	33.22	1.096	2261	34.06	2.211	2311	34.98	-1.549	2361	35.96	7.565
2212	33.24	0.471	2262	34.09	1.836	2312	35.00	-2.799	2362	35.97	6.940
2213	33.25	0.471	2263	34.11	0.961	2313	35.01	-2.800	2363	35.98	5.689
2214	33.26	1.595	2264	34.12	1.211	2314	35.04	-2.425	2364	35.99	4.189
2215	33.28	2.220	2265	34.13	0.961	2315	35.05	-1.800	2365	36.01	1.939
2216	33.30	3.845	2266	34.14	0.585	2316	35.12	-0.926	2366	36.02	2.314
2217	33.31	4.095	2267	34.16	-0.040	2317	35.14	0.074	2367	36.03	1.939
2218	33.32	4.845	2268	34.17	-0.290	2318	35.16	0.949	2368	36.04	1.939
2219	33.34	4.220	2269	34.19	0.835	2319	35.17	0.949	2369	36.06	3.188
2220	33.37	3.844	2270	34.23	1.834	2320	35.18	0.698	2370	36.08	3.813
2221	33.39	2.594	2271	34.26	1.834	2321	35.20	-0.177	2371	36.09	4.063
2222	33.42	2.594	2272	34.29	2.459	2322	35.21	-1.177	2372	36.10	4.063
2223	33.44	1.969	2273	34.31	2.209	2323	35.23	-1.177	2373	36.11	4.063
2224	33.45	1.718	2274	34.32	2.208	2324	35.25	-1.802	2374	36.13	3.813
2225	33.46	1.343	2275	34.33	2.208	2325	35.27	-0.928	2375	36.15	3.562
2226	33.47	1.093	2276	34.34	2.208	2326	35.28	0.072	2376	36.17	3.812
2227	33.49	1.093	2277	34.36	3.083	2327	35.30	0.947	2377	36.19	4.062
2228	33.51	1.593	2278	34.38	4.458	2328	35.31	1.322	2378	36.20	4.437
2229	33.53	1.093	2279	34.40	5.083	2329	35.32	1.947	2379	36.22	4.687
2230	33.55	0.092	2280	34.41	4.207	2330	35.33	2.197	2380	36.23	5.061
2231	33.57	-1.158	2281	34.43	1.957	2331	35.34	2.197	2381	36.25	4.436
2232	33.59	-1.783	2282	34.44	0.082	2332	35.35	1.946	2382	36.26	3.811
2233	33.60	-3.533	2283	34.46	-1.418	2333	35.38	1.071	2383	36.31	1.935
2234	33.61	-2.534	2284	34.47	-3.043	2334	35.40	0.446	2384	36.36	1.310
2235	33.64	-1.284	2285	34.48	-3.294	2335	35.42	0.696	2385	36.37	1.935
2236	33.66	-0.659	2286	34.49	-3.669	2336	35.44	0.445	2386	36.38	2.184
2237	33.69	0.591	2287	34.50	-3.669	2337	35.48	0.445	2387	36.40	3.184
2238	33.70	0.590	2288	34.51	-2.794	2338	35.50	0.945	2388	36.42	3.434
2239	33.72	0.840	2289	34.52	-0.544	2339	35.51	0.945	2389	36.43	4.059
2240	33.74	1.215	2290	34.56	2.205	2340	35.53	0.444	2390	36.44	4.059
2241	33.76	0.590	2291	34.58	4.081	2341	35.54	0.444	2391	36.45	4.434
2242	33.77	0.840	2292	34.59	4.455	2342	35.55	0.319	2392	36.47	3.184
2243	33.78	0.340	2293	34.60	4.455	2343	35.56	0.944	2393	36.51	1.933
2244	33.79	-0.286	2294	34.61	4.830	2344	35.59	3.194	2394	36.53	0.433
2245	33.80	-0.911	2295	34.63	4.830	2345	35.61	5.318	2395	36.55	-0.567
2246	33.81	-1.286	2296	34.66	4.454	2346	35.63	6.318	2396	36.57	-1.442
2247	33.82	-0.661	2297	34.69	4.204	2347	35.64	6.068	2397	36.58	-1.193
2248	33.84	-0.036	2298	34.71	2.954	2348	35.66	6.068	2398	36.59	-2.193
2249	33.85	-0.036	2299	34.74	1.329	2349	35.68	5.443	2399	36.63	0.307
2250	33.87	-0.286	2300	34.76	0.703	2350	35.70	5.692	2400	36.64	1.307

INDEX NO. 801 1305-PI-B HORONAI BRIDGE U-D MAX.ACCEL.= -33.335(GAL) T=16.34(SEC) NO.13

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2401	36.65	1.931	2451	37.56	5.046	2501	38.39	-4.463	2551	39.61	1.275
2402	36.66	1.931	2452	37.58	4.171	2502	38.40	-4.464	2552	39.44	2.774
2403	36.67	1.681	2453	37.60	3.546	2503	38.43	-3.214	2553	39.45	3.399
2404	36.69	-0.194	2454	37.62	2.795	2504	38.47	-1.714	2554	39.46	3.774
2405	36.70	-1.819	2455	37.65	2.795	2505	38.50	-0.715	2555	39.48	4.149
2406	36.71	-2.444	2456	37.66	3.170	2506	38.51	-0.090	2556	39.49	4.024
2407	36.72	-2.444	2457	37.68	3.420	2507	38.53	-0.090	2557	39.50	2.899
2408	36.74	-2.444	2458	37.69	3.169	2508	38.54	-0.090	2558	39.52	1.023
2409	36.78	-2.445	2459	37.70	2.294	2509	38.55	-0.340	2559	39.53	0.023
2410	36.80	-2.445	2460	37.72	0.419	2510	38.56	-0.090	2560	39.55	-0.602
2411	36.82	-3.070	2461	37.75	-3.081	2511	38.57	-0.716	2561	39.57	-0.602
2412	36.84	-3.696	2462	37.77	-5.331	2512	38.58	-0.466	2562	39.59	-0.602
2413	36.85	-3.946	2463	37.78	-5.331	2513	38.61	1.159	2563	39.61	-0.603
2414	36.86	-3.696	2464	37.79	-5.957	2514	38.63	2.034	2564	39.63	-0.353
2415	36.88	-3.446	2465	37.80	-5.957	2515	38.65	3.033	2565	39.66	0.022
2416	36.92	-2.447	2466	37.81	-5.457	2516	38.67	2.408	2566	39.69	1.272
2417	36.96	-1.197	2467	37.83	-3.832	2517	38.69	1.783	2567	39.71	3.146
2418	36.98	-0.322	2468	37.86	-0.457	2518	38.70	1.533	2568	39.74	4.021
2419	36.99	-0.322	2469	37.88	1.167	2519	38.71	1.533	2569	39.76	4.396
2420	37.01	-1.198	2470	37.89	1.792	2520	38.72	1.158	2570	39.79	4.146
2421	37.04	-2.448	2471	37.90	1.792	2521	38.75	1.407	2571	39.83	4.115
2422	37.06	-2.448	2472	37.91	1.792	2522	38.86	4.781	2572	39.86	3.145
2423	37.07	-2.448	2473	37.93	1.542	2523	38.89	5.031	2573	39.89	2.894
2424	37.08	-1.574	2474	37.94	0.292	2524	38.90	4.406	2574	39.93	1.019
2425	37.11	-0.324	2475	37.95	-0.708	2525	38.92	4.156	2575	39.96	0.644
2426	37.13	0.676	2476	37.96	-0.708	2526	38.93	4.155	2576	39.98	0.643
2427	37.14	1.926	2477	37.98	-1.334	2527	38.94	3.155	2577	40.00	1.518
2428	37.16	1.925	2478	38.00	0.166	2528	38.95	2.280	2578	40.02	2.518
2429	37.17	1.676	2479	38.02	1.416	2529	38.97	1.030	2579	40.04	2.767
2430	37.19	0.675	2480	38.04	2.666	2530	38.99	-0.220	2580	40.05	2.517
2431	37.21	-0.575	2481	38.05	3.790	2531	39.00	-0.846	2581	40.06	2.267
2432	37.23	-2.200	2482	38.06	3.790	2532	39.01	-0.846	2582	40.08	0.642
2433	37.25	-2.450	2483	38.07	3.540	2533	39.03	-0.846	2583	40.11	-1.858
2434	37.28	-4.701	2484	38.08	3.165	2534	39.06	-1.471	2584	40.13	-3.109
2435	37.29	-5.326	2485	38.11	1.915	2535	39.10	-1.472	2585	40.15	-3.109
2436	37.30	-5.326	2486	38.14	2.164	2536	39.12	-1.472	2586	40.16	-2.859
2437	37.31	-4.826	2487	38.17	2.789	2537	39.14	-1.472	2587	40.23	-2.860
2438	37.33	-2.951	2488	38.18	2.789	2538	39.15	-2.097	2588	40.27	-2.485
2439	37.35	-1.327	2489	38.19	2.789	2539	39.16	-1.847	2589	40.28	-2.485
2440	37.37	1.173	2490	38.20	2.789	2540	39.17	-1.847	2590	40.29	-1.860
2441	37.38	1.798	2491	38.21	2.164	2541	39.20	-0.598	2591	40.31	-0.611
2442	37.39	2.423	2492	38.23	1.913	2542	39.22	0.652	2592	40.34	1.889
2443	37.41	2.673	2493	38.26	2.163	2543	39.23	1.527	2593	40.36	2.514
2444	37.44	3.797	2494	38.28	1.913	2544	39.24	1.902	2594	40.37	2.514
2445	37.47	4.047	2495	38.30	1.912	2545	39.26	1.901	2595	40.39	2.263
2446	37.48	4.672	2496	38.31	1.287	2546	39.28	1.901	2596	40.40	2.263
2447	37.50	5.672	2497	38.32	1.037	2547	39.32	2.151	2597	40.44	1.638
2448	37.51	5.672	2498	38.33	-0.838	2548	39.36	0.650	2598	40.46	1.638
2449	37.52	5.672	2499	38.36	-1.838	2549	39.39	0.025	2599	40.49	1.887
2450	37.54	5.671	2500	38.37	-3.963	2550	39.40	0.275	2600	40.51	2.137

INDEX NO. 801 1305-PI-B HORONAI BRIDGE U-D MAX.ACCEL.= 33.335(GAL) T=16.34(SEC) NO.14

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2601	40.53	3.137	2651	41.42	2.502	2701	42.33	0.616	2751	43.42	1.229
2602	40.54	4.912	2652	41.44	2.501	2702	42.35	-0.634	2752	43.43	0.603
2603	40.55	4.637	2653	41.46	2.751	2703	42.37	-0.634	2753	43.45	-0.022
2604	40.56	4.762	2654	41.47	2.751	2704	42.42	-0.385	2754	43.49	-1.897
2605	40.57	4.762	2655	41.49	2.251	2705	42.45	-0.010	2755	43.51	-2.773
2606	40.58	4.388	2656	41.50	1.001	2706	42.49	0.864	2756	43.53	-2.773
2607	40.62	2.511	2657	41.52	1.251	2707	42.51	0.614	2757	43.54	-2.523
2608	40.67	0.010	2658	41.55	-0.250	2708	42.52	0.864	2758	43.61	-1.649
2609	40.69	-0.865	2659	41.57	0.250	2709	42.53	0.864	2759	43.66	-1.024
2610	40.71	-1.490	2660	41.58	0.250	2710	42.55	-0.011	2760	43.67	-0.024
2611	40.72	-1.490	2661	41.60	0.250	2711	42.56	-0.261	2761	43.68	-0.024
2612	40.75	-0.616	2662	41.62	-0.626	2712	42.57	-1.012	2762	43.71	-0.650
2613	40.80	0.634	2663	41.63	-0.876	2713	42.59	0.238	2763	43.74	-1.525
2614	40.82	0.683	2664	41.64	-0.626	2714	42.61	1.238	2764	43.76	-1.900
2615	40.85	1.258	2665	41.66	-0.376	2715	42.63	2.488	2765	43.77	-1.275
2616	40.86	1.508	2666	41.68	0.624	2716	42.65	3.112	2766	43.82	0.224
2617	40.87	1.508	2667	41.69	1.498	2717	42.67	3.988	2767	43.87	1.473
2618	40.88	1.258	2668	41.71	2.498	2718	42.68	3.987	2768	43.91	1.848
2619	40.90	0.008	2669	41.72	2.748	2719	42.69	3.737	2769	43.92	1.848
2620	40.92	-0.618	2670	41.74	3.123	2720	42.70	3.112	2770	43.94	1.847
2621	40.94	-0.618	2671	41.76	3.373	2721	42.72	2.861	2771	43.96	1.222
2622	40.95	-0.993	2672	41.78	2.247	2722	42.75	1.611	2772	43.98	-0.028
2623	40.97	-0.618	2673	41.80	1.672	2723	42.77	0.986	2773	44.01	-0.653
2624	40.98	-0.618	2674	41.82	0.997	2724	42.78	0.986	2774	44.03	-0.904
2625	41.00	-1.244	2675	41.83	0.872	2725	42.81	1.861	2775	44.28	0.844
2626	41.02	-1.494	2676	41.85	1.247	2726	42.85	2.110	2776	44.31	0.593
2627	41.04	-2.244	2677	41.87	1.871	2727	42.87	2.735	2777	44.33	0.593
2628	41.05	-2.244	2678	41.89	2.121	2728	42.88	2.735	2778	44.36	0.593
2629	41.07	-1.869	2679	41.91	2.746	2729	42.90	2.735	2779	44.38	0.593
2630	41.09	-1.495	2680	41.93	3.121	2730	42.92	2.234	2780	44.41	0.592
2631	41.11	-0.620	2681	41.95	2.871	2731	42.94	1.859	2781	44.43	0.842
2632	41.13	-1.245	2682	41.98	2.245	2732	42.97	1.609	2782	44.46	0.342
2633	41.15	-2.120	2683	42.00	1.870	2733	42.98	1.609	2783	44.51	-0.659
2634	41.16	-2.120	2684	42.02	1.870	2734	42.99	1.859	2784	44.53	-0.659
2635	41.18	-2.121	2685	42.04	2.119	2735	43.01	1.233	2785	44.82	-1.038
2636	41.19	-1.621	2686	42.06	3.119	2736	43.03	-0.642	2786	44.85	-0.663
2637	41.21	-0.871	2687	42.08	3.369	2737	43.05	-0.892	2787	44.87	0.212
2638	41.23	0.254	2688	42.09	3.994	2738	43.06	-1.267	2788	44.88	0.212
2639	41.24	1.504	2689	42.11	3.369	2739	43.08	-0.643	2789	44.89	-0.039
2640	41.26	2.128	2690	42.13	1.244	2740	43.09	-1.268	2790	44.91	-0.664
2641	41.27	2.503	2691	42.15	-0.007	2741	43.18	1.856	2791	44.93	-1.539
2642	41.28	1.878	2692	42.18	-0.632	2742	43.19	2.481	2792	44.94	-1.914
2643	41.29	2.128	2693	42.19	-0.382	2743	43.22	3.106	2793	44.96	-2.539
2644	41.31	2.503	2694	42.21	-0.382	2744	43.23	3.731	2794	44.99	-2.164
2645	41.33	1.878	2695	42.23	-0.633	2745	43.26	3.105	2795	45.00	-1.665
2646	41.35	2.127	2696	42.25	0.242	2746	43.27	2.855	2796	45.03	-0.665
2647	41.36	1.627	2697	42.27	0.867	2747	43.29	2.480	2797	45.08	-0.041
2648	41.37	1.627	2698	42.29	1.492	2748	43.33	0.605	2798	45.22	1.833
2649	41.38	2.127	2699	42.30	1.491	2749	43.37	0.604	2799	45.25	2.707
2650	41.41	2.502	2700	42.31	1.241	2750	43.39	0.854	2800	45.29	3.332

土木構造物における加速度強震記録（No. 9）

INDEX NO. 801 1305-PI-8 HOROMAN BRIDGE U-D MAX.ACCEL.= -33.335(GAL) T=16.34(SEC) NO.15

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2801	45.31	3.957	2851	46.81	-1.686	2901	48.26	-0.702	2951	50.15	1.526
2802	45.33	4.332	2852	46.84	-1.061	2902	48.30	-0.077	2952	50.17	1.776
2803	45.34	4.332	2853	46.86	-0.686	2903	48.33	0.172	2953	50.19	1.151
2804	45.36	3.456	2854	46.87	-0.686	2904	48.36	0.172	2954	50.22	-0.350
2805	45.38	2.456	2855	46.88	-0.936	2905	48.39	-0.079	2955	50.23	-0.975
2806	45.41	1.581	2856	46.92	-1.562	2906	48.42	-0.329	2956	50.26	0.525
2807	45.44	0.580	2857	46.95	-1.937	2907	48.44	-0.329	2957	50.29	0.775
2808	45.56	0.579	2858	46.98	-1.937	2908	48.47	-0.705	2958	50.33	-0.101
2809	45.60	1.453	2859	47.03	-2.563	2909	48.53	-0.705	2959	50.35	-1.351
2810	45.62	1.453	2860	47.07	-1.063	2910	48.55	-0.455	2960	50.41	-1.352
2811	45.63	1.203	2861	47.10	0.186	2911	48.57	-0.081	2961	50.48	-0.728
2812	45.66	0.328	2862	47.13	1.436	2912	48.60	0.794	2962	50.51	-0.478
2813	45.68	-0.298	2863	47.14	1.811	2913	48.62	0.794	2963	50.54	-0.103
2814	45.71	-0.673	2864	47.18	1.185	2914	48.65	0.293	2964	50.57	0.521
2815	45.74	-0.423	2865	47.22	0.935	2915	48.67	-0.082	2965	50.62	0.771
2816	45.77	-0.048	2866	47.23	0.560	2916	48.71	-0.082	2966	50.65	0.771
2817	45.83	0.826	2867	47.26	0.559	2917	48.76	-0.333	2967	50.68	1.145
2818	45.86	1.450	2868	47.29	0.559	2918	48.80	-0.083	2968	50.70	0.520
2819	45.87	1.200	2869	47.33	0.559	2919	48.82	0.792	2969	50.72	-0.105
2820	45.89	-0.050	2870	47.36	-0.067	2920	48.85	-0.334	2970	50.76	0.519
2821	45.91	-0.300	2871	47.38	0.183	2921	48.89	-0.959	2971	50.95	-0.733
2822	46.01	-0.676	2872	47.40	-0.317	2922	48.91	-1.335	2972	51.01	-0.734
2823	46.03	-0.676	2873	47.43	-1.567	2923	48.94	-0.460	2973	51.09	-0.735
2824	46.06	-0.927	2874	47.45	-1.568	2924	48.97	-0.961	2974	51.12	-0.860
2825	46.09	-1.927	2875	47.47	-1.568	2925	49.00	-0.961	2975	51.15	-0.860
2826	46.10	-1.052	2876	47.49	-1.068	2926	49.02	-0.961	2976	51.17	-2.111
2827	46.13	-0.052	2877	47.51	-0.443	2927	49.06	-0.461	2977	51.18	-2.361
2828	46.16	1.447	2878	47.54	-0.069	2928	49.11	-0.462	2978	51.19	-2.361
2829	46.18	1.447	2879	47.57	0.161	2929	49.15	-0.712	2979	51.20	-2.486
2830	46.20	1.197	2880	47.59	0.806	2930	49.21	-0.463	2980	51.24	-0.611
2831	46.24	0.571	2881	47.61	1.180	2931	49.27	0.161	2981	51.27	0.638
2832	46.26	0.321	2882	47.64	1.430	2932	49.32	0.161	2982	51.30	1.263
2833	46.29	-0.930	2883	47.66	2.055	2933	49.35	0.285	2983	51.32	1.263
2834	46.31	-1.555	2884	47.68	2.679	2934	49.38	0.285	2984	51.35	0.762
2835	46.32	-1.305	2885	47.70	3.054	2935	49.43	-0.716	2985	51.36	0.137
2836	46.34	-1.055	2886	47.71	3.054	2936	49.44	-0.466	2986	51.39	0.387
2837	46.37	-0.430	2887	47.73	2.804	2937	49.47	1.159	2987	51.43	0.761
2838	46.40	0.569	2888	47.78	2.428	2938	49.52	1.158	2988	51.48	0.386
2839	46.41	0.319	2889	47.84	2.178	2939	49.60	1.157	2989	51.61	0.384
2840	46.43	0.319	2890	47.92	1.802	2940	49.76	0.281	2990	51.71	-0.492
2841	46.46	-0.306	2891	47.96	1.551	2941	49.81	0.530	2991	51.74	-0.492
2842	46.46	-1.307	2892	47.97	1.551	2942	49.64	-0.095	2992	51.76	-0.492
2843	46.51	-0.932	2893	48.02	1.551	2943	49.88	-1.596	2993	51.79	1.257
2844	46.56	-0.432	2894	48.05	0.300	2944	49.93	-1.346	2994	51.80	1.632
2845	46.60	-0.433	2895	48.06	-0.075	2945	49.95	-0.722	2995	51.82	1.632
2846	46.64	-0.308	2896	48.09	-0.075	2946	49.97	0.153	2996	51.85	1.007
2847	46.66	-0.934	2897	48.13	0.550	2947	50.01	0.778	2997	51.88	0.756
2848	46.72	-2.559	2898	48.16	0.549	2948	50.03	0.777	2998	51.94	-0.869
2849	46.76	-2.810	2899	48.20	-0.076	2949	50.10	2.027	2999	51.98	-0.245
2850	46.78	-2.810	2900	48.23	-0.702	2950	50.13	1.776	3000	52.02	-0.245

INDEX NO. 801 1305-PI-8 HOROMAN BRIDGE U-D MAX.ACCEL.= -33.335(GAL) T=16.34(SEC) NO.16

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3001	52.06	-1.121	3051	53.85	-1.767	3101	55.51	0.214	3151	57.50	0.442
3002	52.09	-1.121	3052	53.88	-1.267	3102	55.54	-0.411	3152	57.57	0.691
3003	52.20	-0.873	3053	53.90	-0.267	3103	55.57	-0.161	3153	57.65	0.815
3004	52.24	-0.623	3054	53.92	0.358	3104	55.60	0.089	3154	57.71	0.814
3005	52.27	0.627	3055	53.93	0.357	3105	55.63	-0.412	3155	57.76	1.064
3006	52.29	0.626	3056	53.95	0.107	3106	55.65	-0.412	3156	57.82	0.438
3007	52.30	0.626	3057	53.96	0.107	3107	55.67	-0.413	3157	57.89	-0.108
3008	52.31	1.001	3058	53.99	-0.268	3108	55.72	0.087	3158	57.95	-0.439
3009	52.32	1.001	3059	54.00	-0.893	3109	55.74	-0.163	3159	58.02	-1.190
3010	52.33	1.001	3060	54.02	-2.144	3110	55.76	-0.164	3160	58.03	-1.190
3011	52.34	0.376	3061	54.05	-2.144	3111	55.80	-1.039	3161	58.08	-0.815
3012	52.36	-0.874	3062	54.07	-2.144	3112	55.83	-1.414	3162	58.14	-0.191
3013	52.38	-1.125	3063	54.10	-1.269	3113	55.85	-1.790	3163	58.19	-0.566
3014	52.39	-2.125	3064	54.13	-0.895	3114	55.89	-1.415	3164	58.29	-1.193
3015	52.40	-2.500	3065	54.16	-0.270	3115	55.93	-1.040	3165	58.33	-0.818
3016	52.42	-1.875	3066	54.18	0.355	3116	55.98	-0.541	3166	58.39	-0.569
3017	52.44	-0.875	3067	54.20	0.105	3117	56.00	-0.166	3167	58.43	-0.819
3018	52.48	-0.001	3068	54.22	0.104	3118	56.02	0.084	3168	58.47	-0.820
3019	52.50	0.624	3069	54.24	0.104	3119	56.05	-0.167	3169	58.51	-1.445
3020	52.52	0.124	3070	54.28	-0.271	3120	56.07	-1.417	3170	58.57	-0.321
3021	52.53	-0.626	3071	54.41	0.352	3121	56.09	-1.167	3171	58.60	0.304
3022	52.57	-1.127	3072	54.45	0.351	3122	56.27	-0.544	3172	58.64	0.553
3023	52.62	-0.877	3073	54.47	0.101	3123	56.41	0.079	3173	58.69	0.553
3024	52.70	-0.878	3074	54.51	-1.149	3124	56.43	-0.171	3174	58.72	0.052
3025	52.78	-1.254	3075	54.58	-2.150	3125	56.45	-0.422	3175	58.75	-0.323
3026	52.84	-1.255	3076	54.65	-2.401	3126	56.47	-0.797	3176	58.78	-0.323
3027	52.89	-1.255	3077	54.73	-1.901	3127	56.51	-0.172	3177	58.80	-0.574
3028	52.93	-1.256	3078	54.80	-1.278	3128	56.66	1.076	3178	56.83	0.301
3029	52.96	-0.881	3079	54.88	-1.278	3129	56.69	0.201	3179	58.85	0.926
3030	53.02	-0.257	3080	54.95	-1.279	3130	56.72	-0.175	3180	58.86	0.926
3031	53.03	-0.507	3081	55.01	-0.655	3131	56.74	-0.175	3181	58.89	0.676
3032	53.06	-1.508	3082	55.06	-0.280	3132	56.76	-0.425	3182	58.92	-0.575
3033	53.09	-2.383	3083	55.09	0.596	3133	56.77	-0.175	3183	58.95	-0.575
3034	53.12	-2.758	3084	55.11	1.219	3134	56.80	0.450	3184	59.00	-0.076
3035	53.13	-2.758	3085	55.12	1.219	3135	56.83	0.699	3185	59.04	-0.076
3036	53.15	-2.508	3086	55.15	0.344	3136	56.85	0.699	3186	59.12	-0.327
3037	53.20	-1.884	3087	55.19	0.343	3137	56.88	0.699	3187	59.19	-0.953
3038	53.27	-1.510	3088	55.22	0.343	3138	56.91	0.198	3188	59.24	-0.953
3039	53.31	-1.260	3089	55.24	0.342	3139	56.94	-0.802	3189	59.32	-0.329
3040	53.33	-1.260	3090	55.25	0.093	3140	56.96	-0.552	3190	59.35	-0.330
3041	53.35	-0.636	3091	55.27	-0.283	3141	57.01	0.697	3191	59.38	-0.080
3042	53.36	-0.261	3092	55.29	-0.908	3142	57.08	1.071	3192	59.41	0.294
3043	53.39	0.364	3093	55.31	-1.783	3143	57.12	0.446	3193	59.46	0.544
3044	53.40	0.114	3094	55.32	-1.784	3144	57.16	0.445	3194	59.51	0.918
3045	53.41	-0.261	3095	55.35	-0.284	3145	57.20	0.195	3195	59.54	1.168
3046	53.43	-0.512	3096	55.37	0.341	3146	57.24	-0.431	3196	59.57	2.168
3047	53.47	-1.512	3097	55.40	0.591	3147	57.27	-1.056	3197	59.58	2.168
3048	53.65	-0.889	3098	55.42	1.090	3148	57.29	-0.806	3198	59.61	5.042
3049	53.82	-1.516	3099	55.44	1.090	3149	57.35	-0.557	3199	59.68	0.666
3050	53.84	-1.766	3100	55.48	0.465	3150	57.43	-0.183	3200	59.71	0.166

INDEX NO. 801 1305-P1-6 HOROHAN BRIDGE U-D MAX.ACCEL.= -33.335(GAL) T=16.34(SEC) NO.17

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3201	59.76	-0.210	3251	62.93	0.754	3301	66.23	1.841	3351	70.34	1.169
3202	59.81	-0.210	3252	63.01	0.753	3302	66.24	1.841	3352	70.40	2.793
3203	59.86	-1.461	3253	63.04	1.003	3303	66.26	0.566	3353	70.42	2.418
3204	59.91	-0.836	3254	63.06	1.252	3304	66.31	-0.910	3354	70.43	2.793
3205	59.93	-1.087	3255	63.07	1.252	3305	66.33	-0.910	3355	70.45	2.167
3206	59.96	-1.712	3256	63.10	1.002	3306	66.44	-0.036	3356	70.48	1.292
3207	59.99	-1.212	3257	63.14	0.377	3307	66.61	1.586	3357	70.53	0.916
3208	60.01	-1.712	3258	63.19	0.001	3308	66.76	1.585	3358	70.55	0.041
3209	60.03	-1.213	3259	63.25	1.000	3309	66.77	1.335	3359	70.59	1.166
3210	60.06	0.037	3260	63.31	1.250	3310	66.79	1.564	3360	70.68	1.540
3211	60.09	-0.213	3261	63.42	0.998	3311	66.85	1.959	3361	70.80	1.538
3212	60.12	-0.214	3262	63.47	1.623	3312	66.99	0.707	3362	70.88	1.288
3213	60.19	0.035	3263	63.60	0.746	3313	67.13	0.081	3363	70.91	2.412
3214	60.31	-0.466	3264	63.63	0.746	3314	67.20	-0.295	3364	70.95	3.037
3215	60.50	-0.218	3265	63.70	1.620	3315	67.24	0.079	3365	71.15	2.784
3216	60.68	-0.220	3266	63.77	0.119	3316	67.33	0.578	3366	71.24	2.158
3217	60.71	-0.220	3267	63.82	0.369	3317	67.44	1.327	3367	71.29	1.783
3218	60.74	-0.221	3268	63.88	0.993	3318	67.49	0.702	3368	71.31	1.782
3219	60.77	-0.846	3269	63.94	0.742	3319	67.51	0.326	3369	71.33	0.907
3220	60.79	-0.596	3270	64.06	0.116	3320	67.58	1.575	3370	71.35	0.907
3221	60.83	0.653	3271	64.13	0.365	3321	67.83	0.948	3371	71.37	0.907
3222	60.87	0.778	3272	64.26	0.614	3322	67.96	1.571	3372	71.40	1.781
3223	60.91	0.652	3273	64.33	0.738	3323	68.05	1.570	3373	71.42	2.156
3224	60.93	1.027	3274	64.39	0.112	3324	68.07	0.945	3374	71.44	2.406
3225	60.96	0.777	3275	64.42	-0.513	3325	68.15	0.319	3375	71.46	2.781
3226	61.11	0.400	3276	64.47	-0.514	3326	68.18	1.193	3376	71.51	2.780
3227	61.29	-0.477	3277	64.52	0.111	3327	68.27	2.192	3377	71.53	1.530
3228	61.48	1.021	3278	64.60	-0.265	3328	68.31	1.567	3378	71.55	1.280
3229	61.63	0.644	3279	64.63	-0.266	3329	68.36	0.941	3379	71.57	1.529
3230	61.77	0.142	3280	64.68	0.359	3330	68.55	1.564	3380	71.60	1.529
3231	61.87	-0.234	3281	64.72	1.233	3331	68.69	1.313	3381	71.63	1.779
3232	61.99	1.390	3282	64.74	0.983	3332	68.77	2.187	3382	71.66	2.153
3233	62.16	-0.237	3283	64.96	0.105	3333	68.79	1.936	3383	71.70	2.153
3234	62.21	-0.488	3284	65.12	0.104	3334	68.84	2.436	3384	71.74	3.403
3235	62.24	-1.113	3285	65.15	0.103	3335	68.86	3.061	3385	71.77	3.152
3236	62.26	-1.488	3286	65.19	0.976	3336	69.11	2.558	3386	71.80	3.152
3237	62.28	-1.239	3287	65.21	0.978	3337	69.18	2.182	3387	71.95	1.525
3238	62.31	-1.239	3288	65.25	0.102	3338	69.24	3.431	3388	72.05	1.274
3239	62.34	0.011	3289	65.28	-0.273	3339	69.32	3.180	3389	72.11	1.273
3240	62.37	-0.240	3290	65.31	0.352	3340	69.44	1.304	3390	72.15	0.648
3241	62.42	-0.490	3291	65.37	0.976	3341	69.69	1.926	3391	72.47	0.644
3242	62.45	-1.491	3292	65.46	-0.025	3342	69.86	1.924	3392	72.57	0.893
3243	62.47	-1.491	3293	65.52	-0.026	3343	69.89	1.924	3393	72.66	1.517
3244	62.49	-1.491	3294	65.56	0.349	3344	69.93	1.298	3394	72.71	1.516
3245	62.52	-1.241	3295	65.59	1.223	3345	69.96	1.298	3395	72.80	0.891
3246	62.55	-0.242	3296	65.63	1.223	3346	69.97	1.298	3396	72.88	0.639
3247	62.57	-0.492	3297	65.76	0.971	3347	70.00	1.547	3397	73.12	0.637
3248	62.59	-0.492	3298	66.00	1.594	3348	70.16	1.921	3398	73.27	0.260
3249	62.64	-0.868	3299	66.61	1.593	3349	70.26	0.669	3399	73.32	-0.366
3250	62.67	-0.868	3300	66.20	1.216	3350	70.28	0.919	3400	73.34	0.259

INDEX NO. 801 1305-P1-8 HOROHAN BRIDGE U-D MAX.ACCEL.= -33.335(GAL) T=16.34(SEC) NO.18

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3401	73.48	-0.367	3451	75.65	-0.142	3501	77.61	0.710	3551	78.72	-1.303
3402	73.53	-0.118	3452	75.70	0.482	3502	77.64	0.460	3552	78.75	-0.428
3403	73.55	0.682	3453	75.74	-0.144	3503	77.68	-0.541	3553	78.77	0.447
3404	73.62	0.506	3454	75.76	-0.144	3504	77.73	-0.541	3554	78.80	0.196
3405	73.66	0.006	3455	75.79	0.106	3505	77.77	-0.917	3555	78.81	-0.054
3406	73.68	0.255	3456	75.83	-0.144	3506	77.79	-0.542	3556	78.84	-1.304
3407	73.70	0.255	3457	75.93	-0.771	3507	77.82	0.082	3557	78.86	-1.055
3408	73.74	0.254	3458	76.04	-0.897	3508	77.83	0.707	3558	78.89	-1.305
3409	73.78	0.004	3459	76.06	0.103	3509	77.84	0.332	3559	78.91	-0.180
3410	73.80	0.004	3460	76.08	0.352	3510	77.86	-0.168	3560	78.93	1.070
3411	73.82	0.253	3461	76.10	0.102	3511	77.88	-0.543	3561	78.94	1.069
3412	73.86	1.503	3462	76.12	-0.523	3512	77.90	-1.168	3562	79.00	0.819
3413	73.88	1.253	3463	76.16	-0.273	3513	77.91	-1.169	3563	79.04	0.819
3414	73.92	0.252	3464	76.20	-0.524	3514	77.92	-1.169	3564	79.08	0.818
3415	73.96	0.752	3465	76.22	0.351	3515	77.94	-0.294	3565	79.13	1.067
3416	73.99	0.752	3466	76.24	0.101	3516	77.95	0.331	3566	79.16	1.442
3417	74.01	1.001	3467	76.26	-0.774	3517	77.96	0.706	3567	79.18	1.192
3418	74.03	1.001	3468	76.27	0.100	3518	77.98	1.331	3568	79.19	0.567
3419	74.06	0.501	3469	76.32	-0.775	3519	77.99	1.081	3569	79.21	-0.434
3420	74.11	0.125	3470	76.34	0.100	3520	78.00	0.455	3570	79.23	-1.059
3421	74.25	0.998	3471	76.36	0.099	3521	78.02	-0.795	3571	79.24	-0.684
3422	74.40	0.372	3472	76.38	-0.151	3522	78.03	-0.795	3572	79.26	-0.184
3423	74.43	-0.128	3473	76.40	-0.526	3523	78.05	-1.420	3573	79.28	0.191
3424	74.54	0.370	3474	76.42	-0.526	3524	78.06	-1.170	3574	79.30	1.065
3425	74.63	0.119	3475	76.43	-0.526	3525	78.08	-0.796	3575	79.31	1.065
3426	74.70	0.743	3476	76.52	0.097	3526	78.10	0.704	3576	79.33	0.815
3427	74.76	0.743	3477	76.60	-0.529	3527	78.13	-0.171	3577	79.35	-0.060
3428	74.81	0.742	3478	76.67	-0.154	3528	78.14	-0.796	3578	79.37	-0.435
3429	74.63	1.367	3479	76.79	-0.155	3529	78.16	-0.921	3579	79.38	-0.686
3430	74.86	1.617	3480	76.93	0.093	3530	78.18	-0.546	3580	79.39	-0.435
3431	74.95	0.118	3481	77.02	0.092	3531	78.21	0.078	3581	79.41	0.189
3432	75.04	-0.135	3482	77.07	0.091	3532	78.23	0.328	3582	79.44	0.189
3433	75.14	0.113	3483	77.12	0.341	3533	78.25	0.453	3583	79.47	0.814
3434	75.21	0.113	3484	77.14	-0.535	3534	78.26	0.452	3584	79.49	0.813
3435	75.26	0.987	3485	77.17	-0.785	3535	78.29	0.077	3585	79.52	-0.062
3436	75.31	1.361	3486	77.18	-0.910	3536	78.31	-0.548	3586	79.54	-0.687
3437	75.33	1.361	3487	77.21	-0.910	3537	78.33	-1.423	3587	79.57	0.437
3438	75.35	2.236	3488	77.23	-0.286	3538	78.35	0.076	3588	79.59	0.812
3439	75.37	2.611	3489	77.26	0.089	3539	78.38	-0.549	3589	79.61	0.562
3440	75.38	1.735	3490	77.31	0.088	3540	78.42	-0.299	3590	79.63	0.562
3441	75.40	1.360	3491	77.34	0.088	3541	78.44	-0.300	3591	79.67	-0.064
3442	75.42	1.110	3492	77.36	0.713	3542	78.45	-0.550	3592	79.70	-1.064
3443	75.44	0.485	3493	77.38	0.712	3543	78.48	-0.550	3593	79.72	-1.314
3444	75.45	0.485	3494	77.44	0.087	3544	78.50	-0.300	3594	79.74	-1.689
3445	75.46	-0.286	3495	77.50	-0.539	3545	78.51	0.625	3595	79.76	-1.690
3446	75.50	0.359	3496	77.53	-0.789	3546	78.54	-0.426	3596	79.78	-0.440
3447	75.52	0.984	3497	77.56	-0.290	3547	78.56	-0.676	3597	79.80	0.185
3448	75.54	0.984	3498	77.57	-1.165	3548	78.61	-0.427	3598	79.82	0.810
3449	75.57	0.108	3499	77.59	0.085	3549	78.65	-0.427	3599	79.83	1.184
3450	75.60	-0.142	3500	77.60	0.335	3550	78.69	-1.053	3600	79.85	0.809

INDEX NO. 801 1305-PI-8 HOROMAN BRIDGE U-D MAX.ACCEL.= -33.335(GAL) T=16.34(SEC) NO.19

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3601	79.87	0.184	3651	81.45	-1.459	3701	83.87	0.138	3751	86.86	-1.622
3602	79.88	-0.691	3652	81.47	-0.460	3702	83.88	-0.112	3752	86.89	-1.272
3603	79.89	-0.691	3653	81.52	0.165	3703	84.05	-1.364	3753	86.92	-1.272
3604	79.90	-0.441	3654	81.55	0.414	3704	84.24	-1.116	3754	86.97	-1.223
3605	79.91	-0.191	3655	81.61	-0.211	3705	84.26	-1.117	3755	87.01	-1.023
3606	79.94	0.163	3656	81.60	-0.836	3706	84.31	-0.867	3756	87.05	-1.024
3607	79.96	1.163	3657	81.83	-1.089	3707	84.35	-0.868	3757	88.73	-0.293
3608	79.98	0.808	3658	81.92	-0.215	3708	84.36	-0.493	3758	88.88	-0.670
3609	80.01	0.557	3659	81.99	0.159	3709	84.40	-0.493	3759	88.98	0.204
3610	80.04	0.557	3660	82.03	0.784	3710	84.44	-1.119	3760	89.01	-1.296
3611	80.06	0.182	3661	82.05	0.534	3711	84.46	-1.744	3761	89.04	-1.297
3612	80.09	0.431	3662	82.07	0.159	3712	84.48	-1.744	3762	89.06	-1.672
3613	80.12	0.806	3663	82.08	-1.092	3713	84.50	-0.870	3763	89.15	-1.923
3614	80.13	0.606	3664	82.09	-0.842	3714	84.54	-0.495	3764	89.19	-1.923
3615	80.14	0.806	3665	82.15	-0.217	3715	84.66	-1.746	3765	89.25	-1.299
3616	80.15	0.806	3666	82.18	0.157	3716	84.73	-0.872	3766	89.34	-1.550
3617	80.17	0.555	3667	82.20	0.782	3717	84.76	-1.373	3767	89.40	-1.926
3618	80.18	0.180	3668	82.21	0.532	3718	84.80	-1.998	3768	89.44	-2.551
3619	80.20	-0.070	3669	82.24	-0.468	3719	85.04	-0.251	3769	89.48	-2.552
3620	80.22	0.180	3670	82.27	-1.344	3720	85.09	-0.251	3770	89.51	-1.927
3621	80.25	1.055	3671	82.28	-1.719	3721	85.11	-0.752	3771	89.55	-1.052
3622	80.28	1.429	3672	82.30	-1.469	3722	85.14	-2.002	3772	89.58	-1.053
3623	80.29	1.429	3673	82.35	-0.845	3723	85.23	-0.878	3773	89.76	-0.930
3624	80.30	1.179	3674	82.36	-0.220	3724	85.36	-1.129	3774	89.86	-1.306
3625	80.33	0.179	3675	82.41	-0.220	3725	85.41	-1.380	3775	89.98	-1.558
3626	80.35	-0.072	3676	82.42	-0.220	3726	85.44	-1.380	3776	90.09	-0.684
3627	80.37	-0.822	3677	82.44	-0.471	3727	85.49	-2.006	3777	90.18	-1.310
3628	80.39	-0.822	3678	82.71	-0.849	3728	85.51	-1.506	3778	90.22	-1.060
3629	80.41	-0.197	3679	82.80	-1.350	3729	85.56	-1.507	3779	90.25	-1.060
3630	80.43	1.052	3680	82.85	-0.850	3730	85.59	-1.507	3780	90.28	-1.561
3631	80.45	1.427	3681	82.89	-0.851	3731	85.63	-0.507	3781	90.32	-2.562
3632	80.46	1.427	3682	82.93	-1.101	3732	85.64	-1.133	3782	90.37	-0.062
3633	80.47	1.427	3683	82.96	-0.477	3733	85.70	-1.133	3783	90.43	-0.938
3634	80.49	1.177	3684	83.00	-0.477	3734	85.74	-2.384	3784	90.59	-1.314
3635	80.54	-0.074	3685	83.03	-0.477	3735	85.80	-2.135	3785	90.81	-1.567
3636	80.59	-0.450	3686	83.07	-1.103	3736	85.86	-1.510	3786	90.83	-1.942
3637	80.61	-0.200	3687	83.11	-1.104	3737	85.89	-1.136	3787	90.95	-1.694
3638	80.64	-0.200	3688	83.22	-0.730	3738	85.92	-2.261	3788	91.07	-2.195
3639	80.80	-0.077	3689	83.30	-0.856	3739	86.01	-2.512	3789	91.27	-1.072
3640	80.95	-0.704	3690	83.33	-0.856	3740	86.06	-2.262	3790	91.31	-1.573
3641	80.97	-1.079	3691	83.35	-1.106	3741	86.15	-1.263	3791	91.34	-3.198
3642	81.16	-0.206	3692	83.39	-1.107	3742	86.25	-1.015	3792	91.37	-3.199
3643	81.19	0.169	3693	83.45	-1.107	3743	86.31	-1.515	3793	91.42	-1.949
3644	81.25	-0.457	3694	83.49	-0.858	3744	86.36	-2.141	3794	91.51	-0.950
3645	81.30	0.167	3695	83.69	-0.485	3745	86.40	-1.891	3795	91.58	-2.201
3646	81.33	0.167	3696	83.71	-0.735	3746	86.50	-1.892	3796	91.63	-1.701
3647	81.35	0.167	3697	83.73	-1.111	3747	86.56	-1.018	3797	91.75	-1.328
3648	81.37	0.167	3698	83.75	-1.361	3748	86.67	-1.269	3798	91.88	-1.954
3649	81.40	-0.084	3699	83.79	-1.486	3749	86.77	-1.270	3799	91.89	-1.955
3650	81.43	-0.709	3700	83.83	-0.862	3750	86.81	-1.271	3800	92.02	-0.081

INDEX NO. 801 1305-PI-8 HOROMAN BRIDGE U-D MAX.ACCEL.= -33.335(GAL) T=16.34(SEC) NO.20

NO.	(SEC)	(GAL)
3801	92.08	-0.331
3802	92.11	-1.957
3803	92.12	-1.957
3804	92.21	-1.958
3805	92.35	-1.085
3806	92.45	-2.211
3807	92.54	-2.587
3808	92.56	-2.587
3809	92.65	-1.338
3810	92.80	-2.215
3811	92.87	-2.591
3812	92.94	-1.341
3813	93.00	-1.092
3814	93.21	-0.720
3815	93.29	-1.596
3816	93.36	-2.596
3817	93.40	-3.222
3818	93.43	-2.972
3819	93.48	-1.098
3820	93.58	-1.349
3821	93.73	-2.601
3822	93.86	-2.602
3823	94.00	-2.229
3824	94.11	-2.605
3825	94.17	-3.231
3826	94.26	-2.357
3827	94.40	-2.983
3828	94.47	-1.109
3829	94.57	-2.235
3830	94.63	-1.361
3831	94.67	-1.612
3832	94.71	-2.612
3833	96.68	-3.010
3834	96.73	-1.385
3835	96.78	-2.011
3836	96.81	-2.636
3837	99.15	-2.288
3838	99.24	-1.789
3839	101.82	-1.819
3840	104.80	-1.728
3841	107.30	-2.132

Table IX D-28 Digitized Accelerations of Earthquake Record with Index Number 802

INDEX NO. 802 1305-P1-8 HORONAN BRIDGE TR. MAX.ACCEL.= 72.520(GAL) T=15.47(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.17	-8.169	51	0.82	-5.956	101	1.45	-6.743	151	2.20	-8.138
2	0.18	-7.917	52	0.83	-6.080	102	1.46	-6.742	152	2.21	-8.262
3	0.22	0.088	53	0.84	-6.079	103	1.47	-6.740	153	2.22	-7.010
4	0.23	-15.410	54	0.86	-5.077	104	1.50	-4.862	154	2.23	-6.383
5	0.24	-12.035	55	0.88	-4.824	105	1.51	-4.485	155	2.25	-4.755
6	0.25	-3.783	56	0.89	-4.822	106	1.53	-4.483	156	2.26	-5.004
7	0.26	-9.407	57	0.90	-4.821	107	1.54	-5.731	157	2.27	-5.003
8	0.28	-3.779	58	0.91	-5.069	108	1.55	-7.979	158	2.28	-5.376
9	0.29	-3.778	59	0.93	-5.692	109	1.56	-9.854	159	2.29	-5.375
10	0.31	-12.025	60	0.94	-6.316	110	1.57	-10.102	160	2.30	-5.998
11	0.32	-13.274	61	0.95	-7.190	111	1.58	-10.475	161	2.31	-5.997
12	0.34	-6.271	62	0.96	-6.938	112	1.59	-10.225	162	2.33	-5.995
13	0.35	-2.769	63	0.97	-7.187	113	1.62	-3.595	163	2.34	-5.742
14	0.37	-12.267	64	0.98	-5.685	114	1.63	-2.093	164	2.35	-5.741
15	0.38	-13.015	65	1.00	-5.682	115	1.64	-1.467	165	2.37	-6.238
16	0.39	-11.389	66	1.01	-5.431	116	1.65	-1.090	166	2.39	-6.236
17	0.40	-9.262	67	1.02	-5.430	117	1.66	-1.964	167	2.40	-6.234
18	0.41	-7.637	68	1.03	-5.678	118	1.67	-4.462	168	2.41	-6.609
19	0.42	-7.011	69	1.05	-6.301	119	1.68	-7.961	169	2.43	-5.731
20	0.43	-7.009	70	1.06	-7.175	120	1.69	-8.584	170	2.44	-5.104
21	0.44	-8.507	71	1.07	-8.172	121	1.70	-8.833	171	2.45	-5.102
22	0.45	-8.881	72	1.08	-8.171	122	1.71	-9.832	172	2.47	-5.100
23	0.46	-8.630	73	1.09	-7.545	123	1.72	-9.831	173	2.48	-5.098
24	0.47	-8.253	74	1.11	-6.292	124	1.73	-7.954	174	2.50	-5.096
25	0.48	-7.627	75	1.13	-5.665	125	1.75	-6.076	175	2.52	-3.843
26	0.49	-7.376	76	1.14	-5.038	126	1.76	-5.449	176	2.55	-3.089
27	0.50	-7.000	77	1.15	-5.237	127	1.77	-5.198	177	2.56	-3.212
28	0.52	-6.997	78	1.16	-5.661	128	1.78	-4.447	178	2.57	-3.461
29	0.53	-6.996	79	1.17	-5.908	129	1.79	-4.821	179	2.58	-4.085
30	0.55	-6.742	80	1.18	-6.907	130	1.80	-5.069	180	2.60	-5.956
31	0.57	-6.366	81	1.19	-6.906	131	1.81	-6.067	181	2.61	-7.206
32	0.58	-6.364	82	1.20	-6.654	132	1.82	-6.066	182	2.62	-7.829
33	0.59	-5.988	83	1.22	-5.026	133	1.84	-7.063	183	2.63	-8.078
34	0.60	-6.361	84	1.24	-4.399	134	1.86	-7.060	184	2.64	-8.076
35	0.62	-6.983	85	1.25	-3.022	135	1.88	-6.682	185	2.66	-6.323
36	0.63	-7.232	86	1.26	-2.771	136	1.92	-5.177	186	2.69	-4.445
37	0.65	-6.359	87	1.27	-3.269	137	1.94	-4.800	187	2.70	-3.818
38	0.66	-6.103	88	1.28	-4.268	138	1.95	-4.797	188	2.71	-3.816
39	0.67	-5.727	89	1.30	-7.390	139	1.97	-4.795	189	2.72	-4.065
40	0.68	-5.976	90	1.31	-8.888	140	1.98	-5.043	190	2.74	-5.313
41	0.69	-6.974	91	1.32	-10.137	141	1.99	-6.291	191	2.75	-5.311
42	0.70	-7.598	92	1.33	-10.510	142	2.00	-6.290	192	2.76	-6.185
43	0.71	-7.596	93	1.34	-10.260	143	2.05	-6.033	193	2.77	-5.933
44	0.72	-7.845	94	1.35	-8.383	144	2.09	-5.402	194	2.79	-5.680
45	0.73	-7.594	95	1.37	-5.881	145	2.13	-5.148	195	2.81	-5.678
46	0.74	-6.967	96	1.39	-3.378	146	2.14	-5.396	196	2.82	-5.926
47	0.76	-5.465	97	1.40	-2.751	147	2.15	-6.020	197	2.83	-6.175
48	0.78	-5.087	98	1.41	-2.624	148	2.16	-6.018	198	2.84	-7.798
49	0.79	-5.086	99	1.42	-2.998	149	2.17	-7.266	199	2.85	-8.047
50	0.81	-5.459	100	1.44	-6.120	150	2.19	-7.889	200	2.86	-8.046

INDEX NO. 802 1305-P1-8 HORONAN BRIDGE TR. MAX.ACCEL.= 72.520(GAL) T=15.47(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	2.87	-8.169	251	3.56	-5.824	301	4.23	0.146	351	4.87	-7.516
202	2.90	-6.916	252	3.57	-9.822	302	4.24	-0.103	352	4.88	-7.264
203	2.95	-4.659	253	3.58	-11.195	303	4.25	-0.978	353	4.89	-6.637
204	2.96	-3.781	254	3.59	-12.194	304	4.27	-3.225	354	4.91	-5.634
205	2.98	-3.779	255	3.60	-12.443	305	4.28	-4.473	355	4.93	-3.757
206	2.99	-4.653	256	3.61	-10.941	306	4.29	-4.222	356	4.95	-2.505
207	3.00	-5.526	257	3.64	1.688	307	4.32	1.408	357	4.96	-0.878
208	3.02	-7.149	258	3.65	4.190	308	4.33	3.659	358	4.98	-0.625
209	3.03	-7.397	259	3.66	6.816	309	4.34	3.910	359	4.99	-0.624
210	3.04	-7.396	260	3.67	6.817	310	4.35	4.662	360	5.00	-2.123
211	3.05	-6.519	261	3.68	4.068	311	4.36	2.538	361	5.01	-3.745
212	3.07	-5.016	262	3.69	-1.305	312	4.39	-14.582	362	5.04	-7.117
213	3.09	-4.014	263	3.72	-13.051	313	4.40	-18.330	363	5.06	-8.989
214	3.10	-4.013	264	3.73	-15.050	314	4.41	-18.329	364	5.08	-9.611
215	3.11	-4.011	265	3.74	-15.923	315	4.42	-19.078	365	5.09	-9.610
216	3.13	-4.259	266	3.75	-15.671	316	4.43	-17.452	366	5.10	-8.483
217	3.14	-4.882	267	3.76	-13.421	317	4.47	2.429	367	5.12	-6.606
218	3.15	-6.255	268	3.79	-0.541	318	4.48	3.681	368	5.13	-3.479
219	3.16	-5.879	269	3.80	1.085	319	4.49	4.306	369	5.15	2.524
220	3.17	-5.253	270	3.81	3.212	320	4.50	5.682	370	5.16	4.775
221	3.19	-4.374	271	3.83	3.589	321	4.51	4.433	371	5.17	5.776
222	3.21	-3.371	272	3.84	0.841	322	4.52	2.811	372	5.18	6.653
223	3.22	-3.995	273	3.85	-1.783	323	4.53	-0.188	373	5.19	6.654
224	3.23	-5.244	274	3.86	-4.531	324	4.54	-3.186	374	5.20	3.906
225	3.24	-5.867	275	3.87	-6.404	325	4.55	-5.310	375	5.23	-10.215
226	3.26	-6.490	276	3.89	-7.652	326	4.56	-6.308	376	5.24	-14.089
227	3.27	-5.864	277	3.90	-7.651	327	4.58	-7.182	377	5.25	-15.337
228	3.29	-3.736	278	3.91	-7.024	328	4.59	-7.805	378	5.26	-15.336
229	3.30	-2.734	279	3.92	-5.773	329	4.60	-7.553	379	5.27	-11.334
230	3.31	-2.109	280	3.96	-3.643	330	4.61	-7.552	380	5.29	2.544
231	3.32	-2.107	281	3.97	-2.641	331	4.62	-7.300	381	5.31	8.546
232	3.33	-2.980	282	3.98	-2.390	332	4.63	-6.674	382	5.32	9.298
233	3.36	-6.104	283	3.99	-3.263	333	4.64	-5.672	383	5.33	9.298
234	3.36	-9.976	284	4.00	-5.387	334	4.66	-3.795	384	5.34	4.550
235	3.37	-11.225	285	4.02	-8.634	335	4.67	-2.544	385	5.37	-13.195
236	3.38	-11.224	286	4.03	-9.258	336	4.68	-2.542	386	5.38	-13.194
237	3.39	-9.722	287	4.04	-9.506	337	4.69	-2.791	387	5.39	-15.442
238	3.41	-5.969	288	4.05	-9.255	338	4.70	-5.039	388	5.41	-8.814
239	3.42	-4.467	289	4.07	-4.252	339	4.71	-6.537	389	5.44	3.440
240	3.43	-3.341	290	4.08	-3.000	340	4.72	-6.536	390	5.45	6.066
241	3.44	-2.464	291	4.09	-2.624	341	4.73	-6.660	391	5.46	7.942
242	3.45	-2.714	292	4.11	-2.622	342	4.74	-5.408	392	5.47	6.819
243	3.46	-3.337	293	4.12	-4.245	343	4.76	-2.906	393	5.50	-12.178
244	3.47	-4.211	294	4.14	-11.117	344	4.78	-1.028	394	5.51	-19.550
245	3.48	-5.460	295	4.15	-12.742	345	4.79	-0.652	395	5.52	-23.673
246	3.49	-5.833	296	4.16	-13.989	346	4.80	-0.651	396	5.53	-23.672
247	3.51	-4.956	297	4.17	-13.363	347	4.81	-1.275	397	5.54	-22.671
248	3.53	-3.952	298	4.20	-3.984	348	4.82	-2.898	398	5.56	-15.544
249	3.54	-3.076	299	4.21	-1.982	349	4.84	-5.895	399	5.59	1.960
250	3.55	-3.325	300	4.22	-1.107	350	4.85	-6.894	400	5.60	6.713

土木構造物における加速度強震記録（No.9）

INDEX NO. 802 1305-PI-8 HORONAN BRIDGE TR. MAX.ACCEL.= 72.520(GAL) T=15.47(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	5.61	8.589	451	6.31	10.563	501	6.99	-11.966	551	7.69	-7.996
402	5.62	9.590	452	6.32	11.186	502	7.00	-11.965	552	7.70	-7.120
403	5.63	6.641	453	6.33	8.065	503	7.01	-11.964	553	7.72	-6.867
404	5.65	-7.030	454	6.37	-6.679	504	7.03	-8.586	554	7.75	-4.363
405	5.66	-9.529	455	6.38	-11.178	505	7.07	-1.581	555	7.76	-2.987
406	5.67	-12.153	456	6.39	-12.427	506	7.08	0.295	556	7.79	-0.233
407	5.68	-13.776	457	6.40	-14.925	507	7.09	1.547	557	7.80	0.394
408	5.69	-13.775	458	6.42	-14.048	508	7.10	1.923	558	7.81	0.145
409	5.71	-9.773	459	6.43	-12.796	509	7.11	-0.326	559	7.82	0.146
410	5.74	5.857	460	6.44	-10.920	510	7.12	-3.074	560	7.83	-0.603
411	5.75	7.358	461	6.48	-1.664	511	7.14	-10.321	561	7.85	-6.099
412	5.76	9.610	462	6.49	-0.162	512	7.15	-14.194	562	7.86	-7.473
413	5.77	10.236	463	6.51	3.591	513	7.16	-14.193	563	7.87	-7.722
414	5.78	10.237	464	6.52	3.342	514	7.17	-13.317	564	7.89	-6.219
415	5.79	8.738	465	6.53	3.093	515	7.18	-9.815	565	7.90	-4.592
416	5.81	-0.383	466	6.54	2.719	516	7.23	14.317	566	7.91	-3.340
417	5.84	-5.379	467	6.55	1.471	517	7.24	16.443	567	7.92	-2.714
418	5.85	-9.628	468	6.56	-0.027	518	7.25	16.444	568	7.93	-4.213
419	5.87	-12.750	469	6.56	-5.649	519	7.26	13.445	569	7.97	-16.832
420	5.88	-14.374	470	6.60	-6.647	520	7.27	9.946	570	7.98	-17.206
421	5.89	-15.872	471	6.61	-9.145	521	7.29	-0.426	571	7.99	-17.205
422	5.91	-16.670	472	6.62	-9.394	522	7.30	-6.799	572	8.04	-1.198
423	5.92	-16.867	473	6.64	-9.767	523	7.31	-9.047	573	8.05	2.553
424	5.93	-15.367	474	6.65	-10.389	524	7.32	-8.422	574	8.06	3.179
425	5.94	-12.490	475	6.66	-11.138	525	7.34	-7.169	575	8.07	3.180
426	5.95	-7.863	476	6.67	-11.136	526	7.35	-5.292	576	8.08	0.682
427	5.97	-2.611	477	6.68	-11.135	527	7.36	-5.041	577	8.11	-5.189
428	5.98	0.765	478	6.69	-10.508	528	7.37	-5.040	578	8.12	-6.688
429	5.99	4.392	479	6.72	-8.005	529	7.38	-5.538	579	8.13	-7.686
430	6.00	5.269	480	6.73	-6.128	530	7.41	-9.909	580	8.14	-8.061
431	6.01	5.270	481	6.75	-4.876	531	7.43	-11.656	581	8.15	-7.434
432	6.02	0.647	482	6.76	-3.624	532	7.44	-11.905	582	8.16	-6.433
433	6.03	-3.652	483	6.77	-2.249	533	7.45	-11.029	583	8.17	-5.806
434	6.05	-8.849	484	6.78	-1.871	534	7.46	-9.778	584	8.18	-5.180
435	6.06	-9.848	485	6.79	-3.119	535	7.47	-7.027	585	8.19	-5.428
436	6.07	-10.472	486	6.80	-3.493	536	7.48	-4.150	586	8.21	-5.801
437	6.08	-10.221	487	6.82	-6.241	537	7.49	-2.774	587	8.22	-5.800
438	6.10	-7.718	488	6.83	-9.364	538	7.50	-0.646	588	8.23	-5.799
439	6.13	4.161	489	6.84	-11.987	539	7.51	-0.270	589	8.24	-6.422
440	6.14	7.768	490	6.85	-12.611	540	7.53	1.607	590	8.25	-6.421
441	6.15	8.414	491	6.86	-13.360	541	7.56	4.111	591	8.27	-6.168
442	6.16	7.790	492	6.87	-11.109	542	7.58	5.113	592	8.30	-5.789
443	6.20	-15.829	493	6.90	1.146	543	7.59	5.865	593	8.32	-5.788
444	6.21	-21.326	494	6.91	6.273	544	7.60	5.867	594	8.33	-5.159
445	6.22	-23.200	495	6.92	8.149	545	7.61	5.493	595	8.35	-5.157
446	6.23	-24.449	496	6.93	8.276	546	7.62	5.244	596	8.36	-4.531
447	6.24	-21.322	497	6.94	7.276	547	7.63	3.370	597	8.37	-3.905
448	6.26	-15.695	498	6.95	7.028	548	7.65	-3.627	598	8.38	-3.028
449	6.29	2.309	499	6.96	-1.470	549	7.66	-6.125	599	8.39	-3.276
450	6.30	8.686	500	6.98	-8.093	550	7.68	-7.997	600	8.41	-4.524

INDEX NO. 802 1305-PI-8 HORONAN BRIDGE TR. MAX.ACCEL.= 72.520(GAL) T=15.47(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	8.44	-12.770	651	9.09	9.942	701	9.76	-7.092	751	10.42	-9.502
602	8.45	-13.143	652	9.10	10.943	702	9.77	-7.466	752	10.43	-9.625
603	8.46	-13.017	653	9.11	11.319	703	9.79	-6.213	753	10.44	-9.624
604	8.47	-12.767	654	9.12	9.446	704	9.80	-5.962	754	10.45	-4.873
605	8.49	-7.763	655	9.14	6.823	705	9.82	-5.584	755	10.49	13.008
606	8.51	-3.136	656	9.17	-4.422	706	9.83	-4.957	756	10.50	14.760
607	8.52	-0.134	657	9.18	-4.421	707	9.84	-4.332	757	10.51	16.911
608	8.53	-0.133	658	9.19	-4.670	708	9.85	-3.080	758	10.52	15.387
609	8.54	-2.381	659	9.21	-3.166	709	9.87	1.298	759	10.53	9.139
610	8.57	-18.002	660	9.23	-2.914	710	9.88	1.924	760	10.56	2.768
611	8.58	-19.751	661	9.28	-2.533	711	9.89	2.176	761	10.58	-5.104
612	8.59	-21.000	662	9.29	-2.531	712	9.90	1.927	762	10.59	-6.103
613	8.60	-22.249	663	9.30	-3.154	713	9.92	0.054	763	10.61	-8.850
614	8.61	-13.247	664	9.32	-4.027	714	9.93	-2.664	764	10.63	-11.848
615	8.65	18.258	665	9.33	-5.651	715	9.95	-3.316	765	10.64	-12.721
616	8.66	24.260	666	9.34	-6.899	716	9.96	-3.316	766	10.65	-12.720
617	8.67	24.686	667	9.35	-7.523	717	9.98	-2.438	767	10.66	-12.719
618	8.68	25.512	668	9.36	-8.147	718	9.99	-1.186	768	10.67	-11.842
619	8.69	19.639	669	9.37	-6.270	719	10.00	-0.934	769	10.68	-9.716
620	8.72	1.892	670	9.39	3.108	720	10.01	-0.308	770	10.69	-6.214
621	8.73	-1.481	671	9.40	5.359	721	10.02	-1.431	771	10.71	4.163
622	8.74	-5.729	672	9.41	5.486	722	10.03	-2.430	772	10.73	16.041
623	8.75	-7.603	673	9.42	6.111	723	10.04	-4.929	773	10.74	20.042
624	8.76	-6.978	674	9.43	5.112	724	10.06	-9.551	774	10.75	21.044
625	8.77	-7.601	675	9.45	-14.509	725	10.08	-12.173	775	10.76	22.045
626	8.78	-7.349	676	9.46	-19.633	726	10.10	-13.171	776	10.77	22.046
627	8.79	-6.973	677	9.47	-20.882	727	10.11	-13.420	777	10.78	18.423
628	8.80	-6.972	678	9.48	-21.879	728	10.12	-13.418	778	10.81	8.552
629	8.82	-7.844	679	9.49	-20.629	729	10.14	-12.916	779	10.82	4.053
630	8.83	-8.842	680	9.50	-18.752	730	10.15	-12.289	780	10.83	-1.820
631	8.85	-10.090	681	9.53	5.752	731	10.17	-10.412	781	10.84	-3.194
632	8.86	-10.838	682	9.54	9.503	732	10.19	-6.283	782	10.85	-3.817
633	8.88	-11.086	683	9.55	12.004	733	10.21	-4.405	783	10.87	-4.440
634	8.89	-10.835	684	9.56	12.880	734	10.22	-3.155	784	10.89	-4.811
635	8.90	-8.084	685	9.57	9.632	735	10.23	-2.403	785	10.91	-6.059
636	8.91	-3.957	686	9.59	-11.615	736	10.24	-2.025	786	10.92	-6.683
637	8.92	-1.331	687	9.60	-14.488	737	10.25	-2.400	787	10.93	-7.932
638	8.93	-0.080	688	9.61	-17.738	738	10.26	-3.899	788	10.94	-9.805
639	8.94	1.422	689	9.62	-18.111	739	10.27	-5.772	789	10.95	-12.053
640	8.95	2.173	690	9.63	-14.359	740	10.29	-7.395	790	10.96	-12.677
641	8.96	1.549	691	9.64	-10.108	741	10.30	-8.894	791	10.97	-12.426
642	8.97	-0.699	692	9.65	-2.982	742	10.31	-8.892	792	10.98	-12.175
643	8.98	-3.198	693	9.66	2.144	743	10.32	-8.641	793	10.99	-9.298
644	9.00	-9.195	694	9.68	9.147	744	10.34	-6.513	794	11.01	-5.296
645	9.01	-9.693	695	9.69	11.649	745	10.35	-5.262	795	11.03	-1.668
646	9.02	-10.817	696	9.70	12.900	746	10.36	-4.011	796	11.04	0.209
647	9.03	-11.066	697	9.71	9.526	747	10.37	-4.258	797	11.06	1.086
648	9.04	-12.315	698	9.72	6.778	748	10.38	-5.507	798	11.07	1.463
649	9.05	-10.814	699	9.74	0.155	749	10.40	-8.255	799	11.08	-2.535
650	9.06	-4.312	700	9.75	-4.968	750	10.41	-9.503	800	11.09	-8.158

INDEX NO. 802 1305-P1-9 HOROMAN BRIDGE TR. MAX.ACCEL.= 72.520(GAL) T=15.47(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	11.10	-11.782	851	11.75	-8.565	901	12.49	-13.713	951	13.13	-8.374
802	11.11	-14.281	852	11.76	-17.438	902	12.50	-7.586	952	13.15	-12.747
803	11.12	-16.530	853	11.77	-20.562	903	12.52	3.166	953	13.16	-13.995
804	11.13	-16.154	854	11.78	-21.611	904	12.53	8.293	954	13.17	-14.620
805	11.14	-10.902	855	11.79	-21.810	905	12.54	8.919	955	13.19	-5.242
806	11.17	2.352	856	11.80	-20.308	906	12.55	9.545	956	13.21	9.636
807	11.18	7.229	857	11.81	-16.557	907	12.56	10.796	957	13.22	14.138
808	11.19	9.105	858	11.84	-3.573	908	12.58	4.674	958	13.23	16.140
809	11.20	10.357	859	11.85	4.074	909	12.61	-11.196	959	13.24	14.515
810	11.21	9.733	860	11.86	6.075	910	12.62	-14.695	960	13.29	-23.102
811	11.22	7.234	861	11.87	9.202	911	12.63	-15.319	961	13.30	-26.726
812	11.25	-12.636	862	11.88	10.453	912	12.64	-15.567	962	13.32	-27.599
813	11.26	-14.260	863	11.89	9.579	913	12.65	-14.691	963	13.33	-26.473
814	11.27	-14.884	864	11.92	-0.416	914	12.67	-1.438	964	13.37	10.283
815	11.28	-14.258	865	11.93	-4.669	915	12.68	0.436	965	13.38	12.160
816	11.30	-0.379	866	11.94	-4.663	916	12.69	3.565	966	13.39	16.411
817	11.31	2.123	867	11.95	-4.411	917	12.70	5.567	967	13.40	16.787
818	11.32	3.374	868	11.99	-1.906	918	12.72	5.318	968	13.41	14.913
819	11.33	5.250	869	12.02	0.348	919	12.73	0.571	969	13.44	-5.706
820	11.34	6.376	870	12.04	1.651	920	12.74	-1.553	970	13.45	-7.581
821	11.35	3.503	871	12.06	2.854	921	12.75	-2.302	971	13.46	-8.455
822	11.37	-6.619	872	12.08	1.981	922	12.76	-3.300	972	13.47	-8.202
823	11.38	-9.117	873	12.09	0.983	923	12.77	-3.924	973	13.49	-6.701
824	11.40	-11.365	874	12.10	-3.391	924	12.78	-3.298	974	13.51	-2.948
825	11.41	-11.738	875	12.13	-13.137	925	12.80	2.580	975	13.52	0.179
826	11.43	-11.111	876	12.14	-16.635	926	12.81	5.581	976	13.55	4.934
827	11.45	-10.233	877	12.15	-16.259	927	12.82	7.708	977	13.56	5.559
828	11.46	-9.232	878	12.16	-20.133	928	12.83	8.084	978	13.57	7.187
829	11.47	-5.856	879	12.17	-19.256	929	12.84	6.585	979	13.60	7.565
830	11.48	0.272	880	12.19	-17.129	930	12.85	3.462	980	13.61	7.567
831	11.50	3.649	881	12.21	-12.752	931	12.86	-0.661	981	13.63	7.319
832	11.51	4.900	882	12.23	-9.129	932	12.88	-2.035	982	13.64	6.071
833	11.52	6.902	883	12.24	-4.747	933	12.89	-2.908	983	13.67	2.950
834	11.53	7.278	884	12.25	-2.871	934	12.90	-3.282	984	13.68	1.326
835	11.54	6.655	885	12.26	-2.620	935	12.92	1.721	985	13.69	-0.798
836	11.55	4.532	886	12.27	-2.118	936	12.94	7.474	986	13.70	-3.796
837	11.56	1.408	887	12.28	-2.991	937	12.95	9.601	987	13.71	-7.794
838	11.58	-5.589	888	12.30	-3.614	938	12.96	9.352	988	13.73	-13.917
839	11.59	-8.088	889	12.32	-4.611	939	12.97	6.603	989	13.74	-19.291
840	11.60	-8.711	890	12.33	-3.360	940	13.01	-16.141	990	13.75	-20.289
841	11.61	-10.085	891	12.34	-2.108	941	13.02	-19.390	991	13.76	-21.539
842	11.62	-9.209	892	12.35	0.019	942	13.03	-21.263	992	13.77	-19.037
843	11.63	-7.958	893	12.38	4.147	943	13.04	-19.513	993	13.78	-15.660
844	11.64	-4.832	894	12.39	4.149	944	13.05	-16.386	994	13.81	3.968
845	11.67	11.048	895	12.40	3.525	945	13.07	-5.008	995	13.82	9.095
846	11.68	16.800	896	12.41	-0.848	946	13.08	-0.132	996	13.83	12.222
847	11.69	18.926	897	12.44	-13.094	947	13.09	1.994	997	13.84	14.348
848	11.70	21.927	898	12.45	-15.343	948	13.10	2.621	998	13.85	11.225
849	11.71	22.179	899	12.46	-15.342	949	13.11	1.747	999	13.87	3.852
850	11.72	19.430	900	12.47	-15.091	950	13.12	-2.251	1000	13.88	1.103

INDEX NO. 802 1305-P1-8 HOROMAN BRIDGE TR. MAX.ACCEL.= 72.520(GAL) T=15.47(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	13.89	0.480	1051	14.64	-35.666	1101	15.65	-50.456	1151	16.38	-9.233
1002	13.90	1.606	1052	14.65	-39.790	1102	15.68	-21.451	1152	16.41	9.147
1003	13.91	3.858	1053	14.66	-40.288	1103	15.70	-13.824	1153	16.42	15.523
1004	13.93	16.736	1054	14.67	-40.287	1104	15.71	-4.948	1154	16.43	19.275
1005	13.94	20.238	1055	14.68	-36.536	1105	15.72	-1.697	1155	16.44	23.776
1006	13.95	21.864	1056	14.72	-4.406	1106	15.73	1.431	1156	16.45	25.653
1007	13.96	22.865	1057	14.74	11.722	1107	15.74	2.932	1157	16.46	25.654
1008	13.97	18.491	1058	14.75	12.974	1108	15.75	2.933	1158	16.47	24.029
1009	13.98	11.493	1059	14.77	14.101	1109	15.77	7.185	1159	16.51	-11.340
1010	14.02	-23.001	1060	14.78	14.352	1110	15.80	15.440	1160	16.52	-16.963
1011	14.03	-31.626	1061	14.79	13.229	1111	15.81	16.691	1161	16.53	-23.087
1012	14.04	-35.123	1062	14.81	11.981	1112	15.82	17.318	1162	16.54	-26.585
1013	14.05	-38.622	1063	14.82	2.463	1113	15.83	17.943	1163	16.55	-29.084
1014	14.06	-36.621	1064	14.86	-35.761	1114	15.84	15.445	1164	16.56	-30.083
1015	14.07	-37.370	1065	14.87	-44.509	1115	15.85	9.197	1165	16.57	-30.331
1016	14.09	-33.367	1066	14.88	-44.508	1116	15.86	3.448	1166	16.59	-27.954
1017	14.10	-28.366	1067	14.89	-44.507	1117	15.90	-19.047	1167	16.64	-9.947
1018	14.15	1.516	1068	14.90	-42.756	1118	15.91	-31.670	1168	16.66	-6.069
1019	14.16	7.018	1069	14.91	-36.129	1119	15.92	-36.544	1169	16.67	-3.319
1020	14.17	9.518	1070	14.93	-10.752	1120	15.93	-37.418	1170	16.68	-0.566
1021	14.18	15.895	1071	14.94	-7.250	1121	15.94	-37.542	1171	16.69	-0.565
1022	14.20	19.023	1072	14.95	-4.125	1122	15.98	2.089	1172	16.71	-1.188
1023	14.21	20.274	1073	14.96	1.377	1123	15.99	6.590	1173	16.72	-2.436
1024	14.22	21.151	1074	14.97	2.004	1124	16.00	9.717	1174	16.73	-2.810
1025	14.23	21.902	1075	14.98	2.004	1125	16.01	10.718	1175	16.74	-3.059
1026	14.24	19.779	1076	14.99	1.756	1126	16.02	5.719	1176	16.75	1.193
1027	14.25	15.155	1077	15.00	2.633	1127	16.04	-7.528	1177	16.77	10.696
1028	14.27	2.657	1078	15.01	3.509	1128	16.05	-11.152	1178	16.78	12.947
1029	14.29	-20.465	1079	15.36	2.131	1129	16.06	-15.775	1179	16.79	14.324
1030	14.30	-28.714	1080	15.37	2.132	1130	16.07	-16.775	1180	16.80	14.699
1031	14.31	-33.837	1081	15.38	3.383	1131	16.08	-14.272	1181	16.81	10.950
1032	14.32	-35.085	1082	15.39	7.384	1132	16.10	-10.896	1182	16.82	2.077
1033	14.33	-34.210	1083	15.44	56.641	1133	16.16	18.988	1183	16.85	-26.918
1034	14.34	-21.582	1084	15.45	65.768	1134	16.17	21.114	1184	16.86	-34.792
1035	14.39	33.674	1085	15.46	70.644	1135	16.18	22.491	1185	16.87	-36.041
1036	14.40	36.176	1086	15.47	72.520	1136	16.19	21.242	1186	16.88	-36.665
1037	14.41	35.303	1087	15.48	70.646	1137	16.22	-5.379	1187	16.89	-33.913
1038	14.42	31.178	1088	15.49	68.773	1138	16.23	-14.252	1188	16.90	-26.787
1039	14.44	4.306	1089	15.50	58.399	1139	16.24	-16.126	1189	16.93	5.842
1040	14.45	-1.067	1090	15.53	15.528	1140	16.25	-19.624	1190	16.94	8.593
1041	14.46	-6.816	1091	15.54	-11.845	1141	16.26	-20.248	1191	16.95	17.720
1042	14.47	-7.065	1092	15.55	-22.644	1142	16.27	-19.747	1192	16.96	19.596
1043	14.48	-6.189	1093	15.56	-30.468	1143	16.29	-14.995	1193	16.97	21.473
1044	14.49	-4.688	1094	15.57	-44.216	1144	16.30	-11.243	1194	16.98	23.474
1045	14.54	13.320	1095	15.58	-47.340	1145	16.31	-11.117	1195	16.99	25.976
1046	14.56	16.197	1096	15.59	-52.088	1146	16.32	-11.116	1196	17.00	25.977
1047	14.57	17.448	1097	15.60	-55.837	1147	16.33	-13.613	1197	17.01	26.352
1048	14.58	18.075	1098	15.61	-56.586	1148	16.34	-15.487	1198	17.02	25.729
1049	14.60	9.702	1099	15.62	-57.209	1149	16.35	-15.736	1199	17.03	24.480
1050	14.63	-24.792	1100	15.63	-56.959	1150	16.36	-14.860	1200	17.04	21.981

土木構造物における加速度強震記録（No. 9）

INDEX NO. 802 1305-P1-8 HOROMAN BRIDGE TR. MAX.ACCEL.= 72.520(GAL) T=15.47(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	17.05	13.483	1251	17.78	22.332	1301	18.49	-15.323	1351	19.18	-5.729
1202	17.07	2.111	1252	17.79	21.633	1302	18.50	-15.072	1352	19.20	-4.227
1203	17.08	-1.012	1253	17.80	16.834	1303	18.51	-12.570	1353	19.21	-2.600
1204	17.09	-5.886	1254	17.85	-40.034	1304	18.55	0.810	1354	19.22	-1.723
1205	17.10	-6.519	1255	17.86	-49.908	1305	18.56	6.187	1355	19.23	-0.598
1206	17.11	-6.509	1256	17.87	-54.406	1306	18.57	7.813	1356	19.24	2.529
1207	17.12	-3.132	1257	17.88	-60.405	1307	18.58	9.064	1357	19.26	7.281
1208	17.17	25.749	1258	17.89	-56.904	1308	18.59	10.065	1358	19.27	9.158
1209	17.18	33.001	1259	17.93	-46.902	1309	18.60	10.692	1359	19.28	9.534
1210	17.19	34.878	1260	17.93	12.728	1310	18.62	11.945	1360	19.29	9.910
1211	17.20	34.253	1261	17.94	19.479	1311	18.64	12.573	1361	19.30	0.286
1212	17.21	29.630	1262	17.95	20.730	1312	18.66	12.575	1362	19.33	-4.959
1213	17.25	1.636	1263	17.96	20.730	1313	18.68	10.703	1363	19.34	-6.458
1214	17.26	-4.863	1264	18.00	-8.513	1314	18.70	-7.544	1364	19.35	-8.082
1215	17.27	-9.987	1265	18.01	-13.637	1315	18.71	-10.793	1365	19.36	-9.456
1216	17.28	-13.485	1266	18.02	-14.011	1316	18.72	-13.541	1366	19.37	-8.204
1217	17.29	-13.735	1267	18.03	-14.260	1317	18.73	-14.290	1367	19.40	0.925
1218	17.30	-14.109	1268	18.04	-12.508	1318	18.74	-15.164	1368	19.41	2.551
1219	17.31	-13.857	1269	18.06	-6.130	1319	18.75	-9.912	1369	19.42	3.803
1220	17.32	-13.230	1270	18.07	-6.255	1320	18.79	15.843	1370	19.43	0.054
1221	17.33	-9.103	1271	18.08	-4.628	1321	18.80	21.094	1371	19.44	-3.069
1222	17.35	-2.851	1272	18.09	-4.377	1322	18.81	24.970	1372	19.45	-10.068
1223	17.37	3.151	1273	18.10	-4.001	1323	18.82	26.596	1373	19.46	-11.567
1224	17.38	7.028	1274	18.11	-3.374	1324	18.84	16.599	1374	19.47	-13.190
1225	17.39	9.279	1275	18.12	-3.123	1325	18.86	-15.773	1375	19.48	-12.940
1226	17.40	12.655	1276	18.13	-2.497	1326	18.87	-24.646	1376	19.50	0.314
1227	17.41	16.532	1277	18.17	10.259	1327	18.88	-28.519	1377	19.52	9.816
1228	17.42	18.409	1278	18.18	16.636	1328	18.89	-29.143	1378	19.53	15.318
1229	17.44	19.660	1279	18.19	17.637	1329	18.90	-27.017	1379	19.54	16.195
1230	17.45	19.662	1280	18.20	17.888	1330	18.92	-19.140	1380	19.55	16.195
1231	17.47	16.665	1281	18.21	16.764	1331	18.94	0.238	1381	19.56	11.572
1232	17.51	-25.829	1282	18.24	-5.982	1332	18.95	5.239	1382	19.57	4.573
1233	17.52	-32.078	1283	18.25	-17.229	1333	18.96	6.990	1383	19.60	-20.798
1234	17.53	-33.452	1284	18.26	-19.976	1334	18.97	7.992	1384	19.61	-26.546
1235	17.54	-34.451	1285	18.27	-20.727	1335	18.98	7.618	1385	19.62	-32.420
1236	17.56	-22.449	1286	18.29	-17.599	1336	18.99	6.119	1386	19.63	-35.044
1237	17.59	16.931	1287	18.31	-13.472	1337	19.01	2.997	1387	19.64	-36.293
1238	17.60	23.933	1288	18.32	-11.596	1338	19.02	2.624	1388	19.65	-36.917
1239	17.61	27.934	1289	18.33	-9.865	1339	19.03	2.000	1389	19.66	-35.415
1240	17.62	29.935	1290	18.34	-11.094	1340	19.04	2.001	1390	19.71	43.842
1241	17.63	26.311	1291	18.35	-12.967	1341	19.05	2.628	1391	19.73	53.970
1242	17.64	22.062	1292	18.38	-25.462	1342	19.06	3.255	1392	19.74	55.721
1243	17.68	-214.307	1293	18.39	-26.087	1343	19.07	3.881	1393	19.75	55.972
1244	17.69	-24.180	1294	18.40	-26.710	1344	19.08	1.757	1394	19.76	45.224
1245	17.70	-25.805	1295	18.41	-25.459	1345	19.11	-9.114	1395	19.79	-0.022
1246	17.71	-23.678	1296	18.44	-17.955	1346	19.12	-11.613	1396	19.80	-11.271
1247	17.72	-18.677	1297	18.45	-15.953	1347	19.13	-12.236	1397	19.81	-14.020
1248	17.75	8.953	1298	18.46	-15.077	1348	19.14	-11.984	1398	19.82	-16.518
1249	17.76	16.330	1299	18.47	-14.701	1349	19.15	-10.109	1399	19.83	-17.017
1250	17.77	19.705	1300	18.48	-14.699	1350	19.17	-5.981	1400	19.84	-15.765

INDEX NO. 802 1305-P1-8 HOROMAN BRIDGE TR. MAX.ACCEL.= 72.520(GAL) T=15.47(SEC) NO. 8

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1401	19.85	-12.389	1451	20.59	9.211	1501	21.28	-53.447	1551	21.96	-1.604
1402	19.87	-11.386	1452	20.62	-14.285	1502	21.30	-20.068	1552	21.97	0.646
1403	19.89	-9.134	1453	20.63	-20.909	1503	21.31	-14.317	1553	21.98	3.524
1404	19.91	-7.507	1454	20.64	-23.157	1504	21.32	-11.817	1554	21.99	4.150
1405	19.92	-5.380	1455	20.65	-24.781	1505	21.33	-8.565	1555	22.00	3.900
1406	19.93	1.997	1456	20.66	-24.530	1506	21.34	-9.813	1556	22.01	2.652
1407	19.95	11.500	1457	20.67	-17.653	1507	21.36	-14.186	1557	22.02	0.779
1408	19.96	14.001	1458	20.71	7.227	1508	21.37	-15.435	1558	22.03	-1.470
1409	19.97	18.752	1459	20.72	11.604	1509	21.38	-15.434	1559	22.04	-1.468
1410	19.98	19.378	1460	20.73	14.355	1510	21.39	-12.057	1560	22.05	-1.718
1411	19.99	19.755	1461	20.74	15.460	1511	21.41	4.321	1561	22.06	-1.716
1412	20.00	18.880	1462	20.75	14.657	1512	21.42	9.623	1562	22.08	-1.664
1413	20.04	-1.114	1463	20.76	6.359	1513	21.43	13.199	1563	22.09	-1.212
1414	20.05	-6.987	1464	20.80	-32.760	1514	21.44	16.200	1564	22.10	-2.085
1415	20.06	-6.985	1465	20.81	-34.635	1515	21.45	17.202	1565	22.11	-2.959
1416	20.07	-6.984	1466	20.82	-40.258	1516	21.46	13.453	1566	22.12	-5.833
1417	20.08	-5.233	1467	20.83	-41.382	1517	21.48	-0.419	1567	22.14	-11.580
1418	20.13	26.399	1468	20.84	-41.006	1518	21.50	-6.167	1568	22.15	-15.329
1419	20.14	30.151	1469	20.85	-39.129	1519	21.51	-12.290	1569	22.16	-17.578
1420	20.15	31.027	1470	20.87	-29.002	1520	21.52	-12.289	1570	22.17	-18.826
1421	20.16	30.027	1471	20.89	-11.500	1521	21.53	-11.038	1571	22.18	-17.700
1422	20.17	27.279	1472	20.90	-8.623	1522	21.56	-7.912	1572	22.19	-16.449
1423	20.18	22.155	1473	20.91	-1.746	1523	21.58	26.969	1573	22.20	-12.073
1424	20.20	13.283	1474	20.92	1.756	1524	21.59	32.345	1574	22.23	10.182
1425	20.23	-16.213	1475	20.93	3.007	1525	21.60	37.347	1575	22.24	13.683
1426	20.24	-22.211	1476	20.94	4.008	1526	21.61	37.223	1576	22.25	20.310
1427	20.26	-22.835	1477	20.95	4.009	1527	21.62	31.599	1577	22.26	21.311
1428	20.27	-21.333	1478	20.96	4.635	1528	21.65	-17.021	1578	22.27	21.938
1429	20.30	-7.829	1479	20.97	4.012	1529	21.66	-18.020	1579	22.29	13.190
1430	20.31	-5.327	1480	20.98	1.889	1530	21.67	-32.893	1580	22.32	-19.806
1431	20.32	-4.076	1481	20.99	-1.235	1531	21.68	-34.517	1581	22.33	-23.180
1432	20.33	-3.699	1482	21.01	-4.733	1532	21.69	-33.891	1582	22.34	-28.303
1433	20.34	-4.323	1483	21.03	-11.980	1533	21.70	-31.140	1583	22.35	-28.052
1434	20.35	-5.197	1484	21.04	-16.478	1534	21.71	-24.764	1584	22.36	-26.551
1435	20.36	-7.696	1485	21.05	-18.103	1535	21.74	8.866	1585	22.37	-23.050
1436	20.39	-15.567	1486	21.06	-18.351	1536	21.75	16.868	1586	22.41	11.831
1437	20.40	-17.565	1487	21.07	-18.600	1537	21.76	18.368	1587	22.42	16.333
1438	20.41	-19.689	1488	21.08	-12.223	1538	21.77	22.120	1588	22.43	20.709
1439	20.42	-18.813	1489	21.12	19.283	1539	21.78	21.872	1589	22.45	20.961
1440	20.43	-15.436	1490	21.13	25.559	1540	21.79	21.622	1590	22.46	19.462
1441	20.44	-10.684	1491	21.14	30.035	1541	21.80	21.249	1591	22.47	15.714
1442	20.50	25.574	1492	21.15	31.037	1542	21.82	18.501	1592	22.48	11.091
1443	20.51	28.325	1493	21.16	31.412	1543	21.83	12.877	1593	22.50	7.968
1444	20.52	30.951	1494	21.17	30.163	1544	21.87	-8.741	1594	22.51	6.594
1445	20.53	31.328	1495	21.22	-38.330	1545	21.88	-15.615	1595	22.52	7.096
1446	20.54	31.954	1496	21.23	-54.828	1546	21.89	-18.863	1596	22.54	8.349
1447	20.55	30.455	1497	21.24	-60.576	1547	21.90	-19.238	1597	22.56	9.602
1448	20.56	27.331	1498	21.25	-62.075	1548	21.91	-18.612	1598	22.58	9.729
1449	20.57	21.832	1499	21.26	-63.199	1549	21.92	-18.360	1599	22.59	9.105
1450	20.58	15.959	1500	21.27	-58.573	1550	21.93	-13.358	1600	22.60	6.607

INDEX NO. 802 1305-PI-6 HORONAI BRIDGE TR. MAX.ACCEL.= 72.520(GAL) T=15.47(SEC) NO. 9

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1601	22.61	5.608	1651	23.37	16.210	1701	24.10	8.309	1751	24.84	2.659
1602	22.62	4.984	1652	23.36	13.711	1702	24.11	7.686	1752	24.86	5.411
1603	22.63	4.986	1653	23.39	7.339	1703	24.14	6.169	1753	24.87	7.038
1604	22.65	5.613	1654	23.42	-9.532	1704	24.15	3.941	1754	24.88	5.539
1605	22.67	5.666	1655	23.43	-13.281	1705	24.16	1.818	1755	24.89	0.166
1606	22.68	5.367	1656	23.44	-15.155	1706	24.17	-0.556	1756	24.91	-16.331
1607	22.69	3.118	1657	23.45	-16.276	1707	24.18	-1.805	1757	24.93	-19.079
1608	22.70	-0.255	1658	23.46	-15.902	1708	24.19	-4.304	1758	24.94	-20.078
1609	22.73	-17.501	1659	23.47	-12.150	1709	24.20	-5.553	1759	24.95	-19.451
1610	22.74	-21.024	1660	23.51	-3.896	1710	24.21	-5.601	1760	24.99	-0.446
1611	22.75	-22.873	1661	23.52	-2.019	1711	24.22	-5.800	1761	25.00	1.431
1612	22.76	-23.497	1662	23.53	-1.142	1712	24.23	-5.298	1762	25.01	2.682
1613	22.77	-24.620	1663	23.55	-1.390	1713	24.24	-2.797	1763	25.02	2.683
1614	22.78	-22.995	1664	23.57	-2.013	1714	24.26	4.706	1764	25.03	3.309
1615	22.79	-20.243	1665	23.58	-2.637	1715	24.26	11.459	1765	25.04	2.436
1616	22.84	-6.861	1666	23.59	-1.134	1716	24.30	13.586	1766	25.06	2.063
1617	22.85	-3.359	1667	23.61	2.118	1717	24.31	14.838	1767	25.07	1.439
1618	22.86	-1.483	1668	23.63	5.621	1718	24.32	15.339	1768	25.08	1.191
1619	22.86	0.144	1669	23.65	7.623	1719	24.33	15.090	1769	25.09	1.692
1620	22.89	0.772	1670	23.66	7.375	1720	24.36	12.593	1770	25.11	1.695
1621	22.91	2.023	1671	23.67	6.376	1721	24.38	8.222	1771	25.13	1.698
1622	22.92	2.400	1672	23.66	3.620	1722	24.40	4.975	1772	25.14	0.825
1623	22.93	2.652	1673	23.72	-3.993	1723	24.41	1.226	1773	25.17	-1.672
1624	22.95	2.403	1674	23.73	-5.116	1724	24.43	-3.646	1774	25.19	-2.920
1625	22.96	1.156	1675	23.74	-10.365	1725	24.45	-6.393	1775	25.20	-3.543
1626	22.97	0.282	1676	23.75	-10.739	1726	24.46	-6.392	1776	25.21	-3.541
1627	22.98	-0.717	1677	23.76	-10.737	1727	24.47	-6.390	1777	25.22	-3.790
1628	23.00	-1.714	1678	23.77	-10.111	1728	24.48	-5.890	1778	25.24	-2.912
1629	23.01	-1.713	1679	23.76	-6.984	1729	24.49	-4.638	1779	25.26	-2.909
1630	23.02	-1.586	1680	23.80	-2.981	1730	24.52	-2.135	1780	25.29	-3.281
1631	23.04	-1.084	1681	23.81	-0.605	1731	24.54	0.368	1781	25.30	-3.529
1632	23.06	0.793	1682	23.82	0.022	1732	24.55	0.745	1782	25.31	-3.528
1633	23.07	3.045	1683	23.83	-0.853	1733	24.56	0.496	1783	25.35	7.478
1634	23.09	5.797	1684	23.84	-2.726	1734	24.57	-0.502	1784	25.37	9.730
1635	23.11	9.050	1685	23.87	-11.971	1735	24.59	-1.375	1785	25.38	10.356
1636	23.12	10.926	1686	23.88	-12.221	1736	24.61	-3.247	1786	25.39	10.984
1637	23.13	10.928	1687	23.89	-12.844	1737	24.62	-4.495	1787	25.40	9.110
1638	23.14	9.179	1688	23.90	-11.218	1738	24.65	-6.742	1788	25.41	6.361
1639	23.15	1.681	1689	23.94	-8.912	1739	24.66	-5.490	1789	25.44	-2.885
1640	23.18	-19.085	1690	23.95	12.040	1740	24.68	-2.738	1790	25.45	-4.133
1641	23.20	-27.582	1691	23.96	13.915	1741	24.70	4.140	1791	25.46	-4.757
1642	23.21	-29.436	1692	23.97	14.542	1742	24.72	6.143	1792	25.47	-3.506
1643	23.22	-29.310	1693	23.98	13.292	1743	24.73	7.394	1793	25.49	-1.004
1644	23.23	-23.933	1694	23.99	9.919	1744	24.74	5.896	1794	25.51	1.749
1645	23.29	8.824	1695	24.01	4.922	1745	24.75	4.396	1795	25.52	2.750
1646	23.30	13.825	1696	24.02	4.298	1746	24.77	-4.475	1796	25.53	3.001
1647	23.31	17.076	1697	24.03	3.299	1747	24.78	-6.974	1797	25.55	0.630
1648	23.32	18.329	1698	24.04	3.051	1748	24.79	-8.973	1798	25.57	-3.493
1649	23.33	18.581	1699	24.06	4.178	1749	24.80	-8.096	1799	25.58	-4.991
1650	23.35	18.332	1700	24.08	6.056	1750	24.81	-6.595	1800	25.59	-5.366

INDEX NO. 802 1305-PI-8 HORONAI BRIDGE TR. MAX.ACCEL.= 72.520(GAL) T=15.47(SEC) NO.10

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1801	25.61	-2.613	1851	26.33	0.986	1901	27.09	-2.038	1951	27.88	0.193
1802	25.63	0.265	1852	26.34	0.361	1902	27.10	-1.786	1952	27.89	1.820
1803	25.64	0.892	1853	26.36	-2.137	1903	27.12	-3.533	1953	27.91	3.073
1804	25.65	0.893	1854	26.37	-5.509	1904	27.14	-6.406	1954	27.92	3.949
1805	25.66	0.895	1855	26.40	-11.005	1905	27.15	-7.655	1955	27.93	3.700
1806	25.67	-0.604	1856	26.41	-11.254	1906	27.16	-8.028	1956	27.95	0.579
1807	25.68	-2.852	1857	26.43	-11.626	1907	27.17	-7.777	1957	27.97	-4.419
1808	25.69	-3.476	1858	26.45	-10.999	1908	27.18	-6.900	1958	27.98	-6.293
1809	25.71	-3.724	1859	26.46	-10.123	1909	27.19	-5.024	1959	27.99	-7.916
1810	25.73	-4.346	1860	26.47	-8.871	1910	27.21	0.729	1960	28.00	-7.039
1811	25.75	-4.719	1861	26.48	-7.870	1911	27.23	3.606	1961	28.02	-6.413
1812	25.76	-5.592	1862	26.49	-6.618	1912	27.24	3.608	1962	28.05	-3.909
1813	25.77	-7.466	1863	26.50	-2.867	1913	27.25	3.609	1963	28.06	-2.657
1814	25.78	-9.464	1864	26.51	-0.991	1914	27.26	2.360	1964	28.07	-2.406
1815	25.79	-10.463	1865	26.52	4.386	1915	27.26	0.237	1965	28.08	-1.779
1816	25.81	-11.711	1866	26.53	6.012	1916	27.30	-5.759	1966	28.10	-1.777
1817	25.83	-8.958	1867	26.54	6.763	1917	27.32	-6.632	1967	28.12	1.476
1818	25.88	8.550	1868	26.55	7.140	1918	27.34	-7.254	1968	28.14	3.979
1819	25.89	10.051	1869	26.56	6.141	1919	27.37	-7.250	1969	28.15	4.356
1820	25.90	10.678	1870	26.57	2.767	1920	27.39	-6.747	1970	28.16	4.106
1821	25.92	10.429	1871	26.60	-10.979	1921	27.40	-2.621	1971	28.17	3.732
1822	25.93	6.431	1872	26.61	-13.477	1922	27.43	1.758	1972	28.19	2.235
1823	25.95	1.434	1873	26.62	-16.726	1923	27.45	4.886	1973	28.21	0.363
1824	25.98	-10.438	1874	26.63	-16.475	1924	27.47	5.763	1974	28.22	-0.010
1825	25.99	-13.562	1875	26.64	-16.974	1925	27.48	6.390	1975	28.24	0.242
1826	26.00	-13.935	1876	26.65	-14.597	1926	27.49	6.141	1976	28.25	0.619
1827	26.01	-13.558	1877	26.71	-1.464	1927	27.51	4.643	1977	28.27	0.371
1828	26.03	-11.681	1878	26.73	2.539	1928	27.52	2.020	1978	28.28	-0.877
1829	26.05	-4.177	1879	26.74	3.790	1929	27.56	-4.474	1979	28.30	-2.749
1830	26.06	-2.301	1880	26.75	5.042	1930	27.57	-5.973	1980	28.31	-3.123
1831	26.07	-2.300	1881	26.76	6.043	1931	27.58	-6.347	1981	28.32	-2.872
1832	26.08	-2.299	1882	26.77	5.419	1932	27.59	-7.221	1982	28.33	-1.871
1833	26.09	-2.923	1883	26.78	3.545	1933	27.60	-8.968	1983	28.35	1.257
1834	26.11	-6.045	1884	26.81	-4.825	1934	27.62	-8.717	1984	28.38	4.386
1835	26.12	-7.294	1885	26.83	-9.947	1935	27.63	-4.840	1985	28.39	5.263
1836	26.13	-7.542	1886	26.84	-9.696	1936	27.65	0.788	1986	28.40	5.639
1837	26.14	-7.916	1887	26.85	-8.448	1937	27.67	3.290	1987	28.41	5.640
1838	26.15	-7.039	1888	26.86	-6.319	1938	27.68	3.917	1988	28.42	4.142
1839	26.17	-3.911	1889	26.91	11.813	1939	27.70	4.919	1989	28.44	2.519
1840	26.18	-2.411	1890	26.93	13.941	1940	27.71	4.921	1990	28.49	-5.974
1841	26.19	-1.284	1891	26.94	15.942	1941	27.72	3.672	1991	28.51	-8.222
1842	26.20	-1.283	1892	26.95	17.193	1942	27.75	0.301	1992	28.52	-8.219
1843	26.21	-2.157	1893	26.96	16.320	1943	27.76	0.177	1993	28.53	-8.218
1844	26.22	-4.029	1894	26.97	13.821	1944	27.77	-0.070	1994	28.54	-7.342
1845	26.24	-5.933	1895	26.98	10.447	1945	27.80	0.809	1995	28.55	-6.080
1846	26.26	-5.900	1896	27.02	1.077	1946	27.81	1.435	1996	28.59	-1.085
1847	26.27	-3.773	1897	27.03	-1.046	1947	27.82	1.811	1997	28.61	3.167
1848	26.30	-1.269	1898	27.04	-2.919	1948	27.84	0.938	1998	28.62	3.794
1849	26.31	0.357	1899	27.05	-3.292	1949	27.86	0.566	1999	28.63	3.546
1850	26.32	0.609	1900	27.07	-3.293	1950	27.87	-0.058	2000	28.65	2.922

土木構造物における加速度強震記録（No.9）

INDEX NO. 802 1305-PI-8 HORDHAN BRIDGE TR. MAX.ACCEL.= 72.520(GAL) T=15.47(SEC) NO.11

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2001	28.67	-3.449	2051	29.51	9.039	2101	30.37	-2.471	2151	31.23	-3.354
2002	28.69	-4.948	2052	29.53	10.292	2102	30.38	-2.844	2152	31.24	-5.602
2003	28.70	-6.195	2053	29.55	11.169	2103	30.39	-1.967	2153	31.25	-6.226
2004	28.71	-5.570	2054	29.56	11.171	2104	30.41	-0.090	2154	31.27	-4.974
2005	28.72	-4.943	2055	29.58	10.923	2105	30.45	4.040	2155	31.29	-3.721
2006	28.75	-2.439	2056	29.60	8.426	2106	30.46	4.917	2156	31.30	-2.719
2007	28.76	-0.937	2057	29.63	4.430	2107	30.47	5.544	2157	31.31	-1.643
2008	28.77	-0.311	2058	29.65	1.933	2108	30.48	5.545	2158	31.32	-1.467
2009	28.78	0.065	2059	29.67	-0.690	2109	30.49	5.296	2159	31.34	-2.340
2010	28.79	-0.559	2060	29.69	-2.936	2110	30.50	4.422	2160	31.36	-2.962
2011	28.81	-0.806	2061	29.71	-4.810	2111	30.52	2.800	2161	31.38	-4.585
2012	28.82	-1.179	2062	29.72	-4.558	2112	30.53	1.926	2162	31.39	-4.333
2013	28.84	0.323	2063	29.73	-3.932	2113	30.55	2.806	2163	31.41	-3.080
2014	28.85	2.200	2064	29.75	-1.429	2114	30.57	4.057	2164	31.45	-1.825
2015	28.86	7.203	2065	29.77	1.074	2115	30.58	4.309	2165	31.47	-1.197
2016	28.89	10.456	2066	29.79	2.327	2116	30.59	5.310	2166	31.48	-1.195
2017	28.91	11.208	2067	29.80	2.078	2117	30.60	5.311	2167	31.49	-1.694
2018	28.93	11.460	2068	29.81	-1.295	2118	30.61	5.062	2168	31.51	-2.692
2019	28.94	5.587	2069	29.83	-7.417	2119	30.63	0.315	2169	31.53	-3.564
2020	28.98	-8.783	2070	29.84	-9.916	2120	30.64	-1.183	2170	31.54	-4.563
2021	28.99	-11.532	2071	29.85	-10.165	2121	30.65	-1.557	2171	31.55	-4.312
2022	29.00	-15.030	2072	29.87	-10.913	2122	30.67	-0.679	2172	31.56	-3.310
2023	29.01	-15.029	2073	29.88	-16.287	2123	30.71	-0.299	2173	31.58	0.444
2024	29.02	-13.778	2074	29.91	-4.282	2124	30.72	-0.298	2174	31.60	2.946
2025	29.03	-13.151	2075	29.93	-2.779	2125	30.74	-0.546	2175	31.61	3.573
2026	29.05	-9.774	2076	29.95	-1.777	2126	30.80	-2.163	2176	31.63	2.075
2027	29.07	-2.520	2077	29.96	-1.775	2127	30.84	-3.032	2177	31.66	-3.921
2028	29.10	0.733	2078	29.98	-2.148	2128	30.85	-3.405	2178	31.67	-4.920
2029	29.11	1.984	2079	30.00	-2.145	2129	30.87	-3.402	2179	31.68	-6.043
2030	29.12	1.735	2080	30.03	-1.516	2130	30.88	-2.776	2180	31.69	-5.792
2031	29.13	-0.137	2081	30.06	-0.262	2131	30.91	-0.273	2181	31.70	-5.165
2032	29.15	-3.865	2082	30.08	0.866	2132	30.93	1.605	2182	31.72	-3.288
2033	29.17	-12.507	2083	30.10	0.243	2133	30.95	3.107	2183	31.76	3.218
2034	29.18	-14.630	2084	30.12	0.246	2134	30.96	3.485	2184	31.77	4.844
2035	29.20	-15.253	2085	30.14	1.498	2135	30.97	2.660	2185	31.78	5.095
2036	29.21	-13.502	2086	30.15	3.375	2136	30.98	1.613	2186	31.79	4.596
2037	29.25	-4.997	2087	30.17	4.628	2137	30.99	-0.512	2187	31.80	2.973
2038	29.27	-2.244	2088	30.18	4.629	2138	31.02	-8.133	2188	31.83	-1.024
2039	29.28	-1.492	2089	30.20	2.506	2139	31.03	-11.256	2189	31.84	-5.147
2040	29.30	-2.115	2090	30.22	0.884	2140	31.04	-13.754	2190	31.85	-5.146
2041	29.31	-3.988	2091	30.23	1.135	2141	31.05	-14.378	2191	31.86	-4.894
2042	29.35	-8.733	2092	30.24	2.762	2142	31.06	-13.502	2192	31.87	-4.518
2043	29.36	-9.356	2093	30.27	4.641	2143	31.07	-12.876	2193	31.88	-2.641
2044	29.37	-9.105	2094	30.28	6.143	2144	31.09	-11.374	2194	31.90	0.486
2045	29.39	-8.102	2095	30.29	6.520	2145	31.11	-6.620	2195	31.91	1.988
2046	29.42	-5.973	2096	30.30	6.770	2146	31.15	0.385	2196	31.93	3.240
2047	29.45	-2.845	2097	30.31	6.522	2147	31.17	2.263	2197	31.94	2.991
2048	29.46	0.157	2098	30.33	4.024	2148	31.19	3.140	2198	31.96	1.118
2049	29.48	3.535	2099	30.34	1.526	2149	31.20	2.266	2199	31.97	0.870
2050	29.49	6.411	2100	30.36	-1.597	2150	31.21	0.143	2200	31.98	-0.128

INDEX NO. 802 1305-PI-8 HORDHAN BRIDGE TR. MAX.ACCEL.= 72.520(GAL) T=15.47(SEC) NO.12

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2201	31.99	0.123	2251	32.77	6.479	2301	33.74	-7.516	2351	34.53	2.716
2202	32.01	0.126	2252	32.78	8.105	2302	33.75	-6.264	2352	34.54	2.967
2203	32.02	0.128	2253	32.79	8.482	2303	33.79	0.741	2353	34.55	2.968
2204	32.03	-0.121	2254	32.80	8.233	2304	33.80	1.618	2354	34.56	2.470
2205	32.05	-1.744	2255	32.88	4.243	2305	33.81	1.994	2355	34.58	-0.402
2206	32.06	-3.493	2256	32.91	2.623	2306	33.83	1.996	2356	34.59	-2.526
2207	32.07	-5.116	2257	32.92	2.374	2307	33.88	-6.122	2357	34.60	-2.525
2208	32.08	-5.365	2258	32.93	2.000	2308	33.89	-7.871	2358	34.61	-2.524
2209	32.09	-6.363	2259	32.95	2.252	2309	33.90	-7.870	2359	34.62	-2.272
2210	32.10	-6.112	2260	32.97	5.130	2310	33.91	-7.868	2360	34.65	-0.019
2211	32.12	-4.485	2261	32.98	5.756	2311	33.92	-7.492	2361	34.66	1.109
2212	32.14	-2.606	2262	32.99	6.383	2312	33.96	2.889	2362	34.68	2.111
2213	32.16	-1.354	2263	33.00	5.760	2313	33.96	5.767	2363	34.69	1.862
2214	32.17	-1.977	2264	33.08	-4.983	2314	33.99	6.018	2364	34.70	1.238
2215	32.19	-2.600	2265	33.07	-7.606	2315	34.00	6.019	2365	34.71	0.240
2216	32.20	-2.849	2266	33.08	-8.230	2316	34.05	-6.099	2366	34.73	-1.882
2217	32.21	-2.347	2267	33.09	-8.228	2317	34.06	-6.347	2367	34.74	-1.630
2218	32.24	-1.343	2268	33.10	-7.227	2318	34.07	-6.721	2368	34.76	-1.378
2219	32.26	-0.466	2269	33.14	-0.722	2319	34.08	-6.470	2369	34.80	-0.748
2220	32.27	0.161	2270	33.15	-0.470	2320	34.09	-5.216	2370	34.82	0.254
2221	32.28	0.162	2271	33.16	-1.969	2321	34.11	-1.716	2371	34.83	1.131
2222	32.30	-0.006	2272	33.19	-5.715	2322	34.12	-0.840	2372	34.84	2.758
2223	32.31	0.166	2273	33.21	-7.587	2323	34.13	-0.463	2373	34.86	5.510
2224	32.32	0.168	2274	33.22	-7.586	2324	34.14	-0.711	2374	34.87	6.137
2225	32.33	0.794	2275	33.23	-6.960	2325	34.15	-1.335	2375	34.88	6.138
2226	32.36	2.423	2276	33.25	-4.832	2326	34.17	-3.082	2376	34.89	5.889
2227	32.38	3.676	2277	33.34	1.305	2327	34.19	-6.080	2377	34.90	3.641
2228	32.39	4.303	2278	33.35	2.807	2328	34.20	-6.454	2378	34.91	1.266
2229	32.41	4.555	2279	33.36	3.183	2329	34.21	-6.453	2379	34.94	-7.354
2230	32.42	4.306	2280	33.37	3.184	2330	34.24	-3.698	2380	34.95	-9.477
2231	32.43	3.662	2281	33.39	1.312	2331	34.25	-2.622	2381	34.96	-9.851
2232	32.44	2.436	2282	33.41	-1.185	2332	34.26	-2.195	2382	34.97	-9.850
2233	32.46	0.561	2283	33.43	-2.183	2333	34.27	-2.445	2383	34.98	-9.849
2234	32.48	-1.936	2284	33.44	-2.182	2334	34.28	-2.693	2384	34.99	-8.347
2235	32.49	-2.184	2285	33.45	-2.180	2335	34.30	-3.690	2385	35.03	+3.967
2236	32.50	-1.933	2286	33.47	-0.553	2336	34.31	-4.939	2386	35.05	+2.089
2237	32.51	-1.932	2287	33.48	0.706	2337	34.32	-4.313	2387	35.07	-0.461
2238	32.52	-1.680	2288	33.50	0.952	2338	34.33	-3.061	2388	35.08	-0.710
2239	32.57	4.577	2289	33.58	0.712	2339	34.36	2.943	2389	35.09	-0.708
2240	32.59	5.204	2290	33.59	0.964	2340	34.37	3.319	2390	35.11	-0.456
2241	32.60	6.206	2291	33.61	0.967	2341	34.38	3.945	2391	35.14	-0.452
2242	32.61	5.956	2292	33.62	1.968	2342	34.39	3.696	2392	35.16	-0.449
2243	32.62	4.333	2293	33.64	2.220	2343	34.40	1.198	2393	35.19	-0.197
2244	32.66	+2.911	2294	33.65	2.647	2344	34.44	-7.472	2394	35.20	1.806
2245	32.68	-4.033	2295	33.66	2.220	2345	34.45	-8.221	2395	35.22	5.539
2246	32.69	-4.782	2296	33.67	1.100	2346	34.46	+9.544	2396	35.24	6.812
2247	32.70	-4.157	2297	33.70	-4.522	2347	34.47	-8.417	2397	35.25	7.688
2248	32.71	-4.655	2298	33.71	-6.769	2348	34.48	-6.791	2398	35.26	7.064
2249	32.72	-4.154	2299	33.72	-7.518	2349	34.51	-0.287	2399	35.27	5.191
2250	32.76	3.977	2300	33.73	-7.517	2350	34.52	2.090	2400	35.29	2.069

INDEX NO. 802 1305-PI-8 HOROHAN BRIDGE TR. MAX.ACCEL.= 72.520(GAL) T=15.47(SEC) NO.13

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2401	35.31	0.571	2451	36.09	2.301	2501	36.81	-5.602	2551	37.54	-6.628
2402	35.33	0.698	2452	36.10	0.428	2502	36.82	-5.601	2552	37.55	-5.752
2403	35.34	1.826	2453	36.13	-2.319	2503	36.84	-3.723	2553	37.56	-4.876
2404	35.36	2.828	2454	36.15	-3.316	2504	36.85	-3.096	2554	37.57	-3.874
2405	35.38	3.455	2455	36.16	-3.314	2505	36.87	-1.843	2555	37.59	-2.371
2406	35.39	3.457	2456	36.17	-3.062	2506	36.89	-0.840	2556	37.60	-1.745
2407	35.40	2.833	2457	36.19	-1.810	2507	36.90	0.411	2557	37.61	-1.993
2408	35.41	1.585	2458	36.21	-1.183	2508	36.91	1.787	2558	37.63	-2.242
2409	35.42	0.336	2459	36.24	2.321	2509	36.94	6.791	2559	37.65	-3.489
2410	35.43	-0.037	2460	36.26	3.574	2510	36.95	8.668	2560	37.67	-4.111
2411	35.45	-0.910	2461	36.27	4.201	2511	36.96	8.669	2561	37.69	-4.733
2412	35.46	-0.659	2462	36.28	3.577	2512	36.97	8.045	2562	37.70	-2.981
2413	35.49	-0.280	2463	36.29	3.329	2513	36.98	6.546	2563	37.72	-1.105
2414	35.51	0.973	2464	36.30	2.079	2514	37.00	3.424	2564	37.75	4.025
2415	35.53	1.226	2465	36.31	0.456	2515	37.02	2.176	2565	37.76	4.402
2416	35.55	0.729	2466	36.32	-1.668	2516	37.03	1.553	2566	37.77	4.653
2417	35.58	-0.268	2467	36.34	-5.165	2517	37.04	2.054	2567	37.78	4.654
2418	35.60	-0.890	2468	36.35	-5.789	2518	37.05	2.681	2568	37.79	4.655
2419	35.62	-1.512	2469	36.36	-6.038	2519	37.07	3.934	2569	37.80	2.282
2420	35.63	-0.886	2470	36.37	-6.036	2520	37.10	5.812	2570	37.82	-2.465
2421	35.65	-0.258	2471	36.38	-4.910	2521	37.12	6.440	2571	37.84	-4.588
2422	35.67	-0.256	2472	36.40	-3.282	2522	37.14	6.193	2572	37.85	-4.587
2423	35.68	-0.004	2473	36.41	-0.781	2523	37.16	5.945	2573	37.86	-4.959
2424	35.69	-0.003	2474	36.43	4.222	2524	37.17	4.697	2574	37.89	-4.332
2425	35.70	-0.877	2475	36.45	6.349	2525	37.19	2.449	2575	37.91	-4.328
2426	35.73	-5.497	2476	36.46	8.601	2526	37.20	0.326	2576	37.92	-4.576
2427	35.74	-6.121	2477	36.47	8.477	2527	37.23	-2.171	2577	37.94	-4.575
2428	35.75	-5.869	2478	36.48	8.728	2528	37.24	-2.794	2578	37.95	-4.324
2429	35.78	-5.616	2479	36.49	6.856	2529	37.25	-4.417	2579	37.96	-3.447
2430	35.80	-5.239	2480	36.52	2.234	2530	37.26	-3.791	2580	37.99	3.183
2431	35.81	-4.987	2481	36.53	-1.639	2531	37.28	-3.539	2581	38.00	3.434
2432	35.83	-5.483	2482	36.54	-2.263	2532	37.30	-0.661	2582	38.01	3.435
2433	35.85	-5.856	2483	36.55	-3.511	2533	37.31	-0.035	2583	38.02	3.436
2434	35.87	-6.103	2484	36.56	-3.885	2534	37.32	-0.033	2584	38.03	2.312
2435	35.88	-6.102	2485	36.58	-3.633	2535	37.33	-0.281	2585	38.06	-7.183
2436	35.89	-5.601	2486	36.60	-3.005	2536	37.35	-2.154	2586	38.07	-10.056
2437	35.90	-3.974	2487	36.62	-3.003	2537	37.37	-4.776	2587	38.08	-10.305
2438	35.91	-3.347	2488	36.63	-3.501	2538	37.38	-5.525	2588	38.09	-10.054
2439	35.92	-3.096	2489	36.64	-4.124	2539	37.39	-5.149	2589	38.10	-9.178
2440	35.93	-3.345	2490	36.66	-5.122	2540	37.40	-4.272	2590	38.11	-8.552
2441	35.94	-3.969	2491	36.67	-5.121	2541	37.42	-1.770	2591	38.13	-1.298
2442	35.96	-5.466	2492	36.69	-3.618	2542	37.44	4.358	2592	38.15	0.579
2443	35.97	-6.840	2493	36.71	-1.990	2543	37.45	4.985	2593	38.16	1.580
2444	35.98	-6.838	2494	36.73	-0.738	2544	37.46	5.236	2594	38.17	3.207
2445	35.99	-6.837	2495	36.74	-1.361	2545	37.47	5.237	2595	38.18	3.209
2446	36.00	-4.961	2496	36.75	-1.984	2546	37.48	4.114	2596	38.20	2.585
2447	36.04	2.294	2497	36.77	-5.357	2547	37.49	-0.635	2597	38.21	2.337
2448	36.05	3.546	2498	36.78	-6.356	2548	37.51	-5.007	2598	38.22	1.714
2449	36.06	3.297	2499	36.79	-7.105	2549	37.52	-5.880	2599	38.23	1.715
2450	36.07	3.298	2500	36.80	-6.854	2550	37.53	-6.380	2600	38.25	1.987

INDEX NO. 802 1305-PI-8 HOROHAN BRIDGE TR. MAX.ACCEL.= 72.520(GAL) T=15.47(SEC) NO.14

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2601	38.27	3.220	2651	39.12	6.460	2701	39.96	6.199	2751	40.87	3.320
2602	38.29	3.223	2652	39.14	7.713	2702	39.97	5.075	2752	40.89	-0.427
2603	38.31	2.975	2653	39.15	7.714	2703	39.98	4.076	2753	40.91	-2.923
2604	38.33	1.353	2654	39.16	6.215	2704	40.04	-11.040	2754	40.94	-3.920
2605	38.35	-0.144	2655	39.17	2.716	2705	40.06	-11.288	2755	40.96	-5.417
2606	38.36	-1.142	2656	39.20	-6.154	2706	40.07	-11.287	2756	40.98	-5.415
2607	38.39	-1.764	2657	39.21	-8.277	2707	40.08	-10.410	2757	41.00	-4.912
2608	38.41	-3.261	2658	39.23	-8.900	2708	40.09	-9.159	2758	41.02	-3.908
2609	38.44	-3.882	2659	39.24	-9.024	2709	40.12	-0.405	2759	41.06	-3.029
2610	38.45	-4.880	2660	39.26	-8.022	2710	40.14	1.597	2760	41.07	-2.652
2611	38.46	-5.503	2661	39.27	-6.771	2711	40.15	2.474	2761	41.08	-2.650
2612	38.47	-6.127	2662	39.29	-3.393	2712	40.16	3.725	2762	41.10	-2.398
2613	38.48	-5.502	2663	39.30	-1.762	2713	40.17	4.102	2763	41.13	-2.020
2614	38.50	-4.624	2664	39.31	-1.515	2714	40.18	4.103	2764	41.15	-0.766
2615	38.53	-0.494	2665	39.33	-1.137	2715	40.20	2.855	2765	41.18	-0.763
2616	38.54	-0.493	2666	39.39	1.497	2716	40.22	0.733	2766	41.19	-0.761
2617	38.55	-0.241	2667	39.40	1.498	2717	40.24	-1.515	2767	41.20	-1.009
2618	38.56	-0.241	2668	39.42	1.751	2718	40.25	-2.137	2768	41.21	-2.009
2619	38.57	-1.739	2669	39.43	1.502	2719	40.27	-2.760	2769	41.23	-3.256
2620	38.59	-5.486	2670	39.45	-0.371	2720	40.32	-0.253	2770	41.24	-3.505
2621	38.60	-7.735	2671	39.47	-0.993	2721	40.35	0.627	2771	41.26	-3.252
2622	38.61	-8.734	2672	39.49	-2.241	2722	40.37	1.254	2772	41.27	-2.000
2623	38.63	-8.731	2673	39.50	-2.238	2723	40.39	1.631	2773	41.29	0.753
2624	38.64	-7.855	2674	39.51	-1.987	2724	40.40	1.258	2774	41.31	3.006
2625	38.65	-4.978	2675	39.52	-2.362	2725	40.43	-0.239	2775	41.32	2.631
2626	38.68	0.026	2676	39.53	-1.484	2726	40.45	-1.486	2776	41.33	2.383
2627	38.70	3.028	2677	39.55	-0.233	2727	40.46	-3.359	2777	41.36	1.136
2628	38.71	3.530	2678	39.57	2.771	2728	40.48	-3.357	2778	41.38	-2.235
2629	38.72	3.031	2679	39.59	4.273	2729	40.49	-2.480	2779	41.40	-3.233
2630	38.73	1.407	2680	39.61	4.650	2730	40.53	-1.475	2780	41.43	-2.979
2631	38.76	-7.089	2681	39.62	5.902	2731	40.55	-0.848	2781	41.45	-2.601
2632	38.77	-9.587	2682	39.63	5.279	2732	40.56	-1.096	2782	41.48	-1.972
2633	38.78	-9.961	2683	39.64	4.405	2733	40.59	-1.487	2783	41.50	-0.720
2634	38.79	-9.709	2684	39.66	2.158	2734	40.60	-1.840	2784	41.52	0.158
2635	38.80	-9.333	2685	39.68	0.285	2735	40.61	-1.484	2785	41.53	0.335
2636	38.82	-6.831	2686	39.70	0.538	2736	40.62	-0.587	2786	41.54	0.536
2637	38.85	-2.827	2687	39.71	0.539	2737	40.65	2.541	2787	41.55	0.538
2638	38.86	-1.825	2688	39.72	0.916	2738	40.67	3.544	2788	41.57	-0.334
2639	38.90	0.930	2689	39.75	3.045	2739	40.68	3.796	2789	41.60	-1.330
2640	38.93	2.309	2690	39.78	3.674	2740	40.69	3.547	2790	41.62	-2.203
2641	38.94	2.686	2691	39.80	4.051	2741	40.70	2.298	2791	41.64	-1.325
2642	38.96	2.438	2692	39.81	2.553	2742	40.73	-1.448	2792	41.67	0.553
2643	38.97	0.815	2693	39.84	-0.944	2743	40.76	-5.194	2793	41.69	2.056
2644	38.99	-0.433	2694	39.86	-4.940	2744	40.77	-5.193	2794	41.70	2.683
2645	39.01	-2.555	2695	39.87	-5.314	2745	40.78	-3.941	2795	41.72	2.685
2646	39.02	-5.178	2696	39.88	-5.313	2746	40.80	-1.188	2796	41.73	1.188
2647	39.04	-5.426	2697	39.90	-4.061	2747	40.83	1.315	2797	41.76	-0.309
2648	39.05	-5.425	2698	39.92	-0.933	2748	40.84	3.567	2798	41.78	-1.306
2649	39.06	-3.924	2699	39.94	4.070	2749	40.85	3.568	2799	41.80	-2.553
2650	39.11	5.458	2700	39.95	4.947	2750	40.86	3.569	2800	41.82	-3.801

土木構造物における加速度強震記録（No. 9）

INDEX NO. 802 1305-PI-6 HORONAI BRIDGE TR. MAX.ACCEL.= 72.520(GAL) T=15.47(SEC) NO.15

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2601	41.84	-4.049	2651	42.96	-1.390	2701	43.76	2.077	2951	44.89	0.363
2602	41.85	-4.672	2652	42.97	-2.660	2702	43.71	1.454	2952	44.94	-3.630
2603	41.86	-4.670	2653	42.98	-3.395	2703	43.72	1.706	2953	44.95	-3.628
2604	41.96	-4.165	2654	42.99	-3.018	2704	43.75	2.709	2954	45.00	-1.872
2605	41.92	-4.162	2655	43.00	-2.142	2705	43.76	2.961	2955	45.04	-0.241
2606	41.94	-4.160	2656	43.04	1.384	2706	43.78	3.338	2956	45.08	1.013
2607	41.95	-4.659	2657	43.05	2.261	2707	43.79	3.089	2957	45.09	0.765
2608	41.97	-7.030	2658	43.07	3.243	2708	43.80	1.466	2958	45.11	0.767
2609	41.99	-7.278	2659	43.08	3.244	2709	43.82	-0.406	2959	45.14	-0.228
2610	42.01	-7.651	2660	43.09	2.995	2910	43.84	-2.028	2960	45.16	-0.225
2611	42.03	-6.772	2661	43.10	1.996	2911	43.86	-1.650	2961	45.17	-0.474
2612	42.06	-4.093	2662	43.12	1.124	2912	43.94	1.486	2962	45.19	0.028
2613	42.06	-3.265	2663	43.13	-0.499	2913	43.96	1.740	2963	45.25	4.161
2614	42.10	-2.013	2664	43.14	-0.748	2914	44.00	1.743	2964	45.26	4.413
2615	42.12	-1.136	2665	43.15	-1.371	2915	44.02	2.120	2965	45.27	4.415
2616	42.16	-0.381	2666	43.16	-0.493	2916	44.03	1.497	2966	45.30	3.293
2617	42.20	-0.750	2667	43.20	-0.240	2917	44.05	0.249	2967	45.34	0.799
2618	42.22	-0.122	2668	43.21	0.387	2918	44.06	-2.249	2968	45.35	-1.325
2619	42.24	-0.375	2669	43.22	0.388	2919	44.06	-4.746	2969	45.37	-1.622
2620	42.25	-1.992	2670	43.23	0.390	2920	44.09	-5.370	2970	45.39	-1.320
2621	42.27	-2.615	2671	43.25	-0.109	2921	44.10	-5.119	2971	45.41	-0.316
2622	42.28	-2.633	2672	43.26	-0.107	2922	44.12	-4.741	2972	45.45	0.939
2623	42.30	-2.361	2673	43.27	0.145	2923	44.15	-1.986	2973	45.49	1.193
2624	42.31	-1.109	2674	43.28	0.771	2924	44.18	-0.350	2974	45.52	0.968
2625	42.35	2.770	2675	43.31	1.649	2925	44.19	0.249	2975	45.54	1.201
2626	42.36	3.397	2676	43.33	2.903	2926	44.20	0.520	2976	45.56	1.579
2627	42.37	3.773	2677	43.35	3.281	2927	44.22	0.023	2977	45.57	1.579
2628	42.38	2.525	2678	43.36	2.657	2928	44.24	-1.224	2978	45.60	-1.166
2629	42.46	-2.712	2679	43.37	1.783	2929	44.26	-2.221	2979	45.62	-2.164
2630	42.51	-4.333	2680	43.39	-0.464	2930	44.28	-2.594	2980	45.63	-2.613
2631	42.52	-4.956	2681	43.41	-2.962	2931	44.31	-1.340	2981	45.66	-0.908
2632	42.53	-4.330	2682	43.42	-3.210	2932	44.34	-0.336	2982	45.69	0.596
2633	42.55	-2.828	2683	43.43	-2.334	2933	44.36	0.291	2983	45.70	0.598
2634	42.59	0.677	2684	43.44	-2.707	2934	44.37	0.543	2984	45.71	0.599
2635	42.61	2.305	2685	43.46	-1.704	2935	44.39	0.921	2985	45.72	0.101
2636	42.62	2.557	2686	43.48	-0.452	2936	44.41	0.673	2986	45.75	-1.146
2637	42.63	2.808	2687	43.50	0.175	2937	44.43	0.302	2987	45.76	-1.145
2638	42.65	2.560	2688	43.51	0.552	2938	44.47	2.181	2988	45.77	-0.893
2639	42.66	2.312	2689	43.53	-0.070	2939	44.50	3.061	2989	45.80	-1.139
2640	42.69	1.067	2690	43.55	-1.067	2940	44.52	3.688	2990	45.82	-1.137
2641	42.76	-1.424	2691	43.56	-1.316	2941	44.54	1.941	2991	45.83	-1.760
2642	42.79	-1.795	2692	43.57	-1.314	2942	44.56	0.069	2992	45.85	-3.382
2643	42.84	-1.539	2693	43.58	-1.438	2943	44.58	-0.304	2993	45.87	-3.629
2644	42.85	-1.537	2694	43.59	-0.187	2944	44.60	-0.551	2994	45.89	-3.627
2645	42.86	-2.036	2695	43.61	1.691	2945	44.66	-0.668	2995	45.92	-2.123
2646	42.90	-0.280	2696	43.63	3.943	2946	44.71	-0.661	2996	45.94	-0.495
2647	42.91	0.346	2697	43.64	3.694	2947	44.78	-1.276	2997	45.96	-0.618
2648	42.93	0.723	2698	43.65	3.696	2948	44.81	-0.897	2998	45.97	-0.867
2649	42.94	0.475	2699	43.67	2.449	2949	44.82	-0.271	2999	45.98	-1.740
2650	42.95	-0.524	2900	43.69	2.076	2950	44.86	0.359	3000	46.00	-3.613

INDEX NO. 802 1305-PI-8 HORONAI BRIDGE TR. MAX.ACCEL.= 72.520(GAL) T=15.47(SEC) NO.16

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3001	46.02	-5.860	3051	46.92	0.387	3101	46.32	-1.049	3151	49.74	0.267
3002	46.03	-7.983	3052	46.96	0.392	3102	46.34	-0.422	3152	49.77	-0.604
3003	46.04	-7.482	3053	46.97	-0.856	3103	46.36	1.207	3153	49.80	-1.849
3004	46.05	-7.730	3054	46.99	-1.228	3104	46.38	1.458	3154	49.82	-2.472
3005	46.06	-6.854	3055	47.02	-3.724	3105	46.40	2.086	3155	49.86	-1.968
3006	46.09	-5.225	3056	47.04	-3.097	3106	46.41	2.713	3156	49.90	-0.961
3007	46.11	-3.097	3057	47.10	2.786	3107	46.42	1.839	3157	49.94	-0.706
3008	46.13	-2.470	3058	47.12	4.040	3108	46.44	-0.033	3158	49.97	-0.077
3009	46.14	-2.469	3059	47.14	5.292	3109	46.46	-1.655	3159	49.99	-0.949
3010	46.17	-2.090	3060	47.15	5.293	3110	46.48	-2.277	3160	50.01	-0.946
3011	46.19	-1.461	3061	47.17	4.421	3111	46.50	-1.401	3161	50.02	-0.695
3012	46.21	-0.833	3062	47.20	1.674	3112	46.53	1.104	3162	50.09	2.439
3013	46.23	-0.581	3063	47.22	-0.823	3113	46.56	3.358	3163	50.11	2.942
3014	46.25	-1.454	3064	47.23	-2.446	3114	46.57	3.985	3164	50.12	1.694
3015	46.27	-2.075	3065	47.24	-2.445	3115	46.59	3.737	3165	50.15	-0.178
3016	46.30	-2.697	3066	47.26	-2.192	3116	46.60	2.739	3166	50.16	-1.426
3017	46.32	-1.819	3067	47.29	-0.563	3117	46.62	1.867	3167	50.17	-1.174
3018	46.36	0.061	3068	47.31	0.065	3118	46.64	1.745	3168	50.21	-0.545
3019	46.39	0.690	3069	47.32	0.316	3119	46.70	1.751	3169	50.23	0.458
3020	46.40	0.692	3070	47.34	0.068	3120	46.74	1.507	3170	50.25	0.711
3021	46.41	0.443	3071	47.35	-0.805	3121	46.77	1.261	3171	50.28	1.089
3022	46.42	0.195	3072	47.36	-1.428	3122	46.81	1.142	3172	50.30	1.718
3023	46.44	-0.802	3073	47.37	-1.427	3123	46.83	1.519	3173	50.33	2.596
3024	46.46	-1.676	3074	47.38	-1.550	3124	46.85	2.397	3174	50.35	3.224
3025	46.47	-1.674	3075	47.42	-0.296	3125	46.90	3.404	3175	50.36	2.976
3026	46.48	-1.173	3076	47.44	-0.168	3126	46.94	0.285	3176	50.39	1.105
3027	46.52	0.458	3077	47.46	-0.165	3127	46.97	-0.337	3177	50.41	0.857
3028	46.55	2.712	3078	47.47	0.788	3128	49.05	-1.576	3178	50.43	1.110
3029	46.57	3.715	3079	47.51	-2.659	3129	49.14	-0.313	3179	50.46	0.489
3030	46.59	3.967	3080	47.52	-2.657	3130	49.18	-0.308	3180	50.48	0.242
3031	46.60	3.719	3081	47.53	-2.656	3131	49.21	-1.554	3181	50.50	-0.380
3032	46.61	3.095	3082	47.60	-1.521	3132	49.25	-0.673	3182	50.51	-1.379
3033	46.62	2.471	3083	47.66	-0.263	3133	49.28	-0.670	3183	50.53	0.499
3034	46.63	1.847	3084	47.73	0.996	3134	49.30	-0.667	3184	50.57	2.629
3035	46.65	-0.925	3085	47.74	1.372	3135	49.32	-0.914	3185	50.59	3.006
3036	46.66	-0.648	3086	47.76	1.375	3136	49.35	-1.536	3186	50.60	3.008
3037	46.67	-0.646	3087	47.78	-0.496	3137	49.36	-1.534	3187	50.62	-0.364
3038	46.68	-0.395	3088	47.80	-1.744	3138	49.39	-0.030	3188	50.64	-2.861
3039	46.72	1.235	3089	47.85	-0.238	3139	49.42	1.224	3189	50.66	-3.859
3040	46.74	1.613	3090	47.88	0.766	3140	49.43	0.976	3190	50.67	-4.107
3041	46.76	1.240	3091	47.90	0.145	3141	49.44	-0.648	3191	50.68	-4.481
3042	46.77	0.868	3092	48.11	-1.328	3142	49.48	-5.143	3192	50.72	-1.725
3043	46.78	0.005	3093	48.17	-1.944	3143	49.49	-6.266	3193	50.74	-0.098
3044	46.79	-0.630	3094	48.19	-2.567	3144	49.51	-6.389	3194	50.75	0.528
3045	46.82	-0.001	3095	48.20	-2.566	3145	49.53	-5.761	3195	50.76	0.530
3046	46.84	0.627	3096	48.21	-3.564	3146	49.56	-3.257	3196	50.78	0.284
3047	46.87	1.880	3097	48.22	-2.938	3147	49.58	-2.004	3197	50.81	-0.339
3048	46.88	1.632	3098	48.25	-1.685	3148	49.60	-1.002	3198	50.83	-0.336
3049	46.90	1.008	3099	48.28	-1.054	3149	49.69	0.261	3199	50.88	0.795
3050	46.91	0.385	3100	48.30	-0.427	3150	49.72	0.515	3200	50.90	1.798

INDEX NO. 802 1305-PI-8 HOROMAN BRIDGE TR. MAX.ACCEL.= 72.520(GAL) T=15.47(SEC) NO.17

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3201	50.92	1.176	3251	52.13	1.465	3301	54.41	2.522	3351	55.51	-2.455
3202	50.94	-0.696	3252	52.16	1.469	3302	54.43	1.525	3352	55.54	-2.450
3203	50.95	-0.444	3253	52.19	0.972	3303	54.46	0.654	3353	55.60	-2.067
3204	50.96	-0.443	3254	52.21	-0.274	3304	54.47	0.281	3354	55.61	-2.066
3205	51.00	-0.438	3255	52.23	-0.272	3305	54.49	0.532	3355	55.64	-1.437
3206	51.02	0.190	3256	52.27	1.234	3306	54.50	0.910	3356	55.66	-1.185
3207	51.04	-0.057	3257	52.30	2.112	3307	54.53	1.664	3357	55.68	-1.182
3208	51.06	-0.305	3258	52.36	-2.505	3308	54.55	1.040	3358	55.70	-1.679
3209	51.08	-1.303	3259	52.37	-1.878	3309	54.56	0.167	3359	55.73	-1.675
3210	51.09	-1.551	3260	52.44	0.631	3310	54.57	-0.456	3360	55.75	-2.298
3211	51.11	-1.549	3261	52.47	0.886	3311	54.58	-1.705	3361	55.77	-1.795
3212	51.15	-1.442	3262	52.57	-0.226	3312	54.59	-2.078	3362	55.78	-2.043
3213	51.17	-0.415	3263	52.72	-1.581	3313	54.60	-2.827	3363	55.81	-0.789
3214	51.23	-0.407	3264	52.78	-1.197	3314	54.64	-1.947	3364	55.84	0.465
3215	51.25	-0.904	3265	52.82	-2.068	3315	54.67	-1.568	3365	55.86	0.468
3216	51.27	-0.651	3266	52.83	-1.815	3316	54.69	-2.440	3366	55.88	0.220
3217	51.28	-0.900	3267	52.89	-0.557	3317	54.70	-2.189	3367	55.90	0.223
3218	51.29	-1.274	3268	52.94	-0.302	3318	54.73	-1.310	3368	55.93	-0.397
3219	51.30	-2.897	3269	52.97	-0.297	3319	54.75	-0.056	3369	55.96	-0.788
3220	51.32	-3.769	3270	53.02	-0.541	3320	54.77	0.946	3370	55.99	-0.516
3221	51.33	-4.769	3271	53.04	-1.163	3321	54.79	1.696	3371	56.01	0.113
3222	51.36	-2.639	3272	53.06	-2.035	3322	54.81	1.951	3372	56.04	1.743
3223	51.40	1.117	3273	53.07	-1.783	3323	54.84	1.080	3373	56.07	2.371
3224	51.41	1.368	3274	53.13	0.724	3324	54.88	0.835	3374	56.09	2.623
3225	51.43	1.370	3275	53.18	0.106	3325	54.93	1.092	3375	56.10	2.625
3226	51.45	0.248	3276	53.24	0.114	3326	54.96	0.846	3376	56.12	2.377
3227	51.47	-0.375	3277	53.27	-0.506	3327	54.98	0.225	3377	56.14	1.506
3228	51.53	1.133	3278	53.30	-1.753	3328	55.00	0.727	3378	56.17	0.885
3229	51.57	0.888	3279	53.35	-0.245	3329	55.02	1.355	3379	56.20	-0.112
3230	51.59	1.142	3280	53.41	-0.488	3330	55.04	0.483	3380	56.23	-0.358
3231	51.62	0.521	3281	53.53	0.153	3331	55.07	-0.764	3381	56.25	0.146
3232	51.64	0.524	3282	53.55	-1.094	3332	55.09	-1.636	3382	56.29	-0.100
3233	51.67	-0.098	3283	53.68	-0.452	3333	55.11	-2.634	3383	56.32	-0.096
3234	51.70	0.157	3284	53.70	-1.074	3334	55.12	-4.007	3384	56.33	-0.343
3235	51.73	-0.089	3285	53.76	0.165	3335	55.15	-2.503	3385	56.35	0.534
3236	51.76	-0.335	3286	53.78	0.812	3336	55.17	-2.125	3386	56.39	0.289
3237	51.76	-0.057	3287	53.97	-0.038	3337	55.19	-2.122	3387	56.41	-0.083
3238	51.80	-1.330	3288	54.03	0.216	3338	55.21	-2.120	3388	56.45	-0.953
3239	51.83	0.175	3289	54.06	-0.025	3339	55.23	-2.368	3389	56.49	0.553
3240	51.86	1.176	3290	54.14	-0.765	3340	55.25	-2.114	3390	56.51	0.555
3241	51.87	0.554	3291	54.19	-0.757	3341	55.28	-1.861	3391	56.53	-0.067
3242	51.89	0.308	3292	54.23	-0.377	3342	55.29	-1.484	3392	56.55	-1.314
3243	51.91	-1.639	3293	54.25	0.251	3343	55.32	-1.230	3393	56.57	-1.686
3244	51.94	-2.561	3294	54.27	0.504	3344	55.34	-2.352	3394	56.58	-1.310
3245	51.98	-2.555	3295	54.29	0.631	3345	55.36	-3.975	3395	56.59	-1.309
3246	52.01	-2.552	3296	54.31	-0.616	3346	55.37	-4.598	3396	56.62	-0.055
3247	52.03	-1.674	3297	54.33	-0.363	3347	55.39	-4.971	3397	56.64	0.572
3248	52.06	-0.669	3298	54.35	-0.361	3348	55.40	-3.344	3398	56.65	0.625
3249	52.09	0.584	3299	54.39	2.769	3349	55.43	-2.465	3399	56.67	1.202
3250	52.11	1.213	3300	54.40	2.770	3350	55.46	-2.086	3400	56.68	0.933

INDEX NO. 802 1305-PI-8 HOROMAN BRIDGE TR. MAX.ACCEL.= 72.520(GAL) T=15.47(SEC) NO.18

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3401	56.70	-0.044	3451	58.15	-1.099	3501	59.88	0.385	3551	62.23	0.702
3402	56.73	-1.541	3452	58.17	-0.846	3502	59.89	0.386	3552	62.25	0.704
3403	56.74	-2.164	3453	58.20	1.033	3503	59.90	0.138	3553	62.29	2.585
3404	56.78	-1.034	3454	58.22	0.785	3504	60.14	1.295	3554	62.32	2.339
3405	56.80	-0.655	3455	58.26	0.541	3505	60.16	1.298	3555	62.34	2.091
3406	56.82	-0.403	3456	58.30	-0.079	3506	60.18	1.676	3556	62.55	2.120
3407	56.85	-0.649	3457	58.48	-0.429	3507	60.22	0.805	3557	62.59	0.001
3408	56.87	-0.896	3458	58.60	1.087	3508	60.25	-0.191	3558	62.62	0.005
3409	56.89	-1.260	3459	58.64	2.718	3509	60.26	-1.439	3559	62.63	0.256
3410	56.92	-0.389	3460	58.67	2.971	3510	60.28	-0.811	3560	62.68	0.887
3411	56.94	1.238	3461	58.69	2.725	3511	60.32	1.320	3561	62.74	0.646
3412	56.96	1.491	3462	58.73	2.480	3512	60.36	1.074	3562	62.78	1.151
3413	56.97	2.493	3463	58.76	2.109	3513	60.39	1.078	3563	62.82	1.531
3414	56.98	2.244	3464	58.78	1.486	3514	60.44	0.460	3564	62.86	1.287
3415	56.99	1.621	3465	58.79	1.486	3515	60.55	1.350	3565	62.91	0.919
3416	57.02	0.624	3466	58.83	2.993	3516	60.61	1.984	3566	62.93	0.922
3417	57.05	-0.247	3467	58.84	2.995	3517	60.64	1.738	3567	62.96	0.050
3418	57.07	-1.245	3468	58.86	2.498	3518	60.66	1.991	3568	62.98	0.053
3419	57.09	-1.666	3469	58.90	1.503	3519	60.68	1.493	3569	63.02	1.104
3420	57.10	-1.866	3470	58.92	1.255	3520	60.71	0.872	3570	63.07	1.815
3421	57.13	-1.236	3471	59.01	1.143	3521	60.73	-0.125	3571	63.09	2.443
3422	57.17	-1.231	3472	59.08	1.152	3522	61.04	0.541	3572	63.11	2.445
3423	57.19	0.022	3473	59.11	0.656	3523	61.08	2.047	3573	63.13	1.573
3424	57.21	0.025	3474	59.13	0.034	3524	61.11	2.051	3574	63.16	0.952
3425	57.23	0.027	3475	59.17	-0.961	3525	61.13	1.179	3575	63.19	0.351
3426	57.26	-0.594	3476	59.19	-1.209	3526	61.18	0.560	3576	63.22	-1.539
3427	57.28	-1.216	3477	59.20	-1.207	3527	61.22	-0.059	3577	63.23	-1.200
3428	57.30	-1.213	3478	59.25	0.550	3528	61.49	1.227	3578	63.28	0.343
3429	57.33	-0.959	3479	59.28	1.804	3529	61.51	0.855	3579	63.31	0.972
3430	57.36	0.295	3480	59.32	1.935	3530	61.54	0.608	3580	63.35	0.728
3431	57.44	0.306	3481	59.38	0.068	3531	61.56	-0.014	3581	63.40	-0.265
3432	57.49	0.313	3482	59.42	-1.177	3532	61.58	-0.635	3582	63.43	-1.512
3433	57.51	-0.184	3483	59.45	-1.174	3533	61.60	-0.383	3583	63.45	-0.883
3434	57.54	-0.930	3484	59.47	-0.671	3534	61.65	-0.377	3584	63.48	-0.254
3435	57.59	0.325	3485	59.50	0.333	3535	61.71	1.257	3585	63.51	0.375
3436	57.62	0.330	3486	59.53	1.838	3536	61.75	1.013	3586	63.53	0.377
3437	57.65	0.709	3487	59.54	2.464	3537	61.78	0.391	3587	63.56	-0.494
3438	57.69	0.464	3488	59.57	1.343	3538	61.80	0.894	3588	63.58	-0.491
3439	57.72	-0.532	3489	59.59	0.345	3539	61.83	1.523	3589	63.60	-0.863
3440	57.77	-1.525	3490	59.60	-0.653	3540	61.87	1.528	3590	63.63	0.015
3441	57.88	0.739	3491	59.62	-0.025	3541	61.90	1.532	3591	63.67	1.647
3442	57.94	1.373	3492	59.66	2.855	3542	61.95	0.664	3592	63.72	1.652
3443	57.96	1.627	3493	59.68	2.608	3543	62.01	0.422	3593	63.75	0.781
3444	57.97	1.627	3494	59.71	2.662	3544	62.05	0.053	3594	63.87	0.798
3445	57.98	1.628	3495	59.72	2.614	3545	62.07	-1.165	3595	63.90	1.676
3446	58.00	1.131	3496	59.74	1.365	3546	62.08	-1.193	3596	63.93	1.681
3447	58.02	0.134	3497	59.78	1.871	3547	62.10	-1.441	3597	63.94	1.683
3448	58.04	-0.113	3498	59.81	2.000	3548	62.15	0.941	3598	64.10	2.328
3449	58.07	-0.484	3499	59.84	1.004	3549	62.18	1.320	3599	64.13	2.958
3450	58.11	-1.104	3500	59.86	0.382	3550	62.21	1.324	3600	64.15	3.211

土木構造物における加速度強震記録（No. 9）

INDEX NO. 802 1305-P1-8 HOROHAN BRIDGE TR. MAX.ACCEL.= 72.520(GAL) T=15.47(SEC) NO.19

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3601	64.17	3.213	3651	66.24	2.688	3701	70.17	2.898	3751	72.87	2.137
3602	64.20	1.717	3652	66.27	2.372	3702	70.18	3.399	3752	72.93	2.145
3603	64.22	1.095	3653	66.33	2.105	3703	70.25	4.409	3753	72.97	1.526
3604	64.23	1.346	3654	66.35	1.758	3704	70.55	2.949	3754	73.02	2.158
3605	64.27	2.602	3655	66.38	1.762	3705	70.56	2.950	3755	73.05	2.161
3606	64.31	2.982	3656	66.41	0.516	3706	70.73	2.848	3756	73.07	2.414
3607	64.32	3.234	3657	66.43	0.394	3707	70.80	2.858	3757	73.08	2.416
3608	64.36	2.365	3658	66.66	3.300	3708	70.68	2.494	3758	73.10	2.418
3609	64.41	0.871	3659	66.66	3.553	3709	70.91	2.748	3759	73.13	2.171
3610	64.43	0.498	3660	66.71	2.057	3710	70.98	3.757	3760	73.16	1.302
3611	64.48	2.630	3661	66.76	1.813	3711	70.99	3.758	3761	73.18	1.804
3612	64.50	3.258	3662	66.77	1.814	3712	71.01	3.761	3762	73.27	1.565
3613	64.53	3.638	3663	66.81	1.819	3713	71.02	3.762	3763	73.32	1.572
3614	64.54	3.638	3664	66.88	1.828	3714	71.04	3.140	3764	73.41	0.460
3615	64.56	2.767	3665	67.65	3.183	3715	71.07	2.269	3765	73.42	0.460
3616	64.57	2.767	3666	67.68	1.938	3716	71.09	1.897	3766	73.45	1.099
3617	64.63	2.401	3667	67.72	0.693	3717	71.14	4.029	3767	73.49	1.345
3618	64.67	2.156	3668	67.74	1.196	3718	71.16	4.032	3768	73.52	1.724
3619	64.69	1.534	3669	67.76	2.201	3719	71.44	3.444	3769	73.55	1.478
3620	64.70	1.535	3670	67.79	2.202	3720	71.50	3.453	3770	73.58	1.482
3621	64.73	1.789	3671	67.83	2.832	3721	71.53	2.581	3771	73.60	0.861
3622	64.82	2.426	3672	67.86	3.086	3722	71.55	1.956	3772	73.62	1.364
3623	64.86	1.806	3673	67.88	3.464	3723	71.58	2.839	3773	73.63	1.740
3624	64.91	1.563	3674	67.91	2.593	3724	71.59	3.214	3774	73.66	2.368
3625	64.97	1.196	3675	67.94	2.222	3725	71.60	3.841	3775	73.67	2.121
3626	65.01	2.262	3676	67.96	1.600	3726	71.61	4.092	3776	73.70	1.749
3627	65.04	2.080	3677	67.99	2.229	3727	71.64	3.596	3777	73.72	1.126
3628	65.06	1.833	3678	68.03	3.734	3728	71.66	2.599	3778	73.75	0.880
3629	65.08	1.586	3679	68.06	3.489	3729	71.69	2.602	3779	73.76	1.131
3630	65.11	1.591	3680	68.08	2.616	3730	71.72	2.607	3780	73.79	1.386
3631	65.15	2.721	3681	68.52	2.675	3731	71.78	1.990	3781	73.81	2.389
3632	65.18	3.725	3682	69.24	4.522	3732	71.85	1.749	3782	73.82	2.390
3633	65.21	2.853	3683	69.26	4.525	3733	72.09	2.032	3783	73.83	2.392
3634	65.24	1.608	3684	69.29	4.029	3734	72.16	2.666	3784	73.86	2.146
3635	65.26	1.236	3685	69.35	3.036	3735	72.22	1.799	3785	73.88	1.523
3636	65.34	1.496	3686	69.49	3.681	3736	72.27	2.056	3786	73.91	1.153
3637	65.39	1.253	3687	69.56	2.441	3737	72.31	2.686	3787	73.95	1.782
3638	65.43	1.258	3688	69.57	2.442	3738	72.35	2.441	3788	73.98	1.786
3639	65.45	0.636	3689	69.63	2.450	3739	72.38	2.695	3789	74.19	1.199
3640	65.50	1.518	3690	69.67	4.955	3740	72.41	4.325	3790	74.21	0.942
3641	65.55	2.775	3691	69.70	5.210	3741	72.42	3.951	3791	74.23	-0.680
3642	65.61	2.783	3692	69.74	4.715	3742	72.48	3.084	3792	74.25	-0.427
3643	65.64	1.912	3693	69.82	3.726	3743	72.56	0.845	3793	74.26	-0.426
3644	65.71	1.546	3694	69.88	3.109	3744	72.59	-0.776	3794	74.29	1.203
3645	65.78	2.181	3695	69.89	3.360	3745	72.64	0.855	3795	74.31	0.956
3646	65.85	1.940	3696	69.93	3.991	3746	72.66	1.199	3796	74.33	0.584
3647	65.98	1.958	3697	69.94	4.367	3747	72.69	1.488	3797	74.36	-0.037
3648	66.03	1.715	3698	70.00	4.125	3748	72.72	1.742	3798	74.39	-0.033
3649	66.06	1.094	3699	70.11	3.765	3749	72.74	1.494	3799	74.42	0.846
3650	66.09	0.722	3700	70.13	3.768	3750	72.78	1.500	3800	74.43	0.847

INDEX NO. 802 1305-P1-8 HOROHAN BRIDGE TR. MAX.ACCEL.= 72.520(GAL) T=15.47(SEC) NO.20

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3801	74.47	1.478	3851	76.28	0.597	3901	77.36	0.617	3951	78.36	2.678
3802	74.52	1.485	3852	76.31	1.100	3902	77.37	0.619	3952	78.37	2.679
3803	74.68	1.631	3853	76.33	1.854	3903	77.39	0.621	3953	78.39	2.631
3804	74.80	1.898	3854	76.35	1.231	3904	77.41	0.249	3954	78.41	2.009
3805	74.81	1.899	3855	76.37	1.234	3905	77.45	0.254	3955	78.42	1.386
3806	74.85	1.904	3856	76.38	0.861	3906	77.47	0.507	3956	78.44	0.014
3807	74.88	1.033	3857	76.40	0.238	3907	77.48	0.509	3957	78.46	-0.234
3808	74.91	1.037	3858	76.41	0.864	3908	77.50	0.012	3958	78.47	0.643
3809	74.93	1.540	3859	76.45	2.995	3909	77.52	0.014	3959	78.50	2.271
3810	74.98	2.796	3860	76.48	3.374	3910	77.53	0.266	3960	78.52	4.149
3811	75.00	3.799	3861	76.49	3.376	3911	77.57	2.396	3961	78.53	4.400
3812	75.02	3.176	3862	76.50	3.377	3912	77.60	2.149	3962	78.54	4.402
3813	75.05	1.931	3863	76.53	2.131	3913	77.61	2.152	3963	78.55	4.153
3814	75.08	1.059	3864	76.55	1.259	3914	77.63	1.529	3964	78.58	2.907
3815	75.10	0.688	3865	76.57	0.886	3915	77.65	0.657	3965	78.60	2.285
3816	75.13	0.691	3866	76.59	1.514	3916	77.66	0.033	3966	78.61	1.411
3817	75.19	1.950	3867	76.63	2.769	3917	77.68	0.036	3967	78.63	1.414
3818	75.22	2.579	3868	76.65	3.397	3918	77.70	0.288	3968	78.72	1.928
3819	75.24	1.957	3869	76.66	3.399	3919	77.72	1.167	3969	78.77	1.683
3820	75.26	1.710	3870	76.67	3.150	3920	77.76	2.422	3970	78.79	1.935
3821	75.30	1.714	3871	76.68	2.777	3921	77.79	3.425	3971	78.82	1.064
3822	75.32	1.968	3872	76.72	0.906	3922	77.81	3.678	3972	78.84	0.192
3823	75.35	1.721	3873	76.73	0.908	3923	77.82	3.179	3973	78.87	0.696
3824	75.36	1.348	3874	76.75	1.535	3924	77.84	2.807	3974	78.90	1.950
3825	75.38	0.725	3875	76.78	1.289	3925	77.85	1.309	3975	78.91	1.951
3826	75.40	0.353	3876	76.80	1.542	3926	77.87	0.686	3976	78.95	1.707
3827	75.41	0.729	3877	76.82	1.294	3927	77.88	0.313	3977	78.97	0.835
3828	75.43	1.357	3878	76.83	0.672	3928	77.90	1.566	3978	79.02	2.591
3829	75.47	2.237	3879	76.85	0.674	3929	77.93	2.194	3979	79.04	3.594
3830	75.50	2.617	3880	76.89	0.554	3930	77.94	2.446	3980	79.06	3.347
3831	75.51	2.369	3881	76.94	1.166	3931	77.95	2.448	3981	79.08	2.724
3832	75.54	1.122	3882	76.97	0.815	3932	77.97	2.450	3982	79.10	2.102
3833	75.56	-0.125	3883	76.98	1.066	3933	77.99	1.327	3983	79.12	2.106
3834	75.58	-0.123	3884	77.02	1.697	3934	78.01	1.330	3984	79.15	0.659
3835	75.59	0.129	3885	77.04	2.324	3935	78.03	0.708	3985	79.16	0.236
3836	75.62	1.383	3886	77.06	2.327	3936	78.04	0.959	3986	79.18	1.112
3837	75.65	1.386	3887	77.07	1.828	3937	78.06	2.462	3987	79.20	0.491
3838	75.66	1.138	3888	77.08	1.830	3938	78.09	3.716	3988	79.21	0.742
3839	75.68	0.516	3889	77.10	1.458	3939	78.10	4.093	3989	79.25	1.372
3840	75.70	0.144	3890	77.12	1.210	3940	78.14	2.848	3990	79.26	1.748
3841	75.72	0.146	3891	77.14	1.463	3941	78.15	2.849	3991	79.27	1.561
3842	75.76	1.026	3892	77.17	2.341	3942	78.18	2.228	3992	79.29	0.253
3843	75.79	2.030	3893	77.20	2.345	3943	78.21	2.232	3993	79.31	0.506
3844	75.80	2.032	3894	77.21	1.223	3944	78.23	2.235	3994	79.33	0.758
3845	75.82	1.410	3895	77.24	0.851	3945	78.24	1.362	3995	79.37	2.389
3846	75.85	1.414	3896	77.25	0.853	3946	78.26	0.114	3996	79.39	3.267
3847	75.87	0.791	3897	77.28	1.229	3947	78.28	0.117	3997	79.41	3.269
3848	75.89	1.670	3898	77.29	1.733	3948	78.29	-0.257	3998	79.42	3.270
3849	75.95	2.927	3899	77.32	2.736	3949	78.32	1.247	3999	79.45	3.025
3850	75.97	2.680	3900	77.34	0.864	3950	78.35	2.501	4000	79.49	2.405

INDEX NO. 802 1305-P1-8 HORONAN BRIDGE TR. MAX.ACCEL.= 72.520(GAL) T=15.47(SEC) NO.21

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
4001	79.52	1.534	4051	80.77	0.452	4101	82.24	0.526	4151	84.29	2.678
4002	79.54	0.912	4052	80.81	0.458	4102	82.26	1.531	4152	84.31	2.430
4003	79.56	-0.686	4053	80.84	0.686	4103	82.31	1.765	4153	84.33	1.183
4004	79.57	0.166	4054	80.86	0.360	4104	82.33	2.413	4154	84.36	0.561
4005	79.59	0.543	4055	80.90	0.970	4105	82.36	2.167	4155	84.50	2.706
4006	79.62	0.797	4056	80.93	1.599	4106	82.44	2.427	4156	84.52	2.458
4007	79.64	2.050	4057	80.95	1.676	4107	82.46	1.930	4157	84.54	2.461
4008	79.65	2.052	4058	80.97	1.355	4108	82.49	0.934	4158	84.55	1.838
4009	79.67	1.554	4059	81.01	0.109	4109	82.54	0.941	4159	84.58	0.966
4010	79.68	1.556	4060	81.04	0.738	4110	82.64	1.629	4160	84.60	0.344
4011	79.71	0.934	4061	81.07	1.366	4111	82.69	1.836	4161	84.61	-0.030
4012	79.76	0.566	4062	81.10	1.622	4112	82.71	2.640	4162	84.63	0.228
4013	79.81	0.823	4063	81.15	1.629	4113	82.72	2.640	4163	84.66	2.102
4014	79.82	1.200	4064	81.20	2.260	4114	82.76	3.470	4164	84.67	2.104
4015	79.85	2.079	4065	81.23	2.264	4115	82.78	1.973	4165	84.69	0.981
4016	79.88	3.333	4066	81.25	2.643	4116	82.81	0.102	4166	84.72	0.610
4017	79.89	3.333	4067	81.30	1.150	4117	82.83	-0.270	4167	84.74	-0.012
4018	79.90	3.335	4068	81.33	0.779	4118	82.84	-0.269	4168	84.78	1.869
4019	79.92	2.463	4069	81.36	0.157	4119	82.87	0.361	4169	84.80	2.121
4020	79.95	2.217	4070	81.38	0.410	4120	82.90	1.615	4170	84.81	2.122
4021	79.98	1.845	4071	81.42	1.415	4121	82.93	2.244	4171	84.83	1.875
4022	80.00	1.599	4072	81.47	2.921	4122	82.94	2.245	4172	84.84	1.876
4023	80.03	0.978	4073	81.49	2.925	4123	82.96	1.998	4173	84.86	1.629
4024	80.07	0.858	4074	81.52	1.429	4124	82.99	0.751	4174	84.90	1.884
4025	80.09	0.861	4075	81.54	1.431	4125	83.03	0.382	4175	84.94	1.889
4026	80.11	1.488	4076	81.57	2.310	4126	83.07	0.637	4176	84.96	1.268
4027	80.12	1.490	4077	81.59	2.938	4127	83.10	1.642	4177	84.99	0.396
4028	80.14	-0.007	4076	81.61	2.691	4128	83.14	2.272	4178	85.01	0.649
4029	80.16	-0.255	4079	81.63	1.819	4129	83.17	2.276	4179	85.02	0.650
4030	80.17	-0.629	4080	81.65	1.196	4130	83.19	2.028	4180	85.06	1.906
4031	80.18	0.873	4081	81.67	1.199	4131	83.21	0.406	4181	85.09	2.161
4032	80.22	3.127	4082	81.70	2.763	4132	83.22	0.658	4182	85.21	2.176
4033	80.24	3.361	4083	81.73	2.706	4133	83.23	0.660	4183	85.29	2.812
4034	80.26	2.259	4084	81.74	2.459	4134	83.27	1.040	4184	85.31	2.815
4035	80.29	1.638	4085	81.77	0.212	4135	83.31	1.670	4185	85.37	1.947
4036	80.31	1.015	4086	81.78	-0.636	4136	83.33	1.923	4186	85.41	1.328
4037	80.34	1.270	4087	81.80	0.217	4137	83.59	2.583	4187	85.46	1.585
4038	80.37	1.898	4088	81.85	1.473	4136	83.63	2.963	4188	85.49	1.089
4039	80.41	2.154	4089	81.87	2.350	4139	83.68	2.970	4189	85.50	0.466
4040	80.44	2.782	4090	81.91	1.231	4140	83.96	2.011	4190	85.56	1.348
4041	80.47	2.787	4091	81.97	1.459	4141	84.03	1.142	4191	85.62	2.231
4042	80.50	2.541	4092	82.02	0.671	4142	84.05	0.895	4192	85.67	2.613
4043	80.51	2.293	4093	82.08	1.504	4143	84.08	0.899	4193	85.70	2.617
4044	80.53	1.670	4094	82.11	2.133	4144	84.11	1.403	4194	85.71	2.619
4045	80.55	1.047	4095	82.14	3.012	4145	84.13	2.031	4195	85.74	1.373
4046	80.56	1.049	4096	82.16	3.390	4146	84.15	1.534	4196	85.77	2.002
4047	80.59	2.177	4097	82.17	3.141	4147	84.16	0.537	4197	85.81	2.007
4048	80.61	2.180	4098	82.19	1.894	4148	84.20	0.290	4198	85.87	2.015
4049	80.64	1.935	4099	82.22	0.273	4149	84.22	0.792	4199	86.01	1.784
4050	80.69	1.692	4100	82.23	0.525	4150	84.26	2.049	4200	86.14	1.801

INDEX NO. 802 1305-P1-8 HORONAN BRIDGE TR. MAX.ACCEL.= 72.520(GAL) T=15.47(SEC) NO.22

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
4201	86.19	1.808	4251	88.82	1.789	4301	91.65	2.794	4351	95.49	1.812
4202	86.22	0.812	4252	88.83	2.040	4302	91.66	3.171	4352	95.54	2.695
4203	86.33	2.077	4253	88.87	2.670	4303	91.70	3.177	4353	95.61	3.330
4204	86.43	2.090	4254	88.90	1.569	4304	91.72	2.555	4354	95.62	3.331
4205	86.44	2.342	4255	88.96	1.182	4305	91.80	3.066	4355	95.70	2.090
4206	86.49	2.346	4256	89.02	0.940	4306	91.86	3.449	4356	95.80	2.980
4207	86.53	2.355	4257	89.03	1.191	4307	91.87	3.449	4357	97.48	3.031
4208	86.57	1.860	4256	89.06	1.621	4308	91.89	3.453	4358	97.53	4.213
4209	86.60	1.863	4259	89.31	1.479	4309	91.92	2.206	4359	97.58	2.719
4210	86.64	1.494	4260	89.35	3.110	4310	91.94	2.460	4360	97.64	3.227
4211	86.68	0.874	4261	89.38	3.738	4311	91.98	3.465	4361	98.17	2.425
4212	86.71	0.253	4262	89.39	3.490	4312	91.99	3.465	4362	98.22	3.931
4213	86.75	1.134	4263	89.41	2.493	4313	92.01	3.219	4363	98.66	2.492
4214	86.76	2.136	4264	89.43	1.870	4314	92.05	2.223	4364	98.69	1.620
4215	86.86	1.524	4265	89.46	2.125	4315	92.07	1.976	4365	99.12	2.552
4216	86.90	1.529	4266	89.47	2.126	4316	92.13	4.110	4366	99.17	4.060
4217	86.93	0.908	4267	89.50	2.505	4317	92.17	2.866	4367	99.22	3.192
4218	86.95	0.681	4268	89.53	2.258	4318	92.18	2.867	4368	99.28	2.948
4219	86.96	0.663	4269	89.59	2.267	4319	92.37	2.642	4369	99.34	3.457
4220	87.00	1.167	4270	89.67	2.903	4320	92.42	3.523	4370	99.42	3.843
4221	87.05	1.800	4271	89.77	2.541	4321	92.45	3.277	4371	99.48	2.976
4222	87.10	1.557	4272	89.82	1.673	4322	92.52	2.037	4372	99.51	2.605
4223	87.13	2.185	4273	89.86	1.678	4323	92.58	2.918	4373	99.54	2.609
4224	87.16	1.939	4274	89.87	1.056	4324	92.60	3.173	4374	99.69	3.879
4225	87.20	0.944	4275	89.89	1.557	4325	92.94	2.344	4375	100.21	3.325
4226	87.21	1.571	4276	89.94	3.439	4326	93.04	2.982	4376	100.29	3.960
4227	87.25	2.452	4277	89.98	3.817	4327	93.06	2.735	4377	100.32	4.215
4228	87.26	2.828	4278	89.99	3.571	4328	93.08	1.738	4378	100.37	3.345
4229	87.29	3.061	4279	90.05	3.204	4329	93.11	1.991	4379	100.43	2.479
4230	87.31	2.210	4280	90.24	3.605	4330	93.13	3.619	4380	100.47	2.984
4231	87.34	1.984	4281	90.27	3.234	4331	93.14	3.621	4381	100.50	3.614
4232	87.62	1.626	4282	90.33	3.242	4332	93.16	2.999	4382	100.83	3.159
4233	88.13	2.070	4283	90.34	3.493	4333	93.20	2.630	4383	100.91	4.294
4234	88.14	1.696	4284	90.50	1.640	4334	93.29	1.767	4384	100.98	3.178
4235	88.18	1.076	4285	90.51	2.016	4335	93.35	1.150	4385	101.48	3.495
4236	88.22	2.582	4286	90.70	3.042	4336	93.38	2.928	4386	101.55	3.255
4237	88.24	2.960	4287	90.79	3.054	4337	93.42	3.033	4387	102.04	3.196
4238	88.27	2.340	4288	90.91	2.945	4338	93.44	3.036	4388	102.09	2.328
4239	88.31	1.469	4289	90.99	3.332	4339	93.47	1.791	4389	102.12	2.332
4240	88.36	0.477	4290	91.00	3.332	4340	93.49	1.544	4390	102.22	3.970
4241	88.39	1.355	4291	91.04	3.338	4341	94.01	2.238	4391	102.94	3.692
4242	88.43	2.611	4292	91.10	2.721	4342	94.22	1.017	4392	104.35	3.258
4243	88.46	2.990	4293	91.11	2.722	4343	94.28	1.650	4393	105.76	5.073
4244	88.49	3.244	4294	91.18	1.856	4344	94.34	4.033	4394	106.83	4.218
4245	88.51	3.246	4295	91.39	3.385	4345	94.35	4.034	4395	109.18	3.285
4246	88.57	1.755	4296	91.42	3.639	4346	94.42	3.168			
4247	88.65	1.390	4297	91.48	3.147	4347	94.49	3.428			
4248	88.69	0.521	4298	91.52	2.527	4348	94.61	2.569			
4249	88.71	0.274	4299	91.56	3.033	4349	95.40	2.676			
4250	88.72	0.274	4300	91.60	3.413	4350	95.45	2.432			

Table IX D-29 Digitized Accelerations of Earthquake Record with Index Number 803

INDEX NO. 803 1308-GR-1 ISHIKARIKAKOU B, LG. MAX.ACCEL.= 35.696(GAL) T=25.76(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.45	-4.455	51	10.14	-3.436	101	13.83	-3.167	151	15.75	1.208
2	0.82	-5.493	52	10.19	-3.137	102	13.89	-3.712	152	15.77	4.065
3	1.55	-5.371	53	10.23	-3.793	103	13.92	-2.613	153	15.78	6.928
4	2.47	-5.303	54	10.24	-3.181	104	13.95	-2.017	154	15.80	10.418
5	3.63	-5.435	55	10.26	-1.943	105	13.98	-2.041	155	15.81	11.904
6	4.45	-5.154	56	10.26	0.165	106	13.93	-1.969	156	15.84	12.504
7	5.37	-4.955	57	10.30	2.017	107	13.95	-1.735	157	15.88	12.843
8	6.60	-4.522	58	10.33	3.995	108	13.98	-1.384	158	15.91	13.695
9	7.09	-4.076	59	10.36	3.971	109	14.00	-0.152	159	15.94	15.044
10	7.69	-3.838	60	10.61	3.877	110	14.03	1.194	160	15.97	15.645
11	7.84	-3.975	61	10.93	3.604	111	14.29	1.219	161	16.01	15.105
12	7.92	-4.667	62	10.97	3.195	112	14.32	1.572	162	16.04	14.081
13	7.96	-5.590	63	10.99	3.178	113	14.34	0.299	163	16.07	11.556
14	8.09	-5.963	64	11.02	2.533	114	14.36	-1.964	164	16.09	8.416
15	8.15	-5.493	65	11.04	3.388	115	14.38	-5.104	165	16.11	7.151
16	8.20	-4.156	66	11.05	-1.250	116	14.41	-8.008	166	16.14	6.119
17	8.29	-3.988	67	11.09	-1.530	117	14.43	-8.023	167	16.19	5.076
18	8.33	-3.775	68	11.13	-1.690	118	14.62	-8.191	168	16.31	4.977
19	8.36	-2.566	69	11.62	-1.659	119	14.66	-8.222	169	16.33	5.209
20	8.42	-0.721	70	11.93	-1.506	120	14.69	-7.623	170	16.35	4.693
21	8.44	0.503	71	11.97	-1.267	121	14.70	-6.757	171	16.37	3.049
22	8.49	1.491	72	12.01	-1.570	122	14.71	-5.766	172	16.40	-0.976
23	8.56	1.464	73	12.03	-2.590	123	14.73	-0.766	173	16.43	-5.500
24	8.63	1.592	74	12.06	-4.742	124	14.75	1.196	174	16.44	-7.388
25	8.72	2.017	75	12.12	-6.666	125	14.79	3.662	175	16.47	-8.665
26	8.77	1.348	76	12.17	-7.331	126	14.84	4.245	176	16.51	-8.696
27	8.80	1.320	77	12.22	-7.626	127	14.88	4.212	177	16.54	-9.098
28	8.83	-1.456	78	12.31	-7.452	128	14.93	5.670	178	16.58	-9.887
29	8.86	-3.464	79	12.38	-7.264	129	14.98	6.679	179	16.62	-10.544
30	8.90	-4.766	80	12.41	-6.917	130	15.03	6.828	180	16.66	-10.826
31	8.96	-5.617	81	12.44	-6.314	131	15.11	7.141	181	16.68	-10.348
32	8.99	-6.095	82	12.47	-3.587	132	15.17	6.460	182	16.71	-9.120
33	9.03	-6.752	83	12.50	-0.738	133	15.22	6.168	183	16.72	-7.507
34	9.06	-6.762	84	12.53	0.735	134	15.26	0.762	184	16.74	-3.774
35	9.10	-6.314	85	12.57	1.077	135	15.30	-10.901	185	16.78	-2.552
36	9.12	-5.336	86	12.62	1.608	136	15.33	-18.552	186	16.81	-2.584
37	9.15	-4.111	87	12.65	0.331	137	15.34	-22.690	187	16.86	-2.378
38	9.17	-2.624	88	12.67	-1.558	138	15.37	-23.586	188	16.90	-1.030
39	9.18	-0.383	89	12.90	-3.834	139	15.41	-23.503	189	16.94	0.809
40	9.21	1.463	90	12.93	-4.487	140	15.48	-23.309	190	16.96	1.786
41	9.28	1.398	91	12.97	-4.139	141	15.51	-23.335	191	17.00	2.630
42	9.45	1.006	92	12.99	-6.036	142	15.55	-22.367	192	17.11	2.912
43	9.54	0.925	93	13.04	-6.201	143	15.58	-19.645	193	17.21	2.823
44	9.59	0.879	94	13.13	-6.654	144	15.60	-16.062	194	17.24	2.798
45	9.62	0.229	95	13.19	-6.564	145	15.62	-13.309	195	17.27	2.154
46	9.64	-1.665	96	13.23	-3.614	146	15.63	-11.692	196	17.29	-0.369
47	9.67	-2.942	97	13.26	-2.665	147	15.64	-9.201	197	17.31	-4.136
48	9.73	-3.986	98	13.31	-2.933	148	15.66	-5.714	198	17.33	-7.279
49	9.81	-3.606	99	13.37	-2.734	149	15.66	-3.480	199	17.35	-9.165
50	9.88	-3.866	100	13.39	-3.752	150	15.71	-1.384	200	17.37	-10.560

INDEX NO. 803 1308-GR-1 ISHIKARIKAKOU B, LG. MAX.ACCEL.= 35.696(GAL) T=25.76(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	17.41	-11.470	251	19.66	2.836	301	21.36	-0.135	351	22.97	21.357
202	17.45	-11.500	252	19.67	6.446	302	21.39	1.715	352	23.05	20.418
203	17.49	-10.415	253	19.70	10.798	303	21.44	3.673	353	23.08	19.391
204	17.52	-10.689	254	19.74	12.766	304	21.50	4.667	354	23.11	16.886
205	17.56	-9.644	255	19.79	15.223	305	21.57	2.938	355	23.12	14.728
206	17.57	-8.809	256	19.82	16.442	306	21.60	1.405	356	23.15	11.831
207	17.60	-7.379	257	19.86	15.787	307	21.63	0.760	357	23.16	9.092
208	17.63	-6.154	258	19.89	13.629	308	21.65	-0.259	358	23.17	6.561
209	17.65	-4.926	259	19.91	10.738	309	21.67	-1.155	359	23.19	7.045
210	17.66	-1.321	260	19.98	0.395	310	21.71	-1.808	360	23.22	6.022
211	17.69	1.768	261	20.00	-3.465	311	21.74	-0.959	361	23.25	4.744
212	17.71	6.277	262	20.03	-4.111	312	21.77	0.515	362	23.30	4.697
213	17.72	8.768	263	20.05	-2.377	313	21.79	3.371	363	23.34	4.919
214	17.74	11.246	264	20.07	-1.398	314	21.81	5.479	364	23.37	4.019
215	17.76	12.094	265	20.10	-2.303	315	21.85	7.069	365	23.39	2.120
216	17.86	11.775	266	20.14	-2.712	316	21.89	4.906	366	23.42	0.470
217	17.99	11.664	267	20.19	-4.004	317	21.94	0.118	367	23.44	-2.798
218	18.05	11.736	268	20.25	-4.303	318	21.97	-3.658	368	23.48	-4.959
219	18.06	11.097	269	20.28	-3.832	319	21.99	-6.923	369	23.51	-6.853
220	18.09	9.826	270	20.33	-5.123	320	22.01	-10.321	370	23.52	-7.869
221	18.11	7.303	271	20.36	-9.696	321	22.03	-11.587	371	23.55	-10.766
222	18.15	3.398	272	20.39	-14.423	322	22.07	-13.249	372	23.57	-11.405
223	18.17	0.879	273	20.41	-15.689	323	22.13	-13.919	373	23.60	-12.307
224	18.20	-0.396	274	20.46	-18.490	324	22.18	-13.486	374	23.63	-11.462
225	18.24	-0.431	275	20.52	-17.664	325	22.24	-13.762	375	23.66	-10.611
226	18.31	-0.493	276	20.61	-17.113	326	22.26	-13.535	376	23.70	-10.518
227	18.36	-1.410	277	20.66	-17.155	327	22.29	-12.311	377	23.74	-9.051
228	18.41	-1.204	278	20.70	-12.566	328	22.33	-11.972	378	23.76	-6.948
229	18.45	-0.613	279	20.74	-6.599	329	22.38	-12.009	379	23.80	-5.354
230	18.50	-0.910	280	20.76	-2.122	330	22.42	-12.670	380	23.84	-3.265
231	18.75	-1.249	281	20.78	0.363	331	22.47	-13.336	381	23.87	-2.664
232	18.79	-1.162	282	20.79	3.230	332	22.49	-11.856	382	23.90	-1.066
233	18.83	-1.570	283	20.82	4.450	333	22.51	-8.118	383	23.93	-0.842
234	18.85	-2.841	284	20.86	5.419	334	22.52	-5.503	384	23.96	-1.991
235	18.88	-4.880	285	20.90	5.637	335	22.53	-3.637	385	23.98	-3.282
236	18.91	-6.762	286	20.94	7.227	336	22.55	-1.784	386	24.01	-3.039
237	18.94	-7.416	287	20.98	6.462	337	22.59	0.064	387	24.03	-2.803
238	18.96	-7.454	288	20.98	9.064	338	22.60	2.048	388	24.05	-1.823
239	19.12	-7.326	289	21.01	9.663	339	22.61	3.289	389	24.07	0.413
240	19.15	-6.975	290	21.06	10.125	340	22.63	7.900	390	24.08	1.853
241	19.19	-6.757	291	21.09	9.721	341	22.65	13.008	391	24.11	2.628
242	19.21	-5.524	292	21.13	8.813	342	22.66	14.872	392	24.18	3.186
243	19.23	-3.291	293	21.16	5.269	343	22.68	16.109	393	24.24	2.262
244	19.25	-1.810	294	21.18	+0.105	344	22.70	17.838	394	24.29	1.597
245	19.30	+1.482	295	21.19	-1.986	345	22.73	19.689	395	24.31	0.950
246	19.57	+1.451	296	21.21	-4.256	346	22.77	19.909	396	24.35	+1.958
247	19.58	-1.470	297	21.23	+5.652	347	22.81	19.624	397	24.39	-5.989
248	19.60	-1.117	298	21.27	+5.430	348	22.83	20.482	398	24.41	-9.884
249	19.62	+0.259	299	21.29	+5.077	349	22.87	22.694	399	24.44	-12.158
250	19.64	0.976	300	21.33	-2.983	350	22.92	22.406	400	24.47	-12.815

INDEX NO. 803 1308-GR-1 ISHIKARIKAKOU B. LG. MAX.ACCEL.= 35.696(GAL) T=25.76(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	24.52	-12.655	451	26.07	11.561	501	27.75	-1.012	551	29.51	-4.541
402	24.57	-11.897	452	26.13	9.656	502	27.78	-1.041	552	29.57	-4.844
403	24.61	-11.687	453	26.12	7.366	503	27.80	-1.056	553	29.63	-4.893
404	24.65	-11.719	454	26.17	-1.030	504	27.62	-1.703	554	29.68	-4.936
405	24.68	-11.792	455	26.21	-6.936	505	27.65	-4.553	555	29.72	-4.473
406	24.71	-9.022	456	26.22	-10.198	506	27.88	-6.873	556	29.74	-3.491
407	24.74	-5.294	457	26.25	-13.098	507	27.89	-8.382	557	29.77	-2.268
408	24.78	-0.209	458	26.28	-14.377	508	27.91	-10.279	558	29.80	0.837
409	24.82	2.637	459	26.31	-15.651	509	27.95	-11.433	559	29.82	4.315
410	24.84	4.745	460	26.34	-17.551	510	27.99	-11.469	560	29.84	6.552
411	24.87	6.592	461	26.37	-19.205	511	28.01	-9.991	561	29.85	9.665
412	24.90	7.942	462	26.40	-21.107	512	28.05	-7.147	562	29.89	12.261
413	24.94	8.282	463	26.45	-21.522	513	28.07	-3.661	563	29.92	13.102
414	25.00	5.733	464	26.48	-20.673	514	28.10	-0.563	564	29.96	14.695
415	25.03	3.200	465	26.52	-20.030	515	28.11	1.677	565	29.99	16.542
416	25.06	1.925	466	26.56	-19.115	516	28.14	3.145	566	30.02	17.393
417	25.10	0.644	467	26.59	-19.146	517	28.19	3.732	567	30.04	18.500
418	25.12	-0.999	468	26.62	-18.923	518	28.31	2.626	568	30.09	16.958
419	25.14	-3.521	469	26.66	-16.709	519	28.35	2.844	569	30.14	13.414
420	25.16	-6.036	470	26.69	-6.482	520	28.37	2.571	570	30.17	10.138
421	25.18	-7.302	471	26.70	-4.742	521	28.40	1.362	571	30.21	7.603
422	25.21	-8.326	472	26.72	-1.880	522	28.41	-0.339	572	30.26	3.559
423	25.24	-9.728	473	26.75	1.593	523	28.44	-1.612	573	30.29	-0.340
424	25.26	-12.500	474	26.79	3.061	524	28.46	-1.879	574	30.32	-2.670
425	25.29	-14.396	475	26.82	3.658	525	28.50	-1.035	575	30.35	-5.523
426	25.31	-16.290	476	26.86	3.372	526	28.52	1.445	576	30.39	-7.807
427	25.33	-18.060	477	26.90	3.965	527	28.57	6.024	577	30.44	-9.097
428	25.37	-19.593	478	26.93	4.567	528	28.63	11.473	578	30.48	-10.009
429	25.42	-20.636	479	26.96	5.910	529	28.71	15.403	579	30.50	-7.280
430	25.44	-20.406	480	27.05	6.461	530	28.75	16.617	580	30.55	-4.819
431	25.47	-20.426	481	27.07	7.064	531	28.79	16.706	581	30.58	-3.976
432	25.49	-19.444	482	27.14	7.634	532	28.83	15.046	582	30.60	-5.245
433	25.51	-17.338	483	27.20	7.631	533	28.86	12.276	583	30.63	-4.639
434	25.53	-11.979	484	27.24	7.545	534	28.88	8.130	584	30.66	-4.667
435	25.56	-3.750	485	27.29	6.881	535	28.90	5.363	585	30.68	-3.685
436	25.58	6.728	486	27.31	6.612	536	28.93	2.712	586	30.70	-1.208
437	25.62	17.196	487	27.36	7.697	537	28.98	0.422	587	30.74	2.007
438	25.66	25.413	488	27.38	6.676	538	29.00	-1.476	588	30.78	3.223
439	25.66	29.765	489	27.42	6.693	539	29.05	-2.763	589	30.83	3.433
440	25.71	33.239	490	27.45	7.989	540	29.07	-5.037	590	30.87	5.267
441	25.76	35.696	491	27.48	6.462	541	29.10	-6.937	591	30.92	6.480
442	25.82	33.897	492	27.51	4.199	542	29.15	-6.725	592	30.97	6.429
443	25.86	32.882	493	27.54	3.542	543	29.18	-6.752	593	31.06	5.483
444	25.91	28.820	494	27.57	3.510	544	29.22	-8.660	594	31.11	4.809
445	25.94	25.672	495	27.59	3.744	545	29.24	-10.559	595	31.15	5.030
446	25.96	21.773	496	27.62	3.722	546	29.27	-11.208	596	31.18	4.752
447	25.99	18.879	497	27.64	3.454	547	29.31	-10.994	597	31.23	4.711
448	26.06	16.739	498	27.67	1.932	548	29.34	-10.021	598	31.28	4.668
449	26.02	14.100	499	27.69	0.284	549	29.39	-8.559	599	31.34	4.618
450	26.04	13.461	500	27.72	-0.614	550	29.43	-6.972	600	31.39	4.325

INDEX NO. 803 1308-GR-1 ISHIKARIKAKOU B. LG. MAX.ACCEL.= 35.696(GAL) T=25.76(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	31.44	5.526	651	33.25	-5.656	701	35.25	3.734	751	37.47	-15.848
602	31.50	3.230	652	33.28	-1.306	702	35.32	4.304	752	37.51	-15.005
603	31.53	2.573	653	33.31	4.790	703	35.37	4.504	753	37.53	-13.398
604	31.56	1.929	654	33.34	9.892	704	35.42	5.086	754	37.56	-11.549
605	31.60	1.270	655	33.37	12.616	705	35.47	5.798	755	37.60	-9.713
606	31.66	1.843	656	33.39	13.843	706	35.51	6.383	756	37.65	-7.880
607	31.69	1.188	657	33.43	15.565	707	35.57	6.329	757	37.68	-6.402
608	31.73	1.781	658	33.46	15.288	708	35.61	7.544	758	37.70	-5.417
609	31.77	1.126	659	33.50	13.000	709	35.66	8.504	759	37.73	-3.021
610	31.80	-0.152	660	33.53	11.223	710	35.71	8.709	760	37.77	-3.859
611	31.83	-1.055	661	33.58	7.187	711	35.77	8.410	761	37.83	-4.408
612	31.88	-2.349	662	33.60	5.041	712	35.82	8.616	762	37.87	-2.944
613	31.92	-1.881	663	33.63	2.767	713	35.85	9.835	763	37.90	-0.841
614	31.97	-0.048	664	33.66	1.487	714	35.90	10.419	764	37.91	0.772
615	31.98	0.570	665	33.70	1.452	715	35.94	10.139	765	37.93	3.253
616	31.99	1.180	666	33.75	1.414	716	35.98	8.727	766	37.94	3.375
617	32.03	3.651	667	33.78	1.632	717	36.01	5.699	767	37.96	4.856
618	32.06	5.501	668	33.82	0.724	718	36.06	5.902	768	37.99	7.328
619	32.06	6.731	669	33.86	-0.076	719	36.09	5.873	769	38.01	9.563
620	32.11	7.956	670	33.93	-1.621	720	36.15	5.572	770	38.03	12.418
621	32.15	8.046	671	33.97	-2.402	721	36.22	6.510	771	38.07	14.639
622	32.19	8.633	672	34.01	-3.061	722	36.27	6.962	772	38.12	15.467
623	32.22	8.363	673	34.05	-2.469	723	36.33	8.159	773	38.17	15.428
624	32.24	7.714	674	34.09	-1.507	724	36.39	6.978	774	38.22	14.508
625	32.27	7.942	675	34.14	-1.547	725	36.44	5.062	775	38.27	11.719
626	32.29	7.674	676	34.18	-0.958	726	36.47	3.410	776	38.32	6.923
627	32.31	7.031	677	34.21	-0.359	727	36.53	-0.398	777	38.39	2.367
628	32.34	6.009	678	34.25	0.229	728	36.59	-1.949	778	38.42	1.089
629	32.38	5.473	679	34.28	1.076	729	36.64	-3.367	779	38.47	-0.451
630	32.42	4.808	680	34.34	2.029	730	36.68	-2.527	780	38.49	-2.969
631	32.46	3.774	681	34.38	2.664	731	36.72	-1.313	781	38.53	-6.000
632	32.51	3.482	682	34.44	3.811	732	36.74	1.165	782	38.55	-7.520
633	32.55	3.446	683	34.47	3.787	733	36.77	3.641	783	38.60	-8.308
634	32.60	2.157	684	34.52	3.747	734	36.82	5.506	784	38.64	-7.967
635	32.63	-1.116	685	34.55	3.342	735	36.86	6.186	785	38.66	-7.364
636	32.66	-4.649	686	34.61	0.543	736	36.90	6.770	786	38.67	-7.370
637	32.70	-5.805	687	34.63	-1.347	737	36.92	8.250	787	38.70	-6.522
638	32.73	-7.331	688	34.66	-3.005	738	36.96	8.589	788	38.72	-5.285
639	32.76	-8.229	689	34.69	-1.780	739	37.01	6.049	789	38.75	-4.068
640	32.78	-9.001	690	34.72	-1.161	740	37.04	2.268	790	38.78	-4.341
641	32.81	-9.278	691	34.77	-0.842	741	37.10	1.849	791	38.82	-4.375
642	32.84	-10.180	692	34.81	-0.635	742	37.14	2.185	792	38.85	-4.401
643	32.87	-10.582	693	34.82	-0.637	743	37.17	3.036	793	38.89	-4.432
644	32.88	-10.986	694	34.87	-0.309	744	37.21	3.627	794	38.94	-4.722
645	32.92	-11.251	695	34.93	0.012	745	37.25	2.095	795	38.97	-7.001
646	32.99	-11.308	696	34.98	0.850	746	37.28	-1.057	796	39.00	-9.526
647	33.07	-11.753	697	35.02	1.687	747	37.30	-5.832	797	39.03	-13.423
648	33.14	-10.434	698	35.07	3.516	748	37.34	-9.609	798	39.05	-15.949
649	33.19	-9.354	699	35.12	4.726	749	37.38	-12.025	799	39.10	-16.610
650	33.22	-8.384	700	35.20	4.034	750	37.43	-14.567	800	39.14	-14.773

土木構造物における加速度強震記録（No.9）

INDEX NO. 803 1308-GR-1 ISHIKARIKAKOU B. LG. MAX.ACCEL.= 35.696(GAL) T=25.76(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	39.17	-13.927	851	41.03	0.072	901	42.72	-1.368	951	44.76	0.846
802	39.21	-13.563	852	41.06	0.277	902	42.75	-1.659	952	44.79	1.198
803	39.23	-12.355	853	41.13	-0.266	903	42.80	-2.330	953	44.81	1.179
804	39.26	-10.675	854	41.17	-0.924	904	42.84	-2.491	954	44.83	1.409
805	39.30	-5.413	855	41.21	-1.959	905	42.91	-2.181	955	44.87	1.502
806	39.32	-4.179	856	41.24	-2.236	906	42.96	-2.223	956	44.90	-0.151
807	39.35	-2.957	857	41.30	-1.705	907	43.02	-2.647	957	44.92	-1.044
808	39.39	-2.743	858	41.33	-1.167	908	43.05	-2.546	958	44.95	-1.691
809	39.43	-1.153	859	41.35	-0.560	909	43.08	-3.823	959	44.97	-0.588
810	39.46	0.324	860	41.39	0.019	910	43.11	-4.600	960	45.00	1.012
811	39.48	1.930	861	41.41	-0.877	911	43.14	-4.249	961	45.02	2.244
812	39.52	2.643	862	41.44	-2.776	912	43.16	-2.774	962	45.05	2.846
813	39.56	3.001	863	41.47	-4.051	913	43.19	-1.794	963	45.08	3.443
814	39.58	5.094	864	41.51	-4.088	914	43.23	-1.579	964	45.11	2.798
815	39.61	5.317	865	41.53	-4.354	915	43.26	-2.481	965	45.13	3.653
816	39.65	6.531	866	41.57	-3.012	916	43.30	-2.266	966	45.15	4.883
817	39.69	6.502	867	41.60	-2.168	917	43.35	-0.061	967	45.16	5.379
818	39.73	5.835	868	41.63	-0.940	918	43.38	1.789	968	45.17	6.868
819	39.76	5.923	869	41.67	0.596	919	43.45	4.731	969	45.20	7.845
820	39.82	5.507	870	41.72	0.109	920	43.53	7.155	970	45.23	6.566
821	39.87	5.092	871	41.73	-0.529	921	43.60	7.599	971	45.26	5.664
822	39.91	4.176	872	41.77	0.065	922	43.64	8.562	972	45.30	3.757
823	39.96	2.262	873	41.81	0.283	923	43.68	8.279	973	45.33	0.604
824	39.99	0.360	874	41.84	0.254	924	43.72	5.123	974	45.34	-2.650
825	40.02	0.332	875	41.89	0.837	925	43.76	-0.054	975	45.38	-4.563
826	40.05	1.809	876	41.92	3.932	926	43.80	-3.109	976	45.41	-5.589
827	40.08	5.535	877	41.95	6.406	927	43.81	-4.209	977	45.43	-5.362
828	40.12	10.000	878	41.98	8.366	928	43.83	-5.726	978	45.47	-4.389
829	40.15	11.843	879	42.02	9.346	929	43.86	-6.127	979	45.51	-2.556
830	40.20	12.426	880	42.06	8.442	930	43.89	-6.154	980	45.64	0.089
831	40.25	12.385	881	42.13	5.750	931	43.93	-5.562	981	45.67	1.313
832	40.29	11.848	882	42.18	2.958	932	43.96	-4.712	982	45.71	1.650
833	40.34	11.805	883	42.21	1.684	933	44.01	-4.750	983	45.76	1.607
834	40.39	11.368	884	42.24	-1.216	934	44.09	-6.326	984	45.80	0.318
835	40.44	10.096	885	42.26	-2.236	935	44.17	-6.017	985	45.86	-0.602
836	40.50	2.267	886	42.29	-2.883	936	44.21	-7.052	986	45.89	-2.504
837	40.53	-1.364	887	42.31	-2.281	937	44.27	-6.481	987	45.91	-2.528
838	40.56	-3.886	888	42.33	0.451	938	44.31	-4.891	988	45.94	-2.552
839	40.58	-4.533	889	42.36	2.929	939	44.36	-1.938	989	45.98	-2.581
840	40.62	-4.321	890	42.38	4.786	940	44.40	0.659	990	46.01	-3.860
841	40.66	-6.102	891	42.41	5.381	941	44.41	1.523	991	46.07	-6.785
842	40.70	-7.256	892	42.45	4.845	942	44.44	3.997	992	46.10	-8.067
843	40.72	-5.777	893	42.49	2.563	943	44.46	4.854	993	46.13	-9.339
844	40.75	-5.182	894	42.54	-0.976	944	44.49	4.577	994	46.16	-8.490
845	40.79	-4.594	895	42.56	-3.374	945	44.53	3.920	995	46.18	-5.632
846	40.83	-3.630	896	42.58	-4.643	946	44.58	2.627	996	46.20	-1.902
847	40.87	-2.787	897	42.61	-5.054	947	44.62	2.589	997	46.24	3.063
848	40.91	-0.947	898	42.66	-4.833	948	44.65	2.815	998	46.28	6.908
849	40.96	0.010	899	42.68	-3.231	949	44.69	2.532	999	46.34	10.232
850	40.99	-0.018	900	42.79	-2.371	950	44.73	1.668	1000	46.37	11.455

INDEX NO. 803 1308-GR-1 ISHIKARIKAKOU B. LG. MAX.ACCEL.= 35.696(GAL) T=25.76(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	46.39	12.608	1051	48.32	0.770	1101	50.22	2.738	1151	52.48	-9.859
1002	46.43	13.149	1052	48.39	6.201	1102	50.26	-0.941	1152	52.55	-10.170
1003	46.46	10.997	1053	48.44	9.907	1103	50.34	-2.864	1153	52.61	-9.969
1004	46.48	9.732	1054	48.49	2.242	1104	50.39	-3.534	1154	52.69	-8.415
1005	46.50	8.710	1055	48.50	1.610	1105	50.43	-2.069	1155	52.72	-7.941
1006	46.54	7.183	1056	48.53	-0.242	1106	50.48	-0.864	1156	52.75	-7.593
1007	46.57	4.936	1057	48.55	-3.434	1107	50.56	2.811	1157	52.78	-5.488
1008	46.61	6.118	1058	48.56	-6.458	1108	50.60	4.776	1158	52.83	-1.281
1009	46.66	6.074	1059	48.60	-7.974	1109	50.63	4.999	1159	52.90	5.282
1010	46.71	7.533	1060	48.62	-9.621	1110	50.67	4.342	1160	52.93	8.756
1011	46.75	9.117	1061	48.64	-10.264	1111	50.73	4.292	1161	52.96	10.233
1012	46.81	8.816	1062	48.67	-11.168	1112	50.76	2.765	1162	52.99	11.201
1013	46.87	7.769	1063	48.71	-10.324	1113	50.81	2.972	1163	53.04	10.907
1014	46.91	6.733	1064	48.75	-8.859	1114	50.88	3.909	1164	53.08	10.872
1015	46.95	2.325	1065	48.79	-7.895	1115	50.93	3.487	1165	53.13	10.456
1016	46.98	0.043	1066	48.83	-6.054	1116	50.97	3.458	1166	53.17	10.051
1017	47.02	-1.237	1067	48.86	-4.203	1117	51.01	4.045	1167	53.21	10.010
1018	47.05	-1.016	1068	48.90	-2.113	1118	51.06	4.255	1168	53.26	9.343
1019	47.06	-0.663	1069	48.93	-1.770	1119	51.09	3.347	1169	53.32	9.665
1020	47.10	-0.429	1070	48.95	-1.538	1120	51.13	1.193	1170	53.39	10.234
1021	47.12	-0.076	1071	48.98	-0.563	1121	51.18	-2.976	1171	53.43	9.567
1022	47.16	-0.357	1072	49.03	1.520	1122	51.22	-6.764	1172	53.49	7.645
1023	47.16	-0.748	1073	49.05	3.252	1123	51.26	-10.063	1173	53.54	7.381
1024	47.24	-4.300	1074	49.08	4.476	1124	51.34	-11.969	1174	53.58	6.940
1025	47.27	-6.828	1075	49.12	5.069	1125	51.43	-13.321	1175	53.62	5.650
1026	47.29	-8.473	1076	49.17	5.645	1126	51.47	-13.980	1176	53.66	4.367
1027	47.33	-9.377	1077	49.24	4.964	1127	51.52	-13.152	1177	53.71	2.199
1028	47.36	-9.158	1078	49.26	4.945	1128	51.56	-10.690	1178	53.77	0.900
1029	47.39	-8.550	1079	49.30	4.039	1129	51.60	-7.596	1179	53.83	-0.155
1030	47.42	-7.706	1080	49.32	2.768	1130	51.63	-4.376	1180	53.86	0.064
1031	47.45	-6.104	1081	49.35	0.490	1131	51.66	-2.025	1181	53.93	0.629
1032	47.48	-5.680	1082	49.40	-2.677	1132	51.70	-0.807	1182	53.99	2.453
1033	47.53	-5.548	1083	49.44	-3.588	1133	51.73	0.911	1183	54.06	3.395
1034	47.56	-5.580	1084	49.47	-4.614	1134	51.77	1.502	1184	54.12	4.216
1035	47.61	-4.990	1085	49.50	-5.264	1135	51.82	3.086	1185	54.19	3.909
1036	47.65	-2.526	1086	49.53	-6.290	1136	51.85	3.559	1186	54.23	3.248
1037	47.66	-1.916	1087	49.57	-7.570	1137	51.88	3.532	1187	54.31	1.933
1038	47.70	0.604	1088	49.58	-8.833	1138	51.91	3.005	1188	54.35	-0.357
1039	47.75	3.785	1089	49.60	-10.101	1139	51.95	1.347	1189	54.40	-1.894
1040	47.79	7.099	1090	49.64	-11.130	1140	51.97	1.527	1190	54.43	-3.549
1041	47.84	9.559	1091	49.67	-11.611	1141	52.02	1.287	1191	54.46	-5.200
1042	47.89	11.262	1092	49.73	-8.218	1142	52.09	1.855	1192	54.49	-6.102
1043	47.94	10.606	1093	49.77	-3.748	1143	52.14	1.187	1193	54.51	-6.121
1044	47.97	9.543	1094	49.84	-0.056	1144	52.15	0.553	1194	54.55	-5.031
1045	48.02	10.332	1095	49.98	6.826	1145	52.19	-0.360	1195	54.60	-1.948
1046	48.06	10.493	1096	50.02	8.661	1146	52.25	1.657	1196	54.65	0.891
1047	48.10	10.660	1097	50.05	9.386	1147	52.30	3.951	1197	54.68	3.612
1048	48.14	11.049	1098	50.09	10.603	1148	52.36	7.002	1198	54.71	5.956
1049	48.20	9.745	1099	50.12	9.698	1149	52.40	8.537	1199	54.75	8.050
1050	48.25	9.456	1100	50.16	5.536	1150	52.45	9.192	1200	54.79	9.889

INDEX NO. 603 1308-GR-1 ISHIKARIKAKOU B. LG. MAX.ACCEL.= 35.696(GAL) T=25.76(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	54.84	10.473	1251	57.27	0.663	1301	59.97	9.276	1351	63.29	-10.361
1202	54.90	10.551	1252	57.30	1.213	1302	60.03	8.720	1352	63.36	-11.045
1203	54.95	8.631	1253	57.33	2.060	1303	60.09	6.415	1353	63.50	-9.918
1204	54.99	6.673	1254	57.37	3.699	1304	60.26	-0.356	1354	63.58	-9.110
1205	55.01	5.701	1255	57.43	5.120	1305	60.35	-3.556	1355	63.67	-6.690
1206	55.04	5.424	1256	57.44	6.713	1306	60.42	-7.866	1356	63.73	-4.489
1207	55.07	5.022	1257	57.47	7.566	1307	60.48	-10.044	1357	63.80	-2.172
1208	55.09	3.380	1258	57.51	8.774	1308	60.52	-11.066	1358	63.85	-0.464
1209	55.15	0.206	1259	57.54	9.122	1309	60.59	-11.767	1359	63.92	0.225
1210	55.20	-0.714	1260	57.56	8.462	1310	60.63	-12.682	1360	64.00	-0.843
1211	55.25	-2.257	1261	57.61	7.616	1311	60.69	-12.234	1361	64.06	-2.151
1212	55.31	-3.683	1262	57.63	8.426	1312	60.77	-11.559	1362	64.14	-3.091
1213	55.35	-6.217	1263	57.69	5.495	1313	60.82	-10.092	1363	64.24	-4.802
1214	55.41	-9.769	1264	57.75	2.694	1314	60.90	-6.788	1364	64.31	-5.738
1215	55.46	-13.686	1265	57.79	1.165	1315	60.95	-3.051	1365	64.36	-6.159
1216	55.51	-14.961	1266	57.82	-1.116	1316	60.99	-0.492	1366	64.43	-4.965
1217	55.56	-16.900	1267	57.85	-2.642	1317	61.02	1.736	1367	64.49	-3.760
1218	55.60	-17.560	1268	57.89	-3.690	1318	61.06	2.946	1368	64.57	-0.961
1219	55.67	-16.746	1269	57.94	-3.970	1319	61.10	5.035	1369	64.65	1.096
1220	55.72	-13.909	1270	57.97	-4.004	1320	61.16	6.611	1370	64.72	4.290
1221	55.74	-12.433	1271	58.05	-2.320	1321	61.23	7.047	1371	64.86	8.920
1222	55.78	-7.711	1272	58.12	-2.029	1322	61.29	6.620	1372	64.91	10.744
1223	55.84	-2.391	1273	58.19	-3.314	1323	61.35	6.944	1373	64.98	12.067
1224	55.90	1.056	1274	58.24	-3.607	1324	61.42	5.869	1374	65.05	11.630
1225	55.92	2.290	1275	58.31	-4.048	1325	61.46	7.068	1375	65.12	10.066
1226	55.96	5.127	1276	58.39	-4.741	1326	61.54	7.655	1376	65.14	9.424
1227	56.01	6.714	1277	58.48	-5.696	1327	61.61	9.472	1377	65.22	6.858
1228	56.04	8.811	1278	58.56	-5.515	1328	61.68	10.282	1378	65.27	3.562
1229	56.09	10.390	1279	58.58	-6.277	1329	61.77	9.332	1379	65.33	0.013
1230	56.14	10.096	1280	56.63	-6.326	1330	61.83	8.656	1380	65.38	-3.404
1231	56.20	8.423	1281	58.69	-6.379	1331	61.88	7.984	1381	65.43	-5.449
1232	56.25	6.501	1282	58.75	-7.055	1332	61.94	6.437	1382	65.50	-6.257
1233	56.30	4.956	1283	56.81	-5.854	1333	61.99	5.140	1383	65.56	-5.683
1234	56.33	4.559	1284	58.87	-4.033	1334	62.06	4.082	1384	65.60	-5.096
1235	56.36	4.534	1285	56.93	-1.579	1335	62.07	3.701	1385	65.64	-3.683
1236	56.39	4.129	1286	58.99	0.863	1336	62.15	3.126	1386	65.69	-2.047
1237	56.44	4.459	1287	59.04	1.574	1337	62.21	3.574	1387	65.72	-0.824
1238	56.49	3.794	1288	59.11	3.015	1338	62.27	3.646	1388	65.79	0.743
1239	56.54	2.876	1289	59.18	4.578	1339	62.34	1.963	1389	65.84	1.949
1240	56.60	2.196	1290	59.23	3.905	1340	62.39	1.043	1390	65.90	1.271
1241	56.67	0.140	1291	59.30	3.852	1341	62.46	-0.023	1391	65.98	0.956
1242	56.72	-1.034	1292	59.35	3.607	1342	62.67	-0.957	1392	66.09	-1.394
1243	56.77	-1.705	1293	59.42	2.873	1343	62.74	-1.891	1393	66.16	-2.078
1244	56.84	-1.511	1294	59.46	2.214	1344	62.83	-1.965	1394	66.21	-2.371
1245	56.88	-0.051	1295	59.53	3.030	1345	62.90	-1.779	1395	66.26	-3.666
1246	56.93	1.163	1296	59.60	3.594	1346	62.96	-1.580	1396	66.30	-4.077
1247	56.97	1.747	1297	59.67	4.784	1347	63.01	-3.377	1397	66.36	-3.876
1248	57.06	0.793	1298	59.79	7.053	1348	63.07	-5.429	1398	66.41	-2.920
1249	57.16	1.708	1299	59.86	6.244	1349	63.14	-7.236	1399	66.45	-2.335
1250	57.22	1.526	1300	59.92	9.066	1350	63.22	-10.307	1400	66.50	-1.130

INDEX NO. 603 1308-GR-1 ISHIKARIKAKOU B. LG. MAX.ACCEL.= 35.696(GAL) T=25.76(SEC) NO. 8

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1401	66.56	0.944	1451	69.58	-0.565	1501	73.16	1.066	1551	77.76	-12.011
1402	66.61	2.901	1452	69.71	-3.176	1502	73.24	0.870	1552	77.86	-10.219
1403	66.66	5.737	1453	69.80	-4.257	1503	73.41	-0.150	1553	77.95	-7.174
1404	66.70	7.201	1454	69.85	-4.801	1504	73.48	-1.457	1554	78.04	-5.630
1405	66.75	8.159	1455	69.93	-5.871	1505	73.54	-1.768	1555	78.14	-4.216
1406	66.80	8.362	1456	70.02	-6.817	1506	73.61	-1.323	1556	78.23	-3.036
1407	66.84	7.829	1457	70.10	-6.386	1507	73.67	-0.379	1557	78.30	-2.475
1408	66.92	5.754	1458	70.20	-7.225	1508	73.72	-1.419	1558	78.38	-0.046
1409	66.97	4.839	1459	70.28	-2.291	1509	73.79	-2.354	1559	78.44	-0.097
1410	67.01	3.925	1460	70.36	0.264	1510	73.88	-3.055	1560	78.49	0.238
1411	67.07	2.004	1461	70.41	2.715	1511	73.99	-5.652	1561	78.54	-0.301
1412	67.12	0.085	1462	70.48	5.162	1512	74.17	-4.558	1562	78.59	-0.474
1413	67.18	-2.218	1463	70.55	6.348	1513	74.32	-5.308	1563	78.63	0.492
1414	67.25	-4.782	1464	70.62	4.537	1514	74.42	-5.391	1564	78.67	1.962
1415	67.29	-6.444	1465	70.70	3.469	1515	74.50	-4.837	1565	78.73	2.038
1416	67.34	-7.111	1466	70.75	0.548	1516	74.57	-5.270	1566	78.75	0.644
1417	67.40	-8.167	1467	70.81	-0.377	1517	74.64	-4.707	1567	78.81	0.344
1418	67.45	-7.962	1468	70.88	-1.060	1518	74.71	-3.519	1568	78.87	2.418
1419	67.51	-7.383	1469	70.97	-0.511	1519	74.82	-2.606	1569	78.92	4.246
1420	67.55	-7.042	1470	71.05	-0.207	1520	74.91	-2.686	1570	78.97	4.826
1421	67.57	-6.815	1471	71.13	+0.030	1521	75.16	0.729	1571	79.03	5.775
1422	67.64	-4.622	1472	71.22	-0.986	1522	75.24	0.905	1572	79.08	5.482
1423	67.70	-3.423	1473	71.34	-1.210	1523	75.34	2.944	1573	79.15	4.802
1424	67.87	2.173	1474	71.38	+0.873	1524	75.44	2.609	1574	79.20	3.756
1425	67.92	3.629	1475	71.49	-0.974	1525	75.56	2.764	1575	79.25	4.339
1426	67.99	4.317	1476	71.54	-1.639	1526	75.68	2.412	1576	79.31	4.537
1427	68.00	4.812	1477	71.59	-1.060	1527	75.75	4.220	1577	79.36	3.617
1428	68.06	4.761	1478	71.65	-1.121	1528	75.95	5.673	1578	79.41	2.700
1429	68.12	3.205	1479	71.71	-1.787	1529	76.04	6.478	1579	79.47	1.393
1430	68.18	0.400	1480	71.75	-3.076	1530	76.12	7.031	1580	79.51	0.989
1431	68.27	-2.176	1481	71.83	+2.692	1531	76.18	6.975	1581	79.56	1.817
1432	68.34	-5.109	1482	71.93	-1.734	1532	76.26	7.532	1582	79.60	0.277
1433	68.42	-5.803	1483	72.00	-0.165	1533	76.33	5.351	1583	79.65	-0.638
1434	68.47	-7.477	1484	72.06	0.657	1534	76.42	2.400	1584	79.70	-1.056
1435	68.54	-7.282	1485	72.13	0.348	1535	76.55	+0.838	1585	79.73	-0.459
1436	68.60	+6.090	1486	72.20	-0.715	1536	76.63	-4.032	1586	79.78	+0.747
1437	68.65	+4.010	1487	72.26	+1.271	1537	76.71	-4.724	1587	79.81	-2.028
1438	68.71	0.813	1488	72.34	+2.717	1538	76.80	-4.181	1588	79.85	-4.566
1439	68.78	4.504	1489	72.41	+4.276	1539	76.89	-4.627	1589	79.90	-6.235
1440	68.84	5.765	1490	72.46	+8.192	1540	76.99	-4.716	1590	79.94	-7.141
1441	68.88	7.792	1491	72.51	-7.236	1541	77.04	+3.513	1591	80.07	-5.627
1442	68.94	7.488	1492	72.57	+6.917	1542	77.13	-2.589	1592	80.12	-5.671
1443	69.02	7.422	1493	72.58	-6.653	1543	77.22	+2.417	1593	80.16	-5.333
1444	69.08	6.743	1494	72.64	-5.102	1544	77.30	-3.740	1594	80.20	+4.493
1445	69.14	5.443	1495	72.70	+2.408	1545	77.40	-5.696	1595	80.24	+2.900
1446	69.20	4.145	1496	72.76	1.041	1546	77.48	-8.396	1596	80.29	+1.690
1447	69.25	3.224	1497	72.84	1.801	1547	77.57	-10.346	1597	80.34	-1.862
1448	69.30	1.933	1498	72.91	2.407	1548	77.64	+11.529	1598	80.39	-1.399
1449	69.35	0.634	1499	72.98	1.846	1549	77.68	-12.562	1599	80.43	0.190
1450	69.44	-0.071	1500	73.08	1.012	1550	77.74	-13.241	1600	80.48	4.146

土木構造物における加速度強震記録（No. 9）

INDEX NO. 803 1308-GR-1 ISHIKARIKAKOU B, LG. MAX.ACCEL.= 35.696(GAL) T=25.76(SEC) NO. 9

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1601	80.51	4.743	1651	83.11	-8.019	1701	85.86	4.358	1751	88.91	-8.175
1602	80.54	6.472	1652	83.18	-6.459	1702	85.91	4.311	1752	88.99	-8.498
1603	80.61	6.664	1653	83.24	-7.886	1703	85.96	5.146	1753	89.07	-7.317
1604	80.66	6.369	1654	83.31	-7.316	1704	86.00	4.856	1754	89.16	-6.143
1605	80.71	6.324	1655	83.38	-6.752	1705	86.08	4.793	1755	89.22	-4.698
1606	80.76	7.157	1656	83.43	-5.922	1706	86.15	4.476	1756	89.28	-3.493
1607	80.81	7.740	1657	83.49	-4.349	1707	86.23	4.282	1757	89.33	-2.541
1608	80.84	6.587	1658	83.55	-3.773	1708	86.30	3.100	1758	89.40	0.025
1609	80.85	5.581	1659	83.61	-2.953	1709	86.38	1.703	1759	89.49	1.445
1610	80.90	4.267	1660	83.66	-2.996	1710	86.41	1.125	1760	89.57	2.130
1611	80.94	3.629	1661	83.71	-0.534	1711	86.49	0.313	1761	89.67	2.546
1612	80.98	4.218	1662	83.76	0.671	1712	86.55	-1.248	1762	89.77	2.207
1613	81.04	4.416	1663	83.79	2.516	1713	86.61	-2.169	1763	89.89	3.725
1614	81.09	1.999	1664	83.86	2.462	1714	86.67	-2.847	1764	90.02	2.991
1615	81.15	-2.302	1665	83.91	2.417	1715	86.72	-3.520	1765	90.15	4.630
1616	81.20	-4.848	1666	83.97	2.116	1716	86.78	-2.691	1766	90.32	5.610
1617	81.26	-6.526	1667	84.01	2.079	1717	86.83	-1.235	1767	90.45	7.378
1618	81.33	-6.857	1668	84.08	2.648	1718	86.90	0.073	1768	90.51	7.570
1619	81.40	-6.651	1669	84.16	2.697	1719	86.97	1.517	1769	90.56	8.533
1620	81.46	-5.700	1670	84.23	3.518	1720	87.05	1.195	1770	90.61	8.484
1621	81.53	-5.761	1671	84.27	4.479	1721	87.13	1.999	1771	90.68	7.806
1622	81.56	-5.555	1672	84.36	4.157	1722	87.18	1.707	1772	90.74	5.627
1623	81.64	-5.481	1673	84.40	5.743	1723	87.25	2.767	1773	90.76	5.235
1624	81.69	-6.278	1674	84.44	5.707	1724	87.29	2.856	1774	90.85	2.033
1625	81.76	-4.713	1675	84.48	4.298	1725	87.34	2.820	1775	91.00	-1.973
1626	81.81	-3.510	1676	84.54	3.999	1726	87.38	3.031	1776	91.11	-4.818
1627	81.87	-3.313	1677	84.58	3.507	1727	87.43	1.735	1777	91.21	-5.533
1628	81.93	-3.367	1678	84.59	2.957	1728	87.50	0.428	1778	91.28	-7.468
1629	82.00	-2.426	1679	84.63	2.044	1729	87.54	0.392	1779	91.37	-7.664
1630	82.05	-2.715	1680	84.68	2.501	1730	87.59	-0.528	1780	91.43	-6.474
1631	82.10	-1.641	1681	84.72	3.096	1731	87.65	-3.080	1781	91.50	-4.655
1632	82.15	-1.305	1682	84.76	3.063	1732	87.68	-4.357	1782	91.54	-3.443
1633	82.20	-1.348	1683	84.79	2.786	1733	87.70	-3.876	1783	91.60	-2.496
1634	82.25	-1.160	1684	84.86	1.868	1734	87.76	-3.925	1784	91.61	-2.503
1635	82.29	-0.806	1685	84.93	0.415	1735	87.81	-3.343	1785	91.70	-2.830
1636	82.32	-1.456	1686	84.98	-1.382	1736	87.86	-2.387	1786	91.78	-2.026
1637	82.39	-2.392	1687	85.04	-2.055	1737	87.90	-1.554	1787	91.89	-0.870
1638	82.43	-2.805	1688	85.09	-3.100	1738	87.96	-1.228	1788	91.97	-0.566
1639	82.49	-3.104	1689	85.14	-4.142	1739	88.03	-1.536	1789	92.03	-0.363
1640	82.53	-2.012	1690	85.19	-4.435	1740	88.07	-2.829	1790	92.08	-1.039
1641	82.59	-2.317	1691	85.23	-4.470	1741	88.13	-4.498	1791	92.14	-1.711
1642	82.67	-3.885	1692	85.31	-4.168	1742	88.18	-4.297	1792	92.18	-3.874
1643	82.69	-4.655	1693	85.39	-3.108	1743	88.35	-4.194	1793	92.26	-1.811
1644	82.75	-5.631	1694	85.44	-1.907	1744	88.44	-4.274	1794	92.31	-2.109
1645	82.81	-7.508	1695	85.50	-1.333	1745	88.51	-4.334	1795	92.37	-1.284
1646	82.86	-8.429	1696	85.55	0.500	1746	88.58	-5.013	1796	92.44	-0.095
1647	82.90	-8.468	1697	85.61	2.321	1747	88.66	-6.586	1797	92.51	0.097
1648	82.94	-8.000	1698	85.69	3.257	1748	88.73	-7.894	1798	92.55	1.065
1649	82.98	-7.413	1699	85.76	3.617	1749	88.80	-9.833	1799	92.60	1.644
1650	83.05	-7.717	1700	85.81	3.777	1750	88.85	-9.639	1800	92.66	0.717

INDEX NO. 803 1308-GR-1 ISHIKARIKAKOU B, LG. MAX.ACCEL.= 35.696(GAL) T=25.76(SEC) NO.10

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1801	92.73	1.906	1851	96.07	3.160	1901	100.41	-2.859	1951	104.59	1.535
1802	92.78	2.360	1852	96.11	3.995	1902	100.49	-2.299	1952	104.64	2.115
1803	92.85	3.679	1853	96.16	4.084	1903	100.56	-2.235	1953	104.71	2.676
1804	92.90	4.262	1854	96.24	3.016	1904	100.64	-3.312	1954	104.79	3.236
1805	92.96	4.837	1855	96.31	1.702	1905	100.72	0.372	1955	104.86	3.181
1806	93.02	4.780	1856	96.34	1.049	1906	100.84	2.144	1956	104.94	2.232
1807	93.05	5.130	1857	96.42	-0.894	1907	100.98	3.276	1957	105.04	2.152
1808	93.12	4.068	1858	96.51	-2.468	1908	101.08	3.435	1958	105.15	1.049
1809	93.24	3.095	1859	96.58	-2.910	1909	101.20	3.712	1959	105.25	-0.282
1810	93.33	2.761	1860	96.67	-2.361	1910	101.31	4.618	1960	105.35	0.255
1811	93.41	2.948	1861	96.79	-3.717	1911	101.40	6.165	1961	105.43	-0.072
1812	93.49	2.250	1862	97.01	-3.408	1912	101.49	6.464	1962	105.50	-0.500
1813	93.54	2.211	1863	97.13	-4.133	1913	101.59	6.248	1963	105.57	0.305
1814	93.58	1.295	1864	97.20	-4.198	1914	101.68	5.920	1964	105.65	0.361
1815	93.67	0.596	1865	97.28	-3.891	1915	101.77	5.597	1965	105.80	-0.772
1816	93.75	0.148	1866	97.35	-3.700	1916	101.84	4.286	1966	105.90	-0.484
1817	93.82	0.090	1867	97.42	-3.762	1917	101.88	3.251	1967	105.98	-0.053
1818	93.89	0.284	1868	97.47	-3.810	1918	101.91	3.474	1968	106.05	-0.359
1819	93.96	0.345	1869	97.58	-2.898	1919	102.01	2.265	1969	106.14	-1.309
1820	94.02	-1.336	1870	97.66	-2.099	1920	102.06	0.973	1970	106.21	-1.374
1821	94.06	-1.367	1871	97.79	1.414	1921	102.13	0.908	1971	106.31	-1.586
1822	94.11	-1.407	1872	97.89	2.203	1922	102.22	0.660	1972	106.43	-0.065
1823	94.18	-0.595	1873	97.98	3.748	1923	102.31	1.002	1973	106.52	1.360
1824	94.25	0.966	1874	98.10	4.521	1924	102.38	0.942	1974	106.60	0.667
1825	94.35	1.134	1875	98.20	4.677	1925	102.47	1.117	1975	106.66	1.614
1826	94.42	2.320	1876	98.30	4.092	1926	102.55	2.047	1976	106.73	2.557
1827	94.47	2.281	1877	98.40	4.876	1927	102.64	1.342	1977	106.81	1.864
1828	94.55	2.833	1878	98.51	4.785	1928	102.73	0.262	1978	106.87	0.565
1829	94.61	2.534	1879	98.60	2.830	1929	102.84	-0.081	1979	107.00	1.954
1830	94.66	2.865	1880	98.71	0.609	1930	102.95	2.321	1980	107.09	1.620
1831	94.71	2.195	1881	98.80	-0.098	1931	103.03	3.129	1981	107.20	2.398
1832	94.77	0.771	1882	98.89	-1.174	1932	103.14	3.160	1982	107.29	2.942
1833	94.84	-0.421	1883	98.98	-0.628	1933	103.19	1.484	1983	107.39	3.854
1834	94.89	-1.714	1884	99.05	-0.690	1934	103.27	0.547	1984	107.42	4.078
1835	94.95	-2.135	1885	99.13	0.119	1935	103.34	0.482	1985	107.56	3.955
1836	94.98	-2.414	1886	99.21	-1.075	1936	103.43	0.032	1986	107.70	3.835
1837	95.04	-1.967	1887	99.28	-1.262	1937	103.51	0.581	1987	107.83	4.345
1838	95.10	-1.393	1888	99.34	-0.938	1938	103.59	0.514	1988	107.94	4.003
1839	95.14	-0.175	1889	99.41	-0.002	1939	103.67	0.067	1989	108.02	3.806
1840	95.22	0.385	1890	99.46	0.209	1940	103.76	-0.883	1990	108.05	4.026
1841	95.28	0.705	1891	99.53	0.526	1941	103.82	-1.566	1991	108.17	3.923
1842	95.39	0.364	1892	99.67	0.656	1942	103.88	-1.611	1992	108.27	3.841
1843	95.46	-0.071	1893	99.76	-1.300	1943	103.95	-2.554	1993	108.37	3.129
1844	95.55	-0.147	1894	99.85	-2.252	1944	104.03	-2.998	1994	108.46	2.676
1845	95.63	1.034	1895	99.91	-2.630	1945	104.11	-2.437	1995	108.52	2.250
1846	95.71	1.591	1896	100.02	-3.396	1946	104.18	-1.870	1996	108.63	1.907
1847	95.78	1.783	1897	100.09	-4.086	1947	104.31	0.514	1997	108.71	0.586
1848	95.88	2.700	1898	100.16	-3.271	1948	104.40	1.695	1998	108.80	-0.117
1849	95.92	2.415	1899	100.27	-2.735	1949	104.47	2.880	1999	108.89	-0.445
1850	96.02	2.948	1900	100.34	-3.049	1950	104.56	3.059	2000	108.98	-1.144

INDEX NO. 803 1306-GR-1 ISHIKARIKAKOU B, LG. MAX.ACCEL.= 35.696(GAL) T=25.76(SEC) NO.11

NO.	(SEC)	(GAL)
2001	109.05	-0.956
2002	109.16	-0.552
2003	109.24	-0.249
2004	109.32	0.165
2005	109.40	0.742
2006	109.44	1.956
2007	109.56	2.244
2008	109.64	1.534
2009	109.72	2.967
2010	109.77	3.542
2011	109.84	3.861
2012	109.89	4.062
2013	109.96	3.506
2014	110.03	2.194
2015	110.08	-0.099
2016	110.15	-0.411
2017	110.22	-1.100
2018	110.29	-3.656
2019	110.33	-3.819
2020	110.41	-4.508
2021	110.49	-4.579
2022	110.59	-5.165
2023	110.68	-6.240
2024	110.75	-6.052
2025	110.82	-5.991
2026	110.88	-4.163
2027	110.95	-4.355
2028	111.03	-3.419
2029	111.10	-1.607
2030	111.19	-1.056
2031	111.28	0.739
2032	111.36	1.295
2033	111.42	2.114
2034	111.51	1.787
2035	111.60	1.964
2036	111.70	1.254
2037	111.75	0.334
2038	111.87	0.481
2039	111.92	0.188
2040	112.02	-2.149
2041	112.10	-1.843
2042	112.18	-0.664
2043	112.27	-1.116
2044	112.35	-2.438
2045	112.45	-1.694
2046	112.54	-0.349
2047	112.63	0.198
2048	112.74	1.978
2049	112.84	2.895
2050	112.98	3.774

Table IX D-30 Digitized Accelerations of Earthquake Record with Index Number 804

INDEX NO. 804 1308-GR-1 ISHIKARIKAKOU B, U-D MAX.ACCEL.= -13.865(GAL) T=12.19(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.42	-0.880	51	1.55	-3.390	101	3.03	-3.654	151	4.62	-4.919
2	0.45	-0.005	52	1.58	-3.016	102	3.07	-4.030	152	4.65	-3.419
3	0.48	-5.881	53	1.60	-4.016	103	3.12	-3.280	153	4.69	-2.795
4	0.49	-5.631	54	1.64	-4.891	104	3.16	-3.655	154	4.72	-2.170
5	0.52	-5.381	55	1.67	-5.141	105	3.19	-3.906	155	4.77	-1.796
6	0.53	-4.256	56	1.70	-5.142	106	3.21	-3.656	156	4.83	-1.546
7	0.56	-4.256	57	1.72	-5.267	107	3.23	-2.781	157	4.88	-1.797
8	0.58	-4.257	58	1.75	-5.267	108	3.26	-2.156	158	4.92	-1.797
9	0.62	-4.882	59	1.78	-4.893	109	3.28	-2.157	159	4.96	-1.797
10	0.66	-4.632	60	1.81	-4.893	110	3.31	-3.282	160	5.02	-2.423
11	0.68	-4.257	61	1.83	-4.266	111	3.33	-3.907	161	5.07	-2.673
12	0.69	-4.258	62	1.85	-4.268	112	3.36	-3.907	162	5.12	-1.424
13	0.72	-3.633	63	1.86	-4.266	113	3.39	-3.658	163	5.16	-0.549
14	0.73	-3.908	64	1.89	-4.269	114	3.43	-3.908	164	5.10	0.326
15	0.74	-2.383	65	1.91	-4.519	115	3.47	-4.908	165	5.21	0.700
16	0.75	-1.758	66	1.92	-4.894	116	3.51	-4.659	166	5.26	-1.800
17	0.77	-1.133	67	1.95	-4.644	117	3.57	-4.284	167	5.33	-3.926
18	0.79	-1.133	68	2.02	-4.270	118	3.61	-4.285	168	5.40	-5.177
19	0.82	-2.008	69	2.08	-4.020	119	3.64	-3.285	169	5.44	-6.802
20	0.83	-4.009	70	2.13	-4.896	120	3.68	-3.285	170	5.46	-6.802
21	0.85	-3.384	71	2.17	-5.271	121	3.71	-3.911	171	5.49	-6.803
22	0.88	-3.384	72	2.20	-6.146	122	3.74	-4.286	172	5.53	-6.178
23	0.89	-3.384	73	2.23	-5.522	123	3.78	-3.411	173	5.57	-4.678
24	0.92	-3.009	74	2.26	-4.022	124	3.80	-3.411	174	5.61	-3.428
25	0.94	-2.760	75	2.29	-2.147	125	3.83	-2.767	175	5.65	-2.179
26	0.96	-2.365	76	2.31	-1.522	126	3.85	-2.412	176	5.70	-1.804
27	0.99	-2.385	77	2.32	-0.523	127	3.88	-2.412	177	5.76	-2.055
28	1.02	-3.010	78	2.35	-0.523	128	3.92	-2.412	178	5.77	-2.430
29	1.04	-3.011	79	2.38	+1.148	129	3.95	+3.288	179	5.82	-2.805
30	1.05	+2.388	80	2.42	-2.646	130	3.98	-3.663	180	5.88	-2.681
31	1.09	-3.636	81	2.45	-3.899	131	4.01	-2.788	181	5.92	-2.431
32	1.12	-3.636	82	2.47	-3.699	132	4.04	-2.164	182	5.95	-3.057
33	1.15	-3.012	83	2.50	-3.399	133	4.06	+1.539	183	5.98	-3.932
34	1.18	-2.137	84	2.55	-2.775	134	4.08	-0.914	184	6.01	-4.307
35	1.19	-2.387	85	2.57	-3.025	135	4.12	-2.414	185	6.04	-4.557
36	1.22	-2.637	86	2.60	-3.900	136	4.15	-3.290	186	6.10	-4.933
37	1.25	-3.888	87	2.63	-4.901	137	4.18	-3.915	187	6.15	-4.059
38	1.28	-3.888	88	2.65	-5.526	138	4.21	-2.790	188	6.20	-4.934
39	1.32	-3.638	89	2.67	-5.901	139	4.24	-1.541	189	6.22	-5.184
40	1.35	-3.388	90	2.69	-6.151	140	4.27	-1.541	190	6.26	-4.310
41	1.38	-3.014	91	2.73	-5.276	141	4.30	-1.791	191	6.30	-2.810
42	1.40	-3.264	92	2.75	-4.902	142	4.34	-3.667	192	6.34	-1.560
43	1.41	-3.889	93	2.78	-4.277	143	4.38	-3.417	193	6.38	-1.811
44	1.44	-4.264	94	2.81	-4.277	144	4.41	-3.292	194	6.44	-2.436
45	1.45	-4.514	95	2.83	-4.027	145	4.46	-2.418	195	6.51	-3.062
46	1.47	-4.890	96	2.86	-4.278	146	4.49	-2.418	196	6.59	-4.062
47	1.49	-4.890	97	2.88	-4.528	147	4.53	-3.293	197	6.61	-3.438
48	1.50	-4.890	98	2.91	-4.903	148	4.55	-4.543	198	6.68	-2.813
49	1.52	-4.265	99	2.93	-4.279	149	4.56	-5.169	199	6.72	-1.439
50	1.53	-3.640	100	3.00	-3.654	150	4.58	-5.794	200	6.77	-1.814

土木構造物における加速度強震記録（No.9）

INDEX NO, 804 1308-GR-1 ISHIKARIKAKOU B, U-D MAX.ACCEL.= -13.865(GAL) T=12.19(SEC) NO, 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	6.80	-2.440	251	8.49	-3.981	301	10.38	0.027	351	11.95	2.637
202	6.83	-2.690	252	8.54	-1.206	302	10.42	-1.473	352	11.99	3.512
203	6.85	-2.690	253	8.56	0.044	303	10.46	-3.099	353	12.03	1.762
204	6.88	-2.191	254	8.60	0.668	304	10.49	-3.724	354	12.06	-1.739
205	6.91	-1.816	255	8.63	1.543	305	10.52	-3.975	355	12.10	-7.489
206	6.95	-0.941	256	8.67	1.543	306	10.57	-4.350	356	12.14	-12.614
207	7.01	0.058	257	8.71	1.292	307	10.60	-4.600	357	12.16	-13.865
208	7.06	-0.817	258	8.74	-0.208	308	10.62	-4.600	358	12.19	-13.865
209	7.10	-2.067	259	8.77	-0.583	309	10.64	-5.226	359	12.22	-10.490
210	7.15	-3.318	260	8.82	-1.584	310	10.67	-6.476	360	12.24	-8.240
211	7.17	-4.318	261	8.85	-1.834	311	10.69	-5.976	361	12.27	-6.741
212	7.21	-4.568	262	8.88	-1.834	312	10.72	-4.726	362	12.31	-5.116
213	7.24	-3.694	263	8.90	-3.084	313	10.75	-3.726	363	12.36	-4.366
214	7.26	-3.069	264	8.92	-3.960	314	10.79	-2.727	364	12.40	-4.117
215	7.27	-2.444	265	8.96	-4.335	315	10.82	-3.102	365	12.46	-2.867
216	7.31	-3.319	266	9.00	-4.085	316	10.84	-4.602	366	12.48	-1.866
217	7.34	-4.945	267	9.02	-3.086	317	10.87	-5.653	367	12.53	-1.868
218	7.37	-6.195	268	9.07	-2.461	318	10.90	-6.478	368	12.57	-2.493
219	7.41	-6.820	269	9.10	-2.461	319	10.94	-5.978	369	12.62	-0.994
220	7.46	-6.821	270	9.13	-3.086	320	10.98	-5.354	370	12.67	0.631
221	7.50	-5.946	271	9.15	-3.962	321	11.00	-4.104	371	12.71	1.505
222	7.58	-2.822	272	9.17	-4.587	322	11.02	-3.729	372	12.74	1.255
223	7.65	0.052	273	9.22	-4.337	323	11.05	-3.729	373	12.77	0.005
224	7.68	1.927	274	9.26	-1.588	324	11.09	-4.355	374	12.81	0.879
225	7.71	3.302	275	9.29	-1.213	325	11.12	-4.355	375	12.86	3.629
226	7.76	3.051	276	9.31	-1.213	326	11.16	-4.105	376	12.91	5.128
227	7.78	1.426	277	9.34	-0.588	327	11.18	-2.481	377	12.93	5.128
228	7.81	-1.074	278	9.36	-0.839	328	11.20	-0.961	378	12.96	4.503
229	7.83	-2.324	279	9.41	-1.839	329	11.23	0.019	379	13.01	1.127
230	7.87	-3.200	280	9.44	-1.840	330	11.26	0.644	380	13.06	-1.748
231	7.91	-2.325	281	9.46	-0.965	331	11.30	0.643	381	13.10	-3.998
232	7.94	-2.075	282	9.53	-0.590	332	11.36	-1.232	382	13.14	-4.624
233	7.96	-1.076	283	9.57	-1.216	333	11.40	-1.858	383	13.18	-4.999
234	7.98	-1.076	284	9.61	-3.716	334	11.41	-1.858	384	13.22	-5.000
235	8.01	-2.576	285	9.65	-5.841	335	11.44	-1.608	385	13.25	-5.000
236	8.03	-3.951	286	9.68	-6.467	336	11.46	-2.108	386	13.28	-3.500
237	8.06	-4.327	287	9.73	-6.717	337	11.49	-3.358	387	13.32	-2.875
238	8.08	-4.327	288	9.77	-3.092	338	11.52	-4.359	388	13.38	-3.126
239	8.11	-2.827	289	9.81	-3.716	339	11.54	-3.734	389	13.41	-4.001
240	8.14	-2.202	290	9.85	-5.593	340	11.58	-3.359	390	13.45	-7.252
241	8.17	-2.452	291	9.89	-5.968	341	11.61	-3.359	391	13.47	-8.377
242	8.20	-3.953	292	9.93	-5.594	342	11.65	-3.735	392	13.49	-9.377
243	8.22	-4.578	293	9.99	-4.095	343	11.69	-3.110	393	13.53	-9.752
244	8.24	-5.203	294	10.03	-3.720	344	11.73	-1.611	394	13.57	-8.503
245	8.26	-4.954	295	10.07	-2.845	345	11.77	0.889	395	13.59	-8.378
246	8.31	-4.079	296	10.13	-2.096	346	11.80	2.514	396	13.62	-8.378
247	8.35	-3.704	297	10.15	-1.221	347	11.83	4.139	397	13.66	-8.753
248	8.39	-3.704	298	10.21	0.028	348	11.85	4.138	398	13.70	-8.129
249	8.43	-3.455	299	10.27	0.653	349	11.88	3.263	399	13.73	-7.254
250	8.44	-3.080	300	10.33	1.027	350	11.92	2.637	400	13.77	-4.755

INDEX NO, 804 1308-GR-1 ISHIKARIKAKOU B, U-D MAX.ACCEL.= -13.865(GAL) T=12.19(SEC) NO, 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	13.80	-3.505	451	15.85	-7.899	501	17.71	-2.416	551	19.53	9.692
402	13.83	-1.255	452	15.88	-6.649	502	17.74	-4.292	552	19.59	10.066
403	13.86	0.620	453	15.91	-5.025	503	17.77	-5.292	553	19.66	9.440
404	13.92	4.244	454	15.94	-2.900	504	17.80	-5.917	554	19.69	9.190
405	13.96	4.744	455	15.99	-2.275	505	17.85	-6.543	555	19.72	7.565
406	14.00	6.368	456	16.02	-1.276	506	17.89	-6.043	556	19.75	6.065
407	14.04	7.243	457	16.05	-0.651	507	17.94	-4.168	557	19.78	4.189
408	14.07	9.118	458	16.09	-1.276	508	17.98	-1.919	558	19.81	2.564
409	14.12	9.117	459	16.12	-2.151	509	18.02	-1.044	559	19.85	0.064
410	14.17	7.367	460	16.17	-1.652	510	18.07	0.581	560	19.88	-1.811
411	14.22	4.241	461	16.23	-0.027	511	18.11	1.205	561	19.92	-2.687
412	14.27	1.366	462	16.28	1.847	512	18.15	0.330	562	19.94	-3.937
413	14.33	-0.135	463	16.35	4.471	513	18.19	-0.671	563	19.98	-6.312
414	14.36	-1.385	464	16.40	5.096	514	18.21	-1.921	564	20.00	-8.188
415	14.39	-2.010	465	16.44	5.096	515	18.25	-3.796	565	20.03	-10.313
416	14.42	-1.511	466	16.48	4.845	516	18.28	-4.046	566	20.05	-11.563
417	14.46	-0.511	467	16.51	4.845	517	18.32	-3.172	567	20.07	-12.688
418	14.49	-0.512	468	16.54	4.845	518	18.36	-2.547	568	20.12	-13.064
419	14.53	-2.012	469	16.58	4.644	519	18.39	-1.673	569	20.17	-12.064
420	14.57	-4.262	470	16.62	2.344	520	18.45	0.827	570	20.21	-12.065
421	14.61	-6.512	471	16.66	-1.156	521	18.49	1.451	571	20.25	-11.690
422	14.65	-8.138	472	16.69	-5.032	522	18.53	2.451	572	20.29	-11.190
423	14.69	-8.513	473	16.72	-6.907	523	18.57	2.451	573	20.31	-9.316
424	14.75	-7.264	474	16.74	-9.032	524	18.61	1.575	574	20.36	-5.191
425	14.77	-7.764	475	16.78	-10.283	525	18.65	0.950	575	20.42	-0.067
426	14.80	-6.264	476	16.82	-10.908	526	18.68	-0.050	576	20.46	2.433
427	14.83	-4.765	477	16.86	-10.908	527	18.71	-2.176	577	20.50	4.683
428	14.86	-3.765	478	16.90	-11.909	528	18.72	-3.176	578	20.54	5.682
429	14.92	-3.140	479	16.95	-11.659	529	18.75	-5.301	579	20.59	5.932
430	14.99	-3.766	480	17.00	-9.785	530	18.78	-5.926	580	20.61	5.682
431	15.04	-5.017	481	17.03	-7.910	531	18.82	-6.051	581	20.66	5.931
432	15.08	-5.017	482	17.09	-4.411	532	18.85	-6.302	582	20.69	6.556
433	15.12	-4.767	483	17.14	42.286	533	18.87	-6.052	583	20.72	7.181
434	15.15	-3.518	484	17.18	-6.036	534	18.91	-5.677	584	20.76	7.180
435	15.17	-1.268	485	17.22	1.838	535	18.96	-5.678	585	20.81	6.930
436	15.19	1.482	486	17.26	3.463	536	18.99	-5.928	586	20.86	6.679
437	15.24	3.482	487	17.28	5.963	537	19.03	-6.553	587	20.91	5.679
438	15.30	3.231	488	17.31	7.837	538	19.06	-7.554	588	20.95	5.679
439	15.35	2.356	489	17.34	9.462	539	19.10	-6.679	589	20.99	4.178
440	15.39	1.980	490	17.37	11.462	540	19.12	-5.054	590	21.01	2.303
441	15.43	1.355	491	17.40	12.337	541	19.14	-3.555	591	21.03	-0.573
442	15.48	1.604	492	17.43	12.336	542	19.16	-1.055	592	21.07	42.073
443	15.52	1.979	493	17.46	10.211	543	19.19	0.570	593	21.10	-3.323
444	15.55	1.979	494	17.50	7.086	544	19.23	3.195	594	21.13	-3.948
445	15.60	1.978	495	17.53	4.335	545	19.28	6.319	595	21.15	-3.699
446	15.65	-0.522	496	17.55	1.710	546	19.32	7.819	596	21.19	-3.449
447	15.70	-2.398	497	17.58	0.085	547	19.36	8.443	597	21.22	-3.449
448	15.75	-5.648	498	17.61	-1.540	548	19.40	8.818	598	21.25	-4.699
449	15.78	-7.523	499	17.64	-2.041	549	19.45	8.193	599	21.28	-4.700
450	15.83	-8.399	500	17.67	-1.791	550	19.48	8.817	600	21.32	-4.700

INDEX NO. 804 1308-GR-1 ISHIKARIKAKOU 8, U-D MAX.ACCEL.= -13.865(GAL) T=12.19(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	21.36	-4.450	651	23.36	6.656	701	25.18	-2.361	751	27.10	3.746
602	21.39	-4.201	652	23.40	5.031	702	25.22	-2.611	752	27.16	1.871
603	21.43	-4.201	653	23.42	4.781	703	25.25	-2.612	753	27.20	1.245
604	21.46	-3.827	654	23.45	3.780	704	25.27	-2.612	754	27.26	0.620
605	21.51	-2.577	655	23.49	1.030	705	25.30	-2.362	755	27.31	-0.631
606	21.54	-1.327	656	23.52	-1.846	706	25.34	-1.112	756	27.35	-2.506
607	21.58	0.548	657	23.55	-5.971	707	25.39	2.387	757	27.41	-4.006
608	21.62	1.422	658	23.58	-7.846	708	25.45	4.387	758	27.46	-4.382
609	21.65	1.547	659	23.60	-8.846	709	25.48	4.636	759	27.52	-4.382
610	21.69	2.047	660	23.63	-9.097	710	25.54	5.011	760	27.59	-3.633
611	21.72	2.046	661	23.67	-8.597	711	25.56	4.761	761	27.62	-3.008
612	21.76	1.171	662	23.71	-6.972	712	25.60	4.385	762	27.67	-1.384
613	21.79	0.296	663	23.75	-5.722	713	25.63	3.760	763	27.70	-0.134
614	21.82	-1.330	664	23.77	-4.223	714	25.66	3.760	764	27.73	2.365
615	21.85	-0.705	665	23.81	-3.598	715	25.71	4.634	765	27.76	3.990
616	21.87	-0.080	666	23.85	-2.598	716	25.74	5.634	766	27.81	4.990
617	21.92	-0.331	667	23.90	-2.349	717	25.78	7.134	767	27.83	4.990
618	21.96	-1.956	668	23.94	-1.349	718	25.81	7.508	768	27.89	4.739
619	21.98	-3.206	669	23.97	0.525	719	25.84	6.883	769	27.94	4.363
620	22.05	-3.207	670	24.05	5.025	720	25.88	5.383	770	27.98	4.613
621	22.10	-1.957	671	24.09	6.899	721	25.90	4.757	771	28.01	4.363
622	22.15	1.167	672	24.12	9.399	722	25.97	3.132	772	28.05	0.987
623	22.21	5.042	673	24.16	10.024	723	26.01	1.006	773	28.09	-0.888
624	22.23	5.292	674	24.20	9.773	724	26.06	0.006	774	28.14	-2.138
625	22.26	5.291	675	24.24	8.523	725	26.12	-1.245	775	28.18	-2.139
626	22.30	3.791	676	24.29	7.272	726	26.18	-2.120	776	28.23	-1.889
627	22.36	3.165	677	24.33	6.272	727	26.22	-2.121	777	28.28	-1.265
628	22.40	5.415	678	24.38	4.147	728	26.24	-1.246	778	28.33	-1.265
629	22.43	5.040	679	24.41	2.271	729	26.27	-0.996	779	28.38	0.609
630	22.44	6.290	680	24.44	0.646	730	26.30	-0.621	780	28.43	1.484
631	22.47	6.539	681	24.48	-1.229	731	26.34	0.003	781	28.47	3.109
632	22.51	7.164	682	24.51	-2.230	732	26.39	-1.872	782	28.51	4.608
633	22.55	6.914	683	24.56	-1.230	733	26.44	-2.497	783	28.58	4.107
634	22.60	5.663	684	24.60	0.019	734	26.47	-2.498	784	28.62	5.232
635	22.64	3.788	685	24.63	1.519	735	26.51	-2.748	785	28.68	4.982
636	22.69	1.662	686	24.67	2.519	736	26.53	-2.498	786	28.71	5.231
637	22.74	-0.588	687	24.71	3.594	737	26.56	-1.624	787	28.76	4.356
638	22.82	-0.339	688	24.75	4.393	738	26.58	-0.999	788	28.83	3.480
639	22.88	-0.839	689	24.82	2.892	739	26.62	-0.624	789	28.89	2.855
640	22.92	-1.840	690	24.88	1.892	740	26.66	-0.625	790	28.93	1.604
641	22.98	-2.840	691	24.91	0.642	741	26.69	0.250	791	29.00	-0.646
642	23.02	-3.716	692	24.95	-0.609	742	26.74	1.500	792	29.06	-0.897
643	23.07	-3.091	693	24.98	-3.109	743	26.78	4.374	793	29.11	-0.647
644	23.10	-1.841	694	25.00	-4.359	744	26.80	4.999	794	29.18	0.602
645	23.15	-0.342	695	25.03	-6.609	745	26.84	4.999	795	29.23	0.852
646	23.19	1.533	696	25.05	-7.610	746	26.88	4.623	796	29.27	0.601
647	23.23	3.157	697	25.09	-7.610	747	26.91	4.123	797	29.31	-0.024
648	23.26	4.657	698	25.10	-6.735	748	26.95	4.123	798	29.35	-0.650
649	23.30	6.532	699	25.12	-5.110	749	26.98	4.622	799	29.36	-1.150
650	23.33	6.907	700	25.15	-3.861	750	27.04	4.747	800	29.40	0.475

INDEX NO. 804 1308-GR-1 ISHIKARIKAKOU 8, U-D MAX.ACCEL.= -13.865(GAL) T=12.19(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	29.44	1.974	851	31.70	6.826	901	33.95	2.432	951	36.48	1.534
802	29.49	2.349	852	31.74	5.578	902	34.00	3.932	952	36.54	3.033
803	29.55	3.723	853	31.79	3.452	903	34.05	4.556	953	36.60	3.907
804	29.62	3.973	854	31.83	3.077	904	34.09	5.556	954	36.65	3.907
805	29.66	5.222	855	31.87	2.452	905	34.13	6.806	955	36.72	4.531
806	29.70	5.847	856	31.91	1.201	906	34.18	7.680	956	36.78	5.780
807	29.74	6.472	357	31.94	0.326	907	34.21	8.680	957	36.82	6.780
808	29.79	5.596	858	31.96	-0.049	908	34.26	8.929	958	36.85	6.780
809	29.82	3.721	859	31.99	-0.300	909	34.33	8.054	959	36.87	6.529
810	29.85	0.971	860	32.03	-1.300	910	34.39	7.428	960	36.90	6.154
811	29.90	-0.655	861	32.06	-1.050	911	34.49	3.927	961	36.94	6.404
812	29.93	-2.155	862	32.10	-0.676	912	34.52	2.802	962	36.97	6.153
813	29.99	-2.781	863	32.14	0.824	913	34.55	0.177	963	37.01	6.778
814	30.03	-1.906	864	32.17	1.199	914	34.61	-1.074	964	37.08	4.653
815	30.08	0.218	865	32.23	1.449	915	34.66	-1.699	965	37.14	2.652
816	30.12	2.093	866	32.28	2.698	916	34.69	-1.575	966	37.19	0.277
817	30.17	3.092	867	32.34	2.697	917	34.73	-2.575	967	37.25	-1.349
810	30.22	3.967	868	32.39	3.447	918	34.78	-2.950	968	37.29	-2.849
819	30.25	4.592	869	32.44	3.696	919	34.83	-2.326	969	37.36	-3.475
820	30.30	5.216	870	32.48	3.446	920	34.91	-1.077	970	37.38	-4.850
821	30.34	6.841	871	32.53	2.820	921	34.97	-0.077	971	37.41	-5.226
822	30.38	7.466	872	32.58	0.570	922	35.02	0.172	972	37.46	-3.351
823	30.42	6.590	873	32.63	-0.681	923	35.08	1.422	973	37.51	-0.601
824	30.46	4.090	874	32.69	-1.556	924	35.12	3.046	974	37.54	0.023
825	30.50	1.839	875	32.73	-3.432	925	35.16	4.546	975	37.57	3.023
826	30.56	0.339	876	32.77	-4.057	926	35.20	6.421	976	37.62	5.147
827	30.62	0.588	877	32.81	-4.432	927	35.25	7.045	977	37.67	6.147
828	30.67	-0.412	878	32.86	-3.183	928	35.31	7.169	978	37.72	6.396
829	30.75	-1.286	879	32.91	-1.933	929	35.37	7.169	979	37.76	6.396
830	30.78	-1.288	880	32.96	-1.059	930	35.40	6.794	980	37.79	6.771
831	30.84	-1.914	881	33.00	-0.434	931	35.44	6.543	981	37.81	7.396
832	30.88	-1.914	882	33.03	0.566	932	35.47	6.543	982	37.83	8.021
833	30.93	-1.040	883	33.07	1.815	933	35.51	6.543	983	37.87	8.645
834	30.98	-0.415	884	33.11	1.615	934	35.55	5.542	984	37.95	9.270
835	31.03	0.834	885	33.17	3.315	935	35.57	4.667	985	38.00	9.019
836	31.08	1.834	886	33.22	4.689	936	35.60	3.042	986	38.05	8.019
837	31.13	2.083	887	33.25	4.689	937	35.64	2.416	987	38.11	6.518
838	31.18	1.833	888	33.31	4.313	938	35.69	2.791	988	38.14	4.018
839	31.22	0.333	889	33.35	3.063	939	35.72	3.041	989	38.18	2.392
840	31.27	-0.668	890	33.39	3.312	940	35.77	2.165	990	38.21	1.767
841	31.32	0.582	891	33.43	3.062	941	35.83	1.790	991	38.26	1.517
842	31.37	2.206	892	33.48	3.062	942	35.86	2.039	992	38.30	1.766
843	31.42	3.956	893	33.53	3.311	943	35.91	2.164	993	38.33	1.766
844	31.46	4.705	894	33.60	3.061	944	35.97	1.788	994	38.38	1.765
845	31.50	5.830	895	33.65	2.185	945	36.07	2.037	995	38.43	0.265
846	31.54	6.830	896	33.69	1.810	946	36.16	3.287	996	38.47	-1.985
847	31.57	8.704	897	33.75	1.559	947	36.27	1.160	997	38.52	-3.236
848	31.60	8.454	898	33.78	0.934	948	36.33	1.160	998	38.56	-3.861
849	31.64	8.079	899	33.85	0.808	949	36.38	1.410	999	38.61	-4.987
850	31.67	8.079	900	33.91	2.058	950	36.43	1.784	1000	38.66	-4.987

土木構造物における加速度強震記録（No.9）

INDEX NO. 804 1308-GR-1 ISHIKARIKAKOU B, U-D MAX.ACCEL.= -13.665(GAL) T=12.19(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	38.70	-3.362	1051	40.03	-1.757	1101	42.96	6.973	1151	45.36	0.825
1002	38.75	-2.468	1052	40.86	-1.250	1102	43.03	7.097	1152	45.36	0.200
1003	38.79	-0.613	1053	40.85	-0.633	1103	43.07	6.722	1153	45.43	0.450
1004	38.84	0.636	1054	40.92	-0.633	1104	43.14	5.471	1154	45.47	1.324
1005	38.87	2.511	1055	40.96	0.366	1105	43.20	4.598	1155	45.51	2.324
1006	38.92	3.261	1056	41.00	1.616	1106	43.25	4.595	1156	45.57	1.948
1007	38.96	3.635	1057	41.02	2.241	1107	43.30	3.345	1157	45.65	2.073
1008	39.01	3.260	1058	41.08	3.990	1108	43.35	2.594	1158	45.67	2.322
1009	39.07	2.759	1059	41.11	4.240	1109	43.40	2.594	1159	45.71	2.072
1010	39.12	2.009	1060	41.14	5.115	1110	43.47	3.593	1160	45.75	2.072
1011	39.16	1.758	1061	41.18	6.364	1111	43.58	1.717	1161	45.79	1.071
1012	39.20	1.133	1062	41.23	6.114	1112	43.62	1.717	1162	45.83	-0.429
1013	39.26	1.132	1063	41.28	4.863	1113	43.66	1.716	1163	45.89	-2.055
1014	39.31	1.132	1064	41.33	2.988	1114	43.69	2.341	1164	45.93	-3.555
1015	39.36	1.131	1065	41.36	2.362	1115	43.73	3.216	1165	45.97	-4.556
1016	39.41	1.131	1066	41.40	1.362	1116	43.79	5.090	1166	46.03	-4.306
1017	39.44	2.006	1067	41.44	1.362	1117	43.84	4.214	1167	46.09	-3.307
1018	39.47	2.630	1068	41.48	1.737	1118	43.88	4.214	1168	46.14	-3.057
1019	39.52	3.630	1069	41.52	2.486	1119	43.91	4.214	1169	46.18	-2.682
1020	39.55	4.255	1070	41.55	-0.139	1120	43.95	5.068	1170	46.23	-2.683
1021	39.60	3.379	1071	41.61	-1.140	1121	43.99	4.636	1171	46.28	-1.433
1022	39.65	2.379	1072	41.64	-1.390	1122	44.04	4.588	1172	46.32	-0.809
1023	39.69	2.128	1073	41.66	-0.515	1123	44.08	4.212	1173	46.37	1.316
1024	39.71	3.003	1074	41.70	-0.766	1124	44.14	3.337	1174	46.41	0.815
1025	39.74	3.253	1075	41.74	-0.516	1125	44.20	1.711	1175	46.50	2.065
1026	39.78	3.253	1076	41.78	-1.391	1126	44.24	1.336	1176	46.54	3.189
1027	39.83	2.377	1077	41.82	0.483	1127	44.27	0.460	1177	46.58	4.814
1028	39.86	1.752	1078	41.86	-1.642	1128	44.30	0.460	1178	46.63	4.813
1029	39.90	1.752	1079	41.89	-2.892	1129	44.33	-1.040	1179	46.71	4.563
1030	39.95	3.001	1080	41.92	-3.518	1130	44.37	-0.541	1180	46.77	4.187
1031	39.98	3.626	1081	41.96	-3.018	1131	44.41	-0.541	1181	46.83	4.562
1032	40.02	4.000	1082	42.04	0.231	1132	44.45	0.084	1182	46.91	4.186
1033	40.06	4.000	1083	42.08	2.356	1133	44.52	2.083	1183	46.96	4.185
1034	40.12	2.749	1084	42.13	2.106	1134	44.58	2.083	1184	47.00	4.185
1035	40.17	1.124	1085	42.19	2.605	1135	44.63	2.582	1185	47.05	2.684
1036	40.22	0.248	1086	42.23	2.729	1136	44.68	2.957	1186	47.09	0.809
1037	40.27	0.748	1087	42.27	3.229	1137	44.71	3.206	1187	47.13	-0.441
1038	40.30	1.748	1088	42.34	1.104	1138	44.73	3.831	1188	47.16	-1.066
1039	40.33	1.997	1089	42.38	-0.772	1139	44.76	5.081	1189	47.22	-0.817
1040	40.37	2.997	1090	42.42	-2.897	1140	44.79	4.831	1190	47.28	-0.818
1041	40.41	3.246	1091	42.49	-4.398	1141	44.83	5.080	1191	47.37	1.057
1042	40.45	2.996	1092	42.53	-4.898	1142	44.88	5.455	1192	47.42	1.681
1043	40.51	-0.130	1093	42.57	-5.024	1143	44.93	4.579	1193	47.46	2.556
1044	40.55	-1.380	1094	42.61	-4.399	1144	44.97	3.954	1194	47.49	4.430
1045	40.58	-2.380	1095	42.70	-0.900	1145	45.05	2.078	1195	47.53	5.055
1046	40.61	-2.130	1096	42.77	1.224	1146	45.13	0.452	1196	47.59	5.679
1047	40.66	-2.756	1097	42.82	2.474	1147	45.18	0.452	1197	47.64	6.679
1048	40.74	-2.381	1098	42.86	3.224	1148	45.23	1.451	1198	47.69	6.678
1049	40.76	-1.882	1099	42.89	3.223	1149	45.27	1.701	1199	47.78	5.803
1050	40.79	-1.507	1100	42.93	5.723	1150	45.33	1.076	1200	47.82	6.177

INDEX NO. 804 1308-GR-1 ISHIKARIKAKOU B, U-D MAX.ACCEL.= -13.665(GAL) T=12.19(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	47.87	5.552	1251	50.79	0.524	1301	53.74	4.747	1351	57.20	0.964
1202	47.91	4.301	1252	50.83	1.774	1302	53.81	4.996	1352	57.27	0.339
1203	47.96	2.551	1253	50.89	2.148	1303	53.87	3.870	1353	57.34	0.963
1204	48.01	1.426	1254	50.94	3.523	1304	53.96	4.120	1354	57.42	0.962
1205	48.09	1.925	1255	51.00	4.147	1305	54.02	2.869	1355	57.48	0.337
1206	48.12	0.800	1256	51.06	4.147	1306	54.08	0.743	1356	57.59	1.835
1207	48.17	0.174	1257	51.18	2.896	1307	54.12	-0.507	1357	57.67	1.835
1208	48.20	0.174	1258	51.24	1.645	1308	54.18	-1.507	1358	57.72	2.459
1209	48.25	0.173	1259	51.30	0.145	1309	54.23	-1.758	1359	57.79	2.584
1210	48.29	1.298	1260	51.39	-0.606	1310	54.27	-1.258	1360	57.88	2.208
1211	48.33	2.297	1261	51.45	-1.732	1311	54.34	-1.259	1361	57.95	0.957
1212	48.36	2.547	1262	51.52	-1.732	1312	54.38	0.366	1362	58.04	0.957
1213	48.44	3.171	1263	51.57	-1.733	1313	54.39	-0.009	1363	58.11	0.331
1214	48.48	2.671	1264	51.62	-1.483	1314	54.46	0.615	1364	58.20	0.330
1215	48.53	2.046	1265	51.67	-1.234	1315	54.52	0.615	1365	58.27	0.954
1216	48.58	1.045	1266	51.71	0.391	1316	54.60	0.364	1366	58.35	2.203
1217	48.62	0.170	1267	51.75	2.265	1317	54.68	0.613	1367	58.42	3.703
1218	48.66	0.419	1268	51.79	3.515	1318	54.77	0.987	1368	58.49	3.652
1219	48.72	0.419	1269	51.84	4.390	1319	54.86	0.111	1369	58.57	3.701
1220	48.78	0.668	1270	51.90	4.764	1320	54.91	-0.889	1370	58.65	2.575
1221	48.82	1.043	1271	51.96	4.763	1321	54.99	-0.640	1371	58.74	1.326
1222	48.89	1.667	1272	52.01	4.513	1322	55.07	-0.016	1372	58.81	0.324
1223	48.92	2.292	1273	52.07	3.262	1323	55.15	1.233	1373	58.88	-0.302
1224	48.98	3.792	1274	52.15	2.262	1324	55.23	3.733	1374	58.95	-1.177
1225	49.00	3.791	1275	52.22	1.386	1325	55.32	5.607	1375	59.02	-1.178
1226	49.05	2.291	1276	52.31	1.010	1326	55.41	6.356	1376	59.08	-0.678
1227	49.12	2.040	1277	52.41	0.384	1327	55.47	7.231	1377	59.14	-0.054
1228	49.21	1.414	1278	52.48	1.258	1328	55.52	7.855	1378	59.21	1.571
1229	49.30	0.788	1279	52.55	1.883	1329	55.58	6.980	1379	59.31	3.444
1230	49.42	1.412	1280	52.62	2.007	1330	55.65	5.354	1380	59.42	4.069
1231	49.55	1.661	1281	52.69	3.131	1331	55.72	3.228	1381	59.54	3.692
1232	49.65	1.935	1282	52.74	3.756	1332	55.81	2.227	1382	59.65	3.816
1233	49.72	0.660	1283	52.80	3.756	1333	55.87	0.977	1383	59.79	2.815
1234	49.78	1.659	1284	52.86	2.880	1334	55.92	0.726	1384	59.96	0.313
1235	49.84	3.158	1285	52.93	2.504	1335	55.97	0.351	1385	60.03	-1.187
1236	49.93	4.533	1286	53.00	1.379	1336	56.03	0.600	1386	60.10	-1.313
1237	49.98	5.657	1287	53.05	0.753	1337	56.13	2.224	1387	60.21	-0.314
1238	50.03	5.656	1288	53.11	1.253	1338	56.21	3.223	1388	60.33	0.560
1239	50.10	5.406	1289	53.17	1.877	1339	56.29	3.848	1389	60.42	0.934
1240	50.17	3.530	1290	53.22	2.501	1340	56.36	3.847	1390	60.56	2.433
1241	50.23	0.700	1291	53.29	1.001	1341	56.51	1.596	1391	60.69	3.057
1242	50.30	-0.846	1292	53.36	0.125	1342	56.56	0.970	1392	60.78	3.681
1243	50.37	-2.972	1293	53.39	0.375	1343	56.63	-0.905	1393	60.90	2.805
1244	50.42	-4.222	1294	53.44	0.374	1344	56.70	-1.156	1394	61.06	3.678
1245	50.45	-4.597	1295	53.49	0.374	1345	56.77	-1.532	1395	61.17	4.302
1246	50.50	-5.348	1296	53.53	0.123	1346	56.84	-1.532	1396	61.22	4.052
1247	50.56	-4.098	1297	53.57	0.623	1347	56.92	-1.283	1397	61.31	2.801
1248	50.62	-3.474	1298	53.61	0.623	1348	57.00	-0.284	1398	61.40	0.300
1249	50.67	-1.974	1299	53.64	1.623	1349	57.09	0.340	1399	61.50	-2.201
1250	50.72	-0.975	1300	53.69	2.872	1350	57.14	0.965	1400	61.60	-4.327

INDEX NO. 804 1308-GR-1 ISHIKARIKAKOU B, U-D MAX.ACCEL.= -13.865(GAL) T=12.19(SEC) NO. 8

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1401	61.72	-6.328	1451	66.20	-0.595	1501	71.29	2.332	1551	76.55	-2.342
1402	61.83	-6.704	1452	66.32	-1.071	1502	71.43	3.956	1552	76.70	-2.343
1403	61.93	-7.080	1453	66.39	-1.621	1503	71.52	2.705	1553	76.86	-1.719
1404	62.02	-5.456	1454	66.47	-0.997	1504	71.79	2.078	1554	77.00	-1.096
1405	62.13	-4.032	1455	66.55	-0.998	1505	71.88	1.452	1555	77.08	-2.096
1406	62.31	-1.334	1456	66.64	-0.999	1506	72.10	-1.050	1556	77.17	-1.472
1407	62.38	-0.084	1457	66.72	-0.125	1507	72.25	-2.027	1557	77.25	-1.098
1408	62.47	0.040	1458	66.87	-1.001	1508	72.40	-2.928	1558	77.34	-1.474
1409	62.58	1.539	1459	66.94	-2.252	1509	72.49	-3.304	1559	77.42	-1.725
1410	62.69	1.288	1460	67.06	-0.503	1510	72.59	-2.305	1560	77.49	-1.101
1411	62.78	1.537	1461	67.15	-1.504	1511	72.67	-2.931	1561	77.61	-0.977
1412	62.86	0.911	1462	67.20	-1.129	1512	72.73	-3.806	1562	77.72	0.023
1413	62.98	0.285	1463	67.25	0.995	1513	72.79	-4.807	1563	77.83	0.646
1414	63.06	1.909	1464	67.32	1.495	1514	72.90	-4.308	1564	77.94	0.896
1415	63.16	1.158	1465	67.38	1.869	1515	73.06	-5.809	1565	78.05	0.019
1416	63.24	1.783	1466	67.46	3.993	1516	73.17	-4.685	1566	78.16	-1.232
1417	63.32	0.907	1467	67.58	4.867	1517	73.27	-3.061	1567	78.29	-1.233
1418	63.41	0.031	1468	67.74	1.741	1518	73.35	-2.437	1568	78.34	-1.608
1419	63.50	0.200	1469	67.80	2.115	1519	73.43	-2.438	1569	78.44	-3.359
1420	63.63	0.654	1470	67.88	2.114	1520	73.53	-1.814	1570	78.53	-3.985
1421	63.80	1.278	1471	67.95	2.364	1521	73.66	0.435	1571	78.62	-5.611
1422	63.91	1.777	1472	68.02	2.988	1522	73.77	-0.816	1572	78.71	-4.112
1423	63.98	1.776	1473	68.12	2.987	1523	73.83	-2.442	1573	78.80	-4.986
1424	64.06	2.775	1474	68.31	-0.390	1524	73.92	-2.192	1574	78.94	-3.489
1425	64.13	4.274	1475	68.44	-0.766	1525	73.99	0.057	1575	79.02	-2.490
1426	64.19	5.274	1476	68.57	-1.017	1526	74.05	0.306	1576	79.10	-0.990
1427	64.30	5.898	1477	68.72	-2.644	1527	74.11	-0.944	1577	79.20	0.633
1428	64.39	4.647	1478	68.83	-2.895	1528	74.17	-0.945	1578	79.27	1.508
1429	64.49	3.396	1479	68.93	-2.645	1529	74.21	-0.570	1579	79.35	2.132
1430	64.56	1.521	1480	69.02	-2.646	1530	74.35	0.303	1580	79.41	1.632
1431	64.62	1.270	1481	69.14	-3.273	1531	74.44	2.053	1581	79.48	1.506
1432	64.70	1.769	1482	69.26	-2.699	1532	74.50	3.552	1582	79.61	0.380
1433	64.83	1.693	1483	69.34	-1.649	1533	74.56	4.552	1583	79.72	0.629
1434	64.91	2.142	1484	69.41	0.475	1534	74.64	4.551	1584	79.82	1.253
1435	65.00	1.516	1485	69.50	-0.026	1535	74.74	3.050	1585	79.92	2.627
1436	65.10	0.640	1486	69.62	-1.902	1536	74.83	0.799	1586	80.02	2.376
1437	65.18	-1.361	1487	69.69	-1.653	1537	74.94	-1.952	1587	80.13	1.375
1438	65.25	-3.111	1488	69.76	-2.278	1538	75.07	-4.326	1588	80.14	1.625
1439	65.31	-4.112	1489	69.77	-2.026	1539	75.19	-5.579	1589	80.25	0.749
1440	65.38	-4.112	1490	69.86	-2.529	1540	75.28	-5.830	1590	80.36	0.123
1441	65.44	-3.738	1491	69.96	-2.655	1541	75.38	-5.581	1591	80.45	0.747
1442	65.52	-3.489	1492	70.03	-3.281	1542	75.48	-3.707	1592	80.54	0.496
1443	65.61	-1.989	1493	70.13	-2.657	1543	75.59	-1.583	1593	80.64	-0.505
1444	65.69	-1.990	1494	70.24	-1.658	1544	75.70	-0.959	1594	80.74	-0.881
1445	65.76	-3.116	1495	70.36	-1.409	1545	75.82	1.040	1595	80.81	-0.882
1446	65.84	-3.492	1496	70.48	0.215	1546	75.93	1.664	1596	80.89	-2.132
1447	65.89	-3.242	1497	70.63	0.589	1547	76.03	2.038	1597	80.99	-2.758
1448	65.96	-2.243	1498	70.86	1.461	1548	76.13	2.037	1598	81.14	-2.509
1449	66.01	-1.618	1499	71.00	1.710	1549	76.26	0.411	1599	81.29	-3.511
1450	66.09	-1.369	1500	71.15	1.709	1550	76.43	-1.986	1600	81.39	-2.887

INDEX NO. 804 1308-GR-1 ISHIKARIKAKOU B, U-D MAX.ACCEL.= -13.865(GAL) T=12.19(SEC) NO. 9

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1601	81.47	-3.513	1651	85.47	1.325	1701	90.14	-1.219	1751	95.24	1.109
1602	81.48	-3.763	1652	85.56	2.574	1702	90.15	-2.094	1752	95.34	1.108
1603	81.60	-4.139	1653	85.66	3.448	1703	90.24	-1.595	1753	95.43	1.357
1604	81.67	-3.765	1654	85.78	2.197	1704	90.33	-1.595	1754	95.51	1.731
1605	81.77	-2.891	1655	85.85	1.696	1705	90.42	-0.596	1755	95.63	0.855
1606	81.86	-2.766	1656	85.96	0.695	1706	90.49	-0.847	1756	95.73	-0.146
1607	81.95	-1.892	1657	86.06	-0.556	1707	90.59	-1.473	1757	95.97	-0.273
1608	82.05	-1.268	1658	86.15	0.319	1708	90.68	-0.974	1758	96.08	0.226
1609	82.11	-1.519	1659	86.31	-1.058	1709	90.77	-1.225	1759	96.20	-0.650
1610	82.17	-1.019	1660	86.51	-1.935	1710	90.88	-1.226	1760	96.32	0.349
1611	82.25	-1.270	1661	86.62	-2.186	1711	91.01	-1.852	1761	96.42	0.598
1612	82.29	-2.520	1662	86.73	-1.312	1712	91.17	-1.478	1762	96.52	-0.903
1613	82.33	-1.646	1663	86.82	-0.063	1713	91.29	-1.229	1763	96.61	-1.279
1614	82.41	-1.022	1664	86.92	-0.314	1714	91.38	-1.480	1764	96.69	0.220
1615	82.52	-1.648	1665	87.01	-0.940	1715	91.48	-1.856	1765	96.80	1.219
1616	82.69	-1.274	1666	87.12	-1.566	1716	91.60	-0.982	1766	96.90	1.843
1617	82.76	-1.525	1667	87.21	-0.066	1717	91.73	0.391	1767	97.01	2.842
1618	82.85	-1.651	1668	87.35	-2.318	1718	91.82	1.266	1768	97.12	2.216
1619	82.96	-0.401	1669	87.49	-1.569	1719	91.92	2.765	1769	97.23	1.590
1620	83.03	0.848	1670	87.60	-1.070	1720	92.05	4.139	1770	97.44	-0.287
1621	83.10	1.847	1671	87.71	-0.321	1721	92.14	3.138	1771	97.55	-1.038
1622	83.17	1.846	1672	87.78	-0.072	1722	92.23	4.012	1772	97.67	-4.039
1623	83.25	1.595	1673	87.88	-1.323	1723	92.31	4.011	1773	97.76	-5.165
1624	83.31	1.845	1674	87.96	-1.573	1724	92.38	4.135	1774	97.84	-5.165
1625	83.39	1.219	1675	88.03	-1.324	1725	92.47	2.760	1775	97.90	-5.416
1626	83.45	1.844	1676	88.10	-1.325	1726	92.53	2.134	1776	97.96	-6.416
1627	83.50	2.093	1677	88.17	-1.575	1727	92.64	1.258	1777	98.02	-6.417
1628	83.57	2.843	1678	88.24	-1.576	1728	92.72	0.007	1778	98.08	-5.793
1629	83.65	2.592	1679	88.32	-1.577	1729	92.82	0.381	1779	98.14	-4.168
1630	83.73	1.091	1680	88.40	-1.578	1730	92.91	0.005	1780	98.22	-3.669
1631	83.78	0.716	1681	86.49	-1.579	1731	92.95	0.255	1781	98.32	-3.295
1632	83.83	0.965	1682	88.55	-1.329	1732	93.07	0.004	1782	98.39	-2.421
1633	83.88	-0.535	1683	88.62	-0.455	1733	93.19	-1.497	1783	98.49	-1.171
1634	83.94	-0.786	1684	88.67	1.420	1734	93.32	-0.624	1784	98.58	0.452
1635	83.99	-0.536	1685	88.74	2.044	1735	93.43	-0.375	1785	98.72	-0.174
1636	84.08	0.463	1686	88.84	2.543	1736	93.51	-0.000	1786	98.85	-0.175
1637	84.09	0.338	1687	86.94	3.792	1737	93.58	0.249	1787	99.00	0.698
1638	84.22	0.087	1688	89.04	2.916	1738	93.67	0.873	1788	99.14	0.447
1639	84.33	-0.769	1689	89.13	2.916	1739	93.74	0.873	1789	99.24	-0.179
1640	84.42	-1.790	1690	89.19	1.915	1740	93.85	-0.253	1790	99.38	-0.180
1641	84.50	-3.041	1691	89.25	1.040	1741	93.97	-1.680	1791	99.50	-0.556
1642	84.57	-3.667	1692	89.31	-1.211	1742	94.06	-1.680	1792	99.73	0.317
1643	84.65	-3.918	1693	89.43	-1.837	1743	94.15	-2.756	1793	99.88	+0.310
1644	84.74	-4.043	1694	89.50	-2.088	1744	94.34	-2.883	1794	100.02	0.314
1645	84.86	-3.044	1695	89.59	-1.838	1745	94.48	-2.759	1795	100.15	0.313
1646	84.96	-3.045	1696	89.68	-1.214	1746	94.61	-2.510	1796	100.25	-0.313
1647	85.06	-3.671	1697	89.76	-1.215	1747	94.83	-2.013	1797	100.36	-1.314
1648	85.16	-1.797	1698	89.86	-2.466	1748	94.94	-2.389	1798	100.45	-1.940
1649	85.26	-0.923	1699	89.95	-2.217	1749	95.04	-1.390	1799	100.54	-2.816
1650	85.38	0.701	1700	90.05	-2.093	1750	95.13	0.110	1800	100.56	-2.566

土木構造物における加速度強震記録（No.9）

INDEX NO. 804 1308-GR-1 ISHIKARIKAKOU B, U-D MAX.ACCEL.= -13.865(GAL) T=12.19(SEC) NO.10

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1601	100.67	-2.817	1651	107.08	-1.377
1602	100.80	-1.943	1652	107.19	-2.628
1603	100.94	-2.195	1653	107.30	-3.130
1604	101.08	-1.321	1654	107.55	-3.756
1605	101.19	-1.322	1655	107.66	-4.257
1606	101.31	0.177	1656	107.80	-3.134
1607	101.40	-0.699	1657	107.86	-3.384
1608	101.50	-1.575	1658	108.01	-3.636
1609	101.73	-1.952	1659	108.14	-3.387
1610	101.83	-1.326	1660	108.25	-2.138
1611	101.95	-1.954	1661	108.35	-2.389
1612	102.07	-2.580	1662	108.43	-1.514
1613	102.20	-0.456	1663	108.53	-2.765
1614	102.35	0.542	1664	108.68	-2.517
1615	102.46	0.166	1665	108.87	-1.769
1616	102.60	0.915	1666	109.03	-0.645
1617	102.73	1.414	1667	109.16	-0.271
1618	102.86	0.913	1668	109.33	0.102
1619	102.99	1.161	1669	109.44	0.351
1620	103.11	-0.965	1670	109.54	1.600
1621	103.23	-1.341	1671	109.63	0.724
1622	103.34	-1.092	1672	109.70	0.099
1623	103.44	-1.968	1673	109.79	-0.902
1624	103.56	-2.594	1674	109.88	-2.493
1625	103.68	-3.220	1675	110.00	-2.529
1626	103.88	-3.347	1676	110.04	-2.530
1627	104.00	-3.973	1677	110.15	-3.405
1628	104.11	-3.099	1678	110.29	-3.407
1629	104.23	-2.725	1679	110.43	-3.159
1630	104.33	-1.226	1680	110.59	-3.410
1631	104.42	-0.602	1681	110.74	-2.786
1632	104.54	-0.228	1682	110.87	-3.037
1633	104.67	-0.229	1683	110.98	-3.788
1634	104.81	0.394	1684	111.11	-4.664
1635	104.93	-0.482	1685	111.25	-2.166
1636	105.05	0.392	1686	111.36	-2.542
1637	105.16	0.141	1687	111.51	-1.793
1638	105.34	0.389	1688	111.62	-1.794
1639	105.45	0.013	1689	111.70	-2.171
1640	105.55	1.012	1690	111.89	-1.172
1641	105.66	0.261	1691	111.98	-0.923
1642	105.75	-0.489	1692	112.06	-2.173
1643	105.86	-1.365	1693	112.14	-2.799
1644	106.07	-1.118	1694	112.24	-3.425
1645	106.21	-1.369	1695	112.37	-3.176
1646	106.36	-1.745	1696	112.49	-4.052
1647	106.52	-0.497	1697	112.66	-3.429
1648	106.72	-1.373	1698	112.85	-2.806
1649	106.87	-0.125			
1650	106.98	-1.376			

Table IX D-31 Digitized Accelerations of Earthquake Record with Index Number 805

INDEX NO. 805 1308-GR-1 ISHIKARIKAKOU B, TR. MAX.ACCEL.= 43.108(GAL) T=21.46(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.43	-5.615	51	1.71	-3.462	101	3.17	-4.554	151	4.99	-3.013
2	0.45	-5.614	52	1.73	-3.461	102	3.23	-6.178	152	5.01	-3.012
3	0.47	-5.664	53	1.76	-3.711	103	3.27	-6.602	153	5.05	-3.011
4	0.50	-5.663	54	1.78	-4.585	104	3.31	-6.601	154	5.08	-3.261
5	0.52	-6.238	55	1.79	-5.835	105	3.35	-7.050	155	5.14	-4.884
6	0.53	-6.863	56	1.82	-6.210	106	3.39	-5.924	156	5.18	-5.508
7	0.57	-6.612	57	1.85	-4.959	107	3.43	-5.548	157	5.21	-4.258
8	0.60	-6.236	58	1.88	-4.333	108	3.46	-4.922	158	5.26	-4.881
9	0.63	-6.236	59	1.92	-4.333	109	3.48	-3.672	159	5.30	-5.131
10	0.66	-5.985	60	1.96	-4.956	110	3.50	-3.046	160	5.34	-4.880
11	0.70	-4.984	61	1.99	-6.831	111	3.54	-2.420	161	5.36	-4.254
12	0.72	-4.734	62	2.03	-7.080	112	3.57	-2.420	162	5.40	-4.254
13	0.73	-4.359	63	2.05	-5.954	113	3.61	-3.044	163	5.44	-4.252
14	0.76	-4.108	64	2.06	-5.829	114	3.65	-3.293	164	5.50	-5.251
15	0.79	-4.607	65	2.08	-4.329	115	3.69	-4.292	165	5.53	-5.750
16	0.81	-4.982	66	2.10	-3.453	116	3.75	-6.791	166	5.55	-5.750
17	0.83	-5.606	67	2.13	-2.627	117	3.77	-7.040	167	5.58	-4.625
18	0.87	-5.656	68	2.17	-4.577	118	3.81	-7.040	168	5.61	-4.249
19	0.89	-5.605	69	2.20	-6.451	119	3.84	-6.164	169	5.63	-2.996
20	0.92	-4.105	70	2.22	-6.450	120	3.88	-4.288	170	5.66	-2.748
21	0.94	-3.479	71	2.25	-5.575	121	3.93	-4.537	171	5.68	-1.497
22	0.97	-3.104	72	2.27	-4.325	122	3.97	-5.161	172	5.71	-0.871
23	0.99	-3.353	73	2.30	-2.824	123	4.01	-5.285	173	5.74	-0.245
24	1.01	-3.978	74	2.31	-2.448	124	4.04	-4.034	174	5.77	-0.495
25	1.03	-5.227	75	2.34	-2.198	125	4.07	-3.658	175	5.80	-2.369
26	1.05	-5.602	76	2.37	-1.572	126	4.11	-4.533	176	5.85	-2.993
27	1.08	-5.651	77	2.39	-2.072	127	4.14	-5.532	177	5.88	-3.618
28	1.10	-6.226	78	2.41	-3.071	128	4.19	-6.406	178	5.91	-3.617
29	1.12	-6.475	79	2.44	-4.570	129	4.22	-5.530	179	5.96	-3.991
30	1.15	-6.475	80	2.47	-5.570	130	4.24	-5.280	180	6.00	-3.990
31	1.17	-5.974	81	2.50	-6.444	131	4.27	-4.904	181	6.02	-4.489
32	1.18	-5.349	82	2.53	-5.943	132	4.30	-3.028	182	6.05	-5.739
33	1.20	-4.099	83	2.58	-5.942	133	4.34	-3.027	183	6.09	-5.238
34	1.23	-3.473	84	2.61	-4.692	134	4.37	-3.902	184	6.14	-2.987
35	1.25	-4.347	85	2.67	-4.315	135	4.40	-5.526	185	6.18	-2.361
36	1.28	-4.972	86	2.70	-4.065	136	4.45	-5.275	186	6.21	-1.735
37	1.30	-5.346	87	2.73	-3.689	137	4.49	-4.649	187	6.24	-1.485
38	1.33	-5.846	88	2.76	-2.813	138	4.53	-4.023	188	6.28	-1.734
39	1.35	-5.595	89	2.81	-2.437	139	4.58	-4.022	189	6.32	-2.608
40	1.37	-4.720	90	2.86	-2.686	140	4.61	-4.521	190	6.35	-2.607
41	1.40	-2.469	91	2.90	-4.310	141	4.65	-4.895	191	6.38	-1.481
42	1.44	-1.843	92	2.92	-5.810	142	4.68	-4.894	192	6.41	-1.481
43	1.47	-3.342	93	2.95	-6.434	143	4.72	-4.019	193	6.45	-1.980
44	1.51	-4.342	94	2.98	-6.433	144	4.76	-3.643	194	6.49	-2.979
45	1.53	-4.591	95	3.01	-5.932	145	4.79	-4.267	195	6.53	-3.603
46	1.57	-5.215	96	3.03	-4.932	146	4.83	-5.141	196	6.57	-4.227
47	1.60	-4.964	97	3.06	-4.307	147	4.87	-5.515	197	6.60	-5.101
48	1.63	-4.339	98	3.09	-4.056	148	4.92	-4.889	198	6.64	-5.226
49	1.65	-4.088	99	3.12	-4.305	149	4.95	-4.888	199	6.66	-5.225
50	1.68	-4.088	100	3.15	-4.305	150	4.98	-4.013	200	6.71	-4.849

INDEX NO. 605 1308-GR-1 ISHIKARIKAKOU 6. TR. MAX.ACCEL.= 43.108(GAL) T=21.46(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	6.76	-3.973	251	8.56	-1.682	301	10.10	-3.647	351	11.34	7.505
202	6.81	-2.722	252	8.61	-2.931	302	10.12	-3.147	352	11.36	7.881
203	6.86	-2.720	253	8.65	-3.180	303	10.15	-2.521	353	11.39	7.631
204	6.90	-3.220	254	8.69	-5.679	304	10.18	-1.521	354	11.41	6.007
205	6.93	-4.219	255	8.72	-6.553	305	10.19	-0.895	355	11.43	2.882
206	6.97	-5.718	256	8.75	-11.303	306	10.22	-0.895	356	11.45	-1.117
207	7.02	-5.842	257	8.77	-14.302	307	10.25	-1.144	357	11.46	-4.867
208	7.07	-5.466	258	8.81	-14.926	308	10.30	-3.393	358	11.48	-8.492
209	7.12	-6.089	259	8.86	-13.675	309	10.32	-6.267	359	11.49	-12.491
210	7.17	-6.339	260	8.89	-12.424	310	10.35	-9.142	360	11.50	-14.491
211	7.21	-6.338	261	8.92	-10.549	311	10.39	-12.891	361	11.52	-11.491
212	7.25	-7.586	262	8.95	-9.048	312	10.41	-13.890	362	11.53	-7.990
213	7.28	-8.211	263	8.97	-8.423	313	10.44	-14.890	363	11.55	-6.115
214	7.32	-9.210	264	9.01	-9.922	314	10.48	-13.389	364	11.56	-3.865
215	7.37	-8.959	265	9.05	-10.296	315	10.51	-10.888	365	11.58	-0.990
216	7.43	-8.332	266	9.08	-8.670	316	10.54	-7.137	366	11.60	-1.614
217	7.45	-8.332	267	9.12	-7.169	317	10.56	-5.137	367	11.62	-2.663
218	7.48	-7.331	268	9.15	-4.544	318	10.58	-2.887	368	11.65	-3.488
219	7.52	-7.080	269	9.16	0.207	319	10.62	-2.636	369	11.67	-4.362
220	7.56	-7.579	270	9.20	4.333	320	10.66	-3.760	370	11.70	-5.987
221	7.59	-7.954	271	9.21	6.583	321	10.70	-5.634	371	11.74	-4.111
222	7.62	-8.576	272	9.24	7.833	322	10.73	-8.758	372	11.75	-2.486
223	7.66	-6.577	273	9.29	7.584	323	10.76	-10.008	373	11.76	-0.110
224	7.70	-5.201	274	9.31	6.335	324	10.79	-10.382	374	11.77	1.515
225	7.74	-1.325	275	9.34	5.086	325	10.82	-9.131	375	11.80	2.266
226	7.77	0.800	276	9.37	3.461	326	10.84	-7.631	376	11.82	-1.109
227	7.79	3.676	277	9.41	2.212	327	10.85	-5.380	377	11.85	-8.109
228	7.82	4.301	278	9.45	1.588	328	10.87	-4.130	378	11.86	-15.108
229	7.85	4.052	279	9.49	0.339	329	10.88	-2.880	379	11.88	-21.106
230	7.86	4.053	280	9.52	-1.160	330	10.90	-2.505	380	11.91	-25.232
231	7.92	4.679	281	9.55	-0.660	331	10.92	-3.504	381	11.93	-26.482
232	7.96	6.179	282	9.57	0.591	332	10.94	-2.003	382	11.97	-27.231
233	7.98	6.805	283	9.60	0.716	333	10.96	0.872	383	12.00	-23.105
234	8.01	7.806	284	9.64	-1.783	334	10.98	3.122	384	12.02	-18.730
235	8.04	8.431	285	9.66	-6.032	335	11.00	4.373	385	12.04	-12.729
236	8.07	8.432	286	9.68	-9.157	336	11.02	4.373	386	12.06	-8.604
237	8.11	7.808	287	9.70	-11.281	337	11.05	5.124	387	12.08	-7.353
238	8.16	5.934	288	9.72	-11.906	338	11.07	5.624	388	12.11	-6.478
239	8.19	3.185	289	9.74	-9.155	339	11.09	6.625	389	12.14	-5.727
240	8.23	-2.169	290	9.76	-4.780	340	11.11	6.376	390	12.17	-3.851
241	8.26	-7.939	291	9.78	-0.154	341	11.14	3.501	391	12.18	-1.976
242	8.30	-11.686	292	9.79	1.096	342	11.15	0.376	392	12.21	2.275
243	8.34	-13.687	293	9.83	2.221	343	11.17	-1.498	393	12.23	4.775
244	8.38	-13.686	294	9.86	1.597	344	11.20	-2.123	394	12.24	6.025
245	8.42	-11.560	295	9.89	1.348	345	11.24	-1.247	395	12.28	6.651
246	8.45	-7.184	296	9.92	-0.277	346	11.25	-0.622	396	12.32	7.902
247	8.47	-3.934	297	9.95	-2.401	347	11.28	1.004	397	12.34	8.778
248	8.49	-2.059	298	9.98	-3.025	348	11.29	2.504	398	12.36	10.153
249	8.52	-1.683	299	10.01	-3.149	349	11.30	4.379	399	12.39	10.779
250	8.54	-1.432	300	10.05	-3.148	350	11.31	6.255	400	12.43	10.280

INDEX NO. 805 1308-GR-1 ISHIKARIKAKOU 6. TR. MAX.ACCEL.= 43.108(GAL) T=21.46(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	12.45	8.405	451	13.56	7.305	501	14.65	6.830	551	15.69	0.478
402	12.47	4.656	452	13.58	3.555	502	14.66	9.330	552	15.71	1.978
403	12.49	-0.469	453	13.60	-0.444	503	14.67	12.455	553	15.73	4.479
404	12.51	-8.094	454	13.62	-2.944	504	14.68	13.080	554	15.74	6.104
405	12.52	-12.218	455	13.63	-6.193	505	14.69	13.955	555	15.75	7.604
406	12.56	-13.843	456	13.65	-6.693	506	14.71	13.956	556	15.78	7.605
407	12.58	-13.592	457	13.67	-11.818	507	14.73	12.206	557	15.80	5.230
408	12.61	-13.841	458	13.68	-14.442	508	14.76	8.457	558	15.83	3.356
409	12.62	-15.091	459	13.69	-16.692	509	14.78	3.457	559	15.86	0.857
410	12.65	-16.090	460	13.72	-19.191	510	14.81	-2.042	560	15.89	-1.018
411	12.68	-16.715	461	13.75	-19.566	511	14.83	-5.166	561	15.91	-2.267
412	12.71	-16.089	462	13.79	-18.565	512	14.84	-8.666	562	15.93	-1.767
413	12.73	-12.089	463	13.80	-17.940	513	14.86	-10.916	563	15.95	1.734
414	12.75	-7.088	464	13.81	-17.064	514	14.88	-11.540	564	15.97	6.109
415	12.76	-2.213	465	13.84	-15.814	515	14.91	-11.539	565	15.98	7.609
416	12.78	2.287	466	13.86	-14.563	516	14.95	-14.414	565	15.99	9.234
417	12.79	3.538	467	13.89	-9.188	517	14.96	-17.288	567	16.02	11.485
418	12.83	3.288	468	13.91	-5.062	518	14.97	-19.413	568	16.06	9.986
419	12.85	-1.461	469	13.92	-0.312	519	14.99	-22.663	569	16.09	9.737
420	12.88	-3.585	470	13.94	3.188	520	15.00	-24.287	570	16.12	8.112
421	12.91	-4.585	471	13.96	3.814	521	15.02	-24.337	571	16.15	2.363
422	12.94	-3.959	472	14.00	1.065	522	15.03	-21.787	572	16.17	-2.261
423	12.98	-1.833	473	14.02	-4.165	523	15.05	-17.411	573	16.19	-5.886
424	13.00	1.917	474	14.04	-9.309	524	15.09	-11.411	574	16.21	-7.136
425	13.02	2.918	475	14.06	-13.059	525	15.11	-8.285	575	16.25	-7.510
426	13.04	5.418	476	14.08	-15.683	526	15.14	-5.034	576	16.27	-6.259
427	13.06	6.794	477	14.11	-16.308	527	15.15	-2.159	577	16.30	-6.509
428	13.09	12.045	478	14.15	-15.807	528	15.17	2.966	578	16.33	-8.633
429	13.11	14.295	479	14.18	-12.681	529	15.18	4.841	579	16.36	-13.507
430	13.13	16.920	480	14.19	-7.056	530	15.19	6.092	580	16.40	-16.631
431	13.14	20.045	481	14.22	1.195	531	15.21	6.092	581	16.43	-19.756
432	13.15	22.796	482	14.24	7.945	532	15.25	3.343	582	16.46	-22.005
433	13.16	23.171	483	14.28	14.571	533	15.29	-1.406	583	16.49	-22.629
434	13.18	20.671	484	14.29	16.821	534	15.32	-3.905	584	16.53	-22.378
435	13.21	12.547	485	14.30	18.822	535	15.34	-5.155	585	16.57	-20.502
436	13.22	8.047	486	14.32	20.947	536	15.38	-8.404	586	16.61	-18.377
437	13.25	3.673	487	14.34	21.322	537	15.41	-9.278	587	16.64	-12.251
438	13.27	-0.202	488	14.37	18.573	538	15.44	-9.653	588	16.67	-7.625
439	13.28	-3.326	489	14.40	15.074	539	15.48	-8.902	589	16.69	-5.250
440	13.30	-7.451	490	14.43	11.074	540	15.49	-5.652	590	16.71	-1.874
441	13.31	-9.951	491	14.44	6.825	541	15.52	-2.151	591	16.73	2.626
442	13.32	-12.825	492	14.45	4.075	542	15.54	-0.276	592	16.75	7.377
443	13.36	-13.575	493	14.47	0.451	543	15.56	2.975	593	16.77	11.252
444	13.38	-10.449	494	14.50	-0.424	544	15.58	6.975	594	16.78	13.127
445	13.41	-6.449	495	14.53	-1.423	545	15.59	8.226	595	16.79	13.377
446	13.44	-2.573	496	14.55	-3.548	546	15.61	9.226	596	16.81	12.503
447	13.49	3.553	497	14.57	-5.922	547	15.63	8.602	597	16.85	7.504
448	13.50	6.054	498	14.60	-6.547	548	15.65	6.102	598	16.87	4.129
449	13.52	7.554	499	14.62	-6.046	549	15.66	3.977	599	16.90	1.503
450	13.53	7.929	500	14.63	-2.579	550	15.67	1.727	600	16.93	0.881

INDEX NO. 805 1308-SR-1 ISHIKARIKAKOU B. TR. MAX.ACCEL.= 43.108(GAL) T=21.46(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	16.96	2.006	651	18.21	-4.591	701	19.49	-1.437	751	20.75	-1.534
602	16.99	4.507	652	18.24	-1.215	702	19.52	1.064	752	20.77	-4.408
603	17.02	7.006	653	18.27	1.035	703	19.55	1.939	753	20.79	-6.408
604	17.04	6.883	654	18.28	3.661	704	19.59	3.065	754	20.81	-9.157
605	17.07	9.509	655	18.31	4.286	705	19.62	5.816	755	20.83	-13.407
606	17.10	16.259	656	18.33	3.412	706	19.66	8.942	756	20.84	-16.156
607	17.12	6.135	657	18.36	0.288	707	19.69	12.618	757	20.86	-18.656
608	17.14	5.010	658	18.38	-2.637	708	19.72	16.318	758	20.88	-21.281
609	17.16	2.506	659	18.40	-6.211	709	19.73	17.818	759	20.90	-25.155
610	17.16	-2.614	660	18.43	-7.336	710	19.74	19.194	760	20.93	-28.779
611	17.20	-3.488	661	18.44	-11.086	711	19.75	20.444	761	20.95	-33.279
612	17.23	-3.613	662	18.46	-14.960	712	19.78	20.445	762	20.97	-35.529
613	17.26	-2.987	663	18.50	-11.209	713	19.80	17.695	763	20.98	-37.153
614	17.28	-3.237	664	18.53	-14.709	714	19.83	12.446	764	21.01	-36.903
615	17.31	-4.111	665	18.56	-20.333	715	19.85	5.696	765	21.02	-33.527
616	17.33	-7.110	666	18.60	-20.082	716	19.87	0.947	766	21.05	-31.902
617	17.35	-10.235	667	18.63	-15.081	717	19.88	-1.303	767	21.10	-31.276
618	17.37	-12.985	668	18.65	-8.206	718	19.90	-2.552	768	21.14	-31.025
619	17.38	-15.609	669	18.66	-2.455	719	19.93	-3.177	769	21.17	-27.399
620	17.41	-17.234	670	18.69	1.295	720	19.97	-1.676	770	21.20	-19.773
621	17.44	-16.606	671	18.71	4.295	721	20.00	0.574	771	21.22	-7.773
622	17.46	-15.733	672	18.73	7.421	722	20.03	2.450	772	21.25	2.478
623	17.49	-14.482	673	18.75	6.297	723	20.06	2.701	773	21.28	12.853
624	17.50	-12.607	674	18.80	7.422	724	20.09	0.952	774	21.30	20.854
625	17.51	-9.731	675	18.83	7.173	725	20.11	-0.673	775	21.32	25.229
626	17.54	-6.356	676	18.86	6.549	726	20.14	-1.922	776	21.37	30.980
627	17.58	-5.605	677	18.88	7.049	727	20.16	-3.422	777	21.39	35.106
628	17.60	-7.354	678	18.91	10.300	728	20.17	-3.421	778	21.42	38.857
629	17.63	-7.729	679	18.93	13.801	729	20.19	-4.046	779	21.44	41.732
630	17.65	-5.603	680	18.96	16.301	730	20.22	-5.046	780	21.46	43.108
631	17.67	-3.103	681	18.98	20.427	731	20.24	-3.545	781	21.49	42.483
632	17.70	0.023	682	18.99	22.052	732	20.26	-1.670	782	21.52	37.484
633	17.73	4.273	683	19.01	22.052	733	20.30	2.831	783	21.54	33.984
634	17.75	11.899	684	19.04	19.928	734	20.34	4.332	784	21.57	28.360
635	17.77	18.274	685	19.08	6.179	735	20.38	5.833	785	21.59	20.736
636	17.80	22.025	686	19.10	-1.321	736	20.42	10.084	786	21.62	10.486
637	17.82	22.651	687	19.13	-10.820	737	20.45	11.960	787	21.65	-0.638
638	17.85	20.776	688	19.14	-16.820	738	20.48	15.710	788	21.67	-5.763
639	17.87	18.902	689	19.16	-20.944	739	20.50	19.586	789	21.71	-9.762
640	17.92	18.278	690	19.17	-21.319	740	20.53	22.087	790	21.75	-14.011
641	17.95	16.278	691	19.20	-21.694	741	20.55	22.712	791	21.77	-16.761
642	17.97	16.029	692	19.22	-20.818	742	20.57	22.713	792	21.78	-18.385
643	18.00	14.904	693	19.24	-18.567	743	20.59	21.213	793	21.82	-17.760
644	18.04	9.405	694	19.26	-17.692	744	20.61	17.463	794	21.86	-16.633
645	18.06	0.781	695	19.29	-17.941	745	20.63	16.839	795	21.90	-19.633
646	18.10	-6.093	696	19.31	-18.566	746	20.65	12.089	796	21.94	-20.507
647	18.11	-9.218	697	19.35	-18.565	747	20.67	7.340	797	21.97	-20.006
648	18.13	-11.718	698	19.39	-16.439	748	20.69	3.840	798	22.00	-18.130
649	18.16	-11.217	699	19.43	-11.563	749	20.71	1.861	799	22.01	-15.005
650	18.19	-8.091	700	19.46	-4.938	750	20.73	-0.036	800	22.03	-10.880

INDEX NO. 805 1308-SR-1 ISHIKARIKAKOU B. TR. MAX.ACCEL.= 43.108(GAL) T=21.46(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	22.05	-6.879	851	23.26	-6.477	901	24.56	14.677	951	26.11	-3.038
802	22.06	-3.629	852	23.29	-5.851	902	24.60	14.678	952	26.13	-5.288
803	22.09	-2.003	853	23.33	-5.476	903	24.62	14.678	953	26.15	-7.787
804	22.12	-3.503	854	23.35	-4.475	904	24.64	14.429	954	26.18	-11.287
805	22.14	-4.127	855	23.38	-4.225	905	24.66	14.929	955	26.19	-12.537
806	22.17	-3.001	856	23.41	-1.974	906	24.68	17.430	956	26.20	-14.161
807	22.20	4.374	857	23.43	-1.099	907	24.69	18.430	957	26.22	-14.786
808	22.23	11.375	858	23.46	-0.473	908	24.73	17.556	958	26.23	-15.160
809	22.26	17.000	859	23.49	-0.472	909	24.77	13.432	959	26.26	-13.910
810	22.26	20.501	860	23.50	-1.347	910	24.79	10.557	960	26.28	-12.034
811	22.29	23.626	861	23.53	-2.596	911	24.85	0.058	961	26.32	-7.409
812	22.30	24.876	862	23.54	-3.471	912	24.86	-0.316	962	26.35	-2.533
813	22.32	24.627	863	23.56	-4.471	913	24.90	-11.565	963	26.37	0.218
814	22.35	21.502	864	23.59	-5.095	914	24.94	-15.190	964	26.40	4.468
815	22.37	18.753	865	23.61	-4.844	915	24.99	-17.314	965	26.43	7.594
816	22.40	15.628	866	23.62	-2.344	916	25.05	-20.437	966	26.47	10.095
817	22.44	10.679	867	23.65	-0.718	917	25.09	-22.811	967	26.50	11.720
818	22.46	6.005	868	23.68	-0.718	918	25.13	-23.435	968	26.52	12.721
819	22.47	4.505	869	23.71	-1.592	919	25.17	-23.184	969	26.55	13.347
820	22.49	1.256	870	23.73	-1.967	920	25.21	-21.808	970	26.58	11.847
821	22.52	-1.494	871	23.74	-1.341	921	25.24	-20.683	971	26.63	10.599
822	22.54	-3.118	872	23.77	-1.091	922	25.28	-15.932	972	26.68	10.474
823	22.57	-2.868	873	23.79	-1.591	923	25.30	-12.681	973	26.71	8.975
824	22.60	-1.617	874	23.82	-1.090	924	25.33	-9.556	974	26.74	7.476
825	22.62	0.633	875	23.85	-0.964	925	25.34	-7.431	975	26.75	7.101
826	22.64	3.134	876	23.88	0.787	926	25.36	-5.430	976	26.79	8.352
827	22.66	5.009	877	23.90	5.287	927	25.39	-2.929	977	26.83	10.478
828	22.66	5.885	878	23.92	7.163	928	25.41	-1.054	978	26.85	12.728
829	22.72	5.011	879	23.94	10.538	929	25.43	0.571	979	26.89	14.604
830	22.75	3.136	880	23.96	11.664	930	25.45	1.447	980	26.92	15.230
831	22.76	2.887	881	23.99	12.664	931	25.48	1.573	981	26.96	13.355
832	22.78	1.512	882	24.03	11.165	932	25.54	0.949	982	26.99	10.231
833	22.81	2.138	883	24.06	9.541	933	25.56	-0.676	983	27.02	5.857
834	22.83	3.388	884	24.10	8.042	934	25.59	-0.425	984	27.05	4.358
835	22.87	3.514	885	24.12	8.042	935	25.63	2.576	985	27.10	-1.141
836	22.90	0.639	886	24.16	8.043	936	25.67	5.077	986	27.15	-6.640
837	22.93	-3.360	887	24.19	6.794	937	25.69	7.578	987	27.19	-10.639
838	22.96	-6.984	888	24.23	6.170	938	25.73	8.828	988	27.22	-14.763
839	23.00	-9.108	889	24.26	6.670	939	25.78	9.704	989	27.24	-16.638
840	23.02	-11.983	890	24.29	7.671	940	25.80	11.455	990	27.26	-16.263
841	23.04	-15.232	891	24.32	9.797	941	25.84	12.081	991	27.28	-18.887
842	23.05	-15.482	892	24.33	10.797	942	25.86	12.081	992	27.30	-17.637
843	23.07	-16.732	893	24.38	14.173	943	25.90	10.832	993	27.33	-16.136
844	23.08	-17.356	894	24.40	16.046	944	25.94	6.833	994	27.36	-13.260
845	23.10	-16.231	895	24.43	16.049	945	25.97	2.584	995	27.40	-10.509
846	23.13	-14.605	896	24.44	19.674	946	25.99	0.709	996	27.42	-8.634
847	23.17	-13.354	897	24.47	19.675	947	26.00	-0.166	997	27.44	-7.634
848	23.19	-11.479	898	24.46	18.175	948	26.04	-1.165	998	27.48	-7.883
849	23.21	-9.353	899	24.51	16.926	949	26.07	-1.164	999	27.50	-8.882
850	23.24	-7.478	900	24.53	15.926	950	26.09	-1.414	1000	27.53	-8.882

INDEX NO. 805 1308-GR-1 ISHIKARIKAKUU B, TR. MAX.ACCEL.= 43.108(GAL) T=21.46(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	27.57	-8.631	1051	29.00	15.026	1101	30.61	-6.612	1151	32.37	-1.647
1002	27.60	-7.005	1052	29.07	12.778	1102	30.63	-8.311	1152	32.40	-0.147
1003	27.62	-4.579	1053	29.11	12.529	1103	30.67	-9.311	1153	32.42	2.979
1004	27.63	-2.254	1054	29.13	10.654	1104	30.71	-9.934	1154	32.47	6.730
1005	27.66	-0.004	1055	29.17	7.155	1105	30.74	-9.934	1155	32.51	7.106
1006	27.70	0.872	1056	29.20	3.406	1106	30.79	-11.433	1156	32.55	5.232
1007	27.74	3.246	1057	29.23	-1.343	1107	30.81	-14.057	1157	32.60	3.983
1008	27.75	4.498	1058	29.26	-4.468	1108	30.86	-15.681	1158	32.66	2.359
1009	27.77	5.999	1059	29.30	-6.467	1109	30.90	-16.930	1159	32.70	1.485
1010	27.79	6.500	1060	29.32	-6.091	1110	30.94	-15.679	1160	32.73	-2.264
1011	27.81	10.125	1061	29.36	-8.965	1111	30.98	-15.429	1161	32.77	-7.388
1012	27.83	11.125	1062	29.40	-9.965	1112	31.00	-14.805	1162	32.81	-11.137
1013	27.86	10.251	1063	29.43	-10.839	1113	31.07	-7.301	1163	32.83	-14.012
1014	27.88	9.626	1064	29.47	-11.213	1114	31.10	-3.426	1164	32.85	-15.261
1015	27.90	9.002	1065	29.51	-7.462	1115	31.13	-0.300	1165	32.88	-14.761
1016	27.92	8.127	1066	29.53	-4.337	1116	31.17	2.701	1166	32.94	-11.884
1017	27.94	8.378	1067	29.56	-1.211	1117	31.20	3.576	1167	32.97	-8.508
1018	27.96	9.003	1068	29.57	0.289	1118	31.25	3.953	1168	33.03	-2.757
1019	27.99	9.379	1069	29.60	1.293	1119	31.30	3.704	1169	33.05	-0.507
1020	28.02	9.579	1070	29.63	2.666	1120	31.35	3.955	1170	33.09	0.119
1021	28.05	9.005	1071	29.67	2.667	1121	31.38	4.200	1171	33.15	0.120
1022	28.07	6.881	1072	29.71	2.042	1122	31.40	6.081	1172	33.19	1.371
1023	28.09	4.361	1073	29.74	2.918	1123	31.44	10.207	1173	33.23	2.247
1024	28.11	1.131	1074	29.78	4.794	1124	31.47	12.832	1174	33.26	2.748
1025	28.13	-1.368	1075	29.82	7.045	1125	31.48	13.706	1175	33.31	2.124
1026	28.15	-4.668	1076	29.86	8.921	1126	31.51	14.333	1176	33.36	2.125
1027	28.19	-7.492	1077	29.90	10.547	1127	31.55	12.834	1177	33.42	2.126
1028	28.23	-8.741	1078	29.91	12.422	1128	31.60	10.960	1178	33.46	1.752
1029	28.25	-9.615	1079	29.94	14.048	1129	31.64	10.961	1179	33.51	-0.372
1030	28.28	-10.865	1080	29.97	13.424	1130	31.66	10.962	1180	33.54	-0.996
1031	28.31	-10.364	1081	30.00	12.174	1131	31.71	11.338	1181	33.57	-2.620
1032	28.33	-9.739	1082	30.03	11.550	1132	31.75	10.714	1182	33.58	-4.745
1033	28.37	-8.738	1083	30.07	11.301	1133	31.80	10.965	1183	33.60	-6.120
1034	28.40	-6.237	1084	30.10	10.051	1134	31.82	12.215	1184	33.62	-7.369
1035	28.42	-3.111	1085	30.13	7.177	1135	31.86	14.091	1185	33.66	-7.993
1036	28.46	-1.235	1086	30.16	4.053	1136	31.89	15.342	1186	33.69	-7.118
1037	28.51	-0.985	1087	30.18	0.553	1137	31.92	16.218	1187	33.72	-5.242
1038	28.54	-0.984	1088	30.19	-0.697	1138	31.96	16.344	1188	33.76	-4.616
1039	28.57	-0.983	1089	30.22	-2.571	1139	32.00	15.969	1189	33.78	-3.366
1040	28.61	-1.232	1090	30.25	-2.570	1140	32.04	15.345	1190	33.82	-4.239
1041	28.65	1.269	1091	30.29	-2.069	1141	32.06	13.471	1191	33.85	-5.489
1042	28.69	2.144	1092	30.32	-1.944	1142	32.09	10.347	1192	33.89	-5.863
1043	28.72	5.770	1093	30.35	-1.693	1143	32.13	7.597	1193	33.92	-5.237
1044	28.74	8.271	1094	30.38	-1.692	1144	32.15	7.223	1194	33.97	-4.236
1045	28.77	10.146	1095	30.40	-1.067	1145	32.19	5.349	1195	34.01	-2.985
1046	28.81	12.772	1096	30.44	-1.941	1146	32.21	4.724	1196	34.05	0.765
1047	28.85	14.648	1097	30.48	-3.815	1147	32.25	3.475	1197	34.10	4.892
1048	28.88	16.149	1098	30.51	-3.814	1148	32.28	1.851	1198	34.12	8.392
1049	28.93	16.775	1099	30.56	-5.563	1149	32.31	-0.023	1199	34.23	11.895
1050	28.99	15.651	1100	30.59	-6.187	1150	32.33	-1.273	1200	34.27	12.896

INDEX NO. 805 1308-GR-1 ISHIKARIKAKUU B, TR. MAX.ACCEL.= 43.108(GAL) T=21.46(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	34.32	14.147	1251	36.41	10.619	1301	38.24	-0.264	1351	39.72	3.269
1202	34.36	15.648	1252	36.45	10.620	1302	38.27	-0.889	1352	39.74	2.644
1203	34.40	16.396	1253	36.52	11.071	1303	38.29	0.987	1353	39.78	1.895
1204	34.45	17.524	1254	36.56	9.573	1304	38.31	3.487	1354	39.80	3.520
1205	34.49	17.025	1255	36.60	6.699	1305	38.32	4.737	1355	39.83	4.771
1206	34.54	14.151	1256	36.63	4.574	1306	38.33	6.613	1356	39.87	6.897
1207	34.58	11.025	1257	36.67	3.325	1307	38.35	6.613	1357	39.90	6.398
1208	34.63	8.279	1258	36.70	2.201	1308	38.38	5.364	1358	39.93	5.399
1209	34.69	5.405	1259	36.73	1.952	1309	38.40	4.114	1359	39.97	6.025
1210	34.73	2.156	1260	36.76	0.953	1310	38.43	3.490	1360	40.00	6.025
1211	34.77	1.282	1261	36.79	2.453	1311	38.47	2.616	1361	40.03	4.526
1212	34.81	-0.342	1262	36.82	3.454	1312	38.50	2.241	1362	40.05	2.901
1213	34.86	-0.592	1263	36.87	2.580	1313	38.55	1.360	1363	40.10	2.277
1214	34.88	-0.966	1264	36.91	0.706	1314	38.57	1.368	1364	40.12	2.903
1215	34.92	-0.965	1265	36.95	-1.543	1315	38.60	0.369	1365	40.15	2.654
1216	34.96	0.286	1266	36.99	-4.042	1316	38.63	-0.880	1366	40.17	1.029
1217	35.00	0.912	1267	37.04	-6.041	1317	38.65	-1.505	1367	40.18	1.029
1218	35.03	0.912	1268	37.10	-4.615	1318	38.71	-2.129	1368	40.20	1.280
1219	35.06	0.288	1269	37.14	-3.914	1319	38.76	-3.003	1369	40.23	1.030
1220	35.09	-1.211	1270	37.18	-2.913	1320	38.83	-3.376	1370	40.25	1.906
1221	35.12	-3.460	1271	37.22	-0.162	1321	38.88	-3.750	1371	40.28	2.531
1222	35.15	-5.460	1272	37.25	1.338	1322	38.91	-4.000	1372	40.29	3.532
1223	35.21	-6.458	1273	37.31	1.840	1323	38.94	-3.374	1373	40.30	4.407
1224	35.25	-6.458	1274	37.35	0.341	1324	38.99	-3.373	1374	40.33	3.533
1225	35.29	-6.956	1275	37.38	1.592	1325	39.02	-3.122	1375	40.35	0.158
1226	35.33	-7.331	1276	37.42	3.092	1326	39.04	-1.498	1376	40.40	-5.716
1227	35.39	-9.204	1277	37.47	2.594	1327	39.07	1.629	1377	40.43	-10.590
1228	35.44	-9.203	1278	37.50	0.344	1328	39.10	5.380	1378	40.45	-13.215
1229	35.46	-7.327	1279	37.52	-1.530	1329	39.14	7.506	1379	40.47	-15.089
1230	35.52	-6.701	1280	37.55	-3.655	1330	39.17	7.256	1380	40.50	-15.213
1231	35.57	-6.325	1281	37.58	-4.404	1331	39.19	6.007	1381	40.55	-14.587
1232	35.61	-6.450	1282	37.63	-3.153	1332	39.22	2.258	1382	40.57	-13.587
1233	35.63	-4.824	1283	37.63	-1.528	1333	39.26	-1.492	1383	40.60	-12.961
1234	35.67	-3.323	1284	37.65	-0.652	1334	39.28	-4.991	1384	40.63	-11.460
1235	35.71	-2.072	1285	37.69	0.348	1335	39.30	-7.240	1385	40.66	-10.460
1236	35.75	-2.571	1286	37.73	1.599	1336	39.34	-7.615	1386	40.69	-9.834
1237	35.80	-2.695	1287	37.76	3.100	1337	39.37	-6.989	1387	40.73	-9.833
1238	35.84	-2.944	1288	37.78	4.100	1338	39.41	-5.988	1388	40.76	-9.208
1239	35.90	0.182	1289	37.82	4.726	1339	39.43	-4.113	1389	40.80	-8.582
1240	35.94	3.683	1290	37.85	6.602	1340	39.45	-3.237	1390	40.82	-7.081
1241	35.98	5.059	1291	37.88	8.726	1341	39.47	-1.987	1391	40.84	-4.706
1242	36.01	12.310	1292	37.90	10.728	1342	39.50	0.889	1392	40.86	-3.205
1243	36.03	14.163	1293	37.93	10.479	1343	39.54	3.514	1393	40.90	-1.954
1244	36.06	14.811	1294	37.96	8.605	1344	39.56	5.640	1394	40.94	-1.328
1245	36.09	14.362	1295	38.02	3.731	1345	39.57	7.516	1395	40.98	-0.702
1246	36.14	13.938	1296	38.06	2.857	1346	39.59	9.141	1396	41.01	1.173
1247	36.20	9.614	1297	38.09	1.482	1347	39.62	9.391	1397	41.04	2.424
1248	36.24	9.190	1298	38.14	0.984	1348	39.65	8.267	1398	41.05	4.174
1249	36.30	10.067	1299	38.18	0.359	1349	39.68	7.268	1399	41.06	6.050
1250	36.35	10.443	1300	38.21	-0.265	1350	39.70	5.393	1400	41.09	6.675

土木構造物における加速度強震記録（No. 9）

INDEX NO. 805 1308-GR-1 ISHIKARIKAKOU B. TR. MAX.ACCEL.= 43.108(GAL) T=21.46(SEC) NO. 8

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1401	41.12	5.601	1451	42.49	-5.419	1501	44.25	8.746	1551	46.13	-4.337
1402	41.13	5.176	1452	42.52	3.562	1502	44.33	7.672	1552	46.17	-3.536
1403	41.14	4.551	1453	42.55	0.333	1503	44.33	5.998	1553	46.19	-2.460
1404	41.17	3.552	1454	42.59	7.583	1504	44.36	4.373	1554	46.24	1.166
1405	41.20	3.303	1455	42.64	7.585	1505	44.39	3.749	1555	46.27	3.292
1406	41.22	2.078	1456	42.67	5.636	1506	44.42	4.060	1556	46.30	4.917
1407	41.24	2.926	1457	42.70	2.961	1507	44.43	4.375	1557	46.34	6.418
1408	41.27	4.604	1458	42.74	1.067	1508	44.47	0.501	1558	46.39	7.046
1409	41.30	5.430	1459	42.77	0.213	1509	44.51	7.752	1559	46.44	5.920
1410	41.34	4.431	1460	42.82	-0.161	1510	44.56	6.128	1560	46.48	4.671
1411	41.37	4.431	1461	42.85	0.465	1511	44.60	6.254	1561	46.56	4.672
1412	41.40	4.432	1462	42.89	1.715	1512	44.64	4.130	1562	46.59	5.174
1413	41.42	5.057	1463	42.94	3.592	1513	44.69	-0.369	1563	46.63	5.550
1414	41.44	6.683	1464	42.97	0.092	1514	44.73	-2.868	1564	46.67	4.926
1415	41.46	9.433	1465	42.99	0.593	1515	44.77	-4.492	1565	46.70	4.301
1416	41.48	11.434	1466	43.01	9.468	1516	44.82	-4.991	1566	46.74	4.552
1417	41.51	13.934	1467	43.05	9.844	1517	44.87	-4.365	1567	46.77	5.553
1418	41.52	15.185	1468	43.07	7.969	1518	44.93	-2.114	1568	46.81	6.179
1419	41.54	15.185	1469	43.11	5.470	1519	44.96	-0.613	1569	46.84	6.804
1420	41.57	13.686	1470	43.14	3.596	1520	44.99	1.013	1570	46.90	6.181
1421	41.60	11.186	1471	43.17	2.722	1521	45.03	1.639	1571	46.98	3.603
1422	41.64	6.812	1472	43.20	1.723	1522	45.08	2.515	1572	47.03	2.809
1423	41.66	3.938	1473	43.25	1.974	1523	45.13	3.016	1573	47.08	2.165
1424	41.68	2.063	1474	43.28	1.974	1524	45.16	3.892	1574	47.14	1.186
1425	41.70	0.689	1475	43.31	2.350	1525	45.22	4.893	1575	47.19	-0.688
1426	41.72	0.064	1476	43.34	2.350	1526	45.27	4.894	1576	47.23	-0.687
1427	41.73	0.439	1477	43.37	1.726	1527	45.31	4.270	1577	47.28	-0.435
1428	41.76	1.065	1478	43.40	0.852	1528	45.35	3.396	1578	47.35	-0.309
1429	41.81	2.566	1479	43.43	1.103	1529	45.38	1.521	1579	47.39	-0.058
1430	41.85	2.567	1480	43.47	1.728	1530	45.41	0.522	1580	47.44	0.193
1431	41.89	1.693	1481	43.51	1.729	1531	45.45	1.398	1581	47.49	-0.681
1432	41.93	0.694	1482	43.55	-0.145	1532	45.50	2.399	1582	47.52	-1.305
1433	41.96	-0.555	1483	43.58	-2.094	1533	45.53	3.900	1583	47.56	-1.304
1434	41.99	-2.055	1484	43.60	-5.894	1534	45.58	5.151	1584	47.60	-0.428
1435	42.02	-3.054	1485	43.62	-8.393	1535	45.62	5.152	1585	47.64	-0.053
1436	42.05	-5.303	1486	43.64	-9.892	1536	45.66	3.653	1586	47.68	-2.177
1437	42.07	-6.926	1487	43.67	-10.267	1537	45.69	2.153	1587	47.73	-5.801
1438	42.10	-8.802	1488	43.70	-9.391	1538	45.72	-0.096	1588	47.76	-10.175
1439	42.13	-9.302	1489	43.74	-7.765	1539	45.74	-1.595	1589	47.79	-12.799
1440	42.16	-9.051	1490	43.78	-4.390	1540	45.76	-3.845	1590	47.83	-12.173
1441	42.20	-9.050	1491	43.81	-1.389	1541	45.80	-5.219	1591	47.87	-10.047
1442	42.23	-8.424	1492	43.87	2.238	1542	45.83	-5.468	1592	47.89	-5.547
1443	42.25	-7.549	1493	43.91	5.113	1543	45.86	-6.092	1593	47.93	-3.296
1444	42.27	-6.923	1494	43.94	7.364	1544	45.92	-9.216	1594	47.96	-1.420
1445	42.31	-7.797	1495	43.99	7.615	1545	45.95	-11.466	1595	47.99	0.080
1446	42.33	-9.672	1496	44.03	8.261	1546	45.97	-13.465	1596	48.02	1.956
1447	42.36	-11.172	1497	44.08	6.617	1547	46.00	-13.464	1597	48.05	3.082
1448	42.40	-10.046	1498	44.11	9.243	1548	46.04	-11.339	1598	48.10	3.083
1449	42.44	-7.545	1499	44.16	10.119	1549	46.07	-9.088	1599	48.15	3.084
1450	42.45	-4.420	1500	44.20	10.620	1550	46.10	-5.712	1600	48.20	3.085

INDEX NO. 805 1308-GR-1 ISHIKARIKAKOU B. TR. MAX.ACCEL.= 43.108(GAL) T=21.46(SEC) NO. 9

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1601	48.24	3.711	1651	50.33	-0.617	1701	52.82	-6.310	1751	55.28	-2.255
1602	48.28	5.212	1652	50.40	0.260	1702	52.87	-8.184	1752	55.32	0.621
1603	48.34	5.588	1653	50.43	0.686	1703	52.92	-9.058	1753	55.36	2.747
1604	48.41	5.340	1654	50.47	2.761	1704	52.96	-10.307	1754	55.40	4.748
1605	48.46	4.966	1655	50.51	2.512	1705	53.02	-12.181	1755	55.47	5.750
1606	48.50	4.092	1656	50.56	-0.237	1706	53.09	-12.429	1756	55.51	7.000
1607	48.53	4.593	1657	50.60	-1.486	1707	53.14	-7.678	1757	55.55	7.626
1608	48.58	4.969	1658	50.63	-4.735	1708	53.18	-3.552	1758	55.59	8.877
1609	48.62	4.345	1659	50.67	-6.359	1709	53.21	-0.426	1759	55.62	9.503
1610	48.67	2.846	1660	50.71	-6.608	1710	53.25	1.825	1760	55.65	9.753
1611	48.72	2.472	1661	50.75	-6.107	1711	53.30	4.076	1761	55.68	8.879
1612	48.76	3.098	1662	50.77	-5.107	1712	53.34	4.702	1762	55.72	8.005
1613	48.79	3.724	1663	50.82	-4.481	1713	53.39	6.328	1763	55.76	6.131
1614	48.81	3.099	1664	50.87	-2.979	1714	53.45	4.829	1764	55.80	3.882
1615	48.86	0.975	1665	50.91	0.771	1715	53.52	1.705	1765	55.84	2.633
1616	48.90	-0.274	1666	50.96	3.398	1716	53.53	1.331	1766	55.91	1.634
1617	48.94	-1.523	1667	51.01	0.274	1717	53.56	-0.793	1767	55.95	-0.114
1618	48.97	-2.522	1668	51.09	6.900	1718	53.61	-3.042	1768	55.99	-0.114
1619	49.02	-1.896	1669	51.16	6.027	1719	53.67	-5.291	1769	56.03	0.387
1620	49.06	-0.395	1670	51.23	6.529	1720	53.72	-6.915	1770	56.07	2.638
1621	49.10	2.481	1671	51.29	6.030	1721	53.78	-7.163	1771	56.10	2.889
1622	49.15	4.982	1672	51.33	3.156	1722	53.83	-6.663	1772	56.14	3.265
1623	49.20	6.857	1673	51.37	-0.218	1723	53.87	-6.287	1773	56.18	3.516
1624	49.23	7.733	1674	51.41	-1.842	1724	53.95	-4.785	1774	56.24	2.642
1625	49.26	8.359	1675	51.46	-5.091	1725	54.01	-0.658	1775	56.29	2.643
1626	49.29	6.110	1676	51.53	-5.714	1726	54.06	2.718	1776	56.33	2.019
1627	49.34	4.986	1677	51.59	-6.338	1727	54.11	5.344	1777	56.37	1.770
1628	49.38	1.662	1678	51.66	-3.836	1728	54.16	8.470	1778	56.44	0.146
1629	49.42	-0.637	1679	51.72	-1.085	1729	54.18	11.095	1779	56.48	-1.720
1630	49.45	-3.136	1680	51.77	1.791	1730	54.21	13.971	1780	56.53	-3.601
1631	49.48	-4.386	1681	51.83	3.792	1731	54.25	14.847	1781	56.57	-5.601
1632	49.52	-4.385	1682	51.87	5.043	1732	54.30	14.348	1782	56.61	-6.225
1633	49.55	-3.134	1683	51.92	6.294	1733	54.35	11.474	1783	56.66	-4.724
1634	49.61	-1.883	1684	51.98	6.671	1734	54.40	9.975	1784	56.71	-0.973
1635	49.65	0.243	1685	52.04	7.547	1735	54.44	9.351	1785	56.73	1.278
1636	49.72	3.119	1686	52.10	7.548	1736	54.47	8.352	1786	56.78	3.904
1637	49.76	5.620	1687	52.16	6.300	1737	54.52	6.853	1787	56.81	6.655
1638	49.77	7.495	1688	52.19	5.425	1738	54.57	4.604	1788	56.86	7.906
1639	49.79	9.621	1689	52.23	4.176	1739	54.63	2.605	1789	56.90	8.532
1640	49.84	11.122	1690	52.28	2.553	1740	54.68	1.107	1790	56.94	8.032
1641	49.88	10.748	1691	52.33	1.929	1741	54.72	-1.143	1791	56.98	5.784
1642	49.91	10.499	1692	52.36	2.555	1742	54.76	-3.642	1792	57.03	1.784
1643	49.95	10.500	1693	52.40	3.805	1743	54.81	-5.640	1793	57.07	-2.340
1644	49.99	10.751	1694	52.44	4.681	1744	54.86	-9.690	1794	57.14	-8.088
1645	50.02	11.626	1695	52.50	3.558	1745	54.93	-6.263	1795	57.18	-10.212
1646	50.06	9.877	1696	52.55	1.059	1746	54.98	-5.387	1796	57.22	-13.211
1647	50.13	6.754	1697	52.60	-2.440	1747	55.01	-5.261	1797	57.27	-14.460
1648	50.18	3.680	1698	52.66	-4.689	1748	55.07	-5.260	1798	57.32	-14.709
1649	50.23	1.006	1699	52.71	-5.313	1749	55.12	-5.634	1799	57.37	-14.458
1650	50.28	-0.618	1700	52.76	-5.437	1750	55.23	-3.756	1800	57.40	-13.582

INDEX NO. 805 1306-GR-1 ISHIKARIKAKOU B. TR. MAX.ACCEL.= 43.108(GAL) T=21.46(SEC) NO.10

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1601	57.47	-10.330	1651	59.68	-0.656	1901	62.20	1.277	1951	65.17	0.343
1602	57.51	-8.629	1652	59.72	-2.280	1902	62.26	0.903	1952	65.21	-0.906
1603	57.53	-6.954	1653	59.77	-2.529	1903	62.31	1.529	1953	65.27	-3.029
1604	57.56	-4.328	1654	59.81	-2.276	1904	62.35	1.780	1954	65.33	-4.603
1605	57.59	-1.203	1655	59.85	-1.652	1905	62.41	1.781	1955	65.38	-5.402
1606	57.62	1.298	1656	59.89	-0.401	1906	62.45	1.532	1956	65.45	-5.401
1607	57.66	3.924	1657	59.94	-0.400	1907	62.48	2.408	1957	65.53	-4.774
1608	57.71	5.800	1658	59.98	-0.149	1908	62.51	2.159	1958	65.61	-4.772
1609	57.75	6.676	1659	60.02	-0.648	1909	62.55	0.910	1959	65.68	-4.520
1610	57.82	7.303	1660	60.05	-1.647	1910	62.61	-0.339	1960	65.71	-5.020
1611	57.85	7.679	1661	60.08	-2.272	1911	62.66	-2.213	1961	65.79	-5.018
1612	57.88	7.929	1662	60.14	-1.645	1912	62.71	-3.712	1962	65.88	-3.766
1613	57.92	8.555	1663	60.18	-0.144	1913	62.77	-4.461	1963	65.95	-2.014
1614	57.96	9.556	1664	60.23	2.107	1914	62.79	-5.460	1964	66.03	-0.388
1615	58.01	10.807	1665	60.26	4.232	1915	62.83	-5.709	1965	66.12	0.240
1616	58.05	11.103	1666	60.30	5.483	1916	62.88	-5.208	1966	66.22	2.117
1617	58.09	11.309	1667	60.36	6.734	1917	62.95	-3.957	1967	66.29	2.744
1618	58.14	10.310	1668	60.40	8.611	1918	63.03	-0.455	1968	66.35	3.495
1619	58.19	8.611	1669	60.46	9.237	1919	63.08	0.797	1969	66.40	3.746
1620	58.29	5.563	1670	60.52	9.363	1920	63.12	2.297	1970	66.46	3.747
1621	58.32	5.064	1671	60.58	8.740	1921	63.18	3.424	1971	66.50	2.248
1622	58.37	4.690	1672	60.63	7.491	1922	63.24	2.800	1972	66.56	2.500
1623	58.41	5.316	1673	60.66	6.067	1923	63.30	1.926	1973	66.59	2.500
1624	58.45	4.692	1674	60.74	3.743	1924	63.33	1.177	1974	66.67	2.252
1625	58.48	3.068	1675	60.79	2.120	1925	63.40	0.679	1975	66.75	0.754
1626	58.54	2.444	1676	60.84	-0.379	1926	63.46	-0.320	1976	66.81	-0.870
1627	58.58	0.570	1677	60.88	-2.254	1927	63.51	-0.944	1977	66.85	-0.869
1628	58.62	-0.679	1678	60.92	-2.003	1928	63.55	-0.943	1978	66.91	-1.118
1629	58.67	-1.678	1679	60.96	-2.002	1929	63.60	-1.192	1979	66.95	-0.867
1630	58.71	-1.927	1680	61.00	-1.001	1930	63.65	-1.191	1980	67.03	-0.990
1631	58.75	-1.676	1681	61.07	-0.749	1931	63.70	-0.315	1981	67.09	-0.989
1632	58.82	-0.175	1682	61.14	-1.248	1932	63.76	-0.563	1982	67.12	-0.113
1633	58.84	0.451	1683	61.20	-1.671	1933	63.81	-2.187	1983	67.17	0.513
1634	58.89	1.827	1684	61.24	-3.120	1934	63.87	-3.061	1984	67.25	-0.360
1635	58.92	2.077	1685	61.30	-3.494	1935	63.92	-3.435	1985	67.32	-0.358
1636	58.97	2.454	1686	61.35	-3.493	1936	63.96	-3.684	1986	67.38	0.268
1637	59.03	1.455	1687	61.40	-3.241	1937	64.02	-3.432	1987	67.44	1.144
1638	59.08	0.206	1688	61.48	-1.990	1938	64.07	-1.931	1988	67.48	2.145
1639	59.13	-0.418	1689	61.55	-0.988	1939	64.13	0.320	1989	67.56	2.772
1640	59.18	-2.042	1690	61.66	-0.736	1940	64.20	0.697	1990	67.63	2.149
1641	59.23	-2.291	1691	61.72	0.266	1941	64.32	1.199	1991	67.71	1.151
1642	59.28	-2.290	1692	61.77	2.392	1942	64.39	1.576	1992	67.83	0.403
1643	59.33	-1.664	1693	61.83	4.618	1943	64.50	2.203	1993	67.91	-0.845
1644	59.36	-1.413	1694	61.88	5.519	1944	64.60	2.831	1994	67.97	-2.094
1645	59.40	-0.162	1695	61.94	5.521	1945	64.72	2.833	1995	68.04	-3.967
1646	59.43	1.089	1696	62.00	5.022	1946	64.82	3.211	1996	68.11	-5.340
1647	59.46	1.715	1697	62.04	5.523	1947	64.92	2.838	1997	66.20	-4.963
1648	59.51	1.840	1698	62.05	4.648	1948	65.01	2.465	1998	68.28	-4.337
1649	59.58	1.217	1699	62.10	3.149	1949	65.05	2.841	1999	68.43	-1.833
1650	59.63	0.218	1700	62.15	1.525	1950	65.12	1.967	2000	68.49	-0.707

INDEX NO. 805 1308-GR-1 ISHIKARIKAKOU B. TR. MAX.ACCEL.= 43.108(GAL) T=21.46(SEC) NO.11

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2001	68.56	0.295	2051	73.07	2.397	2101	77.46	1.120	2151	80.96	-7.676
2002	68.62	3.046	2052	73.14	3.274	2102	77.54	2.622	2152	81.01	-7.675
2003	68.75	4.174	2053	73.24	4.901	2103	77.63	4.374	2153	81.06	-8.924
2004	68.79	5.050	2054	73.34	5.528	2104	77.71	6.251	2154	81.10	-8.048
2005	68.87	5.427	2055	73.52	6.157	2105	77.79	6.252	2155	81.13	-5.797
2006	68.95	4.803	2056	73.63	4.535	2106	77.88	3.379	2156	81.16	-4.922
2007	69.04	3.306	2057	73.75	3.662	2107	77.96	2.131	2157	81.20	-5.171
2008	69.11	1.682	2058	73.90	1.541	2108	78.03	-0.617	2158	81.25	-5.169
2009	69.16	-0.191	2059	74.08	-1.705	2109	78.10	-2.241	2159	81.29	-2.919
2010	69.22	-2.940	2060	74.20	-5.453	2110	78.18	-4.489	2160	81.32	-0.418
2011	69.29	-3.814	2061	74.28	-5.826	2111	78.26	-5.112	2161	81.35	1.208
2012	69.39	-5.311	2062	74.37	-6.324	2112	78.33	-6.110	2162	81.39	3.333
2013	69.47	-5.935	2063	74.43	-9.622	2113	78.40	-6.734	2163	81.43	5.084
2014	69.55	-5.058	2064	74.51	-9.321	2114	78.48	-6.857	2164	81.47	5.710
2015	69.61	-3.806	2065	74.60	-8.068	2115	78.54	-9.106	2165	81.55	8.712
2016	69.68	-3.180	2066	74.68	-6.192	2116	78.61	-9.479	2166	81.62	6.484
2017	69.76	-3.428	2067	74.73	-3.691	2117	78.66	-8.603	2167	81.65	7.359
2018	69.86	-2.551	2068	74.81	-1.814	2118	78.74	-9.351	2168	81.73	6.216
2019	69.94	-1.549	2069	74.88	-0.187	2119	78.80	-8.350	2169	81.78	4.342
2020	70.03	-0.922	2070	74.96	1.064	2120	78.86	-7.474	2170	81.82	4.343
2021	70.10	-0.295	2071	75.05	0.816	2121	78.92	-6.472	2171	81.88	4.595
2022	70.17	0.581	2072	75.13	0.068	2122	78.97	-6.221	2172	81.93	4.598
2023	70.27	1.958	2073	75.21	-1.055	2123	79.06	-6.469	2173	81.98	4.597
2024	70.33	2.210	2074	75.27	-2.054	2124	79.12	-4.218	2174	82.04	5.473
2025	70.41	3.587	2075	75.41	-0.551	2125	79.22	-3.215	2175	82.09	5.475
2026	70.51	3.839	2076	75.50	0.701	2126	79.38	-0.087	2176	82.15	5.226
2027	70.62	3.841	2077	75.59	2.954	2127	79.46	1.415	2177	82.21	6.477
2028	70.69	2.343	2078	75.67	3.955	2128	79.54	1.792	2178	82.25	6.853
2029	70.77	2.345	2079	75.75	4.582	2129	79.60	2.418	2179	82.32	6.480
2030	70.86	1.972	2080	75.86	6.209	2130	79.65	4.669	2180	82.37	6.231
2031	70.94	1.098	2081	75.93	4.961	2131	79.74	8.171	2181	82.41	7.107
2032	71.03	0.476	2082	76.01	4.338	2132	79.79	8.423	2182	82.47	6.858
2033	71.12	-1.397	2083	76.07	5.964	2133	79.87	8.174	2183	82.51	6.234
2034	71.17	-2.021	2084	76.16	2.091	2134	79.93	7.301	2184	82.58	5.611
2035	71.24	-3.645	2085	76.24	0.218	2135	79.99	4.802	2185	82.65	3.862
2036	71.33	-5.642	2086	76.31	-1.656	2136	80.04	1.928	2186	82.73	3.239
2037	71.41	-7.141	2087	76.37	-2.904	2137	80.10	0.680	2187	82.81	2.366
2038	71.50	-7.764	2088	76.43	-1.903	2138	80.16	0.431	2188	82.86	1.992
2039	71.58	-9.012	2089	76.50	-1.651	2139	80.30	0.684	2189	82.91	1.743
2040	71.71	-7.759	2090	76.59	-1.274	2140	80.38	0.311	2190	82.97	-0.506
2041	71.87	-7.380	2091	76.68	-2.897	2141	80.45	-1.188	2191	83.03	-3.004
2042	72.01	-5.252	2092	76.77	-3.646	2142	80.52	-1.436	2192	83.08	-4.003
2043	72.15	-3.124	2093	76.88	-5.768	2143	80.60	-5.059	2193	83.11	-4.377
2044	72.40	0.632	2094	76.94	-6.142	2144	80.66	-6.933	2194	83.16	-4.376
2045	72.55	2.510	2095	76.99	-7.640	2145	80.72	-6.807	2195	83.22	-6.250
2046	72.66	3.6dd	2096	77.06	-7.014	2146	80.76	-11.308	2196	83.27	-8.374
2047	72.75	5.140	2097	77.15	-6.762	2147	80.79	-12.055	2197	83.29	-8.498
2048	72.82	4.266	2098	77.23	-5.135	2148	80.82	-12.054	2198	83.33	-9.997
2049	72.89	3.266	2099	77.33	-4.133	2149	80.85	-10.804	2199	83.37	-11.371
2050	72.97	3.020	2100	77.40	-4.506	2150	80.90	-9.303	2200	83.42	-11.120

土木構造物における加速度強震記録（No.9）

INDEX NO. 805 1306-GR-1 ISHIKARIKAKOU S. TR. MAX.ACCEL.= 43.108(GAL) T=21.46(SEC) NO.12

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2201	83.47	-11.119	2251	86.60	-3.669	2301	90.23	-1.342	2351	93.92	2.491
2202	83.52	-11.118	2252	86.86	-2.793	2302	90.27	-1.841	2352	94.00	5.368
2203	83.58	-11.367	2253	86.96	-1.541	2303	90.31	-1.640	2353	94.09	6.870
2204	83.62	-10.116	2254	87.00	0.335	2304	90.36	-0.964	2354	94.16	6.871
2205	83.65	-8.615	2255	87.06	0.336	2305	90.42	-0.963	2355	94.25	6.623
2206	83.69	-7.614	2256	87.11	-0.162	2306	90.48	-0.086	2356	94.33	6.876
2207	83.74	-7.364	2257	87.16	-0.786	2307	90.55	1.290	2357	94.43	6.628
2208	83.80	-7.662	2258	87.22	-1.410	2308	90.62	1.542	2358	94.53	4.505
2209	83.84	-7.986	2259	87.33	-1.407	2309	90.70	0.919	2359	94.59	3.506
2210	83.93	-6.359	2260	87.41	-0.281	2310	90.85	0.797	2360	94.65	2.257
2211	83.99	-5.983	2261	87.47	0.971	2311	90.93	0.799	2361	94.74	1.009
2212	84.05	-5.106	2262	87.51	2.222	2312	90.99	0.800	2362	94.83	0.386
2213	84.16	-3.729	2263	87.58	2.648	2313	91.05	0.801	2363	94.91	1.263
2214	84.22	-2.226	2264	87.63	2.349	2314	91.11	1.053	2364	95.01	1.015
2215	84.27	-1.226	2265	87.66	2.600	2315	91.17	1.179	2365	95.10	0.142
2216	84.35	1.525	2266	87.73	4.601	2316	91.22	0.555	2366	95.22	-0.605
2217	84.40	4.152	2267	87.77	5.853	2317	91.23	0.555	2367	95.33	-1.478
2218	84.47	4.526	2268	87.86	6.054	2318	91.34	-0.817	2368	95.43	-1.475
2219	84.54	6.030	2269	87.93	6.356	2319	91.42	-1.940	2369	95.52	-2.098
2220	84.61	7.031	2270	87.99	6.106	2320	91.49	-1.689	2370	95.56	-2.722
2221	84.67	7.033	2271	88.05	6.359	2321	91.55	-0.812	2371	95.65	-2.845
2222	84.73	7.409	2272	88.13	5.610	2322	91.63	-0.436	2372	95.75	-5.343
2223	84.81	6.786	2273	88.22	3.988	2323	91.70	-0.684	2373	95.85	-5.591
2224	84.88	6.662	2274	88.31	2.740	2324	91.78	-1.057	2374	95.96	-5.963
2225	85.02	7.041	2275	88.39	0.867	2325	91.96	-0.303	2375	96.07	-5.086
2226	85.10	5.792	2276	88.45	-0.382	2326	92.06	1.574	2376	96.16	-3.834
2227	85.17	5.544	2277	88.55	-1.256	2327	92.14	1.576	2377	96.26	-3.632
2228	85.24	3.296	2278	88.55	-1.630	2328	92.20	2.202	2378	96.34	-4.330
2229	85.33	1.423	2279	88.80	-2.254	2329	92.28	1.029	2379	96.41	-5.328
2230	85.40	-0.076	2280	88.83	-3.070	2330	92.36	-0.294	2380	96.46	-5.077
2231	85.47	0.176	2281	88.89	-5.127	2331	92.47	-2.167	2381	96.53	-4.951
2232	85.55	-0.446	2282	88.74	-5.126	2332	92.56	-0.915	2382	96.58	-4.449
2233	85.66	-1.070	2283	88.76	-4.674	2333	92.74	-1.536	2383	96.64	-4.073
2234	85.68	-1.815	2284	88.90	-4.247	2334	92.85	-1.783	2384	96.75	-0.321
2235	85.94	-1.814	2285	88.98	-4.246	2335	92.92	-2.156	2385	96.88	1.182
2236	86.01	-1.187	2286	89.01	-3.244	2336	92.98	-1.905	2386	96.92	2.868
2237	86.08	-1.186	2287	89.06	-2.993	2337	93.04	-1.904	2387	97.02	2.435
2238	86.16	-1.809	2288	89.11	-1.492	2338	93.10	-1.527	2388	97.12	3.437
2239	86.18	-1.558	2289	89.16	0.385	2339	93.15	-2.151	2389	97.28	5.066
2240	86.22	-1.807	2290	89.26	2.261	2340	93.23	-2.149	2390	97.40	4.194
2241	86.29	-3.306	2291	89.33	3.263	2341	93.32	-2.398	2391	97.50	2.946
2242	86.34	-3.305	2292	89.42	3.765	2342	93.38	-2.521	2392	97.59	2.323
2243	86.39	-3.304	2293	89.51	3.392	2343	93.45	-0.520	2393	97.67	2.325
2244	86.45	-3.927	2294	89.61	3.644	2344	93.52	0.982	2394	97.76	2.327
2245	86.48	-3.677	2295	89.71	3.396	2345	93.56	1.858	2395	97.84	2.579
2246	86.53	-3.426	2296	89.81	2.773	2346	93.62	1.609	2396	97.98	2.207
2247	86.58	-4.299	2297	89.92	2.776	2347	93.66	1.235	2397	98.08	3.459
2248	86.64	-4.923	2298	89.99	1.278	2348	93.74	0.112	2398	98.16	4.211
2249	86.66	-5.172	2299	90.11	0.655	2349	93.80	0.613	2399	98.24	4.213
2250	86.73	-4.296	2300	90.16	0.031	2350	93.82	0.364	2400	98.37	3.966

INDEX NO. 805 1308-GR-1 ISHIKARIKAKOU S. TR. MAX.ACCEL.= 43.108(GAL) T=21.46(SEC) NO.13

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2401	98.50	2.594	2451	102.82	-4.309	2501	108.20	-1.188
2402	98.60	1.096	2452	102.91	-4.932	2502	108.29	-2.061
2403	98.66	0.847	2453	103.01	-4.345	2503	108.38	-3.059
2404	98.71	-0.526	2454	103.13	-2.427	2504	108.50	-2.431
2405	98.78	-2.275	2455	103.23	1.490	2505	108.62	-2.420
2406	98.84	-3.648	2456	103.30	3.327	2506	108.74	-2.176
2407	98.91	-4.647	2457	103.39	4.954	2507	108.85	-2.173
2408	98.99	-5.895	2458	103.48	6.831	2508	108.99	-1.920
2409	99.06	-6.518	2459	103.57	7.455	2509	109.18	-2.166
2410	99.16	-7.391	2460	103.71	7.461	2510	109.31	-1.913
2411	99.27	-6.139	2461	103.93	7.214	2511	109.39	-0.036
2412	99.38	-3.011	2462	103.95	6.217	2512	109.48	-0.659
2413	99.45	-1.885	2463	104.09	3.345	2513	109.58	-1.282
2414	99.51	0.617	2464	104.22	1.473	2514	109.67	-1.655
2415	99.59	2.493	2465	104.43	-0.896	2515	109.75	-1.653
2416	99.69	4.671	2466	104.53	-2.523	2516	109.86	-1.900
2417	99.78	5.248	2467	104.61	-2.286	2517	109.95	-1.899
2418	99.85	5.499	2468	104.71	-2.766	2518	110.03	-1.647
2419	99.95	4.252	2469	104.80	-2.139	2519	110.12	-0.395
2420	100.05	3.004	2470	104.89	-3.512	2520	110.20	-0.018
2421	100.14	0.381	2471	104.96	-3.635	2521	110.29	-0.016
2422	100.20	-1.993	2472	105.03	-3.259	2522	110.43	-0.263
2423	100.27	-3.241	2473	105.09	-3.008	2523	110.56	-1.510
2424	100.36	-4.864	2474	105.20	-1.360	2524	110.63	-2.258
2425	100.45	-4.862	2475	105.34	-0.377	2525	110.69	-3.382
2426	100.60	-3.984	2476	105.45	-0.125	2526	110.78	-3.130
2427	100.68	-2.732	2477	105.57	0.503	2527	110.93	-4.001
2428	100.79	-1.480	2478	105.67	0.505	2528	111.03	-4.374
2429	100.89	-0.227	2479	105.87	-0.615	2529	111.15	-5.622
2430	100.99	2.275	2480	105.99	-2.612	2530	111.28	-3.744
2431	101.09	3.527	2481	106.11	-4.110	2531	111.41	-1.866
2432	101.18	1.904	2482	106.21	-4.858	2532	111.53	-1.238
2433	101.30	1.282	2483	106.34	-5.105	2533	111.63	-0.986
2434	101.37	1.034	2484	106.47	-3.227	2534	111.74	-0.358
2435	101.45	0.410	2485	106.59	-2.224	2535	111.84	0.019
2436	101.54	-0.463	2486	106.71	-0.097	2536	111.93	-0.354
2437	101.62	-1.711	2487	106.81	3.031	2537	112.04	-1.601
2438	101.70	-2.334	2488	106.90	5.656	2538	112.12	-2.099
2439	101.77	-1.833	2489	106.97	6.660	2539	112.21	-2.223
2440	101.85	-2.081	2490	107.07	6.537	2540	112.30	-2.470
2441	101.92	-2.329	2491	107.18	6.039	2541	112.39	-2.218
2442	102.00	-1.203	2492	107.28	4.791	2542	112.47	-1.217
2443	102.10	-1.700	2493	107.37	2.543	2543	112.54	-2.465
2444	102.19	-1.823	2494	107.47	1.046	2544	112.65	-2.087
2445	102.28	-1.696	2495	107.56	-1.262	2545	112.74	-1.210
2446	102.39	-2.694	2496	107.67	-1.575	2546	112.83	-1.834
2447	102.49	-3.566	2497	107.78	-1.197	2547	112.93	-0.581
2448	102.61	-4.564	2498	107.88	-2.195	2548	113.00	-0.580
2449	102.76	-5.167	2499	107.98	-2.192			
2450	102.79	-5.560	2500	108.07	-1.191			

Table IX D-32 Digitized Accelerations of Earthquake Record with Index Number 806

INDEX NO. 806 1308-PI-1 ISHIKARIKAKOU B. LG. MAX.ACCEL.= -93.328(GAL) T= 6.88(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.0	-27.575	51	0.63	1.719	101	1.39	4.071	151	2.23	44.958
2	0.01	-26.969	52	0.64	6.319	102	1.41	5.304	152	2.24	42.191
3	0.02	-24.226	53	0.65	11.437	103	1.42	7.785	153	2.25	37.298
4	0.03	-21.984	54	0.66	14.172	104	1.44	14.128	154	2.26	33.532
5	0.04	-18.873	55	0.67	12.658	105	1.45	20.497	155	2.27	30.647
6	0.05	-18.642	56	0.69	8.252	106	1.46	23.854	156	2.29	29.001
7	0.07	-17.663	57	0.71	6.728	107	1.47	25.840	157	2.31	24.601
8	0.08	-17.053	58	0.74	6.071	108	1.49	27.439	158	2.34	3.562
9	0.10	-15.826	59	0.76	5.413	109	1.51	28.917	159	2.35	-6.834
10	0.11	-14.343	60	0.77	3.773	110	1.52	33.149	160	2.36	-20.976
11	0.12	-13.229	61	0.78	2.684	111	1.54	36.245	161	2.38	-32.754
12	0.13	-13.501	62	0.80	2.484	112	1.55	37.481	162	2.40	-38.034
13	0.15	-18.522	63	0.82	3.716	113	1.56	38.099	163	2.41	-41.294
14	0.16	-19.156	64	0.83	3.949	114	1.57	38.327	164	2.43	-42.940
15	0.17	-19.545	65	0.85	2.419	115	1.60	36.175	165	2.44	-45.716
16	0.18	-18.309	66	0.86	1.025	116	1.61	33.401	166	2.46	-46.988
17	0.19	-14.569	67	0.88	-0.496	117	1.63	28.375	167	2.48	-50.260
18	0.20	-12.095	68	0.90	-4.692	118	1.65	22.854	168	2.49	-58.038
19	0.21	-11.230	69	0.92	-9.554	119	1.67	15.197	169	2.50	-59.165
20	0.22	-10.612	70	0.94	-13.207	120	1.69	9.547	170	2.51	-60.434
21	0.23	-12.135	71	0.97	-17.873	121	1.71	1.030	171	2.53	-58.335
22	0.25	-14.904	72	0.98	-19.636	122	1.74	-16.022	172	2.54	-55.846
23	0.26	-19.925	73	1.00	-25.414	123	1.76	-25.545	173	2.55	-51.861
24	0.28	-23.578	74	1.01	-27.921	124	1.77	-31.312	174	2.57	-49.635
25	0.29	-21.067	75	1.02	-27.436	125	1.78	-37.207	175	2.59	-50.541
26	0.30	-15.847	76	1.03	-25.572	126	1.80	-42.978	176	2.61	-49.062
27	0.31	-13.234	77	1.05	-26.098	127	1.82	-55.890	177	2.62	-48.076
28	0.32	-10.123	78	1.06	-34.994	128	1.83	-61.406	178	2.64	-49.234
29	0.33	-16.644	79	1.07	-40.505	129	1.84	-66.295	179	2.65	-49.623
30	0.34	-22.404	80	1.08	-43.644	130	1.86	-67.816	180	2.67	-47.139
31	0.35	-25.168	81	1.10	-44.920	131	1.87	-66.960	181	2.68	-31.647
32	0.36	-26.181	82	1.11	-41.559	132	1.88	-65.092	182	2.70	-31.301
33	0.37	-26.191	83	1.12	-41.203	133	1.90	-64.738	183	2.71	-36.325
34	0.38	-24.077	84	1.14	-42.095	134	1.91	-65.132	184	2.74	-38.230
35	0.39	-21.595	85	1.15	-43.109	135	1.93	-63.654	185	2.75	-30.117
36	0.40	-21.231	86	1.17	-41.261	136	1.96	-46.570	186	2.76	-24.377
37	0.41	-19.745	87	1.19	-36.915	137	1.98	-37.087	187	2.77	-21.642
38	0.42	-17.878	88	1.20	-35.057	138	2.01	-23.627	188	2.79	-20.667
39	0.43	-12.769	89	1.23	-32.643	139	2.02	-15.133	189	2.80	-18.182
40	0.44	-9.279	90	1.25	-29.989	140	2.03	-3.778	190	2.82	-10.583
41	0.46	-7.180	91	1.26	-27.885	141	2.04	0.090	191	2.83	-4.230
42	0.48	-5.462	92	1.27	-25.645	142	2.05	5.943	192	2.84	-4.237
43	0.50	-2.669	93	1.28	-24.157	143	2.07	12.917	193	2.86	4.616
44	0.51	6.119	94	1.30	-22.803	144	2.09	32.015	194	2.88	20.081
45	0.53	11.847	95	1.31	-24.576	145	2.10	39.255	195	2.90	31.931
46	0.54	13.085	96	1.33	-25.222	146	2.11	46.658	196	2.91	36.912
47	0.57	11.548	97	1.34	-21.855	147	2.13	49.088	197	2.92	40.147
48	0.58	10.902	98	1.36	-9.256	148	2.16	49.167	198	2.93	42.015
49	0.59	9.645	99	1.37	1.221	149	2.20	47.498	199	2.94	44.499
50	0.61	6.871	100	1.38	3.085	150	2.21	46.647	200	2.95	45.364

INDEX NO. 806 1308-PI-1 ISHIKARIKAKOU B. LG. MAX.ACCEL.= -93.328(GAL) T= 6.88(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	2.96	44.845	251	3.76	-30.996	301	4.51	-39.893	351	5.21	7.298
202	2.97	41.329	252	3.77	-34.259	302	4.53	-36.173	352	5.22	2.542
203	2.99	35.686	253	3.78	-36.516	303	4.54	-31.933	353	5.23	-4.851
204	3.00	33.168	254	3.79	-38.656	304	4.55	-28.573	354	5.24	-10.488
205	3.01	33.778	255	3.81	-41.943	305	4.56	-25.580	355	5.26	-15.893
206	3.02	37.138	256	3.82	-42.959	306	4.57	-24.088	356	5.28	-23.550
207	3.04	37.245	257	3.83	-44.471	307	4.59	-22.488	357	5.30	-28.699
208	3.06	33.096	258	3.84	-46.110	308	4.60	-21.889	358	5.31	-34.093
209	3.08	25.184	259	3.88	-46.157	309	4.61	-19.021	359	5.33	-37.986
210	3.10	23.283	260	3.90	-44.693	310	4.62	-10.790	360	5.34	-40.753
211	3.12	18.385	261	3.92	-41.590	311	4.63	-7.041	361	5.36	-42.410
212	3.13	15.873	262	3.93	-35.981	312	4.65	-9.079	362	5.39	-42.443
213	3.15	9.468	263	3.95	-31.500	313	4.66	-14.215	363	5.42	-40.234
214	3.16	4.702	264	3.97	-22.272	314	4.67	-16.359	364	5.45	-35.642
215	3.18	-2.701	265	3.98	-17.161	315	4.69	-15.255	365	5.47	-30.046
216	3.20	-5.223	266	3.99	-9.304	316	4.70	-7.763	366	5.48	-26.803
217	3.21	-4.996	267	4.01	1.793	317	4.73	-2.282	367	5.49	-19.197
218	3.23	-2.514	268	4.02	17.275	318	4.73	-1.431	368	5.50	-18.327
219	3.24	-2.161	269	4.04	26.381	319	4.75	1.671	369	5.51	-17.969
220	3.26	-3.428	270	4.05	35.359	320	4.76	3.907	370	5.53	-18.869
221	3.27	-3.442	271	4.06	38.220	321	4.77	7.760	371	5.54	-19.266
222	3.28	-3.215	272	4.08	36.069	322	4.78	8.623	372	5.57	-16.546
223	3.30	-3.483	273	4.09	34.805	323	4.80	8.345	373	5.59	-13.075
224	3.31	-4.751	274	4.10	33.541	324	4.82	9.197	374	5.61	-9.849
225	3.34	-6.292	275	4.12	34.147	325	4.83	10.433	375	5.62	-8.364
226	3.37	-7.077	276	4.13	34.376	326	4.84	13.043	376	5.64	-7.759
227	3.39	-6.484	277	4.15	32.600	327	4.85	13.654	377	5.66	-8.287
228	3.41	-7.014	278	4.17	28.699	328	4.86	12.137	378	5.67	-10.554
229	3.42	-10.282	279	4.19	23.046	329	4.88	11.492	379	5.69	-13.955
230	3.43	-14.671	280	4.21	17.696	330	4.89	12.100	380	5.72	-14.620
231	3.45	-15.318	281	4.23	12.753	331	4.90	13.967	381	5.74	-12.516
232	3.46	-13.200	282	4.24	5.861	332	4.91	15.446	382	5.75	-10.663
233	3.47	-9.223	283	4.26	-7.562	333	4.93	16.045	383	5.77	-10.058
234	3.48	-8.612	284	4.27	-11.189	334	4.94	17.651	384	5.79	-10.711
235	3.50	-8.884	285	4.28	-10.579	335	4.96	19.883	385	5.80	-13.225
236	3.51	-9.526	286	4.29	-8.461	336	4.97	22.115	386	5.81	-15.744
237	3.52	-10.162	287	4.31	-13.119	337	4.98	25.229	387	5.82	-17.004
238	3.53	-10.805	288	4.32	-19.538	338	4.99	27.836	388	5.84	-17.659
239	3.55	-12.700	289	4.33	-23.892	339	5.01	29.934	389	5.87	-16.815
240	3.58	-16.492	290	4.34	-28.412	340	5.03	30.912	390	5.89	-15.223
241	3.59	-17.884	291	4.35	-29.047	341	5.05	32.388	391	5.91	-12.496
242	3.60	-19.148	292	4.36	-29.086	342	5.07	31.855	392	5.92	-8.764
243	3.61	-20.418	293	4.38	-29.982	343	5.09	31.205	393	5.94	-4.907
244	3.63	-19.562	294	4.39	-33.729	344	5.10	32.940	394	5.95	-3.047
245	3.64	-18.322	295	4.40	-36.858	345	5.11	34.534	395	5.96	-2.689
246	3.65	-17.964	296	4.41	-43.380	346	5.12	35.539	396	5.99	-2.726
247	3.67	-19.494	297	4.43	-42.912	347	5.14	35.022	397	6.01	-5.247
248	3.70	-23.037	298	4.45	-41.058	348	5.15	31.878	398	6.02	-9.016
249	3.72	-26.940	299	4.47	-40.706	349	5.18	23.214	399	6.03	-10.533
250	3.74	-28.467	300	4.49	-40.985	350	5.19	14.946	400	6.05	-10.930

土木構造物における加速度強震記録（No.9）

INDEX NO. 806 1308-PI-1 ISHIKARIKAKOU B. LG. MAX.ACCEL.= -93.328(GAL) T= 6.88(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	6.06	-9.070	451	6.84	-84.397	501	7.58	-19.473	551	8.33	-18.463
402	6.09	-14.862	452	6.85	-86.036	502	7.59	-18.230	552	8.35	-19.357
403	6.10	-18.627	453	6.86	-92.307	503	7.61	-17.010	553	8.36	-18.499
404	6.11	-23.392	454	6.88	-93.328	504	7.63	-16.410	554	8.37	-16.637
405	6.12	-25.024	455	6.90	-91.674	505	7.64	-14.792	555	8.38	-14.154
406	6.14	-26.925	456	6.91	-84.984	506	7.65	-11.061	556	8.40	-12.673
407	6.15	-26.314	457	6.93	-75.142	507	7.66	-2.196	557	8.41	-11.437
408	6.16	-28.206	458	6.95	-67.279	508	7.67	7.034	558	8.42	-9.198
409	6.17	-30.476	459	6.96	-49.413	509	7.69	9.261	559	8.43	-5.098
410	6.18	-32.353	460	6.97	-44.423	510	7.71	9.869	560	8.44	-4.735
411	6.19	-32.993	461	6.99	-25.693	511	7.73	10.215	561	8.46	-4.511
412	6.20	-31.386	462	7.00	-7.708	512	7.75	10.431	562	8.48	-2.607
413	6.21	-22.526	463	7.01	14.272	513	7.77	11.414	563	8.49	-1.042
414	6.22	-18.041	464	7.02	30.761	514	7.78	11.645	564	8.50	0.946
415	6.25	-16.446	465	7.03	34.628	515	7.80	12.242	565	8.51	1.805
416	6.27	-12.228	466	7.04	35.239	516	7.81	11.978	566	8.52	2.166
417	6.28	-8.240	467	7.05	33.721	517	7.84	11.698	567	8.54	2.137
418	6.29	-4.129	468	7.07	30.577	518	7.85	12.551	568	8.56	2.988
419	6.30	-2.271	469	7.08	31.684	519	7.86	16.036	569	8.59	2.951
420	6.33	-1.301	470	7.09	41.548	520	7.87	17.272	570	8.61	0.543
421	6.35	3.420	471	7.10	44.661	521	7.89	17.254	571	8.65	-3.879
422	6.36	8.151	472	7.11	47.772	522	7.91	7.849	572	8.69	-11.685
423	6.38	18.620	473	7.12	49.749	523	7.92	2.837	573	8.72	-20.236
424	6.41	30.959	474	7.14	51.227	524	7.93	-1.427	574	8.73	-22.125
425	6.42	35.691	475	7.16	51.574	525	7.94	-4.566	575	8.74	-23.639
426	6.43	39.434	476	7.19	48.788	526	7.95	-6.706	576	8.76	-25.408
427	6.44	42.047	477	7.22	45.630	527	7.96	-8.468	577	8.78	-26.938
428	6.46	44.517	478	7.23	41.484	528	7.97	-8.728	578	8.80	-27.584
429	6.48	46.484	479	7.24	40.470	529	7.99	-8.757	579	8.81	-28.851
430	6.49	50.221	480	7.25	32.463	530	8.01	-9.782	580	8.83	-31.130
431	6.50	53.327	481	7.27	21.433	531	8.03	-10.801	581	8.85	-31.407
432	6.52	53.312	482	7.29	8.034	532	8.04	-12.315	582	8.87	-28.436
433	6.53	48.045	483	7.30	0.650	533	8.05	-13.579	583	8.90	-22.847
434	6.54	45.531	484	7.31	-2.111	534	8.07	-13.358	584	8.91	-19.106
435	6.56	45.259	485	7.32	-3.376	535	8.08	-11.502	585	8.92	-12.745
436	6.57	44.873	486	7.34	-4.648	536	8.10	-9.022	586	8.93	-10.513
437	6.58	43.606	487	7.35	-6.538	537	8.11	-5.289	587	8.95	-11.159
438	6.59	41.590	488	7.36	-12.061	538	8.12	-4.296	588	8.96	-12.673
439	6.61	36.319	489	7.38	-17.338	539	8.14	-3.960	589	8.98	-11.828
440	6.62	29.933	490	7.39	-23.227	540	8.16	-5.604	590	8.99	-8.340
441	6.64	21.280	491	7.40	-31.616	541	8.17	-7.869	591	9.00	0.517
442	6.66	6.619	492	7.41	-34.376	542	8.18	-12.761	592	9.02	5.873
443	6.68	-5.398	493	7.42	-35.637	543	8.20	-14.404	593	9.03	12.234
444	6.69	-21.550	494	7.44	-35.041	544	8.22	-15.308	594	9.04	18.219
445	6.72	-39.836	495	7.46	-33.565	545	8.24	-13.834	595	9.05	25.576
446	6.74	-56.003	496	7.49	-33.850	546	8.25	-14.727	596	9.06	26.443
447	6.78	-72.935	497	7.52	-33.888	547	8.27	-16.131	597	9.07	26.806
448	6.79	-77.324	498	7.54	-33.293	548	8.28	-15.266	598	9.08	25.921
449	6.80	-82.720	499	7.56	-30.569	549	8.30	-15.543	599	9.09	24.032
450	6.82	-83.746	500	7.57	-27.079	550	8.32	-16.564	600	9.11	22.132

INDEX NO. 806 1308-PI-1 ISHIKARIKAKOU B. LG. MAX.ACCEL.= -93.328(GAL) T= 6.88(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	9.12	21.738	651	9.82	3.561	701	10.51	-11.879	751	11.15	+49.752
602	9.13	23.602	652	9.83	3.799	702	10.52	-14.396	752	11.16	+51.516
603	9.14	29.459	653	9.84	2.907	703	10.54	-15.918	753	11.18	-52.790
604	9.16	33.667	654	9.85	0.768	704	10.55	-18.937	754	11.20	-52.566
605	9.18	36.775	655	9.87	-1.759	705	10.56	-20.201	755	11.22	+50.342
606	9.20	37.386	656	9.88	-2.776	706	10.57	-22.090	756	11.24	-40.617
607	9.21	37.367	657	9.90	-3.045	707	10.58	-22.355	757	11.25	-38.385
608	9.22	34.600	658	9.91	-2.816	708	10.60	-20.252	758	11.28	-36.169
609	9.24	27.957	659	9.92	-2.205	709	10.61	-18.767	759	11.30	+33.065
610	9.25	21.939	660	9.94	2.144	710	10.63	-18.163	760	11.31	-29.577
611	9.26	16.546	661	9.95	6.879	711	10.64	-16.937	761	11.32	-25.469
612	9.28	13.032	662	9.97	7.403	712	10.65	+15.320	762	11.34	-20.741
613	9.29	10.517	663	9.99	7.199	713	10.66	-13.209	763	11.35	-16.004
614	9.30	6.993	664	10.01	7.424	714	10.67	-11.222	764	11.37	-8.029
615	9.32	0.341	665	10.03	7.155	715	10.69	+9.997	765	11.38	11.951
616	9.34	-5.809	666	10.04	6.516	716	10.70	-8.140	766	11.39	19.568
617	9.35	-10.950	667	10.05	5.620	717	10.71	-5.273	767	11.40	27.551
618	9.37	-15.592	668	10.07	5.229	718	10.72	1.710	768	11.41	27.535
619	9.39	-18.619	669	10.08	8.957	719	10.74	0.815	769	11.43	25.017
620	9.40	-21.391	670	10.09	11.068	720	10.75	-1.452	770	11.44	22.253
621	9.42	-22.037	671	10.10	11.061	721	10.76	-4.598	771	11.45	20.606
622	9.43	-22.054	672	10.11	10.546	722	10.78	-5.249	772	11.48	19.953
623	9.45	-22.450	673	10.12	10.157	723	10.80	-4.397	773	11.50	18.295
624	9.46	-22.723	674	10.13	9.890	724	10.81	-2.532	774	11.51	15.777
625	9.48	-21.620	675	10.15	10.742	725	10.82	-1.296	775	11.52	15.642
626	9.50	-20.389	676	10.16	11.974	726	10.83	-0.933	776	11.54	9.366
627	9.51	-19.403	677	10.17	12.589	727	10.85	+0.336	777	11.56	5.594
628	9.53	-19.686	678	10.18	11.945	728	10.86	-0.104	778	11.57	2.955
629	9.54	-20.075	679	10.19	10.438	729	10.87	0.508	779	11.58	1.941
630	9.55	-21.337	680	10.20	7.924	730	10.88	0.674	780	11.59	0.426
631	9.56	-21.596	681	10.21	4.156	731	10.90	-1.037	781	11.60	-1.841
632	9.58	-21.125	682	10.22	4.394	732	10.91	-2.926	782	11.61	-4.355
633	9.60	-20.523	683	10.23	9.002	733	10.92	-1.063	783	11.62	-6.988
634	9.61	-20.791	684	10.25	10.226	734	10.93	2.921	784	11.63	+11.382
635	9.63	-21.448	685	10.28	11.818	735	10.94	5.911	785	11.64	+12.766
636	9.64	-20.587	686	10.29	12.421	736	10.95	8.396	786	11.65	+13.035
637	9.65	+19.969	687	10.31	13.400	737	10.97	7.753	787	11.67	+12.799
638	9.66	-16.860	688	10.32	14.011	738	10.98	4.614	788	11.68	+13.442
639	9.67	-14.999	689	10.33	13.488	739	10.99	2.093	789	11.69	+14.075
640	9.68	-14.633	690	10.35	12.219	740	11.00	0.581	790	11.70	+15.969
641	9.70	+15.532	691	10.37	11.566	741	11.01	-1.680	791	11.71	+16.236
642	9.72	+15.057	692	10.38	11.799	742	11.03	+4.336	792	11.72	+15.375
643	9.73	+13.445	693	10.39	11.405	743	11.04	+0.351	793	11.73	+14.136
644	9.74	-9.584	694	10.40	9.019	744	11.06	+13.246	794	11.74	+14.153
645	9.75	-3.349	695	10.42	4.996	745	11.07	+18.519	795	11.76	+14.794
646	9.77	-1.573	696	10.44	2.594	746	11.08	+19.905	796	11.77	+15.688
647	9.78	-2.010	697	10.46	0.968	747	11.10	+23.434	797	11.78	+14.580
648	9.79	-1.781	698	10.47	-3.829	748	11.12	-31.202	798	11.79	-12.337
649	9.80	-0.172	699	10.48	-6.714	749	11.13	+36.970	799	11.80	+7.727
650	9.81	1.325	700	10.50	-9.860	750	11.14	-44.736	800	11.81	+5.491

INDEX NO. 806 1308-PI-1 ISHIKARIKAKOU B. LG. MAX.ACCEL.= -93.328(GAL) T= 6.88(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	11.83	-5.139	851	12.51	-29.299	901	13.30	-28.729	951	14.02	-10.047
802	11.84	-5.658	852	12.53	-35.452	902	13.32	-24.366	952	14.03	-5.811
803	11.85	-6.297	853	12.55	-39.351	903	13.33	-15.009	953	14.05	1.792
804	11.88	-6.326	854	12.57	-41.506	904	13.35	-6.157	954	14.07	7.910
805	11.89	-6.474	855	12.58	-43.777	905	13.36	2.074	955	14.08	9.622
806	11.90	-6.113	856	12.60	-45.249	906	13.37	9.064	956	14.09	11.858
807	11.91	-3.627	857	12.62	-45.074	907	13.39	12.167	957	14.11	12.086
808	11.93	1.973	858	12.63	-44.210	908	13.40	14.694	958	14.12	11.194
809	11.94	6.459	859	12.65	-44.740	909	13.41	18.130	959	14.13	9.680
810	11.95	8.329	860	12.67	-45.393	910	13.42	20.618	960	14.14	8.419
811	11.96	9.565	861	12.69	-42.412	911	13.43	22.656	961	14.16	6.771
812	11.98	9.792	862	12.70	-33.047	912	13.44	23.464	962	14.18	6.742
813	11.99	8.275	863	12.71	-24.193	913	13.46	24.443	963	14.19	9.232
814	12.01	7.378	864	12.73	-19.981	914	13.47	26.049	964	14.20	11.964
815	12.02	5.739	865	12.74	-15.604	915	13.49	26.903	965	14.21	13.574
816	12.03	4.469	866	12.75	-10.497	916	13.50	26.016	966	14.23	14.430
817	12.04	2.955	867	12.76	-7.754	917	13.51	25.127	967	14.24	13.534
818	12.05	1.945	868	12.77	-4.144	918	13.53	25.978	968	14.25	12.030
819	12.07	1.047	869	12.79	-1.664	919	13.54	27.469	969	14.26	10.766
820	12.08	4.652	870	12.80	2.444	920	13.55	28.443	970	14.27	10.126
821	12.09	5.895	871	12.82	7.422	921	13.58	27.787	971	14.29	9.469
822	12.10	6.875	872	12.83	16.997	922	13.59	25.893	972	14.31	9.447
823	12.11	6.868	873	12.84	26.143	923	13.60	23.128	973	14.32	9.429
824	12.12	5.346	874	12.85	35.754	924	13.63	17.468	974	14.34	7.537
825	12.13	4.332	875	12.86	43.357	925	13.65	11.319	975	14.35	5.898
826	12.15	3.429	876	12.87	46.717	926	13.67	3.417	976	14.36	3.760
827	12.17	1.538	877	12.88	49.325	927	13.68	-4.593	977	14.37	1.493
828	12.18	-0.976	878	12.91	50.921	928	13.69	-13.186	978	14.38	1.224
829	12.19	-4.750	879	12.93	49.394	929	13.71	-26.266	979	14.40	1.453
830	12.20	-7.761	880	12.95	45.609	930	13.73	-34.797	980	14.42	0.554
831	12.21	-8.393	881	12.97	46.462	931	13.74	-39.935	981	14.43	0.156
832	12.22	-8.408	882	12.99	46.687	932	13.76	-45.963	982	14.45	1.012
833	12.23	-0.298	883	13.01	44.536	933	13.77	-47.593	983	14.46	1.377
834	12.24	3.194	884	13.03	39.140	934	13.78	-48.617	984	14.47	1.988
835	12.25	5.684	885	13.04	26.126	935	13.80	-48.639	985	14.48	2.219
836	12.26	9.408	886	13.05	20.986	936	13.81	-51.157	986	14.49	1.954
837	12.28	8.261	887	13.06	16.222	937	13.82	-51.792	987	14.50	1.686
838	12.30	6.987	888	13.08	10.626	938	13.83	-54.304	988	14.52	4.415
839	12.31	5.725	889	13.09	6.687	939	13.84	-56.950	989	14.53	6.525
840	12.33	3.825	890	13.10	1.170	940	13.86	-56.976	990	14.55	8.377
841	12.34	2.561	891	13.13	-11.503	941	13.88	-54.494	991	14.56	9.613
842	12.36	-0.600	892	13.15	-20.026	942	13.90	-51.394	992	14.58	11.466
843	12.38	-1.622	893	13.16	-24.292	943	13.91	-47.530	993	14.59	12.705
844	12.39	-2.262	894	13.17	-26.805	944	13.93	-41.677	994	14.60	11.806
845	12.40	-3.780	895	13.19	-28.699	945	13.94	-34.636	995	14.62	9.287
846	12.42	-6.176	896	13.21	-30.235	946	13.95	-21.959	996	14.63	7.389
847	12.44	-9.959	897	13.23	-32.002	947	13.96	-17.841	997	14.65	6.743
848	12.47	-14.745	898	13.25	-32.028	948	13.97	-14.976	998	14.67	5.840
849	12.48	-19.138	899	13.26	-30.546	949	13.99	-11.677	999	14.69	5.193
850	12.50	-24.905	900	13.28	-29.954	950	14.00	-11.691	1000	14.70	5.174

INDEX NO. 806 1308-PI-1 ISHIKARIKAKOU B. LG. MAX.ACCEL.= -93.328(GAL) T= 6.88(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	14.72	4.771	1051	15.54	10.050	1101	16.31	9.500	1151	17.06	27.615
1002	14.74	4.500	1052	15.56	5.899	1102	16.33	12.728	1152	17.07	30.730
1003	14.76	4.478	1053	15.58	-0.630	1103	16.35	14.632	1153	17.08	34.715
1004	14.77	3.833	1054	15.59	-4.276	1104	16.36	17.064	1154	17.09	34.447
1005	14.78	1.941	1055	15.60	-6.791	1105	16.37	19.168	1155	17.10	31.315
1006	14.80	1.295	1056	15.62	-9.690	1106	16.39	21.766	1156	17.11	30.055
1007	14.82	1.144	1057	15.65	-12.598	1107	16.41	24.873	1157	17.12	28.785
1008	14.84	1.114	1058	15.66	-16.115	1108	16.42	27.729	1158	17.13	30.025
1009	14.86	1.460	1059	15.67	-19.006	1109	16.43	27.972	1159	17.14	32.760
1010	14.89	0.554	1060	15.68	-23.773	1110	16.44	28.451	1160	17.15	33.128
1011	14.91	-1.848	1061	15.70	-26.680	1111	16.46	28.175	1161	17.16	31.606
1012	14.92	-6.115	1062	15.73	-26.959	1112	16.48	27.524	1162	17.17	27.475
1013	14.95	-11.654	1063	15.74	-31.110	1113	16.49	25.882	1163	17.19	21.195
1014	14.96	-15.800	1064	15.77	-33.022	1114	16.50	23.367	1164	17.22	16.288
1015	14.97	-18.082	1065	15.79	-35.043	1115	16.53	17.956	1165	17.23	12.892
1016	14.99	-20.580	1066	15.81	-36.947	1116	16.57	9.910	1166	17.24	10.260
1017	15.00	-21.854	1067	15.83	-37.353	1117	16.58	3.510	1167	17.25	5.870
1018	15.02	-22.505	1068	15.84	-33.994	1118	16.60	-0.884	1168	17.27	0.720
1019	15.04	-24.785	1069	15.85	-30.255	1119	16.61	-7.277	1169	17.28	-0.801
1020	15.06	-26.431	1070	15.86	-26.016	1120	16.63	-12.680	1170	17.30	-2.705
1021	15.09	-25.970	1071	15.87	-24.777	1121	16.65	-17.451	1171	17.31	-4.719
1022	15.11	-24.747	1072	15.88	-24.542	1122	16.66	-24.719	1172	17.33	-7.609
1023	15.12	-22.257	1073	15.90	-25.066	1123	16.67	-29.616	1173	17.34	-10.131
1024	15.13	-20.397	1074	15.92	-25.478	1124	16.68	-36.629	1174	17.36	-11.649
1025	15.14	-18.543	1075	15.95	-21.507	1125	16.69	-42.271	1175	17.38	-13.428
1026	15.16	-16.589	1076	15.96	-16.651	1126	16.70	-47.662	1176	17.39	-15.575
1027	15.17	-14.706	1077	15.98	-12.052	1127	16.72	-48.058	1177	17.42	-16.857
1028	15.18	-12.842	1078	16.00	-5.946	1128	16.73	-46.577	1178	17.44	-15.757
1029	15.20	-11.242	1079	16.02	-2.477	1129	16.74	-44.962	1179	17.46	-14.790
1030	15.21	-8.381	1080	16.03	0.379	1130	16.76	-44.987	1180	17.48	-12.319
1031	15.22	3.604	1081	16.04	1.667	1131	16.78	-47.765	1181	17.52	-9.869
1032	15.23	13.461	1082	16.05	2.228	1132	16.80	-47.789	1182	17.55	-8.406
1033	15.25	21.316	1083	16.06	0.964	1133	16.81	-45.685	1183	17.57	-5.307
1034	15.26	28.669	1084	16.07	0.082	1134	16.83	-38.203	1184	17.58	-1.693
1035	15.28	32.147	1085	16.08	-0.052	1135	16.85	-29.726	1185	17.59	-0.214
1036	15.30	34.368	1086	16.09	1.549	1136	16.86	-26.238	1186	17.62	1.377
1037	15.31	34.978	1087	16.11	4.276	1137	16.87	-23.377	1187	17.64	2.230
1038	15.33	35.577	1088	16.12	6.004	1138	16.89	-20.274	1188	17.66	2.948
1039	15.34	34.935	1089	16.14	9.105	1139	16.90	-16.667	1189	17.69	2.661
1040	15.36	34.916	1090	16.16	9.083	1140	16.91	-12.303	1190	17.71	1.758
1041	15.37	35.522	1091	16.17	7.819	1141	16.93	2.541	1191	17.73	0.107
1042	15.39	35.754	1092	16.18	5.679	1142	16.94	13.773	1192	17.75	-1.798
1043	15.40	35.740	1093	16.19	3.164	1143	16.95	18.889	1193	17.77	-3.697
1044	15.42	35.461	1094	16.20	0.903	1144	16.97	28.607	1194	17.79	-5.350
1045	15.43	36.089	1095	16.21	0.261	1145	16.99	29.838	1195	17.81	-8.255
1046	15.45	35.796	1096	16.24	1.103	1146	17.01	29.563	1196	17.82	-10.144
1047	15.47	29.771	1097	16.25	4.580	1147	17.02	27.048	1197	17.83	-11.659
1048	15.48	20.250	1098	16.26	7.320	1148	17.03	25.789	1198	17.84	-12.673
1049	15.49	16.233	1099	16.27	8.556	1149	17.04	24.524	1199	17.86	-11.823
1050	15.51	13.838	1100	16.29	8.655	1150	17.05	24.751	1200	17.88	-11.721

土木構造物における加速度強震記録（No.9）

INDEX NO. 806 1308-PI-1 ISHIKARIKAKOU B. LG. MAX.ACCEL.= -93.328(GAL) T= 6.88(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	17.90	-13.759	1251	18.82	13.159	1301	19.49	10.523	1351	20.13	-21.971
1202	17.92	-15.017	1252	18.83	12.521	1302	19.50	9.252	1352	20.15	-19.747
1203	17.93	-14.538	1253	18.84	6.257	1303	19.52	7.604	1353	20.19	-17.294
1204	17.95	-13.558	1254	18.85	4.123	1304	19.53	5.336	1354	20.20	-15.066
1205	17.96	-13.330	1255	18.87	4.354	1305	19.54	4.701	1355	20.22	-12.502
1206	17.98	-13.347	1256	18.88	4.337	1306	19.55	2.558	1356	20.23	-10.352
1207	17.99	-12.115	1257	18.89	3.065	1307	19.57	0.540	1357	20.24	-6.491
1208	18.00	-10.508	1258	18.91	0.796	1308	19.59	-2.991	1358	20.25	-2.753
1209	18.03	-9.670	1259	18.92	-2.344	1309	19.60	-4.501	1359	20.26	0.110
1210	18.05	-9.321	1260	18.93	-4.603	1310	19.61	-5.515	1360	20.27	2.596
1211	18.06	-7.835	1261	18.94	-7.247	1311	19.62	-6.775	1361	20.29	3.813
1212	18.07	-6.224	1262	18.95	-8.514	1312	19.63	-8.171	1362	20.32	3.531
1213	18.09	-3.368	1263	18.97	-9.162	1313	19.64	-5.436	1363	20.33	3.266
1214	18.10	-1.762	1264	18.99	-12.960	1314	19.65	-2.569	1364	20.35	4.369
1215	18.13	-0.301	1265	19.00	-14.576	1315	19.66	-1.291	1365	20.36	5.344
1216	18.14	2.310	1266	19.02	-15.608	1316	19.67	-0.223	1366	20.38	5.951
1217	18.16	3.915	1267	19.04	-14.625	1317	19.68	-3.112	1367	20.40	5.921
1218	18.17	4.523	1268	19.06	-13.524	1318	19.69	-4.623	1368	20.42	5.264
1219	18.19	3.242	1269	19.07	-12.292	1319	19.70	-7.013	1369	20.43	4.629
1220	18.21	2.593	1270	19.09	-12.317	1320	19.71	-6.406	1370	20.44	2.739
1221	18.23	2.567	1271	19.10	-13.207	1321	19.72	-5.168	1371	20.45	1.478
1222	18.25	2.792	1272	19.11	-14.722	1322	19.73	-3.932	1372	20.46	0.592
1223	18.27	3.136	1273	19.12	-15.969	1323	19.74	-3.942	1373	20.47	-0.427
1224	18.29	3.995	1274	19.13	-16.751	1324	19.75	-4.578	1374	20.49	-0.198
1225	18.31	5.219	1275	19.14	-15.768	1325	19.76	-6.096	1375	20.50	-0.470
1226	18.32	4.073	1276	19.15	-13.275	1326	19.78	-7.367	1376	20.52	-1.362
1227	18.34	2.054	1277	19.16	-12.419	1327	19.79	-6.883	1377	20.53	-2.002
1228	18.36	0.166	1278	19.18	-11.812	1328	19.80	-5.894	1378	20.54	-2.642
1229	18.39	-0.139	1279	19.20	-9.963	1329	19.82	-5.043	1379	20.55	-2.660
1230	18.41	-0.414	1280	19.21	-2.360	1330	19.83	-4.690	1380	20.57	2.811
1231	18.44	0.045	1281	19.22	2.130	1331	19.84	-3.455	1381	20.58	10.178
1232	18.46	0.391	1282	19.23	4.993	1332	19.85	-1.963	1382	20.59	10.785
1233	18.46	0.988	1283	19.24	6.486	1333	19.86	-3.110	1383	20.60	9.523
1234	18.49	1.844	1284	19.25	7.470	1334	19.88	-5.381	1384	20.61	4.514
1235	18.52	4.066	1285	19.26	6.328	1335	19.89	-7.649	1385	20.62	-0.126
1236	18.53	2.547	1286	19.28	11.299	1336	19.90	-10.413	1386	20.64	-0.904
1237	18.54	0.912	1287	19.29	11.910	1337	19.91	-11.298	1387	20.65	1.827
1238	18.55	0.523	1288	19.30	14.645	1338	19.92	-12.314	1388	20.67	2.429
1239	18.57	1.118	1289	19.31	15.879	1339	19.93	-14.453	1389	20.68	2.665
1240	18.58	4.856	1290	19.32	16.243	1340	19.95	-19.355	1390	20.69	3.648
1241	18.60	9.706	1291	19.34	16.972	1341	19.97	-23.873	1391	20.71	4.504
1242	18.61	10.320	1292	19.35	16.203	1342	19.98	-25.393	1392	20.72	5.744
1243	18.62	10.053	1293	19.36	19.690	1343	19.99	-25.162	1393	20.73	6.346
1244	18.63	10.287	1294	19.37	20.051	1344	20.02	-26.065	1394	20.75	6.325
1245	18.66	11.497	1295	19.38	19.160	1345	20.03	-27.337	1395	20.76	6.306
1246	18.71	13.313	1296	19.40	17.517	1346	20.04	-29.852	1396	20.77	5.792
1247	18.74	13.518	1297	19.42	15.617	1347	20.07	-30.508	1397	20.78	5.153
1248	18.76	12.371	1298	19.43	14.353	1348	20.08	-30.034	1398	20.80	3.886
1249	18.76	11.091	1299	19.44	13.085	1349	20.10	-27.809	1399	20.81	5.613
1250	18.81	11.931	1300	19.46	12.180	1350	20.12	-25.699	1400	20.83	6.722

INDEX NO. 806 1308-PI-1 ISHIKARIKAKOU B. LG. MAX.ACCEL.= -93.328(GAL) T= 6.88(SEC) NO. 8

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1401	20.84	9.198	1451	21.53	-9.341	1501	22.32	8.473	1551	23.18	15.172
1402	20.85	9.188	1452	21.54	-11.359	1502	22.33	9.324	1552	23.20	13.643
1403	20.86	8.297	1453	21.56	-9.506	1503	22.36	9.044	1553	23.23	12.354
1404	20.87	6.411	1454	21.58	-7.661	1504	22.38	10.508	1554	23.27	10.174
1405	20.88	5.146	1455	21.59	-6.181	1505	22.40	11.107	1555	23.31	4.248
1406	20.89	3.882	1456	21.60	-5.192	1506	22.43	11.449	1556	23.33	0.220
1407	20.91	2.861	1457	21.61	-3.708	1507	22.44	11.428	1557	23.34	-1.417
1408	20.92	2.589	1458	21.63	-1.976	1508	22.46	12.406	1558	23.35	-2.551
1409	20.94	2.199	1459	21.64	-1.987	1509	22.47	14.638	1559	23.36	-6.824
1410	20.96	1.545	1460	21.65	-2.879	1510	22.48	14.877	1560	23.37	-8.338
1411	20.97	2.156	1461	21.67	-4.788	1511	22.50	17.350	1561	23.38	-10.227
1412	20.98	3.639	1462	21.69	-4.942	1512	22.51	18.333	1562	23.39	-11.242
1413	20.99	4.631	1463	21.71	-2.464	1513	22.53	20.304	1563	23.42	-11.900
1414	21.00	5.486	1464	21.73	3.512	1514	22.56	21.145	1564	23.43	-9.418
1415	21.01	5.229	1465	21.76	4.103	1515	22.57	21.503	1565	23.46	-6.957
1416	21.02	2.462	1466	21.77	2.581	1516	22.59	20.227	1566	23.48	-5.112
1417	21.03	-2.059	1467	21.79	0.685	1517	22.61	19.328	1567	23.51	-3.270
1418	21.04	-3.320	1468	21.81	0.280	1518	22.64	19.159	1568	23.53	0.073
1419	21.05	-3.330	1469	21.83	-1.244	1519	22.66	18.255	1569	23.56	5.534
1420	21.06	-0.338	1470	21.85	-3.522	1520	22.69	17.339	1570	23.59	10.863
1421	21.07	2.146	1471	21.86	-6.291	1521	22.71	15.060	1571	23.60	13.728
1422	21.08	6.380	1472	21.87	-8.176	1522	22.75	10.766	1572	23.62	16.451
1423	21.09	7.620	1473	21.88	-10.563	1523	22.78	7.349	1573	23.63	17.183
1424	21.11	8.471	1474	21.89	-13.955	1524	22.80	1.563	1574	23.65	16.783
1425	21.12	9.070	1475	21.90	-14.967	1525	22.83	-3.101	1575	23.68	16.122
1426	21.14	9.054	1476	21.91	-14.977	1526	22.85	-7.377	1576	23.70	14.217
1427	21.15	9.040	1477	21.92	-11.613	1527	22.87	-11.398	1577	23.72	11.686
1428	21.16	8.148	1478	21.93	-4.378	1528	22.88	-13.424	1578	23.74	8.536
1429	21.18	8.115	1479	21.94	-10.651	1529	22.90	-14.445	1579	23.75	6.654
1430	21.21	8.710	1480	21.95	-15.660	1530	22.93	-14.731	1580	23.76	5.763
1431	21.22	9.571	1481	21.96	-19.797	1531	22.95	-14.756	1581	23.77	6.621
1432	21.23	12.424	1482	21.97	-24.813	1532	22.96	-14.279	1582	23.78	8.484
1433	21.24	14.410	1483	21.98	-25.195	1533	22.99	-14.561	1583	23.79	11.842
1434	21.26	15.638	1484	21.99	-24.592	1534	23.00	-13.079	1584	23.80	12.210
1435	21.27	14.120	1485	22.00	-22.474	1535	23.01	-9.964	1585	23.81	10.695
1436	21.29	11.599	1486	22.01	-20.860	1536	23.02	-6.855	1586	23.82	6.930
1437	21.31	11.202	1487	22.02	-21.501	1537	23.03	-3.249	1587	23.83	2.423
1438	21.34	10.529	1488	22.03	-23.391	1538	23.04	0.486	1588	23.84	0.155
1439	21.36	9.012	1489	22.04	-23.612	1539	23.05	2.979	1589	23.85	-0.488
1440	21.38	2.858	1490	22.06	-19.684	1540	23.06	4.594	1590	23.87	-0.513
1441	21.40	2.455	1491	22.08	-16.964	1541	23.07	5.832	1591	23.89	-2.658
1442	21.41	2.817	1492	22.10	-15.118	1542	23.08	5.561	1592	23.90	-8.803
1443	21.42	1.803	1493	22.12	-11.642	1543	23.09	5.292	1593	23.91	-10.067
1444	21.43	0.914	1494	22.14	-8.164	1544	23.11	6.146	1594	23.92	-10.085
1445	21.45	0.517	1495	22.15	-5.684	1545	23.12	7.384	1595	23.94	-8.857
1446	21.46	1.128	1496	22.17	-4.073	1546	23.13	8.992	1596	23.96	-8.265
1447	21.47	0.859	1497	22.19	10.153	1547	23.14	9.653	1597	23.98	-8.911
1448	21.49	-0.666	1498	22.27	11.913	1548	23.15	11.090	1598	24.01	-9.576
1449	21.50	-2.426	1499	22.29	10.756	1549	23.16	13.326	1599	24.03	-8.731
1450	21.51	-7.451	1500	22.30	9.874	1550	23.17	15.186	1600	24.05	-6.505

INDEX NO. 806 1308-PI-1 ISHIKARIKAKOU 8. LG. MAX.ACCEL.= -93.328(GAL) T= 6.88(SEC) NO. 9

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1601	24.08	-4.041	1651	24.93	0.582	1701	25.67	0.588	1751	26.39	36.121
1602	24.09	-1.304	1652	24.94	0.564	1702	25.68	-1.294	1752	26.41	30.356
1603	24.10	1.803	1653	24.96	-0.708	1703	25.69	-2.570	1753	26.42	25.342
1604	24.11	5.038	1654	24.98	-1.612	1704	25.71	-1.462	1754	26.44	22.064
1605	24.12	6.281	1655	25.00	-2.637	1705	25.72	0.399	1755	26.46	20.156
1606	24.14	6.681	1656	25.02	-3.540	1706	25.73	3.508	1756	26.48	16.765
1607	24.16	6.605	1657	25.04	-3.562	1707	25.74	3.871	1757	26.49	11.623
1608	24.17	6.566	1658	25.05	-1.835	1708	25.75	3.657	1758	26.51	8.473
1609	24.18	6.697	1659	25.06	-1.846	1709	25.76	1.965	1759	26.53	7.069
1610	24.20	10.423	1660	25.07	2.514	1710	25.77	0.076	1760	26.54	5.426
1611	24.21	11.279	1661	25.09	4.986	1711	25.79	-2.072	1761	26.56	2.032
1612	24.23	13.503	1662	25.11	6.843	1712	25.80	-3.343	1762	26.57	-1.989
1613	24.24	14.364	1663	25.12	8.823	1713	25.81	-6.479	1763	26.58	-4.998
1614	24.25	15.349	1664	25.13	13.656	1714	25.83	-12.008	1764	26.59	-7.884
1615	24.26	16.592	1665	25.17	16.636	1715	25.85	-13.276	1765	26.60	-9.901
1616	24.27	17.949	1666	25.18	22.617	1716	25.86	-13.048	1766	26.62	-10.797
1617	24.29	17.923	1667	25.20	26.596	1717	25.87	-12.437	1767	26.63	-12.068
1618	24.32	15.133	1668	25.21	29.335	1718	25.89	-12.456	1768	26.65	-11.839
1619	24.34	11.979	1669	25.22	30.614	1719	25.90	-14.223	1769	26.66	-10.604
1620	24.36	8.935	1670	25.24	30.792	1720	25.91	-15.237	1770	26.68	-10.009
1621	24.39	7.668	1671	25.26	29.258	1721	25.92	-16.244	1771	26.70	-9.401
1622	24.41	5.765	1672	25.26	23.984	1722	25.93	-16.885	1772	26.72	-8.805
1623	24.43	1.869	1673	25.31	19.195	1723	25.94	-16.406	1773	26.74	-9.080
1624	24.45	-1.915	1674	25.34	14.037	1724	25.96	-16.307	1774	26.75	-9.474
1625	24.47	-7.061	1675	25.35	8.012	1725	25.98	-17.578	1775	26.76	-10.363
1626	24.49	-12.710	1676	25.36	3.627	1726	26.00	-18.229	1776	26.77	-10.749
1627	24.50	-16.858	1677	25.37	0.359	1727	26.01	-18.000	1777	26.78	-11.014
1628	24.51	-18.497	1678	25.39	-3.407	1728	26.03	-18.651	1778	26.79	-9.281
1629	24.54	-18.533	1679	25.40	-6.553	1729	26.04	-19.290	1779	26.80	-7.043
1630	24.57	-17.949	1680	25.42	-9.577	1730	26.05	-19.922	1780	26.81	-4.925
1631	24.59	-18.228	1681	25.43	-10.838	1731	26.06	-20.188	1781	26.82	-3.311
1632	24.61	-16.749	1682	25.44	-12.348	1732	26.08	-19.337	1782	26.83	-3.083
1633	24.63	-15.271	1683	25.45	-15.368	1733	26.11	-18.127	1783	26.86	-4.611
1634	24.64	-12.790	1684	25.46	-16.628	1734	26.12	-16.637	1784	26.87	-5.883
1635	24.67	-8.696	1685	25.47	-16.142	1735	26.14	-13.165	1785	26.89	-9.662
1636	24.68	-5.462	1686	25.48	-16.661	1736	26.15	-12.300	1786	26.91	-10.934
1637	24.69	-1.477	1687	25.49	-13.928	1737	26.16	-5.191	1787	26.93	-10.959
1638	24.71	-0.507	1688	25.51	-14.200	1738	26.20	5.383	1788	26.94	-9.727
1639	24.73	0.722	1689	25.53	-15.719	1739	26.22	19.732	1789	26.95	-8.859
1640	24.75	2.947	1690	25.54	-17.616	1740	26.23	34.334	1790	26.96	-6.629
1641	24.77	5.788	1691	25.56	-18.265	1741	26.24	38.320	1791	26.97	-6.011
1642	24.79	9.634	1692	25.57	-17.409	1742	26.25	43.805	1792	26.99	-6.657
1643	24.80	11.131	1693	25.58	-15.300	1743	26.26	45.052	1793	27.00	-10.052
1644	24.81	13.612	1694	25.60	-14.067	1744	26.27	45.907	1794	27.01	-14.822
1645	24.82	13.595	1695	25.61	-12.836	1745	26.29	45.885	1795	27.03	-15.473
1646	24.84	12.452	1696	25.62	-10.600	1746	26.31	45.356	1796	27.04	-12.737
1647	24.87	9.290	1697	25.63	-7.357	1747	26.33	43.458	1797	27.05	-7.995
1648	24.88	3.266	1698	25.64	-4.619	1748	26.34	41.563	1798	27.06	-4.005
1649	24.89	0.627	1699	25.65	1.493	1749	26.36	40.296	1799	27.07	-0.144
1650	24.91	-0.271	1700	25.66	2.355	1750	26.37	38.403	1800	27.08	1.466

INDEX NO. 806 1308-PI-1 ISHIKARIKAKOU 8. LG. MAX.ACCEL.= -93.328(GAL) T= 6.88(SEC) NO.10

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1801	27.11	2.932	1851	27.91	21.360	1901	28.90	1.794	1951	29.75	-5.223
1802	27.13	3.900	1852	27.92	21.971	1902	28.92	4.391	1952	29.77	-3.752
1803	27.15	6.129	1853	27.94	22.563	1903	28.94	6.618	1953	29.80	-1.530
1804	27.16	7.731	1854	27.97	21.660	1904	28.95	8.108	1954	29.82	2.192
1805	27.17	9.219	1855	27.99	21.630	1905	28.97	9.706	1955	29.84	7.910
1806	27.19	18.065	1856	28.01	22.161	1906	28.99	9.425	1956	29.86	13.631
1807	27.21	22.923	1857	28.03	23.327	1907	29.03	9.627	1957	29.87	19.992
1808	27.22	25.658	1858	28.05	24.547	1908	29.04	9.612	1958	29.89	25.593
1809	27.23	27.263	1859	28.08	24.004	1909	29.06	9.588	1959	29.90	30.074
1810	27.25	27.485	1860	28.09	23.240	1910	29.09	8.676	1960	29.91	30.935
1811	27.27	27.213	1861	28.14	18.302	1911	29.11	8.268	1961	29.93	31.289
1812	27.29	26.942	1862	28.20	12.727	1912	29.12	7.626	1962	29.95	29.138
1813	27.30	26.548	1863	28.23	9.934	1913	29.13	6.987	1963	29.97	25.985
1814	27.31	25.912	1864	28.26	7.397	1914	29.15	7.217	1964	29.99	22.202
1815	27.32	24.652	1865	28.30	6.710	1915	29.17	8.187	1965	30.01	20.935
1816	27.34	22.994	1866	28.34	7.791	1916	29.19	8.415	1966	30.03	20.530
1817	27.36	23.598	1867	28.36	9.385	1917	29.21	9.012	1967	30.04	19.637
1818	27.36	22.443	1868	28.37	9.995	1918	29.23	8.987	1968	30.06	17.870
1819	27.39	19.929	1869	28.39	11.218	1919	29.24	11.337	1969	30.08	16.591
1820	27.41	14.532	1870	28.41	12.451	1920	29.26	12.190	1970	30.10	13.439
1821	27.42	12.268	1871	28.42	13.062	1921	29.27	11.305	1971	30.11	8.918
1822	27.43	9.996	1872	28.44	13.661	1922	29.28	9.793	1972	30.13	4.776
1823	27.45	8.729	1873	28.46	13.378	1923	29.29	7.525	1973	30.15	0.626
1824	27.47	6.075	1874	28.50	10.206	1924	29.30	6.886	1974	30.17	-3.786
1825	27.49	6.540	1875	28.51	7.942	1925	29.33	6.228	1975	30.18	-6.421
1826	27.51	3.262	1876	28.52	5.807	1926	29.34	7.455	1976	30.20	-8.697
1827	27.53	-0.259	1877	28.53	4.794	1927	29.35	8.941	1977	30.22	-9.349
1828	27.54	-2.523	1878	28.54	4.492	1928	29.36	10.556	1978	30.24	-12.748
1829	27.56	-5.044	1879	28.55	4.381	1929	29.37	10.792	1979	30.26	-14.522
1830	27.59	-8.216	1880	28.56	1.242	1930	29.39	9.638	1980	30.27	-15.661
1831	27.61	-8.620	1881	28.58	-4.032	1931	29.41	6.463	1981	30.28	-16.930
1832	27.63	-8.891	1882	28.59	-10.174	1932	29.42	5.226	1982	30.30	-18.202
1833	27.65	-10.296	1883	28.61	-12.191	1933	29.43	1.958	1983	30.31	-18.220
1834	27.66	-13.105	1884	28.63	-15.349	1934	29.45	2.186	1984	30.33	-18.866
1835	27.67	-14.449	1885	28.64	-17.613	1935	29.47	3.033	1985	30.34	-18.635
1836	27.68	-15.706	1886	28.66	-19.135	1936	29.48	3.639	1986	30.35	-16.525
1837	27.69	-16.663	1887	28.67	-19.403	1937	29.50	4.883	1987	30.36	-14.040
1838	27.71	-16.376	1888	28.70	-18.811	1938	29.52	5.214	1988	30.39	-10.322
1839	27.74	-14.419	1889	28.72	-17.835	1939	29.53	3.953	1989	30.40	-8.090
1840	27.75	-12.808	1890	28.74	-16.365	1940	29.55	0.173	1990	30.41	-7.225
1841	27.77	-10.203	1891	28.76	-15.141	1941	29.56	-2.587	1991	30.43	-5.252
1842	27.78	-8.963	1892	28.77	-13.287	1942	29.57	-4.476	1992	30.45	-3.024
1843	27.80	-8.371	1893	28.79	-10.309	1943	29.59	-5.630	1993	30.47	1.322
1844	27.82	-8.142	1894	28.81	-8.203	1944	29.61	-5.857	1994	30.49	5.414
1845	27.83	-6.282	1895	28.82	-4.725	1945	29.63	-5.688	1995	30.51	10.895
1846	27.85	-0.805	1896	28.83	-3.739	1946	29.65	-6.334	1996	30.52	15.498
1847	27.86	4.423	1897	28.85	-3.757	1947	29.68	-7.247	1997	30.54	18.731
1848	27.86	9.526	1898	28.87	-4.033	1948	29.70	-8.279	1998	30.56	23.196
1849	27.89	15.009	1899	28.88	-2.177	1949	29.72	-7.426	1999	30.59	27.290
1850	27.90	19.369	1900	28.89	-0.069	1950	29.73	-6.197	2000	30.60	29.393

INDEX NO. 806 1308-PI-1 ISHIKARIKAKOU B. LG. MAX.ACCEL.= -93.328(GAL) T= 6.88(SEC) NO.11

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2001	30.63	30.984	2051	31.63	3.634	2101	32.43	26.426	2151	33.44	17.929
2002	30.65	32.202	2052	31.65	2.732	2102	32.46	23.145	2152	33.46	18.532
2003	30.66	31.313	2053	31.67	2.335	2103	32.48	19.359	2153	33.47	19.131
2004	30.68	30.669	2054	31.68	0.314	2104	32.50	15.960	2154	33.50	18.475
2005	30.69	29.777	2055	31.69	13.049	2105	32.52	8.933	2155	33.52	20.070
2006	30.71	29.132	2056	31.71	13.276	2106	32.53	1.941	2156	33.53	20.926
2007	30.72	28.108	2057	31.72	10.762	2107	32.56	-5.369	2157	33.54	20.909
2008	30.75	25.200	2058	31.73	9.873	2108	32.59	-12.155	2158	33.56	20.887
2009	30.77	22.546	2059	31.74	9.655	2109	32.61	-17.566	2159	33.58	19.357
2010	30.81	16.250	2060	31.75	12.966	2110	32.63	-20.462	2160	33.59	18.718
2011	30.85	11.445	2061	31.76	15.454	2111	32.65	-23.612	2161	33.61	18.450
2012	30.87	9.421	2062	31.78	17.681	2112	32.66	-25.009	2162	33.62	18.682
2013	30.89	7.263	2063	31.79	18.664	2113	32.69	-25.669	2163	33.63	18.664
2014	30.91	4.113	2064	31.81	20.138	2114	32.71	-24.450	2164	33.64	16.773
2015	30.93	2.466	2065	31.82	21.753	2115	32.73	-22.690	2165	33.65	13.637
2016	30.95	-0.442	2066	31.83	21.982	2116	32.77	-16.905	2166	33.66	10.874
2017	30.97	-2.983	2067	31.86	22.073	2117	32.80	-11.943	2167	33.67	11.103
2018	31.00	-7.507	2068	31.88	21.044	2118	32.82	-7.217	2168	33.69	11.952
2019	31.02	-12.781	2069	31.91	19.757	2119	32.83	-3.475	2169	33.70	11.687
2020	31.04	-15.433	2070	31.93	17.226	2120	32.84	1.379	2170	33.72	9.537
2021	31.05	-17.954	2071	31.95	13.450	2121	32.87	7.088	2171	33.73	6.659
2022	31.06	-18.093	2072	31.97	10.542	2122	32.89	10.195	2172	33.74	4.641
2023	31.07	-16.858	2073	31.99	6.399	2123	32.90	12.680	2173	33.75	3.752
2024	31.08	-16.250	2074	32.00	2.878	2124	32.92	16.748	2174	33.77	3.722
2025	31.10	-17.527	2075	32.02	-1.021	2125	32.95	17.986	2175	33.79	3.896
2026	31.11	-19.941	2076	32.03	-4.039	2126	32.97	17.950	2176	33.80	6.549
2027	31.13	-19.065	2077	32.05	-5.683	2127	32.98	16.691	2177	33.81	8.415
2028	31.15	-17.212	2078	32.06	-8.073	2128	32.99	17.923	2178	33.82	9.900
2029	31.17	-16.114	2079	32.07	-11.215	2129	33.01	18.284	2179	33.83	10.514
2030	31.19	-18.892	2080	32.08	-12.472	2130	33.03	18.592	2180	33.85	10.863
2031	31.21	-18.542	2081	32.09	-13.614	2131	33.05	17.968	2181	33.89	10.184
2032	31.22	-15.428	2082	32.10	-14.009	2132	33.07	17.319	2182	33.91	10.163
2033	31.24	-13.334	2083	32.12	-14.413	2133	33.09	17.540	2183	33.93	10.372
2034	31.27	-7.502	2084	32.15	-13.192	2134	33.11	17.262	2184	33.95	12.589
2035	31.28	-5.646	2085	32.17	-9.466	2135	33.15	16.836	2185	33.96	13.210
2036	31.29	-2.650	2086	32.19	-6.618	2136	33.17	18.299	2186	33.97	14.441
2037	31.30	-0.165	2087	32.20	-5.390	2137	33.19	19.530	2187	34.00	15.030
2038	31.31	4.314	2088	32.23	-3.296	2138	33.22	18.366	2188	34.02	15.005
2039	31.32	5.554	2089	32.25	-0.076	2139	33.23	16.477	2189	34.03	14.729
2040	31.35	6.771	2090	32.26	4.029	2140	33.25	9.198	2190	34.05	13.090
2041	31.36	7.121	2091	32.27	7.522	2141	33.27	10.419	2191	34.06	11.198
2042	31.40	7.323	2092	32.28	15.125	2142	33.29	10.640	2192	34.08	10.293
2043	31.45	7.257	2093	32.30	21.103	2143	33.31	10.112	2193	34.11	9.635
2044	31.47	5.476	2094	32.31	23.967	2144	33.32	9.717	2194	34.13	8.354
2045	31.49	5.075	2095	32.33	26.191	2145	33.35	8.435	2195	34.14	5.842
2046	31.51	3.542	2096	32.35	26.412	2146	33.36	8.413	2196	34.15	3.206
2047	31.53	3.767	2097	32.37	26.756	2147	33.38	8.384	2197	34.17	1.178
2048	31.55	3.992	2098	32.38	26.740	2148	33.40	9.858	2198	34.18	0.288
2049	31.58	4.583	2099	32.40	27.346	2149	33.41	15.216	2199	34.19	0.777
2050	31.60	4.054	2100	32.42	27.572	2150	33.43	17.072	2200	34.20	1.140

INDEX NO. 806 1308-PI-1 ISHIKARIKAKOU B. LG. MAX.ACCEL.= -93.328(GAL) T= 6.88(SEC) NO.12

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2201	34.21	-1.884	2251	35.03	17.534	2301	36.08	7.104	2351	36.93	3.866
2202	34.22	-3.641	2252	35.04	16.022	2302	36.11	14.690	2352	36.95	3.345
2203	34.23	-3.907	2253	35.07	14.975	2303	36.13	15.926	2353	36.96	2.329
2204	34.24	-3.050	2254	35.08	14.708	2304	36.14	15.281	2354	36.97	0.683
2205	34.25	-1.182	2255	35.10	14.055	2305	36.15	13.014	2355	36.99	0.032
2206	34.26	-1.199	2256	35.12	12.786	2306	36.18	9.981	2356	37.01	0.511
2207	34.28	-3.725	2257	35.14	10.011	2307	36.20	8.951	2357	37.03	0.235
2208	34.29	-4.363	2258	35.16	0.235	2308	36.22	11.672	2358	37.04	-0.661
2209	34.31	-5.261	2259	35.17	6.346	2309	36.23	13.287	2359	37.07	-1.065
2210	34.33	-4.411	2260	35.19	5.316	2310	36.24	13.901	2360	37.08	-1.083
2211	34.34	-3.173	2261	35.20	5.294	2311	36.26	13.629	2361	37.10	-1.991
2212	34.35	-4.447	2262	35.22	6.152	2312	36.27	12.611	2362	37.12	-2.763
2213	34.37	-5.720	2263	35.23	6.756	2313	36.28	13.472	2363	37.14	-2.159
2214	34.39	-4.241	2264	35.25	6.257	2314	36.29	14.078	2364	37.15	-0.924
2215	34.41	-3.017	2265	35.27	7.079	2315	36.31	12.557	2365	37.16	0.686
2216	34.43	-2.428	2266	35.30	8.289	2316	36.32	11.047	2366	37.18	2.157
2217	34.46	-2.081	2267	35.32	8.268	2317	36.33	10.035	2367	37.21	2.749
2218	34.48	-1.235	2268	35.34	8.238	2318	36.35	8.760	2368	37.23	5.216
2219	34.50	-2.762	2269	35.35	8.476	2319	36.36	10.245	2369	37.24	8.832
2220	34.52	-3.420	2270	35.38	9.556	2320	36.37	10.227	2370	37.27	11.921
2221	34.53	-3.180	2271	35.41	10.511	2321	36.39	8.080	2371	37.29	15.009
2222	34.54	-1.319	2272	35.43	11.242	2322	36.41	4.296	2372	37.31	20.105
2223	34.55	+0.709	2273	35.45	12.090	2323	36.43	-0.853	2373	37.33	23.001
2224	34.57	-1.227	2274	35.46	11.820	2324	36.44	-3.994	2374	37.34	24.191
2225	34.58	+1.875	2275	35.48	11.795	2325	36.46	-6.892	2375	37.37	23.909
2226	34.60	-2.267	2276	35.49	12.660	2326	36.48	-8.796	2376	37.40	24.123
2227	34.61	-2.918	2277	35.50	13.020	2327	36.50	-8.942	2377	37.42	24.469
2228	34.63	-3.192	2278	35.51	12.128	2328	36.52	-9.218	2378	37.45	24.428
2229	34.65	-4.215	2279	35.53	11.108	2329	36.53	-10.489	2379	37.47	23.770
2230	34.66	-4.851	2280	35.55	10.445	2330	36.55	-12.137	2380	37.49	23.499
2231	34.68	-4.626	2281	35.57	10.419	2331	36.57	-13.036	2381	37.51	21.851
2232	34.70	-2.400	2282	35.61	9.118	2332	36.59	-13.065	2382	37.53	19.073
2233	34.72	-1.177	2283	35.66	6.052	2333	36.62	-12.849	2383	37.54	16.563
2234	34.74	-0.331	2284	35.69	7.134	2334	36.63	-11.245	2384	37.55	13.923
2235	34.78	3.106	2285	35.73	6.452	2335	36.66	-9.399	2385	37.56	12.027
2236	34.81	5.449	2286	35.77	6.401	2336	36.68	-6.932	2386	37.60	10.354
2237	34.82	8.188	2287	35.80	5.486	2337	36.71	-4.222	2387	37.61	9.087
2238	34.83	12.296	2288	35.83	2.446	2338	36.73	0.499	2388	37.63	7.065
2239	34.84	16.031	2289	35.86	0.912	2339	36.75	3.359	2389	37.66	6.153
2240	34.85	22.394	2290	35.87	-0.358	2340	36.77	5.832	2390	37.67	4.514
2241	34.86	23.380	2291	35.88	-0.747	2341	36.78	7.694	2391	37.69	1.736
2242	34.88	21.234	2292	35.91	-3.287	2342	36.79	11.555	2392	37.70	0.721
2243	34.90	22.328	2293	35.92	-3.931	2343	36.80	12.165	2393	37.71	-1.301
2244	34.92	23.300	2294	35.94	-5.581	2344	36.82	12.138	2394	37.73	-1.327
2245	34.94	23.699	2295	35.96	-4.731	2345	36.85	11.477	2395	37.75	-1.599
2246	34.95	25.382	2296	35.98	-2.882	2346	36.86	9.953	2396	37.76	-1.991
2247	34.97	25.738	2297	35.99	-1.642	2347	36.88	8.432	2397	37.79	-2.021
2248	34.98	25.099	2298	36.00	-0.782	2348	36.89	5.912	2398	37.81	-2.053
2249	35.01	20.687	2299	36.03	2.795	2349	36.90	4.026	2399	37.83	-2.698
2250	35.02	18.791	2300	36.06	4.266	2350	36.92	3.631	2400	37.87	-1.504

INDEX NO. 806 1308-PI-1 ISHIKARIKAKOU B. LG. MAX.ACCEL.= -93.328(GAL) T= 6.88(SEC) NO.13

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2401	37.89	-0.033	2451	38.79	13.769	2501	39.63	5.283	2551	40.63	17.820
2402	37.90	0.323	2452	38.82	10.982	2502	39.64	5.259	2552	40.65	17.783
2403	37.92	1.551	2453	38.83	10.590	2503	39.66	4.983	2553	40.68	18.372
2404	37.93	3.416	2454	38.84	9.946	2504	39.67	3.973	2554	40.71	18.335
2405	37.95	4.634	2455	38.86	9.047	2505	39.69	3.075	2555	40.74	17.167
2406	37.98	4.343	2456	38.88	6.402	2506	39.70	3.057	2556	40.75	16.531
2407	38.02	4.795	2457	38.89	5.131	2507	39.73	3.646	2557	40.76	16.141
2408	38.03	5.774	2458	38.90	4.117	2508	39.76	3.609	2558	40.78	13.864
2409	38.06	6.612	2459	38.92	3.220	2509	39.78	4.448	2559	40.79	10.847
2410	38.09	7.330	2460	38.94	2.565	2510	39.80	5.424	2560	40.80	10.208
2411	38.11	7.927	2461	38.96	0.669	2511	39.82	7.521	2561	40.82	10.687
2412	38.13	8.897	2462	38.97	-0.341	2512	39.85	9.985	2562	40.83	11.665
2413	38.15	8.868	2463	38.98	-1.730	2513	39.88	11.822	2563	40.85	11.022
2414	38.17	7.592	2464	39.00	-3.259	2514	39.90	12.924	2564	40.86	10.375
2415	38.19	5.692	2465	39.02	-3.661	2515	39.91	14.405	2565	40.88	9.479
2416	38.21	5.671	2466	39.03	-4.307	2516	39.93	15.634	2566	40.89	9.465
2417	38.23	5.010	2467	39.05	-4.074	2517	39.94	16.862	2567	40.90	9.053
2418	38.25	4.115	2468	39.06	-4.340	2518	39.95	14.473	2568	40.91	10.309
2419	38.27	2.831	2469	39.07	-3.100	2519	39.96	12.214	2569	40.93	9.034
2420	38.30	1.541	2470	39.08	-2.869	2520	39.97	11.323	2570	40.94	9.645
2421	38.33	0.236	2471	39.09	-5.887	2521	39.99	10.922	2571	40.95	12.135
2422	38.35	-2.147	2472	39.11	-9.036	2522	40.01	10.643	2572	40.97	13.604
2423	38.38	-3.055	2473	39.12	-9.050	2523	40.02	11.129	2573	40.98	14.218
2424	38.39	-3.076	2474	39.14	-8.827	2524	40.04	11.110	2574	41.00	14.571
2425	38.42	-2.859	2475	39.15	-9.092	2525	40.06	9.578	2575	41.02	14.293
2426	38.43	-1.626	2476	39.17	-8.241	2526	40.09	6.158	2576	41.03	14.776
2427	38.44	-0.763	2477	39.19	-5.138	2527	40.11	3.766	2577	41.04	15.760
2428	38.45	-0.149	2478	39.20	-4.531	2528	40.12	0.620	2578	41.06	16.363
2429	38.48	0.433	2479	39.22	-4.554	2529	40.14	2.094	2579	41.07	15.724
2430	38.50	1.026	2480	39.23	-4.821	2530	40.16	3.698	2580	41.08	15.705
2431	38.52	1.008	2481	39.24	-5.461	2531	40.18	3.675	2581	41.10	16.931
2432	38.53	0.735	2482	39.26	-6.488	2532	40.20	1.514	2582	41.11	16.665
2433	38.55	1.336	2483	39.27	-7.996	2533	40.23	1.720	2583	41.13	16.019
2434	38.56	2.571	2484	39.28	-8.637	2534	40.27	1.424	2584	41.14	14.998
2435	38.58	4.052	2485	39.29	-10.398	2535	40.29	1.892	2585	41.17	14.719
2436	38.59	5.035	2486	39.31	-11.920	2536	40.31	3.114	2586	41.20	14.675
2437	38.60	6.265	2487	39.32	-11.441	2537	40.33	4.094	2587	41.22	14.517
2438	38.62	8.494	2488	39.34	-8.583	2538	40.35	3.811	2588	41.24	16.116
2439	38.63	10.729	2489	39.35	-7.356	2539	40.38	3.650	2589	41.25	17.605
2440	38.65	12.208	2490	39.37	-6.132	2540	40.40	5.253	2590	41.27	18.583
2441	38.67	12.182	2491	39.40	-5.546	2541	40.42	6.724	2591	41.29	17.930
2442	38.69	12.156	2492	39.43	-4.712	2542	40.43	7.326	2592	41.32	18.517
2443	38.70	13.135	2493	39.45	-2.861	2543	40.45	8.927	2593	41.34	18.861
2444	38.71	14.002	2494	39.47	-1.512	2544	40.46	10.788	2594	41.37	18.943
2445	38.73	14.478	2495	39.49	0.340	2545	40.47	12.398	2595	41.41	17.267
2446	38.74	14.215	2496	39.50	0.951	2546	40.50	12.370	2596	41.44	15.724
2447	38.75	13.826	2497	39.52	2.169	2547	40.52	13.335	2597	41.46	11.944
2448	38.76	13.562	2498	39.54	2.515	2548	40.54	14.553	2598	41.49	8.912
2449	38.77	13.544	2499	39.58	2.724	2549	40.58	16.630	2599	41.50	7.645
2450	38.78	13.780	2500	39.59	3.074	2550	40.60	17.851	2600	41.51	4.879

INDEX NO. 806 1308-PI-1 ISHIKARIKAKOU B. LG. MAX.ACCEL.= -93.328(GAL) T= 6.88(SEC) NO.14

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2601	41.52	2.885	2651	42.78	2.439	2701	44.18	5.950	2751	45.32	17.048
2602	41.54	1.847	2652	42.84	2.612	2702	44.20	3.804	2752	45.37	16.354
2603	41.55	2.450	2653	42.87	3.205	2703	44.21	2.158	2753	45.40	16.571
2604	41.58	0.544	2654	42.90	4.407	2704	44.25	-0.389	2754	45.44	16.267
2605	41.59	-2.604	2655	42.92	5.260	2705	44.26	-1.780	2755	45.48	14.084
2606	41.61	-4.748	2656	42.94	8.104	2706	44.29	-2.696	2756	45.50	11.558
2607	41.62	-6.137	2657	42.97	7.812	2707	44.31	-3.973	2757	45.53	9.272
2608	41.63	-7.408	2658	43.00	7.401	2708	44.33	-5.254	2758	45.57	6.093
2609	41.64	-7.797	2659	43.03	7.389	2709	44.37	-4.810	2759	45.59	3.811
2610	41.66	-8.063	2660	43.04	7.972	2710	44.40	-5.091	2760	45.60	1.546
2611	41.68	-8.092	2661	43.06	8.946	2711	44.43	-4.882	2761	45.63	-1.618
2612	41.71	-9.137	2662	43.09	7.777	2712	44.46	-4.294	2762	45.67	-2.666
2613	41.74	-7.050	2663	43.13	6.482	2713	44.48	-2.080	2763	45.71	-2.838
2614	41.76	-5.457	2664	43.16	3.570	2714	44.50	-0.601	2764	45.74	-2.264
2615	41.78	-4.229	2665	43.17	3.548	2715	44.51	1.630	2765	45.76	-1.039
2616	41.80	-1.130	2666	43.21	3.751	2716	44.53	4.979	2766	45.77	1.447
2617	41.83	2.705	2667	43.25	3.200	2717	44.55	6.708	2767	45.79	3.679
2618	41.85	8.305	2668	43.27	3.161	2718	44.57	5.429	2768	45.82	5.016
2619	41.88	13.018	2669	43.30	3.626	2719	44.59	4.531	2769	45.84	7.233
2620	41.91	15.228	2670	43.33	4.216	2720	44.61	3.250	2770	45.88	9.676
2621	41.93	17.065	2671	43.35	5.817	2721	44.62	3.481	2771	45.90	12.029
2622	41.96	17.659	2672	43.37	7.282	2722	44.65	3.702	2772	45.94	14.352
2623	42.00	17.725	2673	43.40	8.489	2723	44.67	4.916	2773	45.96	13.452
2624	42.03	16.435	2674	43.43	8.448	2724	44.68	7.401	2774	45.98	11.796
2625	42.07	13.016	2675	43.46	7.914	2725	44.70	8.009	2775	46.00	10.275
2626	42.09	8.485	2676	43.49	9.003	2726	44.72	5.857	2776	46.01	9.629
2627	42.13	3.184	2677	43.51	9.600	2727	44.73	5.460	2777	46.02	9.237
2628	42.15	0.149	2678	43.55	9.673	2728	44.76	4.304	2778	46.04	9.469
2629	42.17	-4.623	2679	43.59	9.246	2729	44.79	5.137	2779	46.05	9.836
2630	42.18	-6.266	2680	43.61	9.211	2730	44.82	5.095	2780	46.06	10.697
2631	42.21	-6.924	2681	43.65	10.041	2731	44.83	5.948	2781	46.07	11.922
2632	42.26	-6.747	2682	43.68	10.373	2732	44.85	6.301	2782	46.09	11.025
2633	42.32	-6.565	2683	43.71	10.954	2733	44.89	3.504	2783	46.12	5.107
2634	42.35	-6.610	2684	43.74	12.411	2734	44.93	1.188	2784	46.14	0.578
2635	42.37	-5.638	2685	43.77	14.249	2735	44.95	0.296	2785	46.15	-2.308
2636	42.40	-4.425	2686	43.80	16.841	2736	44.96	1.149	2786	46.16	-3.698
2637	42.43	-2.964	2687	43.81	18.691	2737	44.98	1.751	2787	46.17	-4.962
2638	42.44	-2.611	2688	43.84	19.286	2738	45.01	0.838	2788	46.19	-5.355
2639	42.46	-1.386	2689	43.86	19.878	2739	45.02	-0.176	2789	46.21	-4.384
2640	42.47	-0.148	2690	43.88	19.597	2740	45.05	-0.471	2790	46.24	-3.802
2641	42.49	-0.819	2691	43.91	21.055	2741	45.06	-0.225	2791	46.27	-2.963
2642	42.51	-2.695	2692	43.93	22.034	2742	45.07	1.004	2792	46.28	-2.853
2643	42.53	-2.094	2693	43.95	21.755	2743	45.09	1.225	2793	46.30	-3.257
2644	42.55	-0.874	2694	43.98	21.718	2744	45.12	2.188	2794	46.33	-2.672
2645	42.60	-0.311	2695	44.00	20.062	2745	45.15	5.895	2795	46.34	-0.804
2646	42.63	1.270	2696	44.03	18.521	2746	45.19	8.597	2796	46.35	1.677
2647	42.66	1.856	2697	44.06	17.242	2747	45.22	9.814	2797	46.38	3.519
2648	42.68	2.454	2698	44.09	14.692	2748	45.24	11.658	2798	46.39	5.120
2649	42.70	2.805	2699	44.12	12.403	2749	45.26	13.635	2799	46.42	6.964
2650	42.73	2.510	2700	44.15	8.613	2750	45.29	16.092	2800	46.43	8.578

土木構造物における加速度強震記録（No.9）

INDEX NO. 806 1308-PI-1 ISHIKARIKAKOU B. LG. MAX.ACCEL.= -93.328(GAL) T= 6.88(SEC) NO.15

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2801	46.44	9.806	2851	47.55	-2.544	2901	48.56	13.747	2951	49.56	9.298
2802	46.47	9.523	2852	47.56	-5.180	2902	48.59	13.452	2952	49.64	7.820
2803	46.49	11.998	2853	47.57	-6.812	2903	48.61	12.807	2953	49.67	6.532
2804	46.50	13.858	2854	47.58	-6.585	2904	48.62	11.914	2954	49.69	6.250
2805	46.52	16.080	2855	47.60	-6.606	2905	48.64	10.643	2955	49.72	6.213
2806	46.55	17.269	2856	47.61	-7.495	2906	48.66	10.489	2956	49.76	5.281
2807	46.57	17.514	2857	47.63	-6.902	2907	48.67	10.844	2957	49.78	4.803
2808	46.59	18.114	2858	47.64	-5.036	2908	48.69	10.573	2958	49.82	2.954
2809	46.60	17.843	2859	47.65	-2.925	2909	48.71	11.427	2959	49.85	2.046
2810	46.62	17.820	2860	47.68	-1.711	2910	48.72	11.655	2960	49.88	0.756
2811	46.64	17.549	2861	47.69	-1.722	2911	48.75	10.375	2961	49.90	-1.025
2812	46.65	17.534	2862	47.71	-1.122	2912	48.76	9.351	2962	49.92	-1.927
2813	46.68	15.986	2863	47.72	0.105	2913	48.79	8.643	2963	49.95	-3.213
2814	46.70	14.707	2864	47.74	1.007	2914	48.81	8.913	2964	49.97	-4.246
2815	46.72	15.315	2865	47.75	2.695	2915	48.83	9.264	2965	49.99	-5.774
2816	46.73	15.301	2866	47.76	3.687	2916	48.86	8.978	2966	50.00	-6.788
2817	46.74	13.780	2867	47.78	5.775	2917	48.88	7.948	2967	50.02	-7.057
2818	46.76	11.382	2868	47.80	7.379	2918	48.92	5.773	2968	50.05	-7.469
2819	46.77	9.871	2869	47.82	9.232	2919	48.94	4.495	2969	50.06	-9.483
2820	46.78	7.604	2870	47.84	11.449	2920	48.96	2.836	2970	50.07	-9.872
2821	46.80	6.082	2871	47.86	13.051	2921	48.98	2.185	2971	50.08	-8.265
2822	46.82	5.057	2872	47.87	15.162	2922	49.01	2.154	2972	50.11	-9.188
2823	46.84	4.395	2873	47.89	15.755	2923	49.03	0.496	2973	50.14	-9.227
2824	46.87	2.984	2874	47.93	15.711	2924	49.05	0.092	2974	50.15	-9.363
2825	46.91	1.437	2875	47.95	16.682	2925	49.09	-0.209	2975	50.19	-7.160
2826	46.93	0.408	2876	47.96	16.913	2926	49.12	-0.002	2976	50.20	-5.307
2827	46.94	-1.735	2877	47.98	17.267	2927	49.13	2.111	2977	50.22	-1.586
2828	46.95	-2.742	2878	47.99	17.498	2928	49.16	3.078	2978	50.24	-1.359
2829	46.96	-4.015	2879	48.02	18.595	2929	49.17	4.560	2979	50.26	1.620
2830	46.98	-3.164	2880	48.04	18.309	2930	49.19	5.788	2980	50.28	4.094
2831	47.00	-0.936	2881	48.08	16.015	2931	49.20	8.021	2981	50.29	5.320
2832	47.01	-0.330	2882	48.11	16.597	2932	49.21	11.256	2982	50.30	6.183
2833	47.02	-0.720	2883	48.14	16.181	2933	49.22	13.368	2983	50.31	7.547
2834	47.05	-0.749	2884	48.18	16.256	2934	49.23	14.359	2984	50.34	11.003
2835	47.08	-0.163	2885	48.21	15.461	2935	49.24	14.351	2985	50.37	11.843
2836	47.11	0.421	2886	48.24	14.798	2936	49.25	12.458	2986	50.38	11.823
2837	47.14	1.371	2887	48.26	15.396	2937	49.26	9.944	2987	50.40	11.551
2838	47.18	1.577	2888	48.28	15.992	2938	49.28	9.295	2988	50.41	11.284
2839	47.22	1.520	2889	48.30	15.471	2939	49.30	10.135	2989	50.42	12.395
2840	47.27	2.074	2890	48.31	15.074	2940	49.32	9.614	2990	50.43	13.630
2841	47.32	2.638	2891	48.34	15.037	2941	49.33	10.099	2991	50.44	13.618
2842	47.36	1.956	2892	48.36	14.388	2942	49.35	10.703	2992	50.45	12.733
2843	47.40	0.780	2893	48.38	14.605	2943	49.37	11.045	2993	50.46	9.969
2844	47.44	-0.692	2894	48.41	14.075	2944	49.39	10.399	2994	50.47	7.707
2845	47.47	-1.810	2895	48.42	13.679	2945	49.40	10.137	2995	50.49	7.304
2846	47.49	-2.831	2896	48.44	13.412	2946	49.41	9.748	2996	50.51	7.028
2847	47.50	-3.721	2897	48.45	13.015	2947	49.44	9.083	2997	50.53	6.377
2848	47.51	-3.484	2898	48.47	12.988	2948	49.47	9.922	2998	50.56	5.459
2849	47.52	-1.376	2899	48.49	12.339	2949	49.48	12.158	2999	50.58	3.559
2850	47.53	0.230	2900	48.53	13.164	2950	49.51	11.234	3000	50.59	2.920

INDEX NO. 806 1308-PI-1 ISHIKARIKAKOU B. LG. MAX.ACCEL.= -93.328(GAL) T= 6.88(SEC) NO.16

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3001	50.61	1.519	3051	52.65	5.787	3101	54.19	-1.014	3151	55.34	10.943
3002	50.63	-0.005	3052	52.68	6.995	3102	54.23	-0.814	3152	55.37	10.028
3003	50.66	-0.297	3053	52.70	8.214	3103	54.26	-0.484	3153	55.39	10.632
3004	50.67	-0.068	3054	52.73	10.424	3104	54.28	-0.883	3154	55.40	9.734
3005	50.71	-0.989	3055	52.76	11.009	3105	54.29	0.978	3155	55.42	8.460
3006	50.75	-1.794	3056	52.80	13.454	3106	54.31	2.209	3156	55.44	8.684
3007	50.79	-0.353	3057	52.84	15.532	3107	54.32	2.815	3157	55.45	9.545
3008	50.82	1.191	3058	52.87	16.482	3108	54.34	1.037	3158	55.47	9.015
3009	50.84	1.087	3059	52.91	16.438	3109	54.36	-0.239	3159	55.49	8.366
3010	50.86	2.932	3060	52.96	15.490	3110	54.38	-0.888	3160	55.52	7.708
3011	50.90	4.127	3061	53.01	12.545	3111	54.41	-1.054	3161	55.53	7.685
3012	50.93	5.715	3062	53.03	9.771	3112	54.43	-0.458	3162	55.55	7.289
3013	50.95	7.059	3063	53.05	6.613	3113	54.45	0.137	3163	55.57	7.264
3014	50.98	7.267	3064	53.08	3.331	3114	54.46	1.377	3164	55.59	6.356
3015	51.02	6.984	3065	53.11	1.416	3115	54.49	1.712	3165	55.62	5.694
3016	51.05	7.545	3066	53.16	-0.525	3116	54.52	1.668	3166	55.64	5.923
3017	51.09	7.241	3067	53.21	-0.344	3117	54.55	2.504	3167	55.66	5.887
3018	51.13	6.197	3068	53.25	1.106	3118	54.56	2.872	3168	55.69	5.225
3019	51.16	4.654	3069	53.28	3.316	3119	54.58	4.343	3169	55.71	4.951
3020	51.20	4.470	3070	53.31	6.022	3120	54.60	5.566	3170	55.73	4.922
3021	51.22	4.446	3071	53.35	8.479	3121	54.61	6.569	3171	55.76	4.888
3022	51.32	4.314	3072	53.37	11.071	3122	54.63	5.616	3172	55.78	5.109
3023	51.41	3.328	3073	53.39	13.048	3123	54.68	4.582	3173	55.80	5.701
3024	51.46	3.501	3074	53.42	14.138	3124	54.69	4.186	3174	55.83	6.914
3025	51.51	2.562	3075	53.43	15.365	3125	54.73	4.762	3175	55.85	8.137
3026	51.58	3.099	3076	53.45	15.719	3126	54.76	8.216	3176	55.89	9.338
3027	51.65	31623	3077	53.47	17.190	3127	54.78	8.199	3177	55.94	10.518
3028	51.73	4.138	3078	53.48	18.558	3128	54.82	7.512	3178	55.95	11.126
3029	51.79	5.669	3079	53.49	20.160	3129	54.86	8.092	3179	55.97	11.729
3030	51.83	5.015	3080	53.51	19.264	3130	54.88	9.686	3180	55.99	12.948
3031	51.88	5.445	3081	53.53	17.988	3131	54.90	10.032	3181	56.01	13.546
3032	51.92	3.885	3082	53.57	16.305	3132	54.92	10.630	3182	56.03	13.267
3033	51.97	1.952	3083	53.61	14.130	3133	54.95	10.341	3183	56.04	12.632
3034	52.02	1.014	3084	53.64	12.218	3134	54.99	10.783	3184	56.05	12.239
3035	52.06	0.332	3085	53.67	9.179	3135	55.01	10.761	3185	56.08	10.331
3036	52.10	0.148	3086	53.70	7.269	3136	55.04	10.225	3186	56.10	9.306
3037	52.15	1.712	3087	53.73	5.350	3137	55.05	10.454	3187	56.12	9.656
3038	52.21	5.377	3088	53.76	4.057	3138	55.07	10.681	3188	56.15	8.993
3039	52.25	7.817	3089	53.81	1.991	3139	55.09	10.398	3189	56.17	7.711
3040	52.29	10.265	3090	53.85	-0.182	3140	55.10	9.759	3190	56.18	7.072
3041	52.32	12.225	3091	53.89	-2.489	3141	55.11	9.995	3191	56.20	5.551
3042	52.36	14.053	3092	53.92	-4.404	3142	55.13	11.219	3192	56.22	4.900
3043	52.39	14.631	3093	53.96	-5.083	3143	55.16	11.561	3193	56.24	2.863
3044	52.42	14.837	3094	54.01	-4.888	3144	55.19	12.392	3194	56.27	3.832
3045	52.46	13.284	3095	54.05	-4.328	3145	55.21	12.738	3195	56.29	4.674
3046	52.50	11.985	3096	54.09	-3.129	3146	55.24	12.707	3196	56.31	3.770
3047	52.52	10.454	3097	54.11	-3.159	3147	55.26	11.795	3197	56.33	4.128
3048	52.55	8.542	3098	54.14	-2.187	3148	55.27	11.156	3198	56.34	3.730
3049	52.60	6.605	3099	54.15	-1.333	3149	55.29	10.755	3199	56.37	3.458
3050	52.63	5.586	3100	54.17	-0.980	3150	55.31	10.980	3200	56.39	3.672

INDEX NO. 806 1308-PI-1 ISHIKARIKAKOU B. LG. MAX.ACCEL.= -93.328(GAL) T= 6.88(SEC) NO.17

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3201	56.40	3.907	3251	57.82	7.998	3301	60.20	-6.548	3351	61.90	3.819
3202	56.41	4.522	3252	57.85	8.579	3302	60.27	-6.010	3352	61.92	5.295
3203	56.42	6.127	3253	57.89	10.661	3303	60.32	-4.826	3353	61.93	5.650
3204	56.44	6.724	3254	57.91	13.631	3304	60.36	-2.756	3354	61.96	6.864
3205	56.47	5.691	3255	57.92	10.609	3305	60.40	-0.928	3355	61.98	7.839
3206	56.49	6.289	3256	57.97	9.418	3306	60.42	0.287	3356	62.00	9.062
3207	56.53	6.862	3257	58.02	3.608	3307	60.47	1.978	3357	62.01	9.420
3208	56.56	8.063	3258	58.10	5.381	3308	60.51	2.176	3358	62.03	9.649
3209	56.59	9.907	3259	58.14	4.232	3309	60.58	2.461	3359	62.04	9.380
3210	56.61	10.878	3260	58.17	2.900	3310	60.63	1.521	3360	62.06	8.484
3211	56.63	11.480	3261	58.20	1.865	3311	60.71	4.162	3361	62.07	7.472
3212	56.64	11.799	3262	58.24	1.810	3312	60.73	4.379	3362	62.09	6.822
3213	56.66	12.055	3263	58.26	1.763	3313	60.76	5.965	3363	62.11	7.043
3214	56.69	12.639	3264	58.33	1.447	3314	60.79	7.174	3364	62.12	7.401
3215	56.72	11.610	3265	58.35	1.923	3315	60.82	8.763	3365	62.14	8.624
3216	56.73	10.709	3266	58.39	2.493	3316	60.85	10.344	3366	62.15	10.106
3217	56.74	9.622	3267	58.44	2.553	3317	60.89	10.919	3367	62.17	10.453
3218	56.76	9.806	3268	58.48	2.749	3318	60.94	10.607	3368	62.19	10.431
3219	56.77	10.284	3269	58.53	1.425	3319	60.99	9.544	3369	62.22	11.637
3220	56.79	10.016	3270	58.58	1.115	3320	61.02	8.619	3370	62.26	10.985
3221	56.81	8.113	3271	58.61	1.320	3321	61.08	6.922	3371	62.28	12.189
3222	56.82	4.973	3272	58.68	2.108	3322	61.14	7.089	3372	62.29	13.675
3223	56.84	3.076	3273	58.72	2.433	3323	61.21	6.375	3373	62.30	15.031
3224	56.86	1.544	3274	58.75	3.089	3324	61.24	6.080	3374	62.34	15.980
3225	56.88	1.137	3275	58.79	5.080	3325	61.28	5.153	3375	62.40	16.280
3226	56.91	0.479	3276	58.84	5.391	3326	61.31	3.240	3376	62.42	16.259
3227	56.93	-0.172	3277	58.91	6.558	3327	61.32	2.220	3377	62.45	16.458
3228	56.95	-0.826	3278	58.98	4.338	3328	61.33	1.331	3378	62.51	15.501
3229	56.97	-1.198	3279	59.03	2.648	3329	61.35	0.927	3379	62.53	14.474
3230	57.00	-0.891	3280	59.07	1.332	3330	61.38	0.646	3380	62.56	13.562
3231	57.01	-0.913	3281	59.12	0.603	3331	61.39	-0.752	3381	62.59	12.768
3232	57.02	-0.295	3282	59.16	-0.651	3332	61.43	-3.670	3382	62.62	12.864
3233	57.04	0.304	3283	59.22	-0.731	3333	61.46	-6.464	3383	62.65	12.446
3234	57.09	2.986	3284	59.29	-0.575	3334	61.48	-8.497	3384	62.68	10.283
3235	57.11	4.565	3285	59.35	0.962	3335	61.52	-8.919	3385	62.71	8.869
3236	57.15	4.785	3286	59.42	3.375	3336	61.54	-9.197	3386	62.74	8.572
3237	57.17	3.883	3287	59.49	7.651	3337	61.56	-10.476	3387	62.77	8.528
3238	57.19	4.479	3288	59.55	12.325	3338	61.58	-11.504	3388	62.81	8.731
3239	57.21	4.698	3289	59.58	14.526	3339	61.61	-11.548	3389	62.85	9.056
3240	57.26	4.125	3290	59.63	15.969	3340	61.66	-10.357	3390	62.88	9.294
3241	57.31	3.687	3291	59.67	16.916	3341	61.67	-9.122	3391	62.87	10.270
3242	57.37	3.357	3292	59.71	17.740	3342	61.69	-8.275	3392	62.91	10.473
3243	57.43	2.903	3293	59.76	17.163	3343	61.72	-6.445	3393	62.94	11.683
3244	57.51	2.793	3294	59.82	15.840	3344	61.75	-5.728	3394	62.96	11.650
3245	57.56	2.479	3295	59.87	12.901	3345	61.78	-4.895	3395	63.00	11.982
3246	57.61	2.288	3296	59.93	8.446	3346	61.80	-1.793	3396	63.03	11.940
3247	57.66	2.215	3297	59.98	5.631	3347	61.82	-0.193	3397	63.04	10.919
3248	57.70	2.790	3298	60.04	0.926	3348	61.84	0.781	3398	63.06	10.018
3249	57.73	3.743	3299	60.09	-1.897	3349	61.86	2.251	3399	63.08	9.617
3250	57.77	5.817	3300	60.15	-4.471	3350	61.88	2.591	3400	63.09	9.975

INDEX NO. 806 1308-PI-1 ISHIKARIKAKOU B. LG. MAX.ACCEL.= -93.328(GAL) T= 6.88(SEC) NO.18

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3401	63.11	10.200	3451	64.35	-3.197	3501	66.54	4.652	3551	67.99	9.973
3402	63.13	9.678	3452	64.40	-1.755	3502	66.62	4.794	3552	68.01	8.449
3403	63.15	8.396	3453	64.43	-0.793	3503	66.64	5.761	3553	68.03	4.679
3404	63.18	8.617	3454	64.48	0.018	3504	66.70	6.931	3554	68.04	0.161
3405	63.20	8.338	3455	64.53	0.949	3505	66.76	7.852	3555	68.05	-1.349
3406	63.23	7.672	3456	64.58	2.128	3506	66.79	8.312	3556	68.06	-1.992
3407	63.24	7.905	3457	64.63	3.318	3507	66.84	7.746	3557	68.08	-3.022
3408	63.27	8.497	3458	64.66	5.525	3508	66.88	7.324	3558	68.09	-4.532
3409	63.29	8.471	3459	64.69	7.360	3509	66.91	6.409	3559	68.11	-6.179
3410	63.31	9.068	3460	64.72	10.449	3510	66.95	5.609	3560	68.12	-7.690
3411	63.33	9.035	3461	64.75	12.404	3511	66.99	4.929	3561	68.14	-7.477
3412	63.35	8.755	3462	64.80	12.964	3512	67.02	5.258	3562	68.15	-7.242
3413	63.38	8.341	3463	64.84	12.293	3513	67.03	4.371	3563	68.18	-7.273
3414	63.40	8.948	3464	64.87	11.749	3514	67.05	4.846	3564	68.21	-6.319
3415	63.42	8.919	3465	64.88	11.355	3515	67.09	6.049	3565	68.23	-5.722
3416	63.43	9.150	3466	64.90	11.091	3516	67.11	7.274	3566	68.26	-3.636
3417	63.47	8.608	3467	64.94	10.036	3517	67.14	9.223	3567	68.30	-0.558
3418	63.50	7.559	3468	64.98	8.105	3518	67.19	9.789	3568	68.32	1.284
3419	63.55	5.114	3469	65.01	7.813	3519	67.21	9.760	3569	68.34	2.266
3420	63.57	4.640	3470	65.05	7.760	3520	67.24	10.728	3570	68.37	3.479
3421	63.60	5.422	3471	65.09	8.202	3521	67.25	11.577	3571	68.39	4.321
3422	63.64	4.128	3472	65.15	9.375	3522	67.26	12.565	3572	68.42	4.284
3423	63.67	3.832	3473	65.19	9.322	3523	67.28	12.544	3573	68.45	3.996
3424	63.70	1.298	3474	65.22	9.280	3524	67.30	10.645	3574	68.47	3.713
3425	63.73	0.263	3475	65.28	9.575	3525	67.31	9.376	3575	68.51	2.419
3426	63.76	-1.283	3476	65.36	5.474	3526	67.33	8.103	3576	68.53	1.140
3427	63.78	-1.313	3477	65.41	1.774	3527	67.37	6.176	3577	68.57	-1.164
3428	63.82	-2.617	3478	65.46	-1.159	3528	67.41	5.502	3578	68.61	-3.096
3429	63.84	-4.397	3479	65.49	-3.082	3529	67.43	4.592	3579	68.68	-3.433
3430	63.87	-5.936	3480	65.54	-5.142	3530	67.45	4.192	3580	68.69	-3.581
3431	63.90	-5.720	3481	65.58	-4.198	3531	67.48	3.901	3581	68.73	-2.374
3432	63.93	-6.013	3482	65.63	-5.523	3532	67.51	2.615	3582	68.75	-1.153
3433	63.95	-6.662	3483	65.68	-5.332	3533	67.55	2.811	3583	68.77	-0.808
3434	63.96	-5.802	3484	65.74	-4.415	3534	67.57	2.157	3584	68.80	0.035
3435	63.98	-5.575	3485	65.78	-3.223	3535	67.60	2.120	3585	68.82	1.603
3436	64.00	-6.110	3486	65.84	-1.422	3536	67.62	2.092	3586	68.85	2.211
3437	64.02	-5.004	3487	65.88	2.392	3537	67.67	1.032	3587	68.88	3.055
3438	64.05	-5.564	3488	65.93	4.206	3538	67.70	1.615	3588	68.91	4.011
3439	64.07	-6.194	3489	65.99	5.618	3539	67.71	2.219	3589	68.93	3.978
3440	64.09	-5.973	3490	66.06	5.906	3540	67.74	4.052	3590	68.96	3.691
3441	64.11	-5.376	3491	66.11	3.963	3541	67.77	6.263	3591	68.99	3.280
3442	64.13	-5.645	3492	66.13	3.559	3542	67.80	8.108	3592	69.02	3.487
3443	64.15	-6.049	3493	66.17	2.305	3543	67.83	9.933	3593	69.05	3.447
3444	64.17	-5.461	3494	66.22	2.825	3544	67.88	10.502	3594	69.07	2.794
3445	64.20	-5.744	3495	66.26	3.388	3545	67.90	10.724	3595	69.12	2.481
3446	64.24	-6.798	3496	66.30	4.593	3546	67.93	10.427	3596	69.15	2.070
3447	64.26	-5.574	3497	66.36	6.384	3547	67.95	8.905	3597	69.18	2.405
3448	64.28	-4.980	3498	66.41	6.067	3548	67.96	7.807	3598	69.21	1.487
3449	64.31	-3.767	3499	66.48	5.104	3549	67.97	7.873	3599	69.24	-0.175
3450	64.33	-3.543	3500	66.52	4.918	3550	67.98	9.113	3600	69.27	-0.590

土木構造物における加速度強震記録（No.9）

INDEX NO. 806 1308-P1-1 ISHIKARIKAKOU B. LG. MAX.ACCEL.= -93.328(GAL) T= 6.88(SEC) NO.19

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3601	69.30	-1.512	3651	70.65	4.324	3701	72.29	8.335	3751	74.30	6.566
3602	69.33	-1.295	3652	70.68	3.276	3702	72.34	8.512	3752	74.33	7.783
3603	69.37	-0.729	3653	70.72	3.652	3703	72.38	9.578	3753	74.34	9.389
3604	69.40	-0.392	3654	70.75	3.176	3704	72.45	9.725	3754	74.38	10.595
3605	69.42	0.454	3655	70.80	0.996	3705	72.50	10.019	3755	74.40	10.316
3606	69.44	1.686	3656	70.82	-0.279	3706	72.56	9.932	3756	74.42	9.281
3607	69.45	2.920	3657	70.86	-0.709	3707	72.61	9.494	3757	74.45	7.751
3608	69.48	5.509	3658	70.90	-1.010	3708	72.66	10.411	3758	74.47	5.847
3609	69.50	6.477	3659	70.94	-1.439	3709	72.70	10.981	3759	74.49	6.069
3610	69.53	7.058	3660	70.96	-2.725	3710	72.73	10.552	3760	74.54	4.756
3611	69.55	7.030	3661	70.99	-0.893	3711	72.76	9.255	3761	74.59	3.192
3612	69.60	7.217	3662	71.05	1.537	3712	72.79	8.958	3762	74.60	2.173
3613	69.62	6.945	3663	71.09	4.353	3713	72.82	9.543	3763	74.61	1.784
3614	69.63	6.924	3664	71.12	6.617	3714	72.85	9.496	3764	74.65	1.100
3615	69.66	6.894	3665	71.15	6.773	3715	72.87	7.599	3765	74.69	0.797
3616	69.68	4.987	3666	71.17	7.365	3716	72.89	5.942	3766	74.72	0.135
3617	69.70	3.709	3667	71.20	6.706	3717	72.93	5.888	3767	74.74	-1.143
3618	69.72	2.457	3668	71.22	6.678	3718	72.97	5.944	3768	74.77	-2.179
3619	69.75	1.764	3669	71.24	7.532	3719	73.01	4.013	3769	74.80	-3.845
3620	69.81	-0.179	3670	71.25	8.765	3720	73.04	4.850	3770	74.83	-5.766
3621	69.84	-1.222	3671	71.27	8.736	3721	73.07	5.680	3771	74.86	-7.428
3622	69.87	-2.634	3672	71.32	7.166	3722	73.12	6.001	3772	74.91	-10.121
3623	69.90	-1.434	3673	71.35	6.500	3723	73.17	3.178	3773	74.97	-11.448
3624	69.94	-1.111	3674	71.38	6.466	3724	73.23	1.106	3774	75.03	-11.524
3625	69.97	-0.894	3675	71.41	5.808	3725	73.28	0.658	3775	75.07	-12.203
3626	70.00	0.066	3676	71.43	4.153	3726	73.35	-1.929	3776	75.10	-11.868
3627	70.03	0.648	3677	71.46	2.860	3727	73.39	-3.229	3777	75.14	-11.927
3628	70.06	0.229	3678	71.49	1.570	3728	73.44	-3.920	3778	75.17	-11.712
3629	70.10	-0.693	3679	71.53	1.273	3729	73.48	-4.345	3779	75.20	-11.132
3630	70.11	-1.089	3680	71.56	0.367	3730	73.50	-4.003	3780	75.22	-12.031
3631	70.17	-1.408	3681	71.59	-0.060	3731	73.53	-3.790	3781	75.26	-12.449
3632	70.21	-2.098	3682	71.62	-0.729	3732	73.55	-2.810	3782	75.28	-11.479
3633	70.26	-1.911	3683	71.66	-0.779	3733	73.60	-1.630	3783	75.31	-11.265
3634	70.28	-2.565	3684	71.67	0.077	3734	73.66	-1.707	3784	75.35	-11.320
3635	70.32	-2.240	3685	71.69	0.673	3735	73.70	-1.507	3785	75.38	-9.731
3636	70.35	-2.659	3686	71.73	-0.002	3736	73.74	0.064	3786	75.41	-5.401
3637	70.37	-2.058	3687	71.76	0.336	3737	73.76	1.279	3787	75.43	-3.555
3638	70.39	0.790	3688	71.78	1.186	3738	73.79	2.490	3788	75.46	-3.218
3639	70.40	2.032	3689	71.81	0.018	3739	73.83	1.822	3789	75.53	-1.437
3640	70.41	3.267	3690	71.83	-0.387	3740	73.85	2.040	3790	75.59	-0.893
3641	70.42	3.250	3691	71.86	-0.797	3741	73.88	3.632	3791	75.65	-1.837
3642	70.43	1.607	3692	71.90	-1.478	3742	73.91	3.583	3792	75.69	-3.525
3643	70.45	0.961	3693	71.94	-0.274	3743	73.96	2.892	3793	75.75	-3.229
3644	70.46	2.195	3694	71.98	1.295	3744	74.01	3.078	3794	75.82	-1.445
3645	70.49	2.163	3695	72.04	2.712	3745	74.05	1.899	3795	75.89	-1.532
3646	70.51	1.509	3696	72.07	3.655	3746	74.08	1.234	3796	75.93	-0.708
3647	70.53	2.100	3697	72.11	4.474	3747	74.12	1.164	3797	75.96	0.880
3648	70.55	3.076	3698	72.14	6.302	3748	74.17	1.375	3798	75.99	2.337
3649	70.57	4.421	3699	72.20	7.868	3749	74.22	3.804	3799	76.03	4.658
3650	70.61	4.999	3700	72.24	8.033	3750	74.26	4.995	3800	76.08	4.339

INDEX NO. 806 1308-P1-1 ISHIKARIKAKOU B. LG. MAX.ACCEL.= -93.328(GAL) T= 6.88(SEC) NO.20

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3801	76.12	4.538	3851	78.66	-4.961	3901	81.02	-9.192	3951	83.01	-14.109
3802	76.15	4.117	3852	78.71	-5.287	3902	81.08	-10.022	3952	83.04	-13.270
3803	76.19	3.186	3853	78.80	-4.775	3903	81.13	-10.713	3953	83.07	-12.932
3804	76.23	1.264	3854	78.89	-4.270	3904	81.17	-10.776	3954	83.09	-12.083
3805	76.26	0.217	3855	78.98	-4.633	3905	81.24	-10.234	3955	83.15	-12.416
3806	76.31	0.154	3856	79.03	-3.822	3906	81.25	-9.869	3956	83.19	-13.973
3807	76.35	-0.769	3857	79.08	-3.623	3907	81.31	-9.703	3957	83.23	-13.774
3808	76.40	-1.211	3858	79.14	-2.714	3908	81.34	-7.874	3958	83.27	-15.321
3809	76.45	-0.037	3859	79.18	-2.527	3909	81.42	-7.850	3959	83.31	-13.755
3810	76.53	0.866	3860	79.21	-3.430	3910	81.46	-8.659	3960	83.35	-15.174
3811	76.58	0.792	3861	79.25	-3.856	3911	81.50	-9.326	3961	83.40	-14.996
3812	76.62	1.613	3862	79.30	-4.796	3912	81.52	-9.608	3962	83.46	-13.701
3813	76.67	1.927	3863	79.31	-4.440	3913	81.55	-9.396	3963	83.54	-12.677
3814	76.72	0.604	3864	79.39	-3.666	3914	81.57	-9.050	3964	83.61	-11.772
3815	76.73	1.468	3865	79.45	-4.000	3915	81.61	-10.352	3965	83.68	-11.866
3816	76.79	-1.116	3866	79.49	-3.586	3916	81.65	-10.407	3966	83.76	-12.347
3817	76.83	-2.919	3867	79.57	-3.020	3917	81.69	-10.457	3967	83.83	-12.059
3818	76.90	-4.009	3868	79.61	-3.949	3918	81.71	-11.106	3968	83.88	-12.748
3819	76.96	-4.597	3869	79.65	-4.628	3919	81.73	-11.386	3969	83.94	-12.203
3820	77.02	-3.669	3870	79.70	-7.193	3920	81.76	-12.172	3970	83.99	-11.648
3821	77.06	-2.855	3871	79.74	-8.248	3921	81.79	-12.459	3971	84.05	-11.099
3822	77.12	-2.559	3872	79.78	-9.795	3922	81.82	-11.684	3972	84.08	-10.517
3823	77.17	-3.244	3873	79.81	-10.714	3923	81.89	-10.092	3973	84.15	-9.601
3824	77.22	-3.935	3874	79.85	-11.382	3924	81.94	-9.912	3974	84.21	-10.306
3825	77.27	-3.996	3875	79.88	-11.794	3925	82.00	-7.110	3975	84.26	-11.632
3826	77.34	-3.470	3876	79.90	-11.830	3926	82.04	-5.668	3976	84.32	-13.584
3827	77.39	-3.535	3877	79.92	-11.601	3927	82.09	-5.108	3977	84.39	-14.296
3828	77.44	-1.725	3878	79.94	-11.084	3928	82.15	-5.191	3978	84.45	-12.622
3829	77.47	-0.512	3879	79.97	-12.545	3929	82.19	-5.746	3979	84.52	-11.088
3830	77.50	1.320	3880	80.01	-11.336	3930	82.23	-6.422	3980	84.58	-9.303
3831	77.54	1.511	3881	80.04	-11.339	3931	82.28	-6.862	3981	84.66	-8.530
3832	77.58	0.586	3882	80.09	-9.570	3932	82.31	-6.290	3982	84.74	-8.136
3833	77.64	-1.736	3883	80.12	-7.116	3933	82.36	-5.478	3983	84.80	-8.841
3834	77.69	-4.552	3884	80.18	-5.068	3934	82.40	-5.526	3984	84.86	-9.546
3835	77.75	-7.132	3885	80.22	-3.255	3935	82.43	-5.589	3985	84.94	-9.900
3836	77.80	-9.322	3886	80.28	-2.326	3936	82.47	-5.620	3986	84.99	-9.087
3837	77.83	-10.122	3887	80.32	-3.063	3937	82.51	-5.049	3987	85.04	-7.652
3838	77.86	-11.063	3888	80.36	-3.940	3938	82.54	-5.089	3988	85.09	-6.721
3839	77.97	-10.554	3889	80.44	-3.794	3939	82.58	-5.526	3989	85.12	-8.261
3840	78.04	-9.763	3890	80.48	-4.477	3940	82.64	-0.977	3990	85.19	-8.973
3841	78.11	-9.492	3891	80.53	-4.292	3941	82.69	-2.542	3991	85.25	-9.685
3842	78.15	-8.665	3892	80.58	-2.476	3942	82.75	-6.376	3992	85.30	-12.001
3843	78.23	-7.141	3893	80.61	-1.773	3943	82.78	-8.676	3993	85.36	-12.956
3844	78.29	-6.476	3894	80.67	-1.221	3944	82.84	-12.127	3994	85.42	-13.411
3845	78.34	-3.915	3895	80.73	+0.686	3945	82.87	-13.914	3995	85.48	-14.118
3846	78.40	-3.373	3896	80.77	+1.992	3946	82.89	-14.199	3996	85.53	-15.675
3847	78.47	-3.339	3897	80.83	-2.947	3947	82.92	-14.860	3997	85.56	-16.845
3848	78.52	-4.034	3898	80.87	-3.618	3948	82.94	-15.258	3998	85.60	-16.892
3849	78.57	-3.600	3899	80.91	+5.919	3949	82.97	-14.673	3999	85.64	-17.208
3850	78.62	-4.287	3900	80.97	+7.507	3950	82.99	-14.451	4000	85.69	-18.266

INDEX NO. 806 1308-PI-1 ISHIKARIKAKOU B. LG. MAX.ACCEL.= -93.328(GAL) T= 6.88(SEC) NO.21

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
4001	85.74	-18.958	4051	88.54	-15.697	4101	91.28	-18.859	4151	94.82	-23.695
4002	85.80	-19.295	4052	88.61	-14.907	4102	91.36	-20.461	4152	94.89	-25.032
4003	85.84	-19.097	4053	88.64	-15.627	4103	91.42	-21.168	4153	94.95	-26.119
4004	85.91	-18.188	4054	88.69	-16.136	4104	91.48	-22.498	4154	95.02	-26.206
4005	85.96	-17.747	4055	88.71	-16.789	4105	91.50	-23.524	4155	95.11	-25.454
4006	86.00	-16.550	4056	88.73	-15.940	4106	91.58	-23.635	4156	95.19	-23.930
4007	86.07	-16.516	4057	88.75	-15.723	4107	91.70	-23.418	4157	95.25	-24.268
4008	86.12	-16.960	4058	88.78	-17.259	4108	91.80	-22.677	4158	95.30	-24.336
4009	86.18	-17.662	4059	88.82	-17.572	4109	91.84	-22.981	4159	95.36	-26.663
4010	86.23	-16.863	4060	88.92	-17.824	4110	91.87	-23.021	4160	95.43	-27.628
4011	86.27	-15.910	4061	88.95	-16.860	4111	91.92	-23.715	4161	95.46	-30.050
4012	86.31	-14.089	4062	89.02	-16.958	4112	91.96	-24.773	4162	95.51	-29.859
4013	86.35	-13.272	4063	89.07	-16.393	4113	92.02	-25.728	4163	95.57	-29.934
4014	86.40	-12.705	4064	89.15	-15.885	4114	92.09	-26.818	4164	95.62	-29.900
4015	86.46	-11.785	4065	89.21	-15.339	4115	92.16	-28.155	4165	95.68	-27.208
4016	86.52	-12.740	4066	89.27	-15.416	4116	92.23	-27.004	4166	95.74	-27.045
4017	86.61	-12.856	4067	89.32	-16.982	4117	92.30	-27.726	4167	95.84	-27.052
4018	86.68	-14.825	4068	89.37	-18.930	4118	92.35	-27.789	4168	95.95	-26.071
4019	86.74	-16.537	4069	89.44	-20.262	4119	92.40	-28.862	4169	96.04	-25.820
4020	86.83	-17.275	4070	89.50	-20.100	4120	92.46	-27.690	4170	96.12	-25.925
4021	86.91	-17.388	4071	89.55	-19.918	4121	92.52	-27.398	4171	96.24	-26.710
4022	87.00	-16.001	4072	89.59	-19.965	4122	92.57	-26.207	4172	96.36	-25.861
4023	87.06	-14.452	4073	89.63	-18.399	4123	92.61	-25.013	4173	96.46	-26.382
4024	87.11	-13.902	4074	89.68	-18.460	4124	92.65	-24.820	4174	96.61	-27.575
4025	87.17	-12.728	4075	89.74	-19.790	4125	92.71	-24.893	4175	96.75	-28.259
4026	87.19	-12.751	4076	89.80	-20.752	4126	92.80	-24.393	4176	96.92	-28.860
4027	87.25	-12.209	4077	89.86	-22.832	4127	92.86	-23.221	4177	96.97	-28.931
4028	87.31	-12.546	4078	89.92	-24.158	4128	92.97	-20.496			
4029	87.38	-12.633	4079	89.93	-24.176	4129	93.05	-18.725			
4030	87.44	-12.220	4080	89.99	-25.499	4130	93.13	-17.834			
4031	87.50	-12.303	4081	90.04	-25.575	4131	93.20	-18.171			
4032	87.57	-13.515	4082	90.10	-25.152	4132	93.28	-17.657			
4033	87.63	-13.095	4083	90.15	-22.974	4133	93.38	-19.668			
4034	87.68	-14.290	4084	90.21	-21.172	4134	93.48	-20.426			
4035	87.73	-14.984	4085	90.26	-19.983	4135	93.56	-22.408			
4036	87.78	-14.555	4086	90.30	-18.174	4136	93.61	-24.597			
4037	87.83	-12.989	4087	90.37	-17.393	4137	93.68	-24.687			
4038	87.87	-13.045	4088	90.42	-17.455	4138	93.73	-25.510			
4039	87.91	-13.345	4089	90.47	-17.773	4139	93.86	-24.602			
4040	87.92	-12.484	4090	90.50	-17.818	4140	93.89	-24.088			
4041	87.97	-11.553	4091	90.60	-18.815	4141	93.96	-23.937			
4042	88.00	-12.094	4092	90.67	-18.914	4142	94.02	-24.509			
4043	88.04	-12.526	4093	90.75	-20.018	4143	94.06	-23.693			
4044	88.05	-12.543	4094	90.82	-20.363	4144	94.12	-21.526			
4045	88.12	-13.263	4095	90.88	-19.950	4145	94.21	-20.521			
4046	88.18	-12.718	4096	90.91	-19.619	4146	94.33	-19.045			
4047	88.25	-12.184	4097	90.99	-18.468	4147	94.46	-19.223			
4048	88.34	-12.294	4098	91.07	-17.697	4148	94.56	-19.596			
4049	88.41	-13.891	4099	91.12	-17.149	4149	94.65	-20.090			
4050	88.48	-13.993	4100	91.21	-17.511	4150	94.74	-22.718			

Table IX D-33 Digitized Accelerations of Earthquake Record with Index Number 807

INDEX NO. 807 1308-PI-1 ISHIKARIKAKOU B. U-D MAX.ACCEL.= -27.419(GAL) T=96.86(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.01	-8.506	51	1.50	2.066	101	3.14	-9.788	151	4.88	0.087
2	0.05	-9.305	52	1.52	3.299	102	3.16	-8.562	152	4.91	-0.455
3	0.09	-9.848	53	1.54	4.523	103	3.19	-7.348	153	4.94	-2.114
4	0.13	-10.899	54	1.57	3.230	104	3.23	-7.028	154	4.96	-4.642
5	0.17	-10.325	55	1.60	1.326	105	3.28	-7.338	155	4.99	-6.172
6	0.21	-8.496	56	1.62	1.298	106	3.33	-8.643	156	5.01	-8.448
7	0.24	-6.660	57	1.64	0.645	107	3.34	-9.037	157	5.02	-9.711
8	0.27	-6.445	58	1.67	-1.887	108	3.38	-9.961	158	5.04	-9.490
9	0.30	-5.485	59	1.69	-5.612	109	3.42	-12.251	159	5.07	-10.021
10	0.34	-6.156	60	1.72	-8.075	110	3.43	-13.773	160	5.11	-11.066
11	0.37	-7.442	61	1.76	-9.247	111	3.45	-15.042	161	5.17	-12.516
12	0.38	-8.330	62	1.81	-10.304	112	3.48	-16.951	162	5.22	-11.954
13	0.40	-10.596	63	1.86	-11.613	113	3.51	-16.118	163	5.26	-10.502
14	0.41	-12.741	64	1.91	-11.679	114	3.55	-14.043	164	5.31	-8.930
15	0.43	-13.136	65	1.96	-11.481	115	3.58	-10.575	165	5.36	-8.739
16	0.44	-11.655	66	2.01	-12.047	116	3.62	-7.251	166	5.39	-10.278
17	0.47	-11.062	67	2.06	-12.477	117	3.65	-4.160	167	5.44	-10.956
18	0.50	-12.599	68	2.10	-12.526	118	3.67	-2.316	168	5.47	-9.501
19	0.53	-12.884	69	2.12	-14.431	119	3.70	-1.592	169	5.51	-8.288
20	0.56	-11.797	70	2.16	-15.098	120	3.73	-1.635	170	5.53	-7.948
21	0.58	-11.197	71	2.19	-13.891	121	3.76	-2.174	171	5.56	-7.357
22	0.61	-9.605	72	2.23	-13.061	122	3.79	-3.836	172	5.59	-8.264
23	0.68	-6.692	73	2.25	-12.088	123	3.82	-5.125	173	5.62	-8.051
24	0.71	-5.601	74	2.28	-12.127	124	3.86	-6.038	174	5.65	-6.834
25	0.74	-5.881	75	2.32	-12.542	125	3.89	-8.581	175	5.68	-8.116
26	0.76	-6.158	76	2.35	-13.453	126	3.93	-9.625	176	5.72	-9.171
27	0.77	-5.303	77	2.39	-13.877	127	3.97	-9.429	177	5.75	-7.333
28	0.81	-6.591	78	2.41	-12.278	128	4.01	-8.229	178	5.78	-5.737
29	0.84	-9.381	79	2.43	-10.804	129	4.05	-7.270	179	5.81	-5.776
30	0.86	-11.653	80	2.47	-11.357	130	4.08	-6.058	180	5.86	-6.086
31	0.88	-13.811	81	2.50	-12.389	131	4.11	-6.724	181	5.90	-8.013
32	0.93	-15.363	82	2.53	-12.670	132	4.15	-8.268	182	5.95	-7.815
33	0.96	-17.159	83	2.57	-10.346	133	4.19	-8.695	183	6.00	-7.253
34	1.00	-18.827	84	2.61	-8.768	134	4.26	-9.155	184	6.06	-6.694
35	1.04	-19.567	85	2.64	-7.558	135	4.31	-9.214	185	6.10	-5.250
36	1.09	-18.689	86	2.68	-6.981	136	4.36	-8.908	186	6.14	-5.298
37	1.13	-17.105	87	2.74	-6.178	137	4.40	-7.077	187	6.18	-6.466
38	1.14	-16.500	88	2.79	-3.983	138	4.42	-3.980	188	6.21	-6.005
39	1.15	-13.764	89	2.80	-0.751	139	4.45	-2.516	189	6.25	-5.424
40	1.17	-11.284	90	2.81	1.739	140	4.50	-2.572	190	6.30	-5.235
41	1.19	-9.432	91	2.83	3.213	141	4.53	-2.616	191	6.34	-3.785
42	1.23	-7.850	92	2.88	2.283	142	4.59	-2.555	192	6.38	-3.581
43	1.27	-6.283	93	2.92	0.979	143	4.62	-2.091	193	6.42	-5.756
44	1.31	-4.073	94	2.96	0.059	144	4.66	-1.522	194	6.47	-5.561
45	1.34	-2.609	95	2.99	-0.978	145	4.71	-2.081	195	6.49	-3.718
46	1.37	-1.395	96	3.02	-2.888	146	4.73	-1.861	196	6.52	-2.123
47	1.39	-0.175	97	3.04	-5.036	147	4.76	-1.268	197	6.55	-1.918
48	1.42	0.915	98	3.05	-7.309	148	4.79	-0.929	198	6.60	-3.102
49	1.45	0.009	99	3.08	-8.589	149	4.82	-2.213	199	6.64	-3.772
50	1.48	0.845	100	3.11	-9.377	150	4.85	-0.508	200	6.68	-4.441

土木構造物における加速度強震記録（No. 9）

INDEX NO. 807 1308-PI-1 ISHIKARIKAKOU B, U-D MAX.ACCEL.= -27.419(GAL) T=96.86(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	6.74	-6.763	251	8.83	-7.612	301	10.72	-8.321	351	12.66	-3.248
202	6.79	-8.954	252	8.85	-6.797	302	10.78	-9.259	352	12.67	-5.902
203	6.88	-10.059	253	8.89	-5.977	303	10.82	-11.061	353	12.69	-8.809
204	6.92	-12.605	254	8.95	-5.043	304	10.87	-12.373	354	12.73	-10.108
205	6.96	-13.275	255	8.99	-4.217	305	10.93	-11.818	355	12.77	-8.652
206	6.98	-12.679	256	9.02	-3.622	306	10.97	-10.372	356	12.81	-6.200
207	7.01	-12.091	257	9.05	-3.908	307	11.02	-7.304	357	12.88	-5.654
208	7.05	-11.264	258	9.07	-2.694	308	11.05	-5.464	358	12.94	-5.107
209	7.16	-10.073	259	9.11	-2.991	309	11.10	-3.642	359	12.99	-4.792
210	7.13	-9.488	260	9.14	-4.904	310	11.16	-3.343	360	13.03	-2.966
211	7.18	-6.425	261	9.18	-5.578	311	11.21	-0.784	361	13.06	-0.503
212	7.22	-4.216	262	9.22	-5.123	312	11.26	-0.211	362	13.10	0.327
213	7.26	-3.018	263	9.27	-4.180	313	11.28	0.641	363	13.14	-0.223
214	7.30	-1.191	264	9.31	-3.358	314	11.31	-0.273	364	13.17	-0.633
215	7.33	0.275	265	9.35	-3.406	315	11.34	-2.435	365	13.19	-1.278
216	7.37	-0.277	266	9.40	-6.465	316	11.38	-2.858	366	13.20	-3.420
217	7.42	-3.208	267	9.43	-7.756	317	11.42	-2.908	367	13.22	-5.071
218	7.46	-4.503	268	9.47	-7.804	318	11.46	-2.328	368	13.28	-5.387
219	7.51	-5.815	269	9.50	-6.094	319	11.49	-3.237	369	13.32	-4.935
220	7.58	-7.779	270	9.54	-5.133	320	11.50	-3.631	370	13.33	-4.827
221	7.62	-8.453	271	9.56	-5.161	321	11.53	-4.541	371	13.36	-4.866
222	7.65	-9.992	272	9.59	-5.620	322	11.56	-3.449	372	13.40	-4.659
223	7.70	-11.669	273	9.61	-7.724	323	11.60	-3.995	373	13.44	-3.829
224	7.74	-11.722	274	9.66	-8.405	324	11.64	-5.926	374	13.47	-2.248
225	7.78	-10.897	275	9.70	-8.460	325	11.68	-7.861	375	13.50	1.465
226	7.81	-9.680	276	9.76	-7.904	326	11.71	-9.511	376	13.52	3.442
227	7.82	-8.446	277	9.78	-6.687	327	11.73	-9.281	377	13.57	4.016
228	7.86	-7.491	278	9.82	-5.230	328	11.76	-8.946	378	13.60	3.098
229	7.89	-6.281	279	9.84	-4.253	329	11.79	-8.978	379	13.65	1.790
230	7.92	-5.432	280	9.85	-1.770	330	11.83	-9.902	380	13.68	-0.122
231	7.95	-3.594	281	9.87	0.829	331	11.87	-10.320	381	13.72	-1.170
232	7.97	-3.626	282	9.89	2.063	332	11.89	-10.103	382	13.79	-5.000
233	8.01	-3.941	283	9.91	2.032	333	11.93	-7.270	383	13.82	-6.663
234	8.03	-1.439	284	9.95	0.484	334	11.96	-5.182	384	13.85	-7.324
235	8.06	-2.109	285	9.99	-1.434	335	12.00	-1.102	385	13.87	-7.351
236	8.11	-2.162	286	10.02	-2.729	336	12.04	0.726	386	13.88	-9.617
237	8.14	-1.581	287	10.06	-0.651	337	12.07	1.931	387	13.92	-10.287
238	8.19	-2.507	288	10.09	-0.940	338	12.12	0.378	388	13.95	-9.074
239	8.21	-3.787	289	10.14	-1.988	339	12.17	-1.313	389	13.96	-7.590
240	8.28	-4.869	290	10.16	-3.271	340	12.23	-2.635	390	13.99	-6.369
241	8.32	-6.796	291	10.21	-5.454	341	12.28	-3.936	391	14.03	-6.041
242	8.35	-8.697	292	10.25	-6.501	342	12.32	-5.483	392	14.05	-7.319
243	8.38	-10.237	293	10.30	-4.438	343	12.34	-7.134	393	14.07	-8.590
244	8.43	-9.171	294	10.34	-4.112	344	12.37	-7.801	394	14.11	-6.510
245	8.47	-7.598	295	10.39	-3.547	345	12.41	-6.594	395	14.14	-5.925
246	8.52	-5.782	296	10.43	-3.839	346	12.44	-4.509	396	14.17	-5.589
247	8.57	-3.963	297	10.46	-5.132	347	12.49	-3.942	397	14.21	-5.636
248	8.63	-4.410	298	10.52	-6.279	348	12.52	-3.233	398	14.24	-5.043
249	8.68	-5.974	299	10.60	-6.293	349	12.57	-2.287	399	14.27	-3.205
250	8.73	-6.906	300	10.67	-7.635	350	12.60	-1.695	400	14.31	-3.003

INDEX NO. 807 1308-PI-1 ISHIKARIKAKOU B, U-D MAX.ACCEL.= -27.419(GAL) T=96.86(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	14.35	-2.674	451	16.37	+1.626	501	18.77	-4.159	551	21.24	0.738
402	14.36	-2.691	452	16.41	+1.928	502	18.82	-5.464	552	21.28	1.066
403	14.41	-2.997	453	16.45	+3.843	503	18.88	-3.415	553	21.30	1.284
404	14.44	-4.265	454	16.49	+4.770	504	18.95	+1.241	554	21.34	2.238
405	14.49	-1.970	455	16.55	+4.967	505	19.00	0.570	555	21.36	4.093
406	14.54	0.222	456	16.58	+5.260	506	19.07	1.355	556	21.39	4.928
407	14.59	0.406	457	16.61	+4.671	507	19.13	1.909	557	21.45	3.731
408	14.66	1.080	458	16.66	+2.599	508	19.20	3.207	558	21.48	1.820
409	14.72	0.508	459	16.69	+1.391	509	19.25	2.514	559	21.51	1.406
410	14.74	1.107	460	16.74	+1.075	510	19.31	2.442	560	21.55	0.739
411	14.79	-0.828	461	16.81	+1.611	511	19.37	0.876	561	21.62	0.025
412	14.83	-1.880	462	16.86	+1.845	512	19.45	+2.597	562	21.66	+1.268
413	14.88	-1.307	463	16.91	+2.157	513	19.50	+2.784	563	21.69	+2.179
414	14.93	-1.119	464	16.94	+2.189	514	19.53	+3.072	564	21.74	+3.238
415	14.97	-2.038	465	16.97	+4.733	515	19.57	+2.873	565	21.78	+3.040
416	15.00	-3.951	466	17.02	+4.912	516	19.61	+1.911	566	21.84	+2.740
417	15.04	-4.254	467	17.07	+3.722	517	19.66	+1.605	567	21.87	+2.530
418	15.08	-4.052	468	17.09	-2.126	518	19.71	-3.536	568	21.93	+0.971
419	15.13	-4.990	469	17.13	+1.564	519	19.76	-4.349	569	21.97	+1.016
420	15.16	-6.280	470	17.16	-0.353	520	19.79	-4.637	570	22.00	+0.803
421	15.21	-7.338	471	17.23	-1.299	521	19.84	-5.446	571	22.02	-1.329
422	15.25	-7.762	472	17.29	+2.321	522	19.88	+5.873	572	22.06	+0.257
423	15.29	-7.937	473	17.34	-2.806	523	19.93	-4.676	573	22.07	2.234
424	15.34	-8.241	474	17.38	+2.231	524	19.95	-5.827	574	22.12	2.803
425	15.35	-8.258	475	17.42	-1.277	525	20.01	-6.278	575	22.16	3.369
426	15.40	-7.695	476	17.48	0.533	526	20.05	-5.949	576	22.21	4.563
427	15.46	-6.261	477	17.53	1.714	527	20.08	-3.863	577	22.22	5.803
428	15.49	-5.050	478	17.58	3.155	528	20.13	-3.044	578	22.26	6.125
429	15.51	-2.834	479	17.65	2.827	529	20.18	+1.228	579	22.30	6.711
430	15.54	-2.616	480	17.72	1.862	530	20.25	+0.064	580	22.33	6.040
431	15.57	-1.031	481	17.79	-1.344	531	20.34	0.451	581	22.37	5.374
432	15.58	0.587	482	17.84	+3.912	532	20.41	0.993	582	22.42	3.692
433	15.62	2.167	483	17.89	+6.218	533	20.48	+0.220	583	22.46	2.759
434	15.67	1.476	484	17.93	+6.264	534	20.55	-0.427	584	22.50	2.085
435	15.73	0.779	485	17.99	+6.336	535	20.60	+0.118	585	22.55	1.157
436	15.77	0.348	486	18.02	+5.123	536	20.66	0.063	586	22.61	+1.163
437	15.83	0.910	487	18.07	+6.939	537	20.71	2.382	587	22.64	-2.458
438	15.87	1.477	488	18.11	+3.990	538	20.74	2.985	588	22.69	+2.892
439	15.91	1.183	489	18.13	+2.763	539	20.77	2.675	589	22.73	-2.312
440	15.94	-0.108	490	18.18	-1.315	540	20.79	2.527	590	22.76	+1.346
441	15.99	0.704	491	18.21	-0.105	541	20.84	1.597	591	22.83	+0.556
442	16.04	1.026	492	18.24	0.859	542	20.88	1.548	592	22.87	+1.726
443	16.08	0.728	493	18.30	1.034	543	20.93	1.742	593	22.90	+1.273
444	16.12	0.300	494	18.36	-0.163	544	20.96	1.200	594	22.92	+1.542
445	16.16	0.247	495	18.41	+0.598	545	21.01	-0.116	595	22.99	0.879
446	16.19	2.086	496	18.45	0.857	546	21.07	+1.165	596	23.05	1.050
447	16.23	2.044	497	18.50	1.419	547	21.09	-0.586	597	23.11	1.982
448	16.28	0.482	498	18.56	0.478	548	21.13	0.239	598	23.16	1.916
449	16.29	+1.778	499	18.68	+1.544	549	21.16	+0.043	599	23.24	1.818
450	16.33	-1.834	500	18.73	+2.231	550	21.20	-0.467	600	23.35	3.301

INDEX NO. 807 1308-PI-1 ISHIKARIKAKOU B. U-D MAX.ACCEL.= -27.419(GAL) T=96.86(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	23.40	2.743	651	25.94	0.784	701	28.64	3.041	751	31.73	6.174
602	23.47	3.155	652	26.00	1.718	702	28.71	3.585	752	31.77	4.502
603	23.53	3.082	653	26.02	2.561	703	28.77	0.759	753	31.80	3.836
604	23.57	4.030	654	26.09	2.482	704	28.84	-1.076	754	31.83	4.424
605	23.63	3.333	655	26.13	0.928	705	28.91	0.345	755	31.88	3.742
606	23.68	1.026	656	26.18	1.119	706	28.98	0.637	756	31.94	2.793
607	23.74	0.705	657	26.23	0.800	707	29.04	2.063	757	31.99	1.731
608	23.78	-0.354	658	26.28	0.505	708	29.13	2.954	758	32.03	2.052
609	23.83	-0.414	659	26.33	0.068	709	29.19	2.258	759	32.06	4.521
610	23.88	-0.094	660	26.39	-1.258	710	29.26	4.040	760	32.12	5.949
611	23.91	0.741	661	26.44	-0.691	711	29.33	5.215	761	32.17	6.260
612	23.93	2.972	662	26.46	1.159	712	29.39	6.764	762	32.24	5.560
613	23.94	5.077	663	26.51	2.349	713	29.46	6.682	763	32.25	4.544
614	23.98	6.028	664	26.57	2.535	714	29.52	5.729	764	32.31	5.099
615	24.03	5.975	665	26.62	3.471	715	29.59	6.271	765	32.38	6.890
616	24.08	5.909	666	26.65	4.060	716	29.68	4.664	766	32.45	7.429
617	24.15	5.830	667	26.69	5.260	717	29.76	3.569	767	32.52	7.339
618	24.16	6.440	668	26.74	5.826	718	29.83	3.486	768	32.58	8.523
619	24.24	6.972	669	26.78	5.774	719	29.90	4.021	769	32.62	9.098
620	24.31	5.887	670	26.85	6.317	720	29.95	5.205	770	32.66	8.793
621	24.38	5.802	671	26.90	6.012	721	30.00	5.396	771	32.72	8.099
622	24.46	3.204	672	26.92	4.736	722	30.04	4.482	772	32.78	6.783
623	24.53	1.241	673	26.97	3.929	723	30.06	5.948	773	32.83	5.474
624	24.60	-0.090	674	27.01	4.630	724	30.10	5.659	774	32.87	5.425
625	24.67	0.828	675	27.04	4.594	725	30.15	4.973	775	32.92	4.741
626	24.73	1.380	676	27.07	3.558	726	30.22	4.256	776	32.98	2.169
627	24.77	2.831	677	27.10	6.265	727	30.30	4.167	777	33.04	1.093
628	24.82	3.144	678	27.14	7.225	728	30.37	5.332	778	33.09	2.901
629	24.88	2.015	679	27.18	6.555	729	30.42	6.138	779	33.14	4.088
630	24.93	2.137	680	27.22	5.877	730	30.50	5.799	780	33.19	5.028
631	24.99	2.565	681	27.26	4.325	731	30.55	5.108	781	33.24	5.831
632	25.03	4.140	682	27.33	3.622	732	30.61	3.789	782	33.29	5.777
633	25.07	5.346	683	27.40	2.537	733	30.66	4.976	783	33.32	5.480
634	25.13	5.645	684	27.47	2.208	734	30.71	7.041	784	33.37	4.798
635	25.20	5.188	685	27.55	1.739	735	30.75	8.866	785	33.40	5.010
636	25.25	5.744	686	27.60	1.928	736	30.81	9.172	786	33.44	4.710
637	25.30	5.682	687	27.66	2.481	737	30.87	10.972	787	33.48	3.787
638	25.36	3.742	688	27.71	2.413	738	30.93	10.900	788	33.52	3.359
639	25.42	2.416	689	27.80	0.810	739	31.01	11.686	789	33.56	3.554
640	25.46	3.617	690	27.98	-0.280	740	31.07	10.980	790	33.58	3.534
641	25.51	3.560	691	27.94	-1.231	741	31.15	8.387	791	33.61	4.116
642	25.55	2.888	692	28.03	-1.782	742	31.19	6.463	792	33.65	4.445
643	25.59	2.835	693	28.09	2.967	743	31.25	4.517	793	33.68	4.401
644	25.64	1.896	694	28.15	5.645	744	31.32	3.797	794	33.71	5.612
645	25.69	1.220	695	28.20	7.208	745	31.39	5.341	795	33.75	5.566
646	25.72	0.549	696	26.26	9.753	746	31.46	6.510	796	33.78	4.274
647	25.77	0.744	697	20.35	9.896	747	31.52	8.304	797	33.81	3.862
648	25.82	1.556	698	28.45	7.031	748	31.59	8.846	798	33.83	5.706
649	25.86	0.888	699	28.53	4.683	749	31.65	8.143	799	33.89	7.257
650	25.92	0.191	700	26.59	3.107	750	31.69	7.722	800	33.94	7.443

INDEX NO. 807 1308-PI-1 ISHIKARIKAKOU B. U-D MAX.ACCEL.= -27.419(GAL) T=96.86(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	34.02	8.597	851	36.81	4.735	901	39.45	6.948	951	41.66	7.538
802	34.09	9.265	852	36.86	6.300	902	39.50	7.139	952	41.71	5.602
803	34.13	8.092	853	36.91	6.867	903	39.54	6.845	953	41.76	6.169
804	34.19	7.645	854	36.98	7.660	904	39.58	8.043	954	41.84	6.311
805	34.24	8.204	855	37.03	7.975	905	39.65	8.598	955	41.91	6.859
806	34.28	9.664	856	37.07	8.549	906	39.71	7.899	956	41.98	7.145
807	34.32	9.106	857	37.12	8.108	907	39.75	6.971	957	42.02	8.356
808	34.37	7.672	858	37.16	6.812	908	39.80	6.541	958	42.06	9.546
809	34.42	6.737	859	37.23	6.226	909	39.84	6.235	959	42.13	9.222
810	34.46	6.942	860	37.33	4.730	910	39.86	7.094	960	42.21	8.495
811	34.49	6.909	861	37.38	5.040	911	39.89	7.298	961	42.29	7.778
812	34.54	6.969	862	37.44	5.843	912	39.93	6.628	962	42.37	7.055
813	34.57	7.179	863	37.50	5.527	913	39.97	7.209	963	42.46	7.199
814	34.64	8.603	864	37.55	4.468	914	39.99	7.183	964	42.52	7.750
815	34.71	9.765	865	37.59	3.795	915	40.02	7.528	965	42.56	8.326
816	34.78	9.182	866	37.63	4.120	916	40.03	8.755	966	42.61	8.014
817	34.84	7.735	867	37.69	5.544	917	40.06	9.348	967	42.67	6.319
818	34.89	8.919	868	37.74	6.488	918	40.09	9.308	968	42.71	6.515
819	34.92	10.760	869	37.82	7.268	919	40.13	8.388	969	42.82	7.011
820	34.94	12.116	870	37.87	7.824	920	40.18	7.707	970	43.00	8.423
821	34.96	12.965	871	37.94	7.499	921	40.21	7.289	971	43.11	8.288
822	35.01	12.033	872	38.00	6.178	922	40.24	8.503	972	43.20	7.801
823	35.07	11.582	873	38.05	5.734	923	40.28	9.086	973	43.27	6.223
824	35.13	11.504	874	38.08	6.697	924	40.31	8.168	974	43.35	6.999
825	35.26	11.099	875	38.16	5.980	925	40.36	6.853	975	43.45	7.254
826	35.33	10.018	876	38.21	5.543	926	40.42	6.405	976	43.56	6.750
827	35.41	9.299	877	38.27	4.603	927	40.48	6.337	977	43.63	7.038
828	35.48	7.585	878	38.34	2.900	928	40.57	5.231	978	43.70	8.574
829	35.56	5.982	879	38.39	2.584	929	40.64	4.512	979	43.79	8.161
830	35.62	5.533	880	38.45	2.514	930	40.69	5.080	980	43.85	8.269
831	35.68	4.961	881	38.51	2.449	931	40.73	5.032	981	43.93	8.559
832	35.76	3.489	882	38.54	2.160	932	40.77	4.729	982	43.99	7.852
833	35.83	4.029	883	38.56	3.005	933	40.81	4.937	983	44.05	8.638
834	35.91	4.566	884	38.61	5.447	934	40.83	5.278	984	44.12	7.701
835	35.96	4.877	885	38.66	6.887	935	40.86	6.498	985	44.16	7.648
836	36.00	6.757	886	38.71	7.459	936	40.89	7.338	986	44.25	5.668
837	36.06	9.129	887	38.78	8.377	937	40.92	6.180	987	44.35	4.673
838	36.12	8.438	888	38.87	7.891	938	40.95	4.509	988	44.41	4.844
839	36.16	7.134	889	38.93	8.194	939	40.98	3.845	989	44.52	5.584
840	36.20	6.713	890	38.99	8.382	940	41.03	4.661	990	44.62	5.464
841	36.23	9.180	891	39.04	8.693	941	41.10	4.957	991	44.73	6.582
842	36.28	9.121	892	39.07	9.287	942	41.15	4.021	992	44.82	8.103
843	36.29	5.985	893	39.13	9.455	943	41.20	2.958	993	44.91	8.609
844	36.35	6.904	894	39.19	7.889	944	41.28	4.114	994	45.05	8.438
845	36.40	7.720	895	39.23	8.091	945	41.35	5.029	995	45.12	7.738
846	36.46	7.397	896	39.26	7.179	946	41.39	5.228	996	45.16	7.690
847	36.54	7.931	897	39.29	6.140	947	41.44	6.423	997	45.20	8.262
848	36.61	6.975	898	39.33	6.716	948	41.50	7.975	998	45.23	7.605
849	36.69	5.879	899	39.37	7.302	949	41.57	8.643	999	45.26	7.814
850	36.76	4.172	900	39.41	6.745	950	41.61	7.970	1000	45.32	8.117

INDEX NO. 807 1308-PI-1 ISHIKARIKAKOU B. U-D MAX.ACCEL.= -27.419(GAL) T=96.86(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	45.37	7.183	1051	48.76	3.503	1101	51.76	4.251	1151	55.41	5.079
1002	45.43	5.862	1052	48.81	2.817	1102	51.82	5.435	1152	55.49	4.888
1003	45.54	5.733	1053	48.89	1.103	1103	51.88	5.981	1153	55.58	4.395
1004	45.63	5.253	1054	48.96	1.996	1104	51.94	7.409	1154	55.69	4.886
1005	45.71	4.903	1055	49.06	2.775	1105	52.01	8.080	1155	55.77	4.545
1306	45.80	5.297	1056	49.13	3.058	1106	52.04	8.919	1156	55.86	4.432
1007	45.91	7.166	1057	49.19	2.990	1107	52.09	8.610	1157	55.97	3.677
1008	45.98	8.334	1058	49.23	3.569	1108	52.14	8.423	1158	56.03	3.851
1009	46.06	8.860	1059	49.26	3.526	1109	52.20	7.469	1159	56.11	4.125
1010	46.13	9.653	1060	49.31	3.223	1110	52.28	5.878	1160	56.20	3.769
1011	46.23	10.907	1061	49.33	5.313	1111	52.35	5.420	1161	56.23	3.365
1012	46.31	10.177	1062	49.39	4.368	1112	52.40	5.361	1162	56.31	3.510
1013	46.38	9.478	1063	49.45	4.303	1113	52.47	4.655	1163	56.39	5.048
1014	46.47	7.865	1064	49.51	4.730	1114	52.52	5.468	1164	56.46	4.956
1015	46.55	7.642	1065	49.55	6.300	1115	52.57	5.781	1165	56.53	5.248
1016	46.61	6.316	1066	49.61	7.106	1116	52.62	5.471	1166	56.61	5.403
1017	46.67	5.126	1067	49.68	7.150	1117	52.67	5.405	1167	56.70	6.167
1018	46.73	4.930	1068	49.73	6.956	1118	52.73	4.341	1168	56.79	4.944
1019	46.78	6.118	1069	49.81	7.236	1119	52.78	3.646	1169	56.83	4.266
1020	46.84	7.291	1070	49.89	7.387	1120	52.84	3.328	1170	56.88	3.828
1021	46.93	7.316	1071	49.94	8.581	1121	52.91	3.499	1171	56.95	4.378
1022	46.98	7.750	1072	50.00	8.884	1122	52.97	4.048	1172	57.01	4.545
1023	47.03	8.937	1073	50.07	8.803	1123	53.03	3.107	1173	57.07	4.853
1024	47.09	9.868	1074	50.12	8.735	1124	53.14	5.098	1174	57.13	6.033
1025	47.14	9.560	1075	50.14	8.707	1125	53.22	5.000	1175	57.16	6.243
1026	47.21	9.100	1076	50.19	8.027	1126	53.31	4.016	1176	57.23	6.787
1027	47.27	10.530	1077	50.26	7.692	1127	53.42	4.128	1177	57.33	8.291
1028	47.32	9.596	1078	50.33	6.613	1128	53.52	4.386	1178	57.44	6.903
1029	47.38	10.152	1079	50.40	6.278	1129	53.60	5.167	1179	57.57	7.995
1030	47.45	9.445	1080	50.45	6.465	1130	53.70	5.034	1180	57.67	6.994
1031	47.50	9.377	1081	50.51	8.271	1131	53.82	5.155	1181	57.77	7.125
1032	47.56	8.679	1082	50.54	8.476	1132	53.92	5.161	1182	57.87	7.620
1033	47.61	8.874	1083	50.59	8.167	1133	54.04	6.144	1183	57.98	6.870
1034	47.65	8.571	1084	50.66	7.207	1134	54.11	6.050	1184	58.07	7.384
1035	47.72	7.615	1085	50.74	7.365	1135	54.21	6.308	1185	58.17	7.261
1036	47.77	8.680	1086	50.79	7.927	1136	54.33	7.041	1186	58.28	7.128
1037	47.87	9.190	1087	50.86	9.345	1137	54.40	7.580	1187	58.41	7.230
1038	47.94	9.224	1088	50.92	9.650	1138	54.46	7.683	1188	38.52	8.345
1039	47.99	8.796	1089	50.98	10.453	1139	54.54	9.164	1189	58.62	7.349
1040	48.13	7.632	1090	51.05	11.622	1140	54.60	9.986	1190	58.74	8.073
1041	48.18	7.064	1091	51.09	13.313	1141	54.65	9.032	1191	58.88	7.288
1042	48.27	6.580	1092	51.15	13.001	1142	54.75	9.290	1192	59.07	6.811
1043	48.35	5.864	1093	51.20	12.939	1143	54.83	9.435	1193	59.21	6.263
1044	48.40	6.427	1094	51.32	10.915	1144	54.91	9.596	1194	59.30	5.652
1045	48.45	6.117	1095	51.38	9.587	1145	54.99	9.497	1195	59.40	4.915
1046	48.50	6.568	1096	51.47	7.861	1146	55.06	9.359	1196	59.53	5.010
1047	48.54	7.513	1097	51.54	6.772	1147	55.15	9.057	1197	59.65	2.989
1048	48.59	7.211	1098	51.61	5.193	1148	55.20	9.239	1198	59.71	2.663
1049	48.63	5.284	1099	51.66	4.252	1149	55.26	8.663	1199	59.79	2.194
1050	48.69	4.211	1100	51.71	3.445	1150	55.32	7.349	1200	59.88	2.091

INDEX NO. 807 1308-PI-1 ISHIKARIKAKOU B. U-D MAX.ACCEL.= -27.419(GAL) T=96.86(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	59.95	1.124	1251	66.28	5.933	1301	68.87	3.424	1351	73.58	5.375
1202	60.03	1.037	1252	66.42	5.773	1302	68.95	3.952	1352	73.68	5.012
1203	60.10	1.820	1253	66.52	5.768	1303	69.04	5.091	1353	73.79	3.626
1204	60.20	1.084	1254	66.61	5.668	1304	69.12	6.246	1354	73.90	4.371
1205	60.29	1.849	1255	66.70	5.178	1305	69.20	6.149	1355	74.01	3.996
1206	60.37	2.508	1256	66.78	5.711	1306	69.28	6.312	1356	74.11	2.620
1207	60.45	3.903	1257	66.88	4.965	1307	69.35	5.600	1357	74.20	1.268
1208	60.60	5.226	1258	65.00	3.830	1308	69.48	4.197	1358	74.27	1.433
1209	60.69	6.125	1259	65.08	2.232	1309	69.55	4.485	1359	74.32	2.367
1210	60.74	7.559	1260	65.18	2.730	1310	69.66	4.607	1360	74.38	1.678
1211	60.82	8.095	1261	65.28	1.736	1311	69.73	5.144	1361	74.41	1.635
1212	60.89	9.133	1262	65.37	0.869	1312	69.81	6.298	1362	74.48	1.556
1213	60.95	8.813	1263	65.48	1.734	1313	69.88	6.588	1363	74.56	-0.674
1214	61.04	8.332	1264	65.60	2.212	1314	69.97	5.853	1364	74.71	2.273
1215	61.11	7.345	1265	65.71	2.703	1315	70.08	5.102	1365	74.82	3.396
1216	61.20	7.265	1266	65.82	4.702	1316	70.20	4.951	1366	74.90	4.418
1217	61.26	6.557	1267	65.89	4.608	1317	70.30	5.084	1367	74.99	4.064
1218	61.33	6.972	1268	66.02	4.453	1318	70.39	5.346	1368	75.08	4.207
1219	61.41	6.628	1269	66.14	4.687	1319	70.46	6.520	1369	75.11	4.549
1220	61.47	6.183	1270	66.27	3.526	1320	70.51	6.710	1370	75.20	3.813
1221	61.52	6.503	1271	66.37	5.040	1321	70.58	5.988	1371	75.29	2.461
1222	61.57	6.184	1272	66.48	5.527	1322	70.65	5.654	1372	75.39	2.342
1223	61.63	6.366	1273	66.57	6.672	1323	70.75	5.162	1373	75.46	2.257
1224	61.70	6.281	1274	66.66	6.184	1324	70.84	2.928	1374	75.53	2.422
1225	61.80	5.790	1275	66.77	6.434	1325	70.95	2.172	1375	75.60	2.090
1226	61.89	4.554	1276	66.83	6.608	1326	71.17	0.775	1376	75.68	1.061
1227	61.99	3.426	1277	66.91	7.134	1327	71.28	1.653	1377	75.73	0.060
1228	62.06	2.350	1278	67.01	7.010	1328	71.43	0.852	1378	75.82	-1.040
1229	62.10	2.924	1279	67.08	6.311	1329	71.56	1.063	1379	75.91	-1.148
1230	62.20	3.430	1280	67.15	5.603	1330	71.71	1.761	1380	76.00	-1.509
1231	62.29	3.444	1281	67.22	5.889	1331	71.83	2.241	1381	76.15	-0.435
1232	62.38	3.839	1282	67.28	6.448	1332	71.93	3.120	1382	76.26	0.055
1233	62.48	5.589	1283	67.34	5.742	1333	72.03	3.995	1383	76.35	0.564
1234	62.59	6.458	1284	67.40	5.926	1334	72.12	4.127	1384	76.46	0.061
1235	62.68	6.350	1285	67.46	4.736	1335	72.20	4.021	1385	76.55	-0.683
1236	62.77	8.110	1286	67.53	4.269	1336	72.28	4.283	1386	76.65	-0.796
1237	62.86	8.006	1287	67.61	4.180	1337	72.35	5.441	1387	76.74	-1.157
1238	62.95	7.269	1288	67.67	3.484	1338	72.43	6.839	1388	76.79	-0.969
1239	63.06	7.142	1289	67.72	3.670	1339	72.51	6.477	1389	76.84	-0.661
1240	63.14	7.664	1290	67.78	3.596	1340	72.58	6.008	1390	76.92	0.117
1241	63.25	6.912	1291	67.86	4.507	1341	72.68	4.375	1391	77.00	0.025
1242	63.36	6.533	1292	67.92	5.053	1342	72.76	4.259	1392	77.13	-0.384
1243	63.45	6.047	1293	68.01	4.080	1343	72.84	5.023	1393	77.22	-1.748
1244	63.56	4.672	1294	68.08	2.995	1344	72.94	4.897	1394	77.43	-1.747
1245	63.66	4.555	1295	68.14	2.584	1345	73.01	4.799	1395	77.54	-1.497
1246	63.79	4.401	1296	66.22	2.452	1346	73.09	4.458	1396	77.63	-2.612
1247	63.91	5.128	1297	68.30	2.727	1347	73.18	3.728	1397	77.75	-2.752
1248	64.02	4.375	1298	68.41	3.529	1348	73.28	3.853	1398	77.87	-3.400
1249	64.10	5.276	1299	60.65	2.436	1349	73.39	3.104	1399	77.98	-3.282
1250	64.18	6.429	1300	68.77	3.160	1350	73.49	4.604	1400	78.07	-3.768

INDEX NO. 807 1308-PI-1 ISHIKARIKAKOU 3. U-D MAX.ACCEL.= -27.419(GAL) T=96.86(SEC) NO. 8

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1401	78.17	-3.254	1451	83.29	-7.138	1501	89.21	-14.219	1551	96.45	-24.552
1402	78.29	-2.395	1452	83.43	-7.056	1502	89.43	-15.978	1552	96.59	-25.219
1403	78.36	-3.111	1453	83.57	-7.845	1503	89.59	-16.927	1553	96.75	-26.171
1404	78.42	-3.174	1454	83.71	-9.511	1504	89.78	-17.160	1554	96.86	-27.419
1405	78.52	-3.052	1455	83.86	-9.431	1505	89.92	-18.205	1555	96.99	-26.960
1406	78.63	-2.801	1456	83.96	-10.679	1506	90.05	-17.740			
1407	78.74	-1.686	1457	84.06	-11.421	1507	90.09	-18.037			
1408	78.89	-0.612	1458	84.15	-12.280	1508	90.21	-17.928			
1409	79.03	-1.402	1459	84.23	-13.500	1509	90.29	-18.027			
1410	79.12	-0.882	1460	84.33	-13.118	1510	90.43	-18.816			
1411	79.19	-1.595	1461	84.35	-13.647	1511	90.53	-18.949			
1412	79.27	-2.689	1462	84.47	-13.291	1512	90.64	-19.078			
1413	79.36	-3.417	1463	84.59	-12.800	1513	90.73	-19.810			
1414	79.44	-4.011	1464	84.70	-11.939	1514	90.82	-21.175			
1415	79.53	-4.497	1465	84.88	-11.273	1515	90.94	-20.444			
1416	79.62	-3.970	1466	85.03	-10.453	1516	91.03	-20.177			
1417	79.70	-4.443	1467	85.16	-10.608	1517	91.23	-19.541			
1418	79.79	-3.924	1468	85.30	-10.772	1518	91.38	-18.726			
1419	79.87	-4.009	1469	85.40	-11.524	1519	91.49	-19.481			
1420	79.94	-4.976	1470	85.49	-10.383	1520	91.64	-18.166			
1421	80.03	-6.078	1471	85.59	-9.873	1521	91.81	-18.871			
1422	80.07	-6.377	1472	85.70	-9.000	1522	91.97	-17.558			
1423	80.23	-7.191	1473	85.80	-10.126	1523	92.07	-18.304			
1424	80.31	-7.914	1474	85.89	-9.358	1524	92.20	-18.455			
1425	80.42	-7.802	1475	86.04	-10.657	1525	92.30	-19.211			
1426	80.54	-9.197	1476	86.19	-10.336	1526	92.43	-19.112			
1427	80.63	-10.549	1477	86.31	-11.978	1527	92.53	-19.234			
1428	80.77	-8.469	1478	86.41	-12.098	1528	92.59	-20.434			
1429	80.87	-9.594	1479	86.61	-13.213	1529	92.66	-20.019			
1430	80.96	-9.070	1480	86.74	-13.992	1530	92.73	-20.973			
1431	81.09	-9.852	1481	86.82	-14.840	1531	92.80	-21.930			
1432	81.23	-9.402	1482	86.91	-15.195	1532	92.92	-22.199			
1433	81.42	-9.246	1483	87.00	-15.054	1533	92.94	-21.603			
1434	81.53	-7.887	1484	87.11	-15.435	1534	93.10	-22.665			
1435	81.64	-8.268	1485	87.23	-15.589	1535	93.27	-20.906			
1436	81.73	-6.748	1486	87.36	-15.738	1536	93.45	-22.466			
1437	81.90	-6.948	1487	87.46	-15.857	1537	93.63	-22.677			
1438	82.02	-7.088	1488	87.56	-14.709	1538	93.98	-22.474			
1439	82.11	-7.828	1489	87.64	-14.203	1539	94.25	-23.045			
1440	82.20	-7.937	1490	87.74	-15.577	1540	94.52	-23.741			
1441	82.29	-7.804	1491	87.88	-16.622	1541	94.84	-22.502			
1442	82.39	-7.666	1492	88.02	-15.532	1542	95.05	-23.495			
1443	82.48	-7.402	1493	88.14	-15.058	1543	95.20	-23.552			
1444	82.59	-5.912	1494	88.30	-15.245	1544	95.45	-24.855			
1445	82.69	-5.158	1495	88.51	-15.878	1545	95.64	-25.332			
1446	82.79	-5.290	1496	88.66	-14.432	1546	95.81	-25.281			
1447	82.90	-5.788	1497	88.79	-14.960	1547	96.01	-25.152			
1448	83.00	-5.539	1498	88.92	-15.111	1548	96.12	-25.902			
1449	83.08	-4.637	1499	89.01	-14.351	1549	96.13	-25.924			
1450	83.18	-5.127	1500	89.11	-14.466	1550	96.31	-25.882			

Table IX D-34 Digitized Accelerations of Earthquake Record with Index Number 808

INDEX NO. 808 1308-PI-1 ISHIKARIKAKOU B. TR. MAX.ACCEL.= -49.113(GAL) T=10.54(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.0	-21.098	51	0.86	-12.329	101	1.73	-12.699	151	2.61	-5.084
2	0.03	-23.868	52	0.87	-19.344	102	1.74	-13.083	152	2.64	-4.107
3	0.05	-26.262	53	0.88	-21.226	103	1.75	-9.719	153	2.68	-3.511
4	0.07	-27.528	54	0.89	-22.732	104	1.77	-7.857	154	2.72	-3.174
5	0.09	-28.794	55	0.90	-23.366	105	1.78	-7.867	155	2.73	-2.937
6	0.10	-29.433	56	0.91	-23.376	106	1.79	-4.747	156	2.75	-2.576
7	0.12	-30.324	57	0.92	-23.137	107	1.80	-1.364	157	2.78	-2.348
8	0.14	-30.338	58	0.94	-22.527	108	1.81	2.859	158	2.79	-3.234
9	0.15	-30.350	59	0.95	-21.033	109	1.82	4.595	159	2.81	-4.132
10	0.16	-29.482	60	0.96	-18.791	110	1.85	7.076	160	2.83	-5.770
11	0.17	-26.370	61	0.97	-17.925	111	1.86	7.940	161	2.86	-7.292
12	0.18	-24.879	62	1.01	-16.962	112	1.88	7.294	162	2.87	-8.931
13	0.19	-22.387	63	1.04	-16.737	113	1.92	6.387	163	2.88	-14.067
14	0.21	-19.897	64	1.07	-16.385	114	1.93	6.007	164	2.89	-18.069
15	0.22	-18.531	65	1.08	-16.023	115	1.94	4.750	165	2.90	-24.203
16	0.23	-16.665	66	1.13	-17.061	116	1.95	2.989	166	2.91	-33.343
17	0.25	-15.681	67	1.15	-18.584	117	1.98	3.838	167	2.92	-34.354
18	0.27	-15.075	68	1.18	-19.860	118	2.00	-0.803	168	2.93	-34.608
19	0.29	-14.473	69	1.20	-19.876	119	2.03	-1.204	169	2.94	-34.616
20	0.32	-13.869	70	1.22	-19.645	120	2.05	-2.097	170	2.95	-33.501
21	0.36	-13.026	71	1.24	-18.781	121	2.09	-2.504	171	2.97	-31.021
22	0.37	-7.536	72	1.25	-23.420	122	2.11	-1.650	172	2.98	-29.405
23	0.38	-5.667	73	1.26	-27.554	123	2.13	-0.669	173	2.99	-27.537
24	0.40	-2.809	74	1.28	-29.819	124	2.15	0.568	174	3.00	-25.046
25	0.43	0.038	75	1.30	-29.834	125	2.16	1.435	175	3.02	-23.182
26	0.44	0.652	76	1.31	-28.971	126	2.18	0.291	176	3.03	-20.940
27	0.46	1.259	77	1.32	-27.978	127	2.20	1.771	177	3.04	-15.325
28	0.47	1.006	78	1.34	-23.989	128	2.22	3.005	178	3.05	-11.706
29	0.48	2.746	79	1.36	-17.631	129	2.24	2.988	179	3.06	-7.720
30	0.49	7.857	80	1.38	-12.897	130	2.26	2.724	180	3.08	-5.859
31	0.50	11.976	81	1.39	-6.538	131	2.27	2.086	181	3.09	-3.871
32	0.51	13.345	82	1.42	-0.182	132	2.29	0.449	182	3.11	-1.637
33	0.52	10.584	83	1.44	3.801	133	2.30	-0.815	183	3.13	1.719
34	0.55	6.059	84	1.45	6.792	134	2.32	-3.329	184	3.14	4.340
35	0.57	6.542	85	1.47	9.647	135	2.33	-4.965	185	3.15	5.578
36	0.59	7.774	86	1.50	10.120	136	2.34	-9.727	186	3.16	5.572
37	0.60	11.262	87	1.52	9.602	137	2.36	-13.613	187	3.19	4.918
38	0.61	11.880	88	1.54	9.838	138	2.38	-17.636	188	3.21	6.650
39	0.62	13.496	89	1.55	10.079	139	2.40	-21.277	189	3.22	8.391
40	0.64	12.607	90	1.57	6.688	140	2.43	-24.681	190	3.23	8.132
41	0.65	10.471	91	1.59	2.047	141	2.46	-25.699	191	3.26	6.862
42	0.67	8.583	92	1.60	-2.712	142	2.48	-25.099	192	3.28	3.967
43	0.69	5.693	93	1.61	-9.976	143	2.51	-26.618	193	3.30	2.696
44	0.70	3.426	94	1.63	-11.736	144	2.53	-29.011	194	3.33	1.802
45	0.73	1.529	95	1.64	-13.620	145	2.54	-27.145	195	3.35	1.657
46	0.76	-1.620	96	1.65	-15.136	146	2.55	-24.032	196	3.37	2.891
47	0.79	-4.644	97	1.67	-14.898	147	2.57	-22.547	197	3.39	3.874
48	0.81	-7.413	98	1.68	-13.654	148	2.58	-19.553	198	3.41	5.730
49	0.82	-7.800	99	1.70	-8.926	149	2.59	-15.185	199	3.43	9.087
50	0.84	-7.564	100	1.71	-10.560	150	2.60	-6.701	200	3.46	6.932

土木構造物における加速度強震記録（No. 9）

INDEX NO. 808 1308-PI-1 ISHIKARIKAKOU B. TR. MAX.ACCEL.= -49.113(GAL) T=10.54(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	3.49	6.284	251	4.58	8.224	301	5.76	-11.032	351	7.15	-14.347
202	3.51	6.015	252	4.69	9.752	302	5.78	-14.794	352	7.18	-12.749
203	3.53	5.628	253	4.73	8.095	303	5.79	-17.434	353	7.20	-9.088
204	3.55	7.108	254	4.76	9.068	304	5.82	-18.453	354	7.23	-4.161
205	3.58	4.710	255	4.80	9.035	305	5.84	-24.851	355	7.26	1.186
206	3.60	2.814	256	4.82	6.890	306	5.86	-29.493	356	7.30	1.153
207	3.63	0.539	257	4.84	3.998	307	5.88	-31.882	357	7.33	3.630
208	3.65	-3.726	258	4.86	-3.266	308	5.89	-33.770	358	7.35	4.658
209	3.67	-7.117	259	4.88	-3.905	309	5.91	-35.284	359	7.38	4.834
210	3.69	-8.135	260	4.90	-4.550	310	5.92	-35.920	360	7.42	3.555
211	3.71	-13.534	261	4.91	-4.937	311	5.96	-35.326	361	7.45	2.653
212	3.73	-14.420	262	4.93	-7.581	312	5.98	-34.846	362	7.46	2.265
213	3.75	-15.063	263	4.95	-10.094	313	6.04	-32.641	363	7.49	3.495
214	3.77	-14.837	264	4.96	-12.230	314	6.09	-29.560	364	7.51	3.475
215	3.79	-14.223	265	4.97	-15.864	315	6.12	-28.342	365	7.54	1.573
216	3.80	-12.362	266	4.99	-20.252	316	6.13	-25.847	366	7.56	-1.958
217	3.82	-10.878	267	5.00	-23.761	317	6.16	-19.245	367	7.61	-3.110
218	3.84	-10.267	268	5.02	-24.404	318	6.18	-13.764	368	7.63	-3.501
219	3.85	-10.529	269	5.04	-25.047	319	6.20	-6.155	369	7.66	-2.652
220	3.87	-11.541	270	5.06	-24.817	320	6.21	-1.537	370	7.69	-4.179
221	3.89	-13.936	271	5.09	-23.590	321	6.23	5.191	371	7.73	-1.464
222	3.90	-18.317	272	5.11	-22.980	322	6.27	15.287	372	7.77	0.381
223	3.92	-23.834	273	5.13	-24.874	323	6.30	11.888	373	7.79	0.989
224	3.96	-26.621	274	5.14	-27.011	324	6.33	13.611	374	7.83	0.084
225	4.01	-30.914	275	5.15	-29.263	325	6.36	15.459	375	7.87	-0.201
226	4.05	-32.822	276	5.17	-31.279	326	6.40	17.175	376	7.94	-12.634
227	4.07	-34.723	277	5.18	-31.540	327	6.43	16.893	377	7.98	-12.420
228	4.10	-35.368	278	5.20	-30.682	328	6.45	16.254	378	8.01	-11.825
229	4.12	-35.387	279	5.22	-28.577	329	6.48	15.227	379	8.03	-9.906
230	4.13	-33.274	280	5.24	-26.339	330	6.51	14.578	380	8.04	-9.347
231	4.15	-31.039	281	5.25	-24.228	331	6.53	13.682	381	8.06	-3.866
232	4.19	-30.194	282	5.29	-22.256	332	6.56	10.538	382	8.07	1.376
233	4.20	-24.582	283	5.31	-17.522	333	6.59	6.011	383	8.12	2.211
234	4.22	-18.845	284	5.34	-9.671	334	6.62	-0.141	384	8.15	2.685
235	4.24	-12.115	285	5.36	-3.939	335	6.64	-4.788	385	8.18	3.032
236	4.26	-3.879	286	5.38	2.164	336	6.68	-8.442	386	8.20	2.139
237	4.27	-2.015	287	5.41	9.139	337	6.75	-14.128	387	8.21	0.009
238	4.32	0.445	288	5.42	9.383	338	6.81	-12.930	388	8.24	-3.390
239	4.36	1.290	289	5.44	11.370	339	6.85	-14.841	389	8.26	-4.657
240	4.38	3.694	290	5.48	15.580	340	6.90	-17.508	390	8.29	-6.555
241	4.40	6.130	291	5.51	18.306	341	6.95	-15.050	391	8.31	-6.830
242	4.42	9.239	292	5.53	19.539	342	6.98	-14.204	392	8.34	-11.978
243	4.43	10.225	293	5.55	19.151	343	7.00	-12.973	393	8.40	-15.527
244	4.45	13.335	294	5.61	17.224	344	7.02	-12.986	394	8.42	-16.541
245	4.46	14.704	295	5.63	15.705	345	7.04	-15.133	395	8.44	-17.186
246	4.48	16.310	296	5.69	14.034	346	7.05	-17.639	396	8.47	-17.210
247	4.50	23.792	297	5.70	12.518	347	7.07	-18.532	397	8.49	-19.103
248	4.52	12.900	298	5.72	8.255	348	7.10	-19.551	398	8.50	-20.740
249	4.53	8.889	299	5.73	3.250	349	7.11	-19.811	399	8.53	-22.014
250	4.55	8.376	300	5.75	-6.894	350	7.14	-18.336	400	8.54	-22.650

INDEX NO. 808 1308-PI-1 ISHIKARIKAKOU B. TR. MAX.ACCEL.= -49.113(GAL) T=10.54(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	8.56	-22.911	451	9.96	-5.112	501	11.13	21.264	551	12.46	-20.239
402	8.61	-21.830	452	9.97	-9.498	502	11.14	16.380	552	12.48	-21.254
403	8.64	-20.698	453	10.00	-6.146	503	11.16	11.610	553	12.50	-25.650
404	8.73	-16.930	454	10.02	-4.538	504	11.20	8.452	554	12.52	-30.796
405	8.77	-11.588	455	10.03	1.328	505	11.23	6.804	555	12.54	-33.685
406	8.83	-1.144	456	10.05	5.437	506	11.26	4.899	556	12.55	-34.568
407	8.86	2.958	457	10.06	8.304	507	11.29	3.501	557	12.56	-33.952
408	8.91	9.291	458	10.09	10.156	508	11.31	1.359	558	12.59	-34.106
409	8.93	11.771	459	10.10	10.144	509	11.34	-3.664	559	12.62	-35.002
410	8.95	13.754	460	10.12	9.751	510	11.35	-7.929	560	12.65	-30.906
411	8.99	12.850	461	10.14	6.985	511	11.38	-11.323	561	12.70	-30.694
412	9.02	12.694	462	10.17	3.587	512	11.39	-14.588	562	12.73	-21.967
413	9.05	9.676	463	10.18	-0.174	513	11.42	-14.108	563	12.75	-11.359
414	9.09	6.516	464	10.21	-4.794	514	11.44	-13.504	564	12.76	-9.496
415	9.12	3.865	465	10.25	-7.232	515	11.47	-16.277	565	12.82	-7.297
416	9.14	5.343	466	10.26	-7.621	516	11.49	-19.419	566	12.85	-9.817
417	9.16	-2.301	467	10.30	-10.777	517	11.51	-22.066	567	12.86	-10.453
418	9.18	-7.937	468	10.31	-13.665	518	11.54	-23.586	568	12.88	-11.345
419	9.21	-9.343	469	10.34	-18.065	519	11.57	-23.614	569	12.92	-11.132
420	9.24	-6.868	470	10.37	-25.461	520	11.59	-23.633	570	12.98	-8.676
421	9.26	-4.754	471	10.39	-32.734	521	11.60	-23.638	571	13.06	-5.875
422	9.28	-5.278	472	10.42	-38.510	522	11.62	-20.656	572	13.10	-4.783
423	9.30	-5.672	473	10.45	-44.659	523	11.66	-23.689	573	13.12	-5.045
424	9.31	-5.931	474	10.47	-47.427	524	11.69	-19.714	574	13.15	-5.322
425	9.33	-6.945	475	10.50	-48.709	525	11.72	-15.735	575	13.19	-4.232
426	9.34	-9.704	476	10.54	-49.113	526	11.73	-10.249	576	13.24	2.228
427	9.35	-10.711	477	10.57	-48.514	527	11.75	-3.891	577	13.26	4.335
428	9.38	-14.116	478	10.59	-44.034	528	11.77	2.344	578	13.29	14.062
429	9.42	-17.269	479	10.63	-41.063	529	11.81	8.306	579	13.31	21.420
430	9.50	-12.712	480	10.66	-34.465	530	11.85	12.779	580	13.33	23.272
431	9.52	-12.730	481	10.67	-25.850	531	11.88	15.623	581	13.35	22.634
432	9.56	-12.516	482	10.70	-18.869	532	11.92	18.343	582	13.37	21.990
433	9.60	-13.428	483	10.72	-11.018	533	11.95	18.315	583	13.42	21.078
434	9.62	-12.445	484	10.74	-3.658	534	11.99	19.029	584	13.44	19.430
435	9.64	-10.336	485	10.76	2.825	535	12.02	19.007	585	13.47	17.529
436	9.67	-5.733	486	10.79	7.677	536	12.04	18.491	586	13.51	15.001
437	9.68	-2.369	487	10.83	12.145	537	12.06	16.847	587	13.53	12.233
438	9.70	6.740	488	10.87	14.607	538	12.08	14.706	588	13.56	8.960
439	9.71	11.103	489	10.88	16.098	539	12.10	11.062	589	13.58	8.566
440	9.72	13.967	490	10.89	20.586	540	12.12	10.051	590	13.59	-6.322
441	9.75	15.816	491	10.91	27.447	541	12.14	9.159	591	13.62	+12.341
442	9.78	15.793	492	10.93	26.928	542	12.17	6.010	592	13.64	+14.360
443	9.80	13.902	493	10.96	29.150	543	12.19	4.989	593	13.66	+15.628
444	9.82	13.385	494	10.99	31.632	544	12.22	4.460	594	13.69	+16.328
445	9.85	9.855	495	11.01	33.402	545	12.26	4.053	595	13.71	+16.542
446	9.89	7.952	496	11.05	34.706	546	12.29	2.653	596	13.73	+15.565
447	9.90	6.670	497	11.06	34.065	547	12.31	-1.735	597	13.76	+18.213
448	9.91	3.057	498	11.08	32.801	548	12.35	-9.023	598	13.77	+17.593
449	9.93	4.916	499	11.10	29.663	549	12.41	+19.819	599	13.83	+17.401
450	9.95	-0.352	500	11.11	26.275	550	12.44	+20.224	600	13.86	+15.301

INDEX NO. 808 1308-PI-1 ISHIKARIKAKOU B. TR. MAX.ACCEL.= -49.113(GAL) T=10.54(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	13.90	-10.833	651	15.08	-17.210	701	16.21	1.689	751	17.17	-0.878
602	13.92	-8.351	652	15.09	-15.225	702	16.24	2.541	752	17.20	-1.154
603	13.96	-11.258	653	15.13	-13.761	703	16.25	2.776	753	17.22	-1.174
604	14.00	-2.538	654	15.17	-12.538	704	16.27	-1.366	754	17.25	0.300
605	14.01	-5.050	655	15.19	-9.810	705	16.28	-5.371	755	17.27	0.905
606	14.04	-7.323	656	15.21	-8.828	706	16.29	-9.882	756	17.29	1.765
607	14.05	-8.330	657	15.23	-3.092	707	16.31	-9.020	757	17.32	4.244
608	14.06	-13.343	658	15.24	0.151	708	16.32	-8.783	758	17.33	5.233
609	14.08	-18.480	659	15.26	2.880	709	16.34	-7.549	759	17.35	7.213
610	14.09	-18.496	660	15.27	4.120	710	16.36	-4.688	760	17.38	5.063
611	14.12	-16.640	661	15.29	5.355	711	16.37	-3.820	761	17.43	5.895
612	14.13	-15.026	662	15.31	6.963	712	16.40	-3.224	762	17.45	8.374
613	14.17	-4.938	663	15.34	9.814	713	16.43	-2.628	763	17.46	8.367
614	14.18	-4.694	664	15.36	13.292	714	16.44	-3.135	764	17.47	8.358
615	14.20	-5.964	665	15.38	15.403	715	16.46	-5.023	765	17.49	7.719
616	14.22	-6.226	666	15.39	17.394	716	16.47	-6.912	766	17.51	6.827
617	14.24	-4.741	667	15.41	16.504	717	16.49	-7.547	767	17.53	5.559
618	14.26	-1.013	668	15.42	17.115	718	16.50	-7.058	768	17.57	4.901
619	14.28	6.883	669	15.45	17.716	719	16.52	-6.071	769	17.60	1.377
620	14.30	13.828	670	15.47	17.073	720	16.53	-4.210	770	17.62	-1.142
621	14.32	18.316	671	15.50	16.173	721	16.55	-1.100	771	17.63	-2.781
622	14.33	20.181	672	15.53	14.273	722	16.57	1.132	772	17.65	-5.045
623	14.36	25.648	673	15.55	13.254	723	16.60	3.986	773	17.67	-5.063
624	14.39	28.625	674	15.56	12.368	724	16.61	4.597	774	17.71	-7.594
625	14.41	31.230	675	15.59	7.475	725	16.63	6.078	775	17.73	-8.492
626	14.43	31.463	676	15.61	4.077	726	16.66	7.180	776	17.75	-10.257
627	14.45	31.453	677	15.63	2.808	727	16.67	7.419	777	17.76	-11.145
628	14.47	30.560	678	15.65	-2.333	728	16.69	7.409	778	17.79	-12.791
629	14.51	26.776	679	15.66	-6.467	729	16.71	6.891	779	17.81	-11.938
630	14.53	24.879	680	15.67	-9.345	730	16.73	5.623	780	17.84	-11.339
631	14.55	22.369	681	15.68	-11.606	731	16.74	3.984	781	17.87	-10.739
632	14.57	19.227	682	15.70	-12.870	732	16.78	0.576	782	17.91	-10.147
633	14.58	15.718	683	15.71	-12.881	733	16.80	-1.190	783	17.97	-8.323
634	14.60	5.824	684	15.73	-12.653	734	16.82	-1.209	784	18.00	-7.721
635	14.61	2.063	685	15.80	-10.458	735	16.84	-2.475	785	18.01	-7.734
636	14.64	-3.957	686	15.85	-8.629	736	16.86	-3.116	786	18.03	-6.747
637	14.66	-8.856	687	15.87	-7.146	737	16.88	-4.382	787	18.07	-4.656
638	14.68	-14.121	688	15.90	-5.544	738	16.90	-5.646	788	18.10	-6.562
639	14.71	-18.019	689	15.92	-0.191	739	16.92	-6.538	789	18.13	-5.330
640	14.73	-20.911	690	15.93	3.298	740	16.94	-6.684	790	18.16	-4.358
641	14.75	-24.181	691	15.95	7.785	741	16.96	-11.077	791	18.18	-3.749
642	14.79	-26.338	692	15.96	9.898	742	16.99	-13.599	792	18.21	-4.779
643	14.81	-29.360	693	16.00	12.990	743	17.00	-11.486	793	18.25	-4.682
644	14.84	-34.389	694	16.03	15.967	744	17.04	-11.515	794	18.27	-5.952
645	14.86	-35.906	695	16.07	12.810	745	17.07	-6.547	795	18.30	-6.100
646	14.91	-34.697	696	16.10	9.657	746	17.09	-5.688	796	18.32	-6.617
647	14.95	-32.851	697	16.12	5.139	747	17.11	-4.455	797	18.33	-10.752
648	14.97	-30.123	698	16.14	4.247	748	17.13	-2.843	798	18.34	-11.386
649	14.99	-29.890	699	16.17	2.976	749	17.14	-1.607	799	18.35	-12.024
650	15.04	-22.179	700	16.19	1.706	750	17.16	-0.873	800	18.38	-12.668

INDEX NO. 808 1308-PI-1 ISHIKARIKAKOU B. TR. MAX.ACCEL.= -49.113(GAL) T=10.54(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	18.39	-13.307	851	19.70	-14.669	901	21.03	-9.311	951	22.16	-8.534
802	18.42	-11.082	852	19.73	-15.699	902	21.05	-7.198	952	22.18	-9.177
803	18.45	-9.979	853	19.75	-13.586	903	21.06	-5.332	953	22.20	-9.571
804	18.46	-9.615	854	19.76	-11.347	904	21.07	-3.598	954	22.23	-9.842
805	18.47	-8.377	855	19.77	-8.609	905	21.10	-0.867	955	22.24	-10.229
806	18.50	-8.649	856	19.80	-8.257	906	21.13	1.982	956	22.27	-11.501
807	18.53	-9.050	857	19.83	-7.407	907	21.14	4.594	957	22.30	-13.529
808	18.56	-8.821	858	19.85	-6.800	908	21.16	6.452	958	22.32	-12.921
809	18.59	-9.104	859	19.87	-8.563	909	21.17	7.068	959	22.34	-14.189
810	18.62	-8.502	860	19.89	-9.581	910	21.19	7.925	960	22.38	-13.347
811	18.65	-7.652	861	19.92	-8.354	911	21.22	7.651	961	22.41	-16.749
812	18.69	-7.057	862	19.94	-5.625	912	21.24	9.510	962	22.44	-13.648
813	18.74	-7.099	863	19.97	-3.276	913	21.27	12.112	963	22.46	-13.918
814	18.78	-4.259	864	20.00	-4.176	914	21.28	13.347	964	22.49	-12.814
815	18.80	-3.405	865	20.02	1.680	915	21.31	13.954	965	22.52	-14.594
816	18.83	-0.180	866	20.06	4.896	916	21.32	13.690	966	22.55	-12.747
817	18.87	6.162	867	20.11	4.656	917	21.34	14.795	967	22.58	-15.698
818	18.89	9.269	868	20.15	5.449	918	21.36	15.778	968	22.61	-15.048
819	18.92	12.122	869	20.18	5.423	919	21.38	17.637	969	22.64	-15.076
820	18.93	13.483	870	20.21	5.643	920	21.41	18.990	970	22.67	-11.976
821	18.95	14.345	871	20.24	5.618	921	21.43	18.725	971	22.70	-9.877
822	18.98	15.322	872	20.26	6.224	922	21.44	16.211	972	22.74	-5.412
823	18.99	18.060	873	20.28	6.833	923	21.46	12.075	973	22.77	-3.558
824	19.02	17.160	874	20.30	6.816	924	21.47	7.561	974	22.79	-1.699
825	19.04	18.391	875	20.33	6.543	925	21.48	7.305	975	22.84	-0.123
826	19.07	19.870	876	20.36	6.270	926	21.49	6.671	976	22.86	0.486
827	19.11	22.204	877	20.38	5.626	927	21.50	6.287	977	22.89	4.966
828	19.15	24.051	878	20.40	4.354	928	21.53	7.510	978	22.90	8.076
829	19.17	25.909	879	20.44	2.699	929	21.56	8.364	979	22.92	10.939
830	19.19	23.393	880	20.47	1.423	930	21.57	4.348	980	22.93	12.178
831	19.24	22.474	881	20.50	-0.105	931	21.59	3.709	981	22.95	14.415
832	19.27	20.194	882	20.52	-1.125	932	21.61	3.945	982	22.97	15.272
833	19.30	18.671	883	20.55	-1.397	933	21.63	4.299	983	22.99	16.254
834	19.32	17.033	884	20.58	-1.797	934	21.66	4.899	984	23.01	16.854
835	19.34	14.515	885	20.60	-2.068	935	21.69	4.250	985	23.04	17.830
836	19.35	11.880	886	20.64	-4.721	936	21.73	4.216	986	23.07	17.808
837	19.36	8.745	887	20.66	-6.995	937	21.77	1.933	987	23.12	17.263
838	19.38	6.607	888	20.70	-10.149	938	21.80	2.783	988	23.14	16.624
839	19.39	3.967	889	20.75	-13.190	939	21.82	1.515	989	23.18	17.215
840	19.42	1.690	890	20.77	-13.084	940	21.84	1.499	990	23.19	13.457
841	19.45	-1.085	891	20.79	-19.106	941	21.91	2.056	991	23.21	11.017
842	19.48	-2.961	892	20.82	-22.378	942	21.95	2.649	992	23.24	13.039
843	19.53	-4.403	893	20.83	-22.637	943	21.98	3.875	993	23.26	9.807
844	19.57	-5.683	894	20.85	-21.781	944	22.02	5.090	994	23.27	7.888
845	19.59	-7.573	895	20.89	-19.313	945	22.05	4.063	995	23.30	6.989
846	19.60	-10.083	896	20.90	-15.577	946	22.09	3.526	996	23.32	6.996
847	19.62	-9.854	897	20.91	-14.709	947	22.11	5.262	997	23.34	5.323
848	19.64	-10.118	898	20.93	-14.102	948	22.13	2.496	998	23.37	5.298
849	19.66	-11.508	899	20.96	-13.501	949	22.14	-4.640	999	23.40	4.897
850	19.67	-12.773	900	21.00	-12.162	950	22.15	-7.897	1000	23.44	3.743

土木構造物における加速度強震記録（No.9）

INDEX NO. 808 1308-PI-1 ISHIKARIKAKOU B. TR. MAX.ACCEL.= -49.113(GAL) T=10.54(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	23.47	2.470	1051	24.85	-1.716	1101	26.29	-14.934	1151	27.46	0.944
1002	23.50	-0.563	1052	24.89	-2.002	1102	26.31	-15.583	1152	27.50	-3.591
1003	23.54	-3.973	1053	24.95	-2.428	1103	26.34	-16.231	1153	27.54	-4.074
1004	23.60	-8.269	1054	24.99	0.410	1104	26.38	-16.391	1154	27.57	-7.776
1005	23.62	-9.537	1055	25.02	3.762	1105	26.42	-12.545	1155	27.67	-15.105
1006	23.65	-11.063	1056	25.04	7.123	1106	26.45	-11.701	1156	27.72	-20.278
1007	23.68	-11.211	1057	25.06	9.225	1107	26.48	-8.846	1157	27.74	-20.915
1008	23.70	-9.604	1058	25.09	10.329	1108	26.50	-6.744	1158	27.76	-20.056
1009	23.72	-7.746	1059	25.14	11.908	1109	26.52	-3.512	1159	27.78	-18.824
1010	23.73	-6.910	1060	25.17	13.760	1110	26.54	-8.025	1160	27.81	-17.348
1011	23.75	-0.896	1061	25.20	15.736	1111	26.55	-10.405	1161	27.84	-14.248
1012	23.77	2.333	1062	25.23	16.213	1112	26.56	-12.041	1162	27.88	-10.406
1013	23.80	4.184	1063	25.26	16.188	1113	26.58	-11.808	1163	27.93	-6.328
1014	23.82	6.039	1064	25.27	17.551	1114	26.60	-10.581	1164	27.94	-6.960
1015	23.86	7.806	1065	25.30	16.655	1115	26.62	-8.347	1165	27.99	-4.249
1016	23.89	8.856	1066	25.32	15.382	1116	26.64	-5.861	1166	28.04	-2.295
1017	23.93	8.571	1067	25.36	11.598	1117	26.67	-3.387	1167	28.07	-1.696
1018	23.96	8.295	1068	25.40	8.446	1118	26.69	-1.157	1168	28.12	-1.112
1019	24.00	9.767	1069	25.42	7.299	1119	26.71	1.958	1169	28.15	0.114
1020	24.01	1.377	1070	25.45	6.654	1120	26.73	4.190	1170	28.18	0.092
1021	24.03	-0.385	1071	25.50	5.987	1121	26.77	2.275	1171	28.19	0.700
1022	24.05	2.091	1072	25.54	6.827	1122	26.79	4.759	1172	28.22	2.551
1023	24.09	1.687	1073	25.58	5.294	1123	26.81	7.991	1173	28.24	4.161
1024	24.10	6.948	1074	25.61	3.764	1124	26.83	11.348	1174	28.26	7.024
1025	24.12	5.536	1075	25.63	2.748	1125	26.84	13.842	1175	28.30	6.982
1026	24.16	6.999	1076	25.66	2.720	1126	26.87	15.569	1176	28.34	8.824
1027	24.19	6.728	1077	25.69	-1.174	1127	26.90	16.416	1177	28.38	10.047
1028	24.21	6.085	1078	25.71	-0.321	1128	26.93	17.020	1178	28.40	11.652
1029	24.23	3.562	1079	25.74	0.284	1129	26.97	17.607	1179	28.44	13.621
1030	24.27	-0.970	1080	25.76	1.091	1130	27.00	21.333	1180	28.46	14.223
1031	24.29	-2.737	1081	25.77	2.502	1131	27.02	21.689	1181	28.48	14.828
1032	24.31	-3.753	1082	25.80	4.979	1132	27.04	21.672	1182	28.50	14.815
1033	24.33	-5.022	1083	25.83	8.208	1133	27.05	21.038	1183	28.52	14.795
1034	24.36	-6.547	1084	25.85	10.065	1134	27.07	18.524	1184	28.55	14.148
1035	24.39	-6.318	1085	25.87	3.168	1135	27.08	17.010	1185	28.58	13.496
1036	24.40	-7.959	1086	25.90	3.773	1136	27.10	17.247	1186	28.63	12.829
1037	24.42	-8.975	1087	25.92	4.005	1137	27.15	17.455	1187	28.67	12.795
1038	24.45	-9.251	1088	25.94	4.359	1138	27.17	11.936	1188	28.72	11.875
1039	24.49	-9.656	1089	25.96	4.347	1139	27.18	8.432	1189	28.76	12.347
1040	24.52	-9.457	1090	25.97	5.335	1140	27.20	6.916	1190	28.78	8.075
1041	24.54	-7.830	1091	25.99	3.070	1141	27.22	8.023	1191	28.81	8.552
1042	24.57	-6.598	1092	26.03	1.787	1142	27.24	5.504	1192	28.84	9.153
1043	24.59	-4.742	1093	26.06	1.139	1143	27.25	7.621	1193	28.87	10.380
1044	24.62	-1.640	1094	26.09	-2.393	1144	27.27	12.233	1194	28.88	10.744
1045	24.64	0.587	1095	26.14	-6.931	1145	27.29	12.585	1195	28.90	9.222
1046	24.65	1.583	1096	26.15	-8.064	1146	27.32	13.439	1196	28.94	7.570
1047	24.67	1.936	1097	26.18	-8.840	1147	27.34	13.168	1197	28.98	4.662
1048	24.71	2.406	1098	26.21	-9.867	1148	27.37	12.520	1198	29.02	0.124
1049	24.74	1.876	1099	26.24	-10.516	1149	27.38	11.258	1199	29.04	-2.266
1050	24.80	-0.676	1100	26.26	-12.411	1150	27.41	8.487	1200	29.06	-4.661

INDEX NO. 808 1308-PI-1 ISHIKARIKAKOU B. TR. MAX.ACCEL.= -49.113(GAL) T=10.54(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	29.08	-5.927	1251	30.22	-5.664	1301	31.88	-0.090	1351	33.37	5.505
1202	29.10	-5.944	1252	30.25	-2.942	1302	31.92	-3.872	1352	33.39	6.363
1203	29.11	-6.208	1253	30.28	0.777	1303	31.93	-2.007	1353	33.40	7.359
1204	29.14	-5.981	1254	30.31	3.002	1304	31.96	0.469	1354	33.43	8.204
1205	29.16	-5.747	1255	30.34	5.601	1305	31.98	2.330	1355	33.46	8.681
1206	29.17	-4.759	1256	30.36	6.835	1306	31.99	4.195	1356	33.49	9.527
1207	29.18	-3.266	1257	30.39	8.064	1307	32.01	6.057	1357	33.52	10.745
1208	29.19	-1.492	1258	30.42	8.910	1308	32.04	7.281	1358	33.56	11.715
1209	29.20	-2.536	1259	30.48	10.738	1309	32.05	7.520	1359	33.58	11.946
1210	29.22	-3.547	1260	30.54	9.811	1310	32.07	8.501	1360	33.61	12.298
1211	29.25	-3.824	1261	30.57	10.411	1311	32.10	9.850	1361	33.64	11.391
1212	29.27	-2.969	1262	30.60	6.632	1312	32.14	9.194	1362	33.67	10.112
1213	29.30	-1.741	1263	30.63	7.488	1313	32.16	9.174	1363	33.68	8.856
1214	29.31	-0.881	1264	30.67	9.326	1314	32.17	9.168	1364	33.70	7.838
1215	29.33	-0.275	1265	30.69	9.880	1315	32.20	9.769	1365	33.73	8.061
1216	29.36	1.328	1266	30.72	9.401	1316	32.22	10.376	1366	33.76	3.407
1217	29.38	3.433	1267	30.76	9.372	1317	32.27	12.210	1367	33.79	2.759
1218	29.40	5.795	1268	30.84	9.925	1318	32.29	10.067	1368	33.81	2.117
1219	29.42	7.653	1269	30.93	9.474	1319	32.32	11.790	1369	33.83	2.722
1220	29.44	10.754	1270	30.98	8.184	1320	32.37	12.376	1370	33.85	3.330
1221	29.46	9.239	1271	31.02	8.777	1321	32.42	12.956	1371	33.88	-1.195
1222	29.48	10.100	1272	31.05	9.619	1322	32.47	13.289	1372	33.89	-2.708
1223	29.51	11.569	1273	31.09	10.217	1323	32.52	13.498	1373	33.91	-3.102
1224	29.55	12.910	1274	31.12	10.691	1324	32.55	14.097	1374	33.94	-3.753
1225	29.59	13.254	1275	31.16	10.656	1325	32.58	13.820	1375	33.96	-3.769
1226	29.63	13.846	1276	31.19	10.626	1326	32.63	12.530	1376	33.99	-3.170
1227	29.64	13.583	1277	31.21	10.608	1327	32.64	12.269	1377	34.02	-2.570
1228	29.66	12.942	1278	31.25	10.830	1328	32.67	10.996	1378	34.04	-1.963
1229	29.67	12.305	1279	31.26	10.570	1329	32.69	9.729	1379	34.08	-0.699
1230	29.70	11.036	1280	31.29	7.420	1330	32.70	4.340	1380	34.11	0.727
1231	29.71	9.396	1281	31.36	8.360	1331	32.72	3.455	1381	34.15	2.946
1232	29.73	8.128	1282	31.41	9.441	1332	32.73	2.816	1382	34.18	5.039
1233	29.76	7.483	1283	31.46	9.401	1333	32.77	1.413	1383	34.20	6.019
1234	29.78	6.838	1284	31.48	9.126	1334	32.80	0.135	1384	34.22	6.251
1235	29.79	5.952	1285	31.53	8.464	1335	32.85	-0.910	1385	34.27	7.209
1236	29.82	6.175	1286	31.56	8.187	1336	32.90	-1.824	1386	34.31	9.180
1237	29.84	6.157	1287	31.58	7.794	1337	32.93	-1.856	1387	34.32	4.543
1238	29.86	6.161	1288	31.60	7.526	1338	32.97	-1.634	1388	34.34	5.652
1239	29.89	5.495	1289	31.62	6.260	1339	32.99	-1.025	1389	34.36	6.260
1240	29.90	4.860	1290	31.64	4.618	1340	33.02	2.074	1390	34.38	7.242
1241	29.92	3.712	1291	31.66	3.165	1341	33.04	3.931	1391	34.40	11.846
1242	29.95	2.815	1292	31.67	1.593	1342	33.06	4.785	1392	34.42	12.462
1243	29.97	1.296	1293	31.70	-0.808	1343	33.11	4.491	1393	34.44	13.691
1244	29.99	-0.348	1294	31.73	-3.082	1344	33.17	4.433	1394	34.47	14.667
1245	30.02	-2.493	1295	31.76	-3.983	1345	33.21	5.028	1395	34.49	14.397
1246	30.06	-4.903	1296	31.79	-4.633	1346	33.25	5.239	1396	34.51	13.751
1247	30.09	-4.553	1297	31.81	-4.404	1347	33.27	5.594	1397	34.55	13.723
1248	30.11	-3.326	1298	31.84	-3.802	1348	33.30	7.443	1398	34.57	13.950
1249	30.14	-8.727	1299	31.86	-2.942	1349	33.32	4.299	1399	34.61	14.547
1250	30.18	-6.882	1300	31.87	-1.701	1350	33.35	4.528	1400	34.66	13.623

INDEX NO. 808 1308-PI-1 ISHIKARIKAKOU B. TR. MAX.ACCEL.= -49.113(GAL) T=10.54(SEC) NO. 8

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1401	34.71	13.205	1451	36.31	7.088	1501	38.24	7.957	1551	39.96	-2.752
1402	34.76	12.542	1452	36.34	6.820	1502	38.27	8.054	1552	39.99	-2.776
1403	34.78	13.595	1453	36.38	9.287	1503	38.30	10.404	1553	40.01	-2.548
1404	34.82	13.116	1454	36.42	7.999	1504	38.32	13.008	1554	40.04	-2.320
1405	34.86	11.204	1455	36.46	0.965	1505	38.35	15.487	1555	40.06	-1.340
1406	34.90	8.418	1456	36.51	9.794	1506	38.37	16.716	1556	40.10	-3.247
1407	34.94	4.257	1457	36.59	10.109	1507	38.41	17.063	1557	40.14	-0.535
1408	34.98	2.746	1458	36.66	10.921	1508	38.45	17.274	1558	40.16	1.324
1409	34.98	2.728	1459	36.71	12.132	1509	38.47	17.260	1559	40.18	2.305
1410	35.00	-8.795	1460	36.74	12.350	1510	38.49	13.612	1560	40.20	2.912
1411	35.05	-7.336	1461	36.78	13.073	1511	38.52	13.836	1561	40.22	2.021
1412	35.08	-6.732	1462	36.81	11.791	1512	38.56	14.058	1562	40.25	3.495
1413	35.09	-5.494	1463	36.85	11.388	1513	38.61	12.516	1563	40.27	1.352
1414	35.11	-6.139	1464	36.87	8.620	1514	38.63	11.621	1564	40.30	0.077
1415	35.14	-6.166	1465	36.90	8.644	1515	38.66	8.719	1565	40.36	-0.347
1416	35.17	-6.611	1466	36.92	2.576	1516	38.70	6.191	1566	40.40	1.120
1417	35.20	-6.212	1467	36.94	4.430	1517	38.72	3.920	1567	40.44	2.963
1418	35.24	-4.749	1468	36.97	4.409	1518	38.76	2.515	1568	40.47	4.560
1419	35.30	-1.295	1469	37.00	6.504	1519	38.82	3.090	1569	40.51	5.778
1420	35.34	2.170	1470	37.08	6.819	1520	38.88	4.033	1570	40.56	5.981
1421	35.38	4.381	1471	37.11	5.911	1521	38.95	3.727	1571	40.60	6.699
1422	35.44	7.209	1472	37.13	5.897	1522	39.01	3.052	1572	40.64	7.162
1423	35.49	10.910	1473	37.15	8.007	1523	39.06	2.637	1573	40.68	8.131
1424	35.53	13.133	1474	37.17	8.866	1524	39.08	4.116	1574	40.72	8.722
1425	35.56	14.731	1475	37.22	10.447	1525	39.12	4.080	1575	40.75	8.066
1426	35.59	15.327	1476	37.27	10.405	1526	39.15	3.556	1576	40.78	7.418
1427	35.62	14.429	1477	37.31	9.747	1527	39.18	4.404	1577	40.84	7.370
1428	35.65	14.025	1478	37.35	9.712	1528	39.21	6.257	1578	40.86	6.472
1429	35.68	14.005	1479	37.41	8.784	1529	39.23	8.114	1579	40.90	6.940
1430	35.71	14.355	1480	37.42	8.397	1530	39.26	6.589	1580	40.93	0.165
1431	35.73	12.209	1481	37.46	10.863	1531	39.29	10.561	1581	40.97	0.634
1432	35.80	10.275	1482	37.51	7.703	1532	39.31	10.794	1582	41.00	1.856
1433	35.83	9.253	1483	37.52	8.316	1533	39.33	12.153	1583	41.01	2.842
1434	35.85	7.730	1484	37.56	8.907	1534	39.34	15.269	1584	41.05	0.934
1435	35.86	7.078	1485	37.60	9.497	1535	39.39	14.902	1585	41.10	0.020
1436	35.90	7.660	1486	37.63	9.472	1536	39.40	14.973	1586	41.12	-0.376
1437	35.92	7.545	1487	37.66	8.821	1537	39.42	13.899	1587	41.17	-1.915
1438	35.94	7.905	1488	37.69	8.170	1538	39.45	16.423	1588	41.20	0.430
1439	35.96	9.137	1489	37.74	6.252	1539	39.48	14.651	1589	41.26	2.883
1440	35.99	9.361	1490	37.77	4.351	1540	39.51	15.125	1590	41.32	4.083
1441	36.02	9.461	1491	37.81	3.071	1541	39.54	15.723	1591	41.35	5.050
1442	36.06	8.804	1492	37.84	2.171	1542	39.58	16.071	1592	41.40	6.883
1443	36.10	7.768	1493	37.89	1.129	1543	39.61	15.792	1593	41.46	9.334
1444	36.15	7.978	1494	37.92	-0.151	1544	39.66	12.621	1594	41.50	9.680
1445	36.17	7.086	1495	37.98	0.673	1545	39.71	10.710	1595	41.55	9.760
1446	36.19	7.940	1496	38.03	1.258	1546	39.74	7.558	1596	41.58	9.733
1447	36.23	8.287	1497	38.07	1.851	1547	39.77	4.405	1597	41.61	9.704
1448	36.25	13.264	1498	38.12	3.427	1548	39.82	2.987	1598	41.64	9.934
1449	36.28	6.238	1499	38.17	5.261	1549	39.87	0.072	1599	41.66	8.411
1450	36.30	6.477	1500	38.22	6.724	1550	39.93	-2.102	1600	41.70	8.631

INDEX NO. 808 1308-PI-1 ISHIKARIKAKOU B. TR. MAX.ACCEL.= -49.113(GAL) T=10.54(SEC) NO. 9

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1601	41.72	9.236	1651	43.89	1.139	1701	46.05	7.674	1751	47.85	13.898
1602	41.75	9.839	1652	43.94	0.467	1702	46.08	8.891	1752	47.87	13.874
1603	41.78	10.432	1653	43.98	-1.191	1703	46.13	9.853	1753	47.90	12.693
1604	41.83	9.142	1654	44.02	-2.849	1704	46.17	10.442	1754	47.92	9.457
1605	41.87	9.105	1655	44.06	-4.382	1705	46.21	10.458	1755	47.96	8.175
1606	41.92	9.319	1656	44.14	-6.450	1706	46.24	10.382	1756	47.99	7.779
1607	41.95	9.665	1657	44.21	-5.882	1707	46.26	9.743	1757	48.01	6.254
1608	41.99	9.379	1658	44.28	-4.315	1708	46.29	8.845	1758	48.04	3.856
1609	42.01	9.616	1659	44.34	-1.868	1709	46.32	6.563	1759	48.09	1.319
1610	42.04	7.709	1660	44.40	-0.668	1710	46.37	4.649	1760	48.13	-2.468
1611	42.08	6.426	1661	44.46	1.779	1711	46.41	3.367	1761	48.15	-4.112
1612	42.12	5.145	1662	44.51	4.858	1712	46.45	3.586	1762	48.18	-5.382
1613	42.15	4.871	1663	44.57	8.687	1713	46.48	4.181	1763	48.21	-5.408
1614	42.18	4.470	1664	44.61	11.150	1714	46.52	4.146	1764	48.27	-4.832
1615	42.23	7.300	1665	44.64	12.004	1715	46.57	3.852	1765	48.31	-3.746
1616	42.27	8.147	1666	44.70	15.826	1716	46.61	2.947	1766	48.36	-2.161
1617	42.31	8.737	1667	44.74	16.288	1717	46.66	4.654	1767	48.44	0.270
1618	42.35	8.699	1668	44.75	18.036	1718	46.72	6.602	1768	48.49	1.731
1619	42.39	8.041	1669	44.79	21.121	1719	46.78	8.926	1769	48.53	3.694
1620	42.43	7.380	1670	44.85	20.826	1720	46.82	9.266	1770	48.58	5.533
1621	42.49	6.459	1671	44.90	20.404	1721	46.86	8.363	1771	48.61	5.505
1622	42.54	6.668	1672	44.95	20.617	1722	46.90	7.955	1772	48.64	8.357
1623	42.57	6.014	1673	44.99	20.957	1723	46.93	7.301	1773	48.66	10.460
1624	42.60	5.367	1674	45.02	19.679	1724	46.97	8.768	1774	48.69	13.434
1625	42.63	4.963	1675	45.05	18.151	1725	47.00	9.121	1775	48.73	13.783
1626	42.66	7.190	1676	45.10	16.489	1726	47.03	9.466	1776	48.76	13.380
1627	42.71	9.269	1677	45.15	13.945	1727	47.06	6.567	1777	48.80	13.092
1628	42.77	10.470	1678	45.18	13.290	1728	47.09	5.294	1778	48.85	13.056
1629	42.82	11.803	1679	45.20	14.153	1729	47.12	3.761	1779	48.88	13.026
1630	42.84	12.037	1680	45.23	8.253	1730	47.15	3.738	1780	48.89	13.267
1631	42.87	12.014	1681	45.26	7.599	1731	47.20	3.949	1781	48.91	13.251
1632	42.93	13.838	1682	45.29	6.575	1732	47.24	4.539	1782	48.95	13.218
1633	42.97	14.174	1683	45.31	7.806	1733	47.29	5.120	1783	48.99	11.936
1634	43.01	13.517	1684	45.32	4.923	1734	47.34	4.456	1784	49.03	9.776
1635	43.07	12.211	1685	45.34	2.408	1735	47.37	4.181	1785	49.07	7.244
1636	43.12	10.550	1686	45.38	1.372	1736	47.40	4.403	1786	49.11	5.577
1637	43.15	8.019	1687	45.41	1.094	1737	47.44	6.245	1787	49.16	5.842
1638	43.20	5.850	1688	45.44	0.823	1738	47.46	8.351	1788	49.20	5.508
1639	43.25	3.933	1689	45.48	-0.462	1739	47.50	9.069	1789	49.26	5.209
1640	43.32	2.254	1690	45.52	-3.498	1740	47.54	9.532	1790	49.31	4.185
1641	43.37	1.586	1691	45.57	-5.415	1741	47.59	9.882	1791	49.34	3.885
1642	43.41	0.924	1692	45.61	-6.951	1742	47.62	10.089	1792	49.39	-1.692
1643	43.46	0.629	1693	45.64	-6.105	1743	47.64	11.321	1793	49.41	-0.802
1644	43.51	1.461	1694	45.70	-5.156	1744	47.67	8.296	1794	49.45	-0.203
1645	43.57	2.862	1695	45.76	-3.707	1745	47.70	11.268	1795	49.48	0.392
1646	43.61	2.879	1696	45.82	-1.882	1746	47.73	12.995	1796	49.52	-0.145
1647	43.66	3.461	1697	45.87	0.822	1747	47.75	13.231	1797	49.57	-0.812
1648	43.74	3.766	1698	45.92	3.034	1748	47.78	14.203	1798	49.62	-2.731
1649	43.79	3.474	1699	45.96	3.251	1749	47.81	13.930	1799	49.66	-3.386
1650	43.84	2.180	1700	46.01	5.831	1750	47.83	13.912	1800	49.69	-2.538

INDEX NO. 808 1308-PI-1 ISHIKARIKAKOU B. TR. MAX.ACCEL.= -49.113(GAL) T=10.54(SEC) NO.10

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1801	49.72	-1.066	1851	52.06	4.937	1901	54.97	2.842	1951	57.35	9.790
1802	49.77	1.143	1852	52.11	4.647	1902	55.04	2.150	1952	57.39	11.634
1803	49.86	6.063	1853	52.14	4.618	1903	55.11	1.722	1953	57.43	13.224
1804	49.93	9.753	1854	52.18	5.005	1904	55.17	1.913	1954	57.47	14.813
1805	49.97	11.720	1855	52.25	7.525	1905	55.22	2.246	1955	57.53	14.762
1806	50.00	11.946	1856	52.29	7.244	1906	55.28	0.325	1956	57.59	14.712
1807	50.04	12.539	1857	52.33	7.460	1907	55.33	2.154	1957	57.65	12.789
1808	50.08	13.757	1858	52.38	7.413	1908	55.39	2.106	1958	57.73	9.595
1809	50.12	14.545	1859	52.43	7.376	1909	55.45	1.427	1959	57.79	7.414
1810	50.17	14.673	1860	52.47	6.837	1910	55.49	1.144	1960	57.91	3.439
1811	50.23	13.748	1861	52.51	6.182	1911	55.52	0.737	1961	57.95	3.655
1812	50.28	12.704	1862	52.55	5.521	1912	55.56	0.709	1962	58.01	3.604
1813	50.34	11.155	1863	52.62	2.590	1913	55.60	0.421	1963	58.04	2.073
1814	50.41	8.224	1864	52.70	-0.731	1914	55.64	0.385	1964	58.08	0.791
1815	50.45	3.307	1865	52.75	-1.400	1915	55.68	0.605	1965	58.13	1.002
1816	50.48	1.537	1866	52.82	-2.958	1916	55.74	0.924	1966	58.19	0.953
1817	50.50	-0.983	1867	52.88	-3.620	1917	55.79	3.260	1967	58.24	0.029
1818	50.53	-1.630	1868	52.93	-3.425	1918	55.83	4.846	1968	58.32	-1.035
1819	50.55	-2.645	1869	53.13	-1.465	1919	55.92	8.526	1969	58.38	-1.711
1820	50.56	-6.787	1870	53.23	-1.177	1920	55.98	10.348	1970	58.43	-1.501
1821	50.58	-9.303	1871	53.31	-0.370	1921	56.02	11.559	1971	58.46	-0.906
1822	50.61	-9.699	1872	53.39	1.808	1922	56.08	12.883	1972	58.49	-0.306
1823	50.63	-7.860	1873	53.47	4.239	1923	56.12	13.477	1973	58.53	0.661
1824	50.66	-7.618	1874	53.55	6.049	1924	56.15	14.327	1974	58.60	1.476
1825	50.69	-7.898	1875	53.60	6.885	1925	56.18	11.549	1975	58.68	1.159
1826	50.73	-7.053	1876	53.62	7.366	1926	56.21	12.774	1976	58.78	0.448
1827	50.76	-5.201	1877	53.64	6.472	1927	56.24	12.994	1977	58.86	1.012
1828	50.81	-3.000	1878	53.66	6.331	1928	56.28	12.966	1978	58.91	1.221
1829	50.90	2.674	1879	53.71	7.537	1929	56.33	12.672	1979	58.97	1.170
1830	50.96	4.502	1880	53.76	9.116	1930	56.40	11.989	1980	59.09	1.687
1831	51.02	6.572	1881	53.83	9.937	1931	56.45	10.440	1981	59.22	1.577
1832	51.07	8.157	1882	53.90	11.752	1932	56.48	8.792	1982	59.29	2.772
1833	51.11	8.998	1883	53.96	12.949	1933	56.55	6.610	1983	59.38	5.573
1834	51.17	8.072	1884	54.01	13.262	1934	56.60	3.938	1984	59.46	6.499
1835	51.21	10.036	1885	54.07	13.233	1935	56.70	0.980	1985	59.55	6.422
1836	51.25	10.629	1886	54.14	12.540	1936	56.74	0.320	1986	59.63	7.479
1837	51.29	10.842	1887	54.20	12.240	1937	56.78	0.031	1987	59.73	8.399
1838	51.36	10.906	1888	54.29	11.543	1938	56.84	-0.395	1988	59.85	8.922
1839	51.42	9.855	1889	54.37	10.227	1939	56.89	-1.310	1989	59.99	8.806
1840	51.47	9.188	1890	54.39	9.582	1940	56.92	-3.960	1990	60.07	7.489
1841	51.51	8.909	1891	54.42	8.805	1941	56.98	-3.136	1991	60.16	7.405
1842	51.56	8.863	1892	54.45	9.407	1942	57.03	-3.183	1992	60.27	7.561
1843	51.61	9.066	1893	54.48	8.879	1943	57.08	-3.226	1993	60.42	6.563
1844	51.66	9.649	1894	54.53	8.084	1944	57.13	-2.020	1994	60.58	5.176
1845	51.71	9.616	1895	54.58	5.668	1945	57.17	-0.803	1995	60.68	5.339
1846	51.77	9.309	1896	54.67	3.094	1946	57.20	1.044	1996	60.81	3.107
1847	51.85	7.990	1897	54.72	2.678	1947	57.23	2.523	1997	60.91	1.145
1848	51.90	7.950	1898	54.77	2.680	1948	57.24	2.509	1998	61.00	0.195
1849	51.94	7.535	1899	54.85	2.567	1949	57.27	3.739	1999	61.07	0.382
1850	52.01	6.232	1900	54.90	3.145	1950	57.31	8.203	2000	61.15	1.562

INDEX NO. 808 1308-PI-1 ISHIKARIKAKOU B. TR. MAX.ACCEL.= -49.113(GAL) T=10.54(SEC) NO.11

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2001	61.27	5.210	2051	65.33	4.393	2101	67.51	8.919	2151	70.05	-6.855
2002	61.34	6.153	2052	65.37	4.605	2102	67.54	8.266	2152	70.09	-7.890
2003	61.46	8.177	2053	65.44	5.798	2103	67.59	6.722	2153	70.12	-8.916
2004	61.52	8.874	2054	65.53	6.101	2104	67.65	4.802	2154	70.19	-9.856
2005	61.64	8.151	2055	65.57	5.191	2105	67.68	3.394	2155	70.24	-9.647
2006	61.74	5.813	2056	65.62	4.520	2106	67.73	2.733	2156	70.30	-8.444
2007	61.83	4.617	2057	65.68	3.644	2107	67.78	1.688	2157	70.35	-7.486
2008	61.91	2.923	2058	65.74	3.798	2108	67.86	0.992	2158	70.38	-6.019
2009	62.03	0.191	2059	65.77	3.647	2109	67.92	1.817	2159	70.43	-5.060
2010	62.15	-1.408	2060	65.81	3.617	2110	67.97	2.405	2160	70.48	-4.477
2011	62.20	-3.330	2061	65.84	4.589	2111	68.02	2.736	2161	70.51	-3.254
2012	62.25	-3.991	2062	65.87	5.812	2112	68.06	2.951	2162	70.53	-5.148
2013	62.31	-2.920	2063	65.91	6.409	2113	68.10	3.292	2163	70.57	-3.051
2014	62.38	-3.227	2064	65.94	5.756	2114	68.14	0.131	2164	70.61	-1.463
2015	62.49	-3.575	2065	65.97	5.100	2115	68.20	1.956	2165	70.67	0.361
2016	62.58	-3.777	2066	66.01	4.498	2116	68.27	3.405	2166	70.71	1.323
2017	62.69	-0.999	2067	66.06	3.797	2117	68.35	4.962	2167	70.77	3.151
2018	62.77	2.940	2068	66.07	3.520	2118	68.42	4.902	2168	70.81	4.736
2019	62.82	6.389	2069	66.14	2.830	2119	68.47	5.733	2169	70.86	5.942
2020	62.90	8.952	2070	66.20	2.156	2120	68.56	7.279	2170	70.91	6.531
2021	62.96	11.023	2071	66.25	0.864	2121	68.65	8.705	2171	70.95	7.120
2022	63.01	13.482	2072	66.27	-0.406	2122	68.75	10.370	2172	70.99	7.334
2023	63.02	11.974	2073	66.32	-1.441	2123	68.82	11.189	2173	71.04	6.700
2024	63.05	13.198	2074	66.35	-2.094	2124	68.88	11.759	2174	71.08	6.384
2025	63.09	14.035	2075	66.40	-1.142	2125	68.93	11.719	2175	71.16	5.944
2026	63.13	15.130	2076	66.47	-0.951	2126	68.96	12.694	2176	71.23	6.261
2027	63.20	14.818	2077	66.54	-0.758	2127	68.99	13.295	2177	71.28	5.971
2028	63.33	12.209	2078	66.59	-0.423	2128	69.03	13.258	2178	71.32	4.063
2029	63.38	10.920	2079	66.63	-1.340	2129	69.10	13.203	2179	71.37	5.146
2030	63.42	9.640	2080	66.66	-0.863	2130	69.15	11.282	2180	71.40	5.493
2031	63.48	6.959	2081	66.70	-0.270	2131	69.21	10.360	2181	71.47	5.810
2032	63.62	3.716	2082	66.73	0.325	2132	69.24	9.954	2182	71.61	5.069
2033	63.77	1.967	2083	66.77	0.667	2133	69.32	8.644	2183	71.76	4.194
2034	63.89	1.494	2084	66.80	0.392	2134	69.38	8.589	2184	71.87	4.231
2035	63.94	1.202	2085	66.85	-0.898	2135	69.45	7.653	2185	71.93	4.800
2036	64.04	1.744	2086	66.89	-1.312	2136	69.52	6.348	2186	72.05	4.078
2037	64.20	2.856	2087	66.93	-1.097	2137	69.57	6.302	2187	72.17	2.337
2038	64.28	4.037	2088	66.97	-0.504	2138	69.61	5.643	2188	72.26	1.629
2039	64.38	4.329	2089	67.03	1.446	2139	69.65	4.610	2189	72.31	2.456
2040	64.43	3.910	2090	67.07	2.540	2140	69.69	3.698	2190	72.38	1.509
2041	64.46	3.258	2091	67.09	3.517	2141	69.74	3.031	2191	72.44	1.207
2042	64.52	2.331	2092	67.13	4.113	2142	69.76	2.638	2192	72.51	2.011
2043	64.61	0.379	2093	67.18	4.695	2143	69.78	0.371	2193	72.59	2.559
2044	64.70	-0.946	2094	67.22	6.165	2144	69.79	-0.639	2194	72.69	1.590
2045	64.80	-1.413	2095	67.29	7.729	2145	69.83	-0.668	2195	72.78	2.630
2046	64.88	-0.600	2096	67.32	8.574	2146	69.87	-1.328	2196	72.81	1.479
2047	64.99	-0.700	2097	67.37	11.284	2147	69.90	-2.605	2197	72.85	2.571
2048	65.06	0.492	2098	67.40	10.011	2148	69.93	-4.131	2198	72.92	3.505
2049	65.17	2.272	2099	67.44	10.473	2149	69.97	-5.413	2199	73.02	4.033
2050	65.25	4.461	2100	67.47	10.021	2150	70.01	-6.071	2200	73.09	4.850

INDEX NO. 608 1308-PI-1 ISHIKARIKAKOU B. YR. MAX.ACCEL.= -49.113(GAL) T=10.54(SEC) NO.12

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2201	73.12	4.949	2251	77.18	3.357	2301	81.74	-5.604	2351	86.75	-14.229
2202	73.20	4.510	2252	77.22	4.073	2302	81.84	-5.693	2352	86.89	-15.224
2203	73.33	4.309	2253	77.28	3.401	2303	81.98	-6.298	2353	87.11	-16.284
2204	73.42	3.450	2254	77.32	2.366	2304	82.10	-6.539	2354	87.29	-16.438
2205	73.48	2.398	2255	77.41	1.044	2305	82.18	-7.111	2355	87.39	-16.275
2206	73.52	0.491	2256	77.50	0.095	2306	82.30	-9.461	2356	87.58	-15.504
2207	73.56	0.327	2257	77.59	-2.234	2307	82.44	-13.328	2357	87.75	-15.117
2208	73.61	1.663	2258	77.67	-2.303	2308	82.53	-15.287	2358	87.82	-15.395
2209	73.75	0.593	2259	77.76	-3.877	2309	82.62	-15.356	2359	87.98	-16.321
2210	73.83	0.478	2260	77.82	-5.051	2310	82.71	-15.065	2360	87.96	-14.859
2211	73.92	0.524	2261	77.87	-5.095	2311	82.81	-15.276	2361	88.05	-15.842
2212	73.98	1.350	2262	77.94	-4.293	2312	82.92	-14.521	2362	88.24	-17.002
2213	74.04	2.302	2263	78.03	-3.608	2313	83.02	-12.575	2363	88.36	-18.608
2214	74.10	2.500	2264	78.12	-3.082	2314	83.13	-10.170	2364	88.49	-19.092
2215	74.20	2.164	2265	78.20	-4.388	2315	83.18	-9.323	2365	88.66	-17.734
2216	74.32	1.053	2266	78.28	-4.811	2316	83.24	-7.135	2366	88.72	-16.702
2217	74.38	1.898	2267	78.35	-5.496	2317	83.30	-5.311	2367	88.81	-14.986
2218	74.42	2.470	2268	78.45	-6.456	2318	83.38	-4.503	2368	88.91	-14.824
2219	74.45	1.523	2269	78.56	-6.672	2319	83.47	-3.993	2369	89.00	-13.403
2220	74.54	1.496	2270	78.67	-5.781	2320	83.58	-4.025	2370	89.10	-15.861
2221	74.70	2.227	2271	78.78	-5.836	2321	83.81	-4.948	2371	89.20	-15.324
2222	74.86	2.469	2272	78.85	-4.667	2322	83.86	-5.612	2372	89.29	-15.396
2223	75.01	2.090	2273	78.96	-4.132	2323	83.72	-6.551	2373	89.39	-16.100
2224	75.09	1.893	2274	79.10	-3.248	2324	83.79	-7.580	2374	89.49	-17.052
2225	75.13	2.486	2275	79.18	-3.051	2325	83.87	-9.551	2375	89.58	-18.139
2226	75.20	2.425	2276	79.32	-1.932	2326	83.95	-11.105	2376	89.70	-18.491
2227	75.31	3.327	2277	79.47	-1.432	2327	84.03	-12.421	2377	89.85	-18.569
2228	75.41	2.995	2278	79.62	-2.433	2328	84.10	-11.806	2378	89.98	-18.732
2229	75.54	1.635	2279	79.78	-2.945	2329	84.24	-10.257	2379	90.11	-17.343
2230	75.61	0.575	2280	79.84	-3.868	2330	84.37	-9.956	2380	90.29	-18.571
2231	75.71	0.118	2281	79.87	-6.185	2331	84.47	-9.165	2381	90.41	-18.848
2232	75.85	-1.124	2282	79.89	-5.538	2332	84.57	-8.249	2382	90.53	-19.577
2233	75.97	-0.974	2283	79.93	-4.691	2333	84.85	-8.521	2383	90.59	-20.253
2234	76.05	-2.545	2284	79.96	-4.719	2334	84.79	-10.310	2384	90.70	-22.220
2235	76.15	-3.003	2285	80.12	-6.603	2335	84.91	-11.287	2385	90.81	-22.316
2236	76.22	-3.944	2286	80.19	-7.915	2336	85.00	-10.888	2386	90.88	-22.628
2237	76.27	-4.357	2287	80.27	-8.105	2337	85.15	-11.241	2387	90.95	-22.445
2238	76.34	-3.547	2288	80.36	-8.559	2338	85.26	-11.336	2388	91.11	-20.080
2239	76.44	-2.383	2289	80.45	-8.011	2339	85.37	-11.676	2389	91.18	-19.515
2240	76.50	-2.055	2290	80.53	-5.823	2340	85.49	-10.278	2390	91.30	-19.620
2241	76.57	-1.115	2291	80.60	-3.885	2341	85.59	-11.887	2391	91.42	-19.968
2242	76.64	-0.052	2292	80.68	-3.898	2342	85.80	-11.167	2392	91.56	-20.209
2243	76.68	0.283	2293	80.78	-3.782	2343	85.95	-11.019	2393	91.71	-17.882
2244	76.78	-0.048	2294	80.91	-4.518	2344	86.03	-12.618	2394	91.87	-19.478
2245	76.82	0.320	2295	81.14	-5.362	2345	86.10	-12.672	2395	92.06	-21.139
2246	76.86	0.380	2296	81.25	-6.060	2346	86.18	-12.475	2396	92.17	-21.861
2247	76.94	0.939	2297	81.36	-5.782	2347	86.28	-13.457	2397	92.36	-23.895
2248	77.00	1.260	2298	81.44	-6.220	2348	86.37	-13.779	2398	92.57	-25.078
2249	77.08	2.068	2299	81.52	-7.186	2349	86.48	-13.871	2399	92.79	-26.016
2250	77.09	3.188	2300	81.62	-5.754	2350	86.59	-14.593	2400	92.96	-25.559

INDEX NO. 608 1308-PI-1 ISHIKARIKAKOU B. YR. MAX.ACCEL.= -49.113(GAL) T=10.54(SEC) NO.13

NO.	(SEC)	(GAL)
2401	93.15	-23.442
2402	93.37	-21.255
2403	93.55	-20.159
2404	93.71	-19.204
2405	93.98	-21.892
2406	94.13	-23.520
2407	94.23	-25.486
2408	94.34	-26.822
2409	94.43	-29.274
2410	94.51	-30.594
2411	94.60	-30.295
2412	94.72	-30.187
2413	94.81	-27.471
2414	94.88	-26.288
2415	94.95	-25.091
2416	95.01	-23.518
2417	95.08	-21.945
2418	95.16	-21.143
2419	95.23	-20.580
2420	95.32	-20.532
2421	95.44	-22.503
2422	95.58	-23.494
2423	95.73	-25.498
2424	95.85	-25.979
2425	96.03	-26.896
2426	96.18	-27.507
2427	96.33	-27.836
2428	96.49	-28.848
2429	96.67	-29.053
2430	96.85	-28.581
2431	96.97	-28.080
2432	97.06	-27.759
2433	97.15	-27.840
2434	97.22	-27.896
2435	97.35	-28.882
2436	97.49	-30.025

Table IX D-35 Digitized Accelerations of Earthquake Record with Index Number 809

INDEX NO. 809 1317-GR-1 HIROO BRIDGE LG. MAX.ACCEL.= 253.827(GAL) T=16.09(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.26	4.432	51	0.93	6.217	101	1.59	13.958	151	2.29	-5.553
2	0.28	6.259	52	0.94	6.234	102	1.60	11.002	152	2.30	-3.786
3	0.29	6.295	53	0.95	11.295	103	1.61	4.793	153	2.32	15.068
4	0.30	8.838	54	0.96	15.084	104	1.62	-2.139	154	2.33	15.866
5	0.33	-5.026	55	0.97	14.365	105	1.63	-0.375	155	2.34	12.093
6	0.34	3.024	56	0.98	14.639	106	1.65	15.970	156	2.35	5.450
7	0.35	15.816	57	1.01	-0.484	107	1.66	16.532	157	2.37	3.506
8	0.36	19.603	58	1.02	-0.417	108	1.67	17.559	158	2.38	4.059
9	0.37	10.618	59	1.03	0.869	109	1.68	13.845	159	2.39	4.084
10	0.39	-12.786	60	1.05	4.211	110	1.69	0.148	160	2.40	1.873
11	0.40	-14.764	61	1.08	11.839	111	1.70	-3.574	161	2.41	2.935
12	0.42	12.836	62	1.09	11.362	112	1.71	-6.795	162	2.42	6.208
13	0.43	18.143	63	1.11	-10.526	113	1.72	0.762	163	2.43	10.524
14	0.44	18.154	64	1.12	-13.008	114	1.73	8.311	164	2.44	13.802
15	0.45	11.654	65	1.13	-10.477	115	1.74	13.858	165	2.45	12.594
16	0.46	5.741	66	1.14	16.345	116	1.75	13.879	166	2.46	11.413
17	0.48	-3.159	67	1.15	22.382	117	1.77	5.955	167	2.47	10.209
18	0.49	-5.629	68	1.16	20.669	118	1.78	4.767	168	2.48	10.746
19	0.50	-3.854	69	1.17	16.935	119	1.79	7.806	169	2.49	10.763
20	0.51	4.454	70	1.18	-4.486	120	1.81	6.886	170	2.52	4.136
21	0.52	8.751	71	1.19	-4.715	121	1.82	6.693	171	2.53	3.444
22	0.53	8.768	72	1.20	14.101	122	1.84	12.527	172	2.54	8.474
23	0.54	5.307	73	1.21	17.624	123	1.85	10.063	173	2.55	13.546
24	0.55	-6.619	74	1.22	20.652	124	1.86	8.844	174	2.56	14.336
25	0.56	-7.107	75	1.23	15.193	125	1.88	4.708	175	2.60	4.479
26	0.57	-2.316	76	1.24	7.727	126	1.89	3.998	176	2.61	2.797
27	0.58	12.957	77	1.25	-2.478	127	1.90	6.324	177	2.64	-0.064
28	0.59	13.542	78	1.26	-1.186	128	1.91	12.818	178	2.65	-2.803
29	0.60	13.599	79	1.29	11.452	129	1.92	17.875	179	2.66	-1.499
30	0.65	-2.482	80	1.30	11.504	130	1.93	17.390	180	2.67	1.532
31	0.66	-6.181	81	1.32	9.816	131	1.95	-0.002	181	2.69	6.597
32	0.67	2.619	82	1.34	1.687	132	1.96	-1.220	182	2.70	3.149
33	0.68	17.916	83	1.35	0.467	133	1.97	-0.695	183	2.71	-6.786
34	0.69	24.207	84	1.36	2.242	134	2.00	7.446	184	2.72	-9.014
35	0.70	22.476	85	1.37	8.063	135	2.01	6.468	185	2.73	-4.721
36	0.72	-2.168	86	1.39	11.127	136	2.03	1.557	186	2.75	19.379
37	0.73	-3.901	87	1.40	11.933	137	2.04	0.853	187	2.76	20.154
38	0.74	-1.603	88	1.41	10.230	138	2.05	3.896	188	2.78	4.741
39	0.76	10.489	89	1.45	2.875	139	2.08	17.299	189	2.79	2.266
40	0.77	11.791	90	1.46	3.429	140	2.09	16.087	190	2.80	3.336
41	0.78	11.309	91	1.47	5.948	141	2.12	-13.279	191	2.81	2.374
42	0.80	-0.574	92	1.49	14.812	142	2.13	-14.008	192	2.82	1.656
43	0.81	-0.056	93	1.50	13.578	143	2.14	-8.972	193	2.83	1.212
44	0.83	7.537	94	1.51	9.369	144	2.16	20.137	194	2.84	1.748
45	0.84	9.587	95	1.52	-0.562	145	2.17	18.916	195	2.86	10.589
46	0.87	5.962	96	1.53	-1.279	146	2.20	7.787	196	2.87	10.619
47	0.88	7.251	97	1.54	1.740	147	2.23	3.440	197	2.89	4.440
48	0.89	7.774	98	1.55	11.315	148	2.24	5.483	198	2.90	8.264
49	0.91	9.368	99	1.56	12.605	149	2.26	14.309	199	2.91	13.802
50	0.92	8.644	100	1.57	15.147	150	2.27	13.829	200	2.92	18.842

INDEX NO. 809 1317-GR-1 HIROO BRIDGE LG. MAX.ACCEL.= 253.827(GAL) T=16.09(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	2.93	18.857	251	3.60	14.418	301	4.20	2.466	351	4.83	1.114
202	2.94	14.646	252	3.61	12.469	302	4.21	-0.497	352	4.84	-0.071
203	2.95	1.719	253	3.62	5.032	303	4.24	3.128	353	4.86	5.512
204	2.96	2.252	254	3.63	5.077	304	4.26	-10.526	354	4.87	10.056
205	2.98	8.567	255	3.64	6.376	305	4.27	-13.734	355	4.88	14.343
206	2.99	4.857	256	3.65	9.407	306	4.28	-11.958	356	4.89	15.619
207	3.00	-1.636	257	3.67	17.738	307	4.29	10.109	357	4.90	13.914
208	3.01	-3.061	258	3.69	4.060	308	4.30	17.414	358	4.91	3.463
209	3.02	-0.016	259	3.70	-3.632	309	4.31	15.445	359	4.93	-13.466
210	3.04	12.598	260	3.71	-1.848	310	4.32	9.986	360	4.94	-7.160
211	3.05	12.119	261	3.72	3.941	311	4.33	6.278	361	4.96	21.949
212	3.07	-1.040	262	3.73	12.998	312	4.38	9.502	362	4.97	20.223
213	3.08	2.019	263	3.74	10.522	313	4.39	17.538	363	5.00	-16.399
214	3.11	15.867	264	3.75	3.055	314	4.40	22.068	364	5.01	-15.868
215	3.12	13.652	265	3.76	-4.632	315	4.41	17.846	365	5.02	-5.335
216	3.14	-6.493	266	3.77	-2.845	316	4.42	9.132	366	5.03	16.980
217	3.15	-6.473	267	3.78	4.222	317	4.43	-18.791	367	5.04	19.014
218	3.17	11.887	268	3.80	6.018	318	4.44	-10.266	368	5.05	17.301
219	3.18	11.908	269	3.82	8.823	319	4.45	19.043	369	5.07	3.377
220	3.20	5.235	270	3.83	7.864	320	4.46	28.572	370	5.08	-1.571
221	3.21	8.296	271	3.84	1.966	321	4.47	31.354	371	5.09	2.209
222	3.22	10.832	272	3.85	-5.980	322	4.49	-12.784	372	5.12	13.589
223	3.23	6.617	273	3.86	-6.639	323	4.50	-10.016	373	5.13	11.897
224	3.24	-4.323	274	3.87	-4.922	324	4.51	-16.490	374	5.14	11.196
225	3.25	-9.785	275	3.88	7.643	325	4.52	-12.948	375	5.16	9.253
226	3.26	-8.763	276	3.90	15.453	326	4.53	-7.401	376	5.17	7.560
227	3.28	3.395	277	3.91	13.239	327	4.54	11.171	377	5.19	13.894
228	3.29	3.872	278	3.92	5.057	328	4.55	16.968	378	5.20	12.177
229	3.31	-1.543	279	3.93	8.097	329	4.56	17.009	379	5.22	-19.236
230	3.32	0.995	280	3.95	10.855	330	4.57	11.551	380	5.23	-23.695
231	3.34	23.852	281	3.96	10.697	331	4.59	4.098	381	5.24	-21.927
232	3.35	22.635	282	3.98	-3.688	332	4.60	1.928	382	5.26	14.443
233	3.36	20.162	283	3.99	-1.889	333	4.62	5.735	383	5.27	19.482
234	3.38	-14.229	284	4.00	-1.862	334	4.63	2.790	384	5.28	16.512
235	3.39	-21.435	285	4.01	-0.574	335	4.65	3.631	385	5.29	12.799
236	3.40	-17.159	286	4.02	4.478	336	4.66	12.178	386	5.30	9.106
237	3.42	9.433	287	4.04	10.811	337	4.67	15.462	387	5.32	8.914
238	3.43	13.458	288	4.05	7.853	338	4.68	12.495	388	5.34	14.006
239	3.44	14.270	289	4.06	6.631	339	4.69	8.781	389	5.35	12.307
240	3.45	13.673	290	4.07	1.184	340	4.70	1.832	390	5.36	5.585
241	3.47	8.067	291	4.08	0.462	341	4.71	0.614	391	5.37	0.862
242	3.48	-1.691	292	4.09	3.020	342	4.72	4.906	392	5.38	-16.086
243	3.49	-11.758	293	4.10	0.564	343	4.73	7.454	393	5.39	-19.807
244	3.51	-0.453	294	4.11	-3.144	344	4.74	8.262	394	5.40	-13.015
245	3.52	-2.147	295	4.12	-11.095	345	4.75	4.531	395	5.43	24.355
246	3.54	-4.323	296	4.13	-11.819	346	4.76	0.844	396	5.45	8.439
247	3.55	-2.543	297	4.15	0.768	347	4.77	12.117	397	5.46	-6.232
248	3.56	6.252	298	4.16	23.570	348	4.78	16.651	398	5.47	-3.199
249	3.57	13.559	299	4.17	26.097	349	4.79	10.732	399	5.49	-3.615
250	3.58	14.106	300	4.18	16.652	350	4.81	4.341	400	5.51	-23.785

INDEX NO. 809 1317-GR-1 HIROO BRIDGE LG. MAX.ACCEL.= 253.827(GAL) T=16.09(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	5.52	-28.483	451	6.16	-1.317	501	6.91	-7.155	551	7.55	42.785
402	5.53	-25.209	452	6.17	4.240	502	6.92	-7.133	552	7.56	47.312
403	5.54	-18.433	453	6.20	27.110	503	6.94	6.491	553	7.57	46.847
404	5.55	10.393	454	6.21	26.630	504	6.95	6.512	554	7.58	39.370
405	5.56	26.917	455	6.26	-6.889	505	6.96	-1.946	555	7.61	-25.729
406	5.57	33.209	456	6.27	0.693	506	6.99	-30.832	556	7.62	-33.944
407	5.58	29.482	457	6.28	6.668	507	7.00	-31.528	557	7.63	-35.922
408	5.59	17.775	458	6.29	15.198	508	7.01	-19.746	558	7.64	-31.612
409	5.60	0.590	459	6.30	49.015	509	7.02	10.814	559	7.65	1.937
410	5.61	-4.877	460	6.31	47.796	510	7.03	15.845	560	7.66	7.718
411	5.62	6.927	461	6.34	-12.811	511	7.05	-13.546	561	7.67	10.753
412	5.64	37.016	462	6.35	-12.790	512	7.06	-17.278	562	7.69	2.832
413	5.65	37.542	463	6.36	-7.754	513	7.07	-13.494	563	7.70	7.138
414	5.67	12.368	464	6.37	-9.438	514	7.09	9.115	564	7.72	33.992
415	5.68	-16.059	465	6.38	-15.157	515	7.10	6.134	565	7.73	35.268
416	5.69	-17.283	466	6.40	-45.571	516	7.12	-12.039	566	7.74	28.043
417	5.70	-15.007	467	6.41	-47.291	517	7.13	-10.250	567	7.76	-20.087
418	5.72	12.849	468	6.42	-41.251	518	7.15	17.115	568	7.77	-22.068
419	5.73	14.135	469	6.44	5.572	519	7.16	18.409	569	7.78	-10.784
420	5.74	13.655	470	6.45	10.384	520	7.17	13.439	570	7.79	27.775
421	5.76	-10.722	471	6.46	6.666	521	7.18	7.970	571	7.80	30.059
422	5.77	-13.195	472	6.49	-16.440	522	7.20	-0.708	572	7.81	25.837
423	5.78	-13.917	473	6.50	-15.902	523	7.21	-6.667	573	7.82	22.139
424	5.81	10.218	474	6.51	-9.631	524	7.22	-21.643	574	7.83	20.939
425	5.82	15.275	475	6.53	21.953	525	7.23	-22.322	575	7.85	25.278
426	5.83	16.557	476	6.54	23.251	526	7.24	-13.784	576	7.86	17.822
427	5.84	15.327	477	6.55	20.281	527	7.25	27.029	577	7.88	13.897
428	5.86	1.674	478	6.57	-11.114	528	7.26	33.572	578	7.90	21.462
429	5.87	1.726	479	6.58	-14.346	529	7.27	27.354	579	7.92	6.065
430	5.88	5.508	480	6.59	0.712	530	7.29	12.700	580	7.93	12.866
431	5.89	15.577	481	6.60	33.774	531	7.31	34.270	581	7.94	33.163
432	5.90	14.341	482	6.61	39.318	532	7.32	36.819	582	7.95	29.428
433	5.92	2.679	483	6.62	39.331	533	7.33	35.094	583	7.96	9.231
434	5.95	4.577	484	6.65	2.462	534	7.36	-2.272	584	7.97	-48.709
435	5.98	-2.811	485	6.66	-2.486	535	7.37	-4.235	585	7.98	-86.921
436	5.99	-3.274	486	6.68	8.088	536	7.38	-0.946	586	7.99	-68.152
437	6.00	4.778	487	6.69	12.646	537	7.39	5.353	587	8.00	-55.617
438	6.01	21.067	488	6.71	13.968	538	7.40	24.400	588	8.02	6.091
439	6.02	25.605	489	6.73	12.304	539	7.41	26.182	589	8.03	0.521
440	6.03	28.131	490	6.75	-16.080	540	7.42	21.964	590	8.04	-13.192
441	6.05	6.222	491	6.76	-18.542	541	7.45	-40.385	591	8.05	-25.639
442	6.06	2.499	492	6.77	-16.021	542	7.46	-42.363	592	8.06	-29.614
443	6.07	-5.434	493	6.78	-10.479	543	7.47	-32.330	593	8.07	-32.077
444	6.08	-9.398	494	6.79	6.581	544	7.48	-0.530	594	8.08	-31.536
445	6.09	-14.340	495	6.80	8.356	545	7.49	21.020	595	8.09	-22.734
446	6.10	-13.821	496	6.83	-21.251	546	7.50	22.797	596	8.11	26.102
447	6.11	-10.046	497	6.84	-23.478	547	7.51	14.827	597	8.12	50.391
448	6.13	12.070	498	6.86	50.639	548	7.52	-23.117	598	8.13	51.668
449	6.14	11.086	499	6.87	58.415	549	7.53	-29.340	599	8.14	46.714
450	6.15	1.648	500	6.88	54.196	550	7.54	-16.293	600	8.16	16.580

INDEX NO. 809 1317-GR-1 HIROO BRIDGE LG. MAX.ACCEL.= 253.827(GAL) T=16.09(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	8.20	13.969	651	8.88	-4.571	701	9.49	-21.165	751	10.06	-29.044
602	8.23	35.114	652	8.89	13.324	702	9.51	-23.617	752	10.07	-16.494
603	8.24	31.877	653	8.90	13.592	703	9.52	-13.573	753	10.09	-13.437
604	8.26	7.982	654	8.91	2.384	704	9.53	18.498	754	10.10	-1.123
605	8.27	-5.982	655	8.92	9.201	705	9.54	15.526	755	10.11	9.148
606	8.28	-13.941	656	8.93	24.482	706	9.55	1.305	756	10.12	42.213
607	8.29	-19.154	657	8.94	44.772	707	9.56	-29.885	757	10.13	43.985
608	8.30	-19.866	658	8.95	50.044	708	9.57	-43.833	758	10.14	43.022
609	8.32	23.734	659	8.96	37.079	709	9.58	-38.817	759	10.15	16.580
610	8.33	30.009	660	8.97	12.144	710	9.60	-4.482	760	10.16	-15.107
611	8.34	36.551	661	8.98	12.167	711	9.61	3.568	761	10.17	-20.837
612	8.35	24.053	662	8.99	27.232	712	9.62	3.107	762	10.18	-26.055
613	8.37	-43.563	663	9.00	28.503	713	9.64	-13.042	763	10.19	-16.756
614	8.38	-65.261	664	9.01	24.787	714	9.65	-11.266	764	10.20	-0.201
615	8.39	-66.489	665	9.03	-11.667	715	9.66	-0.490	765	10.21	26.105
616	8.40	-61.452	666	9.04	-14.323	716	9.67	28.820	766	10.23	52.678
617	8.41	-40.639	667	9.06	-0.495	717	9.68	33.100	767	10.24	55.465
618	8.44	-9.298	668	9.07	-0.430	718	9.69	32.139	768	10.25	52.993
619	8.45	38.261	669	9.08	-6.666	719	9.71	12.231	769	10.26	31.037
620	8.46	34.049	670	9.09	-23.359	720	9.72	6.509	770	10.27	10.080
621	8.47	31.078	671	9.10	-25.333	721	9.73	-14.818	771	10.28	-11.605
622	8.48	6.401	672	9.11	-14.031	722	9.74	-30.381	772	10.29	-15.822
623	8.49	0.678	673	9.12	1.518	723	9.75	-38.357	773	10.30	-20.261
624	8.50	-11.291	674	9.13	20.322	724	9.76	-46.048	774	10.31	-32.236
625	8.51	-12.502	675	9.14	20.364	725	9.77	-43.782	775	10.32	-43.202
626	8.52	-18.219	676	9.16	17.169	726	9.79	19.567	776	10.33	-58.900
627	8.54	-10.867	677	9.17	-7.274	727	9.80	28.595	777	10.34	-59.629
628	8.55	-5.828	678	9.18	-16.733	728	9.81	28.654	778	10.35	-42.816
629	8.56	-0.023	679	9.20	-30.656	729	9.83	23.238	779	10.36	-37.772
630	8.59	33.338	680	9.21	-27.097	730	9.84	35.009	780	10.37	28.019
631	8.61	26.666	681	9.23	1.481	731	9.85	67.574	781	10.38	43.808
632	8.62	30.956	682	9.24	17.275	732	9.86	71.102	782	10.39	48.585
633	8.64	44.054	683	9.25	20.804	733	9.87	60.392	783	10.40	47.089
634	8.65	38.576	684	9.26	15.833	734	9.88	3.960	784	10.41	32.196
635	8.66	18.106	685	9.28	-15.666	735	9.89	-18.759	785	10.43	8.759
636	8.67	-1.086	686	9.29	-12.035	736	9.90	-37.205	786	10.44	-20.927
637	8.68	3.214	687	9.31	18.322	737	9.91	-30.436	787	10.45	-26.656
638	8.69	38.009	688	9.32	17.860	738	9.92	-12.153	788	10.46	-26.619
639	8.70	40.628	689	9.33	12.880	739	9.93	-0.609	789	10.47	-14.822
640	8.71	23.811	690	9.35	-7.782	740	9.94	-11.791	790	10.48	0.969
641	8.72	-0.898	691	9.36	-3.483	741	9.95	-14.759	791	10.49	7.291
642	8.73	-39.077	692	9.37	4.062	742	9.97	-14.195	792	10.50	6.326
643	8.74	-46.545	693	9.38	12.370	743	9.98	0.852	793	10.51	-4.370
644	8.75	-46.531	694	9.40	14.917	744	9.99	22.859	794	10.52	-8.084
645	8.76	-6.701	695	9.41	23.237	745	10.00	26.948	795	10.54	-7.508
646	8.78	6.598	696	9.43	46.805	746	10.01	26.468	796	10.55	-3.734
647	8.79	11.921	697	9.44	49.344	747	10.02	8.542	797	10.56	10.333
648	8.81	1.239	698	9.45	43.134	748	10.03	-10.177	798	10.57	11.609
649	8.84	2.618	699	9.47	7.726	749	10.04	-21.904	799	10.58	10.635
650	8.87	-28.780	700	9.48	-16.238	750	10.05	-37.823	800	10.59	-11.304

土木構造物における加速度強震記録（No. 9）

INDEX NO. 809 1317-GR-1 HIROO BRIDGE LG. MAX.ACCEL.= 253.827(GAL) T=16.09(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	10.61	-31.714	851	11.28	-14.892	901	12.00	37.908	951	12.72	21.886
802	10.62	-36.678	852	11.29	-13.621	902	12.01	29.943	952	12.73	26.918
803	10.63	-36.643	853	11.31	27.235	903	12.03	-2.222	953	12.74	28.979
804	10.65	-2.051	854	11.32	30.004	904	12.04	2.573	954	12.75	27.772
805	10.66	-0.763	855	11.34	7.613	905	12.06	19.118	955	12.76	25.305
806	10.67	-6.225	856	11.35	8.644	906	12.07	26.650	956	12.77	21.084
807	10.69	-22.635	857	11.37	10.217	907	12.10	-37.438	957	12.78	-11.603
808	10.70	-26.356	858	11.39	5.249	908	12.11	-38.667	958	12.79	-29.066
809	10.72	-12.066	859	11.41	-22.625	909	12.13	2.913	959	12.80	-49.780
810	10.74	-0.918	860	11.42	-22.503	910	12.14	18.200	960	12.81	-52.504
811	10.76	24.907	861	11.43	-19.033	911	12.15	28.241	961	12.82	-43.718
812	10.77	32.721	862	11.45	-5.214	912	12.16	12.317	962	12.84	10.897
813	10.78	35.991	863	11.46	35.200	913	12.18	-3.629	963	12.85	10.422
814	10.79	25.518	864	11.49	37.218	914	12.20	-38.282	964	12.86	7.449
815	10.80	8.324	865	11.50	22.019	915	12.21	-39.011	965	12.88	0.554
816	10.81	2.126	866	11.51	-10.678	916	12.22	-33.952	966	12.90	23.372
817	10.82	11.412	867	11.53	-33.644	917	12.23	-28.428	967	12.91	30.159
818	10.83	23.470	868	11.55	10.479	918	12.24	8.369	968	12.92	23.466
819	10.84	25.253	869	11.56	27.523	919	12.25	12.162	969	12.93	-0.972
820	10.85	24.774	870	11.57	31.807	920	12.26	-1.280	970	12.94	-19.930
821	10.88	-4.322	871	11.58	34.340	921	12.28	-17.726	971	12.95	-23.656
822	10.89	-5.286	872	11.60	7.945	922	12.30	37.305	972	12.96	-19.370
823	10.90	-0.261	873	11.61	6.718	923	12.32	41.203	973	12.97	-5.568
824	10.91	20.554	874	11.64	11.346	924	12.33	27.501	974	12.98	12.234
825	10.92	29.664	875	11.65	6.682	925	12.35	-5.427	975	12.99	16.512
826	10.93	28.531	876	11.68	-37.977	926	12.36	-12.893	976	13.00	13.038
827	10.96	-30.153	877	11.69	-47.423	927	12.37	-19.342	977	13.01	-10.387
828	10.99	-36.135	878	11.70	-45.654	928	12.38	-19.307	978	13.03	-47.058
829	11.00	-8.826	879	11.71	-16.581	929	12.39	-13.010	979	13.04	-47.535
830	11.01	34.959	880	11.73	20.993	930	12.42	12.865	980	13.05	-35.258
831	11.02	62.516	881	11.74	30.540	931	12.43	21.909	981	13.07	33.850
832	11.03	59.533	882	11.75	29.569	932	12.44	30.719	982	13.08	39.386
833	11.05	-8.363	883	11.76	24.606	933	12.45	25.984	983	13.09	37.659
834	11.06	-17.573	884	11.78	-4.533	934	12.46	7.786	984	13.11	-27.719
835	11.07	-16.547	885	11.79	-3.504	935	12.47	2.831	985	13.12	-34.446
836	11.08	19.515	886	11.82	2.355	936	12.48	2.380	986	13.13	-35.676
837	11.09	27.814	887	11.83	-8.846	937	12.50	1.442	987	13.15	-8.585
838	11.10	26.845	888	11.84	-27.028	938	12.52	-14.979	988	13.16	1.457
839	11.11	20.630	889	11.85	-29.502	939	12.55	-7.342	989	13.17	7.277
840	11.12	1.664	890	11.86	-8.445	940	12.56	-8.564	990	13.19	6.337
841	11.14	-57.990	891	11.87	24.100	941	12.57	-15.992	991	13.21	1.922
842	11.15	-66.706	892	11.88	25.360	942	12.60	-14.143	992	13.23	-0.510
843	11.16	-61.905	893	11.89	21.167	943	12.62	-0.301	993	13.24	-2.932
844	11.17	-55.623	894	11.90	15.448	944	12.63	1.988	994	13.26	-8.375
845	11.19	22.939	895	11.91	-15.982	945	12.64	-10.949	995	13.27	-11.840
846	11.20	24.260	896	11.92	-21.712	946	12.65	-18.168	996	13.29	32.516
847	11.21	22.035	897	11.95	-5.594	947	12.66	-21.881	997	13.30	37.073
848	11.23	-21.597	898	11.97	-4.747	948	12.68	-7.534	998	13.33	12.659
849	11.24	-22.073	899	11.98	4.786	949	12.70	6.054	999	13.34	7.204
850	11.26	2.517	900	11.99	36.106	950	12.71	12.852	1000	13.35	0.748

INDEX NO. 809 1317-GR-1 HIROO BRIDGE LG. MAX.ACCEL.= 253.827(GAL) T=16.09(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	13.36	-13.960	1051	13.95	11.309	1101	14.65	-34.241	1151	15.35	20.947
1002	13.37	-36.161	1052	13.97	13.135	1102	14.66	-33.213	1152	15.36	30.009
1003	13.38	-39.620	1053	13.99	12.733	1103	14.67	-26.936	1153	15.37	33.051
1004	13.39	-31.078	1054	14.00	7.770	1104	14.68	5.360	1154	15.39	35.109
1005	13.40	3.737	1055	14.01	2.298	1105	14.69	57.419	1155	15.42	-0.491
1006	13.41	19.023	1056	14.02	-17.386	1106	14.70	71.453	1156	15.43	-1.200
1007	13.42	28.565	1057	14.03	-17.359	1107	14.71	74.733	1157	15.44	5.098
1008	13.43	26.586	1058	14.04	-13.074	1108	14.72	59.273	1158	15.46	28.186
1009	13.45	10.176	1059	14.05	1.475	1109	14.73	23.581	1159	15.47	29.728
1010	13.46	5.572	1060	14.06	7.006	1110	14.74	-11.869	1160	15.48	28.014
1011	13.49	0.614	1061	14.07	6.553	1111	14.75	-18.608	1161	15.50	19.855
1012	13.50	-5.595	1062	14.09	-3.866	1112	14.76	-27.565	1162	15.51	25.629
1013	13.52	-12.542	1063	14.10	0.949	1113	14.77	-8.255	1163	15.52	37.428
1014	13.53	-11.496	1064	14.12	13.780	1114	14.79	32.584	1164	15.53	39.455
1015	13.54	-8.180	1065	14.13	15.076	1115	14.80	40.618	1165	15.54	34.497
1016	13.55	-6.404	1066	14.16	-7.555	1116	14.81	46.671	1166	15.55	9.303
1017	13.56	-9.350	1067	14.17	-11.005	1117	14.82	37.948	1167	15.56	-19.905
1018	13.58	-12.289	1068	14.18	-10.974	1118	14.83	23.989	1168	15.57	-47.597
1019	13.59	-8.746	1069	14.19	-7.932	1119	14.85	-36.916	1169	15.58	-58.309
1020	13.61	14.842	1070	14.22	2.698	1120	14.86	-46.120	1170	15.59	-62.777
1021	13.62	17.392	1071	14.24	-0.736	1121	14.87	-46.094	1171	15.60	-65.491
1022	13.64	18.750	1072	14.25	-3.924	1122	14.88	-36.300	1172	15.61	-62.960
1023	13.65	23.295	1073	14.26	-2.130	1123	14.90	20.786	1173	15.62	-40.138
1024	13.66	24.582	1074	14.27	7.916	1124	14.91	33.085	1174	15.63	-30.606
1025	13.67	16.117	1075	14.29	22.745	1125	14.92	30.619	1175	15.64	-25.577
1026	13.69	3.433	1076	14.30	21.564	1126	14.95	-19.997	1176	15.65	-19.286
1027	13.70	-11.262	1077	14.31	20.328	1127	14.96	-27.959	1177	15.67	-29.707
1028	13.71	-17.981	1078	14.35	-39.513	1128	14.97	-21.178	1178	15.68	-26.655
1029	13.72	-8.175	1079	14.36	-40.234	1129	15.00	22.726	1179	15.69	-16.372
1030	13.73	5.125	1080	14.38	-27.162	1130	15.01	29.022	1180	15.70	19.934
1031	13.74	15.907	1081	14.39	-2.091	1131	15.03	40.329	1181	15.71	33.235
1032	13.75	17.195	1082	14.40	7.936	1132	15.05	22.433	1182	15.72	35.262
1033	13.76	7.987	1083	14.42	11.263	1133	15.06	15.722	1183	15.75	-26.591
1034	13.77	-1.221	1084	14.43	10.801	1134	15.07	9.761	1184	15.76	-30.797
1035	13.78	-13.405	1085	14.44	12.123	1135	15.10	11.139	1185	15.78	-31.498
1036	13.79	-12.879	1086	14.46	18.934	1136	15.11	8.160	1186	15.79	-28.925
1037	13.80	9.430	1087	14.47	21.481	1137	15.15	-55.897	1187	15.80	-34.630
1038	13.81	13.208	1088	14.48	20.509	1138	15.16	-58.869	1188	15.84	-74.484
1039	13.82	12.753	1089	14.49	9.809	1139	15.17	-58.829	1189	15.85	-76.951
1040	13.83	1.547	1090	14.50	3.623	1140	15.18	-51.515	1190	15.87	-80.112
1041	13.84	-4.144	1091	14.51	4.898	1141	15.20	-35.700	1191	15.88	-80.807
1042	13.85	-1.599	1092	14.52	7.462	1142	15.21	-23.642	1192	15.89	-74.021
1043	13.87	2.724	1093	14.55	-15.915	1143	15.22	-23.598	1193	15.92	47.631
1044	13.88	-0.745	1094	14.56	-15.147	1144	15.24	-24.752	1194	15.93	61.415
1045	13.89	-9.213	1095	14.57	10.168	1145	15.25	-22.226	1195	15.94	65.938
1046	13.90	-29.894	1096	14.59	20.231	1146	15.27	-11.143	1196	15.95	66.727
1047	13.91	-32.344	1097	14.60	9.774	1147	15.28	-14.862	1197	15.96	46.617
1048	13.92	-31.823	1098	14.61	-7.415	1148	15.30	-24.033	1198	15.97	-43.400
1049	13.93	-21.289	1099	14.62	-10.382	1149	15.31	-20.480	1199	15.99	-137.823
1050	13.94	4.012	1100	14.64	-21.301	1150	15.34	11.145	1200	16.00	-152.291

INDEX NO. 809 1317-GR-1 HIROO BRIDGE LG. MAX.ACCEL.= 253.827(GAL) T=16.09(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	16.03	-175.927	1251	16.61	101.214	1301	17.17	58.400	1351	17.74	-85.223
1202	16.04	-167.390	1252	16.62	100.843	1302	17.18	77.452	1352	17.75	-26.170
1203	16.06	20.478	1253	16.63	81.096	1303	17.19	78.725	1353	17.76	28.632
1204	16.07	121.767	1254	16.64	67.421	1304	17.20	64.502	1354	17.77	56.673
1205	16.08	220.047	1255	16.65	36.961	1305	17.21	15.056	1355	17.78	67.217
1206	16.09	253.827	1256	16.66	-13.984	1306	17.22	-22.403	1356	17.79	66.735
1207	16.10	227.664	1257	16.67	-36.686	1307	17.23	-61.595	1357	17.80	29.796
1208	16.11	245.191	1258	16.68	-39.643	1308	17.24	-93.299	1358	17.81	1.080
1209	16.12	246.959	1259	16.69	-39.122	1309	17.25	-97.780	1359	17.82	-37.352
1210	16.13	243.996	1260	16.70	-36.599	1310	17.29	64.652	1360	17.83	-46.327
1211	16.14	233.535	1261	16.71	-31.554	1311	17.30	-77.449	1361	17.84	-47.050
1212	16.15	232.086	1262	16.73	44.565	1312	17.31	64.986	1362	17.85	-36.489
1213	16.16	218.866	1263	16.74	60.109	1313	17.32	25.294	1363	17.86	-32.704
1214	16.17	148.672	1264	16.75	95.387	1314	17.34	-64.371	1364	17.87	-38.646
1215	16.18	46.971	1265	16.76	106.671	1315	17.35	-92.334	1365	17.88	-44.858
1216	16.19	-39.235	1266	16.77	108.946	1316	17.36	-101.055	1366	17.89	-44.827
1217	16.21	-170.646	1267	16.78	85.749	1317	17.37	-106.771	1367	17.90	-41.287
1218	16.22	-206.092	1268	16.79	50.046	1318	17.38	-101.987	1368	17.91	-32.504
1219	16.23	-206.827	1269	16.80	14.566	1319	17.39	-70.175	1369	17.92	-12.723
1220	16.24	-179.762	1270	16.81	-1.134	1320	17.40	+30.135	1370	17.93	69.857
1221	16.25	-149.984	1271	16.82	-47.557	1321	17.41	33.412	1371	17.94	94.638
1222	16.29	-69.945	1272	16.84	+73.243	1322	17.42	55.714	1372	17.95	108.176
1223	16.30	74.965	1273	16.85	-70.219	1323	17.43	63.242	1373	17.96	110.212
1224	16.31	100.040	1274	16.86	-62.662	1324	17.44	64.552	1374	17.97	76.242
1225	16.32	100.835	1275	16.87	-55.873	1325	17.45	62.326	1375	17.98	8.801
1226	16.33	103.355	1276	16.88	-27.082	1326	17.46	49.107	1376	17.99	-34.919
1227	16.34	89.637	1277	16.89	+9.280	1327	17.47	31.393	1377	18.00	-88.850
1228	16.35	46.955	1278	16.90	-2.999	1328	17.48	-15.540	1378	16.01	-103.566
1229	16.36	15.993	1279	16.91	0.312	1329	17.49	-31.238	1379	18.02	-104.801
1230	16.37	-53.209	1280	16.92	+4.644	1330	17.50	-33.712	1380	18.04	-8.445
1231	16.38	-100.656	1281	16.95	+20.293	1331	17.51	-33.687	1381	18.05	11.343
1232	16.40	-128.084	1282	16.96	+21.511	1332	17.52	-28.800	1382	18.06	12.614
1233	16.41	-124.321	1283	16.98	24.092	1333	17.53	-16.101	1383	18.07	-15.564
1234	16.42	-53.011	1284	16.99	20.116	1334	17.56	66.802	1384	18.08	-37.523
1235	16.43	3.294	1285	17.00	22.910	1335	17.57	77.840	1385	18.09	-57.500
1236	16.44	38.842	1286	17.01	+1.615	1336	17.58	78.109	1386	18.10	-82.697
1237	16.45	42.118	1287	17.02	+11.249	1337	17.59	20.172	1387	18.11	-85.176
1238	16.46	35.899	1288	17.03	+46.691	1338	17.60	-15.028	1388	18.13	7.195
1239	16.47	14.436	1289	17.04	+66.400	1339	17.61	-42.255	1389	18.15	60.019
1240	16.48	-22.247	1290	17.05	+66.124	1340	17.62	-69.957	1390	18.16	73.562
1241	16.49	-32.457	1291	17.06	+56.829	1341	17.63	-70.687	1391	18.17	68.085
1242	16.50	-41.165	1292	17.07	+29.028	1342	17.65	5.172	1392	18.18	42.872
1243	16.51	-42.681	1293	17.09	47.326	1343	17.66	27.477	1393	18.19	12.429
1244	16.52	-46.324	1294	17.10	47.852	1344	17.67	25.255	1394	18.20	-2.777
1245	16.53	-51.609	1295	17.11	43.139	1345	17.68	3.039	1395	18.21	2.780
1246	16.56	+123.415	1296	17.12	10.942	1346	17.69	-22.662	1396	18.23	29.853
1247	16.57	-127.889	1297	17.13	4.457	1347	17.70	-65.859	1397	18.24	29.388
1248	16.58	-105.847	1298	17.14	-3.481	1348	17.71	-79.337	1398	18.25	25.668
1249	16.59	-34.786	1299	17.15	7.575	1349	17.72	-102.536	1399	18.26	17.707
1250	16.60	30.006	1300	17.16	42.612	1350	17.73	-103.521	1400	18.27	-2.480

INDEX NO. 809 1317-GR-1 HIROO BRIDGE LG. MAX.ACCEL.= 253.827(GAL) T=16.09(SEC) NO. 8

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1401	16.28	-18.444	1451	18.87	-4.474	1501	19.47	-21.211	1551	20.10	-32.562
1402	16.29	-26.160	1452	18.88	-0.921	1502	19.49	-24.868	1552	20.11	-34.274
1403	18.30	-27.376	1453	18.89	0.650	1503	19.50	-23.593	1553	20.13	-22.438
1404	18.31	-19.814	1454	18.92	32.758	1504	19.52	-4.727	1554	20.15	-8.367
1405	18.32	10.733	1455	18.93	33.526	1505	19.53	-1.698	1555	20.17	6.988
1406	16.33	22.778	1456	18.94	32.313	1506	19.54	-5.693	1556	20.19	17.051
1407	18.34	26.067	1457	18.95	17.370	1507	19.55	-21.356	1557	20.20	27.356
1408	18.35	23.092	1458	16.97	-15.556	1508	19.56	-26.333	1558	20.21	14.405
1409	18.36	10.379	1459	18.98	-55.484	1509	19.57	-36.520	1559	20.22	-1.561
1410	18.37	-19.830	1460	16.99	-65.942	1510	19.58	-37.247	1560	20.23	-19.752
1411	18.38	-47.282	1461	19.00	-76.400	1511	19.59	-20.448	1561	20.24	-22.225
1412	18.39	-67.988	1462	19.01	-76.885	1512	19.60	5.865	1562	20.27	-8.622
1413	18.40	-78.169	1463	19.02	-73.349	1513	19.61	15.401	1563	20.28	-5.322
1414	18.41	-77.165	1464	19.05	-13.721	1514	19.62	20.434	1564	20.31	-4.692
1415	16.42	-73.371	1465	19.06	-3.605	1515	19.63	22.973	1565	20.34	13.440
1416	18.43	-59.568	1466	19.07	-13.862	1516	19.64	20.005	1566	20.35	12.738
1417	18.44	-37.020	1467	19.08	-16.334	1517	19.66	-15.897	1567	20.36	12.258
1418	16.45	-19.994	1468	19.09	-16.298	1518	19.67	-25.858	1568	20.37	4.043
1419	16.47	11.829	1469	19.10	+11.258	1519	19.68	-29.076	1569	20.39	-16.873
1420	18.48	32.906	1470	19.11	6.282	1520	19.69	-27.272	1570	20.43	-48.174
1421	18.49	31.693	1471	19.12	36.847	1521	19.71	3.072	1571	20.44	-48.148
1422	18.50	20.490	1472	19.13	42.382	1522	19.72	7.095	1572	20.45	-40.869
1423	18.52	-2.947	1473	19.14	43.656	1523	19.73	10.632	1573	20.46	-10.805
1424	18.53	-19.164	1474	19.15	+38.195	1524	19.74	10.928	1574	20.48	16.273
1425	16.54	-30.624	1475	19.17	-26.694	1525	19.75	9.725	1575	20.49	15.802
1426	18.55	-45.316	1476	19.19	-60.383	1526	19.78	16.084	1576	20.50	12.088
1427	18.56	-47.791	1477	19.20	-76.465	1527	19.79	1.407	1577	20.51	1.646
1428	18.56	-19.427	1478	19.21	-77.523	1528	19.81	+14.780	1578	20.52	-0.807
1429	18.59	-2.151	1479	19.22	-75.507	1529	19.82	-23.473	1579	20.54	-1.494
1430	18.60	18.636	1480	19.23	-67.472	1530	19.83	-23.415	1580	20.55	-4.453
1431	16.61	29.679	1481	19.24	+32.615	1531	19.85	+20.835	1581	20.56	+12.619
1432	18.62	27.732	1482	19.25	101.640	1532	19.86	+27.551	1582	20.57	+36.099
1433	18.64	9.552	1483	19.26	50.608	1533	19.87	+35.267	1583	20.58	+48.323
1434	18.65	-6.625	1484	19.27	53.965	1534	19.88	+45.208	1584	20.59	+58.765
1435	18.67	-12.311	1485	19.28	52.742	1535	19.90	+49.157	1585	20.61	+55.961
1436	18.68	-20.759	1486	19.30	6.087	1536	19.91	+44.856	1586	20.62	+49.171
1437	18.69	+26.217	1487	19.31	+19.861	1537	19.92	+31.792	1587	20.63	+18.602
1438	18.71	-54.125	1488	19.32	+26.080	1538	19.94	14.800	1588	20.64	11.442
1439	18.72	+57.341	1489	19.33	+26.054	1539	19.95	27.578	1589	20.65	24.220
1440	18.73	-56.068	1490	19.34	+22.515	1540	19.96	34.104	1590	20.66	29.993
1441	18.75	13.046	1491	19.35	-14.539	1541	19.97	37.145	1591	20.67	34.303
1442	18.76	35.340	1492	19.36	-0.158	1542	19.98	24.947	1592	20.68	28.090
1443	18.78	29.864	1493	19.38	1.673	1543	20.00	+22.698	1593	20.69	6.881
1444	18.79	10.661	1494	19.39	-2.538	1544	20.01	+32.159	1594	20.70	-4.592
1445	18.80	-14.264	1495	19.40	-9.243	1545	20.02	+34.630	1595	20.71	+17.786
1446	18.81	-28.209	1496	19.41	-9.956	1546	20.03	+36.661	1596	20.72	+20.506
1447	18.82	+28.931	1497	19.42	+11.654	1547	20.05	+16.257	1597	20.73	+14.704
1448	18.83	+27.144	1498	19.43	+12.363	1548	20.06	+15.711	1598	20.75	-0.885
1449	18.84	+18.350	1499	19.45	+12.513	1549	20.07	+16.678	1599	20.76	3.423
1450	18.86	-8.770	1500	19.46	+12.725	1550	20.08	+18.652	1600	20.77	2.978

INDEX NO. 809 1317-GR-1 HIROO BRIDGE LG. MAX.ACCEL.= 253.827(GAL) T=16.09(SEC) NO. 9

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1601	20.81	2.142	1651	21.55	-1.297	1701	22.23	-2.408	1751	22.82	11.314
1602	20.83	-1.516	1652	21.56	-5.008	1702	22.24	-15.874	1752	22.83	4.342
1603	20.87	0.629	1653	21.58	-14.155	1703	22.25	-29.835	1753	22.84	4.899
1604	20.88	0.669	1654	21.59	-14.078	1704	22.26	-47.554	1754	22.85	9.443
1605	20.89	-11.516	1655	21.60	-11.818	1705	22.27	-58.244	1755	22.86	15.226
1606	20.91	-18.953	1656	21.63	9.819	1706	22.28	-60.439	1756	22.87	13.769
1607	20.92	-18.427	1657	21.64	11.098	1707	22.29	-73.399	1757	22.88	10.817
1608	20.97	3.034	1658	21.65	10.619	1708	22.30	-75.372	1758	22.89	7.066
1609	20.98	4.333	1659	21.66	7.692	1709	22.31	-74.631	1759	22.91	1.690
1610	21.01	1.456	1660	21.68	0.772	1710	22.32	-71.551	1760	22.93	-4.229
1611	21.02	6.752	1661	21.70	-0.887	1711	22.33	-56.512	1761	22.94	-7.925
1612	21.03	11.044	1662	21.71	-3.363	1712	22.35	-23.416	1762	22.95	-7.883
1613	21.04	14.837	1663	21.72	-13.569	1713	22.36	0.128	1763	22.98	13.247
1614	21.07	27.231	1664	21.75	-36.209	1714	22.37	11.683	1764	22.99	14.281
1615	21.09	26.778	1665	21.76	-34.412	1715	22.38	11.708	1765	23.00	12.566
1616	21.10	16.087	1666	21.79	-16.038	1716	22.39	12.492	1766	23.01	8.853
1617	21.12	-13.058	1667	21.80	-12.973	1717	22.40	0.813	1767	23.02	3.905
1618	21.13	-13.538	1668	21.83	2.875	1718	22.41	-11.884	1768	23.03	2.186
1619	21.15	-16.691	1669	21.84	10.698	1719	22.42	-17.602	1769	23.05	1.524
1620	21.16	-29.914	1670	21.85	8.490	1720	22.43	-25.330	1770	23.06	-0.941
1621	21.17	-49.600	1671	21.86	3.532	1721	22.44	-29.029	1771	23.07	-8.631
1622	21.18	-50.076	1672	21.87	-2.679	1722	22.45	-27.249	1772	23.09	-14.071
1623	21.20	-4.736	1673	21.89	-19.849	1723	22.46	-10.177	1773	23.10	-8.511
1624	21.21	24.049	1674	21.90	-26.809	1724	22.47	2.621	1774	23.12	17.347
1625	21.22	39.829	1675	21.91	-28.933	1725	22.49	18.423	1775	23.13	14.384
1626	21.23	54.644	1676	21.92	-23.214	1726	22.50	30.746	1776	23.14	7.673
1627	21.24	52.172	1677	21.93	-16.180	1727	22.51	32.535	1777	23.15	-1.283
1628	21.25	40.464	1678	21.94	-0.862	1728	22.54	15.126	1778	23.16	-5.749
1629	21.26	19.252	1679	21.95	5.904	1729	22.55	6.166	1779	23.17	-7.466
1630	21.27	-16.184	1680	21.96	6.197	1730	22.56	-0.531	1780	23.18	-6.398
1631	21.28	-30.149	1681	21.97	-2.513	1731	22.57	-10.722	1781	23.19	-5.111
1632	21.29	-40.123	1682	21.98	-13.230	1732	22.59	-24.664	1782	23.20	-6.817
1633	21.30	-45.805	1683	21.99	-25.919	1733	22.60	-33.344	1783	23.22	-17.471
1634	21.31	-42.278	1684	22.00	-25.394	1734	22.61	-31.556	1784	23.23	-14.445
1635	21.32	-33.478	1685	22.01	-22.120	1735	22.62	-27.779	1785	23.24	-11.424
1636	21.33	-24.940	1686	22.02	-10.800	1736	22.63	-16.983	1786	23.25	3.375
1637	21.34	-21.895	1687	22.03	-13.251	1737	22.64	-1.189	1787	23.26	10.922
1638	21.36	-21.843	1688	22.05	-24.451	1738	22.65	10.106	1788	23.27	11.462
1639	21.37	-29.035	1689	22.06	-35.641	1739	22.66	17.896	1789	23.28	9.747
1640	21.38	-34.731	1690	22.07	-31.350	1740	22.67	20.436	1790	23.30	-8.138
1641	21.40	-41.160	1691	22.08	-17.558	1741	22.68	18.714	1791	23.31	-10.588
1642	21.41	-31.098	1692	22.10	10.013	1742	22.70	-8.204	1792	23.33	-11.291
1643	21.43	-19.552	1693	22.11	16.820	1743	22.73	-63.801	1793	23.34	-11.732
1644	21.44	-15.260	1694	22.12	19.366	1744	22.74	-62.775	1794	23.35	-8.670
1645	21.45	-18.206	1695	22.13	21.418	1745	22.75	-49.486	1795	23.37	-1.115
1646	21.46	-29.393	1696	22.15	19.743	1746	22.76	-32.949	1796	23.38	11.444
1647	21.48	-38.062	1697	22.17	17.340	1747	22.77	20.868	1797	23.39	23.000
1648	21.50	-29.255	1698	22.20	15.435	1748	22.78	31.141	1798	23.41	25.562
1649	21.52	-10.393	1699	22.21	13.001	1749	22.79	41.174	1799	23.42	21.860
1650	21.54	-2.592	1700	22.22	6.788	1750	22.80	41.961	1800	23.43	16.422

INDEX NO. 809 1317-GR-1 HIROO BRIDGE LG. MAX.ACCEL.= 253.827(GAL) T=16.09(SEC) NO.10

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1801	23.44	18.713	1851	24.08	-18.634	1901	24.71	-15.216	1951	25.29	49.937
1802	23.46	23.804	1852	24.09	1.663	1902	24.72	-1.424	1952	25.31	-7.196
1803	23.47	22.078	1853	24.10	16.962	1903	24.74	31.675	1953	25.32	-27.154
1804	23.48	17.886	1854	24.11	19.737	1904	24.75	29.448	1954	25.33	-32.628
1805	23.50	-16.275	1855	24.12	16.780	1905	24.76	15.759	1955	25.34	-35.849
1806	23.52	-33.942	1856	24.14	-21.122	1906	24.78	-25.398	1956	25.35	-35.317
1807	23.54	-39.640	1857	24.15	-32.077	1907	24.79	-31.851	1957	25.36	-12.000
1808	23.55	-39.584	1858	24.16	-38.796	1908	24.80	-25.073	1958	25.38	2.559
1809	23.56	-32.797	1859	24.17	-38.259	1909	24.81	-13.789	1959	25.39	10.354
1810	23.57	-8.740	1860	24.19	-4.903	1910	24.82	14.273	1960	25.40	13.650
1811	23.58	26.290	1861	24.20	2.901	1911	24.83	24.567	1961	25.41	13.697
1812	23.59	39.594	1862	24.21	-3.065	1912	24.84	29.098	1962	25.42	8.749
1813	23.60	44.636	1863	24.24	-15.190	1913	24.85	29.121	1963	25.44	3.809
1814	23.61	43.667	1864	24.25	-9.664	1914	24.86	27.404	1964	25.45	2.608
1815	23.62	35.443	1865	24.27	27.945	1915	24.88	-14.235	1965	25.46	5.647
1816	23.63	11.012	1866	24.28	32.220	1916	24.89	-17.444	1966	25.48	13.999
1817	23.64	0.800	1867	24.29	37.517	1917	24.90	-16.909	1967	25.49	11.537
1818	23.65	-6.157	1868	24.30	35.297	1918	24.92	26.186	1968	25.50	2.824
1819	23.67	-12.350	1869	24.32	12.630	1919	24.93	29.471	1969	25.51	-10.375
1820	23.68	-13.548	1870	24.33	-2.076	1920	24.94	29.009	1970	25.53	-32.543
1821	23.70	4.527	1871	24.34	-7.750	1921	24.95	25.788	1971	25.54	-33.762
1822	23.71	14.597	1872	24.35	-5.712	1922	24.98	-23.826	1972	25.55	-31.228
1823	23.72	10.375	1873	24.38	11.906	1923	24.99	-29.705	1973	25.56	-23.184
1824	23.73	2.900	1874	24.39	11.445	1924	25.00	-29.241	1974	25.57	2.863
1825	23.75	-50.731	1875	24.40	6.480	1925	25.01	-25.960	1975	25.58	35.905
1826	23.76	-53.213	1876	24.43	-24.394	1926	25.02	-22.171	1976	25.59	41.204
1827	23.77	-45.177	1877	24.44	-27.612	1927	25.03	-11.623	1977	25.60	39.978
1828	23.79	3.167	1878	24.45	-16.060	1928	25.04	12.691	1978	25.62	-12.400
1829	23.80	14.937	1879	24.46	14.759	1929	25.05	12.225	1979	25.63	-32.125
1830	23.81	21.482	1880	24.48	38.318	1930	25.06	7.259	1980	25.64	-42.323
1831	23.82	21.023	1881	24.49	47.868	1931	25.07	-2.697	1981	25.65	-41.041
1832	23.83	-0.404	1882	24.50	44.155	1932	25.08	-15.890	1982	25.66	-31.755
1833	23.85	-29.317	1883	24.52	10.225	1933	25.09	-18.353	1983	25.67	-13.980
1834	23.86	-30.784	1884	24.53	-7.948	1934	25.10	-16.572	1984	25.68	24.077
1835	23.87	-28.995	1885	24.54	-7.938	1935	25.11	-10.295	1985	25.69	33.125
1836	23.88	-26.459	1886	24.55	-3.647	1936	25.12	0.242	1986	25.70	32.654
1837	23.89	-19.418	1887	24.56	6.921	1937	25.13	11.282	1987	25.71	22.216
1838	23.90	-4.135	1888	24.57	12.703	1938	25.15	30.888	1988	25.72	6.239
1839	23.91	9.910	1889	24.58	13.233	1939	25.16	30.917	1989	25.73	-8.193
1840	23.92	9.940	1890	24.59	6.624	1940	25.17	29.196	1990	25.74	-6.419
1841	23.93	1.999	1891	24.60	-11.653	1941	25.18	17.992	1991	25.75	14.391
1842	23.95	-18.174	1892	24.61	-16.626	1942	25.19	4.034	1992	25.76	26.692
1843	23.96	-19.392	1893	24.62	-16.606	1943	25.20	-28.898	1993	25.77	26.720
1844	23.99	12.748	1894	24.63	-6.043	1944	25.21	-37.603	1994	25.78	23.758
1845	24.00	13.260	1895	24.65	19.549	1945	25.22	-38.076	1995	25.79	16.283
1846	24.01	12.822	1896	24.66	24.571	1946	25.23	-33.789	1996	25.80	-10.402
1847	24.02	6.111	1897	24.67	25.857	1947	25.25	3.279	1997	25.81	-30.600
1848	24.04	-30.523	1898	24.68	17.154	1948	25.26	38.091	1998	25.82	-39.060
1849	24.05	-35.480	1899	24.69	-15.031	1949	25.27	44.861	1999	25.83	-37.289
1850	24.06	-31.186	1900	24.70	-17.505	1950	25.28	49.145	2000	25.86	20.602

INDEX NO. 809 1317-GR-1 HIROO BRIDGE LG. MAX.ACCEL.= 253.827(GAL) T=16.09(SEC) NO.11

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2001	25.87	20.898	2051	26.50	14.550	2101	27.06	14.449	2151	27.71	-4.535
2002	25.88	29.665	2052	26.51	15.859	2102	27.07	-7.489	2152	27.73	-9.455
2003	25.89	23.463	2053	26.52	14.123	2103	27.08	-15.698	2153	27.74	-5.158
2004	25.91	9.557	2054	26.53	-21.303	2104	27.09	-16.419	2154	27.78	5.280
2005	25.92	5.347	2055	26.54	-20.756	2105	27.10	-15.891	2155	27.79	3.058
2006	25.93	-2.857	2056	26.55	-28.244	2106	27.11	4.932	2156	27.80	0.577
2007	25.94	-4.077	2057	26.56	-12.699	2107	27.12	6.205	2157	27.82	-11.303
2008	25.95	-2.289	2058	26.57	9.081	2108	27.13	11.239	2158	27.83	-12.533
2009	25.96	8.522	2059	26.58	24.146	2109	27.14	11.528	2159	27.84	-4.470
2010	25.97	11.077	2060	26.59	26.686	2110	27.15	9.569	2160	27.86	14.362
2011	25.98	9.350	2061	26.60	25.716	2111	27.17	-0.813	2161	27.87	17.647
2012	25.99	9.303	2062	26.61	5.041	2112	27.18	-0.769	2162	27.88	15.930
2013	26.00	8.178	2063	26.62	2.073	2113	27.19	-0.740	2163	27.89	12.210
2014	26.01	6.240	2064	26.63	-3.410	2114	27.20	-0.706	2164	27.90	-0.232
2015	26.02	5.524	2065	26.64	3.149	2115	27.21	0.354	2165	27.91	-10.929
2016	26.03	5.050	2066	26.65	5.966	2116	27.23	-3.823	2166	27.92	-14.153
2017	26.04	2.590	2067	26.66	4.008	2117	27.24	-6.787	2167	27.93	-10.624
2018	26.05	-1.614	2068	26.68	2.304	2118	27.25	-9.253	2168	27.94	7.209
2019	26.06	-10.556	2069	26.69	-5.364	2119	27.26	-8.691	2169	27.95	9.750
2020	26.08	-8.220	2070	26.70	-4.334	2120	27.29	15.937	2170	27.96	10.523
2021	26.10	-6.145	2071	26.71	-2.313	2121	27.30	17.241	2171	27.97	7.315
2022	26.11	-6.079	2072	26.73	7.056	2122	27.32	7.569	2172	27.98	3.097
2023	26.13	-11.015	2073	26.74	6.088	2123	27.33	6.352	2173	27.99	-4.349
2024	26.15	-15.177	2074	26.77	2.226	2124	27.34	8.649	2174	28.00	-3.796
2025	26.16	-16.382	2075	26.78	2.259	2125	27.36	21.978	2175	28.01	-0.515
2026	26.17	-13.352	2076	26.79	4.314	2126	27.37	20.759	2176	28.02	10.794
2027	26.18	-7.045	2077	26.80	9.361	2127	27.38	21.312	2177	28.03	21.075
2028	26.21	15.063	2078	26.81	9.394	2128	27.39	18.347	2178	28.04	25.362
2029	26.22	19.609	2079	26.82	6.924	2129	27.41	9.186	2179	28.05	24.908
2030	26.23	15.929	2080	26.83	1.452	2130	27.42	6.712	2180	28.06	14.948
2031	26.24	9.220	2081	26.84	-7.983	2131	27.43	7.292	2181	28.09	-28.651
2032	26.25	6.000	2082	26.85	-19.936	2132	27.46	13.165	2182	28.10	-29.369
2033	26.26	9.056	2083	26.86	-11.671	2133	27.47	9.940	2183	28.11	-27.597
2034	26.26	32.138	2084	26.88	3.446	2134	27.48	-1.496	2184	28.12	0.224
2035	26.29	37.666	2085	26.89	5.233	2135	27.49	-5.210	2185	28.14	38.065
2036	26.30	38.959	2086	26.90	4.279	2136	27.50	-6.432	2186	28.15	37.593
2037	26.31	42.015	2087	26.91	0.579	2137	27.51	-6.906	2187	28.16	34.385
2038	26.32	34.803	2088	26.92	-0.639	2138	27.52	-5.859	2188	28.17	28.908
2039	26.35	4.182	2089	26.93	1.159	2139	27.53	-2.065	2189	28.18	10.458
2040	26.36	-0.529	2090	26.95	6.243	2140	27.54	10.759	2190	28.19	1.494
2041	26.37	-7.491	2091	26.96	3.777	2141	27.55	12.534	2191	28.20	-6.443
2042	26.38	-13.869	2092	26.97	-0.418	2142	27.56	10.805	2192	28.21	-9.655
2043	26.39	-13.165	2093	26.98	-6.132	2143	27.58	10.170	2193	28.22	-8.363
2044	26.41	-1.839	2094	26.99	-11.098	2144	27.61	22.275	2194	28.23	-4.542
2045	26.42	4.465	2095	27.00	-11.069	2145	27.62	19.322	2195	28.25	-6.244
2046	26.43	3.490	2096	27.01	-4.768	2146	27.65	-16.032	2196	28.27	-7.638
2047	26.45	-3.421	2097	27.02	13.297	2147	27.66	-17.997	2197	28.28	-1.844
2048	26.46	-4.136	2098	27.03	19.834	2148	27.67	-14.705	2198	28.29	1.936
2049	26.47	2.183	2099	27.04	21.122	2149	27.69	-2.115	2199	28.30	9.478
2050	26.48	7.905	2100	27.05	18.182	2150	27.70	-2.075	2200	28.31	18.280

INDEX NO. 809 1317-GR-1 HIROO BRIDGE LG. MAX.ACCEL.= 253.827(GAL) T=16.09(SEC) NO.12

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2201	28.33	21.605	2251	29.10	2.591	2301	29.78	5.178	2351	30.41	-23.434
2202	28.34	19.433	2252	29.11	10.892	2302	29.79	-9.533	2352	30.42	-26.406
2203	28.37	13.779	2253	29.12	12.172	2303	29.80	-13.747	2353	30.43	-25.380
2204	28.38	7.103	2254	29.13	12.212	2304	29.81	-16.205	2354	30.44	-18.341
2205	28.40	0.660	2255	29.14	8.010	2305	29.82	-9.406	2355	30.45	7.461
2206	28.42	-7.974	2256	29.15	-3.172	2306	29.83	9.391	2356	30.46	24.031
2207	28.43	-7.447	2257	29.16	-4.801	2307	29.84	18.941	2357	30.47	22.306
2208	28.44	-4.424	2258	29.17	-3.848	2308	29.85	22.727	2358	30.51	-12.767
2209	28.46	19.425	2259	29.18	-0.053	2309	29.86	21.762	2359	30.52	-11.492
2210	28.47	27.213	2260	29.19	4.975	2310	29.87	18.539	2360	30.53	-8.954
2211	28.48	30.531	2261	29.20	4.510	2311	29.88	3.110	2361	30.54	1.088
2212	28.49	25.576	2262	29.21	0.301	2312	29.89	-3.104	2362	30.56	28.952
2213	28.51	17.630	2263	29.23	-14.355	2313	29.90	-7.059	2363	30.57	25.978
2214	28.52	6.938	2264	29.24	-15.580	2314	29.91	-7.792	2364	30.58	21.502
2215	28.53	1.229	2265	29.25	-13.787	2315	29.92	-7.765	2365	30.61	-20.586
2216	28.54	0.529	2266	29.27	17.316	2316	29.94	-2.679	2366	30.62	-20.059
2217	28.56	1.849	2267	29.28	19.849	2317	29.95	-2.640	2367	30.63	-13.267
2218	28.57	1.906	2268	29.29	19.386	2318	29.97	-10.030	2368	30.66	8.593
2219	28.58	2.443	2269	29.30	13.672	2319	29.98	-10.492	2369	30.67	11.882
2220	28.60	7.002	2270	29.33	-6.960	2320	29.99	-9.467	2370	30.68	8.949
2221	28.61	7.061	2271	29.34	-2.147	2321	30.00	-4.917	2371	30.70	2.032
2222	28.62	4.102	2272	29.35	6.641	2322	30.02	3.156	2372	30.71	0.814
2223	28.64	-2.809	2273	29.36	13.037	2323	30.03	4.465	2373	30.72	1.345
2224	28.65	-1.527	2274	29.37	15.992	2324	30.06	11.828	2374	30.73	5.892
2225	28.68	7.853	2275	29.39	12.820	2325	30.07	11.875	2375	30.74	6.431
2226	28.69	3.151	2276	29.42	6.180	2326	30.08	10.166	2376	30.75	10.903
2227	28.72	-13.216	2277	29.44	1.260	2327	30.09	7.713	2377	30.76	11.539
2228	28.73	-13.189	2278	29.46	-0.632	2328	30.10	5.760	2378	30.78	10.600
2229	28.74	-11.415	2279	29.48	-1.062	2329	30.11	7.053	2379	30.79	6.149
2230	28.75	2.884	2280	29.50	-3.500	2330	30.13	4.110	2380	30.80	1.964
2231	28.76	17.670	2281	29.51	0.815	2331	30.14	-2.092	2381	30.82	-0.703
2232	28.77	22.215	2282	29.52	2.588	2332	30.15	-5.556	2382	30.84	0.367
2233	28.78	26.023	2283	29.53	4.648	2333	30.16	-1.754	2383	30.86	1.196
2234	28.79	20.555	2284	29.54	3.435	2334	30.18	12.358	2384	30.87	-0.023
2235	28.81	7.629	2285	29.55	-0.271	2335	30.19	12.895	2385	30.88	-11.696
2236	28.84	-19.741	2286	29.58	-6.157	2336	30.20	11.941	2386	30.90	-23.119
2237	28.85	-23.431	2287	29.59	-5.623	2337	30.22	5.775	2387	30.91	-21.341
2238	28.87	-16.613	2288	29.60	-0.335	2338	30.23	4.568	2388	30.93	-2.505
2239	28.88	-15.796	2289	29.63	16.801	2339	30.26	8.910	2389	30.94	10.287
2240	28.91	-8.924	2290	29.64	18.100	2340	30.27	8.473	2390	30.95	15.581
2241	28.94	-0.061	2291	29.65	16.403	2341	30.29	6.041	2391	30.96	18.127
2242	28.95	6.229	2292	29.67	10.202	2342	30.30	9.086	2392	30.97	17.662
2243	28.97	16.043	2293	29.69	-12.939	2343	30.31	6.639	2393	30.98	15.687
2244	28.98	18.581	2294	29.70	-19.138	2344	30.32	2.933	2394	30.99	11.479
2245	28.99	14.401	2295	29.71	-19.107	2345	30.33	-2.765	2395	31.00	5.276
2246	29.01	10.716	2296	29.72	-13.582	2346	30.34	-1.729	2396	31.03	-14.521
2247	29.04	-2.901	2297	29.74	21.012	2347	30.36	12.113	2397	31.04	-14.790
2248	29.06	-6.581	2298	29.75	27.547	2348	30.37	15.646	2398	31.05	-12.505
2249	29.07	-10.510	2299	29.76	29.581	2349	30.38	13.183	2399	31.06	-6.219
2250	29.09	-6.203	2300	29.77	28.801	2350	30.39	0.735	2400	31.08	17.869

土木構造物における加速度強震記録（No. 9）

INDEX NO. 809 1317-GR-1 HIROO BRIDGE LG. MAX.ACCEL.= 255.827(GAL) T=16.09(SEC) NO.13

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2401	31.09	29.182	2451	31.77	-1.695	2501	32.44	7.859	2551	33.17	23.422
2402	31.11	31.986	2452	31.78	-1.667	2502	32.45	2.900	2552	33.18	20.967
2403	31.12	27.293	2453	31.79	6.387	2503	32.50	-10.173	2553	33.21	11.826
2404	31.13	19.839	2454	31.80	9.435	2504	32.51	-6.597	2554	33.22	10.627
2405	31.15	8.910	2455	31.81	11.958	2505	32.53	2.236	2555	33.25	17.495
2406	31.16	6.472	2456	31.82	11.490	2506	32.54	3.011	2556	33.26	14.526
2407	31.18	7.317	2457	31.84	-5.145	2507	32.56	5.581	2557	33.29	-2.360
2408	31.19	3.605	2458	31.85	-9.618	2508	32.57	7.144	2558	33.30	-9.283
2409	31.21	-4.069	2459	31.86	-8.326	2509	32.58	8.413	2559	33.33	-6.170
2410	31.23	-6.504	2460	31.87	-4.530	2510	32.59	17.233	2560	33.34	-7.381
2411	31.24	-3.460	2461	31.89	6.049	2511	32.60	20.277	2561	33.35	-14.834
2412	31.25	8.344	2462	31.91	15.632	2512	32.61	18.571	2562	33.37	-31.240
2413	31.26	12.139	2463	31.92	17.432	2513	32.64	13.663	2563	33.38	-34.220
2414	31.27	12.191	2464	31.93	15.220	2514	32.65	8.741	2564	33.39	-35.448
2415	31.28	7.970	2465	31.94	12.023	2515	32.66	15.532	2565	33.40	-25.617
2416	31.29	2.509	2466	31.95	3.320	2516	32.68	24.589	2566	33.41	-5.326
2417	31.30	0.057	2467	31.96	-6.633	2517	32.69	22.376	2567	33.43	30.254
2418	31.31	4.367	2468	31.97	-7.089	2518	32.70	7.949	2568	33.44	32.289
2419	31.32	8.160	2469	31.98	-7.047	2519	32.73	-22.916	2569	33.45	30.564
2420	31.34	9.464	2470	32.00	-7.227	2520	32.74	-19.879	2570	33.47	8.394
2421	31.35	3.274	2471	32.01	-2.170	2521	32.75	-14.848	2571	33.48	-5.566
2422	31.36	-3.430	2472	32.02	4.110	2522	32.76	-4.317	2572	33.49	-10.525
2423	31.37	-7.130	2473	32.04	14.188	2523	32.78	27.541	2573	33.50	-9.967
2424	31.38	-4.099	2474	32.05	14.973	2524	32.79	29.565	2574	33.52	7.605
2425	31.40	7.722	2475	32.06	15.517	2525	32.80	25.861	2575	33.53	20.410
2426	31.41	16.026	2476	32.08	13.365	2526	32.83	-0.510	2576	33.54	22.439
2427	31.43	19.335	2477	32.10	11.948	2527	32.84	-3.491	2577	33.55	15.752
2428	31.44	10.146	2478	32.12	9.005	2528	32.85	3.802	2578	33.56	7.545
2429	31.47	-5.485	2479	32.13	1.056	2529	32.86	14.604	2579	33.58	-6.866
2430	31.48	-6.701	2480	32.16	-17.329	2530	32.87	19.891	2580	33.59	-4.588
2431	31.50	22.166	2481	32.17	-17.792	2531	32.88	16.953	2581	33.61	5.482
2432	31.51	26.450	2482	32.19	-9.708	2532	32.89	14.476	2582	33.62	9.298
2433	31.52	29.731	2483	32.20	-1.402	2533	32.90	-5.701	2583	33.63	7.581
2434	31.53	27.514	2484	32.21	20.907	2534	32.91	-6.926	2584	33.64	4.612
2435	31.54	20.549	2485	32.22	23.931	2535	32.92	-7.896	2585	33.65	-6.081
2436	31.56	3.144	2486	32.23	23.461	2536	32.93	-6.592	2586	33.67	-24.989
2437	31.57	5.716	2487	32.24	14.279	2537	32.97	17.591	2587	33.68	-26.218
2438	31.61	14.602	2488	32.26	-18.137	2538	32.98	17.131	2588	33.70	-19.888
2439	31.62	13.403	2489	32.27	-27.604	2539	32.99	14.661	2589	33.71	-2.820
2440	31.63	9.691	2490	32.28	-33.323	2540	33.00	5.954	2590	33.72	0.958
2441	31.64	4.737	2491	32.29	-19.529	2541	33.01	-1.001	2591	33.73	1.756
2442	31.65	-9.205	2492	32.31	12.316	2542	33.02	-6.457	2592	33.75	3.112
2443	31.67	-16.122	2493	32.32	25.113	2543	33.03	-9.171	2593	33.76	7.388
2444	31.68	-16.080	2494	32.33	24.633	2544	33.04	-8.634	2594	33.77	17.188
2445	31.69	-13.807	2495	32.34	20.921	2545	33.06	-1.046	2595	33.79	27.536
2446	31.70	-7.507	2496	32.35	15.983	2546	33.09	13.094	2596	33.81	21.341
2447	31.71	-0.462	2497	32.37	8.541	2547	33.10	16.889	2597	33.82	17.656
2448	31.72	6.102	2498	32.39	0.866	2548	33.11	18.681	2598	33.83	18.187
2449	31.74	5.680	2499	32.40	-2.826	2549	33.13	19.489	2599	33.85	19.502
2450	31.75	1.975	2500	32.42	-6.509	2550	33.14	18.296	2600	33.87	11.355

INDEX NO. 809 1317-GR-1 HIROO BRIDGE LG. MAX.ACCEL.= 253.827(GAL) T=16.09(SEC) NO.14

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2601	33.88	10.151	2651	34.63	11.037	2701	35.40	4.535
2602	33.89	8.434	2652	34.64	13.068	2702	35.41	6.577
2603	33.91	9.020	2653	34.66	11.896	2703	35.42	7.872
2604	33.93	4.098	2654	34.67	11.974	2704	35.43	2.657
2605	33.95	-0.064	2655	34.74	19.497	2705	35.44	-6.533
2606	33.96	-0.267	2656	34.75	16.291	2706	35.45	-14.977
2607	33.97	0.548	2657	34.76	9.583	2707	35.47	-17.430
2608	33.99	-1.687	2658	34.77	1.369			
2609	34.00	-5.829	2659	34.78	-10.573			
2610	34.02	-10.010	2660	34.79	-20.279			
2611	34.03	-10.703	2661	34.80	-21.495			
2612	34.05	-8.875	2662	34.81	-18.462			
2613	34.09	-12.236	2663	34.82	-7.646			
2614	34.12	3.417	2664	34.83	-2.108			
2615	34.13	2.941	2665	34.85	1.452			
2616	34.15	-5.208	2666	34.86	0.246			
2617	34.16	-6.927	2667	34.87	-10.186			
2618	34.18	2.901	2668	34.88	-16.646			
2619	34.19	12.436	2669	34.90	-21.594			
2620	34.20	25.221	2670	34.91	-14.271			
2621	34.21	31.776	2671	34.92	-7.239			
2622	34.22	33.070	2672	34.93	2.306			
2623	34.23	30.109	2673	34.94	8.109			
2624	34.24	22.645	2674	34.95	8.155			
2625	34.25	2.458	2675	34.97	0.220			
2626	34.26	-8.995	2676	34.98	-6.736			
2627	34.27	-12.721	2677	34.99	-9.199			
2628	34.28	-13.945	2678	35.00	-7.911			
2629	34.30	-7.107	2679	35.01	-3.626			
2630	34.32	3.473	2680	35.02	5.181			
2631	34.33	21.525	2681	35.03	12.222			
2632	34.35	-6.899	2682	35.04	17.540			
2633	34.36	-6.615	2683	35.06	13.358			
2634	34.38	3.236	2684	35.11	4.823			
2635	34.39	10.778	2685	35.13	1.406			
2636	34.45	20.528	2686	35.14	2.698			
2637	34.46	19.564	2687	35.15	5.742			
2638	34.47	8.366	2688	35.16	10.286			
2639	34.48	-1.837	2689	35.17	14.065			
2640	34.49	-7.544	2690	35.19	15.634			
2641	34.50	-9.267	2691	35.20	11.442			
2642	34.51	-8.742	2692	35.23	-0.664			
2643	34.52	-3.195	2693	35.27	-8.523			
2644	34.53	7.623	2694	35.29	-12.903			
2645	34.55	12.201	2695	35.30	-9.865			
2646	34.56	8.998	2696	35.34	20.559			
2647	34.57	1.643	2697	35.35	18.347			
2648	34.59	-10.886	2698	35.37	12.152			
2649	34.60	-12.106	2699	35.38	5.972			
2650	34.62	6.006	2700	35.39	3.502			

Table IX D-36 Digitized Accelerations of Earthquake Record with Index Number 810

INDEX NO. 810 1317-GR-1 HIROO BRIDGE U-D MAX.ACCEL.= -81.482(GAL) T=16.42(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.32	+13.141	51	1.07	7.394	101	1.69	-1.065	151	2.28	-3.436
2	0.33	0.629	52	1.08	7.437	102	1.70	-5.278	152	2.29	-1.651
3	0.34	7.960	53	1.09	4.980	103	1.71	2.024	153	2.30	4.649
4	0.35	7.961	54	1.10	+0.475	104	1.73	4.844	154	2.31	9.216
5	0.37	+2.436	55	1.11	0.096	105	1.75	-2.561	155	2.32	6.237
6	0.39	-1.845	56	1.13	14.692	106	1.76	5.987	156	2.33	1.271
7	0.40	+2.534	57	1.14	14.720	107	1.77	11.744	157	2.34	-0.188
8	0.41	-2.496	58	1.15	2.750	108	1.78	12.300	158	2.36	8.150
9	0.43	0.823	59	1.16	-10.439	109	1.79	2.621	159	2.38	3.997
10	0.44	-1.110	60	1.17	-11.167	110	1.80	1.925	160	2.39	3.802
11	0.45	+1.086	61	1.18	+3.126	111	1.82	9.507	161	2.41	8.910
12	0.46	+1.031	62	1.19	10.949	112	1.83	10.025	162	2.44	0.549
13	0.47	-2.747	63	1.20	9.971	113	1.84	3.331	163	2.46	3.627
14	0.48	-6.939	64	1.21	-6.218	114	1.85	0.369	164	2.51	-2.411
15	0.49	-7.651	65	1.22	-10.104	115	1.86	7.103	165	2.52	-1.119
16	0.50	-6.362	66	1.23	-8.386	116	1.87	10.983	166	2.54	6.469
17	0.51	-3.334	67	1.24	13.180	117	1.88	8.510	167	2.55	6.511
18	0.52	3.734	68	1.25	13.205	118	1.89	-4.440	168	2.56	4.069
19	0.54	2.081	69	1.26	2.431	119	1.90	-5.665	169	2.60	5.493
20	0.57	13.433	70	1.27	-9.946	120	1.92	12.959	170	2.61	-3.939
21	0.60	10.329	71	1.28	-10.673	121	1.93	6.255	171	2.63	-5.889
22	0.62	3.651	72	1.30	4.945	122	1.94	4.550	172	2.64	3.441
23	0.63	-2.933	73	1.31	6.481	123	1.95	9.332	173	2.66	12.493
24	0.65	-4.470	74	1.33	7.317	124	1.96	13.864	174	2.67	15.063
25	0.66	-1.903	75	1.34	5.617	125	1.97	15.143	175	2.69	11.391
26	0.68	4.918	76	1.35	3.857	126	1.99	1.499	176	2.70	5.946
27	0.69	6.979	77	1.37	-2.527	127	2.00	7.812	177	2.71	4.742
28	0.70	5.770	78	1.38	4.274	128	2.01	10.851	178	2.72	9.014
29	0.72	0.842	79	1.39	10.084	129	2.02	9.878	179	2.73	16.061
30	0.73	-0.353	80	1.40	8.872	130	2.03	1.189	180	2.74	11.105
31	0.74	-2.056	81	1.41	3.911	131	2.04	-3.261	181	2.75	-4.579
32	0.75	-4.492	82	1.42	-6.033	132	2.05	-3.248	182	2.76	-5.788
33	0.77	-3.920	83	1.43	-6.001	133	2.06	3.555	183	2.77	-1.005
34	0.79	-1.822	84	1.44	-3.473	134	2.07	8.866	184	2.78	7.305
35	0.81	1.756	85	1.45	2.863	135	2.08	5.137	185	2.79	9.098
36	0.82	2.547	86	1.46	2.392	136	2.09	-3.541	186	2.80	6.127
37	0.83	0.613	87	1.47	-2.568	137	2.10	-2.999	187	2.81	-4.330
38	0.84	1.408	88	1.48	-4.533	138	2.12	-2.928	188	2.82	-8.764
39	0.86	2.727	89	1.49	-1.502	139	2.13	-1.112	189	2.83	-7.476
40	0.88	4.543	90	1.50	-0.705	140	2.14	1.432	190	2.84	0.065
41	0.89	3.592	91	1.51	-1.122	141	2.16	1.503	191	2.85	2.616
42	0.90	0.403	92	1.53	6.964	142	2.19	12.425	192	2.86	-4.092
43	0.91	2.208	93	1.55	6.529	143	2.20	11.210	193	2.87	-6.069
44	0.94	0.566	94	1.57	5.117	144	2.21	3.763	194	2.88	5.251
45	0.96	6.173	95	1.59	10.212	145	2.22	-0.439	195	2.89	5.789
46	0.98	-0.989	96	1.61	-3.179	146	2.23	0.088	196	2.91	5.872
47	1.01	2.119	97	1.62	-5.653	147	2.24	3.132	197	2.93	4.216
48	1.02	-6.551	98	1.65	-1.249	148	2.25	5.162	198	2.94	2.501
49	1.04	-6.968	99	1.67	5.846	149	2.26	1.470	199	2.95	1.782
50	1.06	4.092	100	1.68	4.639	150	2.27	-3.474	200	2.97	2.399

INDEX NO. 810 1317-GR-1 HIROO BRIDGE U-D MAX.ACCEL.= -81.482(GAL) T=16.42(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	2.98	-1.072	251	3.55	10.737	301	4.16	4.734	351	4.73	-4.002
202	2.99	-10.512	252	3.56	9.020	302	4.18	3.039	352	4.74	2.296
203	3.00	-10.492	253	3.57	6.553	303	4.19	1.097	353	4.75	7.841
204	3.01	3.830	254	3.58	4.596	304	4.20	0.657	354	4.76	4.879
205	3.02	9.632	255	3.59	12.661	305	4.21	-3.057	355	4.77	-1.324
206	3.03	5.418	256	3.60	10.430	306	4.22	-5.529	356	4.78	-3.771
207	3.04	1.703	257	3.62	-2.707	307	4.23	-5.471	357	4.79	-4.231
208	3.05	-0.758	258	3.63	-2.173	308	4.25	-3.149	358	4.80	-1.922
209	3.06	-1.439	259	3.64	0.372	309	4.26	8.930	359	4.81	-2.398
210	3.08	-2.623	260	3.65	2.914	310	4.27	10.706	360	4.82	-4.840
211	3.10	-2.040	261	3.66	-2.517	311	4.28	9.744	361	4.83	-8.531
212	3.12	1.826	262	3.67	-9.964	312	4.33	2.318	362	4.85	-9.468
213	3.13	3.854	263	3.68	-9.937	313	4.31	1.121	363	4.86	-3.639
214	3.14	11.897	264	3.69	-4.409	314	4.33	5.475	364	4.89	12.961
215	3.15	14.178	265	3.70	14.410	315	4.34	4.259	365	4.90	11.749
216	3.16	12.471	266	3.71	13.426	316	4.35	-9.430	366	4.91	3.069
217	3.17	-0.726	267	3.73	0.286	317	4.36	-12.653	367	4.92	2.599
218	3.18	-5.907	268	3.74	1.559	318	4.37	-2.845	368	4.93	9.423
219	3.19	0.368	269	3.75	0.367	319	4.38	9.444	369	4.94	9.964
220	3.20	12.175	270	3.76	12.911	320	4.39	11.976	370	4.95	8.983
221	3.21	4.964	271	3.77	9.196	321	4.40	-1.729	371	4.96	-4.688
222	3.22	-12.743	272	3.78	-6.226	322	4.41	-16.935	372	4.97	-5.922
223	3.23	-15.963	273	3.79	-7.451	323	4.42	-16.132	373	4.98	-2.370
224	3.24	-7.905	274	3.80	-5.170	324	4.43	-7.604	374	4.99	11.440
225	3.25	12.391	275	3.81	3.151	325	4.44	12.207	375	5.00	15.232
226	3.26	15.932	276	3.82	0.187	326	4.45	11.736	376	5.01	16.006
227	3.27	14.212	277	3.83	-4.761	327	4.46	-8.945	377	5.03	3.600
228	3.28	5.510	278	3.84	-6.719	328	4.47	-9.426	378	5.04	1.876
229	3.29	6.071	279	3.85	-3.695	329	4.48	12.404	379	5.06	3.741
230	3.30	7.859	280	3.86	0.861	330	4.49	20.168	380	5.07	3.771
231	3.31	7.398	281	3.87	0.904	331	4.50	18.967	381	5.09	-2.379
232	3.32	4.966	282	3.88	+2.770	332	4.52	-6.180	382	5.10	-1.093
233	3.34	8.804	283	3.90	3.559	333	4.53	2.614	383	5.12	10.262
234	3.35	2.102	284	3.91	1.118	334	4.54	9.422	384	5.13	10.807
235	3.36	-2.614	285	3.93	-0.055	335	4.55	4.710	385	5.15	7.355
236	3.37	-2.588	286	3.94	0.485	336	4.56	-1.487	386	5.16	-2.839
237	3.39	8.751	287	3.95	3.019	337	4.57	-2.204	387	5.17	-5.298
238	3.40	10.035	288	3.97	3.101	338	4.58	4.593	388	5.18	-1.733
239	3.41	+1.644	289	4.00	6.516	339	4.59	7.125	389	5.19	-2.705
240	3.42	-3.615	290	4.02	3.569	340	4.60	4.173	390	5.20	-10.904
241	3.44	6.493	291	4.03	-0.101	341	4.61	-2.039	391	5.21	-10.377
242	3.45	13.279	292	4.05	-1.296	342	4.62	-7.005	392	5.22	5.947
243	3.46	12.812	293	4.06	1.031	343	4.63	6.829	393	5.23	5.965
244	3.47	-7.635	294	4.08	7.364	344	4.65	10.640	394	5.25	-5.682
245	3.48	-12.088	295	4.09	6.890	345	4.66	-8.043	395	5.26	-5.643
246	3.49	-10.811	296	4.10	0.190	346	4.67	-10.757	396	5.27	0.637
247	3.50	0.505	297	4.11	+2.265	347	4.68	-5.233	397	5.28	5.673
248	3.51	0.538	298	4.12	5.801	348	4.69	8.342	398	5.29	8.468
249	3.52	-6.929	299	4.14	7.110	349	4.70	4.137	399	5.30	5.529
250	3.53	-10.637	300	4.15	10.162	350	4.72	-3.273	400	5.31	6.095

土木構造物における加速度強震記録（No. 9）

INDEX NO. 810 1317-GR-1 HIROO BRIDGE U-D MAX.ACCEL.= -81.482(GAL) T=16.42(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	5.32	9.113	451	5.94	-5.609	501	6.53	-10.558	551	7.09	-21.007
402	5.33	17.432	452	5.95	-6.326	502	6.55	-5.692	552	7.10	-15.212
403	5.34	16.201	453	5.96	-6.802	503	6.57	-13.615	553	7.11	-4.676
404	5.35	6.735	454	5.97	-3.241	504	6.58	-15.328	554	7.12	-1.366
405	5.36	-3.699	455	5.98	-3.213	505	6.59	-4.271	555	7.13	-10.567
406	5.36	2.621	456	5.99	-3.053	506	6.60	-0.980	556	7.14	-18.040
407	5.39	10.178	457	6.00	0.647	507	6.61	-1.439	557	7.15	-20.008
408	5.40	8.959	458	6.02	6.989	508	6.62	-8.661	558	7.16	-0.687
409	5.42	-4.181	459	6.04	12.335	509	6.63	-8.336	559	7.17	6.692
410	5.43	-5.152	460	6.06	16.865	510	6.64	-4.045	560	7.18	7.880
411	5.44	-5.109	461	6.08	9.989	511	6.65	7.265	561	7.19	-2.052
412	5.45	-1.557	462	6.09	11.266	512	6.66	6.809	562	7.20	-4.520
413	5.46	1.718	463	6.10	15.100	513	6.67	6.104	563	7.21	-2.730
414	5.47	9.784	464	6.11	13.375	514	6.68	8.134	564	7.23	22.633
415	5.48	8.813	465	6.12	10.402	515	6.69	19.702	565	7.24	23.911
416	5.49	2.612	466	6.13	-10.522	516	6.70	18.495	566	7.25	16.688
417	5.50	-3.072	467	6.14	-14.742	517	6.71	-0.700	567	7.26	-10.489
418	5.51	-3.556	468	6.15	-12.463	518	6.72	-7.164	568	7.27	-8.723
419	5.52	-0.020	469	6.17	-6.114	519	6.73	-10.381	569	7.28	12.098
420	5.53	5.771	470	6.18	-7.613	520	6.74	-11.596	570	7.29	13.873
421	5.54	8.315	471	6.19	-9.038	521	6.76	-4.001	571	7.30	3.422
422	5.55	6.634	472	6.20	-11.467	522	6.77	3.554	572	7.31	-13.280
423	5.56	5.944	473	6.22	-0.165	523	6.78	-0.147	573	7.32	-17.992
424	5.59	3.538	474	6.24	-1.805	524	6.79	-3.866	574	7.33	-11.381
425	5.61	1.168	475	6.25	2.487	525	6.80	-4.328	575	7.34	-4.898
426	5.63	5.006	476	6.27	17.836	526	6.81	-3.773	576	7.35	-5.346
427	5.65	1.342	477	6.28	21.621	527	6.83	2.599	577	7.36	-11.557
428	5.67	3.922	478	6.29	21.666	528	6.84	6.881	578	7.37	-15.780
429	5.69	1.505	479	6.30	16.699	529	6.85	8.939	579	7.39	-3.430
430	5.71	2.854	480	6.31	-1.234	530	6.86	2.729	580	7.40	-5.619
431	5.72	-2.607	481	6.32	-1.960	531	6.87	-8.480	581	7.42	-22.544
432	5.73	-0.551	482	6.34	9.834	532	6.88	-9.705	582	7.43	-20.767
433	5.74	-8.519	483	6.34	19.876	533	6.89	-5.420	583	7.45	20.595
434	5.75	-7.241	484	6.35	19.403	534	6.90	14.154	584	7.46	20.615
435	5.77	1.605	485	6.36	-6.277	535	6.91	15.683	585	7.47	9.423
436	5.78	7.158	486	6.37	-13.259	536	6.92	6.496	586	7.48	-2.516
437	5.79	5.465	487	6.38	-16.964	537	6.93	6.284	587	7.49	-4.491
438	5.80	5.019	488	6.39	-1.893	538	6.94	8.816	588	7.52	-1.114
439	5.82	-3.141	489	6.40	3.635	539	6.95	15.139	589	7.53	-1.298
440	5.83	-8.868	490	6.42	2.714	540	6.96	15.914	590	7.55	-2.987
441	5.84	-14.332	491	6.43	1.506	541	6.97	13.453	591	7.56	-4.676
442	5.85	-18.050	492	6.44	7.553	542	6.98	11.746	592	7.57	3.369
443	5.86	-0.482	493	6.45	15.627	543	6.99	12.809	593	7.58	20.419
444	5.87	5.077	494	6.46	15.397	544	7.00	16.596	594	7.59	24.977
445	5.88	4.595	495	6.47	9.927	545	7.01	17.379	595	7.60	19.505
446	5.89	-2.090	496	6.48	-1.263	546	7.02	14.424	596	7.61	12.046
447	5.90	-3.311	497	6.49	-3.215	547	7.03	4.476	597	7.62	11.834
448	5.91	2.225	498	6.50	-5.174	548	7.04	2.541	598	7.63	24.400
449	5.92	8.526	499	6.51	-5.127	549	7.06	12.624	599	7.64	26.937
450	5.93	4.836	500	6.52	-7.593	550	7.08	-20.782	600	7.65	20.964

INDEX NO. 810 1317-GR-1 HIROO BRIDGE U-D MAX.ACCEL.= -81.482(GAL) T=16.42(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	7.66	-4.222	651	8.22	-1.250	701	8.80	23.513	751	9.36	-14.498
602	7.67	-3.701	652	8.23	4.299	702	8.82	2.108	752	9.37	-14.736
603	7.68	8.102	653	8.25	26.118	703	8.83	-1.585	753	9.38	-4.696
604	7.69	15.668	654	8.26	24.161	704	8.84	-4.790	754	9.39	17.637
605	7.70	7.693	655	8.27	-8.276	705	8.85	-4.762	755	9.40	18.415
606	7.71	-6.507	656	8.28	-14.249	706	8.87	9.576	756	9.42	3.483
607	7.72	-13.715	657	8.29	-9.970	707	8.88	12.105	757	9.43	-2.724
608	7.73	-13.191	658	8.30	12.099	708	8.89	-13.572	758	9.44	-0.389
609	7.74	-6.133	659	8.31	14.135	709	8.90	-14.802	759	9.49	5.566
610	7.75	-4.081	660	8.34	14.264	710	8.91	-12.267	760	9.50	16.875
611	7.76	-14.031	661	8.36	25.372	711	8.92	17.291	761	9.51	18.147
612	7.77	-17.761	662	8.37	24.132	712	8.93	23.063	762	9.52	12.697
613	7.78	-20.204	663	8.38	12.193	713	8.95	-32.315	763	9.53	4.005
614	7.80	-22.607	664	8.39	-1.014	714	8.96	-28.049	764	9.54	1.277
615	7.82	12.498	665	8.40	-7.207	715	8.98	22.047	765	9.55	5.562
616	7.83	15.020	666	8.41	-8.421	716	9.00	-21.101	766	9.56	14.639
617	7.84	6.575	667	8.42	-7.893	717	9.01	-21.083	767	9.57	12.172
618	7.85	9.876	668	8.43	-0.335	718	9.02	29.988	768	9.59	-11.725
619	7.86	19.176	669	8.44	8.942	719	9.03	32.512	769	9.60	-11.713
620	7.87	24.199	670	8.45	+6.994	720	9.05	-26.127	770	9.61	4.613
621	7.88	26.229	671	8.46	+10.450	721	9.06	-24.361	771	9.62	7.138
622	7.89	18.274	672	8.47	-4.927	722	9.07	-13.072	772	9.63	5.415
623	7.90	-6.422	673	8.48	8.644	723	9.08	4.738	773	9.64	-14.754
624	7.91	-11.393	674	8.49	6.166	724	9.09	-0.717	774	9.65	-13.691
625	7.92	8.691	675	8.50	+21.521	725	9.10	-15.158	775	9.66	-0.180
626	7.93	11.213	676	8.51	+25.499	726	9.11	-18.076	776	9.67	2.345
627	7.94	3.250	677	8.52	+22.461	727	9.12	-15.104	777	9.68	0.634
628	7.95	+26.928	678	8.53	+16.630	728	9.13	11.473	778	9.69	+6.311
629	7.96	-25.912	679	8.54	+24.595	729	9.14	14.508	779	9.71	-14.212
630	7.97	22.915	680	8.55	+30.819	730	9.15	10.297	780	9.72	-25.154
631	7.98	25.959	681	8.56	-32.035	731	9.16	2.828	781	9.73	+25.132
632	7.99	9.246	682	8.57	-2.462	732	9.17	5.883	782	9.74	+20.094
633	8.00	-3.456	683	8.58	6.576	733	9.18	12.199	783	9.76	36.266
634	8.01	-4.686	684	8.59	7.114	734	9.19	9.217	784	9.77	38.286
635	8.02	2.110	685	8.60	8.406	735	9.20	-12.209	785	9.78	-5.880
636	8.03	10.926	686	8.61	15.964	736	9.21	-14.693	786	9.79	-10.103
637	8.04	9.196	687	8.62	16.733	737	9.22	-0.368	787	9.80	-5.820
638	8.05	-7.014	688	8.63	-3.703	738	9.23	1.656	788	9.81	14.470
639	8.06	-36.691	689	8.64	+17.659	739	9.24	+1.311	789	9.82	25.539
640	8.07	-37.921	690	8.65	-17.639	740	9.25	-13.251	790	9.83	21.808
641	8.09	-5.342	691	8.67	11.977	741	9.26	-11.972	791	9.85	-33.833
642	8.10	-1.272	692	8.68	11.495	742	9.27	11.347	792	9.86	-33.805
643	8.11	-7.492	693	8.70	-39.857	743	9.28	15.129	793	9.87	-14.014
644	8.12	-8.210	694	8.71	-39.885	744	9.29	7.915	794	9.88	2.047
645	8.14	13.464	695	8.73	36.729	745	9.30	+24.515	795	9.89	5.837
646	8.15	13.431	696	8.74	37.497	746	9.31	+26.999	796	9.90	6.382
647	8.17	4.776	697	8.76	+14.652	747	9.32	+25.214	797	9.93	-7.730
648	8.18	3.053	698	8.77	17.406	748	9.33	7.123	798	9.94	-9.453
649	8.20	9.160	699	8.78	26.948	749	9.34	8.400	799	9.95	6.099
650	8.21	8.693	700	8.79	27.714	750	9.35	4.186	800	9.96	14.402

INDEX NO. 810 1317-GR-1 HIROO BRIDGE U-D MAX.ACCEL.= -81.482(GAL) T=16.42(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	9.97	11.432	851	10.50	10.534	901	11.18	7.586	951	11.85	17.105
802	9.98	-13.002	852	10.51	9.639	902	11.19	-16.570	952	11.86	12.880
803	9.99	-16.710	853	10.52	2.200	903	11.20	-14.610	953	11.87	-11.793
804	10.00	-14.965	854	10.53	1.466	904	11.21	3.506	954	11.88	-13.024
805	10.01	3.862	855	10.61	7.065	905	11.22	9.279	955	11.89	3.550
806	10.02	13.417	856	10.63	7.394	906	11.23	9.809	956	11.90	7.326
807	10.03	17.974	857	10.64	2.930	907	11.24	-5.608	957	11.91	4.856
808	10.05	21.812	858	10.65	-9.992	908	11.25	-11.628	958	11.92	-24.083
809	10.06	20.084	859	10.66	-9.476	909	11.26	-12.289	959	11.93	-35.538
810	10.07	5.129	860	10.67	-4.911	910	11.29	-9.141	960	11.96	8.118
811	10.08	-3.299	861	10.68	-8.613	911	11.30	-13.102	961	11.97	15.643
812	10.09	10.995	862	10.70	-17.036	912	11.31	-22.307	962	11.98	17.666
813	10.10	17.527	863	10.71	-12.749	913	11.32	-23.635	963	11.99	2.237
814	10.11	17.632	864	10.72	10.067	914	11.34	8.577	964	12.00	-4.728
815	10.13	0.389	865	10.73	13.363	915	11.35	2.354	965	12.01	-6.446
816	10.14	2.697	866	10.74	12.152	916	11.37	-30.531	966	12.02	-4.645
817	10.15	11.516	867	10.76	-12.757	917	11.38	-30.502	967	12.03	-4.079
818	10.16	11.541	868	10.77	-17.223	918	11.39	-10.197	968	12.04	-10.291
819	10.18	-15.361	869	10.78	-19.196	919	11.40	-7.177	969	12.05	-17.253
820	10.19	-16.060	870	10.79	-11.646	920	11.41	-15.108	970	12.06	-34.196
821	10.21	25.622	871	10.82	6.253	921	11.42	-22.559	971	12.07	-34.174
822	10.22	23.796	872	10.83	6.285	922	11.43	-22.537	972	12.09	19.420
823	10.24	-3.090	873	10.84	-4.146	923	11.45	9.068	973	12.10	23.949
824	10.25	0.443	874	10.85	-0.609	924	11.48	11.167	974	12.11	20.499
825	10.26	9.992	875	10.86	1.943	925	11.49	4.961	975	12.12	14.294
826	10.27	13.023	876	10.87	-6.005	926	11.50	-9.453	976	12.13	19.107
827	10.29	-15.370	877	10.89	-13.944	927	11.51	-9.423	977	12.14	32.412
828	10.30	-19.320	878	10.90	-16.139	928	11.52	-8.695	978	12.15	32.956
829	10.32	-22.693	879	10.91	-13.561	929	11.53	-4.354	979	12.16	24.690
830	10.33	-10.267	880	10.93	-7.968	930	11.54	-0.557	980	12.17	11.272
831	10.34	-3.148	881	10.94	-6.690	931	11.55	-2.254	981	12.18	-22.164
832	10.35	0.881	882	10.96	-12.640	932	11.56	-4.191	982	12.19	-24.886
833	10.36	-2.066	883	10.97	-14.577	933	11.59	15.939	983	12.20	-24.361
834	10.37	2.234	884	10.98	-12.789	934	11.60	16.466	984	12.21	-3.537
835	10.38	13.056	885	10.99	18.527	935	11.62	9.049	985	12.22	-2.740
836	10.39	8.833	886	11.00	19.064	936	11.65	5.684	986	12.23	-5.215
837	10.41	-20.832	887	11.01	13.102	937	11.66	-11.984	987	12.25	-16.871
838	10.42	-23.774	888	11.02	-12.088	938	11.67	-10.961	988	12.26	-16.841
839	10.43	-16.988	889	11.03	-12.816	939	11.69	5.136	989	12.27	-12.061
840	10.44	-2.196	890	11.05	11.045	940	11.70	6.919	990	12.28	5.270
841	10.45	5.109	891	11.06	5.567	941	11.72	7.762	991	12.29	2.291
842	10.46	0.080	892	11.07	-4.370	942	11.75	4.139	992	12.30	-21.657
843	10.47	-9.558	893	11.08	-2.087	943	11.76	-11.031	993	12.31	-27.615
844	10.48	-9.533	894	11.10	17.767	944	11.77	-9.238	994	12.32	-25.840
845	10.50	3.554	895	11.11	16.549	945	11.78	-6.720	995	12.33	-8.533
846	10.51	1.106	896	11.13	2.115	946	11.79	-2.167	996	12.34	-5.463
847	10.52	-3.334	897	11.14	1.414	947	11.80	-4.622	997	12.36	-8.879
848	10.53	-4.302	898	11.15	11.472	948	11.81	-12.588	998	12.37	-8.353
849	10.54	-2.517	899	11.16	18.509	949	11.82	-25.794	999	12.38	-2.075
850	10.55	10.069	900	11.17	16.804	950	11.84	10.809	1000	12.39	16.241

INDEX NO. 810 1317-GR-1 HIROO BRIDGE U-D MAX.ACCEL.= -81.482(GAL) T=16.42(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	12.40	17.019	1051	13.00	-4.307	1101	13.63	12.993	1151	14.23	-21.568
1002	12.42	10.357	1052	13.01	-7.267	1102	13.64	16.279	1152	14.24	-20.276
1003	12.43	5.907	1053	13.02	-1.720	1103	13.65	10.069	1153	14.26	10.586
1004	12.44	-1.558	1054	13.03	7.595	1104	13.67	-15.080	1154	14.27	12.617
1005	12.45	-6.994	1055	13.05	7.917	1105	13.68	-15.798	1155	14.28	13.926
1006	12.46	-3.460	1056	13.06	-4.531	1106	13.70	-4.956	1156	14.29	12.719
1007	12.47	3.591	1057	13.07	-13.989	1107	13.71	0.595	1157	14.31	13.282
1008	12.48	1.877	1058	13.08	-16.200	1108	13.72	3.159	1158	14.32	7.854
1009	12.49	-9.067	1059	13.09	-19.425	1109	13.73	3.184	1159	14.34	19.417
1010	12.50	-9.049	1060	13.10	-6.385	1110	13.74	-7.261	1160	14.35	19.462
1011	12.51	7.271	1061	13.12	-5.541	1111	13.75	-15.228	1161	14.36	7.756
1012	12.52	9.304	1062	13.13	6.275	1112	13.76	-9.181	1162	14.38	-15.134
1013	12.53	8.332	1063	13.15	29.863	1113	13.77	5.886	1163	14.39	-15.089
1014	12.54	-2.333	1064	13.16	29.394	1114	13.78	6.174	1164	14.41	-14.504
1015	12.55	-6.041	1065	13.17	26.424	1115	13.79	-1.268	1165	14.43	-17.443
1016	12.56	-3.501	1066	13.19	1.779	1116	13.80	-4.977	1166	14.44	-15.145
1017	12.57	2.036	1067	13.20	-5.185	1117	13.81	-4.941	1167	14.45	-7.570
1018	12.58	4.076	1068	13.21	-8.899	1118	13.82	3.109	1168	14.47	-0.495
1019	12.59	1.620	1069	13.22	-5.833	1119	13.83	6.903	1169	14.48	7.788
1020	12.60	-0.838	1070	13.23	-5.770	1120	13.84	6.942	1170	14.49	13.577
1021	12.62	7.240	1071	13.25	-9.470	1121	13.85	-5.492	1171	14.50	10.620
1022	12.63	11.806	1072	13.26	1.843	1122	13.86	-10.456	1172	14.51	-7.564
1023	12.64	6.857	1073	13.27	7.391	1123	13.87	-8.676	1173	14.52	-10.030
1024	12.67	-1.032	1074	13.28	4.419	1124	13.88	-6.140	1174	14.53	-3.737
1025	12.68	-3.484	1075	13.29	-23.254	1125	13.90	-4.535	1175	14.54	18.319
1026	12.69	8.326	1076	13.30	-24.476	1126	13.92	-3.955	1176	14.55	25.344
1027	12.70	15.111	1077	13.31	-20.204	1127	13.93	0.353	1177	14.56	27.396
1028	12.71	21.411	1078	13.32	-15.142	1128	13.94	6.641	1178	14.57	6.694
1029	12.72	19.683	1079	13.33	-22.353	1129	13.95	13.697	1179	14.58	-7.256
1030	12.73	4.760	1080	13.35	-43.777	1130	13.96	16.499	1180	14.59	9.544
1031	12.74	-0.217	1081	13.36	-36.487	1131	13.97	12.281	1181	14.60	15.828
1032	12.75	-3.907	1082	13.38	12.634	1132	13.98	6.084	1182	14.61	18.620
1033	12.76	-9.610	1083	13.39	10.161	1133	13.99	-14.635	1183	14.62	-0.834
1034	12.78	-23.519	1084	13.40	-2.278	1134	14.00	-8.597	1184	14.63	-21.541
1035	12.79	-20.486	1085	13.41	0.266	1135	14.01	-6.810	1185	14.64	-27.501
1036	12.81	-14.140	1086	13.43	4.104	1136	14.02	-0.476	1186	14.66	11.865
1037	12.82	-19.103	1087	13.45	4.668	1137	14.03	-14.440	1187	14.67	10.640
1038	12.83	-22.823	1088	13.46	4.237	1138	14.04	-6.398	1188	14.68	7.663
1039	12.84	-10.263	1089	13.47	10.529	1139	14.05	-8.856	1189	14.70	-9.733
1040	12.85	5.540	1090	13.48	11.073	1140	14.06	-6.579	1190	14.71	-3.692
1041	12.86	8.076	1091	13.49	5.098	1141	14.08	23.775	1191	14.72	2.606
1042	12.87	5.854	1092	13.51	-7.076	1142	14.09	19.589	1192	14.73	5.916
1043	12.88	-11.573	1093	13.52	-8.748	1143	14.10	10.859	1193	14.77	5.604
1044	12.90	0.225	1094	13.54	-6.934	1144	14.11	1.670	1194	14.78	6.137
1045	12.91	2.930	1095	13.55	-14.857	1145	14.12	1.693	1195	14.79	12.439
1046	12.92	-2.148	1096	13.56	-13.635	1146	14.14	11.557	1196	14.80	9.970
1047	12.94	4.664	1097	13.58	5.617	1147	14.15	10.587	1197	14.81	3.749
1048	12.95	8.475	1098	13.59	-3.428	1148	14.16	4.385	1198	14.82	-6.185
1049	12.97	5.541	1099	13.60	-8.390	1149	14.17	-0.331	1199	14.83	-9.151
1050	12.98	0.122	1100	13.61	-7.842	1150	14.20	-8.952	1200	14.84	-9.871

土木構造物における加速度強震記録（No. 9）

INDEX NO. 810 1317-GR-1 HIROO BRIDGE U-D MAX.ACCEL.= -81.462(GAL) T=16.42(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	14.85	-4.621	1251	15.52	-12.022	1301	16.13	33.693	1351	16.70	-26.250
1202	14.87	19.789	1252	15.53	-16.993	1302	16.14	48.258	1352	16.71	-26.462
1203	14.88	15.069	1253	15.54	-16.218	1303	16.15	61.811	1353	16.72	-16.912
1204	14.89	6.133	1254	15.55	-5.643	1304	16.16	58.908	1354	16.73	12.902
1205	14.90	3.685	1255	15.56	2.151	1305	16.19	53.198	1355	16.74	14.926
1206	14.94	11.074	1256	15.57	-4.050	1306	16.20	28.015	1356	16.75	16.718
1207	14.96	-21.313	1257	15.59	-0.990	1307	16.21	5.813	1357	16.76	10.764
1208	14.97	-25.705	1258	15.60	-0.187	1308	16.22	-1.158	1358	16.78	2.589
1209	14.99	-24.423	1259	15.61	-3.901	1309	16.23	-0.849	1359	16.79	2.157
1210	15.00	-26.147	1260	15.63	-31.796	1310	16.24	-14.316	1360	16.82	3.534
1211	15.02	-35.051	1261	15.64	-31.769	1311	16.25	-27.016	1361	16.83	10.326
1212	15.03	-34.015	1262	15.66	-20.430	1312	16.26	-26.988	1362	16.84	14.109
1213	15.05	10.355	1263	15.67	-12.353	1313	16.27	-13.411	1363	16.85	10.416
1214	15.06	14.130	1264	15.69	-5.029	1314	16.28	1.392	1364	16.86	-2.028
1215	15.07	18.911	1265	15.71	-5.460	1315	16.29	13.440	1365	16.88	-15.951
1216	15.09	7.782	1266	15.72	-6.149	1316	16.30	24.979	1366	16.89	-19.398
1217	15.10	4.823	1267	15.73	-9.872	1317	16.31	32.017	1367	16.90	-12.348
1218	15.12	7.915	1268	15.74	-22.792	1318	16.32	25.809	1368	16.91	-10.552
1219	15.13	6.689	1269	15.75	-23.516	1319	16.33	16.600	1369	16.93	-9.219
1220	15.14	1.489	1270	15.76	-21.732	1320	16.34	10.891	1370	16.94	-6.686
1221	15.17	-15.359	1271	15.79	-10.833	1321	16.35	10.931	1371	16.95	12.625
1222	15.18	-16.076	1272	15.80	-16.272	1322	16.36	35.997	1372	16.96	15.907
1223	15.20	-4.224	1273	15.81	-19.482	1323	16.37	40.285	1373	16.98	13.484
1224	15.22	-6.384	1274	15.82	-16.456	1324	16.38	34.807	1374	16.99	13.534
1225	15.24	-6.292	1275	15.83	-7.666	1325	16.39	-0.368	1375	17.00	10.590
1226	15.25	-10.749	1276	15.84	-3.845	1326	16.40	-18.093	1376	17.02	1.915
1227	15.26	-15.701	1277	15.85	-8.059	1327	16.41	-61.290	1377	17.04	-3.251
1228	15.27	-16.912	1278	15.86	-19.754	1328	16.42	-81.482	1378	17.05	-2.684
1229	15.28	-17.372	1279	15.88	-34.419	1329	16.43	-81.460	1379	17.06	-5.640
1230	15.29	-21.835	1280	15.89	-33.135	1330	16.45	-7.595	1380	17.07	-13.860
1231	15.30	-24.272	1281	15.90	-30.594	1331	16.47	41.243	1381	17.08	-22.059
1232	15.32	-28.217	1282	15.93	-16.225	1332	16.48	49.761	1382	17.09	-23.999
1233	15.33	-15.145	1283	15.94	-16.393	1333	16.49	48.820	1383	17.12	-26.358
1234	15.34	-9.873	1284	15.95	-22.123	1334	16.50	33.849	1384	17.14	-31.287
1235	15.35	-4.059	1285	15.96	-34.556	1335	16.51	-6.331	1385	17.15	-29.489
1236	15.36	-7.010	1286	15.97	-35.290	1336	16.52	-15.041	1386	17.17	1.606
1237	15.37	-10.213	1287	15.98	-27.250	1337	16.53	-13.253	1387	17.18	2.895
1238	15.39	-11.394	1288	15.99	-1.192	1338	16.54	-8.704	1388	17.19	-2.578
1239	15.40	-16.349	1289	16.00	14.105	1339	16.55	-3.146	1389	17.20	-9.528
1240	15.41	-21.291	1290	16.01	17.136	1340	16.56	-6.104	1390	17.21	-15.736
1241	15.42	-22.990	1291	16.03	2.475	1341	16.58	-29.266	1391	17.22	-10.680
1242	15.43	-23.715	1292	16.04	-3.224	1342	16.59	-37.719	1392	17.24	6.930
1243	15.44	-23.661	1293	16.05	3.601	1343	16.60	-39.428	1393	17.25	6.943
1244	15.45	-20.602	1294	16.06	1.395	1344	16.61	-38.905	1394	17.26	2.020
1245	15.46	-20.071	1295	16.07	-4.331	1345	16.62	-10.578	1395	17.27	0.786
1246	15.47	-37.502	1296	16.08	-15.027	1346	16.63	-4.556	1396	17.28	0.842
1247	15.48	-34.472	1297	16.09	-18.738	1347	16.64	-8.245	1397	17.29	7.139
1248	15.49	-29.935	1298	16.10	-13.959	1348	16.66	-34.657	1398	17.31	17.479
1249	15.50	-10.397	1299	16.11	16.355	1349	16.67	-34.135	1399	17.33	-9.432
1250	15.51	-2.862	1300	16.12	29.918	1350	16.68	-25.313	1400	17.34	-16.872

INDEX NO. 810 1317-GR-1 HIROO BRIDGE U-D MAX.ACCEL.= -81.462(GAL) T=16.42(SEC) NO. 8

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1401	17.35	-16.854	1451	17.94	0.762	1501	18.50	-21.480	1551	19.15	-18.073
1402	17.36	8.710	1452	17.95	-3.657	1502	18.52	-18.898	1552	19.17	-33.736
1403	17.37	13.000	1453	17.96	-6.130	1503	18.53	-17.587	1553	19.18	-37.438
1404	17.38	14.022	1454	17.97	-2.343	1504	18.55	-16.223	1554	19.19	-35.658
1405	17.39	8.561	1455	17.98	5.223	1505	18.56	-14.985	1555	19.20	-22.350
1406	17.40	1.115	1456	17.99	5.733	1506	18.57	-6.661	1556	19.21	-9.548
1407	17.41	0.427	1457	18.00	-2.694	1507	18.58	-4.863	1557	19.22	-6.503
1408	17.42	0.974	1458	18.01	-17.889	1508	18.60	-7.786	1558	19.23	-8.228
1409	17.43	-7.719	1459	18.02	-24.115	1509	18.61	-8.997	1559	19.24	-16.937
1410	17.44	-21.691	1460	18.03	-26.090	1510	18.62	-8.464	1560	19.25	-21.144
1411	17.45	-38.396	1461	18.04	-23.543	1511	18.64	-4.131	1561	19.26	-21.851
1412	17.46	-44.352	1462	18.05	-12.966	1512	18.65	-4.546	1562	19.27	-18.058
1413	17.47	-45.083	1463	18.06	-7.929	1513	18.67	-6.966	1563	19.28	-10.519
1414	17.49	-38.225	1464	18.07	-7.634	1514	18.69	-6.384	1564	19.30	-1.679
1415	17.51	-7.868	1465	18.08	-10.845	1515	18.70	-4.339	1565	19.31	-5.864
1416	17.52	-2.823	1466	18.09	-12.541	1516	18.71	-0.551	1566	19.32	-10.312
1417	17.53	5.711	1467	18.10	-10.257	1517	18.73	5.276	1567	19.33	-7.279
1418	17.54	13.772	1468	18.12	-0.663	1518	18.74	1.837	1568	19.34	1.524
1419	17.55	14.788	1469	18.15	-32.655	1519	18.75	-6.372	1569	19.35	12.569
1420	17.56	12.333	1470	18.16	-33.754	1520	18.76	-12.836	1570	19.36	15.102
1421	17.57	-1.595	1471	18.17	-12.456	1521	18.77	-19.514	1571	19.38	14.671
1422	17.58	-3.326	1472	18.18	-1.665	1522	18.79	-20.201	1572	19.40	10.279
1423	17.59	-2.265	1473	18.19	-6.343	1523	18.81	-6.848	1573	19.41	2.840
1424	17.60	0.026	1474	18.20	-19.062	1524	18.83	3.012	1574	19.45	-17.236
1425	17.61	10.571	1475	18.21	-25.266	1525	18.85	2.567	1575	19.46	-17.691
1426	17.62	5.595	1476	18.22	-20.977	1526	18.87	5.414	1576	19.47	-13.391
1427	17.63	-10.327	1477	18.23	-16.686	1527	18.88	9.699	1577	19.49	-2.829
1428	17.64	-19.053	1478	18.24	-12.633	1528	18.89	11.738	1578	19.50	2.983
1429	17.65	-15.261	1479	18.25	-13.839	1529	18.91	-4.388	1579	19.51	1.268
1430	17.66	-2.198	1480	18.26	-16.798	1530	18.92	-6.861	1580	19.53	-8.626
1431	17.67	-3.162	1481	18.27	-18.762	1531	18.93	-8.061	1581	19.54	-16.087
1432	17.68	-11.356	1482	18.28	-17.479	1532	18.94	-8.312	1582	19.55	-18.555
1433	17.69	-16.318	1483	18.29	-8.935	1533	18.95	-5.484	1583	19.56	-16.267
1434	17.70	-17.538	1484	18.30	5.070	1534	18.96	-3.698	1584	19.57	-11.228
1435	17.73	-7.406	1485	18.31	4.901	1535	18.97	-5.390	1585	19.58	-11.159
1436	17.74	-4.358	1486	18.33	-12.241	1536	18.98	-8.337	1586	19.60	-14.099
1437	17.75	-11.562	1487	18.34	-12.706	1537	18.99	-9.537	1587	19.61	-18.302
1438	17.76	-14.770	1488	18.35	-12.172	1538	19.00	-8.497	1588	19.62	-24.233
1439	17.77	-13.486	1489	18.36	-11.376	1539	19.01	-6.449	1589	19.63	-25.446
1440	17.78	-10.441	1490	18.37	-15.832	1540	19.02	-4.641	1590	19.64	-25.417
1441	17.81	19.207	1491	18.38	-18.749	1541	19.05	-11.045	1591	19.65	-12.351
1442	17.82	18.489	1492	18.39	-17.710	1542	19.06	-8.998	1592	19.66	1.204
1443	17.83	6.802	1493	18.41	-14.374	1543	19.07	-2.700	1593	19.67	8.252
1444	17.84	-3.407	1494	18.42	-14.841	1544	19.08	1.590	1594	19.68	9.546
1445	17.85	-10.862	1495	18.44	-17.267	1545	19.09	3.848	1595	19.69	5.326
1446	17.86	-11.573	1496	18.45	-14.211	1546	19.10	-22.536	1596	19.71	-4.610
1447	17.87	-12.785	1497	18.46	-7.912	1547	19.11	-31.997	1597	19.72	-6.286
1448	17.88	-11.483	1498	18.47	-4.610	1548	19.12	-30.969	1598	19.74	+10.209
1449	17.92	3.174	1499	18.48	-4.970	1549	19.13	-28.431	1599	19.75	-15.154
1450	17.93	7.987	1500	18.49	-13.264	1550	19.14	-17.629	1600	19.77	-18.338

INDEX NO. 810 1317-GR-1 HIROO BRIDGE U-D MAX.ACCEL.= -81.482(GAL) T=16.42(SEC) NO. 9

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1601	19.80	-8.175	1651	20.38	-14.396	1701	21.00	-17.407	1751	21.60	-14.013
1602	19.82	-7.335	1652	20.39	-19.331	1702	21.01	-20.616	1752	21.61	-13.465
1603	19.84	-12.260	1653	20.40	-20.7[illegible]	1703	21.02	-20.577	1753	21.62	-14.164
1604	19.85	-5.470	1654	20.41	-16.255	1704	21.03	-15.028	1754	21.63	-14.619
1605	19.86	2.583	1655	20.42	-5.213	1705	21.04	-6.236	1755	21.65	-17.044
1606	19.87	7.640	1656	20.43	2.594	1706	21.05	1.059	1756	21.67	2.560
1607	19.88	3.419	1657	20.44	5.141	1707	21.06	2.847	1757	21.68	3.851
1608	19.89	-2.805	1658	20.45	2.927	1708	21.07	-5.582	1758	21.69	2.645
1609	19.90	-15.734	1659	20.46	-1.532	1709	21.08	-12.535	1759	21.70	0.198
1610	19.91	-16.461	1660	20.47	-4.468	1710	21.09	-13.763	1760	21.71	-1.505
1611	19.92	-8.398	1661	20.49	6.612	1711	21.10	-11.985	1761	21.74	-3.389
1612	19.93	2.991	1662	20.59	8.651	1712	21.11	6.851	1762	21.75	-5.846
1613	19.94	3.677	1663	20.51	4.939	1713	21.12	6.891	1763	21.76	-10.796
1614	19.95	-4.251	1664	20.52	-3.630	1714	21.13	-2.033	1764	21.77	-11.248
1615	19.96	-8.722	1665	20.53	-12.479	1715	21.14	-20.743	1765	21.78	-8.960
1616	19.97	-8.761	1666	20.54	-16.681	1716	21.15	-23.011	1766	21.79	-2.658
1617	19.98	-4.905	1667	20.55	-14.390	1717	21.16	-18.209	1767	21.80	-1.036
1618	19.99	1.419	1668	20.57	-12.777	1718	21.17	4.113	1768	21.82	-8.525
1619	20.00	-0.297	1669	20.60	-10.427	1719	21.18	4.148	1769	21.83	-15.231
1620	20.01	-10.234	1670	20.61	-5.361	1720	21.19	-0.813	1770	21.84	-14.948
1621	20.02	-11.446	1671	20.62	-2.065	1721	21.20	-5.033	1771	21.85	-10.138
1622	20.03	-12.143	1672	20.63	-6.275	1722	21.21	-3.246	1772	21.86	-6.340
1623	20.04	-12.107	1673	20.64	-9.999	1723	21.22	3.576	1773	21.87	-3.805
1624	20.05	-15.069	1674	20.65	-14.957	1724	21.23	3.102	1774	21.88	-4.255
1625	20.06	-22.202	1675	20.66	-16.167	1725	21.24	-4.351	1775	21.90	-5.911
1626	20.07	-24.747	1676	20.67	-15.130	1726	21.25	-11.602	1776	21.92	-10.328
1627	20.08	-21.716	1677	20.68	-2.551	1727	21.26	-10.013	1777	21.93	-11.535
1628	20.10	-11.610	1678	20.70	-2.473	1728	21.27	-7.476	1778	21.94	-13.253
1629	20.11	-11.573	1679	20.72	-3.652	1729	21.28	1.342	1779	21.95	-16.940
1630	20.12	-14.538	1680	20.73	-4.591	1730	21.29	2.634	1780	21.96	-20.152
1631	20.13	-20.716	1681	20.75	-7.775	1731	21.30	2.670	1781	21.97	-18.863
1632	20.14	-19.438	1682	20.76	-8.975	1732	21.31	-5.264	1782	21.98	-13.827
1633	20.15	-12.628	1683	20.77	-8.939	1733	21.33	-17.173	1783	21.99	-11.248
1634	20.16	-10.586	1684	20.78	-5.896	1734	21.34	-17.149	1784	22.00	-14.200
1635	20.17	-14.281	1685	20.79	2.438	1735	21.35	-16.123	1785	22.01	-18.670
1636	20.18	-17.993	1686	20.80	6.233	1736	21.39	4.342	1786	22.02	-24.115
1637	20.19	-19.696	1687	20.82	3.301	1737	21.40	2.610	1787	22.03	-21.093
1638	20.21	-15.396	1688	20.83	2.590	1738	21.42	-16.276	1788	22.05	-11.763
1639	20.22	-12.330	1689	20.86	2.706	1739	21.43	-19.980	1789	22.06	-9.694
1640	20.23	-12.299	1690	20.88	-13.945	1740	21.45	-21.180	1790	22.07	-18.883
1641	20.24	-16.505	1691	20.89	-14.662	1741	21.46	-20.621	1791	22.08	-20.103
1642	20.25	-20.208	1692	20.90	-12.867	1742	21.47	-19.324	1792	22.09	-18.319
1643	20.26	-23.920	1693	20.91	-10.314	1743	21.48	-14.759	1793	22.10	-12.040
1644	20.27	-18.362	1694	20.92	-10.255	1744	21.51	-4.638	1794	22.11	5.013
1645	20.29	8.232	1695	20.94	-12.424	1745	21.52	-3.333	1795	22.12	8.302
1646	20.30	11.768	1696	20.95	-12.394	1746	21.53	-3.299	1796	22.13	-7.865
1647	20.31	11.292	1697	20.96	-7.603	1747	21.54	-3.255	1797	22.14	-7.343
1648	20.32	1.353	1698	20.97	-5.056	1748	21.56	2.081	1798	22.15	-4.058
1649	20.34	-5.303	1699	20.98	-6.732	1749	21.57	0.858	1799	22.16	4.745
1650	20.36	-9.467	1700	20.99	-10.451	1750	21.59	-12.048	1800	22.17	4.291

INDEX NO. 810 1317-GR-1 HIROO BRIDGE U-D MAX.ACCEL.= -81.482(GAL) T=16.42(SEC) NO.10

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1801	22.19	-1.354	1851	22.86	2.111	1901	23.48	-5.337	1951	23.98	1.888
1802	22.20	-1.799	1852	22.87	4.183	1902	23.49	0.476	1952	23.99	4.447
1803	22.21	-0.017	1853	22.88	2.969	1903	23.50	0.754	1953	24.00	-2.758
1804	22.22	8.780	1854	22.90	-3.196	1904	23.51	-13.186	1954	24.01	-7.732
1805	22.23	11.837	1855	22.91	-5.644	1905	23.52	-15.652	1955	24.02	-10.187
1806	22.25	14.686	1856	22.92	-5.108	1906	23.53	-16.360	1956	24.03	-9.655
1807	22.26	12.192	1857	22.93	-3.069	1907	23.54	-5.575	1957	24.04	-5.857
1808	22.27	6.496	1858	22.94	-4.756	1908	23.55	3.741	1958	24.05	0.933
1809	22.28	-2.696	1859	22.96	-8.689	1909	23.56	5.019	1959	24.07	12.061
1810	22.29	-8.393	1860	22.98	-9.863	1910	23.57	6.305	1960	24.09	16.366
1811	22.31	-8.835	1861	22.99	-9.320	1911	23.58	5.383	1961	24.10	15.923
1812	22.32	-7.777	1862	23.00	-4.257	1912	23.59	5.407	1962	24.11	10.974
1813	22.34	-11.442	1863	23.01	0.803	1913	23.60	8.462	1963	24.13	3.560
1814	22.35	-9.650	1864	23.03	2.153	1914	23.61	9.004	1964	24.14	-2.658
1815	22.37	-5.323	1865	23.04	1.683	1915	23.62	3.548	1965	24.15	-5.364
1816	22.38	-5.772	1866	23.05	-0.287	1916	23.63	-6.400	1966	24.16	-0.312
1817	22.39	-10.718	1867	23.06	-5.243	1917	23.64	-9.353	1967	24.17	3.971
1818	22.40	-10.674	1868	23.07	-6.918	1918	23.65	-8.818	1968	24.18	4.785
1819	22.41	-21.136	1869	23.08	-6.374	1919	23.66	-5.037	1969	24.20	4.876
1820	22.42	-21.850	1870	23.09	-5.085	1920	23.67	-1.237	1970	24.21	11.184
1821	22.43	-11.784	1871	23.11	-4.528	1921	23.68	0.554	1971	24.22	9.475
1822	22.44	-9.220	1872	23.13	-4.923	1922	23.69	-1.152	1972	24.23	3.010
1823	22.46	-3.299	1873	23.14	-6.625	1923	23.70	-3.614	1973	24.24	-1.186
1824	22.51	1.556	1874	23.15	-11.571	1924	23.71	-7.299	1974	24.25	-1.648
1825	22.53	6.907	1875	23.16	-12.763	1925	23.72	-5.516	1975	24.26	1.405
1826	22.54	1.971	1876	23.18	-12.710	1926	23.73	1.527	1976	24.27	-1.054
1827	22.56	-7.196	1877	23.19	-8.402	1927	23.74	10.588	1977	24.28	-5.257
1828	22.57	-7.663	1878	23.20	-2.093	1928	23.75	11.888	1978	24.29	-8.474
1829	22.58	-7.128	1879	23.21	0.989	1929	23.76	9.418	1979	24.31	-4.144
1830	22.59	-2.083	1880	23.22	2.261	1930	23.77	5.696	1980	24.32	-0.842
1831	22.60	-3.286	1881	23.24	0.571	1931	23.78	-8.238	1981	24.34	1.732
1832	22.61	-6.969	1882	23.25	0.623	1932	23.79	-9.461	1982	24.35	1.819
1833	22.62	-9.426	1883	23.27	3.204	1933	23.80	-8.028	1983	24.37	1.893
1834	22.64	8.637	1884	23.28	6.264	1934	23.81	-4.357	1984	24.39	0.209
1835	22.65	14.963	1885	23.30	-3.406	1935	23.82	-4.809	1985	24.40	2.773
1836	22.66	14.498	1886	23.31	-7.101	1936	23.83	-6.775	1986	24.42	4.591
1837	22.68	11.570	1887	23.32	-9.053	1937	23.84	-9.737	1987	24.43	4.677
1838	22.69	9.628	1888	23.34	-3.465	1938	23.85	+10.959	1988	24.46	3.037
1839	22.70	12.173	1889	23.35	1.592	1939	23.86	-9.163	1989	24.47	3.598
1840	22.71	18.476	1890	23.37	10.942	1940	23.87	-1.590	1990	24.49	-0.089
1841	22.73	19.034	1891	23.38	9.481	1941	23.88	0.187	1991	24.51	-1.984
1842	22.74	16.088	1892	23.39	0.766	1942	23.89	-0.769	1992	24.54	-0.335
1843	22.75	12.306	1893	23.40	-7.426	1943	23.90	-3.970	1993	24.56	-2.263
1844	22.77	9.983	1894	23.41	-8.649	1944	23.91	-4.631	1994	24.58	-3.439
1845	22.79	10.052	1895	23.42	-8.596	1945	23.92	2.391	1995	24.60	-2.854
1846	22.80	12.599	1896	23.43	-8.546	1946	23.93	4.913	1996	24.61	-2.048
1847	22.81	15.671	1897	23.44	-12.751	1947	23.94	4.943	1997	24.62	3.523
1848	22.82	12.209	1898	23.45	-16.458	1948	23.95	2.004	1998	24.63	4.821
1849	22.83	7.259	1899	23.46	-15.430	1949	23.96	-1.691	1999	24.65	-0.621
1850	22.84	1.554	1900	23.47	-11.619	1950	23.97	-1.670	2000	24.66	-4.305

INDEX NO. 810 1317-GR-1 HIROO BRIDGE U-D MAX.ACCEL.= -81.482(GAL) T=16.42(SEC) NO.11

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2001	24.67	-6.014	2051	25.48	1.013	2101	26.14	-1.508	2151	26.91	-3.764
2002	24.68	-4.975	2052	25.49	1.660	2102	26.15	4.073	2152	26.93	-5.431
2003	24.70	4.602	2053	25.52	0.243	2103	26.17	8.646	2153	26.95	2.185
2004	24.71	7.676	2054	25.54	2.544	2104	26.19	9.963	2154	26.96	1.724
2005	24.73	6.742	2055	25.55	11.356	2105	26.20	12.543	2155	26.98	-0.202
2006	24.74	8.536	2056	25.56	13.397	2106	26.22	13.865	2156	27.02	-4.270
2007	24.76	15.117	2057	25.57	13.442	2107	26.25	16.906	2157	27.03	-4.987
2008	24.77	16.928	2058	25.59	3.548	2108	26.28	4.882	2158	27.05	2.615
2009	24.79	10.277	2059	25.60	2.853	2109	26.29	6.664	2159	27.06	6.401
2010	24.80	7.824	2060	25.63	11.202	2110	26.31	13.017	2160	27.08	8.255
2011	24.82	4.900	2061	25.64	9.513	2111	26.32	12.552	2161	27.10	12.088
2012	24.83	3.709	2062	25.65	4.307	2112	26.33	7.589	2162	27.14	-4.454
2013	24.85	-0.951	2063	25.66	3.358	2113	26.34	1.894	2163	27.16	-10.110
2014	24.88	12.926	2064	25.67	2.656	2114	26.35	2.433	2164	27.17	-5.021
2015	24.89	9.214	2065	25.68	2.688	2115	26.37	10.051	2165	27.19	7.272
2016	24.92	3.628	2066	25.69	5.476	2116	26.38	11.351	2166	27.20	6.822
2017	24.93	1.891	2067	25.70	12.622	2117	26.40	8.408	2167	27.22	0.649
2018	24.94	0.694	2068	25.71	14.071	2118	26.41	4.220	2168	27.23	1.183
2019	24.97	7.556	2069	25.72	11.137	2119	26.42	4.753	2169	27.25	8.789
2020	24.98	7.595	2070	25.76	1.795	2120	26.43	12.815	2170	27.26	5.338
2021	25.00	1.694	2071	25.77	2.370	2121	26.44	14.096	2171	27.28	-3.330
2022	25.02	2.803	2072	25.79	8.195	2122	26.46	11.207	2172	27.29	-4.548
2023	25.03	-3.645	2073	25.80	11.991	2123	26.47	12.492	2173	27.30	-1.003
2024	25.05	-1.348	2074	25.81	12.024	2124	26.48	15.047	2174	27.32	11.331
2025	25.06	-1.793	2075	25.82	9.561	2125	26.50	13.363	2175	27.33	10.118
2026	25.07	0.766	2076	25.83	4.038	2126	26.51	6.433	2176	27.34	8.440
2027	25.09	1.334	2077	25.85	0.232	2127	26.53	5.249	2177	27.39	10.410
2028	25.10	-7.368	2078	25.86	1.512	2128	26.54	5.801	2178	27.40	10.459
2029	25.11	-7.517	2079	25.87	7.821	2129	26.55	6.606	2179	27.41	9.256
2030	25.13	-5.986	2080	25.89	10.369	2130	26.56	0.406	2180	27.43	3.067
2031	25.14	-8.456	2081	25.90	8.683	2131	26.58	0.475	2181	27.44	1.369
2032	25.15	-13.871	2082	25.92	5.761	2132	26.60	2.343	2182	27.46	1.947
2033	25.16	-14.840	2083	25.93	15.087	2133	26.61	2.393	2183	27.48	3.287
2034	25.17	-13.066	2084	25.94	16.370	2134	26.64	-1.760	2184	27.50	0.890
2035	25.18	-1.000	2085	25.95	15.150	2135	26.65	-2.426	2185	27.51	2.191
2036	25.20	-1.434	2086	25.96	5.951	2136	26.67	3.416	2186	27.53	7.267
2037	25.21	-1.370	2087	25.97	4.734	2137	26.69	4.725	2187	27.55	-0.637
2038	25.23	-0.293	2088	25.98	6.303	2138	26.71	8.560	2188	27.56	4.929
2039	25.26	5.914	2089	25.99	9.107	2139	26.73	4.184	2189	27.57	9.224
2040	25.30	8.999	2090	26.01	2.910	2140	26.75	5.780	2190	27.58	10.004
2041	25.33	8.143	2091	26.02	-0.029	2141	26.77	3.360	2191	27.59	5.059
2042	25.35	6.235	2092	26.03	3.262	2142	26.78	4.420	2192	27.60	-2.391
2043	25.36	2.033	2093	26.04	4.800	2143	26.80	1.509	2193	27.61	-2.861
2044	25.37	-3.662	2094	26.05	9.370	2144	26.82	1.567	2194	27.62	-0.562
2045	25.39	-6.117	2095	26.06	7.653	2145	26.83	4.633	2195	27.64	7.010
2046	25.40	-4.292	2096	26.07	5.204	2146	26.84	3.686	2196	27.65	8.308
2047	25.41	-5.996	2097	26.09	5.765	2147	26.86	-2.484	2197	27.66	6.120
2048	25.43	-5.924	2098	26.10	6.342	2148	26.87	-4.934	2198	27.67	4.184
2049	25.45	-5.314	2099	26.12	2.906	2149	26.88	-4.878	2199	27.69	5.519
2050	25.47	-2.011	2100	26.13	-0.296	2150	26.90	-3.812	2200	27.70	3.813

INDEX NO. 810 1317-GR-1 HIROO BRIDGE U-D MAX.ACCEL.= -81.482(GAL) T=16.42(SEC) NO.12

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2201	27.72	1.873	2251	28.48	8.076	2301	29.20	3.773	2351	29.92	-3.538
2202	27.73	3.693	2252	28.49	4.657	2302	29.21	7.557	2352	29.93	-6.003
2203	27.76	7.048	2253	28.51	2.223	2303	29.22	11.348	2353	29.94	-2.208
2204	27.77	10.855	2254	28.52	5.284	2304	29.23	10.417	2354	29.96	9.124
2205	27.78	8.392	2255	28.53	4.592	2305	29.24	9.718	2355	29.97	6.158
2206	27.79	1.714	2256	28.55	6.668	2306	29.26	10.283	2356	29.99	-4.507
2207	27.80	-2.004	2257	28.57	10.488	2307	29.27	7.327	2357	30.00	-5.721
2208	27.81	-1.470	2258	28.58	11.032	2308	29.28	4.367	2358	30.02	6.878
2209	27.82	8.601	2259	28.59	6.837	2309	29.29	3.173	2359	30.03	6.914
2210	27.83	12.907	2260	28.60	7.623	2310	29.30	4.212	2360	30.04	-0.504
2211	27.84	10.691	2261	28.61	5.692	2311	29.31	10.036	2361	30.05	0.777
2212	27.87	4.556	2262	28.63	4.005	2312	29.33	10.007	2362	30.06	2.068
2213	27.88	-1.122	2263	28.65	1.593	2313	29.34	5.161	2363	30.08	7.641
2214	27.91	0.991	2264	28.67	0.431	2314	29.35	6.454	2364	30.12	6.817
2215	27.93	0.329	2265	28.69	0.265	2315	29.37	12.054	2365	30.15	6.199
2216	27.94	-0.563	2266	28.71	1.595	2316	29.39	11.140	2366	30.17	0.055
2217	27.96	-0.297	2267	28.72	2.417	2317	29.40	12.186	2367	30.20	5.193
2218	27.97	8.030	2268	28.74	5.500	2318	29.42	18.016	2368	30.22	7.036
2219	27.99	9.343	2269	28.75	6.319	2319	29.43	18.549	2369	30.23	6.088
2220	28.01	13.675	2270	28.77	7.648	2320	29.44	15.593	2370	30.26	0.437
2221	28.02	15.720	2271	28.79	7.706	2321	29.46	11.421	2371	30.28	-0.716
2222	28.05	8.363	2272	28.80	7.272	2322	29.47	10.707	2372	30.30	0.646
2223	28.06	3.429	2273	28.81	4.070	2323	29.48	12.009	2373	30.33	1.255
2224	28.07	2.990	2274	28.82	-0.898	2324	29.50	10.339	2374	30.35	-2.894
2225	28.09	7.811	2275	28.83	-3.359	2325	29.51	7.147	2375	30.38	8.508
2226	28.11	14.149	2276	28.84	-2.053	2326	29.52	8.708	2376	30.40	8.571
2227	28.13	8.227	2277	28.86	-0.729	2327	29.54	5.526	2377	30.41	8.624
2228	28.14	2.528	2278	28.88	1.846	2328	29.55	4.832	2378	30.43	6.190
2229	28.15	3.099	2279	28.90	4.452	2329	29.57	-0.591	2379	30.44	4.501
2230	28.16	9.401	2280	28.93	7.593	2330	29.58	-1.286	2380	30.47	4.620
2231	28.17	10.695	2281	28.95	7.177	2331	29.60	-1.220	2381	30.48	-1.564
2232	28.20	11.047	2282	28.95	6.712	2332	29.61	1.352	2382	30.49	-4.762
2233	28.21	9.876	2283	28.97	3.020	2333	29.63	6.921	2383	30.51	31321
2234	28.23	6.700	2284	28.98	1.805	2334	29.64	8.976	2384	30.52	10.376
2235	28.24	6.245	2285	28.99	4.119	2335	29.65	8.515	2385	30.54	7.465
2236	28.26	8.076	2286	29.01	6.177	2336	29.67	5.350	2386	30.56	6.274
2237	28.27	7.643	2287	29.02	7.492	2337	29.69	8.420	2387	30.59	10.659
2238	28.28	5.697	2288	29.04	7.062	2338	29.70	10.469	2388	30.60	8.213
2239	28.30	6.258	2289	29.05	5.807	2339	29.72	1.319	2389	30.61	2.786
2240	28.32	11.363	2290	29.06	3.419	2340	29.73	-0.647	2390	30.63	0.863
2241	28.33	12.162	2291	29.07	3.466	2341	29.74	4.428	2391	30.65	4.700
2242	28.34	10.956	2292	29.08	4.003	2342	29.76	7.017	2392	30.68	12.318
2243	28.35	5.524	2293	29.09	9.546	2343	29.77	6.528	2393	30.71	9.953
2244	28.37	1.093	2294	29.11	15.889	2344	29.79	-2.884	2394	30.72	8.767
2245	28.39	-3.294	2295	29.12	13.684	2345	29.81	4.724	2395	30.74	3.830
2246	28.41	-3.968	2296	29.13	6.734	2346	29.82	6.511	2396	30.75	1.391
2247	28.42	-2.662	2297	29.14	5.031	2347	29.85	5.405	2397	30.76	2.693
2248	28.43	2.378	2298	29.16	4.338	2348	29.88	8.758	2398	30.78	5.765
2249	28.44	7.428	2299	29.18	3.667	2349	29.89	7.069	2399	30.79	10.321
2250	28.46	8.733	2300	29.19	3.743	2350	29.91	2.148	2400	30.80	15.086

INDEX NO. 810 1317-GR-1 HIROO BRIDGE U-D MAX.ACCEL.= -81.492(GAL) T=16.42(SEC) NO.13

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2401	30.82	15.438	2451	31.81	5.154	2501	32.74	7.496	2551	33.61	4.607
2402	30.84	13.027	2452	31.82	1.541	2502	32.76	8.096	2552	33.62	5.921
2403	30.85	11.640	2453	31.84	0.645	2503	32.77	6.412	2553	33.63	1.473
2404	30.86	9.400	2454	31.86	7.011	2504	32.79	9.498	2554	33.65	-1.452
2405	30.88	9.459	2455	31.87	8.163	2505	32.81	14.575	2555	33.67	5.377
2406	30.89	7.780	2456	31.89	15.736	2506	32.82	13.638	2556	33.68	7.421
2407	30.91	0.364	2457	31.90	16.068	2507	32.84	9.960	2557	33.70	-2.718
2408	30.92	-3.370	2458	31.91	12.845	2508	32.86	6.769	2558	33.71	-1.924
2409	30.93	-6.621	2459	31.92	10.392	2509	32.87	9.336	2559	33.72	-0.646
2410	30.95	1.265	2460	31.93	10.439	2510	32.88	11.892	2560	33.73	4.921
2411	30.96	5.092	2461	31.94	11.744	2511	32.90	13.213	2561	33.76	0.043
2412	30.98	4.659	2462	31.96	13.555	2512	32.91	13.774	2562	33.77	3.363
2413	31.00	0.018	2463	31.98	6.898	2513	32.92	9.589	2563	33.79	10.196
2414	31.02	4.846	2464	31.99	3.198	2514	32.93	9.632	2564	33.81	11.534
2415	31.03	6.161	2465	32.00	3.741	2515	32.94	10.934	2565	33.83	12.366
2416	31.05	11.489	2466	32.01	10.892	2516	32.96	12.232	2566	33.85	16.199
2417	31.08	6.000	2467	32.03	9.611	2517	32.98	8.093	2567	33.87	13.049
2418	31.11	13.757	2468	32.04	7.166	2518	33.00	12.415	2568	33.89	15.624
2419	31.14	12.386	2469	32.05	9.727	2519	33.01	16.743	2569	33.97	20.509
2420	31.17	12.766	2470	32.07	12.765	2520	33.03	13.326	2570	33.98	18.817
2421	31.19	10.363	2471	32.09	12.660	2521	33.05	12.135	2571	34.01	15.167
2422	31.22	10.470	2472	32.10	10.664	2522	33.06	8.947	2572	34.03	13.292
2423	31.24	9.822	2473	32.13	14.297	2523	33.07	7.746	2573	34.06	13.387
2424	31.26	11.682	2474	32.15	12.108	2524	33.09	2.321	2574	34.07	12.935
2425	31.29	16.309	2475	32.20	12.867	2525	33.10	1.102	2575	34.08	12.248
2426	31.32	9.668	2476	32.24	7.270	2526	33.11	3.405	2576	34.10	5.578
2427	31.36	7.351	2477	32.25	8.109	2527	33.12	7.976	2577	34.11	4.379
2428	31.37	7.407	2478	32.28	12.491	2528	33.14	9.776	2578	34.12	6.679
2429	31.39	6.269	2479	32.30	7.004	2529	33.16	8.152	2579	34.13	9.983
2430	31.41	6.031	2480	32.33	20.201	2530	33.17	8.106	2580	34.15	13.301
2431	31.44	-1.034	2481	32.34	19.234	2531	33.19	13.285	2581	34.16	10.104
2432	31.45	0.036	2482	32.36	3.078	2532	33.21	17.117	2582	34.18	6.433
2433	31.49	8.434	2483	32.37	-2.879	2533	33.25	13.516	2583	34.19	7.733
2434	31.51	5.544	2484	32.38	-2.328	2534	33.27	15.388	2584	34.21	10.308
2435	31.52	5.580	2485	32.40	6.401	2535	33.30	9.506	2585	34.23	9.893
2436	31.54	13.196	2486	32.41	7.785	2536	33.32	11.861	2586	34.25	10.968
2437	31.56	6.260	2487	32.42	5.606	2537	33.35	3.490	2587	34.26	13.042
2438	31.57	5.793	2488	32.44	6.181	2538	33.37	3.551	2588	34.28	13.605
2439	31.58	6.855	2489	32.46	10.520	2539	33.39	7.134	2589	34.29	10.669
2440	31.60	10.106	2490	32.49	5.157	2540	33.43	-2.444	2590	34.31	7.732
2441	31.62	4.796	2491	32.51	7.748	2541	33.44	-0.645	2591	34.32	4.551
2442	31.65	15.406	2492	32.54	6.623	2542	33.47	3.267	2592	34.34	2.873
2443	31.66	14.948	2493	32.56	7.944	2543	33.50	3.364	2593	34.37	3.035
2444	31.69	11.339	2494	32.58	13.066	2544	33.51	2.919	2594	34.39	0.605
2445	31.70	5.666	2495	32.61	6.183	2545	33.52	0.993	2595	34.42	11.256
2446	31.72	1.984	2496	32.63	6.517	2546	33.53	2.277	2596	34.46	8.175
2447	31.73	3.268	2497	32.66	10.138	2547	33.54	4.829	2597	34.50	6.087
2448	31.76	12.672	2498	32.67	9.209	2548	33.56	10.384	2598	34.51	6.651
2449	31.77	13.985	2499	32.69	10.296	2549	33.57	13.201	2599	34.53	9.238
2450	31.78	14.024	2500	32.71	11.626	2550	33.59	7.528	2600	34.56	8.102

INDEX NO. 810 1317-GR-1 HIROO BRIDGE U-D MAX.ACCEL.= -81.482(GAL) T=16.42(SEC) NO.14

NO.	(SEC)	(GAL)
2601	34.59	14.501
2602	34.62	7.857
2603	34.64	7.977
2604	34.67	10.345
2605	34.69	11.676
2606	34.71	15.522
2607	34.72	13.833
2608	34.75	7.696
2609	34.77	9.051
2610	34.79	9.146
2611	34.82	6.288
2612	34.86	6.460
2613	34.89	6.580
2614	34.91	10.191
2615	34.93	6.041
2616	34.95	4.364
2617	34.98	-4.692
2618	35.02	0.655
2619	35.04	-0.749
2620	35.07	8.389
2621	35.09	8.491
2622	35.12	7.892
2623	35.14	3.728
2624	35.16	8.062
2625	35.19	9.921
2626	35.21	14.048
2627	35.24	13.672
2628	35.28	13.840
2629	35.31	15.714
2630	35.32	15.261
2631	35.35	6.668
2632	35.39	11.820
2633	35.40	11.147
2634	35.43	14.019
2635	35.45	10.349
2636	35.47	2.930
2637	35.48	3.000

Table IX D-37 Digitized Accelerations of Earthquake Record with Index Number 811

INDEX NO. 811 1317-GR-1 HIROO BRIDGE TR. MAX.ACCEL.=-206.768(GAL) T=16.22(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.25	-29.731	51	0.86	-5.996	101	1.42	-4.000	151	2.02	-16.801
2	0.26	-18.488	52	0.87	-7.265	102	1.44	0.404	152	2.03	-15.843
3	0.27	2.947	53	0.89	-6.083	103	1.45	-3.426	153	2.04	-12.626
4	0.28	8.641	54	0.91	-11.196	104	1.47	-8.514	154	2.05	13.045
5	0.29	8.129	55	0.92	-10.229	105	1.48	-12.330	155	2.06	20.762
6	0.30	-15.214	56	0.93	-5.779	106	1.50	-2.419	156	2.07	17.224
7	0.31	-20.745	57	0.94	-2.845	107	1.51	-5.473	157	2.08	9.674
8	0.32	-20.779	58	0.95	-3.878	108	1.53	-15.062	158	2.09	-11.397
9	0.33	-17.315	59	0.96	-6.435	109	1.54	-16.346	159	2.10	-17.955
10	0.35	5.068	60	0.97	-5.979	110	1.56	6.297	160	2.11	-14.981
11	0.36	4.543	61	0.98	-4.786	111	1.57	13.748	161	2.12	-9.287
12	0.37	-4.798	62	0.99	-3.106	112	1.58	9.435	162	2.14	-1.906
13	0.38	-6.616	63	1.00	-6.903	113	1.60	-10.667	163	2.16	2.026
14	0.39	-6.110	64	1.01	-10.443	114	1.61	-16.732	164	2.17	6.941
15	0.40	-12.437	65	1.03	-25.061	115	1.62	-15.514	165	2.18	4.408
16	0.41	-14.465	66	1.04	-24.579	116	1.63	-9.313	166	2.19	-6.917
17	0.43	8.155	67	1.05	-10.130	117	1.64	1.616	167	2.20	-9.441
18	0.44	9.368	68	1.06	13.046	118	1.65	10.806	168	2.21	-9.476
19	0.46	-21.573	69	1.07	12.511	119	1.66	10.777	169	2.23	8.396
20	0.49	-21.098	70	1.08	-11.572	120	1.67	8.252	170	2.24	9.112
21	0.50	-13.660	71	1.09	-24.607	121	1.68	-9.822	171	2.27	-17.058
22	0.51	-9.957	72	1.10	-26.882	122	1.69	-11.106	172	2.28	-15.830
23	0.52	-8.251	73	1.11	3.267	123	1.70	-6.427	173	2.29	3.849
24	0.53	-9.293	74	1.12	9.731	124	1.71	-6.459	174	2.30	6.310
25	0.55	-18.925	75	1.13	7.947	125	1.72	-12.005	175	2.31	6.750
26	0.56	-10.443	76	1.14	3.416	126	1.73	-15.314	176	2.32	4.430
27	0.57	-2.271	77	1.15	-10.650	127	1.74	-9.851	177	2.35	-8.195
28	0.58	9.925	78	1.16	-19.431	128	1.75	5.833	178	2.36	-11.510
29	0.59	16.623	79	1.17	-0.752	129	1.76	7.292	179	2.37	-12.804
30	0.60	15.345	80	1.18	6.175	130	1.77	0.980	180	2.38	-11.593
31	0.63	-36.328	81	1.19	1.398	131	1.78	-17.595	181	2.40	9.515
32	0.64	-36.351	82	1.20	-13.407	132	1.79	-16.367	182	2.41	7.722
33	0.65	-34.635	83	1.21	-15.960	133	1.80	-13.900	183	2.44	-1.911
34	0.67	2.975	84	1.22	-6.748	134	1.83	7.490	184	2.45	-4.465
35	0.68	5.424	85	1.23	1.449	135	1.84	11.150	185	2.46	-3.998
36	0.70	-4.172	86	1.24	1.912	136	1.85	7.325	186	2.47	7.909
37	0.71	-15.478	87	1.25	0.112	137	1.86	-2.703	187	2.48	6.136
38	0.72	-19.027	88	1.27	-12.497	138	1.87	-23.036	188	2.50	-5.214
39	0.73	-18.061	89	1.28	-15.641	139	1.88	-23.054	189	2.51	-8.508
40	0.74	-11.098	90	1.29	-14.584	140	1.90	-3.915	190	2.52	-10.325
41	0.75	-4.390	91	1.30	-2.174	141	1.91	1.276	191	2.53	-8.110
42	0.76	-3.204	92	1.31	1.526	142	1.92	0.242	192	2.54	5.556
43	0.77	-3.239	93	1.32	0.496	143	1.93	-3.058	193	2.56	9.994
44	0.78	-6.789	94	1.34	-13.372	144	1.94	-3.101	194	2.57	13.935
45	0.79	-9.344	95	1.35	-14.639	145	1.96	-2.482	195	2.58	18.132
46	0.80	-10.138	96	1.36	-10.445	146	1.97	-1.529	196	2.59	13.836
47	0.81	-10.678	97	1.37	1.971	147	1.98	4.179	197	2.60	-8.237
48	0.83	-2.285	98	1.38	2.443	148	1.99	6.640	198	2.61	-17.023
49	0.84	-2.837	99	1.40	-8.181	149	2.00	6.094	199	2.62	-20.557
50	0.85	-2.140	100	1.41	-6.465	150	2.01	-2.214	200	2.63	-22.394

INDEX NO. 811 1317-GR-1 HIROO BRIDGE TR. MAX.ACCEL.=-206.768(GAL) T=16.22(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	2.65	-10.197	251	3.22	-24.060	301	3.79	9.550	351	4.40	-18.028
202	2.66	13.482	252	3.23	-20.597	302	3.80	22.744	352	4.41	-27.574
203	2.67	13.456	253	3.24	-5.309	303	3.81	22.464	353	4.42	-21.608
204	2.68	-6.135	254	3.25	12.284	304	3.83	3.375	354	4.43	7.067
205	2.69	-9.935	255	3.26	15.500	305	3.85	-7.478	355	4.44	8.286
206	2.70	-6.953	256	3.27	1.659	306	3.86	-12.780	356	4.45	6.471
207	2.71	9.719	257	3.28	-14.397	307	3.87	-5.342	357	4.46	2.677
208	2.72	9.703	258	3.29	-16.695	308	3.88	11.093	358	4.48	10.598
209	2.74	-12.167	259	3.30	-9.974	309	3.89	14.066	359	4.49	3.036
210	2.75	-12.204	260	3.31	9.217	310	3.90	12.259	360	4.50	-12.285
211	2.76	-3.511	261	3.32	18.911	311	3.91	11.681	361	4.51	-12.316
212	2.77	13.440	262	3.33	10.892	312	3.92	9.158	362	4.52	0.606
213	2.78	18.629	263	3.36	-15.797	313	3.94	-8.715	363	4.54	-0.710
214	2.79	11.605	264	3.37	-12.822	314	3.97	-2.127	364	4.56	-4.342
215	2.80	-14.235	265	3.38	-4.140	315	3.98	0.644	365	4.57	4.349
216	2.81	-15.532	266	3.39	-3.662	316	3.99	11.019	366	4.58	5.548
217	2.82	-9.578	267	3.41	-6.271	317	4.00	10.482	367	4.59	2.514
218	2.83	-3.388	268	3.42	3.662	318	4.03	-6.424	368	4.60	-3.038
219	2.84	0.311	269	3.43	14.619	319	4.04	-9.964	369	4.61	-3.811
220	2.85	-0.227	270	3.44	17.588	320	4.05	-2.507	370	4.63	10.314
221	2.86	-1.512	271	3.45	12.038	321	4.06	11.931	371	4.64	8.531
222	2.87	-6.580	272	3.46	-5.544	322	4.07	18.360	372	4.65	-6.556
223	2.88	-5.363	273	3.47	-7.571	323	4.08	17.852	373	4.66	-8.337
224	2.89	0.095	274	3.48	-7.114	324	4.09	9.046	374	4.67	-8.378
225	2.91	14.507	275	3.49	7.048	325	4.10	-13.255	375	4.68	8.307
226	2.92	6.662	276	3.50	7.268	326	4.11	-26.073	376	4.69	10.771
227	2.95	14.558	277	3.51	-5.305	327	4.12	-22.611	377	4.70	4.479
228	2.96	-5.029	278	3.53	-11.122	328	4.13	-16.390	378	4.71	-13.361
229	2.97	-11.309	279	3.54	-12.912	329	4.14	9.017	379	4.72	-12.886
230	2.98	-12.130	280	3.56	19.447	330	4.16	20.164	380	4.73	-2.195
231	3.00	-9.209	281	3.57	26.672	331	4.17	21.639	381	4.74	6.005
232	3.02	15.440	282	3.58	27.139	332	4.18	8.583	382	4.75	7.211
233	3.03	16.658	283	3.59	19.085	333	4.20	-8.022	383	4.76	1.680
234	3.04	-0.180	284	3.60	-8.252	334	4.21	-7.576	384	4.77	-7.147
235	3.05	-4.216	285	3.61	-16.548	335	4.23	-7.657	385	4.78	7.034
236	3.06	-2.514	286	3.62	-12.835	336	4.24	-1.459	386	4.80	19.206
237	3.08	1.149	287	3.64	14.792	337	4.25	-0.1774	387	4.81	21.869
238	3.09	-3.188	288	3.65	15.268	338	4.27	-5.099	388	4.82	11.094
239	3.10	-6.978	289	3.66	9.734	339	4.28	-3.424	389	4.83	-2.444
240	3.11	-7.777	290	3.67	-7.357	340	4.29	-0.984	390	4.84	-32.262
241	3.12	-6.050	291	3.69	-3.175	341	4.30	5.751	391	4.85	-33.033
242	3.13	2.837	292	3.70	-2.515	342	4.31	30.923	392	4.86	2.886
243	3.14	5.857	293	3.71	-5.807	343	4.32	28.645	393	4.87	16.092
244	3.15	-5.971	294	3.72	-4.593	344	4.33	-1.167	394	4.88	18.061
245	3.16	-11.775	295	3.73	5.348	345	4.34	-36.737	395	4.89	13.774
246	3.17	-11.799	296	3.74	7.076	346	4.35	-38.000	396	4.90	-3.300
247	3.18	21.361	297	3.75	2.243	347	4.36	-17.550	397	4.91	-6.591
248	3.19	25.823	298	3.76	-4.067	348	4.37	30.119	398	4.92	3.337
249	3.20	19.545	299	3.77	-9.616	349	4.38	30.594	399	4.93	16.302
250	3.21	-21.035	300	3.78	-8.638	350	4.39	8.267	400	4.94	19.782

INDEX NO. 811 1317-3R-1 HIROO BRIDGE TR. MAX.ACCEL.=-206.768(GAL) T=16.22(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	4.95	-1.080	451	5.52	-17.357	501	6.06	-7.344	551	6.60	19.495
402	4.96	-18.361	452	5.53	-14.905	502	6.07	-5.635	552	6.61	7.183
403	4.97	-30.403	453	5.55	23.451	503	6.08	-0.687	553	6.62	3.402
404	4.98	-29.942	454	5.56	31.919	504	6.09	5.500	554	6.63	0.071
405	5.00	21.923	455	5.57	32.397	505	6.10	9.209	555	6.64	0.019
406	5.01	28.632	456	5.59	-0.725	506	6.11	10.641	556	6.65	-5.529
407	5.02	30.580	457	5.60	-5.516	507	6.13	7.341	557	6.66	-8.318
408	5.04	25.518	458	5.61	-0.812	508	6.14	9.764	558	6.67	-9.604
409	5.05	18.708	459	5.62	-7.607	509	6.15	15.457	559	6.68	10.303
410	5.06	1.405	460	5.63	1.065	510	6.16	15.427	560	6.70	13.488
411	5.07	-25.672	461	5.64	7.253	511	6.17	-0.639	561	6.71	16.435
412	5.08	-26.964	462	5.65	4.722	512	6.18	-10.928	562	6.72	-12.395
413	5.09	-27.253	463	5.66	-11.590	513	6.19	-13.476	563	6.73	-31.448
414	5.10	-6.058	464	5.67	-16.652	514	6.20	-16.023	564	6.74	-30.978
415	5.11	7.903	465	5.68	-19.185	515	6.21	-16.075	565	6.75	-23.026
416	5.12	23.344	466	5.69	4.500	516	6.22	-21.384	566	6.76	-0.570
417	5.13	18.823	467	5.70	6.704	517	6.23	-24.685	567	6.77	21.858
418	5.14	-2.764	468	5.71	11.897	518	6.24	-25.977	568	6.78	27.543
419	5.15	-4.544	469	5.72	0.113	519	6.25	-24.757	569	6.79	24.018
420	5.16	-2.343	470	5.73	-2.446	520	6.26	14.416	570	6.81	-25.108
421	5.17	-1.661	471	5.74	-6.992	521	6.27	40.867	571	6.82	-25.134
422	5.19	-3.469	472	5.75	-6.517	522	6.28	43.594	572	6.83	-20.177
423	5.21	8.147	473	5.76	4.645	523	6.29	32.300	573	6.84	15.242
424	5.22	2.615	474	5.77	9.602	524	6.30	-12.774	574	6.85	25.956
425	5.24	-9.496	475	5.78	12.802	525	6.31	-16.548	575	6.86	27.914
426	5.25	-9.025	476	5.79	14.763	526	6.32	3.875	576	6.87	27.349
427	5.27	2.854	477	5.80	12.987	527	6.33	17.812	577	6.88	24.045
428	5.28	1.583	478	5.81	-14.079	528	6.34	17.262	578	6.89	18.502
429	5.29	-9.003	479	5.82	-42.159	529	6.36	13.456	579	6.90	8.945
430	5.30	-10.273	480	5.83	-45.952	530	6.37	-4.137	580	6.91	-6.857
431	5.32	36.102	481	5.84	-37.984	531	6.39	-25.484	581	6.92	-5.885
432	5.33	36.329	482	5.85	-17.765	532	6.40	-29.265	582	6.93	12.812
433	5.34	16.768	483	5.86	23.141	533	6.41	-29.293	583	6.94	21.028
434	5.35	-26.552	484	5.87	22.114	534	6.42	-22.621	584	6.95	11.703
435	5.36	-38.596	485	5.88	20.085	535	6.43	-10.648	585	6.96	-9.347
436	5.37	-40.125	486	5.89	11.261	536	6.44	26.267	586	6.97	-35.915
437	5.38	-33.156	487	5.90	14.238	537	6.45	28.738	587	6.98	-38.446
438	5.39	16.262	488	5.91	11.174	538	6.46	24.952	588	6.99	-29.255
439	5.40	32.707	489	5.93	4.807	539	6.47	16.151	589	7.00	-14.297
440	5.41	32.691	490	5.95	-0.269	540	6.48	9.109	590	7.01	16.880
441	5.42	7.362	491	5.96	-5.596	541	6.49	0.296	591	7.02	19.357
442	5.43	-0.924	492	5.97	-1.377	542	6.50	-1.754	592	7.03	19.323
443	5.44	-8.501	493	5.98	14.554	543	6.51	4.424	593	7.04	18.484
444	5.45	-4.023	494	5.99	17.019	544	6.52	18.116	594	7.05	24.428
445	5.46	8.664	495	6.00	2.699	545	6.53	16.341	595	7.06	23.903
446	5.47	19.617	496	6.01	-9.605	546	6.55	-6.536	596	7.07	11.865
447	5.48	23.308	497	6.02	-6.836	547	6.56	-4.327	597	7.08	13.052
448	5.49	20.274	498	6.03	0.802	548	6.57	2.626	598	7.09	18.509
449	5.50	9.494	499	6.04	2.005	549	6.58	14.564	599	7.10	22.216
450	5.51	-12.080	500	6.05	-1.525	550	6.59	19.535	600	7.11	16.154

INDEX NO. 811 1317-3R-1 HIROO BRIDGE TR. MAX.ACCEL.=-206.768(GAL) T=16.22(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	7.12	-29.176	651	7.64	42.992	701	8.16	44.146	751	8.68	39.362
602	7.13	-43.217	652	7.65	42.471	702	8.17	42.865	752	8.69	-22.955
603	7.14	-43.238	653	7.66	21.172	703	8.18	39.073	753	8.70	-28.487
604	7.15	-10.551	654	7.67	-9.399	704	8.19	39.284	754	8.71	3.441
605	7.16	21.130	655	7.68	-31.224	705	8.20	-10.307	755	8.72	16.646
606	7.17	26.332	656	7.69	-29.000	706	8.21	-34.600	756	8.73	17.884
607	7.18	23.306	657	7.70	16.435	707	8.22	-35.869	757	8.75	-2.227
608	7.20	-59.309	658	7.71	27.882	708	8.23	19.793	758	8.76	-4.259
609	7.21	-63.835	659	7.72	29.117	709	8.24	24.016	759	8.77	-11.840
610	7.22	-5.172	660	7.73	21.814	710	8.25	22.237	760	8.78	-20.150
611	7.23	48.782	661	7.74	-4.261	711	8.26	0.663	761	8.79	-15.929
612	7.24	54.002	662	7.75	-11.031	712	8.27	-25.893	762	8.80	1.019
613	7.25	36.927	663	7.76	-12.126	713	8.28	-42.443	763	8.81	4.250
614	7.26	21.635	664	7.78	-15.948	714	8.29	-42.976	764	8.82	-0.059
615	7.27	6.345	665	7.79	1.484	715	8.30	-19.527	765	8.83	-10.121
616	7.28	-17.212	666	7.80	2.712	716	8.31	13.398	766	8.84	-7.896
617	7.29	-18.989	667	7.81	-8.603	717	8.32	18.620	767	8.85	28.538
618	7.30	-6.048	668	7.82	-23.667	718	8.33	21.837	768	8.86	40.235
619	7.31	7.903	669	7.83	-26.941	719	8.34	25.533	769	8.87	17.685
620	7.32	28.083	670	7.84	-20.234	720	8.35	37.462	770	8.88	-30.126
621	7.33	26.807	671	7.85	36.935	721	8.36	41.908	771	8.89	-32.643
622	7.34	13.024	672	7.86	62.132	722	8.37	32.627	772	8.90	8.030
623	7.35	-31.300	673	7.87	63.366	723	8.38	18.851	773	8.91	29.736
624	7.36	-42.369	674	7.88	33.058	724	8.39	-4.965	774	8.92	35.458
625	7.37	-40.140	675	7.89	-27.022	725	8.40	-13.034	775	8.93	-14.821
626	7.38	43.029	676	7.90	-27.295	726	8.41	-12.554	776	8.94	-38.672
627	7.39	50.990	677	7.91	28.880	727	8.42	-8.873	777	8.95	-36.434
628	7.40	49.968	678	7.92	36.592	728	8.43	-20.439	778	8.96	14.976
629	7.41	27.426	679	7.93	34.065	729	8.44	-33.223	779	8.97	16.194
630	7.42	-42.164	680	7.94	21.015	730	8.45	-7.520	780	8.98	17.384
631	7.43	-62.469	681	7.95	-8.309	731	8.46	5.933	781	8.99	21.582
632	7.44	-61.989	682	7.96	-36.377	732	8.47	5.905	782	9.00	24.791
633	7.45	-30.554	683	7.97	-40.902	733	8.48	-3.438	783	9.01	24.257
634	7.46	13.390	684	7.98	-30.468	734	8.49	-4.216	784	9.02	14.208
635	7.47	55.832	685	8.00	13.608	735	8.50	9.978	785	9.03	-17.370
636	7.48	54.814	686	8.01	51.365	736	8.51	23.434	786	9.04	-32.651
637	7.49	14.234	687	8.02	60.344	737	8.52	32.372	787	9.05	-36.683
638	7.50	6.715	688	8.03	69.564	738	8.53	31.079	788	9.06	-28.228
639	7.51	-6.855	689	8.04	27.999	739	8.54	28.031	789	9.07	19.437
640	7.52	-8.144	690	8.05	-27.325	740	8.55	27.991	790	9.08	34.646
641	7.53	-6.927	691	8.06	-30.600	741	8.56	13.950	791	9.09	35.124
642	7.54	12.991	692	8.07	-19.393	742	8.57	-19.368	792	9.10	1.306
643	7.56	63.137	693	8.08	-7.460	743	8.58	-26.144	793	9.11	-8.994
644	7.57	64.116	694	8.09	-12.493	744	8.59	-15.693	794	9.12	-10.275
645	7.58	32.057	695	8.10	-19.278	745	8.60	19.236	795	9.13	11.395
646	7.59	-34.517	696	8.11	-32.830	746	8.61	21.214	796	9.14	17.119
647	7.60	-57.319	697	8.12	-33.396	747	8.62	1.664	797	9.15	29.305
648	7.61	-57.587	698	8.13	-16.705	748	8.63	-40.419	798	9.16	36.742
649	7.62	-18.644	699	8.14	15.485	749	8.64	-39.941	799	9.17	32.970
650	7.63	15.052	700	8.15	33.448	750	8.67	50.640	800	9.18	-11.374

土木構造物における加速度強震記録（No. 9）

INDEX NO. 811 1317-GR-1 HIROO BRIDGE TR. MAX.ACCEL.=-206.768(GAL) T=16.22(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	9.19	-19.169	851	9.71	28.781	901	10.21	-14.988	951	10.72	-13.828
802	9.20	-17.931	852	9.72	-67.813	902	10.22	10.447	952	10.73	17.845
803	9.21	8.488	853	9.73	-89.113	903	10.23	-15.382	953	10.74	25.560
804	9.22	11.474	854	9.74	-87.373	904	10.24	-18.422	954	10.75	8.740
805	9.23	-10.373	855	9.75	-48.188	905	10.25	-14.200	955	10.76	-7.700
806	9.25	-40.194	856	9.76	-3.986	906	10.26	14.719	956	10.78	-52.990
807	9.26	-33.477	857	9.77	20.951	907	10.27	38.913	957	10.79	-56.175
808	9.27	34.179	858	9.78	20.407	908	10.28	44.398	958	10.80	-15.512
809	9.28	51.878	859	9.79	18.350	909	10.29	39.598	959	10.82	36.638
810	9.29	46.348	860	9.80	27.306	910	10.30	18.557	960	10.83	53.841
811	9.30	34.576	861	9.81	36.514	911	10.31	-18.269	961	10.84	56.823
812	9.31	13.276	862	9.82	39.695	912	10.32	-22.826	962	10.85	45.016
813	9.32	7.455	863	9.83	41.659	913	10.33	-19.636	963	10.86	12.704
814	9.33	8.652	864	9.84	26.094	914	10.34	-16.663	964	10.87	-13.602
815	9.34	13.099	865	9.85	12.064	915	10.35	8.027	965	10.88	-21.173
816	9.35	8.049	866	9.86	2.534	916	10.36	45.211	966	10.89	-18.207
817	9.36	2.505	867	9.87	1.689	917	10.37	46.445	967	10.90	-13.732
818	9.37	-4.054	868	9.88	5.416	918	10.38	25.368	968	10.91	26.678
819	9.38	-5.344	869	9.89	14.116	919	10.39	5.323	969	10.92	41.877
820	9.39	-5.395	870	9.90	2.811	920	10.40	-31.992	970	10.93	41.844
821	9.40	-5.440	871	9.91	-50.513	921	10.41	-42.292	971	10.94	36.812
822	9.41	-3.240	872	9.92	-53.539	922	10.42	-39.309	972	10.95	-12.754
823	9.42	3.685	873	9.93	-43.076	923	10.43	24.097	973	10.96	-55.815
824	9.44	23.107	874	9.94	13.849	924	10.44	51.803	974	10.97	-58.834
825	9.45	21.323	875	9.95	46.049	925	10.45	51.785	975	10.98	-37.893
826	9.46	6.270	876	9.96	66.753	926	10.47	35.425	976	10.99	-21.930
827	9.47	-30.569	877	9.97	67.728	927	10.48	21.842	977	11.00	-23.744
828	9.48	-30.587	878	9.98	48.905	928	10.49	11.290	978	11.01	-23.788
829	9.49	-2.410	879	9.99	41.379	929	10.50	1.747	979	11.02	-8.878
830	9.50	8.302	880	10.00	-0.693	930	10.51	-13.056	980	11.03	-5.672
831	9.51	7.759	881	10.01	-40.261	931	10.52	-14.846	981	11.05	-13.247
832	9.52	-5.568	882	10.02	-41.030	932	10.53	-13.121	982	11.06	-7.801
833	9.53	-8.110	883	10.03	-19.093	933	10.54	-6.208	983	11.07	7.415
834	9.54	-7.637	884	10.04	-6.373	934	10.55	-6.993	984	11.08	29.597
835	9.55	-3.191	885	10.05	-3.710	935	10.56	5.700	985	11.09	46.040
836	9.56	15.741	886	10.06	-20.757	936	10.57	7.420	986	11.10	56.980
837	9.57	28.932	887	10.07	-32.318	937	10.58	5.637	987	11.11	51.959
838	9.58	30.910	888	10.08	-30.591	938	10.59	3.038	988	11.12	22.911
839	9.59	45.335	889	10.09	-21.144	939	10.60	9.237	989	11.13	-16.661
840	9.60	48.566	890	10.10	-15.672	940	10.61	14.701	990	11.14	-20.433
841	9.61	38.022	891	10.11	29.485	941	10.62	19.168	991	11.15	-16.986
842	9.62	-26.320	892	10.12	50.178	942	10.63	14.856	992	11.16	-16.817
843	9.63	-33.107	893	10.13	57.397	943	10.64	10.293	993	11.17	-35.881
844	9.64	-36.419	894	10.14	59.125	944	10.65	24.253	994	11.18	-42.429
845	9.65	-34.690	895	10.15	54.023	945	10.66	26.731	995	11.19	-41.197
846	9.66	-30.976	896	10.16	30.769	946	10.67	19.926	996	11.20	-26.750
847	9.67	35.440	897	10.17	-60.822	947	10.68	8.632	997	11.21	4.171
848	9.68	59.638	898	10.18	-78.622	948	10.69	-31.714	998	11.22	25.122
849	9.69	60.124	899	10.19	-78.138	949	10.70	-36.758	999	11.23	28.834
850	9.70	53.329	900	10.20	-32.707	950	10.71	-31.777	1000	11.24	21.303

INDEX NO. 811 1317-GR-1 HIROO BRIDGE TR. MAX.ACCEL.=-206.768(GAL) T=16.22(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	11.25	-11.518	1051	11.75	10.740	1101	12.26	-54.301	1151	12.78	-31.936
1002	11.26	-15.553	1052	11.76	-11.575	1102	12.27	-27.106	1152	12.79	-31.463
1003	11.27	15.876	1053	11.77	12.621	1103	12.28	-17.645	1153	12.80	-24.495
1004	11.28	17.353	1054	11.78	31.815	1104	12.29	-5.214	1154	12.81	-12.800
1005	11.29	3.048	1055	11.79	32.546	1105	12.30	4.470	1155	12.82	0.635
1006	11.30	-9.766	1056	11.80	12.975	1106	12.31	4.443	1156	12.83	36.060
1007	11.31	-9.786	1057	11.81	-26.324	1107	12.32	4.907	1157	12.84	37.786
1008	11.32	14.871	1058	11.82	-42.390	1108	12.33	-8.679	1158	12.85	29.253
1009	11.33	22.828	1059	11.83	-36.908	1109	12.34	-14.472	1159	12.86	8.951
1010	11.34	22.042	1060	11.84	-10.965	1110	12.35	-16.248	1160	12.87	4.399
1011	11.35	17.006	1061	11.85	-1.756	1111	12.36	-12.787	1161	12.88	6.814
1012	11.36	5.200	1062	11.86	4.654	1112	12.37	-10.335	1162	12.89	16.018
1013	11.37	9.380	1063	11.87	19.358	1113	12.38	5.350	1163	12.90	16.740
1014	11.38	21.080	1064	11.88	21.833	1114	12.39	19.797	1164	12.91	13.887
1015	11.39	22.312	1065	11.89	21.292	1115	12.40	27.245	1165	12.92	-8.644
1016	11.40	4.241	1066	11.91	15.440	1116	12.41	28.984	1166	12.93	-17.424
1017	11.41	-9.799	1067	11.92	-21.378	1117	12.42	16.414	1167	12.94	-27.737
1018	11.42	-52.386	1068	11.93	-58.693	1118	12.43	-7.423	1168	12.95	-25.261
1019	11.43	-59.919	1069	11.94	-61.975	1119	12.44	12.033	1169	12.96	-3.812
1020	11.44	-61.192	1070	11.95	-28.786	1120	12.45	27.978	1170	12.97	13.890
1021	11.45	-30.499	1071	11.96	-12.815	1121	12.46	23.698	1171	12.98	24.316
1022	11.46	45.917	1072	11.97	16.854	1122	12.47	12.889	1172	12.99	19.538
1023	11.47	53.151	1073	11.98	14.573	1123	12.48	8.871	1173	13.00	-9.545
1024	11.48	38.086	1074	11.99	12.035	1124	12.49	-5.195	1174	13.01	-20.829
1025	11.49	17.786	1075	12.00	11.204	1125	12.50	-9.522	1175	13.02	-25.604
1026	11.50	-4.031	1076	12.01	12.430	1126	12.51	-15.627	1176	13.03	5.829
1027	11.51	-4.560	1077	12.02	30.107	1127	12.52	-15.337	1177	13.04	33.004
1028	11.52	0.147	1078	12.03	52.817	1128	12.53	-2.396	1178	13.05	31.230
1029	11.53	3.350	1079	12.04	53.295	1129	12.55	-2.995	1179	13.06	24.443
1030	11.54	5.766	1080	12.05	23.233	1130	12.56	4.454	1180	13.07	-6.869
1031	11.55	8.728	1081	12.06	-14.334	1131	12.57	14.635	1181	13.08	-35.159
1032	11.56	1.927	1082	12.07	-17.610	1132	12.58	21.344	1182	13.09	-68.243
1033	11.57	-3.130	1083	12.08	-14.661	1133	12.59	28.549	1183	13.10	-73.532
1034	11.58	-1.910	1084	12.09	-7.209	1134	12.60	26.749	1184	13.11	-61.314
1035	11.59	1.054	1085	12.10	0.500	1135	12.61	15.936	1185	13.12	-26.355
1036	11.60	7.211	1086	12.11	12.944	1136	12.62	5.149	1186	13.13	23.582
1037	11.61	10.924	1087	12.12	11.641	1137	12.63	-12.673	1187	13.14	50.279
1038	11.62	23.609	1088	12.13	16.096	1138	12.64	-22.479	1188	13.15	64.982
1039	11.63	19.827	1089	12.14	29.530	1139	12.65	-27.506	1189	13.16	67.454
1040	11.64	6.287	1090	12.15	32.504	1140	12.66	-36.574	1190	13.17	44.876
1041	11.65	-36.040	1091	12.16	7.915	1141	12.67	-32.848	1191	13.18	12.577
1042	11.66	-45.825	1092	12.17	-11.110	1142	12.68	-20.903	1192	13.19	-21.231
1043	11.67	-49.364	1093	12.18	-51.184	1143	12.69	-10.186	1193	13.20	-25.775
1044	11.68	-38.174	1094	12.19	-53.703	1144	12.70	10.754	1194	13.21	-29.078
1045	11.69	-17.693	1095	12.20	-16.034	1145	12.71	20.667	1195	13.22	-46.890
1046	11.70	-9.758	1096	12.21	-3.560	1146	12.72	25.629	1196	13.23	-53.165
1047	11.71	25.669	1097	12.22	26.380	1147	12.73	39.085	1197	13.24	-51.447
1048	11.72	35.366	1098	12.23	28.103	1148	12.74	39.798	1198	13.25	-5.260
1049	11.73	33.580	1099	12.24	-34.981	1149	12.75	25.246	1199	13.26	35.165
1050	11.74	30.300	1100	12.25	-59.011	1150	12.76	14.711	1200	13.27	37.626

INDEX NO. 811 1317-SR-1 HIROO BRIDGE TR. MAX.ACCEL.=-206.76B(GAL) T=16.22(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	13.28	37.076	1251	13.80	52.901	1301	14.31	27.664	1351	14.82	-44.689
1202	13.29	35.785	1252	13.81	42.943	1302	14.32	28.857	1352	14.83	-40.970
1203	13.30	39.711	1253	13.82	29.369	1303	14.33	32.043	1353	14.84	-15.768
1204	13.31	28.920	1254	13.83	16.089	1304	14.34	33.012	1354	14.85	26.416
1205	13.32	-19.369	1255	13.84	-13.758	1305	14.36	14.169	1355	14.86	30.892
1206	13.33	-62.690	1256	13.85	-19.536	1306	14.37	-13.905	1356	14.87	24.843
1207	13.34	-66.212	1257	13.86	-25.695	1307	14.38	-32.465	1357	14.88	15.805
1208	13.35	-47.767	1258	13.87	-25.891	1308	14.39	-37.496	1358	14.89	-11.292
1209	13.36	-24.322	1259	13.88	-32.954	1309	14.40	-26.302	1359	14.90	-21.591
1210	13.37	15.622	1260	13.89	-29.976	1310	14.41	-2.367	1360	14.91	-18.622
1211	13.38	24.561	1261	13.90	-15.051	1311	14.42	16.843	1361	14.92	-9.893
1212	13.39	20.600	1262	13.91	-17.590	1312	14.43	22.310	1362	14.93	33.268
1213	13.40	-12.770	1263	13.92	-23.152	1313	14.44	10.498	1363	14.94	39.994
1214	13.41	-35.576	1264	13.93	-20.190	1314	14.45	-8.063	1364	14.95	40.703
1215	13.42	-39.370	1265	13.94	-8.721	1315	14.46	-3.591	1365	14.98	-11.740
1216	13.43	-31.399	1266	13.95	24.206	1316	14.47	5.596	1366	14.99	-24.035
1217	13.44	-6.961	1267	13.96	42.385	1317	14.48	15.041	1367	15.00	-37.339
1218	13.45	4.988	1268	13.97	46.691	1318	14.49	15.515	1368	15.01	-55.139
1219	13.46	17.699	1269	13.98	33.613	1319	14.50	-17.822	1369	15.02	-57.675
1220	13.47	32.080	1270	14.00	-3.018	1320	14.51	-46.376	1370	15.03	-45.972
1221	13.48	26.068	1271	14.01	-44.595	1321	14.52	-49.656	1371	15.04	-23.247
1222	13.50	22.252	1272	14.02	10.339	1322	14.53	-39.195	1372	15.05	38.906
1223	13.51	19.701	1273	14.03	11.052	1323	14.54	-10.489	1373	15.06	59.105
1224	13.52	14.653	1274	14.04	6.514	1324	14.55	12.698	1374	15.07	60.337
1225	13.53	-1.410	1275	14.05	-7.963	1325	14.56	13.914	1375	15.09	38.480
1226	13.54	-12.971	1276	14.06	-15.599	1326	14.57	10.051	1376	15.10	33.947
1227	13.55	-21.785	1277	14.07	-19.387	1327	14.58	22.274	1377	15.13	29.248
1228	13.56	-27.086	1278	14.08	-16.659	1328	14.59	25.489	1378	15.14	27.220
1229	13.57	-32.129	1279	14.09	-14.017	1329	14.60	24.705	1379	15.15	16.680
1230	13.58	-35.433	1280	14.10	-2.805	1330	14.61	17.913	1380	15.16	-1.388
1231	13.59	-32.971	1281	14.11	13.628	1331	14.62	-30.431	1381	15.17	-5.914
1232	13.60	-27.251	1282	14.12	26.335	1332	14.63	-46.480	1382	15.18	-4.218
1233	13.61	0.674	1283	14.13	32.547	1333	14.64	-47.746	1383	15.19	7.709
1234	13.62	47.367	1284	14.14	32.022	1334	14.65	-22.041	1384	15.21	29.840
1235	13.63	70.830	1285	14.15	23.220	1335	14.66	20.628	1385	15.22	29.309
1236	13.64	74.054	1286	14.16	29.902	1336	14.67	34.581	1386	15.23	16.760
1237	13.65	61.496	1287	14.17	38.358	1337	14.68	37.059	1387	15.25	-10.571
1238	13.66	43.197	1288	14.18	32.792	1338	14.69	20.753	1388	15.26	-40.642
1239	13.67	19.635	1289	14.19	25.259	1339	14.70	-20.573	1389	15.27	-40.192
1240	13.68	-15.443	1290	14.20	4.952	1340	14.71	-32.640	1390	15.28	-30.247
1241	13.69	-21.239	1291	14.21	-35.365	1341	14.72	-67.670	1391	15.29	-28.295
1242	13.70	-16.265	1292	14.22	-60.159	1342	14.73	-70.976	1392	15.30	-33.822
1243	13.71	-1.311	1293	14.23	-66.451	1343	14.74	-67.251	1393	15.31	-38.895
1244	13.72	-8.676	1294	14.24	-65.483	1344	14.75	-51.801	1394	15.32	-34.172
1245	13.73	-25.930	1295	14.25	-53.530	1345	14.76	-14.662	1395	15.33	-14.472
1246	13.74	-39.238	1296	14.26	-26.630	1346	14.77	37.824	1396	15.34	15.935
1247	13.75	-37.506	1297	14.27	31.324	1347	14.78	42.060	1397	15.35	22.649
1248	13.76	-4.838	1298	14.28	40.279	1348	14.79	25.999	1398	15.36	24.616
1249	13.76	38.306	1299	14.29	33.482	1349	14.80	-0.315	1399	15.37	18.291
1250	13.79	53.916	1300	14.30	26.455	1350	14.81	-25.621	1400	15.38	6.990

INDEX NO. 811 1317-SR-1 HIROO BRIDGE TR. MAX.ACCEL.=-206.76B(GAL) T=16.22(SEC) NO. 8

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1401	15.41	-34.407	1451	15.91	-5.913	1501	16.43	-196.318	1551	16.94	-47.139
1402	15.42	-36.950	1452	15.92	24.766	1502	16.44	-162.362	1552	16.95	-59.446
1403	15.43	-30.980	1453	15.93	39.469	1503	16.45	-95.912	1553	16.96	-70.732
1404	15.44	-10.067	1454	15.94	37.637	1504	16.46	66.003	1554	16.97	-81.522
1405	15.45	-5.894	1455	15.95	19.331	1505	16.47	124.960	1555	16.98	-94.341
1406	15.46	1.321	1456	15.96	-12.432	1506	16.48	174.414	1556	16.99	-95.121
1407	15.47	7.535	1457	15.97	-16.714	1507	16.49	176.395	1557	17.00	-101.428
1408	15.48	26.996	1458	15.98	-10.780	1508	16.50	136.823	1558	17.01	-115.490
1409	15.49	35.956	1459	15.99	16.491	1509	16.51	53.255	1559	17.02	-117.258
1410	15.50	29.901	1460	16.00	23.117	1510	16.52	-18.549	1560	17.03	-96.801
1411	15.51	8.353	1461	16.01	20.805	1511	16.53	-51.351	1561	17.04	-53.606
1412	15.52	-9.472	1462	16.03	16.239	1512	16.54	-76.875	1562	17.05	27.550
1413	15.53	-8.998	1463	16.04	-10.048	1513	16.55	-108.703	1563	17.06	64.750
1414	15.54	23.671	1464	16.05	-20.887	1514	16.56	-106.973	1564	17.07	82.468
1415	15.55	40.133	1465	16.06	-38.447	1515	16.58	-22.057	1565	17.08	88.904
1416	15.56	53.354	1466	16.07	-60.011	1516	16.59	19.600	1566	17.10	87.597
1417	15.57	73.517	1467	16.08	-56.279	1517	16.60	46.306	1567	17.11	79.029
1418	15.58	74.741	1468	16.09	-16.322	1518	16.61	64.006	1568	17.12	64.995
1419	15.59	64.930	1469	16.10	22.617	1519	16.62	67.728	1569	17.13	32.424
1420	15.60	51.642	1470	16.11	61.541	1520	16.63	65.193	1570	17.14	8.376
1421	15.61	38.853	1471	16.12	82.257	1521	16.64	58.871	1571	17.15	-3.172
1422	15.62	-11.225	1472	16.13	99.458	1522	16.65	58.844	1572	17.16	4.769
1423	15.63	-36.790	1473	16.14	96.432	1523	16.66	58.794	1573	17.17	9.231
1424	15.64	-36.613	1474	16.15	67.354	1524	16.67	37.986	1574	17.18	13.393
1425	15.65	-36.346	1475	16.16	48.330	1525	16.68	-36.352	1575	17.20	14.577
1426	15.66	-16.893	1476	16.17	-49.006	1526	16.69	-61.691	1576	17.21	2.264
1427	15.67	53.529	1477	16.18	-102.550	1527	16.70	-76.439	1577	17.22	-18.798
1428	15.68	83.219	1478	16.19	-162.600	1528	16.71	-81.488	1578	17.23	-35.854
1429	15.69	64.449	1479	16.20	-195.674	1529	16.72	-72.269	1579	17.24	-48.135
1430	15.70	66.392	1480	16.21	-200.951	1530	16.73	-33.082	1580	17.25	-62.182
1431	15.71	46.856	1481	16.22	-206.768	1531	16.74	30.368	1581	17.26	-73.979
1432	15.72	-27.725	1482	16.23	-206.297	1532	16.75	64.555	1582	17.27	-90.063
1433	15.73	-67.776	1483	16.24	-116.616	1533	16.76	84.022	1583	17.28	-88.850
1434	15.74	-98.842	1484	16.25	-61.148	1534	16.77	91.742	1584	17.29	-82.621
1435	15.75	-99.612	1485	16.26	41.047	1535	16.78	84.433	1585	17.30	-40.928
1436	15.76	-77.681	1486	16.27	81.567	1536	16.79	41.373	1586	17.31	-6.726
1437	15.77	-57.465	1487	16.28	124.707	1537	16.80	21.344	1587	17.32	15.209
1438	15.78	-21.522	1488	16.29	186.847	1538	16.81	-20.977	1588	17.33	14.181
1439	15.79	-10.067	1489	16.30	202.622	1539	16.82	-40.276	1589	17.34	-2.914
1440	15.80	19.866	1490	16.31	199.000	1540	16.83	-46.067	1590	17.35	-9.702
1441	15.81	40.078	1491	16.32	143.230	1541	16.84	-23.367	1591	17.36	-10.977
1442	15.82	87.500	1492	16.33	79.664	1542	16.85	46.308	1592	17.37	4.945
1443	15.83	99.716	1493	16.35	30.655	1543	16.86	74.267	1593	17.38	4.812
1444	15.84	102.177	1494	16.36	-23.965	1544	16.87	80.967	1594	17.39	2.620
1445	15.85	99.651	1495	16.37	-66.516	1545	16.88	78.674	1595	17.40	-1.447
1446	15.86	85.051	1496	16.38	-94.595	1546	16.89	73.642	1596	17.41	4.768
1447	15.87	56.530	1497	16.39	-106.141	1547	16.90	33.328	1597	17.42	11.695
1448	15.88	39.499	1498	16.40	-120.184	1548	16.91	14.040	1598	17.44	-9.661
1449	15.89	11.696	1499	16.41	-107.993	1549	16.92	-28.780	1599	17.45	-17.456
1450	15.90	-9.615	1500	16.42	-191.793	1550	16.93	-44.090	1600	17.46	-18.735

土木構造物における加速度強震記録（No. 9）

INDEX NO. 811 1317-GR-1 HIROO BRIDGE TR. MAX.ACCEL.=-296.768(GAL) T=16.22(SEC) NO. 9

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1601	17.47	-14.534	1651	18.01	-7.510	1701	18.52	36.954	1751	19.06	35.206
1602	17.49	0.356	1652	18.02	-35.564	1702	18.53	-5.098	1752	19.07	37.672
1603	17.50	14.525	1653	18.03	-60.652	1703	18.54	-63.412	1753	19.08	33.887
1604	17.51	32.726	1654	18.04	-66.655	1704	18.55	-95.722	1754	19.11	-5.544
1605	17.52	38.444	1655	18.05	-36.721	1705	18.56	-99.243	1755	19.12	-3.823
1606	17.53	37.413	1656	18.06	-9.272	1706	18.57	-46.825	1756	19.13	5.627
1607	17.54	19.098	1657	18.07	5.941	1707	18.58	-33.360	1757	19.14	22.540
1608	17.55	-7.711	1658	18.08	26.151	1708	18.59	-8.153	1758	19.15	22.009
1609	17.56	-45.271	1659	18.09	52.632	1709	18.60	33.781	1759	19.16	17.719
1610	17.57	-66.822	1660	18.10	52.307	1710	18.61	35.008	1760	19.17	-4.343
1611	17.58	-67.583	1661	18.11	42.760	1711	18.62	23.695	1761	19.18	-22.399
1612	17.59	-19.172	1662	18.12	18.207	1712	18.63	23.645	1762	19.19	-32.428
1613	17.60	5.030	1663	18.13	-44.119	1713	18.64	23.590	1763	19.20	-36.211
1614	17.61	17.724	1664	18.14	-80.663	1714	18.65	10.792	1764	19.21	-22.014
1615	17.62	18.447	1665	18.15	-100.949	1715	18.66	-9.510	1765	19.22	7.670
1616	17.63	15.413	1666	18.16	-105.227	1716	18.67	-26.041	1766	19.23	8.126
1617	17.64	-29.922	1667	18.17	-61.783	1717	18.68	-48.122	1767	19.24	7.066
1618	17.65	-33.714	1668	18.18	26.888	1718	18.69	-54.678	1768	19.26	-2.548
1619	17.66	-38.014	1669	18.19	52.355	1719	18.70	-54.216	1769	19.27	-2.078
1620	17.67	-33.795	1670	18.20	79.537	1720	18.71	-46.241	1770	19.28	17.592
1621	17.69	-17.167	1671	18.21	74.753	1721	18.72	3.165	1771	19.29	22.559
1622	17.70	-9.948	1672	18.22	35.957	1722	18.75	16.555	1772	19.30	23.766
1623	17.71	19.237	1673	18.23	-22.620	1723	18.76	32.491	1773	19.31	16.224
1624	17.72	30.936	1674	18.24	-39.645	1724	18.77	17.426	1774	19.33	-8.381
1625	17.73	34.414	1675	18.25	-69.697	1725	18.79	-6.335	1775	19.34	-37.445
1626	17.74	34.369	1676	18.26	-96.518	1726	18.80	-22.961	1776	19.35	-57.501
1627	17.75	33.821	1677	18.27	-96.542	1727	18.81	-45.044	1777	19.36	-63.779
1628	17.76	34.271	1678	18.28	-72.084	1728	18.82	-47.080	1778	19.37	-66.318
1629	17.77	33.722	1679	18.29	15.108	1729	18.83	-48.367	1779	19.39	-32.436
1630	17.78	32.903	1680	18.30	67.043	1730	18.84	-47.150	1780	19.40	-23.724
1631	17.80	44.060	1681	18.31	79.758	1731	18.86	-24.254	1781	19.41	-7.036
1632	17.81	39.763	1682	18.32	81.462	1732	18.87	10.658	1782	19.42	-1.606
1633	17.82	15.704	1683	18.33	80.915	1733	18.88	17.122	1783	19.43	-5.906
1634	17.83	-27.361	1684	18.34	61.340	1734	18.89	12.065	1784	19.45	-19.243
1635	17.84	-84.175	1685	18.35	37.297	1735	18.90	10.259	1785	19.46	-17.281
1636	17.85	-117.208	1686	18.36	8.494	1736	18.91	6.470	1786	19.47	-13.583
1637	17.86	-132.506	1687	18.37	-13.558	1737	18.92	-2.327	1787	19.48	-6.892
1638	17.87	-127.533	1688	18.38	-34.111	1738	18.93	-12.630	1788	19.50	4.273
1639	17.88	-76.374	1689	18.39	-57.670	1739	18.94	-14.671	1789	19.51	-2.536
1640	17.89	-38.921	1690	18.40	-67.971	1740	18.95	-17.757	1790	19.52	-16.858
1641	17.90	-16.953	1691	18.42	-73.550	1741	18.96	-25.552	1791	19.53	-17.639
1642	17.91	42.730	1692	18.43	-73.078	1742	18.97	-40.844	1792	19.54	-15.923
1643	17.92	72.678	1693	18.44	-47.385	1743	18.98	-56.897	1793	19.55	-6.470
1644	17.93	71.393	1694	18.45	-6.934	1744	18.99	-64.450	1794	19.56	-1.545
1645	17.94	48.100	1695	18.46	63.746	1745	19.00	-66.475	1795	19.57	12.902
1646	17.95	42.280	1696	18.47	102.195	1746	19.01	-44.050	1796	19.58	20.852
1647	17.97	43.974	1697	18.48	112.391	1747	19.02	-31.845	1797	19.59	21.322
1648	17.98	36.663	1698	18.49	113.105	1748	19.03	-21.146	1798	19.60	2.256
1649	17.99	26.851	1699	18.50	108.080	1749	19.04	-0.940	1799	19.61	-13.552
1650	18.00	16.050	1700	18.51	73.256	1750	19.05	26.493	1800	19.62	-26.346

INDEX NO. 811 1317-GR-1 HIROO BRIDGE TR. MAX.ACCEL.=-206.768(GAL) T=16.22(SEC) NO.10

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1801	19.63	-37.158	1851	20.15	14.528	1901	20.70	-4.448	1951	21.29	-12.639
1802	19.64	-36.676	1852	20.16	47.453	1902	20.71	-8.238	1952	21.30	-2.214
1803	19.65	-24.245	1853	20.17	52.674	1903	20.72	-12.528	1953	21.33	6.175
1804	19.66	-0.281	1854	20.18	41.344	1904	20.73	-9.605	1954	21.34	3.594
1805	19.67	28.414	1855	20.20	5.748	1905	20.74	-14.140	1955	21.35	6.041
1806	19.68	52.339	1856	20.22	-35.602	1906	20.75	-27.444	1956	21.36	21.235
1807	19.69	48.548	1857	20.23	-48.382	1907	20.76	-38.500	1957	21.37	49.691
1808	19.70	40.505	1858	20.24	-55.951	1908	20.77	-42.798	1958	21.38	60.388
1809	19.71	27.214	1859	20.25	-51.748	1909	20.78	-45.586	1959	21.39	60.367
1810	19.72	16.425	1860	20.27	-34.310	1910	20.79	-33.155	1960	21.40	47.813
1811	19.73	-8.652	1861	20.28	25.851	1911	20.83	40.408	1961	21.41	20.757
1812	19.74	-15.437	1862	20.29	42.327	1912	20.84	45.876	1962	21.42	-23.323
1813	19.75	-20.465	1863	20.30	54.508	1913	20.85	37.305	1963	21.43	-50.122
1814	19.76	-4.561	1864	20.31	46.981	1914	20.86	16.238	1964	21.44	-60.162
1815	19.78	22.838	1865	20.32	42.696	1915	20.89	-14.912	1965	21.45	-60.184
1816	19.79	35.295	1866	20.33	36.134	1916	20.90	-16.962	1966	21.46	-47.749
1817	19.80	34.753	1867	20.34	32.850	1917	20.92	-17.015	1967	21.47	-28.325
1818	19.81	28.470	1868	20.35	22.801	1918	20.93	-13.321	1968	21.48	-16.861
1819	19.82	6.161	1869	20.37	17.428	1919	20.95	3.545	1969	21.49	-6.093
1820	19.83	-29.414	1870	20.38	9.882	1920	20.96	2.489	1970	21.50	18.052
1821	19.84	-43.459	1871	20.39	1.598	1921	20.98	-5.089	1971	21.51	25.977
1822	19.85	-40.490	1872	20.40	-27.741	1922	20.99	-14.882	1972	21.52	24.945
1823	19.86	-34.287	1873	20.41	-34.027	1923	21.00	-31.459	1973	21.53	22.904
1824	19.87	-36.100	1874	20.42	-34.813	1924	21.01	-36.488	1974	21.55	32.321
1825	19.89	-42.424	1875	20.43	-16.140	1925	21.02	-38.266	1975	21.56	31.767
1826	19.90	-43.246	1876	20.44	-13.165	1926	21.03	-35.316	1976	21.57	28.696
1827	19.91	-41.275	1877	20.45	-9.225	1927	21.04	-19.112	1977	21.58	24.171
1828	19.92	-33.336	1878	20.46	-4.772	1928	21.05	-5.171	1978	21.59	12.115
1829	19.93	-24.889	1879	20.47	0.194	1929	21.06	-3.996	1979	21.60	-21.715
1830	19.94	-18.695	1880	20.48	6.635	1930	21.07	-7.018	1980	21.61	-35.763
1831	19.95	-13.254	1881	20.50	15.774	1931	21.08	-28.355	1981	21.62	-52.811
1832	19.96	-8.036	1882	20.51	14.742	1932	21.09	-29.133	1982	21.63	-56.114
1833	19.97	14.139	1883	20.52	0.167	1933	21.10	-19.939	1983	21.64	-48.651
1834	19.98	15.833	1884	20.53	-9.137	1934	21.11	-14.979	1984	21.65	-31.680
1835	19.99	13.533	1885	20.54	-18.176	1935	21.12	-13.544	1985	21.66	17.229
1836	20.00	7.752	1886	20.55	-23.980	1936	21.13	-24.363	1986	21.67	31.193
1837	20.01	-2.179	1887	20.56	-26.535	1937	21.14	-29.900	1987	21.68	36.161
1838	20.02	-28.368	1888	20.57	-34.823	1938	21.15	-32.169	1988	21.69	37.870
1839	20.03	-37.162	1889	20.58	-44.603	1939	21.16	-19.248	1989	21.70	28.043
1840	20.04	-43.696	1890	20.59	-55.162	1940	21.18	18.384	1990	21.71	19.749
1841	20.05	-48.249	1891	20.60	-52.940	1941	21.19	30.110	1991	21.72	4.449
1842	20.06	-51.298	1892	20.61	-19.028	1942	21.20	41.541	1992	21.73	-10.118
1843	20.07	-52.579	1893	20.62	-9.293	1943	21.21	42.263	1993	21.74	-12.648
1844	20.08	-50.372	1894	20.63	15.872	1944	21.22	35.472	1994	21.75	-15.203
1845	20.09	-36.442	1895	20.64	18.580	1945	21.23	13.160	1995	21.76	-15.481
1846	20.10	-31.729	1896	20.65	19.039	1946	21.24	-8.411	1996	21.77	4.453
1847	20.11	-34.798	1897	20.66	14.741	1947	21.25	-21.717	1997	21.78	18.375
1848	20.12	-36.585	1898	20.67	5.452	1948	21.26	-25.498	1998	21.79	18.345
1849	20.13	-33.623	1899	20.68	-2.365	1949	21.27	-27.548	1999	21.80	16.573
1850	20.14	-15.421	1900	20.69	-3.165	1950	21.28	-24.578	2000	21.81	-13.768

INDEX NO. 811 1317-GR-1 HIROO BRIDGE TR. MAX.ACCEL.=-206.765(GAL) T=16.22(SEC) NO.11

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2001	21.82	-31.560	2051	22.34	23.825	2101	22.92	-17.830	2151	23.49	32.291
2002	21.83	-34.848	2052	22.35	26.031	2102	22.93	-2.624	2152	23.50	8.991
2003	21.84	-34.676	2053	22.36	22.241	2103	22.95	18.267	2153	23.51	-14.808
2004	21.85	-22.697	2054	22.37	5.676	2104	22.96	14.490	2154	23.52	-52.132
2005	21.86	-5.508	2055	22.38	-14.142	2105	22.97	-6.094	2155	23.53	-59.916
2006	21.87	11.435	2056	22.39	-25.670	2106	22.98	-10.126	2156	23.54	-39.233
2007	21.88	12.909	2057	22.40	-47.739	2107	22.99	-12.677	2157	23.55	-17.260
2008	21.89	6.097	2058	22.41	-49.040	2108	23.00	-13.966	2158	23.57	4.399
2009	21.90	3.562	2059	22.42	-46.826	2109	23.01	-1.794	2159	23.58	20.831
2010	21.91	1.006	2060	22.44	-36.153	2110	23.03	9.604	2160	23.59	21.506
2011	21.92	-1.569	2061	22.45	-26.203	2111	23.04	11.560	2161	23.60	21.985
2012	21.93	-4.862	2062	22.46	-12.253	2112	23.05	10.784	2162	23.61	20.410
2013	21.95	6.799	2063	22.50	-5.981	2113	23.06	2.736	2163	23.63	28.346
2014	21.96	13.763	2064	22.51	5.207	2114	23.07	-4.071	2164	23.64	13.255
2015	21.97	24.948	2065	22.52	12.183	2115	23.08	-3.617	2165	23.67	-7.895
2016	21.98	26.908	2066	22.53	16.370	2116	23.10	1.289	2166	23.68	-14.426
2017	21.99	15.108	2067	22.54	15.337	2117	23.11	10.706	2167	23.69	-23.729
2018	22.00	-9.696	2068	22.55	-2.238	2118	23.12	7.420	2168	23.70	-34.775
2019	22.01	-32.515	2069	22.56	-13.035	2119	23.13	3.138	2169	23.71	-42.841
2020	22.02	-35.050	2070	22.57	-15.838	2120	23.14	-9.672	2170	23.72	-42.374
2021	22.03	-32.592	2071	22.59	-27.923	2121	23.15	-28.731	2171	23.73	-33.162
2022	22.04	-23.137	2072	22.60	-21.227	2122	23.16	-48.553	2172	23.75	29.472
2023	22.05	-9.677	2073	22.61	5.960	2123	23.17	-51.586	2173	23.76	33.698
2024	22.06	-10.910	2074	22.62	11.684	2124	23.18	-50.618	2174	23.78	21.828
2025	22.07	-32.827	2075	22.63	24.397	2125	23.20	-5.243	2175	23.79	18.774
2026	22.08	-36.849	2076	22.64	33.632	2126	23.21	4.690	2176	23.80	12.983
2027	22.09	-33.133	2077	22.65	30.795	2127	23.22	4.161	2177	23.81	5.433
2028	22.10	-6.199	2078	22.66	40.747	2128	23.23	-9.645	2178	23.82	3.637
2029	22.11	6.504	2079	22.68	13.134	2129	23.24	-11.440	2179	23.83	4.065
2030	22.12	21.679	2080	22.69	5.843	2130	23.25	-8.485	2180	23.85	1.985
2031	22.13	40.124	2081	22.70	4.533	2131	23.26	-0.533	2181	23.87	12.847
2032	22.14	40.109	2082	22.71	3.199	2132	23.27	37.136	2182	23.90	21.716
2033	22.15	22.049	2083	22.72	0.657	2133	23.28	47.603	2183	23.92	28.642
2034	22.17	-18.084	2084	22.73	-2.394	2134	23.29	47.567	2184	23.93	16.801
2035	22.18	-25.114	2085	22.74	-6.200	2135	23.30	26.997	2185	23.95	4.972
2036	22.19	-32.162	2086	22.76	-11.536	2136	23.31	11.203	2186	23.96	1.937
2037	22.20	-24.709	2087	22.77	-17.844	2137	23.32	-21.881	2187	23.97	6.137
2038	22.21	-9.240	2088	22.78	-17.368	2138	23.33	-29.662	2188	23.98	29.556
2039	22.22	31.419	2089	22.79	-8.169	2139	23.34	-35.448	2189	23.99	29.527
2040	22.23	47.366	2090	22.80	3.786	2140	23.35	-13.030	2190	24.00	26.490
2041	22.24	46.836	2091	22.81	18.201	2141	23.36	-4.058	2191	24.01	6.425
2042	22.25	43.050	2092	22.82	19.417	2142	23.38	11.074	2192	24.02	-10.872
2043	22.26	34.761	2093	22.83	15.112	2143	23.39	9.792	2193	24.03	-35.202
2044	22.27	-0.835	2094	22.84	8.317	2144	23.40	4.221	2194	24.04	-34.730
2045	22.28	-16.125	2095	22.85	5.770	2145	23.41	2.171	2195	24.05	-10.053
2046	22.29	-28.172	2096	22.86	4.978	2146	23.44	-3.453	2196	24.07	29.613
2047	22.30	-28.956	2097	22.87	-0.585	2147	23.45	1.904	2197	24.08	40.577
2048	22.31	-22.262	2098	22.88	-9.637	2148	23.46	25.906	2198	24.09	45.532
2049	22.32	-14.047	2099	22.90	-22.236	2149	23.47	33.876	2199	24.10	33.710
2050	22.33	7.372	2100	22.91	-25.771	2150	23.48	36.572	2200	24.11	21.186

INDEX NO. 811 1317-GR-1 HIROO BRIDGE TR. MAX.ACCEL.=-206.768(GAL) T=16.22(SEC) NO.12

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2201	24.12	-33.156	2251	24.68	-45.950	2301	25.20	-2.447	2351	25.83	7.796
2202	24.13	-52.691	2252	24.69	-42.985	2302	25.30	-2.766	2352	25.84	2.254
2203	24.14	-59.739	2253	24.70	-15.782	2303	25.31	2.169	2353	25.85	2.694
2204	24.15	-38.031	2254	24.71	-0.094	2304	25.32	12.187	2354	25.86	8.875
2205	24.16	16.647	2255	24.72	12.349	2305	25.34	26.776	2355	25.87	17.591
2206	24.17	27.869	2256	24.74	23.780	2306	25.35	23.748	2356	25.88	24.529
2207	24.18	45.572	2257	24.75	26.194	2307	25.36	8.433	2357	25.89	23.494
2208	24.19	62.019	2258	24.77	26.873	2308	25.37	-3.636	2358	25.90	18.932
2209	24.20	58.475	2259	24.78	26.832	2309	25.38	-4.173	2359	25.91	13.377
2210	24.21	40.178	2260	24.80	4.199	2310	25.39	-0.713	2360	25.92	10.848
2211	24.23	12.836	2261	24.81	-6.608	2311	25.40	11.206	2361	25.93	2.274
2212	24.24	3.296	2262	24.82	-16.148	2312	25.41	16.158	2362	25.94	-5.283
2213	24.25	12.442	2263	24.83	-34.212	2313	25.42	17.385	2363	25.95	-7.061
2214	24.27	15.134	2264	24.84	-37.991	2314	25.43	10.571	2364	25.96	-7.085
2215	24.28	11.827	2265	24.85	-28.793	2315	25.44	-2.729	2365	25.98	3.302
2216	24.29	11.009	2266	24.86	-7.841	2316	25.45	-13.523	2366	25.99	-0.504
2217	24.30	7.466	2267	24.87	12.353	2317	25.46	-16.059	2367	26.00	-4.318
2218	24.31	-0.352	2268	24.88	34.534	2318	25.48	4.351	2368	26.01	-3.862
2219	24.32	-31.659	2269	24.90	38.478	2319	25.49	18.789	2369	26.02	-3.147
2220	24.33	-31.686	2270	24.91	19.654	2320	25.50	27.716	2370	26.03	13.522
2221	24.35	2.964	2271	24.92	4.867	2321	25.51	24.677	2371	26.04	20.972
2222	24.36	-0.079	2272	24.93	-7.177	2322	25.52	17.895	2372	26.05	26.939
2223	24.37	-8.159	2273	24.94	-18.742	2323	25.53	0.590	2373	26.06	29.403
2224	24.39	-28.504	2274	24.95	-21.288	2324	25.54	1.777	2374	26.07	26.858
2225	24.40	-33.313	2275	24.96	-18.323	2325	25.55	19.717	2375	26.08	19.286
2226	24.41	-33.359	2276	24.97	-15.389	2326	25.56	33.681	2376	26.09	7.971
2227	24.42	-30.394	2277	24.99	-9.479	2327	25.57	41.362	2377	26.10	-2.324
2228	24.43	-22.938	2278	25.00	-5.271	2328	25.58	39.580	2378	26.11	-10.113
2229	24.44	-8.238	2279	25.03	19.291	2329	25.59	19.269	2379	26.12	-17.688
2230	24.45	25.944	2280	25.05	10.477	2330	25.60	3.963	2380	26.13	-15.982
2231	24.46	30.160	2281	25.06	8.682	2331	25.61	-11.340	2381	26.14	-10.287
2232	24.47	32.856	2282	25.07	8.619	2332	25.62	-20.626	2382	26.17	2.850
2233	24.48	31.810	2283	25.08	6.086	2333	25.63	-24.908	2383	26.18	6.529
2234	24.49	27.279	2284	25.10	-11.306	2334	25.64	-21.243	2384	26.19	9.736
2235	24.50	19.732	2285	25.11	-11.829	2335	25.66	-16.026	2385	26.20	7.911
2236	24.51	-5.863	2286	25.12	-7.613	2336	25.67	-13.866	2386	26.21	7.614
2237	24.53	-8.435	2287	25.13	2.312	2337	25.68	-4.911	2387	26.22	15.071
2238	24.54	-6.011	2288	25.14	8.519	2338	25.69	-1.211	2388	26.23	18.768
2239	24.56	-4.322	2289	25.15	16.715	2339	25.70	-0.523	2389	26.24	19.962
2240	24.57	1.856	2290	25.16	23.659	2340	25.71	10.153	2390	26.26	16.399
2241	24.58	14.322	2291	25.17	23.116	2341	25.72	15.852	2391	26.27	12.609
2242	24.59	14.266	2292	25.18	17.322	2342	25.73	15.800	2392	26.28	8.528
2243	24.60	6.731	2293	25.19	9.760	2343	25.74	12.759	2393	26.29	9.728
2244	24.61	10.928	2294	25.20	3.458	2344	25.75	6.959	2394	26.30	12.915
2245	24.62	37.085	2295	25.22	0.354	2345	25.76	1.907	2395	26.31	12.370
2246	24.63	36.544	2296	25.23	3.311	2346	25.77	1.848	2396	26.32	7.322
2247	24.64	30.267	2297	25.24	11.252	2347	25.79	5.527	2397	26.34	-3.503
2248	24.65	13.232	2298	25.25	11.983	2348	25.80	7.984	2398	26.35	-10.551
2249	24.66	-19.839	2299	25.26	11.934	2349	25.81	9.674	2399	26.36	-15.617
2250	24.67	-42.650	2300	25.27	9.136	2350	25.82	14.621	2400	26.37	-13.398

土木構造物における加速度強震記録（No. 9）

INDEX NO. 811 1317-SR-1 HIROO BRIDGE TR. MAX.ACCEL.=-206.768(GAL) T=16.22(SEC) NO.13

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2401	26.38	-2.201	2451	27.35	-19.876	2501	27.61	-12.962	2551	28.18	29.364
2402	26.39	2.258	2452	27.36	-22.917	2532	27.62	-4.536	2552	28.19	41.312
2403	26.40	2.171	2453	27.37	-6.227	2503	27.64	9.882	2553	28.20	41.782
2404	26.41	5.380	2454	27.38	24.705	2504	27.65	15.062	2554	28.21	23.712
2405	26.42	14.828	2455	27.39	31.158	2505	27.66	15.021	2555	28.22	8.425
2406	26.43	13.618	2456	27.10	33.129	2506	27.67	12.493	2556	28.23	-20.156
2407	26.45	9.675	2457	27.11	26.319	2507	27.68	3.185	2557	28.24	-27.184
2408	26.46	9.147	2456	27.12	16.509	2508	27.69	-1.641	2558	28.25	-28.960
2409	26.47	13.313	2459	27.14	-6.093	2509	27.70	-1.172	2559	28.26	-22.279
2410	26.49	15.738	2460	27.15	-19.143	2510	27.71	0.026	2560	28.27	-14.836
2411	26.50	13.927	2461	27.16	-19.171	2511	27.72	7.452	2561	28.28	-7.380
2412	26.52	5.608	2462	27.17	-7.971	2512	27.74	18.373	2562	28.29	-1.673
2413	26.53	1.761	2463	27.18	-0.546	2513	27.75	31.048	2563	28.31	0.708
2414	26.54	1.215	2464	27.20	12.608	2514	27.76	34.260	2564	28.34	25.274
2415	26.55	5.921	2465	27.21	17.326	2515	27.77	31.723	2565	28.35	27.992
2416	26.56	9.634	2466	27.22	12.232	2516	27.78	14.413	2566	28.36	26.715
2417	26.57	9.565	2467	27.24	13.427	2517	27.79	3.109	2567	28.38	7.110
2418	26.58	12.425	2468	27.25	24.584	2518	27.80	-6.435	2568	28.39	-10.194
2419	26.61	35.621	2469	27.26	23.291	2519	27.81	-12.753	2569	28.40	-30.521
2420	26.62	34.335	2470	27.27	16.499	2520	27.82	-11.026	2570	28.41	-33.575
2421	26.63	27.542	2471	27.28	2.705	2521	27.83	-6.813	2571	28.42	-31.343
2422	26.64	15.262	2472	27.29	-10.114	2522	27.84	5.619	2572	28.44	5.049
2423	26.65	6.408	2473	27.30	-14.166	2523	27.85	11.294	2573	28.45	30.474
2424	26.66	1.111	2474	27.32	-3.989	2524	27.86	9.499	2574	28.46	32.450
2425	26.67	-1.420	2475	27.33	5.686	2525	27.89	-2.633	2575	28.47	20.626
2426	26.69	2.730	2476	27.34	10.132	2526	27.90	-5.687	2576	28.48	11.842
2427	26.70	7.672	2477	27.36	5.819	2527	27.91	-2.767	2577	28.49	-8.237
2428	26.72	9.574	2478	27.37	4.982	2528	27.92	-0.817	2578	28.50	-13.276
2429	26.73	7.747	2479	27.38	5.452	2529	27.94	-5.379	2579	28.51	-15.063
2430	26.74	5.701	2480	27.39	9.163	2530	27.95	-12.960	2580	28.52	-14.104
2431	26.75	0.630	2481	27.40	18.112	2531	27.96	-18.262	2581	28.53	-10.912
2432	26.76	0.591	2482	27.41	20.562	2532	27.98	-22.084	2582	28.54	-6.718
2433	26.77	9.805	2483	27.42	17.503	2533	27.99	-20.878	2583	28.55	-4.266
2434	26.78	17.251	2484	27.43	13.697	2534	28.00	-3.446	2584	28.56	-2.309
2435	26.79	19.466	2485	27.44	6.157	2535	28.01	13.754	2585	28.57	-1.877
2436	26.80	13.158	2486	27.45	-0.396	2536	28.02	32.672	2586	28.59	5.545
2437	26.81	1.096	2487	27.46	-6.729	2537	28.04	33.360	2587	28.60	18.961
2438	26.82	-7.217	2488	27.47	-4.261	2538	28.05	24.051	2588	28.62	39.127
2439	26.83	-3.513	2489	27.48	-3.057	2539	28.06	12.999	2589	28.63	39.089
2440	26.85	4.386	2490	27.49	-5.614	2540	28.07	6.211	2590	28.64	25.271
2441	26.86	8.826	2491	27.50	-5.664	2541	28.08	-7.888	2591	28.65	13.478
2442	26.88	14.985	2492	27.51	0.549	2542	28.09	-6.163	2592	28.66	-0.063
2443	26.91	17.348	2493	27.52	8.011	2543	28.10	3.775	2593	28.67	-14.625
2444	26.92	16.755	2494	27.53	7.952	2544	28.11	6.241	2594	28.68	-19.689
2445	26.95	11.640	2495	27.54	7.404	2545	28.12	6.198	2595	28.69	-18.721
2446	26.97	10.287	2496	27.55	6.599	2546	28.13	-5.137	2596	28.70	-13.014
2447	26.99	16.147	2497	27.56	6.554	2547	28.14	-11.425	2597	28.71	-0.599
2448	27.01	11.341	2498	27.57	6.498	2548	28.15	-15.214	2598	28.73	6.099
2449	27.02	-0.740	2499	27.58	1.417	2549	28.16	-4.018	2599	28.74	13.279
2450	27.04	-10.062	2500	27.60	-9.930	2550	28.17	9.685	2600	28.76	20.183

INDEX NO. 811 1317-SR-1 HIROO BRIDGE TR. MAX.ACCEL.=-206.768(GAL) T=16.22(SEC) NO.14

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2601	28.78	27.824	2651	29.34	8.526	2701	29.96	10.941	2751	30.54	11.815
2602	28.79	25.787	2652	29.36	-3.591	2702	29.97	9.646	2752	30.55	12.251
2603	28.80	15.233	2653	29.38	-11.934	2703	29.99	2.834	2753	30.57	12.139
2604	28.81	-12.864	2654	29.39	-11.467	2704	30.00	-3.499	2754	30.59	9.829
2605	28.82	-20.374	2655	29.40	-6.499	2705	30.01	3.190	2755	30.60	4.776
2606	28.83	-30.193	2656	29.41	9.916	2706	30.03	6.371	2756	30.61	-2.274
2607	28.84	-28.973	2657	29.42	12.876	2707	30.04	9.304	2757	30.62	-6.834
2608	28.85	-19.761	2658	29.43	15.335	2708	30.05	8.764	2758	30.63	-7.907
2609	28.86	-6.302	2659	29.44	10.514	2709	30.06	4.965	2759	30.64	-5.707
2610	28.87	19.353	2660	29.46	4.704	2710	30.08	-0.125	2760	30.65	7.478
2611	28.88	22.576	2661	29.47	1.645	2711	30.10	-7.225	2761	30.67	13.668
2612	28.89	22.042	2662	29.48	3.855	2712	30.11	-10.285	2762	30.68	13.618
2613	28.90	14.980	2663	29.49	10.261	2713	30.13	-10.094	2763	30.69	13.047
2614	28.91	8.173	2664	29.50	15.715	2714	30.14	-11.313	2764	30.70	12.731
2615	28.92	3.647	2665	29.52	6.390	2715	30.15	-10.019	2765	30.71	10.436
2616	28.93	4.103	2666	29.53	-3.659	2716	30.16	-1.963	2766	30.72	7.132
2617	28.94	12.790	2667	29.54	-12.718	2717	30.17	-4.588	2767	30.74	2.069
2618	28.95	22.229	2668	29.55	-17.786	2718	30.18	-6.862	2768	30.75	0.239
2619	28.96	23.431	2669	29.56	-16.031	2719	30.19	-8.916	2769	30.76	-4.207
2620	28.97	17.131	2670	29.57	-9.874	2720	30.20	8.489	2770	30.77	-11.850
2621	28.98	5.816	2671	29.58	-0.681	2721	30.21	16.446	2771	30.78	-16.388
2622	28.99	-0.469	2672	29.59	7.769	2722	30.22	18.652	2772	30.79	-15.931
2623	29.00	-10.031	2673	29.61	8.214	2723	30.23	16.115	2773	30.80	-4.232
2624	29.01	-12.555	2674	29.62	7.645	2724	30.24	2.053	2774	30.82	24.887
2625	29.02	-5.352	2675	29.63	8.836	2725	30.25	-3.478	2775	30.83	24.859
2626	29.03	7.055	2676	29.64	11.268	2726	30.26	-8.043	2776	30.86	-8.803
2627	29.05	6.736	2677	29.67	13.665	2727	30.27	-5.597	2777	30.87	-16.367
2628	29.06	4.934	2678	29.68	14.820	2728	30.28	1.847	2778	30.88	-15.898
2629	29.07	-7.877	2679	29.69	13.522	2729	30.30	11.741	2779	30.89	-8.458
2630	29.08	-13.185	2680	29.71	2.204	2730	30.31	11.689	2780	30.90	-4.745
2631	29.09	-13.222	2681	29.72	-3.343	2731	30.32	6.142	2781	30.91	-1.335
2632	29.10	-6.250	2682	29.73	-5.392	2732	30.34	-4.708	2782	30.93	4.859
2633	29.11	20.681	2683	29.74	-14.223	2733	30.35	-6.495	2783	30.94	13.274
2634	29.12	32.862	2684	29.76	-4.971	2734	30.36	-6.545	2784	30.95	14.962
2635	29.14	28.034	2685	29.77	8.642	2735	30.37	-1.844	2785	30.97	14.888
2636	29.15	21.483	2686	29.80	8.009	2736	30.39	8.809	2786	30.98	11.069
2637	29.16	12.682	2687	29.81	9.160	2737	30.40	10.012	2787	30.99	7.272
2638	29.17	-8.383	2688	29.82	15.885	2738	30.41	8.191	2788	31.00	1.736
2639	29.18	-19.176	2689	29.84	18.307	2739	30.42	6.141	2789	31.01	-5.556
2640	29.19	-18.702	2690	29.85	13.506	2740	30.43	7.357	2790	31.02	-14.357
2641	29.20	-14.995	2691	29.86	8.954	2741	30.44	12.286	2791	31.03	-16.901
2642	29.21	-6.816	2692	29.87	8.148	2742	30.45	14.001	2792	31.04	-10.205
2643	29.22	-6.110	2693	29.88	11.369	2743	30.46	12.220	2793	31.05	10.970
2644	29.23	10.331	2694	29.89	10.812	2744	30.47	7.183	2794	31.06	19.419
2645	29.24	17.769	2695	29.90	22.020	2745	30.48	-8.381	2795	31.08	23.608
2646	29.26	16.949	2696	29.91	19.728	2746	30.49	-23.704	2796	31.09	14.269
2647	29.28	11.078	2697	29.92	12.181	2747	30.50	-27.507	2797	31.11	2.444
2648	29.29	11.786	2698	29.93	-3.131	2748	30.51	-26.535	2798	31.12	-2.074
2649	29.30	13.492	2699	29.94	-2.194	2749	30.52	-7.091	2799	31.13	1.325
2650	29.32	18.401	2700	29.95	7.239	2750	30.53	4.364	2800	31.14	5.539

INDEX NO. 811 1317-GR-1 HIROO BRIDGE TR. MAX.ACCEL.=-206.768(GAL) T=16.22(SEC) NO.15

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2801	31.15	8.738	2851	31.78	30.561	2901	32.33	35.046	2951	32.96	7.356
2802	31.17	9.392	2852	31.79	20.510	2902	32.34	35.248	2952	32.97	3.556
2803	31.18	5.598	2853	31.81	-7.091	2903	32.35	27.711	2953	32.99	-0.764
2804	31.19	-2.710	2854	31.82	-14.646	2904	32.36	-13.633	2954	33.01	-6.599
2805	31.20	-8.258	2855	31.83	-15.940	2905	32.37	-24.422	2955	33.02	-10.915
2806	31.21	-10.807	2856	31.84	-10.512	2906	32.38	-26.437	2956	33.03	-11.944
2807	31.22	-6.115	2857	31.85	1.439	2907	32.40	-8.300	2957	33.05	-1.550
2808	31.23	0.090	2858	31.86	15.362	2908	32.41	10.148	2958	33.06	2.908
2809	31.24	4.524	2859	31.87	25.586	2909	32.42	20.576	2959	33.07	3.090
2810	31.25	3.217	2860	31.88	30.562	2910	32.43	18.792	2960	33.09	0.009
2811	31.26	-1.077	2861	31.89	30.482	2911	32.45	-3.801	2961	33.10	-2.078
2812	31.27	-1.122	2862	31.90	26.202	2912	32.46	-20.857	2962	33.11	-0.853
2813	31.28	-6.192	2863	31.91	-0.381	2913	32.47	-31.904	2963	33.12	12.066
2814	31.29	-7.483	2864	31.92	-9.416	2914	32.48	-19.457	2964	33.13	14.029
2815	31.30	-2.781	2865	31.93	-14.466	2915	32.49	-3.017	2965	33.14	14.492
2816	31.31	7.177	2866	31.94	-11.491	2916	32.50	9.671	2966	33.15	9.704
2817	31.33	13.095	2867	31.95	-5.299	2917	32.51	13.884	2967	33.16	2.669
2818	31.34	12.533	2868	31.96	-2.372	2918	32.52	12.107	2968	33.17	-4.139
2819	31.35	7.977	2869	31.97	-5.424	2919	32.53	7.065	2969	33.18	-11.186
2820	31.37	-5.378	2870	31.98	-12.228	2920	32.55	3.210	2970	33.19	-18.244
2821	31.38	-9.941	2871	31.99	-17.270	2921	32.56	9.397	2971	33.20	-17.797
2822	31.39	-6.234	2872	32.00	-16.048	2922	32.57	22.086	2972	33.21	-10.337
2823	31.41	-2.546	2873	32.01	-12.614	2923	32.58	22.545	2973	33.22	-0.407
2824	31.42	-0.134	2874	32.02	-1.930	2924	32.59	20.245	2974	33.23	4.785
2825	31.44	-11.985	2875	32.03	12.539	2925	32.60	9.429	2975	33.25	5.957
2826	31.45	-15.282	2876	32.04	22.477	2926	32.62	-5.148	2976	33.26	7.635
2827	31.46	-17.089	2877	32.05	20.161	2927	32.63	-19.220	2977	33.28	9.067
2828	31.48	5.065	2878	32.06	14.362	2928	32.64	-20.521	2978	33.29	12.479
2829	31.50	8.255	2879	32.07	6.309	2929	32.65	-16.313	2979	33.31	10.167
2830	31.51	8.166	2880	32.08	-7.237	2930	32.65	-8.676	2980	33.32	6.861
2831	31.53	6.338	2881	32.09	-17.787	2931	32.67	3.567	2981	33.33	1.783
2832	31.54	5.518	2882	32.10	-16.814	2932	32.68	10.022	2982	33.34	-3.269
2833	31.56	1.700	2883	32.11	-11.866	2933	32.69	10.488	2983	33.35	-7.067
2834	31.58	1.595	2884	32.14	3.738	2934	32.70	4.950	2984	33.36	-8.362
2835	31.59	3.268	2885	32.15	6.688	2935	32.71	-1.301	2985	33.37	-6.408
2836	31.61	2.670	2886	32.16	3.114	2936	32.72	-0.917	2986	33.39	1.522
2837	31.62	0.100	2887	32.17	2.312	2937	32.73	2.264	2987	33.41	16.908
2838	31.63	0.064	2888	32.19	11.246	2938	32.76	8.911	2988	33.42	16.842
2839	31.64	6.255	2889	32.21	16.656	2939	32.77	13.314	2989	33.45	17.722
2840	31.66	13.916	2890	32.22	24.349	2940	32.79	11.487	2990	33.47	19.605
2841	31.67	16.859	2891	32.23	20.800	2941	32.80	13.697	2991	33.48	23.055
2842	31.69	14.531	2892	32.24	13.759	2942	32.81	25.113	2992	33.50	16.694
2843	31.70	8.714	2893	32.25	2.194	2943	32.83	26.309	2993	33.52	9.378
2844	31.71	4.428	2894	32.26	-0.606	2944	32.84	21.507	2994	33.53	1.581
2845	31.72	-4.378	2895	32.27	-12.404	2945	32.85	11.932	2995	33.54	-5.512
2846	31.73	-7.179	2896	32.28	-24.735	2946	32.87	-1.442	2996	33.55	-4.289
2847	31.74	-2.977	2897	32.29	-23.017	2947	32.90	1.952	2997	33.56	8.636
2848	31.75	7.478	2898	32.30	-14.795	2948	32.93	10.010	2998	33.57	14.838
2849	31.76	21.421	2899	32.31	2.148	2949	32.94	13.715	2999	33.58	15.536
2850	31.77	31.086	2900	32.32	24.588	2950	32.95	11.929	3000	33.60	11.218

INDEX NO. 811 1317-GR-1 HIROO BRIDGE TR. MAX.ACCEL.=-206.768(GAL) T=16.22(SEC) NO.16

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3001	33.61	9.658	3051	34.26	2.607	3101	34.89	-9.526
3002	33.62	3.596	3052	34.27	3.302	3102	34.90	15.390
3003	33.63	0.306	3053	34.28	4.496	3103	34.91	27.590
3004	33.64	-1.476	3054	34.30	3.915	3104	34.92	31.035
3005	33.65	5.196	3055	34.32	-1.938	3105	34.94	32.225
3006	33.67	20.828	3056	34.33	-4.501	3106	34.95	31.166
3007	33.68	22.056	3057	34.35	-8.322	3107	34.96	23.606
3008	33.69	20.266	3058	34.36	-13.402	3108	34.98	9.523
3009	33.70	5.183	3059	34.38	-16.499	3109	34.99	3.701
3010	33.71	3.898	3060	34.39	-13.050	3110	35.01	-4.395
3011	33.72	6.339	3061	34.41	-4.364	3111	35.02	-5.938
3012	33.74	8.742	3062	34.42	2.581	3112	35.03	-3.744
3013	33.76	4.895	3063	34.43	7.995	3113	35.05	2.375
3014	33.77	-1.685	3064	34.44	8.708	3114	35.07	3.526
3015	33.80	1.929	3065	34.46	-2.631	3115	35.09	4.691
3016	33.81	-1.132	3066	34.48	-20.991	3116	35.10	6.391
3017	33.82	-6.187	3067	34.49	-28.554	3117	35.11	11.848
3018	33.83	-13.245	3068	34.50	-32.349	3118	35.12	10.047
3019	33.85	-23.586	3069	34.51	-34.399	3119	35.13	6.754
3020	33.86	-20.626	3070	34.52	-34.443	3120	35.14	-3.315
3021	33.87	-13.199	3071	34.53	-28.996	3121	35.15	-9.870
3022	33.89	2.702	3072	34.55	-17.823	3122	35.16	-12.414
3023	33.91	13.131	3073	34.56	-5.398	3123	35.17	-11.209
3024	33.92	17.306	3074	34.57	1.048	3124	35.19	-5.040
3025	33.94	17.709	3075	34.58	4.761	3125	35.21	4.329
3026	33.95	10.894	3076	34.59	4.961	3126	35.22	1.752
3027	33.97	-1.437	3077	34.60	1.662	3127	35.24	-2.053
3028	33.98	-16.764	3078	34.62	-4.665	3128	35.25	-5.859
3029	34.00	-23.077	3079	34.63	-16.487	3129	35.26	-7.152
3030	34.01	-21.878	3080	34.64	-17.791	3130	35.27	-2.446
3031	34.02	-18.926	3081	34.66	-3.131	3131	35.28	3.732
3032	34.03	-15.727	3082	34.67	-0.677	3132	35.30	19.608
3033	34.04	-6.532	3083	34.68	0.018	3133	35.32	15.775
3034	34.05	11.137	3084	34.69	-4.299	3134	35.33	8.968
3035	34.06	19.601	3085	34.70	-8.049	3135	35.34	4.428
3036	34.07	24.040	3086	34.71	-11.399	3136	35.35	0.640
3037	34.10	18.185	3087	34.72	-10.182	3137	35.36	-3.664
3038	34.11	15.134	3088	34.73	-6.483	3138	35.37	-5.735
3039	34.12	13.573	3089	34.74	0.208	3139	35.40	-10.355
3040	34.14	18.405	3090	34.75	-0.329	3140	35.41	-9.946
3041	34.15	16.157	3091	34.76	-6.642	3141	35.43	-0.035
3042	34.16	12.374	3092	34.77	-12.198	3142	35.45	6.147
3043	34.17	3.576	3093	34.78	-15.499	3143	35.46	-1.440
3044	34.18	0.026	3094	34.80	-19.368	3144	35.48	-12.038
3045	34.19	-4.288	3095	34.82	-15.171	3145	35.49	-15.844
3046	34.20	-8.844	3096	34.83	-10.768	3146	35.50	-16.125
3047	34.21	-9.393	3097	34.85	-24.362			
3048	34.22	-7.703	3098	34.86	-26.159			
3049	34.24	-2.796	3099	34.87	-25.695			
3050	34.25	0.889	3100	34.88	-20.728			

Table IX D-38 Digitized Accelerations of Earthquake Record with Index Number 812

INDEX NO. 812 1317-AB-1 HIROO BRIDGE LG. MAX.ACCEL.= 169.444(GAL) T=15.92(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.17	5.650	51	1.07	13.010	101	2.17	3.077	151	3.25	-4.531
2	0.21	5.689	52	1.10	2.850	102	2.19	3.722	152	3.26	-5.358
3	0.24	11.789	53	1.11	6.501	103	2.20	3.636	153	3.29	-3.755
4	0.25	9.204	54	1.13	6.904	104	2.24	0.380	154	3.31	1.101
5	0.27	5.358	55	1.14	13.100	105	2.27	1.213	155	3.33	2.250
6	0.29	7.009	56	1.16	6.998	106	2.35	9.710	156	3.35	-4.670
7	0.30	6.935	57	1.17	5.657	107	2.40	-1.337	157	3.38	-7.295
8	0.31	8.649	58	1.19	7.310	108	2.41	-0.181	158	3.41	-8.725
9	0.33	9.227	59	1.22	4.628	109	2.44	5.166	159	3.43	-3.867
10	0.34	9.906	60	1.25	3.668	110	2.45	8.811	160	3.46	5.199
11	0.36	8.589	61	1.29	7.925	111	2.47	9.978	161	3.48	-1.680
12	0.37	5.988	62	1.32	9.021	112	2.48	7.649	162	3.50	-2.285
13	0.39	7.143	63	1.33	7.682	113	2.50	-1.983	163	3.52	-0.176
14	0.40	7.574	64	1.35	4.576	114	2.51	-7.072	164	3.54	-2.552
15	0.43	2.401	65	1.38	3.645	115	2.53	-6.672	165	3.57	-6.447
16	0.44	4.315	66	1.39	8.564	116	2.55	-6.105	166	3.58	-3.064
17	0.47	9.166	67	1.43	-1.167	117	2.58	-4.484	167	3.61	0.571
18	0.49	10.778	68	1.44	5.035	118	2.61	-0.877	168	3.64	-2.621
19	0.51	10.931	69	1.46	12.409	119	2.63	-2.782	169	3.66	-9.473
20	0.54	7.495	70	1.47	14.363	120	2.65	0.096	170	3.69	-7.949
21	0.55	7.406	71	1.49	9.971	121	2.66	1.265	171	3.72	-5.618
22	0.59	13.430	72	1.51	5.339	122	2.70	-1.956	172	3.76	-2.842
23	0.60	12.062	73	1.54	8.182	123	2.73	-2.119	173	3.77	-0.931
24	0.62	8.994	74	1.56	6.276	124	2.76	-0.553	174	3.79	-4.025
25	0.64	6.859	75	1.59	9.845	125	2.79	1.746	175	3.82	-7.938
26	0.66	8.482	76	1.63	9.864	126	2.82	6.062	176	3.84	-11.327
27	0.67	6.416	77	1.67	4.372	127	2.83	4.222	177	3.87	-6.534
28	0.69	7.802	78	1.70	3.725	128	2.86	-3.431	178	3.89	-4.885
29	0.71	7.212	79	1.73	5.787	129	2.87	-5.489	179	3.92	-1.783
30	0.72	6.381	80	1.75	4.639	130	2.88	-4.290	180	3.93	-3.613
31	0.74	5.032	81	1.76	4.588	131	2.89	-0.135	181	3.94	-7.457
32	0.77	9.859	82	1.79	4.920	132	2.91	2.264	182	3.97	-12.114
33	0.78	12.762	83	1.81	5.260	133	2.92	0.431	183	4.01	-8.580
34	0.80	13.926	84	1.82	5.196	134	2.94	-0.421	184	4.03	-4.495
35	0.81	12.089	85	1.84	4.112	135	2.96	-2.277	185	4.05	-2.560
36	0.82	10.264	86	1.86	4.457	136	2.98	-7.917	186	4.06	2.337
37	0.83	8.194	87	1.90	1.254	137	2.99	-7.477	187	4.10	-8.379
38	0.85	8.123	88	1.91	-3.836	138	3.01	-1.347	188	4.12	-13.519
39	0.86	8.053	89	1.96	3.874	139	3.03	-1.454	189	4.14	-13.621
40	0.90	10.302	90	1.97	6.814	140	3.04	-0.285	190	4.15	-11.441
41	0.92	6.426	91	2.01	-3.954	141	3.06	2.592	191	4.18	-3.391
42	0.93	6.854	92	2.02	-4.510	142	3.07	3.263	192	4.21	-9.060
43	0.94	8.348	93	2.03	-4.048	143	3.09	-6.572	193	4.23	-8.158
44	0.96	7.434	94	2.06	5.787	144	3.11	-10.674	194	4.26	5.131
45	0.97	7.363	95	2.07	5.719	145	3.12	-9.513	195	4.30	-8.072
46	0.98	7.292	96	2.08	4.356	146	3.14	-5.365	196	4.32	-9.975
47	1.00	7.190	97	2.10	4.270	147	3.16	-2.995	197	4.36	-11.941
48	1.01	5.346	98	2.12	5.860	148	3.18	-1.890	198	4.39	-9.117
49	1.03	5.774	99	2.14	2.733	149	3.21	-1.777	199	4.41	-9.012
50	1.06	13.073	100	2.16	2.161	150	3.23	-3.152	200	4.44	-7.435

INDEX NO. 812 1317-AB-1 HIROO BRIDGE LG. MAX.ACCEL.= 169.444(GAL) T=15.92(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	4.46	-7.572	251	5.45	-6.093	301	6.61	-15.395	351	7.45	-30.835
202	4.48	-4.682	252	5.47	-6.207	302	6.62	-16.721	352	7.46	-24.648
203	4.49	-3.995	253	5.49	-5.951	303	6.65	-15.106	353	7.49	-6.555
204	4.52	-7.905	254	5.50	-3.630	304	6.67	-17.508	354	7.53	3.413
205	4.54	-8.545	255	5.52	5.023	305	6.68	-17.075	355	7.55	7.081
206	4.56	-6.394	256	5.54	3.167	306	6.69	-11.650	356	7.56	10.254
207	4.59	-0.075	257	5.55	-3.938	307	6.71	2.760	357	7.58	9.398
208	4.62	-8.505	258	5.58	-10.131	308	6.73	6.366	358	7.59	4.561
209	4.63	-11.077	259	5.60	-15.733	309	6.74	3.801	359	7.60	-1.740
210	4.64	-5.669	260	5.62	-12.111	310	6.77	-6.061	360	7.61	-7.565
211	4.67	-6.306	261	5.63	-9.679	311	6.79	-10.722	361	7.62	-9.388
212	4.69	-5.936	262	5.66	-14.338	312	6.82	-14.661	362	7.63	-9.436
213	4.73	-9.915	263	5.68	-8.706	313	6.83	-16.770	363	7.64	-8.997
214	4.77	-2.674	264	5.69	-5.555	314	6.86	-10.665	364	7.66	0.809
215	4.80	-11.398	265	5.71	-6.382	315	6.88	-10.052	365	7.67	8.815
216	4.84	-6.844	266	5.72	-7.718	316	6.91	-12.719	366	7.68	12.504
217	4.86	-7.989	267	5.74	-6.594	317	6.93	-19.134	367	7.70	13.664
218	4.89	-11.411	268	5.76	-6.700	318	6.95	-19.220	368	7.71	11.844
219	4.90	-11.988	269	5.78	-8.575	319	6.98	-7.148	369	7.73	7.492
220	4.93	-6.177	270	5.81	-11.905	320	6.99	-4.000	370	7.76	18.533
221	4.94	-3.005	271	5.85	-0.752	321	7.02	-2.148	371	7.77	17.992
222	4.97	-6.902	272	5.87	-0.342	322	7.03	-7.999	372	7.78	11.151
223	4.99	-4.545	273	5.89	-9.611	323	7.05	-16.870	373	7.80	-18.236
224	5.01	-1.644	274	5.93	-17.968	324	7.06	-21.175	374	7.81	-26.537
225	5.04	-4.067	275	5.96	-13.898	325	7.07	-20.246	375	7.82	-31.084
226	5.05	-7.422	276	5.99	-10.360	326	7.09	-7.105	376	7.83	-32.396
227	5.08	-15.591	277	6.03	-3.821	327	7.11	11.030	377	7.84	-29.447
228	5.09	-15.645	278	6.05	-6.446	328	7.12	14.201	378	7.85	-19.049
229	5.12	-5.337	279	6.08	2.833	329	7.14	14.081	379	7.87	-10.151
230	5.14	-4.704	280	6.11	-5.357	330	7.17	8.911	380	7.88	-13.734
231	5.16	-4.813	281	6.12	-6.171	331	7.19	1.307	381	7.90	-20.847
232	5.18	-8.165	282	6.14	-1.995	332	7.20	-5.534	382	7.91	-23.398
233	5.19	-8.741	283	6.16	2.864	333	7.21	-7.576	383	7.93	-18.516
234	5.21	-5.358	284	6.18	5.006	334	7.22	-2.660	384	7.94	-14.335
235	5.22	-5.929	285	6.20	0.882	335	7.24	12.731	385	7.95	-3.657
236	5.23	-11.007	286	6.22	-7.585	336	7.25	13.446	386	7.97	13.257
237	5.24	-12.296	287	6.24	-19.393	337	7.26	8.387	387	7.98	20.460
238	5.25	-10.625	288	6.26	-25.506	338	7.28	-12.008	388	7.99	29.147
239	5.26	-6.996	289	6.27	-27.839	339	7.29	-22.593	389	8.00	33.083
240	5.28	-0.785	290	6.29	-23.685	340	7.30	-21.653	390	8.01	24.253
241	5.30	-2.642	291	6.32	-16.362	341	7.32	-15.997	391	8.03	12.160
242	5.31	-8.239	292	6.36	-10.352	342	7.33	-15.606	392	8.04	-4.439
243	5.34	-20.811	293	6.38	-11.730	343	7.34	-13.649	393	8.05	-6.995
244	5.35	-24.235	294	6.40	-4.847	344	7.36	-3.787	394	8.06	-3.566
245	5.37	-21.814	295	6.42	-5.989	345	7.38	2.374	395	8.08	13.309
246	5.38	-20.638	296	6.44	-4.329	346	7.39	6.287	396	8.09	13.760
247	5.39	-20.201	297	6.46	-6.727	347	7.40	5.716	397	8.11	13.152
248	5.40	-20.778	298	6.46	2.131	348	7.42	1.126	398	8.12	10.055
249	5.42	-17.107	299	6.53	-4.924	349	7.43	-11.986	399	8.14	4.981
250	5.44	-5.982	300	6.56	-3.105	350	7.44	-23.495	400	8.16	-9.637

INDEX NO. 812 1317-Ad-1 HIROO BRIDGE LG. MAX.ACCEL.= 169.444(GAL) T=15.92(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	8.19	-29.096	451	9.20	-5.766	501	9.94	5.972	551	10.79	-4.121
402	8.20	-25.145	452	9.26	20.125	502	9.95	7.140	552	10.80	-2.928
403	8.24	-14.888	453	9.27	20.562	503	9.98	1.979	553	10.81	4.512
404	8.27	-8.100	454	9.28	10.996	504	9.99	-1.841	554	10.83	22.134
405	8.29	-5.209	455	9.29	0.184	505	10.01	-4.930	555	10.84	24.578
406	8.31	-7.569	456	9.30	-5.652	506	10.02	4.226	556	10.86	20.737
407	8.34	-13.476	457	9.31	-7.689	507	10.04	20.626	557	10.88	4.355
408	8.36	-6.897	458	9.32	-8.005	508	10.05	26.771	558	10.89	1.060
409	8.38	-4.995	459	9.34	3.104	509	10.07	24.958	559	10.92	5.858
410	8.41	-5.160	460	9.35	1.801	510	10.08	21.147	560	10.93	4.034
411	8.44	15.139	461	9.36	-3.986	511	10.12	-19.135	561	10.94	0.233
412	8.45	20.576	462	9.39	-27.451	512	10.13	-24.205	562	10.96	-18.411
413	8.47	19.487	463	9.40	-29.239	513	10.14	-25.502	563	10.97	-18.724
414	8.48	14.088	464	9.41	-28.270	514	10.15	-25.057	564	11.00	-9.397
415	8.51	17.747	465	9.42	-22.076	515	10.16	-22.629	565	11.01	-9.436
416	8.54	0.762	466	9.44	-5.698	516	10.18	-13.206	566	11.02	-10.760
417	8.56	-5.108	467	9.45	-0.011	517	10.20	21.374	567	11.04	-9.135
418	8.59	-18.554	468	9.46	2.394	518	10.21	20.815	568	11.06	-6.757
419	8.62	-13.717	469	9.48	7.550	519	10.22	19.038	569	11.09	1.590
420	8.64	-12.566	470	9.49	11.719	520	10.25	-9.661	570	11.10	5.269
421	8.65	-12.148	471	9.50	14.165	521	10.26	-13.454	571	11.11	6.483
422	8.67	-14.739	472	9.51	13.617	522	10.27	-14.247	572	11.13	-2.939
423	8.68	-7.360	473	9.52	9.301	523	10.29	0.380	573	11.15	-2.010
424	8.70	-5.446	474	9.53	-0.278	524	10.30	8.779	574	11.16	3.683
425	8.72	-4.322	475	9.54	-26.606	525	10.32	9.208	575	11.17	11.024
426	8.75	13.751	476	9.55	-27.904	526	10.35	-7.738	576	11.18	11.763
427	8.76	14.928	477	9.56	-30.476	527	10.36	-13.562	577	11.21	-2.675
428	8.78	10.571	478	9.57	-26.771	528	10.37	-11.131	578	11.22	-5.463
429	8.80	13.445	479	9.58	-20.562	529	10.40	-9.285	579	11.23	-5.542
430	8.81	9.125	480	9.62	21.150	530	10.42	-13.686	580	11.25	-3.147
431	8.82	1.539	481	9.63	24.849	531	10.45	-15.575	581	11.27	7.207
432	8.83	0.996	482	9.64	27.290	532	10.48	-8.266	582	11.30	14.821
433	8.86	3.046	483	9.65	20.489	533	10.51	-13.202	583	11.36	0.667
434	8.88	3.194	484	9.67	24.148	534	10.52	-13.274	584	11.38	6.292
435	8.90	0.592	485	9.68	20.337	535	10.53	-11.569	585	11.40	13.670
436	8.93	-14.365	486	9.69	9.470	536	10.54	-9.118	586	11.43	17.272
437	8.94	-15.668	487	9.71	-2.620	537	10.55	-0.205	587	11.45	20.158
438	8.95	-14.490	488	9.73	-9.016	538	10.56	2.216	588	11.46	19.599
439	8.99	-4.224	489	9.75	-12.348	539	10.59	6.334	589	11.47	6.513
440	9.00	-5.292	490	9.77	-1.977	540	10.60	7.508	590	11.49	-15.080
441	9.02	-6.695	491	9.79	15.655	541	10.62	16.378	591	11.50	-27.940
442	9.03	-6.253	492	9.80	17.347	542	10.63	16.301	592	11.51	-26.249
443	9.05	-2.125	493	9.81	15.518	543	10.65	15.710	593	11.52	-22.039
444	9.06	-3.164	494	9.82	11.674	544	10.67	14.363	594	11.54	-3.136
445	9.08	-9.558	495	9.85	-2.262	545	10.69	8.746	595	11.55	15.257
446	9.10	-4.165	496	9.87	-11.084	546	10.71	-0.655	596	11.56	20.215
447	9.12	-0.537	497	9.88	-19.405	547	10.72	-1.700	597	11.57	21.421
448	9.14	5.603	498	9.89	-23.256	548	10.75	20.612	598	11.58	20.866
449	9.16	6.978	499	9.91	-18.584	549	10.76	19.579	599	11.59	13.280
450	9.19	-4.467	500	9.93	-1.202	550	10.78	-0.565	600	11.63	-8.701

INDEX NO. 812 1317-AB-1 HIROO BRIDGE LG. MAX.ACCEL.= 169.444(GAL) T=15.92(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	11.64	-9.770	651	12.44	4.387	701	13.16	2.229	751	14.01	2.587
602	11.65	-9.815	652	12.45	-7.704	702	13.19	4.081	752	14.03	1.719
603	11.66	-5.651	653	12.46	-14.761	703	13.21	5.661	753	14.06	3.320
604	11.71	11.801	654	12.47	-16.056	704	13.23	6.811	754	14.08	6.940
605	11.72	14.231	655	12.48	-16.368	705	13.26	12.896	755	14.10	16.294
606	11.73	12.918	656	12.50	-13.255	706	13.28	9.789	756	14.11	17.494
607	11.74	9.867	657	12.51	-4.916	707	13.29	8.430	757	14.12	15.673
608	11.77	-11.619	658	12.52	6.112	708	13.31	0.809	758	14.13	13.118
609	11.78	-15.125	659	12.53	9.310	709	13.33	-1.797	759	14.14	4.303
610	11.79	-14.672	660	12.54	7.970	710	13.35	1.833	760	14.16	-9.294
611	11.80	-6.515	661	12.56	2.881	711	13.37	2.904	761	14.17	-14.351
612	11.82	3.394	662	12.58	9.004	712	13.40	10.316	762	14.18	-14.925
613	11.84	10.272	663	12.59	10.668	713	13.41	10.753	763	14.21	-7.846
614	11.87	31.567	664	12.61	10.088	714	13.42	7.662	764	14.23	4.507
615	11.88	31.524	665	12.63	6.227	715	13.44	4.544	765	14.25	17.863
616	11.89	27.985	666	12.64	1.918	716	13.45	4.221	766	14.28	15.232
617	11.91	8.832	667	12.65	-8.199	717	13.47	7.887	767	14.29	14.660
618	11.92	5.024	668	12.67	-10.773	718	13.49	17.516	768	14.31	18.026
619	11.94	-0.093	669	12.68	-10.348	719	13.50	19.180	769	14.32	16.237
620	11.96	-3.945	670	12.69	-4.177	720	13.51	16.166	770	14.34	4.845
621	11.97	-4.000	671	12.70	3.254	721	13.53	9.767	771	14.35	2.295
622	11.98	0.172	672	12.72	22.651	722	13.54	8.484	772	14.36	2.201
623	11.99	0.606	673	12.73	28.351	723	13.56	12.590	773	14.38	1.607
624	12.00	0.046	674	12.74	29.033	724	13.58	6.981	774	14.39	5.020
625	12.01	-3.782	675	12.75	25.205	725	13.59	1.391	775	14.42	12.324
626	12.04	-9.676	676	12.77	11.874	726	13.60	-3.435	776	14.44	4.992
627	12.05	-8.744	677	12.78	-0.456	727	13.62	0.218	777	14.46	-7.117
628	12.06	-5.599	678	12.79	-7.780	728	13.64	12.839	778	14.47	-11.675
629	12.10	-1.310	679	12.80	-12.346	729	13.66	14.502	779	14.49	-2.567
630	12.11	0.878	680	12.81	-11.897	730	13.67	13.390	780	14.50	18.858
631	12.14	22.705	681	12.82	-6.956	731	13.69	9.533	781	14.51	29.542
632	12.15	23.649	682	12.85	7.884	732	13.71	-2.549	782	14.53	35.897
633	12.16	20.588	683	12.86	8.070	733	13.73	-14.670	783	14.54	35.856
634	12.19	-6.115	684	12.88	3.422	734	13.74	-17.994	784	14.55	28.208
635	12.20	-12.707	685	12.90	1.553	735	13.75	-13.828	785	14.57	4.666
636	12.21	-12.265	686	12.92	3.191	736	13.79	14.458	786	14.58	-1.650
637	12.22	-6.075	687	12.94	3.086	737	13.80	18.631	787	14.60	3.774
638	12.24	12.346	688	12.95	0.483	738	13.81	16.573	788	14.62	30.867
639	12.25	18.531	689	12.97	0.904	739	13.82	14.277	789	14.63	39.070
640	12.26	24.219	690	12.98	0.817	740	13.83	6.176	790	14.64	43.528
641	12.27	24.151	691	13.00	-0.272	741	13.85	4.824	791	14.65	38.437
642	12.28	16.054	692	13.01	-4.848	742	13.87	4.710	792	14.69	-7.797
643	12.31	-1.107	693	13.02	-4.901	743	13.88	1.373	793	14.70	-15.097
644	12.32	-3.666	694	13.03	2.693	744	13.89	0.052	794	14.71	-16.161
645	12.33	-4.485	695	13.05	12.372	745	13.91	0.486	795	14.72	-17.722
646	12.35	-2.859	696	13.06	14.063	746	13.92	8.627	796	14.73	-13.527
647	12.37	-4.710	697	13.08	14.719	747	13.94	6.032	797	14.75	4.569
648	12.38	-6.530	698	13.11	10.313	748	13.95	4.224	798	14.76	6.534
649	12.41	11.263	699	13.13	1.422	749	13.97	5.111	799	14.77	8.455
650	12.42	9.953	700	13.15	-1.180	750	13.99	5.712	800	14.80	12.494

土木構造物における加速度強震記録（No. 9）

INDEX NO. 812 1317-AB-1 HIROO BRIDGE LG. MAX.ACCEL.= 169.444(GAL) T=15.92(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	14.83	16.096	851	15.56	-5.753	901	16.19	15.074	951	16.99	81.153
802	14.85	26.961	852	15.59	-5.305	902	16.20	11.235	952	17.00	80.606
803	14.86	29.910	853	15.60	-1.625	903	16.21	3.673	953	17.01	64.263
804	14.87	30.601	854	15.62	7.033	904	16.22	-1.879	954	17.02	22.193
805	14.90	17.698	855	15.63	7.487	905	16.23	-3.418	955	17.04	-17.919
806	14.91	7.323	856	15.65	-23.394	906	16.24	-1.715	956	17.05	-22.987
807	14.93	-11.536	857	15.66	-46.200	907	16.27	37.315	957	17.06	-21.783
808	14.94	-22.863	858	15.67	-76.040	908	16.28	39.034	958	17.07	-0.620
809	14.96	-25.192	859	15.68	-90.866	909	16.29	31.694	959	17.09	16.278
810	14.97	-26.523	860	15.69	-90.923	910	16.31	3.088	960	17.10	19.972
811	14.99	-11.391	861	15.70	-85.957	911	16.33	-39.016	961	17.11	19.931
812	15.00	-1.490	862	15.71	-64.275	912	16.34	-64.351	962	17.12	13.852
813	15.01	-0.791	863	15.73	-0.881	913	16.36	-73.957	963	17.14	-14.780
814	15.03	-8.923	864	15.74	33.543	914	16.37	-71.016	964	17.16	-32.608
815	15.05	-24.037	865	15.75	44.234	915	16.38	-50.853	965	17.17	-50.925
816	15.07	-31.869	866	15.76	47.430	916	16.39	-23.173	966	17.18	-61.523
817	15.09	-18.511	867	15.77	46.395	917	16.41	6.475	967	17.19	-63.844
818	15.10	-5.988	868	15.78	36.324	918	16.42	13.677	968	17.20	-63.379
819	15.11	-3.409	869	15.80	-25.559	919	16.43	15.376	969	17.22	-35.770
820	15.13	-3.230	870	15.81	-67.628	920	16.44	11.023	970	17.23	-23.056
821	15.14	-3.298	871	15.82	-112.721	921	16.47	-0.368	971	17.24	4.647
822	15.15	4.647	872	15.83	-122.772	922	16.48	-3.438	972	17.25	59.798
823	15.16	11.459	873	15.84	-127.565	923	16.49	-1.782	973	17.27	93.925
824	15.20	9.577	874	15.85	-128.100	924	16.50	5.656	974	17.28	94.624
825	15.23	6.408	875	15.87	-59.246	925	16.53	34.483	975	17.29	85.341
826	15.24	5.596	876	15.90	97.351	926	16.55	41.143	976	17.30	28.243
827	15.25	9.784	877	15.91	146.773	927	16.56	43.317	977	17.31	2.700
828	15.28	29.840	878	15.92	169.444	928	16.57	42.760	978	17.32	-17.593
829	15.29	28.770	879	15.93	169.396	929	16.58	36.955	979	17.33	-36.171
830	15.31	24.915	880	15.94	165.839	930	16.60	8.290	980	17.34	-31.972
831	15.32	22.066	881	15.96	132.980	931	16.62	-10.347	981	17.35	-15.034
832	15.34	30.722	882	15.98	40.062	932	16.64	-13.444	982	17.36	8.403
833	15.36	40.863	883	15.99	18.999	933	16.65	-6.777	983	17.37	29.848
834	15.37	37.820	884	16.00	8.711	934	16.68	10.042	984	17.38	41.293
835	15.38	20.971	885	16.01	1.913	935	16.69	12.468	985	17.39	46.983
836	15.39	-13.605	886	16.02	-1.667	936	16.70	11.945	986	17.40	45.686
837	15.40	-29.661	887	16.03	-1.734	937	16.73	3.749	987	17.41	29.334
838	15.41	-40.211	888	16.04	1.972	938	16.75	-7.891	988	17.43	-8.785
839	15.42	-46.273	889	16.05	10.679	939	16.76	-8.212	989	17.44	-14.580
840	15.43	-47.576	890	16.06	29.869	940	16.80	2.337	990	17.45	-15.364
841	15.44	-40.898	891	16.07	53.020	941	16.81	2.280	991	17.46	-12.924
842	15.46	-18.279	892	16.08	60.406	942	16.84	-9.674	992	17.47	-2.514
843	15.48	-11.862	893	16.09	41.153	943	16.85	-10.975	993	17.48	-4.333
844	15.49	4.092	894	16.10	10.585	944	16.89	7.242	994	17.50	-14.419
845	15.50	4.498	895	16.11	-15.223	945	16.92	-3.415	995	17.52	-27.808
846	15.51	4.622	896	16.13	-53.102	946	16.93	-4.737	996	17.53	-29.861
847	15.53	5.090	897	16.14	-54.380	947	16.94	-4.798	997	17.54	-26.918
848	15.54	5.524	898	16.16	-34.255	948	16.95	-0.602	998	17.55	-10.979
849	15.56	2.420	899	16.17	-23.794	949	16.96	20.831	999	17.56	3.192
850	15.57	-4.422	900	16.18	11.111	950	16.98	72.448	1000	17.58	14.594

INDEX NO. 812 1317-AB-1 HIROO BRIDGE LG. MAX.ACCEL.= 169.444(GAL) T=15.92(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	17.59	17.511	1051	18.38	24.489	1101	19.01	-7.102	1151	19.82	10.609
1002	17.60	15.956	1052	18.39	30.690	1102	19.03	5.283	1152	19.84	14.269
1003	17.61	8.374	1053	18.40	25.622	1103	19.04	10.204	1153	19.86	7.867
1004	17.63	-1.255	1054	18.41	11.798	1104	19.05	11.626	1154	19.88	-2.770
1005	17.64	-3.812	1055	18.42	1.720	1105	19.10	10.083	1155	19.90	-16.875
1006	17.66	-6.414	1056	18.43	-4.942	1106	19.11	12.505	1156	19.91	-18.162
1007	17.68	-7.763	1057	18.44	-6.144	1107	19.15	22.731	1157	19.92	-16.458
1008	17.69	-13.116	1058	18.46	-6.754	1108	19.16	22.176	1158	19.93	-9.025
1009	17.71	-14.435	1059	18.49	-7.672	1109	19.18	15.297	1159	19.94	12.396
1010	17.72	-2.772	1060	18.50	-6.504	1110	19.20	10.210	1160	19.95	27.555
1011	17.74	39.835	1061	18.51	-2.332	1111	19.21	7.608	1161	19.97	27.990
1012	17.75	45.286	1062	18.53	8.300	1112	19.22	6.807	1162	19.98	24.891
1013	17.76	45.673	1063	18.54	10.749	1113	19.23	6.272	1163	20.00	15.545
1014	17.77	39.687	1064	18.55	10.703	1114	19.24	-5.322	1164	20.01	7.972
1015	17.79	11.571	1065	18.56	6.905	1115	19.26	-21.949	1165	20.02	6.638
1016	17.80	-26.781	1066	18.57	-1.170	1116	19.27	-20.994	1166	20.05	13.247
1017	17.81	-30.339	1067	18.58	-11.240	1117	19.28	-16.549	1167	20.06	10.648
1018	17.82	-27.878	1068	18.59	-13.318	1118	19.30	9.036	1168	20.09	8.725
1019	17.84	-2.254	1069	18.61	-4.665	1119	19.31	13.743	1169	20.11	9.128
1020	17.85	7.911	1070	18.62	8.998	1120	19.32	15.454	1170	20.12	12.034
1021	17.87	6.093	1071	18.63	15.938	1121	19.33	11.879	1171	20.15	23.142
1022	17.88	-16.759	1072	18.64	16.646	1122	19.35	-3.223	1172	20.16	19.551
1023	17.90	-37.642	1073	18.65	16.615	1123	19.36	-8.045	1173	20.17	11.248
1024	17.91	-38.439	1074	18.67	3.477	1124	19.37	-9.348	1174	20.18	-3.324
1025	17.92	-26.768	1075	18.68	0.145	1125	19.39	10.729	1175	20.19	-16.163
1026	17.95	12.346	1076	18.70	7.553	1126	19.40	14.445	1176	20.20	-14.466
1027	17.96	20.790	1077	18.73	10.585	1127	19.41	16.885	1177	20.21	-9.034
1028	17.97	26.965	1078	18.74	18.523	1128	19.42	17.336	1178	20.23	1.626
1029	17.99	31.102	1079	18.75	14.222	1129	19.45	2.367	1179	20.24	2.805
1030	18.01	34.449	1080	18.76	7.176	1130	19.47	0.251	1180	20.26	-1.570
1031	18.03	27.613	1081	18.77	-7.387	1131	19.49	7.823	1181	20.29	6.511
1032	18.05	10.993	1082	18.78	-13.697	1132	19.51	13.005	1182	20.31	11.874
1033	18.06	-0.082	1083	18.79	-13.747	1133	19.53	25.621	1183	20.33	11.283
1034	18.07	-11.891	1084	18.80	-8.323	1134	19.55	31.254	1184	20.34	9.455
1035	18.08	1.033	1085	18.81	-0.412	1135	19.57	30.840	1185	20.36	-0.689
1036	18.10	15.920	1086	18.82	4.028	1136	19.58	23.054	1186	20.37	-2.002
1037	18.12	23.571	1087	18.83	5.721	1137	19.59	11.739	1187	20.39	0.173
1038	18.13	25.978	1088	18.84	5.685	1138	19.61	-5.609	1188	20.42	4.969
1039	18.15	27.610	1089	18.85	1.354	1139	19.62	-13.433	1189	20.43	4.387
1040	18.17	9.517	1090	18.87	-11.285	1140	19.64	-9.774	1190	20.45	2.497
1041	18.19	-10.854	1091	18.88	-11.326	1141	19.66	11.326	1191	20.47	5.411
1042	18.21	-17.510	1092	18.89	-5.871	1142	19.67	4.269	1192	20.49	10.797
1043	18.24	-21.913	1093	18.91	16.761	1143	19.68	4.221	1193	20.50	16.444
1044	18.25	-20.214	1094	18.92	23.675	1144	19.70	0.573	1194	20.53	19.775
1045	18.27	-4.110	1095	18.93	19.860	1145	19.72	-0.709	1195	20.55	21.448
1046	18.28	-3.657	1096	18.96	-3.536	1146	19.74	4.612	1196	20.56	17.088
1047	18.30	-7.301	1097	18.97	-16.895	1147	19.75	9.783	1197	20.58	14.494
1048	18.33	-10.693	1098	18.98	-18.176	1148	19.76	10.970	1198	20.59	12.428
1049	18.34	-8.270	1099	18.99	-16.224	1149	19.79	4.027	1199	20.60	13.607
1050	18.36	7.357	1100	19.00	-14.531	1150	19.80	4.431	1200	20.63	17.165

INDEX NO. 812 1317-A8-1 HIROO BRIDGE LG. MAX.ACCEL.= 169.444(GAL) T=15.92(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	20.65	17.097	1251	21.52	-4.209	1301	22.43	7.462	1351	23.18	13.692
1202	20.66	6.363	1252	21.55	5.676	1302	22.45	3.129	1352	23.21	17.999
1203	20.71	0.203	1253	21.57	3.759	1303	22.46	-1.960	1353	23.24	19.050
1204	20.72	-1.104	1254	21.58	4.925	1304	22.48	-9.327	1354	23.25	18.497
1205	20.74	1.257	1255	21.60	7.800	1305	22.49	-11.898	1355	23.27	13.885
1206	20.76	4.166	1256	21.62	5.915	1306	22.50	-12.457	1356	23.28	9.521
1207	20.78	13.546	1257	21.64	2.828	1307	22.51	-8.269	1357	23.30	4.400
1208	20.81	32.602	1258	21.65	-0.484	1308	22.54	9.781	1358	23.32	0.806
1209	20.82	33.781	1259	21.67	-9.880	1309	22.55	15.976	1359	23.33	-2.257
1210	20.83	32.459	1260	21.68	-6.451	1310	22.56	19.182	1360	23.34	-3.558
1211	20.85	24.865	1261	21.71	9.115	1311	22.57	18.624	1361	23.36	4.293
1212	20.88	9.461	1262	21.72	9.064	1312	22.58	15.304	1362	23.37	5.989
1213	20.89	7.645	1263	21.75	-4.134	1313	22.60	9.682	1363	23.39	6.634
1214	20.90	9.336	1264	21.76	-6.194	1314	22.61	9.639	1364	23.40	9.579
1215	20.91	13.512	1265	21.77	-6.233	1315	22.63	10.029	1365	23.42	16.158
1216	20.92	14.194	1266	21.80	4.102	1316	22.64	9.946	1366	23.44	15.288
1217	20.93	12.880	1267	21.81	4.797	1317	22.65	9.872	1367	23.46	12.674
1218	20.95	1.512	1268	21.82	4.232	1318	22.69	14.671	1368	23.48	7.580
1219	20.96	-0.313	1269	21.83	0.376	1319	22.70	16.336	1369	23.50	-2.077
1220	20.97	-8.364	1270	21.85	0.265	1320	22.71	15.263	1370	23.52	-10.917
1221	20.98	-0.175	1271	21.87	0.676	1321	22.74	10.116	1371	23.53	-14.725
1222	21.01	22.432	1272	21.89	4.772	1322	22.75	9.293	1372	23.54	-14.307
1223	21.02	26.620	1273	21.91	14.086	1323	22.76	9.230	1373	23.57	-5.711
1224	21.04	28.997	1274	21.95	31.940	1324	22.77	10.928	1374	23.60	5.332
1225	21.05	24.134	1275	21.96	34.359	1325	22.78	14.109	1375	23.61	6.763
1226	21.07	13.306	1276	21.97	33.051	1326	22.80	16.471	1376	23.63	-1.611
1227	21.09	-2.058	1277	21.99	21.681	1327	22.81	15.897	1377	23.65	-2.962
1228	21.10	-9.655	1278	22.01	-1.730	1328	22.84	9.994	1378	23.67	-4.575
1229	21.12	-15.200	1279	22.04	-19.113	1329	22.85	9.439	1379	23.69	-5.692
1230	21.14	-16.874	1280	22.05	-30.702	1330	22.88	7.223	1380	23.70	-6.544
1231	21.15	-12.725	1281	22.06	-34.531	1331	22.89	3.434	1381	23.72	-6.120
1232	21.16	-5.899	1282	22.08	-35.352	1332	22.90	-2.139	1382	23.74	1.982
1233	21.23	-13.673	1283	22.12	-6.630	1333	22.91	-2.945	1383	23.75	4.408
1234	21.24	-9.402	1284	22.14	5.233	1334	22.92	-1.756	1384	23.77	4.291
1235	21.26	-2.858	1285	22.15	6.921	1335	22.93	3.675	1385	23.79	1.205
1236	21.27	-2.920	1286	22.16	5.858	1336	22.94	11.114	1386	23.80	-3.889
1237	21.29	-6.787	1287	22.20	-4.345	1337	22.95	16.805	1387	23.82	-10.230
1238	21.32	-2.210	1288	22.21	-5.659	1338	22.96	18.502	1388	23.83	-12.304
1239	21.33	-1.773	1289	22.22	-4.713	1339	22.97	17.945	1389	23.84	-10.808
1240	21.36	-7.449	1290	22.23	-1.038	1340	22.98	15.385	1390	23.87	12.663
1241	21.37	-5.760	1291	22.25	17.344	1341	22.99	7.321	1391	23.88	8.847
1242	21.38	1.633	1292	22.26	23.734	1342	23.01	-3.523	1392	23.91	-6.563
1243	21.41	19.217	1293	22.27	21.176	1343	23.02	-6.609	1393	23.92	-10.884
1244	21.42	25.389	1294	22.30	8.522	1344	23.03	-1.928	1394	23.94	-6.756
1245	21.44	27.560	1295	22.31	5.722	1345	23.06	7.932	1395	23.96	-0.126
1246	21.45	21.230	1296	22.34	8.519	1346	23.07	9.116	1396	23.97	-0.186
1247	21.47	5.841	1297	22.36	4.890	1347	23.08	8.040	1397	24.01	-5.947
1248	21.48	-3.220	1298	22.38	1.521	1348	23.09	5.962	1398	24.05	12.820
1249	21.49	-6.283	1299	22.39	1.467	1349	23.11	4.084	1399	24.06	15.249
1250	21.51	-7.107	1300	22.42	7.536	1350	23.12	4.523	1400	24.09	12.093

INDEX NO. 812 1317-A8-1 HIROO BRIDGE LG. MAX.ACCEL.= 169.444(GAL) T=15.92(SEC) NO. 8

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1401	24.10	8.765	1451	25.01	-5.033	1501	25.89	-7.103	1551	26.88	-3.925
1402	24.12	8.155	1452	25.02	-2.605	1502	25.91	-5.973	1552	26.91	-5.101
1403	24.13	7.319	1453	25.04	4.271	1503	25.92	-7.806	1553	26.92	-5.929
1404	24.15	2.201	1454	25.06	13.396	1504	25.95	-11.205	1554	26.94	-4.304
1405	24.17	-2.924	1455	25.07	15.339	1505	25.97	-11.823	1555	26.97	-3.687
1406	24.19	-7.045	1456	25.09	12.760	1506	25.98	-11.692	1556	26.98	-6.293
1407	24.21	-0.932	1457	25.11	2.143	1507	25.99	-5.999	1557	27.00	-14.419
1408	24.27	18.254	1458	25.12	-9.465	1508	26.03	15.782	1558	27.01	-15.231
1409	24.28	20.183	1459	25.13	-14.519	1509	26.05	15.425	1559	27.03	-10.313
1410	24.29	18.367	1460	25.14	-15.292	1510	26.08	10.722	1560	27.06	1.971
1411	24.31	8.207	1461	25.15	-12.870	1511	26.11	3.781	1561	27.08	-1.892
1412	24.32	6.898	1462	25.16	-4.215	1512	26.14	-0.381	1562	27.10	-4.507
1413	24.33	6.838	1463	25.16	4.926	1513	26.17	1.706	1563	27.16	5.125
1414	24.35	7.725	1464	25.19	7.117	1514	26.19	2.326	1564	27.18	6.297
1415	24.36	5.889	1465	25.21	4.026	1515	26.21	-0.788	1565	27.19	4.477
1416	24.39	3.244	1466	25.22	1.437	1516	26.24	-6.459	1566	27.21	-0.660
1417	24.40	1.423	1467	25.24	-0.661	1517	26.28	-1.471	1567	27.24	-9.097
1418	24.42	5.548	1468	25.26	-3.267	1518	26.29	-1.540	1568	27.25	-9.681
1419	24.44	5.913	1469	25.27	-7.823	1519	26.32	-3.937	1569	27.28	-5.579
1420	24.46	5.305	1470	25.30	-14.291	1520	26.34	-5.309	1570	27.30	-0.213
1421	24.49	0.146	1471	25.32	-15.126	1521	26.35	-4.416	1571	27.31	-0.287
1422	24.50	-1.687	1472	25.33	-9.728	1522	26.38	4.163	1572	27.35	-5.264
1423	24.51	1.249	1473	25.35	1.414	1523	26.39	3.605	1573	27.36	-4.327
1424	24.53	8.593	1474	25.36	3.026	1524	26.42	-5.330	1574	27.39	1.247
1425	24.55	6.015	1475	25.38	4.222	1525	26.44	-10.440	1575	27.41	1.657
1426	24.57	-6.876	1476	25.41	-3.417	1526	26.45	-10.526	1576	27.42	1.651
1427	24.58	-10.692	1477	25.43	-1.305	1527	26.47	-8.092	1577	27.44	-4.554
1428	24.59	-6.495	1478	25.45	1.077	1528	26.49	0.497	1578	27.46	+14.677
1429	24.62	13.104	1479	25.49	-3.934	1529	26.50	2.184	1579	27.47	-19.258
1430	24.63	18.541	1480	25.51	-6.025	1530	26.52	4.102	1580	27.48	-20.579
1431	24.64	17.482	1481	25.54	4.271	1531	26.53	+0.225	1581	27.50	+17.677
1432	24.67	-0.968	1482	25.55	1.951	1532	26.55	-5.367	1582	27.52	-14.532
1433	24.68	-4.019	1483	25.58	-6.475	1533	26.59	-5.586	1583	27.54	-12.146
1434	24.69	-4.078	1484	25.60	-10.347	1534	26.61	-5.715	1584	27.56	-8.549
1435	24.70	-1.179	1485	25.62	-10.442	1535	26.62	-5.779	1585	27.57	-9.109
1436	24.73	7.382	1486	25.63	-8.023	1536	26.63	-4.118	1586	27.59	-12.476
1437	24.75	5.534	1487	25.64	-3.827	1537	26.66	+3.033	1587	27.60	-13.047
1438	24.76	2.984	1488	25.66	4.296	1538	26.68	+15.686	1588	27.62	-12.141
1439	24.78	-0.898	1489	25.67	5.484	1539	26.69	-19.749	1589	27.63	-4.734
1440	24.79	-4.231	1490	25.69	6.620	1540	26.70	-18.562	1590	27.64	-3.547
1441	24.81	-3.825	1491	25.71	6.009	1541	26.72	+11.142	1591	27.66	-6.667
1442	24.83	-2.677	1492	25.73	0.139	1542	26.74	-1.762	1592	27.69	+10.590
1443	24.84	-0.751	1493	25.74	-2.470	1543	26.75	-0.574	1593	27.71	-11.184
1444	24.86	1.607	1494	25.75	-2.513	1544	26.76	-2.394	1594	27.72	+10.275
1445	24.90	-4.393	1495	25.78	6.556	1545	26.78	-7.519	1595	27.74	-2.895
1446	24.94	8.630	1496	25.79	7.755	1546	26.79	-8.110	1596	27.75	+2.216
1447	24.95	8.054	1497	25.82	-7.183	1547	26.81	-5.192	1597	27.77	-2.838
1448	24.96	4.757	1498	25.83	-8.527	1548	26.83	-1.075	1598	27.79	-7.447
1449	24.99	-4.660	1499	25.85	-9.876	1549	26.85	-2.229	1599	27.81	-9.303
1450	25.00	-5.465	1500	25.87	-9.977	1550	26.86	-4.311	1600	27.84	-10.225

INDEX NO. 812 1317-A3-1 HIROO BRIDGE LG. MAX.ACCEL.= 169.444(GAL) T=15.92(SEC) NO. 9

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1601	27.86	-10.390	1651	28.92	-10.036	1701	29.92	-6.994	1751	30.96	-9.503
1602	27.90	-0.063	1652	28.93	-16.147	1702	29.96	-9.231	1752	30.98	-7.375
1603	27.93	-9.787	1653	28.96	-5.320	1703	29.99	-9.380	1753	30.99	-7.461
1604	27.96	-2.709	1654	28.97	-2.151	1704	30.00	-7.700	1754	31.01	-8.551
1605	28.00	-12.486	1655	28.98	-4.710	1705	30.03	-3.386	1755	31.03	-9.922
1606	28.02	-12.104	1656	28.99	-6.519	1706	30.05	-5.268	1756	31.06	-2.134
1607	28.05	-8.542	1657	29.00	-13.616	1707	30.09	-9.238	1757	31.08	-2.251
1608	28.09	-4.261	1658	29.02	-20.456	1708	30.12	-10.655	1758	31.11	-11.220
1609	28.13	1.757	1659	29.03	-19.763	1709	30.14	-12.794	1759	31.12	-11.260
1610	28.15	-3.411	1660	29.05	-12.661	1710	30.16	-15.442	1760	31.16	-2.784
1611	28.17	-6.502	1661	29.06	-12.705	1711	30.19	-15.633	1761	31.18	-2.894
1612	28.18	-7.331	1662	29.08	-13.338	1712	30.21	-12.727	1762	31.21	-5.562
1613	28.20	-5.674	1663	29.11	-13.521	1713	30.22	-9.668	1763	31.23	-6.921
1614	28.22	-1.292	1664	29.13	-11.693	1714	30.26	-9.256	1764	31.25	-3.286
1615	28.23	-0.106	1665	29.16	-7.801	1715	30.26	-9.932	1765	31.28	4.730
1616	28.24	-2.715	1666	29.17	-5.413	1716	30.30	-10.023	1766	31.33	-4.060
1617	28.26	-4.529	1667	29.21	-9.895	1717	30.32	-6.383	1767	31.38	-1.367
1618	28.26	-2.429	1668	29.24	-9.797	1718	30.33	-5.223	1768	31.39	-4.421
1619	28.31	3.411	1669	29.25	-11.896	1719	30.35	-6.559	1769	31.42	-14.632
1620	28.35	-4.340	1670	29.27	-14.516	1720	30.37	-14.191	1770	31.43	-15.461
1621	28.38	0.479	1671	29.29	-17.868	1721	30.38	-16.770	1771	31.46	-15.874
1622	28.42	-9.759	1672	29.32	-10.076	1722	30.40	-15.103	1772	31.49	-11.047
1623	28.43	-9.357	1673	29.33	-9.389	1723	30.41	-10.208	1773	31.51	-3.680
1624	28.46	-3.767	1674	29.37	-10.377	1724	30.43	-7.053	1774	31.54	-2.591
1625	28.46	-6.396	1675	29.39	-8.002	1725	30.44	-8.896	1775	31.55	-5.686
1626	28.51	-13.828	1676	29.40	-8.073	1726	30.45	-12.716	1776	31.57	-10.306
1627	28.53	-9.227	1677	29.42	-5.672	1727	30.47	-14.783	1777	31.58	-13.397
1628	28.56	-7.641	1678	29.43	-6.758	1728	30.48	-13.607	1778	31.60	-12.522
1629	28.56	-9.536	1679	29.46	-16.439	1729	30.49	-9.956	1779	31.64	-3.996
1630	28.61	-11.713	1680	29.47	-18.246	1730	30.52	-4.555	1780	31.66	-1.867
1631	28.62	-11.786	1681	29.48	-15.313	1731	30.53	-2.163	1781	31.68	-3.727
1632	28.64	-12.880	1682	29.51	-4.708	1732	30.55	-1.520	1782	31.71	-5.915
1633	28.66	-20.736	1683	29.52	-4.794	1733	30.58	-12.965	1783	31.74	-12.392
1634	28.67	-25.822	1684	29.53	-5.349	1734	30.60	-15.582	1784	31.75	-11.193
1635	28.68	-27.873	1685	29.56	-13.029	1735	30.63	-16.253	1785	31.79	-2.143
1636	28.69	-24.957	1686	29.58	-12.638	1736	30.66	-17.186	1786	31.80	-0.984
1637	28.71	-18.041	1687	29.60	-9.029	1737	30.68	-16.818	1787	31.83	-5.936
1638	28.73	-5.876	1688	29.62	-10.137	1738	30.70	-16.180	1788	31.86	-1.859
1639	28.75	-0.801	1689	29.64	-8.507	1739	30.73	-8.382	1789	31.87	-1.429
1640	28.77	-3.405	1690	29.66	-6.129	1740	30.74	-7.713	1790	31.88	-2.481
1641	28.79	-6.044	1691	29.68	-9.996	1741	30.76	-9.557	1791	31.92	-14.005
1642	28.81	-10.443	1692	29.70	-16.880	1742	30.78	-15.454	1792	31.93	-14.043
1643	28.83	-16.809	1693	29.73	-16.613	1743	30.80	-15.032	1793	31.96	-8.216
1644	28.85	-19.398	1694	29.76	-17.717	1744	30.81	-10.620	1794	31.97	-2.556
1645	28.86	-15.212	1695	29.77	-17.076	1745	30.83	-5.707	1795	31.99	-5.165
1646	28.87	-6.572	1696	29.82	-7.093	1746	30.84	0.449	1796	32.02	-15.343
1647	28.88	-4.860	1697	29.83	-5.909	1747	30.86	-0.903	1797	32.03	-12.425
1648	28.89	-5.405	1698	29.87	-16.159	1748	30.88	-1.537	1798	32.06	-10.096
1649	28.90	-9.229	1699	29.88	-13.715	1749	30.91	-2.968	1799	32.10	-3.352
1650	28.91	-14.310	1700	29.90	-9.502	1750	30.94	-8.123	1800	32.11	-2.926

INDEX NO. 812 1317-AB-1 HIROO BRIDGE LG. MAX.ACCEL.= 169.444(GAL) T=15.92(SEC) NO.10

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1801	32.18	-8.869	1851	33.18	5.286	1901	34.34	-3.778	1951	35.27	6.093
1802	32.21	-10.810	1852	33.19	5.700	1902	34.38	9.730	1952	35.30	-6.572
1803	32.23	-9.151	1853	33.21	6.117	1903	34.40	10.878	1953	35.32	-8.924
1804	32.26	-10.576	1854	33.22	-7.473	1904	34.42	8.522	1954	35.33	-7.253
1805	32.28	-9.452	1855	33.23	-9.278	1905	34.44	3.373	1955	35.35	-2.373
1806	32.29	-8.277	1856	33.25	-5.926	1906	34.45	2.050	1956	35.37	2.528
1807	32.32	0.781	1857	33.28	-2.837	1907	34.48	7.900	1957	35.39	7.176
1808	32.34	5.180	1858	33.30	-2.454	1908	34.49	9.832	1958	35.40	6.583
1809	32.35	6.366	1859	33.33	-1.374	1909	34.50	9.270	1959	35.42	3.954
1810	32.37	3.244	1860	33.36	-0.830	1910	34.53	2.110	1960	35.45	-1.199
1811	32.39	-1.406	1861	33.38	-7.694	1911	34.54	-2.996	1961	35.46	-5.790
1812	32.40	-1.954	1862	33.40	-11.038	1912	34.56	-4.332	1962	35.47	-6.355
1813	32.43	-0.389	1863	33.41	-13.125	1913	34.57	-4.896	1963	35.49	-2.950
1814	32.44	0.782	1864	33.43	-12.734	1914	34.59	-2.778	1964	35.51	6.913
1815	32.46	-4.351	1865	33.45	-12.383	1915	34.61	-3.406	1965	35.52	9.367
1816	32.48	-8.694	1866	33.48	-8.012	1916	34.63	-5.273	1966	35.53	9.557
1817	32.49	-11.265	1867	33.50	-0.657	1917	34.66	-9.165	1967	35.55	8.205
1818	32.52	-0.948	1868	33.51	5.761	1918	34.67	-10.009	1968	35.58	-0.244
1819	32.54	1.453	1869	33.53	9.917	1919	34.69	-10.108	1969	35.59	-0.315
1820	32.56	2.069	1870	33.55	9.307	1920	34.70	-9.705	1970	35.60	2.111
1821	32.58	0.663	1871	33.58	6.130	1921	34.72	-4.799	1971	35.63	12.415
1822	32.60	-0.205	1872	33.61	2.166	1922	34.74	1.298	1972	35.64	13.102
1823	32.61	-1.535	1873	33.64	4.223	1923	34.76	4.951	1973	35.65	12.539
1824	32.63	-2.111	1874	33.66	5.345	1924	34.79	8.535	1974	35.67	9.211
1825	32.64	-5.962	1875	33.69	4.203	1925	34.81	7.418	1975	35.68	2.364
1826	32.66	-9.310	1876	33.72	-0.462	1926	34.82	6.069	1976	35.70	-3.487
1827	32.67	-10.646	1877	33.75	-1.939	1927	34.83	4.753	1977	35.71	-3.078
1828	32.71	-2.097	1878	33.79	-15.396	1928	34.85	3.917	1978	35.73	1.795
1829	32.72	0.336	1879	33.82	-15.588	1929	34.86	5.580	1979	35.75	3.710
1830	32.73	-1.512	1880	33.85	-11.523	1930	34.88	10.720	1980	35.77	3.596
1831	32.76	-6.670	1881	33.87	-6.174	1931	34.90	16.372	1981	35.79	-0.318
1832	32.78	-9.312	1882	33.90	-2.555	1932	34.91	16.275	1982	35.82	-2.209
1833	32.80	-10.664	1883	33.91	0.077	1933	34.94	9.372	1983	35.84	2.380
1834	32.81	-7.255	1884	33.93	1.207	1934	34.95	4.778	1984	35.86	8.516
1835	32.84	3.339	1885	33.96	5.558	1935	34.98	2.142	1985	35.87	10.439
1836	32.86	-8.947	1886	33.98	7.206	1936	35.00	-1.785	1986	35.90	2.785
1837	32.88	11.330	1887	34.00	2.303	1937	35.03	-5.661	1987	35.92	0.159
1838	32.91	6.177	1888	34.03	-0.350	1938	35.04	-5.758	1988	35.95	0.737
1839	32.93	3.024	1889	34.06	-3.027	1939	35.06	-0.360	1989	35.98	3.538
1840	32.96	1.125	1890	34.08	-3.150	1940	35.08	4.033	1990	36.01	5.108
1841	32.98	3.216	1891	34.11	-0.390	1941	35.11	8.849	1991	36.02	4.506
1842	33.01	-0.434	1892	34.13	1.999	1942	35.13	9.967	1992	36.04	0.142
1843	33.02	-5.628	1893	34.15	3.651	1943	35.15	8.563	1993	36.06	-4.478
1844	33.04	-8.137	1894	34.18	7.984	1944	35.17	4.219	1994	36.08	1.657
1845	33.06	-8.997	1895	34.19	6.128	1945	35.19	-0.890	1995	36.10	9.568
1846	33.08	-14.349	1896	34.23	0.936	1946	35.21	-4.742	1996	36.11	13.247
1847	33.09	-20.716	1897	34.25	-0.475	1947	35.22	-4.804	1997	36.12	11.398
1848	33.11	-24.572	1898	34.28	4.841	1948	35.24	8.051	1998	36.13	8.842
1849	33.14	-13.005	1899	34.30	1.724	1949	35.25	13.487	1999	36.14	5.773
1850	33.16	-1.125	1900	34.33	-0.167	1950	35.26	11.671	2000	36.16	-0.055

INDEX NO. 812 1317-AB-1 HIROO BRIDGE LG. MAX.ACCEL.= 169.444(GAL) T=15.92(SEC) NO.11

NO.	(SEC)	(GAL)
2001	36.17	-3.152
2002	36.20	-3.606
2003	36.24	-3.564
2004	36.27	-2.763
2005	36.31	0.970
2006	36.33	3.879
2007	36.35	8.729
2008	36.36	9.167
2009	36.37	8.102
2010	36.39	3.995
2011	36.41	-7.883
2012	36.43	-9.256
2013	36.45	-6.889
2014	36.47	-3.986
2015	36.49	5.373
2016	36.50	7.084
2017	36.53	8.390
2018	36.57	8.138
2019	36.60	7.684
2020	36.62	10.300
2021	36.64	15.951
2022	36.65	18.394
2023	36.66	18.349
2024	36.67	16.512
2025	36.69	9.419
2026	36.70	1.329
2027	36.71	-2.732
2028	36.72	-2.765
2029	36.73	-3.616
2030	36.75	-3.694
2031	36.77	1.641
2032	36.79	4.766
2033	36.81	7.175
2034	36.83	8.813
2035	36.84	11.956
2036	36.87	4.334
2037	36.89	7.198
2038	36.90	7.853

Table IX D-39 Digitized Accelerations of Earthquake Record with Index Number 813

INDEX NO. 813 1317-AB-1 HIROO BRIDGE U-D MAX.ACCEL.= 57.609(GAL) T=16.11(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.15	20.287	51	0.96	14.812	101	1.74	9.903	151	2.56	4.124
2	0.17	10.736	52	0.97	11.293	102	1.76	9.341	152	2.57	7.841
3	0.19	10.680	53	0.98	4.258	103	1.78	6.791	153	2.59	3.534
4	0.22	3.123	54	0.99	2.989	104	1.81	7.228	154	2.61	0.999
5	0.23	4.840	55	1.00	2.965	105	1.83	7.176	155	2.62	-0.275
6	0.27	10.252	56	1.01	8.424	106	1.84	6.639	156	2.63	-1.558
7	0.28	3.461	57	1.03	6.638	107	1.86	3.338	157	2.65	-2.855
8	0.30	0.932	58	1.04	4.107	108	1.88	7.545	158	2.66	-2.374
9	0.31	2.157	59	1.05	5.831	109	1.89	5.276	159	2.67	-0.652
10	0.32	3.377	60	1.07	7.047	110	1.90	-0.502	160	2.68	3.823
11	0.35	12.045	61	1.08	7.010	111	1.92	-5.540	161	2.69	3.281
12	0.37	14.492	62	1.10	5.216	112	1.93	-1.817	162	2.71	2.499
13	0.39	14.456	63	1.11	3.429	113	1.95	2.385	163	2.73	-0.067
14	0.40	15.668	64	1.15	16.352	114	1.96	4.355	164	2.76	-0.118
15	0.41	13.895	65	1.16	15.070	115	1.99	9.284	165	2.77	-0.655
16	0.43	9.352	66	1.17	7.544	116	2.01	8.736	166	2.79	-5.705
17	0.44	5.576	67	1.18	2.513	117	2.02	6.208	167	2.82	3.477
18	0.45	5.059	68	1.19	2.994	118	2.03	2.415	168	2.83	3.946
19	0.46	6.781	69	1.20	4.973	119	2.05	0.861	169	2.84	3.920
20	0.49	12.214	70	1.21	7.937	120	2.07	1.570	170	2.85	-2.106
21	0.50	10.429	71	1.23	4.141	121	2.08	1.542	171	2.87	-9.145
22	0.53	9.875	72	1.24	4.363	122	2.11	2.735	172	2.88	-9.167
23	0.55	7.328	73	1.25	4.339	123	2.12	3.196	173	2.89	-6.705
24	0.56	6.540	74	1.27	8.540	124	2.14	2.659	174	2.91	-2.496
25	0.58	5.984	75	1.28	8.516	125	2.15	2.627	175	2.93	3.212
26	0.60	6.948	76	1.30	2.231	126	2.16	1.357	176	2.95	5.186
27	0.61	6.920	77	1.31	0.458	127	2.17	-0.417	177	2.97	-0.652
28	0.62	7.639	78	1.34	8.385	128	2.19	7.521	178	2.99	-2.697
29	0.65	6.325	79	1.35	13.841	129	2.21	9.241	179	3.01	-3.744
30	0.67	6.277	80	1.36	13.320	130	2.22	7.465	180	3.03	-4.036
31	0.69	5.750	81	1.38	8.287	131	2.23	3.680	181	3.06	4.634
32	0.70	11.199	82	1.40	6.991	132	2.25	0.640	182	3.10	2.794
33	0.71	12.421	83	1.41	5.200	133	2.27	1.083	183	3.12	-1.515
34	0.72	11.142	84	1.42	3.920	134	2.29	1.039	184	3.14	6.929
35	0.73	9.874	85	1.43	3.895	135	2.30	-0.738	185	3.15	6.405
36	0.75	6.836	86	1.45	0.111	136	2.32	-5.790	186	3.16	0.882
37	0.76	11.012	87	1.46	1.075	137	2.33	-6.559	187	3.17	-3.642
38	0.79	9.726	88	1.49	9.261	138	2.36	8.348	188	3.18	-1.912
39	0.80	7.190	89	1.51	-0.800	139	2.39	5.292	189	3.20	1.796
40	0.82	6.660	90	1.54	5.886	140	2.41	0.738	190	3.22	2.507
41	0.83	6.134	91	1.56	9.089	141	2.42	-0.554	191	3.23	2.460
42	0.84	2.102	92	1.58	10.791	142	2.44	-0.588	192	3.24	2.437
43	0.86	3.812	93	1.59	5.256	143	2.45	1.887	193	3.25	2.416
44	0.87	7.524	94	1.61	3.972	144	2.46	6.857	194	3.27	-6.385
45	0.89	11.980	95	1.63	6.917	145	2.48	11.816	195	3.29	-5.914
46	0.90	11.449	96	1.66	5.084	146	2.49	11.790	196	3.30	-6.949
47	0.91	6.421	97	1.68	8.797	147	2.50	10.518	197	3.32	-7.737
48	0.92	3.899	98	1.69	3.757	148	2.51	-0.259	198	3.33	-4.022
49	0.94	8.110	99	1.71	4.228	149	2.52	0.471	199	3.35	0.935
50	0.95	14.829	100	1.72	11.180	150	2.53	5.927	200	3.37	5.884

土木構造物における加速度強震記録（No. 9）

INDEX NO. 813 1317-AB-1 HIROO BRIDGE U-D MAX.ACCEL.= 57.609(GAL) T=16.11(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	3.38	5.358	251	4.16	-9.738	301	4.95	-11.712	351	5.64	-18.407
202	3.39	3.332	252	4.17	-8.059	302	4.97	-13.006	352	5.65	-18.423
203	3.41	-2.964	253	4.18	-5.571	303	4.99	-13.807	353	5.66	-15.948
204	3.42	-5.491	254	4.20	-7.373	304	5.01	-13.104	354	5.68	-7.246
205	3.43	-5.506	255	4.21	-11.657	305	5.02	-8.894	355	5.70	-7.808
206	3.45	1.937	256	4.22	-14.932	306	5.04	-9.428	356	5.72	-8.606
207	3.47	-4.871	257	4.24	-7.471	307	5.06	-11.226	357	5.73	-9.133
208	3.49	-5.649	258	4.26	-4.522	308	5.07	-10.757	358	5.75	-11.169
209	3.50	-1.445	259	4.28	-2.069	309	5.08	-8.280	359	5.76	-10.708
210	3.52	-1.228	260	4.29	-0.851	310	5.09	-3.297	360	5.77	-10.732
211	3.53	-1.506	261	4.30	1.623	311	5.10	-2.838	361	5.78	-12.508
212	3.55	4.196	262	4.32	1.086	312	5.12	0.368	362	5.80	-6.299
213	3.57	-4.616	263	4.33	-0.189	313	5.14	4.060	363	5.81	-2.083
214	3.59	-2.157	264	4.34	-0.718	314	5.16	-1.476	364	5.83	-2.128
215	3.60	-2.678	265	4.36	-3.258	315	5.17	-4.755	365	5.84	4.091
216	3.61	-7.208	266	4.37	-4.543	316	5.18	-4.773	366	5.85	4.072
217	3.62	-6.731	267	4.38	-5.315	317	5.20	-0.590	367	5.87	-0.218
218	3.63	-5.511	268	4.40	-1.606	318	5.22	-5.367	368	5.89	2.241
219	3.65	-6.538	269	4.41	-2.129	319	5.23	-11.142	369	5.90	4.718
220	3.66	-1.081	270	4.42	-9.169	320	5.24	-17.430	370	5.91	-3.315
221	3.68	-3.629	271	4.43	-6.699	321	5.25	-16.952	371	5.93	-16.608
222	3.70	-5.413	272	4.45	-2.990	322	5.27	-8.742	372	5.94	-19.645
223	3.72	-7.965	273	4.47	-10.567	323	5.28	-4.523	373	5.96	-19.193
224	3.74	-0.024	274	4.48	-8.819	324	5.29	-3.297	374	5.98	-11.734
225	3.78	1.639	275	4.51	-3.141	325	5.30	-5.574	375	6.00	-9.280
226	3.79	-5.148	276	4.53	-4.423	326	5.32	-10.117	376	6.02	-6.333
227	3.81	-3.926	277	4.55	-9.481	327	5.33	-10.896	377	6.04	-3.145
228	3.82	-1.953	278	4.58	-6.297	328	5.34	-8.917	378	6.06	-0.191
229	3.83	-6.487	279	4.63	-7.845	329	5.35	-3.444	379	6.07	1.783
230	3.84	-9.015	280	4.61	-10.123	330	5.36	1.026	380	6.09	-2.501
231	3.85	-8.541	281	4.63	-17.683	331	5.37	-1.489	381	6.10	-4.543
232	3.86	-6.566	282	4.65	-13.485	332	5.39	-11.552	382	6.12	-2.077
233	3.88	-0.345	283	4.67	-10.534	333	5.40	-11.568	383	6.13	3.391
234	3.89	2.630	284	4.69	-2.331	334	5.41	-8.596	384	6.14	2.378
235	3.90	1.604	285	4.70	-1.851	335	5.43	-5.382	385	6.15	-3.896
236	3.92	-9.201	286	4.72	-4.398	336	5.44	-2.920	386	6.16	-13.433
237	3.93	-7.468	287	4.74	-6.696	337	5.46	-3.463	387	6.17	-16.457
238	3.95	4.478	288	4.75	-4.978	338	5.47	-2.481	388	6.18	-16.488
239	3.96	4.856	289	4.77	-4.533	339	5.49	-11.033	389	6.19	-8.018
240	3.97	2.680	290	4.79	-1.321	340	5.50	-11.813	390	6.20	-3.544
241	3.99	-6.661	291	4.81	5.378	341	5.52	-11.856	391	6.22	0.680
242	4.00	-11.140	292	4.82	1.846	342	5.53	-16.885	392	6.23	1.406
243	4.03	-5.217	293	4.83	-3.179	343	5.54	-18.662	393	6.24	-2.379
244	4.05	-2.763	294	4.85	-15.730	344	5.55	-13.948	394	6.25	-8.664
245	4.07	-4.557	295	4.87	-10.256	345	5.56	-10.222	395	6.27	-12.960
246	4.09	5.391	296	4.88	-6.043	346	5.58	-3.263	396	6.29	-9.505
247	4.10	4.113	297	4.90	4.646	347	5.59	-3.288	397	6.31	-11.311
248	4.12	-8.946	298	4.91	2.882	348	5.61	-7.076	398	6.33	-10.106
249	4.14	-7.231	299	4.92	-0.890	349	5.62	-10.107	399	6.36	-17.667
250	4.15	-7.753	300	4.93	-10.926	350	5.63	-15.887	400	6.37	-18.941

INDEX NO. 813 1317-AB-1 HIROO BRIDGE U-D MAX.ACCEL.= 57.609(GAL) T=16.11(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	6.38	-18.463	451	7.08	0.037	501	7.71	-8.786	551	8.36	-9.615
402	6.39	-11.002	452	7.09	-8.252	502	7.72	-15.305	552	8.37	11.843
403	6.40	-7.784	453	7.10	+14.529	503	7.73	-15.329	553	8.38	18.068
404	6.41	-10.808	454	7.12	+22.558	504	7.74	-7.353	554	8.39	0.048
405	6.43	-2.852	455	7.13	-22.839	505	7.75	0.115	555	8.40	-13.979
406	6.44	-1.131	456	7.14	+21.611	506	7.76	3.097	556	8.41	-18.244
407	6.46	-0.419	457	7.15	-15.384	507	7.77	3.833	557	8.42	+17.263
408	6.49	6.760	458	7.16	-5.919	508	7.78	-4.210	558	8.44	-5.313
409	6.51	-11.803	459	7.17	-7.186	509	7.81	-4.264	559	8.47	-17.893
410	6.53	+21.856	460	7.19	-15.229	510	7.82	-5.787	560	8.48	-16.660
411	6.54	+21.872	461	7.20	+21.021	511	7.83	-15.817	561	8.49	9.793
412	6.57	-6.434	462	7.21	+17.302	512	7.84	+29.610	562	8.50	9.775
413	6.58	-8.724	463	7.23	-4.831	513	7.89	-7.713	563	8.52	-11.526
414	6.60	+13.273	464	7.24	3.893	514	7.90	6.746	564	8.53	0.983
415	6.62	-7.811	465	7.25	4.369	515	7.91	9.226	565	8.54	2.676
416	6.64	4.128	466	7.26	-0.404	516	7.92	5.705	566	8.55	3.402
417	6.65	3.616	467	7.27	+12.932	517	7.94	-11.607	567	8.56	7.125
418	6.67	+12.203	468	7.28	+20.712	518	7.96	-7.887	568	8.58	12.069
419	6.68	+11.720	469	7.29	+16.988	519	7.97	-2.921	569	8.61	-12.234
420	6.69	-7.251	470	7.30	+12.511	520	7.99	5.283	570	8.62	-10.258
421	6.71	1.965	471	7.32	0.444	521	8.00	12.249	571	8.64	-0.318
422	6.72	7.185	472	7.33	-1.844	522	8.02	15.965	572	8.65	0.399
423	6.73	4.913	473	7.35	4.863	523	8.03	15.941	573	8.66	+0.874
424	6.74	2.390	474	7.37	12.571	524	8.04	2.151	574	8.68	0.829
425	6.75	-1.390	475	7.40	13.239	525	8.05	-7.869	575	8.69	-3.940
426	6.77	9.550	476	7.41	12.471	526	8.06	+10.399	576	8.70	+13.970
427	6.79	10.268	477	7.42	-1.811	527	8.08	-7.927	577	8.71	+17.732
428	6.80	0.971	478	7.43	-4.326	528	8.09	2.547	578	8.72	-9.772
429	6.82	-9.311	479	7.45	6.109	529	8.10	16.271	579	8.73	+1.035
430	6.83	-7.596	480	7.46	6.593	530	8.11	19.749	580	8.74	0.695
431	6.85	-2.643	481	7.48	-1.472	531	8.12	20.971	581	8.76	-7.360
432	6.86	-11.426	482	7.50	-9.502	532	8.13	19.696	582	8.77	1.350
433	6.87	-22.699	483	7.51	+13.029	533	8.15	+12.119	583	8.79	8.317
434	6.88	-25.972	484	7.52	+14.804	534	8.16	+10.385	584	8.80	2.296
435	6.89	+25.495	485	7.54	+17.362	535	8.17	+21.402	585	8.81	-6.000
436	6.91	+14.292	486	7.55	+31.396	536	8.18	+14.687	586	8.83	-11.546
437	6.93	-5.333	487	7.55	+35.182	537	8.19	-9.206	587	8.85	+13.831
438	6.94	-4.862	488	7.57	+35.176	538	8.20	+4.221	588	8.86	+15.611
439	6.95	-9.654	489	7.58	+12.218	539	8.21	-0.507	589	8.87	-12.139
440	6.96	+14.680	490	7.59	-0.238	540	8.22	-0.286	590	8.89	-3.931
441	6.97	-15.948	491	7.60	10.737	541	8.23	-0.555	591	8.90	4.275
442	6.98	+12.974	492	7.61	10.711	542	8.24	5.019	592	8.92	8.743
443	7.00	-0.511	493	7.62	11.194	543	8.25	-3.350	593	8.93	11.706
444	7.01	7.714	494	7.63	5.166	544	8.26	+22.391	594	8.94	12.439
445	7.02	10.944	495	7.65	-9.387	545	8.28	+24.428	595	8.95	5.658
446	7.03	-0.847	496	7.66	-9.410	546	8.30	+25.729	596	8.96	-2.114
447	7.04	-9.871	497	7.67	-6.431	547	8.31	+25.010	597	8.97	-8.897
448	7.05	-10.641	498	7.68	-4.447	548	8.32	+18.786	598	8.99	-7.679
449	7.06	-6.915	499	7.69	3.024	549	8.34	+10.816	599	9.00	+14.215
450	7.07	1.059	500	7.70	4.759	550	8.35	-9.591	600	9.01	-16.734

INDEX NO. 813 1317-A3-1 HIROO BRIDGE U-D MAX.ACCEL.= 57.609(GAL) T=16.11(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	9.02	-14.254	651	9.65	2.439	701	10.30	-0.902	751	11.07	-15.499
602	9.03	-3.785	652	9.66	4.410	702	10.32	9.040	752	11.08	-7.525
603	9.04	3.431	653	9.67	4.391	703	10.34	7.753	753	11.09	-4.553
604	9.05	0.415	654	9.69	-3.651	704	10.36	5.946	754	11.10	-5.345
605	9.06	-5.553	655	9.70	-4.921	705	10.39	5.641	755	11.12	-6.636
606	9.07	-12.307	656	9.72	-0.225	706	10.40	-7.400	756	11.14	-19.423
607	9.08	-11.165	657	9.74	-3.771	707	10.42	-11.686	757	11.16	-16.487
608	9.09	-9.943	658	9.75	-5.612	708	10.43	-12.969	758	11.18	-7.774
609	9.11	3.206	659	9.76	-5.331	709	10.45	-1.262	759	11.22	11.621
610	9.12	0.743	660	9.77	2.142	710	10.46	-5.047	760	11.23	7.849
611	9.13	-2.280	661	9.79	14.619	711	10.48	1.665	761	11.24	0.822
612	9.14	-3.555	662	9.79	20.594	712	10.49	5.383	762	11.25	-4.453
613	9.15	-3.576	663	9.80	21.066	713	10.50	4.852	763	11.26	-10.735
614	9.17	0.119	664	9.81	21.651	714	10.53	-9.453	764	11.27	-10.252
615	9.18	6.645	665	9.82	0.778	715	10.54	-7.238	765	11.28	-4.521
616	9.19	9.663	666	9.83	-5.253	716	10.55	-1.513	766	11.29	-0.288
617	9.21	-0.235	667	9.84	-4.773	717	10.56	5.209	767	11.30	2.168
618	9.23	-6.771	668	9.85	1.453	718	10.57	8.936	768	11.31	5.393
619	9.24	-2.064	669	9.86	5.170	719	10.58	5.915	769	11.33	14.342
620	9.26	12.891	670	9.93	5.126	720	10.59	-2.105	770	11.36	11.027
621	9.27	15.366	671	9.92	7.585	721	10.61	-7.143	771	11.37	11.003
622	9.29	4.833	672	9.91	2.052	722	10.63	-13.688	772	11.39	9.206
623	9.30	2.389	673	9.92	-0.851	723	10.64	-14.216	773	11.40	4.924
624	9.31	1.516	674	9.93	6.740	724	10.65	-3.004	774	11.42	-8.627
625	9.33	-2.266	675	9.94	7.469	725	10.67	0.714	775	11.44	-6.907
626	9.34	-11.050	676	9.95	6.544	726	10.69	0.665	776	11.45	-2.431
627	9.35	-11.564	677	9.97	11.165	727	10.72	-11.164	777	11.46	8.773
628	9.36	-8.590	678	9.98	17.632	728	10.73	-16.197	778	11.48	11.985
629	9.37	-1.630	679	9.99	16.358	729	10.74	-9.466	779	11.49	7.701
630	9.40	-0.688	680	10.00	10.085	730	10.76	5.497	780	11.51	6.922
631	9.41	7.537	681	10.01	7.066	731	10.77	9.218	781	11.52	0.136
632	9.42	1.255	682	10.02	5.029	732	10.80	13.152	782	11.53	-3.646
633	9.44	-13.035	683	10.03	-7.751	733	10.82	-8.414	783	11.54	-1.171
634	9.45	-13.306	684	10.04	-18.518	734	10.84	-2.944	784	11.55	1.802
635	9.46	-13.335	685	10.05	-20.039	735	10.85	5.275	785	11.57	-4.730
636	9.48	-15.679	686	10.06	-29.811	736	10.86	11.998	786	11.58	-10.762
637	9.49	-20.422	687	10.07	-22.596	737	10.87	13.469	787	11.59	-12.780
638	9.50	-17.449	688	10.09	-14.332	738	10.89	4.166	788	11.61	-2.327
639	9.52	19.249	689	10.10	-4.402	739	10.92	1.613	789	11.62	3.895
640	9.53	19.906	690	10.11	-2.636	740	10.93	2.080	790	11.63	3.376
641	9.54	18.717	691	10.12	-1.216	741	10.95	3.288	791	11.64	-3.407
642	9.55	10.689	692	10.14	3.249	742	10.97	11.978	792	11.65	-1.677
643	9.57	3.141	693	10.15	6.216	743	10.98	10.958	793	11.66	-2.958
644	9.58	-0.887	694	10.17	-5.077	744	10.99	6.438	794	11.68	-10.996
645	9.59	-3.468	695	10.18	-11.120	745	11.00	-3.832	795	11.69	-11.287
646	9.60	-9.177	696	10.20	-15.650	746	11.01	-12.604	796	11.70	-13.559
647	9.61	-18.213	697	10.22	-3.465	747	11.02	-14.376	797	11.71	-16.831
648	9.62	-21.981	698	10.24	-0.257	748	11.04	-4.699	798	11.72	-11.350
649	9.63	-19.014	699	10.26	1.703	749	11.05	-7.951	799	11.73	-1.374
650	9.64	-4.041	700	10.28	-8.860	750	11.06	-13.479	800	11.74	5.605

INDEX NO. 813 1317-A3-1 HIROO BRIDGE U-D MAX.ACCEL.= 57.609(GAL) T=16.11(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	11.75	12.060	851	12.45	9.084	901	13.09	-18.204	951	13.74	12.201
802	11.77	-4.240	852	12.47	17.054	902	13.11	-25.514	952	13.75	3.420
803	11.78	-5.756	853	12.48	21.520	903	13.12	-13.051	953	13.76	0.388
804	11.80	-7.552	854	12.49	22.039	904	13.13	0.928	954	13.78	2.589
805	11.81	-10.076	855	12.50	17.735	905	13.14	5.699	955	13.81	5.037
806	11.82	-11.352	856	12.51	6.962	906	13.15	5.382	956	13.83	11.983
807	11.83	-9.629	857	12.52	-6.024	907	13.16	4.139	957	13.85	21.672
808	11.85	-1.663	858	12.53	-11.857	908	13.18	0.812	958	13.90	1.815
809	11.86	7.793	859	12.55	-10.332	909	13.20	-0.984	959	13.91	6.039
810	11.88	14.754	860	12.57	-7.163	910	13.21	1.247	960	13.92	9.261
811	11.89	16.473	861	12.58	-7.720	911	13.22	0.713	961	13.95	2.187
812	11.91	17.934	862	12.59	-6.996	912	13.23	1.934	962	13.96	-3.844
813	11.92	17.916	863	12.61	-11.535	913	13.24	4.409	963	13.97	-7.613
814	11.94	-1.391	864	12.63	-2.338	914	13.25	7.631	964	13.99	-2.664
815	11.95	-9.929	865	12.64	3.374	915	13.26	7.114	965	14.01	0.790
816	11.97	-11.717	866	12.65	5.852	916	13.28	1.567	966	14.03	1.996
817	11.99	-10.762	867	12.66	11.082	917	13.30	-1.723	967	14.04	8.980
818	12.00	-9.547	868	12.67	6.050	918	13.32	-3.021	968	14.06	18.161
819	12.02	-8.332	869	12.68	3.535	919	13.34	7.674	969	14.07	7.129
820	12.04	1.101	870	12.69	4.014	920	13.36	11.134	970	14.08	1.359
821	12.05	-1.415	871	12.70	12.235	921	13.37	8.858	971	14.09	5.084
822	12.06	-10.192	872	12.71	13.464	922	13.38	2.587	972	14.10	10.051
823	12.07	-15.212	873	12.73	11.650	923	13.39	-2.454	973	14.13	9.980
824	12.08	-13.490	874	12.74	9.637	924	13.40	-0.229	974	14.14	4.961
825	12.10	-6.546	875	12.76	-4.658	925	13.41	4.242	975	14.16	-7.584
826	12.12	-0.338	876	12.77	-9.934	926	13.42	2.969	976	14.18	-12.879
827	12.14	6.367	877	12.78	-10.205	927	13.44	-1.310	977	14.20	-10.826
828	12.15	11.580	878	12.79	-1.992	928	13.45	-3.334	978	14.21	-6.711
829	12.17	11.539	879	12.90	5.978	929	13.46	0.393	979	14.23	0.749
830	12.19	15.487	880	12.81	10.707	930	13.47	4.611	980	14.25	11.451
831	12.20	9.715	881	12.82	12.440	931	13.49	12.819	981	14.26	15.923
832	12.21	-0.309	882	12.84	3.153	932	13.50	-0.220	982	14.27	14.151
833	12.22	-4.583	883	12.85	-4.395	933	13.51	-7.740	983	14.28	7.122
834	12.23	2.191	884	12.86	-2.682	934	13.52	-13.767	984	14.29	7.084
835	12.24	7.876	885	12.87	1.005	935	13.53	-14.280	985	14.31	16.208
836	12.25	7.853	886	12.88	10.533	936	13.54	-1.324	986	14.32	15.[illegible]
837	12.28	10.788	887	12.90	11.253	937	13.56	2.396	987	14.33	[illegible]
838	12.29	3.233	888	12.91	10.971	938	13.57	7.605	988	14.34	[illegible]
839	12.31	-1.043	889	12.93	16.663	939	13.59	11.324	989	14.35	6.197
840	12.32	-3.575	890	12.94	19.134	940	13.60	7.032	990	14.37	6.905
841	12.34	-0.627	891	12.95	15.386	941	13.61	3.757	991	14.38	-1.884
842	12.36	4.960	892	12.96	5.087	942	13.62	1.986	992	14.39	-7.410
843	12.37	9.286	893	12.97	0.570	943	13.64	3.201	993	14.40	-7.436
844	12.38	13.014	894	12.98	0.541	944	13.65	-3.079	994	14.42	1.032
845	12.39	11.744	895	12.99	7.273	945	13.66	-6.853	995	14.45	15.498
846	12.40	10.472	896	13.00	0.998	946	13.68	2.347	996	14.47	14.913
847	12.42	10.427	897	13.01	1.462	947	13.69	5.321	997	14.48	13.830
848	12.43	5.389	898	13.02	11.409	948	13.71	9.774	998	14.50	13.584
849	12.44	3.621	899	13.06	-16.400	949	13.72	15.236	999	14.51	12.305
850	12.45	4.569	900	13.07	-13.171	950	13.73	15.222	1000	14.52	9.782

土木構造物における加速度強震記録（No. 9）

INDEX NO. 813 1317-A8-1 HIROO BRIDGE U-D MAX.ACCEL.= 57.609(GAL) T=16.11(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	14.53	4.002	1051	15.27	-19.533	1101	15.99	-18.602	1151	16.66	1.745
1002	14.54	0.983	1052	15.29	-6.134	1102	16.00	-20.375	1152	16.68	7.964
1003	14.56	10.670	1053	15.31	0.568	1103	16.01	-15.644	1153	16.70	18.164
1004	14.59	10.593	1054	15.33	3.284	1104	16.02	-8.673	1154	16.71	21.374
1005	14.60	7.586	1055	15.35	-10.526	1105	16.04	-1.462	1155	16.73	15.829
1006	14.61	2.560	1056	15.36	-11.040	1106	16.05	-3.499	1156	16.76	14.518
1007	14.62	1.271	1057	15.39	-5.094	1107	16.06	-1.766	1157	16.77	5.740
1008	14.63	4.246	1058	15.40	-10.651	1108	16.07	7.711	1158	16.78	-2.765
1009	14.65	6.213	1059	15.42	-11.207	1109	16.09	50.904	1159	16.79	-15.314
1010	14.66	11.683	1060	15.44	-11.494	1110	16.10	54.642	1160	16.81	-14.112
1011	14.67	15.406	1061	15.45	-9.271	1111	16.11	57.609	1161	16.82	-12.402
1012	14.69	15.612	1062	15.46	-2.040	1112	16.13	57.074	1162	16.84	-11.679
1013	14.70	11.573	1063	15.48	-1.585	1113	16.14	45.281	1163	16.85	-7.969
1014	14.71	8.053	1064	15.50	5.370	1114	16.15	29.261	1164	16.86	-7.989
1015	14.72	-3.224	1065	15.51	1.585	1115	16.16	4.740	1165	16.88	-8.030
1016	14.73	-10.741	1066	15.53	-0.463	1116	16.17	-46.796	1166	16.90	-14.830
1017	14.74	-16.015	1067	15.54	-12.238	1117	16.18	-53.815	1167	16.92	-3.130
1018	14.75	-18.039	1068	15.56	-16.257	1118	16.19	-55.089	1168	16.93	10.574
1019	14.76	-13.824	1069	15.58	-30.342	1119	16.20	-52.110	1169	16.95	11.792
1020	14.77	-10.594	1070	15.60	-21.140	1120	16.21	-39.137	1170	16.97	-10.763
1021	14.78	-11.115	1071	15.61	-17.907	1121	16.22	-21.915	1171	16.98	-20.299
1022	14.79	-14.395	1072	15.63	-16.462	1122	16.23	-3.690	1172	16.99	-18.068
1023	14.80	-15.664	1073	15.64	-12.241	1123	16.24	4.041	1173	17.00	-12.336
1024	14.82	1.024	1074	15.65	-7.770	1124	16.25	11.514	1174	17.01	4.629
1025	14.84	10.723	1075	15.66	-4.780	1125	16.26	17.489	1175	17.02	14.851
1026	14.85	7.700	1076	15.67	7.439	1126	16.27	17.472	1176	17.04	18.056
1027	14.86	5.179	1077	15.69	16.901	1127	16.28	9.957	1177	17.05	19.284
1028	14.87	9.396	1078	15.70	16.873	1128	16.29	1.932	1178	17.06	10.511
1029	14.88	11.126	1079	15.71	7.106	1129	16.30	5.408	1179	17.07	1.233
1030	14.89	8.850	1080	15.72	-25.437	1130	16.32	13.099	1180	17.08	-7.291
1031	14.90	5.575	1081	15.73	-36.205	1131	16.34	-4.201	1181	17.09	-9.814
1032	14.92	6.283	1082	15.74	-40.731	1132	16.37	-6.777	1182	17.10	-9.330
1033	14.94	-0.006	1083	15.76	-35.276	1133	16.38	-7.301	1183	17.11	-3.617
1034	14.96	-3.314	1084	15.78	-16.570	1134	16.41	-30.380	1184	17.13	7.584
1035	14.97	-3.852	1085	15.79	3.391	1135	16.44	-16.700	1185	17.14	10.559
1036	14.99	-5.135	1086	15.80	16.615	1136	16.46	-3.503	1186	17.15	8.786
1037	15.02	-11.454	1087	15.82	23.586	1137	16.48	4.702	1187	17.17	7.006
1038	15.04	-7.273	1088	15.83	28.040	1138	16.50	16.409	1188	17.18	9.976
1039	15.07	-5.580	1089	15.85	18.507	1139	16.52	8.114	1189	17.20	16.920
1040	15.08	-22.820	1090	15.86	15.937	1140	16.53	7.572	1190	17.22	3.388
1041	15.09	-23.884	1091	15.87	16.455	1141	16.55	1.791	1191	17.23	-6.890
1042	15.10	-21.407	1092	15.89	23.406	1142	16.56	0.515	1192	17.24	-11.418
1043	15.11	-17.184	1093	15.90	36.119	1143	16.57	6.725	1193	17.25	-25.954
1044	15.12	-8.971	1094	15.91	47.349	1144	16.59	9.192	1194	17.26	-30.975
1045	15.14	-6.510	1095	15.92	53.078	1145	16.60	9.662	1195	17.27	-32.994
1046	15.16	-7.047	1096	15.93	51.312	1146	16.61	7.889	1196	17.28	-32.510
1047	15.18	-14.103	1097	15.94	40.032	1147	16.62	3.605	1197	17.29	-24.298
1048	15.22	-10.956	1098	15.95	30.758	1148	16.63	-0.178	1198	17.30	-10.063
1049	15.25	-28.520	1099	15.96	37.224	1149	16.64	-3.698	1199	17.31	15.405
1050	15.26	-29.546	1100	15.97	34.461	1150	16.65	-3.217	1200	17.32	20.386

INDEX NO. 813 1317-A3-1 HIROO BRIDGE U-D MAX.ACCEL.= 57.609(GAL) T=16.11(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	17.33	24.103	1251	17.99	-5.787	1301	18.70	0.994	1351	19.60	7.249
1202	17.34	18.576	1252	18.00	-4.538	1302	18.72	-4.000	1352	19.62	13.456
1203	17.35	14.796	1253	18.01	-8.319	1303	18.73	-4.329	1353	19.63	5.420
1204	17.37	14.256	1254	18.02	-12.066	1304	18.74	-1.102	1354	19.65	3.629
1205	17.39	2.974	1255	18.03	-12.359	1305	18.76	5.103	1355	19.67	4.085
1206	17.40	-4.302	1256	18.05	-2.149	1306	18.77	5.583	1356	19.68	6.557
1207	17.41	-3.088	1257	18.07	-3.446	1307	18.78	1.313	1357	19.71	14.727
1208	17.43	-4.375	1258	18.08	-3.469	1308	18.79	-6.480	1358	19.73	13.424
1209	17.44	-13.169	1259	18.09	4.505	1309	18.81	-5.262	1359	19.75	12.637
1210	17.46	-16.957	1260	18.10	6.976	1310	18.82	-2.305	1360	19.77	12.088
1211	17.47	-15.238	1261	18.11	3.455	1311	18.84	-7.107	1361	19.79	2.531
1212	17.49	-12.032	1262	18.12	0.929	1312	18.86	-2.898	1362	19.81	-6.263
1213	17.50	-7.815	1263	18.13	-2.346	1313	18.87	-4.183	1363	19.83	-10.809
1214	17.52	-0.846	1264	18.14	-4.133	1314	18.89	-7.222	1364	19.84	-12.104
1215	17.53	5.873	1265	18.15	-7.909	1315	18.91	-11.759	1365	19.86	-11.144
1216	17.54	10.340	1266	18.16	-13.678	1316	18.92	-15.551	1366	19.89	-1.205
1217	17.55	16.813	1267	18.18	-22.731	1317	18.93	-15.082	1367	19.90	3.760
1218	17.57	21.774	1268	18.22	-8.311	1318	18.95	-10.615	1368	19.92	-1.035
1219	17.58	23.499	1269	18.23	-6.595	1319	18.97	3.084	1369	19.94	3.651
1220	17.59	21.215	1270	18.25	-9.642	1320	18.98	7.309	1370	19.98	-3.679
1221	17.61	12.930	1271	18.28	2.787	1321	18.99	7.538	1371	19.99	-4.464
1222	17.62	6.645	1272	18.29	3.503	1322	19.01	4.977	1372	20.00	-3.244
1223	17.63	-1.383	1273	18.31	2.208	1323	19.05	2.674	1373	20.02	9.453
1224	17.65	-9.916	1274	18.32	3.437	1324	19.07	11.088	1374	20.04	8.905
1225	17.66	-11.191	1275	18.34	-2.862	1325	19.08	16.793	1375	20.07	12.352
1226	17.67	-9.983	1276	18.35	-7.134	1326	19.11	24.990	1376	20.08	11.314
1227	17.68	-2.495	1277	18.36	-10.409	1327	19.12	23.964	1377	20.09	11.281
1228	17.70	7.212	1278	18.37	-9.931	1328	19.14	7.408	1378	20.11	6.744
1229	17.71	12.674	1279	18.38	-4.957	1329	19.15	1.119	1379	20.13	-2.048
1230	17.72	15.645	1280	18.40	4.503	1330	19.17	-1.419	1380	20.14	-6.328
1231	17.73	15.623	1281	18.41	7.473	1331	19.19	-3.476	1381	20.15	-2.106
1232	17.75	3.841	1282	18.42	7.448	1332	19.21	0.237	1382	20.17	7.848
1233	17.76	-4.438	1283	18.43	11.662	1333	19.24	2.652	1383	20.18	12.810
1234	17.77	-11.963	1284	18.45	5.859	1334	19.27	8.817	1384	20.19	14.536
1235	17.78	-9.731	1285	18.47	4.063	1335	19.29	5.787	1385	20.21	7.735
1236	17.80	4.709	1286	18.49	6.277	1336	19.31	-4.272	1386	20.24	6.415
1237	17.81	6.429	1287	18.51	9.973	1337	19.32	-5.801	1387	20.27	6.356
1238	17.82	0.908	1288	18.52	1.937	1338	19.34	-3.107	1388	20.29	3.791
1239	17.83	-12.112	1289	18.53	-3.086	1339	19.36	-5.661	1389	20.31	2.505
1240	17.84	-22.389	1290	18.54	-2.613	1340	19.39	4.768	1390	20.32	-2.520
1241	17.85	-24.906	1291	18.55	0.614	1341	19.42	5.958	1391	20.33	-0.801
1242	17.86	-18.185	1292	18.57	7.326	1342	19.44	3.465	1392	20.35	4.158
1243	17.88	-6.484	1293	18.58	9.549	1343	19.46	2.094	1393	20.36	4.885
1244	17.90	0.225	1294	18.59	7.512	1344	19.47	1.561	1394	20.37	0.602
1245	17.91	-3.052	1295	18.61	7.972	1345	19.49	4.531	1395	20.38	1.072
1246	17.92	-1.842	1296	18.63	8.422	1346	19.51	5.732	1396	20.40	2.287
1247	17.94	-8.128	1297	13.64	6.391	1347	19.54	11.898	1397	20.41	3.997
1248	17.95	-14.400	1298	13.66	11.600	1348	19.55	10.128	1398	20.43	12.716
1249	17.96	-15.672	1299	18.67	4.066	1349	19.57	-5.680	1399	20.44	15.934
1250	17.97	-11.669	1300	18.69	5.516	1350	19.58	-3.209	1400	20.46	10.893

INDEX NO. 813 1317-AB-1 HIROO BRIDGE U-D MAX.ACCEL.= 57.609(GAL) T=16.11(SEC) NO. 8

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1401	20.47	9.102	1451	21.24	3.473	1501	22.10	4.348	1551	23.02	8.355
1402	20.49	7.050	1452	21.26	2.189	1502	22.12	-2.451	1552	23.03	7.080
1403	20.51	8.772	1453	21.27	3.152	1503	22.15	-2.503	1553	23.04	3.294
1404	20.52	8.731	1454	21.28	5.630	1504	22.16	-3.797	1554	23.05	2.764
1405	20.54	6.444	1455	21.29	3.349	1505	22.19	2.128	1555	23.08	4.457
1406	20.56	6.151	1456	21.31	1.303	1506	22.22	4.556	1556	23.10	7.492
1407	20.56	14.347	1457	21.33	2.517	1507	22.24	5.767	1557	23.12	3.089
1408	20.59	11.316	1458	21.34	0.729	1508	22.26	8.456	1558	23.15	3.036
1409	20.61	5.524	1459	21.36	1.690	1509	22.27	7.679	1559	23.16	1.254
1410	20.63	2.982	1460	21.38	0.646	1510	22.29	5.144	1560	23.18	-8.294
1411	20.65	-1.589	1461	21.39	7.867	1511	22.30	3.878	1561	23.19	-7.814
1412	20.68	-1.398	1462	21.40	5.593	1512	22.32	10.577	1562	23.20	-2.857
1413	20.70	-0.946	1463	21.41	1.805	1513	22.34	3.019	1563	23.22	-2.156
1414	20.71	4.526	1464	21.43	0.526	1514	22.36	5.479	1564	23.24	-3.448
1415	20.72	8.253	1465	21.45	0.972	1515	22.38	18.161	1565	23.26	-9.007
1416	20.73	7.225	1466	21.48	1.403	1516	22.41	19.353	1566	23.29	2.679
1417	20.74	6.455	1467	21.50	7.848	1517	22.43	19.301	1567	23.31	6.877
1418	20.75	4.675	1468	21.51	8.320	1518	22.45	18.750	1568	23.33	11.826
1419	20.76	3.906	1469	21.53	4.029	1519	22.47	18.704	1569	23.34	12.551
1420	20.78	5.104	1470	21.54	0.737	1520	22.49	21.655	1570	23.35	5.771
1421	20.79	0.072	1471	21.55	-2.282	1521	22.52	19.818	1571	23.37	-1.772
1422	20.80	-4.205	1472	21.58	-3.092	1522	22.54	12.289	1572	23.39	-2.571
1423	20.82	-4.236	1473	21.59	-0.125	1523	22.56	1.228	1573	23.42	-2.154
1424	20.83	-2.522	1474	21.60	0.085	1524	22.57	3.204	1574	23.44	0.307
1425	20.84	4.949	1475	21.63	-5.717	1525	22.59	12.400	1575	23.46	3.503
1426	20.85	7.428	1476	21.65	-5.775	1526	22.60	17.125	1576	23.48	3.956
1427	20.87	6.123	1477	21.67	-2.079	1527	22.62	15.342	1577	23.50	0.909
1428	20.89	7.827	1478	21.69	-5.885	1528	22.63	10.318	1578	23.51	0.874
1429	20.91	9.048	1479	21.71	-3.423	1529	22.65	0.018	1579	23.53	5.081
1430	20.92	8.509	1480	21.72	-3.439	1530	22.66	-1.263	1580	23.55	2.788
1431	20.94	11.471	1481	21.73	-7.728	1531	22.68	-1.313	1581	23.56	-1.746
1432	20.95	15.183	1482	21.74	-8.489	1532	22.70	-1.354	1582	23.58	-6.783
1433	20.97	15.396	1483	21.76	1.949	1533	22.73	4.070	1583	23.59	-3.822
1434	20.98	10.358	1484	21.78	-5.346	1534	22.75	5.774	1584	23.61	-2.613
1435	21.00	3.319	1485	21.80	-11.153	1535	22.76	3.988	1585	23.63	-1.414
1436	21.02	-4.722	1486	21.83	4.282	1536	22.77	3.457	1586	23.65	6.777
1437	21.03	-5.996	1487	21.85	1.974	1537	22.79	-1.590	1587	23.68	8.715
1438	21.04	-4.290	1488	21.88	9.913	1538	22.81	-0.631	1588	23.70	4.915
1439	21.05	-4.815	1489	21.89	11.137	1539	22.83	2.570	1589	23.72	-0.131
1440	21.07	-6.961	1490	21.90	11.611	1540	22.84	2.036	1590	23.74	-4.675
1441	21.09	-1.902	1491	21.91	14.067	1541	22.86	-1.759	1591	23.77	0.749
1442	21.12	10.532	1492	21.94	8.500	1542	22.88	-4.310	1592	23.79	8.185
1443	21.13	7.494	1493	21.95	8.469	1543	22.90	-4.597	1593	23.81	11.403
1444	21.15	7.453	1494	21.98	10.905	1544	22.91	-2.124	1594	23.83	14.093
1445	21.16	-0.832	1495	21.99	10.371	1545	22.93	1.080	1595	23.84	15.815
1446	21.18	-10.131	1496	22.01	5.832	1546	22.94	2.791	1596	23.86	7.772
1447	21.20	-7.911	1497	22.03	0.792	1547	22.96	-2.756	1597	23.88	-1.017
1448	21.21	-4.687	1498	22.04	1.248	1548	22.98	-1.544	1598	23.89	-3.796
1449	21.22	5.268	1499	22.08	3.185	1549	22.99	2.184	1599	23.91	-0.842
1450	21.23	6.494	1500	22.09	3.122	1550	23.00	7.141	1600	23.93	7.341

INDEX NO. 813 1317-AB-1 HIROO BRIDGE U-D MAX.ACCEL.= 57.609(GAL) T=16.11(SEC) NO. 9

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1601	23.94	0.567	1651	24.91	-8.320	1701	25.72	1.184	1751	26.58	-5.916
1602	23.96	4.268	1652	24.93	-6.372	1702	25.74	-0.866	1752	26.59	-10.431
1603	23.98	2.236	1653	24.96	-6.440	1703	25.76	-1.410	1753	26.60	-12.956
1604	24.00	3.938	1654	24.97	-5.972	1704	25.78	-2.211	1754	26.61	-12.983
1605	24.02	-0.379	1655	25.03	6.622	1705	25.79	-3.482	1755	26.63	-10.527
1606	24.04	-1.685	1656	25.04	3.349	1706	25.81	-1.030	1756	26.64	-11.057
1607	24.06	-2.963	1657	25.06	-2.948	1707	25.83	1.924	1757	26.66	-11.098
1608	24.08	0.739	1658	25.08	-7.495	1708	25.85	1.865	1758	26.67	-6.890
1609	24.09	-0.045	1659	25.10	-8.029	1709	25.87	-0.420	1759	26.69	-5.177
1610	24.10	-1.836	1660	25.11	-3.058	1710	25.89	-4.223	1760	26.71	-5.736
1611	24.12	-1.863	1661	25.13	-5.608	1711	25.90	-4.993	1761	26.73	-13.293
1612	24.14	-0.669	1662	25.15	-8.152	1712	25.93	-1.310	1762	26.75	-15.836
1613	24.16	3.021	1663	25.16	-9.431	1713	25.94	4.145	1763	26.77	-9.630
1614	24.18	5.966	1664	25.17	-7.710	1714	25.97	10.085	1764	26.78	-4.668
1615	24.20	5.933	1665	25.18	-7.728	1715	26.02	2.964	1765	26.80	-0.953
1616	24.23	4.099	1666	25.19	-5.265	1716	26.04	0.411	1766	26.81	-0.485
1617	24.25	-8.454	1667	25.20	-8.793	1717	26.06	0.368	1767	26.82	0.238
1618	24.27	-7.242	1668	25.22	-10.085	1718	26.08	0.321	1768	26.84	-8.570
1619	24.29	-4.296	1669	25.24	-9.122	1719	26.09	-1.720	1769	26.87	-9.122
1620	24.32	-1.882	1670	25.25	-7.144	1720	26.11	-1.754	1770	26.89	-12.928
1621	24.35	-2.441	1671	25.27	0.301	1721	26.13	-2.299	1771	26.91	-9.489
1622	24.37	-2.486	1672	25.28	5.760	1722	26.15	0.647	1772	26.93	-9.283
1623	24.39	3.708	1673	25.30	7.730	1723	26.16	1.868	1773	26.95	-9.327
1624	24.42	1.128	1674	25.32	0.920	1724	26.18	0.572	1774	26.96	-5.111
1625	24.44	-1.920	1675	25.34	4.625	1725	26.19	4.787	1775	26.98	-1.405
1626	24.45	-1.958	1676	25.36	-0.433	1726	26.21	10.742	1776	26.99	-1.431
1627	24.48	9.735	1677	25.38	-3.716	1727	26.23	9.452	1777	27.01	-3.983
1628	24.49	12.465	1678	25.39	-2.494	1728	26.24	7.668	1778	27.03	-4.530
1629	24.50	9.930	1679	25.40	-2.611	1729	26.25	0.838	1779	27.05	-6.586
1630	24.51	8.141	1680	25.41	2.949	1730	26.27	-8.904	1780	27.07	-6.625
1631	24.53	0.599	1681	25.43	4.154	1731	26.28	-8.423	1781	27.08	-4.147
1632	24.54	2.325	1682	25.44	3.619	1732	26.32	-5.263	1782	27.09	-1.172
1633	24.56	11.524	1683	25.46	1.843	1733	26.33	-4.300	1783	27.11	-2.229
1634	24.57	12.254	1684	25.47	-0.192	1734	26.35	-5.337	1784	27.13	-3.029
1635	24.59	5.952	1685	25.48	-0.725	1735	26.36	-9.116	1785	27.15	-6.826
1636	24.61	-0.847	1686	25.50	0.966	1736	26.37	-9.146	1786	27.17	-8.125
1637	24.63	-4.137	1687	25.51	2.198	1737	26.38	-5.672	1787	27.19	-5.672
1638	24.65	-0.432	1688	25.53	2.170	1738	26.39	-1.200	1788	27.21	-6.223
1639	24.67	3.265	1689	25.54	-0.659	1739	26.41	-0.732	1789	27.23	-7.514
1640	24.68	4.491	1690	25.55	-2.141	1740	26.42	-2.522	1790	27.25	-4.056
1641	24.70	1.926	1691	25.56	-3.418	1741	26.43	-2.631	1791	27.26	-8.350
1642	24.71	1.403	1692	25.57	-3.448	1742	26.45	-5.583	1792	27.27	-10.873
1643	24.74	-3.653	1693	25.58	-2.472	1743	26.46	-4.803	1793	27.29	-10.406
1644	24.76	-4.453	1694	25.60	1.989	1744	26.47	-2.141	1794	27.30	-4.681
1645	24.78	-6.497	1695	25.62	5.698	1745	26.49	-8.191	1795	27.32	-3.226
1646	24.79	-6.528	1696	25.65	2.370	1746	26.51	-6.981	1796	27.33	-4.751
1647	24.81	-1.077	1697	25.66	1.840	1747	26.53	-3.532	1797	27.34	-11.040
1648	24.83	-9.887	1698	25.67	1.806	1748	26.55	-0.333	1798	27.36	-9.826
1649	24.86	-9.950	1699	25.69	1.257	1749	26.56	0.889	1799	27.38	-6.123
1650	24.88	-10.015	1700	25.71	3.465	1750	26.57	-2.139	1800	27.39	-4.965

土木構造物における加速度強震記録（No. 9）

INDEX NO. 813 1317-AB-1 HIROO BRIDGE U-D MAX.ACCEL.= 57.609(GAL) T=16.11(SEC) NO.10

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1801	27.46	-4.930	1851	28.29	-7.115	1901	29.27	-6.792	1951	30.23	-7.667
1802	27.42	-6.223	1852	28.31	-7.681	1902	29.29	-7.351	1952	30.25	-6.462
1803	27.44	-4.520	1853	28.33	-8.479	1903	29.31	-10.657	1953	30.27	-5.257
1804	27.46	-3.034	1854	28.35	-8.535	1904	29.33	-13.205	1954	30.29	-7.048
1805	27.46	-3.363	1855	28.39	-7.365	1905	29.34	-10.230	1955	30.30	-6.588
1806	27.51	-6.939	1856	28.40	-7.408	1906	29.37	-4.544	1956	30.32	-11.391
1807	27.52	-3.217	1857	28.43	-11.219	1907	29.39	-9.502	1957	30.36	-9.604
1808	27.53	-5.759	1858	28.45	-7.527	1908	29.40	-5.133	1958	30.35	-6.717
1809	27.55	-6.556	1859	28.47	-9.327	1909	29.42	-5.915	1959	30.38	-4.773
1810	27.56	-4.085	1860	28.50	-7.657	1910	29.44	-13.229	1960	30.40	-4.829
1811	27.58	-3.622	1861	28.52	-7.691	1911	29.45	-10.760	1961	30.42	-4.869
1812	27.59	-5.394	1862	28.53	-9.226	1912	29.48	-8.816	1962	30.43	-4.907
1813	27.60	-7.169	1863	28.55	-9.509	1913	29.50	-10.121	1963	30.44	-5.434
1814	27.61	-9.203	1864	28.56	-7.804	1914	29.52	-14.413	1964	30.46	-7.973
1815	27.62	-9.232	1865	28.58	-9.088	1915	29.53	-12.706	1965	30.48	-5.030
1816	27.63	-8.008	1866	28.59	-14.128	1916	29.55	-8.484	1966	30.51	-3.589
1817	27.66	-5.060	1867	28.61	-14.668	1917	29.56	-7.273	1967	30.52	-3.130
1818	27.67	-11.854	1868	28.63	-13.712	1918	29.57	-6.054	1968	30.53	-3.152
1819	27.68	-11.878	1869	28.65	-5.512	1919	29.59	-5.347	1969	30.55	-6.709
1820	27.70	-7.662	1870	28.66	-1.302	1920	29.61	-7.140	1970	30.57	-4.490
1821	27.72	-1.463	1871	28.68	-1.330	1921	29.64	-15.471	1971	30.58	-3.274
1822	27.74	-0.772	1872	28.69	-4.357	1922	29.65	-15.996	1972	30.59	-3.798
1823	27.76	-2.564	1873	28.70	-5.635	1923	29.67	-10.031	1973	30.61	-5.562
1824	27.78	-3.359	1874	28.72	-8.678	1924	29.68	-7.559	1974	30.62	-10.122
1825	27.80	-2.155	1875	28.74	-7.000	1925	29.69	-9.330	1975	30.64	-12.657
1826	27.82	-2.704	1876	28.77	-4.556	1926	29.70	-13.116	1976	30.65	-12.196
1827	27.83	-5.490	1877	28.79	-5.655	1927	29.71	-13.646	1977	30.67	-9.746
1828	27.85	-2.786	1878	28.81	-7.159	1928	29.73	-11.423	1978	30.68	-8.525
1829	27.88	-7.352	1879	28.83	-2.203	1929	29.74	-5.714	1979	30.71	-6.082
1830	27.89	-6.644	1880	28.84	3.510	1930	29.77	-9.032	1980	30.75	-2.936
1831	27.91	-1.187	1881	28.89	-9.610	1931	29.81	-8.377	1981	30.77	-5.495
1832	27.93	-1.729	1882	28.92	-3.965	1932	29.84	-9.703	1982	30.81	-0.571
1833	27.95	-2.530	1883	28.94	-2.731	1933	29.87	-11.024	1983	30.82	-1.367
1834	27.98	1.136	1884	28.96	-6.528	1934	29.90	-10.341	1984	30.85	-3.170
1835	28.00	-0.150	1885	28.98	-4.085	1935	29.91	-10.635	1985	30.87	-6.226
1836	28.02	-7.767	1886	28.99	-9.107	1936	29.94	-9.445	1986	30.90	0.937
1837	28.03	-9.488	1887	29.01	-6.904	1937	29.96	-8.009	1987	30.92	2.144
1838	28.05	-7.285	1888	29.03	-2.459	1938	29.98	-8.800	1988	30.94	-0.144
1839	28.06	-4.064	1889	29.04	-3.733	1939	30.00	-13.101	1989	30.96	-4.708
1840	28.08	-9.108	1890	29.06	-7.522	1940	30.02	-14.394	1990	30.97	-2.232
1841	28.09	-10.884	1891	29.07	-9.301	1941	30.04	-12.203	1991	30.99	0.718
1842	28.11	-8.683	1892	29.08	-8.820	1942	30.06	-12.251	1992	31.01	-2.332
1843	28.12	-9.212	1893	29.09	-1.353	1943	30.09	-10.814	1993	31.04	-5.386
1844	28.14	-11.748	1894	29.11	0.342	1944	30.11	-6.110	1994	31.06	-9.940
1845	28.16	-9.306	1895	29.14	1.019	1945	30.12	-5.390	1995	31.10	-5.038
1846	28.19	-6.889	1896	29.18	0.928	1946	30.13	-9.178	1996	31.12	-3.088
1847	28.21	-7.434	1897	29.20	-0.876	1947	30.15	-9.219	1997	31.14	-6.391
1848	28.22	-6.962	1898	29.21	-2.147	1948	30.17	-8.013	1998	31.16	-9.459
1849	28.25	-1.528	1899	29.23	-4.198	1949	30.19	-9.806	1999	31.19	-4.021
1850	28.27	-3.326	1900	29.25	-7.256	1950	30.21	-10.605	2000	31.21	-5.822

INDEX NO. 813 1317-AB-1 HIROO BRIDGE U-D MAX.ACCEL.= 57.609(GAL) T=16.11(SEC) NO.11

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2001	31.23	-3.630	2051	32.15	0.562	2101	33.33	-3.344	2151	34.49	4.330
2002	31.25	-5.917	2052	32.18	-0.500	2102	33.35	-3.406	2152	34.50	3.047
2003	31.27	-8.464	2053	32.21	-3.843	2103	33.37	-4.184	2153	34.53	6.728
2004	31.28	-7.505	2054	32.24	-1.400	2104	33.38	-7.221	2154	34.55	7.102
2005	31.30	-1.789	2055	32.26	1.555	2105	33.42	-0.576	2155	34.57	4.115
2006	31.32	-0.588	2056	32.27	2.768	2106	33.45	1.366	2156	34.60	0.796
2007	31.34	-0.149	2057	32.29	0.964	2107	33.48	4.784	2157	34.62	-0.239
2008	31.37	-4.961	2058	32.33	-1.132	2108	33.51	7.225	2158	34.64	1.962
2009	31.38	-4.601	2059	32.37	0.029	2109	33.52	9.687	2159	34.66	4.408
2010	31.40	-2.040	2060	32.40	0.199	2110	33.55	9.106	2160	34.68	2.095
2011	31.41	-2.567	2061	32.41	-0.094	2111	33.58	9.055	2161	34.71	1.292
2012	31.42	-8.848	2062	32.44	1.086	2112	33.60	7.253	2162	34.72	-0.496
2013	31.44	-5.892	2063	32.46	-0.708	2113	33.61	10.211	2163	34.74	1.197
2014	31.46	-0.936	2064	32.47	3.003	2114	33.63	11.914	2164	34.77	6.126
2015	31.48	0.763	2065	32.49	5.463	2115	33.67	15.583	2165	34.82	5.518
2016	31.49	0.228	2066	32.50	5.433	2116	33.69	13.273	2166	34.84	5.964
2017	31.51	-6.025	2067	32.52	1.628	2117	33.71	8.230	2167	34.86	9.657
2018	31.52	-4.857	2068	32.55	-1.426	2118	33.73	3.677	2168	34.88	9.620
2019	31.55	-1.164	2069	32.57	4.519	2119	33.74	3.147	2169	34.90	5.815
2020	31.56	-1.709	2070	32.59	3.966	2120	33.75	4.127	2170	34.94	11.961
2021	31.57	0.024	2071	32.62	0.141	2121	33.77	7.333	2171	34.98	14.363
2022	31.60	0.714	2072	32.64	3.843	2122	33.81	7.724	2172	35.02	12.516
2023	31.63	-5.117	2073	32.65	3.312	2123	33.82	9.692	2173	35.06	14.166
2024	31.65	-2.180	2074	32.69	2.974	2124	33.85	10.134	2174	35.10	14.084
2025	31.68	-7.011	2075	32.71	2.419	2125	33.88	7.055	2175	35.13	12.762
2026	31.70	0.198	2076	32.73	1.878	2126	33.90	6.493	2176	35.15	11.453
2027	31.72	0.410	2077	32.74	0.592	2127	33.92	7.462	2177	35.17	6.465
2028	31.73	-1.625	2078	32.77	-3.217	2128	33.94	1.903	2178	35.19	4.595
2029	31.76	-0.439	2079	32.79	-2.774	2129	33.96	1.873	2179	35.21	5.544
2030	31.78	3.242	2080	32.81	-2.815	2130	33.97	3.073	2180	35.24	3.739
2031	31.81	5.175	2081	32.83	-1.120	2131	33.98	4.800	2181	35.27	6.164
2032	31.82	5.643	2082	32.85	0.084	2132	34.01	1.245	2182	35.29	9.869
2033	31.85	2.586	2083	32.87	2.531	2133	34.03	1.698	2183	35.30	9.826
2034	31.86	-0.699	2084	32.91	3.676	2134	34.05	2.893	2184	35.32	6.787
2035	31.87	-3.736	2085	32.93	4.372	2135	34.08	3.324	2185	35.34	1.736
2036	31.88	-3.758	2086	32.95	1.321	2136	34.10	2.761	2186	35.36	0.446
2037	31.89	-1.537	2087	32.99	-0.015	2137	34.15	3.140	2187	35.37	1.414
2038	31.91	1.665	2088	33.02	0.409	2138	34.19	5.041	2188	35.39	5.123
2039	31.93	1.622	2089	33.05	-0.910	2139	34.22	6.721	2189	35.41	5.822
2040	31.95	1.081	2090	33.08	-1.480	2140	34.24	6.179	2190	35.42	8.783
2041	31.96	-2.715	2091	33.10	-2.789	2141	34.28	9.335	2191	35.44	10.000
2042	31.98	-2.743	2092	33.12	-3.587	2142	34.30	8.028	2192	35.46	11.208
2043	31.99	0.223	2093	33.15	-2.648	2143	34.33	7.964	2193	35.48	11.155
2044	32.02	4.153	2094	33.16	-1.685	2144	34.36	4.635	2194	35.50	14.342
2045	32.03	4.116	2095	33.19	-1.998	2145	34.37	5.107	2195	35.53	16.288
2046	32.04	0.340	2096	33.22	1.179	2146	34.39	8.318	2196	35.55	16.989
2047	32.06	-2.201	2097	33.24	2.378	2147	34.41	8.771	2197	35.56	13.942
2048	32.07	-3.482	2098	33.27	-4.444	2148	34.43	6.464	2198	35.58	11.895
2049	32.10	-2.311	2099	33.30	-0.262	2149	34.44	5.182	2199	35.61	8.835
2050	32.13	-2.869	2100	33.31	-5.299	2150	34.47	6.129	2200	35.65	11.733

INDEX NO. 813 1317-A8-1 HIROO BRIDGE U-D MAX.ACCEL.= 57.609(GAL) T=16.11(SEC) NO.12

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2201	35.67	11.683	2251	36.70	7.532
2202	35.69	12.873	2252	36.72	7.828
2203	35.71	12.838	2253	36.73	9.042
2204	35.73	11.034	2254	36.76	9.430
2205	35.75	8.963	2255	36.79	8.145
2206	35.76	8.450	2256	36.81	7.598
2207	35.80	12.116	2257	36.82	7.564
2208	35.82	10.546	2258	36.84	7.518
2209	35.85	5.740	2259	36.86	7.978
2210	35.87	6.688			
2211	35.89	7.378			
2212	35.91	8.594			
2213	35.92	12.310			
2214	35.96	8.474			
2215	35.98	9.666			
2216	35.99	7.878			
2217	36.01	6.580			
2218	36.04	7.512			
2219	36.08	11.174			
2220	36.09	6.880			
2221	36.11	6.336			
2222	36.13	6.032			
2223	36.15	9.231			
2224	36.17	12.945			
2225	36.18	13.423			
2226	36.20	11.105			
2227	36.23	8.546			
2228	36.24	9.912			
2229	36.28	10.670			
2230	36.30	14.366			
2231	36.31	15.595			
2232	36.34	10.770			
2233	36.36	9.464			
2234	36.38	8.155			
2235	36.40	8.120			
2236	36.41	11.586			
2237	36.43	17.282			
2238	36.46	16.728			
2239	36.48	14.677			
2240	36.50	13.375			
2241	36.52	12.622			
2242	36.54	12.765			
2243	36.56	13.724			
2244	36.57	13.693			
2245	36.59	13.641			
2246	36.61	13.837			
2247	36.62	11.808			
2248	36.64	9.268			
2249	36.65	6.737			
2250	36.67	7.946			

Table IX D-40 Digitized Accelerations of Earthquake Record with Index Number 814

INDEX NO. 814 1317-A8-1 HIROO BRIDGE TR. MAX.ACCEL.=-149.069(GAL) T=16.05(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.16	16.829	51	0.96	3.208	101	1.72	2.446	151	2.48	8.139
2	0.17	9.293	52	0.97	4.941	102	1.73	-0.086	152	2.50	4.858
3	0.18	0.779	53	0.98	9.912	103	1.74	-0.863	153	2.51	-1.921
4	0.20	6.491	54	1.00	16.626	104	1.76	6.594	154	2.52	-3.202
5	0.21	11.458	55	1.02	9.834	105	1.78	7.310	155	2.54	-6.991
6	0.22	11.942	56	1.03	3.054	106	1.79	0.272	156	2.56	-7.030
7	0.23	11.925	57	1.04	2.285	107	1.81	-4.014	157	2.57	-0.311
8	0.24	7.143	58	1.05	2.269	108	1.82	-5.292	158	2.58	3.408
9	0.25	5.878	59	1.06	11.981	109	1.83	-2.316	159	2.59	3.884
10	0.26	5.858	60	1.07	12.460	110	1.84	10.148	160	2.60	4.114
11	0.29	20.278	61	1.08	13.188	111	1.85	13.125	161	2.62	2.810
12	0.30	19.009	62	1.10	6.902	112	1.86	12.101	162	2.64	1.265
13	0.31	17.792	63	1.11	2.622	113	1.88	5.815	163	2.66	3.975
14	0.33	3.928	64	1.12	1.349	114	1.89	0.782	164	2.68	2.682
15	0.34	1.938	65	1.13	5.568	115	1.92	4.977	165	2.69	-3.102
16	0.35	1.889	66	1.15	6.781	116	1.93	6.697	166	2.71	-8.139
17	0.36	6.612	67	1.17	10.973	117	1.94	6.176	167	2.73	-8.190
18	0.37	11.584	68	1.19	13.691	118	1.95	-0.111	168	2.75	0.515
19	0.39	13.558	69	1.21	4.144	119	1.97	-2.642	169	2.77	5.477
20	0.42	3.484	70	1.22	-2.148	120	1.98	1.089	170	2.78	6.691
21	0.43	1.714	71	1.23	-2.166	121	1.99	9.803	171	2.80	7.909
22	0.44	3.940	72	1.24	3.313	122	2.01	9.766	172	2.83	-0.413
23	0.45	9.659	73	1.26	13.026	123	2.03	2.970	173	2.85	0.289
24	0.47	13.373	74	1.27	16.003	124	2.05	-0.824	174	2.86	1.500
25	0.49	11.561	75	1.28	13.725	125	2.06	-0.356	175	2.88	1.471
26	0.52	12.508	76	1.29	4.194	126	2.08	2.103	176	2.90	-8.583
27	0.53	12.468	77	1.30	2.924	127	2.10	0.307	177	2.91	-10.357
28	0.55	6.421	78	1.31	4.152	128	2.12	-2.993	178	2.92	-3.639
29	0.57	3.129	79	1.33	10.363	129	2.14	2.453	179	2.94	4.331
30	0.59	3.094	80	1.34	10.833	130	2.15	8.168	180	2.95	8.054
31	0.60	6.812	81	1.36	2.794	131	2.16	9.394	181	2.96	4.522
32	0.63	10.001	82	1.37	-0.492	132	2.18	6.359	182	2.99	-5.796
33	0.65	9.199	83	1.38	0.488	133	2.19	0.576	183	3.00	-5.074
34	0.68	9.117	84	1.40	4.186	134	2.21	-4.963	184	3.02	0.387
35	0.71	10.301	85	1.42	7.393	135	2.22	-6.691	185	3.03	2.362
36	0.73	7.268	86	1.43	6.860	136	2.24	-1.537	186	3.04	2.344
37	0.74	5.226	87	1.45	7.321	137	2.26	3.410	187	3.05	-0.101
38	0.76	5.177	88	1.46	14.254	138	2.28	7.055	188	3.06	-2.719
39	0.78	6.395	89	1.50	8.950	139	2.31	7.811	189	3.07	-4.492
40	0.81	17.830	90	1.53	5.688	140	2.32	7.277	190	3.08	-4.507
41	0.82	17.805	91	1.55	2.097	141	2.34	3.984	191	3.09	-0.267
42	0.83	14.020	92	1.57	5.784	142	2.36	-6.070	192	3.11	3.427
43	0.85	3.971	93	1.59	11.243	143	2.37	-8.600	193	3.12	3.008
44	0.86	2.195	94	1.60	11.970	144	2.39	-3.630	194	3.13	1.638
45	0.87	2.172	95	1.62	6.932	145	2.40	1.837	195	3.14	-3.391
46	0.89	7.639	96	1.64	-3.113	146	2.41	5.054	196	3.15	-9.167
47	0.91	12.589	97	1.65	-4.894	147	2.42	6.279	197	3.16	-9.189
48	0.92	10.809	98	1.67	4.812	148	2.44	2.489	198	3.17	-3.721
49	0.94	7.526	99	1.69	9.273	149	2.46	7.443	199	3.19	2.000
50	0.95	3.733	100	1.71	4.971	150	2.47	8.660	200	3.21	-4.806

土木構造物における加速度強震記録（No.9）

INDEX NO. 814 1317-AB-1 HIROO BRIDGE TR. MAX.ACCEL.=-149.069(GAL) T=16.05(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	3.22	+5.587	251	3.98	-2.341	301	4.78	-6.200	351	5.57	-12.799
202	3.23	-4.361	252	4.00	0.123	302	4.79	-4.220	352	5.58	-19.066
203	3.26	5.588	253	4.01	-0.394	303	4.80	-5.493	353	5.59	-25.509
204	3.27	1.612	254	4.02	-2.421	304	4.82	-6.791	354	5.60	-23.864
205	3.28	+3.727	255	4.03	-7.950	305	4.85	-7.346	355	5.61	-12.641
206	3.30	-10.016	256	4.05	-11.240	306	4.87	-8.153	356	5.63	0.575
207	3.31	-9.041	257	4.07	4.946	307	4.88	-8.689	357	5.64	4.302
208	3.32	-7.066	258	4.09	3.166	308	4.90	-6.971	358	5.65	7.027
209	3.34	1.642	259	4.10	+5.612	309	4.92	0.972	359	5.66	0.999
210	3.35	3.360	260	4.11	-10.135	310	4.93	0.948	360	5.67	-16.281
211	3.36	3.336	261	4.12	-12.653	311	4.94	-2.075	361	5.68	-27.055
212	3.38	3.302	262	4.14	-7.207	312	4.96	-7.615	362	5.69	-30.827
213	3.39	1.525	263	4.17	-7.032	313	4.97	-14.650	363	5.70	-32.096
214	3.41	-3.523	264	4.20	-6.588	314	4.98	-17.171	364	5.72	-25.383
215	3.42	-2.302	265	4.21	-5.365	315	4.99	-14.192	365	5.73	-18.665
216	3.43	-1.073	266	4.23	1.333	316	5.01	-7.983	366	5.74	-14.190
217	3.44	+2.351	267	4.24	0.811	317	5.03	-3.518	367	5.76	-8.979
218	3.46	-4.147	268	4.26	-6.730	318	5.04	-4.792	368	5.77	-1.007
219	3.47	+3.159	269	4.27	-7.248	319	5.06	-9.090	369	5.78	6.208
220	3.49	3.291	270	4.30	-6.078	320	5.07	-10.384	370	5.80	7.428
221	3.51	4.258	271	4.32	-9.370	321	5.10	-9.454	371	5.81	1.151
222	3.52	+0.520	272	4.33	-11.149	322	5.13	-8.751	372	5.82	-8.133
223	3.53	+5.557	273	4.34	-10.176	323	5.14	-9.295	373	5.83	-12.909
224	3.54	+6.321	274	4.35	-2.702	324	5.16	-8.370	374	5.85	-14.684
225	3.56	1.128	275	4.37	6.015	325	5.21	-5.198	375	5.87	-12.235
226	3.58	3.588	276	4.38	7.996	326	5.24	-2.762	376	5.89	-10.027
227	3.59	3.070	277	4.39	2.962	327	5.26	-5.309	377	5.90	-9.305
228	3.60	+4.468	278	4.41	-11.362	328	5.27	-13.337	378	5.92	-9.849
229	3.62	-11.503	279	4.42	-15.112	329	5.28	-22.116	379	5.94	0.603
230	3.63	-7.786	280	4.43	-16.384	330	5.29	-21.638	380	5.95	3.577
231	3.64	+1.563	281	4.44	-15.911	331	5.30	-13.668	381	5.96	-2.450
232	3.66	3.903	282	4.46	-12.944	332	5.32	5.044	382	5.97	-10.730
233	3.67	3.873	283	4.48	-5.999	333	5.33	11.019	383	5.99	-15.762
234	3.69	0.330	284	4.50	1.453	334	5.34	9.242	384	6.00	-16.540
235	3.71	-2.955	285	4.52	3.173	335	5.35	4.721	385	6.01	-12.072
236	3.73	-1.750	286	4.53	-0.365	336	5.37	-5.834	386	6.02	-8.348
237	3.75	-4.295	287	4.55	-2.905	337	5.38	-1.605	387	6.03	-12.124
238	3.76	-6.839	288	4.57	-5.446	338	5.40	5.854	388	6.05	-17.155
239	3.79	0.593	289	4.59	-12.495	339	5.41	-5.425	389	6.06	-23.429
240	3.81	3.556	290	4.60	-12.528	340	5.43	-27.725	390	6.07	-24.715
241	3.83	+1.999	291	4.63	-8.350	341	5.44	-29.739	391	6.09	-17.999
242	3.85	-4.533	292	4.65	-7.647	342	5.45	-29.258	392	6.10	-12.269
243	3.86	-5.063	293	4.67	-2.186	343	5.47	-5.301	393	6.11	-8.547
244	3.88	+4.602	294	4.69	1.528	344	5.48	6.923	394	6.12	-6.070
245	3.90	-7.148	295	4.70	+1.502	345	5.49	8.649	395	6.13	-7.344
246	3.91	+5.927	296	4.71	-7.036	346	5.50	6.871	396	6.14	-9.874
247	3.93	-0.980	297	4.72	-9.062	347	5.52	-2.425	397	6.15	-9.904
248	3.94	+3.500	298	4.74	-10.860	348	5.54	-6.210	398	6.16	-4.428
249	3.95	-13.027	299	4.76	-10.395	349	5.55	-8.743	399	6.18	3.792
250	3.97	-9.805	300	4.77	-9.914	350	5.56	-10.274	400	6.19	5.769

INDEX NO. 814 1317-AB-1 HIROO BRIDGE TR. MAX.ACCEL.=-149.069(GAL) T=16.05(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	6.21	+2.781	451	6.84	-15.785	501	7.41	1.124	551	8.06	-1.646
402	6.23	-12.580	452	6.86	-21.561	502	7.42	4.091	552	8.07	+5.420
403	6.24	-12.609	453	6.87	-22.086	503	7.43	7.824	553	8.08	+5.941
404	6.26	-12.651	454	6.88	-7.369	504	7.44	8.562	554	8.10	0.008
405	6.27	+14.420	455	6.89	12.353	505	7.45	+2.728	555	8.11	1.982
406	6.28	-20.198	456	6.90	16.083	506	7.46	-14.247	556	8.12	-2.296
407	6.29	-24.482	457	6.91	20.066	507	7.47	-26.020	557	8.13	-11.823
408	6.30	-21.006	458	6.92	14.540	508	7.48	-26.784	558	8.14	+19.597
409	6.34	6.650	459	6.94	-4.023	509	7.50	-20.579	559	8.15	-22.615
410	6.36	4.373	460	6.96	-2.800	510	7.51	-8.110	560	8.16	-19.643
411	6.37	+0.163	461	6.97	-2.334	511	7.52	1.363	561	8.17	-15.912
412	6.39	+7.207	462	6.98	+5.384	512	7.53	3.841	562	8.18	+5.936
413	6.41	+3.502	463	6.99	-18.145	513	7.54	1.567	563	8.19	5.539
414	6.42	+1.034	464	7.00	-30.917	514	7.56	-5.477	564	8.20	14.766
415	6.43	0.194	465	7.01	-40.191	515	7.57	+2.497	565	8.22	24.974
416	6.45	+6.841	466	7.02	-42.209	516	7.58	3.714	566	8.23	29.441
417	6.46	-11.872	467	7.03	-37.231	517	7.59	+2.307	567	8.24	20.173
418	6.47	-13.653	468	7.04	-22.255	518	7.60	-9.825	568	8.25	-0.098
419	6.49	-11.440	469	7.05	-15.517	519	7.61	-18.347	569	8.27	-31.137
420	6.50	-7.708	470	7.06	-5.307	520	7.62	-25.879	570	8.28	-48.412
421	6.51	-0.233	471	7.08	-8.347	521	7.64	-25.163	571	8.29	-54.185
422	6.52	6.995	472	7.09	-11.374	522	7.66	-22.474	572	8.30	-52.956
423	6.53	8.216	473	7.10	4.354	523	7.68	-14.761	573	8.31	-40.483
424	6.54	1.944	474	7.11	20.086	524	7.69	-3.047	574	8.32	-5.019
425	6.55	-9.838	475	7.12	28.805	525	7.71	14.640	575	8.33	15.457
426	6.56	-21.365	476	7.13	27.790	526	7.73	28.116	576	8.34	23.436
427	6.57	-27.887	477	7.15	+11.271	527	7.74	25.097	577	8.36	29.653
428	6.58	-28.654	478	7.16	-24.039	528	7.75	16.822	578	8.37	33.871
429	6.59	-24.921	479	7.17	-33.062	529	7.77	-11.479	579	8.38	33.109
430	6.60	-7.212	480	7.18	-36.830	530	7.78	-10.995	580	8.39	23.832
431	6.61	-1.731	481	7.19	-30.103	531	7.80	+3.536	581	8.40	14.811
432	6.62	-1.498	482	7.20	-13.636	532	7.81	-1.057	582	8.41	9.765
433	6.63	-9.764	483	7.21	+4.902	533	7.82	-4.832	583	8.42	1.511
434	6.64	-22.309	484	7.22	-2.423	534	7.83	-15.617	584	8.43	-20.775
435	6.65	-21.827	485	7.23	-4.189	535	7.84	-18.886	585	8.44	-34.795
436	6.66	-18.101	486	7.24	-14.239	536	7.85	-15.905	586	8.45	-45.578
437	6.68	-1.887	487	7.25	-14.508	537	7.87	2.541	587	8.46	-41.349
438	6.69	3.592	488	7.27	+0.793	538	7.88	10.512	588	8.48	-15.375
439	6.71	+19.225	489	7.28	12.671	539	7.90	7.479	589	8.49	9.841
440	6.72	-19.992	490	7.29	10.157	540	7.91	-0.546	590	8.50	13.559
441	6.73	-17.009	491	7.30	+5.367	541	7.92	-13.080	591	8.52	15.523
442	6.74	-8.278	492	7.31	-29.641	542	7.93	-20.356	592	8.54	18.732
443	6.75	21.683	493	7.32	-32.168	543	7.94	+23.381	593	8.55	12.447
444	6.76	25.416	494	7.33	-35.436	544	7.96	-27.172	594	8.57	0.655
445	6.77	25.398	495	7.34	-6.466	545	7.98	-27.465	595	8.58	-10.369
446	6.79	+2.402	496	7.35	9.269	546	7.99	-14.993	596	8.59	-18.640
447	6.80	-23.186	497	7.36	18.984	547	8.01	15.207	597	8.60	-29.431
448	6.81	-26.451	498	7.37	16.462	548	8.02	19.934	598	8.62	-28.958
449	6.82	-27.718	499	7.38	8.933	549	8.03	19.412	599	8.63	-28.231
450	6.83	-19.747	500	7.40	1.148	550	8.04	11.138	600	8.64	-28.273

INDEX NO. 814 1317-A3-1 HIROO BRIDGE TR. MAX.ACCEL.=-149.069(GAL) T=16.05(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	8.65	-27.039	651	9.26	-16.366	701	9.95	-13.052	751	10.61	6.633
602	8.66	-12.066	652	9.27	-20.996	702	9.96	-5.620	752	10.62	6.111
603	8.67	9.904	653	9.29	-16.535	703	9.97	1.361	753	10.63	-0.668
604	8.68	21.301	654	9.31	10.407	704	9.98	13.342	754	10.64	-5.195
605	8.69	26.364	655	9.32	11.641	705	9.99	26.559	755	10.66	-8.243
606	8.70	27.003	656	9.33	6.614	706	10.00	26.041	756	10.67	-4.762
607	8.72	24.054	657	9.35	4.076	707	10.01	10.260	757	10.68	4.715
608	8.73	9.527	658	9.37	15.023	708	10.03	-15.028	758	10.69	16.195
609	8.74	-8.243	659	9.38	17.995	709	10.04	-27.811	759	10.70	22.417
610	8.75	-26.032	660	9.39	14.975	710	10.05	-29.081	760	10.71	19.395
611	8.76	-24.792	661	9.40	7.957	711	10.06	-24.108	761	10.72	11.131
612	8.78	-2.096	662	9.41	-11.573	712	10.07	-19.131	762	10.73	-3.904
613	8.79	-1.376	663	9.42	-21.048	713	10.08	-13.653	763	10.75	-7.932
614	8.81	0.634	664	9.43	-21.366	714	10.10	-15.942	764	10.76	-9.707
615	8.82	10.799	665	9.45	7.570	715	10.11	-16.465	765	10.77	-9.725
616	8.84	17.263	666	9.46	12.300	716	10.12	-6.249	766	10.78	-6.754
617	8.85	16.732	667	9.48	9.762	717	10.13	18.730	767	10.79	-6.776
618	8.86	11.211	668	9.49	2.731	718	10.15	28.934	768	10.80	-14.296
619	8.88	2.929	669	9.51	-11.610	719	10.17	21.399	769	10.81	-25.078
620	8.89	-4.851	670	9.52	-24.594	720	10.19	9.357	770	10.82	-27.100
621	8.91	-8.642	671	9.53	-32.112	721	10.20	1.071	771	10.83	-28.376
622	8.92	-12.936	672	9.54	-32.124	722	10.23	-16.736	772	10.84	-25.903
623	8.94	-15.457	673	9.55	-21.664	723	10.24	-19.761	773	10.86	-17.189
624	8.95	-12.197	674	9.57	-9.851	724	10.25	-16.779	774	10.87	-1.566
625	8.96	-7.515	675	9.58	1.516	725	10.26	-7.558	775	10.89	19.490
626	8.97	5.456	676	9.60	1.484	726	10.28	22.643	776	10.91	23.704
627	8.98	18.920	677	9.61	6.445	727	10.29	34.666	777	10.92	20.179
628	8.99	25.156	678	9.63	15.402	728	10.31	36.065	778	10.94	12.631
629	9.00	23.376	679	9.64	17.076	729	10.32	26.798	779	10.95	11.856
630	9.01	20.858	680	9.65	14.352	730	10.33	15.521	780	10.96	13.084
631	9.02	14.582	681	9.67	3.568	731	10.35	6.493	781	10.97	12.556
632	9.03	5.063	682	9.69	-5.973	732	10.37	-15.815	782	10.98	6.288
633	9.04	-11.664	683	9.71	6.981	733	10.38	-23.595	783	10.99	-22.998
634	9.05	-25.464	684	9.72	2.659	734	10.39	-24.123	784	11.00	-30.513
635	9.06	-31.002	685	9.74	-4.367	735	10.40	-20.643	785	11.01	-36.283
636	9.07	-31.773	686	9.75	-2.633	736	10.41	-10.659	786	11.02	-36.302
637	9.09	-13.081	687	9.77	-1.426	737	10.43	15.556	787	11.03	-29.572
638	9.10	-7.695	688	9.79	-1.469	738	10.44	33.776	788	11.04	-23.851
639	9.11	-1.626	689	9.81	-0.770	739	10.45	35.757	789	11.05	-17.126
640	9.13	14.833	690	9.83	9.195	740	10.46	23.224	790	11.07	0.084
641	9.14	25.306	691	9.84	13.671	741	10.48	-1.327	791	11.08	15.303
642	9.15	26.539	692	9.85	16.155	742	10.49	-14.104	792	11.09	20.777
643	9.16	20.521	693	9.86	6.868	743	10.50	-21.376	793	11.10	21.503
644	9.17	24.245	694	9.87	-0.655	744	10.51	-24.397	794	11.11	18.979
645	9.18	10.962	695	9.88	-13.432	745	10.52	-23.416	795	11.12	9.700
646	9.19	-4.317	696	9.89	-18.459	746	10.53	-19.693	796	11.13	6.684
647	9.20	-8.089	697	9.90	-17.227	747	10.55	-17.723	797	11.15	-0.360
648	9.21	-8.109	698	9.91	-14.252	748	10.57	-14.017	798	11.16	-2.384
649	9.23	-1.696	699	9.92	-13.023	749	10.58	-5.796	799	11.17	-5.170
650	9.24	-5.658	700	9.93	-13.043	750	10.59	-0.072	800	11.21	3.252

INDEX NO. 814 1317-A3-1 HIROO BRIDGE TR. MAX.ACCEL.=-149.069(GAL) T=16.05(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	11.23	1.947	851	11.95	22.266	901	12.65	-17.880	951	13.28	-21.091
802	11.25	0.862	852	11.96	10.485	902	12.66	-21.152	952	13.31	10.101
803	11.26	-0.116	853	11.98	-6.650	903	12.67	-18.671	953	13.32	28.317
804	11.28	-2.655	854	12.00	-15.843	904	12.68	-11.943	954	13.33	32.040
805	11.29	-3.444	855	12.01	-22.616	905	12.69	5.273	955	13.34	29.016
806	11.30	-1.462	856	12.02	-22.139	906	12.70	14.009	956	13.36	9.724
807	11.32	7.249	857	12.04	-20.936	907	12.71	16.491	957	13.37	-0.046
808	11.33	13.976	858	12.05	-19.720	908	12.72	16.967	958	13.38	-5.064
809	11.34	15.447	859	12.06	-18.030	909	12.73	14.681	959	13.39	-9.340
810	11.35	10.423	860	12.08	-7.280	910	12.75	24.136	960	13.40	-18.366
811	11.36	-0.853	861	12.09	-1.610	911	12.77	26.600	961	13.41	-29.903
812	11.37	-8.134	862	12.11	-10.366	912	12.78	19.624	962	13.42	-33.168
813	11.38	-8.651	863	12.13	-16.663	913	12.79	5.050	963	13.43	-34.442
814	11.39	-5.179	864	12.14	-15.180	914	12.80	-7.976	964	13.44	-31.717
815	11.41	3.025	865	12.16	-8.220	915	12.81	-20.747	965	13.45	-19.258
816	11.42	11.246	866	12.17	2.991	916	12.82	-25.775	966	13.47	41.981
817	11.44	14.483	867	12.19	4.699	917	12.83	-15.298	967	13.48	49.456
818	11.46	2.671	868	12.21	3.407	918	12.84	4.923	968	13.49	51.684
819	11.47	-9.615	869	12.23	2.106	919	12.85	11.151	969	13.50	44.902
820	11.48	-12.640	870	12.25	2.558	920	12.86	12.388	970	13.51	36.119
821	11.50	-11.672	871	12.26	3.034	921	12.87	11.119	971	13.53	30.091
822	11.51	-10.461	872	12.27	5.766	922	12.88	5.599	972	13.54	9.308
823	11.53	-7.257	873	12.28	15.488	923	12.89	-3.929	973	13.55	-23.727
824	11.54	-6.776	874	12.30	17.955	924	12.90	-12.962	974	13.55	-32.242
825	11.56	-13.568	875	12.31	16.925	925	12.91	-16.738	975	13.57	-37.753
826	11.57	-12.349	876	12.32	6.139	926	12.93	-12.518	976	13.58	-44.293
827	11.59	-1.132	877	12.34	-5.140	927	12.94	-8.798	977	13.59	-41.307
828	11.60	13.343	878	12.35	-10.916	928	12.96	-2.603	978	13.61	13.636
829	11.61	16.323	879	12.36	-9.939	929	12.98	14.595	979	13.62	24.613
830	11.64	7.254	880	12.37	-6.708	930	13.00	21.818	980	13.63	28.352
831	11.65	6.467	881	12.38	0.756	931	13.01	18.544	981	13.64	30.076
832	11.67	9.424	882	12.40	11.469	932	13.02	-0.492	982	13.65	27.039
833	11.68	5.897	883	12.41	15.939	933	13.03	-15.020	983	13.66	27.026
834	11.70	-15.650	884	12.43	13.404	934	13.04	-20.794	984	13.68	29.493
835	11.71	-20.174	885	12.44	11.618	935	13.05	-23.811	985	13.69	16.451
836	11.72	-21.947	886	12.46	9.069	936	13.06	-19.081	986	13.71	-4.578
837	11.73	-15.977	887	12.47	-3.460	937	13.08	3.382	987	13.72	-22.854
838	11.75	-7.263	888	12.48	-15.733	938	13.09	15.607	988	13.73	-31.882
839	11.76	7.450	889	12.49	-21.255	939	13.10	18.587	989	13.74	-36.402
840	11.76	8.672	890	12.50	-21.280	940	13.11	16.810	990	13.75	-35.173
841	11.79	9.147	891	12.52	-12.057	941	13.12	14.277	991	13.76	-32.695
842	11.81	-9.914	892	12.53	-6.352	942	13.14	9.987	992	13.77	-23.979
843	11.82	-11.883	893	12.55	-2.129	943	13.15	6.290	993	13.80	-0.045
844	11.84	-7.465	894	12.56	-0.918	944	13.16	-11.558	994	13.81	13.926
845	11.86	1.236	895	12.57	3.307	945	13.17	-8.085	995	13.82	25.904
846	11.88	8.940	896	12.59	14.776	946	13.18	0.132	996	13.83	30.885
847	11.89	14.663	897	12.60	30.735	947	13.19	2.106	997	13.84	33.367
848	11.90	24.874	898	12.61	30.717	948	13.22	-13.707	998	13.85	22.831
849	11.92	27.848	899	12.62	23.946	949	13.25	-23.760	999	13.86	12.805
850	11.94	27.295	900	12.63	6.415	950	13.27	-27.606	1000	13.87	4.027

INDEX NO. 814 1317-A3-1 HIROO BRIDGE TR. MAX.ACCEL.=-149.069(GAL) T=16.05(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	13.89	-3.753	1051	14.46	-6.348	1101	15.15	-19.465	1151	15.70	-15.698
1002	13.90	-10.033	1052	14.48	1.110	1102	15.16	-23.243	1152	15.79	-16.217
1003	13.91	-13.306	1053	14.49	4.077	1103	15.18	-22.797	1153	15.80	-12.737
1004	13.92	-21.550	1054	14.51	2.297	1104	15.20	-22.587	1154	15.81	-1.522
1005	13.93	-24.597	1055	14.53	-19.754	1105	15.21	-22.110	1155	15.83	12.184
1006	13.94	-22.364	1056	14.54	-19.284	1106	15.22	-14.133	1156	15.85	17.392
1007	13.95	-1.157	1057	14.55	-22.304	1107	15.23	-3.411	1157	15.86	16.365
1008	13.97	24.308	1058	14.56	-26.084	1108	15.24	3.565	1158	15.87	9.350
1009	13.98	35.269	1059	14.58	-29.370	1109	15.25	5.538	1159	15.88	-3.924
1010	13.99	44.013	1060	14.59	-32.651	1110	15.26	6.011	1160	15.89	-17.953
1011	14.00	40.224	1061	14.60	-30.416	1111	15.27	-0.762	1161	15.90	-22.464
1012	14.02	26.441	1062	14.62	-15.217	1112	15.29	-10.801	1162	15.92	-10.767
1013	14.03	11.905	1063	14.63	-1.499	1113	15.30	-12.070	1163	15.93	12.711
1014	14.05	-12.130	1064	14.64	10.725	1114	15.31	-8.339	1164	15.94	32.442
1015	14.06	-34.665	1065	14.66	14.463	1115	15.32	-2.863	1165	15.95	62.897
1016	14.07	-46.686	1066	14.67	14.411	1116	15.34	5.041	1166	15.96	62.877
1017	14.08	-51.702	1067	14.68	13.140	1117	15.35	14.801	1167	15.97	56.105
1018	14.09	-49.472	1068	14.69	1.358	1118	15.36	20.530	1168	15.98	43.340
1019	14.10	-26.757	1069	14.71	-11.925	1119	15.37	29.263	1169	15.99	23.819
1020	14.11	-12.780	1070	14.72	-14.471	1120	15.38	39.492	1170	16.00	-31.459
1021	14.12	-0.798	1071	14.73	-10.241	1121	15.39	47.720	1171	16.01	-57.474
1022	14.13	16.180	1072	14.75	3.471	1122	15.40	57.183	1172	16.02	-88.750
1023	14.14	32.657	1073	14.77	12.932	1123	15.41	57.166	1173	16.03	-137.040
1024	14.15	51.376	1074	14.78	13.351	1124	15.42	52.895	1174	16.04	-147.805
1025	14.16	53.357	1075	14.80	11.539	1125	15.43	37.868	1175	16.05	-149.069
1026	14.17	43.026	1076	14.81	4.822	1126	15.44	14.845	1176	16.06	-91.105
1027	14.19	26.047	1077	14.82	-3.454	1127	15.45	1.581	1177	16.07	-82.120
1028	14.20	-9.989	1078	14.83	-15.486	1128	15.46	-11.190	1178	16.08	-16.644
1029	14.21	-20.004	1079	14.84	-22.499	1129	15.47	-14.960	1179	16.09	42.827
1030	14.22	-35.024	1080	14.85	-25.018	1130	15.48	-9.469	1180	16.10	58.554
1031	14.23	-39.294	1081	14.86	-25.535	1131	15.49	5.488	1181	16.12	76.505
1032	14.24	-29.565	1082	14.87	-5.077	1132	15.50	29.460	1182	16.13	79.986
1033	14.25	-22.106	1083	14.89	9.399	1133	15.51	40.941	1183	16.15	49.451
1034	14.26	-19.629	1084	14.90	19.612	1134	15.52	44.671	1184	16.16	42.168
1035	14.28	1.574	1085	14.92	26.570	1135	15.54	11.372	1185	16.18	41.122
1036	14.29	9.048	1086	14.94	31.778	1136	15.55	-10.659	1186	16.19	55.837
1037	14.30	12.024	1087	14.95	34.239	1137	15.56	-29.189	1187	16.20	50.316
1038	14.32	8.499	1088	14.97	29.954	1138	15.57	-34.451	1188	16.21	16.293
1039	14.33	1.467	1089	14.99	22.492	1139	15.58	-38.228	1189	16.22	-36.728
1040	14.35	2.175	1090	15.01	8.648	1140	15.60	-44.535	1190	16.23	-87.255
1041	14.36	-2.870	1091	15.03	-3.204	1141	15.62	-2.580	1191	16.24	-116.522
1042	14.37	-7.892	1092	15.05	-11.496	1142	15.64	24.137	1192	16.25	-140.055
1043	14.38	-11.666	1093	15.06	-14.513	1143	15.65	36.359	1193	16.26	-118.328
1044	14.39	-11.676	1094	15.07	-15.284	1144	15.67	40.070	1194	16.28	-95.859
1045	14.40	-7.442	1095	15.08	-14.054	1145	15.69	50.259	1195	16.29	-67.633
1046	14.41	-0.720	1096	15.09	-6.582	1146	15.71	54.470	1196	16.30	-4.664
1047	14.42	1.261	1097	15.10	9.193	1147	15.73	56.919	1197	16.31	13.315
1048	14.43	-0.513	1098	15.11	24.616	1148	15.74	50.903	1198	16.33	-13.230
1049	14.44	-6.793	1099	15.12	24.589	1149	15.75	33.372	1199	16.34	-19.004
1050	14.45	-8.075	1100	15.13	-5.932	1150	15.76	4.590	1200	16.35	-2.024

INDEX NO. 814 1317-AB-1 HIROO BRIDGE TR. MAX.ACCEL.=-149.069(GAL) T=16.05(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	16.37	30.183	1251	16.97	73.510	1301	17.59	35.579	1351	18.18	2.686
1202	16.38	52.900	1252	16.98	70.992	1302	17.60	31.287	1352	18.20	-5.348
1203	16.39	71.876	1253	17.00	30.944	1303	17.62	29.258	1353	18.21	-10.127
1204	16.40	74.650	1254	17.01	-13.590	1304	17.63	7.716	1354	18.22	-10.142
1205	16.41	58.329	1255	17.02	-25.613	1305	17.64	-11.308	1355	18.24	18.049
1206	16.42	33.556	1256	17.03	-33.886	1306	17.66	-31.593	1356	18.25	25.280
1207	16.43	4.288	1257	17.04	-35.155	1307	17.67	-41.870	1357	18.26	27.013
1208	16.44	-48.250	1258	17.05	-31.426	1308	17.69	-41.408	1358	18.27	21.472
1209	16.45	-62.271	1259	17.06	-30.955	1309	17.70	-36.935	1359	18.28	12.198
1210	16.46	-64.780	1260	17.08	-41.746	1310	17.71	-30.704	1360	18.29	12.682
1211	16.47	-60.550	1261	17.09	-48.526	1311	17.72	-17.979	1361	18.31	23.805
1212	16.48	-39.327	1262	17.10	-49.306	1312	17.73	-10.504	1362	18.32	26.864
1213	16.49	-14.603	1263	17.11	-43.830	1313	17.74	-9.274	1363	18.33	25.090
1214	16.50	10.610	1264	17.13	-34.355	1314	17.75	-12.304	1364	18.35	18.294
1215	16.52	17.086	1265	17.14	-19.895	1315	17.76	-10.082	1365	18.36	12.510
1216	16.54	17.025	1266	17.16	20.055	1316	17.77	-0.354	1366	18.38	7.222
1217	16.57	46.951	1267	17.17	21.782	1317	17.78	12.615	1367	18.39	-2.806
1218	16.58	52.433	1268	17.18	16.262	1318	17.79	42.101	1368	18.41	-7.086
1219	16.59	51.913	1269	17.19	3.015	1319	17.80	44.080	1369	18.42	-8.121
1220	16.60	45.143	1270	17.21	-17.797	1320	17.81	41.057	1370	18.44	-5.168
1221	16.61	32.619	1271	17.22	23.063	1321	17.84	32.231	1371	18.46	-7.462
1222	16.62	18.593	1272	17.24	-12.608	1322	17.85	17.456	1372	18.47	-13.246
1223	16.63	7.561	1273	17.25	-6.382	1323	17.86	-2.063	1373	18.49	-15.781
1224	16.64	2.540	1274	17.26	-7.918	1324	17.87	-27.687	1374	18.50	-12.049
1225	16.65	-1.728	1275	17.27	-14.191	1325	17.88	-44.865	1375	18.51	-2.070
1226	16.66	-3.002	1276	17.28	-16.719	1326	17.89	-49.890	1376	18.52	19.401
1227	16.67	-1.272	1277	17.29	-16.744	1327	17.90	-40.657	1377	18.53	27.118
1228	16.68	6.700	1278	17.32	3.696	1328	17.91	-19.685	1378	18.55	30.836
1229	16.69	17.427	1279	17.33	5.671	1329	17.92	12.202	1379	18.56	27.059
1230	16.70	30.149	1280	17.34	5.639	1330	17.93	5.718	1380	18.58	-3.753
1231	16.71	34.372	1281	17.36	0.106	1331	17.94	5.741	1381	18.60	17.291
1232	16.73	38.833	1282	17.37	1.085	1332	17.95	6.278	1382	18.61	22.822
1233	16.74	35.064	1283	17.38	10.812	1333	17.96	3.305	1383	18.63	23.605
1234	16.75	25.040	1284	17.39	26.028	1334	17.97	5.922	1384	18.64	21.137
1235	16.76	16.007	1285	17.40	32.753	1335	17.99	37.120	1385	18.66	9.923
1236	16.77	36.525	1286	17.41	32.235	1336	18.00	39.601	1386	18.67	0.545
1237	16.78	55.051	1287	17.42	26.208	1337	18.01	39.087	1387	18.68	5.014
1238	16.79	61.014	1288	17.43	10.183	1338	18.02	34.559	1388	18.71	1.945
1239	16.80	66.345	1289	17.45	-8.847	1339	18.03	16.547	1389	18.73	1.147
1240	16.81	74.623	1290	17.46	-22.873	1340	18.05	39.516	1390	18.75	2.848
1241	16.82	79.648	1291	17.47	-33.647	1341	18.06	45.787	1391	18.76	-1.431
1242	16.83	76.171	1292	17.48	-42.672	1342	18.07	45.300	1392	18.78	-7.715
1243	16.85	57.948	1293	17.49	-46.445	1343	18.09	6.104	1393	18.79	-12.745
1244	16.87	32.495	1294	17.50	-40.216	1344	18.10	22.121	1394	18.80	-19.021
1245	16.88	13.533	1295	17.52	-17.509	1345	18.11	32.351	1395	18.82	-29.810
1246	16.90	7.177	1296	17.53	5.204	1346	18.12	34.836	1396	18.83	-32.336
1247	16.91	18.149	1297	17.54	17.937	1347	18.13	36.065	1397	18.84	-33.107
1248	16.92	30.874	1298	17.55	33.160	1348	18.14	35.543	1398	18.85	-30.125
1249	16.94	43.589	1299	17.56	32.391	1349	18.15	20.499	1399	18.86	-21.902
1250	16.95	62.556	1300	17.57	38.865	1350	18.17	9.212	1400	18.88	-4.192

INDEX NO. 814 1317-A3-1 HIROO BRIDGE TR. MAX.ACCEL.=-149.069(GAL) T=16.05(SEC) NO. 8

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1401	18.90	14.753	1451	19.34	14.721	1501	20.19	26.704	1551	20.94	-1.551
1402	18.91	19.720	1452	19.36	22.182	1502	20.20	5.667	1552	20.97	14.886
1403	18.93	23.685	1453	19.37	33.391	1503	20.21	-7.106	1553	20.98	23.843
1404	18.94	27.896	1454	19.38	37.869	1504	20.22	-8.869	1554	21.00	20.067
1405	18.96	26.117	1455	19.39	33.599	1505	20.23	-9.656	1555	21.01	13.776
1406	18.97	19.845	1456	19.40	22.336	1506	20.25	-7.945	1556	21.03	8.744
1407	18.99	-9.475	1457	19.41	5.804	1507	20.26	-7.220	1557	21.05	9.190
1408	19.00	-7.741	1458	19.42	-9.968	1508	20.27	-4.741	1558	21.07	8.149
1409	19.02	-0.274	1459	19.43	-15.235	1509	20.28	12.727	1559	21.08	4.868
1410	19.03	4.195	1460	19.44	-16.065	1510	20.29	20.452	1560	21.10	3.579
1411	19.04	2.422	1461	19.45	-16.530	1511	20.30	21.687	1561	21.12	5.283
1412	19.05	-3.849	1462	19.47	-7.338	1512	20.32	19.146	1562	21.13	12.750
1413	19.06	-5.122	1463	19.48	-7.361	1513	20.33	8.615	1563	21.16	36.190
1414	19.08	16.828	1464	19.70	-12.913	1514	20.34	-1.161	1564	21.17	37.917
1415	19.09	28.298	1465	19.73	-21.236	1515	20.35	-9.938	1565	21.18	35.648
1416	19.10	32.030	1466	19.76	-15.788	1516	20.36	-18.961	1566	21.20	23.602
1417	19.11	33.251	1467	19.77	-8.326	1517	20.38	-18.991	1567	21.21	9.068
1418	19.13	18.962	1468	19.79	0.379	1518	20.39	-17.763	1568	21.22	0.542
1419	19.14	4.174	1469	19.81	7.586	1519	20.40	-9.789	1569	21.23	-5.729
1420	19.15	-11.106	1470	19.82	7.556	1520	20.41	0.172	1570	21.24	-6.998
1421	19.16	-20.373	1471	19.84	7.026	1521	20.43	7.384	1571	21.25	0.467
1422	19.17	-26.905	1472	19.85	-0.499	1522	20.45	7.845	1572	21.27	11.670
1423	19.18	-26.427	1473	19.86	-22.031	1523	20.46	7.312	1573	21.29	15.890
1424	19.19	-23.948	1474	19.87	-41.064	1524	20.48	7.271	1574	21.30	16.354
1425	19.20	-13.473	1475	19.89	-46.345	1525	20.50	4.229	1575	21.32	16.815
1426	19.21	-19.489	1476	19.90	-43.366	1526	20.51	-0.803	1576	21.33	20.539
1427	19.22	-22.758	1477	19.91	-21.612	1527	20.52	-3.322	1577	21.35	24.253
1428	19.23	-24.036	1478	19.93	11.053	1528	20.54	-1.620	1578	21.36	22.982
1429	19.24	-22.803	1479	19.94	28.779	1529	20.56	-9.665	1579	21.37	16.708
1430	19.25	-11.588	1480	19.95	39.510	1530	20.58	-19.457	1580	21.38	4.929
1431	19.27	2.861	1481	19.96	40.736	1531	20.59	-18.232	1581	21.39	-7.345
1432	19.28	3.584	1482	19.97	40.212	1532	20.61	6.961	1582	21.40	-15.115
1433	19.30	4.055	1483	19.98	41.434	1533	20.62	20.930	1583	21.41	-15.636
1434	19.31	7.529	1484	19.99	38.413	1534	20.63	26.409	1584	21.42	-4.670
1435	19.32	9.249	1485	20.00	28.887	1535	20.65	27.128	1585	21.43	0.555
1436	19.33	8.216	1486	20.01	10.610	1536	20.67	20.328	1586	21.44	-0.474
1437	19.35	6.181	1487	20.02	-13.670	1537	20.68	13.300	1587	21.47	-1.274
1438	19.36	5.654	1488	20.03	-26.941	1538	20.70	7.001	1588	21.49	4.168
1439	19.37	4.379	1489	20.04	-29.704	1539	20.72	3.968	1589	21.51	13.613
1440	19.38	2.352	1490	20.05	-24.229	1540	20.74	4.417	1590	21.53	18.029
1441	19.39	-2.671	1491	20.06	-13.004	1541	20.76	4.871	1591	21.55	26.289
1442	19.40	-5.707	1492	20.07	1.725	1542	20.78	-5.175	1592	21.57	6.224
1443	19.42	-6.985	1493	20.08	13.695	1543	20.79	-10.957	1593	21.58	-5.805
1444	19.44	25.449	1494	20.09	23.929	1544	20.81	-14.490	1594	21.60	-15.583
1445	19.46	36.902	1495	20.10	25.161	1545	20.82	-14.273	1595	21.61	-15.104
1446	19.47	35.131	1496	20.11	21.638	1546	20.84	-11.317	1596	21.62	-8.130
1447	19.48	27.103	1497	20.12	17.112	1547	20.85	-9.602	1597	21.63	1.336
1448	19.50	19.821	1498	20.13	22.076	1548	20.87	-9.642	1598	21.64	0.309
1449	19.51	15.539	1499	20.15	32.043	1549	20.91	-6.473	1599	21.66	-3.472
1450	19.53	14.750	1500	20.17	42.751	1550	20.93	-5.281	1600	21.67	-4.264

INDEX NO. 814 1317-A6-1 HIROO BRIDGE TR. MAX.ACCEL.=-149.069(GAL) T=16.05(SEC) NO. 9

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1601	21.69	-2.558	1651	22.37	16.846	1701	23.30	-9.339	1751	24.05	16.146
1602	21.71	4.897	1652	22.38	13.079	1702	23.31	-10.607	1752	24.06	12.365
1603	21.73	17.610	1653	22.39	4.292	1703	23.32	-9.378	1753	24.08	8.566
1604	21.74	26.323	1654	22.40	1.015	1704	23.33	-4.398	1754	24.11	2.758
1605	21.75	24.552	1655	22.42	9.227	1705	23.34	-0.687	1755	24.13	-2.289
1606	21.76	17.035	1656	22.44	16.177	1706	23.36	-0.236	1756	24.15	-6.833
1607	21.77	6.495	1657	22.46	15.387	1707	23.37	-3.253	1757	24.17	-16.391
1608	21.79	-3.794	1658	22.48	12.340	1708	23.41	14.415	1758	24.18	-18.422
1609	21.81	-11.332	1659	22.50	11.036	1709	23.42	18.632	1759	24.21	-2.243
1610	21.82	-13.858	1660	22.52	11.494	1710	23.44	17.594	1760	24.23	4.213
1611	21.84	-16.154	1661	22.54	14.441	1711	23.45	13.057	1761	24.25	3.426
1612	21.85	-15.674	1662	22.55	11.415	1712	23.47	-7.246	1762	24.28	-1.643
1613	21.87	-4.472	1663	22.57	5.120	1713	23.49	-16.028	1763	24.30	-4.192
1614	21.88	3.997	1664	22.62	3.006	1714	23.50	-21.318	1764	24.32	-5.497
1615	21.90	6.456	1665	22.65	-2.051	1715	23.53	-14.629	1765	24.33	-5.028
1616	21.91	8.173	1666	22.67	-6.614	1716	23.55	-13.423	1766	24.36	-0.579
1617	21.92	11.905	1667	22.69	-7.412	1717	23.57	10.028	1767	24.37	4.379
1618	21.93	18.372	1668	22.71	-3.708	1718	23.58	20.752	1768	24.40	6.817
1619	21.95	20.832	1669	22.74	0.741	1719	23.59	23.234	1769	24.42	3.017
1620	21.96	17.805	1670	22.77	4.921	1720	23.60	22.210	1770	24.44	-2.525
1621	21.97	6.522	1671	22.78	5.893	1721	23.61	18.922	1771	24.47	-13.340
1622	21.98	0.249	1672	22.81	-1.440	1722	23.64	13.869	1772	24.49	-15.144
1623	21.99	0.476	1673	22.83	5.510	1723	23.66	10.070	1773	24.51	-9.685
1624	22.01	4.949	1674	22.85	9.219	1724	23.68	7.530	1774	24.52	1.530
1625	22.02	10.419	1675	22.86	8.692	1725	23.70	9.983	1775	24.54	14.242
1626	22.03	17.631	1676	22.88	4.159	1726	23.71	9.452	1776	24.55	12.218
1627	22.04	17.110	1677	22.90	-5.902	1727	23.73	4.402	1777	24.57	2.420
1628	22.06	9.579	1678	22.93	-9.965	1728	23.75	7.357	1778	24.58	-1.356
1629	22.09	-5.238	1679	22.96	-11.528	1729	23.77	12.311	1779	24.60	-0.399
1630	22.10	-0.780	1680	22.99	-14.097	1730	23.79	13.519	1780	24.61	-3.431
1631	22.11	10.963	1681	23.01	-17.402	1731	23.80	12.247	1781	24.63	-9.968
1632	22.12	20.425	1682	23.02	-16.925	1732	23.81	8.471	1782	24.64	-13.746
1633	22.13	24.154	1683	23.03	-9.946	1733	23.82	2.187	1783	24.66	-5.050
1634	22.14	20.636	1684	23.05	19.092	1734	23.83	-1.589	1784	24.68	2.898
1635	22.15	11.863	1685	23.06	27.728	1735	23.84	+2.860	1785	24.70	-3.886
1636	22.16	-3.411	1686	23.07	29.704	1736	23.85	+0.381	1786	24.72	-11.420
1637	22.17	-19.442	1687	23.08	24.177	1737	23.86	4.598	1787	24.73	-11.968
1638	22.18	-28.218	1688	23.09	17.398	1738	23.87	9.565	1788	24.76	-6.528
1639	22.19	-28.739	1689	23.11	8.852	1739	23.88	10.040	1789	24.78	-4.829
1640	22.20	-27.009	1690	23.13	-5.102	1740	23.89	6.520	1790	24.80	-3.628
1641	22.21	-20.788	1691	23.14	-15.711	1741	23.90	-3.505	1791	24.82	-6.679
1642	22.23	-14.577	1692	23.15	-19.734	1742	23.92	-20.042	1792	24.85	-0.485
1643	22.24	-11.605	1693	23.16	-20.005	1743	23.93	-27.312	1793	24.87	1.959
1644	22.25	-12.134	1694	23.17	-15.530	1744	23.95	-13.105	1794	24.89	-4.339
1645	22.27	-15.167	1695	23.19	3.917	1745	23.96	13.601	1795	24.92	-7.643
1646	22.29	-12.957	1696	23.22	10.851	1746	23.97	19.833	1796	24.94	-5.690
1647	22.30	-3.496	1697	23.24	22.303	1747	23.99	25.550	1797	24.95	-1.479
1648	22.32	-3.035	1698	23.26	25.757	1748	24.00	23.777	1798	24.98	3.465
1649	22.34	3.423	1699	23.27	15.724	1749	24.01	17.488	1799	24.99	1.679
1650	22.36	15.625	1700	23.29	4.197	1750	24.03	16.694	1800	25.02	-2.636

INDEX NO. 814 1317-A8-1 HIROO BRIDGE TR. MAX.ACCEL.=-149.069(GAL) T=16.05(SEC) NO.10

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1801	25.06	1.028	1851	25.97	-7.539	1901	26.88	-12.734	1951	27.64	-8.259
1802	25.10	3.423	1852	25.98	-1.576	1902	26.89	-12.757	1952	27.65	-8.786
1803	25.14	-1.667	1853	26.01	1.062	1903	26.90	-11.529	1953	27.66	-7.813
1804	25.17	-3.483	1854	26.04	7.497	1904	26.91	-4.059	1954	27.68	-5.344
1805	25.19	-3.035	1855	26.05	3.961	1905	26.92	+0.330	1955	27.69	-6.871
1806	25.22	2.402	1856	26.07	-1.002	1906	26.93	0.932	1956	27.70	-15.899
1807	25.23	1.978	1857	26.09	-3.372	1907	26.94	-4.129	1957	27.72	-29.952
1808	25.25	-9.405	1858	26.10	-13.398	1908	26.95	-10.450	1958	27.73	-29.977
1809	25.26	-20.176	1859	26.11	-11.673	1909	26.97	-15.456	1959	27.75	-26.260
1810	25.28	-17.229	1860	26.13	-7.223	1910	26.98	-10.431	1960	27.77	-14.314
1811	25.29	-0.233	1861	26.15	-3.510	1911	26.99	-4.939	1961	27.82	-6.187
1812	25.31	19.197	1862	26.17	-5.557	1912	27.00	-0.025	1962	27.85	-3.760
1813	25.32	30.163	1863	26.19	-4.356	1913	27.01	3.459	1963	27.88	-5.817
1814	25.33	25.870	1864	26.20	-4.371	1914	27.02	-2.824	1964	27.90	-11.867
1815	25.35	13.360	1865	26.23	-6.694	1915	27.04	-7.872	1965	27.92	-19.406
1816	25.36	-0.924	1866	26.26	-2.517	1916	27.06	-10.155	1966	27.93	-21.441
1817	25.38	-2.712	1867	26.28	0.423	1917	27.08	-2.462	1967	27.94	-12.720
1818	25.39	+0.244	1868	26.31	-1.336	1918	27.10	-3.768	1968	27.96	-3.506
1819	25.40	2.223	1869	26.34	-6.965	1919	27.12	-8.292	1969	27.97	4.213
1820	25.42	-11.965	1870	26.40	-2.840	1920	27.13	-8.823	1970	27.99	4.929
1821	25.44	-23.105	1871	26.42	5.602	1921	27.15	-4.119	1971	28.01	3.116
1822	25.45	-23.123	1872	26.44	9.817	1922	27.19	6.799	1972	28.03	-2.668
1823	25.46	-21.908	1873	26.45	7.294	1923	27.20	5.522	1973	28.04	-12.700
1824	25.48	-15.269	1874	26.46	1.015	1924	27.21	-2.056	1974	28.05	-22.230
1825	25.52	0.455	1875	26.47	-4.519	1925	27.23	-9.547	1975	28.06	-25.504
1826	25.54	3.401	1876	26.49	-5.304	1926	27.24	-11.336	1976	28.07	-25.525
1827	25.56	4.112	1877	26.50	-0.335	1927	27.26	-12.831	1977	28.08	-21.798
1828	25.58	-0.175	1878	26.51	-0.357	1928	27.30	-9.221	1978	28.10	-11.835
1829	25.59	-9.715	1879	26.53	-5.394	1929	27.32	-9.270	1979	28.11	-8.853
1830	25.61	-16.003	1880	26.55	-8.437	1930	27.34	-7.560	1980	28.12	-9.877
1831	25.62	-15.535	1881	26.57	-7.489	1931	27.36	-6.348	1981	28.13	-13.652
1832	25.64	-8.578	1882	26.59	-9.295	1932	27.37	-10.637	1982	28.14	-13.940
1833	25.65	0.641	1883	26.61	-9.582	1933	27.39	-15.673	1983	28.16	-8.968
1834	25.66	3.683	1884	26.63	-6.878	1934	27.40	-15.625	1984	28.18	0.734
1835	25.67	4.354	1885	26.65	-3.928	1935	27.41	-12.473	1985	28.19	+6.541
1836	25.70	3.787	1886	26.67	0.008	1936	27.43	-1.014	1986	28.20	-8.068
1837	25.72	5.466	1887	26.68	0.433	1937	27.44	-6.541	1987	28.22	-20.118
1838	25.75	-3.073	1888	26.71	-7.838	1938	27.45	-14.569	1988	28.23	-18.387
1839	25.76	-10.117	1889	26.72	-6.610	1939	27.47	-19.603	1989	28.24	-16.663
1840	25.78	-14.659	1890	26.73	-2.131	1940	27.48	-18.628	1990	28.27	-7.989
1841	25.79	-19.936	1891	26.75	6.079	1941	27.50	-5.419	1991	28.28	-10.265
1842	25.81	1.521	1892	26.76	7.047	1942	27.52	7.703	1992	28.32	-14.848
1843	25.83	2.234	1893	26.77	7.274	1943	27.53	13.998	1993	28.36	-7.458
1844	25.85	-0.307	1894	26.79	-1.509	1944	27.54	14.722	1994	28.40	+3.288
1845	25.86	1.411	1895	26.80	-10.226	1945	27.55	3.445	1995	28.43	-0.368
1846	25.88	4.611	1896	26.81	-16.821	1946	27.57	+10.347	1996	28.46	-12.442
1847	25.90	-6.686	1897	26.83	-20.603	1947	27.59	+16.883	1997	28.50	-8.022
1848	25.92	-15.473	1898	26.84	-12.641	1948	27.60	+16.407	1998	28.52	-15.077
1849	25.93	-21.014	1899	26.86	-5.676	1949	27.61	+12.678	1999	28.54	-13.369
1850	25.95	-18.601	1900	26.87	-10.704	1950	27.62	-8.211	2000	28.56	-5.161

INDEX NO. 814 1317-A8-1 HIROO BRIDGE TR. MAX.ACCEL.=-149.069(GAL) T=16.05(SEC) NO.11

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2001	28.58	-4.724	2051	29.64	-0.223	2101	30.67	-15.619	2151	31.59	0.213
2002	28.60	-4.014	2052	29.68	-2.804	2102	30.68	-14.639	2152	31.61	5.150
2003	28.61	-5.293	2053	29.70	-0.367	2103	30.69	-8.415	2153	31.65	9.821
2004	28.63	-10.834	2054	29.72	-2.142	2104	30.70	-2.192	2154	31.67	2.761
2005	28.65	-16.566	2055	29.73	-9.185	2105	30.71	-0.217	2155	31.69	-4.790
2006	28.67	-16.421	2056	29.75	-11.715	2106	30.73	-0.258	2156	31.71	+11.336
2007	28.68	-10.709	2057	29.76	-11.739	2107	30.75	-2.051	2157	31.72	+13.106
2008	28.70	-2.745	2058	29.78	-5.534	2108	30.77	-2.096	2158	31.73	+11.377
2009	28.71	0.716	2059	29.79	-2.573	2109	30.79	-8.406	2159	31.75	+5.941
2010	28.74	-4.834	2060	29.80	-0.101	2110	30.81	-9.195	2160	31.78	+10.744
2011	28.76	-6.138	2061	29.83	-3.156	2111	30.82	-6.723	2161	31.79	+11.517
2012	28.78	-5.882	2062	29.85	-3.211	2112	30.84	-4.267	2162	31.80	+7.803
2013	28.80	-4.477	2063	29.87	-9.598	2113	30.86	-3.057	2163	31.81	+3.592
2014	28.82	-8.774	2064	29.88	-15.787	2114	30.88	-1.358	2164	31.83	-1.109
2015	28.83	-15.062	2065	29.90	-17.065	2115	30.90	-0.647	2165	31.84	-1.146
2016	28.84	-15.087	2066	29.92	-15.868	2116	30.91	-1.187	2166	31.85	+3.429
2017	28.86	-9.619	2067	29.95	-9.131	2117	30.92	-1.964	2167	31.86	+5.450
2018	28.88	2.623	2068	29.97	-6.739	2118	30.94	-0.251	2168	31.88	+5.984
2019	28.90	-0.967	2069	29.99	-7.286	2119	30.95	0.985	2169	31.89	+4.260
2020	28.92	-7.267	2070	30.01	-6.091	2120	30.96	-0.042	2170	31.91	+1.803
2021	28.94	-4.316	2071	30.04	-6.658	2121	30.97	-5.819	2171	31.94	-6.133
2022	28.96	-1.881	2072	30.07	-7.960	2122	30.98	-15.844	2172	31.98	8.260
2023	26.98	-10.418	2073	30.09	-10.765	2123	30.99	-20.871	2173	32.01	6.954
2024	29.00	-12.466	2074	30.12	-16.327	2124	31.00	-21.647	2174	32.04	3.886
2025	29.02	-12.014	2075	30.15	-2.660	2125	31.01	-16.924	2175	32.06	0.076
2026	29.05	-8.824	2076	30.16	-2.139	2126	31.03	-4.720	2176	32.09	+2.495
2027	29.07	0.364	2077	30.19	-5.740	2127	31.05	-1.749	2177	32.10	+1.523
2028	29.10	4.612	2078	30.20	-6.525	2128	31.06	-1.023	2178	32.13	-5.088
2029	29.12	3.506	2079	30.22	-6.567	2129	31.07	-2.305	2179	32.15	+1.629
2030	29.14	-1.538	2080	30.25	-12.131	2130	31.09	-2.850	2180	32.17	2.067
2031	29.16	-9.586	2001	30.27	+12.191	2131	31.11	0.090	2181	32.18	4.531
2032	29.17	-15.386	2082	30.30	-13.002	2132	31.13	+9.208	2182	32.20	1.498
2033	29.19	+18.154	2083	30.32	-20.808	2133	31.15	-14.249	2183	32.21	-4.033
2034	29.21	-13.216	2084	30.34	-15.348	2134	31.17	-16.786	2184	32.23	+14.340
2035	29.24	-8.273	2085	30.37	-3.182	2135	31.18	-14.569	2185	32.25	+14.616
2036	29.26	-3.321	2086	30.40	1.013	2136	31.20	-13.860	2186	32.26	-5.159
2037	29.27	-4.603	2087	30.41	0.991	2137	31.23	-15.178	2187	32.29	4.036
2038	29.30	-9.657	2088	30.43	-3.812	2138	31.25	+11.485	2188	32.30	7.512
2039	29.34	-17.269	2089	30.45	-8.856	2139	31.27	-6.640	2189	32.35	12.887
2040	29.36	-17.311	2090	30.48	-8.930	2140	31.29	2.909	2190	32.36	12.349
2041	29.38	-14.859	2091	30.50	-10.969	2141	31.30	3.391	2191	32.38	3.067
2042	29.41	-10.683	2092	30.51	-8.510	2142	31.32	1.590	2192	32.40	+10.976
2043	29.44	-6.992	2093	30.55	-1.067	2143	31.36	-4.744	2193	32.41	-15.503
2044	29.46	-0.550	2094	30.56	0.127	2144	31.37	-5.528	2194	32.42	-15.533
2045	29.47	-1.070	2095	30.58	-2.409	2145	31.43	5.574	2195	32.44	-7.579
2046	29.52	-16.179	2096	30.60	-7.954	2146	31.46	+1.997	2196	32.46	4.366
2047	29.53	-14.458	2097	30.61	+12.478	2147	31.48	+3.788	2197	32.48	10.073
2048	29.55	-8.263	2098	30.63	-7.535	2148	31.51	6.644	2198	32.51	7.748
2049	29.58	-5.823	2099	30.64	-14.561	2149	31.52	6.117	2199	32.53	11.961
2050	29.62	3.574	2100	30.65	-15.667	2150	31.56	-5.222	2200	32.54	16.920

INDEX NO. 814 1317-A8-1 HIROO BRIDGE TR. MAX.ACCEL.=-149.069(GAL) T=16.05(SEC) NO.12

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2201	32.56	20.641	2251	33.56	5.055	2301	34.39	10.374	2351	35.30	8.006
2202	32.57	13.111	2252	33.57	9.740	2302	34.41	4.826	2352	35.31	12.213
2203	32.59	8.810	2253	33.58	-7.244	2303	34.43	1.279	2353	35.33	16.170
2204	32.62	7.998	2254	33.59	-11.014	2304	34.44	-0.604	2354	35.35	18.121
2205	32.63	7.763	2255	33.60	-11.038	2305	34.47	-4.560	2355	35.37	13.832
2206	32.65	3.660	2256	33.61	-6.318	2306	34.48	1.166	2356	35.39	11.291
2207	32.70	3.547	2257	33.63	1.137	2307	34.49	7.888	2357	35.40	10.005
2208	32.72	3.996	2258	33.64	6.863	2308	34.50	16.104	2358	35.42	7.471
2209	32.74	4.469	2259	33.65	9.829	2309	34.52	20.059	2359	35.44	4.181
2210	32.77	7.141	2260	33.67	13.035	2310	34.53	15.034	2360	35.45	0.386
2211	32.79	1.343	2261	33.69	15.985	2311	34.55	-0.762	2361	35.47	-0.641
2212	32.81	-2.449	2262	33.71	14.197	2312	34.57	-7.050	2362	35.49	0.062
2213	32.83	-2.990	2263	33.72	7.420	2313	34.59	-8.343	2363	35.51	16.519
2214	32.84	-2.029	2264	33.74	-7.621	2314	34.61	-9.142	2364	35.52	19.485
2215	32.86	-2.560	2265	33.75	-13.649	2315	34.63	-5.442	2365	35.54	21.437
2216	32.87	-1.350	2266	33.77	-11.930	2316	34.65	-1.729	2366	35.56	20.886
2217	32.89	-1.366	2267	33.78	-4.968	2317	34.66	6.977	2367	35.58	19.601
2218	32.91	1.065	2268	33.80	6.991	2318	34.68	20.937	2368	35.60	15.052
2219	32.94	4.003	2269	33.81	9.465	2319	34.70	28.400	2369	35.62	11.247
2220	32.99	-9.373	2270	33.82	10.665	2320	34.72	31.357	2370	35.64	10.690
2221	33.02	1.803	2271	33.84	12.649	2321	34.73	27.078	2371	35.66	13.658
2222	33.03	5.271	2272	33.85	19.621	2322	34.74	20.792	2372	35.68	18.612
2223	33.06	5.723	2273	33.87	28.325	2323	34.76	14.011	2373	35.70	14.316
2224	33.07	6.195	2274	33.88	33.563	2324	34.77	8.974	2374	35.71	8.525
2225	33.09	8.650	2275	33.90	27.262	2325	34.79	1.935	2375	35.74	13.464
2226	33.10	8.113	2276	33.91	17.224	2326	34.81	-2.106	2376	35.77	17.649
2227	33.12	5.578	2277	33.93	8.961	2327	34.82	-0.383	2377	35.78	17.121
2228	33.13	1.291	2278	33.94	-1.337	2328	34.84	7.819	2378	35.80	7.817
2229	33.15	-2.494	2279	33.96	-4.381	2329	34.86	15.769	2379	35.82	-0.484
2230	33.16	-1.519	2280	33.99	-1.437	2330	34.88	18.470	2380	35.84	1.976
2231	33.17	7.200	2281	34.01	3.503	2331	34.90	19.686	2381	35.87	14.919
2232	33.20	21.143	2282	34.03	8.455	2332	34.91	16.161	2382	35.89	20.609
2233	33.21	28.108	2283	34.05	5.915	2333	34.92	7.882	2383	35.91	21.807
2234	33.23	23.056	2284	34.07	-1.148	2334	34.93	-0.402	2384	35.94	16.254
2235	33.26	15.001	2285	34.10	-4.213	2335	34.94	-2.929	2385	35.95	12.974
2236	33.29	11.186	2286	34.12	-4.266	2336	34.96	-2.460	2386	36.01	17.326
2237	33.31	9.876	2287	34.14	-4.810	2337	34.98	1.746	2387	36.02	17.296
2238	33.33	9.074	2288	34.16	-2.598	2338	35.00	11.180	2388	36.04	16.517
2239	33.35	10.779	2289	34.18	5.615	2339	35.03	18.864	2389	36.07	8.933
2240	33.38	8.478	2290	34.20	11.066	2340	35.05	21.315	2390	36.09	10.138
2241	33.39	12.692	2291	34.21	13.528	2341	35.07	14.522	2391	36.11	11.843
2242	33.41	18.156	2292	34.23	12.490	2342	35.09	3.722	2392	36.12	13.816
2243	33.42	19.378	2293	34.24	9.215	2343	35.10	0.451	2393	36.14	14.526
2244	33.44	14.589	2294	34.26	0.830	2344	35.16	10.077	2394	36.17	7.952
2245	33.47	7.019	2295	34.28	-7.618	2345	35.18	12.523	2395	36.19	9.912
2246	33.49	4.973	2296	34.30	-2.921	2346	35.20	11.882	2396	36.21	16.098
2247	33.50	6.681	2297	34.32	3.526	2347	35.21	9.650	2397	36.23	16.050
2248	33.52	10.396	2298	34.34	15.745	2348	35.23	6.412	2398	36.26	10.484
2249	33.53	13.610	2299	34.35	16.949	2349	35.25	3.113	2399	36.29	11.413
2250	33.54	12.338	2300	34.37	17.413	2350	35.27	4.317	2400	36.30	11.639

INDEX NO. 814 1317-A8-1 HIROO BRIDGE TR. MAX.ACCEL.=-149.069(GAL) T=16.05(SEC) NO.13

NO.	(SEC)	(GAL)
2401	36.32	8.346
2402	36.34	10.045
2403	36.36	17.496
2404	36.39	24.432
2405	36.43	10.581
2406	36.45	14.786
2407	36.48	22.975
2408	36.49	25.943
2409	36.50	29.911
2410	36.53	14.848
2411	36.55	5.295
2412	36.57	1.008
2413	36.59	4.198
2414	36.61	9.138
2415	36.62	14.376
2416	36.63	13.851
2417	36.65	5.805
2418	36.66	3.275
2419	36.67	3.007
2420	36.69	9.227
2421	36.70	15.442
2422	36.71	18.659
2423	36.73	18.631
2424	36.75	14.329
2425	36.76	13.041
2426	36.78	13.507
2427	36.79	14.725
2428	36.80	15.198
2429	36.81	12.925
2430	36.83	9.645
2431	36.84	6.617
2432	36.85	6.332
2433	36.86	8.815
2434	36.88	21.276
2435	36.89	23.251
2436	36.91	16.942

Table IX D-41 Digitized Accelerations of Earthquake Record with Index Number 815

INDEX NO. 815 1319-SR-1 SHIMAHATSUZAKA B LG. MAX.ACCEL.= 122.468(GAL) T=13.05(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.08	7.490	51	0.77	13.367	101	1.43	-2.163	151	2.10	4.794
2	0.10	7.932	52	0.78	17.088	102	1.45	-0.219	152	2.11	-6.489
3	0.11	11.912	53	0.79	15.313	103	1.47	-7.281	153	2.12	-13.019
4	0.12	11.365	54	0.80	9.037	104	1.48	-7.809	154	2.13	-14.293
5	0.13	-0.399	55	0.81	0.245	105	1.49	-1.833	155	2.14	-10.073
6	0.16	-5.476	56	0.83	-3.540	106	1.52	15.093	156	2.15	-2.586
7	0.17	-4.504	57	0.84	-4.310	107	1.53	16.317	157	2.17	14.612
8	0.19	-0.068	58	0.86	4.363	108	1.54	13.792	158	2.18	21.586
9	0.23	-1.436	59	0.88	9.806	109	1.55	7.009	159	2.19	18.039
10	0.24	1.041	60	0.89	8.782	110	1.56	-2.528	160	2.20	12.261
11	0.26	12.236	61	0.90	4.253	111	1.57	-5.058	161	2.21	1.484
12	0.27	14.706	62	0.93	-2.561	112	1.61	9.837	162	2.23	-9.320
13	0.29	9.673	63	0.94	-2.850	113	1.62	7.314	163	2.24	-7.590
14	0.30	-2.666	64	0.96	-0.396	114	1.63	0.532	164	2.25	-3.108
15	0.31	-11.901	65	0.97	2.079	115	1.65	-7.013	165	2.27	14.344
16	0.32	-11.924	66	0.98	1.554	116	1.66	-7.035	166	2.28	18.069
17	0.33	-8.948	67	1.00	3.252	117	1.67	-4.800	167	2.29	10.521
18	0.35	11.990	68	1.01	9.461	118	1.68	1.415	168	2.31	0.482
19	0.36	16.215	69	1.03	16.415	119	1.69	9.623	169	2.33	-5.820
20	0.37	13.935	70	1.04	13.891	120	1.70	9.598	170	2.35	-7.120
21	0.40	1.117	71	1.05	8.866	121	1.71	7.819	171	2.36	2.095
22	0.41	-2.420	72	1.06	-1.669	122	1.73	2.036	172	2.38	23.034
23	0.43	-0.203	73	1.08	-16.474	123	1.74	-3.007	173	2.39	23.010
24	0.44	1.755	74	1.09	-13.488	124	1.75	-2.527	174	2.40	19.980
25	0.45	-0.776	75	1.11	26.935	125	1.76	-0.047	175	2.42	3.429
26	0.47	-7.316	76	1.12	30.161	126	1.77	6.923	176	2.43	-0.351
27	0.48	-9.100	77	1.13	28.694	127	1.80	9.346	177	2.44	-0.626
28	0.49	-5.622	78	1.14	22.125	128	1.82	3.793	178	2.46	1.643
29	0.50	7.593	79	1.16	-14.695	129	1.83	-2.501	179	2.48	0.785
30	0.51	17.307	80	1.17	-19.226	130	1.84	-2.533	180	2.49	-1.745
31	0.53	20.277	81	1.18	-17.395	131	1.86	-0.318	181	2.50	0.480
32	0.54	16.001	82	1.19	-13.006	132	1.87	5.406	182	2.52	7.926
33	0.55	4.718	83	1.20	-0.533	133	1.88	15.868	183	2.53	9.138
34	0.56	-5.321	84	1.21	24.168	134	1.89	15.845	184	2.56	10.575
35	0.57	-8.097	85	1.22	26.138	135	1.90	14.069	185	2.57	10.528
36	0.58	-5.119	86	1.23	21.862	136	1.91	10.299	186	2.59	4.744
37	0.60	6.585	87	1.25	9.327	137	1.92	-0.232	187	2.60	2.201
38	0.61	10.538	88	1.27	-10.748	138	1.93	-7.269	188	2.62	7.162
39	0.63	8.753	89	1.28	-7.763	139	1.94	-7.206	189	2.63	12.122
40	0.64	3.226	90	1.30	6.186	140	1.95	-5.566	190	2.64	11.339
41	0.65	-3.821	91	1.31	8.663	141	1.96	1.402	191	2.66	5.802
42	0.66	-2.087	92	1.32	6.891	142	1.98	11.341	192	2.67	0.765
43	0.67	5.377	93	1.33	-0.635	143	2.00	13.805	193	2.68	1.242
44	0.69	11.563	94	1.34	-6.166	144	2.01	10.767	194	2.69	5.718
45	0.70	10.554	95	1.35	1.796	145	2.02	3.237	195	2.70	11.934
46	0.71	6.780	96	1.37	19.749	146	2.04	-1.303	196	2.71	10.161
47	0.72	-0.249	97	1.38	22.474	147	2.05	-0.079	197	2.73	5.619
48	0.73	-5.281	98	1.39	21.446	148	2.06	7.380	198	2.74	6.837
49	0.74	-4.801	99	1.40	13.166	149	2.08	11.601	199	2.75	11.809
50	0.75	-2.328	100	1.41	-2.127	150	2.09	9.312	200	2.76	13.032

INDEX NO. 815 1319-SR-1 SHIMAHATSUZAKA B LG. MAX.ACCEL.= 122.468(GAL) T=13.05(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	2.77	10.003	251	3.41	-4.172	301	4.03	-10.310	351	4.63	0.040
202	2.78	2.981	252	3.42	-3.198	302	4.04	-3.596	352	4.65	-7.014
203	2.79	-4.565	253	3.44	8.739	303	4.06	5.112	353	4.67	-12.049
204	2.80	-4.580	254	3.45	8.709	304	4.07	4.583	354	4.68	-11.576
205	2.81	-0.362	255	3.46	6.941	305	4.08	0.812	355	4.70	10.859
206	2.82	5.360	256	3.47	2.406	306	4.09	-9.721	356	4.71	16.084
207	2.84	6.322	257	3.49	-2.633	307	4.10	-18.762	357	4.72	16.816
208	2.86	9.018	258	3.50	-2.658	308	4.11	-16.520	358	4.73	8.782
209	2.88	8.948	259	3.51	1.564	309	4.14	13.145	359	4.75	-30.037
210	2.90	5.163	260	3.52	6.536	310	4.15	15.119	360	4.76	-33.303
211	2.91	1.373	261	3.53	7.252	311	4.16	12.841	361	4.77	-28.320
212	2.92	3.841	262	3.54	3.476	312	4.18	-8.220	362	4.79	20.852
213	2.94	10.550	263	3.56	-10.326	313	4.19	-15.005	363	4.80	24.087
214	2.95	11.770	264	3.58	-11.116	314	4.20	-12.777	364	4.81	20.324
215	2.96	10.001	265	3.59	-5.405	315	4.22	5.922	365	4.82	-4.470
216	2.98	1.194	266	3.61	4.540	316	4.23	12.889	366	4.83	-23.248
217	2.99	2.901	267	3.63	13.727	317	4.24	8.358	367	4.84	-27.769
218	3.00	4.887	268	3.65	15.942	318	4.26	-9.185	368	4.85	-28.287
219	3.01	11.603	269	3.66	11.665	319	4.27	-24.482	369	4.86	-16.064
220	3.03	14.054	270	3.67	4.145	320	4.28	-22.509	370	4.88	9.879
221	3.05	6.756	271	3.68	-10.139	321	4.29	-13.776	371	4.89	15.088
222	3.06	-3.283	272	3.69	-15.917	322	4.30	9.446	372	4.90	13.063
223	3.08	-5.828	273	3.70	-15.440	323	4.31	19.671	373	4.91	5.785
224	3.09	-3.603	274	3.71	-8.659	324	4.32	19.644	374	4.93	-19.769
225	3.11	7.106	275	3.72	4.505	325	4.33	15.366	375	4.95	-26.813
226	3.12	12.079	276	3.73	11.216	326	4.34	4.092	376	4.96	-25.087
227	3.13	10.307	277	3.74	10.688	327	4.35	-18.953	377	4.97	-16.659
228	3.14	5.277	278	3.76	6.410	328	4.36	-20.976	378	4.98	5.849
229	3.15	0.746	279	3.77	-1.366	329	4.37	-18.496	379	4.99	20.312
230	3.16	1.969	280	3.78	-8.395	330	4.38	9.217	380	5.00	20.286
231	3.17	6.939	281	3.79	-14.685	331	4.39	18.192	381	5.01	17.779
232	3.18	10.673	282	3.80	-14.211	332	4.40	18.172	382	5.02	0.998
233	3.19	11.400	283	3.81	-10.492	333	4.41	15.154	383	5.03	-20.042
234	3.21	1.346	284	3.82	-2.259	334	4.43	-14.423	384	5.04	-23.314
235	3.22	4.798	285	3.83	6.962	335	4.44	-16.443	385	5.05	-22.078
236	3.24	14.267	286	3.84	10.691	336	4.45	-15.209	386	5.06	-10.364
237	3.25	19.987	287	3.85	11.411	337	4.46	-5.980	387	5.08	1.838
238	3.26	21.205	288	3.86	7.136	338	4.47	9.733	388	5.09	7.306
239	3.27	17.687	289	3.87	0.861	339	4.48	12.210	389	5.10	9.275
240	3.28	6.402	290	3.88	-8.163	340	4.49	4.168	390	5.11	7.997
241	3.29	-1.632	291	3.89	-11.184	341	4.50	-4.112	391	5.13	2.442
242	3.30	-3.406	292	3.90	-11.716	342	4.52	-8.645	392	5.15	-5.095
243	3.31	-0.917	293	3.91	-5.734	343	4.53	-7.419	393	5.16	-8.891
244	3.32	5.310	294	3.92	-0.528	344	4.55	0.764	394	5.17	-5.920
245	3.33	7.780	295	3.93	-1.331	345	4.56	-1.757	395	5.19	-0.963
246	3.35	5.975	296	3.95	-2.590	346	4.57	-4.290	396	5.21	3.969
247	3.36	0.208	297	3.97	-4.835	347	4.58	-4.328	397	5.22	8.944
248	3.37	2.670	298	3.99	-4.307	348	4.59	-1.350	398	5.24	17.887
249	3.38	0.885	299	4.00	-1.495	349	4.60	4.873	399	5.25	16.620
250	3.40	-2.897	300	4.02	-4.025	350	4.62	3.832	400	5.26	12.345

INDEX NO. 815 1319-GR-1 SHIHAMATSUZAKA B LG. MAX.ACCEL.= 122.468(GAL) T=13.05(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	5.27	7.323	451	5.89	-22.376	501	6.43	7.410	551	7.09	-7.369
402	5.28	-7.469	452	5.90	-17.646	502	6.44	8.385	552	7.10	0.587
403	5.30	-13.766	453	5.91	-3.925	503	6.45	6.613	553	7.12	5.554
404	5.31	-10.790	454	5.92	6.303	504	6.46	1.536	554	7.13	4.522
405	5.32	-5.616	455	5.93	12.784	505	6.48	-6.956	555	7.14	-0.503
406	5.34	7.371	456	5.94	17.756	506	6.49	-10.760	556	7.16	-9.305
407	5.35	10.360	457	5.95	16.731	507	6.50	-11.265	557	7.17	-13.090
408	5.37	9.810	458	5.96	5.449	508	6.51	-9.042	558	7.18	-12.613
409	5.38	3.523	459	5.97	-3.335	509	6.52	-2.070	559	7.20	-2.678
410	5.39	-5.267	460	5.98	-8.609	510	6.54	8.628	560	7.22	1.762
411	5.42	-7.084	461	5.99	-9.383	511	6.55	10.605	561	7.24	-0.291
412	5.44	-5.399	462	6.00	-1.423	512	6.56	4.313	562	7.26	-2.085
413	5.46	-1.196	463	6.01	5.548	513	6.57	-3.717	563	7.27	-5.868
414	5.47	4.516	464	6.02	11.270	514	6.59	-11.507	564	7.28	-9.650
415	5.49	10.976	465	6.03	10.754	515	6.61	-2.308	565	7.29	-9.174
416	5.50	10.956	466	6.04	6.979	516	6.62	6.905	566	7.30	-6.695
417	5.51	3.426	467	6.05	-1.056	517	6.63	9.631	567	7.31	-1.224
418	5.52	-6.098	468	6.06	-6.335	518	6.64	8.609	568	7.32	-0.008
419	5.53	-16.128	469	6.07	-7.103	519	6.65	-7.454	569	7.33	-1.280
420	5.54	-23.417	470	6.08	-4.134	520	6.67	-9.978	570	7.34	-5.552
421	5.55	-20.927	471	6.09	4.595	521	6.68	-8.252	571	7.35	-11.837
422	5.57	4.252	472	6.10	8.310	522	6.69	-1.284	572	7.36	-12.611
423	5.58	12.402	473	6.11	9.291	523	6.71	9.419	573	7.37	-4.399
424	5.59	15.712	474	6.12	-5.002	524	6.72	11.381	574	7.38	6.322
425	5.60	12.669	475	6.13	-14.030	525	6.73	7.606	575	7.39	11.300
426	5.61	6.892	476	6.14	-16.052	526	6.75	-2.446	576	7.40	11.267
427	5.63	-2.647	477	6.15	-16.823	527	6.77	-10.999	577	7.41	7.752
428	5.64	-6.432	478	6.16	-11.094	528	6.78	-9.785	578	7.42	-1.031
429	5.65	-4.298	479	6.17	-4.870	529	6.80	-7.846	579	7.43	-10.049
430	5.66	0.259	480	6.19	2.576	530	6.81	-8.621	580	7.44	-14.581
431	5.67	1.487	481	6.20	4.287	531	6.82	-9.650	581	7.45	-12.869
432	5.68	-1.537	482	6.21	0.610	532	6.83	-6.675	582	7.46	-4.151
433	5.69	-4.824	483	6.23	-3.786	533	6.84	-1.203	583	7.47	3.324
434	5.70	-6.107	484	6.25	-5.580	534	6.86	7.761	584	7.48	5.548
435	5.71	-3.128	485	6.26	-4.614	535	6.87	10.227	585	7.49	5.531
436	5.72	0.340	486	6.27	-2.659	536	6.88	7.950	586	7.50	1.757
437	5.73	10.312	487	6.29	-5.706	537	6.89	2.930	587	7.51	-8.290
438	5.74	10.289	488	6.30	-8.236	538	6.90	-5.863	588	7.53	-15.845
439	5.75	8.523	489	6.31	-8.506	539	6.92	-8.647	589	7.54	-12.114
440	5.76	3.498	490	6.32	-4.028	540	6.94	-3.212	590	7.56	0.085
441	5.77	-3.535	491	6.33	3.947	541	6.97	5.194	591	7.57	4.302
442	5.78	-13.074	492	6.34	7.167	542	6.99	3.909	592	7.58	3.277
443	5.79	-13.848	493	6.35	6.639	543	7.00	0.638	593	7.60	-3.022
444	5.80	-14.375	494	6.36	5.365	544	7.01	-5.639	594	7.62	-6.833
445	5.81	-9.649	495	6.37	-2.161	545	7.02	-8.419	595	7.64	-6.373
446	5.83	7.306	496	6.38	-8.446	546	7.03	-7.196	596	7.65	-3.418
447	5.84	16.265	497	6.39	-12.231	547	7.04	-3.479	597	7.67	5.027
448	5.85	12.489	498	6.40	-11.757	548	7.05	0.234	598	7.69	6.738
449	5.86	6.218	499	6.41	-5.530	549	7.06	-1.546	599	7.70	-0.059
450	5.88	-20.849	500	6.42	2.443	550	7.08	-5.341	600	7.72	-6.849

INDEX NO. 815 1319-GR-1 SHIHAMATSUZAKA B LG. MAX.ACCEL.= 122.468(GAL) T=13.05(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	7.73	-6.390	651	8.30	-14.943	701	8.96	0.286	751	9.53	-5.515
602	7.74	-3.422	652	8.31	-15.712	702	8.97	-4.000	752	9.54	-10.801
603	7.76	-0.212	653	8.32	-13.979	703	8.98	-8.537	753	9.55	-14.336
604	7.77	-0.238	654	8.33	-7.759	704	8.99	-8.556	754	9.56	-15.118
605	7.78	-2.927	655	8.34	7.450	705	9.00	-5.577	755	9.57	-13.879
606	7.80	-4.074	656	8.35	13.672	706	9.01	0.632	756	9.58	-8.413
607	7.81	-3.605	657	8.36	15.644	707	9.02	1.349	757	9.59	-3.432
608	7.82	1.369	658	8.37	15.122	708	9.03	-2.428	758	9.60	12.789
609	7.84	7.567	659	8.38	9.347	709	9.05	-9.224	759	9.61	19.997
610	7.85	8.282	660	8.40	-0.703	710	9.06	-10.004	760	9.62	20.480
611	7.86	4.006	661	8.42	-12.770	711	9.07	-7.032	761	9.63	19.463
612	7.87	-5.024	662	8.44	-19.073	712	9.09	1.680	762	9.64	9.929
613	7.89	-26.569	663	8.45	-18.102	713	9.11	13.629	763	9.65	-4.112
614	7.90	-34.362	664	8.46	-12.373	714	9.12	15.348	764	9.66	-10.387
615	7.91	-33.126	665	8.48	-3.332	715	9.13	12.322	765	9.67	-12.159
616	7.92	-28.143	666	8.49	23.046	716	9.14	6.799	766	9.68	-8.679
617	7.93	-6.673	667	8.50	23.524	717	9.15	-3.981	767	9.69	-3.712
618	7.94	15.544	668	8.51	19.238	718	9.16	-10.765	768	9.70	0.755
619	7.95	22.515	669	8.52	11.207	719	9.17	-12.788	769	9.71	0.231
620	7.96	21.997	670	8.54	-14.348	720	9.18	-11.562	770	9.72	-5.547
621	7.97	10.217	671	8.56	-28.654	721	9.20	6.379	771	9.73	-9.320
622	7.98	8.199	672	8.57	-26.673	722	9.21	13.335	772	9.74	-10.599
623	7.99	-3.843	673	8.58	-19.949	723	9.23	10.805	773	9.75	-7.618
624	8.00	-16.131	674	8.59	-2.732	724	9.24	-3.492	774	9.77	20.050
625	8.01	-16.910	675	8.61	12.981	725	9.25	-7.262	775	9.78	19.029
626	8.02	-15.680	676	8.62	20.704	726	9.26	-7.535	776	9.79	15.762
627	8.03	-11.206	677	8.63	12.656	727	9.27	-3.059	777	9.80	7.740
628	8.04	2.507	678	8.65	-3.876	728	9.28	2.915	778	9.81	-5.035
629	8.05	13.230	679	8.66	-12.658	729	9.29	8.133	779	9.82	-17.825
630	8.06	14.706	680	8.67	-14.181	730	9.30	9.367	780	9.83	-19.344
631	8.07	11.937	681	8.69	3.510	731	9.31	3.071	781	9.84	-9.891
632	8.08	2.158	682	8.70	9.727	732	9.32	-3.194	782	9.86	7.060
633	8.09	-8.627	683	8.71	9.208	733	9.33	-10.223	783	9.87	7.946
634	8.10	-14.658	684	8.72	5.930	734	9.34	-14.499	784	9.88	5.272
635	8.11	-15.926	685	8.73	-2.848	735	9.35	-9.031	785	9.89	-4.771
636	8.12	-13.950	686	8.74	-13.641	736	9.36	0.948	786	9.90	-12.769
637	8.13	-7.230	687	8.75	-16.167	737	9.37	17.419	787	9.91	-15.573
638	8.14	-2.262	688	8.76	-14.441	738	9.38	19.394	788	9.92	-13.102
639	8.15	-3.287	689	8.78	-7.730	739	9.39	16.357	789	9.93	-8.616
640	8.17	-11.594	690	8.79	0.972	740	9.40	6.837	790	9.94	15.335
641	8.19	-12.378	691	8.81	3.176	741	9.41	-12.454	791	9.95	18.317
642	8.20	-7.404	692	8.82	1.150	742	9.42	-17.476	792	9.96	19.545
643	8.21	1.318	693	8.84	-6.900	743	9.43	-18.744	793	9.97	12.283
644	8.22	8.531	694	8.85	-10.688	744	9.44	-16.264	794	9.98	0.992
645	8.23	10.259	695	8.87	-7.721	745	9.45	-3.292	795	9.99	-18.307
646	8.24	7.237	696	8.88	-1.511	746	9.46	16.667	796	10.00	-19.072
647	8.26	-7.069	697	8.90	6.685	747	9.47	19.652	797	10.01	-17.839
648	8.27	-9.596	698	8.92	6.646	748	9.48	18.617	798	10.02	-9.876
649	8.28	-9.624	699	8.93	5.359	749	9.49	13.594	799	10.04	7.832
650	8.29	-12.414	700	8.94	1.579	750	9.50	8.567	800	10.05	15.543

土木構造物における加速度強震記録（No. 9）

INDEX NO. 815 1319-3R-1 SHIMAMATSUZAKA B LG. MAX.ACCEL.= 122.468(GAL) T=13.05(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
851	10.06	17.516	851	10.71	-22.239	901	11.29	-11.050	951	11.91	18.024
852	10.07	14.990	852	10.72	-13.537	902	11.30	19.905	952	11.93	28.213
853	10.08	9.980	853	10.73	7.207	903	11.31	26.379	953	11.94	29.435
854	10.11	-3.369	854	10.74	21.167	904	11.32	22.661	954	11.95	30.102
855	10.13	-6.065	855	10.75	21.895	905	11.33	22.344	955	11.96	25.888
856	10.14	-6.136	856	10.76	17.624	906	11.34	12.319	956	11.98	17.587
857	10.15	-2.993	857	10.77	10.394	907	11.35	-5.229	957	11.99	15.815
858	10.17	-2.529	858	10.78	4.311	908	11.36	-10.744	958	12.00	15.038
859	10.18	-1.813	859	10.79	3.034	909	11.37	-3.279	959	12.02	16.233
860	10.20	2.395	860	10.80	9.255	910	11.39	21.422	960	12.04	17.418
861	10.21	6.118	861	10.81	15.691	911	11.40	20.909	961	12.06	16.132
862	10.22	6.534	862	10.82	17.221	912	11.41	12.129	962	12.07	13.103
863	10.23	6.566	863	10.83	12.949	913	11.43	-27.945	963	12.08	7.076
864	10.24	4.235	864	10.84	-4.859	914	11.44	-27.966	964	12.09	-0.455
865	10.25	-1.994	865	10.86	-22.600	915	11.45	-22.983	965	12.10	-2.232
866	10.27	-12.880	866	10.87	-19.673	916	11.47	7.214	966	12.11	-1.762
867	10.29	-15.855	867	10.88	-12.206	917	11.48	14.170	967	12.12	1.965
868	10.31	-15.894	868	10.89	2.492	918	11.49	11.149	968	12.13	6.931
869	10.32	-13.421	869	10.91	13.219	919	11.50	6.875	969	12.15	7.381
870	10.33	-7.945	870	10.92	9.643	920	11.52	-1.429	970	12.16	9.346
871	10.34	-0.473	871	10.94	-8.115	921	11.53	-0.958	971	12.18	12.307
872	10.35	9.497	872	10.95	-10.664	922	11.54	3.512	972	12.19	13.525
873	10.36	16.467	873	10.96	-4.321	923	11.56	9.705	973	12.21	5.468
874	10.37	19.196	874	10.98	35.272	924	11.58	5.927	974	12.22	-5.818
875	10.38	14.934	875	10.99	32.751	925	11.59	-16.620	975	12.23	-11.589
876	10.39	4.879	876	11.00	22.212	926	11.60	-25.149	976	12.24	-13.608
877	10.40	-5.408	877	11.02	-17.629	927	11.61	-24.159	977	12.25	-8.637
878	10.41	-7.921	878	11.03	-33.613	928	11.62	-5.095	978	12.26	5.084
879	10.42	-9.197	879	11.04	-36.630	929	11.63	23.272	979	12.28	24.265
880	10.43	-6.970	880	11.05	-30.677	930	11.64	30.250	980	12.30	24.212
881	10.44	1.250	881	11.06	-3.094	931	11.65	32.735	981	12.32	24.680
882	10.46	16.953	882	11.07	12.269	932	11.66	24.705	982	12.33	28.397
883	10.47	22.675	883	11.08	12.251	933	11.67	8.170	983	12.34	29.610
884	10.48	21.395	884	11.09	4.727	934	11.68	-0.609	984	12.35	29.594
885	10.49	20.124	885	11.10	4.702	935	11.69	-4.895	985	12.36	24.067
886	10.50	10.039	886	11.12	-1.645	936	11.70	-0.164	986	12.37	5.029
887	10.51	-1.697	887	11.14	1.639	937	11.72	13.029	987	12.38	-11.093
888	10.52	-6.479	888	11.15	0.071	938	11.74	16.741	988	12.39	-14.523
889	10.54	-4.512	889	11.16	-2.953	939	11.75	16.699	989	12.40	-15.290
890	10.55	5.101	890	11.17	-21.593	940	11.76	20.921	990	12.41	-10.320
891	10.57	7.639	891	11.18	-22.275	941	11.78	21.636	991	12.43	0.125
892	10.58	2.855	892	11.19	-19.790	942	11.79	21.602	992	12.44	2.598
893	10.61	-7.207	893	11.20	-8.322	943	11.80	17.631	993	12.45	0.818
894	10.62	-1.249	894	11.22	10.127	944	11.81	11.549	994	12.46	-5.463
895	10.64	11.949	895	11.23	19.857	945	11.82	7.013	995	12.47	-16.749
896	10.66	19.159	896	11.24	17.570	946	11.84	5.222	996	12.49	-30.039
897	10.67	7.868	897	11.25	12.550	947	11.86	9.921	997	12.50	-35.082
898	10.68	-8.164	898	11.26	2.523	948	11.88	13.117	998	12.52	-35.869
899	10.69	-20.198	899	11.27	-12.260	949	11.89	14.333	999	12.53	-32.892
900	10.70	-23.966	900	11.28	-13.528	950	11.90	15.054	1000	12.54	-27.930

INDEX NO. 815 1319-3R-1 SHIMAMATSUZAKA B LG. MAX.ACCEL.= 122.468(GAL) T=13.05(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	12.55	-27.956	1051	13.46	-23.674	1101	14.23	-9.249	1151	14.89	36.190
1002	12.56	-29.973	1052	13.50	-69.290	1102	14.24	-16.534	1152	14.91	40.650
1003	12.57	-46.296	1053	13.52	-81.339	1103	14.26	-16.573	1153	14.94	52.574
1004	12.58	-58.286	1054	13.53	-83.118	1104	14.27	-12.847	1154	14.97	60.496
1005	12.59	-60.309	1055	13.55	-83.153	1105	14.28	-4.140	1155	14.98	57.952
1006	12.60	-59.827	1056	13.56	-77.696	1106	14.29	7.325	1156	14.99	52.427
1007	12.61	-45.374	1057	13.57	-76.966	1107	14.31	21.277	1157	15.01	40.616
1008	12.63	-28.424	1058	13.58	-76.751	1108	14.32	30.489	1158	15.03	29.570
1009	12.64	-23.701	1059	13.59	-82.027	1109	14.33	30.465	1159	15.05	27.016
1010	12.65	-23.223	1060	13.60	-82.650	1110	14.34	26.186	1160	15.07	28.220
1011	12.66	-25.000	1061	13.61	-80.822	1111	14.35	19.915	1161	15.10	38.630
1012	12.68	-30.053	1062	13.62	-77.648	1112	14.36	9.169	1162	15.12	45.567
1013	12.70	-35.611	1063	13.64	-68.892	1113	14.38	-13.903	1163	15.14	43.020
1014	12.72	-44.655	1064	13.65	-54.173	1114	14.39	-18.187	1164	15.16	29.977
1015	12.74	-56.961	1065	13.66	-56.965	1115	14.40	-20.720	1165	15.17	18.693
1016	12.76	-57.518	1066	13.68	-54.017	1116	14.42	-22.030	1166	15.18	-3.090
1017	12.78	-65.968	1067	13.70	-49.054	1117	14.44	-24.591	1167	15.20	-14.381
1018	12.80	-72.360	1068	13.71	-45.552	1118	14.45	-26.864	1168	15.21	-17.167
1019	12.82	-71.925	1069	13.73	-21.148	1119	14.47	-15.398	1169	15.22	-14.193
1020	12.83	-62.466	1070	13.78	35.212	1120	14.48	-14.180	1170	15.23	-6.227
1021	12.86	-36.530	1071	13.80	44.931	1121	14.49	-19.727	1171	15.25	-1.765
1022	12.91	26.089	1072	13.81	42.402	1122	14.50	-22.751	1172	15.26	-1.299
1023	12.92	55.610	1073	13.82	46.621	1123	14.52	-24.785	1173	15.27	-4.337
1024	12.93	58.279	1074	13.84	29.894	1124	14.53	-29.324	1174	15.29	-10.618
1025	12.96	47.600	1075	13.88	5.707	1125	14.55	-31.830	1175	15.31	-18.674
1026	12.98	65.391	1076	13.90	-7.858	1126	14.56	-37.668	1176	15.32	-17.710
1027	13.02	112.790	1077	13.91	-7.882	1127	14.59	-41.497	1177	15.35	-11.539
1028	13.03	120.001	1078	13.92	-4.898	1128	14.61	-39.768	1178	15.36	-10.825
1029	13.05	122.468	1079	13.93	5.825	1129	14.62	-39.066	1179	15.37	-12.101
1030	13.06	120.687	1080	13.94	21.533	1130	14.63	-37.849	1180	15.38	-18.371
1031	13.07	112.402	1081	13.96	36.743	1131	14.64	-39.132	1181	15.39	-27.658
1032	13.08	96.370	1082	13.97	47.450	1132	14.65	-36.659	1182	15.42	-39.487
1033	13.12	53.011	1083	13.98	46.173	1133	14.67	-31.692	1183	15.44	-40.778
1034	13.14	8.199	1084	14.00	46.149	1134	14.68	-26.731	1184	15.45	-38.319
1035	13.16	-1.335	1085	14.01	39.849	1135	14.69	-25.016	1185	15.47	-33.861
1036	13.17	-3.366	1086	14.03	36.068	1136	14.71	-28.568	1186	15.48	-25.899
1037	13.18	-1.646	1087	14.05	35.996	1137	14.72	-30.593	1187	15.50	-14.445
1038	13.19	10.325	1088	14.06	35.497	1138	14.74	-28.031	1188	15.51	-11.978
1039	13.22	39.497	1089	14.07	31.678	1139	14.75	-23.169	1189	15.52	-12.502
1040	13.25	43.710	1090	14.09	27.141	1140	14.76	-24.953	1190	15.53	-16.278
1041	13.24	43.183	1091	14.10	23.348	1141	14.77	-31.933	1191	15.54	-23.061
1042	13.25	39.404	1092	14.12	25.014	1142	14.79	-33.790	1192	15.55	-26.343
1043	13.30	17.773	1093	14.13	30.786	1143	14.80	-37.055	1193	15.56	-23.865
1044	13.33	12.193	1094	14.14	40.735	1144	14.81	-31.575	1194	15.57	-15.905
1045	13.35	4.383	1095	14.16	47.444	1145	14.82	-15.360	1195	15.59	-13.443
1046	13.36	2.648	1096	14.17	45.917	1146	14.84	15.092	1196	15.60	-14.735
1047	13.36	4.793	1097	14.18	42.645	1147	14.85	29.303	1197	15.62	-14.532
1048	13.41	11.482	1098	14.19	34.367	1148	14.86	33.034	1198	15.63	-10.308
1049	13.42	9.104	1099	14.20	21.330	1149	14.87	34.258	1199	15.64	-4.082
1050	13.44	-0.366	1100	14.21	2.546	1150	14.88	35.476	1200	15.65	11.132

INDEX NO. 815 1319-SR-1 SHIHAMATSUZAKA B LG. MAX.ACCEL.= 122.468(GAL) T=13.05(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	15.67	16.005	1251	16.45	-3.533	1301	17.21	-51.108	1351	18.07	-9.979
1202	15.68	17.564	1252	16.47	-16.029	1302	17.22	-60.630	1352	18.10	-6.801
1203	15.69	15.961	1253	16.49	-23.379	1303	17.23	-35.663	1353	18.11	-3.094
1204	15.70	7.508	1254	16.50	-31.665	1304	17.25	-20.967	1354	18.13	3.611
1205	15.71	-5.290	1255	16.52	-42.456	1305	17.28	7.199	1355	18.15	15.056
1206	15.73	-9.563	1256	16.53	-49.240	1306	17.30	20.646	1356	18.17	21.999
1207	15.74	-9.843	1257	16.54	-52.266	1307	17.34	5.543	1357	18.18	23.974
1208	15.75	-5.193	1258	16.55	-45.786	1308	17.36	-8.010	1358	18.19	22.953
1209	15.77	13.321	1259	16.57	-16.843	1309	17.37	-11.044	1359	18.20	18.424
1210	15.78	16.037	1260	16.59	9.351	1310	17.38	-11.572	1360	18.22	11.630
1211	15.80	15.490	1261	16.60	13.079	1311	17.39	-6.859	1361	18.23	8.096
1212	15.81	11.705	1262	16.62	9.766	1312	17.42	4.325	1362	18.24	13.069
1213	15.82	10.915	1263	16.64	-3.027	1313	17.44	12.017	1363	18.25	20.542
1214	15.84	17.109	1264	16.65	-12.975	1314	17.47	17.666	1364	18.26	27.766
1215	15.86	24.577	1265	16.68	-9.138	1315	17.51	-0.437	1365	18.27	28.242
1216	15.87	27.537	1266	16.70	0.037	1316	17.53	-6.977	1366	18.28	25.219
1217	15.88	27.003	1267	16.71	-1.744	1317	17.54	-9.010	1367	18.29	13.942
1218	15.90	24.452	1268	16.73	-5.544	1318	17.55	-8.550	1368	18.30	-14.855
1219	15.91	24.422	1269	16.75	-8.557	1319	17.57	-7.845	1369	18.31	-26.381
1220	15.92	27.390	1270	16.76	-5.611	1320	17.58	-13.576	1370	18.33	-29.413
1221	15.94	30.106	1271	16.77	3.605	1321	17.60	-17.924	1371	18.34	-25.940
1222	15.96	36.292	1272	16.79	13.303	1322	17.61	-19.957	1372	18.35	-18.975
1223	15.97	34.007	1273	16.80	11.528	1323	17.62	-9.991	1373	18.36	-11.510
1224	15.99	29.448	1274	16.83	-15.068	1324	17.65	21.421	1374	18.38	-9.052
1225	16.01	24.411	1275	16.84	-15.344	1325	17.67	34.084	1375	18.39	-11.094
1226	16.02	20.629	1276	16.85	-13.364	1326	17.68	36.068	1376	18.41	-10.376
1227	16.04	12.333	1277	16.86	-2.894	1327	17.69	35.561	1377	18.43	6.058
1228	16.06	-0.234	1278	16.88	30.055	1328	17.71	31.021	1378	18.45	15.015
1229	16.08	-4.270	1279	16.89	35.775	1329	17.73	23.968	1379	18.46	13.736
1230	16.09	-3.305	1280	16.90	36.998	1330	17.74	21.674	1380	18.47	9.449
1231	16.10	-1.334	1281	16.91	36.473	1331	17.77	19.608	1381	18.49	3.646
1232	16.12	5.301	1282	16.92	31.443	1332	17.78	15.809	1382	18.51	6.602
1233	16.15	20.531	1283	16.93	25.101	1333	17.80	7.515	1383	18.53	19.275
1234	16.16	27.454	1284	16.94	12.622	1334	17.82	-3.236	1384	18.55	20.240
1235	16.20	37.639	1285	16.97	-29.697	1335	17.84	-6.593	1385	18.57	17.941
1236	16.22	42.604	1286	16.98	-26.477	1336	17.85	-6.125	1386	18.58	17.152
1237	16.23	40.627	1287	16.99	-26.590	1337	17.87	-7.423	1387	18.59	20.122
1238	16.24	38.798	1288	17.00	-13.290	1338	17.89	-13.726	1388	18.60	26.094
1239	16.27	2.982	1289	17.03	23.141	1339	17.90	-16.270	1389	18.62	38.786
1240	16.29	0.414	1290	17.04	36.596	1340	17.91	-13.602	1390	18.64	41.992
1241	16.31	-6.889	1291	17.05	37.839	1341	17.93	-6.846	1391	18.65	39.969
1242	16.33	-20.203	1292	17.06	43.054	1342	17.95	6.603	1392	18.66	33.188
1243	16.35	-27.757	1293	17.07	48.412	1343	17.96	10.571	1393	18.68	18.391
1244	16.37	-24.803	1294	17.09	45.475	1344	17.97	10.567	1394	18.69	14.597
1245	16.38	-17.335	1295	17.10	41.194	1345	17.98	6.520	1395	18.70	17.570
1246	16.40	2.091	1296	17.11	32.398	1346	18.00	-10.788	1396	18.71	22.537
1247	16.41	9.330	1297	17.13	20.853	1347	18.02	-18.330	1397	18.72	26.255
1248	16.42	9.057	1298	17.16	-2.713	1348	18.03	-20.356	1398	18.73	23.978
1249	16.43	7.774	1299	17.18	-32.539	1349	18.04	-19.136	1399	18.75	19.448
1250	16.44	3.505	1300	17.20	-39.823	1350	18.06	-11.694	1400	18.77	-0.117

INDEX NO. 815 1319-SR-1 SHIHAMATSUZAKA B LG. MAX.ACCEL.= 122.468(GAL) T=13.05(SEC) NO. 8

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1401	18.79	-19.165	1451	19.58	-4.624	1501	20.35	7.083	1551	21.10	32.061
1402	18.82	-29.743	1452	19.59	-15.117	1502	20.36	10.053	1552	21.12	39.510
1403	18.83	-31.523	1453	19.61	-20.916	1503	20.37	18.760	1553	21.13	48.960
1404	18.84	-29.313	1454	19.63	-21.715	1504	20.39	23.716	1554	21.15	58.420
1405	18.85	-24.356	1455	19.65	-22.266	1505	20.40	19.934	1555	21.16	60.149
1406	18.88	-17.912	1456	19.66	-23.597	1506	20.41	12.410	1556	21.17	56.610
1407	18.89	-12.950	1457	19.70	-19.920	1507	20.42	-2.132	1557	21.18	52.843
1408	18.91	-11.745	1458	19.74	-16.023	1508	20.44	-14.937	1558	21.19	35.811
1409	18.93	-8.553	1459	19.77	-13.547	1509	20.46	-10.720	1559	21.20	10.270
1410	18.94	-1.589	1460	19.78	-8.361	1510	20.47	-7.747	1560	21.22	-5.513
1411	18.96	9.857	1461	19.80	4.579	1511	20.48	-5.276	1561	21.23	-13.052
1412	18.98	17.884	1462	19.81	18.797	1512	20.49	-7.549	1562	21.25	-13.845
1413	18.99	19.765	1463	19.82	33.200	1513	20.50	-15.827	1563	21.27	-13.149
1414	19.01	19.222	1464	19.83	40.477	1514	20.51	-23.853	1564	21.28	-12.191
1415	19.03	20.680	1465	19.35	42.946	1515	20.52	-35.385	1565	21.30	-11.486
1416	19.04	34.140	1466	19.86	44.167	1516	20.53	-42.927	1566	21.32	-10.306
1417	19.05	40.108	1467	19.87	42.386	1517	20.55	-42.480	1567	21.33	-6.590
1418	19.06	39.579	1468	19.88	36.598	1518	20.57	-36.276	1568	21.35	-4.877
1419	19.07	35.806	1469	19.89	31.062	1519	20.58	-27.564	1569	21.37	-10.427
1420	19.08	27.023	1470	19.91	29.030	1520	20.60	-15.660	1570	21.39	-19.486
1421	19.09	19.242	1471	19.92	30.750	1521	20.62	-1.168	1571	21.41	-30.040
1422	19.12	11.412	1472	19.93	38.457	1522	20.64	4.548	1572	21.43	-39.846
1423	19.15	-11.671	1473	19.94	40.179	1523	20.65	9.012	1573	21.46	-54.421
1424	19.17	-13.464	1474	19.95	40.155	1524	20.66	10.734	1574	21.47	-58.951
1425	19.19	-12.275	1475	19.96	36.378	1525	20.67	10.199	1575	21.48	-58.977
1426	19.21	-9.034	1476	19.98	25.842	1526	20.69	11.404	1576	21.50	-53.786
1427	19.23	-8.639	1477	19.99	10.550	1527	20.72	11.333	1577	21.52	-46.607
1428	19.25	-14.922	1478	20.01	-1.764	1528	20.73	13.052	1578	21.54	-46.644
1429	19.27	-24.479	1479	20.02	1.212	1529	20.75	17.752	1579	21.56	-36.716
1430	19.28	-32.012	1480	20.04	9.928	1530	20.76	21.955	1580	21.58	-22.269
1431	19.29	-34.793	1481	20.05	14.885	1531	20.78	20.169	1581	21.59	-15.039
1432	19.30	-28.571	1482	20.07	12.596	1532	20.79	13.386	1582	21.60	-12.070
1433	19.31	-10.849	1483	20.08	5.562	1533	20.81	0.585	1583	21.61	-13.102
1434	19.33	15.609	1484	20.09	-2.481	1534	20.83	-7.712	1584	21.62	-15.624
1435	19.34	32.811	1485	20.11	-5.772	1535	20.84	-12.747	1585	21.63	-19.402
1436	19.35	32.789	1486	20.12	-7.559	1536	20.85	-12.283	1586	21.65	-23.192
1437	19.36	31.511	1487	20.13	-10.091	1537	20.87	-9.839	1587	21.66	-23.474
1438	19.37	25.234	1488	20.15	-14.135	1538	20.89	-6.642	1588	21.67	-18.498
1439	19.39	17.194	1489	20.17	-20.431	1539	20.91	-4.930	1589	21.68	-7.281
1440	19.42	4.855	1490	20.18	-20.704	1540	20.92	-4.211	1590	21.70	8.668
1441	19.43	-1.938	1491	20.19	-16.236	1541	20.93	1.251	1591	21.72	25.116
1442	19.45	-8.993	1492	20.20	-7.023	1542	20.95	13.222	1592	21.75	45.271
1443	19.47	-9.260	1493	20.22	9.420	1543	20.97	31.419	1593	21.76	48.487
1444	19.48	-6.812	1494	20.25	34.337	1544	20.98	34.684	1594	21.78	49.204
1445	19.49	1.907	1495	20.27	42.208	1545	20.99	33.169	1595	21.79	46.175
1446	19.51	16.351	1496	20.28	41.773	1546	21.00	28.071	1596	21.80	38.649
1447	19.52	19.567	1497	20.29	37.991	1547	21.01	24.287	1597	21.81	28.365
1448	19.53	19.540	1498	20.30	29.219	1548	21.03	22.234	1598	21.82	20.081
1449	19.54	17.913	1499	20.32	13.965	1549	21.05	25.140	1599	21.83	15.041
1450	19.56	7.724	1500	20.33	0.375	1550	21.08	28.353	1600	21.85	8.010

土木構造物における加速度強震記録（No.9）

INDEX NO. 815 1319-GR-1 SHIMANATSUZAWA B LG. MAX.ACCEL.= 122.468(GAL) T=13.05(SEC) NO. 9

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1601	21.86	-1.766	1651	22.71	17.921	1701	23.54	7.959	1751	24.31	14.387
1602	21.87	+11.605	1652	22.73	14.654	1702	23.55	21.935	1752	24.34	25.815
1603	21.88	-22.083	1653	22.75	1.555	1703	23.56	32.901	1753	24.35	29.522
1604	21.89	-23.367	1654	22.76	5.990	1704	23.57	40.367	1754	24.36	28.991
1605	21.90	-15.390	1655	22.80	4.671	1705	23.59	44.036	1755	24.37	26.466
1606	21.91	-2.906	1656	22.82	7.131	1706	23.60	42.555	1756	24.39	19.423
1607	21.92	10.563	1657	22.83	17.091	1707	23.61	38.028	1757	24.40	13.883
1608	21.93	30.270	1658	22.85	24.553	1708	23.62	29.248	1758	24.42	14.340
1609	21.94	33.994	1659	22.86	28.523	1709	23.63	17.713	1759	24.44	14.293
1610	21.96	35.951	1660	22.87	27.999	1710	23.65	4.417	1760	24.46	11.236
1611	21.97	35.907	1661	22.88	24.217	1711	23.66	3.641	1761	24.47	7.943
1612	21.99	37.607	1662	22.90	16.671	1712	23.67	6.105	1762	24.50	-4.874
1613	22.01	40.816	1663	22.92	1.347	1713	23.69	12.814	1763	24.52	-18.171
1614	22.02	41.531	1664	22.95	-5.213	1714	23.70	15.274	1764	24.54	-30.476
1615	22.03	40.757	1665	22.98	-12.803	1715	23.71	12.994	1765	24.55	-33.503
1616	22.04	31.979	1666	23.00	-9.353	1716	23.73	7.209	1766	24.56	-34.284
1617	22.07	12.400	1667	23.02	-6.907	1717	23.75	-0.343	1767	24.57	-28.065
1618	22.09	5.354	1668	23.04	-8.701	1718	23.76	-8.643	1768	24.58	-19.350
1619	22.10	4.065	1669	23.06	-11.260	1719	23.75	-16.178	1769	24.59	-15.126
1620	22.12	4.520	1670	23.07	-12.044	1720	23.79	-26.461	1770	24.60	-14.403
1621	22.13	6.976	1671	23.08	-4.577	1721	23.81	-34.007	1771	24.61	-16.928
1622	22.16	11.406	1672	23.10	5.391	1722	23.82	-36.041	1772	24.62	-22.455
1623	22.19	14.339	1673	23.11	10.659	1723	23.84	-34.333	1773	24.63	-26.974
1624	22.20	17.549	1674	23.12	27.067	1724	23.85	-28.118	1774	24.64	-30.760
1625	22.22	24.249	1675	23.13	28.296	1725	23.87	-25.663	1775	24.65	-30.290
1626	22.23	25.465	1676	23.14	26.023	1726	23.89	-26.221	1776	24.66	-26.572
1627	22.24	23.178	1677	23.15	23.496	1727	23.91	-29.279	1777	24.68	-24.611
1628	22.26	14.888	1678	23.16	15.963	1728	23.93	-30.823	1778	24.69	-24.143
1629	22.28	3.066	1679	23.18	7.402	1729	23.94	-26.353	1779	24.71	-23.438
1630	22.30	-7.227	1680	23.19	6.698	1730	23.95	-18.887	1780	24.72	-22.220
1631	22.32	-14.790	1681	23.21	-5.917	1731	23.96	-4.922	1781	24.73	-18.504
1632	22.34	-20.093	1682	23.24	-17.984	1732	23.97	6.295	1782	24.75	-11.798
1633	22.36	-15.877	1683	23.25	-23.284	1733	23.99	12.002	1783	24.76	-8.343
1634	22.38	-3.187	1684	23.27	-23.324	1734	24.01	11.956	1784	24.78	-2.894
1635	22.40	4.749	1685	23.30	-24.652	1735	24.02	7.165	1785	24.79	0.822
1636	22.42	4.712	1686	23.32	-25.204	1736	24.04	6.376	1786	24.81	0.770
1637	22.43	2.931	1687	23.34	-25.998	1737	24.05	10.585	1787	24.83	1.978
1638	22.45	-5.882	1688	23.36	-15.565	1738	24.07	14.539	1788	24.84	5.201
1639	22.50	-34.269	1689	23.38	-2.869	1739	24.09	14.993	1789	24.85	10.408
1640	22.52	-45.822	1690	23.40	9.019	1740	24.10	11.951	1790	24.86	10.981
1641	22.54	-47.862	1691	23.42	11.784	1741	24.12	6.149	1791	24.88	9.850
1642	22.55	-46.139	1692	23.43	12.237	1742	24.15	-3.192	1792	24.89	-4.699
1643	22.56	-36.172	1693	23.45	11.198	1743	24.18	-10.518	1793	24.90	-16.731
1644	22.58	-22.972	1694	23.46	7.415	1744	24.20	-11.306	1794	24.91	-23.008
1645	22.59	-19.606	1695	23.47	-2.619	1745	24.21	-11.351	1795	24.92	-26.530
1646	22.61	-16.046	1696	23.49	-14.160	1746	24.22	-11.866	1796	24.93	-25.309
1647	22.63	-11.106	1697	23.50	-17.939	1747	24.24	-11.912	1797	24.95	-19.095
1648	22.64	-3.892	1698	23.51	-17.965	1748	24.26	-13.215	1798	24.96	-16.126
1649	22.67	11.777	1699	23.52	-14.405	1749	24.27	-10.242	1799	24.97	-15.399
1650	22.69	16.220	1700	23.53	-7.012	1750	24.28	-1.540	1800	24.98	-15.923

INDEX NO. 815 1319-GR-1 SHIMANATSUZAWA B LG. MAX.ACCEL.= 122.468(GAL) T=13.05(SEC) NO.10

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1801	24.99	-22.974	1851	25.73	+19.695	1901	26.42	-43.587	1951	27.16	19.886
1802	25.00	+23.083	1852	25.74	+12.242	1902	26.43	-45.873	1952	27.18	28.595
1803	25.01	+26.311	1853	25.76	-3.543	1903	26.45	-51.177	1953	27.19	30.805
1804	25.02	-26.043	1854	25.78	0.654	1904	26.46	-49.959	1954	27.20	30.779
1805	25.03	-22.576	1855	25.80	1.364	1905	26.46	+42.262	1955	27.22	26.495
1806	25.04	-15.605	1856	25.82	0.811	1906	26.50	-36.811	1956	27.23	20.216
1807	25.06	-2.896	1857	25.83	-2.471	1907	26.51	-34.354	1957	27.24	7.921
1808	25.08	9.807	1858	25.85	-4.515	1908	26.53	-29.652	1958	27.27	-9.886
1809	25.09	14.024	1859	25.87	-5.070	1909	26.55	-22.211	1959	27.28	-21.434
1810	25.10	13.988	1860	25.89	-3.876	1910	26.57	-20.501	1960	27.30	-24.467
1811	25.12	15.199	1861	25.90	-0.413	1911	26.59	+22.308	1961	27.31	+25.749
1812	25.13	14.160	1862	25.91	-11.436	1912	26.61	+19.856	1962	27.32	+24.027
1813	25.14	17.132	1863	25.92	+20.720	1913	26.62	+16.690	1963	27.33	+21.072
1814	25.15	21.095	1864	25.93	+28.503	1914	26.63	+8.425	1964	27.36	+17.380
1815	25.17	23.564	1865	25.95	-30.032	1915	26.64	-5.951	1965	27.38	+16.188
1816	25.18	21.037	1866	25.96	+26.815	1916	26.66	-2.985	1966	27.40	+19.260
1817	25.19	14.258	1867	25.97	+16.640	1917	26.67	-1.778	1967	27.42	+22.562
1818	25.20	3.225	1868	25.98	-5.365	1918	26.69	-6.070	1968	27.44	+28.099
1819	25.21	-6.070	1869	25.99	10.350	1919	26.70	-8.606	1969	27.45	+36.388
1820	25.23	-9.360	1870	26.00	23.814	1920	26.71	-6.142	1970	27.47	+43.949
1821	25.24	-8.400	1871	26.02	32.505	1921	26.73	-1.189	1971	27.48	+44.229
1822	25.26	-3.649	1872	26.03	31.988	1922	26.74	2.028	1972	27.49	+41.751
1823	25.28	-2.002	1873	26.04	26.966	1923	26.75	+0.252	1973	27.50	+35.533
1824	25.30	-2.539	1874	26.05	19.443	1924	26.76	-7.780	1974	27.52	+28.562
1825	25.31	-7.083	1875	26.06	5.644	1925	26.77	+18.055	1975	27.53	+23.605
1826	25.32	-8.364	1876	26.08	-4.386	1926	26.79	+26.843	1976	27.55	+22.407
1827	25.34	-8.406	1877	26.09	3.309	1927	26.81	+30.166	1977	27.57	+21.197
1828	25.36	-11.214	1878	26.11	9.523	1928	26.83	+22.219	1978	27.58	+17.247
1829	25.38	-13.260	1879	26.12	8.997	1929	26.85	+14.019	1979	27.61	+13.554
1830	25.39	-15.050	1880	26.13	1.459	1930	26.87	+4.054	1980	27.62	+14.342
1831	25.41	-12.593	1881	26.14	-5.559	1931	26.88	9.907	1981	27.63	+13.625
1832	25.42	-9.636	1882	26.15	+14.584	1932	26.90	40.340	1982	27.65	+4.909
1833	25.44	-7.680	1883	26.16	+20.080	1933	26.91	45.313	1983	27.66	9.047
1834	25.46	-3.488	1884	26.17	+19.149	1934	26.92	47.037	1984	27.68	17.989
1835	25.50	-1.601	1885	26.18	-12.188	1935	26.93	47.026	1985	27.69	16.211
1836	25.52	-5.405	1886	26.20	-1.727	1936	26.94	44.007	1986	27.70	10.436
1837	25.55	-9.211	1887	26.21	8.487	1937	26.95	36.476	1987	27.71	3.659
1838	25.56	-19.757	1888	26.22	14.699	1938	26.96	27.184	1988	27.73	-4.143
1839	25.58	+28.294	1889	26.24	16.662	1939	26.98	21.399	1989	27.74	-4.913
1840	25.59	-37.088	1890	26.26	19.849	1940	27.00	20.837	1990	27.75	-4.441
1841	25.60	-37.611	1891	26.29	19.780	1941	27.01	21.302	1991	27.76	-1.923
1842	25.61	-39.642	1892	26.30	19.229	1942	27.02	19.525	1992	27.77	-0.001
1843	25.62	-38.665	1893	26.32	16.698	1943	27.04	14.735	1993	27.79	+1.284
1844	25.63	-30.440	1894	26.33	2.146	1944	27.05	7.196	1994	27.80	+1.830
1845	25.65	+20.481	1895	26.35	-20.155	1945	27.07	-2.348	1995	27.82	+1.134
1846	25.66	-13.514	1896	26.36	+32.175	1946	27.08	-6.885	1996	27.83	5.342
1847	25.67	-12.056	1897	26.37	+37.054	1947	27.09	-6.922	1997	27.85	8.549
1848	25.69	-13.841	1898	26.38	+40.980	1948	27.11	-1.462	1998	27.86	9.018
1849	25.70	-18.369	1899	26.39	+40.515	1949	27.13	3.482	1999	27.87	8.485
1850	25.71	-21.409	1900	26.41	+40.055	1950	27.15	9.680	2000	27.89	5.442

INDEX NO. 815 1319-SH-1 SHIMAMATSUZAKA B LG. MAX.ACCEL.= 122.469(GAL) T=13.05(SEC) NO.11

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2001	27.91	2.640	2051	28.65	-23.333	2101	29.41	-13.173	2151	30.10	-15.571
2002	27.93	7.095	2052	28.68	-16.440	2102	29.44	-14.815	2152	30.11	-12.099
2003	27.94	14.816	2053	28.70	-15.237	2103	29.46	-12.872	2153	30.13	-1.408
2004	27.95	24.023	2054	28.71	-12.767	2104	29.47	-7.110	2154	30.14	4.800
2005	27.97	27.438	2055	28.72	-8.550	2105	29.49	-1.645	2155	30.16	4.755
2006	27.98	26.207	2056	28.74	12.555	2106	29.51	16.806	2156	30.18	0.957
2007	27.99	21.172	2057	28.76	26.691	2107	29.52	25.771	2157	30.20	-7.863
2008	28.01	16.135	2058	28.77	30.307	2108	29.53	27.495	2158	30.23	-12.191
2009	28.03	17.326	2059	28.79	28.537	2109	29.54	28.723	2159	30.25	-19.745
2010	28.05	17.776	2060	28.79	21.511	2110	29.55	24.443	2160	30.27	-32.054
2011	28.07	2.715	2061	28.80	12.736	2111	29.56	15.156	2161	30.29	-35.090
2012	28.08	-5.807	2062	28.81	5.701	2112	29.57	7.875	2162	30.30	-37.122
2013	28.09	-10.639	2063	28.82	1.924	2113	29.58	4.136	2163	30.31	-33.407
2014	28.10	-7.876	2064	28.83	1.091	2114	29.59	9.068	2164	30.33	-21.717
2015	28.11	-2.695	2065	28.85	4.099	2115	29.61	16.513	2165	30.35	-16.755
2016	28.12	4.579	2066	28.86	2.321	2116	29.62	16.495	2166	30.36	-18.537
2017	28.13	10.259	2067	28.88	-5.470	2117	29.63	12.217	2167	30.38	-22.335
2018	28.14	14.266	2068	28.90	-13.632	2118	29.64	3.937	2168	30.39	-19.878
2019	28.16	12.981	2069	28.91	-13.074	2119	29.65	-1.094	2169	30.41	-11.179
2020	28.17	10.444	2070	28.93	-12.619	2120	29.67	6.341	2170	30.43	-5.989
2021	28.19	7.865	2071	28.94	-11.939	2121	29.68	13.062	2171	30.45	-8.525
2022	28.20	6.110	2072	28.96	-13.208	2122	29.70	21.269	2172	30.47	-12.328
2023	28.21	1.592	2073	28.98	-14.999	2123	29.71	25.740	2173	30.48	-13.131
2024	28.22	-3.699	2074	28.99	-14.044	2124	29.72	25.216	2174	30.51	-9.445
2025	28.23	-4.976	2075	29.01	-5.543	2125	29.73	22.196	2175	30.55	-5.558
2026	28.24	-2.002	2076	29.02	-2.681	2126	29.74	15.151	2176	30.57	-1.363
2027	28.26	3.709	2077	29.04	-2.168	2127	29.76	5.614	2177	30.59	1.591
2028	28.27	11.165	2078	29.05	-5.455	2128	29.77	1.334	2178	30.60	-0.206
2029	28.28	13.158	2079	29.06	-12.741	2129	29.78	-1.441	2179	30.63	-3.280
2030	28.29	10.869	2080	29.07	-15.269	2130	29.79	1.025	2180	30.65	-2.330
2031	28.31	4.318	2081	29.08	-16.549	2131	29.80	5.242	2181	30.66	3.381
2032	28.33	-1.240	2082	29.10	-14.832	2132	29.82	8.440	2182	30.68	9.095
2033	28.35	-2.030	2083	29.11	-9.365	2133	29.83	4.661	2183	30.69	11.561
2034	28.36	-2.317	2084	29.12	-6.652	2134	29.84	-2.876	2184	30.70	8.025
2035	28.37	-1.650	2085	29.13	0.024	2135	29.86	-5.911	2185	30.72	-0.765
2036	28.38	2.613	2086	29.14	6.797	2136	29.87	-4.197	2186	30.73	-7.050
2037	28.40	5.064	2087	29.15	3.720	2137	29.88	2.527	2187	30.74	-9.829
2038	28.41	4.551	2088	29.16	-0.259	2138	29.90	13.220	2188	30.75	-9.362
2039	28.42	-0.989	2089	29.18	-16.307	2139	29.91	17.425	2189	30.77	-3.147
2040	28.44	-4.280	2090	29.19	-14.576	2140	29.93	15.141	2190	30.78	3.064
2041	28.45	-3.819	2091	29.20	-10.869	2141	29.94	11.658	2191	30.79	4.277
2042	28.47	-1.364	2092	29.22	-9.655	2142	29.95	6.231	2192	30.81	4.735
2043	28.49	1.076	2093	29.23	-11.956	2143	29.97	-7.240	2193	30.82	1.698
2044	28.51	3.526	2094	29.25	-16.989	2144	29.99	-9.782	2194	30.84	2.911
2045	28.53	4.974	2095	29.26	-19.027	2145	30.01	-5.582	2195	30.85	7.376
2046	28.54	5.692	2096	29.27	-19.559	2146	30.03	0.617	2196	30.86	13.584
2047	28.56	-2.119	2097	29.29	-19.094	2147	30.04	3.077	2197	30.88	19.291
2048	28.60	-11.459	2098	29.31	-17.151	2148	30.05	-0.459	2198	30.89	21.999
2049	28.62	-21.777	2099	29.33	-14.225	2149	30.07	-9.249	2199	30.92	16.443
2050	28.64	-25.574	2100	29.36	-14.337	2150	30.08	-14.291	2200	30.93	9.911

INDEX NO. 815 1319-SH-1 SHIMAMATSUZAKA B LG. MAX.ACCEL.= 122.469(GAL) T=13.05(SEC) NO.12

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2201	30.96	2.326	2251	31.81	7.500	2301	32.76	2.918	2351	33.75	10.759
2202	30.97	1.033	2252	31.83	4.187	2302	32.79	6.594	2352	33.77	19.197
2203	31.00	2.720	2253	31.85	-2.124	2303	32.82	14.526	2353	33.80	27.118
2204	31.01	-1.068	2254	31.88	-11.192	2304	32.84	19.725	2354	33.82	26.060
2205	31.02	-6.605	2255	31.90	-17.995	2305	32.85	19.679	2355	33.84	22.770
2206	31.04	-8.643	2256	31.91	-19.292	2306	32.87	14.134	2356	33.87	16.438
2207	31.06	-4.951	2257	31.94	-23.109	2307	32.90	1.300	2357	33.89	7.625
2208	31.08	-1.998	2258	31.95	-22.145	2308	32.94	-3.549	2358	33.91	4.585
2209	31.09	-7.565	2259	31.97	-19.698	2309	32.95	-2.112	2359	33.93	4.274
2210	31.11	-15.847	2260	31.99	-16.510	2310	32.98	-1.663	2360	33.95	3.225
2211	31.13	-24.157	2261	32.01	-19.560	2311	33.00	-3.458	2361	33.97	-7.634
2212	31.15	-25.954	2262	32.03	-22.100	2312	33.02	-15.505	2362	33.99	-20.648
2213	31.18	-20.529	2263	32.04	-21.635	2313	33.04	-25.572			
2214	31.20	-13.834	2264	32.05	-17.924	2314	33.06	-25.615			
2215	31.22	-15.635	2265	32.07	-5.471	2315	33.08	-22.667			
2216	31.24	-20.609	2266	32.09	3.481	2316	33.09	-20.213			
2217	31.26	-16.496	2267	32.10	7.589	2317	33.11	-19.505			
2218	31.27	-6.536	2268	32.12	11.388	2318	33.13	-22.557			
2219	31.29	9.912	2269	32.14	10.334	2319	33.14	-21.600			
2220	31.31	14.883	2270	32.16	6.538	2320	33.16	-17.886			
2221	31.33	16.907	2271	32.18	6.245	2321	33.18	-7.199			
2222	31.35	22.995	2272	32.19	-8.051	2322	33.19	-8.993			
2223	31.37	26.183	2273	32.20	-12.326	2323	33.21	-12.292			
2224	31.39	23.592	2274	32.21	-12.332	2324	33.23	-7.337			
2225	31.41	15.545	2275	32.22	-9.330	2325	33.25	-3.637			
2226	31.43	6.777	2276	32.24	-4.428	2326	33.26	-0.430			
2227	31.45	2.234	2277	32.26	-0.721	2327	33.28	-0.989			
2228	31.46	3.189	2278	32.27	-2.013	2328	33.29	-2.759			
2229	31.48	1.694	2279	32.32	-1.646	2329	33.31	-7.314			
2230	31.50	2.600	2280	32.34	-0.455	2330	33.33	-5.599			
2231	31.51	0.071	2281	32.35	-0.460	2331	33.34	-1.149			
2232	31.52	-6.216	2282	32.36	2.758	2332	33.35	1.327			
2233	31.53	-10.508	2283	32.37	7.730	2333	33.38	4.264			
2234	31.55	-11.542	2284	32.39	23.924	2334	33.39	1.986			
2235	31.56	-5.327	2285	32.40	291.650	2335	33.41	2.923			
2236	31.57	3.643	2286	32.41	303.373	2336	33.42	4.382			
2237	31.58	9.113	2287	32.42	30.337	2337	33.44	11.583			
2238	31.59	11.581	2288	32.43	274.299	2338	33.46	15.539			
2239	31.60	9.306	2289	32.45	261.514	2339	33.48	15.743			
2240	31.61	4.283	2290	32.46	20.974	2340	33.49	12.446			
2241	31.62	-1.499	2291	32.49	291.890	2341	33.52	10.632			
2242	31.64	-4.542	2292	32.52	27.823	2342	33.55	8.032			
2243	31.65	-4.001	2293	32.53	22.729	2343	33.57	7.730			
2244	31.67	-2.373	2294	32.58	12.409	2344	33.59	9.172			
2245	31.68	1.332	2295	32.62	9.303	2345	33.62	7.381			
2246	31.71	6.276	2296	32.64	-1.003	2346	33.64	5.299			
2247	31.73	11.222	2297	32.66	1.192	2347	33.67	4.472			
2248	31.74	13.675	2298	32.69	104.604	2348	33.69	-0.334			
2249	31.76	13.629	2299	32.72	13.041	2349	33.71	-0.386			
2250	31.78	11.917	2300	32.79	7.480	2350	33.73	5.818			

Table IX D-42 Digitized Accelerations of Earthquake Record with Index Number 816

INDEX NO. 816 1319-GR-1 SHIMAMATSUZAKA B U-D MAX.ACCEL.= -53.827(GAL) T=10.73(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.06	6.352	51	0.92	9.643	101	1.40	-3.813	151	2.04	-8.290
2	0.07	7.415	52	0.93	14.994	102	1.41	-0.021	152	2.06	-6.430
3	0.08	7.319	53	0.94	6.545	103	1.43	4.055	153	2.08	-1.757
4	0.09	5.435	54	0.96	-4.462	104	1.44	5.161	154	2.10	3.812
5	0.11	2.240	55	0.97	-9.316	105	1.45	5.015	155	2.11	7.325
6	0.12	1.784	56	0.98	-5.427	106	1.46	3.120	156	2.13	2.182
7	0.13	2.559	57	0.99	-2.280	107	1.47	-2.015	157	2.14	-4.741
8	0.14	0.982	58	0.90	0.051	108	1.48	-7.173	158	2.15	-8.625
9	0.15	-3.385	59	0.91	2.695	109	1.49	-9.766	159	2.16	-7.008
10	0.16	-13.412	60	0.92	2.503	110	1.50	-9.347	160	2.17	-0.855
11	0.19	-13.545	61	0.93	4.110	111	1.51	-2.024	161	2.19	9.889
12	0.21	-9.572	62	0.95	5.414	112	1.52	3.588	162	2.20	11.489
13	0.23	0.181	63	0.96	4.052	113	1.53	8.960	163	2.22	8.762
14	0.24	5.257	64	0.97	2.693	114	1.54	12.080	164	2.24	8.032
15	0.26	6.310	65	0.98	-2.512	115	1.55	10.702	165	2.26	7.046
16	0.27	1.655	66	0.99	-7.389	116	1.56	9.330	166	2.27	3.835
17	0.29	-2.109	67	1.00	-10.013	117	1.57	6.175	167	2.28	4.213
18	0.33	-3.857	68	1.01	-9.656	118	1.58	2.276	168	2.30	9.008
19	0.35	-4.093	69	1.03	-5.340	119	1.60	1.389	169	2.32	11.296
20	0.36	-2.496	70	1.04	-2.499	120	1.61	1.725	170	2.33	7.404
21	0.37	1.674	71	1.05	-1.383	121	1.62	0.600	171	2.34	0.933
22	0.38	1.721	72	1.06	-2.067	122	1.64	-0.413	172	2.36	-1.710
23	0.39	0.359	73	1.06	2.728	123	1.65	-0.059	173	2.37	3.618
24	0.41	-3.711	74	1.09	7.066	124	1.66	-3.962	174	2.40	8.958
25	0.42	-4.354	75	1.11	9.664	125	1.67	-0.356	175	2.42	10.474
26	0.43	-3.432	76	1.12	-0.745	126	1.69	2.745	176	2.45	10.910
27	0.44	-0.319	77	1.13	1.347	127	1.71	1.227	177	2.47	7.602
28	0.46	4.953	78	1.14	6.951	128	1.72	2.325	178	2.49	3.600
29	0.47	4.342	79	1.15	9.572	129	1.73	4.675	179	2.51	-3.645
30	0.49	-0.136	80	1.16	9.951	130	1.74	6.265	180	2.52	-4.569
31	0.50	-4.796	81	1.17	5.061	131	1.75	5.189	181	2.53	-2.187
32	0.51	-9.951	82	1.18	-1.300	132	1.76	2.589	182	2.55	5.894
33	0.52	-9.626	83	1.19	-10.474	133	1.77	0.413	183	2.56	11.916
34	0.53	-6.495	84	1.20	-10.102	134	1.79	-0.268	184	2.57	10.558
35	0.56	0.631	85	1.21	-5.982	135	1.80	0.595	185	2.58	7.462
36	0.58	8.409	86	1.22	0.161	136	1.82	2.930	186	2.59	1.054
37	0.60	3.918	87	1.23	5.812	137	1.85	-6.052	187	2.60	-1.564
38	0.61	0.000	88	1.24	8.987	138	1.86	-1.976	188	2.62	-5.101
39	0.64	-5.332	89	1.25	6.556	139	1.87	2.155	189	2.64	-9.549
40	0.65	-8.012	90	1.26	2.666	140	1.89	4.456	190	2.65	-11.930
41	0.66	-9.372	91	1.27	-0.720	141	1.90	3.779	191	2.66	-10.791
42	0.67	-9.976	92	1.28	0.330	142	1.91	2.370	192	2.67	-2.176
43	0.68	-7.851	93	1.30	5.693	143	1.92	1.743	193	2.69	9.124
44	0.71	2.459	94	1.32	9.470	144	1.94	3.309	194	2.70	11.490
45	0.73	7.201	95	1.33	3.514	145	1.95	4.885	195	2.71	10.100
46	0.74	7.101	96	1.34	2.877	146	1.97	2.358	196	2.73	6.871
47	0.76	-1.131	97	1.36	5.691	147	1.99	10.593	197	2.74	7.205
48	0.78	-11.373	98	1.37	3.011	148	2.00	8.206	198	2.75	2.547
49	0.79	-11.516	99	1.38	1.180	149	2.02	4.308	199	2.77	0.092
50	0.81	6.674	100	1.39	-3.463	150	2.03	-0.314	200	2.78	-2.566

INDEX NO. 816 1319-GR-1 SHIMAMATSUZAKA B U-D MAX.ACCEL.= -53.827(GAL) T=10.73(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	2.79	-3.428	251	3.42	-0.040	301	4.08	-5.529	351	4.69	-9.665
202	2.80	0.140	252	3.44	13.670	302	4.09	-3.920	352	4.71	1.792
203	2.82	4.194	253	3.46	16.527	303	4.10	-5.853	353	4.72	11.460
204	2.83	3.551	254	3.47	5.297	304	4.11	-6.481	354	4.73	10.111
205	2.84	0.900	255	3.49	-8.398	305	4.13	-5.655	355	4.74	2.452
206	2.85	-1.746	256	3.50	-12.790	306	4.14	1.671	356	4.75	-12.954
207	2.86	0.595	257	3.51	-11.177	307	4.16	10.949	357	4.76	-21.313
208	2.88	8.342	258	3.52	-6.336	308	4.17	14.555	358	4.77	-20.925
209	2.90	6.193	259	3.54	0.267	309	4.18	11.431	359	4.78	-9.834
210	2.91	7.524	260	3.55	8.296	310	4.19	6.314	360	4.80	10.412
211	2.92	6.912	261	3.57	11.362	311	4.20	-5.900	361	4.81	12.068
212	2.93	5.644	262	3.58	11.994	312	4.21	-11.018	362	4.82	10.963
213	2.94	4.589	263	3.59	9.114	313	4.22	-12.423	363	4.83	7.492
214	2.96	11.936	264	3.61	-1.347	314	4.23	-12.060	364	4.85	-2.706
215	2.97	12.312	265	3.62	-8.006	315	4.25	-6.475	365	4.86	-9.871
216	2.99	-0.198	266	3.63	-9.374	316	4.26	0.106	366	4.87	-16.938
217	3.00	-7.410	267	3.64	-3.539	317	4.27	2.491	367	4.88	-19.637
218	3.02	-8.812	268	3.66	4.958	318	4.28	-1.880	368	4.89	-17.218
219	3.03	-5.942	269	3.68	9.996	319	4.29	-7.495	369	4.90	-13.062
220	3.04	-0.336	270	3.69	11.109	320	4.30	-10.866	370	4.91	3.741
221	3.05	3.792	271	3.70	7.476	321	4.31	-10.485	371	4.92	15.628
222	3.06	4.948	272	3.71	-6.448	322	4.32	-2.375	372	4.93	18.775
223	3.08	2.913	273	3.72	-13.937	323	4.33	4.951	373	4.94	19.413
224	3.09	3.282	274	3.74	-15.270	324	4.34	4.776	374	4.95	11.798
225	3.10	7.614	275	3.75	-4.195	325	4.35	2.930	375	4.96	-0.338
226	3.11	8.730	276	3.77	4.865	326	4.36	-2.984	376	4.97	-8.214
227	3.12	9.143	277	3.78	7.530	327	4.37	-4.831	377	4.98	-11.329
228	3.13	5.494	278	3.79	-0.659	328	4.38	-6.208	378	4.99	-16.012
229	3.14	2.866	279	3.80	-7.521	329	4.40	-3.629	379	5.00	-15.646
230	3.15	4.507	280	3.81	-13.635	330	4.41	-1.054	380	5.01	-10.780
231	3.17	12.339	281	3.82	-16.219	331	4.42	1.256	381	5.02	-3.414
232	3.18	16.970	282	3.83	-4.691	332	4.43	1.685	382	5.03	2.177
233	3.19	11.750	283	3.85	3.900	333	4.45	-4.067	383	5.04	5.074
234	3.21	3.577	284	3.86	6.485	334	4.47	-8.578	384	5.05	5.696
235	3.22	-4.368	285	3.87	4.586	335	4.48	-8.268	385	5.06	2.584
236	3.24	-2.772	286	3.88	1.928	336	4.50	-6.723	386	5.07	-2.046
237	3.25	-1.677	287	3.89	1.809	337	4.51	-3.148	387	5.08	-8.917
238	3.26	-4.305	288	3.91	5.385	338	4.52	-0.766	388	5.09	-13.535
239	3.27	-11.182	289	3.92	6.951	339	4.53	-1.390	389	5.10	-14.159
240	3.28	-13.264	290	3.94	-3.738	340	4.54	-5.761	390	5.12	-9.609
241	3.29	-10.902	291	3.95	-8.949	341	4.55	-12.926	391	5.13	-10.313
242	3.30	0.663	292	3.97	-6.108	342	4.56	-13.035	392	5.14	-10.479
243	3.31	8.054	293	3.98	-3.807	343	4.57	-6.437	393	5.16	-9.381
244	3.32	11.129	294	4.00	0.521	344	4.59	1.601	394	5.17	-7.774
245	3.34	7.205	295	4.01	2.631	345	4.60	5.228	395	5.18	-1.715
246	3.35	5.781	296	4.02	4.454	346	4.61	5.554	396	5.19	4.623
247	3.37	1.780	297	4.03	4.342	347	4.63	5.287	397	5.20	5.996
248	3.38	-0.773	298	4.04	2.483	348	4.65	2.051	398	5.22	2.007
249	3.39	-2.222	299	4.06	-3.237	349	4.67	-1.108	399	5.23	-1.315
250	3.41	-3.178	300	4.07	-5.902	350	4.68	-3.281	400	5.24	-3.236

INDEX NO. 816 1319-GR-1 SHIMAMATSUZAWA B U-D MAX.ACCEL.= -33.827(GAL) T=10.73(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	5.26	-5.960	451	5.99	-9.172	501	6.61	-2.527	551	7.24	-3.190
402	5.27	-4.356	452	6.00	-15.534	502	6.62	-3.458	552	7.25	-2.095
403	5.28	4.219	453	6.01	-15.161	503	6.63	-3.397	553	7.26	-1.466
404	5.30	11.550	454	6.02	-10.271	504	6.65	-3.072	554	7.27	-7.412
405	5.31	13.167	455	6.04	-1.695	505	6.67	-2.802	555	7.29	-12.611
406	5.32	9.549	456	6.05	0.676	506	6.68	-2.763	556	7.30	-11.057
407	5.34	-8.258	457	6.06	-0.825	507	6.71	-4.402	557	7.32	-9.231
408	5.35	-14.885	458	6.08	-5.286	508	6.73	-9.098	558	7.33	-8.169
409	5.36	-17.493	459	6.09	-7.961	509	6.74	-12.959	559	7.34	-8.295
410	5.37	-15.910	460	6.11	-11.378	510	6.75	-13.084	560	7.36	-13.513
411	5.40	-8.717	461	6.12	-11.012	511	6.76	-9.008	561	7.37	-19.934
412	5.41	-4.635	462	6.13	-6.177	512	6.78	-3.530	562	7.38	-17.561
413	5.43	0.143	463	6.15	3.036	513	6.79	-0.704	563	7.40	-6.533
414	5.44	3.978	464	6.17	2.887	514	6.81	-3.109	564	7.41	1.271
415	5.45	4.091	465	6.18	-4.803	515	6.83	-3.670	565	7.42	2.393
416	5.46	1.979	466	6.19	-9.895	516	6.85	-7.661	566	7.44	-6.374
417	5.47	-1.886	467	6.20	-10.501	517	6.86	-10.009	567	7.46	-12.896
418	5.48	-9.590	468	6.21	-6.423	518	6.87	-10.673	568	7.48	-10.859
419	5.49	-11.452	469	6.22	-2.868	519	6.88	-22.035	569	7.51	-4.301
420	5.50	-5.561	470	6.24	-0.883	520	6.89	-20.138	570	7.53	3.456
421	5.52	3.724	471	6.25	0.017	521	6.90	-16.506	571	7.54	4.100
422	5.53	6.096	472	6.26	-2.619	522	6.91	-8.665	572	7.55	3.629
423	5.55	2.078	473	6.27	-7.247	523	6.92	-1.065	573	7.57	-3.730
424	5.58	-10.122	474	6.28	-9.090	524	6.93	1.267	574	7.58	-10.138
425	5.61	-16.460	475	6.29	-9.973	525	6.94	-2.539	575	7.59	-14.690
426	5.62	-16.838	476	6.31	-10.710	526	6.95	-5.679	576	7.60	-15.355
427	5.63	-9.966	477	6.33	-7.916	527	6.96	-9.628	577	7.61	-10.008
428	5.64	-2.647	478	6.34	-6.833	528	6.97	-8.456	578	7.62	-1.948
429	5.66	3.682	479	6.35	-6.933	529	6.98	-6.799	579	7.64	2.127
430	5.67	1.764	480	6.36	-8.326	530	6.99	-2.459	580	7.65	5.703
431	5.68	-4.682	481	6.37	-11.000	531	7.00	-2.123	581	7.67	5.956
432	5.70	-3.600	482	6.38	-9.887	532	7.01	-2.790	582	7.69	0.674
433	5.71	-0.040	483	6.40	-3.828	533	7.02	-3.384	583	7.70	-5.240
434	5.73	-0.751	484	6.41	0.202	534	7.03	-3.562	584	7.71	-12.345
435	5.75	-2.327	485	6.43	-0.954	535	7.04	-3.160	585	7.72	-19.525
436	5.78	2.043	486	6.44	-6.102	536	7.05	-2.801	586	7.73	-20.893
437	5.80	2.128	487	6.45	-12.489	537	7.06	0.322	587	7.75	-14.809
438	5.81	-3.030	488	6.46	-15.866	538	7.07	0.685	588	7.76	-8.758
439	5.82	-10.732	489	6.47	-12.981	539	7.08	-0.424	589	7.77	-2.620
440	5.84	-15.915	490	6.48	-9.354	540	7.09	-1.292	590	7.78	1.514
441	5.85	-15.043	491	6.49	-3.219	541	7.10	0.339	591	7.79	4.152
442	5.86	-11.942	492	6.50	-0.902	542	7.11	-0.278	592	7.80	-1.516
443	5.87	-5.851	493	6.51	-2.811	543	7.12	-4.141	593	7.82	-10.461
444	5.88	2.008	494	6.53	-3.491	544	7.13	-9.839	594	7.83	-17.101
445	5.89	6.386	495	6.54	-0.650	545	7.15	-16.269	595	7.84	-16.759
446	5.90	5.753	496	6.55	5.650	546	7.16	-16.644	596	7.85	-7.444
447	5.92	3.566	497	6.57	7.976	547	7.17	-15.521	597	7.87	-0.868
448	5.94	4.583	498	6.58	7.811	548	7.18	-3.753	598	7.88	3.723
449	5.96	5.277	499	6.59	4.708	549	7.20	-3.942	599	7.90	-5.800
450	5.98	1.057	500	6.60	2.106	550	7.21	-4.138	600	7.92	-10.020

INDEX NO. 816 1319-GR-1 SHIMAMATSUZAWA B U-D MAX.ACCEL.= -33.827(GAL) T=10.73(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	7.94	-8.870	651	8.57	0.617	701	9.26	-25.324	751	9.99	6.279
602	7.96	-8.068	652	8.58	-7.779	702	9.27	-24.967	752	10.00	12.379
603	7.97	-5.702	653	8.59	-11.675	703	9.28	-11.859	753	10.01	12.992
604	7.98	-0.798	654	8.60	-11.302	704	9.30	10.697	754	10.02	12.342
605	7.99	6.545	655	8.61	-5.692	705	9.31	19.563	755	10.03	8.419
606	8.00	13.886	656	8.62	-0.851	706	9.32	23.144	756	10.05	5.433
607	8.01	12.799	657	8.63	4.521	707	9.33	20.529	757	10.07	5.135
608	8.02	1.360	658	8.65	7.830	708	9.34	12.402	758	10.08	4.528
609	8.03	-6.251	659	8.66	9.635	709	9.36	-1.786	759	10.09	1.398
610	8.04	-10.095	660	8.68	-1.789	710	9.37	-9.466	760	10.11	-8.285
611	8.05	-9.197	661	8.69	-7.706	711	9.38	-9.618	761	10.12	-13.711
612	8.06	-2.412	662	8.71	-8.943	712	9.41	+6.214	762	10.13	-13.858
613	8.07	-0.056	663	8.72	-8.333	713	9.42	-7.692	763	10.15	-10.276
614	8.08	-2.655	664	8.73	-5.513	714	9.44	-12.865	764	10.16	-1.263
615	8.10	-11.700	665	8.74	-4.906	715	9.45	-12.524	765	10.17	-0.125
616	8.11	-10.090	666	8.76	-11.414	716	9.48	-1.623	766	10.18	-0.250
617	8.12	-6.437	667	8.77	-13.560	717	9.51	9.278	767	10.20	-1.486
618	8.13	-0.346	668	8.78	-12.938	718	9.52	10.323	768	10.22	-2.951
619	8.15	4.402	669	8.79	-10.538	719	9.55	9.443	769	10.23	-0.872
620	8.16	3.293	670	8.81	-1.956	720	9.57	8.479	770	10.24	1.469
621	8.18	-0.115	671	8.82	4.082	721	9.58	2.039	771	10.26	7.264
622	8.19	-1.493	672	8.83	2.257	722	9.60	-5.672	772	10.28	10.027
623	8.20	-1.642	673	8.84	-0.682	723	9.61	-8.765	773	10.29	8.141
624	8.21	-3.026	674	8.86	-17.593	724	9.62	-3.479	774	10.30	-0.033
625	8.23	-10.012	675	8.87	-21.479	725	9.64	1.855	775	10.31	-8.416
626	8.24	-17.207	676	8.88	-21.107	726	9.65	0.696	776	10.33	-11.565
627	8.25	-18.850	677	8.90	-9.366	727	9.68	-7.932	777	10.34	-9.990
628	8.27	-12.315	678	8.91	-2.010	728	9.70	-14.530	778	10.36	-1.485
629	8.28	-4.990	679	8.92	0.356	729	9.73	-18.578	779	10.37	5.114
630	8.29	-3.587	680	8.93	0.191	730	9.74	-16.247	780	10.38	4.033
631	8.31	-5.532	681	8.95	-1.264	731	9.75	-10.115	781	10.39	0.618
632	8.32	-6.932	682	8.96	-6.962	732	9.77	-0.368	782	10.40	-3.771
633	8.33	-4.550	683	8.98	-9.683	733	9.78	8.948	783	10.41	-5.923
634	8.34	-1.755	684	9.00	-7.657	734	9.79	14.554	784	10.43	-5.628
635	8.35	-0.633	685	9.02	-6.204	735	9.80	14.432	785	10.44	-7.643
636	8.36	-2.985	686	9.04	-5.692	736	9.81	12.593	786	10.46	-4.023
637	8.37	-8.128	687	9.06	-4.669	737	9.83	-7.402	787	10.48	2.483
638	8.39	-15.033	688	9.09	-2.327	738	9.84	-16.356	788	10.49	6.808
639	8.40	-17.201	689	9.11	-5.070	739	9.85	-18.240	789	10.51	10.375
640	8.41	-13.107	690	9.12	-4.775	740	9.86	-17.889	790	10.52	9.741
641	8.42	-2.766	691	9.14	2.791	741	9.87	-11.267	791	10.53	7.598
642	8.44	1.438	692	9.15	6.814	742	9.88	-6.355	792	10.54	6.245
643	8.46	-1.736	693	9.16	4.940	743	9.89	-3.192	793	10.55	-0.103
644	8.47	-5.132	694	9.18	-1.478	744	9.90	-1.569	794	10.56	-2.077
645	8.49	-10.934	695	9.19	-6.689	745	9.91	-2.694	795	10.58	1.223
646	8.51	-14.357	696	9.21	-4.348	746	9.92	-6.602	796	10.59	5.558
647	8.52	-13.998	697	9.22	-3.288	747	9.94	-14.610	797	10.60	4.230
648	8.54	-0.507	698	9.23	-3.384	748	9.95	-14.028	798	10.62	-12.345
649	8.55	5.122	699	9.24	-5.987	749	9.97	-9.224	799	10.63	-20.234
650	8.56	4.501	700	9.25	-16.395	750	9.98	-1.393	800	10.64	-20.346

土木構造物における加速度強震記録（No.9）

INDEX NO. 816 1319-SH-1 SHIMAHATSUZAKA B U-D MAX.ACCEL.= -33.827(GAL) T=10.73(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	10.65	-10.496	851	11.29	-1.916	901	12.10	-17.967	951	12.82	-16.305
802	10.66	2.626	852	11.30	-2.053	902	12.11	-14.823	952	12.83	-9.025
803	10.67	13.653	853	11.32	3.657	903	12.13	1.883	953	12.85	-1.762
804	10.68	23.331	854	11.33	5.795	904	12.14	9.030	954	12.86	5.038
805	10.69	21.488	855	11.39	-10.178	905	12.15	7.124	955	12.87	4.380
806	10.70	15.111	856	11.40	-8.321	906	12.16	1.936	956	12.89	2.425
807	10.71	-7.759	857	11.41	-5.934	907	12.17	1.817	957	12.91	0.219
808	10.72	-21.879	858	11.43	6.273	908	12.19	2.149	958	12.92	-2.439
809	10.73	-33.827	859	11.44	6.670	909	12.20	5.740	959	12.93	-0.135
810	10.74	-31.439	860	11.45	5.599	910	12.21	7.560	960	12.95	3.447
811	10.75	-24.040	861	11.48	-10.045	911	12.23	2.395	961	12.97	14.872
812	10.77	-7.087	862	11.51	0.491	912	12.24	-1.998	962	13.00	23.526
813	10.79	-5.017	863	11.54	-8.388	913	12.25	-3.397	963	13.02	13.553
814	10.80	-5.457	864	11.57	9.512	914	12.26	0.654	964	13.04	-1.973
815	10.81	-6.081	865	11.58	11.155	915	12.28	1.729	965	13.05	-9.162
816	10.83	-0.755	866	11.59	7.510	916	12.29	-2.185	966	13.07	-15.607
817	10.84	2.382	867	11.61	-1.050	917	12.31	-10.468	967	13.08	-15.776
818	10.85	-1.523	868	11.62	-0.597	918	12.33	-11.386	968	13.10	-12.191
819	10.86	-10.394	869	11.63	2.551	919	12.34	-6.014	969	13.12	-2.968
820	10.87	-23.363	870	11.65	11.001	920	12.35	0.096	970	13.13	-3.086
821	10.88	-24.710	871	11.66	11.404	921	12.36	1.218	971	13.15	-5.847
822	10.89	-20.575	872	11.69	6.713	922	12.37	0.569	972	13.18	-6.483
823	10.90	-4.750	873	11.71	10.711	923	12.38	-3.893	973	13.20	0.159
824	10.91	6.877	874	11.72	10.149	924	12.39	-4.729	974	13.22	1.672
825	10.92	14.033	875	11.73	4.512	925	12.40	-1.872	975	13.23	4.007
826	10.93	16.452	876	11.75	-19.803	926	12.42	-0.806	976	13.26	4.409
827	10.94	3.711	877	11.76	-16.403	927	12.43	-1.471	977	13.28	-0.777
828	10.96	-9.697	878	11.77	-10.040	928	12.45	-0.411	978	13.30	-8.641
829	10.97	-12.315	879	11.78	-6.470	929	12.46	3.640	979	13.31	-5.753
830	10.98	-5.796	880	11.80	-1.626	930	12.47	11.999	980	13.33	5.344
831	11.00	3.252	881	11.81	1.414	931	12.48	16.152	981	13.34	12.938
832	11.01	6.893	882	11.84	7.872	932	12.49	14.253	982	13.35	16.029
833	11.02	7.496	883	11.85	12.682	933	12.51	9.823	983	13.36	14.676
834	11.03	5.063	884	11.86	17.767	934	12.52	2.131	984	13.37	6.456
835	11.04	0.948	885	11.87	15.911	935	12.53	-0.015	985	13.39	-3.305
836	11.06	-0.476	886	11.90	6.356	936	12.54	1.098	986	13.41	-2.948
837	11.07	3.043	887	11.92	1.009	937	12.57	5.274	987	13.42	-6.425
838	11.09	1.619	888	11.93	-0.313	938	12.58	3.853	988	13.43	-9.502
839	11.10	0.226	889	11.94	0.053	939	12.59	1.701	989	13.44	-15.395
840	11.11	0.052	890	11.96	2.807	940	12.61	0.949	990	13.45	-18.547
841	11.14	-8.283	891	11.97	9.861	941	12.64	0.626	991	13.46	-19.091
842	11.15	-7.426	892	11.99	10.667	942	12.66	2.074	992	13.47	-18.471
843	11.17	3.577	893	12.00	3.825	943	12.69	5.984	993	13.48	-10.630
844	11.18	4.693	894	12.01	2.957	944	12.70	6.591	994	13.49	-2.303
845	11.19	5.816	895	12.02	-8.254	945	12.71	4.745	995	13.50	4.273
846	11.22	3.220	896	12.03	-9.375	946	12.73	-6.731	996	13.52	3.614
847	11.23	5.358	897	12.04	-6.024	947	12.75	-16.014	997	13.54	3.387
848	11.25	16.024	898	12.06	-5.924	948	12.77	-20.765	998	13.55	5.744
849	11.26	14.172	899	12.07	-9.331	949	12.79	-21.786	999	13.57	13.748
850	11.27	7.764	900	12.09	-17.568	950	12.80	-19.944	1000	13.58	18.026

INDEX NO. 816 1319-GR-1 SHIMAHATSUZAKA B U-D MAX.ACCEL.= -33.827(GAL) T=10.73(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	13.60	19.506	1051	14.31	-15.019	1101	15.10	-1.287	1151	15.96	-5.837
1002	13.62	18.279	1052	14.34	2.557	1102	15.19	-2.689	1152	15.97	-5.746
1003	13.64	12.346	1053	14.35	6.151	1103	15.23	-17.355	1153	15.99	5.093
1004	13.66	1.538	1054	14.37	7.389	1104	15.24	-22.544	1154	16.00	16.169
1005	13.67	-6.897	1055	14.39	7.597	1105	15.26	-27.243	1155	16.01	22.276
1006	13.69	-16.555	1056	14.40	5.719	1106	15.27	-21.964	1156	16.02	21.621
1007	13.70	-22.448	1057	14.41	1.096	1107	15.29	-12.677	1157	16.04	15.181
1008	13.71	-20.681	1058	14.44	-19.573	1108	15.30	-10.314	1158	16.05	14.220
1009	13.73	-14.125	1059	14.45	-19.666	1109	15.32	-10.519	1159	16.08	20.195
1010	13.75	-11.355	1060	14.47	-16.168	1110	15.33	-5.693	1160	16.09	26.564
1011	13.77	-14.576	1061	14.48	-17.506	1111	15.35	3.595	1161	16.10	25.156
1012	13.78	-16.537	1062	14.50	-10.297	1112	15.36	9.222	1162	16.12	16.192
1013	13.79	-16.869	1063	14.51	-19.184	1113	15.37	11.614	1163	16.14	-10.873
1014	13.81	-12.598	1064	14.54	-3.790	1114	15.39	5.980	1164	16.16	-12.819
1015	13.83	-7.320	1065	14.55	0.570	1115	15.39	-0.475	1165	16.20	-8.654
1016	13.84	-7.291	1066	14.55	1.723	1116	15.40	-8.133	1166	16.22	-5.578
1017	13.86	-6.956	1067	14.56	1.493	1117	15.41	-11.476	1167	16.23	-5.253
1018	13.87	-2.124	1068	14.59	5.093	1118	15.42	-7.320	1168	16.24	-7.652
1019	13.88	4.695	1069	14.61	10.028	1119	15.44	-2.559	1169	16.26	-4.826
1020	13.89	10.296	1070	14.62	10.650	1120	15.45	-0.702	1170	16.28	8.871
1021	13.91	10.872	1071	14.63	14.264	1121	15.46	0.908	1171	16.29	14.946
1022	13.92	4.947	1072	14.65	7.050	1122	15.48	-7.872	1172	16.31	11.741
1023	13.93	-1.436	1073	14.67	6.823	1123	15.50	-6.296	1173	16.32	5.317
1024	13.95	-6.604	1074	14.69	11.514	1124	15.51	-2.187	1174	16.34	1.397
1025	13.96	-6.784	1075	14.70	9.612	1125	15.53	4.558	1175	16.36	5.869
1026	13.97	-5.152	1076	14.73	4.260	1126	15.54	4.362	1176	16.38	3.384
1027	13.98	-2.015	1077	14.75	6.984	1127	15.56	5.406	1177	16.39	-5.040
1028	13.99	5.264	1078	14.77	9.738	1128	15.57	10.691	1178	16.40	-10.714
1029	14.01	9.349	1079	14.79	15.282	1129	15.59	17.760	1179	16.42	-12.347
1030	14.02	8.660	1080	14.80	17.593	1130	15.60	21.851	1180	16.43	-9.513
1031	14.04	4.142	1081	14.82	17.307	1131	15.61	22.477	1181	16.45	2.950
1032	14.06	0.631	1082	14.83	17.667	1132	15.62	19.825	1182	16.46	5.325
1033	14.07	-0.753	1083	14.85	14.498	1133	15.64	10.386	1183	16.48	1.361
1034	14.08	4.095	1084	14.87	5.507	1134	15.65	3.181	1184	16.50	-0.613
1035	14.10	10.670	1085	14.88	0.286	1135	15.67	2.976	1185	16.52	-2.418
1036	14.11	15.045	1086	14.90	-1.678	1136	15.69	5.174	1186	16.54	-3.148
1037	14.12	18.927	1087	14.91	0.406	1137	15.71	10.452	1187	16.55	6.641
1038	14.14	19.675	1088	14.93	7.738	1138	15.72	12.297	1188	16.57	12.656
1039	14.15	14.721	1089	14.94	12.089	1139	15.74	8.277	1189	16.58	15.532
1040	14.16	3.181	1090	14.96	13.030	1140	15.76	3.606	1190	16.59	14.873
1041	14.17	-1.528	1091	14.98	12.260	1141	15.77	5.407	1191	16.61	11.631
1042	14.18	0.341	1092	15.02	14.552	1142	15.79	10.186	1192	16.62	8.213
1043	14.19	-1.067	1093	15.04	16.613	1143	15.80	14.277	1193	16.64	8.539
1044	14.21	-1.773	1094	15.06	20.792	1144	15.81	13.127	1194	16.65	7.890
1045	14.22	-4.492	1095	15.08	21.358	1145	15.83	5.351	1195	16.66	3.506
1046	14.23	-4.849	1096	15.10	9.042	1146	15.85	3.902	1196	16.67	-2.877
1047	14.25	-1.245	1097	15.11	-1.357	1147	15.86	8.477	1197	16.68	-10.075
1048	14.26	0.571	1098	15.12	-9.539	1148	15.87	12.787	1198	16.69	-23.452
1049	14.27	1.692	1099	15.14	-15.616	1149	15.89	11.343	1199	16.70	-21.796
1050	14.29	-7.207	1100	15.15	-10.934	1150	15.93	-0.967	1200	16.71	-16.399

INDEX NO. 816 1319-GR-1 SHIMAMATSUZAKA B U-D MAX.ACCEL.= -33.827(GAL) T=10.73(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	16.72	-5.799	1251	17.33	20.119	1301	18.40	-6.374	1351	19.28	14.555
1202	16.73	3.551	1252	17.35	14.165	1302	18.43	-20.424	1352	19.29	16.918
1203	16.74	6.679	1253	17.36	9.981	1303	18.45	-15.183	1353	19.31	13.610
1204	16.75	6.555	1254	17.38	1.036	1304	18.47	-7.369	1354	19.34	8.297
1205	16.77	5.366	1255	17.59	-5.865	1305	18.48	6.952	1355	19.35	5.375
1206	16.78	6.707	1256	17.60	-11.377	1306	18.49	12.517	1356	19.37	0.821
1207	16.79	12.813	1257	17.62	-9.542	1307	18.51	11.790	1357	19.39	-6.359
1208	16.80	25.403	1258	17.64	-11.092	1308	18.53	5.233	1358	19.41	-15.348
1209	16.82	27.167	1259	17.66	-12.367	1309	18.55	3.273	1359	19.43	-10.169
1210	16.84	19.409	1260	17.69	-7.036	1310	18.57	4.057	1360	19.44	-5.312
1211	16.85	12.976	1261	17.72	-1.061	1311	18.58	-2.157	1361	19.46	-4.830
1212	16.87	10.234	1262	17.74	2.699	1312	18.60	-15.158	1362	19.48	-6.616
1213	16.89	9.516	1263	17.75	5.034	1313	18.61	-19.042	1363	19.50	-6.112
1214	16.91	4.718	1264	17.76	8.634	1314	18.62	-19.941	1364	19.52	-4.629
1215	16.92	2.022	1265	17.77	16.459	1315	18.64	-11.344	1365	19.53	-4.513
1216	16.93	1.365	1266	17.78	21.588	1316	18.65	12.352	1366	19.56	-13.095
1217	16.96	7.830	1267	17.79	22.256	1317	18.67	15.258	1367	19.59	-14.256
1218	16.98	8.081	1268	17.82	15.156	1318	18.68	19.594	1368	19.60	-13.165
1219	16.99	4.404	1269	17.84	7.342	1319	18.70	18.122	1369	19.62	-11.370
1220	17.00	-6.019	1270	17.87	-2.061	1320	18.72	16.128	1370	19.64	-2.366
1221	17.02	-11.259	1271	17.89	-6.057	1321	18.74	15.616	1371	19.65	8.928
1222	17.04	-18.535	1272	17.92	-3.493	1322	18.75	8.620	1372	19.67	13.763
1223	17.06	-21.990	1273	17.95	-1.650	1323	18.77	0.926	1373	19.69	16.664
1224	17.07	-19.936	1274	17.97	2.126	1324	18.78	-6.742	1374	19.71	19.433
1225	17.09	-12.673	1275	17.99	2.598	1325	18.79	-6.857	1375	19.74	25.147
1226	17.11	-2.694	1276	18.02	0.807	1326	18.81	-4.541	1376	19.75	24.516
1227	17.14	7.679	1277	18.03	1.376	1327	18.82	1.472	1377	19.76	18.108
1228	17.15	12.020	1278	18.05	9.129	1328	18.84	4.526	1378	19.79	2.998
1229	17.17	10.709	1279	18.06	10.230	1329	18.86	1.787	1379	19.81	0.962
1230	17.18	9.390	1280	18.08	9.515	1330	18.88	-0.465	1380	19.83	7.379
1231	17.20	5.889	1281	18.09	9.851	1331	18.89	2.401	1381	19.85	5.930
1232	17.22	4.464	1282	18.11	14.895	1332	18.90	7.236	1382	19.87	5.687
1233	17.23	4.750	1283	18.12	19.705	1333	18.92	17.683	1383	19.89	4.957
1234	17.25	9.025	1284	18.14	20.771	1334	18.93	21.546	1384	19.91	2.150
1235	17.27	4.971	1285	18.15	18.381	1335	18.95	18.826	1385	19.93	0.701
1236	17.29	-0.298	1286	18.17	12.346	1336	18.98	12.925	1386	19.94	1.011
1237	17.31	-2.264	1287	18.18	11.727	1337	19.02	10.474	1387	19.96	4.539
1238	17.32	-1.379	1288	18.20	14.513	1338	19.05	16.245	1388	19.97	4.893
1239	17.33	5.952	1289	18.21	14.398	1339	19.08	23.870	1389	19.98	1.772
1240	17.34	13.309	1290	18.22	7.918	1340	19.10	20.109	1390	20.00	-8.479
1241	17.36	24.134	1291	18.24	2.188	1341	19.13	12.046	1391	20.01	-24.186
1242	17.37	28.962	1292	18.25	1.304	1342	19.14	4.094	1392	20.03	-25.092
1243	17.40	31.817	1293	18.26	4.161	1343	19.15	3.432	1393	20.05	-11.395
1244	17.41	30.933	1294	18.28	12.074	1344	19.18	7.399	1394	20.06	-4.076
1245	17.43	31.244	1295	18.30	16.984	1345	19.19	10.931	1395	20.07	-2.194
1246	17.44	31.107	1296	18.32	16.763	1346	19.20	9.801	1396	20.09	1.804
1247	17.46	19.075	1297	18.34	15.977	1347	19.22	-3.704	1397	20.12	12.439
1248	17.48	12.033	1298	18.35	15.096	1348	19.23	-6.337	1398	20.13	15.258
1249	17.50	16.531	1299	18.37	12.376	1349	19.24	-5.246	1399	20.15	15.060
1250	17.52	20.747	1300	18.38	5.474	1350	19.26	2.050	1400	20.17	14.783

INDEX NO. 816 1319-GR-1 SHIMAMATSUZAKA B U-D MAX.ACCEL.= -33.827(GAL) T=10.73(SEC) NO. 8

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1401	20.19	14.599	1451	20.97	-12.033	1501	21.92	-2.494	1551	22.92	6.536
1402	20.20	12.166	1452	21.00	-20.535	1502	21.94	1.748	1552	22.93	7.371
1403	20.22	-0.107	1453	21.02	-20.256	1503	21.97	-1.094	1553	22.95	12.852
1404	20.24	-1.076	1454	21.03	-13.669	1504	21.99	-5.633	1554	22.96	15.459
1405	20.25	2.013	1455	21.05	-2.008	1505	22.01	-5.885	1555	22.99	12.692
1406	20.28	12.158	1456	21.09	20.570	1506	22.03	-7.399	1556	23.04	4.543
1407	20.31	16.917	1457	21.10	26.655	1507	22.05	-9.621	1557	23.06	-2.021
1408	20.32	13.357	1458	21.11	25.290	1508	22.07	-12.831	1558	23.08	-2.992
1409	20.34	5.669	1459	21.12	18.982	1509	22.08	-16.260	1559	23.09	-2.691
1410	20.36	-19.953	1460	21.14	10.709	1510	22.09	-21.460	1560	23.12	4.461
1411	20.38	-19.406	1461	21.15	4.480	1511	22.12	-26.478	1561	23.14	9.224
1412	20.39	-13.392	1462	21.17	3.054	1512	22.13	-20.418	1562	23.15	9.611
1413	20.40	1.804	1463	21.19	3.312	1513	22.15	-11.118	1563	23.17	3.901
1414	20.41	7.987	1464	21.21	6.244	1514	22.17	-8.345	1564	23.19	-4.432
1415	20.43	10.998	1465	21.23	6.445	1515	22.18	12.664	1565	23.21	-8.301
1416	20.44	10.339	1466	21.25	11.956	1516	22.19	11.290	1566	23.22	-5.062
1417	20.45	7.681	1467	21.28	21.060	1517	22.21	9.335	1567	23.24	-0.276
1418	20.47	0.476	1468	21.30	21.593	1518	22.23	7.870	1568	23.26	3.268
1419	20.49	-8.572	1469	21.32	15.368	1519	22.24	9.915	1569	23.27	-2.427
1420	20.51	-13.770	1470	21.35	1.897	1520	22.26	14.653	1570	23.29	-9.445
1421	20.52	-15.694	1471	21.38	-2.685	1521	22.28	17.657	1571	23.31	-13.430
1422	20.53	-12.344	1472	21.40	-4.922	1522	22.30	14.483	1572	23.33	-13.676
1423	20.54	-5.503	1473	21.42	0.332	1523	22.32	7.216	1573	23.34	-10.841
1424	20.56	4.313	1474	21.44	13.279	1524	22.34	0.143	1574	23.36	-2.266
1425	20.57	4.154	1475	21.46	16.037	1525	22.36	-3.321	1575	23.37	6.799
1426	20.58	-0.267	1476	21.48	13.444	1526	22.38	-2.283	1576	23.38	16.405
1427	20.60	-3.681	1477	21.50	11.958	1527	22.40	3.715	1577	23.40	15.482
1428	20.61	-3.365	1478	21.52	10.997	1528	22.42	11.412	1578	23.45	8.601
1429	20.63	4.695	1479	21.54	11.526	1529	22.44	13.660	1579	23.47	6.630
1430	20.64	15.232	1480	21.55	4.290	1530	22.46	7.415	1580	23.48	1.440
1431	20.66	24.557	1481	21.57	-26.593	1531	22.47	1.454	1581	23.49	-6.233
1432	20.67	29.633	1482	21.58	-34.114	1532	22.49	-1.260	1582	23.51	-14.625
1433	20.69	26.913	1483	21.60	-31.621	1533	22.51	-0.985	1583	23.52	-16.000
1434	20.70	23.754	1484	21.62	-19.933	1534	22.53	-0.524	1584	23.54	-5.809
1435	20.73	6.860	1485	21.64	-20.228	1535	22.55	-0.807	1585	23.56	1.986
1436	20.76	-2.173	1486	21.66	-14.349	1536	22.53	0.691	1586	23.59	4.862
1437	20.77	-4.377	1487	21.68	-8.588	1537	22.59	1.708	1587	23.61	11.088
1438	20.79	-1.562	1488	21.70	-8.336	1538	22.61	-1.566	1588	23.63	12.617
1439	20.80	0.780	1489	21.72	-3.125	1539	22.64	-6.939	1589	23.65	6.331
1440	20.81	5.599	1490	21.74	-1.839	1540	22.67	-5.481	1590	23.67	-1.436
1441	20.82	7.997	1491	21.77	6.506	1541	22.69	-2.524	1591	23.69	-6.219
1442	20.83	7.353	1492	21.78	10.050	1542	22.72	4.621	1592	23.71	-10.989
1443	20.84	-1.539	1493	21.80	9.581	1543	22.75	12.216	1593	23.73	-15.244
1444	20.86	-9.454	1494	21.81	3.405	1544	22.77	12.208	1594	23.76	-10.567
1445	20.87	-15.137	1495	21.83	0.241	1545	22.79	6.147	1595	23.78	-9.638
1446	20.89	-16.076	1496	21.84	1.123	1546	22.82	1.518	1596	23.81	-9.190
1447	20.90	-12.032	1497	21.85	1.183	1547	22.84	-0.234	1597	23.83	-9.451
1448	20.92	-8.509	1498	21.86	-2.750	1548	22.86	5.295	1598	23.85	-10.962
1449	20.93	-4.137	1499	21.88	-4.961	1549	22.88	10.552	1599	23.87	-13.692
1450	20.94	-6.792	1500	21.90	-7.045	1550	22.90	8.531	1600	23.88	-10.857

INDEX NO. 816 1319-SH-1 SHINHATSUZAKA B U-D MAX.ACCEL.= -33.827(GAL) T=10.73(SEC) NO. 9

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1601	23.93	-6.057	1651	24.07	13.697	1701	25.66	-11.163	1751	26.52	-14.782
1602	23.92	4.075	1652	24.69	12.502	1702	25.68	+4.692	1752	26.54	-8.835
1603	23.93	5.755	1653	24.71	13.443	1703	25.69	+2.845	1753	26.57	3.566
1604	23.94	2.036	1654	24.73	14.976	1704	25.71	+2.478	1754	26.60	12.501
1605	23.95	-1.257	1655	24.75	6.705	1705	25.72	+3.669	1755	26.61	17.052
1606	23.96	-5.174	1656	24.77	1.476	1706	25.74	-6.373	1756	26.63	15.581
1607	23.98	-3.533	1657	24.79	+4.251	1707	25.76	-11.715	1757	26.65	11.024
1608	23.99	2.977	1658	24.81	+5.486	1708	25.78	-13.142	1758	26.67	10.037
1609	24.01	13.520	1659	24.82	+1.221	1709	25.80	+4.133	1759	26.69	10.557
1610	24.02	17.361	1660	24.84	1.655	1710	25.81	5.677	1760	26.71	2.681
1611	24.03	10.440	1661	24.86	1.096	1711	25.83	9.440	1761	26.72	-6.384
1612	24.05	17.744	1662	24.63	1.361	1712	25.85	10.469	1762	26.74	+8.113
1613	24.06	15.077	1663	24.90	2.746	1713	25.86	8.505	1763	26.76	-7.053
1614	24.08	8.535	1664	24.92	5.763	1714	25.88	3.297	1764	26.77	-7.259
1615	24.09	2.167	1665	24.94	4.254	1715	25.91	+0.787	1765	26.78	-6.611
1616	24.11	-2.023	1666	24.96	+2.216	1716	25.93	+3.034	1766	26.79	+11.792
1617	24.12	-1.666	1667	24.98	+6.796	1717	25.95	+0.802	1767	26.81	+12.528
1618	24.13	1.200	1668	25.01	+5.933	1718	25.97	-3.548	1768	26.83	+11.008
1619	24.14	8.060	1669	25.05	-10.320	1719	25.99	+9.590	1769	26.84	-9.439
1620	24.15	13.422	1670	25.07	-13.359	1720	26.01	-8.817	1770	26.86	-5.057
1621	24.17	15.508	1671	25.10	-5.011	1721	26.02	-5.766	1771	26.88	-5.365
1622	24.18	12.865	1672	25.12	+2.738	1722	26.04	3.206	1772	26.90	-5.192
1623	24.19	5.186	1673	25.14	+4.021	1723	26.06	8.273	1773	26.93	-3.031
1624	24.20	-1.973	1674	25.16	+3.367	1724	26.08	1.225	1774	26.96	1.145
1625	24.22	-4.647	1675	25.19	+0.966	1725	26.10	-5.793	1775	26.98	2.822
1626	24.23	-4.352	1676	25.22	1.264	1726	26.12	-9.282	1776	27.01	2.151
1627	24.25	1.904	1677	25.24	+1.365	1727	26.13	-10.221	1777	27.04	-0.672
1628	24.28	4.343	1678	25.27	+5.478	1728	26.15	-10.708	1778	27.06	-3.167
1629	24.29	3.676	1679	25.29	+2.674	1729	26.17	-10.935	1779	27.08	-5.394
1630	24.30	-1.496	1680	25.31	-14.210	1730	26.19	-14.156	1780	27.09	-9.874
1631	24.32	-7.232	1681	25.34	+9.528	1731	26.20	-17.361	1781	27.11	-13.798
1632	24.33	-9.415	1682	25.35	+2.983	1732	26.22	-18.810	1782	27.12	-14.010
1633	24.35	-12.079	1683	25.37	2.565	1733	26.23	-16.724	1783	27.13	-10.622
1634	24.36	-12.300	1684	25.39	2.303	1734	26.25	-9.518	1784	27.14	-8.781
1635	24.39	-15.149	1685	25.41	0.328	1735	26.26	-6.442	1785	27.16	-10.730
1636	24.41	-20.660	1686	25.43	-3.220	1736	26.28	-9.672	1786	27.18	-12.201
1637	24.43	-19.599	1687	25.44	-3.837	1737	26.29	-10.562	1787	27.19	-11.334
1638	24.45	-14.652	1688	25.45	-2.997	1738	26.31	-5.752	1788	27.20	-7.024
1639	24.47	-14.604	1689	25.47	1.295	1739	26.32	3.042	1789	27.23	2.652
1640	24.48	-15.834	1690	25.48	4.867	1740	26.33	5.389	1790	27.24	4.284
1641	24.50	-15.017	1691	25.50	5.162	1741	26.35	3.903	1791	27.25	1.844
1642	24.51	-7.745	1692	25.52	1.692	1742	26.37	+0.583	1792	27.28	-15.463
1643	24.53	-3.210	1693	25.54	-2.595	1743	26.38	+3.273	1793	27.29	-19.440
1644	24.55	-2.234	1694	25.55	-2.273	1744	26.40	+1.728	1794	27.31	-22.695
1645	24.57	-0.736	1695	25.57	2.501	1745	26.42	-0.208	1795	27.33	-23.619
1646	24.59	2.243	1696	25.59	7.258	1746	26.43	+3.413	1796	27.34	-19.553
1647	24.61	5.741	1697	25.60	5.665	1747	26.45	-9.118	1797	27.36	-10.305
1648	24.63	4.761	1698	25.61	-2.288	1748	26.47	-15.854	1798	27.37	-7.430
1649	24.65	7.071	1699	25.63	-8.242	1749	26.48	-20.568	1799	27.38	-6.323
1650	24.66	10.897	1700	25.65	-13.462	1750	26.50	-20.243	1800	27.40	-3.294

INDEX NO. 816 1319-SH-1 SHINHATSUZAKA B U-D MAX.ACCEL.= -33.827(GAL) T=10.73(SEC) NO.10

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1801	27.42	0.259	1851	28.30	-0.720	1901	29.22	8.427	1951	30.18	-7.795
1802	27.43	6.807	1852	28.32	1.044	1902	29.25	-3.207	1952	30.20	-3.075
1803	27.44	13.213	1853	28.34	0.762	1903	29.26	-7.178	1953	30.22	-0.068
1804	27.45	16.323	1854	28.36	-0.751	1904	29.28	-3.909	1954	30.24	+2.336
1805	27.46	17.930	1855	28.39	3.651	1905	29.30	2.111	1955	30.26	-5.615
1806	27.48	15.453	1856	28.42	12.276	1906	29.32	5.156	1956	30.29	-11.445
1807	27.50	13.970	1857	28.44	13.306	1907	29.33	5.515	1957	30.30	-14.165
1808	27.51	14.298	1858	28.45	12.616	1908	29.34	1.657	1958	30.32	-10.880
1809	27.53	10.369	1859	28.47	7.426	1909	29.35	1.408	1959	30.34	-1.142
1810	27.55	2.105	1860	28.48	2.237	1910	29.37	8.186	1960	30.36	6.145
1811	27.57	-5.147	1861	28.50	0.791	1911	29.38	10.528	1961	30.37	8.477
1812	27.58	-9.086	1862	28.51	4.367	1912	29.40	11.832	1962	30.39	8.532
1813	27.60	-9.762	1863	28.53	9.636	1913	29.42	9.064	1963	30.41	1.988
1814	27.63	0.338	1864	28.54	11.521	1914	29.44	7.019	1964	30.43	0.989
1815	27.64	+0.361	1865	28.55	7.572	1915	29.46	4.767	1965	30.44	3.807
1816	27.67	-5.716	1866	28.57	2.369	1916	29.48	+3.000	1966	30.46	7.333
1817	27.68	-5.381	1867	28.59	5.011	1917	29.50	+7.674	1967	30.48	10.836
1818	27.71	1.317	1868	28.60	5.236	1918	29.51	+5.613	1968	30.49	11.726
1819	27.72	5.902	1869	28.61	-1.942	1919	29.53	1.147	1969	30.51	5.170
1820	27.76	-8.900	1870	28.63	-12.693	1920	29.54	5.941	1970	30.53	3.230
1821	27.78	-7.372	1871	28.65	+15.652	1921	29.56	1.495	1971	30.54	4.000
1822	27.80	0.579	1872	28.66	+14.035	1922	29.58	-5.000	1972	30.56	-1.720
1823	27.82	3.677	1873	28.69	-9.297	1923	29.60	-9.767	1973	30.59	-8.553
1824	27.84	-4.921	1874	28.70	-2.121	1924	29.62	+9.544	1974	30.60	+11.226
1825	27.86	-5.898	1875	28.71	-6.630	1925	29.66	-7.526	1975	30.62	-8.516
1826	27.88	-2.885	1876	28.73	+13.709	1926	29.67	-6.966	1976	30.65	-5.077
1827	27.90	1.159	1877	28.74	+17.111	1927	29.70	+6.883	1977	30.67	+4.079
1828	27.91	0.007	1878	28.75	+13.517	1928	29.72	+2.145	1978	30.68	+1.816
1829	27.92	-7.126	1879	28.77	+4.310	1929	29.74	+1.672	1979	30.70	-0.746
1830	27.94	-20.105	1880	28.79	3.178	1930	29.76	+1.830	1980	30.71	-0.670
1831	27.95	-20.754	1881	28.82	4.142	1931	29.77	-6.236	1981	30.72	-2.782
1832	27.96	-16.639	1882	28.84	3.399	1932	29.78	-13.415	1982	30.73	-6.666
1833	27.98	-5.160	1883	28.87	+5.849	1933	29.80	-15.395	1983	30.76	-15.739
1834	27.99	-2.556	1884	28.90	+3.134	1934	29.82	+8.916	1984	30.78	-17.749
1835	28.02	2.804	1885	28.93	+9.779	1935	29.84	+5.444	1985	30.80	+15.823
1836	28.05	11.287	1886	28.95	+13.862	1936	29.86	+4.448	1986	30.83	-12.453
1837	28.06	13.152	1887	28.98	+15.698	1937	29.89	+4.810	1987	30.86	-5.302
1838	28.07	6.219	1888	28.99	+14.162	1938	29.92	+0.164	1988	30.88	+1.851
1839	28.08	-0.204	1889	29.01	+16.667	1939	29.94	1.340	1989	30.91	4.791
1840	28.10	-2.150	1890	29.03	+13.357	1940	29.96	7.491	1990	30.92	7.345
1841	28.11	+1.324	1891	29.05	+3.585	1941	29.98	9.285	1991	30.95	2.762
1842	28.13	2.195	1892	29.06	4.700	1942	30.00	6.468	1992	30.97	0.032
1843	28.15	6.483	1893	29.08	12.025	1943	30.02	3.764	1993	30.98	0.805
1844	28.17	3.719	1894	29.09	7.555	1944	30.03	6.052	1994	31.00	6.350
1845	28.19	+9.288	1895	29.12	+2.273	1945	30.06	3.984	1995	31.02	1.817
1846	28.21	+5.785	1896	29.14	+7.592	1946	30.09	-5.360	1996	31.04	0.303
1847	28.22	+9.730	1897	29.16	+4.787	1947	30.10	-3.091	1997	31.06	3.559
1848	28.24	-6.898	1898	29.18	-3.529	1948	30.13	+1.861	1998	31.08	4.110
1849	28.26	+2.172	1899	29.19	5.542	1949	30.15	-5.395	1999	31.09	5.155
1850	28.28	-2.249	1900	29.21	10.320	1950	30.16	-9.309	2000	31.11	+0.103

INDEX NO. 816 1319-GR-1 SHINMATSUZAWA B U-D MAX.ACCEL.= -33.827(GAL) T=10.73(SEC) NO.11

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2001	31.12	0.973	2051	32.22	-2.084	2101	33.40	6.072
2002	31.14	3.783	2052	32.24	-3.689	2102	33.42	7.554
2003	31.15	2.570	2053	32.27	-6.621	2103	33.44	5.068
2004	31.18	-2.958	2054	32.29	-3.814	2104	33.46	-2.230
2005	31.20	-5.750	2055	32.32	2.628	2105	33.49	-3.054
2006	31.22	0.207	2056	32.34	4.560	2106	33.51	-1.667
2007	31.24	-1.030	2057	32.36	4.114	2107	33.52	-2.711
2008	31.26	-1.266	2058	32.39	1.244	2108	33.55	-12.448
2009	31.27	0.278	2059	32.41	-2.631	2109	33.57	-13.910
2010	31.29	4.530	2060	32.43	-3.621	2110	33.59	-11.647
2011	31.31	1.006	2061	32.47	-9.794	2111	33.61	-5.683
2012	31.34	-1.817	2062	32.49	-10.608	2112	33.64	-0.541
2013	31.37	2.787	2063	32.52	-6.691	2113	33.66	-0.777
2014	31.40	3.673	2064	32.54	0.504	2114	33.67	-2.702
2015	31.42	8.399	2065	32.56	9.497	2115	33.69	-5.975
2016	31.44	0.573	2066	32.57	11.879	2116	33.71	-3.931
2017	31.46	-8.888	2067	32.59	7.409	2117	33.72	-2.880
2018	31.48	-11.602	2068	32.61	4.669	2118	33.74	-0.386
2019	31.50	-4.608	2069	32.64	10.558	2119	33.75	-1.791
2020	31.52	0.874	2070	32.67	13.153	2120	33.78	-2.411
2021	31.53	-1.728	2071	32.70	10.543	2121	33.80	-2.647
2022	31.56	-13.459	2072	32.75	1.597	2122	33.82	-1.587
2023	31.58	-14.874	2073	32.77	2.079	2123	33.84	4.142
2024	31.59	-10.846	2074	32.80	-2.778	2124	33.87	10.530
2025	31.61	-2.832	2075	32.82	-4.240	2125	33.88	9.282
2026	31.64	5.553	2076	32.84	-2.735	2126	33.90	2.781
2027	31.66	10.726	2077	32.85	0.365	2127	33.92	-1.900
2028	31.68	9.930	2078	32.87	0.079	2128	33.94	-4.652
2029	31.70	7.285	2079	32.89	-3.162	2129	33.95	-6.101
2030	31.73	-1.141	2080	32.91	-2.879	2130	33.97	-5.087
2031	31.77	+0.670	2081	32.94	1.023	2131	33.99	1.442
2032	31.81	+0.831	2082	32.96	-1.566			
2033	31.83	+0.607	2083	32.99	-2.624			
2034	31.84	2.915	2084	33.01	10.083			
2035	31.86	3.482	2085	33.03	14.587			
2036	31.90	-4.041	2086	33.04	13.153			
2037	31.92	5.635	2087	33.06	8.668			
2038	31.94	7.930	2088	33.08	4.666			
2039	31.97	8.560	2089	33.10	4.913			
2040	31.99	7.555	2090	33.13	0.815			
2041	32.00	10.358	2091	33.16	1.695			
2042	32.02	11.441	2092	33.18	0.128			
2043	32.03	8.986	2093	33.21	-2.776			
2044	32.06	1.672	2094	33.24	-1.847			
2045	32.08	0.945	2095	33.26	0.352			
2046	32.10	2.899	2096	33.29	6.696			
2047	32.12	2.125	2097	33.31	6.938			
2048	32.14	1.895	2098	33.33	6.927			
2049	32.17	6.500	2099	33.36	3.595			
2050	32.19	6.288	2100	33.38	3.808			

Table IX D-43 Digitized Accelerations of Earthquake Record with Index Number 817

INDEX NO. 817 1319-GR-1 SHINMATSUZAWA B TR; MAX.ACCEL.= 118.684(GAL) T=16.21(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.13	+2.082	51	0.96	-23.565	101	1.79	5.234	151	2.54	-8.539
2	0.14	1.581	52	0.97	-29.443	102	1.80	9.160	152	2.55	-11.164
3	0.15	2.755	53	0.98	-29.625	103	1.81	8.319	153	2.57	-9.540
4	0.16	-3.329	54	0.99	-23.353	104	1.82	-4.816	154	2.60	+0.229
5	0.17	-6.648	55	1.01	+10.478	105	1.84	-22.186	155	2.61	8.385
6	0.18	-12.972	56	1.02	5.411	106	1.85	-27.262	156	2.63	8.747
7	0.20	-25.082	57	1.04	8.068	107	1.86	-28.600	157	2.65	3.885
8	0.21	-30.194	58	1.05	4.239	108	1.87	-24.441	158	2.68	-14.628
9	0.22	-31.041	59	1.06	-7.089	109	1.88	-17.522	159	2.70	-23.077
10	0.24	-28.651	60	1.08	-29.498	110	1.90	-3.928	160	2.72	-24.669
11	0.26	-14.555	61	1.09	-38.335	111	1.92	1.196	161	2.73	-21.019
12	0.27	-5.949	62	1.10	-40.666	112	1.93	+2.654	162	2.74	-11.087
13	0.28	-4.027	63	1.11	-32.763	113	1.95	-5.276	163	2.77	15.446
14	0.29	-5.825	64	1.12	-16.345	114	1.97	-5.439	164	2.78	16.614
15	0.31	-18.474	65	1.14	2.489	115	1.99	+5.626	165	2.79	14.258
16	0.33	-23.114	66	1.15	4.410	116	2.01	-10.717	166	2.80	7.152
17	0.34	-21.935	67	1.16	2.585	117	2.02	-21.111	167	2.82	+10.727
18	0.35	-14.081	68	1.18	-5.053	118	2.04	-26.199	168	2.83	-24.833
19	0.37	-12.961	69	1.20	-17.746	119	2.05	-25.039	169	2.85	-27.435
20	0.38	-17.303	70	1.22	+22.890	120	2.06	-20.118	170	2.86	-23.253
21	0.41	-25.544	71	1.24	+25.800	121	2.07	-7.213	171	2.87	-15.033
22	0.43	-25.663	72	1.26	+26.659	122	2.09	2.404	172	2.88	-3.680
23	0.45	-14.857	73	1.27	-25.012	123	2.10	2.347	173	2.89	1.516
24	0.47	-9.285	74	1.28	-19.340	124	2.12	-10.378	174	2.90	0.126
25	0.49	-10.654	75	1.30	+6.706	125	2.14	-15.466	175	2.92	-1.283
26	0.51	-12.526	76	1.32	2.646	126	2.15	-11.340	176	2.94	-0.168
27	0.53	-10.941	77	1.33	-1.220	127	2.18	-2.019	177	2.96	+7.306
28	0.55	-24.094	78	1.34	+7.555	128	2.19	-0.389	178	2.98	+12.450
29	0.56	-23.176	79	1.36	-19.701	129	2.20	+3.476	179	2.99	-10.775
30	0.58	-18.892	80	1.38	+22.369	130	2.22	-9.082	180	3.01	-2.213
31	0.61	-19.061	81	1.40	+19.995	131	2.23	-23.216	181	3.03	0.162
32	0.63	-17.503	82	1.42	+10.179	132	2.25	-26.597	182	3.04	-1.938
33	0.67	+16.562	83	1.44	+6.573	133	2.26	-22.913	183	3.07	-8.173
34	0.69	+18.500	84	1.45	-9.174	134	2.27	-14.982	184	3.10	+10.401
35	0.71	+21.597	85	1.47	+11.633	135	2.29	8.841	185	3.13	+10.094
36	0.73	-22.503	86	1.49	+8.991	136	2.31	12.494	186	3.15	+1.999
37	0.74	-18.868	87	1.52	+8.924	137	2.32	3.123	187	3.17	7.376
38	0.77	-10.369	88	1.53	-12.315	138	2.33	-9.974	188	3.18	5.529
39	0.79	+11.763	89	1.55	+11.963	139	2.35	-20.315	189	3.19	+0.043
40	0.80	+14.323	90	1.57	-5.867	140	2.36	-23.652	190	3.21	-10.418
41	0.82	+21.205	91	1.59	-7.019	141	2.37	+22.469	191	3.22	-13.763
42	0.83	+23.801	92	1.62	-15.964	142	2.38	+15.065	192	3.26	+14.846
43	0.84	-25.167	93	1.63	+12.579	143	2.40	+5.206	193	3.28	+8.697
44	0.86	-22.282	94	1.67	+6.626	144	2.41	+3.293	194	3.30	3.090
45	0.87	-21.652	95	1.69	+7.779	145	2.42	+3.409	195	3.31	3.024
46	0.88	-22.451	96	1.71	+14.196	146	2.44	+7.307	196	3.32	0.459
47	0.89	+17.018	97	1.73	+16.842	147	2.47	+11.275	197	3.34	+9.675
48	0.90	+12.092	98	1.75	+18.963	148	2.49	+8.154	198	3.35	+10.201
49	0.91	+11.472	99	1.76	+16.544	149	2.51	+0.817	199	3.36	-6.659
50	0.93	-12.865	100	1.77	+9.118	150	2.52	-2.155	200	3.38	+0.729

土木構造物における加速度強震記録（No.9）

INDEX NO. 817 1319-GR-1 SHIMAMATSUZAWA B TR. MAX.ACCEL.= 118.684(GAL) T=16.21(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	3.39	-1.295	251	4.05	-5.101	301	4.83	3.787	351	5.60	-1.958
202	3.40	-6.388	252	4.07	3.798	302	4.84	-2.491	352	5.62	8.134
203	3.42	-9.032	253	4.08	4.976	303	4.85	-14.088	353	5.63	7.528
204	3.44	-1.680	254	4.09	1.135	304	4.86	-30.197	354	5.64	4.206
205	3.45	-1.273	255	4.10	-5.740	305	4.87	-32.032	355	5.66	-5.923
206	3.46	-7.364	256	4.12	-7.902	306	4.88	-26.582	356	5.67	-15.044
207	3.49	-19.527	257	4.15	-6.334	307	4.89	-9.935	357	5.70	-18.209
208	3.50	-19.139	258	4.13	-3.310	308	4.90	28.477	358	5.71	-16.103
209	3.52	-13.918	259	4.19	-6.431	309	4.91	30.170	359	5.73	-11.751
210	3.54	0.547	260	4.21	-7.810	310	4.92	20.092	360	5.75	-11.877
211	3.56	2.426	261	4.22	-6.200	311	4.94	-27.579	361	5.77	-13.310
212	3.57	1.087	262	4.24	-3.415	312	4.95	-42.906	362	5.79	-15.479
213	3.58	-4.487	263	4.25	-2.317	313	4.95	-49.232	363	5.81	-11.811
214	3.60	-14.631	264	4.27	-5.779	314	4.97	-46.281	364	5.82	-3.158
215	3.61	-25.993	265	4.28	-10.339	315	4.98	-27.621	365	5.83	12.711
216	3.63	-25.828	266	4.30	-10.798	316	5.01	15.399	366	5.85	18.356
217	3.64	-17.162	267	4.32	-20.723	317	5.02	15.794	367	5.86	11.489
218	3.65	2.234	268	4.33	-19.268	318	5.04	2.178	368	5.88	-8.110
219	3.66	6.892	269	4.34	-12.351	319	5.08	-31.880	369	5.89	-25.490
220	3.67	8.078	270	4.36	5.469	320	5.09	-31.940	370	5.90	-30.840
221	3.68	-2.502	271	4.38	12.576	321	5.10	-29.509	371	5.91	-29.159
222	3.70	-19.132	272	4.39	14.484	322	5.11	-17.134	372	5.92	-22.232
223	3.71	-23.733	273	4.40	7.157	323	5.13	1.686	373	5.94	-9.588
224	3.72	-21.310	274	4.41	-1.165	324	5.15	4.557	374	5.95	3.051
225	3.73	-12.633	275	4.43	-12.839	325	5.16	-0.295	375	5.96	5.474
226	3.74	3.016	276	4.45	-20.012	326	5.18	-9.174	376	5.97	-0.882
227	3.76	12.895	277	4.48	-23.497	327	5.19	-17.535	377	5.99	-7.729
228	3.77	15.294	278	4.50	-16.869	328	5.21	-18.895	378	6.00	-13.094
229	3.79	7.951	279	4.52	-1.774	329	5.22	-12.752	379	6.01	-13.185
230	3.80	-13.658	280	4.53	1.367	330	5.25	-0.461	380	6.03	-13.854
231	3.81	-27.514	281	4.55	-16.293	331	5.26	0.700	381	6.04	-17.930
232	3.83	-31.602	282	4.57	-20.890	332	5.27	-3.114	382	6.06	-26.786
233	3.84	-29.937	283	4.58	-18.720	333	5.28	-11.202	383	6.07	-27.648
234	3.85	-19.525	284	4.59	-5.327	334	5.30	-26.133	384	6.08	-25.729
235	3.86	-1.122	285	4.61	5.601	335	5.31	-25.724	385	6.09	-20.823
236	3.88	9.021	286	4.62	9.460	336	5.33	-13.865	386	6.11	-7.172
237	3.89	12.677	287	4.63	6.348	337	5.36	-0.813	387	6.13	8.422
238	3.90	10.112	288	4.65	-0.002	338	5.37	-0.150	388	6.14	10.310
239	3.92	-11.836	289	4.66	-10.867	339	5.43	-20.597	389	6.15	5.985
240	3.93	-20.910	290	4.67	-19.729	340	5.44	-25.698	390	6.16	0.200
241	3.94	-22.237	291	4.68	-24.299	341	5.45	-26.050	391	6.17	-8.650
242	3.95	-15.071	292	4.69	-22.127	342	5.46	-20.607	392	6.18	-18.496
243	3.96	-1.901	293	4.71	-14.786	343	5.48	-5.513	393	6.19	-21.603
244	3.98	8.213	294	4.74	-16.211	344	5.49	5.867	394	6.21	-19.991
245	3.99	6.414	295	4.76	-20.176	345	5.50	4.791	395	6.24	-9.431
246	4.00	-1.148	296	4.78	-15.781	346	5.51	-2.292	396	6.25	1.212
247	4.01	-13.754	297	4.79	-5.624	347	5.54	-17.230	397	6.26	5.612
248	4.02	-21.119	298	4.80	1.052	348	5.56	-28.110	398	6.27	3.771
249	4.03	-21.201	299	4.81	9.208	349	5.57	-25.220	399	6.29	-5.095
250	4.04	-15.764	300	4.82	9.880	350	5.58	-19.053	400	6.31	-15.988

INDEX NO. 817 1319-GR-1 SHIMAMATSUZAWA B TR. MAX.ACCEL.= 118.684(GAL) T=16.21(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	6.32	-17.108	451	7.02	-13.372	501	7.68	22.312	551	8.73	33.963
402	6.34	-9.754	452	7.04	-14.233	502	7.90	-24.049	552	8.74	31.893
403	6.36	-2.866	453	7.06	-13.878	503	7.92	-50.433	553	8.75	29.565
404	6.38	+3.249	454	7.08	-10.321	504	7.93	-51.773	554	8.76	-1.540
405	6.40	-2.452	455	7.11	-12.284	505	7.94	-46.349	555	8.78	-28.434
406	6.42	-13.108	456	7.13	-11.210	506	7.95	-24.202	556	8.79	-34.259
407	6.43	-6.193	457	7.15	+4.586	507	7.97	12.912	557	8.80	-33.824
408	6.45	2.101	458	7.17	2.243	508	7.99	24.267	558	8.82	-4.982
409	6.46	9.072	459	7.18	2.658	509	8.00	20.676	559	8.83	16.425
410	6.47	9.493	460	7.19	0.325	510	8.01	6.051	560	8.84	23.852
411	6.48	6.431	461	7.21	-1.927	511	8.03	-9.338	561	8.85	24.530
412	6.49	-1.632	462	7.22	+1.458	512	8.05	-16.522	562	8.86	13.170
413	6.50	-12.516	463	7.23	+0.739	513	8.08	-13.718	563	8.87	-1.897
414	6.52	-15.199	464	7.24	+2.078	514	8.10	1.351	564	8.89	+16.528
415	6.53	+4.734	465	7.26	-10.983	515	8.12	11.687	565	8.90	+19.875
416	6.55	2.836	466	7.27	-19.108	516	8.14	12.542	566	8.91	-18.214
417	6.56	5.972	467	7.29	-13.729	517	8.16	6.188	567	8.92	-8.326
418	6.57	3.718	468	7.30	-3.315	518	8.17	-7.198	568	8.94	2.774
419	6.58	-9.360	469	7.31	2.329	519	8.21	-22.212	569	8.96	3.913
420	6.59	-17.479	470	7.33	2.737	520	8.22	+21.087	570	8.97	1.517
421	6.61	-16.595	471	7.35	+7.193	521	8.23	-18.631	571	9.00	1.036
422	6.62	-7.216	472	7.36	-12.306	522	8.26	8.887	572	9.01	2.210
423	6.64	2.673	473	7.37	-10.634	523	8.28	13.729	573	9.03	1.614
424	6.65	5.096	474	7.38	+6.475	524	8.29	10.646	574	9.04	-3.506
425	6.66	2.500	475	7.42	+0.009	525	8.30	-0.195	575	9.06	-12.881
426	6.67	-3.846	476	7.44	-0.389	526	8.32	-21.867	576	9.07	-12.459
427	6.68	-8.193	477	7.47	0.594	527	8.35	-29.788	577	9.09	2.382
428	6.70	-14.026	478	7.48	-9.526	528	8.36	-26.932	578	9.10	14.252
429	6.71	-14.112	479	7.51	+8.227	529	8.38	+12.301	579	9.12	14.169
430	6.72	-11.189	480	7.54	-11.430	530	8.40	10.326	580	9.13	9.831
431	6.73	-4.298	481	7.56	+8.363	531	8.41	28.466	581	9.14	+4.523
432	6.74	2.402	482	7.58	1.982	532	8.42	30.123	582	9.16	-23.187
433	6.75	5.537	483	7.60	10.318	533	8.43	23.043	583	9.17	-19.294
434	6.77	4.617	484	7.62	5.943	534	8.44	7.207	584	9.19	-11.154
435	6.80	0.171	485	7.64	-6.237	535	8.47	-32.255	585	9.21	9.205
436	6.82	-7.975	486	7.66	-6.900	536	8.49	-37.654	586	9.22	17.875
437	6.84	-11.888	487	7.67	+5.996	537	8.50	-29.752	587	9.23	20.807
438	6.86	+14.542	488	7.69	-11.631	538	8.52	+5.362	588	9.24	12.654
439	6.87	-9.941	489	7.70	+17.506	539	8.53	21.256	589	9.26	-0.481
440	6.89	+3.817	490	7.72	-13.353	540	8.55	31.380	590	9.28	-12.132
441	6.90	-6.163	491	7.73	4.762	541	8.56	28.305	591	9.31	-13.578
442	6.92	+13.779	492	7.75	15.905	542	8.57	16.473	592	9.33	-23.790
443	6.93	-17.130	493	7.76	17.305	543	8.60	+16.278	593	9.35	-16.642
444	6.94	+17.236	494	7.77	3.445	544	8.61	-12.138	594	9.37	9.684
445	6.95	+15.996	495	7.80	-38.026	545	8.64	+11.583	595	9.39	23.545
446	6.97	+1.915	496	7.81	+40.598	546	8.65	-15.938	596	9.40	26.702
447	6.98	4.257	497	7.82	+36.391	547	8.67	-17.296	597	9.41	22.365
448	6.99	5.416	498	7.85	45.062	548	8.68	+8.893	598	9.42	12.299
449	7.00	2.323	499	7.86	51.496	549	8.69	1.029	599	9.44	-19.129
450	7.01	-5.252	500	7.87	50.172	550	8.72	30.056	600	9.46	+33.249

INDEX NO. 817 1319-GR-1 SHINAKATSUZAWA-A 0 TR. MAX.ACCEL.= 116.684(GAL) T=16.21(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	9.47	-33.837	651	10.28	16.508	701	11.11	11.237	751	12.02	-2.538
602	9.50	13.186	652	10.30	-5.932	702	11.12	16.127	752	12.03	-8.144
603	9.51	2n.295	653	10.33	-13.972	703	11.13	12.550	753	12.05	-11.519
604	9.52	26.488	654	10.34	-11.392	704	11.14	4.224	754	12.06	-9.110
605	9.53	16.917	655	10.37	1:.558	705	11.16	-9.498	755	12.09	-3.751
606	9.56	-20.069	656	10.38	21.438	706	11.17	-12.475	756	12.09	-1.848
607	9.57	-25.176	657	10.39	17.598	707	11.18	-7.055	757	12.10	-1.439
608	9.58	-25.199	658	10.41	4.981	708	11.20	3.568	758	12.12	-3.333
609	9.59	-23.524	659	10.43	-7.183	709	11.21	9.967	759	12.13	-2.199
610	9.60	-17.859	660	10.45	-5.552	710	11.24	9.755	760	12.15	0.714
611	9.65	22.697	661	10.47	1.788	711	11.28	8.205	761	12.16	4.359
612	9.67	23.837	662	10.48	1.173	712	11.29	6.350	762	12.17	6.247
613	9.68	20.251	663	10.50	-7.703	713	11.31	-2.596	763	12.18	4.407
614	9.70	6.308	664	10.51	-15.328	714	11.34	-3.584	764	12.20	-0.687
615	9.73	-9.183	665	10.52	-14.909	715	11.38	2.925	765	12.21	-5.293
616	9.75	-8.307	666	10.53	-4.992	716	11.39	9.588	766	12.22	-6.622
617	9.76	-2.673	667	10.55	12.662	717	11.41	-10.560	767	12.23	-4.965
618	9.78	-1.539	668	10.56	23.801	718	11.42	-11.932	768	12.25	3.184
619	9.79	-7.929	669	10.57	26.246	719	11.44	-2.702	769	12.26	10.553
620	9.81	-3.827	670	10.58	16.148	720	11.46	13.535	770	12.28	9.177
621	9.83	5.530	671	10.61	-19.588	721	11.47	14.170	771	12.29	10.312
622	9.85	15.901	672	10.62	-20.198	722	11.51	2.169	772	12.30	14.744
623	9.86	8.506	673	10.64	-7.320	723	11.54	-8.351	773	12.32	28.365
624	9.88	-2.864	674	10.65	6.560	724	11.56	-2.746	774	12.33	39.771
625	9.90	-12.999	675	10.67	10.707	725	11.59	4.494	775	12.35	44.163
626	9.91	-16.614	676	10.68	7.832	726	11.61	3.888	776	12.36	43.566
627	9.93	-16.253	677	10.72	-8.981	727	11.62	-2.465	777	12.37	40.969
628	9.94	-3.869	678	10.75	-13.699	728	11.64	-15.396	778	12.39	38.348
629	9.96	15.014	679	10.77	-4.077	729	11.66	-17.555	779	12.40	39.997
630	9.97	18.931	680	10.79	11.225	730	11.68	-13.927	780	12.42	40.363
631	9.98	18.851	681	10.81	13.090	731	11.71	-2.428	781	12.43	39.728
632	9.99	11.528	682	10.82	7.490	732	11.73	9.693	782	12.45	34.607
633	10.00	-6.337	683	10.83	-1.357	733	11.75	25.251	783	12.47	25.722
634	10.01	-19.928	684	10.85	-0.982	734	11.77	25.904	784	12.48	16.837
635	10.02	-24.269	685	10.86	4.402	735	11.78	17.061	785	12.50	8.938
636	10.03	-23.828	686	10.88	13.555	736	11.79	1.196	786	12.51	7.102
637	10.04	-19.825	687	10.89	9.193	737	11.81	-8.957	787	12.54	12.422
638	10.05	-5.935	688	10.91	-2.682	738	11.82	-2.265	788	12.56	13.534
639	10.06	20.170	689	10.92	-14.825	739	11.84	22.820	789	12.57	10.937
640	10.07	26.833	690	10.94	-23.666	740	11.85	26.902	790	12.59	0.803
641	10.08	26.257	691	10.95	-16.566	741	11.86	27.662	791	12.61	-14.616
642	10.09	24.948	692	10.97	0.285	742	11.87	22.569	792	12.62	-22.504
643	10.10	19.861	693	10.99	6.383	743	11.91	-4.175	793	12.64	-26.410
644	10.12	7.223	694	11.02	11.447	744	11.92	-4.272	794	12.67	-29.597
645	10.14	-8.167	695	11.03	12.091	745	11.93	-5.618	795	12.69	-39.512
646	10.16	-12.552	696	11.04	3.244	746	11.95	-14.009	796	12.72	-48.963
647	10.17	-13.431	697	11.06	-10.362	747	11.96	-15.628	797	12.74	-60.847
648	10.19	0.159	698	11.07	-14.203	748	11.98	-11.221	798	12.75	-61.013
649	10.23	12.846	699	11.08	-16.280	749	11.99	-2.090	799	12.76	-57.329
650	10.26	15.393	700	11.09	-7.627	750	12.00	1.809	800	12.77	-50.407

INDEX NO. 817 1319-GR-1 SHINAKATSUZAWA B TR. MAX.ACCEL.= 116.684(GAL) T=16.21(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	12.78	-36.736	851	13.61	28.522	901	14.61	9.658	951	15.47	-29.044
802	12.80	-22.345	852	13.62	25.441	902	14.63	14.287	952	15.51	-0.335
803	12.81	-7.727	853	13.64	17.854	903	14.64	18.696	953	15.53	18.511
804	12.83	-4.611	854	13.65	5.998	904	14.68	23.925	954	15.55	41.317
805	12.86	0.156	855	13.66	-10.582	905	14.70	22.776	955	15.56	48.247
806	12.89	6.925	856	13.69	-43.589	906	14.71	18.930	956	15.58	49.900
807	12.91	3.782	857	13.72	-64.552	907	14.72	7.545	957	15.59	46.284
808	12.93	-5.141	858	13.75	-63.774	908	14.74	-2.083	958	15.61	41.600
809	12.95	-29.315	859	13.77	-56.487	909	14.76	-3.449	959	15.63	44.456
810	12.97	-51.709	860	13.79	-37.622	910	14.77	-2.580	960	15.65	46.283
811	12.99	-63.372	861	13.81	-7.784	911	14.79	11.762	961	15.68	37.359
812	13.00	-65.200	862	13.84	36.528	912	14.83	45.696	962	15.70	20.162
813	13.02	-60.559	863	13.86	66.088	913	14.85	55.057	963	15.72	10.527
814	13.03	-48.691	864	13.87	76.739	914	14.86	57.455	964	15.74	2.109
815	13.05	-36.792	865	13.89	80.902	915	14.87	55.633	965	15.75	-10.486
816	13.06	-10.434	866	13.90	70.559	916	14.88	40.797	966	15.77	-27.127
817	13.08	8.701	867	13.91	71.477	917	14.91	25.137	967	15.78	-31.974
818	13.11	47.199	868	13.93	43.584	918	14.93	-2.344	968	15.79	-31.540
819	13.14	72.505	869	13.94	7.950	919	14.96	-8.289	969	15.80	-25.363
820	13.15	82.870	870	13.96	-18.165	920	14.97	-5.404	970	15.81	-17.929
821	13.17	88.000	871	13.97	-33.026	921	14.99	-1.280	971	15.82	-8.286
822	13.19	89.856	872	13.99	-38.632	922	15.00	9.627	972	15.83	-5.883
823	13.20	89.231	873	14.01	-35.818	923	15.02	25.237	973	15.85	-7.239
824	13.22	82.134	874	14.02	-34.652	924	15.03	30.132	974	15.86	-10.364
825	13.23	71.294	875	14.04	-24.768	925	15.04	34.548	975	15.88	-8.739
826	13.25	33.152	876	14.06	-6.682	926	15.06	31.959	976	15.89	-0.822
827	13.27	-14.807	877	14.08	14.592	927	15.07	26.875	977	15.91	7.514
828	13.28	-26.402	878	14.10	23.461	928	15.09	4.702	978	15.92	3.656
829	13.30	-28.498	879	14.12	25.341	929	15.10	-3.668	979	15.96	-19.102
830	13.31	-9.845	880	14.14	31.632	930	15.12	-1.263	980	15.99	-37.842
831	13.33	18.769	881	14.18	39.368	931	15.13	6.153	981	16.01	-42.030
832	13.34	37.862	882	14.19	35.006	932	15.14	20.278	982	16.04	-36.517
833	13.36	58.537	883	14.21	25.632	933	15.15	27.446	983	16.08	-17.560
834	13.38	79.386	884	14.22	3.247	934	15.17	25.598	984	16.12	1.355
835	13.40	102.698	885	14.25	-24.227	935	15.18	19.258	985	16.14	22.662
836	13.41	104.812	886	14.27	-37.141	936	15.23	-17.870	986	16.16	57.556
837	13.42	95.779	887	14.29	-33.022	937	15.25	-30.804	987	16.19	96.117
838	13.44	77.413	888	14.31	-17.681	938	15.27	-31.704	988	16.20	110.524
839	13.45	28.280	889	14.37	16.302	939	15.28	-26.314	989	16.21	118.684
840	13.46	+25.069	890	14.39	16.427	940	15.30	-16.985	990	16.22	118.620
841	13.48	+49.424	891	14.41	8.029	941	15.33	-3.921	991	16.23	115.054
842	13.49	-69.049	892	14.44	-12.458	942	15.35	14.919	992	16.24	93.944
843	13.51	+74.392	893	14.47	-19.680	943	15.37	44.760	993	16.25	62.093
844	13.52	-67.258	894	14.49	-21.873	944	15.38	47.687	994	16.27	34.969
845	13.54	-53.374	895	14.52	-19.569	945	15.39	46.609	995	16.28	22.631
846	13.55	-32.469	896	14.53	-13.416	946	15.40	38.281	996	16.29	20.031
847	13.56	-13.057	897	14.55	2.923	947	15.42	+4.896	997	16.31	26.155
848	13.57	3.342	898	14.57	13.534	948	15.44	+33.514	998	16.32	32.309
849	13.59	19.710	899	14.58	16.668	949	15.45	+30.596	999	16.33	31.752
850	13.60	27.350	900	14.60	10.293	950	15.46	+36.977	1000	16.34	25.398

土木構造物における加速度強震記録（No.9）

INDEX NO. 817 1319-SR-1 SHIMAHATSUZAKA B TR. MAX.ACCEL.= 119.688(GAL) T=16.21(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	16.36	5.503	1051	17.24	1.065	1101	18.02	25.089	1151	18.92	60.528
1002	16.38	-6.123	1052	17.26	-14.375	1102	18.04	29.193	1152	18.94	63.191
1003	16.40	-5.034	1053	17.27	-13.232	1103	18.05	25.599	1153	18.96	43.033
1004	16.41	4.130	1054	17.29	-7.698	1104	18.06	19.748	1154	18.97	8.437
1005	16.43	15.005	1055	17.31	5.717	1105	18.09	7.864	1155	18.98	-28.451
1006	16.46	35.741	1056	17.33	14.941	1106	18.10	3.998	1156	18.99	-38.748
1007	16.48	46.378	1057	17.36	12.573	1107	18.11	10.627	1157	19.00	-45.812
1008	16.49	39.772	1058	17.38	7.401	1108	18.14	39.442	1158	19.01	-49.668
1009	16.50	35.670	1059	17.40	-0.490	1109	18.16	52.543	1159	19.02	-48.015
1010	16.52	24.956	1060	17.41	-21.099	1110	18.17	53.219	1160	19.04	-35.650
1011	16.53	9.331	1061	17.44	-33.518	1111	18.18	48.863	1161	19.06	-30.029
1012	16.55	3.291	1062	17.45	-34.121	1112	18.21	18.360	1162	19.08	-27.169
1013	16.56	12.694	1063	17.46	-30.739	1113	18.25	-13.221	1163	19.09	-20.036
1014	16.57	24.347	1064	17.47	-20.822	1114	18.27	-17.340	1164	19.10	-8.377
1015	16.59	23.996	1065	17.49	-2.472	1115	18.28	-11.188	1165	19.12	9.510
1016	16.60	24.690	1066	17.51	13.152	1116	18.30	3.191	1166	19.13	34.631
1017	16.62	-2.919	1067	17.52	24.567	1117	18.32	17.792	1167	19.14	46.785
1018	16.63	-9.865	1068	17.54	34.373	1118	18.33	21.946	1168	19.16	49.202
1019	16.65	-10.753	1069	17.56	33.035	1119	18.34	15.062	1169	19.17	46.105
1020	16.66	-5.326	1070	17.57	19.911	1120	18.36	1.993	1170	19.19	28.923
1021	16.67	4.055	1071	17.58	5.853	1121	18.38	-24.910	1171	19.23	14.643
1022	16.69	3.439	1072	17.59	0.257	1122	18.39	-34.781	1172	19.25	11.448
1023	16.70	-4.161	1073	17.60	-3.576	1123	18.40	-29.863	1173	19.26	11.408
1024	16.71	-23.250	1074	17.61	-3.176	1124	18.42	-7.264	1174	19.27	16.061
1025	16.73	-45.664	1075	17.63	0.948	1125	18.45	17.298	1175	19.28	25.470
1026	16.74	-46.481	1076	17.64	2.113	1126	18.47	23.532	1176	19.29	37.873
1027	16.75	-38.298	1077	17.65	1.039	1127	18.49	29.716	1177	19.31	47.257
1028	16.78	3.729	1078	17.66	-0.039	1128	18.51	51.027	1178	19.32	47.175
1029	16.79	19.691	1079	17.68	-23.951	1129	18.53	66.155	1179	19.33	46.109
1030	16.80	12.012	1080	17.69	-23.548	1130	18.54	67.309	1180	19.35	26.419
1031	16.82	3.096	1081	17.70	-25.618	1131	18.55	62.467	1181	19.37	13.941
1032	16.85	-25.108	1082	17.71	-16.981	1132	18.57	30.063	1182	19.38	8.454
1033	16.87	-40.555	1083	17.73	-0.331	1133	18.60	-7.931	1183	19.39	8.029
1034	16.89	-37.599	1084	17.77	25.118	1134	18.62	-18.847	1184	19.41	9.953
1035	16.91	-25.880	1085	17.79	43.454	1135	18.64	-17.728	1185	19.42	10.569
1036	16.93	-24.278	1086	17.80	54.823	1136	18.66	-5.603	1186	19.44	6.475
1037	16.94	-25.385	1087	17.81	55.275	1137	18.67	9.058	1187	19.45	5.870
1038	16.96	-33.524	1088	17.83	35.889	1138	18.69	30.095	1188	19.46	7.521
1039	16.98	-39.928	1089	17.86	-25.865	1139	18.70	26.279	1189	19.47	14.183
1040	17.00	-19.503	1090	17.87	-35.704	1140	18.71	18.192	1190	19.49	20.090
1041	17.04	-1.367	1091	17.88	-36.795	1141	18.73	4.064	1191	19.50	42.729
1042	17.06	5.973	1092	17.89	-35.859	1142	18.75	-3.098	1192	19.51	50.132
1043	17.07	12.401	1093	17.90	-29.176	1143	18.77	-11.024	1193	19.53	49.526
1044	17.08	31.794	1094	17.92	-3.352	1144	18.79	-22.687	1194	19.54	40.664
1045	17.11	86.316	1095	17.93	13.053	1145	18.82	-39.878	1195	19.56	20.720
1046	17.13	111.601	1096	17.94	14.225	1146	18.83	-45.745	1196	19.58	9.345
1047	17.14	115.804	1097	17.95	20.625	1147	18.85	-35.376	1197	19.60	9.729
1048	17.16	111.446	1098	17.97	21.022	1148	18.86	-19.474	1198	19.61	16.608
1049	17.17	98.830	1099	17.98	22.284	1149	18.89	17.578	1199	19.62	22.747
1050	17.20	53.921	1100	18.00	24.003	1150	18.91	49.145	1200	19.64	26.395

INDEX NO. 817 1319-SR-1 SHIMAHATSUZAKA B TR. MAX.ACCEL.= 110.694(GAL) T=16.21(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	19.65	24.539	1251	20.34	25.859	1301	21.42	3.948	1351	22.36	-34.164
1202	19.67	16.885	1252	20.36	6.176	1302	21.44	9.810	1352	22.37	-19.994
1203	19.69	10.954	1253	20.38	-6.199	1303	21.46	23.679	1353	22.40	25.513
1204	19.71	10.048	1254	20.39	-7.046	1304	21.47	36.544	1354	22.41	29.926
1205	19.73	8.913	1255	20.40	3.615	1305	21.49	44.164	1355	22.42	31.814
1206	19.75	-0.197	1256	20.41	16.291	1306	21.51	41.742	1356	22.44	32.401
1207	19.77	-20.615	1257	20.42	31.989	1307	21.53	38.855	1357	22.47	25.929
1208	19.78	-38.484	1258	20.43	44.353	1308	21.56	35.105	1358	22.50	17.732
1209	19.80	-41.138	1259	20.45	50.500	1309	21.60	26.570	1359	22.52	15.102
1210	19.81	-28.231	1260	20.46	50.178	1310	21.62	19.877	1360	22.53	6.010
1211	19.83	-8.828	1261	20.47	45.856	1311	21.65	17.627	1361	22.56	-19.258
1212	19.84	5.027	1262	20.48	29.466	1312	21.67	8.988	1362	22.57	-25.605
1213	19.87	11.348	1263	20.70	10.194	1313	21.69	-5.142	1363	22.59	-23.217
1214	19.89	10.926	1264	20.73	15.132	1314	21.71	-19.328	1364	22.61	-8.418
1215	19.91	17.772	1265	20.74	3.558	1315	21.73	-23.248	1365	22.62	-5.962
1216	19.93	32.875	1266	20.76	-5.145	1316	21.75	-14.931	1366	22.63	-6.063
1217	19.94	41.750	1267	20.78	-9.510	1317	21.77	-1.301	1367	22.65	-4.482
1218	19.96	43.409	1268	20.79	-14.870	1318	21.80	32.671	1368	22.68	5.546
1219	19.97	42.822	1269	20.80	-22.442	1319	21.81	37.854	1369	22.71	15.585
1220	19.98	38.499	1270	20.82	-32.125	1320	21.82	33.508	1370	22.72	17.479
1221	19.99	32.674	1271	20.83	-29.202	1321	21.84	20.422	1371	22.73	12.411
1222	20.02	13.106	1272	20.84	-23.036	1322	21.86	-12.991	1372	22.75	-4.214
1223	20.04	-20.990	1273	20.86	-3.400	1323	21.87	-29.582	1373	22.78	-22.945
1224	20.05	-39.361	1274	20.87	12.992	1324	21.89	-41.750	1374	22.80	-21.830
1225	20.08	-27.807	1275	20.89	20.853	1325	21.91	-46.398	1375	22.83	-11.349
1226	20.13	-5.431	1276	20.91	23.190	1326	21.93	-43.098	1376	22.85	-12.780
1227	20.15	7.155	1277	20.94	29.506	1327	21.96	-33.300	1377	22.88	-13.021
1228	20.16	10.783	1278	20.95	28.969	1328	21.97	-25.611	1378	22.91	-6.434
1229	20.18	11.183	1279	20.96	23.709	1329	21.99	-2.258	1379	22.93	8.649
1230	20.19	6.308	1280	20.98	14.433	1330	22.01	40.034	1380	22.96	46.179
1231	20.21	-0.051	1281	20.99	-7.451	1331	22.03	53.418	1381	22.97	58.041
1232	20.22	-3.918	1282	21.02	-15.889	1332	22.04	55.838	1382	22.99	60.438
1233	20.25	-8.954	1283	21.04	-17.326	1333	22.05	49.493	1383	23.00	57.370
1234	20.27	20.219	1284	21.07	-17.567	1334	22.07	22.815	1384	23.01	40.770
1235	20.28	21.353	1285	21.09	-11.433	1335	22.10	-9.144	1385	23.03	2.579
1236	20.29	17.519	1286	21.10	-2.280	1336	22.12	-18.307	1386	23.06	-23.157
1237	20.30	6.927	1287	21.13	26.728	1337	22.13	-14.673	1387	23.08	-27.063
1238	20.32	-10.947	1288	21.15	40.568	1338	22.15	-4.776	1388	23.10	-25.421
1239	20.34	-21.321	1289	21.16	41.212	1339	22.17	5.790	1389	23.11	-18.036
1240	20.35	-19.197	1290	21.18	39.856	1340	22.19	7.661	1390	23.13	0.826
1241	20.37	-8.569	1291	21.20	29.208	1341	22.21	8.770	1391	23.16	55.104
1242	20.39	19.227	1292	21.22	7.809	1342	22.22	16.386	1392	23.17	66.001
1243	20.41	26.598	1293	21.23	-6.579	1343	22.25	30.178	1393	23.18	68.620
1244	20.42	26.476	1294	21.26	-11.500	1344	22.26	41.833	1394	23.20	66.583
1245	20.45	13.264	1295	21.29	-3.769	1345	22.27	40.769	1395	23.21	54.492
1246	20.47	9.376	1296	21.31	-6.148	1346	22.28	36.221	1396	23.23	18.305
1247	20.48	16.010	1297	21.34	-16.385	1347	22.29	16.858	1397	23.26	-9.441
1248	20.50	25.125	1298	21.36	-15.543	1348	22.33	-30.436	1398	23.30	-33.722
1249	20.51	34.018	1299	21.37	-6.939	1349	22.34	-37.003	1399	23.33	-43.459
1250	20.52	33.456	1300	21.40	1.123	1350	22.35	-38.336	1400	23.36	-38.897

INDEX NO. 817 1319-SR-1 SHINKATSUZAWA 8 TR. MAX.ACCEL.= 118.684(GAL) T=16.21(SEC) NO. 8

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1401	23.37	-27.013	1451	24.40	4.557	1501	25.43	23.756	1551	26.19	-1.244
1402	23.39	-0.443	1452	24.41	9.669	1502	25.45	23.066	1552	26.21	6.100
1403	23.42	36.141	1453	24.42	2.346	1503	25.48	19.114	1553	26.24	21.163
1404	23.44	53.724	1454	24.44	7.999	1504	25.50	20.652	1554	26.26	27.263
1405	23.45	58.858	1455	24.45	21.124	1505	25.54	14.897	1555	26.27	26.163
1406	23.47	49.977	1456	24.47	39.470	1506	25.55	7.275	1556	26.28	14.820
1407	23.49	23.324	1457	24.49	44.329	1507	25.57	-3.104	1557	26.30	-11.346
1408	23.51	-7.853	1458	24.51	45.658	1508	25.58	-22.739	1558	26.31	-28.461
1409	23.53	-17.762	1459	24.52	34.613	1509	25.60	-31.333	1559	26.33	-32.101
1410	23.55	-14.063	1460	24.55	17.031	1510	25.61	-31.455	1560	26.35	-26.727
1411	23.56	-2.480	1461	24.58	7.829	1511	25.62	-24.772	1561	26.39	-11.777
1412	23.58	12.659	1462	24.61	0.166	1512	25.64	-9.116	1562	26.42	0.663
1413	23.59	16.233	1463	24.63	-16.005	1513	25.65	35.260	1563	26.45	2.449
1414	23.61	16.675	1464	24.64	-27.633	1514	25.67	55.115	1564	26.49	5.134
1415	23.63	14.711	1465	24.66	-31.046	1515	25.69	60.537	1565	26.51	9.486
1416	23.66	23.542	1466	24.68	-24.931	1516	25.69	55.211	1566	26.52	13.161
1417	23.66	27.834	1467	24.70	-5.063	1517	25.70	32.600	1567	26.53	18.296
1418	23.69	24.351	1468	24.72	15.292	1518	25.72	-2.293	1568	26.55	16.426
1419	23.70	12.172	1469	24.73	26.496	1519	25.73	-13.865	1569	26.56	10.061
1420	23.73	-13.555	1470	24.75	23.298	1520	25.75	-19.730	1570	26.58	0.411
1421	23.76	-27.271	1471	24.76	13.942	1521	25.77	-16.134	1571	26.59	-1.677
1422	23.78	-25.661	1472	24.78	-7.723	1522	25.78	-11.990	1572	26.61	-1.296
1423	23.79	-17.521	1473	24.80	-5.636	1523	25.79	-13.058	1573	26.62	-0.141
1424	23.82	7.650	1474	24.82	-3.758	1524	25.80	-21.911	1574	26.63	-1.484
1425	23.84	11.403	1475	24.83	-2.135	1525	25.82	-33.573	1575	26.65	-18.103
1426	23.85	7.045	1476	24.85	-1.542	1526	25.84	-42.434	1576	26.68	-46.574
1427	23.88	-1.994	1477	24.87	-7.182	1527	25.86	-29.078	1577	26.69	-54.445
1428	23.90	1.418	1478	24.91	-14.455	1528	25.88	1.018	1578	26.71	-50.324
1429	23.92	12.918	1479	24.93	-13.334	1529	25.89	13.155	1579	26.73	-37.950
1430	23.94	15.629	1480	24.95	-10.558	1530	25.90	14.346	1580	26.75	-17.640
1431	23.95	13.023	1481	24.97	-16.188	1531	25.91	12.521	1581	26.78	6.599
1432	23.97	7.383	1482	25.00	-31.655	1532	25.92	-3.303	1582	26.79	6.016
1433	24.02	-3.006	1483	25.02	-36.331	1533	25.94	-42.263	1583	26.80	1.692
1434	24.05	-22.980	1484	25.04	-27.732	1534	25.95	-42.325	1584	26.82	-9.202
1435	24.08	-29.713	1485	25.03	-9.833	1535	25.95	-39.916	1585	26.84	-20.058
1436	24.09	-28.584	1486	25.11	4.429	1535	25.98	-21.769	1585	26.85	-22.189
1437	24.11	-23.238	1487	25.14	7.722	1537	25.99	0.121	1587	26.87	-10.584
1438	24.14	-20.163	1488	25.17	11.712	1538	26.01	6.516	1588	26.89	4.560
1439	24.16	-16.586	1489	25.19	22.318	1539	26.02	5.928	1589	26.90	5.179
1440	24.17	-12.691	1490	25.21	23.912	1540	26.03	-9.918	1590	26.91	0.853
1441	24.19	-0.342	1491	25.22	17.922	1541	26.04	-17.033	1591	26.93	-15.012
1442	24.21	18.724	1492	25.24	4.447	1542	26.06	-25.918	1592	26.94	-25.383
1443	24.24	23.767	1493	25.26	-17.212	1543	26.07	-23.024	1593	26.96	-26.243
1444	24.26	20.867	1494	25.28	-22.635	1544	26.08	-9.368	1594	26.97	-16.833
1445	24.28	13.229	1495	25.33	-22.300	1545	26.10	7.721	1595	26.99	-1.269
1446	24.30	-4.703	1496	25.33	-20.751	1546	26.11	19.656	1596	27.02	18.797
1447	24.32	-12.374	1497	25.35	-22.672	1547	26.13	26.559	1597	27.03	19.437
1448	24.34	-8.263	1498	25.37	-14.551	1548	26.14	24.727	1598	27.05	9.286
1449	24.36	4.824	1499	25.39	3.049	1549	26.15	13.366	1599	27.08	-7.425
1450	24.38	7.193	1500	25.41	14.135	1550	26.18	-0.850	1600	27.10	-5.842

INDEX NO. 817 1319-SR-1 SHINKATSUZAWA 8 TR. MAX.ACCEL.= 118.684(GAL) T=16.21(SEC) NO. 9

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1601	27.13	1.353	1651	28.15	-6.300	1701	29.02	26.958	1751	30.06	9.394
1602	27.16	6.944	1652	28.18	-3.960	1702	29.04	31.793	1752	30.08	-6.744
1603	27.18	18.750	1653	28.20	-9.210	1703	29.09	8.691	1753	30.10	-9.865
1604	27.20	20.531	1654	28.21	-26.210	1704	29.12	-4.602	1754	30.11	-8.197
1605	27.22	20.962	1655	28.22	-26.572	1705	29.14	-2.591	1755	30.14	5.312
1606	27.23	23.996	1656	28.24	11.730	1706	29.16	16.829	1756	30.15	7.681
1607	27.26	-5.899	1657	28.25	13.354	1707	29.18	36.141	1757	30.17	5.052
1608	27.28	-32.306	1658	28.26	20.129	1708	29.21	41.203	1758	30.19	-4.382
1609	27.31	-41.318	1659	28.27	15.783	1709	29.23	36.790	1759	30.22	-14.838
1610	27.33	-37.403	1660	28.29	-5.961	1710	29.25	23.872	1760	30.24	-17.017
1611	27.35	-15.593	1661	28.31	-15.749	1711	29.27	5.932	1761	30.26	-16.632
1612	27.39	20.376	1662	28.32	-136.332	1712	29.30	-3.062	1762	30.28	-9.772
1613	27.41	331.452	1663	28.33	2.317	1713	29.35	-4.956	1763	30.30	0.829
1614	27.43	32.832	1664	28.35	17.460	1714	29.38	4.650	1764	30.31	3.439
1615	27.44	24.711	1665	28.35	35.338	1715	29.39	11.715	1765	30.33	0.098
1616	27.46	-3.327	1666	28.38	35.493	1716	29.40	11.133	1766	30.34	-5.537
1617	27.51	-9.581	1667	28.39	41.127	1717	29.42	3.493	1767	30.36	-5.183
1618	27.53	-9.733	1668	28.41	35.741	1718	29.44	-5.905	1768	30.38	-0.314
1619	27.54	-12.827	1669	28.43	27.623	1719	29.45	-13.247	1769	30.40	7.047
1620	27.57	-20.515	1670	28.45	20.405	1720	29.48	-5.960	1770	30.41	9.916
1621	27.59	-27.905	1671	28.47	27.030	1721	29.49	-3.076	1771	30.43	8.046
1622	27.60	-26.274	1672	28.48	20.665	1722	29.51	-4.936	1772	30.45	-1.338
1623	27.62	-131.925	1673	28.50	11.509	1723	29.52	-9.291	1773	30.47	-20.055
1624	27.63	-3.007	1674	28.52	6.071	1724	29.53	-14.383	1774	30.49	-27.713
1625	27.65	106.122	1675	28.54	-9.014	1725	29.55	-23.253	1775	30.51	-29.826
1626	27.66	21.502	1676	28.55	-20.657	1726	29.57	-33.177	1776	30.53	-25.528
1627	27.68	23.399	1677	28.57	-41.866	1727	29.60	-36.423	1777	30.55	-18.894
1628	27.70	136.991	1678	28.59	-53.932	1728	29.63	-41.899	1778	30.56	-13.250
1629	27.72	9.054	1679	28.61	-53.060	1729	29.65	-45.822	1779	30.57	-10.798
1630	27.75	-3.649	1680	28.62	-44.926	1730	29.66	-44.149	1780	30.58	-13.436
1631	27.76	-3.788	1681	28.64	-32.351	1731	29.68	-33.050	1781	30.60	-20.298
1632	27.78	4.076	1682	28.65	-31.986	1732	29.70	-19.236	1782	30.61	-24.917
1633	27.80	14.681	1683	28.69	-34.377	1733	29.72	-13.166	1783	30.62	-23.735
1634	27.82	16.320	1684	28.70	-32.271	1734	29.75	-7.633	1784	30.64	-17.101
1635	27.83	13.749	1685	28.71	-21.127	1735	29.77	-4.523	1785	30.65	-3.992
1636	27.85	8.281	1686	28.73	-8.016	1736	29.78	-8.338	1786	30.67	1.138
1637	27.88	9.359	1687	28.74	7.858	1737	29.81	-14.062	1787	30.68	1.527
1638	27.90	9.443	1688	28.76	12.252	1738	29.83	-22.508	1788	30.70	0.378
1639	27.92	-1.694	1689	28.77	9.535	1739	29.85	-24.390	1789	30.72	-0.535
1640	27.94	-23.367	1690	28.79	-4.263	1740	29.86	-21.019	1790	30.74	-0.673
1641	27.95	-35.969	1691	28.82	-33.530	1741	29.88	-12.403	1791	30.75	-7.535
1642	27.97	-37.607	1692	28.85	-35.201	1742	29.90	-3.028	1792	30.77	-15.200
1643	27.98	-24.210	1693	28.87	-25.360	1743	29.91	3.830	1793	30.80	-24.397
1644	28.00	-10.317	1694	28.88	-19.507	1744	29.93	3.191	1794	30.82	-30.335
1645	28.01	3.058	1695	28.90	-20.896	1745	29.95	-4.492	1795	30.84	-30.975
1646	28.03	7.188	1696	28.92	-37.073	1746	29.97	-7.632	1796	30.86	-30.104
1647	28.04	3.572	1697	28.94	-45.232	1747	29.99	-4.248	1797	30.87	-20.749
1648	28.07	-10.397	1698	28.96	-40.525	1748	30.01	13.799	1798	30.89	-7.889
1649	28.11	-25.426	1699	28.98	-17.233	1749	30.03	21.885	1799	30.91	-4.789
1650	28.13	-23.065	1700	29.00	10.606	1750	30.05	17.525	1800	30.92	-7.886

INDEX NO. 817 1319-GR-1 SHIMAMATSUZAKA B TR. MAX.ACCEL.= 118.634(GAL) T=16.21(SEC) NO.10

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1801	30.94	-15.055	1851	31.78	-33.620	1901	32.80	-32.819	1951	33.95	-24.566
1802	30.96	-19.439	1852	31.79	-23.733	1902	32.82	-24.210	1952	33.97	-23.437
1803	30.97	-20.305	1853	31.81	-9.853	1903	32.83	-11.585	1953	34.00	-14.959
1804	30.99	-18.637	1854	31.82	-1.209	1904	32.86	-4.758			
1805	31.00	-13.031	1855	31.87	7.669	1905	32.88	-2.652			
1806	31.02	0.848	1856	31.91	7.846	1906	32.89	-6.527			
1807	31.03	4.506	1857	31.92	7.721	1907	32.92	-4.985			
1808	31.05	-0.628	1858	31.93	5.187	1908	32.94	-0.130			
1809	31.08	-7.619	1859	31.95	13.036	1909	32.96	3.451			
1810	31.09	-7.222	1860	31.97	13.633	1910	32.98	-0.934			
1811	31.11	-1.356	1861	31.99	10.989	1911	33.00	-9.899			
1812	31.12	4.287	1862	32.01	2.676	1912	33.04	-17.139			
1813	31.13	13.927	1863	32.03	-7.854	1913	33.07	-28.152			
1814	31.15	23.822	1864	32.06	-16.133	1914	33.09	-37.347			
1815	31.16	24.210	1865	32.09	-15.052	1915	33.11	-38.263			
1816	31.18	23.104	1866	32.12	-7.793	1916	33.15	-36.069			
1817	31.19	18.004	1867	32.14	-1.750	1917	33.18	-33.782			
1818	31.21	10.035	1868	32.16	-0.156	1918	33.20	-25.923			
1819	31.24	1.840	1869	32.18	3.725	1919	33.24	-11.015			
1820	31.26	-2.546	1870	32.21	11.014	1920	33.27	-2.766			
1821	31.29	-13.696	1871	32.22	15.417	1921	33.28	-2.781			
1822	31.30	-20.593	1872	32.23	11.052	1922	33.31	6.205			
1823	31.31	-24.220	1873	32.25	-1.579	1923	33.33	10.030			
1824	31.32	-22.565	1874	32.26	-3.642	1924	33.35	4.391			
1825	31.34	-15.719	1875	32.29	-20.868	1925	33.38	3.655			
1826	31.36	-12.873	1876	32.31	-24.253	1926	33.41	6.915			
1827	31.38	-12.739	1877	32.32	-23.654	1927	33.44	6.668			
1828	31.39	-16.610	1878	32.34	-19.504	1928	33.47	7.692			
1829	31.41	-16.997	1879	32.37	-12.217	1929	33.50	8.210			
1830	31.42	-12.122	1880	32.38	-13.556	1930	33.52	3.019			
1831	31.44	-5.780	1881	32.40	-17.967	1931	33.55	-0.940			
1832	31.46	-0.956	1882	32.42	-30.114	1932	33.56	-1.021			
1833	31.48	-5.273	1883	32.43	-37.249	1933	33.58	4.329			
1834	31.49	-15.387	1884	32.44	-36.813	1934	33.60	9.131			
1835	31.51	-27.068	1885	32.46	-33.912	1935	33.62	6.001			
1836	31.53	-31.433	1886	32.48	-25.846	1936	33.64	-2.884			
1837	31.55	-29.873	1887	32.52	-12.151	1937	33.66	-12.561			
1838	31.58	-22.056	1888	32.54	1.690	1938	33.67	-15.907			
1839	31.60	-20.975	1889	32.56	14.030	1939	33.69	-17.322			
1840	31.61	-22.855	1890	32.58	19.405	1940	33.72	-20.541			
1841	31.62	-22.937	1891	32.59	16.539	1941	33.75	-24.010			
1842	31.64	-19.308	1892	32.61	8.900	1942	33.78	-22.995			
1843	31.65	-13.917	1893	32.65	3.114	1943	33.80	-20.179			
1844	31.67	-8.823	1894	32.67	8.461	1944	33.82	-15.639			
1845	31.69	-3.954	1895	32.69	15.038	1945	33.84	-21.450			
1846	31.70	-5.814	1896	32.73	7.695	1946	33.86	-29.343			
1847	31.72	-14.666	1897	32.72	-9.712	1947	33.88	-39.022			
1848	31.74	-30.082	1898	32.74	-29.376	1948	33.90	-43.926			
1849	31.75	-35.165	1899	32.77	-33.559	1949	33.91	-41.523			
1850	31.76	-37.022	1900	32.78	-38.165	1950	33.93	-35.992			

Table IX D-44 Digitized Accelerations of Earthquake Record with Index Number 818

INDEX NO. 818 1320-GR-1 SAPPORO I.C.3R. LG. MAX.ACCEL.= 248.927(GAL) T= 3.41(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.21	-1.318	51	1.10	-13.116	101	2.07	26.599	151	2.80	-1.381
2	0.23	0.929	52	1.19	-11.875	102	2.09	22.840	152	2.81	-4.135
3	0.24	0.627	53	1.21	-7.383	103	2.11	19.835	153	2.82	-3.388
4	0.26	-0.081	54	1.23	-10.387	104	2.13	15.329	154	2.83	-8.392
5	0.28	-0.086	55	1.26	-6.167	105	2.14	13.077	155	2.84	-12.166
6	0.30	0.997	56	1.31	2.588	106	2.15	13.073	156	2.86	-23.653
7	0.32	2.900	57	1.34	8.079	107	2.19	3.310	157	2.87	-24.905
8	0.34	2.896	58	1.36	10.070	108	2.22	-3.200	158	2.89	-28.661
9	0.35	1.641	59	1.38	14.067	109	2.24	-8.954	159	2.91	-33.667
10	0.37	-2.115	60	1.39	16.561	110	2.27	-16.965	160	2.93	-42.172
11	0.40	-4.626	61	1.42	17.052	111	2.30	-23.726	161	2.94	-56.176
12	0.42	-1.632	62	1.43	14.798	112	2.33	-29.233	162	2.95	-71.430
13	0.45	-0.141	63	1.44	15.296	113	2.35	-31.739	163	2.96	-85.934
14	0.48	4.600	64	1.45	11.963	114	2.37	-32.997	164	2.97	-98.687
15	0.50	6.593	65	1.46	15.709	115	2.40	-34.505	165	3.00	-138.947
16	0.52	8.336	66	1.47	19.039	116	2.41	-33.258	166	3.04	-164.706
17	0.54	12.080	67	1.48	19.035	117	2.42	-28.262	167	3.05	-171.210
18	0.57	16.073	68	1.49	17.280	118	2.43	-23.267	168	3.07	-176.716
19	0.58	16.819	69	1.51	22.023	119	2.44	-18.770	169	3.09	-179.473
20	0.60	16.312	70	1.52	25.269	120	2.46	15.474	170	3.10	-180.727
21	0.62	12.555	71	1.53	27.767	121	2.47	23.721	171	3.11	-181.979
22	0.65	14.297	72	1.54	29.764	122	2.48	30.720	172	3.12	-180.733
23	0.67	15.541	73	1.56	26.757	123	2.49	40.217	173	3.14	-180.736
24	0.70	16.930	74	1.59	21.750	124	2.50	47.211	174	3.15	-180.243
25	0.72	15.525	75	1.61	18.492	125	2.51	64.458	175	3.17	-177.748
26	0.74	10.519	76	1.63	16.237	126	2.52	72.456	176	3.18	-170.253
27	0.76	5.513	77	1.64	12.733	127	2.53	77.202	177	3.19	-156.756
28	0.77	6.009	78	1.67	6.475	128	2.54	69.200	178	3.21	-138.510
29	0.80	7.999	79	1.68	1.469	129	2.55	62.948	179	3.22	-111.765
30	0.83	10.990	80	1.71	-5.539	130	2.56	61.193	180	3.23	-85.269
31	0.84	10.485	81	1.73	-6.796	131	2.57	74.939	181	3.25	-58.523
32	0.86	9.991	82	1.75	-8.301	132	2.58	82.688	182	3.26	-29.777
33	0.87	7.476	83	1.76	-7.056	133	2.59	91.435	183	3.27	15.219
34	0.89	5.478	84	1.79	-3.313	134	2.60	94.182	184	3.28	30.468
35	0.91	5.465	85	1.81	0.430	135	2.61	93.177	185	3.29	49.464
36	0.92	5.943	86	1.82	1.175	136	2.62	88.173	186	3.30	81.210
37	0.93	4.206	87	1.84	-1.830	137	2.64	82.419	187	3.32	123.955
38	0.95	1.701	88	1.85	-6.837	138	2.65	74.666	188	3.33	161.201
39	0.97	-0.054	89	1.88	-11.341	139	2.66	61.662	189	3.34	191.198
40	0.98	-1.308	90	1.89	-14.345	140	2.67	49.407	190	3.35	214.446
41	1.00	+1.313	91	1.90	-16.848	141	2.69	41.653	191	3.36	228.443
42	1.01	+1.318	92	1.91	-14.101	142	2.70	35.400	192	3.37	236.940
43	1.03	-0.323	93	1.93	-14.608	143	2.71	34.898	193	3.38	244.436
44	1.04	0.423	94	1.94	-6.110	144	2.72	23.895	194	3.39	246.182
45	1.05	+1.331	95	1.95	-3.117	145	2.73	15.139	195	3.41	248.927
46	1.07	-5.338	96	1.97	15.129	146	2.74	13.137	196	3.42	245.174
47	1.09	-9.093	97	1.98	20.626	147	2.75	4.884	197	3.43	231.918
48	1.11	-12.849	98	2.00	23.870	148	2.76	3.632	198	3.45	220.914
49	1.13	-15.355	99	2.02	29.115	149	2.77	5.628	199	3.46	212.411
50	1.14	-16.109	100	2.03	29.112	150	2.78	2.374	200	3.48	226.655

INDEX NO. 818 1320-SG-1 SAPPORO I.C BR. LG. MAX.ACCEL.= 248.927(GAL) T= 3.41(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	3.49	141.899	251	4.27	72.498	301	5.17	89.371	351	6.16	40.368
202	3.50	127.398	252	4.28	73.402	302	5.19	94.867	352	6.19	57.300
203	3.51	118.896	253	4.30	73.646	303	5.20	96.861	353	6.21	67.044
204	3.52	104.393	254	4.32	69.893	304	5.23	89.852	354	6.22	68.789
205	3.53	84.139	255	4.34	59.884	305	5.26	83.594	355	6.24	69.535
206	3.56	37.130	256	4.36	36.873	306	5.28	86.589	356	6.25	67.031
207	3.57	16.125	257	4.38	14.122	307	5.29	86.584	357	6.26	62.778
208	3.59	1.619	258	4.39	-1.862	308	5.31	81.078	358	6.27	58.276
209	3.62	-17.392	259	4.40	-16.336	309	5.32	72.573	359	6.29	43.767
210	3.65	-25.149	260	4.42	-32.391	310	5.34	64.569	360	6.33	24.754
211	3.67	-20.905	261	4.44	-50.148	311	5.35	52.316	361	6.35	18.499
212	3.68	-32.159	262	4.46	-60.903	312	5.36	39.560	362	6.36	17.746
213	3.70	-37.413	263	4.47	-64.156	313	5.38	26.807	363	6.37	16.493
214	3.72	-35.671	264	4.48	-65.912	314	5.39	11.052	364	6.38	17.739
215	3.74	-37.927	265	4.50	-65.918	315	5.40	2.300	365	6.39	17.735
216	3.76	-44.435	266	4.51	-64.170	316	5.43	-16.711	366	6.41	17.731
217	3.79	-51.442	267	4.52	-62.424	317	5.45	-24.466	367	6.43	18.724
218	3.80	-61.444	268	4.55	-47.181	318	5.46	-28.221	368	6.46	24.964
219	3.82	-65.201	269	4.59	-32.195	319	5.48	-25.975	369	6.48	24.959
220	3.83	-61.456	270	4.61	-25.202	320	5.51	-15.985	370	6.49	26.704
221	3.84	-75.960	271	4.62	-21.455	321	5.54	-1.746	371	6.51	26.698
222	3.85	-65.712	272	4.63	-13.208	322	5.57	7.494	372	6.53	21.943
223	3.86	-96.216	273	4.65	-19.963	323	5.61	11.983	373	6.56	19.439
224	3.87	-98.467	274	4.66	-9.968	324	5.64	12.724	374	6.56	19.181
225	3.88	-80.222	275	4.68	-19.972	325	5.67	4.713	375	6.58	24.927
226	3.90	-67.476	276	4.69	-30.478	326	5.69	-0.293	376	6.59	26.672
227	3.91	-85.229	277	4.70	-35.230	327	5.72	-3.801	377	6.61	21.918
228	3.92	-81.483	278	4.71	-33.232	328	5.74	-9.307	378	6.62	15.664
229	3.93	-81.986	279	4.72	-46.986	329	5.76	-14.313	379	6.64	4.909
230	3.96	-75.245	280	4.74	-57.991	330	5.78	-20.319	380	6.66	-11.597
231	3.98	-61.253	281	4.76	-63.498	331	5.79	-29.575	381	6.68	-32.353
232	3.99	-53.756	282	4.77	-70.752	332	5.82	-43.583	382	6.69	-55.359
233	4.00	-49.008	283	4.79	-77.007	333	5.84	-57.590	383	6.71	-72.615
234	4.01	-30.762	284	4.80	-90.263	334	5.86	-71.097	384	6.73	-89.620
235	4.02	-20.766	285	4.83	-102.520	335	5.88	-86.853	385	6.75	-108.625
236	4.04	-4.272	286	4.86	-99.529	336	5.90	-100.359	386	6.76	-120.129
237	4.06	20.721	287	4.88	-97.536	337	5.92	-114.865	387	6.78	-128.884
238	4.08	41.467	288	4.90	-93.792	338	5.94	-124.870	388	6.79	-135.389
239	4.09	59.212	289	4.92	-86.299	339	5.95	-128.123	389	6.81	-139.894
240	4.11	72.707	290	4.94	-67.056	340	5.96	-129.627	390	6.82	-142.399
241	4.12	80.455	291	4.96	-53.313	341	5.97	-127.629	391	6.84	-141.155
242	4.13	84.201	292	4.98	-46.318	342	5.98	-121.883	392	6.86	-133.659
243	4.15	84.195	293	5.00	-41.325	343	5.99	-109.387	393	6.87	-126.163
244	4.16	81.691	294	5.04	-24.086	344	6.01	-90.393	394	6.89	-99.421
245	4.17	76.186	295	5.06	-7.092	345	6.03	-68.399	395	6.90	-78.673
246	4.20	80.927	296	5.08	13.400	346	6.04	-54.904	396	6.91	-63.426
247	4.22	76.673	297	5.10	32.645	347	6.07	-31.913	397	6.92	-42.429
248	4.23	79.670	298	5.11	64.890	348	6.09	-19.919	398	6.93	-24.181
249	4.24	76.165	299	5.12	89.136	349	6.11	-7.925	399	6.94	11.565
250	4.25	73.662	300	5.15	76.677	350	6.14	19.316	400	6.97	130.804

INDEX NO. 818 1320-SG-1 SAPPORO I.C BR. LG. MAX.ACCEL.= 248.927(GAL) T= 3.41(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	6.98	165.051	451	7.66	-95.166	501	8.49	-7.178	551	9.49	76.254
402	6.99	172.299	452	7.68	-92.920	502	8.51	-14.684	552	9.52	68.245
403	7.00	185.294	453	7.69	-101.424	503	8.53	-22.940	553	9.55	57.987
404	7.02	200.039	454	7.71	-102.930	504	8.54	-27.945	554	9.58	44.727
405	7.03	199.536	455	7.75	-97.192	505	8.56	-29.199	555	9.61	30.717
406	7.04	191.284	456	7.77	-87.948	506	8.57	-28.703	556	9.64	15.456
407	7.05	175.780	457	7.79	-76.455	507	8.59	-32.959	557	9.67	6.448
408	7.06	167.278	458	7.80	-63.710	508	8.61	-34.967	558	9.68	0.942
409	7.07	156.024	459	7.82	-45.465	509	8.64	-36.974	559	9.70	-2.313
410	7.08	147.021	460	7.83	-34.469	510	8.67	-38.234	560	9.72	-1.818
411	7.09	143.766	461	7.85	-23.723	511	8.68	-42.738	561	9.75	5.671
412	7.10	150.264	462	7.86	-8.479	512	8.70	-48.994	562	9.77	5.914
413	7.11	159.511	463	7.88	3.516	513	8.71	-51.497	563	9.79	4.659
414	7.12	164.508	464	7.90	9.761	514	8.72	-55.502	564	9.80	4.404
415	7.13	168.004	465	7.91	17.006	515	8.75	-61.010	565	9.82	1.398
416	7.14	161.002	466	7.92	27.751	516	8.77	-69.516	566	9.84	-4.108
417	7.15	143.997	467	7.94	35.247	517	8.78	-75.771	567	9.86	-11.364
418	7.17	124.243	468	7.95	40.242	518	8.80	-80.775	568	9.88	-23.372
419	7.18	111.490	469	7.98	47.484	519	8.82	-91.032	569	9.92	-38.133
420	7.19	87.987	470	7.99	48.731	520	8.83	-97.787	570	9.94	-46.141
421	7.20	76.733	471	8.00	46.227	521	8.85	-102.542	571	9.97	-50.649
422	7.21	61.480	472	8.01	52.473	522	8.87	-105.547	572	9.99	-53.406
423	7.22	33.475	473	8.04	51.965	523	8.88	-107.552	573	10.00	-54.660
424	7.23	19.972	474	8.06	53.707	524	8.90	-104.557	574	10.02	-49.168
425	7.24	7.219	475	8.08	57.452	525	8.92	-97.563	575	10.04	-43.424
426	7.25	-0.283	476	8.10	62.197	526	8.94	-83.071	576	10.06	-36.931
427	7.26	-9.287	477	8.11	75.444	527	8.96	-69.327	577	10.10	-36.191
428	7.27	-17.290	478	8.12	83.440	528	8.97	-59.081	578	10.12	-37.447
429	7.28	+25.793	479	8.13	93.685	529	8.98	-46.333	579	10.13	-38.201
430	7.29	-32.047	480	8.14	101.182	530	9.00	+36.588	580	10.14	-39.956
431	7.31	+38.551	481	8.15	104.428	531	9.02	-26.594	581	10.16	-41.960
432	7.32	-46.057	482	8.17	105.675	532	9.04	-15.102	582	10.17	-43.215
433	7.34	+53.811	483	8.18	101.421	533	9.06	-7.108	583	10.19	-40.220
434	7.35	+63.817	484	8.19	96.417	534	9.09	-2.368	584	10.20	-36.974
435	7.40	-91.832	485	8.21	93.161	535	9.11	-1.125	585	10.22	+28.230
436	7.42	-102.089	486	8.23	91.403	536	9.13	-2.881	586	10.23	+25.733
437	7.44	-108.843	487	8.26	87.645	537	9.17	+14.161	587	10.26	+18.743
438	7.45	-112.597	488	8.28	82.640	538	9.19	+21.400	588	10.28	+11.750
439	7.46	-119.101	489	8.29	72.885	539	9.23	-26.411	589	10.31	+10.009
440	7.47	-124.104	490	8.31	67.381	540	9.25	-27.168	590	10.33	-11.015
441	7.48	-127.658	491	8.32	61.626	541	9.26	-23.923	591	10.35	-11.772
442	7.50	-129.113	492	8.35	47.117	542	9.28	-17.179	592	10.38	-11.781
443	7.51	-130.367	493	8.37	39.860	543	9.31	4.312	593	10.39	+16.787
444	7.53	-130.873	494	8.39	32.355	544	9.34	21.552	594	10.41	+21.793
445	7.55	-126.379	495	8.40	22.100	545	9.37	38.542	595	10.43	+26.050
446	7.56	-120.133	496	8.42	14.595	546	9.40	50.783	596	10.46	+32.308
447	7.60	-102.394	497	8.43	9.343	547	9.42	60.277	597	10.48	-39.564
448	7.61	-97.150	498	8.44	5.589	548	9.44	73.769	598	10.49	+40.818
449	7.63	-94.155	499	8.45	2.586	549	9.46	78.783	599	10.52	-43.826
450	7.65	-93.413	500	8.47	-2.422	550	9.48	80.509	600	10.53	+45.080

土木構造物における加速度強震記録（No. 9）

INDEX NO. 818 1320-SR-1 SAPPORO I.C BR. LG. MAX.ACCEL.= 248.927(GAL) T= 3.41(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	10.54	-46.334	651	11.51	-69.639	701	12.48	96.079	751	13.35	-42.720
602	10.56	-45.839	652	11.52	-70.393	702	12.49	109.324	752	13.36	-41.975
603	10.58	-44.596	653	11.54	-77.900	703	12.44	113.018	753	13.39	-44.983
604	10.60	-48.851	654	11.56	-81.055	704	12.45	116.313	754	13.41	-46.239
605	10.62	-56.603	655	11.58	-83.160	705	12.47	116.308	755	13.42	-48.244
606	10.64	-58.855	656	11.60	-94.917	706	12.49	112.051	756	13.43	-48.246
607	10.67	-76.376	657	11.61	-96.172	707	12.50	102.797	757	13.44	-46.500
608	10.69	-92.632	658	11.63	-100.927	708	12.52	88.790	758	13.46	-43.256
609	10.71	-93.888	659	11.64	-100.932	709	12.54	75.034	759	13.48	-39.513
610	10.73	-80.892	660	11.66	-97.938	710	12.55	61.530	760	13.50	-36.767
611	10.74	-74.645	661	11.69	-94.194	711	12.57	45.026	761	13.52	-35.523
612	10.77	-59.405	662	11.70	-91.700	712	12.59	28.521	762	13.53	-34.278
613	10.80	-31.665	663	11.72	-93.456	713	12.60	15.766	763	13.56	-41.786
614	10.92	-17.671	664	11.74	-97.213	714	12.61	6.761	764	13.58	-49.793
615	10.83	0.624	665	11.77	-102.720	715	12.63	1.257	765	13.60	-56.300
616	10.86	22.317	666	11.78	-103.973	716	12.65	-1.249	766	13.62	-55.804
617	10.88	39.310	667	11.79	-103.477	717	12.67	0.494	767	13.63	-54.558
618	10.90	54.554	668	11.81	-94.734	718	12.69	7.238	768	13.64	-50.811
619	10.91	64.800	669	11.83	-93.990	719	12.71	12.980	769	13.65	-42.816
620	10.94	79.541	670	11.86	-81.250	720	12.74	20.470	770	13.66	-36.819
621	10.96	92.264	671	11.88	-69.757	721	12.75	21.717	771	13.68	-30.574
622	10.97	96.529	672	11.90	-64.012	722	12.77	16.211	772	13.69	-23.078
623	10.99	99.326	673	11.92	-63.518	723	12.79	9.956	773	13.71	-7.833
624	11.00	100.272	674	11.94	-67.024	724	12.81	-2.551	774	13.73	8.911
625	11.01	99.263	675	11.96	-52.779	725	12.84	-10.560	775	13.75	25.406
626	11.03	99.013	676	11.98	-57.037	726	12.86	-30.067	776	13.77	44.397
627	11.04	94.759	677	12.00	-60.795	727	12.88	-44.073	777	13.79	53.642
628	11.06	96.504	678	12.02	-64.549	728	12.90	-52.829	778	13.81	65.135
629	11.08	93.995	679	12.03	-67.804	729	12.93	-60.588	779	13.83	73.627
630	11.10	93.740	680	12.05	-67.810	730	12.94	-60.592	780	13.85	81.121
631	11.12	99.235	681	12.08	-55.818	731	12.96	-56.847	781	13.87	87.866
632	11.13	97.231	682	12.10	-49.824	732	12.98	-50.603	782	13.88	86.112
633	11.15	94.225	683	12.12	-27.580	733	13.00	-40.612	783	13.90	86.606
634	11.16	90.971	684	12.13	-17.336	734	13.02	-34.117	784	13.92	84.850
635	11.17	85.967	685	12.15	-3.092	735	13.03	-33.621	785	13.94	83.095
636	11.19	79.713	686	12.17	2.403	736	13.04	-33.624	786	13.95	80.340
637	11.20	68.957	687	12.19	19.397	737	13.06	-34.129	787	13.96	78.086
638	11.22	52.451	688	12.21	31.392	738	13.07	-38.383	788	13.98	72.332
639	11.24	43.945	689	12.22	37.637	739	13.08	-40.386	789	13.99	69.328
640	11.25	35.192	690	12.23	45.383	740	13.10	-45.893	790	14.00	69.823
641	11.28	28.934	691	12.25	47.877	741	13.14	-52.904	791	14.02	69.069
642	11.30	27.676	692	12.26	48.123	742	13.18	-62.867	792	14.04	71.064
643	11.33	24.917	693	12.28	47.366	743	13.20	-67.673	793	14.05	72.809
644	11.36	21.907	694	12.30	46.111	744	13.21	-65.176	794	14.06	71.805
645	11.38	13.650	695	12.32	45.605	745	13.22	-61.430	795	14.08	69.299
646	11.41	1.642	696	12.33	47.851	746	13.23	-55.441	796	14.10	66.794
647	11.43	-8.113	697	12.34	51.097	747	13.28	-43.193	797	14.11	61.040
648	11.45	-23.372	698	12.36	61.842	748	13.30	-46.455	798	14.13	53.286
649	11.47	-35.127	699	12.38	70.336	749	13.32	-44.461	799	14.14	44.032
650	11.49	-46.133	700	12.39	87.083	750	13.33	-43.216	800	14.15	33.028

INDEX NO. 818 1320-SR-1 SAPPORO I.C BR. LG. MAX.ACCEL.= 248.927(GAL) T= 3.41(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	14.17	16.022	851	15.31	16.257	901	15.93	-26.532	951	16.98	53.388
802	14.18	7.019	852	15.32	7.254	902	15.95	-26.038	952	17.01	58.630
803	14.19	1.266	853	15.33	-2.031	903	15.96	-21.042	953	17.03	63.124
804	14.20	-7.739	854	15.35	-2.005	904	15.98	-22.298	954	17.04	61.869
805	14.22	-7.493	855	15.36	-13.003	905	16.00	-21.803	955	17.06	58.614
806	14.23	-11.498	856	15.37	-13.012	906	16.03	-17.313	956	17.08	50.608
807	14.25	-14.255	857	15.38	-17.266	907	16.06	-11.322	957	17.10	42.352
808	14.28	-19.012	858	15.40	-16.270	908	16.09	-7.080	958	17.11	32.845
809	14.30	-23.018	859	15.41	-13.775	909	16.11	-3.337	959	17.13	27.840
810	14.32	-24.775	860	15.43	-10.030	910	16.13	7.154	960	17.14	27.086
811	14.34	-28.531	861	15.45	-6.786	911	16.17	21.892	961	17.16	21.830
812	14.36	-34.283	862	15.47	-3.544	912	16.20	30.132	962	17.18	16.323
813	14.38	-38.794	863	15.49	2.450	913	16.23	33.372	963	17.21	10.565
814	14.40	-44.802	864	15.50	1.446	914	16.25	32.616	964	17.23	7.309
815	14.43	-57.809	865	15.52	1.442	915	16.27	28.361	965	17.24	6.554
816	14.45	-65.316	866	15.53	2.689	916	16.29	22.056	966	17.26	9.050
817	14.46	-70.570	867	15.54	-0.567	917	16.32	7.596	967	17.28	8.543
818	14.47	-73.072	868	15.57	-2.324	918	16.34	3.589	968	17.30	4.037
819	14.49	-80.073	869	15.58	-3.579	919	16.36	-2.416	969	17.31	0.282
820	14.50	-80.833	870	15.59	-2.584	920	16.38	-4.424	970	17.33	-2.224
821	14.52	-78.083	871	15.61	-0.588	921	16.40	-7.180	971	17.35	-3.979
822	14.53	-75.093	872	15.62	2.408	922	16.42	-10.937	972	17.36	-6.484
823	14.55	-60.109	873	15.64	5.904	923	16.45	-17.197	973	17.38	-11.739
824	14.57	-57.611	874	15.67	13.645	924	16.48	-26.206	974	17.40	-21.246
825	14.61	-60.116	875	15.69	31.137	925	16.51	-32.463	975	17.42	-29.503
826	14.62	-59.620	876	15.71	36.633	926	16.54	-41.474	976	17.44	-37.760
827	14.64	-58.875	877	15.72	37.878	927	16.56	-43.982	977	17.47	-49.768
828	14.65	-57.131	878	15.73	37.875	928	16.58	-44.487	978	17.50	-57.027
829	14.67	-51.885	879	15.74	35.872	929	16.59	-44.492	979	17.53	-58.788
830	14.68	-44.139	880	15.75	32.368	930	16.62	-38.998	980	17.56	-58.296
831	14.69	-38.394	881	15.79	24.857	931	16.63	-36.003	981	17.58	-52.053
832	14.72	-27.151	882	15.52	15.596	932	16.66	-24.760	982	17.59	-46.558
833	14.73	-21.407	883	15.55	8.335	933	16.68	-13.267	983	17.63	-29.318
834	14.75	-16.912	884	15.59	1.575	934	16.70	-0.524	984	17.64	-21.573
835	14.77	-10.667	885	15.61	-5.932	935	16.71	3.972	985	17.66	-16.078
836	14.79	-4.174	886	15.63	-5.939	936	16.72	6.969	986	17.67	-12.333
837	14.81	0.370	887	15.65	-5.443	937	16.74	9.715	987	17.69	-10.337
838	14.82	6.316	888	15.67	-5.197	938	16.75	10.461	988	17.70	-12.093
839	14.84	14.810	889	15.68	-3.954	939	16.76	9.957	989	17.72	-13.349
840	14.86	24.052	890	15.70	-3.959	940	16.77	7.454	990	17.75	-20.857
841	14.89	31.297	891	15.73	1.039	941	16.78	0.450	991	17.76	-25.861
842	14.90	37.542	892	15.75	3.775	942	16.81	-3.807	992	17.78	-27.867
843	14.91	40.788	893	15.77	-1.481	943	16.82	-5.812	993	17.80	-32.123
844	14.92	42.784	894	15.80	-3.490	944	16.84	-4.567	994	17.82	-35.379
845	14.93	44.530	895	15.82	-2.497	945	16.85	-2.821	995	17.84	-37.136
846	14.95	42.776	896	15.84	-14.505	946	16.87	1.674	996	17.85	-36.641
847	14.96	41.024	897	15.86	-15.760	947	16.89	12.915	997	17.87	-35.397
848	14.97	37.770	898	15.88	-22.767	948	16.91	22.909	998	17.89	-32.903
849	14.98	31.015	899	15.90	-24.772	949	16.93	30.653	999	17.91	-26.660
850	15.00	22.511	900	15.91	-26.027	950	16.96	42.646	1000	17.93	-22.416

INDEX NO. 818 1320-GR-1 SAPPORO I.C BR. LG. MAX.ACCEL.= 248.927(GAL) T= 3.41(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	17.96	-20.923	1051	19.09	-41.781	1101	20.64	-7.082	1151	21.10	7.077
1002	17.98	-17.930	1052	19.11	-43.538	1102	20.66	-8.340	1152	21.11	7.825
1003	18.00	-21.687	1053	19.13	-45.293	1103	20.69	-10.850	1153	21.13	13.319
1004	18.02	-24.194	1054	19.14	-51.568	1104	20.12	-16.359	1154	21.15	15.813
1005	18.04	-26.731	1055	19.16	-54.805	1105	20.15	-26.618	1155	21.16	17.059
1006	18.07	-24.209	1056	19.17	-57.557	1106	20.18	-36.128	1156	21.18	19.054
1007	18.09	-21.715	1057	19.19	-56.313	1107	20.23	-56.644	1157	21.20	17.798
1008	18.11	-20.471	1058	19.20	-59.315	1108	20.27	-67.905	1158	21.21	16.543
1009	18.12	-21.225	1059	19.21	-57.069	1109	20.28	-69.658	1159	21.22	15.289
1010	18.15	-15.486	1060	19.22	-51.323	1110	20.29	-66.164	1160	21.24	12.284
1011	18.19	-5.997	1061	19.28	-14.340	1111	20.31	-62.920	1161	21.26	7.777
1012	18.21	0.997	1062	19.30	-6.367	1112	20.34	-50.427	1162	21.29	2.268
1013	18.22	3.492	1063	19.32	-3.105	1113	20.35	-34.683	1163	21.32	-4.761
1014	18.24	5.233	1064	19.34	-2.611	1114	20.37	-17.437	1164	21.34	-11.249
1015	18.27	7.226	1065	19.36	-3.117	1115	20.38	-7.692	1165	21.36	-15.005
1016	18.31	6.715	1066	19.38	-5.622	1116	20.40	4.552	1166	21.38	-16.261
1017	18.32	9.960	1067	19.40	-3.629	1117	20.42	14.795	1167	21.39	-20.016
1018	18.35	16.202	1068	19.42	-13.137	1118	20.44	21.335	1168	21.40	-24.518
1019	18.37	20.445	1069	19.44	-14.891	1119	20.46	29.533	1169	21.41	-29.020
1020	18.40	30.185	1070	19.45	-15.645	1120	20.47	32.529	1170	21.43	-31.526
1021	18.42	-34.430	1071	19.46	-13.898	1121	20.48	33.276	1171	21.46	-30.286
1022	18.45	-38.921	1072	19.47	-12.651	1122	20.50	32.769	1172	21.49	-29.795
1023	18.47	-42.913	1073	19.49	-8.906	1123	20.53	30.262	1173	21.52	-27.805
1024	18.50	-45.404	1074	19.52	15.081	1124	20.55	27.004	1174	21.55	-26.564
1025	18.52	-44.646	1075	19.54	26.575	1125	20.57	25.240	1175	21.58	-23.573
1026	18.54	-42.891	1076	19.56	36.558	1126	20.60	23.240	1176	21.60	-21.580
1027	18.56	-39.885	1077	19.58	41.315	1127	20.62	18.983	1177	21.62	-18.587
1028	18.59	-36.627	1078	19.59	43.810	1128	20.64	11.974	1178	21.64	-12.343
1029	18.61	-32.370	1079	19.61	44.306	1129	20.66	8.219	1179	21.66	-5.850
1030	18.62	-27.365	1080	19.62	42.549	1130	20.67	7.465	1180	21.68	-0.106
1031	18.64	-22.610	1081	19.64	38.794	1131	20.69	1.710	1181	21.70	6.387
1032	18.66	-17.105	1082	19.66	32.539	1132	20.70	-4.545	1182	21.72	6.882
1033	18.68	-12.598	1083	19.68	27.032	1133	20.73	-9.804	1183	21.74	7.625
1034	18.69	-10.843	1084	19.70	25.777	1134	20.75	-13.559	1184	21.76	7.620
1035	18.71	-11.837	1085	19.71	24.522	1135	20.77	-15.315	1185	21.77	5.115
1036	18.76	-13.071	1086	19.72	25.016	1136	20.79	-12.322	1186	21.79	2.610
1037	18.80	-13.811	1087	19.74	25.011	1137	20.80	-7.327	1187	21.80	0.854
1038	18.81	-15.057	1088	19.76	20.005	1138	20.83	0.163	1188	21.82	-1.151
1039	18.82	-13.802	1089	19.79	33.747	1139	20.85	4.408	1189	21.85	-1.659
1040	18.84	-9.546	1090	19.81	34.991	1140	20.87	10.402	1190	21.87	-2.915
1041	18.87	-2.711	1091	19.83	33.736	1141	20.88	15.398	1191	21.88	-3.669
1042	18.88	-5.215	1092	19.85	26.979	1142	20.90	13.641	1192	21.89	-5.424
1043	18.89	-14.719	1093	19.87	19.222	1143	20.93	15.384	1193	21.91	-6.179
1044	18.94	-33.234	1094	19.90	10.963	1144	20.96	15.374	1194	21.94	-6.688
1045	18.98	-42.246	1095	19.92	5.204	1145	20.98	11.617	1195	21.97	-6.697
1046	19.00	-46.004	1096	19.95	-1.054	1146	21.00	9.111	1196	21.99	-5.703
1047	19.02	-46.009	1097	19.96	-5.559	1147	21.02	10.354	1197	22.00	-4.958
1048	19.04	-46.514	1098	19.98	-7.313	1148	21.05	8.595	1198	22.02	-7.963
1049	19.05	-44.770	1099	19.99	-9.567	1149	21.07	7.837	1199	22.03	-11.969
1050	19.07	-43.524	1100	20.01	-9.074	1150	21.09	6.082	1200	22.05	-13.224

INDEX NO. 818 1320-GR-1 SAPPORO I.C BR. LG. MAX.ACCEL.= 248.927(GAL) T= 3.41(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	22.07	-15.729	1251	23.10	13.198	1301	23.97	14.167	1351	25.07	12.068
1202	22.08	-15.733	1252	23.12	9.433	1302	23.98	11.662	1352	25.09	12.811
1203	22.09	-13.988	1253	23.14	6.678	1303	24.00	6.406	1353	25.10	12.807
1204	22.11	-11.492	1254	23.16	2.920	1304	24.01	1.902	1354	25.13	5.299
1205	22.14	-6.001	1255	23.19	-2.847	1305	24.04	-8.608	1355	25.14	0.295
1206	22.16	1.490	1256	23.20	-5.843	1306	24.07	-20.868	1356	25.15	-5.209
1207	22.19	7.481	1257	23.22	-7.847	1307	24.09	-26.123	1357	25.17	-17.463
1208	22.22	9.973	1258	23.24	-17.355	1308	24.12	-37.885	1358	25.20	-27.725
1209	22.25	12.462	1259	23.28	-27.616	1309	24.14	-41.389	1359	25.24	-36.985
1210	22.27	14.204	1260	23.29	-31.371	1310	24.16	-45.644	1360	25.26	-42.995
1211	22.30	16.194	1261	23.31	-37.126	1311	24.17	-46.397	1361	25.28	-44.250
1212	22.33	17.935	1262	23.32	-38.880	1312	24.18	-46.900	1362	25.30	-44.756
1213	22.36	19.927	1263	23.34	-41.135	1313	24.19	-42.153	1363	25.32	-42.512
1214	22.38	22.669	1264	23.35	-41.640	1314	24.21	-36.411	1364	25.33	-40.016
1215	22.41	25.161	1265	23.38	-43.647	1315	24.24	-23.670	1365	25.36	-36.274
1216	22.43	24.655	1266	23.39	-41.903	1316	24.27	-16.177	1366	25.39	-33.033
1217	22.44	23.400	1267	23.41	-39.408	1317	24.29	-8.436	1367	25.41	-31.291
1218	22.46	20.145	1268	23.43	-36.166	1318	24.31	-6.691	1368	25.43	-31.046
1219	22.47	17.139	1269	23.45	-33.670	1319	24.32	-5.446	1369	25.45	-34.802
1220	22.49	13.384	1270	23.46	-28.175	1320	24.34	-3.452	1370	25.47	-41.808
1221	22.52	0.874	1271	23.49	-25.182	1321	24.36	-2.458	1371	25.49	-48.064
1222	22.54	-5.881	1272	23.50	-24.636	1322	24.39	-0.967	1372	25.51	-49.321
1223	22.56	-12.138	1273	23.51	-24.190	1323	24.43	1.521	1373	25.53	-49.328
1224	22.58	-15.894	1274	23.52	-22.944	1324	24.46	6.012	1374	25.55	-49.835
1225	22.60	-20.901	1275	23.54	-22.197	1325	24.49	9.753	1375	25.58	-48.843
1226	22.63	-26.909	1276	23.55	-18.452	1326	24.51	15.995	1376	25.61	-45.102
1227	22.64	-29.414	1277	23.57	-16.707	1327	24.55	19.234	1377	25.62	-41.358
1228	22.66	-31.919	1278	23.59	-10.464	1328	24.57	22.476	1378	25.64	-37.612
1229	22.67	-32.425	1279	23.61	-3.220	1329	24.59	21.970	1379	25.65	-26.117
1230	22.69	-30.679	1280	23.62	4.276	1330	24.60	21.966	1380	25.70	1.618
1231	22.70	-30.184	1281	23.63	10.021	1331	24.63	16.957	1381	25.72	8.112
1232	22.73	-21.943	1282	23.65	18.765	1332	24.66	14.448	1382	25.74	13.856
1233	22.76	-15.203	1283	23.68	20.508	1333	24.67	14.444	1383	25.75	17.601
1234	22.80	-4.964	1284	23.70	39.752	1334	24.69	17.437	1384	25.76	18.849
1235	22.83	1.274	1285	23.71	46.246	1335	24.72	17.429	1385	25.78	18.845
1236	22.86	7.266	1286	23.73	46.740	1336	24.74	19.422	1386	25.80	20.087
1237	22.89	11.007	1287	23.76	43.733	1337	24.76	22.414	1387	25.82	21.580
1238	22.90	12.752	1288	23.78	43.726	1338	24.79	24.906	1388	25.84	22.824
1239	22.91	16.499	1289	23.79	41.971	1339	24.81	24.901	1389	25.86	24.569
1240	22.92	18.495	1290	23.81	41.217	1340	24.82	23.896	1390	25.87	26.564
1241	22.94	20.242	1291	23.82	39.463	1341	24.84	20.641	1391	25.90	30.807
1242	22.95	20.986	1292	23.83	36.959	1342	24.86	16.884	1392	25.92	34.050
1243	22.97	21.480	1293	23.85	32.454	1343	24.88	10.629	1393	25.94	37.293
1244	22.98	21.976	1294	23.87	27.448	1344	24.90	5.372	1394	25.96	39.788
1245	23.00	21.222	1295	23.88	21.694	1345	24.92	1.114	1395	25.97	42.284
1246	23.02	19.466	1296	23.89	19.691	1346	24.94	-2.642	1396	25.99	44.278
1247	23.04	19.959	1297	23.90	17.938	1347	24.97	-2.900	1397	26.01	44.771
1248	23.06	19.453	1298	23.92	17.932	1348	24.98	-3.405	1398	26.03	44.264
1249	23.08	18.197	1299	23.94	15.926	1349	25.01	0.836	1399	26.05	43.008
1250	23.09	16.193	1300	23.95	15.421	1350	25.04	8.326	1400	26.07	41.252

土木構造物における加速度強震記録（No. 9）

INDEX NO. 818 1320-GR-1 SAPPORO I.C BR. LG. MAX.ACCEL.= 246.927(GAL) T= 3.41(SEC) NO. 8

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1401	26.09	38.745	1451	27.17	14.653	1501	28.31	26.546	1551	29.32	-3.268
1402	26.11	35.490	1452	27.19	16.397	1502	28.32	24.043	1552	29.34	2.477
1403	26.13	32.485	1453	27.21	18.391	1503	28.34	19.538	1553	29.35	8.222
1404	26.14	28.730	1454	27.24	20.132	1504	28.37	11.529	1554	29.37	10.715
1405	26.16	22.474	1455	27.26	20.125	1505	28.40	3.770	1555	29.39	11.459
1406	26.18	16.468	1456	27.28	22.369	1506	28.41	1.265	1556	29.41	10.204
1407	26.20	12.211	1457	27.30	23.613	1507	28.43	-0.741	1557	29.43	11.948
1408	26.23	7.201	1458	27.32	25.356	1508	28.46	-1.998	1558	29.44	12.693
1409	26.26	3.191	1459	27.35	28.599	1509	28.47	1.747	1559	29.46	16.937
1410	26.28	0.686	1460	27.37	30.341	1510	28.49	5.492	1560	29.49	22.930
1411	26.33	-0.579	1461	27.39	29.335	1511	28.51	7.236	1561	29.51	24.174
1412	26.37	1.159	1462	27.41	26.579	1512	28.52	7.981	1562	29.52	24.170
1413	26.39	0.652	1463	27.43	29.823	1513	28.54	10.476	1563	29.53	22.917
1414	26.41	0.645	1464	27.45	30.315	1514	28.55	10.473	1564	29.55	18.661
1415	26.43	-3.114	1465	27.47	30.310	1515	28.58	6.712	1565	29.56	11.655
1416	26.46	-2.620	1466	27.49	26.555	1516	28.62	4.202	1566	29.58	4.649
1417	26.48	-5.626	1467	27.52	28.543	1517	28.63	2.446	1567	29.61	-5.360
1418	26.50	-6.364	1468	27.55	24.786	1518	28.65	2.190	1568	29.62	-10.363
1419	26.52	-5.142	1469	27.57	23.028	1519	28.68	-0.817	1569	29.63	-15.617
1420	26.54	-7.648	1470	27.59	20.521	1520	28.69	0.428	1570	29.65	-16.372
1421	26.57	-10.906	1471	27.61	18.516	1521	28.71	-0.078	1571	29.66	-16.376
1422	26.60	-16.665	1472	27.63	16.759	1522	28.73	-0.084	1572	29.68	-13.882
1423	26.63	-20.924	1473	27.65	13.502	1523	28.75	0.409	1573	29.70	-7.639
1424	26.65	-26.182	1474	27.68	5.243	1524	28.78	0.402	1574	29.73	6.354
1425	26.67	-28.187	1475	27.71	-3.516	1525	28.80	0.394	1575	29.76	27.092
1426	26.69	-33.695	1476	27.73	-6.022	1526	28.81	0.890	1576	29.79	38.084
1427	26.72	-35.703	1477	27.77	-18.283	1527	28.83	4.136	1577	29.80	41.830
1428	26.73	-36.958	1478	27.79	-24.540	1528	28.85	9.630	1578	29.82	41.825
1429	26.75	-37.463	1479	27.81	-29.296	1529	28.87	13.372	1579	29.83	44.319
1430	26.77	-37.469	1480	27.83	-31.552	1530	28.89	16.617	1580	29.85	41.814
1431	26.79	-35.725	1481	27.85	-32.808	1531	28.91	18.359	1581	29.86	38.059
1432	26.82	-26.984	1482	27.86	-33.563	1532	28.93	18.353	1582	29.87	31.806
1433	26.84	-21.992	1483	27.88	-32.318	1533	28.94	17.349	1583	29.89	21.801
1434	26.86	-18.249	1484	27.90	-29.324	1534	28.96	16.095	1584	29.91	14.046
1435	26.88	-17.753	1485	27.92	-20.582	1535	28.97	16.091	1585	29.92	4.541
1436	26.89	-20.008	1486	27.95	-9.591	1536	28.99	16.586	1586	29.94	-1.213
1437	26.91	-22.013	1487	27.97	-4.097	1537	29.02	13.077	1587	29.95	-4.218
1438	26.93	-22.519	1488	27.99	-0.852	1538	29.05	7.567	1588	29.97	-6.724
1439	26.95	-24.525	1489	28.02	2.888	1539	29.08	-1.443	1589	29.99	-5.730
1440	26.96	-23.280	1490	28.05	6.128	1540	29.10	-6.448	1590	30.01	-1.236
1441	26.98	-19.036	1491	28.09	10.618	1541	29.12	-12.954	1591	30.04	-0.748
1442	27.00	-15.293	1492	28.11	12.359	1542	29.14	-22.462	1592	30.07	-3.756
1443	27.02	-9.299	1493	28.15	13.849	1543	29.17	-28.970	1593	30.10	-5.014
1444	27.05	0.693	1494	28.17	18.099	1544	29.19	-30.727	1594	30.12	-3.771
1445	27.06	8.438	1495	28.19	20.834	1545	29.21	-31.483	1595	30.15	-3.032
1446	27.08	13.432	1496	28.23	23.323	1546	29.22	-31.488	1596	30.18	-6.292
1447	27.10	14.677	1497	28.26	24.564	1547	29.24	-29.744	1597	30.21	-8.802
1448	27.11	15.422	1498	28.27	24.060	1548	29.26	-26.500	1598	30.24	-10.062
1449	27.13	15.916	1499	28.28	25.806	1549	29.29	-16.508	1599	30.27	-10.318
1450	27.15	15.410	1500	28.30	27.551	1550	29.30	-8.763	1600	30.28	-10.324

INDEX NO. 818 1320-GR-1 SAPPORO I.C BR. LG. MAX.ACCEL.= 248.927(GAL) T= 3.41(SEC) NO. 9

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1601	30.30	-10.328	1651	31.30	8.852	1701	32.28	13.292	1751	33.25	19.231
1602	30.31	-9.833	1652	31.33	12.594	1702	32.30	15.034	1752	33.29	28.468
1603	30.33	-4.090	1653	31.35	17.587	1703	32.33	15.277	1753	33.33	35.705
1604	30.36	6.150	1654	31.36	17.083	1704	32.34	14.021	1754	33.36	40.696
1605	30.40	14.889	1655	31.38	12.076	1705	32.36	13.267	1755	33.40	44.935
1606	30.41	16.634	1656	31.41	5.319	1706	32.38	10.759	1756	33.43	46.175
1607	30.43	16.629	1657	31.42	4.064	1707	32.40	9.504	1757	33.45	46.920
1608	30.44	14.874	1658	31.45	3.306	1708	32.41	9.999	1758	33.46	46.415
1609	30.46	8.120	1659	31.47	0.298	1709	32.43	11.994	1759	33.48	45.157
1610	30.47	1.865	1660	31.49	7.042	1710	32.44	15.739	1760	33.50	44.402
1611	30.49	-10.142	1661	31.50	5.288	1711	32.46	19.484	1761	33.52	38.897
1612	30.51	-20.898	1662	31.53	-4.719	1712	32.48	23.228	1762	33.53	31.892
1613	30.54	-28.655	1663	31.55	-10.476	1713	32.49	26.973	1763	33.55	26.386
1614	30.56	-33.161	1664	31.57	-16.982	1714	32.51	29.469	1764	33.57	19.131
1615	30.57	-36.417	1665	31.60	-23.741	1715	32.52	31.214	1765	33.59	16.624
1616	30.59	-35.173	1666	31.61	-26.997	1716	32.54	28.958	1766	33.60	14.870
1617	30.61	-34.429	1667	31.63	-27.752	1717	32.56	26.953	1767	33.62	13.613
1618	30.65	-24.442	1668	31.65	-26.759	1718	32.57	24.448	1768	33.65	12.856
1619	30.68	-16.452	1669	31.67	-24.763	1719	32.59	24.442	1769	33.67	10.349
1620	30.70	-10.457	1670	31.68	-21.019	1720	32.61	24.937	1770	33.69	8.592
1621	30.71	-7.462	1671	31.70	-14.274	1721	32.65	28.674	1771	33.71	7.836
1622	30.73	-5.467	1672	31.72	-11.530	1722	32.68	33.163	1772	33.73	8.579
1623	30.75	-4.972	1673	31.73	-10.285	1723	32.70	36.406	1773	33.75	7.323
1624	30.76	-3.726	1674	31.75	-11.289	1724	32.72	38.400	1774	33.77	6.067
1625	30.78	-2.483	1675	31.76	-12.542	1725	32.74	37.145	1775	33.79	5.811
1626	30.80	-1.738	1676	31.77	-17.047	1726	32.75	35.890	1776	33.80	6.556
1627	30.82	5.254	1677	31.79	-24.551	1727	32.77	29.136	1777	33.82	9.550
1628	30.85	16.494	1678	31.81	-36.560	1728	32.78	19.381	1778	33.84	12.046
1629	30.87	22.488	1679	31.84	-46.817	1729	32.80	1.624	1779	33.85	17.041
1630	30.88	27.485	1680	31.85	-51.323	1730	32.83	-16.636	1780	33.87	20.286
1631	30.90	31.230	1681	31.87	-55.078	1731	32.85	-22.390	1781	33.88	22.781
1632	30.91	32.976	1682	31.89	-54.583	1732	32.86	-24.146	1782	33.90	25.274
1633	30.93	32.471	1683	31.91	-50.090	1733	32.88	-26.150	1783	33.93	25.266
1634	30.94	29.465	1684	31.93	-43.346	1734	32.92	-27.663	1784	33.95	20.260
1635	30.96	25.710	1685	31.94	-36.351	1735	32.95	-30.172	1785	33.96	14.005
1636	30.98	21.203	1686	31.96	-26.105	1736	32.96	-31.927	1786	33.98	8.501
1637	31.00	16.697	1687	31.97	-10.860	1737	32.98	-37.683	1787	34.02	-1.762
1638	31.03	19.939	1688	31.99	2.885	1738	33.01	-47.942	1788	34.04	-8.020
1639	31.05	10.682	1689	32.00	9.581	1739	33.02	-52.947	1789	34.06	-10.526
1640	31.07	17.426	1690	32.02	13.625	1740	33.05	-54.705	1790	34.08	-11.281
1641	31.09	17.421	1691	32.03	16.871	1741	33.08	-60.714	1791	34.09	-10.035
1642	31.10	16.165	1692	32.05	18.116	1742	33.10	-63.721	1792	34.10	-8.290
1643	31.13	12.407	1693	32.07	14.107	1743	33.12	-64.476	1793	34.12	-5.794
1644	31.15	6.150	1694	32.11	10.347	1744	33.13	-63.229	1794	34.13	-5.048
1645	31.17	2.894	1695	32.13	9.089	1745	33.14	-58.232	1795	34.15	-3.803
1646	31.18	2.140	1696	32.16	9.581	1746	33.15	-48.238	1796	34.16	-3.306
1647	31.20	3.885	1697	32.18	12.074	1747	33.17	-32.995	1797	34.17	-3.810
1648	31.22	3.878	1698	32.20	10.317	1748	33.19	-12.501	1798	34.18	-4.313
1649	31.25	5.119	1699	32.22	9.061	1749	33.21	4.493	1799	34.21	-11.825
1650	31.27	6.361	1700	32.25	12.050	1750	33.23	13.987	1800	34.24	-17.083

INDEX NO. 818 1320-GR-1 SAPPORO I.C 09. LG. MAX.ACCEL.= 248.927(GAL) T= 3.41(SEC) NO.10

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1801	34.26	-23.340	1851	35.34	2.614
1802	34.28	-25.646	1852	35.36	-1.691
1803	34.30	-29.351	1853	35.38	-4.197
1804	34.31	-31.105	1854	35.39	-7.231
1805	34.33	-31.109	1855	35.42	-10.959
1806	34.34	-30.114	1856	35.44	-12.216
1807	34.37	-25.624	1857	35.46	-13.722
1808	34.40	-20.132	1858	35.48	-12.728
1809	34.45	-5.399	1859	35.50	-11.985
1810	34.48	2.043	1860	35.51	-11.990
1811	34.53	14.827	1861	35.53	-11.994
1812	34.55	19.318	1862	35.54	-13.749
1813	34.58	24.313	1863	35.56	-16.254
1814	34.60	26.804	1864	35.57	-22.009
1815	34.61	26.300	1865	35.60	-27.016
1816	34.62	23.796	1866	35.62	-29.523
1817	34.64	20.791	1867	35.65	-34.032
1818	34.66	14.534	1868	35.67	-36.790
1819	34.71	2.269	1869	35.70	-35.297
1820	34.72	-1.967	1870	35.71	-34.802
1821	34.75	-6.495	1871	35.74	-32.560
1822	34.77	-10.752	1872	35.76	-22.318
1823	34.79	-13.508	1873	35.78	-7.075
1824	34.81	-13.764	1874	35.81	6.168
1825	34.82	-13.767	1875	35.83	14.912
1826	34.83	-11.771	1876	35.84	20.156
1827	34.84	-10.025	1877	35.86	22.900
1828	34.89	4.208	1878	35.89	24.141
1829	34.92	10.200	1879	35.92	24.633
1830	34.94	12.693	1880	35.94	25.675
1831	34.97	15.933	1881	35.96	32.116
1832	34.99	19.176	1882	35.99	35.619
1833	35.01	20.421			
1834	35.03	20.415			
1835	35.04	19.911			
1836	35.05	19.907			
1837	35.07	18.152			
1838	35.08	17.397			
1839	35.11	19.890			
1840	35.14	20.380			
1841	35.16	21.624			
1842	35.17	21.119			
1843	35.19	21.114			
1844	35.21	19.858			
1845	35.22	17.353			
1846	35.25	13.595			
1847	35.27	13.595			
1848	35.29	12.330			
1849	35.31	9.824			
1850	35.33	6.819			

Table IX D-45 Digitized Accelerations of Earthquake Record with Index Number 819

INDEX NO. 819 1320-GR-1 SAPPORO I.C 09. U-D MAX.ACCEL.= 69.618(GAL) T= 0.29(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.29	68.618	51	0.91	9.630	101	1.77	1.551	151	2.50	6.019
2	0.30	-7.136	52	0.92	9.626	102	1.78	0.296	152	2.51	4.015
3	0.31	-6.140	53	0.93	9.121	103	1.80	3.289	153	2.53	4.510
4	0.33	-2.896	54	0.94	9.116	104	1.81	4.782	154	2.54	5.257
5	0.35	3.845	55	0.96	7.111	105	1.83	5.276	155	2.56	-3.000
6	0.36	12.590	56	0.98	5.854	106	1.85	9.020	156	2.57	-11.756
7	0.37	18.596	57	0.99	6.343	107	1.86	10.265	157	2.58	-20.261
8	0.38	24.834	58	1.02	6.339	108	1.87	12.011	158	2.60	-21.518
9	0.39	29.030	59	1.03	7.083	109	1.88	9.006	159	2.61	-26.523
10	0.40	31.524	60	1.04	6.580	110	1.89	6.003	160	2.62	-31.026
11	0.41	30.569	61	1.06	7.573	111	1.91	1.496	161	2.63	-34.780
12	0.43	24.815	62	1.07	9.566	112	1.94	-6.014	162	2.64	-34.283
13	0.44	15.563	63	1.08	7.813	113	1.96	-9.021	163	2.65	-25.538
14	0.45	9.808	64	1.10	2.807	114	1.97	-10.276	164	2.67	-19.293
15	0.46	7.301	65	1.11	-4.447	115	1.98	-9.782	165	2.68	-16.297
16	0.48	6.796	66	1.12	-6.952	116	2.00	-1.037	166	2.69	-14.800
17	0.49	4.291	67	1.13	-5.705	117	2.01	1.458	167	2.70	-6.557
18	0.50	2.287	68	1.15	-1.668	118	2.02	5.204	168	2.71	-4.810
19	0.51	0.282	69	1.17	1.772	119	2.03	8.201	169	2.72	-1.064
20	0.52	0.279	70	1.22	6.766	120	2.04	19.195	170	2.73	-0.818
21	0.53	1.276	71	1.25	10.500	121	2.05	20.942	171	2.74	-2.822
22	0.54	3.772	72	1.26	13.493	122	2.07	24.187	172	2.76	1.170
23	0.55	9.517	73	1.28	12.487	123	2.08	24.690	173	2.78	3.664
24	0.57	14.510	74	1.29	12.994	124	2.09	24.679	174	2.79	10.410
25	0.59	15.754	75	1.31	15.977	125	2.12	23.415	175	2.81	21.404
26	0.60	17.749	76	1.32	15.973	126	2.14	21.659	176	2.82	21.898
27	0.61	20.243	77	1.33	13.729	127	2.15	17.903	177	2.84	20.140
28	0.62	19.240	78	1.34	8.715	128	2.17	16.148	178	2.85	20.137
29	0.63	14.736	79	1.35	6.211	129	2.18	14.144	179	2.86	20.133
30	0.64	10.482	80	1.36	5.457	130	2.19	13.639	180	2.87	20.130
31	0.65	5.479	81	1.37	7.952	131	2.21	12.883	181	2.88	18.875
32	0.66	5.975	82	1.39	12.944	132	2.22	8.627	182	2.90	13.870
33	0.68	10.219	83	1.41	15.438	133	2.23	6.624	183	2.91	12.113
34	0.69	11.464	84	1.43	16.430	134	2.24	4.869	184	2.93	11.356
35	0.70	15.209	85	1.50	12.401	135	2.25	5.865	185	2.95	8.849
36	0.72	20.953	86	1.52	13.145	136	2.26	7.862	186	2.97	6.342
37	0.73	25.949	87	1.53	10.140	137	2.28	12.656	187	2.98	4.588
38	0.74	28.985	88	1.55	4.382	138	2.30	10.349	188	2.99	2.082
39	0.75	32.189	89	1.56	1.128	139	2.31	7.342	189	3.01	2.077
40	0.76	30.436	90	1.57	0.374	140	2.34	10.832	190	3.02	3.072
41	0.77	26.681	91	1.59	0.870	141	2.35	12.826	191	3.03	2.568
42	0.78	19.676	92	1.60	2.853	142	2.37	14.072	192	3.04	3.813
43	0.80	14.173	93	1.65	9.097	143	2.38	15.318	193	3.06	5.559
44	0.82	10.915	94	1.65	12.090	144	2.40	16.560	194	3.07	9.303
45	0.83	11.409	95	1.66	15.333	145	2.41	16.554	195	3.09	15.544
46	0.84	11.405	96	1.69	14.080	146	2.43	14.798	196	3.11	15.039
47	0.85	10.902	97	1.71	12.824	147	2.45	12.291	197	3.12	12.034
48	0.87	8.395	98	1.72	12.319	148	2.46	10.286	198	3.14	10.025
49	0.88	6.640	99	1.73	12.314	149	2.48	8.529	199	3.16	8.771
50	0.89	7.136	100	1.75	64.558	150	2.49	7.774	200	3.17	8.266

土木構造物における加速度強震記録（No. 9）

INDEX NO. 819 1320-3H-1 SAPPORO I.C BR. U-D MAX.ACCEL.= 68.618(GAL) T= 0.29(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	3.18	3.762	251	3.83	-3.457	301	4.52	7.249	351	5.25	2.220
202	3.19	-6.494	252	3.85	-7.931	302	4.54	8.493	352	5.27	-1.537
203	3.20	-9.746	253	3.87	-5.750	303	4.56	11.734	353	5.28	-3.542
204	3.21	-14.502	254	3.89	-10.037	304	4.59	12.973	354	5.30	-6.547
205	3.23	-16.756	255	3.91	-13.762	305	4.61	13.465	355	5.31	-13.552
206	3.25	-21.764	256	3.91	-21.247	306	4.63	13.459	356	5.32	-13.057
207	3.26	-26.019	257	3.92	-29.522	307	4.65	14.452	357	5.33	-10.561
208	3.27	-26.774	258	3.93	-34.775	308	4.66	10.695	358	5.35	-6.068
209	3.29	-25.531	259	3.94	-40.279	309	4.67	8.992	359	5.37	-4.324
210	3.31	-22.540	260	3.95	-39.783	310	4.69	5.187	360	5.38	-3.580
211	3.33	-21.795	261	3.98	-19.793	311	4.70	5.182	361	5.40	-2.837
212	3.34	-20.049	262	3.99	-14.043	312	4.71	5.676	362	5.42	1.405
213	3.35	-15.552	263	4.00	-12.001	313	4.73	6.171	363	5.45	5.645
214	3.36	-7.556	264	4.01	-12.558	314	4.74	3.917	364	5.46	8.139
215	3.37	1.439	265	4.02	-15.060	315	4.75	1.412	365	5.48	10.633
216	3.38	10.184	266	4.04	-20.814	316	4.75	-2.532	366	5.49	11.878
217	3.39	13.931	267	4.05	-26.313	317	4.76	-9.451	367	5.52	7.619
218	3.40	12.176	268	4.06	-29.572	318	4.81	-17.882	368	5.54	2.609
219	3.41	9.172	269	4.07	-30.829	319	4.83	-21.117	369	5.56	-1.649
220	3.42	5.668	270	4.09	-31.585	320	4.84	-24.121	370	5.58	-6.655
221	3.43	2.666	271	4.11	-32.842	321	4.85	-24.125	371	5.59	-11.660
222	3.44	6.413	272	4.13	-31.650	322	4.86	-23.129	372	5.61	-16.916
223	3.45	5.406	273	4.14	-26.136	323	4.87	-19.385	373	5.62	-21.421
224	3.46	4.659	274	4.16	-18.612	324	4.88	-11.139	374	5.63	-20.175
225	3.47	6.401	275	4.17	-12.115	325	4.90	-6.894	375	5.65	-15.931
226	3.48	10.147	276	4.18	-0.869	326	4.91	-4.398	376	5.66	-13.436
227	3.49	20.392	277	4.19	4.876	327	4.92	-4.402	377	5.67	-12.190
228	3.50	29.138	278	4.22	13.617	328	4.93	-5.407	378	5.68	-12.195
229	3.51	33.135	279	4.23	18.361	329	4.94	-5.412	379	5.70	-13.951
230	3.52	33.131	280	4.24	20.856	330	4.95	-4.915	380	5.71	-13.956
231	3.53	32.128	281	4.26	27.600	331	4.96	-4.417	381	5.72	-13.959
232	3.54	30.124	282	4.28	30.093	332	4.97	-2.422	382	5.73	-14.463
233	3.55	25.119	283	4.29	30.840	333	4.98	-0.426	383	5.74	-15.718
234	3.56	29.386	284	4.33	29.582	334	4.99	2.019	384	5.75	-18.222
235	3.58	26.360	285	4.31	25.329	335	5.01	5.315	385	5.77	-18.228
236	3.59	25.856	286	4.33	14.322	336	5.02	6.058	386	5.78	-15.982
237	3.61	32.098	287	4.35	10.316	337	5.04	4.801	387	5.79	-10.987
238	3.63	35.590	288	4.36	3.310	338	5.06	4.045	388	5.81	-3.994
239	3.64	37.085	289	4.37	-5.694	339	5.07	3.288	389	5.83	4.247
240	3.65	35.081	290	4.38	-9.447	340	5.08	2.784	390	5.85	9.241
241	3.67	28.325	291	4.39	-12.199	341	5.10	-0.220	391	5.86	12.986
242	3.69	21.317	292	4.40	-16.703	342	5.11	-2.724	392	5.88	12.479
243	3.71	16.811	293	4.41	-14.709	343	5.12	-4.728	393	5.91	7.470
244	3.73	14.801	294	4.43	-12.965	344	5.13	-4.731	394	5.92	5.715
245	3.75	10.545	295	4.44	-10.470	345	5.15	-2.989	395	5.93	3.709
246	3.76	5.540	296	4.45	-8.472	346	5.17	1.502	396	5.95	5.704
247	3.77	1.796	297	4.46	-6.728	347	5.19	3.246	397	5.96	3.700
248	3.79	-1.720	298	4.47	-4.232	348	5.21	5.738	398	5.97	-0.656
249	3.80	-2.223	299	4.49	2.260	349	5.22	7.232	399	5.99	-5.564
250	3.82	-3.732	300	4.51	6.005	350	5.24	6.476	400	6.01	-7.569

INDEX NO. 819 1320-GR-1 SAPPORO I.C BR. U-D MAX.ACCEL.= 59.618(GAL) T= 0.29(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	6.03	-5.682	451	6.68	14.425	501	7.40	26.399	551	8.35	-19.969
402	6.05	-6.335	452	6.69	11.170	502	7.42	29.642	552	8.37	-19.475
403	6.07	-7.592	453	6.71	3.411	503	7.43	29.138	553	8.38	-19.481
404	6.08	-5.096	454	6.73	-1.595	504	7.44	25.884	554	8.39	-20.485
405	6.09	-5.102	455	6.74	-5.850	505	7.46	18.375	555	8.40	-22.488
406	6.10	-5.106	456	6.76	-7.856	506	7.49	9.115	556	8.42	-19.994
407	6.11	-5.610	457	6.78	-10.863	507	7.51	1.606	557	8.43	-17.498
408	6.12	-6.863	458	6.80	-12.120	508	7.53	-3.150	558	8.44	-17.001
409	6.13	-7.617	459	6.81	-14.125	509	7.55	-11.909	559	8.45	-13.257
410	6.14	-7.621	460	6.82	-16.131	510	7.57	-15.168	560	8.46	-11.262
411	6.15	-5.875	461	6.84	-19.585	511	7.60	-15.178	561	8.48	-8.267
412	6.17	-5.880	462	6.85	-19.089	512	7.62	-19.688	562	8.49	-6.273
413	6.18	-5.885	463	6.86	-17.595	513	7.65	-25.948	563	8.51	-2.531
414	6.19	-2.640	464	6.87	-15.149	514	7.67	-30.956	564	8.53	0.213
415	6.21	1.104	465	6.89	-11.904	515	7.69	-36.212	565	8.54	2.707
416	6.22	4.848	466	6.90	-8.909	516	7.70	-37.965	566	8.56	3.951
417	6.23	6.593	467	6.91	-6.414	517	7.71	-36.971	567	8.57	3.445
418	6.25	6.089	468	6.93	-5.170	518	7.74	-37.982	568	8.59	1.439
419	6.26	5.583	469	6.94	-3.925	519	7.76	-39.240	569	8.61	0.183
420	6.27	4.329	470	6.96	-3.181	520	7.77	-37.494	570	8.63	0.177
421	6.29	4.823	471	6.97	-4.436	521	7.79	-37.001	571	8.64	1.921
422	6.30	3.068	472	6.98	-5.690	522	7.81	-20.011	572	8.66	4.415
423	6.31	-0.186	473	7.00	-6.948	523	7.85	0.476	573	8.67	3.909
424	6.32	-3.191	474	7.02	-6.953	524	7.87	18.716	574	8.70	0.648
425	6.33	-8.944	475	7.03	-7.458	525	7.89	28.209	575	8.72	-3.611
426	6.34	-12.698	476	7.04	-6.462	526	7.91	33.450	576	8.74	-6.619
427	6.35	-15.702	477	7.05	-8.215	527	7.93	35.196	577	8.76	-10.376
428	6.36	-16.705	478	7.06	-9.471	528	7.94	32.939	578	8.78	-14.135
429	6.37	-17.210	479	7.07	-6.474	529	7.96	29.182	579	8.80	-18.890
430	6.38	-17.213	480	7.08	-3.230	530	7.97	25.927	580	8.82	-18.398
431	6.39	-16.718	481	7.10	-4.485	531	8.00	15.418	581	8.84	-18.406
432	6.40	-15.472	482	7.13	-11.995	532	8.01	16.414	582	8.86	-17.662
433	6.41	-12.975	483	7.15	-20.753	533	8.03	14.404	583	8.87	-15.918
434	6.42	-11.229	484	7.17	-27.013	534	8.05	12.647	584	8.89	-12.173
435	6.44	-9.983	485	7.19	-30.020	535	8.07	9.391	585	8.90	-5.930
436	6.45	-10.487	486	7.20	-31.526	536	8.09	5.130	586	8.92	-1.186
437	6.46	-9.992	487	7.22	-30.782	537	8.11	3.624	587	8.94	4.307
438	6.47	-9.998	488	7.24	-26.538	538	8.13	3.118	588	8.95	7.551
439	6.49	-10.504	489	7.26	-17.046	539	8.14	1.862	589	8.97	7.045
440	6.50	-10.007	490	7.27	-10.301	540	8.16	-4.645	590	8.98	7.039
441	6.51	-6.762	491	7.28	-9.055	541	8.17	-8.400	591	9.00	5.033
442	6.52	-1.017	492	7.30	-6.561	542	8.19	-8.904	592	9.02	3.777
443	6.54	7.225	493	7.31	-6.565	543	8.20	-9.659	593	9.03	2.522
444	6.56	9.719	494	7.32	-6.569	544	8.22	-10.167	594	9.04	2.517
445	6.58	9.712	495	7.33	1.177	545	8.23	-12.672	595	9.06	3.011
446	6.60	11.455	496	7.34	11.921	546	8.24	-17.427	596	9.08	2.003
447	6.61	12.199	497	7.36	20.914	547	8.26	-22.432	597	9.09	1.998
448	6.63	14.943	498	7.37	23.411	548	8.27	-22.439	598	9.11	1.241
449	6.65	16.185	499	7.38	24.657	549	8.30	-21.201	599	9.12	-1.265
450	6.67	14.929	500	7.39	24.653	550	8.33	-21.211	600	9.14	-3.770

INDEX NO. 819 1320-SR-1 SAPPORO I.C 34. U-D MAX.ACCEL.= 63.618(GAL) T= 0.29(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	9.15	-6.276	651	10.04	-11.622	701	10.92	-6.213	751	11.80	-1.049
602	9.17	-0.931	652	10.06	-12.129	702	10.94	-9.970	752	11.83	-3.558
603	9.19	-13.792	653	10.09	-11.149	703	10.96	-18.979	753	11.85	-6.567
604	9.22	-19.552	654	10.11	-11.049	704	10.98	-23.484	754	11.87	-7.326
605	9.24	-22.353	655	10.13	-11.958	705	10.99	-25.239	755	11.89	-7.331
606	9.25	-24.563	656	10.17	-13.421	706	11.00	-25.992	756	11.91	-6.839
607	9.26	-25.317	657	10.16	-17.176	707	11.02	-23.030	757	11.93	-6.869
608	9.28	-23.324	658	10.20	-23.054	708	11.04	-14.757	758	11.95	-6.655
609	9.30	-21.085	659	10.21	-25.683	739	11.06	-9.745	759	11.97	-8.611
610	9.32	-17.841	660	10.22	-26.194	710	11.09	-0.278	760	11.98	-8.817
611	9.34	-14.848	661	10.24	-26.199	711	11.11	4.217	761	11.99	-8.122
612	9.35	-10.354	662	10.25	-24.455	712	11.12	5.451	762	12.01	-9.129
613	9.37	-4.859	663	10.26	-21.959	713	11.15	2.955	763	12.02	-11.630
614	9.38	1.385	664	10.27	-18.954	714	11.18	0.439	764	12.03	-12.886
615	9.39	6.301	665	10.29	-15.969	715	11.20	-1.310	765	12.05	-14.143
616	9.41	-3.627	666	10.31	-14.226	716	11.21	-3.823	766	12.07	-16.650
617	9.43	-2.634	667	10.32	-14.650	717	11.22	-5.828	767	12.08	-14.904
618	9.45	-3.141	668	10.33	-9.883	718	11.24	-5.086	768	12.09	-11.909
619	9.47	-3.637	669	10.35	-2.537	719	11.26	-5.842	769	12.11	-6.918
620	9.48	-2.654	670	10.37	5.251	720	11.29	-5.349	770	12.14	1.823
621	9.50	-2.662	671	10.39	5.767	721	11.29	-6.103	771	12.16	7.566
622	9.52	-2.167	672	10.39	3.242	722	11.30	-2.108	772	12.17	8.810
623	9.54	-3.175	673	10.41	1.434	723	11.32	2.135	773	12.18	6.805
624	9.56	-5.682	674	10.43	5.225	724	11.33	4.630	774	12.20	0.298
625	9.57	-6.446	675	10.46	7.456	725	11.35	5.375	775	12.22	2.542
626	9.59	-5.949	676	10.47	5.212	726	11.37	4.617	776	12.23	-3.714
627	9.61	-5.953	677	10.48	3.455	727	11.38	4.111	777	12.25	-11.221
628	9.63	-5.960	678	10.50	2.459	728	11.40	0.355	778	12.26	-19.476
629	9.64	-7.717	679	10.51	2.965	729	11.42	-1.403	779	12.27	-22.730
630	9.66	-9.472	680	10.52	3.940	730	11.44	-5.160	780	12.29	-23.986
631	9.67	-11.976	681	10.53	3.435	731	11.45	-8.916	781	12.31	-24.493
632	9.69	-13.486	682	10.54	3.181	732	11.47	-9.672	782	12.32	-24.500
633	9.71	-12.741	683	10.56	1.424	733	11.48	-10.176	783	12.34	-24.755
634	9.72	-10.998	684	10.59	-3.536	734	11.49	-10.931	784	12.36	-20.262
635	9.74	-9.004	685	10.62	-5.097	735	11.51	-10.936	785	12.37	-19.017
636	9.75	-6.010	686	10.65	-11.859	736	11.52	-12.691	786	12.38	-12.771
637	9.77	-1.016	687	10.67	-13.616	737	11.53	-15.197	787	12.40	-2.029
638	9.78	5.224	688	10.69	-12.624	738	11.55	-19.204	788	12.42	5.463
639	9.81	12.719	689	10.71	-10.131	739	11.56	-21.708	789	12.44	9.206
640	9.83	10.712	690	10.73	-6.388	740	11.58	-22.463	790	12.46	11.699
641	9.84	10.206	691	10.74	-4.393	741	11.60	-21.221	791	12.48	10.692
642	9.85	14.951	692	10.76	-7.402	742	11.61	-19.976	792	12.49	9.935
643	9.87	13.196	693	10.79	-8.662	743	11.64	-16.986	793	12.51	9.930
644	9.88	6.193	694	10.81	-9.422	744	11.68	-7.001	794	12.52	7.424
645	9.89	-1.315	695	10.83	-8.929	745	11.71	-1.762	795	12.54	5.669
646	9.92	-9.825	696	10.85	-5.686	746	11.72	1.482	796	12.55	4.414
647	9.95	-13.586	697	10.87	-3.941	747	11.74	1.976	797	12.56	3.160
648	9.97	-14.346	698	10.88	-2.696	748	11.76	1.969	798	12.57	2.407
649	10.00	-12.356	699	10.89	-1.959	749	11.77	0.961	799	12.58	2.900
650	10.02	-10.366	700	10.90	-1.956	750	11.79	0.206	800	12.60	1.145

INDEX NO. 819 1320-SR-1 SAPPORO I.C 34. U-D MAX.ACCEL.= 63.618(GAL) T= 0.29(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	12.61	-0.110	851	13.42	4.532	901	14.30	1.994	951	15.20	6.900
802	12.63	-3.117	852	13.44	10.023	902	14.32	-0.510	952	15.22	6.393
803	12.64	-4.372	853	13.46	12.817	903	14.33	-3.765	953	15.24	6.388
804	12.66	-3.380	854	13.47	14.062	904	14.34	-7.020	954	15.25	6.384
805	12.69	-1.389	855	13.49	15.305	905	14.35	-7.024	955	15.26	3.880
806	12.70	-3.146	856	13.51	14.296	906	14.36	-4.028	956	15.27	1.374
807	12.73	-3.155	857	13.53	9.789	907	14.38	0.465	957	15.28	-0.380
808	12.75	-1.414	858	13.55	7.283	908	14.40	4.708	958	15.32	-0.393
809	12.77	-3.172	859	13.56	7.278	909	14.41	6.702	959	15.33	-0.399
810	12.78	-1.926	860	13.57	7.273	910	14.44	6.191	960	15.35	0.095
811	12.80	-7.683	861	13.58	6.018	911	14.46	3.683	961	15.37	-1.664
812	12.81	-11.933	862	13.60	3.012	912	14.48	3.675	962	15.39	-1.669
813	12.83	-16.195	863	13.62	-2.747	913	14.51	4.916	963	15.40	-1.173
814	12.85	-24.202	864	13.64	-7.254	914	14.53	5.407	964	15.41	-1.177
815	12.86	-27.956	865	13.66	-11.011	915	14.56	4.147	965	15.42	-1.183
816	12.87	-30.462	866	13.68	-11.018	916	14.58	3.638	966	15.44	6.310
817	12.88	-31.715	867	13.70	-11.777	917	14.60	2.382	967	15.47	12.799
818	12.89	-31.719	868	13.73	-11.787	918	14.61	1.126	968	15.48	14.545
819	12.90	-31.223	869	13.74	-10.542	919	14.62	-2.620	969	15.50	15.289
820	12.92	-29.979	870	13.76	-6.298	920	14.64	-12.635	970	15.51	12.783
821	12.94	-22.437	871	13.79	-2.560	921	14.66	-19.392	971	15.54	8.524
822	12.96	-17.995	872	13.81	2.434	922	14.68	-21.151	972	15.56	7.264
823	12.98	-13.002	873	13.83	6.173	923	14.70	-23.657	973	15.59	9.004
824	13.00	-7.510	874	13.85	6.915	924	14.71	-22.412	974	15.61	7.246
825	13.01	-2.265	875	13.87	7.409	925	14.73	-16.918	975	15.63	7.738
826	13.02	-0.269	876	13.89	8.156	926	14.75	-9.428	976	15.64	8.235
827	13.04	-0.774	877	13.90	9.648	927	14.77	-4.937	977	15.65	9.480
828	13.06	-0.282	878	13.92	5.640	928	14.79	-4.692	978	15.67	13.974
829	13.07	0.213	879	13.93	3.134	929	14.81	-5.199	979	15.68	15.219
830	13.09	-0.293	880	13.95	5.628	930	14.82	-4.705	980	15.70	15.213
831	13.10	-1.548	881	13.97	2.370	931	14.84	-7.212	981	15.71	15.707
832	13.11	-4.052	882	13.99	-3.138	932	14.86	-8.969	982	15.72	15.203
833	13.13	-8.309	883	14.02	-9.169	933	14.88	-12.228	983	15.74	10.946
834	13.14	-12.064	884	14.04	-9.906	934	14.90	-15.986	984	15.75	3.941
835	13.15	-15.318	885	14.06	-13.164	935	14.92	-17.742	985	15.77	-2.814
836	13.16	-17.822	886	14.08	-15.671	936	14.94	-15.499	986	15.78	-9.320
837	13.17	-20.576	887	14.09	-14.426	937	14.95	-13.005	987	15.80	-14.325
838	13.19	-21.082	888	14.11	-6.934	938	14.97	-10.511	988	15.81	-17.581
839	13.20	-21.836	889	14.12	-3.938	939	14.99	-4.769	989	15.83	-20.836
840	13.23	-16.843	890	14.14	0.557	940	15.01	-6.026	990	15.84	-22.091
841	13.25	-16.355	891	14.15	2.304	941	15.03	-6.535	991	15.85	-22.844
842	13.27	-16.362	892	14.17	9.544	942	15.05	-8.541	992	15.86	-22.849
843	13.29	-17.371	893	14.19	10.037	943	15.07	-9.798	993	15.87	-20.355
844	13.31	-17.627	894	14.20	9.032	944	15.08	-9.804	994	15.89	-16.611
845	13.32	-15.132	895	14.22	7.027	945	15.10	-9.310	995	15.91	-14.867
846	13.34	-10.638	896	14.23	4.522	946	15.11	-8.564	996	15.92	-12.373
847	13.35	-8.144	897	14.25	5.768	947	15.12	-3.570	997	15.94	-9.131
848	13.37	-6.902	898	14.27	5.258	948	15.15	1.421	998	15.96	-7.386
849	13.39	-5.657	899	14.28	4.503	949	15.16	3.916	999	15.98	-4.644
850	13.40	-1.162	900	14.29	3.998	950	15.18	6.408	1000	16.00	-3.403

土木構造物における加速度強震記録（No.9）

INDEX NO. 819 1320-GR-1 SAPPORO I.C GR. U-D MAX.ACCEL.= 65.618(GAL) T= 0.29(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	16.01	-3.908	1051	16.35	-5.727	1101	17.74	-9.320	1151	18.62	-17.908
1002	16.04	-3.917	1052	16.37	-7.983	1102	17.75	-8.574	1152	18.63	-16.913
1003	16.05	-2.674	1053	16.38	-8.739	1103	17.76	-5.823	1153	18.65	-15.670
1004	16.08	1.067	1054	16.90	-5.495	1104	17.77	-2.631	1154	18.67	-11.178
1005	16.10	1.058	1055	16.92	-7.253	1105	17.78	-0.337	1155	18.69	-8.185
1006	16.12	2.301	1056	16.94	-8.781	1106	17.80	3.406	1156	18.71	-7.441
1007	16.14	1.053	1057	16.96	-5.269	1107	17.81	5.401	1157	18.73	-1.949
1008	16.16	1.536	1058	16.98	-3.027	1108	17.83	6.646	1158	18.74	0.545
1009	16.17	-2.282	1059	17.00	-1.785	1109	17.85	7.136	1159	18.75	1.290
1010	16.19	3.025	1060	17.02	1.209	1110	17.87	9.129	1160	18.77	3.033
1011	16.20	1.019	1061	17.04	2.451	1111	17.88	7.874	1161	18.79	2.026
1012	16.22	-0.239	1062	17.06	5.694	1112	17.90	7.366	1162	18.80	2.022
1013	16.24	-0.249	1063	17.07	5.698	1113	17.93	7.857	1163	18.82	0.515
1014	16.25	-0.250	1064	17.09	5.191	1114	17.94	7.651	1164	18.83	-2.491
1015	16.27	-3.257	1065	17.11	10.923	1115	17.96	9.345	1165	18.85	-4.997
1016	16.29	-2.765	1066	17.13	12.664	1116	17.97	7.839	1166	18.87	-6.253
1017	16.31	-4.023	1067	17.15	12.157	1117	17.99	2.832	1167	18.89	-4.261
1018	16.34	-5.281	1068	17.17	12.149	1118	18.01	-0.176	1168	19.90	-4.267
1019	16.35	-5.788	1069	17.19	10.892	1119	18.03	-1.432	1169	18.92	-3.775
1020	16.37	-6.546	1070	17.20	8.387	1120	18.05	-2.689	1170	18.94	-3.033
1021	16.39	-3.552	1071	17.22	9.380	1121	18.06	-4.695	1171	18.95	-3.036
1022	16.42	2.687	1072	17.24	2.074	1122	18.08	-6.451	1172	18.97	-2.042
1023	16.44	5.130	1073	17.25	-0.832	1123	18.09	-7.208	1173	18.98	-0.048
1024	16.46	5.422	1074	17.27	-3.387	1124	18.11	-8.966	1174	19.00	-1.307
1025	16.47	11.167	1075	17.28	-4.892	1125	18.14	-7.973	1175	19.02	-0.810
1026	16.49	11.661	1076	17.30	-3.149	1126	18.15	-7.980	1176	19.03	0.435
1027	16.50	10.656	1077	17.31	-1.905	1127	18.17	-7.236	1177	19.04	2.931
1028	16.52	9.900	1078	17.32	3.590	1128	18.18	-7.742	1178	19.05	4.176
1029	16.53	7.394	1079	17.34	2.334	1129	18.20	-7.999	1179	19.07	4.921
1030	16.54	7.390	1080	17.36	5.576	1130	18.22	-8.006	1180	19.08	5.416
1031	16.55	5.635	1081	17.38	6.069	1131	18.24	-7.763	1181	19.10	0.658
1032	16.57	4.880	1082	17.39	9.313	1132	18.25	-7.769	1182	19.12	-2.601
1033	16.58	5.375	1083	17.41	9.368	1133	18.27	-4.774	1183	19.14	-4.357
1034	16.60	6.118	1084	17.42	7.830	1134	18.29	-2.282	1184	19.15	-7.612
1035	16.62	4.860	1085	17.43	7.550	1135	18.31	-2.290	1185	19.16	-8.116
1036	16.64	4.853	1086	17.44	4.295	1136	18.33	0.703	1186	19.18	-8.123
1037	16.65	4.847	1087	17.46	-0.711	1137	18.34	0.697	1187	19.20	-7.131
1038	16.67	4.342	1088	17.47	-7.467	1138	18.37	1.435	1188	19.22	-5.139
1039	16.68	3.088	1089	17.48	-10.722	1139	18.39	0.927	1189	19.24	-5.146
1040	16.69	1.834	1090	17.50	-11.229	1140	18.42	0.918	1190	19.26	-8.153
1041	16.70	1.079	1091	17.52	-11.987	1141	18.44	1.911	1191	19.29	-8.915
1042	16.72	-1.426	1092	17.54	-14.994	1142	18.45	4.404	1192	19.32	-13.176
1043	16.73	-1.430	1093	17.56	-15.253	1143	18.47	3.899	1193	19.34	-13.184
1044	16.74	-1.934	1094	17.59	-15.762	1144	18.48	1.394	1194	19.36	-14.440
1045	16.75	-1.440	1095	17.61	-16.769	1145	18.50	-1.612	1195	19.37	-11.446
1046	16.77	-1.446	1096	17.63	-21.030	1146	18.51	-4.119	1196	19.40	-11.455
1047	16.78	-3.202	1097	17.66	-19.289	1147	18.54	-8.628	1197	19.42	-11.463
1048	16.80	-5.957	1098	17.68	-14.798	1148	18.56	-12.387	1198	19.44	-11.473
1049	16.81	-7.966	1099	17.71	-11.808	1149	18.59	-15.396	1199	19.48	-11.486
1050	16.83	-10.470	1100	17.72	-10.563	1150	18.60	-17.403	1200	19.50	-8.995

INDEX NO. 819 1320-GR-1 SAPPORO I.C GR. U-D MAX.ACCEL.= 60.618(GAL) T= 0.29(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	19.52	-4.755	1251	20.56	0.093	1301	21.48	-0.010	1351	22.45	3.361
1202	19.55	3.487	1252	20.59	-3.167	1302	21.50	-0.017	1352	22.47	3.855
1203	19.57	0.976	1253	20.62	-5.678	1303	21.51	-0.024	1353	22.49	3.349
1204	19.60	14.217	1254	20.64	-11.935	1304	21.54	-5.534	1354	22.50	3.342
1205	19.61	14.452	1255	20.66	-14.444	1305	21.56	-3.543	1355	22.53	3.333
1206	19.63	13.706	1256	20.68	-14.452	1306	21.59	0.698	1356	22.56	3.070
1207	19.64	8.200	1257	20.70	-11.959	1307	21.61	6.439	1357	22.58	0.061
1208	19.66	1.192	1258	20.71	-10.715	1308	21.63	9.631	1358	22.61	-1.199
1209	19.68	-1.313	1259	20.72	-9.469	1309	21.64	10.925	1359	22.63	-2.457
1210	19.70	-1.922	1260	20.74	-5.225	1310	21.66	9.169	1360	22.66	-2.468
1211	19.72	-2.580	1261	20.76	-4.481	1311	21.67	9.665	1361	22.67	-2.975
1212	19.74	-3.849	1262	20.78	-2.740	1312	21.69	7.409	1362	22.69	-4.232
1213	19.79	-3.856	1263	20.81	2.999	1313	21.71	1.651	1363	22.71	-3.738
1214	19.81	-5.865	1264	20.83	5.989	1314	21.73	0.394	1364	22.73	-4.248
1215	19.84	-3.627	1265	20.85	5.931	1315	21.74	-0.863	1365	22.75	-5.005
1216	19.87	-4.638	1266	20.87	7.224	1316	21.76	-1.369	1366	22.77	-5.014
1217	19.90	-3.652	1267	20.89	7.218	1317	21.78	-2.127	1367	22.81	-3.777
1218	19.93	-1.651	1268	20.90	7.213	1318	21.80	-1.636	1368	22.83	-5.036
1219	19.96	1.328	1269	20.92	5.457	1319	21.82	-0.393	1369	22.85	-6.294
1220	19.97	3.321	1270	20.93	3.331	1320	21.85	0.346	1370	22.88	-6.053
1221	19.99	3.316	1271	20.95	-5.056	1321	21.86	-0.909	1371	22.90	-6.562
1222	20.01	2.057	1272	20.96	-5.809	1322	21.88	0.334	1372	22.92	-5.318
1223	20.03	31299	1273	20.98	-5.817	1323	21.90	1.676	1373	22.93	-2.825
1224	20.06	5.039	1274	20.99	-7.571	1324	21.94	4.063	1374	22.95	-1.582
1225	20.08	2.531	1275	21.00	-10.077	1325	21.96	4.052	1375	22.96	-1.087
1226	20.10	-0.479	1276	21.02	-13.332	1326	21.99	5.292	1376	22.98	-0.343
1227	20.12	-4.235	1277	21.03	-15.069	1327	22.01	5.784	1377	22.99	0.151
1228	20.15	-7.995	1278	21.05	-15.845	1328	22.03	5.775	1378	23.01	1.394
1229	20.16	-11.091	1279	21.07	-13.351	1329	22.05	6.519	1379	23.03	0.887
1230	20.18	-14.253	1280	21.09	-10.659	1330	22.06	6.515	1380	23.05	0.381
1231	20.20	-14.264	1281	21.10	-6.363	1331	22.08	9.007	1381	23.06	0.875
1232	20.21	-15.519	1282	21.11	-2.370	1332	22.10	6.501	1382	23.09	2.616
1233	20.25	-12.284	1283	21.14	-4.131	1333	22.12	2.742	1383	23.11	0.855
1234	20.27	-13.042	1284	21.16	-2.136	1334	22.16	-4.776	1384	23.13	2.600
1235	20.29	-13.050	1285	21.17	-3.891	1335	22.18	-4.782	1385	23.15	3.843
1236	20.30	-11.804	1286	21.19	1.602	1336	22.20	-4.789	1386	23.17	5.084
1237	20.32	-3.811	1287	21.21	6.594	1337	22.21	-3.545	1387	23.19	4.576
1238	20.34	-6.320	1288	21.23	7.836	1338	22.23	-1.802	1388	23.21	2.818
1239	20.36	-5.079	1289	21.25	11.079	1339	22.25	-1.810	1389	23.22	2.063
1240	20.40	-1.841	1290	21.26	10.074	1340	22.27	-2.318	1390	23.24	2.058
1241	20.41	-3.599	1291	21.28	8.065	1341	22.29	-2.324	1391	23.26	3.300
1242	20.43	0.647	1292	21.30	5.556	1342	22.30	-4.831	1392	23.28	4.041
1243	20.44	41391	1293	21.32	3.630	1343	22.32	-4.835	1393	23.31	5.032
1244	20.46	6.135	1294	21.34	0.042	1344	22.34	-4.843	1394	23.33	5.774
1245	20.47	6.129	1295	21.35	-1.955	1345	22.36	-1.851	1395	23.34	4.519
1246	20.48	5.625	1296	21.38	-4.971	1346	22.38	-0.608	1396	23.36	4.010
1247	20.50	5.616	1297	21.40	-7.729	1347	22.39	0.135	1397	23.40	5.747
1248	20.51	5.613	1298	21.41	-9.734	1348	22.41	0.629	1398	23.41	5.241
1249	20.52	6.859	1299	21.43	-11.993	1349	22.42	2.623	1399	23.43	5.235
1250	20.54	6.352	1300	21.46	-11.752	1350	22.44	3.867	1400	23.44	4.481

INDEX NO. 819 1320-SR-1 SAPPORO I.C 93. U-D MAX.ACCEL.= 68.618(GAL) T= 0.29(SEC) NO. 8

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1401	23.45	3.976	1451	24.33	-1.453	1501	25.66	0.631	1551	26.58	-3.223
1402	23.46	-0.520	1452	24.39	-3.980	1502	25.68	0.123	1552	26.60	-5.230
1403	23.47	+3.031	1453	24.61	-1.234	1503	25.71	0.663	1553	26.62	-6.986
1404	23.48	-4.706	1454	24.62	2.024	1504	25.72	0.105	1554	26.64	-9.243
1405	23.50	-5.592	1455	24.64	2.272	1505	25.75	1.346	1555	26.65	-10.499
1406	23.53	-6.354	1456	24.65	1.517	1506	25.77	1.839	1556	26.66	-10.504
1407	23.56	-6.315	1457	24.67	0.261	1507	25.78	2.034	1557	26.68	-10.509
1408	23.58	-5.572	1458	24.68	0.257	1508	25.80	2.079	1558	26.69	-9.263
1409	23.60	-5.579	1459	24.70	4.747	1509	25.82	1.321	1559	26.70	-6.268
1410	23.62	-6.087	1460	24.73	3.236	1510	25.83	1.315	1560	26.71	-4.273
1411	23.63	+6.093	1461	24.76	3.976	1511	25.85	1.810	1561	26.74	-0.035
1412	23.64	+3.647	1462	24.78	3.966	1512	25.86	2.555	1562	26.77	1.955
1413	23.66	+3.104	1463	24.81	3.955	1513	25.87	3.799	1563	26.79	1.946
1414	23.68	-3.113	1464	24.83	3.947	1514	25.89	5.542	1564	26.82	4.437
1415	23.70	-4.376	1465	24.85	3.942	1515	25.91	8.036	1565	26.84	7.676
1416	23.72	+7.376	1466	24.87	-1.368	1516	25.92	10.530	1566	26.88	7.165
1417	23.74	-8.133	1467	24.90	-2.329	1517	25.95	8.769	1567	26.90	6.655
1418	23.76	-10.643	1468	24.92	-6.087	1518	25.97	8.760	1568	26.93	6.644
1419	23.79	-5.656	1469	24.94	-7.344	1519	25.99	8.753	1569	26.95	5.888
1420	23.82	-4.416	1470	24.97	-7.854	1520	26.01	6.996	1570	26.96	4.631
1421	23.85	-3.927	1471	24.99	-11.113	1521	26.03	6.239	1571	26.98	3.376
1422	23.88	-1.936	1472	25.01	-12.370	1522	26.05	6.731	1572	26.99	0.869
1423	23.90	0.555	1473	25.03	-10.629	1523	26.07	6.223	1573	27.01	-0.386
1424	23.92	1.045	1474	25.05	-6.138	1524	26.09	7.467	1574	27.02	-0.891
1425	23.94	3.036	1475	25.07	-4.396	1525	26.11	7.460	1575	27.03	-1.646
1426	23.96	5.532	1476	25.09	-3.153	1526	26.12	4.953	1576	27.05	-2.151
1427	23.96	6.775	1477	25.11	-1.157	1527	26.15	4.445	1577	27.06	-2.908
1428	24.00	11.267	1478	25.12	0.088	1528	26.16	4.939	1578	27.08	-2.412
1429	24.02	12.008	1479	25.13	-0.166	1529	26.18	5.434	1579	27.10	-1.170
1430	24.04	11.502	1480	25.15	-3.423	1530	26.19	4.427	1580	27.12	0.821
1431	24.06	10.246	1481	25.16	-3.930	1531	26.21	2.419	1581	27.14	3.312
1432	24.07	8.239	1482	25.19	-3.439	1532	26.22	1.915	1582	27.16	3.304
1433	24.09	5.231	1483	25.21	-3.447	1533	26.24	0.657	1583	27.17	3.800
1434	24.12	3.221	1484	25.24	-2.208	1534	26.26	-1.348	1584	27.20	0.792
1435	24.14	-4.288	1485	25.26	2.031	1535	26.27	-1.853	1585	27.21	-0.964
1436	24.18	-6.893	1486	25.28	4.025	1536	26.28	-1.859	1586	27.22	-0.468
1437	24.21	-9.816	1487	25.30	4.016	1537	26.30	-2.613	1587	27.24	-0.475
1438	24.24	-9.576	1488	25.33	1.535	1538	26.33	-2.625	1588	27.25	0.770
1439	24.26	-6.589	1489	25.35	2.743	1539	26.35	-1.334	1589	27.27	4.514
1440	24.30	-4.599	1490	25.39	3.982	1540	26.37	-0.091	1590	27.28	5.758
1441	24.33	-4.869	1491	25.43	3.966	1541	26.39	-1.398	1591	27.30	5.251
1442	24.36	-4.121	1492	25.47	2.204	1542	26.41	-3.156	1592	27.31	4.496
1443	24.39	-4.832	1493	25.49	0.965	1543	26.43	-2.655	1593	27.33	4.491
1444	24.42	-5.144	1494	25.51	0.189	1544	26.45	-2.674	1594	27.34	3.985
1445	24.44	-4.652	1495	25.52	-0.316	1545	26.47	-1.931	1595	27.36	1.979
1446	24.46	-4.159	1496	25.54	-1.574	1546	26.49	-1.937	1596	27.37	0.724
1447	24.46	-1.667	1497	25.55	-2.330	1547	26.50	-0.193	1597	27.39	-1.783
1448	24.50	-2.174	1498	25.57	-1.836	1548	26.52	0.300	1598	27.41	-2.289
1449	24.52	-0.433	1499	25.60	-2.047	1549	26.55	-1.460	1599	27.42	-3.045
1450	24.55	-1.445	1500	25.63	-2.857	1550	26.57	-2.717	1600	27.44	-3.552

INDEX NO. 819 1320-SR-1 SAPPORO I.C BR. U-D MAX.ACCEL.= 68.618(GAL) T= 0.29(SEC) NO. 9

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1601	27.46	-4.309	1651	28.43	-4.675	1701	29.30	0.493	1751	30.18	9.157
1602	27.48	-6.816	1652	28.45	-4.683	1702	29.32	4.987	1752	30.19	7.151
1603	27.50	-3.423	1653	28.47	-2.943	1703	29.34	7.481	1753	30.21	6.645
1604	27.52	0.163	1654	28.49	-2.450	1704	29.37	6.219	1754	30.23	0.887
1605	27.54	0.161	1655	28.51	2.443	1705	29.39	1.210	1755	30.24	-4.119
1606	27.56	0.655	1656	28.55	7.027	1706	29.41	-3.047	1756	30.26	-8.375
1607	27.57	2.399	1657	28.57	7.021	1707	29.42	-5.553	1757	30.27	-9.880
1608	27.59	2.391	1658	28.58	7.765	1708	29.44	-5.558	1758	30.29	-10.637
1609	27.61	1.384	1659	28.60	6.008	1709	29.46	-4.565	1759	30.30	-10.142
1610	27.63	1.378	1660	28.62	3.502	1710	29.47	-3.320	1760	30.32	-10.648
1611	27.64	3.621	1661	28.64	0.995	1711	29.48	-1.326	1761	30.33	-10.152
1612	27.66	5.616	1662	28.65	-1.011	1712	29.51	6.166	1762	30.35	-6.410
1613	27.67	6.860	1663	28.67	-2.758	1713	29.52	12.910	1763	30.36	-3.165
1614	27.69	9.355	1664	28.69	-1.774	1714	29.54	15.404	1764	30.37	-0.671
1615	27.71	9.843	1665	28.70	0.220	1715	29.56	17.897	1765	30.39	2.322
1616	27.73	11.340	1666	28.73	2.711	1716	29.58	18.139	1766	30.41	3.067
1617	27.75	10.082	1667	28.74	6.456	1717	29.59	16.882	1767	30.42	4.312
1618	27.77	8.075	1668	28.76	7.698	1718	29.61	12.375	1768	30.43	4.308
1619	27.78	6.318	1669	28.77	9.443	1719	29.63	7.367	1769	30.44	3.804
1620	27.81	5.059	1670	28.79	8.937	1720	29.65	4.861	1770	30.46	5.798
1621	27.83	5.049	1671	28.81	8.431	1721	29.66	1.857	1771	30.48	10.789
1622	27.85	3.042	1672	28.82	7.175	1722	29.68	2.348	1772	30.50	15.032
1623	27.87	21536	1673	28.84	4.669	1723	29.70	2.841	1773	30.51	18.777
1624	27.89	3.529	1674	28.86	2.161	1724	29.71	34586	1774	30.53	21.768
1625	27.90	3.023	1675	28.83	-2.344	1725	29.73	9.078	1775	30.55	19.763
1626	27.94	14253	1676	28.89	-1.100	1726	29.75	11.071	1776	30.56	20.257
1627	27.97	-0.751	1677	28.90	-0.605	1727	29.76	134586	1777	30.58	15.500
1628	27.99	0.990	1678	28.91	0.642	1728	29.78	14.811	1778	30.60	11.744
1629	28.01	1.734	1679	28.93	3.136	1729	29.79	17.306	1779	30.62	4.485
1630	28.02	-0.771	1680	28.95	5.127	1730	29.80	17.301	1780	30.64	0.227
1631	28.04	-2.779	1681	28.97	6.863	1731	29.82	164795	1781	30.66	-4.282
1632	28.06	-2.786	1682	28.99	6.360	1732	29.84	12.286	1782	30.68	-6.039
1633	28.07	-3.790	1683	29.01	6.355	1733	29.86	8.029	1783	30.71	-6.800
1634	28.08	-3.295	1684	29.02	4.599	1734	29.88	4.020	1784	30.74	-8.560
1635	28.11	-0.803	1685	29.03	1.345	1735	29.90	34012	1785	30.76	-6.819
1636	28.12	1.690	1686	29.05	1.839	1736	29.93	1.504	1786	30.78	-6.327
1637	28.14	24934	1687	29.07	3.833	1737	29.94	1.497	1787	30.82	-1.841
1638	28.15	24928	1688	29.08	5.577	1738	29.96	1.490	1788	30.84	4.399
1639	28.16	24928	1689	29.10	6.819	1739	29.98	34983	1789	30.87	6.890
1640	28.20	2.412	1690	29.12	10.563	1740	30.00	5.227	1790	30.89	13.130
1641	28.22	1.651	1691	29.13	11.306	1741	30.01	64469	1791	30.91	16.874
1642	28.24	1.146	1692	29.15	11.303	1742	30.03	7.214	1792	30.92	19.370
1643	28.25	1.141	1693	29.16	10.546	1743	30.04	6.709	1793	30.93	18.865
1644	28.27	0.383	1694	29.17	7.043	1744	30.06	6.451	1794	30.95	19.358
1645	28.29	0.877	1695	29.19	3.786	1745	30.08	5.445	1795	30.97	18.101
1646	28.31	1.618	1696	29.21	0.760	1746	30.10	4.688	1796	30.99	15.594
1647	28.33	1.612	1697	29.22	-1.476	1747	30.11	4.683	1797	31.00	11.838
1648	28.35	1.604	1698	29.24	-4.232	1748	30.12	5.928	1798	31.02	5.580
1649	28.38	1.598	1699	29.25	-3.741	1749	30.13	8.923	1799	31.04	3.073
1650	28.40	-2.166	1700	29.29	-2.500	1750	30.16	10.184	1800	31.06	0.066

土木構造物における加速度強震記録（No. 9）

INDEX NO. 819 1320-GH-1 SAPPORO I.C BR. U-D MAX.ACCEL.= 66.618(GAL) T= 0.29(SEC) NO.10

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1601	31.07	-3.659	1651	32.11	3.912	1701	33.39	3.916	1951	34.61	12.947
1602	31.10	-2.452	1652	32.14	-1.649	1702	33.42	4.657	1952	34.63	13.440
1603	31.13	-3.715	1653	32.15	-2.350	1703	33.44	4.648	1953	34.64	13.435
1604	31.14	-3.717	1654	32.13	-2.836	1704	33.46	4.630	1954	34.66	10.427
1605	31.16	-4.474	1655	32.21	-1.473	1705	33.45	4.131	1955	34.70	7.161
1606	31.18	-6.231	1656	32.23	-1.133	1706	33.50	3.872	1956	34.73	4.151
1607	31.22	-4.496	1657	32.24	2.610	1707	33.53	2.461	1957	34.75	1.642
1608	31.24	-3.254	1658	32.26	3.104	1708	33.56	2.102	1958	34.77	-1.366
1609	31.26	-1.511	1659	32.28	5.097	1709	33.58	2.093	1959	34.78	-2.621
1610	31.28	2.232	1660	32.33	2.559	1910	33.60	0.835	1960	34.79	-1.626
1611	31.29	4.226	1661	32.32	2.579	1911	33.62	3.326	1961	34.81	-1.631
1612	31.31	4.720	1662	32.34	2.572	1912	33.65	5.067	1962	34.82	1.612
1613	31.32	4.715	1663	32.35	2.617	1913	33.67	9.557	1963	34.85	3.354
1614	31.34	6.707	1664	32.37	3.069	1914	33.70	9.549	1964	34.88	8.340
1615	31.36	4.200	1665	32.39	0.553	1915	33.71	9.541	1965	34.91	13.330
1616	31.39	2.188	1666	32.42	-2.457	1916	33.74	11.282	1966	34.93	15.321
1617	31.42	-0.622	1667	32.43	0.035	1917	33.75	10.777	1967	34.95	15.314
1618	31.44	-3.330	1668	32.45	1.777	1918	33.77	10.268	1968	34.97	15.306
1619	31.46	-4.587	1669	32.49	0.012	1919	33.80	9.010	1969	34.99	15.800
1620	31.47	-4.593	1670	32.52	-4.499	1920	33.82	5.252	1970	35.00	12.792
1621	31.49	-4.103	1671	32.54	-5.007	1921	33.84	-0.508	1971	35.02	11.035
1622	31.51	-2.666	1672	32.56	-6.765	1922	33.87	-4.268	1972	35.05	7.274
1623	31.52	-2.112	1673	32.59	-9.273	1923	33.90	-8.730	1973	35.09	2.259
1624	31.53	-2.617	1674	32.60	-8.278	1924	33.93	-6.791	1974	35.12	-2.751
1625	31.56	-3.676	1675	32.62	-9.035	1925	33.96	-6.802	1975	35.15	-6.012
1626	31.57	-4.632	1676	32.64	-8.562	1926	33.98	-3.812	1976	35.18	-7.275
1627	31.59	-5.136	1677	32.67	2.695	1927	34.01	3.176	1977	35.20	-6.785
1628	31.60	-5.144	1678	32.71	12.929	1928	34.05	6.913	1978	35.23	-4.295
1629	31.62	-5.901	1679	32.74	16.667	1929	34.07	9.903	1979	35.26	-1.055
1630	31.64	-4.156	1680	32.76	17.908	1930	34.11	14.388	1980	35.28	3.187
1631	31.66	-2.915	1681	32.78	16.150	1931	34.14	16.127	1981	35.30	7.676
1632	31.69	4.575	1682	32.82	11.138	1932	34.17	17.367	1982	35.34	13.912
1633	31.70	5.920	1683	32.84	6.677	1933	34.19	16.658	1983	35.37	16.900
1634	31.71	4.065	1684	32.86	1.118	1934	34.21	14.351	1984	35.39	17.643
1635	31.75	3.302	1685	32.88	0.613	1935	34.24	8.089	1985	35.41	15.885
1636	31.78	1.538	1686	32.90	-0.647	1936	34.26	4.330	1986	35.43	11.378
1637	31.81	0.275	1687	32.93	1.093	1937	34.29	6.071	1987	35.47	5.613
1638	31.87	1.004	1688	32.96	3.584	1938	34.30	6.815	1988	35.50	-1.151
1639	31.90	-0.257	1689	32.98	4.824	1939	34.33	6.305	1989	35.52	-2.989
1640	31.92	-2.265	1690	33.01	3.563	1940	34.35	3.545	1990	35.55	-4.916
1641	31.94	-1.771	1691	33.03	5.304	1941	34.37	3.539	1991	35.57	-5.427
1642	31.95	-1.025	1692	33.09	1.033	1942	34.38	3.034	1992	35.60	-5.436
1643	31.96	0.718	1693	33.11	-0.227	1943	34.40	-0.724	1993	35.63	-6.698
1644	31.99	5.210	1694	33.14	1.763	1944	34.43	-2.683	1994	35.66	-1.209
1645	32.00	5.204	1695	33.17	2.750	1945	34.44	-1.989	1995	35.69	1.278
1646	32.02	6.946	1696	33.20	0.987	1946	34.47	-2.498	1996	35.71	1.769
1647	32.04	7.690	1697	33.25	3.471	1947	34.49	-0.256	1997	35.76	3.752
1648	32.06	7.682	1698	33.29	3.956	1948	34.51	2.985	1998	35.79	3.241
1649	32.08	7.175	1699	33.33	4.669	1949	34.55	7.222	1999	35.81	3.734
1650	32.09	4.668	1900	33.37	3.424	1950	34.57	8.461	2000	35.84	5.471

INDEX NO. 819 1320-GH-1 SAPPORO I.C BR. U-D MAX.ACCEL.= 66.618(GAL) T= 0.29(SEC) NO.11

NO.	(SEC)	(GAL)
2001	35.88	6.205
2002	35.91	5.695
2003	35.93	3.666
2004	35.96	3.675
2005	35.98	0.667

Table IX D-46 Digitized Accelerations of Earthquake Record with Index Number 820

INDEX NO. 820 1320-GR-1 SAPPORO I.C BR. TR. MAX.ACCEL.= 310.527(GAL) T= 3.57(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.27	13.157	51	1.10	9.171	101	1.97	20.884	151	2.61	-217.062
2	0.29	27.125	52	1.12	11.653	102	1.98	37.368	152	2.62	-219.068
3	0.30	26.615	53	1.13	13.384	103	1.99	59.603	153	2.63	-200.330
4	0.33	13.575	54	1.14	12.867	104	2.00	62.596	154	2.64	-161.102
5	0.34	7.004	55	1.16	12.345	105	2.01	34.582	155	2.65	-157.112
6	0.36	7.277	56	1.17	10.321	106	2.02	38.322	156	2.66	-151.632
7	0.38	6.500	57	1.18	9.605	107	2.03	48.305	157	2.67	-150.394
8	0.39	11.974	58	1.20	7.780	108	2.04	58.287	158	2.68	-153.406
9	0.42	17.686	59	1.22	8.257	109	2.05	63.526	159	2.69	-160.928
10	0.44	23.401	60	1.23	10.733	110	2.06	80.504	160	2.70	-161.443
11	0.45	21.386	61	1.25	12.703	111	2.07	94.236	161	2.71	-171.460
12	0.47	20.118	62	1.27	13.921	112	2.08	101.472	162	2.72	-182.475
13	0.48	15.094	63	1.30	13.389	113	2.09	119.706	163	2.73	-191.240
14	0.50	7.567	64	1.32	10.101	114	2.10	119.696	164	2.74	-188.749
15	0.52	3.294	65	1.34	7.067	115	2.11	138.180	165	2.75	-199.516
16	0.53	4.020	66	1.36	4.540	116	2.12	145.164	166	2.76	-205.781
17	0.55	4.748	67	1.37	3.274	117	2.13	147.648	167	2.77	-210.538
18	0.58	11.706	68	1.39	-2.301	118	2.15	149.617	168	2.78	-216.810
19	0.60	15.924	69	1.42	-10.291	119	2.18	152.031	169	2.79	-225.072
20	0.61	19.153	70	1.44	-16.575	120	2.20	157.053	170	2.80	-221.581
21	0.63	20.370	71	1.46	-21.654	121	2.22	154.020	171	2.81	-217.101
22	0.65	17.346	72	1.48	-26.883	122	2.23	156.256	172	2.82	-225.117
23	0.67	12.320	73	1.50	-29.909	123	2.24	155.734	173	2.83	-219.128
24	0.69	6.041	74	1.51	-29.429	124	2.26	162.203	174	2.84	-217.891
25	0.70	1.517	75	1.52	-32.696	125	2.28	163.928	175	2.85	-217.909
26	0.71	0.751	76	1.53	-37.204	126	2.29	163.419	176	2.86	-210.927
27	0.72	1.486	77	1.54	-43.975	127	2.30	165.157	177	2.88	-199.453
28	0.74	3.716	78	1.56	-48.759	128	2.31	165.381	178	2.89	-193.221
29	0.75	8.694	79	1.59	-53.794	129	2.33	166.601	179	2.90	-189.988
30	0.77	15.668	80	1.61	-53.820	130	2.35	164.582	180	2.91	-180.503
31	0.79	20.892	81	1.62	-56.845	131	2.37	165.803	181	2.93	-172.786
32	0.80	26.369	82	1.63	-58.857	132	2.38	161.530	182	2.96	-164.822
33	0.82	28.350	83	1.64	-58.869	133	2.40	155.761	183	2.98	-154.601
34	0.83	25.828	84	1.65	-61.892	134	2.41	145.232	184	3.00	-137.381
35	0.84	22.057	85	1.70	-53.457	135	2.42	143.972	185	3.01	-126.651
36	0.86	17.785	86	1.71	-53.476	136	2.43	143.956	186	3.03	-114.170
37	0.87	13.267	87	1.72	-56.495	137	2.45	142.427	187	3.04	-106.437
38	0.88	13.757	88	1.74	-57.773	138	2.47	137.397	188	3.05	-98.204
39	0.89	16.233	89	1.76	-58.300	139	2.49	129.876	189	3.06	-92.478
40	0.92	19.451	90	1.77	-58.569	140	2.50	115.855	190	3.08	-86.253
41	0.93	19.932	91	1.79	-54.089	141	2.51	100.587	191	3.10	-82.526
42	0.94	23.667	92	1.80	-51.612	142	2.52	78.823	192	3.12	-72.810
43	0.95	26.893	93	1.82	-51.131	143	2.53	64.317	193	3.14	-65.089
44	0.97	28.121	94	1.84	-45.417	144	2.54	40.047	194	3.16	-55.864
45	0.98	27.353	95	1.86	-36.705	145	2.55	-4.471	195	3.17	-50.131
46	0.99	25.586	96	1.89	-23.991	146	2.56	-51.987	196	3.18	-39.399
47	1.01	21.807	97	1.92	-11.284	147	2.57	-88.255	197	3.19	-34.409
48	1.05	13.003	98	1.94	-1.311	148	2.58	-96.019	198	3.20	-29.174
49	1.07	7.475	99	1.95	0.676	149	2.59	-99.778	199	3.22	-18.452
50	1.08	7.455	100	1.96	11.897	150	2.60	-181.548	200	3.24	-1.233

INDEX NO. 020 1320-GR-1 SAPPORO I.C BR. TR. MAX.ACCEL.= 310.527(GAL) T= 3.57(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	3.26	14.733	251	3.94	-197.021	301	4.57	-43.951	351	5.25	-94.932
202	3.28	27.199	252	3.95	-197.024	302	4.60	-22.493	352	5.26	-94.978
203	3.29	32.932	253	3.96	-160.289	303	4.63	2.467	353	5.28	-94.496
204	3.31	36.165	254	3.97	-151.551	304	4.65	23.188	354	5.29	-91.259
205	3.32	37.398	255	3.98	-149.574	305	4.66	39.167	355	5.30	-86.275
206	3.33	41.624	256	3.99	-167.091	306	4.67	48.152	356	5.31	-74.297
207	3.34	45.616	257	4.00	-190.607	307	4.69	62.131	357	5.32	-64.566
208	3.35	53.846	258	4.01	-198.368	308	4.70	75.865	358	5.33	-54.583
209	3.37	61.074	259	4.02	-206.381	309	4.71	86.097	359	5.35	-48.100
210	3.39	91.042	260	4.03	-214.145	310	4.72	102.578	360	5.36	-42.616
211	3.42	147.739	261	4.04	-216.165	311	4.73	110.814	361	5.37	-41.381
212	3.43	168.476	262	4.05	-210.680	312	4.74	126.796	362	5.38	-35.398
213	3.45	207.950	263	4.06	-203.193	313	4.76	133.025	363	5.39	-32.413
214	3.46	222.687	264	4.07	-197.454	314	4.77	140.036	364	5.40	-29.187
215	3.48	247.913	265	4.08	-180.470	315	4.79	149.984	365	5.42	-29.211
216	3.49	273.386	266	4.09	-168.232	316	4.80	157.217	366	5.43	-30.479
217	3.50	278.877	267	4.10	-144.005	317	4.81	162.698	367	5.45	-36.005
218	3.51	280.118	268	4.12	-121.279	318	4.83	169.671	368	5.46	-41.020
219	3.52	277.844	269	4.13	-106.796	319	4.85	180.388	369	5.47	-48.037
220	3.53	275.832	270	4.14	-95.315	320	4.87	193.111	370	5.48	-48.045
221	3.54	275.822	271	4.15	-90.831	321	4.88	196.838	371	5.49	-48.568
222	3.55	277.558	272	4.17	-85.854	322	4.89	197.574	372	5.50	-54.586
223	3.56	282.546	273	4.18	-84.124	323	4.90	195.811	373	5.52	-58.851
224	3.57	310.527	274	4.20	-90.901	324	4.91	187.542	374	5.53	-61.369
225	3.58	300.013	275	4.22	-97.674	325	4.93	175.021	375	5.54	-62.634
226	3.59	292.489	276	4.23	-102.698	326	4.94	162.252	376	5.55	-64.652
227	3.60	292.978	277	4.24	-104.715	327	4.95	149.482	377	5.56	-65.917
228	3.61	292.469	278	4.25	-104.729	328	4.97	141.467	378	5.57	-64.688
229	3.62	280.449	279	4.27	-102.996	329	4.98	129.192	379	5.60	-61.476
230	3.63	261.432	280	4.28	-101.764	330	4.99	118.429	380	5.61	-69.997
231	3.64	244.166	281	4.29	-106.034	331	5.00	106.166	381	5.63	-59.772
232	3.65	228.495	282	4.31	-106.062	332	5.01	97.406	382	5.64	-58.535
233	3.66	220.889	283	4.32	-107.327	333	5.02	76.637	383	5.66	-57.312
234	3.68	202.871	284	4.33	-109.090	334	5.03	69.371	384	5.67	-56.836
235	3.69	192.104	285	4.34	-106.113	335	5.05	52.840	385	5.69	-57.860
236	3.71	171.574	286	4.36	-111.138	336	5.07	37.566	386	5.71	-58.636
237	3.73	152.044	287	4.37	-112.404	337	5.08	26.799	387	5.73	-62.418
238	3.75	134.769	288	4.38	-112.421	338	5.09	18.533	388	5.75	-53.702
239	3.76	124.005	289	4.39	-112.436	339	5.10	10.770	389	5.78	-64.990
240	3.77	103.730	290	4.41	-111.207	340	5.11	0.751	390	5.79	-62.511
241	3.79	88.459	291	4.42	-109.475	341	5.12	-7.516	391	5.80	-60.027
242	3.81	61.921	292	4.45	-99.511	342	5.13	-15.783	392	5.81	-57.042
243	3.83	40.143	293	4.46	-100.028	343	5.14	-26.051	393	5.83	-45.317
244	3.85	15.360	294	4.47	-87.551	344	5.16	-40.067	394	5.85	-29.347
245	3.87	-5.165	295	4.48	-81.818	345	5.17	-54.582	395	5.87	-19.118
246	3.88	-28.434	296	4.49	-79.329	346	5.18	-71.849	396	5.88	-8.391
247	3.90	-52.701	297	4.52	-70.620	347	5.19	-87.615	397	5.90	4.335
248	3.91	-80.472	298	4.53	-65.891	348	5.20	-99.887	398	5.91	13.315
249	3.92	-101.732	299	4.55	-60.417	349	5.21	-100.399	399	5.93	21.290
250	3.93	-168.254	300	4.56	-55.429	350	5.23	-96.185	400	5.95	31.012

土木構造物における加速度強震記録（No. 9）

INDEX NO. 820 1320-GR-1 SAPPORO I.C BR. TR. MAX.ACCEL.= 310.527(GAL) T= 3.57(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	5.96	35.994	451	6.69	30.173	501	7.32	-42.011	551	8.04	167.665
402	5.97	38.978	452	6.70	23.652	502	7.33	-36.530	552	8.05	168.892
403	5.99	46.705	453	6.72	18.131	503	7.35	-30.304	553	8.07	167.619
404	6.00	48.690	454	6.73	16.104	504	7.36	-18.078	554	8.08	162.598
405	6.01	48.174	455	6.74	17.340	505	7.39	-5.362	555	8.10	155.076
406	6.03	47.395	456	6.76	19.067	506	7.40	1.368	556	8.11	147.303
407	6.04	47.878	457	6.78	24.041	507	7.41	4.603	557	8.13	136.023
408	6.05	51.114	458	6.79	27.266	508	7.42	5.088	558	8.15	114.240
409	6.07	58.089	459	6.81	28.995	509	7.43	5.069	559	8.18	94.708
410	6.08	61.823	460	6.82	29.224	510	7.45	1.548	560	8.20	74.424
411	6.09	61.306	461	6.84	24.199	511	7.46	-0.469	561	8.22	58.398
412	6.10	59.536	462	6.85	24.186	512	7.47	0.266	562	8.24	31.112
413	6.11	57.516	463	6.86	26.414	513	7.48	0.744	563	8.25	18.842
414	6.12	53.252	464	6.88	29.638	514	7.49	-1.022	564	8.27	8.322
415	6.14	46.985	465	6.90	34.605	515	7.51	-6.042	565	8.28	-5.194
416	6.15	38.465	466	6.92	39.577	516	7.52	-9.307	566	8.30	-19.724
417	6.16	34.695	467	6.94	36.548	517	7.53	-19.328	567	8.31	-32.498
418	6.18	30.427	468	6.96	33.275	518	7.54	-33.847	568	8.33	-45.269
419	6.19	28.399	469	6.97	29.511	519	7.56	-45.369	569	8.35	-56.045
420	6.22	25.114	470	6.98	21.495	520	7.58	-59.404	570	8.36	-68.814
421	6.24	21.335	471	6.99	4.229	521	7.60	-68.933	571	8.37	-83.334
422	6.25	18.813	472	7.00	-11.036	522	7.62	-75.957	572	8.39	-103.608
423	6.26	16.296	473	7.01	-20.798	523	7.64	-79.235	573	8.40	-113.372
424	6.28	16.272	474	7.02	-64.323	524	7.65	-83.007	574	8.41	-121.139
425	6.30	13.747	475	7.03	-91.088	525	7.66	-82.528	575	8.42	-128.651
426	6.31	7.225	476	7.04	-105.601	526	7.68	-78.804	576	8.43	-132.423
427	6.33	0.951	477	7.05	-124.118	527	7.70	-72.577	577	8.44	-134.191
428	6.34	-4.063	478	7.06	-139.882	528	7.72	-50.356	578	8.46	-135.461
429	6.35	-7.583	479	7.07	-144.389	529	7.73	-35.127	579	8.48	-131.240
430	6.36	-8.849	480	7.08	-144.405	530	7.75	-21.151	580	8.50	-121.270
431	6.38	-4.382	481	7.09	-147.428	531	7.77	-6.680	581	8.52	-112.054
432	6.41	2.336	482	7.10	-152.607	532	7.78	2.791	582	8.54	-96.840
433	6.43	11.303	483	7.11	-158.950	533	7.80	4.521	583	8.56	-84.119
434	6.45	17.523	484	7.12	-162.711	534	7.81	11.755	584	8.59	-66.401
435	6.46	23.006	485	7.13	-163.475	535	7.82	17.237	585	8.61	-51.687
436	6.48	26.981	486	7.14	-157.990	536	7.83	27.468	586	8.63	-43.719
437	6.49	32.717	487	7.15	-145.508	537	7.84	36.951	587	8.65	-38.998
438	6.50	40.950	488	7.16	-125.272	538	7.85	47.187	588	8.67	-40.283
439	6.51	46.685	489	7.17	-103.791	539	7.86	62.421	589	8.70	-44.821
440	6.52	54.662	490	7.18	-93.551	540	7.88	78.151	590	8.72	-46.607
441	6.54	61.381	491	7.20	-83.834	541	7.89	92.132	591	8.74	-47.888
442	6.55	64.866	492	7.22	-75.859	542	7.90	106.115	592	8.76	-45.415
443	6.56	65.604	493	7.23	-58.633	543	7.92	123.838	593	8.79	-37.448
444	6.57	62.588	494	7.24	-46.648	544	7.93	132.569	594	8.81	-28.737
445	6.60	57.557	495	7.25	-36.913	545	7.95	143.544	595	8.84	-19.773
446	6.62	52.525	496	7.26	-35.174	546	7.96	151.778	596	8.86	-11.560
447	6.63	50.011	497	7.27	-34.941	547	7.97	162.507	597	8.89	-4.598
448	6.64	44.989	498	7.28	-38.210	548	7.99	160.737	598	8.90	-2.624
449	6.65	42.970	499	7.30	-41.983	549	8.01	161.705	599	8.92	-2.152
450	6.67	39.701	500	7.31	-43.246	550	8.02	165.684	600	8.94	-4.432

INDEX NO. 820 1320-GR-1 SAPPORO I.C BR. TR. MAX.ACCEL.= 310.527(GAL) T= 3.57(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	8.96	-6.461	651	9.80	-29.720	701	10.65	-20.752	751	11.68	-41.276
602	8.98	-5.238	652	9.81	-29.233	702	10.67	-19.026	752	11.70	-36.552
603	9.00	-4.013	653	9.83	-33.039	703	10.69	-17.839	753	11.72	-30.322
604	9.01	-0.283	654	9.84	-39.783	704	10.71	-18.589	754	11.73	-18.345
605	9.03	8.693	655	9.86	-47.559	705	10.72	-16.110	755	11.75	-4.376
606	9.05	14.151	656	9.87	-51.332	706	10.74	-14.135	756	11.78	8.837
607	9.08	28.860	657	9.88	-49.096	707	10.76	-12.409	757	11.79	12.061
608	9.11	42.820	658	9.89	-42.861	708	10.77	-11.683	758	11.81	14.542
609	9.13	57.293	659	9.90	-32.127	709	10.79	-12.202	759	11.82	10.274
610	9.14	65.521	660	9.92	-20.149	710	10.80	-12.960	760	11.85	1.486
611	9.15	71.257	661	9.93	-7.418	711	10.82	-13.759	761	11.86	-8.039
612	9.17	83.733	662	9.94	0.815	712	10.85	-10.542	762	11.88	-17.064
613	9.18	90.463	663	9.95	7.798	713	10.86	-8.058	763	11.89	-22.086
614	9.20	100.432	664	9.97	16.026	714	10.89	-2.609	764	11.91	-23.860
615	9.22	108.631	665	9.99	32.497	715	10.91	-1.887	765	11.93	-26.393
616	9.25	120.638	666	10.01	45.716	716	10.93	2.581	766	11.96	-30.690
617	9.26	125.087	667	10.02	53.691	717	10.95	5.058	767	11.98	-30.716
618	9.28	128.816	668	10.04	54.675	718	10.98	12.760	768	12.00	-28.246
619	9.29	130.051	669	10.05	54.660	719	11.01	16.970	769	12.02	-22.522
620	9.31	122.020	670	10.07	49.880	720	11.03	18.435	770	12.04	-18.297
621	9.32	114.498	671	10.08	42.357	721	11.05	20.152	771	12.07	-8.093
622	9.34	108.223	672	10.10	33.323	722	11.07	17.876	772	12.09	-3.119
623	9.35	101.951	673	10.12	27.544	723	11.10	16.585	773	12.11	2.845
624	9.37	93.423	674	10.14	22.010	724	11.12	18.306	774	12.13	3.320
625	9.38	87.906	675	10.16	21.233	725	11.14	20.773	775	12.14	2.795
626	9.41	76.374	676	10.18	19.212	726	11.17	26.237	776	12.16	-3.482
627	9.42	59.845	677	10.20	11.678	727	11.19	31.207	777	12.18	+10.258
628	9.45	33.553	678	10.22	10.902	728	11.21	37.670	778	12.20	+19.287
629	9.48	8.765	679	10.24	5.816	729	11.24	42.635	779	12.21	+27.559
630	9.50	-6.263	680	10.26	2.337	730	11.27	48.340	780	12.23	+30.829
631	9.51	-20.282	681	10.28	6.059	731	11.29	56.049	781	12.24	+32.101
632	9.53	-36.306	682	10.30	13.020	732	11.32	56.517	782	12.26	+29.635
633	9.54	-46.571	683	10.32	20.741	733	11.34	57.231	783	12.28	+26.162
634	9.55	-58.590	684	10.34	28.707	734	11.36	49.200	784	12.30	+19.939
635	9.56	-72.366	685	10.36	35.179	735	11.38	40.919	785	12.33	-8.477
636	9.58	-79.637	686	10.39	36.644	736	11.41	28.883	786	12.36	4.230
637	9.59	-84.657	687	10.41	35.111	737	11.42	20.607	787	12.38	16.937
638	9.60	-90.426	688	10.42	34.588	738	11.44	16.578	788	12.41	26.896
639	9.62	-96.193	689	10.44	33.315	739	11.46	15.306	789	12.43	35.368
640	9.63	-104.213	690	10.46	32.037	740	11.49	16.008	790	12.45	39.589
641	9.64	-109.481	691	10.47	29.513	741	11.52	15.220	791	12.47	43.316
642	9.65	-110.749	692	10.49	26.493	742	11.54	12.680	792	12.48	45.793
643	9.67	-109.018	693	10.50	21.975	743	11.56	7.157	793	12.49	45.772
644	9.68	-107.287	694	10.51	11.702	744	11.57	0.638	794	12.51	46.000
645	9.70	-101.563	695	10.54	-4.833	745	11.59	-8.134	795	12.52	43.478
646	9.71	-97.330	696	10.55	-16.358	746	11.60	-20.905	796	12.54	38.458
647	9.72	-87.100	697	10.55	-18.124	747	11.62	-33.175	797	12.55	34.687
648	9.74	-72.384	698	10.58	-21.883	748	11.63	-34.940	798	12.57	27.858
649	9.76	-52.167	699	10.59	+25.164	749	11.65	+36.219	799	12.59	23.878
650	9.78	-35.197	700	10.63	+22.216	750	11.66	+38.743	800	12.61	20.854

INDEX NO. 820 1320-GR-1 SAPPORO I.C BR. TR. MAX.ACCEL.= 310.527(GAL) T= 3.57(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	12.62	21.329	851	13.45	31.861	901	14.33	-17.690	951	15.23	-24.529
802	12.64	23.801	852	13.46	31.355	902	14.34	-17.710	952	15.26	-34.560
803	12.66	26.273	853	13.48	32.554	903	14.35	-16.478	953	15.27	-41.582
804	12.69	29.984	854	13.50	32.325	904	14.38	-12.016	954	15.28	-43.601
805	12.70	32.764	855	13.52	31.748	905	14.40	-8.239	955	15.29	-44.855
806	12.72	31.678	856	13.55	31.212	906	14.42	-3.320	956	15.30	-45.373
807	12.75	30.397	857	13.57	30.430	907	14.43	-4.594	957	15.31	-44.897
808	12.77	30.361	858	13.59	28.149	908	14.45	-4.613	958	15.33	-42.420
809	12.79	29.638	859	13.60	26.878	909	14.46	-3.382	959	15.34	-41.190
810	12.80	28.560	860	13.62	25.601	910	14.47	-1.404	960	15.36	-36.971
811	12.82	27.293	861	13.64	22.323	911	14.49	1.326	961	15.39	-27.507
812	12.84	23.011	862	13.66	21.789	912	14.52	8.529	962	15.42	-19.300
813	12.85	20.999	863	13.69	18.508	913	14.55	18.229	963	15.43	-16.067
814	12.86	19.222	864	13.71	15.974	914	14.58	26.195	964	15.45	-13.601
815	12.87	19.205	865	13.74	14.434	915	14.59	37.668	965	15.47	-10.631
816	12.88	18.443	866	13.75	13.918	916	14.61	48.637	966	15.49	-7.413
817	12.90	25.912	867	13.76	12.553	917	14.64	61.356	967	15.52	-6.946
818	12.93	33.367	868	13.77	11.381	918	14.65	70.581	968	15.54	-5.724
819	12.95	36.335	869	13.79	8.102	919	14.67	77.802	969	15.55	-2.248
820	12.97	37.663	870	13.82	4.312	920	14.69	80.792	970	15.57	1.481
821	12.99	36.527	871	13.85	-0.737	921	14.71	82.750	971	15.59	12.194
822	13.03	31.479	872	13.89	-2.776	922	14.73	84.721	972	15.63	24.643
823	13.05	28.190	873	13.90	-4.806	923	14.75	84.438	973	15.65	35.608
824	13.07	23.910	874	13.91	-4.327	924	14.77	81.405	974	15.67	41.828
825	13.09	19.369	875	13.93	-6.103	925	14.79	78.382	975	15.69	47.053
826	13.10	14.676	876	13.94	-7.864	926	14.80	72.607	976	15.73	60.988
827	13.11	4.103	877	13.95	-8.640	927	14.82	66.335	977	15.76	65.199
828	13.12	-1.657	878	13.97	-12.406	928	14.84	59.312	978	15.77	69.676
829	13.13	-16.924	879	13.98	-14.921	929	14.85	55.538	979	15.79	72.647
830	13.14	-26.936	880	13.99	-17.686	930	14.87	49.760	980	15.80	75.380
831	13.15	-34.199	881	14.00	-17.708	931	14.89	41.986	981	15.82	74.358
832	13.16	-42.967	882	14.03	-9.067	932	14.90	30.219	982	15.84	68.576
833	13.17	-49.979	883	14.05	-2.795	933	14.92	16.187	983	15.87	60.539
834	13.18	-60.754	884	14.08	2.432	934	14.93	3.915	984	15.89	53.259
835	13.20	-69.025	885	14.09	4.908	935	14.95	-7.613	985	15.91	49.472
836	13.21	-72.791	886	14.11	7.383	936	14.97	-15.134	986	15.93	51.943
837	13.22	-76.053	887	14.12	6.662	937	14.98	-17.655	987	15.95	55.663
838	13.23	-74.810	888	14.14	4.338	938	15.00	-20.425	988	15.97	60.632
839	13.24	-73.581	889	14.16	-0.190	939	15.01	-23.452	989	15.99	62.349
840	13.26	-63.111	890	14.18	-3.968	940	15.03	-20.431	990	16.01	63.571
841	13.27	-56.862	891	14.19	-6.994	941	15.05	-16.762	991	16.04	62.537
842	13.29	-48.403	892	14.21	-10.263	942	15.08	-8.900	992	16.06	58.502
843	13.31	-32.667	893	14.22	-11.538	943	15.11	-0.343	993	16.08	52.473
844	13.32	-20.705	894	14.24	-12.810	944	15.13	3.379	994	16.11	43.927
845	13.34	-13.727	895	14.25	-16.573	945	15.14	4.613	995	16.14	30.140
846	13.35	-6.253	896	14.27	-14.097	946	15.15	5.841	996	16.16	14.859
847	13.36	3.964	897	14.28	-17.122	947	15.17	4.568	997	16.18	0.321
848	13.39	9.686	898	14.29	-19.369	948	15.18	-0.954	998	16.20	-9.951
849	13.41	17.422	899	14.31	-19.967	949	15.20	-6.728	999	16.21	-20.975
850	13.43	26.038	900	14.32	-17.674	950	15.22	-14.253	1000	16.23	-28.494

INDEX NO. 820 1320-GR-1 SAPPORO I.C BR. TR. MAX.ACCEL.= 310.527(GAL) T= 3.57(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	16.24	-32.257	1051	17.21	3.808	1101	18.19	-22.905	1151	19.26	-7.996
1002	16.25	-34.773	1052	17.23	-1.473	1102	18.21	-24.697	1152	19.29	-12.044
1003	16.26	-38.045	1053	17.25	-6.502	1103	18.24	-24.739	1153	19.32	-15.336
1004	16.28	-41.826	1054	17.26	-7.272	1104	18.27	-24.775	1154	19.35	-17.120
1005	16.30	-43.945	1055	17.27	-6.791	1105	18.29	-22.813	1155	19.37	-20.904
1006	16.31	-43.368	1056	17.29	-3.566	1106	18.31	-17.367	1156	19.39	-26.941
1007	16.33	-41.393	1057	17.31	-0.601	1107	18.33	-14.676	1157	19.41	-28.221
1008	16.35	-35.924	1058	17.34	4.361	1108	18.35	-9.151	1158	19.43	-29.500
1009	16.37	-28.954	1059	17.35	7.590	1109	18.39	1.543	1159	19.45	-27.023
1010	16.39	-18.737	1060	17.37	12.011	1110	18.42	9.251	1160	19.46	-23.291
1011	16.41	-12.006	1061	17.39	15.285	1111	18.44	14.973	1161	19.48	-17.067
1012	16.42	-6.273	1062	17.41	15.246	1112	18.46	19.964	1162	19.50	-8.092
1013	16.43	-2.289	1063	17.43	17.715	1113	18.47	21.678	1163	19.53	-2.387
1014	16.44	-0.559	1064	17.45	17.189	1114	18.48	19.903	1164	19.55	-0.167
1015	16.46	-2.338	1065	17.47	14.679	1115	18.51	16.119	1165	19.56	1.060
1016	16.49	-6.626	1066	17.48	11.401	1116	18.53	17.341	1166	19.58	0.537
1017	16.51	-9.916	1067	17.49	8.383	1117	18.54	16.813	1167	19.60	-0.740
1018	16.54	-12.956	1068	17.50	7.116	1118	18.57	20.281	1168	19.61	-0.763
1019	16.57	-12.993	1069	17.51	5.851	1119	18.59	24.998	1169	19.63	1.712
1020	16.59	-13.281	1070	17.53	4.575	1120	18.61	25.710	1170	19.65	3.428
1021	16.61	-11.312	1071	17.54	1.301	1121	18.64	26.672	1171	19.67	4.140
1022	16.64	-13.096	1072	17.57	1.763	1122	18.67	27.383	1172	19.69	4.110
1023	16.65	-13.123	1073	17.59	2.982	1123	18.69	28.099	1173	19.71	4.580
1024	16.68	-13.160	1074	17.60	2.462	1124	18.72	28.054	1174	19.74	2.785
1025	16.69	-12.683	1075	17.62	4.938	1125	18.74	29.023	1175	19.76	2.255
1026	16.72	-9.716	1076	17.63	5.421	1126	18.76	26.743	1176	19.78	1.473
1027	16.73	-7.743	1077	17.64	6.152	1127	18.78	23.469	1177	19.80	1.448
1028	16.76	-2.275	1078	17.67	10.358	1128	18.79	20.444	1178	19.82	3.170
1029	16.78	3.190	1079	17.69	10.580	1129	18.82	12.157	1179	19.84	4.388
1030	16.80	0.909	1080	17.71	11.797	1130	18.84	5.624	1180	19.87	6.590
1031	16.81	0.890	1081	17.74	8.514	1131	18.86	0.594	1181	19.89	7.806
1032	16.85	-0.907	1082	17.76	7.975	1132	18.87	0.076	1182	19.92	9.019
1033	16.87	0.063	1083	17.78	8.645	1133	18.89	-0.196	1183	19.94	13.487
1034	16.88	2.037	1084	17.81	10.910	1134	18.91	4.771	1184	19.96	12.209
1035	16.90	10.260	1085	17.83	11.379	1135	18.93	9.741	1185	19.98	12.682
1036	16.93	18.972	1086	17.84	12.107	1136	18.95	14.216	1186	19.99	11.406
1037	16.94	24.697	1087	17.85	14.589	1137	18.97	23.677	1187	20.02	6.873
1038	16.96	28.673	1088	17.87	15.811	1138	19.00	27.396	1188	20.03	6.846
1039	16.98	33.693	1089	17.90	19.517	1139	19.02	31.115	1189	20.06	9.306
1040	17.00	35.362	1090	17.93	23.978	1140	19.03	33.097	1190	20.08	12.523
1041	17.02	34.835	1091	17.94	26.452	1141	19.05	33.060	1191	20.10	13.746
1042	17.03	34.316	1092	17.97	28.413	1142	19.07	32.538	1192	20.13	15.451
1043	17.05	34.795	1093	17.98	26.842	1143	19.08	29.268	1193	20.16	17.912
1044	17.06	36.020	1094	18.00	22.867	1144	19.10	27.497	1194	20.19	23.871
1045	17.08	34.245	1095	18.02	17.095	1145	19.11	22.972	1195	20.20	29.345
1046	17.10	30.466	1096	18.03	5.050	1146	19.13	18.698	1196	20.22	30.072
1047	17.12	25.434	1097	18.04	-4.997	1147	19.15	13.675	1197	20.23	29.551
1048	17.14	23.898	1098	18.10	-12.202	1148	19.17	5.894	1198	20.25	30.026
1049	17.17	14.616	1099	18.12	-19.064	1149	19.20	-0.650	1199	20.27	27.499
1050	17.18	9.341	1100	18.15	-19.359	1150	19.23	-4.951	1200	20.28	24.974

土木構造物における加速度強震記録（No. 9）

INDEX NO. 820 1320-GR-1 SAPPORO I.C GR. TR. MAX.ACCEL.= 310.527(GAL) T= 3.57(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	20.30	20.700	1251	21.41	7.239	1301	22.39	21.614	1351	23.23	7.070
1202	20.32	16.926	1252	21.42	5.774	1302	22.41	20.538	1352	23.25	12.042
1203	20.34	14.145	1253	21.45	5.687	1303	22.43	20.095	1353	23.26	19.265
1204	20.36	15.863	1254	21.47	6.700	1304	22.45	17.983	1354	23.28	25.487
1205	20.38	17.829	1255	21.49	7.171	1305	22.46	16.206	1355	23.30	27.961
1206	20.41	18.562	1256	21.52	7.680	1306	22.49	14.170	1356	23.31	29.443
1207	20.42	16.769	1257	21.54	8.347	1307	22.51	11.637	1357	23.33	29.422
1208	20.44	13.495	1258	21.56	7.620	1308	22.53	9.860	1358	23.34	28.153
1209	20.45	9.222	1259	21.57	6.549	1309	22.54	9.838	1359	23.36	28.879
1210	20.48	4.439	1260	21.59	4.923	1310	22.56	10.305	1360	23.37	29.359
1211	20.50	-0.593	1261	21.61	-0.251	1311	22.59	10.767	1361	23.38	30.589
1212	20.51	-0.612	1262	21.62	-6.023	1312	22.61	12.734	1362	23.40	33.564
1213	20.53	-0.639	1263	21.64	-11.045	1313	22.63	13.213	1363	23.42	36.779
1214	20.55	0.581	1264	21.65	-15.072	1314	22.64	13.496	1364	23.45	38.497
1215	20.56	-0.690	1265	21.67	-17.868	1315	22.65	11.427	1365	23.47	39.207
1216	20.58	-6.223	1266	21.69	-20.625	1316	22.67	8.392	1366	23.49	40.435
1217	20.61	-11.512	1267	21.72	-24.912	1317	22.69	3.863	1367	23.50	40.414
1218	20.63	-11.790	1268	21.73	-26.191	1318	22.70	2.102	1368	23.52	40.394
1219	20.65	-14.966	1269	21.75	-27.211	1319	22.71	-1.920	1369	23.53	38.622
1220	20.67	-11.997	1270	21.76	-29.227	1320	22.73	-7.690	1370	23.55	36.599
1221	20.69	-9.629	1271	21.77	-28.747	1321	22.74	-12.791	1371	23.56	33.576
1222	20.71	-5.666	1272	21.79	-26.524	1322	22.75	-19.716	1372	23.58	29.055
1223	20.74	-2.452	1273	21.81	-27.568	1323	22.76	-21.735	1373	23.59	26.542
1224	20.76	5.259	1274	21.83	-25.829	1324	22.77	-23.503	1374	23.60	23.523
1225	20.79	7.723	1275	21.84	-21.853	1325	22.80	-26.291	1375	23.61	20.248
1226	20.81	8.192	1276	21.86	-14.134	1526	22.82	-30.324	1376	23.63	17.722
1227	20.82	5.321	1277	21.88	-7.911	1327	22.83	-32.089	1377	23.65	16.450
1228	20.84	7.149	1278	21.90	1.310	1328	22.85	-32.118	1378	23.66	13.180
1229	20.85	6.372	1279	21.92	9.029	1329	22.87	-27.900	1379	23.68	9.407
1230	20.88	5.087	1280	21.94	12.751	1330	22.89	-23.439	1380	23.69	7.382
1231	20.90	2.045	1281	21.97	10.957	1331	22.92	-19.724	1381	23.73	-2.417
1232	20.93	3.009	1282	22.00	10.921	1332	22.94	-16.756	1382	23.77	-15.482
1233	20.95	4.231	1283	22.01	10.591	1333	22.95	-16.778	1383	23.80	-22.524
1234	20.97	6.203	1284	22.03	12.111	1334	22.97	-14.550	1384	23.82	-27.053
1235	20.99	7.917	1285	22.06	12.077	1335	22.99	-14.579	1385	23.83	-28.828
1236	21.01	8.634	1286	22.07	15.052	1336	23.01	-14.608	1386	23.86	-32.360
1237	21.05	10.334	1287	22.10	15.759	1337	23.02	-12.130	1387	23.88	-32.893
1238	21.07	11.045	1288	22.12	16.223	1338	23.04	-10.910	1388	23.90	-30.679
1239	21.10	13.509	1289	22.15	18.942	1339	23.06	-6.678	1389	23.92	-28.211
1240	21.12	10.479	1290	22.16	20.166	1340	23.07	-4.697	1390	23.95	-23.249
1241	21.14	7.190	1291	22.18	22.639	1341	23.09	-0.981	1391	23.97	-20.032
1242	21.16	2.907	1292	22.20	23.364	1342	23.10	0.505	1392	23.99	-16.809
1243	21.19	0.664	1293	22.22	19.584	1343	23.12	1.731	1393	24.00	-15.580
1244	21.21	0.863	1294	22.24	19.562	1344	23.13	2.239	1394	24.02	-17.356
1245	21.24	2.050	1295	22.27	17.002	1345	23.15	2.106	1395	24.04	-19.876
1246	21.26	3.268	1296	22.29	16.719	1346	23.17	2.157	1396	24.06	-21.659
1247	21.30	2.456	1297	22.31	15.188	1347	23.18	1.140	1397	24.08	-22.441
1248	21.33	5.661	1298	22.34	20.649	1348	23.19	0.378	1398	24.10	-21.217
1249	21.36	6.119	1299	22.36	21.111	1349	23.29	1.611	1399	24.11	-20.741
1250	21.38	6.837	1300	22.38	21.383	1350	23.21	2.843	1400	24.13	-19.522

INDEX NO. 820 1320-GR-1 SAPPORO I.C GR. TR. MAX.ACCEL.= 310.527(GAL) T= 3.57(SEC) NO. 8

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1401	24.16	-15.954	1451	25.24	-6.661	1501	26.20	-31.077	1551	27.44	16.827
1402	24.19	-7.104	1452	25.26	-2.699	1502	26.22	-31.664	1552	27.46	19.798
1403	24.22	-2.153	1453	25.28	2.269	1503	26.24	-30.150	1553	27.49	24.754
1404	24.25	5.058	1454	25.30	8.996	1504	26.27	-28.184	1554	27.52	26.962
1405	24.27	13.030	1455	25.32	13.718	1505	26.30	-25.227	1555	27.54	29.430
1406	24.29	11.749	1456	25.33	14.948	1506	26.33	-18.274	1556	27.56	31.152
1407	24.31	13.719	1457	25.35	19.919	1507	26.35	-13.368	1557	27.58	33.622
1408	24.34	15.182	1458	25.37	25.395	1508	26.37	-5.593	1558	27.60	36.089
1409	24.35	16.905	1459	25.39	33.114	1509	26.41	5.105	1559	27.63	36.057
1410	24.37	17.636	1460	25.42	31.824	1510	26.45	19.543	1560	27.65	34.765
1411	24.39	23.845	1461	25.46	34.290	1511	26.48	25.494	1561	27.67	29.984
1412	24.42	27.056	1462	25.46	37.590	1512	26.51	25.955	1562	27.70	24.947
1413	24.45	28.766	1463	25.49	39.958	1513	26.53	27.671	1563	27.72	21.664
1414	24.47	31.980	1464	25.52	41.172	1514	26.55	27.143	1564	27.77	21.601
1415	24.49	34.451	1465	25.54	36.644	1515	26.57	28.363	1565	27.80	19.052
1416	24.51	35.673	1466	25.55	37.369	1516	26.59	30.334	1566	27.83	17.258
1417	24.54	37.623	1467	25.57	34.344	1517	26.61	32.552	1567	27.86	14.721
1418	24.56	36.846	1468	25.59	31.573	1518	26.63	33.773	1568	27.88	11.431
1419	24.58	35.820	1469	25.60	28.554	1519	26.66	31.977	1569	27.91	6.888
1420	24.60	32.038	1470	25.61	24.784	1520	26.69	30.695	1570	27.93	1.106
1421	24.62	27.006	1471	25.63	23.006	1521	26.71	27.411	1571	27.95	-1.919
1422	24.65	26.714	1472	25.64	21.487	1522	26.73	27.377	1572	27.97	-13.450
1423	24.68	14.926	1473	25.67	22.264	1523	26.77	23.570	1573	28.00	-20.490
1424	24.70	9.142	1474	25.69	21.675	1524	26.79	20.037	1574	28.03	-29.540
1425	24.72	2.116	1475	25.70	16.399	1525	26.81	19.258	1575	28.06	-32.829
1426	24.74	-5.672	1476	25.72	17.877	1526	26.84	15.470	1576	28.08	-32.615
1427	24.77	-13.708	1477	25.73	14.106	1527	26.86	11.687	1577	28.11	-32.151
1428	24.79	-20.242	1478	25.75	7.580	1528	26.88	8.410	1578	28.14	-25.451
1429	24.81	-25.271	1479	25.79	0.029	1529	26.90	0.127	1579	28.18	-19.250
1430	24.82	-30.048	1480	25.80	-1.997	1530	26.92	-10.650	1580	28.20	-14.786
1431	24.85	-33.831	1481	25.82	-6.021	1531	26.93	-17.173	1581	28.23	-12.330
1432	24.86	-35.103	1482	25.84	-10.296	1532	26.96	-23.461	1582	28.25	-11.861
1433	24.88	-36.379	1483	25.85	-14.069	1533	27.00	-30.014	1583	28.28	-11.151
1434	24.90	-39.406	1484	25.87	-16.594	1534	27.03	-35.554	1584	28.31	-11.694
1435	24.91	-42.684	1485	25.87	-17.868	1535	27.06	-37.491	1585	28.32	-8.218
1436	24.94	-43.966	1486	25.90	-12.891	1536	27.08	-39.884	1586	28.36	1.225
1437	24.96	-42.249	1487	25.92	-10.666	1537	27.10	-39.662	1587	28.40	5.425
1438	24.98	-39.776	1488	25.93	-21.940	1538	27.12	-36.693	1588	28.42	9.142
1439	25.00	-37.804	1489	25.95	-23.964	1539	27.14	-36.224	1589	28.44	13.368
1440	25.01	-35.329	1490	25.97	-23.996	1540	27.19	-22.046	1590	28.46	16.085
1441	25.02	-33.595	1491	25.99	-23.521	1541	27.21	-21.587	1591	28.49	16.566
1442	25.04	-32.374	1492	26.01	-23.546	1542	27.26	-19.158	1592	28.51	14.760
1443	25.07	-31.162	1493	26.02	-22.319	1543	27.28	-18.438	1593	28.53	11.475
1444	25.09	-30.440	1494	26.04	-21.091	1544	27.30	-14.717	1594	28.55	8.948
1445	25.11	-29.224	1495	26.06	-20.374	1545	27.32	-9.750	1595	28.57	7.170
1446	25.14	-25.522	1496	26.07	-21.645	1546	27.34	-6.778	1596	28.60	6.380
1447	25.17	-23.056	1497	26.10	-22.630	1547	27.36	-4.547	1597	28.62	8.347
1448	25.18	-17.332	1498	26.12	-24.710	1548	27.37	0.928	1598	28.64	10.063
1449	25.20	-15.356	1499	26.14	-25.994	1549	27.39	3.902	1599	28.67	12.528
1450	25.21	-12.374	1500	26.17	-24.038	1550	27.41	9.118	1600	28.70	9.982

INDEX NO. 820 1320-GR-1 SAPPORO I.C BR. TR. MAX.ACCEL.= 310.527(GAL) T= 3.57(SEC) NO. 9

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1601	28.73	9.445	1651	29.71	-22.248	1701	30.76	-23.570	1751	31.79	-31.350
1602	28.74	8.671	1652	29.74	-24.294	1702	30.78	-19.849	1752	31.81	-27.633
1603	28.77	8.135	1653	29.76	-25.834	1703	30.80	-15.633	1753	31.83	-20.919
1604	28.79	6.846	1654	29.79	-25.366	1704	30.83	-9.174	1754	31.85	-9.546
1605	28.82	5.553	1655	29.81	-19.651	1705	30.85	-5.956	1755	31.89	8.998
1606	28.85	4.268	1656	29.83	-17.937	1706	30.87	-4.744	1756	31.93	24.687
1607	28.87	2.989	1657	29.85	-16.718	1707	30.90	-1.027	1757	31.96	32.894
1608	28.89	-0.296	1658	29.87	-13.499	1708	30.92	6.692	1758	31.99	44.340
1609	28.90	-2.003	1659	29.89	-9.022	1709	30.94	14.661	1759	32.02	47.307
1610	28.92	0.412	1660	29.91	-2.799	1710	30.96	19.624	1760	32.04	50.779
1611	28.95	-2.882	1661	29.93	11.168	1711	30.99	26.088	1761	32.05	50.751
1612	28.97	-6.667	1662	29.96	27.123	1712	31.01	27.299	1762	32.08	46.967
1613	28.99	-9.943	1663	29.99	39.082	1713	31.04	29.264	1763	32.10	41.431
1614	29.01	-11.965	1664	30.01	46.544	1714	31.06	29.986	1764	32.12	36.501
1615	29.02	-9.487	1665	30.04	55.007	1715	31.07	30.465	1765	32.14	28.628
1616	29.04	-6.515	1666	30.06	59.976	1716	31.09	32.191	1766	32.16	19.844
1617	29.08	-2.574	1667	30.08	63.195	1717	31.10	29.917	1767	32.18	9.557
1618	29.11	1.634	1668	30.10	59.921	1718	31.12	27.140	1768	32.20	6.286
1619	29.13	2.102	1669	30.12	53.131	1719	31.14	20.367	1769	32.21	4.511
1620	29.15	4.076	1670	30.15	39.339	1720	31.15	12.349	1770	32.23	5.489
1621	29.17	7.298	1671	30.18	21.795	1721	31.16	4.582	1771	32.25	8.714
1622	29.19	11.017	1672	30.21	8.754	1722	31.18	0.058	1772	32.27	9.934
1623	29.20	13.494	1673	30.24	-2.791	1723	31.19	-2.957	1773	32.30	16.883
1624	29.22	14.215	1674	30.27	-10.846	1724	31.20	-7.965	1774	32.34	14.327
1625	29.25	13.684	1675	30.30	-24.382	1725	31.23	-2.021	1775	32.36	13.041
1626	29.27	10.902	1676	30.32	-37.923	1726	31.25	0.449	1776	32.38	9.759
1627	29.29	4.869	1677	30.33	-41.933	1727	31.27	3.171	1777	32.41	5.473
1628	29.31	-2.165	1678	30.34	-40.702	1728	31.28	2.399	1778	32.43	1.944
1629	29.33	-9.195	1679	30.37	-31.989	1729	31.29	0.636	1779	32.44	-5.578
1630	29.35	-12.908	1680	30.38	-29.010	1730	31.31	-3.888	1780	32.46	-14.606
1631	29.36	-15.488	1681	30.40	-23.785	1731	31.32	-6.411	1781	32.48	-23.883
1632	29.37	-15.505	1682	30.42	-15.566	1732	31.34	-9.441	1782	32.49	-29.907
1633	29.39	-13.774	1683	30.44	-6.094	1733	31.36	-14.220	1783	32.52	-33.690
1634	29.40	-13.800	1684	30.46	3.370	1734	31.38	-18.496	1784	32.54	-39.230
1635	29.42	-14.318	1685	30.48	9.847	1735	31.40	-18.029	1785	32.58	-43.536
1636	29.44	-16.359	1686	30.50	15.321	1736	31.42	-18.060	1786	32.61	-45.829
1637	29.46	-16.378	1687	30.51	17.297	1737	31.44	-19.342	1787	32.63	-45.359
1638	29.47	-13.901	1688	30.52	15.780	1738	31.46	-19.373	1788	32.67	-36.167
1639	29.50	-9.432	1689	30.53	14.263	1739	31.48	-16.901	1789	32.69	-34.957
1640	29.51	-5.210	1690	30.55	7.994	1740	31.51	-12.695	1790	32.72	-34.240
1641	29.53	-2.731	1691	30.57	-2.784	1741	31.53	-13.222	1791	32.75	-30.536
1642	29.54	-2.754	1692	30.58	-13.557	1742	31.55	-15.745	1792	32.77	-28.569
1643	29.56	-4.022	1693	30.60	-23.588	1743	31.57	-19.527	1793	32.79	-26.598
1644	29.58	-5.801	1694	30.62	-28.859	1744	31.59	-24.557	1794	32.80	-24.870
1645	29.59	-9.579	1695	30.63	-31.384	1745	31.61	-29.863	1795	32.82	-23.665
1646	29.62	-12.861	1696	30.65	-30.910	1746	31.63	-31.625	1796	32.84	-22.920
1647	29.63	-15.883	1697	30.67	-30.436	1747	31.67	-34.171	1797	32.86	-17.950
1648	29.65	-19.911	1698	30.69	-27.221	1748	31.70	-34.969	1798	32.88	-13.479
1649	29.66	-19.684	1699	30.72	-26.753	1749	31.73	-36.267	1799	32.90	-6.015
1650	29.68	-20.460	1700	30.74	-24.793	1750	31.76	-33.310	1800	32.92	0.953

INDEX NO. 820 1320-GR-1 SAPPORO I.C BR. TR. MAX.ACCEL.= 310.527(GAL) T= 3.57(SEC) NO.10

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1801	32.94	9.919	1851	33.93	7.199	1901	35.04	-2.962
1802	32.98	18.867	1852	33.95	3.422	1902	35.07	-6.511
1803	33.01	25.573	1853	33.96	-5.856	1903	35.09	-13.543
1804	33.03	29.286	1854	33.98	-15.628	1904	35.12	-18.583
1805	33.06	28.751	1855	33.99	-21.149	1905	35.14	-21.112
1806	33.08	28.212	1856	34.01	-25.688	1906	35.17	-24.150
1807	33.10	23.180	1857	34.02	-28.188	1907	35.19	-26.191
1808	33.11	21.914	1858	34.04	-26.961	1908	35.21	-26.216
1809	33.13	22.395	1859	34.06	-25.743	1909	35.23	-27.499
1810	33.14	19.374	1860	34.08	-19.527	1910	35.25	-23.775
1811	33.15	14.854	1861	34.11	-15.319	1911	35.27	-16.307
1812	33.17	11.078	1862	34.14	-12.119	1912	35.29	-6.343
1813	33.18	10.560	1863	34.17	-10.905	1913	35.31	0.126
1814	33.21	13.526	1864	34.18	-10.431	1914	35.33	5.099
1815	33.23	13.997	1865	34.20	-9.702	1915	35.35	11.821
1816	33.24	13.979	1866	34.23	-12.996	1916	35.37	11.293
1817	33.25	9.710	1867	34.26	-14.790	1917	35.39	10.762
1818	33.27	5.935	1868	34.28	-15.329	1918	35.42	6.721
1819	33.28	5.910	1869	34.30	-17.360	1919	35.44	4.443
1820	33.30	5.890	1870	34.32	-20.303	1920	35.46	3.160
1821	33.32	6.354	1871	34.34	-21.662	1921	35.48	1.123
1822	33.34	8.329	1872	34.36	-22.941	1922	35.51	-0.667
1823	33.36	11.298	1873	34.38	-24.219	1923	35.53	-4.450
1824	33.38	18.269	1874	34.39	-23.239	1924	35.56	-7.735
1825	33.40	22.494	1875	34.41	-20.016	1925	35.58	-12.766
1826	33.41	21.972	1876	34.43	-15.042	1926	35.60	-13.296
1827	33.43	21.946	1877	34.45	-12.572	1927	35.62	-11.574
1828	33.45	16.919	1878	34.46	-12.094	1928	35.64	-9.854
1829	33.46	9.395	1879	34.48	-10.870	1929	35.65	-9.872
1830	33.48	1.869	1880	34.50	-9.647	1930	35.67	-6.650
1831	33.50	-5.160	1881	34.52	-5.925	1931	35.69	-4.179
1832	33.51	-13.933	1882	34.54	-4.215	1932	35.71	-7.208
1833	33.53	-20.457	1883	34.57	-4.250	1933	35.72	-9.731
1834	33.55	-24.230	1884	34.59	2.957	1934	35.74	-11.003
1835	33.56	-27.500	1885	34.61	7.927	1935	35.76	-14.787
1836	33.57	-26.268	1886	34.64	11.641	1936	35.78	-17.324
1837	33.58	-26.297	1887	34.66	14.108	1937	35.80	-21.354
1838	33.60	-23.314	1888	34.68	17.576	1938	35.82	-23.382
1839	33.63	-17.599	1889	34.70	18.046	1939	35.84	-24.663
1840	33.65	-9.637	1890	34.73	22.002	1940	35.86	-24.693
1841	33.68	-1.437	1891	34.75	22.466	1941	35.88	-23.460
1842	33.71	5.022	1892	34.78	22.922	1942	35.89	-23.482
1843	33.75	6.221	1893	34.81	21.126	1943	35.90	-20.501
1844	33.78	8.677	1894	34.84	21.088	1944	35.92	-19.271
1845	33.80	10.389	1895	34.88	16.785	1945	35.95	-12.825
1846	33.83	9.352	1896	34.90	16.000	1946	35.97	-6.853
1847	33.84	7.328	1897	34.92	15.469	1947	35.99	2.861
1848	33.86	6.044	1898	34.95	9.186			
1849	33.89	8.039	1899	34.98	5.880			
1850	33.91	8.979	1900	35.01	1.588			

Table IX D-47 Digitized Accelerations of Earthquake Record with Index Number 821

INDEX NO. 821 1320-PI-1 SAPPORO I.C 3R. LG. MAX.ACCEL.=-252.264(GAL) T= 2.48(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.03	-27.170	51	1.49	-9.254	101	2.08	15.160	151	2.63	-99.091
2	0.08	-23.540	52	1.50	-3.205	102	2.09	32.141	152	2.65	-71.887
3	0.14	-23.673	53	1.51	-6.794	103	2.10	51.122	153	2.66	-55.412
4	0.18	-22.535	54	1.52	-14.310	104	2.11	22.102	154	2.67	-42.937
5	0.23	-21.391	55	1.53	-11.352	105	2.12	-2.931	155	2.68	-22.452
6	0.26	-16.214	56	1.54	-12.613	106	2.13	-11.951	156	2.69	67.511
7	0.30	-10.703	57	1.55	-7.432	107	2.14	-29.223	157	2.71	149.714
8	0.32	-12.602	58	1.56	-10.166	108	2.15	3.498	158	2.73	185.685
9	0.35	-20.663	59	1.57	-12.684	109	2.16	49.222	159	2.74	236.395
10	0.39	-23.992	60	1.58	-14.453	110	2.18	37.446	160	2.75	240.140
11	0.43	-25.839	61	1.59	-2.732	111	2.19	22.665	161	2.76	224.116
12	0.47	-29.691	62	1.60	-13.755	112	2.20	41.631	162	2.77	246.589
13	0.52	-31.296	63	1.61	-24.770	113	2.21	45.875	163	2.78	221.571
14	0.57	-29.910	64	1.62	-24.791	114	2.22	32.656	164	2.79	93.800
15	0.61	-32.002	65	1.63	-13.813	115	2.23	26.572	165	2.80	-64.987
16	0.65	-33.334	66	1.64	-23.099	116	2.24	18.305	166	2.81	-105.755
17	0.69	-35.944	67	1.65	-29.863	117	2.25	31.276	167	2.82	-85.025
18	0.74	-37.552	68	1.66	-11.884	118	2.26	35.746	168	2.83	-33.555
19	0.78	-33.885	69	1.67	6.354	119	2.27	31.975	169	2.84	16.433
20	0.83	-30.993	70	1.68	-5.928	120	2.28	20.696	170	2.85	52.915
21	0.86	-26.060	71	1.69	-36.209	121	2.30	3.419	171	2.86	105.375
22	0.88	-22.610	72	1.70	-41.471	122	2.31	-2.119	172	2.87	116.851
23	0.90	-15.916	73	1.71	-33.497	123	2.32	-7.890	173	2.88	119.334
24	0.94	-7.762	74	1.72	-30.523	124	2.34	-27.174	174	2.89	112.571
25	0.97	-0.068	75	1.73	-30.541	125	2.35	-53.463	175	2.90	89.803
26	1.00	1.113	76	1.74	-32.314	126	2.37	-74.755	176	2.91	102.766
27	1.02	2.308	77	1.75	-45.591	127	2.38	-96.279	177	2.92	125.493
28	1.06	-4.013	78	1.77	-47.371	128	2.39	-107.797	178	2.93	113.728
29	1.08	-12.826	79	1.78	-46.650	129	2.40	-117.830	179	2.94	102.441
30	1.10	-15.361	80	1.79	-51.187	130	2.41	-138.603	180	2.95	86.680
31	1.11	-14.141	81	1.80	-46.703	131	2.42	-167.376	181	2.96	55.415
32	1.12	-14.666	82	1.83	-38.757	132	2.43	-195.392	182	2.97	25.624
33	1.13	-14.692	83	1.85	-35.060	133	2.44	-219.155	183	2.98	11.600
34	1.15	-14.730	84	1.86	-23.589	134	2.45	-236.182	184	2.99	-7.418
35	1.18	-13.537	85	1.89	-5.910	135	2.47	-252.224	185	3.00	-14.683
36	1.20	-14.338	86	1.91	8.057	136	2.48	-252.264	186	3.01	2.788
37	1.21	-14.673	87	1.92	22.274	137	2.49	-239.282	187	3.02	36.516
38	1.23	-16.904	88	1.94	32.485	138	2.50	-214.295	188	3.03	52.488
39	1.24	-20.692	89	1.96	33.943	139	2.51	-174.578	189	3.04	49.470
40	1.26	-21.985	90	1.97	52.670	140	2.52	-135.085	190	3.05	27.958
41	1.29	-29.038	91	1.98	61.646	141	2.53	-45.611	191	3.06	10.169
42	1.31	-34.089	92	1.99	63.624	142	2.54	-19.631	192	3.08	2.874
43	1.33	-36.637	93	2.00	63.093	143	2.55	-22.660	193	3.10	-2.165
44	1.35	-36.684	94	2.01	58.079	144	2.56	-64.428	194	3.11	-11.679
45	1.37	-33.234	95	2.02	20.062	145	2.57	-113.201	195	3.12	-6.966
46	1.41	-25.810	96	2.03	-6.965	146	2.58	-161.725	196	3.14	-12.997
47	1.43	-23.116	97	2.04	-42.995	147	2.59	-181.760	197	3.15	-29.522
48	1.45	-10.166	98	2.05	-65.005	148	2.60	-177.519	198	3.16	-53.563
49	1.47	-7.458	99	2.06	-45.277	149	2.61	-148.557	199	3.19	-70.880
50	1.48	-6.224	100	2.07	6.185	150	2.62	-125.818	200	3.22	-89.951

INDEX NO. 821 1320-PI-1 SAPPORO I.C 3R. LG. MAX.ACCEL.=-252.264(GAL) T= 2.48(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	3.24	-101.982	251	3.84	-29.362	301	4.57	95.711	351	5.27	-99.142
202	3.25	-125.758	252	3.86	-33.658	302	4.59	93.172	352	5.29	-124.929
203	3.26	-152.794	253	3.88	-41.939	303	4.61	86.882	353	5.30	-128.445
204	3.27	-158.061	254	3.89	-47.721	304	4.63	71.335	354	5.31	-117.482
205	3.28	-154.582	255	3.91	-54.014	305	4.65	47.531	355	5.33	-101.010
206	3.29	-122.096	256	3.93	-54.067	306	4.66	35.005	356	5.34	-90.042
207	3.30	-64.614	257	3.94	-53.588	307	4.67	12.733	357	5.35	-85.018
208	3.31	-5.386	258	3.95	-41.847	308	4.68	-18.537	358	5.36	-83.595
209	3.32	151.910	259	3.96	-24.120	309	4.69	-40.068	359	5.38	-79.389
210	3.33	-7.935	260	3.97	-17.651	310	4.70	-37.090	360	5.40	-71.179
211	3.34	0.783	261	3.98	-25.169	311	4.72	-14.866	361	5.43	-59.739
212	3.35	11.018	262	3.99	-37.201	312	4.73	4.099	362	5.44	-47.776
213	3.36	17.739	263	4.00	-41.481	313	4.75	11.565	363	5.46	-42.803
214	3.37	20.473	264	4.02	-36.759	314	4.76	11.525	364	5.48	-33.351
215	3.38	-10.310	265	4.03	-34.293	315	4.77	0.247	365	5.49	-21.383
216	3.39	-30.070	266	4.05	-33.078	316	4.80	-16.804	366	5.51	-4.922
217	3.40	-51.613	267	4.06	-41.108	317	4.83	-34.122	367	5.53	17.524
218	3.42	-46.140	268	4.07	-39.330	318	4.84	-37.151	368	5.55	41.489
219	3.43	-29.416	269	4.09	-36.927	319	4.85	-36.670	369	5.56	60.951
220	3.44	-1.438	270	4.10	-43.708	320	4.86	-34.942	370	5.57	64.427
221	3.45	22.288	271	4.11	-46.484	321	4.87	-26.719	371	5.59	66.140
222	3.46	40.009	272	4.12	-37.257	322	4.88	-16.260	372	5.60	71.867
223	3.47	28.226	273	4.14	-42.052	323	4.90	-4.800	373	5.61	77.342
224	3.48	14.204	274	4.16	-52.095	324	4.91	-9.070	374	5.63	75.561
225	3.50	22.154	275	4.18	-52.894	325	4.92	-17.839	375	5.64	63.030
226	3.52	25.880	276	4.20	-54.181	326	4.93	-17.867	376	5.66	41.481
227	3.53	12.851	277	4.21	-47.461	327	4.94	-14.148	377	5.67	19.457
228	3.54	4.564	278	4.23	-35.488	328	4.95	-4.911	378	5.68	-2.313
229	3.56	13.776	279	4.24	-32.516	329	4.96	-0.180	379	5.69	-18.347
230	3.57	28.250	280	4.25	-34.796	330	4.98	1.028	380	5.70	-7.861
231	3.58	37.732	281	4.26	-49.820	331	4.99	6.488	381	5.71	15.860
232	3.60	48.440	282	4.28	-52.352	332	5.00	16.718	382	5.73	26.324
233	3.61	51.669	283	4.29	-50.139	333	5.01	20.461	383	5.74	22.040
234	3.62	46.136	284	4.30	-53.665	334	5.03	14.910	384	5.76	21.249
235	3.64	47.340	285	4.32	-56.192	335	5.04	16.636	385	5.78	16.962
236	3.66	52.810	286	4.33	-55.733	336	5.05	24.857	386	5.79	2.676
237	3.67	61.540	287	4.35	-59.536	337	5.07	40.067	387	5.81	-22.364
238	3.68	62.754	288	4.37	-60.064	338	5.08	42.563	388	5.83	-37.650
239	3.69	65.224	289	4.39	-55.369	339	5.09	37.017	389	5.84	-40.185
240	3.70	64.700	290	4.41	-45.909	340	5.11	20.220	390	5.86	-35.236
241	3.71	58.432	291	4.43	-34.695	341	5.13	32.420	391	5.88	-33.532
242	3.72	48.414	292	4.45	-24.490	342	5.15	26.885	392	5.90	-20.320
243	3.73	30.146	293	4.46	-24.513	343	5.16	24.859	393	5.92	-3.361
244	3.74	-13.140	294	4.47	-24.555	344	5.18	6.573	394	5.94	-1.153
245	3.75	-17.658	295	4.49	-13.081	345	5.19	-18.458	395	5.96	4.267
246	3.76	-10.181	296	4.50	1.393	346	5.20	-42.733	396	5.98	8.745
247	3.78	-15.965	297	4.52	36.343	347	5.21	-50.753	397	6.00	11.199
248	3.79	-13.249	298	4.53	49.559	348	5.22	-54.029	398	6.02	9.898
249	3.80	-12.022	299	4.54	61.546	349	5.24	-54.560	399	6.04	1.861
250	3.81	-17.048	300	4.56	93.739	350	5.25	-68.100	400	6.06	-7.677

INDEX NO. 821 1320-PI-1 SAPPORO I.C BR. LG. MAX.ACCEL.=-252.264(GAL) T= 2.49(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	6.08	-15.229	451	6.69	14.126	501	7.31	-23.052	551	7.98	-19.585
402	6.11	-31.786	452	6.70	14.655	502	7.32	-14.061	552	8.01	-11.636
403	6.13	-62.341	453	6.71	9.635	503	7.33	-15.086	553	8.03	0.321
404	6.15	-92.129	454	6.72	-15.435	504	7.34	-22.111	554	8.04	1.550
405	6.16	-120.159	455	6.73	-34.465	505	7.35	-22.640	555	8.05	-7.733
406	6.17	-129.185	456	6.75	-61.250	506	7.36	-26.410	556	8.08	-22.554
407	6.19	-124.466	457	6.76	-69.517	507	7.39	-10.988	557	8.10	-19.590
408	6.21	-106.013	458	6.77	-74.548	508	7.40	7.758	558	8.11	-20.616
409	6.22	-103.544	459	6.78	-67.825	509	7.41	9.969	559	8.13	-26.403
410	6.23	-90.318	460	6.79	-62.355	510	7.42	15.699	560	8.14	-34.436
411	6.25	-64.103	461	6.80	-64.625	511	7.43	24.424	561	8.16	-36.991
412	6.27	-18.397	462	6.82	-88.171	512	7.45	27.642	562	8.18	-36.528
413	6.28	28.312	463	6.84	-113.458	513	7.46	30.117	563	8.19	-25.303
414	6.30	64.022	464	6.85	-127.981	514	7.47	46.080	564	8.21	-30.342
415	6.31	74.497	465	6.86	-133.246	515	7.50	71.764	565	8.23	-42.382
416	6.32	74.472	466	6.87	-127.269	516	7.53	80.714	566	8.25	-44.938
417	6.33	70.198	467	6.88	-100.045	517	7.54	79.688	567	8.26	-47.466
418	6.35	78.403	468	6.89	-69.316	518	7.56	94.135	568	8.29	-59.032
419	6.36	102.365	469	6.90	-53.088	519	7.58	98.338	569	8.31	-47.316
420	6.37	133.606	470	6.91	-46.123	520	7.60	95.791	570	8.32	-30.351
421	6.38	118.087	471	6.93	-35.415	521	7.61	94.020	571	8.34	-28.382
422	6.39	102.822	472	6.95	-33.960	522	7.62	91.501	572	8.36	-29.682
423	6.40	110.862	473	6.96	-45.245	523	7.63	77.731	573	8.40	-25.525
424	6.41	109.019	474	6.97	-64.265	524	7.64	32.698	574	8.42	-20.314
425	6.42	163.242	475	6.98	-77.533	525	7.65	2.669	575	8.43	-23.346
426	6.43	193.722	476	6.99	-77.047	526	7.66	-1.599	576	8.45	-20.396
427	6.44	180.204	477	7.00	-31.570	527	7.67	11.882	577	8.48	-18.449
428	6.45	188.161	478	7.01	24.640	528	7.68	41.862	578	8.50	-11.008
429	6.46	186.414	479	7.02	25.875	529	7.69	67.037	579	8.51	-7.783
430	6.47	173.898	480	7.03	17.858	530	7.70	77.313	580	8.53	-12.576
431	6.48	46.876	481	7.04	-22.659	531	7.71	78.551	581	8.55	-18.874
432	6.49	-105.161	482	7.06	-53.704	532	7.72	72.280	582	8.56	-21.380
433	6.50	-88.425	483	7.08	-55.008	533	7.73	30.494	583	8.58	-20.923
434	6.51	48.791	484	7.09	-72.284	534	7.74	25.225	584	8.59	-22.712
435	6.52	120.519	485	7.10	-62.315	535	7.75	28.944	585	8.61	-31.249
436	6.53	142.744	486	7.11	-26.335	536	7.76	44.667	586	8.62	-31.764
437	6.54	131.734	487	7.12	10.394	537	7.77	59.396	587	8.63	-18.793
438	6.55	82.705	488	7.13	29.631	538	7.78	56.874	588	8.64	-13.319
439	6.56	29.636	489	7.14	22.361	539	7.79	44.356	589	8.65	-6.090
440	6.57	-11.349	490	7.15	-38.172	540	7.80	34.029	590	8.66	-2.375
441	6.58	-10.115	491	7.15	-64.700	541	7.81	23.304	591	8.68	3.636
442	6.59	6.612	492	7.18	-77.487	542	7.82	12.533	592	8.70	3.804
443	6.60	38.332	493	7.19	-66.523	543	7.85	20.493	593	8.71	10.776
444	6.61	53.567	494	7.21	-63.563	544	7.87	30.416	594	8.73	15.231
445	6.62	58.050	495	7.22	-69.335	545	7.89	21.888	595	8.74	20.200
446	6.63	43.019	496	7.24	-49.390	546	7.90	1.350	596	8.76	15.170
447	6.65	8.225	497	7.26	-46.182	547	7.92	2.571	597	8.77	20.630
448	6.66	-2.547	498	7.27	-41.955	548	7.93	10.038	598	8.78	32.106
449	6.67	-5.316	499	7.29	-36.740	549	7.94	6.509	599	8.81	46.059
450	6.68	2.153	500	7.30	-28.514	550	7.96	-5.534	600	8.82	50.276

INDEX NO. 821 1320-PI-1 SAPPORO I.C BR. LG. MAX.ACCEL.=-252.264(GAL) T= 2.48(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	8.85	53.209	651	9.62	-20.496	701	10.79	30.321	751	11.64	18.878
602	8.87	62.414	652	9.66	-24.322	702	10.80	39.038	752	11.66	30.079
603	8.89	69.616	653	9.89	-16.868	703	10.81	50.518	753	11.68	42.622
604	8.92	69.056	654	9.91	-16.952	704	10.82	49.487	754	11.70	52.233
605	8.94	62.753	655	9.95	-19.532	705	10.83	41.967	755	11.72	58.676
606	8.96	51.210	656	9.96	-22.066	706	10.84	30.947	756	11.75	59.623
607	8.97	32.191	657	9.98	-34.356	707	10.85	25.919	757	11.76	100.352
608	8.98	14.415	658	10.01	-36.177	708	10.87	22.128	758	11.77	109.066
609	8.99	11.141	659	10.06	-48.534	709	10.89	11.336	759	11.79	113.023
610	9.00	14.122	660	10.10	-47.365	710	10.91	-0.214	760	11.80	114.241
611	9.01	27.839	661	10.13	-47.438	711	10.94	-7.272	761	11.82	103.714
612	9.03	51.296	662	10.16	-41.250	712	10.95	-2.305	762	11.83	78.933
613	9.04	51.773	663	10.18	-29.564	713	10.97	3.894	763	11.84	56.165
614	9.06	38.241	664	10.20	-44.358	714	10.99	-2.393	764	11.85	55.885
615	9.07	26.205	665	10.22	-43.884	715	11.01	-17.682	765	11.86	62.861
616	9.09	26.171	666	10.23	-0.925	716	11.02	-29.217	766	11.87	77.830
617	9.11	27.374	667	10.25	37.288	717	11.05	-30.518	767	11.89	83.043
618	9.13	21.589	668	10.27	27.253	718	11.07	-39.921	768	11.90	76.268
619	9.14	10.803	669	10.28	28.467	719	11.08	-48.858	769	11.92	63.472
620	9.16	5.503	670	10.29	44.689	720	11.11	-64.907	770	11.95	48.914
621	9.19	1.191	671	10.30	52.424	721	11.13	-67.453	771	11.98	30.832
622	9.21	-3.360	672	10.33	62.864	722	11.14	-69.997	772	12.00	24.041
623	9.24	-9.425	673	10.35	76.805	723	11.16	-59.536	773	12.02	21.502
624	9.27	-13.244	674	10.37	75.009	724	11.18	-52.575	774	12.03	11.715
625	9.29	-14.235	675	10.38	72.495	725	11.20	-50.118	775	12.05	9.919
626	9.31	-18.333	676	10.40	85.198	726	11.22	-42.410	776	12.07	16.631
627	9.35	-13.412	677	10.42	103.910	727	11.23	-26.685	777	12.09	30.828
628	9.37	-12.217	678	10.44	90.348	728	11.24	-17.215	778	12.11	41.048
629	9.39	-9.005	679	10.46	86.562	729	11.25	-20.238	779	12.12	38.015
630	9.41	6.199	680	10.48	91.529	730	11.26	-31.513	780	12.14	27.967
631	9.42	8.683	681	10.49	89.741	731	11.27	-42.792	781	12.16	33.423
632	9.44	6.182	682	10.52	79.181	732	11.29	-48.822	782	12.18	39.636
633	9.45	6.605	683	10.55	69.857	733	11.30	-46.349	783	12.19	33.604
634	9.47	15.306	684	10.57	52.068	734	11.31	-43.330	784	12.20	23.572
635	9.49	14.772	685	10.58	40.540	735	11.33	-26.160	785	12.22	13.778
636	9.51	9.730	686	10.59	35.759	736	11.35	-21.217	786	12.24	11.234
637	9.53	5.934	687	10.61	42.233	737	11.37	-34.258	787	12.26	14.949
638	9.57	4.592	688	10.62	35.189	738	11.39	-39.311	788	12.28	16.654
639	9.58	4.065	689	10.64	33.407	739	11.41	-43.099	789	12.29	17.361
640	9.60	2.018	690	10.65	32.635	740	11.43	-48.407	790	12.31	13.065
641	9.62	0.711	691	10.66	24.614	741	11.46	-49.717	791	12.33	12.271
642	9.64	0.177	692	10.69	18.074	742	11.48	-49.254	792	12.36	11.456
643	9.66	-8.627	693	10.69	22.239	743	11.49	-34.297	793	12.38	9.658
644	9.68	-5.664	694	10.71	45.494	744	11.52	-19.846	794	12.41	15.843
645	9.69	-3.191	695	10.72	51.476	745	11.53	-17.384	795	12.44	14.033
646	9.71	-7.488	696	10.73	53.203	746	11.54	-5.162	796	12.46	2.734
647	9.73	-13.541	697	10.74	50.185	747	11.56	4.295	797	12.49	-10.081
648	9.76	-13.606	698	10.75	39.664	748	11.58	8.747	798	12.52	-18.647
649	9.79	-14.157	699	10.76	23.634	749	11.60	12.451	799	12.53	-21.177
650	9.81	-13.204	700	10.77	24.555	750	11.61	18.179	800	12.54	-31.169

土木構造物における加速度強震記録（No. 9）

INDEX NO. 821 1320-PI-1 SAPPORO I.C BR. LG. MAX.ACCEL.=-252.264(GAL) T= 2.48(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	12.56	-23.745	851	13.55	35.032	901	14.66	17.476	951	16.09	35.660
802	12.58	-17.546	852	13.56	29.693	902	14.71	29.663	952	16.10	39.632
803	12.59	-11.320	853	13.58	23.458	903	14.74	36.349	953	16.12	34.841
804	12.60	-14.351	854	13.59	21.682	904	14.78	43.508	954	16.14	30.302
805	12.63	-25.653	855	13.61	16.634	905	14.81	50.189	955	16.16	17.497
806	12.65	-22.208	856	13.63	16.568	906	14.83	47.143	956	16.18	12.464
807	12.66	-22.011	857	13.65	11.294	907	14.84	44.613	957	16.20	16.171
808	12.70	-30.315	858	13.68	7.484	908	14.86	44.071	958	16.22	19.863
809	12.73	-35.637	859	13.70	3.689	909	14.88	45.015	959	16.27	24.752
810	12.75	-35.187	860	13.72	-2.613	910	14.91	43.955	960	16.29	30.945
811	12.77	-34.468	861	13.75	-6.677	911	14.93	37.665	961	16.31	25.896
812	12.80	-28.289	862	13.78	-9.990	912	14.94	28.125	962	16.33	25.854
813	12.82	-25.340	863	13.81	-13.071	913	14.96	19.842	963	16.36	28.298
814	12.84	-20.883	864	13.83	-13.852	914	14.98	13.302	964	16.38	27.001
815	12.86	-15.172	865	13.85	-7.647	915	15.00	11.245	965	16.43	32.633
816	12.87	-11.963	866	13.86	-5.936	916	15.03	4.192	966	16.47	35.040
817	12.89	-18.260	867	13.89	-8.241	917	15.04	-3.852	967	16.49	32.481
818	12.92	-18.312	868	13.91	-13.283	918	15.07	0.336	968	16.52	35.918
819	12.93	-15.651	869	13.92	-14.570	919	15.11	2.245	969	16.54	41.877
820	12.95	-21.394	870	13.94	-12.862	920	15.15	-1.598	970	16.58	38.546
821	12.98	-26.461	871	13.96	-14.155	921	15.19	3.308	971	16.62	39.217
822	13.02	-25.536	872	13.98	-14.957	922	15.23	9.982	972	16.67	25.355
823	13.05	-19.354	873	14.01	-10.617	923	15.27	18.874	973	16.72	10.742
824	13.08	-7.433	874	14.03	-0.561	924	15.32	23.522	974	16.78	-7.870
825	13.12	11.492	875	14.04	2.419	925	15.35	18.698	975	16.82	-22.961
826	13.14	25.948	876	14.05	0.645	926	15.38	14.125	976	16.84	-26.503
827	13.16	31.153	877	14.06	-4.385	927	15.43	11.523	977	16.86	-26.047
828	13.17	43.618	878	14.08	-3.920	928	15.47	11.432	978	16.89	-21.850
829	13.18	51.348	879	14.10	-1.955	929	15.50	20.607	979	16.92	-14.918
830	13.19	55.837	880	14.12	-4.500	930	15.53	28.291	980	16.95	-9.734
831	13.20	58.812	881	14.14	0.447	931	15.56	31.958	981	16.98	-4.287
832	13.21	63.531	882	14.17	5.388	932	15.59	32.122	982	17.00	10.424
833	13.24	67.717	883	14.19	13.587	933	15.62	30.801	983	17.02	17.124
834	13.26	73.922	884	14.21	18.039	934	15.63	30.033	984	17.04	17.317
835	13.28	69.628	885	14.23	20.985	935	15.65	24.486	985	17.06	14.016
836	13.29	64.993	886	14.26	28.181	936	15.67	21.935	986	17.08	12.720
837	13.32	60.286	887	14.28	26.894	937	15.68	23.169	987	17.11	1.421
838	13.35	64.474	888	14.30	24.329	938	15.70	13.109	988	17.14	-8.900
839	13.38	66.162	889	14.33	20.520	939	15.73	2.782	989	17.16	-13.205
840	13.39	68.126	890	14.36	15.945	940	15.77	-6.556	990	17.18	-13.254
841	13.41	76.362	891	14.40	12.878	941	15.80	-10.136	991	17.20	-20.801
842	13.42	76.322	892	14.43	7.567	942	15.83	-20.971	992	17.22	-23.345
843	13.43	72.046	893	14.46	3.741	943	15.87	-28.057	993	17.26	-24.675
844	13.44	62.014	894	14.48	6.682	944	15.90	-27.625	994	17.29	-23.509
845	13.46	63.478	895	14.50	4.893	945	15.92	-16.927	995	17.34	-19.364
846	13.47	60.956	896	14.53	1.576	946	15.94	-10.228	996	17.35	-19.396
847	13.48	54.926	897	14.56	1.498	947	15.97	4.204	997	17.38	-21.955
848	13.50	44.638	898	14.60	5.168	948	16.00	24.131	998	17.40	-17.007
849	13.52	43.344	899	14.63	7.596	949	16.02	27.077	999	17.43	-15.310
850	13.53	42.066	900	14.66	13.770	950	16.07	31.972	1000	17.44	-11.598

INDEX NO. 821 1320-PI-1 SAPPORO I.C BR. LG. MAX.ACCEL.=-252.264(GAL) T= 2.48(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC	(GAL)
1001	17.46	-5.400	1051	18.99	-20.628	1101	20.39	45.155	1151	22.12	-6.284
1002	17.50	4.269	1052	19.02	-20.307	1102	20.42	43.346	1152	22.17	1.598
1003	17.53	12.946	1053	19.04	-16.753	1103	20.45	45.030	1153	22.21	11.762
1004	17.56	17.142	1054	19.06	-15.471	1104	20.47	46.971	1154	22.25	12.928
1005	17.58	16.586	1055	19.07	-18.437	1105	20.49	48.188	1155	22.28	25.113
1006	17.62	16.258	1056	19.09	-17.900	1106	20.51	40.131	1156	22.31	31.789
1007	17.64	12.702	1057	19.11	-14.109	1107	20.54	36.824	1157	22.34	32.465
1008	17.66	14.412	1058	19.12	-14.079	1108	20.55	34.286	1158	22.38	29.384
1009	17.68	14.603	1059	19.14	-19.786	1109	20.59	23.977	1159	22.40	29.837
1010	17.73	16.254	1060	19.17	-24.974	1110	20.61	6.908	1160	22.45	19.236
1011	17.76	17.671	1061	19.20	-29.894	1111	20.64	-3.415	1161	22.49	12.143
1012	17.79	21.350	1062	19.24	-34.557	1112	20.68	-9.751	1162	22.52	4.318
1013	17.83	32.513	1063	19.26	-33.255	1113	20.72	-12.341	1163	22.57	-8.535
1014	17.87	44.421	1064	19.29	-27.433	1114	20.74	-15.639	1164	22.60	-8.109
1015	17.90	49.363	1065	19.33	-23.109	1115	20.76	-20.195	1165	22.65	-17.474
1016	17.92	51.560	1066	19.35	-17.555	1116	20.79	-13.493	1166	22.69	-24.821
1017	17.96	44.728	1067	19.38	-14.745	1117	20.82	-11.068	1167	22.73	-19.659
1018	17.99	42.657	1068	19.41	-13.160	1118	20.85	-2.132	1168	22.78	-12.514
1019	18.02	39.594	1069	19.45	-11.336	1119	20.87	0.317	1169	22.83	-9.886
1020	18.04	32.301	1070	19.47	-8.774	1120	20.91	6.480	1170	22.88	-10.753
1021	18.06	31.754	1071	19.50	-5.723	1121	20.93	7.681	1171	22.94	-3.886
1022	18.08	29.689	1072	19.52	-3.163	1122	20.98	6.321	1172	22.99	0.490
1023	18.11	27.141	1073	19.55	-2.900	1123	21.06	9.876	1173	23.04	9.885
1024	18.14	22.813	1074	19.57	+10.460	1124	21.12	8.233	1174	23.09	17.276
1025	18.17	15.503	1075	19.59	-17.501	1125	21.17	5.368	1175	23.14	26.163
1026	18.20	15.424	1076	19.62	+26.322	1126	21.20	1.563	1176	23.17	29.347
1027	18.23	14.109	1077	19.66	+29.151	1127	21.24	5.966	1177	23.20	22.522
1028	18.25	11.557	1078	19.69	+26.731	1128	21.27	-2.100	1178	23.23	20.457
1029	18.28	5.254	1079	19.72	+21.052	1129	21.29	-1.657	1179	23.25	24.167
1030	18.31	-1.836	1080	19.75	+10.610	1130	21.34	-6.258	1180	23.27	19.120
1031	18.34	-2.647	1081	19.78	3.324	1131	21.39	-7.886	1181	23.29	12.025
1032	18.38	1.507	1082	19.82	18.467	1132	21.43	-8.470	1182	23.31	5.021
1033	18.41	1.440	1083	19.86	26.640	1133	21.46	-9.795	1183	23.34	-0.640
1034	18.44	0.382	1084	19.89	32.310	1134	21.49	-4.865	1184	23.36	1.155
1035	18.46	-4.668	1085	19.92	36.742	1135	21.56	8.737	1185	23.39	-2.160
1036	18.49	-10.999	1086	19.97	34.327	1136	21.60	11.900	1186	23.41	-2.212
1037	18.54	-19.612	1087	19.99	33.326	1137	21.62	15.601	1187	23.42	-2.235
1038	18.58	-25.193	1088	20.02	26.516	1138	21.66	17.510	1188	23.46	-9.820
1039	18.61	-22.503	1089	20.05	13.192	1139	21.72	22.861	1189	23.50	+11.921
1040	18.64	-21.338	1090	20.08	0.631	1140	21.77	23.256	1190	23.54	-13.758
1041	18.68	-17.677	1091	20.11	-13.441	1141	21.81	19.920	1191	23.57	+13.812
1042	18.69	-17.693	1092	20.14	-17.268	1142	21.86	14.059	1192	23.60	+11.630
1043	18.72	-5.008	1093	20.17	-22.689	1143	21.90	5.213	1193	23.62	-4.689
1044	18.73	0.704	1094	20.20	-24.659	1144	21.92	0.657	1194	23.66	3.220
1045	18.77	4.384	1095	20.23	-16.721	1145	21.94	2.375	1195	23.70	9.143
1046	18.81	6.784	1096	20.26	-5.529	1146	21.96	+6.432	1196	23.73	15.309
1047	18.84	8.711	1097	20.29	6.654	1147	21.99	+15.231	1197	23.76	11.004
1048	18.87	3.148	1098	20.31	13.093	1148	22.01	-14.295	1198	23.78	7.713
1049	18.91	14.550	1099	20.35	22.761	1149	22.05	+14.129	1199	23.79	8.179
1050	18.95	19.965	1100	20.38	35.192	1150	22.09	-13.203	1200	23.84	9.581

INDEX NO. 821 1320-P1-1 SAPPORO I.C 8R. LG. MAX.ACCEL.=-252.264(GAL). T= 2.48(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	23.46	7.514	1251	25.81	7.073	1301	27.44	6.129	1351	29.00	-25.678
1202	23.48	5.233	1252	25.84	10.752	1302	27.47	11.055	1352	29.03	-28.748
1203	23.51	4.165	1253	25.89	8.147	1303	27.50	31.245	1353	29.06	-33.313
1204	23.53	4.110	1254	25.93	3.056	1304	27.53	7.933	1354	29.09	-28.382
1205	23.57	2.765	1255	25.98	-6.001	1305	27.56	4.602	1355	29.13	-11.719
1206	24.00	-0.290	1256	26.03	-15.675	1306	27.59	6.528	1356	29.16	7.946
1207	24.03	2.634	1257	26.08	-29.635	1307	27.62	2.726	1357	29.19	11.879
1208	24.05	2.100	1258	26.12	-34.364	1308	27.65	-1.094	1358	29.22	16.812
1209	24.07	-2.961	1259	26.14	-34.928	1309	27.69	-0.684	1359	29.26	21.233
1210	24.10	4.477	1260	26.17	-33.907	1310	27.73	-3.023	1360	29.30	23.142
1211	24.13	9.418	1261	26.19	-33.292	1311	27.75	-2.574	1361	29.34	19.293
1212	24.16	10.997	1262	26.22	-27.654	1312	27.80	-5.184	1362	29.37	9.986
1213	24.19	22.763	1263	26.25	-25.416	1313	27.84	-1.530	1363	29.39	2.177
1214	24.23	22.674	1264	26.29	-22.265	1314	27.87	2.646	1364	29.41	3.128
1215	24.27	23.095	1265	26.33	-16.597	1315	27.91	10.056	1365	29.45	-4.943
1216	24.32	14.988	1266	26.38	-7.217	1316	27.93	11.760	1366	29.50	-19.573
1217	24.35	9.164	1267	26.43	2.180	1317	27.96	10.439	1367	29.54	-27.653
1218	24.38	6.092	1268	26.46	7.693	1318	27.99	10.365	1368	29.56	-26.450
1219	24.41	9.016	1269	26.48	3.309	1319	28.02	5.799	1369	29.57	-26.487
1220	24.43	11.477	1270	26.50	3.507	1320	28.05	3.227	1370	29.61	-27.814
1221	24.46	11.414	1271	26.55	-1.592	1321	28.09	0.150	1371	29.63	-25.875
1222	24.50	5.568	1272	26.59	-6.685	1322	28.11	-4.661	1372	29.68	-10.484
1223	24.55	-2.942	1273	26.62	-8.016	1323	28.14	-5.222	1373	29.72	5.419
1224	24.59	-10.386	1274	26.67	-4.618	1324	28.17	-6.044	1374	29.78	17.296
1225	24.63	-20.726	1275	26.71	-0.205	1325	28.21	-9.386	1375	29.82	12.953
1226	24.68	-22.084	1276	26.75	7.201	1326	28.25	-8.716	1376	29.86	3.604
1227	24.72	-23.933	1277	26.79	17.854	1327	28.27	-5.022	1377	29.88	-7.193
1228	24.76	-21.024	1278	26.83	21.519	1328	28.31	6.132	1378	29.91	-17.997
1229	24.81	-25.396	1279	26.86	25.210	1329	28.34	9.809	1379	29.92	-25.287
1230	24.85	-22.475	1280	26.89	24.144	1330	28.37	13.248	1380	29.94	-24.833
1231	24.89	-27.571	1281	26.93	25.796	1331	28.39	12.458	1381	29.96	-30.868
1232	24.94	-34.183	1282	26.97	14.953	1332	28.41	9.916	1382	29.97	-42.402
1233	24.99	-32.562	1283	27.00	13.692	1333	28.43	1.871	1383	29.98	-46.928
1234	25.05	-23.946	1284	27.03	16.467	1334	28.44	1.830	1384	30.00	-42.714
1235	25.10	-14.563	1285	27.06	4.256	1335	28.48	-6.002	1385	30.02	-36.253
1236	25.15	-5.156	1286	27.09	-7.327	1336	28.53	-18.167	1386	30.05	-40.837
1237	25.19	3.456	1287	27.13	-17.168	1337	28.56	-26.674	1387	30.08	-33.407
1238	25.23	7.642	1288	27.15	-20.741	1338	28.59	-29.742	1388	30.11	-22.721
1239	25.29	12.262	1289	27.19	-27.053	1339	28.61	-28.545	1389	30.13	-21.257
1240	25.35	21.870	1290	27.22	-25.355	1340	28.64	-22.353	1390	30.16	-17.825
1241	25.41	24.751	1291	27.24	-26.652	1341	28.66	-16.154	1391	30.20	-2.677
1242	25.44	25.417	1292	27.26	-23.704	1342	28.72	-4.301	1392	30.24	10.726
1243	25.49	20.307	1293	27.28	-20.502	1343	28.77	5.507	1393	30.29	14.865
1244	25.54	10.203	1294	27.30	-17.544	1344	28.82	18.233	1394	30.32	16.783
1245	25.59	2.008	1295	27.31	-16.621	1345	28.85	22.665	1395	30.34	20.746
1246	25.61	5.031	1296	27.32	-11.849	1346	28.87	21.371	1396	30.36	8.190
1247	25.64	10.469	1297	27.33	-6.374	1347	28.89	18.316	1397	30.39	4.136
1248	25.68	12.373	1298	27.37	1.299	1348	28.91	14.524	1398	30.40	2.849
1249	25.76	9.203	1299	27.39	8.756	1349	28.93	3.219	1399	30.43	-3.969
1250	25.78	10.145	1300	27.41	6.452	1350	28.97	-13.353	1400	30.46	-12.543

INDEX NO. 821 1320-P1-1 SAPPORO I.C 8R. LG. MAX.ACCEL.=-252.264(GAL) T= 2.48(SEC) NO. 8

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1401	30.49	-15.609	1451	32.17	0.105	1501	33.53	-35.242	1551	35.21	-36.790
1402	30.54	-18.961	1452	32.21	-12.471	1502	33.57	-40.326	1552	35.24	-30.625
1403	30.58	-20.799	1453	32.25	-26.345	1503	33.59	-38.142	1553	35.29	-19.728
1404	30.61	-16.115	1454	32.31	-35.700	1504	33.62	-42.460	1554	35.33	-14.330
1405	30.64	-8.683	1455	32.34	-40.787	1505	33.66	-40.792	1555	35.38	-6.943
1406	30.65	-0.475	1456	32.37	-36.342	1506	33.70	-38.880	1556	35.42	-4.773
1407	30.69	-0.093	1457	32.41	-39.180	1507	33.73	-30.203	1557	35.44	2.678
1408	30.72	7.127	1458	32.44	-42.745	1508	33.77	-20.292	1558	35.45	6.400
1409	30.75	12.568	1459	32.47	-44.312	1509	33.80	-10.863	1559	35.47	0.856
1410	30.77	15.757	1460	32.50	-41.635	1510	33.83	-8.922	1560	35.49	-4.950
1411	30.80	20.952	1461	32.53	-38.206	1511	33.86	-8.989			
1412	30.83	19.631	1462	32.55	-33.284	1512	33.89	-5.317			
1413	30.87	12.797	1463	32.57	-28.807	1513	33.92	-4.626			
1414	30.90	1.722	1464	32.59	-26.340	1514	33.95	-0.931			
1415	30.94	-7.109	1465	32.63	-22.115	1515	33.97	-5.737			
1416	30.97	-19.178	1466	32.61	-13.145	1516	34.00	-10.305			
1417	30.99	-24.220	1467	32.63	-5.679	1517	34.01	-9.067			
1418	31.03	-29.809	1468	32.64	-4.213	1518	34.06	-13.929			
1419	31.06	-30.989	1469	32.68	-3.798	1519	34.11	-29.809			
1420	31.09	-29.708	1470	32.70	-5.093	1520	34.16	-36.155			
1421	31.14	-31.031	1471	32.72	-2.648	1521	34.18	-42.470			
1422	31.19	-38.686	1472	32.75	0.549	1522	34.21	-38.775			
1423	31.23	-46.526	1473	32.76	1.759	1523	34.24	-35.089			
1424	31.27	-43.615	1474	32.78	6.712	1524	34.29	-29.707			
1425	31.31	-36.967	1475	32.81	8.658	1525	34.35	-5.845			
1426	31.36	-22.319	1476	32.84	5.363	1526	34.39	-0.694			
1427	31.40	-5.910	1477	32.87	7.755	1527	34.43	7.491			
1428	31.44	1.998	1478	32.89	7.212	1528	34.45	11.421			
1429	31.45	5.471	1479	32.91	9.418	1529	34.48	8.872			
1430	31.49	2.895	1480	32.93	-7.872	1530	34.52	5.521			
1431	31.52	1.075	1481	32.94	-7.405	1531	34.57	-1.832			
1432	31.54	-5.982	1482	32.96	+10.941	1532	34.61	+10.426			
1433	31.57	-0.548	1483	32.98	+16.975	1533	34.63	+14.734			
1434	31.60	-6.119	1484	32.99	+20.210	1534	34.66	+23.295			
1435	31.61	-7.389	1485	33.01	+21.554	1535	34.70	+31.384			
1436	31.65	+15.221	1486	33.03	+22.136	1536	34.73	+36.715			
1437	31.68	+24.949	1487	33.05	+20.397	1537	34.77	+37.544			
1438	31.73	+29.192	1488	33.07	+19.199	1538	34.80	+33.854			
1439	31.76	+21.473	1489	33.11	+19.273	1539	34.83	+28.439			
1440	31.80	+17.808	1490	33.14	+14.856	1540	34.88	+25.288			
1441	31.83	+10.625	1491	33.18	-2.686	1541	34.92	+14.630			
1442	31.87	0.534	1492	33.22	7.711	1542	34.93	+15.158			
1443	31.91	11.943	1493	33.27	20.341	1543	34.96	+17.229			
1444	31.95	13.617	1494	33.31	24.501	1544	35.00	+25.327			
1445	31.98	16.789	1495	33.35	25.921	1545	35.05	+34.680			
1446	32.01	27.462	1496	33.37	20.871	1546	35.09	+43.274			
1447	32.05	30.830	1497	33.39	11.325	1547	35.12	+45.085			
1448	32.08	30.563	1498	33.41	0.030	1548	35.14	+49.900			
1449	32.10	27.452	1499	33.45	+11.558	1549	35.15	+47.914			
1450	32.12	19.219	1500	33.49	+24.408	1550	35.17	+43.713			

Table IX D-48 Digitized Accelerations of Earthquake Record with Index Number 822

INDEX NO. 822 1320-PI-1 SAPPORO I.C BR. U-0 MAX.ACCEL.= -84.254(GAL) T= 2.01(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.02	-10.644	51	1.06	-15.441	101	1.72	-10.310	151	2.36	-0.686
2	0.03	-9.391	52	1.07	-12.939	102	1.73	-7.809	152	2.37	-5.433
3	0.05	-14.388	53	1.08	-15.437	103	1.74	-7.307	153	2.39	-11.930
4	0.07	-18.634	54	1.09	-15.435	104	1.75	-9.555	154	2.40	-18.928
5	0.08	-20.632	55	1.10	-11.183	105	1.76	-12.803	155	2.41	-27.926
6	0.11	-15.125	56	1.11	-6.181	106	1.78	-13.550	156	2.43	-34.672
7	0.14	-10.621	57	1.12	-7.179	107	1.79	-12.297	157	2.45	-34.668
8	0.15	-8.118	58	1.13	-10.426	108	1.82	-5.793	158	2.46	-22.915
9	0.17	-3.863	59	1.15	-12.173	109	1.86	-16.534	159	2.48	-11.412
10	0.18	-1.362	60	1.17	-10.419	110	1.89	-20.778	160	2.49	3.589
11	0.20	-5.109	61	1.19	-12.915	111	1.92	-28.023	161	2.50	11.841
12	0.21	-6.356	62	1.21	-9.160	112	1.94	-33.018	162	2.51	20.844
13	0.24	-10.601	63	1.23	-7.907	113	1.96	-28.765	163	2.52	27.095
14	0.25	-11.098	64	1.25	-6.654	114	1.98	-21.261	164	2.53	26.098
15	0.26	-7.346	65	1.27	-6.150	115	1.99	-19.259	165	2.54	9.100
16	0.28	-6.342	66	1.28	-6.147	116	2.00	-50.756	166	2.55	-13.148
17	0.30	-8.590	67	1.30	-9.643	117	2.01	-84.254	167	2.57	-26.395
18	0.31	-11.996	68	1.32	-15.389	118	2.02	-69.503	168	2.60	-21.089
19	0.33	-10.082	69	1.34	-19.135	119	2.03	-42.751	169	2.62	-14.636
20	0.35	-13.078	70	1.36	-20.881	120	2.04	-20.248	170	2.63	-25.632
21	0.37	-11.824	71	1.38	-20.877	121	2.05	-27.247	171	2.65	-34.879
22	0.39	-16.820	72	1.40	-23.373	122	2.06	-48.745	172	2.66	-46.876
23	0.41	-18.818	73	1.42	-22.370	123	2.07	-42.743	173	2.67	-48.125
24	0.44	-20.062	74	1.44	-15.367	124	2.08	-13.740	174	2.68	-28.873
25	0.47	-23.056	75	1.45	-7.365	125	2.09	-34.238	175	2.69	-13.621
26	0.53	-18.045	76	1.46	-6.112	126	2.10	-39.238	176	2.71	-7.618
27	0.55	-25.040	77	1.47	0.140	127	2.11	-16.235	177	2.72	1.635
28	0.56	-23.787	78	1.48	15.393	128	2.12	16.767	178	2.73	20.387
29	0.59	-20.533	79	1.49	19.643	129	2.13	-27.982	179	2.74	62.139
30	0.61	+16.779	80	1.50	-13.354	130	2.14	21.522	180	2.75	54.140
31	0.62	-16.776	81	1.51	-14.103	131	2.15	35.273	181	2.76	34.392
32	0.65	+18.520	82	1.52	-6.849	132	2.16	15.275	182	2.77	-15.107
33	0.67	-17.515	83	1.54	-6.847	133	2.17	-11.973	183	2.78	-24.354
34	0.71	-17.509	84	1.55	-5.344	134	2.18	18.780	184	2.79	-41.602
35	0.72	-15.507	85	1.56	-9.093	135	2.19	30.280	185	2.80	-44.850
36	0.77	-10.998	86	1.57	-2.340	136	2.20	41.033	186	2.81	-31.849
37	0.79	-12.243	87	1.58	-8.338	137	2.21	27.536	187	2.82	6.404
38	0.82	-9.738	88	1.59	-14.088	138	2.22	25.288	188	2.83	12.656
39	0.83	-7.485	89	1.60	-1.585	139	2.23	42.288	189	2.84	24.658
40	0.87	-6.227	90	1.61	-12.833	140	2.24	21.790	190	2.85	38.659
41	0.90	-5.973	91	1.62	-11.581	141	2.25	21.792	191	2.86	47.411
42	0.91	-8.469	92	1.63	-4.328	142	2.26	28.045	192	2.87	34.414
43	0.94	-6.215	93	1.64	-8.827	143	2.27	29.796	193	2.88	29.916
44	0.95	-5.462	94	1.65	4.176	144	2.28	23.798	194	2.89	22.667
45	0.97	-7.959	95	1.66	6.676	145	2.29	19.051	195	2.90	18.420
46	0.98	+12.206	96	1.67	3.679	146	2.30	24.053	196	2.91	20.922
47	1.00	+14.202	97	1.68	12.431	147	2.31	14.055	197	2.92	33.424
48	1.02	-11.698	98	1.69	23.184	148	2.32	6.557	198	2.93	21.176
49	1.03	-9.946	99	1.70	-21.566	149	2.34	11.560	199	2.94	9.927
50	1.04	-12.194	100	1.71	-1.062	150	2.35	9.062	200	2.95	24.679

INDEX NO. 822 1320-PI-1 SAPPORO I.C BR. U-0 MAX.ACCEL.= -84.254(GAL) T= 2.01(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	2.96	5.432	251	3.68	8.322	301	4.54	3.992	351	5.51	-12.569
202	2.97	-3.567	252	3.70	4.826	302	4.55	13.495	352	5.52	-15.316
203	2.98	1.934	253	3.73	-10.168	303	4.57	14.248	353	5.53	-10.314
204	2.99	+7.563	254	3.74	+11.166	304	4.60	12.254	354	5.54	-4.562
205	3.01	6.940	255	3.75	-7.413	305	4.61	8.007	355	5.56	-0.808
206	3.02	15.693	256	3.77	-3.659	306	4.63	3.760	356	5.58	0.444
207	3.03	11.445	257	3.79	+2.406	307	4.65	4.263	357	5.59	13.197
208	3.04	6.448	258	3.80	2.596	308	4.66	-4.984	358	5.61	18.200
209	3.06	6.451	259	3.81	0.698	309	4.68	-9.981	359	5.62	18.204
210	3.08	5.704	260	3.83	0.101	310	4.70	-5.477	360	5.64	14.457
211	3.09	+6.043	261	3.85	-2.394	311	4.72	6.028	361	5.65	12.709
212	3.11	+4.290	262	3.87	+2.390	312	4.75	6.283	362	5.66	6.961
213	3.12	+2.287	263	3.88	+6.638	313	4.77	-1.213	363	5.67	-0.537
214	3.14	+10.634	264	3.89	+3.136	314	4.78	-7.959	364	5.69	3.217
215	3.16	+16.280	265	3.91	0.888	315	4.80	-1.456	365	5.71	9.972
216	3.17	+14.277	266	3.93	-0.121	316	4.82	+0.952	366	5.73	1.974
217	3.19	+14.525	267	3.94	5.873	317	4.85	+2.197	367	5.74	+1.023
218	3.20	+18.772	268	3.95	7.126	318	4.88	3.559	368	5.76	-1.770
219	3.21	+15.019	269	3.97	2.880	319	4.90	+5.687	369	5.78	+0.516
220	3.22	-14.518	270	3.98	-3.368	320	4.91	+8.684	370	5.80	-11.261
221	3.23	+21.265	271	4.00	+0.864	321	4.93	-12.180	371	5.83	+15.755
222	3.25	+28.263	272	4.02	+5.861	322	4.95	-9.177	372	5.87	+21.998
223	3.27	+40.258	273	4.03	+5.358	323	4.96	-8.925	373	5.88	+24.496
224	3.28	+54.756	274	4.06	+4.604	324	4.97	+16.422	374	5.91	+14.490
225	3.29	+57.255	275	4.08	+4.599	325	4.99	+13.418	375	5.93	+5.236
226	3.30	+19.753	276	4.10	+0.344	326	5.00	+8.416	376	5.95	4.269
227	3.31	0.750	277	4.11	7.158	327	5.01	+10.914	377	5.98	7.523
228	3.32	+9.998	278	4.13	12.910	328	5.03	+4.660	378	6.01	10.780
229	3.33	+14.247	279	4.14	3.663	329	5.05	2.843	379	6.04	10.786
230	3.34	+8.745	280	4.16	-11.583	330	5.08	0.349	380	6.09	17.545
231	3.35	+14.243	281	4.18	-15.580	331	5.09	+2.649	381	6.11	13.300
232	3.36	+12.490	282	4.20	+13.576	332	5.12	+2.144	382	6.13	6.554
233	3.37	+11.989	283	4.21	+8.573	333	5.15	+5.138	383	6.15	-3.443
234	3.38	+18.737	284	4.23	-12.920	334	5.17	+4.633	384	6.16	-1.690
235	3.39	+14.985	285	4.24	-15.567	335	5.20	+7.629	385	6.18	5.062
236	3.41	+11.982	286	4.25	-14.815	336	5.21	+4.127	386	6.19	2.814
237	3.42	+3.228	287	4.27	-13.562	337	5.23	4.128	387	6.20	+4.682
238	3.44	8.526	288	4.28	+7.309	338	5.25	6.382	388	6.22	-15.678
239	3.47	1.030	289	4.30	+6.555	339	5.27	1.385	389	6.24	+15.176
240	3.49	+8.965	290	4.32	+8.551	340	5.29	+2.361	390	6.26	-14.422
241	3.51	+8.961	291	4.34	+8.547	341	5.30	+0.109	391	6.28	-15.667
242	3.53	+14.958	292	4.36	+4.793	342	5.31	8.644	392	6.31	+10.662
243	3.55	+26.204	293	4.38	2.710	343	5.33	10.146	393	6.33	-1.409
244	3.56	+11.951	294	4.39	7.212	344	5.34	3.149	394	6.34	5.844
245	3.57	+7.449	295	4.41	1.218	345	5.37	-4.846	395	6.35	4.596
246	3.59	+7.446	296	4.42	1.219	346	5.40	-13.340	396	6.36	+7.901
247	3.61	+5.691	297	4.45	-3.276	347	5.42	-13.038	397	6.37	-30.149
248	3.64	+3.186	298	4.48	-12.769	348	5.44	-15.081	398	6.38	+46.648
249	3.65	+1.183	299	4.50	-16.517	349	5.46	-17.077	399	6.39	+23.396
250	3.66	0.319	300	4.51	-0.513	350	5.49	-14.573	400	6.40	32.857

INDEX NO. 822 1320-PI-1 SAPPORO I.C 3R. U-D MAX.ACCEL.= -84.254(GAL) T= 2.01(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	6.41	33.608	451	7.04	14.491	501	7.67	-11.394	551	8.31	15.020
402	6.42	18.610	452	7.05	13.735	502	7.68	-2.391	552	8.33	13.273
403	6.43	28.613	453	7.06	11.987	503	7.70	-0.388	553	8.34	8.275
404	6.44	24.864	454	7.07	6.238	504	7.71	-6.135	554	8.35	9.277
405	6.45	18.616	455	7.08	0.490	505	7.73	-9.632	555	8.36	12.030
406	6.46	-9.132	456	7.09	11.492	506	7.74	-7.880	556	8.37	8.783
407	6.47	-22.379	457	7.11	25.496	507	7.75	-4.123	557	8.39	1.286
408	6.48	-29.628	458	7.12	26.248	508	7.76	-3.376	558	8.61	-2.961
409	6.49	-27.877	459	7.13	16.250	509	7.77	-17.873	559	8.64	1.795
410	6.50	23.626	460	7.14	3.502	510	7.78	-17.372	560	8.65	0.797
411	6.51	31.628	461	7.15	-3.996	511	7.79	-7.370	561	8.66	1.799
412	6.52	33.629	462	7.16	-8.243	512	7.80	7.882	562	8.67	-3.698
413	6.53	24.382	463	7.18	-11.741	513	7.81	4.384	563	8.68	-8.697
414	6.54	7.383	464	7.19	-12.988	514	7.82	-5.614	564	8.69	-13.446
415	6.55	-12.364	465	7.20	-10.486	515	7.83	1.139	565	8.70	-12.194
416	6.57	-12.610	466	7.21	-9.984	516	7.85	1.141	566	8.71	-10.941
417	6.60	-5.606	467	7.22	-4.983	517	7.86	4.893	567	8.73	-6.438
418	6.61	0.648	468	7.24	-5.729	518	7.87	8.146	568	8.75	-6.184
419	6.62	0.150	469	7.26	-7.475	519	7.88	6.899	569	8.76	-6.432
420	6.63	-1.343	470	7.27	0.778	520	7.90	0.652	570	8.78	-2.678
421	6.64	-8.036	471	7.28	7.780	521	7.91	1.654	571	8.80	-1.424
422	6.65	-10.595	472	7.29	17.782	522	7.93	4.907	572	8.82	-3.920
423	6.66	-11.343	473	7.30	17.784	523	7.94	5.659	573	8.84	-4.416
424	6.67	-7.591	474	7.31	11.785	524	7.95	1.161	574	8.86	-5.662
425	6.68	-3.839	475	7.33	0.533	525	7.98	1.663	575	8.88	-1.408
426	6.69	-6.087	476	7.34	-0.209	526	8.00	2.921	576	8.90	-0.654
427	6.70	-8.585	477	7.35	-5.957	527	8.03	-0.073	577	8.92	-5.151
428	6.71	-13.583	478	7.36	2.796	528	8.05	-0.069	578	8.94	1.603
429	6.72	-19.332	479	7.53	11.048	529	8.06	-4.317	579	8.95	-2.644
430	6.74	-16.925	480	7.39	12.303	530	8.07	-2.065	580	8.97	-6.391
431	6.76	-13.824	481	7.40	10.303	531	8.08	0.437	581	8.99	-5.888
432	6.77	-9.322	482	7.41	15.305	532	8.11	1.692	582	9.00	2.365
433	6.78	-9.319	483	7.42	13.057	533	8.12	3.694	583	9.01	7.617
434	6.80	-9.316	484	7.43	12.309	534	8.13	-0.554	584	9.02	12.620
435	6.82	-12.312	485	7.44	12.810	535	8.14	4.198	585	9.05	8.875
436	6.83	-13.559	486	7.45	9.312	536	8.15	2.701	586	9.08	12.631
437	6.85	-17.305	487	7.47	11.818	537	8.17	9.955	587	9.11	15.136
438	6.86	-8.053	488	7.49	14.071	538	8.19	5.708	588	9.14	14.643
439	6.87	-6.301	489	7.51	12.325	539	8.20	0.711	589	9.16	16.397
440	6.88	-4.299	490	7.52	9.827	540	8.22	-0.536	590	9.17	18.899
441	6.89	-3.797	491	7.54	11.830	541	8.24	1.218	591	9.21	12.655
442	6.93	-6.791	492	7.56	11.585	542	8.25	0.470	592	9.24	11.911
443	6.96	-8.534	493	7.58	12.339	543	8.28	-1.275	593	9.28	2.670
444	6.97	-10.032	494	7.60	8.092	544	8.29	2.978	594	9.32	-1.073
445	6.98	5.221	495	7.61	6.095	545	8.31	9.232	595	9.34	-0.568
446	6.99	22.972	496	7.62	-0.153	546	8.34	6.987	596	9.44	2.700
447	7.00	32.475	497	7.63	-8.902	547	8.36	4.490	597	9.49	8.960
448	7.01	31.226	498	7.64	-14.650	548	8.45	5.509	598	9.54	8.469
449	7.02	28.228	499	7.65	-19.648	549	8.47	10.513	599	9.57	5.975
450	7.03	18.230	500	7.66	-21.646	550	8.50	15.518	600	9.61	1.483

INDEX NO. 822 1320-PI-1 SAPPORO I.C 3R. U-D MAX.ACCEL.= -84.254(GAL) T= 2.01(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	9.64	-6.011	651	10.68	3.443	701	11.80	13.162	751	13.11	11.668
602	9.66	-10.007	652	10.71	6.698	702	11.82	8.916	752	13.15	12.177
603	9.67	-5.755	653	10.72	1.701	703	11.83	7.669	753	13.19	22.934
604	9.73	-3.244	654	10.75	-5.045	704	11.84	16.922	754	13.22	28.690
605	9.76	0.013	655	10.76	-5.793	705	11.86	23.925	755	13.26	23.198
606	9.78	7.767	656	10.78	-0.787	706	11.88	23.428	756	13.31	21.708
607	9.81	7.773	657	10.80	4.216	707	11.90	23.434	757	13.35	24.966
608	9.84	3.529	658	10.81	2.469	708	11.94	20.940	758	13.39	19.473
609	9.86	10.783	659	10.84	1.224	709	11.97	18.446	759	13.42	12.479
610	9.89	11.037	660	10.86	2.978	710	12.00	15.952	760	13.45	11.734
611	9.91	10.292	661	10.88	6.733	711	12.02	12.955	761	13.47	10.738
612	9.94	14.048	662	10.90	3.737	712	12.03	3.957	762	13.49	4.743
613	9.96	15.802	663	10.93	3.493	713	12.06	5.713	763	13.52	8.499
614	9.99	13.559	664	10.95	6.746	714	12.08	14.968	764	13.55	6.503
615	10.04	6.068	665	10.97	5.000	715	12.10	13.972	765	13.57	10.258
616	10.05	4.820	666	11.00	-0.745	716	12.13	10.226	766	13.60	12.763
617	10.08	7.325	667	11.01	0.508	717	12.14	10.730	767	13.62	12.268
618	10.12	8.583	668	11.03	-1.239	718	12.17	9.486	768	13.65	14.774
619	10.16	9.090	669	11.04	-0.737	719	12.20	9.491	769	13.68	17.778
620	10.18	8.344	670	11.06	1.767	720	12.23	4.996	770	13.70	14.782
621	10.19	-2.654	671	11.08	0.521	721	12.25	5.001	771	13.75	11.542
622	10.20	-7.151	672	11.09	-1.227	722	12.28	-0.492	772	13.79	19.801
623	10.21	-5.399	673	11.10	3.526	723	12.33	-0.983	773	13.82	20.805
624	10.23	3.354	674	11.12	8.030	724	12.36	0.774	774	13.85	20.062
625	10.25	0.358	675	11.14	9.282	725	12.40	1.531	775	13.88	18.318
626	10.26	-2.890	676	11.15	13.535	726	12.43	4.537	776	13.91	25.074
627	10.28	6.363	677	11.17	11.039	727	12.45	4.541	777	13.94	28.079
628	10.29	13.366	678	11.19	9.793	728	12.47	3.296	778	13.96	24.333
629	10.31	18.369	679	11.21	10.547	729	12.49	7.548	779	14.00	21.840
630	10.32	20.371	680	11.22	14.800	730	12.50	10.049	780	14.03	18.346
631	10.33	20.874	681	11.24	14.803	731	12.52	8.305	781	14.05	6.850
632	10.35	14.878	682	11.26	10.057	732	12.55	5.060	782	14.08	2.655
633	10.37	6.632	683	11.27	9.310	733	12.58	7.067	783	14.12	1.863
634	10.39	2.884	684	11.30	14.314	734	12.61	4.071	784	14.15	7.870
635	10.40	5.387	685	11.32	21.068	735	12.64	9.578	785	14.18	4.376
636	10.42	7.891	686	11.34	20.573	736	12.66	11.333	786	14.21	3.632
637	10.44	9.144	687	11.41	17.586	737	12.70	8.339	787	14.24	9.138
638	10.46	16.648	688	11.44	10.592	738	12.72	4.594	788	14.27	8.643
639	10.47	21.900	689	11.47	5.098	739	12.75	7.099	789	14.31	4.901
640	10.48	21.402	690	11.49	3.851	740	12.77	5.854	790	14.33	3.654
641	10.49	17.655	691	11.52	6.108	741	12.80	10.109	791	14.36	7.910
642	10.51	16.908	692	11.54	11.863	742	12.84	16.367	792	14.39	7.415
643	10.53	18.162	693	11.57	14.368	743	12.86	20.871	793	14.41	3.670
644	10.55	13.916	694	11.61	9.375	744	12.88	18.375	794	14.45	-1.823
645	10.57	8.170	695	11.64	2.631	745	12.93	15.884	795	14.48	3.682
646	10.59	8.675	696	11.68	-4.851	746	12.96	17.891	796	14.51	2.939
647	10.61	7.678	697	11.70	-2.606	747	12.99	21.396	797	14.54	9.943
648	10.63	4.933	698	11.71	-2.605	748	13.02	16.652	798	14.55	10.447
649	10.66	1.688	699	11.74	8.151	749	13.05	8.409	799	14.58	7.452
650	10.67	-0.811	700	11.78	13.658	750	13.06	10.159	800	14.61	7.459

土木構造物における加速度強震記録（No. 9）

INDEX NO. 822 1320-PI-1 SAPPORO I.C BR. U-D MAX.ACCEL.= -84.254(GAL) T= 2.01(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	14.64	7.469	851	16.39	-1.684	901	18.36	10.695	951	20.15	-1.452
802	14.67	12.469	852	16.42	5.322	902	18.41	13.705	952	20.19	-5.695
803	14.69	11.974	853	16.46	12.830	903	18.49	20.470	953	20.22	-2.439
804	14.73	10.731	854	16.54	22.345	904	18.51	20.473	954	20.25	-1.683
805	14.81	25.747	855	16.59	22.603	905	18.53	10.479	955	20.27	2.571
806	14.84	26.254	856	16.61	21.353	906	18.57	9.235	956	20.33	4.584
807	14.86	32.028	857	16.64	16.363	907	18.59	3.241	957	20.36	2.090
808	14.89	33.513	858	16.68	18.871	908	18.62	2.745	958	20.39	6.345
809	14.92	22.268	859	16.74	10.632	909	18.64	4.999	959	20.41	6.849
810	14.95	19.024	860	16.79	9.091	910	18.67	4.006	960	20.44	5.355
811	14.97	20.279	861	16.82	3.647	911	18.72	1.516	961	20.47	4.361
812	15.01	14.037	862	16.85	-3.347	912	18.79	3.780	962	20.50	5.365
813	15.04	12.793	863	16.89	0.410	913	18.82	4.535	963	20.52	6.871
814	15.07	19.048	864	16.92	0.915	914	18.85	0.793	964	20.56	1.129
815	15.10	17.304	865	16.97	7.424	915	18.91	6.303	965	20.59	-1.365
816	15.15	7.814	866	17.02	4.683	916	18.94	6.560	966	20.63	2.392
817	15.18	0.820	867	17.06	7.941	917	19.01	15.073	967	20.65	3.646
818	15.21	1.026	868	17.08	10.946	918	19.04	15.830	968	20.68	2.901
819	15.25	4.333	869	17.11	12.951	919	19.07	12.835	969	20.71	5.407
820	15.27	5.589	870	17.17	12.963	920	19.10	4.090	970	20.73	3.162
821	15.32	4.349	871	17.21	10.470	921	19.11	4.093	971	20.75	2.916
822	15.37	6.858	872	17.26	9.230	922	19.14	6.368	972	20.79	2.423
823	15.42	11.367	873	17.29	12.985	923	19.16	9.602	973	20.81	1.928
824	15.47	11.377	874	17.31	12.240	924	19.18	7.106	974	20.84	1.183
825	15.51	9.636	875	17.35	14.247	925	19.20	6.611	975	20.86	1.688
826	15.55	10.143	876	17.38	10.503	926	19.22	4.115	976	20.89	2.942
827	15.58	16.400	877	17.41	9.760	927	19.24	3.368	977	20.92	2.449
828	15.61	20.156	878	17.45	11.766	928	19.28	3.876	978	20.95	0.455
829	15.63	14.662	879	17.48	15.523	929	19.31	7.632	979	20.98	2.960
830	15.66	13.919	880	17.51	12.528	930	19.34	9.637	980	21.00	4.465
831	15.70	14.676	881	17.54	14.284	931	19.38	12.145	981	21.02	4.218
832	15.74	10.685	882	17.57	11.041	932	19.41	10.401	982	21.04	10.473
833	15.82	12.201	883	17.62	10.551	933	19.50	8.419	983	21.06	12.476
834	15.85	8.958	884	17.66	11.808	934	19.55	7.179	984	21.09	9.233
835	15.86	7.211	885	17.71	8.067	935	19.59	0.938	985	21.13	3.740
836	15.88	13.216	886	17.75	6.075	936	19.64	-4.554	986	21.17	7.497
837	15.91	14.471	887	17.78	6.002	937	19.65	-1.051	987	21.19	12.502
838	15.95	16.478	888	17.81	5.587	938	19.68	-2.796	988	21.22	10.508
839	15.97	16.983	889	17.83	11.092	939	19.72	-5.537	989	21.26	13.266
840	15.99	16.988	890	17.85	13.095	940	19.77	-1.778	990	21.29	10.022
841	16.02	18.994	891	17.88	13.651	941	19.80	1.979	991	21.33	8.780
842	16.05	22.001	892	17.92	9.359	942	19.86	8.991	992	21.38	10.790
843	16.08	22.005	893	17.96	5.616	943	19.91	12.999	993	21.43	6.300
844	16.14	16.760	894	17.98	5.621	944	19.94	16.007	994	21.47	1.308
845	16.20	10.529	895	18.03	0.130	945	19.98	14.015	995	21.51	5.064
846	16.23	13.536	896	18.07	3.638	946	20.01	10.520	996	21.54	5.571
847	16.25	13.789	897	18.12	4.397	947	20.04	8.526	997	21.58	1.328
848	16.28	8.794	898	18.18	3.659	948	20.07	1.783	998	21.61	3.085
849	16.32	2.303	699	18.24	3.172	949	20.11	-4.460	999	21.65	3.092
850	16.36	-1.439	900	18.30	6.433	950	20.14	-0.705	1000	21.69	5.101

INDEX NO. 822 1320-PI-1 SAPPORO I.C BR. U-D MAX.ACCEL.= -84.254(GAL) T= 2.01(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	21.71	0.854	1051	23.57	-2.284	1101	25.79	-6.100	1151	27.77	-6.963
1002	21.75	5.861	1052	23.62	-2.275	1102	25.82	-8.843	1152	27.80	-12.707
1003	21.80	5.622	1053	23.69	-1.011	1103	25.89	-9.631	1153	27.85	-8.448
1004	21.83	6.377	1054	23.75	-2.750	1104	25.93	-7.573	1154	27.91	-4.686
1005	21.86	6.882	1055	23.78	-2.744	1105	25.97	-8.566	1155	27.96	-2.675
1006	21.89	0.139	1056	23.84	-7.231	1106	26.00	-10.559	1156	27.99	-5.670
1007	21.91	3.894	1057	23.89	2.278	1107	26.01	-10.556	1157	28.04	-6.411
1008	21.94	5.649	1058	23.93	0.287	1108	26.03	-13.052	1158	28.10	-5.149
1009	21.97	1.905	1059	23.99	1.548	1109	26.08	-9.794	1159	28.15	-3.138
1010	22.02	5.165	1060	24.04	-0.943	1110	26.10	-8.539	1160	28.18	-7.632
1011	22.05	2.670	1061	24.09	-2.934	1111	26.12	-7.536	1161	28.24	-5.121
1012	22.09	2.177	1062	24.14	-0.423	1112	26.14	-7.281	1162	28.28	-0.863
1013	22.11	-2.317	1063	24.17	-0.166	1113	26.18	-8.524	1163	28.32	2.895
1014	22.15	-5.311	1064	24.21	4.591	1114	26.20	-3.769	1164	28.36	1.653
1015	22.18	0.196	1065	24.25	4.848	1115	26.23	-2.515	1165	28.37	3.655
1016	22.22	-0.547	1066	24.31	-0.890	1116	26.26	-0.508	1166	28.40	-3.009
1017	22.27	1.963	1067	24.35	-7.131	1117	26.29	2.747	1167	28.43	-1.334
1018	22.31	2.221	1068	24.40	-8.372	1118	26.32	2.754	1168	28.46	-0.079
1019	22.35	1.979	1069	24.47	-5.359	1119	26.40	3.269	1169	28.48	0.427
1020	22.38	6.984	1070	24.51	-4.101	1120	26.44	1.277	1170	28.50	2.931
1021	22.41	4.989	1071	24.54	-3.344	1121	26.47	2.032	1171	28.53	-0.064
1022	22.44	2.496	1072	24.57	-4.588	1122	26.52	3.793	1172	28.56	-0.808
1023	22.49	4.505	1073	24.60	-4.583	1123	26.55	2.048	1173	28.59	-5.051
1024	22.52	4.511	1074	24.63	0.423	1124	26.58	-1.696	1174	28.62	-10.546
1025	22.55	3.268	1075	24.67	-0.319	1125	26.61	-9.620	1175	28.64	-8.292
1026	22.58	8.274	1076	24.71	-0.312	1126	26.64	-9.185	1176	28.68	1.716
1027	22.62	3.539	1077	24.75	-1.303	1127	26.67	-5.428	1177	28.72	1.224
1028	22.65	4.537	1078	24.80	-0.794	1128	26.68	-4.176	1178	28.74	-4.272
1029	22.69	1.045	1079	24.83	3.463	1129	26.69	-5.923	1179	28.77	-8.768
1030	22.73	3.301	1080	24.87	1.221	1130	26.70	-6.672	1180	28.80	-7.511
1031	22.76	4.058	1081	24.92	-2.020	1131	26.75	-7.413	1181	28.84	-4.504
1032	22.80	4.566	1082	24.99	-5.755	1132	26.81	-7.901	1182	28.89	0.506
1033	22.84	7.824	1083	25.06	-2.538	1133	26.86	-9.162	1183	28.94	0.766
1034	22.85	7.825	1084	25.10	2.517	1134	26.93	-6.633	1184	28.99	-2.474
1035	22.87	6.079	1085	25.14	3.023	1135	26.95	-4.875	1185	29.04	-6.964
1036	22.89	1.084	1086	25.19	0.533	1136	26.99	-5.866	1186	29.06	-4.460
1037	22.93	0.842	1087	25.21	3.037	1137	27.03	-2.858	1187	29.11	-3.701
1038	23.04	-0.387	1088	25.24	3.043	1138	27.08	+0.349	1188	29.15	5.056
1039	23.08	2.371	1089	25.28	0.050	1139	27.13	-2.089	1189	29.19	7.564
1040	23.11	1.627	1090	25.34	5.562	1140	27.20	0.175	1190	29.21	9.570
1041	23.15	0.384	1091	25.38	4.820	1141	27.28	+2.060	1191	29.24	7.825
1042	23.19	0.391	1092	25.42	4.829	1142	27.33	-3.299	1192	29.29	3.585
1043	23.23	-2.600	1093	25.43	5.630	1143	27.36	-1.543	1193	29.34	1.594
1044	23.26	-6.344	1094	25.46	8.036	1144	27.43	-2.030	1194	29.38	-0.147
1045	23.28	-7.340	1095	25.51	5.095	1145	27.47	-3.521	1195	29.43	-6.137
1046	23.31	-5.585	1096	25.55	1.853	1146	27.53	-0.760	1196	29.47	-12.381
1047	23.37	-2.824	1097	25.62	0.516	1147	27.60	+4.746	1197	29.51	-9.872
1048	23.44	0.190	1098	25.66	-5.125	1148	27.67	-7.233	1198	29.54	-5.616
1049	23.48	1.448	1099	25.71	-2.365	1149	27.70	-5.976	1199	29.57	+4.110
1050	23.52	1.457	1100	25.75	-2.608	1150	27.72	-3.972	1200	29.62	+7.851

INDEX NO. 822 1320-PI-1 SAPPORO I.C 89. U-D MAX.ACCEL.= -94.254(GAL) T= 2.01(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	29.64	-9.097	1251	31.57	+6.969	1301	33.35	-10.871
1202	29.67	-4.840	1252	31.58	-5.216	1302	33.38	-10.366
1203	29.71	-2.033	1253	31.61	-5.712	1303	33.40	-10.361
1204	29.73	-1.080	1254	31.64	-6.956	1304	33.43	-9.856
1205	29.78	-4.319	1255	31.65	-6.953	1305	33.46	-10.350
1206	29.81	-6.063	1256	31.70	-11.944	1306	33.48	-12.097
1207	29.84	-2.308	1257	31.73	-11.937	1307	33.50	-12.342
1208	29.89	-1.545	1258	31.78	-15.677	1308	33.53	-9.087
1209	29.92	-4.042	1259	31.84	-15.167	1309	33.58	-6.578
1210	29.94	-5.537	1260	31.89	-15.408	1310	33.61	-6.071
1211	29.99	-6.028	1261	31.94	-14.148	1311	33.64	-8.315
1212	30.00	-4.275	1262	31.98	-12.690	1312	33.68	-9.056
1213	30.05	-1.515	1263	32.32	-10.632	1313	33.72	-6.049
1214	30.09	-4.258	1264	32.07	-4.372	1314	33.78	-3.539
1215	30.12	-6.001	1265	32.12	-2.363	1315	33.83	-5.779
1216	30.19	0.763	1266	32.17	-3.102	1316	33.88	-5.270
1217	30.20	1.513	1267	32.21	-3.844	1317	33.94	-3.257
1218	30.24	2.023	1268	32.25	-9.336	1318	34.03	-6.990
1219	30.29	4.031	1269	32.29	-15.628	1319	34.08	-10.730
1220	30.33	6.539	1270	32.32	-15.822	1320	34.13	-8.971
1221	30.36	2.796	1271	32.36	-11.565	1321	34.18	-13.661
1222	30.41	-3.445	1272	32.39	-13.310	1322	34.24	-8.949
1223	30.45	-5.437	1273	32.42	-12.053	1323	34.33	-9.682
1224	30.49	-5.928	1274	32.45	-10.797	1324	34.40	-5.668
1225	30.55	-10.917	1275	32.51	-4.285	1325	34.45	-5.909
1226	30.61	-11.656	1276	32.55	-2.527	1326	34.51	-6.397
1227	30.66	-6.396	1277	32.59	-0.019	1327	34.55	-16.388
1228	30.69	-8.839	1278	32.62	-4.264	1328	34.60	-10.878
1229	30.73	-3.383	1279	32.66	-5.507	1329	34.66	-14.367
1230	30.77	-10.875	1280	32.70	-7.998	1330	34.73	-16.854
1231	30.79	-11.871	1281	32.74	-6.741	1331	34.81	-12.069
1232	30.84	-6.861	1282	32.78	-6.733	1332	34.87	-16.327
1233	30.89	-7.851	1283	32.81	-9.227	1333	34.90	-12.571
1234	30.94	-8.591	1284	32.85	-6.220	1334	34.95	-12.561
1235	31.00	-8.530	1285	32.87	-7.216	1335	34.97	-17.556
1236	31.04	-12.823	1286	32.92	-12.957	1336	35.00	-16.800
1237	31.07	-5.815	1287	32.95	-11.700	1337	35.03	-15.794
1238	31.11	-5.807	1288	32.98	-14.694	1338	35.07	-16.286
1239	31.15	-7.551	1289	33.01	-15.438	1339	35.08	-16.284
1240	31.19	-3.293	1290	33.05	-12.182	1340	35.12	-21.528
1241	31.21	-8.788	1291	33.08	-11.176	1341	35.16	-21.518
1242	31.24	-8.284	1292	33.11	-8.418	1342	35.23	-17.756
1243	31.27	-13.276	1293	33.14	-8.662	1343	35.26	-17.000
1244	31.29	-11.274	1294	33.17	-7.157	1344	35.28	-14.745
1245	31.33	-10.266	1295	33.21	-5.480	1345	35.31	-14.488
1246	31.37	-11.506	1296	33.24	-4.894	1346	35.34	-17.733
1247	31.41	-3.250	1297	33.27	-6.638	1347	35.36	-18.229
1248	31.46	-3.239	1298	33.29	-7.384	1348	35.43	-12.714
1249	31.49	0.517	1299	33.30	-6.132	1349	35.47	-12.708
1250	31.54	-4.975	1300	33.32	-7.128	1350	35.50	-10.701

Table IX D-49 Digitized Accelerations of Earthquake Record with Index Number 823

INDEX NO. 823 1320-PI-1 SAPPORO I.C 32. TR. MAX.ACCEL.=-438.289(GAL) T= 2.82(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.01	-35.696	51	1.27	-89.399	101	1.91	102.374	151	2.62	-81.815
2	0.03	-26.759	52	1.29	-86.956	102	1.92	95.829	152	2.63	-82.935
3	0.06	-20.072	53	1.31	-79.505	103	1.94	76.783	153	2.64	-56.365
4	0.09	-15.630	54	1.33	-70.541	104	1.97	44.984	154	2.65	-65.141
5	0.12	-27.470	55	1.35	-66.833	105	1.98	17.948	155	2.67	-66.417
6	0.16	-32.047	56	1.37	-55.386	106	2.00	8.158	156	2.68	-82.444
7	0.18	-38.865	57	1.39	-49.191	107	2.02	-21.132	157	2.69	-85.465
8	0.21	-29.171	58	1.41	-32.489	108	2.03	-54.658	158	2.71	-53.518
9	0.24	-25.985	59	1.43	-25.768	109	2.04	-159.700	159	2.72	-40.798
10	0.26	-17.281	60	1.44	0.694	110	2.05	-193.972	160	2.73	-28.072
11	0.28	-20.330	61	1.46	17.407	111	2.06	-209.748	161	2.74	-14.835
12	0.31	-22.404	62	1.47	26.131	112	2.07	-218.017	162	2.75	-39.637
13	0.33	-27.462	63	1.48	43.854	113	2.09	-298.933	163	2.76	-87.352
14	0.36	-20.029	64	1.49	74.334	114	2.11	-361.613	164	2.77	-133.580
15	0.40	-5.621	65	1.50	80.063	115	2.13	-188.912	165	2.78	-213.050
16	0.43	-11.184	66	1.51	69.032	116	2.14	-233.924	166	2.79	-247.782
17	0.45	-16.731	67	1.52	67.269	117	2.15	-269.704	167	2.80	-193.764
18	0.48	-14.549	68	1.53	71.993	118	2.16	-198.472	168	2.81	-221.512
19	0.51	-18.871	69	1.54	-81.035	119	2.17	-190.506	169	2.82	-438.289
20	0.53	-22.676	70	1.55	-138.552	120	2.19	-251.791	170	2.83	3.197
21	0.55	-18.464	71	1.56	-78.818	121	2.20	-200.319	171	2.85	312.913
22	0.58	-19.800	72	1.57	118.147	122	2.21	-271.851	172	2.86	56.632
23	0.62	-25.643	73	1.58	117.630	123	2.23	-153.881	173	2.89	290.820
24	0.64	-32.437	74	1.59	70.853	124	2.24	-241.922	174	2.90	138.034
25	0.67	-32.747	75	1.60	69.591	125	2.27	-248.241	175	2.92	331.484
26	0.70	-25.818	76	1.61	113.055	126	2.29	-227.275	176	2.93	199.459
27	0.73	-16.634	77	1.62	86.523	127	2.30	-189.558	177	2.95	260.173
28	0.76	-18.454	78	1.64	113.487	128	2.31	-207.328	178	2.96	223.144
29	0.80	-19.814	79	1.65	131.961	129	2.32	-226.845	179	2.97	279.111
30	0.84	-28.155	80	1.66	93.690	130	2.33	-193.132	180	2.99	214.079
31	0.89	-39.260	81	1.67	112.910	131	2.34	-181.657	181	3.00	258.800
32	0.94	-51.637	82	1.69	139.088	132	2.35	-205.176	182	3.02	193.763
33	0.99	-61.243	83	1.70	121.597	133	2.36	-221.707	183	3.03	201.232
34	1.00	-74.525	84	1.71	144.581	134	2.38	-177.236	184	3.04	171.451
35	1.02	-79.822	85	1.72	177.561	135	2.39	-174.265	185	3.06	218.665
36	1.03	-82.341	86	1.73	110.021	136	2.40	-150.539	186	3.08	146.624
37	1.06	-79.902	87	1.74	147.010	137	2.41	-156.821	187	3.09	183.588
38	1.09	-83.221	88	1.75	110.727	138	2.42	-146.846	188	3.11	152.285
39	1.12	-87.548	89	1.76	157.450	139	2.43	-122.620	189	3.13	148.494
40	1.14	-87.094	90	1.77	120.436	140	2.45	-136.903	190	3.14	134.972
41	1.15	-56.871	91	1.78	176.654	141	2.46	-124.680	191	3.16	139.176
42	1.16	-45.387	92	1.79	154.637	142	2.48	-118.237	192	3.17	129.895
43	1.17	-90.670	93	1.80	163.359	143	2.50	-117.278	193	3.19	97.604
44	1.18	-107.937	94	1.81	159.095	144	2.52	-106.321	194	3.21	92.808
45	1.19	-98.955	95	1.83	172.059	145	2.53	-99.593	195	3.23	60.511
46	1.20	-89.228	96	1.84	153.292	146	2.55	-108.638	196	3.25	42.720
47	1.22	-94.273	97	1.85	155.255	147	2.56	-104.413	197	3.26	7.696
48	1.23	-98.059	98	1.86	155.721	148	2.57	-107.454	198	3.28	-12.101
49	1.24	-98.388	99	1.88	135.435	149	2.60	-74.253	199	3.29	-41.124
50	1.26	-91.960	100	1.90	122.185	150	2.61	-84.292	200	3.30	-93.900

土木構造物における加速度強震記録 (No. 9)

INDEX NO. 823 1320-PI-1 SAPPORO I.C BR. TR. MAX.ACCEL.=-438.269(GAL) T= 2.82(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	3.31	-159.194	251	4.13	112.142	301	4.97	-51.849	351	5.89	29.763
202	3.33	-157.732	252	4.15	101.342	302	4.98	-51.136	352	5.90	45.719
203	3.34	-151.495	253	4.17	102.798	303	5.02	-73.986	353	5.92	40.672
204	3.35	166.465	254	4.21	-11.541	304	5.03	-72.237	354	5.95	44.351
205	3.36	209.206	255	4.24	144.893	305	5.05	-8.048	355	5.97	41.805
206	3.37	-111.079	256	4.25	120.187	306	5.08	-95.599	356	5.99	41.009
207	3.38	-203.344	257	4.26	123.333	307	5.09	-95.629	357	6.01	41.712
208	3.39	-123.624	258	4.27	112.613	308	5.10	-105.157	358	6.03	33.413
209	3.41	-209.167	259	4.28	110.281	309	5.14	-109.746	359	6.06	24.844
210	3.42	-148.704	260	4.30	103.004	310	5.15	-97.281	360	6.08	12.549
211	3.44	-203.501	261	4.31	101.728	311	5.17	-95.564	361	6.11	6.736
212	3.46	-166.530	262	4.32	85.947	312	5.19	-80.872	362	6.13	1.685
213	3.47	-171.560	263	4.33	81.420	313	5.21	-60.169	363	6.16	8.876
214	3.48	-149.834	264	4.35	90.616	314	5.22	-60.693	364	6.19	13.803
215	3.50	-126.370	265	4.36	78.350	315	5.23	-63.213	365	6.22	62.725
216	3.51	-121.408	266	4.37	76.327	316	5.24	-51.236	366	6.23	62.709
217	3.52	-100.687	267	4.39	82.033	317	5.25	-42.511	367	6.25	5.166
218	3.53	-94.709	268	4.40	79.749	318	5.26	-36.035	368	6.27	39.862
219	3.54	-108.475	269	4.42	59.711	319	5.28	-30.321	369	6.29	38.570
220	3.55	-104.744	270	4.44	62.168	320	5.30	-20.861	370	6.31	44.021
221	3.56	-113.524	271	4.45	46.387	321	5.31	-6.887	371	6.32	29.240
222	3.57	-95.551	272	4.47	3.096	322	5.34	-0.460	372	6.34	23.450
223	3.59	-107.841	273	4.49	35.051	323	5.35	-2.483	373	6.35	13.921
224	3.60	-99.365	274	4.51	10.502	324	5.37	8.981	374	6.37	-20.370
225	3.61	-101.647	275	4.52	-6.035	325	5.38	11.946	375	6.39	-84.665
226	3.65	-84.493	276	4.54	18.919	326	5.40	19.405	376	6.40	-163.942
227	3.68	-58.293	277	4.57	0.866	327	5.41	16.367	377	6.41	-181.463
228	3.69	-65.072	278	4.58	-16.913	328	5.44	23.059	378	6.42	-172.239
229	3.71	-64.614	279	4.60	-12.713	329	5.47	28.988	379	6.44	-160.774
230	3.73	-82.180	280	4.62	-35.266	330	5.49	24.696	380	6.46	299.670
231	3.76	-84.482	281	4.63	-39.541	331	5.50	28.164	381	6.48	-245.620
232	3.77	-67.504	282	4.64	-39.574	332	5.52	26.375	382	6.49	-28.900
233	3.78	-102.038	283	4.67	-30.879	333	5.54	28.079	383	6.51	-161.939
234	3.79	-96.568	284	4.68	-34.653	334	5.56	42.773	384	6.52	-98.722
235	3.82	-112.885	285	4.69	-27.193	335	5.58	44.489	385	6.53	-97.486
236	3.84	-109.185	286	4.72	-24.747	336	5.59	40.213	386	6.54	-139.780
237	3.86	-96.729	287	4.73	-3.525	337	5.61	52.670	387	6.56	-63.576
238	3.88	-111.762	288	4.75	-25.566	338	5.62	45.144	388	6.58	-94.114
239	3.89	-100.040	289	4.77	-25.882	339	5.64	40.084	389	6.59	-76.634
240	3.90	-103.819	290	4.79	-37.429	340	5.67	19.522	390	6.60	-80.411
241	3.92	-91.869	291	4.80	-23.706	341	5.72	-5.095	391	6.61	-77.937
242	3.94	-100.661	292	4.82	-29.239	342	5.73	-26.632	392	6.62	-80.466
243	3.96	-59.700	293	4.83	-17.271	343	5.74	-13.648	393	6.64	-63.749
244	3.99	-72.026	294	4.86	-19.078	344	5.75	-12.420	394	6.65	-50.035
245	4.00	-61.045	295	4.87	-16.616	345	5.76	-1.701	395	6.66	-19.560
246	4.03	-45.879	296	4.88	-27.894	346	5.77	-0.475	396	6.68	-1.359
247	4.05	-2.671	297	4.89	-27.420	347	5.81	31.185	397	6.71	-6.921
248	4.06	1.046	298	4.91	-40.702	348	5.83	18.144	398	6.72	-5.700
249	4.11	100.931	299	4.93	-42.748	349	5.85	17.348	399	6.74	1.762
250	4.12	111.411	300	4.95	-63.547	350	5.86	32.315	400	6.75	9.991

INDEX NO. 823 1320-PI-1 SAPPORO I.C BR. TR. MAX.ACCEL.=-438.289(GAL) T= 2.82(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	6.76	11.954	451	7.51	149.929	501	8.26	11.419	551	8.99	-25.272
402	6.78	1.412	452	7.52	157.405	502	8.27	5.900	552	9.01	-26.809
403	6.79	1.884	453	7.53	149.380	503	8.28	-7.121	553	9.02	-22.327
404	6.81	-5.657	454	7.55	147.342	504	8.29	-12.151	554	9.03	-37.611
405	6.83	6.292	455	7.57	122.046	505	8.30	-18.673	555	9.04	-46.378
406	6.85	11.751	456	7.59	130.760	506	8.32	-12.700	556	9.05	-44.652
407	6.86	19.728	457	7.61	107.940	507	8.33	-18.225	557	9.06	-45.680
408	6.88	4.178	458	7.63	82.399	508	8.34	-27.013	558	9.07	-46.957
409	6.89	6.651	459	7.65	78.617	509	8.36	-24.555	559	9.08	-48.476
410	6.91	-11.889	460	7.69	-0.742	510	8.38	-10.843	560	9.09	-54.750
411	6.93	-19.181	461	7.71	-3.280	511	8.39	-0.875	561	9.10	-63.776
412	6.94	-11.219	462	7.72	-28.066	512	8.40	-2.641	562	9.12	-68.308
413	6.96	-46.014	463	7.73	-32.587	513	8.41	-12.670	563	9.13	-68.837
414	6.98	-74.813	464	7.75	-72.631	514	8.42	-5.443	564	9.14	-70.110
415	7.01	-93.119	465	7.77	-112.185	515	8.45	10.495	565	9.15	-74.638
416	7.02	-101.894	466	7.79	-122.717	516	8.46	4.219	566	9.16	-75.158
417	7.03	-95.171	467	7.81	-108.511	517	8.47	2.180	567	9.17	-74.185
418	7.04	-104.448	468	7.83	-102.310	518	8.50	15.871	568	9.19	-69.217
419	7.05	-110.479	469	7.85	-124.883	519	8.51	15.850	569	9.20	-61.002
420	7.07	-134.525	470	7.88	-153.925	520	8.53	17.304	570	9.21	-56.775
421	7.09	-115.808	471	7.89	-113.967	521	8.55	27.260	571	9.23	-48.315
422	7.10	-122.096	472	7.91	-139.494	522	8.56	36.222	572	9.24	-36.595
423	7.13	-116.653	473	7.92	-131.517	523	8.58	38.687	573	9.26	-23.878
424	7.14	-87.942	474	7.94	-129.081	524	8.60	38.146	574	9.27	-22.663
425	7.15	-86.209	475	7.95	-126.102	525	8.61	36.366	575	9.29	-28.217
426	7.16	-95.994	476	7.96	-117.361	526	8.63	42.576	576	9.31	-25.251
427	7.18	-72.774	477	7.98	-108.405	527	8.65	50.769	577	9.33	-15.543
428	7.19	-53.316	478	7.99	-91.184	528	8.67	58.718	578	9.34	-8.064
429	7.22	-36.872	479	8.00	-88.221	529	8.70	65.913	579	9.35	5.912
430	7.24	-34.067	480	8.01	-70.734	530	8.71	65.876	580	9.36	15.372
431	7.26	-39.281	481	8.02	-64.266	531	8.73	-9.415	581	9.38	24.073
432	7.28	-73.492	482	8.03	-55.291	532	8.76	86.011	582	9.41	27.269
433	7.29	-80.966	483	8.04	-43.811	533	8.77	80.499	583	9.43	27.208
434	7.30	-112.181	484	8.06	-43.843	534	8.78	83.473	584	9.46	23.392
435	7.31	-122.400	485	8.07	-32.633	535	8.79	87.207	585	9.47	23.372
436	7.32	-138.878	486	8.08	-29.911	536	8.81	74.161	586	9.50	34.809
437	7.33	-142.608	487	8.10	-35.944	537	8.82	73.886	587	9.52	29.761
438	7.34	-137.583	488	8.11	-48.217	538	8.83	75.865	588	9.53	33.491
439	7.35	-126.308	189	8.12	-61.489	539	8.84	67.823	589	9.55	48.697
440	7.36	-116.535	490	8.13	-52.261	540	8.86	58.790	590	9.56	31.902
441	7.37	-116.241	491	8.14	-27.568	541	8.87	47.265	591	9.58	11.874
442	7.39	-207.211	492	8.15	-23.817	542	8.88	48.247	592	9.60	5.075
443	7.41	-142.675	493	8.16	-21.849	543	8.89	50.224	593	9.62	-19.225
444	7.42	-167.900	494	8.17	-20.118	544	8.90	44.696	594	9.63	-42.752
445	7.43	-170.884	495	8.19	-10.397	545	8.92	28.655	595	9.64	-45.270
446	7.44	-141.346	496	8.20	2.314	546	8.93	23.866	596	9.66	-29.078
447	7.45	-134.575	497	8.21	9.796	547	8.94	25.108	597	9.68	-32.859
448	7.47	-162.040	498	8.22	12.275	548	8.95	10.318	598	9.69	-36.639
449	7.48	-148.002	499	8.23	5.991	549	8.97	-1.959	599	9.71	-35.430
450	7.50	-155.465	500	8.25	4.710	550	8.98	-23.500	600	9.72	-21.725

INDEX NO. 823 1320-P1-1 SAPPORO I.C BR. TR. MAX.ACCEL.=-438.289(GAL) T= 2.02(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	9.75	-21.023	651	10.45	10.588	701	11.19	1.339	751	12.36	36.635
602	9.76	-20.567	652	10.46	11.057	702	11.21	1.051	752	12.39	50.013
603	9.78	-14.849	653	10.48	2.268	703	11.24	-7.266	753	12.42	60.928
604	9.80	-7.394	654	10.50	3.466	704	11.25	0.198	754	12.45	45.361
605	9.82	6.561	655	10.52	3.924	705	11.27	-14.846	755	12.49	31.275
606	9.83	18.021	656	10.53	0.885	706	11.29	-13.640	756	12.51	20.226
607	9.84	26.743	657	10.55	13.841	707	11.31	-10.677	757	12.52	6.692
608	9.86	30.204	658	10.56	23.322	708	11.33	-23.977	758	12.54	-1.843
609	9.89	33.886	659	10.57	25.046	709	11.35	-14.788	759	12.55	-21.378
610	9.91	28.339	660	10.58	19.527	710	11.38	-31.610	760	12.56	-45.152
611	9.93	26.289	661	10.60	14.485	711	11.40	-21.657	761	12.57	-50.927
612	9.95	23.748	662	10.61	24.451	712	11.43	-29.211	762	12.59	-44.205
613	9.96	18.228	663	10.62	30.182	713	11.45	-7.507	763	12.60	-49.731
614	9.97	9.698	664	10.64	26.641	714	11.47	-9.315	764	12.62	-31.023
615	9.98	26.416	665	10.65	27.603	715	11.51	2.602	765	12.63	-27.303
616	9.99	37.403	666	10.67	39.569	716	11.56	-8.521	766	12.64	-13.330
617	10.00	34.380	667	10.68	44.052	717	11.58	-13.080	767	12.66	-33.370
618	10.02	7.859	668	10.69	41.026	718	11.61	-16.141	768	12.67	-39.646
619	10.03	4.557	669	10.71	50.979	719	11.65	-26.491	769	12.68	-34.173
620	10.04	22.529	670	10.72	50.447	720	11.68	-18.550	770	12.70	-39.711
621	10.05	32.751	671	10.73	52.174	721	11.71	-12.381	771	12.71	-32.254
622	10.06	26.735	672	10.74	44.149	722	11.74	4.047	772	12.74	-25.557
623	10.07	6.955	673	10.75	48.373	723	11.77	17.238	773	12.75	-20.595
624	10.09	3.925	674	10.77	40.839	724	11.80	34.908	774	12.78	-5.963
625	10.10	11.900	675	10.78	42.057	725	11.81	43.879	775	12.80	13.535
626	10.11	16.129	676	10.79	30.777	726	11.86	38.510	776	12.83	21.728
627	10.12	15.606	677	10.82	22.470	727	11.88	27.472	777	12.85	34.918
628	10.13	6.826	678	10.84	40.913	728	11.89	32.193	778	12.88	40.109
629	10.14	-3.451	679	10.86	36.121	729	11.90	26.665	779	12.89	52.081
630	10.16	1.515	680	10.87	36.594	730	11.92	27.133	780	12.92	56.023
631	10.17	5.233	681	10.89	49.299	731	11.94	24.084	781	12.94	52.975
632	10.18	1.453	682	10.91	45.015	732	11.95	26.542	782	12.96	53.426
633	10.19	-2.819	683	10.93	28.703	733	11.97	30.765	783	12.98	49.132
634	10.21	-1.104	684	10.94	8.682	734	12.00	31.939	784	13.00	35.575
635	10.22	-1.131	685	10.95	-8.340	735	12.02	36.881	785	13.02	33.773
636	10.23	-3.863	686	10.96	-11.611	736	12.05	39.317	786	13.05	29.964
637	10.25	-5.443	687	10.97	-8.634	737	12.07	36.024	787	13.07	25.412
638	10.26	-11.222	688	10.98	-4.916	738	12.09	35.726	788	13.10	17.605
639	10.27	-5.747	689	10.99	-10.437	739	12.11	36.425	789	13.12	13.311
640	10.28	-9.285	690	11.01	-24.474	740	12.12	33.398	790	13.14	11.260
641	10.30	-8.311	691	11.02	-32.001	741	12.13	36.371	791	13.16	2.218
642	10.31	-0.848	692	11.03	-24.028	742	12.15	27.586	792	13.17	0.946
643	10.33	-1.882	693	11.05	-12.818	743	12.17	21.539	793	13.18	5.158
644	10.34	4.846	694	11.06	-11.605	744	12.19	22.735	794	13.20	4.628
645	10.35	2.804	695	11.07	-10.379	745	12.21	20.443	795	13.22	0.319
646	10.37	6.025	696	11.10	8.065	746	12.24	21.366	796	13.24	2.036
647	10.38	5.252	697	11.12	15.256	747	12.26	19.562	797	13.25	7.509
648	10.39	14.213	698	11.15	24.184	748	12.29	22.753	798	13.26	-5.524
649	10.40	4.937	699	11.16	22.157	749	12.31	29.947	799	13.28	-18.814
650	10.43	14.130	700	11.18	8.865	750	12.33	34.406	800	13.29	-18.350

INDEX NO. 823 1320-P1-1 SAPPORO I.C BR. TR. MAX.ACCEL.=-438.289(GAL) T= 2.82(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	13.32	-10.910	851	14.36	-4.305	901	15.70	-2.251	951	17.11	-3.293
802	13.34	-5.955	852	14.39	2.377	902	15.74	-0.098	952	17.13	1.680
803	13.36	5.997	853	14.42	9.061	903	15.76	9.852	953	17.15	1.626
804	13.37	1.232	854	14.45	11.747	904	15.79	19.275	954	17.17	10.320
805	13.39	3.426	855	14.48	21.918	905	15.81	19.474	955	17.20	16.761
806	13.41	9.629	856	14.49	23.142	906	15.83	17.924	956	17.21	20.470
807	13.44	10.816	857	14.51	21.349	907	15.86	21.106	957	17.22	24.206
808	13.47	10.999	858	14.53	15.562	908	15.89	15.538	958	17.26	30.617
809	13.49	10.202	859	14.55	8.006	909	15.91	14.715	959	17.29	35.552
810	13.52	12.143	860	14.57	5.468	910	15.95	6.614	960	17.32	53.730
811	13.55	11.823	861	14.60	0.880	911	15.99	-3.227	961	17.34	49.186
812	13.56	16.280	862	14.65	-1.988	912	16.01	-0.782	962	17.35	37.648
813	13.59	10.715	863	14.67	-2.519	913	16.03	-7.074	963	17.39	41.067
814	13.62	16.151	864	14.68	-5.812	914	16.05	-12.124	964	17.41	27.259
815	13.64	9.857	865	14.71	-8.114	915	16.08	-5.937	965	17.44	22.197
816	13.66	6.055	866	14.74	-16.699	916	16.10	-10.479	966	17.47	5.613
817	13.69	3.978	867	14.77	-14.271	917	16.11	-18.008	967	17.52	-13.007
818	13.72	3.421	868	14.79	-18.555	918	16.12	-19.288	968	17.57	-15.623
819	13.73	-2.862	869	14.82	-10.122	919	16.14	-15.841	969	17.59	-11.415
820	13.74	-8.384	870	14.84	-5.680	920	16.16	-15.141	970	17.62	-18.231
821	13.75	-5.411	871	14.87	-1.510	921	16.19	-3.461	971	17.64	-23.525
822	13.77	8.793	872	14.93	3.117	922	16.23	3.704	972	17.67	-10.590
823	13.78	8.773	873	14.95	7.318	923	16.25	9.899	973	17.68	-11.879
824	13.80	-0.509	874	14.98	31.981	924	16.28	11.594	974	17.72	8.281
825	13.81	-5.536	875	15.02	33.387	925	16.35	38.906	975	17.74	8.232
826	13.82	-5.058	876	15.05	38.334	926	16.38	36.337	976	17.76	12.201
827	13.83	-0.588	877	15.09	54.244	927	16.41	35.015	977	17.78	25.385
828	13.84	-3.122	878	15.10	57.705	928	16.43	26.216	978	17.80	25.843
829	13.86	-8.164	879	15.12	56.665	929	16.47	30.391	979	17.84	32.244
830	13.88	-2.697	880	15.14	58.854	930	16.49	22.321	980	17.87	31.678
831	13.92	4.714	881	15.16	56.578	931	16.51	19.278	981	17.92	32.063
832	13.94	12.164	882	15.18	40.770	932	16.53	16.000	982	17.96	31.465
833	13.97	26.847	883	15.24	25.383	933	16.55	4.461	983	18.01	25.611
834	13.99	41.286	884	15.27	31.560	934	16.58	16.885	984	18.04	28.280
835	14.01	53.484	885	15.30	35.735	935	16.60	16.337	985	18.08	33.696
836	14.03	57.204	886	15.33	47.855	936	16.64	24.261	986	18.09	35.419
837	14.04	63.630	887	15.37	50.822	937	16.66	28.458	987	18.12	26.100
838	14.05	60.897	888	15.41	57.727	938	16.70	33.136	988	18.14	24.300
839	14.08	71.587	889	15.46	57.616	939	16.72	39.328	989	18.17	10.984
840	14.10	68.528	890	15.48	54.573	940	16.75	34.286	990	18.20	6.414
841	14.13	78.461	891	15.50	39.515	941	16.77	35.978	991	18.22	3.860
842	14.17	82.121	892	15.52	36.719	942	16.80	27.915	992	18.28	17.977
843	14.19	71.574	893	15.53	33.186	943	16.83	29.851	993	18.31	20.398
844	14.22	55.510	894	15.54	25.405	944	16.90	19.693	994	18.34	21.587
845	14.24	46.211	895	15.56	10.603	945	16.93	28.134	995	18.37	20.269
846	14.27	42.406	896	15.59	5.045	946	16.96	22.567	996	18.40	27.930
847	14.29	17.350	897	15.62	-3.527	947	17.00	19.985	997	18.45	39.076
848	14.31	3.309	898	15.63	-3.069	948	17.02	2.170	998	18.46	42.302
849	14.32	-0.967	899	15.65	-7.603	949	17.05	2.113	999	18.49	35.485
850	14.34	+3.019	900	15.68	-5.191	950	17.07	-3.698	1000	18.51	34.668

INDEX NO. 823 1320-P1-1 SAPPORO I.C BR. TR. MAX.ACCEL.=-439.289(GAL) T= 2.82(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	18.54	29.103	1051	20.14	11.596	1101	22.02	24.427	1151	23.81	15.253
1002	18.57	25.540	1052	20.16	16.537	1102	22.03	19.392	1152	23.83	18.198
1003	18.59	27.483	1053	20.20	14.703	1103	22.05	22.346	1153	23.89	26.311
1004	18.61	32.444	1054	20.23	7.874	1104	22.06	23.579	1154	23.95	28.423
1005	18.63	31.146	1055	20.27	7.045	1105	22.09	16.267	1155	24.01	33.279
1006	18.65	26.039	1056	20.30	6.473	1106	22.10	17.232	1156	24.03	38.980
1007	18.67	21.807	1057	20.33	6.902	1107	22.14	7.886	1157	24.06	23.670
1008	18.70	9.738	1058	20.36	14.824	1108	22.15	6.112	1158	24.08	24.110
1009	18.73	7.652	1059	20.39	15.494	1109	22.18	0.048	1159	24.11	7.039
1010	18.78	-5.704	1060	20.43	18.410	1110	22.21	1.237	1160	24.14	5.734
1011	18.80	-13.502	1061	20.47	18.317	1111	22.23	-8.068	1161	24.15	6.947
1012	18.83	-18.577	1062	20.50	10.997	1112	22.24	-13.841	1162	24.19	2.621
1013	18.87	-14.927	1063	20.51	15.727	1113	22.26	-11.388	1163	24.21	3.053
1014	18.93	3.693	1064	20.54	12.152	1114	22.29	-5.194	1164	24.26	-11.050
1015	16.96	0.629	1065	20.58	9.557	1115	22.32	-10.261	1165	24.31	-16.167
1016	19.00	1.034	1066	20.64	9.439	1116	22.35	-7.843	1166	24.35	-13.774
1017	19.05	3.910	1067	20.70	13.017	1117	22.38	-6.650	1167	24.40	-19.392
1018	19.07	5.111	1068	20.75	13.410	1118	22.40	1.291	1168	24.46	-21.783
1019	19.09	12.319	1069	20.77	12.106	1119	22.46	7.413	1169	24.52	-20.672
1020	19.12	5.995	1070	20.80	15.798	1120	22.55	11.687	1170	24.56	-19.516
1021	19.14	9.700	1071	20.85	18.169	1121	22.58	11.867	1171	24.62	-10.894
1022	19.20	0.801	1072	20.91	30.765	1122	22.68	24.150	1172	24.66	2.267
1023	19.23	1.251	1073	20.96	27.658	1123	22.75	19.729	1173	24.68	2.962
1024	19.25	9.438	1074	21.01	16.792	1124	22.81	34.082	1174	24.73	12.334
1025	19.30	15.585	1075	21.05	12.941	1125	22.84	32.769	1175	24.80	18.419
1026	19.32	16.790	1076	21.13	-5.747	1126	22.87	39.435	1176	24.84	28.093
1027	19.33	12.503	1077	21.19	-24.987	1127	22.91	40.606	1177	24.86	30.543
1028	19.36	14.191	1078	21.21	-25.431	1128	22.96	34.985	1178	24.87	36.756
1029	19.42	12.288	1079	21.22	-17.447	1129	23.02	26.505	1179	24.93	29.873
1030	19.45	10.731	1080	21.26	-9.312	1130	23.08	18.696	1180	24.95	26.068
1031	19.51	15.084	1081	21.30	1.095	1131	23.20	-12.334	1181	24.97	19.519
1032	19.55	25.239	1082	21.36	6.974	1132	23.25	-16.684	1182	25.01	22.185
1033	19.59	26.902	1083	21.41	8.086	1133	23.27	-8.746	1183	25.03	16.894
1034	19.62	25.076	1084	21.51	23.855	1134	23.31	-2.591	1184	25.07	24.297
1035	19.66	21.736	1085	21.54	30.050	1135	23.34	2.842	1185	25.09	21.988
1036	19.69	24.168	1086	21.58	28.768	1136	23.37	-0.214	1186	25.13	11.911
1037	19.72	29.847	1087	21.62	28.111	1137	23.39	4.725	1187	25.16	3.326
1038	19.75	33.505	1088	21.68	28.716	1138	23.41	2.926	1188	25.20	-1.757
1039	19.83	20.976	1089	21.71	35.401	1139	23.43	7.140	1189	25.23	-3.074
1040	19.85	17.520	1090	21.74	32.820	1140	23.47	0.304	1190	25.25	-1.887
1041	19.88	21.965	1091	21.77	36.507	1141	23.48	5.765	1191	25.32	-4.040
1042	19.90	25.662	1092	21.78	34.489	1142	23.52	1.428	1192	25.37	0.090
1043	19.92	24.360	1093	21.79	27.709	1143	23.54	4.375	1193	25.41	-3.764
1044	19.96	15.527	1094	21.80	19.673	1144	23.57	-1.431	1194	25.44	-2.066
1045	19.98	13.731	1095	21.83	16.114	1145	23.61	0.975	1195	25.52	-9.011
1046	20.00	3.436	1096	21.86	13.541	1146	23.65	6.631	1196	25.55	-19.090
1047	20.02	10.123	1097	21.89	17.214	1147	23.68	5.314	1197	25.60	-20.687
1048	20.05	5.056	1098	21.93	17.121	1148	23.72	7.712	1198	25.66	-25.836
1049	20.08	0.736	1099	21.95	29.579	1149	23.75	9.395	1199	25.69	-21.406
1050	20.10	7.428	1100	21.98	22.012	1150	23.78	13.315	1200	25.75	-11.043

INDEX NO. 823 1320-P1-1 SAPPORO I.C BR. TR. MAX.ACCEL.=-438.289(GAL) T= 2.82(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	25.80	-0.414	1251	27.50	-3.645	1301	28.74	-21.541	1351	29.95	15.352
1202	25.84	1.501	1252	27.55	-5.013	1302	28.75	-21.582	1352	29.96	17.333
1203	25.88	14.649	1253	27.58	-11.826	1303	28.78	-29.652	1353	29.98	13.041
1204	25.93	15.781	1254	27.59	-16.347	1304	28.80	-12.952	1354	30.00	7.984
1205	25.95	20.745	1255	27.62	-2.161	1305	28.83	-23.512	1355	30.04	2.149
1206	25.96	29.708	1256	27.64	-5.723	1306	28.87	-8.847	1356	30.07	-6.922
1207	25.99	17.390	1257	27.67	-1.546	1307	28.89	-16.157	1357	30.10	-21.487
1208	26.00	19.610	1258	27.70	1.137	1308	28.92	0.789	1358	30.12	-25.294
1209	26.02	24.072	1259	27.73	1.573	1309	28.93	-1.749	1359	30.13	-24.821
1210	26.04	21.021	1260	27.75	11.518	1310	28.96	-3.805	1360	30.16	-36.882
1211	26.06	17.228	1261	27.79	2.930	1311	28.97	-3.831	1361	30.17	-38.926
1212	26.08	23.178	1262	27.80	2.145	1312	28.99	-3.635	1362	30.19	-35.216
1213	26.10	20.123	1263	27.83	-4.673	1313	29.00	-9.411	1363	30.21	-24.012
1214	26.13	20.569	1264	27.84	-4.696	1314	29.03	-6.985	1364	30.22	-12.034
1215	26.15	18.274	1265	27.86	1.255	1315	29.06	-8.794	1365	30.23	-10.559
1216	26.17	22.461	1266	27.89	-10.554	1316	29.08	-11.358	1366	30.25	-14.347
1217	26.20	16.158	1267	27.90	-12.035	1317	29.12	-12.183	1367	30.26	-14.630
1218	26.22	17.358	1268	27.92	-5.379	1318	29.14	-21.240	1368	30.29	1.803
1219	26.25	11.777	1269	27.95	-10.946	1319	29.17	-27.557	1369	30.30	3.778
1220	26.29	3.947	1270	27.96	-6.730	1320	29.20	-27.623	1370	30.32	-0.019
1221	26.34	-6.922	1271	27.99	-4.786	1321	29.23	-17.194	1371	30.34	3.681
1222	26.39	-18.538	1272	28.00	0.178	1322	29.26	-21.779	1372	30.37	11.609
1223	26.40	-22.824	1273	28.02	-6.120	1323	29.30	12.881	1373	30.39	17.567
1224	26.43	-25.631	1274	28.04	-8.651	1324	29.34	25.041	1374	30.41	18.767
1225	26.45	-21.430	1275	28.06	0.050	1325	29.38	45.201	1375	30.43	21.200
1226	26.48	-28.257	1276	28.07	0.015	1326	29.40	47.891	1376	30.46	6.899
1227	26.52	-23.600	1277	28.09	1.223	1327	29.43	41.090	1377	30.48	-0.669
1228	26.56	-27.934	1278	28.11	3.418	1328	29.47	42.746	1378	30.51	-11.734
1229	26.58	-22.490	1279	28.13	6.869	1329	29.52	28.626	1379	30.52	-13.008
1230	26.64	-18.121	1280	28.15	5.585	1330	29.54	20.567	1380	30.53	-13.035
1231	26.67	-8.702	1281	28.20	12.473	1331	29.56	7.782	1381	30.55	-9.321
1232	26.73	3.912	1282	28.22	6.672	1332	29.58	-6.283	1382	30.58	-12.384
1233	26.77	10.069	1283	28.26	7.820	1333	29.62	-40.621	1383	30.61	-6.455
1234	26.81	11.234	1284	28.32	1.682	1334	29.64	-50.423	1384	30.66	-12.325
1235	26.84	16.167	1285	28.35	-0.880	1335	29.66	-55.476	1385	30.68	-18.628
1236	26.86	18.611	1286	28.37	-14.462	1336	29.68	-51.270	1386	30.69	-27.404
1237	26.90	19.778	1287	28.38	-10.720	1337	29.72	-32.858	1387	30.72	-14.460
1238	26.93	21.458	1288	28.40	3.243	1338	29.74	-17.908	1388	30.74	-12.010
1239	26.97	19.366	1289	28.42	6.185	1339	29.76	-17.186	1389	30.77	-9.581
1240	27.02	14.238	1290	28.44	-3.093	1340	29.77	-23.930	1390	30.78	-8.355
1241	27.08	14.090	1291	28.46	7.362	1341	29.79	-9.777	1391	30.79	-10.137
1242	27.14	15.207	1292	28.48	3.806	1342	29.81	-7.311	1392	30.81	0.570
1243	27.16	13.914	1293	28.50	4.266	1343	29.83	-21.353	1393	30.83	5.520
1244	27.20	12.563	1294	28.51	8.477	1344	29.84	-24.393	1394	30.85	5.471
1245	27.28	2.135	1295	28.57	16.850	1345	29.85	13.589	1395	30.87	0.694
1246	27.31	-2.188	1296	28.58	10.823	1346	29.87	27.552	1396	30.90	5.386
1247	27.34	-6.762	1297	28.62	6.478	1347	29.88	30.773	1397	30.94	10.472
1248	27.37	-14.579	1298	28.65	-4.855	1348	29.89	27.243	1398	30.99	-19.849
1249	27.40	-12.154	1299	28.69	-4.182	1349	29.92	15.188	1399	31.03	-29.931
1250	27.46	-11.533	1300	28.72	-15.995	1350	29.94	10.640	1400	31.05	-33.742

INDEX NO. 823 1320-P1-1 SAPPORO E-C DR. TR. MAX.ACCEL.= 438.289(GAL) T= 2.82(SEC) NO. 8

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1401	31.09	-30.824	1451	32.52	-5.159	1501	33.63	-39.716	1551	35.22	-43.222
1402	31.12	-51.903	1452	32.56	-13.983	1502	33.64	-34.247	1552	35.25	-45.287
1403	31.14	-53.203	1453	32.57	-12.756	1503	33.67	-33.054	1553	35.27	-34.594
1404	31.17	-46.518	1454	32.58	-7.292	1504	33.69	-34.867	1554	35.31	-34.174
1405	31.19	-30.961	1455	32.60	-14.588	1505	33.91	-25.652	1555	35.32	-30.956
1406	31.21	-36.362	1456	32.64	-20.427	1506	33.93	-23.200	1556	35.34	-24.501
1407	31.24	-25.927	1457	32.67	-19.254	1507	33.97	-16.289	1557	35.37	-23.313
1408	31.26	-14.473	1458	32.69	-13.058	1508	34.00	-9.362	1558	35.39	-16.618
1409	31.28	-8.760	1459	32.73	-4.364	1509	34.03	-8.186	1559	35.41	-13.903
1410	31.29	-6.601	1460	32.74	2.331	1510	34.06	-6.260	1560	35.44	-10.726
1411	31.31	12.151	1461	32.76	6.091	1511	34.09	-4.581	1561	35.46	-6.523
1412	31.33	9.658	1462	32.78	14.495	1512	34.12	-4.644	1562	35.47	4.451
1413	31.36	24.533	1463	32.80	11.448	1513	34.15	-6.958	1563	35.49	8.160
1414	31.38	25.255	1464	32.82	5.837	1514	34.20	-10.328			
1415	31.40	34.205	1465	32.84	12.351	1515	34.24	-12.924			
1416	31.41	34.667	1466	32.88	4.263	1516	34.29	-10.543			
1417	31.44	34.117	1467	32.89	-6.774	1517	34.32	-6.354			
1418	31.45	34.576	1468	32.93	-9.111	1518	34.36	1.059			
1419	31.48	26.518	1469	32.97	-9.963	1519	34.39	1.723			
1420	31.50	27.218	1470	33.00	-15.014	1520	34.45	-8.902			
1421	31.54	10.620	1471	33.03	-14.590	1521	34.50	-20.518			
1422	31.57	-6.702	1472	33.07	-13.429	1522	34.55	-33.132			
1423	31.60	-13.506	1473	33.10	-9.505	1523	34.58	-37.721			
1424	31.62	-5.553	1474	33.13	-7.033	1524	34.61	-37.779			
1425	31.64	-3.100	1475	33.15	-6.137	1525	34.63	-32.833			
1426	31.66	-4.399	1476	33.19	-5.968	1526	34.68	-24.186			
1427	31.68	-0.195	1477	33.22	-5.036	1527	34.69	-21.214			
1428	31.71	-3.277	1478	33.23	-4.322	1528	34.70	-20.490			
1429	31.74	-2.089	1479	33.26	-5.132	1529	34.74	-15.598			
1430	31.77	-0.906	1480	33.31	-12.498	1530	34.79	-7.460			
1431	31.79	-7.952	1481	33.34	-23.325	1531	34.82	-3.019			
1432	31.83	-16.035	1482	33.35	-33.610	1532	34.85	-8.097			
1433	31.90	-21.463	1483	33.38	-38.671	1533	34.86	-10.624			
1434	31.96	-25.643	1484	33.40	-41.964	1534	34.87	-22.393			
1435	31.98	-32.136	1485	33.43	-35.284	1535	34.88	-23.172			
1436	31.99	-28.909	1486	33.44	-29.818	1536	34.89	-18.938			
1437	32.04	-34.536	1487	33.46	-32.657	1537	34.90	-10.217			
1438	32.06	-30.814	1488	33.47	-37.141	1538	34.92	-11.999			
1439	32.11	-36.183	1489	33.49	-34.930	1539	34.93	-20.790			
1440	32.17	-31.824	1490	33.51	-36.736	1540	34.95	-22.087			
1441	32.21	-33.664	1491	33.54	-31.608	1541	34.97	-19.636			
1442	32.26	-27.032	1492	33.56	-25.351	1542	35.00	-26.453			
1443	32.30	-23.124	1493	33.59	-22.908	1543	35.02	-28.497			
1444	32.32	-9.423	1494	33.61	-19.207	1544	35.03	-33.776			
1445	32.34	-8.224	1495	33.65	-13.044	1545	35.06	-32.083			
1446	32.38	4.439	1496	33.68	-14.379	1546	35.10	-40.185			
1447	32.40	4.640	1497	33.71	-22.444	1547	35.13	-43.253			
1448	32.43	-2.443	1498	33.75	-34.530	1548	35.16	-43.077			
1449	32.46	-10.014	1499	33.78	-39.346	1549	35.18	-47.623			
1450	32.50	-5.594	1500	33.81	-39.692	1550	35.20	-49.410			

Table IX D-50 Digitized Accelerations of Earthquake Record with Index Number 824

INDEX NO. 824 104-GR-40 SHIMONOSEKI-A DR. TR. MAX.ACCEL.= -32.069(GAL) T=15.41(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.0	0.154	51	0.60	0.815	101	1.35	-0.162	151	2.01	2.557
2	0.01	-0.103	52	0.61	0.569	102	1.38	-0.191	152	2.03	2.791
3	0.02	-0.113	53	0.63	-0.082	103	1.40	0.039	153	2.05	2.517
4	0.03	-0.493	54	0.64	-0.720	104	1.42	0.264	154	2.07	2.254
5	0.04	-0.508	55	0.66	-0.665	105	1.44	-0.005	155	2.08	1.619
6	0.06	-0.776	56	0.67	-0.750	106	1.46	0.228	156	2.09	0.986
7	0.07	-0.788	57	0.69	-0.516	107	1.48	-0.047	157	2.10	0.602
8	0.08	-0.793	58	0.70	-0.532	108	1.52	-0.705	158	2.11	0.584
9	0.10	-0.562	59	0.73	-0.308	109	1.53	-1.340	159	2.12	0.579
10	0.11	-0.323	60	0.76	-0.213	110	1.54	-2.231	160	2.13	0.819
11	0.12	-0.338	61	0.77	0.277	111	1.57	-3.003	161	2.14	1.436
12	0.13	-0.341	62	0.78	0.015	112	1.58	-2.640	162	2.16	1.417
13	0.14	0.924	63	0.79	0.010	113	1.59	-2.025	163	2.17	1.154
14	0.15	0.006	64	0.81	-0.258	114	1.60	-2.035	164	2.19	0.887
15	0.16	0.003	65	0.82	-0.276	115	1.61	-1.167	165	2.20	0.246
16	0.17	0.240	66	0.83	-0.405	116	1.62	-0.551	166	2.22	-0.774
17	0.18	0.231	67	0.84	-0.040	117	1.63	0.063	167	2.25	-1.182
18	0.19	0.219	68	0.85	0.197	118	1.64	2.295	168	2.27	-1.197
19	0.20	-0.041	69	0.86	0.566	119	1.65	2.293	169	2.29	-2.343
20	0.21	-0.303	70	0.87	0.604	120	1.66	2.280	170	2.30	-3.103
21	0.22	-0.062	71	0.89	1.164	121	1.67	2.023	171	2.31	-2.738
22	0.24	-0.330	72	0.90	0.905	122	1.68	1.385	172	2.33	-2.509
23	0.26	-0.726	73	0.91	0.895	123	1.69	0.747	173	2.34	-2.767
24	0.28	-1.620	74	0.92	0.260	124	1.71	0.109	174	2.35	-3.404
25	0.29	-2.002	75	0.94	-0.518	125	1.72	-1.780	175	2.36	-4.039
26	0.31	-3.277	76	0.96	-0.408	126	1.73	-2.706	176	2.38	-4.678
27	0.32	-3.536	77	0.97	-0.543	127	1.74	-4.304	177	2.39	-4.694
28	0.33	-3.292	78	0.99	-0.559	128	1.75	-4.308	178	2.41	-3.834
29	0.35	-2.687	79	1.00	0.424	129	1.76	-4.322	179	2.43	-3.856
30	0.36	-2.692	80	1.01	0.169	130	1.77	-4.082	180	2.44	-3.243
31	0.37	-2.707	81	1.02	0.160	131	1.78	-3.837	181	2.45	-2.252
32	0.38	-2.465	82	1.04	0.012	132	1.80	-2.855	182	2.46	-2.264
33	0.39	-2.097	83	1.07	-0.512	133	1.81	-1.618	183	2.47	-1.647
34	0.40	-2.114	84	1.09	-0.685	134	1.82	-1.378	184	2.48	-1.032
35	0.42	-1.505	85	1.11	-1.559	135	1.83	-0.386	185	2.49	-0.794
36	0.43	-1.517	86	1.12	-1.816	136	1.84	-0.019	186	2.50	-0.429
37	0.44	-1.274	87	1.13	-1.576	137	1.85	0.844	187	2.52	-0.699
38	0.45	-0.919	88	1.14	-0.961	138	1.86	1.463	188	2.54	-0.712
39	0.47	-0.052	89	1.16	0.266	139	1.87	1.445	189	2.56	-0.487
40	0.48	-0.068	90	1.18	0.246	140	1.88	1.443	190	2.58	-0.505
41	0.49	-0.070	91	1.19	1.111	141	1.89	1.634	191	2.60	-0.774
42	0.50	0.538	92	1.21	1.476	142	1.90	1.422	192	2.61	-0.539
43	0.51	0.905	93	1.22	1.458	143	1.91	1.412	193	2.63	-0.807
44	0.52	0.901	94	1.23	1.669	144	1.92	1.398	194	2.65	-0.828
45	0.53	1.511	95	1.24	1.688	145	1.94	1.385	195	2.66	-0.838
46	0.54	1.757	96	1.26	2.674	146	1.95	1.124	196	2.67	-0.344
47	0.56	1.735	97	1.28	2.669	147	1.96	0.737	197	2.68	0.616
48	0.57	1.472	98	1.30	2.006	148	1.97	0.974	198	2.70	-0.003
49	0.58	1.213	99	1.31	1.118	149	1.99	1.582	199	2.72	-0.015
50	0.59	0.828	100	1.33	0.729	150	2.00	1.946	200	2.73	-0.025

土木構造物における加速度強震記録（No. 9）

INDEX NO. 824 104-GR-40 SHINTONEGAWA BR. TR. MAX.ACCEL.= -32.069(GAL) T=15.41(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	2.74	0.338	251	3.56	-0.246	301	4.32	-4.731	351	5.13	-4.530
202	2.76	0.316	252	3.61	-1.145	302	4.33	-4.737	352	5.14	-4.168
203	2.80	0.529	253	3.62	-1.537	303	4.36	-3.515	353	5.15	-3.553
204	2.81	0.896	254	3.63	-2.175	304	4.37	-3.274	354	5.16	-2.681
205	2.83	0.877	255	3.64	-2.181	305	4.39	-2.562	355	5.19	-1.670
206	2.84	1.367	256	3.65	-2.015	306	4.40	-1.431	356	5.20	-1.105
207	2.86	1.720	257	3.66	-3.577	307	4.41	-0.947	357	5.21	-1.365
208	2.87	1.082	258	3.67	-3.713	308	4.42	-0.330	358	5.23	-1.384
209	2.89	0.440	259	3.68	-3.472	309	4.43	0.205	359	5.25	-1.399
210	2.92	-0.218	260	3.75	-2.486	310	4.45	0.266	360	5.27	-2.044
211	2.94	-0.865	261	3.71	-1.377	311	4.47	-0.001	361	5.28	-2.053
212	2.95	-1.123	262	3.72	-0.753	312	4.50	-0.655	362	5.29	-2.065
213	2.97	-1.518	263	3.73	0.857	313	4.51	-0.669	363	5.30	-2.081
214	3.00	-1.543	264	3.74	0.850	314	4.53	-0.809	364	5.31	-3.091
215	3.03	-1.201	265	3.75	0.593	315	4.55	0.173	365	5.34	-3.116
216	3.05	-0.975	266	3.78	0.560	316	4.57	0.771	366	5.36	-3.386
217	3.07	-0.740	267	3.79	0.553	317	4.59	2.380	367	5.38	-2.906
218	3.08	-0.004	268	3.81	0.403	318	4.60	2.624	368	5.39	-2.919
219	3.11	-0.407	269	3.83	0.505	319	4.61	3.235	369	5.41	-2.559
220	3.14	-0.431	270	3.84	1.119	320	4.62	2.598	370	5.42	-1.951
221	3.15	0.181	271	3.86	1.102	321	4.63	3.461	371	5.44	-2.589
222	3.16	0.173	272	3.88	1.080	322	4.65	3.818	372	5.45	-1.976
223	3.17	-0.086	273	3.90	1.436	323	4.66	4.063	373	5.46	-1.366
224	3.19	-0.230	274	3.92	1.419	324	4.69	5.782	374	5.48	-0.510
225	3.20	0.760	275	3.94	1.653	325	4.72	2.748	375	5.49	0.480
226	3.22	0.739	276	3.95	1.643	326	4.76	1.836	376	5.50	1.721
227	3.23	1.351	277	3.96	2.253	327	4.78	1.189	377	5.51	2.961
228	3.24	0.711	278	3.98	2.357	328	4.82	0.530	378	5.52	3.579
229	3.25	0.331	279	4.00	2.589	329	4.83	0.268	379	5.53	4.816
230	3.27	-0.814	280	4.02	2.318	330	4.84	-0.124	380	5.54	5.060
231	3.28	-1.201	281	4.03	2.307	331	4.86	0.110	381	5.55	5.045
232	3.29	-1.461	282	4.05	2.287	332	4.88	0.095	382	5.59	5.014
233	3.33	-1.496	283	4.07	2.522	333	4.89	-1.048	383	5.61	4.993
234	3.35	-1.891	284	4.08	3.133	334	4.90	-1.182	384	5.63	4.472
235	3.36	-2.529	285	4.10	3.119	335	4.93	-0.830	385	5.64	3.835
236	3.38	-3.421	286	4.11	2.859	336	4.94	0.032	386	5.65	2.820
237	3.40	-3.814	287	4.12	1.847	337	4.95	0.400	387	5.67	2.559
238	3.41	-4.081	288	4.15	-1.308	338	4.96	0.632	388	5.68	1.920
239	3.42	-4.091	289	4.16	-2.319	339	4.97	0.625	389	5.69	0.910
240	3.43	-3.601	290	4.17	-2.578	340	4.98	0.617	390	5.71	0.268
241	3.44	-3.611	291	4.18	-3.218	341	4.99	0.607	391	5.72	0.256
242	3.45	-2.996	292	4.20	-3.854	342	5.00	0.099	392	5.73	0.499
243	3.47	-2.385	293	4.21	-3.874	343	5.01	-1.168	393	5.74	1.108
244	3.48	-2.025	294	4.23	-3.888	344	5.03	-1.560	394	5.76	2.730
245	3.50	-1.411	295	4.24	-4.526	345	5.05	-2.824	395	5.77	3.328
246	3.51	-0.554	296	4.26	-5.166	346	5.07	-3.723	396	5.78	3.315
247	3.53	0.182	297	4.27	-5.806	347	5.08	-4.360	397	5.80	3.299
248	3.54	0.420	298	4.28	-5.942	348	5.09	-4.365	398	5.84	-0.115
249	3.55	0.156	299	4.29	-5.699	349	5.10	-4.755	399	5.90	-3.922
250	3.57	-0.236	300	4.31	-4.718	350	5.12	-4.770	400	5.92	-6.198

INDEX NO. 824 104-GR-40 SHINTONEGAWA BR. TR. MAX.ACCEL.= -32.069(GAL) T=15.41(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	5.94	-6.837	451	6.68	5.427	501	7.31	0.935	551	8.06	4.948
402	5.95	-6.225	452	6.70	4.411	502	7.34	1.159	552	8.07	6.188
403	5.96	-5.612	453	6.71	3.776	503	7.35	1.518	553	8.08	6.430
404	5.97	-5.000	454	6.72	2.886	504	7.37	1.126	554	8.09	6.797
405	5.99	-4.391	455	6.73	1.625	505	7.38	1.742	555	8.11	6.407
406	6.01	-4.406	456	6.75	0.362	506	7.39	1.979	556	8.12	6.142
407	6.03	-4.175	457	6.76	-1.027	507	7.40	2.096	557	8.14	4.620
408	6.04	-4.060	458	6.77	-2.662	508	7.41	2.334	558	8.16	3.604
409	6.05	-4.448	459	6.78	-4.549	509	7.43	2.321	559	8.18	2.709
410	6.06	-5.086	460	6.79	-4.559	510	7.45	1.050	560	8.19	2.074
411	6.07	-5.347	461	6.80	-4.817	511	7.47	-0.476	561	8.20	1.313
412	6.09	-5.737	462	6.82	-5.208	512	7.50	-2.131	562	8.21	1.055
413	6.10	-5.745	463	6.83	-4.594	513	7.54	-3.789	563	8.22	1.049
414	6.11	-5.758	464	6.84	-3.732	514	7.55	-3.799	564	8.23	1.039
415	6.12	-5.516	465	6.85	-1.242	515	7.56	-3.811	565	8.24	1.904
416	6.13	-5.524	466	6.86	0.996	516	7.57	-4.071	566	8.25	3.142
417	6.14	-5.537	467	6.87	2.487	517	7.58	-3.833	567	8.26	4.129
418	6.15	-4.925	468	6.88	3.732	518	7.60	-3.849	568	8.28	5.617
419	6.16	-4.557	469	6.89	4.345	519	7.61	-3.486	569	8.29	5.984
420	6.17	-4.565	470	6.90	4.965	520	7.62	-2.871	570	8.30	6.844
421	6.19	-4.591	471	6.91	5.573	521	7.63	-2.631	571	8.31	7.459
422	6.21	-4.611	472	6.92	5.568	522	7.64	-2.015	572	8.32	7.822
423	6.23	-4.248	473	6.93	5.308	523	7.66	-1.030	573	8.33	8.064
424	6.24	-4.012	474	6.94	4.670	524	7.67	-0.164	574	8.34	8.432
425	6.25	-3.776	475	6.96	3.777	525	7.68	1.444	575	8.35	8.423
426	6.27	-3.413	476	6.97	3.145	526	7.70	2.300	576	8.36	7.788
427	6.29	-1.937	477	6.99	1.243	527	7.71	2.918	577	8.37	7.154
428	6.31	-0.331	478	7.00	0.860	528	7.72	3.280	578	8.38	6.269
429	6.33	1.529	479	7.02	0.592	529	7.73	3.520	579	8.39	5.007
430	6.34	2.764	480	7.04	0.822	530	7.74	3.885	580	8.40	3.747
431	6.37	3.611	481	7.05	0.567	531	7.76	3.621	581	8.41	3.733
432	6.39	3.591	482	7.06	0.183	532	7.78	2.978	582	8.43	3.721
433	6.41	3.319	483	7.07	-0.085	533	7.83	-1.452	583	8.45	3.077
434	6.42	3.058	484	7.09	-0.098	534	7.84	-2.085	584	8.47	2.432
435	6.44	2.418	485	7.10	-0.115	535	7.86	-3.107	585	8.51	2.014
436	6.45	2.028	486	7.12	-0.505	536	7.87	-3.362	586	8.53	1.372
437	6.46	1.766	487	7.14	-0.523	537	7.88	-4.001	587	8.55	0.476
438	6.48	0.747	488	7.15	-0.783	538	7.89	-4.009	588	8.57	-0.164
439	6.50	0.731	489	7.16	-0.793	539	7.90	-4.022	589	8.58	-1.427
440	6.51	0.973	490	7.17	-0.555	540	7.91	-3.780	590	8.59	-2.438
441	6.52	1.961	491	7.18	-0.563	541	7.92	-3.165	591	8.61	-2.832
442	6.53	3.198	492	7.19	0.051	542	7.94	-1.303	592	8.63	-4.722
443	6.55	5.686	493	7.20	0.294	543	7.95	0.054	593	8.64	-7.863
444	6.58	7.031	494	7.21	0.904	544	7.97	0.917	594	8.65	-9.241
445	6.59	7.265	495	7.23	0.891	545	7.98	1.225	595	8.66	-10.378
446	6.61	7.626	496	7.24	0.382	546	7.99	1.265	596	8.67	-13.644
447	6.62	7.240	497	7.25	-0.255	547	8.01	1.590	597	8.68	-14.904
448	6.64	7.341	498	7.27	-0.404	548	8.03	2.104	598	8.69	-15.909
449	6.66	6.703	499	7.28	-0.415	549	8.04	1.847	599	8.70	-16.171
450	6.67	6.061	500	7.29	0.325	550	8.05	3.957	600	8.72	-16.811

INDEX NO. 824 104-GR-40 SHINTONEGAWA BR. TR. MAX.ACCEL.= -32.669(GAL) T=15.41(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	8.73	-16.821	651	9.33	6.161	701	10.01	10.539	751	10.66	-4.854
602	8.74	-16.212	652	9.39	5.529	702	10.02	9.869	752	10.67	-4.864
603	8.75	-15.717	653	9.40	3.639	703	10.03	8.643	753	10.69	-4.626
604	8.77	-14.734	654	9.43	-0.333	704	10.05	7.375	754	10.70	-4.013
605	8.78	-12.874	655	9.47	-5.556	705	10.06	5.485	755	10.71	-3.397
606	8.79	-12.631	656	9.49	-6.220	706	10.07	4.674	756	10.72	-2.537
607	8.80	-11.394	657	9.50	-7.834	707	10.09	3.962	757	10.73	-0.920
608	8.81	-11.397	658	9.51	-8.464	708	10.10	3.575	758	10.74	-0.927
609	8.82	-11.662	659	9.52	-4.847	709	10.12	2.932	759	10.75	1.806
610	8.84	-11.682	660	9.54	-7.619	710	10.14	3.161	760	10.76	2.172
611	8.85	-11.683	661	9.55	-7.258	711	10.17	3.507	761	10.78	2.908
612	8.87	-11.712	662	9.56	-6.644	712	10.19	3.740	762	10.79	3.518
613	8.88	-10.472	663	9.58	-5.407	713	10.20	3.727	763	10.80	3.761
614	8.89	-10.224	664	9.59	-5.416	714	10.21	4.094	764	10.81	4.126
615	8.90	-7.742	665	9.60	-6.306	715	10.22	4.704	765	10.82	4.366
616	8.91	-7.124	666	9.62	-7.575	716	10.23	5.317	766	10.83	4.733
617	8.92	-6.756	667	9.64	-9.219	717	10.25	5.927	767	10.84	4.720
618	8.93	-6.143	668	9.65	-9.856	718	10.27	5.034	768	10.85	4.711
619	8.94	-4.527	669	9.66	-9.619	719	10.29	3.392	769	10.87	4.446
620	8.95	-4.537	670	9.67	-8.252	720	10.30	1.502	770	10.88	3.808
621	8.96	-4.297	671	9.68	-7.381	721	10.31	0.623	771	10.91	0.531
622	8.97	-4.302	672	9.69	-6.524	722	10.32	-0.643	772	10.93	0.013
623	8.99	-3.203	673	9.71	-6.161	723	10.33	-0.656	773	10.94	-1.247
624	9.01	-1.973	674	9.72	-5.299	724	10.34	-0.663	774	10.95	-1.632
625	9.02	-1.727	675	9.73	-4.684	725	10.35	-1.671	775	10.96	-1.642
626	9.03	-0.490	676	9.75	-2.830	726	10.36	-1.928	776	10.98	-1.914
627	9.04	0.500	677	9.76	-1.590	727	10.37	-3.817	777	11.00	-1.934
628	9.05	0.741	678	9.77	0.280	728	10.38	-5.822	778	11.01	-1.944
629	9.06	1.605	679	9.78	1.266	729	10.40	-10.848	779	11.03	-2.338
630	9.07	2.597	680	9.79	1.510	730	10.41	-11.483	780	11.04	-2.095
631	9.08	3.462	681	9.80	2.119	731	10.42	-12.621	781	11.05	-1.110
632	9.09	4.586	682	9.81	2.483	732	10.43	-12.623	782	11.06	-0.884
633	9.10	6.070	683	9.82	2.728	733	10.45	-11.390	783	11.07	0.368
634	9.11	9.802	684	9.83	2.715	734	10.46	-6.434	784	11.08	1.610
635	9.13	11.161	685	9.84	2.705	735	10.48	-1.298	785	11.09	1.975
636	9.14	11.780	686	9.85	3.075	736	10.49	0.937	786	11.10	1.712
637	9.16	13.630	687	9.86	3.815	737	10.50	1.177	787	11.12	1.070
638	9.17	13.622	688	9.87	5.049	738	10.52	1.161	788	11.14	-0.822
639	9.18	13.983	689	9.88	5.913	739	10.53	0.899	789	11.17	-2.478
640	9.19	13.979	690	9.89	6.280	740	10.54	0.892	790	11.18	-3.110
641	9.21	13.706	691	9.90	6.020	741	10.55	0.879	791	11.19	-3.750
642	9.22	11.819	692	9.92	5.625	742	10.56	0.872	792	11.20	-3.755
643	9.28	6.390	693	9.93	5.615	743	10.57	0.859	793	11.21	-1.895
644	9.30	4.870	694	9.94	5.854	744	10.58	1.098	794	11.22	-1.028
645	9.32	3.726	695	9.95	5.849	745	10.59	1.093	795	11.23	0.587
646	9.33	3.716	696	9.96	5.833	746	10.60	0.454	796	11.24	1.200
647	9.34	3.702	697	9.97	7.453	747	10.61	-0.423	797	11.25	0.940
648	9.35	3.692	698	9.98	8.692	748	10.62	-2.689	798	11.26	-0.068
649	9.36	3.932	699	9.99	9.310	749	10.64	-4.203	799	11.27	-0.700
650	9.37	4.925	700	10.00	9.924	750	10.65	-4.592	800	11.28	-1.590

INDEX NO. 824 104-GR-40 SHINTONEGAWA BR. TR. MAX.ACCEL.= -32.069(GAL) T=15.41(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	11.30	-2.610	851	11.89	-0.064	901	12.50	-0.671	951	13.12	3.717
802	11.31	-2.620	852	11.90	-0.074	902	12.52	-1.563	952	13.13	3.957
803	11.32	-2.628	853	11.91	-0.706	903	12.53	-1.571	953	13.15	5.565
804	11.33	-2.633	854	11.92	-1.972	904	12.55	-1.092	954	13.16	8.422
805	11.34	-1.396	855	11.93	-2.227	905	12.56	-0.976	955	13.17	10.037
806	11.35	-0.779	856	11.94	-3.865	906	12.57	-0.484	956	13.18	11.030
807	11.36	0.085	857	11.95	-4.501	907	12.58	-0.126	957	13.19	11.267
808	11.37	0.704	858	11.96	-5.381	908	12.59	-0.136	958	13.20	11.007
809	11.38	1.064	859	11.98	-8.465	909	12.60	-0.771	959	13.21	10.627
810	11.39	1.677	860	11.99	-9.267	910	12.61	-1.652	960	13.22	9.115
811	11.41	1.914	861	12.00	-11.799	911	12.62	-2.662	961	13.23	8.102
812	11.42	2.898	862	12.01	-12.809	912	12.63	-4.173	962	13.24	7.470
813	11.43	3.514	863	12.03	-13.074	913	12.64	-5.933	963	13.25	6.835
814	11.44	3.754	864	12.04	-10.965	914	12.65	-7.821	964	13.27	7.065
815	11.45	4.747	865	12.06	-9.477	915	12.66	-8.451	965	13.28	7.060
816	11.47	5.979	866	12.07	-8.240	916	12.67	-8.458	966	13.29	7.650
817	11.48	6.594	867	12.08	-6.622	917	12.68	-8.468	967	13.30	7.036
818	11.49	6.586	868	12.09	-6.067	918	12.70	-9.121	968	13.31	6.527
819	11.50	5.949	869	12.10	-6.025	919	12.72	-8.886	969	13.33	4.632
820	11.51	5.066	870	12.12	-6.915	920	12.73	-9.402	970	13.36	-0.529
821	11.52	3.806	871	12.14	-8.565	921	12.74	-9.784	971	13.37	-1.160
822	11.53	2.545	872	12.16	-10.079	922	12.75	-10.419	972	13.38	-2.168
823	11.54	1.783	873	12.17	-11.465	923	12.77	-11.066	973	13.39	-1.928
824	11.55	1.518	874	12.18	-11.848	924	12.79	-11.078	974	13.40	-1.315
825	11.57	1.506	875	12.19	-9.740	925	12.80	-11.340	975	13.41	-0.078
826	11.58	1.497	876	12.20	-8.125	926	12.81	-11.100	976	13.43	4.029
827	11.59	1.485	877	12.21	-6.132	927	12.82	-11.363	977	13.44	5.274
828	11.61	0.839	878	12.23	-4.023	928	12.83	-11.748	978	13.45	6.509
829	11.62	0.204	879	12.24	-2.158	929	12.84	-12.006	979	13.46	8.497
830	11.63	-1.061	880	12.25	0.329	930	12.85	-12.641	980	13.48	8.735
831	11.65	-1.701	881	12.26	2.073	931	12.86	-13.277	981	13.49	8.719
832	11.66	-2.589	882	12.27	3.935	932	12.87	-14.287	982	13.50	9.334
833	11.67	-2.599	883	12.28	6.053	933	12.88	-14.548	983	13.51	9.076
834	11.68	-3.229	884	12.29	7.670	934	12.89	-14.303	984	13.52	8.444
835	11.69	-2.991	885	12.30	12.152	935	12.91	-13.071	985	13.53	8.181
836	11.71	-2.756	886	12.31	13.642	936	12.92	-8.087	986	13.54	7.547
837	11.72	-2.766	887	12.32	14.384	937	12.94	-1.857	987	13.55	6.286
838	11.73	-2.155	888	12.33	14.629	938	12.95	0.263	988	13.57	2.769
839	11.74	-2.166	889	12.34	15.244	939	12.96	2.621	989	13.59	-2.005
840	11.76	-1.806	890	12.35	14.984	940	12.97	2.616	990	13.60	-3.263
841	11.77	-1.824	891	12.36	13.091	941	12.98	2.853	991	13.61	-4.904
842	11.78	-1.831	892	12.39	9.312	942	13.01	2.578	992	13.62	-5.159
843	11.80	-1.850	893	12.42	6.661	943	13.03	2.556	993	13.63	-6.169
844	11.81	-2.111	894	12.43	6.407	944	13.04	2.543	994	13.64	-7.934
845	11.82	-2.119	895	12.44	5.519	945	13.05	2.787	995	13.65	-8.818
846	11.83	-1.624	896	12.45	4.257	946	13.06	3.154	996	13.67	-9.710
847	11.84	-1.509	897	12.46	3.247	947	13.07	3.142	997	13.69	-10.351
848	11.86	-0.905	898	12.47	1.732	948	13.08	3.130	998	13.70	-10.991
849	11.87	-0.665	899	12.48	0.599	949	13.09	3.368	999	13.71	-10.749
850	11.88	-0.051	900	12.49	-0.036	950	13.10	3.356	1000	13.72	-10.759

INDEX NO. 824 104-GR-40 SHINTONEGAWA BR. TR. MAX.ACCEL.= -32.069(GAL) T=15.41(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	13.73	-10.515	1051	14.32	3.142	1101	14.91	17.431	1151	15.59	-3.487
1002	13.74	-8.284	1052	14.33	1.254	1102	14.92	17.426	1152	15.61	-3.255
1003	13.76	-6.671	1053	14.34	-0.630	1103	14.93	16.536	1153	15.62	-3.015
1004	13.77	-4.809	1054	14.36	-4.650	1104	14.95	11.517	1154	15.63	-1.659
1005	13.78	-3.941	1055	14.38	-10.547	1105	14.97	5.748	1155	15.64	-1.039
1006	13.79	-2.076	1056	14.39	-12.682	1106	14.98	0.733	1156	15.65	1.446
1007	13.80	1.164	1057	14.40	-13.940	1107	14.99	-0.152	1157	15.67	4.926
1008	13.81	1.781	1058	14.41	-14.200	1108	15.01	-1.522	1158	15.68	5.668
1009	13.82	2.645	1059	14.42	-15.460	1109	15.02	-0.677	1159	15.69	5.661
1010	13.83	2.636	1060	14.43	-15.472	1110	15.03	0.808	1160	15.70	5.904
1011	13.84	2.624	1061	14.44	-15.478	1111	15.04	2.175	1161	15.71	5.013
1012	13.85	2.989	1062	14.45	-14.987	1112	15.05	3.668	1162	15.72	3.754
1013	13.86	3.229	1063	14.46	-13.750	1113	15.06	4.905	1163	15.74	2.486
1014	13.87	3.845	1064	14.47	-11.507	1114	15.07	6.269	1164	15.75	2.231
1015	13.88	4.210	1065	14.49	-8.024	1115	15.08	6.884	1165	15.76	1.841
1016	13.89	6.943	1066	14.50	-4.658	1116	15.10	8.123	1166	15.77	2.456
1017	13.90	8.685	1067	14.51	-2.171	1117	15.11	8.901	1167	15.78	6.193
1018	13.91	10.176	1068	14.52	-0.809	1118	15.12	9.970	1168	15.82	10.913
1019	13.92	10.791	1069	14.53	-0.189	1119	15.13	10.215	1169	15.84	14.640
1020	13.93	11.153	1070	14.54	-0.828	1120	15.14	11.202	1170	15.85	16.875
1021	13.94	11.143	1071	14.56	-2.091	1121	15.15	11.195	1171	15.86	18.115
1022	13.95	11.138	1072	14.58	-3.361	1122	15.18	9.663	1172	15.87	19.356
1023	13.96	10.563	1073	14.59	-3.623	1123	15.21	6.760	1173	15.88	19.353
1024	13.97	9.243	1074	14.60	-5.263	1124	15.23	4.235	1174	15.90	19.578
1025	13.98	7.981	1075	14.61	-5.026	1125	15.26	3.340	1175	15.91	17.820
1026	13.99	6.350	1076	14.63	-5.536	1126	15.27	1.702	1176	15.92	15.309
1027	14.00	4.212	1077	14.64	-5.923	1127	15.28	0.820	1177	15.94	11.793
1028	14.01	1.467	1078	14.65	-5.933	1128	15.30	-2.454	1178	15.96	5.768
1029	14.02	1.070	1079	14.66	-6.196	1129	15.31	-4.343	1179	15.97	4.515
1030	14.03	-0.941	1080	14.67	-5.956	1130	15.32	-6.975	1180	15.98	2.626
1031	14.04	-1.576	1081	14.68	-5.711	1131	15.33	-10.108	1181	15.99	1.991
1032	14.05	-1.584	1082	14.69	-4.722	1132	15.35	-19.382	1182	16.00	0.984
1033	14.06	-0.977	1083	14.70	-3.486	1133	15.36	-24.017	1183	16.01	0.973
1034	14.08	-0.122	1084	14.71	-2.617	1134	15.37	-27.028	1184	16.02	0.963
1035	14.12	2.338	1085	14.72	-1.633	1135	15.38	-29.790	1185	16.04	0.695
1036	14.15	3.315	1086	14.73	-1.636	1136	15.39	-31.422	1186	16.05	0.309
1037	14.16	3.675	1087	14.74	-2.271	1137	15.40	-32.059	1187	16.07	-0.586
1038	14.17	4.165	1088	14.75	-3.537	1138	15.41	-32.069	1188	16.08	-2.597
1039	14.18	3.279	1089	14.76	-4.419	1139	15.42	-31.452	1189	16.10	-6.367
1040	14.20	0.138	1090	14.77	-4.809	1140	15.43	-30.832	1190	16.11	-9.882
1041	14.21	-3.002	1091	14.78	-4.813	1141	15.45	-25.853	1191	16.12	-11.264
1042	14.22	-5.137	1092	14.80	-2.681	1142	15.46	-21.865	1192	16.13	-13.528
1043	14.23	-5.515	1093	14.81	2.033	1143	15.49	-14.263	1193	16.14	-14.410
1044	14.24	-5.781	1094	14.83	8.638	1144	15.50	-10.530	1194	16.15	-14.415
1045	14.25	-5.536	1095	14.84	12.996	1145	15.51	-9.788	1195	16.16	-15.304
1046	14.26	-4.300	1096	14.85	13.613	1146	15.52	-7.543	1196	16.18	-13.194
1047	14.28	-1.815	1097	14.86	14.231	1147	15.53	-3.805	1197	16.19	-10.706
1048	14.29	2.168	1098	14.87	15.348	1148	15.54	-3.188	1198	16.20	-9.468
1049	14.30	3.159	1099	14.88	16.207	1149	15.55	-3.203	1199	16.21	-7.600
1050	14.31	3.407	1100	14.90	17.190	1150	15.57	-3.219	1200	16.22	-7.232

INDEX NO. 824 104-GR-40 SHINTONEGAWA BR. TR. MAX.ACCEL.= -32.069(GAL) T=15.41(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	16.23	-7.242	1251	16.81	-6.193	1301	17.48	-5.603	1351	18.17	-1.274
1202	16.24	-7.005	1252	16.82	-5.328	1302	17.49	-6.238	1352	18.18	-1.282
1203	16.25	-6.767	1253	16.83	-5.586	1303	17.50	-7.495	1353	18.19	-2.167
1204	16.27	-7.032	1254	16.84	-3.722	1304	17.52	-8.140	1354	18.21	-3.182
1205	16.28	-7.047	1255	16.85	-1.237	1305	17.54	-8.778	1355	18.22	-4.445
1206	16.29	-7.685	1256	16.86	1.253	1306	17.55	-9.420	1356	18.23	-5.709
1207	16.30	-8.315	1257	16.87	3.118	1307	17.56	-9.428	1357	18.25	-6.346
1208	16.31	-9.827	1258	16.88	3.986	1308	17.57	-8.563	1358	18.26	-5.735
1209	16.33	-12.725	1259	16.89	4.727	1309	17.59	-6.953	1359	18.27	-5.490
1210	16.34	-13.985	1260	16.90	5.338	1310	17.60	-3.593	1360	18.28	-4.875
1211	16.35	-15.495	1261	16.91	5.706	1311	17.62	1.137	1361	18.29	-2.367
1212	16.36	-16.127	1262	16.92	5.696	1312	17.63	2.004	1362	18.32	8.082
1213	16.37	-16.140	1263	16.94	4.803	1313	17.64	5.241	1363	18.33	11.319
1214	16.38	-15.269	1264	16.95	3.788	1314	17.65	6.860	1364	18.34	11.938
1215	16.39	-12.782	1265	16.97	2.898	1315	17.66	7.727	1365	18.35	12.180
1216	16.41	-10.670	1266	16.99	2.131	1316	17.67	9.345	1366	18.36	12.168
1217	16.43	-6.190	1267	17.00	0.996	1317	17.68	9.961	1367	18.38	12.149
1218	16.44	-4.330	1268	17.01	0.608	1318	17.69	10.201	1368	18.40	11.879
1219	16.45	-3.712	1269	17.03	0.844	1319	17.70	9.936	1369	18.41	12.489
1220	16.46	-3.228	1270	17.04	2.451	1320	17.72	9.296	1370	18.43	13.469
1221	16.47	-2.361	1271	17.06	4.063	1321	17.73	8.030	1371	18.44	13.959
1222	16.48	-2.368	1272	17.07	4.926	1322	17.74	7.774	1372	18.46	15.102
1223	16.49	-1.508	1273	17.08	5.166	1323	17.76	6.506	1373	18.48	16.799
1224	16.50	-1.261	1274	17.09	4.658	1324	17.78	3.984	1374	18.50	16.780
1225	16.51	-0.275	1275	17.11	3.890	1325	17.80	1.714	1375	18.51	16.521
1226	16.53	-0.289	1276	17.12	3.001	1326	17.81	1.081	1376	18.52	15.509
1227	16.54	-0.303	1277	17.13	1.738	1327	17.82	-0.552	1377	18.53	14.627
1228	16.55	-0.311	1278	17.14	0.478	1328	17.83	-4.319	1378	18.54	12.114
1229	16.56	-0.068	1279	17.16	-0.415	1329	17.87	-15.731	1379	18.57	5.212
1230	16.57	0.292	1280	17.18	-1.679	1330	17.88	-16.366	1380	18.60	-4.321
1231	16.58	0.284	1281	17.19	-2.937	1331	17.90	-17.378	1381	18.61	-6.330
1232	16.59	0.274	1282	17.20	-3.449	1332	17.91	-17.143	1382	18.62	-7.960
1233	16.60	2.584	1283	17.21	-5.587	1333	17.92	-17.148	1383	18.63	-9.476
1234	16.61	3.627	1284	17.22	-6.850	1334	17.93	-16.158	1384	18.64	-9.481
1235	16.62	4.992	1285	17.23	-6.355	1335	17.94	-15.296	1385	18.65	-9.243
1236	16.63	6.232	1286	17.24	-5.367	1336	17.95	-14.304	1386	18.66	-9.253
1237	16.64	7.844	1287	17.25	-4.752	1337	17.96	-13.439	1387	18.68	-8.645
1238	16.65	8.091	1288	17.26	-3.510	1338	17.97	-12.827	1388	18.70	-8.038
1239	16.66	9.081	1289	17.27	-0.149	1339	17.98	-11.585	1389	18.71	-7.768
1240	16.67	9.941	1290	17.29	1.710	1340	17.99	-10.590	1390	18.72	-7.811
1241	16.68	10.312	1291	17.30	2.950	1341	18.03	-9.131	1391	18.74	-8.333
1242	16.69	9.424	1292	17.31	3.562	1342	18.04	-8.521	1392	18.75	-7.837
1243	16.70	8.414	1293	17.32	4.305	1343	18.05	-7.533	1393	18.76	-6.851
1244	16.72	4.016	1294	17.35	2.777	1344	18.08	-6.686	1394	18.77	-5.991
1245	16.74	-0.623	1295	17.37	1.505	1345	18.10	-6.326	1395	18.78	-5.626
1246	16.75	-2.764	1296	17.41	-1.778	1346	18.11	-5.714	1396	18.79	-5.383
1247	16.76	-3.268	1297	17.44	-3.683	1347	18.13	-5.355	1397	18.80	-5.396
1248	16.77	-4.903	1298	17.45	-4.318	1348	18.14	-5.740	1398	18.83	-6.918
1249	16.78	-5.794	1299	17.46	-4.579	1349	18.15	-9.872	1399	18.90	-12.486
1250	16.80	-6.181	1300	17.47	-5.217	1350	18.16	-2.137	1400	18.92	-15.264

INDEX NO. 824 104-GR-40 SHINTONEGAWA BR. TR. MAX.ACCEL.= -32.069(GAL) T=15.41(SEC) NO. 8

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1401	18.93	-15.896	1451	19.61	-16.560	1501	20.23	2.953	1551	20.90	3.047
1402	18.94	-16.531	1452	19.62	-18.073	1502	20.24	2.950	1552	20.94	3.008
1403	18.95	-16.539	1453	19.63	-19.334	1503	20.25	2.940	1553	20.97	2.349
1404	18.96	-16.298	1454	19.64	-19.717	1504	20.26	2.303	1554	21.00	2.071
1405	18.97	-15.681	1455	19.66	-19.485	1505	20.27	1.168	1555	21.01	2.057
1406	18.98	-13.821	1456	19.67	-18.868	1506	20.28	-0.094	1556	21.03	2.042
1407	19.01	-7.843	1457	19.69	-16.263	1507	20.29	-1.601	1557	21.04	2.036
1408	19.04	-0.629	1458	19.70	-14.148	1508	20.31	-5.745	1558	21.05	0.397
1409	19.05	0.988	1459	19.71	-12.036	1509	20.33	-8.641	1559	21.07	-1.499
1410	19.06	1.856	1460	19.73	-9.550	1510	20.34	-11.156	1560	21.08	-3.637
1411	19.07	2.973	1461	19.74	-6.685	1511	20.35	-11.789	1561	21.09	-5.024
1412	19.08	3.831	1462	19.75	-5.070	1512	20.36	-13.047	1562	21.10	-5.531
1413	19.10	5.436	1463	19.76	-4.458	1513	20.37	-13.432	1563	21.11	-6.169
1414	19.11	6.051	1464	19.77	-3.220	1514	20.38	-14.822	1564	21.12	-6.552
1415	19.13	7.286	1465	19.78	-3.231	1515	20.39	-14.831	1565	21.13	-6.312
1416	19.15	8.640	1466	19.79	-2.866	1516	20.42	-14.605	1566	21.14	-5.322
1417	19.16	8.882	1467	19.81	-2.258	1517	20.43	-13.995	1567	21.16	-3.712
1418	19.19	11.973	1468	19.82	-1.643	1518	20.44	-12.382	1568	21.17	-2.847
1419	19.20	12.963	1469	19.83	-1.398	1519	20.45	-11.517	1569	21.18	-1.609
1420	19.21	13.295	1470	19.84	-1.030	1520	20.46	-10.902	1570	21.19	-0.997
1421	19.22	12.943	1471	19.85	0.451	1521	20.47	-10.909	1571	21.20	-1.007
1422	19.24	13.805	1472	19.86	1.569	1522	20.50	-9.562	1572	21.21	-1.014
1423	19.25	12.672	1473	19.88	4.929	1523	20.52	-8.455	1573	21.23	-1.287
1424	19.26	11.663	1474	19.89	6.171	1524	20.53	-7.467	1574	21.26	-1.687
1425	19.28	7.640	1475	19.90	7.161	1525	20.54	-6.725	1575	21.27	-1.934
1426	19.31	0.238	1476	19.91	7.774	1526	20.55	-6.106	1576	21.30	-2.984
1427	19.32	-3.154	1477	19.92	7.513	1527	20.56	-5.870	1577	21.34	-3.269
1428	19.33	-3.537	1478	19.94	6.496	1528	20.57	-5.252	1578	21.38	-4.560
1429	19.34	-4.420	1479	19.95	6.231	1529	20.58	-5.260	1579	21.39	-4.572
1430	19.35	-6.434	1480	19.97	5.841	1530	20.59	-5.277	1580	21.41	-4.962
1431	19.36	-6.817	1481	19.98	5.580	1531	20.61	-4.916	1581	21.43	-5.615
1432	19.37	-6.574	1482	20.00	5.184	1532	20.62	-4.301	1582	21.44	-5.370
1433	19.38	-5.959	1483	20.01	6.426	1533	20.63	-4.061	1583	21.46	-3.764
1434	19.39	-4.972	1484	20.03	8.526	1534	20.64	-3.450	1584	21.47	-2.522
1435	19.40	-4.108	1485	20.04	9.140	1535	20.66	-2.845	1585	21.48	-0.414
1436	19.41	-3.115	1486	20.05	9.633	1536	20.67	-1.850	1586	21.49	0.825
1437	19.42	-1.876	1487	20.06	9.871	1537	20.70	-0.006	1587	21.50	2.065
1438	19.43	-1.629	1488	20.07	10.489	1538	20.71	0.602	1588	21.52	2.427
1439	19.44	-1.639	1489	20.08	10.654	1539	20.73	0.585	1589	21.53	2.417
1440	19.46	-2.159	1490	20.09	10.599	1540	20.75	0.569	1590	21.54	1.776
1441	19.49	-2.563	1491	20.10	9.333	1541	20.77	0.299	1591	21.55	1.142
1442	19.51	-4.213	1492	20.11	8.695	1542	20.78	1.287	1592	21.57	0.502
1443	19.53	-5.728	1493	20.12	7.685	1543	20.79	1.533	1593	21.59	-0.770
1444	19.54	-6.370	1494	20.14	6.791	1544	20.80	2.142	1594	21.60	-1.653
1445	19.55	-6.623	1495	20.16	5.529	1545	20.82	3.124	1595	21.61	-1.618
1446	19.56	-7.633	1496	20.17	4.892	1546	20.83	3.987	1596	21.62	-1.178
1447	19.57	-9.267	1497	20.18	4.878	1547	20.84	4.602	1597	21.63	-0.811
1448	19.58	-11.028	1498	20.20	3.613	1548	20.85	4.342	1598	21.66	-0.588
1449	19.59	-13.670	1499	20.21	3.606	1549	20.87	4.329	1599	21.67	-0.230
1450	19.60	-15.930	1500	20.22	3.216	1550	20.89	3.679	1600	21.70	-0.255

INDEX NO. 824 104-GR-40 SHINTONEGAWA BR. TR. MAX.ACCEL.= -32.069(GAL) T=15.41(SEC) NO. 9

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1601	21.72	-0.025	1651	22.37	3.456	1701	23.25	0.094	1751	23.96	-3.737
1602	21.73	0.590	1652	22.38	4.325	1702	23.26	1.328	1752	23.99	-2.476
1603	21.74	0.332	1653	22.39	5.563	1703	23.28	2.558	1753	24.00	3.094
1604	21.75	0.074	1654	22.40	6.555	1704	23.30	4.165	1754	24.01	4.331
1605	21.76	0.064	1655	22.41	8.163	1705	23.33	6.385	1755	24.03	4.318
1606	21.78	0.290	1656	22.42	8.528	1706	23.35	7.363	1756	24.04	4.054
1607	21.80	1.271	1657	22.43	8.770	1707	23.37	8.223	1757	24.06	4.289
1608	21.82	0.624	1658	22.45	8.757	1708	23.38	8.836	1758	24.07	4.281
1609	21.83	0.239	1659	22.46	8.498	1709	23.39	8.822	1759	24.08	3.641
1610	21.84	-0.398	1660	22.47	7.855	1710	23.42	8.792	1760	24.10	3.370
1611	21.86	-1.043	1661	22.49	6.588	1711	23.43	8.535	1761	24.11	2.984
1612	21.87	-1.046	1662	22.51	5.319	1712	23.45	7.898	1762	24.12	3.849
1613	21.88	-1.059	1663	22.52	4.683	1713	23.46	7.255	1763	24.14	4.958
1614	21.89	-0.816	1664	22.54	4.420	1714	23.48	6.615	1764	24.15	5.195
1615	21.90	0.171	1665	22.56	4.398	1715	23.49	5.982	1765	24.16	5.563
1616	21.91	0.782	1666	22.57	4.887	1716	23.50	5.978	1766	24.17	6.178
1617	21.92	1.025	1667	22.59	6.236	1717	23.51	6.208	1767	24.18	7.044
1618	21.93	1.389	1668	22.61	6.725	1718	23.53	6.107	1768	24.19	8.031
1619	21.94	1.131	1669	22.63	7.327	1719	23.54	6.177	1769	24.20	8.646
1620	21.95	0.744	1670	22.65	8.554	1720	23.56	5.537	1770	24.21	8.889
1621	21.96	0.734	1671	22.67	8.542	1721	23.57	5.270	1771	24.22	8.878
1622	21.98	0.717	1672	22.69	8.014	1722	23.59	4.250	1772	24.23	8.620
1623	21.99	0.458	1673	22.71	7.377	1723	23.60	2.364	1773	24.25	7.728
1624	22.00	0.316	1674	22.72	6.117	1724	23.61	2.110	1774	24.26	7.335
1625	22.01	0.306	1675	22.75	2.585	1725	23.62	1.472	1775	24.28	5.820
1626	22.03	0.286	1676	22.77	-0.563	1726	23.63	0.838	1776	24.30	4.798
1627	22.04	0.262	1677	22.80	-3.462	1727	23.64	0.456	1777	24.31	5.663
1628	22.05	0.271	1678	22.82	-6.607	1728	23.65	0.690	1778	24.33	6.645
1629	22.06	-0.864	1679	22.84	-10.878	1729	23.67	0.427	1779	24.34	7.885
1630	22.08	-3.761	1680	22.86	-13.027	1730	23.69	1.032	1780	24.35	8.748
1631	22.10	-6.906	1681	22.89	-14.676	1731	23.70	0.770	1781	24.37	9.983
1632	22.11	-7.788	1682	22.90	-16.941	1732	23.71	1.009	1782	24.38	10.598
1633	22.12	-8.921	1683	22.91	-17.527	1733	23.72	0.750	1783	24.39	10.963
1634	22.13	-9.804	1684	22.93	-17.592	1734	23.73	0.360	1784	24.40	12.946
1635	22.14	-10.194	1685	22.95	-16.738	1735	23.76	-0.286	1785	24.41	12.944
1636	22.15	-10.204	1686	22.96	-15.746	1736	23.78	-0.931	1786	24.42	12.935
1637	22.16	-10.211	1687	22.98	-13.891	1737	23.79	-1.199	1787	24.43	12.670
1638	22.17	-9.974	1688	23.02	-11.434	1738	23.80	-1.585	1788	24.45	12.030
1639	22.18	-8.731	1689	23.05	-9.961	1739	23.81	-1.970	1789	24.46	11.020
1640	22.19	-6.495	1690	23.07	-8.603	1740	23.82	-3.228	1790	24.47	9.127
1641	22.22	-3.267	1691	23.08	-7.367	1741	23.85	-5.125	1791	24.50	6.973
1642	22.24	-0.536	1692	23.10	-5.883	1742	23.86	-6.139	1792	24.52	5.708
1643	22.25	1.075	1693	23.11	-4.893	1743	23.87	-6.400	1793	24.53	4.569
1644	22.26	2.312	1694	23.13	-4.036	1744	23.88	-6.780	1794	24.54	4.939
1645	22.28	2.298	1695	23.14	-3.427	1745	23.89	-7.043	1795	24.55	4.584
1646	22.30	2.529	1696	23.16	-2.444	1746	23.90	-7.431	1796	24.57	3.908
1647	22.32	3.127	1697	23.19	-1.848	1747	23.92	-7.446	1797	24.59	4.759
1648	22.33	3.119	1698	23.21	-1.122	1748	23.93	-7.463	1798	24.61	5.119
1649	22.34	3.108	1699	23.22	-0.509	1749	23.94	-6.845	1799	24.62	5.730
1650	22.36	3.094	1700	23.24	-0.279	1750	23.95	-5.353	1800	24.64	5.468

土木構造物における加速度強震記録（No.9）

INDEX NO. 824 104-GR-40 SHINTONEGAWA BR. TR. MAX.ACCEL.= -32.069(GAL) T=15.41(SEC) NO.10

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1801	24.65	4.825	1851	25.47	4.011	1901	26.27	2.600	1951	27.11	-2.968
1802	24.67	4.167	1852	25.50	2.732	1902	26.28	2.211	1952	27.12	-3.653
1803	24.68	3.172	1853	25.53	1.706	1903	26.31	1.935	1953	27.13	-4.238
1804	24.69	2.288	1854	25.55	0.432	1904	26.33	1.913	1954	27.14	-3.997
1805	24.70	1.023	1855	25.56	-1.077	1905	26.35	1.274	1955	27.15	-4.259
1806	24.72	-1.493	1856	25.57	-2.090	1906	26.37	0.628	1956	27.16	-6.271
1807	24.74	-4.508	1857	25.59	-3.357	1907	26.39	0.235	1957	27.17	-3.026
1808	24.76	-6.405	1858	25.60	-4.111	1908	26.42	-0.670	1958	27.18	-2.411
1809	24.79	-8.558	1859	25.61	-4.750	1909	26.46	-1.712	1959	27.19	-1.179
1810	24.81	-10.293	1860	25.62	-5.013	1910	26.47	-1.472	1960	27.20	-1.185
1811	24.82	-11.213	1861	25.63	-5.023	1911	26.48	-1.490	1961	27.21	-0.944
1812	24.83	-11.605	1862	25.66	-5.420	1912	26.49	-1.739	1962	27.22	-1.202
1813	24.85	-11.616	1863	25.67	-4.813	1913	26.51	-0.507	1963	27.23	-0.962
1814	24.86	-11.631	1864	25.69	-4.828	1914	26.52	-0.270	1964	27.25	-1.609
1815	24.88	-11.895	1865	25.70	-3.588	1915	26.53	0.095	1965	27.27	-3.124
1816	24.89	-12.287	1866	25.72	-2.357	1916	26.54	0.955	1966	27.29	-4.394
1817	24.91	-12.558	1867	25.74	-0.883	1917	26.56	1.942	1967	27.31	-6.420
1818	24.93	-12.573	1868	25.76	-0.275	1918	26.57	2.555	1968	27.32	-6.676
1819	24.95	-12.597	1869	25.77	-0.533	1919	26.58	2.798	1969	27.34	-7.069
1820	24.96	-12.103	1870	25.78	-0.298	1920	26.59	3.160	1970	27.35	-7.334
1821	24.97	-11.485	1871	25.81	0.426	1921	26.61	4.014	1971	27.36	-8.337
1822	24.98	-10.498	1872	25.82	0.665	1922	26.63	4.372	1972	27.37	-7.724
1823	25.01	-8.404	1873	25.83	1.280	1923	26.64	4.110	1973	27.38	-7.107
1824	25.02	-7.159	1874	25.86	1.874	1924	26.66	3.465	1974	27.39	-6.243
1825	25.04	-5.934	1875	25.88	1.859	1925	26.68	2.700	1975	27.41	-3.387
1826	25.06	-4.077	1876	25.90	1.587	1926	26.70	2.182	1976	27.42	-2.144
1827	25.07	-2.338	1877	25.91	1.577	1927	26.71	1.169	1977	27.43	-0.662
1828	25.09	-0.858	1878	25.92	1.188	1928	26.72	0.535	1978	27.44	+0.922
1829	25.10	-0.247	1879	25.94	1.176	1929	26.74	0.885	1979	27.45	-1.179
1830	25.12	-0.259	1880	25.95	1.159	1930	26.76	1.124	1980	27.46	-1.192
1831	25.14	0.718	1881	25.96	0.900	1931	26.77	1.359	1981	27.48	-1.959
1832	25.16	1.321	1882	25.97	1.140	1932	26.78	2.352	1982	27.50	-1.847
1833	25.17	1.308	1883	25.99	1.376	1933	26.79	2.965	1983	27.51	-2.860
1834	25.19	1.291	1884	26.00	2.236	1934	26.81	2.698	1984	27.52	-1.994
1835	25.20	1.028	1885	26.03	3.709	1935	26.83	2.551	1985	27.53	-1.380
1836	25.23	0.633	1886	26.05	4.559	1936	26.84	2.289	1986	27.54	-1.014
1837	25.25	0.611	1887	26.06	4.554	1937	26.88	2.252	1987	27.56	0.663
1838	25.27	-0.034	1888	26.07	5.291	1938	26.90	1.859	1988	27.57	0.576
1839	25.28	0.327	1889	26.09	5.276	1939	26.92	2.217	1989	27.58	0.818
1840	25.30	0.563	1890	26.10	5.264	1940	26.94	1.947	1990	27.59	1.060
1841	25.32	2.668	1891	26.12	4.871	1941	26.96	1.922	1991	27.61	0.795
1842	25.33	4.653	1892	26.13	4.859	1942	26.97	1.911	1992	27.62	1.035
1843	25.34	5.892	1893	26.15	5.464	1943	27.00	1.888	1993	27.64	0.766
1844	25.36	6.875	1894	26.17	5.196	1944	27.01	1.871	1994	27.65	1.000
1845	25.37	7.487	1895	26.19	5.181	1945	27.03	2.109	1995	27.66	0.990
1846	25.38	8.191	1896	26.20	4.544	1946	27.04	2.097	1996	27.67	0.735
1847	25.40	7.833	1897	26.21	4.151	1947	27.05	0.832	1997	27.69	0.087
1848	25.42	7.190	1898	26.23	3.516	1948	27.06	-0.428	1998	27.70	-0.175
1849	25.44	6.547	1899	26.24	3.248	1949	27.08	-1.696	1999	27.71	-0.354
1850	25.45	4.911	1900	26.25	2.863	1950	27.10	-2.333	2000	27.72	-0.813

INDEX NO. 824 104-GR-40 SHINTONEGAWA BR. TR. MAX.ACCEL.= -32.069(GAL) T=15.41(SEC) NO.11

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2001	27.73	-1.197	2051	28.58	4.593	2101	29.32	15.116	2151	30.07	-4.134
2002	27.74	-1.214	2052	28.59	5.203	2102	29.33	14.853	2152	30.08	-4.144
2003	27.76	-0.609	2053	28.61	6.434	2103	29.34	15.341	2153	30.09	-3.276
2004	27.77	0.006	2054	28.63	7.665	2104	29.36	15.448	2154	30.11	-2.670
2005	27.80	1.235	2055	28.65	8.648	2105	29.37	15.688	2155	30.12	-2.050
2006	27.81	2.217	2056	28.66	10.010	2106	29.38	15.300	2156	30.14	-0.319
2007	27.82	1.957	2057	28.68	10.619	2107	29.39	15.293	2157	30.15	1.293
2008	27.85	2.560	2058	28.69	10.862	2108	29.41	15.276	2158	30.17	3.398
2009	27.86	2.552	2059	28.70	11.224	2109	29.42	15.013	2159	30.19	5.502
2010	27.87	2.792	2060	28.71	11.214	2110	29.44	13.742	2160	30.21	6.736
2011	27.88	4.151	2061	28.72	10.954	2111	29.46	12.853	2161	30.22	8.471
2012	27.89	4.764	2062	28.73	10.317	2112	29.47	11.836	2162	30.23	9.336
2013	27.91	5.871	2063	28.75	8.049	2113	29.49	10.316	2163	30.24	9.949
2014	27.93	6.484	2064	28.77	6.157	2114	29.51	7.921	2164	30.26	10.561
2015	27.94	7.096	2065	28.78	4.018	2115	29.54	6.023	2165	30.27	11.171
2016	27.95	7.085	2066	28.80	1.753	2116	29.55	5.133	2166	30.30	11.521
2017	27.96	7.077	2067	28.81	-0.513	2117	29.57	3.865	2167	30.31	11.756
2018	27.97	6.818	2068	28.82	-1.771	2118	29.59	2.841	2168	30.34	11.230
2019	27.98	6.176	2069	28.83	-3.407	2119	29.60	2.583	2169	30.36	11.214
2020	28.02	4.642	2070	28.84	-4.042	2120	29.62	1.566	2170	30.40	10.543
2021	28.06	2.104	2071	28.86	-4.631	2121	29.63	0.927	2171	30.41	10.160
2022	28.12	-1.459	2072	28.88	-5.956	2122	29.66	-0.474	2172	30.42	9.900
2023	28.14	-2.101	2073	28.90	-6.975	2123	29.68	-0.492	2173	30.45	8.626
2024	28.15	-2.740	2074	28.91	-7.360	2124	29.69	-0.749	2174	30.46	7.858
2025	28.17	-2.564	2075	28.93	-8.008	2125	29.70	-2.013	2175	30.48	6.338
2026	28.20	-2.784	2076	28.95	-8.271	2126	29.71	-3.650	2176	30.50	5.701
2027	28.21	-2.798	2077	28.98	-9.301	2127	29.73	-5.544	2177	30.51	4.816
2028	28.22	-2.559	2078	28.99	-9.934	2128	29.75	-8.187	2178	30.52	3.555
2029	28.24	-1.571	2079	29.00	+10.196	2129	29.77	-9.455	2179	30.53	2.918
2030	28.25	-0.959	2080	29.02	-10.217	2130	29.78	+10.339	2180	30.55	1.649
2031	28.26	-0.096	2081	29.03	-10.225	2131	29.80	+11.989	2181	30.56	1.266
2032	28.28	1.511	2082	29.04	-9.367	2132	29.82	-13.513	2182	30.57	0.375
2033	28.29	3.126	2083	29.06	-8.508	2133	29.83	-13.663	2183	30.60	-0.775
2034	28.30	3.618	2084	29.07	-7.893	2134	29.85	-14.267	2184	30.62	-1.046
2035	28.31	4.234	2085	29.10	-6.046	2135	29.87	-14.932	2185	30.64	-1.695
2036	28.32	4.846	2086	29.12	-4.811	2136	29.88	-15.570	2186	30.66	-1.712
2037	28.33	5.214	2087	29.13	-3.823	2137	29.89	-15.575	2187	30.68	-2.110
2038	28.34	5.451	2088	29.14	-3.211	2138	29.90	-15.340	2188	30.70	-2.497
2039	28.36	5.810	2089	29.15	-1.973	2139	29.92	-15.352	2189	30.71	-2.762
2040	28.38	6.665	2090	29.16	-1.733	2140	29.93	-14.744	2190	30.72	-2.770
2041	28.39	7.270	2091	29.18	-1.123	2141	29.95	-14.141	2191	30.74	-2.413
2042	28.41	7.631	2092	29.20	-0.019	2142	29.96	+13.523	2192	30.75	-2.170
2043	28.43	7.368	2093	29.21	0.847	2143	29.97	-12.283	2193	30.76	-1.308
2044	28.44	6.358	2094	29.22	3.082	2144	29.99	-10.600	2194	30.77	-0.940
2045	28.45	5.345	2095	29.24	4.944	2145	30.00	-8.940	2195	30.79	0.038
2046	28.46	4.633	2096	29.25	7.056	2146	30.01	-7.821	2196	30.80	-0.595
2047	28.48	3.819	2097	29.26	10.043	2147	30.02	-7.205	2197	30.81	+1.232
2048	28.49	3.556	2098	29.28	14.398	2148	30.03	-6.340	2198	30.82	-1.998
2049	28.51	3.157	2099	29.30	15.258	2149	30.04	-5.353	2199	30.85	-2.025
2050	28.55	3.995	2100	29.31	15.122	2150	30.06	-5.118	2200	30.87	-1.919

INDEX NO. 824 104-GR-40 SHINTONEGAWA BR. TR. MAX.ACCEL.= -32.069(GAL) T=15.41(SEC) NO.12

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2201	30.89	-1.689	2251	31.69	-2.722	2301	32.60	-3.747	2351	33.40	-0.919
2202	30.92	-1.093	2252	31.70	-2.730	2302	32.62	-3.640	2352	33.42	-1.558
2203	30.93	-1.105	2253	31.72	-1.876	2303	32.63	-3.020	2353	33.44	-2.454
2204	30.95	-1.123	2254	31.73	-1.633	2304	32.64	-2.785	2354	33.47	-3.858
2205	30.96	-0.986	2255	31.75	-1.655	2305	32.65	-2.541	2355	33.49	-4.876
2206	30.97	-0.893	2256	31.76	-1.290	2306	32.67	-1.566	2356	33.50	-5.517
2207	30.99	-1.416	2257	31.77	-1.050	2307	32.69	-1.563	2357	33.52	-6.164
2208	31.03	-3.704	2258	31.79	-1.318	2308	32.70	-1.845	2358	33.53	-5.922
2209	31.04	-4.589	2259	31.81	-1.336	2309	32.72	-1.612	2359	33.57	-5.584
2210	31.05	-4.343	2260	31.83	-2.255	2310	32.73	-1.872	2360	33.58	-5.347
2211	31.06	-4.606	2261	31.86	-3.641	2311	32.75	-2.515	2361	33.60	-5.364
2212	31.07	-4.610	2262	31.90	-4.550	2312	32.78	-3.170	2362	33.61	-4.998
2213	31.08	-4.621	2263	31.93	-6.083	2313	32.80	-3.812	2363	33.62	-5.097
2214	31.09	-4.756	2264	31.97	-8.001	2314	32.81	-3.580	2364	33.65	-4.705
2215	31.10	-4.389	2265	31.99	-8.018	2315	32.85	-3.245	2365	33.67	-3.567
2216	31.11	-4.153	2266	32.00	-8.653	2316	32.87	-2.761	2366	33.70	-2.551
2217	31.13	-3.171	2267	32.03	-10.053	2317	32.89	-1.535	2367	33.72	-1.916
2218	31.15	-2.313	2268	32.04	-9.818	2318	32.91	-0.923	2368	33.74	-1.282
2219	31.16	-1.079	2269	32.07	-8.849	2319	32.92	-0.310	2369	33.77	-0.015
2220	31.17	-1.966	2270	32.11	-8.387	2320	32.95	1.536	2370	33.79	0.872
2221	31.18	-2.226	2271	32.14	-7.669	2321	32.96	2.271	2371	33.81	2.133
2222	31.20	-2.621	2272	32.16	-7.436	2322	32.98	3.377	2372	33.82	2.764
2223	31.23	-2.646	2273	32.18	-7.201	2323	33.00	4.362	2373	33.83	4.020
2224	31.25	-2.292	2274	32.19	-6.586	2324	33.01	4.854	2374	33.85	6.030
2225	31.26	-2.677	2275	32.20	-6.226	2325	33.02	5.961	2375	33.87	7.292
2226	31.27	-2.437	2276	32.21	-5.983	2326	33.04	6.321	2376	33.90	8.934
2227	31.29	-2.080	2277	32.22	-4.994	2327	33.05	6.063	2377	33.92	10.192
2228	31.30	-2.089	2278	32.23	-4.752	2328	33.06	6.055	2378	33.94	11.455
2229	31.31	-1.849	2279	32.24	-3.142	2329	33.07	5.669	2379	33.96	11.714
2230	31.32	-1.234	2280	32.26	-1.159	2330	33.08	5.027	2380	33.98	12.355
2231	31.34	-0.252	2281	32.28	1.324	2331	33.10	4.764	2381	34.01	13.491
2232	31.35	0.608	2282	32.29	2.189	2332	33.11	4.378	2382	34.02	13.500
2233	31.38	1.204	2283	32.31	4.666	2333	33.12	3.737	2383	34.04	13.263
2234	31.39	1.949	2284	32.33	6.398	2334	33.13	3.102	2384	34.08	11.656
2235	31.41	2.805	2285	32.35	6.631	2335	33.14	2.466	2385	34.11	10.172
2236	31.43	3.653	2286	32.36	6.621	2336	33.15	2.461	2386	34.14	7.688
2237	31.46	4.004	2287	32.37	6.610	2337	33.16	2.197	2387	34.15	6.446
2238	31.49	4.228	2288	32.38	6.601	2338	33.18	2.165	2388	34.17	5.705
2239	31.50	4.218	2289	32.39	6.088	2339	33.19	2.419	2389	34.20	3.724
2240	31.51	4.200	2290	32.42	4.438	2340	33.21	2.152	2390	34.22	2.607
2241	31.53	3.683	2291	32.44	3.790	2341	33.22	3.011	2391	34.25	-0.249
2242	31.56	1.658	2292	32.45	2.278	2342	33.23	3.004	2392	34.28	-3.484
2243	31.57	1.693	2293	32.47	1.261	2343	33.24	3.367	2393	34.31	-7.467
2244	31.59	-0.503	2294	32.50	-0.017	2344	33.27	2.719	2394	34.33	-9.331
2245	31.61	-1.140	2295	32.51	-0.904	2345	33.30	2.565	2395	34.36	-11.940
2246	31.62	-1.780	2296	32.52	-1.914	2346	33.31	1.675	2396	34.39	-14.171
2247	31.64	-2.420	2297	32.54	-2.689	2347	33.33	1.658	2397	34.40	-14.417
2248	31.65	-3.311	2298	32.56	-2.954	2348	33.34	1.396	2398	34.41	-14.787
2249	31.66	-3.316	2299	32.58	-4.219	2349	33.36	0.746	2399	34.43	-14.777
2250	31.68	-3.086	2300	32.59	-4.234	2350	33.38	-0.897	2400	34.45	-14.766

INDEX NO. 824 104-GR-40 SHINTONEGAWA BR. TR. MAX.ACCEL.= -32.069(GAL) T=15.41(SEC) NO.13

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2401	34.46	-15.381	2451	35.54	1.586	2501	36.62	2.291	2551	37.94	10.118
2402	34.48	-15.997	2452	35.57	2.849	2502	36.65	1.432	2552	37.97	11.757
2403	34.49	-16.615	2453	35.58	4.107	2503	36.68	-1.053	2553	37.99	13.272
2404	34.50	-16.859	2454	35.59	5.364	2504	36.70	-3.042	2554	38.01	13.908
2405	34.52	-17.226	2455	35.62	6.130	2505	36.73	-5.028	2555	38.03	15.044
2406	34.56	-17.830	2456	35.64	7.139	2506	36.74	-6.523	2556	38.05	15.052
2407	34.58	-16.940	2457	35.65	8.022	2507	36.76	-8.011	2557	38.07	14.437
2408	34.60	-14.304	2458	35.67	8.280	2508	36.77	-9.003	2558	38.09	12.325
2409	34.63	-11.915	2459	35.69	8.668	2509	36.78	-9.998	2559	38.12	9.838
2410	34.65	-9.402	2460	35.74	7.819	2510	36.79	-9.992	2560	38.14	7.223
2411	34.67	-7.517	2461	35.76	7.456	2511	36.81	-9.981	2561	38.15	4.983
2412	34.69	-5.633	2462	35.78	7.463	2512	36.85	-7.213	2562	38.17	4.118
2413	34.70	-4.378	2463	35.79	7.470	2513	36.93	-4.421	2563	38.20	2.257
2414	34.72	-1.989	2464	35.81	7.480	2514	36.97	-2.773	2564	38.23	0.307
2415	34.74	-0.103	2465	35.82	6.614	2515	37.00	-0.759	2565	38.25	-2.213
2416	34.76	2.409	2466	35.84	5.626	2516	37.01	0.499	2566	38.27	-4.454
2417	34.78	4.294	2467	35.87	4.391	2517	37.04	2.012	2567	38.29	-6.571
2418	34.79	5.924	2468	35.89	3.152	2518	37.05	2.646	2568	38.30	-8.187
2419	34.80	7.806	2469	35.91	2.536	2519	37.08	2.785	2569	38.32	-9.177
2420	34.81	9.436	2470	35.92	1.670	2520	37.12	3.304	2570	38.33	-10.172
2421	34.82	11.318	2471	35.94	0.920	2521	37.13	3.313	2571	38.35	-10.162
2422	34.84	12.826	2472	35.95	0.434	2522	37.16	3.325	2572	38.38	-10.394
2423	34.85	13.582	2473	35.97	0.447	2523	37.17	3.706	2573	38.41	-9.880
2424	34.88	14.846	2474	35.99	0.705	2524	37.19	3.969	2574	38.43	-9.866
2425	34.89	16.480	2475	36.00	0.712	2525	37.21	4.980	2575	38.45	-10.198
2426	34.90	17.110	2476	36.03	0.350	2526	37.22	5.609	2576	38.47	-10.072
2427	34.91	17.741	2477	36.05	-0.510	2527	37.24	6.618	2577	38.48	-10.965
2428	34.94	17.758	2478	36.08	-1.871	2528	37.26	6.132	2578	38.50	-10.705
2429	34.95	16.889	2479	36.09	-1.865	2529	37.28	5.142	2579	38.51	-10.449
2430	34.99	15.032	2480	36.11	-2.729	2530	37.31	3.280	2580	38.53	-9.439
2431	35.03	10.307	2481	36.15	-2.711	2531	37.35	-0.447	2581	38.56	-8.550
2432	35.06	6.949	2482	36.19	-0.560	2532	37.39	-3.676	2582	38.60	-5.029
2433	35.10	3.716	2483	36.24	1.587	2533	37.40	-4.296	2583	38.61	-2.895
2434	35.16	-1.000	2484	36.27	2.857	2534	37.42	-4.911	2584	38.64	-1.006
2435	35.20	-4.479	2485	36.28	4.112	2535	37.45	-6.786	2585	38.68	2.265
2436	35.22	-6.089	2486	36.30	5.370	2536	37.50	-8.617	2586	38.70	4.153
2437	35.25	-7.323	2487	36.31	7.127	2537	37.53	-10.849	2587	38.72	6.038
2438	35.29	-9.177	2488	36.33	7.385	2538	37.55	-11.463	2588	38.74	7.422
2439	35.30	-9.424	2489	36.34	7.769	2539	37.58	-11.826	2589	38.75	8.428
2440	35.31	-10.165	2490	36.37	8.031	2540	37.61	-13.056	2590	38.76	9.060
2441	35.33	-10.531	2491	36.39	7.545	2541	37.64	-12.415	2591	38.79	9.022
2442	35.35	-10.521	2492	36.41	6.939	2542	37.67	-12.649	2592	38.80	8.458
2443	35.36	-10.512	2493	36.43	5.939	2543	37.68	-12.393	2593	38.83	7.844
2444	35.39	-10.249	2494	36.44	4.698	2544	37.71	-11.132	2594	38.85	6.606
2445	35.40	-8.994	2495	36.47	3.210	2545	37.72	-10.251	2595	38.87	5.743
2446	35.41	-7.988	2496	36.48	2.841	2546	37.75	-8.609	2596	38.88	5.125
2447	35.43	-5.851	2497	36.50	2.851	2547	37.77	-6.474	2597	38.90	4.781
2448	35.45	-4.591	2498	36.54	2.875	2548	37.80	-5.330	2598	38.93	4.722
2449	35.47	-2.704	2499	36.57	2.800	2549	37.84	-3.438	2599	38.94	4.780
2450	35.51	-0.053	2500	36.60	2.908	2550	37.88	-1.713	2600	38.95	5.037

土木構造物における加速度強震記録（No. 9）

INDEX NO. 824 104-GR-40 SHINTONEGAWA GR. TR. MAX.ACCEL.= -32.069(GAL) T=15.41(SEC) NO.14

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2601	39.97	4.794	2651	40.08	0.931	2701	41.30	-6.688	2751	42.28	2.362
2602	39.98	4.553	2652	40.07	1.159	2702	41.31	-0.965	2752	42.30	2.339
2603	39.02	3.324	2653	40.10	0.916	2703	41.34	-8.718	2753	42.31	2.334
2604	39.06	1.408	2654	40.12	0.923	2704	41.36	-8.992	2754	42.33	2.937
2605	39.10	-0.010	2655	40.13	0.881	2705	41.39	-9.010	2755	42.34	3.552
2606	39.13	-1.118	2656	40.16	-0.557	2706	41.39	-8.342	2756	42.36	3.912
2607	39.16	-2.101	2657	40.17	-1.175	2707	41.40	-6.992	2757	42.37	4.144
2608	39.18	-2.963	2658	40.19	-2.413	2708	41.42	-5.920	2758	42.39	4.124
2609	39.21	-4.195	2659	40.20	-3.407	2709	41.47	-3.596	2759	42.42	3.852
2610	39.25	-4.177	2660	40.22	-4.021	2710	41.53	0.473	2760	42.44	2.827
2611	39.26	-4.168	2661	40.25	-4.632	2711	41.55	1.699	2761	42.46	1.555
2612	39.28	-3.658	2662	40.27	-4.372	2712	41.57	2.927	2762	42.48	1.534
2613	39.30	-2.398	2663	40.29	-3.357	2713	41.59	3.787	2763	42.50	0.896
2614	39.32	-1.138	2664	40.31	-3.099	2714	41.61	5.519	2764	42.52	0.620
2615	39.33	1.120	2665	40.33	-2.714	2715	41.63	6.494	2765	42.54	0.855
2616	39.34	1.125	2666	40.34	-2.705	2716	41.64	6.109	2766	42.55	0.597
2617	39.36	1.757	2667	40.37	-2.687	2717	41.66	5.841	2767	42.56	0.211
2618	39.38	1.772	2668	40.40	-2.422	2718	41.68	5.198	2768	42.57	-0.421
2619	39.40	1.158	2669	40.43	-1.409	2719	41.69	5.187	2769	42.60	-1.083
2620	39.42	0.293	2670	40.45	-1.149	2720	41.71	3.798	2770	42.64	-2.496
2621	39.44	-0.322	2671	40.46	-0.514	2721	41.72	3.535	2771	42.67	-4.646
2622	39.46	-0.936	2672	40.49	0.748	2722	41.73	3.276	2772	42.69	-5.291
2623	39.48	-0.924	2673	40.51	1.761	2723	41.78	3.104	2773	42.70	-5.679
2624	39.54	-0.896	2674	40.54	2.654	2724	41.79	2.840	2774	42.72	-6.328
2625	39.57	-0.999	2675	40.57	3.445	2725	41.84	3.669	2775	42.73	-6.337
2626	39.60	-0.360	2676	40.59	3.306	2726	41.86	4.025	2776	42.76	-6.366
2627	39.63	-0.845	2677	40.61	4.314	2727	41.88	4.626	2777	42.77	-6.623
2628	39.65	-0.834	2678	40.62	5.199	2728	41.90	4.608	2778	42.79	-6.143
2629	39.67	-1.444	2679	40.65	5.839	2729	41.91	4.848	2779	42.81	-5.791
2630	39.71	-1.172	2680	40.69	6.853	2730	41.93	5.461	2780	42.83	-5.184
2631	39.75	0.098	2681	40.71	6.122	2731	41.95	6.066	2781	42.87	-4.592
2632	39.77	0.358	2682	40.74	6.514	2732	41.96	6.676	2782	42.89	-4.239
2633	39.79	0.992	2683	40.77	9.155	2733	41.98	7.655	2783	42.90	-3.630
2634	39.81	1.130	2684	40.80	9.567	2734	41.99	6.773	2784	42.91	-3.138
2635	39.83	1.389	2685	40.83	9.808	2735	42.01	5.758	2785	42.93	-1.534
2636	39.84	0.524	2686	40.85	9.322	2736	42.02	4.873	2786	42.95	0.321
2637	39.86	0.530	2687	40.89	7.092	2737	42.04	3.221	2787	42.97	3.175
2638	39.87	1.038	2688	40.91	5.604	2738	42.07	1.321	2788	43.00	4.778
2639	39.88	1.671	2689	40.93	2.493	2739	42.09	0.300	2789	43.01	5.013
2640	39.90	2.680	2690	40.97	0.760	2740	42.10	-0.590	2790	43.02	5.005
2641	39.91	3.311	2691	40.99	-0.101	2741	42.12	0.023	2791	43.04	4.988
2642	39.93	3.321	2692	41.02	-1.713	2742	42.13	0.635	2792	43.07	4.960
2643	39.94	3.575	2693	41.03	-2.579	2743	42.15	0.990	2793	43.08	5.070
2644	39.95	3.958	2694	41.06	-3.815	2744	42.17	1.849	2794	43.10	4.673
2645	39.98	3.346	2695	41.08	-4.177	2745	42.18	2.087	2795	43.13	5.025
2646	39.99	3.102	2696	41.13	-5.027	2746	42.19	2.447	2796	43.15	5.005
2647	40.01	1.662	2697	41.16	-4.763	2747	42.21	2.435	2797	43.16	4.863
2648	40.02	1.246	2698	41.19	-4.121	2748	42.23	2.661	2798	43.19	6.085
2649	40.04	1.255	2699	41.23	-4.725	2749	42.26	2.395	2799	43.20	6.080
2650	40.06	0.894	2700	41.26	-5.705	2750	42.27	2.370	2800	43.21	5.815

INDEX NO. 824 104-GR-40 SHINTONEGAWA GR. TR. MAX.ACCEL.= -32.069(GAL) T=15.41(SEC) NO.15

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2801	43.25	4.524	2851	44.26	1.022	2901	45.09	3.078	2951	46.15	-3.596
2802	43.28	3.877	2852	44.29	1.625	2902	45.10	3.311	2952	46.18	-4.624
2803	43.30	2.982	2853	44.30	2.238	2903	45.12	3.291	2953	46.19	-4.637
2804	43.33	2.328	2854	44.31	2.481	2904	45.13	3.281	2954	46.24	-4.437
2805	43.34	2.938	2855	44.32	3.089	2905	45.17	3.867	2955	46.27	-4.719
2806	43.36	1.915	2856	44.34	3.447	2906	45.20	3.846	2956	46.31	-3.507
2807	43.38	1.652	2857	44.35	3.696	2907	45.21	3.828	2957	46.35	-2.048
2808	43.40	0.628	2858	44.36	3.682	2908	45.22	3.195	2958	46.36	-1.433
2809	43.42	-0.642	2859	44.37	3.668	2909	45.24	3.175	2959	46.37	-0.817
2810	43.45	-1.544	2860	44.39	3.658	2910	45.25	2.915	2960	46.38	-0.202
2811	43.47	-3.938	2861	44.40	3.640	2911	45.27	2.526	2961	46.44	2.615
2812	43.50	-3.973	2862	44.42	3.117	2912	45.28	3.392	2962	46.50	4.435
2813	43.53	-4.871	2863	44.43	2.737	2913	45.30	2.488	2963	46.54	5.644
2814	43.55	-4.270	2864	44.45	2.481	2914	45.32	2.724	2964	46.59	6.220
2815	43.62	-5.590	2865	44.46	2.075	2915	45.34	2.203	2965	46.64	6.800
2816	43.65	-5.613	2866	44.48	1.430	2916	45.37	1.178	2966	46.66	6.646
2817	43.66	-5.131	2867	44.51	1.406	2917	45.41	-0.993	2967	46.69	7.119
2818	43.69	-4.531	2868	44.54	1.999	2918	45.43	-2.265	2968	46.71	7.097
2819	43.70	-4.171	2869	44.55	1.985	2919	45.45	-3.651	2969	46.74	5.574
2820	43.72	-3.313	2870	44.56	2.602	2920	45.47	-4.177	2970	46.78	2.700
2821	43.73	-3.198	2871	44.58	2.581	2921	45.48	-4.560	2971	46.84	-0.648
2822	43.75	-3.218	2872	44.59	2.324	2922	45.49	-4.567	2972	46.90	-3.713
2823	43.77	-3.863	2873	44.61	1.554	2923	45.51	-4.587	2973	46.98	-6.919
2824	43.80	-4.268	2874	44.63	1.037	2924	45.53	-4.606	2974	47.03	-7.964
2825	43.81	-4.231	2875	44.65	1.509	2925	45.55	-3.757	2975	47.04	-9.104
2826	43.82	-4.535	2876	44.67	1.247	2926	45.57	-3.020	2976	47.06	-9.119
2827	43.83	-4.548	2877	44.68	1.862	2927	45.58	-3.038	2977	47.09	-8.774
2828	43.85	-4.316	2878	44.70	3.086	2928	45.60	-4.056	2978	47.10	-8.161
2829	43.86	-3.701	2879	44.72	4.566	2929	45.61	-4.061	2979	47.12	-8.179
2830	43.88	-3.725	2880	44.73	4.559	2930	45.62	-4.702	2980	47.14	-7.201
2831	43.90	-2.862	2881	44.74	4.926	2931	45.64	-4.965	2981	47.18	-5.984
2832	43.92	-2.757	2882	44.75	5.541	2932	45.65	-4.975	2982	47.20	-5.507
2833	43.94	-1.903	2883	44.76	5.532	2933	45.67	-4.746	2983	47.22	-4.777
2834	43.97	-0.687	2884	44.78	5.866	2934	45.68	-4.131	2984	47.23	-5.161
2835	43.99	-0.079	2885	44.79	4.871	2935	45.69	-4.140	2985	47.25	-5.058
2836	44.00	-0.093	2886	44.82	6.096	2936	45.70	-2.903	2986	47.27	-3.829
2837	44.03	-0.122	2887	44.85	5.191	2937	45.71	-1.666	2987	47.32	-2.375
2838	44.05	1.116	2888	44.86	5.429	2938	45.75	-0.698	2988	47.36	-1.787
2839	44.06	1.601	2889	44.87	5.790	2939	45.78	0.768	2989	47.38	-0.437
2840	44.08	2.457	2890	44.88	6.655	2940	45.79	0.756	2990	47.41	-0.212
2841	44.10	3.058	2891	44.89	6.645	2941	45.82	0.982	2991	47.44	0.384
2842	44.12	2.793	2892	44.91	6.881	2942	45.84	1.958	2992	47.47	0.983
2843	44.14	2.772	2893	44.92	7.246	2943	45.87	2.807	2993	47.49	0.710
2844	44.15	2.765	2894	44.93	7.481	2944	45.89	3.407	2994	47.53	0.673
2845	44.18	1.736	2895	44.95	6.585	2945	45.91	4.016	2995	47.55	0.898
2846	44.20	1.085	2896	44.98	5.685	2946	45.93	3.497	2996	47.58	0.869
2847	44.21	0.822	2897	45.00	4.659	2947	45.95	2.474	2997	47.59	0.607
2848	44.23	0.803	2898	45.03	4.008	2948	45.98	1.820	2998	47.60	0.598
2849	44.24	0.798	2899	45.05	3.744	2949	46.06	-0.754	2999	47.61	0.217
2850	44.25	1.033	2900	45.07	3.719	2950	46.12	-2.317	3000	47.62	0.210

INDEX NO. 824 104-GR-40 SHINTONEGAWA BR. TR. MAX.ACCEL.= -32.069(GAL) T=15.41(SEC) NO.16

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3001	47.64	0.189	3051	49.05	-3.696	3101	50.24	-0.240	3151	51.38	2.267
3002	47.67	0.405	3052	49.07	-3.719	3102	50.26	0.121	3152	51.42	3.485
3003	47.68	0.779	3053	49.10	-2.493	3103	50.27	0.106	3153	51.43	4.094
3004	47.71	0.744	3054	49.17	-1.311	3104	50.29	0.086	3154	51.46	4.709
3005	47.74	0.965	3055	49.19	-1.331	3105	50.32	0.065	3155	51.45	4.452
3006	47.77	1.557	3056	49.22	-1.609	3106	50.35	-0.214	3156	51.47	5.053
3007	47.79	1.917	3057	49.26	-1.154	3107	50.36	-0.602	3157	51.51	5.520
3008	47.81	1.647	3058	49.30	-1.195	3108	50.37	-0.857	3158	51.52	5.377
3009	47.83	0.999	3059	49.32	-0.840	3109	50.40	-1.644	3159	51.55	5.850
3010	47.87	0.334	3060	49.35	-0.612	3110	50.42	-1.284	3160	51.59	5.189
3011	47.90	-0.072	3061	49.37	-0.007	3111	50.44	-0.678	3161	51.60	4.548
3012	47.93	-0.346	3062	49.38	0.610	3112	50.46	-0.455	3162	51.62	3.908
3013	47.94	-0.735	3063	49.40	1.964	3113	50.50	1.135	3163	51.65	3.497
3014	47.95	-0.689	3064	49.41	2.200	3114	50.53	1.985	3164	51.68	4.470
3015	47.96	0.123	3065	49.42	3.065	3115	50.54	2.719	3165	51.70	4.450
3016	46.01	0.705	3066	49.44	4.168	3116	50.56	3.332	3166	51.74	4.164
3017	48.04	1.293	3067	49.45	4.783	3117	50.58	4.307	3167	51.77	2.882
3018	48.07	2.015	3068	49.46	5.398	3118	50.60	5.535	3168	51.78	2.496
3019	48.08	2.503	3069	49.48	4.504	3119	50.62	5.522	3169	51.80	2.853
3020	48.11	1.981	3070	49.53	3.709	3120	50.64	4.875	3170	51.82	2.204
3021	48.18	2.408	3071	49.57	3.423	3121	50.68	4.834	3171	51.84	1.184
3022	48.19	2.146	3072	49.60	3.393	3122	50.71	4.557	3172	51.86	0.914
3023	48.21	2.379	3073	49.63	3.114	3123	50.75	4.520	3173	51.87	0.154
3024	48.23	2.736	3074	49.65	2.090	3124	50.79	3.727	3174	51.89	-0.365
3025	48.25	2.968	3075	49.69	1.424	3125	50.81	3.706	3175	51.91	-1.006
3026	48.27	3.567	3076	49.72	0.150	3126	50.85	2.795	3176	51.92	-0.764
3027	48.30	3.671	3077	49.76	-1.388	3127	50.88	2.512	3177	51.94	-0.785
3028	48.32	5.267	3078	49.77	-1.152	3128	50.91	2.489	3178	51.96	-0.432
3029	48.34	5.250	3079	49.80	-0.931	3129	50.92	2.976	3179	51.98	-0.206
3030	48.36	5.228	3080	49.82	-0.953	3130	50.94	2.957	3180	52.00	0.024
3031	48.39	4.952	3081	49.84	-0.976	3131	50.97	1.053	3181	52.02	-0.244
3032	45.41	4.934	3082	49.87	-0.871	3132	51.01	0.139	3182	52.03	-0.257
3033	48.43	4.915	3083	49.88	-1.261	3133	51.07	-2.671	3183	52.05	-0.526
3034	48.47	4.252	3084	49.90	-1.906	3134	51.11	-3.956	3184	52.07	-1.546
3035	48.48	3.862	3085	49.94	-3.939	3135	51.13	-5.110	3185	52.09	-1.809
3036	48.50	3.599	3086	49.95	-3.956	3136	51.17	-5.394	3186	52.10	-2.197
3037	48.52	3.572	3087	49.98	-4.611	3137	51.18	-5.409	3187	52.11	-2.458
3038	48.54	3.177	3088	50.02	-4.643	3138	51.20	-5.174	3188	52.13	-2.476
3039	48.56	2.907	3089	50.05	-4.675	3139	51.22	-5.191	3189	52.16	-2.134
3040	48.59	1.629	3090	50.07	-4.697	3140	51.23	-5.204	3190	52.22	-1.812
3041	48.67	0.302	3091	50.09	-4.961	3141	51.24	-4.594	3191	52.25	-1.847
3042	48.70	-0.475	3092	50.10	-4.978	3142	51.26	-3.984	3192	52.29	-1.634
3043	48.76	-1.158	3093	50.12	-5.367	3143	51.27	-3.367	3193	52.32	-1.039
3044	48.81	-1.458	3094	50.13	-6.257	3144	51.28	-1.885	3194	52.34	-0.432
3045	48.82	-1.470	3095	50.14	-5.635	3145	51.31	-0.286	3195	52.35	-0.442
3046	48.84	-1.491	3096	50.15	-4.770	3146	51.32	-0.046	3196	52.37	-0.462
3047	48.89	-2.165	3097	50.16	-3.911	3147	51.33	0.318	3197	52.39	-0.109
3048	48.92	-2.944	3098	50.18	-3.552	3148	51.35	0.555	3198	52.41	0.490
3049	48.95	-3.223	3099	50.21	-2.329	3149	51.36	0.915	3199	52.47	1.440
3050	49.00	-3.644	3100	50.23	-1.476	3150	51.37	1.153	3200	52.49	2.416

INDEX NO. 824 104-GR-40 SHINTONEGAWA BR. TR. MAX.ACCEL.= -32.069(GAL) T=15.41(SEC) NO.17

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3201	52.51	3.273	3251	53.76	-1.282	3301	54.94	4.104	3351	56.16	2.662
3202	52.52	3.883	3252	53.77	-1.718	3302	54.96	3.715	3352	56.18	2.389
3203	52.54	3.870	3253	53.80	-1.998	3303	54.98	3.438	3353	56.22	1.355
3204	52.55	3.855	3254	53.85	-1.423	3304	54.99	3.311	3354	56.26	1.314
3205	52.59	3.317	3255	53.88	-1.203	3305	55.01	3.661	3355	56.29	1.282
3206	52.61	3.295	3256	53.92	0.006	3306	55.04	3.005	3356	56.31	1.514
3207	52.64	2.891	3257	53.94	-0.016	3307	55.06	2.984	3357	56.36	2.463
3208	52.66	2.867	3258	53.98	0.572	3308	55.07	2.351	3358	56.40	2.673
3209	52.69	2.590	3259	54.01	0.669	3309	55.12	0.176	3359	56.43	3.400
3210	52.73	1.932	3260	54.03	0.644	3310	55.18	-3.126	3360	56.44	3.010
3211	52.74	2.170	3261	54.06	0.871	3311	55.23	-7.178	3361	56.46	3.241
3212	52.75	1.912	3262	54.07	1.104	3312	55.26	-7.831	3362	56.49	3.216
3213	52.78	0.877	3263	54.09	1.084	3313	55.30	-9.498	3363	56.52	3.557
3214	52.80	-0.393	3264	54.12	0.808	3314	55.33	-10.149	3364	56.54	3.543
3215	52.84	-1.303	3265	54.15	0.149	3315	55.36	-10.556	3365	56.55	2.901
3216	52.85	-2.568	3266	54.22	-0.791	3316	55.41	-11.226	3366	56.57	2.638
3217	52.88	-3.845	3267	54.25	-1.452	3317	55.43	-10.996	3367	56.59	2.235
3218	52.89	-4.230	3268	54.27	-1.217	3318	55.44	-10.637	3368	56.62	1.586
3219	52.90	-3.612	3269	54.31	-0.632	3319	55.46	-10.024	3369	56.64	1.561
3220	52.91	-4.255	3270	54.33	-0.652	3320	55.47	-9.791	3370	56.67	0.910
3221	52.94	-3.032	3271	54.35	-0.923	3321	55.49	-9.186	3371	56.69	0.018
3222	52.96	-2.804	3272	54.37	-1.322	3322	55.53	-7.596	3372	56.73	-1.020
3223	52.99	-2.460	3273	54.39	-1.342	3323	55.56	-6.752	3373	56.74	-1.662
3224	53.01	-2.230	3274	54.41	-2.237	3324	55.57	-6.135	3374	56.76	-2.051
3225	53.04	-2.259	3275	54.42	-1.370	3325	55.59	-5.150	3375	56.79	-2.703
3226	53.06	-2.279	3276	54.44	-1.392	3326	55.60	-4.290	3376	56.80	-3.094
3227	53.09	-2.300	3277	54.46	-1.162	3327	55.61	-3.424	3377	56.84	-3.135
3228	53.11	-2.324	3278	54.47	-1.174	3328	55.63	-2.315	3378	56.86	-2.903
3229	53.13	-2.339	3279	54.49	0.632	3329	55.65	-0.087	3379	56.91	-2.328
3230	53.15	-1.364	3280	54.52	1.283	3330	55.67	2.390	3380	56.94	0.145
3231	53.18	-1.389	3201	54.54	2.261	3331	55.68	2.628	3381	56.96	-0.125
3232	53.22	-1.430	3282	54.56	0.992	3332	55.71	3.605	3382	56.99	-0.155
3233	53.24	-1.699	3283	54.57	0.607	3333	55.73	4.458	3383	57.01	1.072
3234	53.25	-2.084	3284	54.58	0.341	3334	55.75	4.815	3384	57.04	1.925
3235	53.26	-2.191	3285	54.61	0.316	3335	55.79	5.030	3385	57.06	2.526
3236	53.28	-1.489	3286	54.62	0.300	3336	55.81	5.008	3386	57.08	3.505
3237	53.30	-0.889	3287	54.64	0.533	3337	55.83	4.739	3387	57.10	3.861
3238	53.32	-0.031	3288	54.66	1.264	3338	55.85	4.719	3388	57.12	3.846
3239	53.36	0.308	3289	54.68	2.365	3339	55.86	4.953	3389	57.15	3.695
3240	53.39	-0.099	3290	54.70	2.347	3340	55.88	5.559	3390	57.19	3.781
3241	53.43	-0.390	3291	54.71	2.335	3341	55.89	6.049	3391	57.21	3.505
3242	53.44	-0.397	3292	54.75	2.302	3342	55.91	6.034	3392	57.24	3.479
3243	53.46	-0.416	3293	54.77	2.282	3343	55.93	6.259	3393	57.27	3.199
3244	53.48	-0.440	3294	54.81	2.614	3344	55.94	6.250	3394	57.31	2.531
3245	53.51	0.768	3295	54.83	3.223	3345	55.97	6.222	3395	57.36	1.859
3246	53.53	1.390	3296	54.84	3.211	3346	56.00	5.697	3396	57.39	1.834
3247	53.55	1.123	3297	54.86	4.066	3347	56.03	5.685	3397	57.43	1.040
3248	53.57	0.720	3298	54.88	4.667	3348	56.07	5.254	3398	57.46	1.016
3249	53.62	-0.570	3299	54.89	4.660	3349	56.11	4.592	3399	57.50	-0.150
3250	53.65	-1.227	3300	54.91	5.010	3350	56.13	3.942	3400	57.53	-0.799

土木構造物における加速度強震記録（No.9）

INDEX NO. 824 104-GR-40 SHINTONEGAWA BR. TR. MAX.ACCEL.= -32.069(GAL) T=15.41(SEC) NO.18

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3401	57.59	-2.109	3451	59.32	-6.456	3501	60.91	4.485	3551	62.53	-4.873
3402	57.65	-2.415	3452	59.34	-7.476	3502	60.95	4.200	3552	62.57	-6.284
3403	57.69	-2.333	3453	59.38	-9.014	3503	60.99	4.160	3553	62.62	-2.839
3404	57.71	-2.730	3454	59.39	-8.776	3504	61.03	3.747	3554	62.66	-0.629
3405	57.74	-3.382	3455	59.41	-9.669	3505	61.05	4.092	3555	62.68	-0.024
3406	57.75	-2.772	3456	59.42	-9.680	3506	61.09	3.186	3556	62.70	0.206
3407	57.79	-0.680	3457	59.44	-9.695	3507	61.13	2.772	3557	62.72	0.818
3408	57.81	0.299	3458	59.48	-9.236	3508	61.17	1.484	3558	62.73	1.420
3409	57.82	0.290	3459	59.51	-8.264	3509	61.19	1.207	3559	62.74	1.797
3410	57.84	0.018	3460	59.52	-8.271	3510	61.21	1.190	3560	62.75	2.158
3411	57.87	-0.636	3461	59.54	-7.669	3511	61.24	1.659	3561	62.77	1.763
3412	57.89	-0.657	3462	59.57	-6.821	3512	61.28	1.622	3562	62.79	1.748
3413	57.96	-1.973	3463	59.58	-6.210	3513	61.31	1.589	3563	62.82	1.721
3414	57.98	-1.995	3464	59.60	-5.849	3514	61.35	1.676	3564	62.85	1.691
3415	57.99	-2.005	3465	59.62	-4.867	3515	61.39	0.888	3565	62.87	0.415
3416	58.02	-2.033	3466	59.63	-4.631	3516	61.45	0.581	3566	62.89	0.768
3417	58.04	-1.797	3467	59.66	-4.037	3517	61.49	-0.091	3567	62.91	1.006
3418	58.06	-0.949	3468	59.74	-1.365	3518	61.54	-0.384	3568	62.95	0.960
3419	58.13	0.357	3469	59.84	3.040	3519	61.57	-1.414	3569	62.97	1.315
3420	58.21	0.779	3470	59.86	3.645	3520	61.58	-1.175	3570	62.99	1.292
3421	58.26	1.356	3471	59.88	4.628	3521	61.61	0.043	3571	63.02	1.515
3422	58.27	1.721	3472	59.90	4.854	3522	61.63	1.020	3572	63.03	1.878
3423	58.28	1.462	3473	59.92	5.218	3523	61.67	1.861	3573	63.07	1.092
3424	58.32	0.793	3474	59.94	6.193	3524	61.69	2.463	3574	63.10	0.184
3425	58.36	-1.498	3475	59.95	6.183	3525	61.73	3.428	3575	63.13	-0.089
3426	58.49	-5.378	3476	59.97	6.164	3526	61.75	3.653	3576	63.21	-1.170
3427	58.53	-6.300	3477	59.99	6.397	3527	61.77	4.008	3577	63.27	-2.483
3428	58.56	-6.447	3478	60.00	6.385	3528	61.78	4.000	3578	63.30	-2.518
3429	58.58	-6.472	3479	60.01	6.125	3529	61.80	3.983	3579	63.34	-2.555
3430	58.61	-5.878	3480	60.04	5.099	3530	61.82	4.208	3580	63.38	-2.569
3431	58.63	-5.774	3481	60.05	4.457	3531	61.87	4.535	3581	63.40	-2.361
3432	58.66	-5.174	3482	60.07	4.193	3532	61.92	5.363	3582	63.42	-1.385
3433	58.72	-3.737	3483	60.08	3.553	3533	61.95	5.705	3583	63.45	-0.789
3434	58.74	-3.129	3484	60.10	3.164	3534	61.99	5.417	3584	63.50	-0.584
3435	58.77	-1.286	3485	60.17	1.591	3535	62.02	5.008	3585	63.58	-0.666
3436	58.81	0.800	3486	60.22	-0.708	3536	62.04	4.738	3586	63.62	-0.960
3437	58.85	4.132	3487	60.27	-2.628	3537	62.08	4.074	3587	63.67	-1.684
3438	58.86	4.998	3488	60.32	-3.928	3538	62.09	3.314	3588	63.69	-1.904
3439	58.87	4.985	3489	60.36	-4.591	3539	62.13	2.402	3589	63.73	-1.064
3440	58.89	5.844	3490	60.41	-4.896	3540	62.16	1.503	3590	63.75	-0.463
3441	58.90	6.832	3491	60.43	-5.167	3541	62.18	0.474	3591	63.77	-0.237
3442	58.91	7.072	3492	60.48	-4.209	3542	62.23	-2.695	3592	63.79	-0.249
3443	58.92	7.432	3493	60.52	-3.373	3543	62.28	-4.247	3593	63.83	-0.290
3444	58.94	7.420	3494	60.57	-2.422	3544	62.32	-5.034	3594	63.86	-0.571
3445	58.96	8.022	3495	60.60	-2.202	3545	62.37	-6.216	3595	63.90	-0.365
3446	59.01	5.850	3496	60.63	-1.857	3546	62.41	-6.875	3596	63.93	-0.394
3447	59.06	4.551	3497	60.70	-0.677	3547	62.44	-6.903	3597	63.96	-0.422
3448	59.18	-0.570	3498	60.79	1.485	3548	62.46	-6.673	3598	64.00	-0.467
3449	59.27	-4.027	3499	60.86	2.667	3549	62.47	-6.686	3599	64.03	-0.120
3450	59.31	-5.820	3500	60.88	3.265	3550	62.48	-6.696	3600	64.05	0.107

INDEX NO. 824 104-GR-40 SHINTONEGAWA BR. TR. MAX.ACCEL.= -32.069(GAL) T=15.41(SEC) NO.19

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3601	64.08	0.212	3651	65.56	1.482
3602	64.10	1.308	3652	65.59	1.704
3603	64.13	1.907	3653	65.64	1.161
3604	64.17	3.115	3654	65.68	0.491
3605	64.21	3.699	3655	65.71	-0.540
3606	64.25	4.289	3656	65.74	-1.814
3607	64.28	4.887	3657	65.75	-2.079
3608	64.30	5.612	3658	65.76	-1.590
3609	64.32	5.967	3659	65.79	-1.864
3610	64.33	5.954	3660	65.82	-1.896
3611	64.36	5.555	3661	65.84	-1.295
3612	64.37	5.543	3662	65.86	-1.061
3613	64.40	5.264	3663	65.88	-1.081
3614	64.43	4.608	3664	65.90	-0.730
3615	64.48	3.687	3665	65.93	-1.509
3616	64.52	3.021	3666	65.96	-0.540
3617	64.55	2.364	3667	65.98	0.070
3618	64.58	1.331	3668	65.99	1.936
3619	64.62	0.674			
3620	64.64	0.653			
3621	64.65	0.301			
3622	64.67	0.372			
3623	64.72	-0.054			
3624	64.77	-0.354			
3625	64.78	-0.742			
3626	64.81	-1.019			
3627	64.85	-1.432			
3628	64.88	-1.213			
3629	64.92	-0.877			
3630	64.96	-0.665			
3631	64.98	-0.689			
3632	65.00	-0.954			
3633	65.02	-0.975			
3634	65.05	-1.627			
3635	65.07	-1.905			
3636	65.08	-1.790			
3637	65.11	-1.818			
3638	65.14	-1.843			
3639	65.16	-1.863			
3640	65.18	-1.885			
3641	65.20	-1.658			
3642	65.23	-1.308			
3643	65.25	-0.708			
3644	65.29	-0.123			
3645	65.32	0.471			
3646	65.37	1.305			
3647	65.40	1.645			
3648	65.42	1.872			
3649	65.46	2.206			
3650	65.53	2.144			

Table IX D-51 Digitized Accelerations of Earthquake Record with Index Number 825

INDEX NO. 825 104-GR-40 SHINTONEGAWA BR. U-D MAX.ACCEL.= -7.497(GAL) T=18.60(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.0	-0.024	51	0.72	-0.740	101	1.40	1.476	151	2.18	-0.205
2	0.01	-0.167	52	0.73	0.496	102	1.41	1.213	152	2.19	-0.847
3	0.03	-0.44	53	0.74	0.737	103	1.44	-1.081	153	2.21	-1.497
4	0.04	-0.45	54	0.75	0.722	104	1.45	-1.719	154	2.25	1.199
5	0.05	-0.214	55	0.76	0.295	105	1.47	-2.369	155	2.29	0.032
6	0.07	-0.124	56	0.77	-0.440	106	1.48	-2.632	156	2.31	-0.383
7	0.08	-0.133	57	0.79	-1.456	107	1.49	-2.645	157	2.35	-1.677
8	0.09	-0.144	58	0.80	-2.345	108	1.50	-2.166	158	2.36	-2.576
9	0.10	-0.539	59	0.82	-2.377	109	1.52	-1.571	159	2.39	-2.362
10	0.12	-0.563	60	0.84	-2.397	110	1.53	-0.335	160	2.42	-1.770
11	0.13	-0.574	61	0.86	-1.799	111	1.54	0.283	161	2.43	-1.543
12	0.14	-0.590	62	0.87	-1.564	112	1.55	0.695	162	2.45	-1.185
13	0.15	-0.601	63	0.88	-2.455	113	1.56	1.259	163	2.47	-1.213
14	0.16	-0.614	64	0.90	-2.229	114	1.57	0.905	164	2.50	-1.510
15	0.17	-0.624	65	0.92	-2.256	115	1.58	0.349	165	2.54	-1.315
16	0.18	-1.270	66	0.93	-1.651	116	1.61	-1.309	166	2.56	-0.095
17	0.20	-2.169	67	0.94	-1.669	117	1.62	-1.323	167	2.57	0.144
18	0.21	-2.558	68	0.95	-0.807	118	1.63	-1.332	168	2.58	-0.371
19	0.22	-2.321	69	0.96	-0.446	119	1.64	-1.097	169	2.60	-1.016
20	0.26	-0.749	70	0.98	-0.463	120	1.65	-0.121	170	2.61	-0.154
21	0.27	-0.136	71	0.99	-0.858	121	1.68	0.224	171	2.64	0.428
22	0.28	0.719	72	1.00	-0.873	122	1.69	0.204	172	2.65	0.671
23	0.29	0.708	73	1.02	-0.525	123	1.70	0.192	173	2.69	-1.769
24	0.30	0.694	74	1.03	-0.278	124	1.71	-1.074	174	2.70	-1.533
25	0.31	0.184	75	1.04	0.080	125	1.75	-0.619	175	2.73	-0.321
26	0.32	-0.455	76	1.05	0.071	126	1.76	-0.007	176	2.74	-0.334
27	0.34	-1.474	77	1.06	0.057	127	1.77	-0.024	177	2.75	-0.348
28	0.35	-1.748	78	1.07	0.042	128	1.78	0.337	178	2.77	-0.624
29	0.36	-1.763	79	1.08	-0.228	129	1.79	0.067	179	2.78	-1.011
30	0.37	-1.527	80	1.09	-0.364	130	1.80	0.060	180	2.79	-1.275
31	0.39	-1.563	81	1.10	0.245	131	1.81	-0.328	181	2.80	-1.291
32	0.40	-1.313	82	1.11	1.228	132	1.83	-0.985	182	2.81	-1.295
33	0.41	-0.955	83	1.13	1.206	133	1.84	-1.249	183	2.82	-1.065
34	0.43	-0.727	84	1.16	1.420	134	1.87	-0.410	184	2.83	-0.831
35	0.44	-0.368	85	1.18	1.146	135	1.88	0.445	185	2.84	-1.093
36	0.47	-0.406	86	1.20	0.490	136	1.89	1.053	186	2.85	-0.853
37	0.51	0.421	87	1.21	0.227	137	1.90	1.044	187	2.86	-1.116
38	0.52	0.401	88	1.22	-0.159	138	1.92	1.027	188	2.87	-0.879
39	0.54	0.499	89	1.23	-0.173	139	1.95	-1.149	189	2.89	-2.031
40	0.55	0.489	90	1.24	-0.186	140	1.96	-1.162	190	2.90	-2.053
41	0.56	0.471	91	1.25	0.423	141	1.99	-1.196	191	2.92	-2.455
42	0.57	0.461	92	1.26	0.415	142	2.03	-0.245	192	2.93	-2.718
43	0.59	0.437	93	1.27	1.020	143	2.06	-0.039	193	2.95	-3.367
44	0.60	0.417	94	1.28	0.759	144	2.07	-0.683	194	2.96	-3.381
45	0.61	0.035	95	1.30	0.107	145	2.10	-0.722	195	2.98	-3.148
46	0.62	-0.232	96	1.31	-0.284	146	2.11	-0.478	196	2.99	-2.541
47	0.64	-0.388	97	1.32	-0.549	147	2.12	0.130	197	3.00	-1.929
48	0.66	-0.904	98	1.33	-1.312	148	2.14	0.473	198	3.01	-1.945
49	0.67	-0.678	99	1.35	-0.336	149	2.15	0.464	199	3.02	-2.209
50	0.70	-0.720	100	1.38	1.244	150	2.16	0.199	200	3.05	-2.875

INDEX NO. 825 104-GR-40 SHINTONEGAWA BR. U-D MAX.ACCEL.= -7.497(GAL) T=18.60(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	3.10	-1.691	251	4.22	1.804	301	5.15	2.177	351	6.16	-1.069
202	3.17	0.961	252	4.23	2.788	302	5.20	2.727	352	6.19	-1.361
203	3.20	1.555	253	4.24	3.145	303	5.25	2.200	353	6.22	-1.151
204	3.22	2.402	254	4.28	1.088	304	5.26	2.645	354	6.24	-1.167
205	3.23	2.756	255	4.29	0.831	305	5.29	1.736	355	6.25	-1.810
206	3.25	2.102	256	4.30	0.562	306	5.32	0.438	356	6.26	-2.070
207	3.28	1.438	257	4.31	0.800	307	5.34	-0.210	357	6.29	-3.108
208	3.29	1.172	258	4.32	1.414	308	5.37	-0.630	358	6.30	-3.128
209	3.33	0.125	259	4.35	2.617	309	5.38	-0.637	359	6.31	-2.140
210	3.35	-0.529	260	4.37	3.225	310	5.39	-0.026	360	6.33	-2.166
211	3.36	-0.796	261	4.41	0.670	311	5.40	0.577	361	6.34	-2.186
212	3.39	0.050	262	4.43	-0.229	312	5.42	-0.072	362	6.37	-2.592
213	3.40	0.650	263	4.45	-0.263	313	5.44	-1.346	363	6.39	-2.876
214	3.41	0.892	264	4.48	0.203	314	5.49	1.093	364	6.40	-2.011
215	3.42	0.883	265	4.52	0.271	315	5.50	2.320	365	6.41	-1.404
216	3.44	0.606	266	4.54	-0.138	316	5.55	-2.376	366	6.43	-1.427
217	3.45	0.339	267	4.57	0.084	317	5.56	-2.761	367	6.45	-1.084
218	3.49	1.787	268	4.59	-0.456	318	5.57	-3.028	368	6.48	-1.492
219	3.51	2.384	269	4.61	-0.232	319	5.58	-2.785	369	6.49	-0.881
220	3.52	1.747	270	4.63	0.002	320	5.60	-2.186	370	6.51	0.592
221	3.54	0.465	271	4.64	-0.272	321	5.64	1.887	371	6.53	0.946
222	3.55	-0.176	272	4.65	-0.901	322	5.65	2.992	372	6.54	1.180
223	3.57	-0.444	273	4.67	-0.677	323	5.66	3.360	373	6.56	0.903
224	3.59	-1.096	274	4.68	-0.316	324	5.67	3.349	374	6.57	0.633
225	3.61	-1.126	275	4.71	0.889	325	5.69	3.071	375	6.59	-0.389
226	3.62	-1.147	276	4.74	1.472	326	5.73	1.384	376	6.61	-1.295
227	3.64	-1.548	277	4.75	0.587	327	5.76	2.973	377	6.63	-2.565
228	3.67	-1.333	278	4.78	-2.331	328	5.77	1.956	378	6.65	-3.218
229	3.68	-0.101	279	4.79	-2.963	329	5.79	0.053	379	6.66	-2.988
230	3.71	1.488	280	4.80	-3.604	330	5.80	-0.588	380	6.68	-3.004
231	3.73	2.341	281	4.81	-3.872	331	5.82	0.272	381	6.69	-3.017
232	3.76	-1.337	282	4.82	-3.636	332	5.83	0.006	382	6.70	-3.043
233	3.78	-1.982	283	4.85	-3.051	333	5.84	0.242	383	6.72	-3.941
234	3.98	1.254	284	4.89	-2.850	334	5.85	0.601	384	6.73	-4.329
235	3.99	2.487	285	4.91	-1.629	335	5.86	-0.037	385	6.74	-4.593
236	4.00	1.042	286	4.92	-0.640	336	5.88	-0.688	386	6.76	-3.738
237	4.02	0.946	287	4.93	-0.037	337	5.89	-1.083	387	6.77	-3.134
238	4.03	0.936	288	4.94	0.200	338	5.91	-0.103	388	6.79	-1.661
239	4.06	1.515	289	4.95	0.566	339	5.94	0.736	389	6.80	-1.675
240	4.07	1.753	290	4.96	0.552	340	5.95	1.092	390	6.82	0.798
241	4.08	0.490	291	4.97	0.285	341	5.96	1.322	391	6.85	0.769
242	4.10	-1.035	292	4.98	-0.354	342	5.98	1.422	392	6.86	0.752
243	4.11	-1.681	293	4.99	-0.368	343	5.99	1.660	393	6.88	0.480
244	4.12	-2.065	294	5.01	-0.146	344	6.00	0.767	394	6.89	-0.163
245	4.14	-2.721	295	5.02	0.473	345	6.02	0.121	395	6.90	0.447
246	4.15	-2.730	296	5.03	1.038	346	6.04	-0.901	396	6.91	1.052
247	4.16	-2.123	297	5.05	1.683	347	6.05	-1.547	397	6.93	1.286
248	4.18	-1.770	298	5.07	1.404	348	6.09	-0.592	398	6.94	0.391
249	4.19	-0.911	299	5.08	0.759	349	6.11	0.628	399	6.96	-0.884
250	4.21	1.558	300	5.10	0.982	350	6.14	-1.417	400	6.97	-1.148

INDEX NO. 825 104-GR-40 SHINTONEGAWA BR. U-D MAX.ACCEL.= -7.497(GAL) T=18.60(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	6.98	-1.157	451	7.76	1.549	501	8.83	-0.625	551	9.67	0.631
402	6.99	-0.918	452	7.78	1.143	502	8.84	-0.632	552	9.69	0.608
403	7.03	-0.101	453	7.81	1.105	503	8.86	0.847	553	9.70	1.213
404	7.04	-0.996	454	7.83	0.456	504	8.87	1.331	554	9.72	1.192
405	7.05	-2.257	455	7.85	0.427	505	8.88	2.313	555	9.73	1.174
406	7.06	-2.013	456	7.89	-0.251	506	8.89	2.677	556	9.77	3.872
407	7.07	-2.911	457	7.92	-1.163	507	8.91	1.020	557	9.78	4.241
408	7.08	-2.925	458	7.94	-1.576	508	8.93	-1.507	558	9.79	3.599
409	7.10	-3.571	459	7.96	-2.221	509	8.94	-2.395	559	9.80	3.329
410	7.11	-3.838	460	7.98	-2.869	510	8.95	-2.782	560	9.83	2.299
411	7.13	-4.484	461	7.99	-3.134	511	8.96	-3.039	561	9.84	1.399
412	7.15	-3.637	462	8.04	-1.698	512	8.97	-2.798	562	9.85	1.635
413	7.16	-2.771	463	8.05	-1.097	513	8.98	-1.043	563	9.87	2.244
414	7.17	-0.539	464	8.08	-2.003	514	9.00	-1.347	564	9.88	2.231
415	7.18	1.941	465	8.11	-3.917	515	9.01	0.266	565	9.89	0.957
416	7.19	1.930	466	8.13	-2.701	516	9.02	0.252	566	9.90	0.954
417	7.21	0.411	467	8.16	-1.605	517	9.04	0.234	567	9.91	0.682
418	7.23	-2.125	468	8.17	-1.619	518	9.06	0.823	568	9.94	0.895
419	7.24	-2.759	469	8.18	-1.890	519	9.08	1.044	569	9.96	1.235
420	7.25	-3.772	470	8.20	-1.285	520	9.10	1.402	570	9.98	1.469
421	7.26	-3.539	471	8.22	-0.697	521	9.11	1.764	571	10.01	-1.075
422	7.27	-2.924	472	8.23	0.172	522	9.13	2.612	572	10.03	-1.348
423	7.29	0.547	473	8.25	0.525	523	9.16	1.699	573	10.05	-1.126
424	7.30	0.788	474	8.27	0.494	524	9.17	1.297	574	10.06	-1.141
425	7.31	1.774	475	8.29	0.217	525	9.18	1.037	575	10.07	-0.908
426	7.32	1.761	476	8.32	-0.820	526	9.19	1.273	576	10.09	-0.305
427	7.33	1.493	477	8.35	-1.490	527	9.21	1.256	577	10.10	0.673
428	7.34	2.106	478	8.37	-0.889	528	9.22	0.617	578	10.11	0.912
429	7.36	1.084	479	8.38	-0.909	529	9.23	-0.278	579	10.12	0.656
430	7.38	-0.450	480	8.39	-0.663	530	9.25	-1.298	580	10.15	-0.282
431	7.40	-1.095	481	8.40	-0.679	531	9.27	-1.575	581	10.16	-0.909
432	7.41	-1.110	482	8.42	-0.956	532	9.28	0.150	582	10.18	-1.554
433	7.43	-0.259	483	8.43	-0.963	533	9.30	1.125	583	10.19	-1.565
434	7.45	0.591	484	8.46	-1.002	534	9.32	1.357	584	10.20	-0.460
435	7.47	-2.196	485	8.51	-2.070	535	9.34	1.331	585	10.22	2.391
436	7.48	-2.208	486	8.54	-1.742	536	9.35	1.058	586	10.23	3.005
437	7.49	-2.464	487	8.58	-0.540	537	9.37	0.409	587	10.24	3.617
438	7.50	-2.232	488	8.60	0.312	538	9.40	-0.507	588	10.25	2.097
439	7.52	-2.256	489	8.64	-0.866	539	9.41	-1.524	589	10.28	-2.070
440	7.53	-1.645	490	8.67	-0.656	540	9.44	-2.814	590	10.30	-3.344
441	7.54	-1.655	491	8.69	-0.933	541	9.46	-2.587	591	10.31	-3.606
442	7.55	-1.919	492	8.71	-1.582	542	9.48	-2.235	592	10.32	-3.620
443	7.56	-2.064	493	8.73	-2.609	543	9.51	-1.026	593	10.33	-2.755
444	7.58	-2.959	494	8.75	-3.264	544	9.53	-0.428	594	10.34	-1.895
445	7.60	-3.242	495	8.76	-2.032	545	9.54	0.630	595	10.35	-0.665
446	7.62	-2.761	496	8.77	-1.789	546	9.55	1.670	596	10.36	-0.300
447	7.70	1.004	497	8.78	-1.427	547	9.58	0.127	597	10.37	+0.563
448	7.71	1.484	498	8.79	-0.822	548	9.61	-0.544	598	10.40	-1.226
449	7.73	1.464	499	8.80	-0.583	549	9.64	-0.577	599	10.41	-1.372
450	7.74	1.826	500	8.82	+0.603	550	9.66	0.026	600	10.42	-1.008

INDEX NO. 825 104-GR-40 SHINTONEGAWA BR. U-D MAX.ACCEL.= -7.497(GAL) T=18.60(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	10.43	0.226	651	11.68	-0.201	701	12.84	+0.884	751	13.84	-3.117
602	10.45	0.831	652	11.69	0.669	702	12.86	-0.920	752	13.86	-3.512
603	10.47	-0.818	653	11.72	1.003	703	12.89	-0.949	753	13.87	-2.532
604	10.48	-0.214	654	11.73	0.986	704	12.91	-0.975	754	13.88	-2.299
605	10.50	0.762	655	11.74	0.719	705	12.94	0.609	755	13.89	-2.560
606	10.51	0.746	656	11.76	0.701	706	12.95	2.469	756	13.93	-3.864
607	10.52	0.683	657	11.78	1.171	707	12.96	1.830	757	13.94	-4.874
608	10.55	+1.177	658	11.80	1.147	708	12.98	0.554	758	13.96	-3.643
609	10.59	0.015	659	11.81	+0.002	709	13.00	+0.348	759	13.97	-4.163
610	10.61	0.619	660	11.84	+0.658	710	13.02	-0.762	760	13.99	-3.605
611	10.62	+0.027	661	11.87	+2.323	711	13.04	-0.782	761	14.01	-2.719
612	10.67	+3.470	662	11.90	-2.365	712	13.05	-0.802	762	14.03	-1.866
613	10.69	+4.125	663	11.92	+1.387	713	13.06	-0.811	763	14.05	-1.271
614	10.83	2.818	664	11.94	0.087	714	13.08	+1.708	764	14.07	-0.676
615	10.87	-0.996	665	11.95	0.942	715	13.11	-2.748	765	14.08	+0.695
616	10.92	0.192	666	11.96	1.303	716	13.12	-2.761	766	14.09	-0.708
617	10.93	0.800	667	11.99	1.016	717	13.16	+2.193	767	14.11	-0.985
618	10.95	0.530	668	12.02	+0.024	718	13.19	-1.979	768	14.13	-1.637
619	10.97	+0.747	669	12.06	+0.453	719	13.23	-0.784	769	14.16	-2.290
620	10.99	+2.021	670	12.08	-0.479	720	13.26	0.793	770	14.17	-2.938
621	11.02	+3.065	671	12.09	+0.129	721	13.31	-3.650	771	14.18	+2.695
622	11.04	+2.843	672	12.10	0.110	722	13.32	+3.617	772	14.19	+1.087
623	11.05	+2.232	673	12.12	0.090	723	13.34	+2.809	773	14.21	+0.237
624	11.06	+1.248	674	12.15	+2.706	724	13.35	+2.198	774	14.23	0.361
625	11.09	+0.032	675	12.17	+4.232	725	13.36	+2.221	775	14.25	+0.294
626	11.10	0.830	676	12.18	+3.746	726	13.37	+2.481	776	14.27	+1.825
627	11.11	1.492	677	12.21	+1.527	727	13.39	+1.885	777	14.29	+2.224
628	11.12	2.426	678	12.22	+0.045	728	13.42	-3.164	778	14.33	0.352
629	11.13	2.656	679	12.23	0.320	729	13.46	3.395	779	14.34	1.453
630	11.14	2.399	680	12.24	0.308	730	13.48	3.874	780	14.36	1.437
631	11.15	1.132	681	12.25	0.286	731	13.50	3.848	781	14.38	0.528
632	11.17	-0.396	682	12.27	+0.994	732	13.52	3.319	782	14.42	+2.029
633	11.19	+0.419	683	12.29	+1.896	733	13.54	2.040	783	14.43	+1.795
634	11.20	+0.162	684	12.31	+1.919	734	13.55	2.027	784	14.46	+1.452
635	11.21	+0.200	685	12.33	+1.695	735	13.56	2.009	785	14.47	+1.466
636	11.25	+0.494	686	12.35	+1.974	736	13.58	1.616	786	14.48	+1.479
637	11.26	+0.266	687	12.39	+2.029	737	13.59	1.599	787	14.49	+1.750
638	11.30	+3.438	688	12.41	+2.435	738	13.60	1.585	788	14.52	+1.538
639	11.32	+3.718	689	12.47	+2.132	739	13.61	0.945	789	14.53	+1.298
640	11.34	+3.238	690	12.48	+2.527	740	13.63	+0.580	790	14.54	+0.944
641	11.36	+2.894	691	12.51	+4.068	741	13.65	+2.612	791	14.57	-0.358
642	11.39	+2.307	692	12.54	+3.599	742	13.66	+2.624	792	14.58	+0.115
643	11.43	+2.358	693	12.64	0.389	743	13.68	+2.648	793	14.59	0.248
644	11.47	+3.037	694	12.65	0.739	744	13.70	+2.296	794	14.60	+0.400
645	11.49	+3.065	695	12.69	+2.181	745	13.73	+2.335	795	14.61	+0.661
646	11.51	-2.464	696	12.71	-3.091	746	13.74	+2.352	796	14.64	+2.947
647	11.55	-0.023	697	12.76	1.465	747	13.75	+1.496	797	14.65	+3.593
648	11.59	+1.326	698	12.78	+0.055	748	13.78	+0.535	798	14.66	+3.854
649	11.62	-1.118	699	12.79	+1.075	749	13.79	-0.545	799	14.67	+3.861
650	11.66	-1.164	700	12.82	+1.107	750	13.80	+0.015	800	14.68	+3.881

INDEX NO. 825 104-GR-40 SHINTONEGAWA BR. U-D MAX.ACCEL.= -7.497(GAL) T=18.60(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	14.70	-2.783	851	15.92	-0.554	901	17.06	1.049	951	18.14	-3.392
802	14.71	-1.173	852	15.95	1.285	902	17.07	1.661	952	18.15	-3.533
803	14.73	-0.943	853	15.97	2.015	903	17.08	1.397	953	18.16	-2.924
804	14.74	-0.591	854	15.98	1.371	904	17.12	-0.904	954	18.19	-1.951
805	14.76	-0.608	855	16.01	-0.297	905	17.14	-0.553	955	18.20	-1.339
806	14.78	-1.257	856	16.04	-1.958	906	17.19	-0.003	956	18.21	-1.103
807	14.80	-1.295	857	16.07	-3.751	907	17.24	0.305	957	18.23	-0.759
808	14.82	-1.315	858	16.08	0.233	908	17.26	0.286	958	18.27	-1.060
809	14.83	-0.706	859	16.09	-0.021	909	17.27	0.267	959	18.37	-2.197
810	14.84	-0.718	860	16.12	-1.947	910	17.31	0.847	960	18.39	-1.846
811	14.87	-0.759	861	16.17	1.121	911	17.33	0.810	961	18.40	-1.363
812	14.88	-1.154	862	16.18	1.359	912	17.34	-0.453	962	18.42	-1.629
813	14.90	-0.556	863	16.20	0.707	913	17.37	-1.864	963	18.44	-2.281
814	14.92	-0.205	864	16.23	-0.208	914	17.39	-1.765	964	18.45	-2.302
815	14.93	0.027	865	16.31	-2.325	915	17.41	-1.916	965	18.49	-3.347
816	14.95	0.376	866	16.34	-2.737	916	17.43	-0.700	966	18.50	-2.745
817	14.98	0.091	867	16.36	-2.516	917	17.47	0.007	967	18.51	-3.633
818	15.00	-1.193	868	16.39	0.701	918	17.48	0.491	968	18.55	-4.925
819	15.02	0.283	869	16.41	1.417	919	17.49	1.095	969	18.57	-7.087
820	15.04	1.880	870	16.42	1.277	920	17.51	1.692	970	18.59	-7.485
821	15.08	1.835	871	16.45	1.615	921	17.52	1.179	971	18.60	-7.497
822	15.09	1.812	872	16.46	1.599	922	17.57	-1.136	972	18.61	-6.889
823	15.12	2.025	873	16.48	2.456	923	17.60	-2.048	973	18.63	-5.035
824	15.14	1.995	874	16.49	2.814	924	17.62	-2.077	974	18.65	-3.186
825	15.17	1.081	875	16.50	3.175	925	17.64	-1.599	975	18.66	-2.194
826	15.19	1.061	876	16.51	3.159	926	17.66	-0.998	976	18.67	-1.710
827	15.20	1.291	877	16.53	3.132	927	17.68	0.843	977	18.68	-1.350
828	15.23	0.006	878	16.54	2.490	928	17.69	0.836	978	18.69	-1.120
829	15.25	-0.646	879	16.56	1.216	929	17.73	-2.590	979	18.71	-0.765
830	15.29	-1.571	880	16.59	1.185	930	17.74	-2.610	980	18.72	-1.027
831	15.31	-3.223	881	16.62	1.757	931	17.75	-1.752	981	18.73	-1.171
832	15.34	-3.889	882	16.65	0.093	932	17.79	-1.179	982	18.75	-1.073
833	15.37	-5.556	883	16.69	-0.200	933	17.80	-1.189	983	18.77	-0.840
834	15.45	-1.167	884	16.71	0.261	934	17.82	-1.212	984	18.78	-0.604
835	15.49	1.649	885	16.74	-0.023	935	17.83	-1.727	985	18.79	-0.617
836	15.53	2.847	886	16.78	0.179	936	17.86	-3.642	986	18.81	-0.516
837	15.57	1.553	887	16.81	0.513	937	17.87	-4.910	987	18.83	-0.554
838	15.62	-1.926	888	16.83	0.489	938	17.89	-5.056	988	18.89	1.748
839	15.68	-2.098	889	16.84	-0.156	939	17.90	-4.444	989	18.90	1.485
840	15.69	-1.111	890	16.85	-0.795	940	17.92	-2.855	990	18.99	-1.753
841	15.71	-0.516	891	16.90	-5.241	941	17.96	-0.152	991	19.01	-2.404
842	15.73	+0.541	892	16.92	-4.386	942	17.98	0.196	992	19.02	-1.802
843	15.76	-0.828	893	16.93	-3.648	943	18.00	0.549	993	19.08	-0.635
844	15.77	-0.851	894	16.94	-3.168	944	18.01	0.154	994	19.16	0.265
845	15.79	-1.872	895	16.96	-2.823	945	18.03	0.378	995	19.17	-0.751
846	15.81	-2.896	896	16.97	-3.084	946	18.04	0.365	996	19.20	-2.041
847	15.83	-2.930	897	16.99	-3.732	947	18.06	0.335	997	19.22	-1.812
848	15.86	-2.349	898	17.01	-3.757	948	18.10	-1.842	998	19.24	-1.726
849	15.89	-1.758	899	17.02	-2.027	949	18.12	-3.112	999	19.26	-2.150
850	15.90	-1.403	900	17.05	0.195	950	18.13	-3.126	1000	19.32	-2.821

INDEX NO. 825 104-GR-40 SHINTONEGAWA BR. U-D MAX.ACCEL.= -7.497(GAL) T=18.60(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	19.35	-3.114	1051	20.53	2.677	1101	21.67	-2.981	1151	22.95	+3.584
1002	19.37	-2.639	1052	20.54	1.785	1102	21.68	-2.994	1152	22.99	+2.637
1003	19.41	+0.703	1053	20.56	0.508	1103	21.70	-2.146	1153	23.01	+2.666
1004	19.43	-0.473	1054	20.57	+0.510	1104	21.72	-2.166	1154	23.03	+2.684
1005	19.45	-0.498	1055	20.62	+2.067	1105	21.74	-2.447	1155	23.05	+1.840
1006	19.46	-0.515	1056	20.64	-2.727	1106	21.76	-3.721	1156	23.06	+1.111
1007	19.48	-0.541	1057	20.69	-4.033	1107	21.79	-4.647	1157	23.08	-0.259
1008	19.50	-0.817	1058	20.70	-4.305	1108	21.81	+4.542	1158	23.10	+0.529
1009	19.56	2.479	1059	20.72	-3.836	1109	21.82	+4.313	1159	23.13	+1.199
1010	19.57	2.709	1060	20.75	+3.244	1110	21.84	-3.464	1160	23.18	+1.890
1011	19.59	2.442	1061	20.77	+2.648	1111	21.86	-2.233	1161	23.19	+1.403
1012	19.62	1.145	1062	20.79	-1.671	1112	21.89	-1.530	1162	23.23	0.160
1013	19.65	0.486	1063	20.81	-1.445	1113	21.92	-1.068	1163	23.25	0.383
1014	19.66	1.343	1064	20.82	+1.090	1114	21.95	-0.105	1164	23.26	0.745
1015	19.69	0.805	1065	20.83	+0.855	1115	21.96	+0.369	1165	23.29	0.711
1016	19.71	-0.231	1066	20.85	-1.134	1116	21.99	+0.785	1166	23.33	0.413
1017	19.74	+0.893	1067	20.88	+1.168	1117	22.02	-1.448	1167	23.35	0.384
1018	19.76	-1.161	1068	20.95	-2.513	1118	22.03	-1.217	1168	23.37	-0.267
1019	19.77	-1.181	1069	20.96	-2.275	1119	22.05	-0.863	1169	23.40	0.561
1020	19.79	+1.208	1070	20.98	-0.052	1120	22.07	-0.894	1170	23.43	0.773
1021	19.81	-2.240	1071	20.99	0.305	1121	22.09	-0.915	1171	23.44	0.760
1022	19.86	-2.923	1072	21.01	0.280	1122	22.11	-1.196	1172	23.47	0.722
1023	19.87	+2.939	1073	21.05	+0.144	1123	22.14	-1.365	1173	23.49	+1.181
1024	19.90	+2.349	1074	21.07	+0.802	1124	22.17	-1.406	1174	23.52	+1.474
1025	19.93	+1.517	1075	21.13	+1.500	1125	22.19	+0.426	1175	23.58	+1.549
1026	19.94	+1.163	1076	21.15	+1.281	1126	22.20	0.178	1176	23.62	+1.658
1027	19.97	+1.197	1077	21.19	+0.963	1127	22.24	0.752	1177	23.65	+2.274
1028	19.99	+1.471	1078	21.23	-0.390	1128	22.28	0.451	1178	23.69	+3.199
1029	20.02	+2.137	1079	21.25	+0.160	1129	22.31	+0.586	1179	23.71	+2.733
1030	20.03	+2.533	1080	21.26	+0.434	1130	22.33	-1.874	1180	23.74	+1.767
1031	20.09	0.135	1081	21.28	-1.083	1131	22.37	+3.618	1181	23.75	+1.535
1032	20.16	+2.079	1082	21.29	+1.094	1132	22.39	+2.949	1182	23.77	+1.190
1033	20.17	-2.092	1083	21.30	-1.107	1133	22.42	+2.618	1183	23.83	+0.640
1034	20.18	+1.851	1084	21.32	+0.259	1134	22.45	+2.031	1184	23.87	0.550
1035	20.19	+1.865	1085	21.33	0.475	1135	22.47	-1.183	1185	23.89	1.406
1036	20.20	-1.261	1086	21.34	0.844	1136	22.48	-1.200	1186	23.90	0.263
1037	20.22	+0.035	1087	21.35	0.622	1137	22.50	+0.852	1187	23.98	3.156
1038	20.24	0.570	1088	21.39	0.146	1138	22.53	-1.515	1188	24.04	0.951
1039	20.26	1.782	1089	21.41	0.124	1139	22.55	+2.168	1189	24.07	1.532
1040	20.27	2.396	1090	21.43	+0.537	1140	22.57	+2.198	1190	24.10	2.376
1041	20.29	2.369	1091	21.44	+0.802	1141	22.60	+1.981	1191	24.13	3.582
1042	20.33	2.071	1092	21.46	-1.451	1142	22.63	+1.023	1192	24.15	3.548
1043	20.35	1.162	1093	21.49	+0.985	1143	22.69	+0.361	1193	24.17	3.524
1044	20.38	+0.117	1094	21.52	+0.650	1144	22.76	0.421	1194	24.20	3.489
1045	20.39	0.364	1095	21.56	+4.203	1145	22.82	0.089	1195	24.22	3.205
1046	20.41	1.959	1096	21.58	+3.478	1146	22.84	0.069	1196	24.25	2.536
1047	20.44	2.176	1097	21.60	-3.267	1147	22.86	+0.029	1197	24.27	2.269
1048	20.47	2.512	1098	21.62	+3.040	1148	22.89	+2.496	1198	24.28	0.998
1049	20.49	2.725	1099	21.64	+3.064	1149	22.91	+2.776	1199	24.29	0.610
1050	20.52	2.885	1100	21.65	+2.952	1150	22.92	-4.041	1200	24.32	0.572

土木構造物における加速度強震記録（No. 9）

INDEX NO. 825 104-GR-40 SHINTONEGAWA BR. U-D MAX.ACCEL.= -7.497(GAL) T=18.60(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	24.34	0.798	1251	26.03	-3.241	1301	27.98	2.292	1351	29.68	0.912
1202	24.38	1.118	1252	26.07	-3.910	1302	27.99	2.649	1352	29.70	-0.265
1203	24.40	0.466	1253	26.12	-4.978	1303	28.01	1.993	1353	29.74	-0.949
1204	24.43	-0.824	1254	26.14	-6.263	1304	28.04	1.323	1354	29.77	-0.732
1205	24.46	-2.115	1255	26.17	-6.799	1305	28.07	0.421	1355	29.79	-0.008
1206	24.47	-2.382	1256	26.23	-5.636	1306	28.10	-0.004	1356	29.82	-0.051
1207	24.48	-1.699	1257	26.28	-4.573	1307	28.13	0.211	1357	29.85	-0.467
1208	24.59	1.835	1258	26.29	1.036	1308	28.17	0.778	1358	29.88	-0.260
1209	24.61	2.623	1259	26.31	1.637	1309	28.21	2.977	1359	29.90	0.465
1210	24.62	2.035	1260	26.33	0.983	1310	28.24	1.690	1360	29.92	0.062
1211	24.65	2.247	1261	26.35	1.207	1311	28.28	+0.872	1361	29.95	-0.610
1212	24.68	1.332	1262	26.37	1.184	1312	28.31	-0.908	1362	29.97	-1.000
1213	24.72	0.662	1263	26.38	1.549	1313	28.33	-0.302	1363	29.99	-1.276
1214	24.74	-0.626	1264	26.39	1.529	1314	28.36	0.280	1364	30.01	-1.310
1215	24.79	-1.559	1265	26.43	-0.023	1315	28.39	1.741	1365	30.03	-1.087
1216	24.81	-1.343	1266	26.46	-0.437	1316	28.41	-0.661	1366	30.06	-0.500
1217	24.84	-1.134	1267	26.49	0.402	1317	28.42	-1.681	1367	30.08	0.226
1218	24.86	0.089	1268	26.52	0.101	1318	28.48	-1.127	1368	30.09	-1.041
1219	24.93	3.119	1269	26.56	1.057	1319	28.52	-0.932	1369	30.14	-2.108
1220	24.96	3.209	1270	26.58	1.894	1320	28.57	-1.874	1370	30.18	-2.793
1221	24.99	3.168	1271	26.61	2.106	1321	28.62	-2.190	1371	30.21	-2.826
1222	25.01	2.512	1272	26.64	2.441	1322	28.64	-1.717	1372	30.24	-2.613
1223	25.04	1.218	1273	26.67	1.784	1323	28.67	-2.258	1373	30.26	-2.270
1224	25.12	-2.633	1274	26.69	1.768	1324	28.69	-2.670	1374	30.30	-2.318
1225	25.15	-2.182	1275	26.72	0.838	1325	28.71	-2.441	1375	30.34	-1.374
1226	25.20	-1.869	1276	26.76	0.662	1326	28.72	-2.087	1376	30.38	-1.436
1227	25.26	-1.943	1277	26.80	+0.264	1327	28.75	-1.242	1377	30.44	-1.890
1228	25.32	-2.025	1278	26.82	-1.170	1328	28.76	-0.264	1378	30.48	-2.570
1229	25.35	-2.067	1279	26.84	-2.200	1329	28.79	0.573	1379	30.54	-1.763
1230	25.41	-2.148	1280	26.87	-2.870	1330	28.85	-0.373	1380	30.57	-0.563
1231	25.44	-1.320	1281	26.90	-3.156	1331	28.88	+0.166	1381	30.61	-0.233
1232	25.48	+0.750	1282	26.95	-3.843	1332	28.90	-0.194	1382	30.62	-0.007
1233	25.51	0.470	1283	27.07	-3.132	1333	28.94	-1.128	1383	30.66	-0.304
1234	25.52	0.830	1284	27.11	-2.562	1334	28.96	-0.898	1384	30.70	-1.607
1235	25.53	1.067	1285	27.16	-0.748	1335	28.99	0.052	1385	30.72	-1.265
1236	25.55	1.415	1286	27.19	-0.410	1336	29.02	0.888	1386	30.76	-1.063
1237	25.57	+0.748	1287	27.22	-0.456	1337	29.05	0.854	1387	30.78	-0.843
1238	25.60	-1.410	1288	27.28	-3.034	1338	29.12	2.013	1388	30.82	-1.391
1239	25.61	-2.049	1289	27.40	2.809	1339	29.15	2.340	1389	30.85	-1.440
1240	25.63	-2.448	1290	27.42	3.399	1340	29.19	0.789	1390	30.88	-1.852
1241	25.65	-2.479	1291	27.47	1.841	1341	29.24	-0.905	1391	30.93	-1.539
1242	25.68	-1.888	1292	27.50	1.172	1342	29.29	-0.342	1392	30.96	-1.325
1243	25.69	-0.405	1293	27.55	1.109	1343	29.32	-0.640	1393	30.97	-1.100
1244	25.70	0.210	1294	27.59	1.056	1344	29.39	-1.105	1394	30.99	-1.125
1245	25.71	2.064	1295	27.61	0.654	1345	29.46	-1.566	1395	31.01	-0.777
1246	25.73	2.791	1296	27.64	-0.269	1346	29.49	-1.614	1396	31.05	-1.702
1247	25.84	0.139	1297	27.72	-2.874	1347	29.53	-1.044	1397	31.10	-0.649
1248	25.92	-1.587	1298	27.76	-4.166	1348	29.58	-1.105	1398	31.16	0.523
1249	25.96	-1.895	1299	27.79	-3.959	1349	29.61	-0.524	1399	31.19	0.852
1250	26.01	-2.578	1300	27.80	-3.357	1350	29.65	0.050	1400	31.22	0.563

INDEX NO. 825 104-GR-40 SHINTONEGAWA BR. U-D MAX.ACCEL.= -7.497(GAL) T=18.60(SEC) NO. 8

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1401	31.26	0.511	1451	32.97	-1.403	1501	34.62	0.984	1551	36.23	1.324
1402	31.29	-0.161	1452	32.99	-0.809	1502	34.66	0.924	1552	36.26	1.278
1403	31.31	0.063	1453	33.04	0.754	1503	34.70	+0.007	1553	36.29	1.241
1404	31.35	-1.487	1454	33.07	0.714	1504	34.71	-1.641	1554	36.34	0.926
1405	31.37	-1.693	1455	33.13	1.500	1505	34.75	-1.068	1555	36.46	-0.741
1406	31.42	-1.961	1456	33.18	1.188	1506	34.76	-0.718	1556	36.51	-0.800
1407	31.46	-1.759	1457	33.22	0.505	1507	34.80	-0.137	1557	36.54	-0.595
1408	31.51	-2.080	1458	33.25	0.718	1508	34.81	0.214	1558	36.56	-0.365
1409	31.53	-2.116	1459	33.28	1.299	1509	34.84	0.677	1559	36.57	0.238
1410	31.56	-1.528	1460	33.33	1.605	1510	34.86	1.281	1560	36.59	0.335
1411	31.58	-1.801	1461	33.35	1.831	1511	34.88	1.625	1561	36.66	0.114
1412	31.62	-1.358	1462	33.37	0.550	1512	34.90	1.605	1562	36.73	0.147
1413	31.64	-0.486	1463	33.41	-0.129	1513	34.93	0.304	1563	36.77	-1.160
1414	31.67	0.817	1464	33.43	0.465	1514	34.97	-0.624	1564	36.82	-0.968
1415	31.70	0.785	1465	33.47	0.167	1515	35.00	+0.666	1565	36.87	-1.043
1416	31.72	0.498	1466	33.53	-2.797	1516	35.04	+0.719	1566	36.88	-1.682
1417	31.75	0.663	1467	33.57	-4.094	1517	35.07	-1.134	1567	36.93	-1.743
1418	31.76	0.447	1468	33.59	-4.124	1518	35.12	+0.324	1568	37.07	-1.305
1419	31.80	0.017	1469	33.61	-3.145	1519	35.14	0.397	1569	37.10	-1.098
1420	31.85	-0.549	1470	33.63	-2.303	1520	35.16	0.371	1570	37.13	0.120
1421	31.89	-0.852	1471	33.67	-1.106	1521	35.18	-0.028	1571	37.16	-0.426
1422	31.92	-0.899	1472	33.69	-0.137	1522	35.23	-0.089	1572	37.19	-0.462
1423	31.95	0.194	1473	33.72	0.073	1523	35.25	0.499	1573	37.22	-0.001
1424	31.96	0.553	1474	33.77	-0.235	1524	35.27	1.350	1574	37.24	-0.517
1425	31.98	0.270	1475	33.80	-0.658	1525	35.31	2.555	1575	37.27	-1.184
1426	32.02	1.346	1476	33.83	-1.573	1526	35.32	2.036	1576	37.30	-1.596
1427	32.04	1.690	1477	33.85	-1.604	1527	35.35	1.620	1577	37.36	-1.671
1428	32.07	1.405	1478	33.88	-1.013	1528	35.39	0.945	1578	37.38	-1.455
1429	32.14	-0.315	1479	33.92	-2.697	1529	35.44	1.503	1579	37.41	0.253
1430	32.19	0.245	1480	33.93	-3.339	1530	35.47	2.465	1580	37.52	1.122
1431	32.22	0.836	1481	33.98	-2.781	1531	35.50	2.053	1581	37.57	1.931
1432	32.24	1.060	1482	33.99	-2.789	1532	35.53	2.258	1582	37.61	1.006
1433	32.30	0.355	1483	34.01	-1.948	1533	35.54	2.863	1583	37.64	0.833
1434	32.32	0.075	1484	34.04	-1.614	1534	35.57	2.582	1584	37.67	0.920
1435	32.36	0.024	1485	34.10	-1.311	1535	35.59	2.302	1585	37.69	1.146
1436	32.38	0.995	1486	34.13	-1.105	1536	35.64	1.615	1586	37.72	0.487
1437	32.39	0.982	1487	34.20	-0.578	1537	35.72	+0.119	1587	37.76	0.060
1438	32.44	+0.078	1488	34.21	0.031	1538	35.76	+0.431	1588	37.80	0.385
1439	32.47	0.130	1489	34.23	0.259	1539	35.91	2.128	1589	37.82	0.610
1440	32.48	0.860	1490	34.26	-0.288	1540	35.93	1.854	1590	37.84	1.208
1441	32.54	0.657	1491	34.30	-3.088	1541	35.96	1.438	1591	37.86	0.681
1442	32.56	0.010	1492	34.33	1.744	1542	36.04	-0.171	1592	37.89	0.514
1443	32.59	0.966	1493	34.36	1.713	1543	36.06	-1.449	1593	37.95	0.812
1444	32.62	1.548	1494	34.38	0.811	1544	36.09	-2.121	1594	37.98	0.771
1445	32.66	2.496	1495	34.40	0.153	1545	36.10	-2.135	1595	38.01	0.488
1446	32.69	2.459	1496	34.45	-0.294	1546	36.12	-1.909	1596	38.05	-0.190
1447	32.72	1.170	1497	34.47	-0.573	1547	36.14	-1.933	1597	38.10	-1.265
1448	32.79	-1.168	1498	34.50	-0.613	1548	36.18	-1.355	1598	38.19	-0.505
1449	32.84	-1.489	1499	34.53	-0.399	1549	36.19	0.248	1599	38.35	1.026
1450	32.89	-1.304	1500	34.58	0.410	1550	36.21	1.346	1600	38.52	1.553

INDEX NO. 825 104-GR-40 SHINTONEGAWA BR. U-D MAX.ACCEL.= -7.497(GAL) T=18.60(SEC) NO. 9

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1601	38.54	0.896	1651	41.21	-0.033	1701	43.87	0.373	1751	46.33	0.561
1602	38.59	2.333	1652	41.25	-0.102	1702	43.89	1.608	1752	46.35	0.284
1603	38.62	3.414	1653	41.29	-0.780	1703	43.91	0.949	1753	46.37	0.261
1604	38.64	3.019	1654	41.40	3.069	1704	43.96	-0.372	1754	46.42	-0.811
1605	38.70	1.066	1655	41.44	2.144	1705	44.00	-1.039	1755	46.44	-1.342
1606	38.72	1.656	1656	41.53	0.646	1706	44.04	-1.102	1756	46.47	-1.549
1607	38.88	0.821	1657	41.69	-2.687	1707	44.07	-0.259	1757	46.49	-0.934
1608	38.97	-0.544	1658	41.72	-2.978	1708	44.27	0.589	1758	46.51	-0.317
1609	39.01	-0.847	1659	41.74	-2.998	1709	44.30	0.549	1759	46.54	0.290
1610	39.04	-0.639	1660	41.78	-2.431	1710	44.34	0.741	1760	46.56	0.905
1611	39.22	1.368	1661	41.83	-1.624	1711	44.44	1.229	1761	46.59	1.143
1612	39.25	0.697	1662	41.88	-0.433	1712	44.46	0.702	1762	46.60	1.513
1613	39.28	0.908	1663	41.92	0.760	1713	44.47	1.319	1763	46.63	1.500
1614	39.31	2.122	1664	41.95	1.719	1714	44.50	1.282	1764	46.67	1.482
1615	39.36	3.306	1665	41.97	1.894	1715	44.58	0.795	1765	46.70	1.717
1616	39.51	2.220	1666	42.01	1.394	1716	44.60	0.518	1766	46.71	1.635
1617	39.53	2.442	1667	42.04	0.717	1717	44.65	0.700	1767	46.74	1.447
1618	39.56	3.037	1668	42.09	0.280	1718	44.67	0.425	1768	46.77	1.434
1619	39.58	2.385	1669	42.13	0.476	1719	44.71	0.243	1769	46.79	1.173
1620	39.61	1.721	1670	42.14	0.838	1720	44.74	0.580	1770	46.80	0.793
1621	39.62	0.829	1671	42.21	-1.129	1721	44.84	-1.065	1771	46.81	0.788
1622	39.64	0.806	1672	42.30	-0.006	1722	44.86	-2.092	1772	46.84	0.777
1623	39.66	1.026	1673	42.40	-1.010	1723	44.88	-2.362	1773	46.85	1.020
1624	39.68	1.244	1674	42.42	-1.038	1724	44.89	-1.875	1774	46.89	0.503
1625	39.71	1.586	1675	42.43	-1.054	1725	44.90	-1.523	1775	46.90	0.122
1626	39.74	0.287	1676	42.46	-0.595	1726	44.92	-1.800	1776	46.91	-0.133
1627	39.81	-1.926	1677	42.50	-0.275	1727	45.02	-2.298	1777	46.92	-0.515
1628	39.83	-2.578	1678	42.66	-0.745	1728	45.03	-2.323	1778	46.94	-0.524
1629	39.84	-2.969	1679	42.74	0.029	1729	45.06	-2.604	1779	46.97	-0.284
1630	39.86	-1.751	1680	42.79	0.206	1730	45.10	-2.407	1780	46.98	-0.292
1631	39.90	-0.544	1681	42.89	1.068	1731	45.12	-2.434	1781	46.99	0.077
1632	39.99	1.203	1682	42.92	1.908	1732	45.21	0.559	1782	47.01	0.321
1633	40.04	1.759	1683	42.95	2.489	1733	45.24	0.527	1783	47.02	0.692
1634	40.09	1.942	1684	42.97	2.460	1734	45.28	0.724	1784	47.04	0.932
1635	40.12	2.282	1685	43.09	2.078	1735	45.32	0.035	1785	47.06	1.297
1636	40.17	1.339	1686	43.12	1.746	1736	45.35	-0.253	1786	47.08	1.287
1637	40.23	0.015	1687	43.15	1.152	1737	45.41	0.551	1787	47.09	1.281
1638	40.27	-1.290	1688	43.20	0.348	1738	45.48	-1.681	1788	47.11	1.271
1639	40.39	-0.956	1689	43.30	1.764	1739	45.54	-2.137	1789	47.15	1.254
1640	40.45	-1.532	1690	43.31	2.376	1740	45.63	-2.504	1790	47.17	0.994
1641	40.50	-1.107	1691	43.34	2.963	1741	45.76	-1.184	1791	47.19	1.234
1642	40.63	0.354	1692	43.40	2.260	1742	45.82	-0.627	1792	47.20	0.980
1643	40.69	1.150	1693	43.49	1.512	1743	45.88	-0.345	1793	47.21	0.599
1644	40.74	1.458	1694	43.59	1.004	1744	45.91	-0.003	1794	47.22	0.596
1645	40.77	1.170	1695	43.66	0.664	1745	46.06	2.542	1795	47.23	-0.033
1646	40.84	0.443	1696	43.69	0.617	1746	46.10	2.237	1796	47.24	-0.038
1647	40.88	-1.018	1697	43.72	-0.675	1747	46.13	1.204	1797	47.25	-0.043
1648	40.93	-0.295	1698	43.76	-0.718	1748	46.16	1.155	1798	47.26	-0.047
1649	41.04	-0.823	1699	43.83	-0.523	1749	46.19	0.496	1799	47.28	-0.056
1650	41.15	-1.839	1700	43.83	-0.570	1750	46.28	0.370	1800	47.29	-0.061

INDEX NO. 825 104-GR-40 SHINTONEGAWA BR. U-D MAX.ACCEL.= -7.497(GAL) T=18.60(SEC) NO.10

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1801	47.32	-0.325	1851	48.67	-0.092	1901	50.07	2.114	1951	51.97	-1.281
1802	47.34	-0.711	1852	48.71	-0.363	1902	50.11	2.597	1952	51.98	-2.289
1803	47.36	-0.973	1853	48.74	-0.375	1903	50.14	2.595	1953	52.00	-2.048
1804	47.38	-1.355	1854	48.77	-0.142	1904	50.16	2.698	1954	52.03	-1.436
1805	47.39	-1.358	1855	48.80	-0.152	1905	50.22	1.670	1955	52.06	-1.077
1806	47.40	-1.115	1856	48.82	-0.414	1906	50.32	1.621	1956	52.08	-1.085
1807	47.42	-0.749	1857	48.85	-0.179	1907	50.41	0.955	1957	52.11	-0.850
1808	47.45	-0.762	1858	48.86	-0.808	1908	50.49	0.915	1958	52.13	-0.486
1809	47.46	-0.519	1859	48.89	-0.570	1909	50.54	1.517	1959	52.15	-0.246
1810	47.51	-0.168	1860	48.92	-0.211	1910	50.59	0.870	1960	52.18	-0.257
1811	47.56	-0.188	1861	48.94	-0.220	1911	50.67	1.084	1961	52.19	0.360
1812	47.61	-1.215	1862	48.97	0.013	1912	50.75	0.792	1962	52.21	0.354
1813	47.67	-1.743	1863	49.00	0.001	1913	50.83	1.607	1963	52.22	0.098
1814	47.69	-1.503	1864	49.03	0.112	1914	50.85	1.621	1964	52.25	0.084
1815	47.70	-1.258	1865	49.08	0.336	1915	50.88	1.735	1965	52.28	0.067
1816	47.73	-0.897	1866	49.12	-0.308	1916	50.90	1.974	1966	52.30	0.309
1817	47.75	-1.157	1867	49.16	-0.699	1917	50.91	1.967	1967	52.32	0.050
1818	47.76	-1.785	1868	49.19	-0.964	1918	50.94	1.707	1968	52.35	-0.589
1819	47.78	-1.798	1869	49.23	-2.233	1919	50.95	1.323	1969	52.38	-0.607
1820	47.81	-1.807	1870	49.24	-2.490	1920	50.96	1.321	1970	52.42	-0.624
1821	47.83	-1.816	1871	49.25	-3.119	1921	50.99	1.558	1971	52.48	-0.029
1822	47.85	-1.328	1872	49.28	-2.885	1922	51.02	2.168	1972	52.54	0.369
1823	47.89	-0.972	1873	49.33	-2.656	1923	51.04	2.159	1973	52.62	0.279
1824	47.92	-0.985	1874	49.37	-2.300	1924	51.06	2.773	1974	52.69	0.869
1825	47.95	-0.627	1875	49.41	-1.696	1925	51.08	3.137	1975	52.76	0.712
1826	47.97	-0.384	1876	49.43	-1.453	1926	51.11	3.123	1976	52.79	0.819
1827	47.99	-0.142	1877	49.45	-0.715	1927	51.13	2.490	1977	52.83	0.425
1828	48.01	0.224	1878	49.49	-0.234	1928	51.15	2.228	1978	52.91	0.388
1829	48.03	0.211	1879	49.51	0.132	1929	51.21	1.826	1979	52.95	-0.254
1830	48.06	0.449	1880	49.53	0.125	1930	51.28	0.920	1980	52.98	-0.270
1831	48.07	0.818	1881	49.55	-0.138	1931	51.31	-0.093	1981	53.00	-0.029
1832	48.10	1.431	1882	49.61	-0.790	1932	51.36	-0.996	1982	53.01	-0.535
1833	48.13	1.664	1883	49.63	-0.800	1933	51.40	-1.013	1983	53.03	-0.205
1834	48.14	2.285	1884	49.66	+0.815	1934	51.42	-0.774	1984	53.05	-0.554
1835	48.19	2.387	1885	49.69	-1.203	1935	51.44	-0.534	1985	53.06	-0.311
1836	48.23	1.367	1886	49.73	-1.848	1936	51.46	-0.540	1986	53.09	-0.076
1837	48.32	1.326	1887	49.76	-1.860	1937	51.48	-0.175	1987	53.13	0.283
1838	48.36	1.305	1888	49.78	-1.620	1938	51.51	+0.814	1988	53.16	0.268
1839	48.39	1.292	1889	49.80	-1.632	1939	51.52	-0.820	1989	53.18	0.508
1840	48.41	1.032	1890	49.81	-1.637	1940	51.56	-1.089	1990	53.19	0.503
1841	48.42	0.650	1891	49.83	-1.268	1941	51.58	+1.471	1991	53.24	0.856
1842	48.45	0.640	1892	49.86	-1.286	1942	51.59	-1.477	1992	53.26	1.095
1843	48.48	0.374	1893	49.89	-1.673	1943	51.61	-1.238	1993	53.28	1.709
1844	48.49	0.618	1894	49.91	-1.683	1944	51.64	-1.252	1994	53.36	2.175
1845	48.50	0.862	1895	49.93	-1.317	1945	51.68	+0.644	1995	53.39	2.785
1846	48.52	0.856	1896	49.98	-0.715	1946	51.73	-1.171	1996	53.41	2.523
1847	48.53	0.597	1897	49.99	0.529	1947	51.78	-0.943	1997	53.44	1.886
1848	48.55	0.589	1898	50.01	1.768	1948	51.84	-0.970	1998	53.46	1.501
1849	48.63	0.178	1899	50.04	2.381	1949	51.90	+1.001	1999	53.47	1.495
1850	48.64	0.172	1900	50.05	2.374	1950	51.92	+1.009	2000	53.49	1.465

土木構造物における加速度強震記録（No.9）

INDEX NO. 825 104-GR-40 SHINTONEGAWA BR. U-D MAX.ACCEL.= -7.497(GAL) T=18.60(SEC) NO.11

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2001	53.50	1.482	2051	55.34	0.971	2101	57.04	-1.456	2151	59.89	-0.115
2002	53.52	1.470	2052	55.39	1.823	2102	57.10	-1.735	2152	59.97	0.021
2003	53.54	2.086	2053	55.46	1.538	2103	57.13	-1.501	2153	60.04	0.312
2004	53.58	2.069	2054	55.49	1.150	2104	57.16	-1.762	2154	60.10	0.853
2005	53.66	2.279	2055	55.57	0.490	2105	57.17	-1.770	2155	60.16	1.396
2006	53.69	2.015	2056	55.60	0.474	2106	57.21	-1.161	2156	60.19	0.731
2007	53.73	1.996	2057	55.63	0.459	2107	57.27	-0.841	2157	60.28	0.620
2008	53.75	1.984	2058	55.66	0.695	2108	57.28	-1.198	2158	60.42	0.802
2009	53.79	1.966	2059	55.71	1.420	2109	57.32	-1.589	2159	60.47	0.107
2010	53.81	1.332	2060	55.75	1.276	2110	57.37	-1.989	2160	60.50	0.328
2011	53.85	1.315	2061	55.77	1.391	2111	57.39	-1.625	2161	60.56	1.121
2012	53.87	1.927	2062	55.80	1.006	2112	57.43	-1.640	2162	60.62	0.164
2013	53.89	1.918	2063	55.81	1.000	2113	57.44	-1.648	2163	60.76	-0.902
2014	53.91	2.159	2064	55.83	1.239	2114	57.47	-1.409	2164	60.95	-1.781
2015	53.92	2.155	2065	55.85	0.979	2115	57.55	-0.447	2165	61.01	-1.864
2016	53.94	1.696	2066	55.87	1.344	2116	57.60	-0.473	2166	61.07	-2.565
2017	53.95	1.640	2067	55.88	0.965	2117	57.71	0.102	2167	61.09	-2.595
2018	53.97	1.006	2068	55.91	0.953	2118	57.76	0.076	2168	61.17	-2.199
2019	54.09	0.824	2069	55.93	0.943	2119	57.77	0.321	2169	61.21	-1.623
2020	54.13	-0.073	2070	55.95	0.933	2120	57.79	0.315	2170	61.22	-0.642
2021	54.18	-0.097	2071	55.97	1.548	2121	57.82	0.423	2171	61.24	-0.051
2022	54.19	-0.100	2072	55.98	1.795	2122	57.86	0.028	2172	61.30	0.127
2023	54.21	-0.109	2073	55.99	1.791	2123	57.90	0.013	2173	61.32	0.097
2024	54.23	-0.371	2074	56.00	1.534	2124	57.91	0.632	2174	61.35	0.435
2025	54.26	0.114	2075	56.02	1.276	2125	57.98	0.347	2175	61.38	1.008
2026	54.27	0.484	2076	56.06	1.883	2126	58.01	-0.291	2176	61.40	1.607
2027	54.29	0.476	2077	56.08	1.873	2127	58.04	0.195	2177	61.45	1.795
2028	54.31	0.216	2078	56.12	1.476	2128	58.08	-0.076	2178	61.50	1.483
2029	54.34	-0.797	2079	56.15	1.716	2129	58.18	0.314	2179	61.53	1.440
2030	54.36	-1.060	2080	56.16	1.710	2130	58.36	0.948	2180	61.55	1.158
2031	54.38	-0.819	2081	56.17	1.705	2131	58.46	1.193	2181	61.58	1.622
2032	54.41	-0.456	2082	56.21	2.063	2132	58.58	1.404	2182	61.61	1.701
2033	54.51	-0.630	2083	56.27	3.030	2133	58.67	0.907	2183	61.65	1.894
2034	54.54	-0.520	2084	56.34	3.000	2134	58.76	0.168	2184	61.71	1.819
2035	54.58	-0.913	2085	56.36	3.237	2135	58.79	-0.127	2185	61.75	1.510
2036	54.60	-0.927	2086	56.42	2.585	2136	58.84	0.299	2186	61.79	0.452
2037	54.63	-0.939	2087	56.45	2.573	2137	58.90	-0.276	2187	61.81	0.426
2038	54.67	-0.958	2088	56.46	2.194	2138	58.98	-1.134	2188	61.83	1.024
2039	54.70	-0.723	2089	56.48	1.933	2139	59.00	-1.156	2189	61.87	1.600
2040	54.75	-1.246	2090	56.50	1.296	2140	59.06	-1.120	2190	61.89	1.826
2041	54.80	-1.270	2091	56.52	0.664	2141	59.13	-0.965	2191	61.90	1.813
2042	54.84	-0.792	2092	56.55	1.274	2142	59.18	0.216	2192	61.93	1.518
2043	54.86	-0.428	2093	56.58	1.887	2143	59.26	0.357	2193	62.01	0.530
2044	55.03	-0.884	2094	56.64	1.232	2144	59.35	0.373	2194	62.11	0.023
2045	55.04	-0.760	2095	56.69	1.585	2145	59.41	-0.962	2195	62.21	-0.367
2046	55.08	-0.906	2096	56.76	1.427	2146	59.51	-1.099	2196	62.25	-0.168
2047	55.13	-1.179	2097	56.81	1.153	2147	59.65	-1.033	2197	62.27	-0.199
2048	55.16	-0.821	2098	56.85	1.132	2148	59.74	-0.283	2198	62.32	-0.004
2049	55.20	-0.589	2099	56.91	0.105	2149	59.78	-0.961	2199	62.35	0.949
2050	55.28	0.377	2100	57.03	-1.075	2150	59.85	-1.063	2200	62.38	1.157

INDEX NO. 825 104-GR-40 SHINTONEGAWA BR. U-D MAX.ACCEL.= -7.497(GAL) T=18.60(SEC) NO.12

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2201	62.42	1.481	2251	64.89	-1.123
2202	62.48	1.653	2252	65.02	-1.304
2203	62.49	1.629	2253	65.08	-0.514
2204	62.54	0.696	2254	65.15	0.394
2205	62.57	0.277	2255	65.27	1.480
2206	62.63	-0.055	2256	65.43	1.896
2207	62.67	-0.364	2257	65.70	1.265
2208	62.71	-0.793	2258	65.84	1.344
2209	62.75	-1.473	2259	65.95	0.937
2210	62.78	-1.513			
2211	62.88	-2.025			
2212	62.95	-1.110			
2213	63.02	-0.959			
2214	63.07	-0.405			
2215	63.12	0.529			
2216	63.17	1.082			
2217	63.30	1.908			
2218	63.36	1.835			
2219	63.40	2.158			
2220	63.47	1.184			
2221	63.52	0.990			
2222	63.56	1.317			
2223	63.61	1.247			
2224	63.64	0.572			
2225	63.69	0.514			
2226	63.72	0.215			
2227	63.75	0.180			
2228	63.76	0.160			
2229	63.77	0.146			
2230	63.80	-0.262			
2231	63.88	1.255			
2232	63.92	1.696			
2233	63.93	1.684			
2234	63.98	1.400			
2235	64.00	0.716			
2236	64.02	0.690			
2237	64.04	0.669			
2238	64.10	1.206			
2239	64.13	1.168			
2240	64.18	0.726			
2241	64.24	0.757			
2242	64.28	1.207			
2243	64.31	1.540			
2244	64.34	1.877			
2245	64.38	1.447			
2246	64.50	0.462			
2247	64.54	0.596			
2248	64.57	0.566			
2249	64.59	-0.098			
2250	64.66	0.063			

Table IX D-52 Digitized Accelerations of Earthquake Record with Index Number 826

INDEX NO. 826 104-GR-40 SHINTONEGAWA BR. LG. MAX.ACCEL.= 20.350(GAL) T=12.44(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.0	-0.241	51	1.14	0.113	101	2.11	-2.900	151	3.34	-1.373
2	0.01	-0.624	52	1.15	0.481	102	2.16	-1.440	152	3.36	-1.017
3	0.03	-0.636	53	1.16	0.220	103	2.19	-0.468	153	3.38	-0.156
4	0.06	-0.906	54	1.17	-0.159	104	2.21	-0.234	154	3.40	1.082
5	0.08	-0.677	55	1.18	-0.418	105	2.25	0.111	155	3.45	0.543
6	0.10	-1.068	56	1.20	-1.056	106	2.29	0.079	156	3.49	2.008
7	0.12	-1.081	57	1.21	-2.066	107	2.32	0.057	157	3.50	2.002
8	0.14	-0.725	58	1.23	-3.584	108	2.35	-0.594	158	3.51	1.744
9	0.18	0.248	59	1.24	-3.963	109	2.38	0.008	159	3.53	1.480
10	0.19	0.985	60	1.25	-4.723	110	2.39	1.499	160	3.54	0.841
11	0.35	-3.767	61	1.26	-4.729	111	2.41	3.232	161	3.58	-1.062
12	0.37	-3.033	62	1.27	-4.741	112	2.42	4.099	162	3.60	-1.078
13	0.41	-0.689	63	1.28	-4.751	113	2.43	4.466	163	3.63	-1.472
14	0.43	-0.327	64	1.30	-4.760	114	2.44	4.463	164	3.67	-0.886
15	0.44	0.294	65	1.31	-3.893	115	2.46	3.824	165	3.69	-0.277
16	0.46	0.275	66	1.33	-3.783	116	2.48	1.934	166	3.72	0.582
17	0.47	0.019	67	1.34	-2.916	117	2.49	1.295	167	3.73	0.070
18	0.49	-0.375	68	1.35	-1.053	118	2.52	0.651	168	3.75	-0.571
19	0.52	-0.396	69	1.37	1.058	119	2.53	0.016	169	3.77	-1.590
20	0.54	-0.660	70	1.38	2.050	120	2.54	0.254	170	3.81	-2.490
21	0.59	1.796	71	1.39	3.167	121	2.56	-0.257	171	3.83	-3.135
22	0.60	1.541	72	1.40	3.661	122	2.59	-0.279	172	3.86	-2.910
23	0.61	0.656	73	1.42	3.140	123	2.60	-0.666	173	3.88	-3.172
24	0.63	0.893	74	1.50	-1.298	124	2.61	-0.676	174	3.90	-2.939
25	0.65	1.250	75	1.51	-1.929	125	2.64	0.176	175	3.91	-2.946
26	0.66	1.742	76	1.52	-2.310	126	2.66	0.916	176	3.93	-2.716
27	0.68	1.853	77	1.53	-2.572	127	2.70	-1.370	177	3.97	-2.119
28	0.71	0.827	78	1.54	-2.074	128	2.72	-1.135	178	3.98	-1.753
29	0.72	1.072	79	1.58	0.517	129	2.75	-1.156	179	4.02	-0.905
30	0.76	1.664	80	1.59	1.382	130	2.78	-0.808	180	4.04	-0.549
31	0.81	-1.749	81	1.61	1.745	131	2.79	-1.068	181	4.08	1.547
32	0.82	-1.763	82	1.62	1.985	132	2.80	-0.826	182	4.12	0.013
33	0.84	-2.022	83	1.64	1.715	133	2.82	-0.568	183	4.13	-0.243
34	0.85	-1.781	84	1.70	0.294	134	2.83	0.030	184	4.16	-0.020
35	0.86	-1.543	85	1.75	1.254	135	2.85	+0.485	185	4.18	0.343
36	0.88	-1.803	86	1.77	1.239	136	2.88	-2.011	186	4.19	0.830
37	0.90	-2.450	87	1.79	0.975	137	2.93	-1.674	187	4.21	0.319
38	0.91	-2.703	88	1.80	0.344	138	2.98	-3.837	188	4.22	0.311
39	0.92	-2.461	89	1.85	-3.821	139	2.99	-4.224	189	4.23	0.299
40	0.98	-0.388	90	1.86	-4.084	140	3.01	-3.615	190	4.25	-0.089
41	1.00	0.601	91	1.87	-5.462	141	3.02	-2.998	191	4.28	0.263
42	1.01	-0.662	92	1.88	-4.598	142	3.05	-1.521	192	4.30	0.246
43	1.05	-2.584	93	1.90	-4.361	143	3.08	-0.292	193	4.33	0.222
44	1.06	-2.572	94	1.98	-2.174	144	3.09	0.325	194	4.34	-0.164
45	1.07	-2.585	95	1.99	-1.932	145	3.14	-0.213	195	4.42	-2.352
46	1.08	-2.589	96	2.01	-2.199	146	3.17	-1.866	196	4.55	2.421
47	1.09	-1.970	97	2.05	-3.493	147	3.19	-1.508	197	4.57	0.906
48	1.10	-1.732	98	2.06	-4.362	148	3.23	-0.661	198	4.62	-0.880
49	1.12	-0.747	99	2.07	-4.497	149	3.27	-0.692	199	4.71	-2.951
50	1.13	-0.128	100	2.09	-3.511	150	3.30	-0.465	200	4.74	-2.355

INDEX NO. 826 104-GR-40 SHINTONEGAWA BR. LG. MAX.ACCEL.= 20.350(GAL) T=12.44(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	4.78	-4.511	251	5.88	2.373	301	7.01	2.981	351	8.06	-3.093
202	4.83	-2.177	252	5.90	2.977	302	7.02	2.470	352	8.11	-5.376
203	4.85	-1.688	253	5.91	2.970	303	7.07	-2.317	353	8.16	-1.918
204	4.86	-1.947	254	5.92	2.964	304	7.09	-2.579	354	8.21	-0.703
205	4.89	-2.850	255	5.93	2.707	305	7.11	-2.970	355	8.22	-0.466
206	4.95	-3.642	256	5.94	2.071	306	7.12	-2.978	356	8.24	-0.976
207	4.96	-3.652	257	5.95	1.686	307	7.19	1.341	357	8.27	+4.128
208	4.99	-3.051	258	5.97	1.670	308	7.25	-3.086	358	8.28	-5.388
209	5.00	-2.432	259	5.99	1.910	309	7.27	-3.725	359	8.30	-4.899
210	5.01	-1.442	260	6.00	2.275	310	7.28	-3.481	360	8.31	-4.283
211	5.03	0.794	261	6.01	2.518	311	7.29	+3.493	361	8.32	-2.043
212	5.04	2.034	262	6.03	2.503	312	7.31	+4.003	362	8.34	0.697
213	5.06	2.024	263	6.06	1.831	313	7.33	+3.398	363	8.38	8.911
214	5.10	1.740	264	6.09	1.330	314	7.35	-2.287	364	8.39	10.153
215	5.14	1.460	265	6.12	-1.198	315	7.36	-1.918	365	8.41	11.388
216	5.16	0.819	266	6.14	-1.333	316	7.38	-1.683	366	8.42	11.757
217	5.17	0.809	267	6.15	-1.342	317	7.41	-1.710	367	8.44	11.996
218	5.19	1.045	268	6.16	-0.729	318	7.42	-1.967	368	8.45	11.485
219	5.21	1.904	269	6.21	2.113	319	7.44	-1.979	369	8.46	10.477
220	5.22	2.890	270	6.22	2.727	320	7.50	+3.026	370	8.47	9.215
221	5.24	3.503	271	6.24	3.339	321	7.52	+0.546	371	8.51	6.063
222	5.25	3.491	272	6.25	3.081	322	7.53	0.821	372	8.52	4.802
223	5.26	3.485	273	6.30	-1.960	323	7.55	1.058	373	8.54	3.538
224	5.29	2.840	274	6.31	-2.596	324	7.57	1.043	374	8.55	2.904
225	5.31	1.947	275	6.32	-2.979	325	7.59	0.404	375	8.57	1.640
226	5.32	1.566	276	6.33	-2.986	326	7.60	-0.232	376	8.58	1.630
227	5.34	1.795	277	6.34	-2.746	327	7.62	0.375	377	8.59	0.997
228	5.39	4.005	278	6.36	-1.761	328	7.64	0.989	378	8.61	0.986
229	5.42	3.109	279	6.42	2.816	329	7.66	1.596	379	8.63	0.723
230	5.45	1.212	280	6.54	-4.026	330	7.68	0.954	380	8.64	0.340
231	5.48	-0.437	281	6.55	-4.035	331	7.70	0.687	381	8.65	-1.547
232	5.52	-3.216	282	6.56	-5.043	332	7.72	0.048	382	8.69	-0.329
233	5.53	-6.105	283	6.57	-5.051	333	7.75	-1.221	383	8.71	-0.343
234	5.54	-6.735	284	6.58	-5.307	334	7.76	-1.609	384	8.73	+0.606
235	5.55	-6.993	285	6.59	-5.065	335	7.80	-2.884	385	8.75	+1.625
236	5.56	-8.302	286	6.61	-4.827	336	7.82	+4.152	386	8.76	-1.883
237	5.57	-6.635	287	6.62	-4.440	337	7.84	-4.416	387	8.77	-2.266
238	5.59	-5.403	288	6.63	-3.595	338	7.86	-5.434	388	8.78	-2.649
239	5.62	-1.800	289	6.69	1.482	339	7.88	-5.698	389	8.80	-3.039
240	5.64	-2.937	290	6.79	3.156	340	7.90	+6.088	390	8.84	-8.069
241	5.65	-2.322	291	6.80	3.771	341	7.91	+5.847	391	8.86	-8.080
242	5.66	-2.330	292	6.81	3.261	342	7.92	-5.478	392	8.87	-8.344
243	5.67	-1.986	293	6.86	-2.155	343	7.93	+5.238	393	8.89	-8.104
244	5.71	-5.122	294	6.89	-2.422	344	7.94	+4.625	394	8.90	-7.886
245	5.73	-5.760	295	6.90	-2.180	345	7.96	-4.637	395	8.92	-7.500
246	5.78	-6.052	296	6.92	-1.951	346	7.97	-4.274	396	8.93	-7.509
247	5.79	-5.807	297	6.94	-0.988	347	7.99	+4.286	397	8.94	-6.894
248	5.84	0.776	298	6.97	0.885	348	8.00	+4.548	398	8.95	-6.525
249	5.85	1.768	299	6.98	1.750	349	8.01	-4.301	399	8.98	+4.422
250	5.86	2.010	300	6.99	2.742	350	8.03	+3.070	400	8.99	-3.184

INDEX NO. 826 104-GR-40 SHINTONEGAWA BR. LG. MAX.ACCEL.= 20.350(GAL) T=12.44(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	9.00	-2.565	451	9.89	-3.096	501	10.79	-5.857	551	11.71	0.801
402	9.01	-2.825	452	9.90	-3.028	502	10.80	-5.866	552	11.74	-0.221
403	9.02	-2.833	453	9.91	-1.412	503	10.82	-6.256	553	11.76	-1.490
404	9.04	-2.600	454	9.93	0.699	504	10.83	-5.266	554	11.79	-2.388
405	9.06	-2.361	455	9.94	2.563	505	10.85	-4.651	555	11.82	-2.158
406	9.07	-1.742	456	9.95	2.935	506	10.88	-3.179	556	11.84	-1.927
407	9.08	-0.749	457	9.96	2.674	507	10.80	-2.564	557	11.89	-1.590
408	9.09	1.111	458	9.97	1.415	508	10.90	-2.818	558	11.92	-1.234
409	9.11	5.598	459	9.98	0.411	509	10.95	-8.858	559	11.93	-0.996
410	9.13	7.705	460	9.99	-1.099	510	10.96	-9.364	560	11.95	-1.088
411	9.14	8.700	461	10.01	-3.987	511	10.97	-9.376	561	11.96	-2.092
412	9.15	9.944	462	10.03	-7.129	512	10.98	-9.132	562	12.00	-7.045
413	9.17	10.552	463	10.04	-8.385	513	11.10	-6.224	563	12.03	-14.196
414	9.18	10.543	464	10.05	-9.647	514	11.11	-4.486	564	12.04	-15.955
415	9.19	10.785	465	10.06	-10.280	515	11.16	-8.276	565	12.05	-18.842
416	9.21	9.019	466	10.07	-10.288	516	11.17	-8.284	566	12.06	-19.099
417	9.25	2.991	467	10.09	-9.423	517	11.19	-8.420	567	12.07	-18.851
418	9.26	1.728	469	10.14	-2.840	518	11.21	-7.808	568	12.08	-18.061
419	9.28	1.093	469	10.17	-4.112	519	11.22	-2.073	569	12.09	-16.998
420	9.29	1.331	470	10.18	-5.376	520	11.24	-0.583	570	12.11	-14.511
421	9.30	1.696	471	10.22	-4.154	521	11.25	0.282	571	12.13	-9.274
422	9.31	1.689	472	10.26	-5.686	522	11.32	7.231	572	12.15	-3.169
423	9.33	1.674	473	10.27	-5.694	523	11.33	8.225	573	12.17	2.066
424	9.35	0.783	474	10.28	-5.450	524	11.34	9.090	574	12.18	3.808
425	9.39	-1.122	475	10.33	4.883	525	11.35	9.709	575	12.19	4.429
426	9.41	-2.261	476	10.35	6.490	526	11.36	8.820	576	12.20	5.296
427	9.45	-3.550	477	10.37	7.355	527	11.37	7.936	577	12.21	4.410
428	9.49	-5.459	478	10.38	7.345	528	11.39	6.298	578	12.23	3.522
429	9.50	-4.833	479	10.39	6.839	529	11.41	3.157	579	12.24	1.634
430	9.53	-2.109	480	10.49	5.827	530	11.42	1.023	580	12.28	-1.648
431	9.54	-1.742	481	10.43	4.307	531	11.44	-0.237	581	12.30	-2.789
432	9.55	-2.002	482	10.44	1.422	532	11.45	-0.872	582	12.31	-2.797
433	9.57	-3.641	483	10.45	0.791	533	11.46	-2.129	583	12.32	-2.802
434	9.59	-5.532	484	10.46	0.527	534	11.47	-2.763	584	12.33	-3.434
435	9.60	-6.793	485	10.48	1.012	535	11.48	-2.518	585	12.35	-1.949
436	9.61	-6.801	486	10.51	1.989	536	11.49	-2.278	586	12.39	13.391
437	9.64	-5.943	487	10.53	1.600	537	11.51	-1.041	587	12.40	15.632
438	9.65	-4.703	488	10.54	1.340	538	11.52	1.451	588	12.41	17.126
439	9.67	-4.969	489	10.56	0.702	539	11.53	3.065	589	12.42	16.493
440	9.69	-4.358	490	10.57	0.691	540	11.55	3.053	590	12.43	19.487
441	9.73	5.357	491	10.62	2.529	541	11.56	3.294	591	12.44	20.350
442	9.74	6.102	492	10.64	3.513	542	11.57	3.911	592	12.45	20.349
443	9.75	6.971	493	10.66	2.873	543	11.58	4.901	593	12.46	19.641
444	9.77	8.205	494	10.68	2.231	544	11.59	5.517	594	12.47	18.833
445	9.78	4.643	495	10.69	1.847	545	11.60	5.766	595	12.52	12.293
446	9.82	-1.837	496	10.71	0.961	546	11.61	6.758	596	12.53	11.660
447	9.83	-2.472	497	10.72	0.325	547	11.62	6.498	597	12.54	10.653
448	9.84	-3.227	498	10.75	-2.698	548	11.64	5.232	598	12.55	9.892
449	9.85	-3.485	499	10.76	-4.208	549	11.65	3.597	599	12.56	9.636
450	9.87	-4.256	500	10.78	-5.220	550	11.68	2.327	600	12.58	8.622

INDEX NO. 826 104-GR-40 SHINTONEGAWA BR. LG. MAX.ACCEL.= 20.350(GAL) T=12.44(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	12.60	8.355	651	13.45	9.804	701	14.35	7.720	751	15.24	-6.982
602	12.62	8.338	652	13.46	10.052	702	14.36	8.337	752	15.25	-7.371
603	12.63	8.576	653	13.47	9.544	703	14.37	7.452	753	15.27	-7.260
604	12.65	8.311	654	13.48	7.910	704	14.38	5.817	754	15.28	-6.639
605	12.66	6.679	655	13.53	-7.632	705	14.40	3.929	755	15.29	-4.149
606	12.67	5.676	656	13.54	-10.142	706	14.42	2.038	756	15.30	-2.534
607	12.71	-4.486	657	13.55	-10.774	707	14.45	-0.113	757	15.32	1.953
608	12.72	-5.493	658	13.56	-11.158	708	14.47	-2.004	758	15.33	4.444
609	12.73	-5.252	659	13.57	-11.787	709	14.49	-2.645	759	15.34	5.684
610	12.76	-5.526	660	13.58	-12.045	710	14.51	-2.779	760	15.35	6.926
611	12.77	-6.160	661	13.59	-11.801	711	14.52	-2.413	761	15.36	7.299
612	12.78	-6.793	662	13.66	-4.738	712	14.57	-1.452	762	15.37	7.914
613	12.87	-14.115	663	13.68	-4.125	713	14.59	0.281	763	15.38	8.903
614	12.88	-14.748	664	13.69	-3.761	714	14.60	1.522	764	15.39	9.768
615	12.89	-15.127	665	13.70	-3.516	715	14.61	1.888	765	15.41	10.132
616	12.90	-15.389	666	13.71	-4.025	716	14.62	1.878	766	15.42	9.870
617	12.91	-15.146	667	13.74	-5.676	717	14.63	1.675	767	15.44	9.485
618	12.92	-14.529	668	13.75	-5.683	718	14.64	1.863	768	15.47	6.959
619	12.94	-14.288	669	13.82	-3.485	719	14.66	1.596	769	15.51	8.800
620	12.95	-12.923	670	13.83	-3.872	720	14.69	0.576	770	15.52	8.792
621	13.00	-3.216	671	13.85	-4.763	721	14.71	-0.065	771	15.54	8.528
622	13.02	-1.351	672	13.86	-5.396	722	14.72	-0.696	772	15.62	-0.162
623	13.03	0.136	673	13.87	-5.775	723	14.74	-1.340	773	15.64	-1.427
624	13.05	0.749	674	13.88	-6.408	724	14.80	-2.886	774	15.71	2.521
625	13.06	1.116	675	13.90	-8.674	725	14.81	-3.524	775	15.72	3.136
626	13.08	0.852	676	13.91	-9.182	726	14.83	-3.909	776	15.73	3.128
627	13.09	0.463	677	13.92	-9.562	727	14.84	-4.292	777	15.74	3.493
628	13.11	-0.172	678	13.93	-8.947	728	14.85	-6.556	778	15.75	3.755
629	13.12	-1.682	679	14.01	-0.885	729	14.86	-9.064	779	15.76	3.732
630	13.13	-3.317	680	14.02	-0.268	730	14.89	-13.083	780	15.77	3.471
631	13.16	-7.090	681	14.03	0.597	731	14.90	-14.341	781	15.78	2.842
632	13.17	-8.974	682	14.04	0.591	732	14.92	-16.356	782	15.82	-2.441
633	13.18	-9.609	683	14.05	0.585	733	14.93	-16.738	783	15.83	-3.451
634	13.19	-9.614	684	14.09	-1.824	734	14.94	-16.751	784	15.85	-4.087
635	13.20	-9.371	685	14.10	-2.834	735	14.95	-16.756	785	15.86	-5.598
636	13.21	-8.628	686	14.11	-3.092	736	14.96	-15.893	786	15.87	-6.606
637	13.26	4.204	687	14.14	-0.241	737	14.97	-14.899	787	15.88	-7.242
638	13.27	5.198	688	14.15	1.624	738	14.98	-13.030	788	15.90	-7.878
639	13.28	5.944	689	14.16	1.867	739	14.99	-10.911	789	15.91	-7.890
640	13.29	5.686	690	14.17	1.610	740	15.03	1.555	790	15.94	-7.598
641	13.30	6.297	691	14.19	1.346	741	15.04	2.425	791	15.97	-5.435
642	13.32	6.281	692	14.22	-0.551	742	15.05	3.615	792	16.01	-5.466
643	13.33	6.273	693	14.24	-1.321	743	15.10	5.075	793	16.02	-5.227
644	13.34	6.265	694	14.27	-2.220	744	15.11	5.860	794	16.05	-3.996
645	13.35	6.638	695	14.29	-2.253	745	15.14	3.720	795	16.07	-2.197
646	13.36	7.253	696	14.30	-1.612	746	15.18	-0.434	796	16.08	-1.146
647	13.37	8.118	697	14.31	-0.372	747	15.20	-3.327	797	16.09	-0.330
648	13.38	8.491	698	14.32	4.365	748	15.21	-5.464	798	16.10	-0.288
649	13.41	8.482	699	14.33	5.861	749	15.22	-6.095	799	16.11	0.079
650	13.42	8.704	700	14.34	6.681	750	15.23	-6.726	800	16.14	-0.970

INDEX NO. 826 104-GR-40 SHINTONEGAWA BR. LG. MAX.ACCEL.= 20.350(GAL) T=12.44(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	16.16	-0.830	851	17.12	-3.331	901	18.07	-4.326	951	18.86	-12.190
802	16.17	-2.467	852	17.13	-3.089	902	18.08	-4.833	952	18.88	-11.950
803	16.19	-5.859	853	17.15	-2.731	903	18.14	-13.876	953	18.90	-11.597
804	16.21	-8.872	854	17.17	-2.748	904	18.15	-15.639	954	18.91	-11.353
805	16.22	-9.503	855	17.18	-3.377	905	18.17	-16.274	955	18.93	-10.742
806	16.23	-10.140	856	17.19	-4.012	906	18.19	-14.544	956	18.95	-9.385
807	16.25	-10.402	857	17.20	-4.645	907	18.24	-8.953	957	18.97	-8.273
808	16.26	-9.911	858	17.21	-5.904	908	18.27	-4.851	958	19.00	-11.300
809	16.28	-8.674	859	17.25	-13.060	909	18.28	-3.358	959	19.02	-11.934
810	16.32	-1.958	860	17.27	-14.071	910	18.29	-1.618	960	19.04	-12.328
811	16.38	0.493	861	17.28	-13.829	911	18.30	-1.374	961	19.05	-11.713
812	16.40	0.482	862	17.29	-11.964	912	18.31	-0.761	962	19.06	-11.098
813	16.43	-1.046	863	17.34	2.245	913	18.32	-1.017	963	19.07	-10.227
814	16.44	-1.676	864	17.35	3.736	914	18.33	-1.279	964	19.09	-9.492
815	16.46	-2.063	865	17.36	4.731	915	18.36	-2.547	965	19.12	-5.513
816	16.47	-0.828	866	17.37	5.348	916	18.39	-0.448	966	19.14	-3.655
817	16.49	0.035	867	17.38	5.363	917	18.40	-0.208	967	19.15	-2.912
818	16.55	-1.134	868	17.39	5.336	918	18.41	-0.216	968	19.16	-2.297
819	16.60	1.322	869	17.40	5.077	919	18.44	-1.737	969	19.17	-2.057
820	16.62	1.556	870	17.41	4.444	920	18.46	-1.998	970	19.19	-2.067
821	16.64	0.669	871	17.43	2.175	921	18.47	-2.361	971	19.20	-1.707
822	16.65	0.535	872	17.45	-0.592	922	18.48	-2.143	972	19.21	-1.464
823	16.67	0.270	873	17.48	-1.237	923	18.49	-2.151	973	19.23	-0.476
824	16.68	0.265	874	17.50	-1.627	924	18.50	-1.784	974	19.24	-0.486
825	16.69	0.879	875	17.51	-1.634	925	18.51	-1.163	975	19.26	0.371
826	16.71	0.238	876	17.53	-0.404	926	18.52	1.325	976	19.28	0.987
827	16.73	-0.778	877	17.54	0.463	927	18.53	3.440	977	19.29	1.605
828	16.74	-0.787	878	17.55	0.582	928	18.55	5.050	978	19.33	6.068
829	16.76	-0.425	879	17.56	0.826	929	18.56	6.418	979	19.34	7.059
830	16.77	0.195	880	17.60	0.792	930	18.58	9.528	980	19.35	7.680
831	16.78	1.059	881	17.61	1.035	931	18.60	11.640	981	19.36	8.293
832	16.81	3.914	882	17.63	2.020	932	18.61	12.634	982	19.37	8.285
833	16.83	4.149	883	17.66	6.869	933	18.62	14.001	983	19.42	7.252
834	16.84	2.635	884	17.67	8.611	934	18.63	14.616	984	19.43	6.993
835	16.87	-0.133	885	17.68	8.984	935	18.64	15.236	985	19.44	7.606
836	16.91	-7.168	886	17.69	9.225	936	18.65	15.228	986	19.46	9.215
837	16.92	-8.052	887	17.73	6.817	937	18.66	14.971	987	19.49	10.072
838	16.94	-9.086	888	17.75	6.055	938	18.67	13.959	988	19.50	10.936
839	16.95	-9.449	889	17.77	6.035	939	18.68	12.450	989	19.51	11.550
840	16.96	-9.204	890	17.79	6.396	940	18.72	5.042	990	19.52	11.296
841	16.97	-8.591	891	17.82	6.374	941	18.74	2.906	991	19.53	10.666
842	17.00	-7.610	892	17.84	5.730	942	18.76	-0.864	992	19.62	-4.159
843	17.01	-6.368	893	17.86	5.090	943	18.77	-1.867	993	19.63	-4.541
844	17.02	-5.380	894	17.88	4.451	944	18.79	-7.009	994	19.67	-3.075
845	17.05	-3.648	895	17.90	3.187	945	18.80	-8.267	995	19.69	-2.460
846	17.06	-3.285	896	17.91	2.303	946	18.81	-9.775	996	19.70	-1.843
847	17.08	-2.671	897	17.92	1.041	947	18.82	-10.908	997	19.71	-2.980
848	17.09	-2.058	898	17.94	-0.849	948	18.83	-11.539	998	19.77	-7.399
849	17.10	-2.316	899	17.95	-1.482	949	18.84	-12.173	999	19.78	-7.703
850	17.11	-3.327	900	18.06	-3.568	950	18.85	-12.178	1000	19.79	-8.416

INDEX NO. 826 104-GR-40 SHINTONEGAWA BR. LG. MAX.ACCEL.= 20.350(GAL) T=12.44(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	19.81	-8.681	1051	20.67	7.519	1101	21.53	6.336	1151	22.52	8.311
1002	19.82	-8.687	1052	20.69	8.130	1102	21.54	6.332	1152	22.53	7.047
1003	19.83	-8.197	1053	20.70	8.497	1103	21.58	7.425	1153	22.56	5.778
1004	19.84	-7.202	1054	20.71	8.491	1104	21.60	7.413	1154	22.57	4.891
1005	19.87	-3.229	1055	20.72	7.852	1105	21.61	7.400	1155	22.60	3.621
1006	19.88	-1.987	1056	20.73	7.221	1106	21.63	7.135	1156	22.62	3.605
1007	19.89	-2.243	1057	20.75	5.707	1107	21.66	7.110	1157	22.65	2.980
1008	19.90	-2.876	1058	20.76	3.449	1108	21.68	7.097	1158	22.68	2.311
1009	19.91	-4.388	1059	20.85	-10.874	1109	21.69	6.465	1159	22.70	0.413
1010	19.96	-9.172	1060	20.86	-11.759	1110	21.72	3.691	1160	22.73	-1.497
1011	19.97	-9.809	1061	20.88	-12.520	1111	21.73	2.683	1161	22.79	-3.777
1012	19.98	-9.815	1062	20.89	-12.278	1112	21.75	1.790	1162	22.82	-6.053
1013	20.01	-9.834	1063	20.90	-12.539	1113	21.77	1.776	1163	22.83	-7.063
1014	20.06	-6.752	1064	20.91	-11.922	1114	21.80	1.752	1164	22.84	-7.069
1015	20.07	-6.133	1065	20.95	-11.076	1115	21.83	2.228	1165	22.85	-7.948
1016	20.08	-5.768	1066	20.96	-10.460	1116	21.85	2.580	1166	22.87	-10.468
1017	20.09	-6.777	1067	20.97	-10.092	1117	21.88	3.814	1167	22.91	-16.627
1018	20.13	-9.929	1068	20.98	-10.105	1118	21.90	4.048	1168	22.93	-17.264
1019	20.14	-11.314	1069	21.03	-11.392	1119	21.91	3.537	1169	22.99	-16.690
1020	20.15	-11.946	1070	21.05	-10.780	1120	21.92	2.904	1170	23.00	-16.694
1021	20.16	-12.331	1071	21.06	-10.166	1121	21.94	1.267	1171	23.02	-15.458
1022	20.17	-11.712	1072	21.10	-8.697	1122	21.95	-0.621	1172	23.03	-14.842
1023	20.18	-10.696	1073	21.12	-8.333	1123	21.98	-5.145	1173	23.04	-14.230
1024	20.19	-7.981	1074	21.13	-8.099	1124	22.00	-7.036	1174	23.07	-13.627
1025	20.24	6.360	1075	21.15	-7.485	1125	22.03	-8.555	1175	23.09	-13.640
1026	20.25	7.975	1076	21.17	-6.499	1126	22.05	-9.575	1176	23.11	-13.028
1027	20.26	9.716	1077	21.18	-5.260	1127	22.08	-9.843	1177	23.13	-10.923
1028	20.27	9.709	1078	21.19	-5.017	1128	22.09	-10.480	1178	23.25	2.111
1029	20.28	10.326	1079	21.20	-5.023	1129	22.10	-10.240	1179	23.26	2.975
1030	20.29	10.696	1080	21.21	-4.531	1130	22.12	-10.003	1180	23.27	2.967
1031	20.30	11.313	1081	21.22	-4.793	1131	22.13	-9.263	1181	23.30	4.192
1032	20.33	12.039	1082	21.26	-7.323	1132	22.15	-8.397	1182	23.33	4.171
1033	20.34	12.653	1083	21.27	-7.333	1133	22.17	-7.619	1183	23.34	3.910
1034	20.35	12.644	1084	21.29	-7.097	1134	22.19	-7.179	1184	23.35	3.652
1035	20.36	12.635	1085	21.30	-6.853	1135	22.20	-6.943	1185	23.37	3.268
1036	20.40	13.859	1086	21.31	-5.238	1136	22.22	-7.208	1186	23.38	2.383
1037	20.41	13.849	1087	21.33	-3.125	1137	22.28	-9.131	1187	23.39	1.377
1038	20.42	13.838	1088	21.35	-0.020	1138	22.30	-9.146	1188	23.45	-6.548
1039	20.44	13.202	1089	21.36	1.221	1139	22.32	-8.535	1189	23.46	-7.557
1040	20.50	8.650	1090	21.38	2.831	1140	22.34	-7.922	1190	23.48	-8.195
1041	20.51	5.392	1091	21.40	4.192	1141	22.35	-7.058	1191	23.49	-8.830
1042	20.53	5.004	1092	21.41	4.436	1142	22.37	-6.070	1192	23.51	-8.217
1043	20.54	4.371	1093	21.42	5.049	1143	22.40	2.399	1193	23.52	-6.356
1044	20.56	4.602	1094	21.43	5.420	1144	22.42	4.265	1194	23.59	-2.908
1045	20.60	6.698	1095	21.45	5.656	1145	22.44	4.874	1195	23.60	-2.416
1046	20.61	7.317	1096	21.46	6.021	1146	22.46	6.730	1196	23.61	-2.424
1047	20.62	7.308	1097	21.47	6.259	1147	22.47	7.347	1197	23.62	-2.432
1048	20.63	7.299	1098	21.49	6.620	1148	22.49	7.961	1198	23.63	-2.438
1049	20.64	7.293	1099	21.51	6.808	1149	22.50	8.572	1199	23.65	-2.958
1050	20.65	7.033	1100	21.52	6.346	1150	22.51	8.688	1200	23.66	-4.216

土木構造物における加速度強震記録 (No. 9)

INDEX NO. 826 104-GR-40 SHINTONEGAWA BR. LG. MAX.ACCEL.= 20.350(GAL) T=12.44(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	23.67	-4.599	1251	24.65	-5.121	1301	25.66	3.082	1351	26.61	4.085
1202	23.68	-4.353	1252	24.67	-5.136	1302	25.67	3.946	1352	26.62	4.456
1203	23.69	-4.240	1253	24.68	-4.519	1303	25.69	3.310	1353	26.63	4.692
1204	23.73	-2.772	1254	24.69	-3.528	1304	25.70	2.673	1354	26.64	5.061
1205	23.77	-0.921	1255	24.72	-2.050	1305	25.73	-1.350	1355	26.65	5.301
1206	23.78	0.565	1256	24.73	-1.602	1306	25.74	-2.361	1356	26.66	5.293
1207	23.80	1.305	1257	24.75	-0.197	1307	25.76	-3.252	1357	26.68	4.703
1208	23.81	0.797	1258	24.77	2.781	1308	25.77	-3.633	1358	26.72	1.621
1209	23.88	-3.388	1259	24.78	4.646	1309	25.78	-2.764	1359	26.73	1.242
1210	23.89	-3.392	1260	24.82	10.994	1310	25.79	-2.647	1360	26.74	0.607
1211	23.90	-3.655	1261	24.83	13.483	1311	25.84	2.559	1361	26.75	0.354
1212	23.91	-3.410	1262	24.85	14.971	1312	25.85	2.555	1362	26.81	2.053
1213	23.92	-2.792	1263	24.86	16.335	1313	25.86	2.797	1363	26.82	2.419
1214	23.93	-1.921	1264	24.87	16.700	1314	25.87	3.418	1364	26.84	1.159
1215	23.98	7.910	1265	24.89	17.309	1315	25.88	3.410	1365	26.89	-2.010
1216	23.99	9.149	1266	24.91	14.544	1316	25.89	3.402	1366	26.92	-3.279
1217	24.00	9.391	1267	24.94	9.526	1317	25.90	3.394	1367	26.93	-3.041
1218	24.02	10.379	1268	24.97	3.748	1318	25.91	3.136	1368	26.95	-2.628
1219	24.03	10.618	1269	24.98	2.737	1319	25.96	-0.659	1369	26.99	1.915
1220	24.05	10.984	1270	25.00	1.477	1320	25.97	-1.292	1370	27.00	3.153
1221	24.06	10.724	1271	25.01	0.839	1321	25.99	-1.304	1371	27.01	3.772
1222	24.07	10.085	1272	25.02	1.083	1322	26.00	-1.313	1372	27.02	4.139
1223	24.09	10.076	1273	25.03	1.826	1323	26.06	3.262	1373	27.04	3.878
1224	24.10	9.688	1274	25.07	3.296	1324	26.07	3.881	1374	27.05	2.621
1225	24.11	9.684	1275	25.08	3.916	1325	26.08	3.623	1375	27.06	0.357
1226	24.13	9.420	1276	25.09	3.652	1326	26.10	2.984	1376	27.10	-5.919
1227	24.15	9.026	1277	25.17	-5.031	1327	26.18	-1.707	1377	27.12	-8.435
1228	24.19	8.371	1278	25.18	-6.293	1328	26.19	-2.089	1378	27.13	-8.443
1229	24.23	6.461	1279	25.21	-8.313	1329	26.21	-2.101	1379	27.16	-6.094
1230	24.26	5.192	1280	25.24	-8.962	1330	26.23	-1.867	1380	27.18	-5.983
1231	24.28	3.926	1281	25.26	-8.983	1331	26.27	-1.770	1381	27.20	-3.870
1232	24.29	3.043	1282	25.28	-9.247	1332	26.28	-1.784	1382	27.21	-3.505
1233	24.30	3.283	1283	25.34	-11.294	1333	26.30	-2.796	1383	27.22	-2.890
1234	24.33	3.007	1284	25.35	-11.798	1334	26.32	-3.685	1384	27.23	-3.146
1235	24.34	2.622	1285	25.36	-12.184	1335	26.35	-8.088	1385	27.28	-8.815
1236	24.36	1.735	1286	25.38	-11.822	1336	26.36	-8.845	1386	27.29	-9.325
1237	24.38	-0.205	1287	25.39	-11.333	1337	26.37	-8.850	1387	27.31	-9.959
1238	24.40	-1.546	1288	25.43	-8.118	1338	26.38	-9.231	1388	27.32	-9.967
1239	24.41	-2.559	1289	25.45	-7.252	1339	26.39	-9.241	1389	27.33	-9.727
1240	24.43	-3.444	1290	25.46	-6.641	1340	26.41	-8.382	1390	27.35	-8.490
1241	24.45	-4.086	1291	25.48	-6.028	1341	26.45	-4.666	1391	27.36	-7.500
1242	24.47	-4.480	1292	25.49	-5.412	1342	26.46	-4.045	1392	27.38	-3.645
1243	24.48	-4.736	1293	25.50	-5.421	1343	26.47	-3.430	1393	27.41	0.335
1244	24.50	-4.504	1294	25.52	-4.812	1344	26.48	-3.438	1394	27.42	1.329
1245	24.51	-3.885	1295	25.54	-5.074	1345	26.52	-3.468	1395	27.43	1.948
1246	24.53	-3.649	1296	25.55	-5.090	1346	26.54	-2.484	1396	27.44	2.565
1247	24.55	-3.294	1297	25.57	-4.597	1347	26.55	-1.868	1397	27.45	2.804
1248	24.57	-2.932	1298	25.58	-3.979	1348	26.56	-0.504	1398	27.47	2.914
1249	24.58	-3.067	1299	25.59	-2.116	1349	26.57	-0.133	1399	27.49	3.144
1250	24.60	-3.334	1300	25.63	2.100	1350	26.60	3.466	1400	27.52	3.499

INDEX NO. 826 104-GR-40 SHINTONEGAWA BR. LG. MAX.ACCEL.= 20.350(GAL) T=12.44(SEC) NO. 8

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1401	27.53	3.741	1451	28.87	-7.559	1501	30.29	1.579	1551	31.65	1.005
1402	27.54	4.106	1452	28.89	-6.321	1502	30.30	0.948	1552	31.66	-0.384
1403	27.60	5.314	1453	28.92	-4.592	1503	30.32	-0.318	1553	31.67	-0.641
1404	27.61	5.681	1454	28.94	-2.361	1504	30.34	-0.957	1554	31.69	-1.027
1405	27.62	6.298	1455	29.01	5.833	1505	30.44	-10.411	1555	31.70	-1.289
1406	27.63	6.039	1456	29.05	8.682	1506	30.45	-11.046	1556	31.71	-0.425
1407	27.64	5.404	1457	29.09	9.902	1507	30.46	-11.305	1557	31.73	0.810
1408	27.72	-2.036	1458	29.12	10.750	1508	30.47	-12.060	1558	31.74	2.427
1409	27.74	-2.670	1459	29.16	12.719	1509	30.50	-10.955	1559	31.77	5.530
1410	27.75	-2.928	1460	29.17	12.461	1510	30.51	-10.342	1560	31.78	6.146
1411	27.76	-2.686	1461	29.21	11.429	1511	30.53	-8.733	1561	31.79	7.387
1412	27.78	-2.080	1462	29.25	9.520	1512	30.55	-8.495	1562	31.81	7.751
1413	27.79	-1.463	1463	29.29	7.365	1513	30.56	-8.505	1563	31.84	7.351
1414	27.80	-1.097	1464	29.32	5.472	1514	30.57	-8.140	1564	31.89	6.932
1415	27.83	-1.490	1465	29.37	2.427	1515	30.77	-7.799	1565	31.91	7.297
1416	27.85	-3.386	1466	29.40	0.530	1516	30.79	-7.188	1566	31.94	7.842
1417	27.91	-7.185	1467	29.41	0.522	1517	30.81	-6.700	1567	31.95	7.637
1418	27.93	-8.451	1468	29.43	-0.742	1518	30.83	-4.465	1568	31.96	7.255
1419	27.98	-7.858	1469	29.46	-0.391	1519	30.87	1.374	1569	31.98	6.610
1420	28.12	-6.849	1470	29.48	-0.778	1520	30.89	2.360	1570	31.99	5.981
1421	28.18	-4.639	1471	29.50	-1.421	1521	30.90	2.599	1571	32.06	-0.325
1422	28.19	-4.403	1472	29.52	-4.314	1522	30.94	3.695	1572	32.07	-0.580
1423	28.21	-5.037	1473	29.55	-6.836	1523	30.97	3.673	1573	32.08	-1.219
1424	28.23	-5.679	1474	29.58	-10.612	1524	30.98	3.660	1574	32.10	-0.984
1425	28.26	-5.701	1475	29.59	-11.743	1525	31.00	3.018	1575	32.12	-0.747
1426	28.28	-5.970	1476	29.60	-13.251	1526	31.06	0.222	1576	32.14	0.237
1427	28.31	-4.866	1477	29.70	-14.083	1527	31.09	-1.429	1577	32.18	2.711
1428	28.32	-4.125	1478	29.72	-13.469	1528	31.12	-2.328	1578	32.20	3.070
1429	28.36	-1.533	1479	29.74	-12.235	1529	31.14	-2.342	1579	32.21	3.305
1430	28.37	-0.664	1480	29.76	-10.999	1530	31.20	1.239	1580	32.31	1.728
1431	28.38	0.574	1481	29.79	-8.166	1531	31.21	1.229	1581	32.34	1.085
1432	28.40	1.185	1482	29.84	-3.435	1532	31.23	1.590	1582	32.36	1.690
1433	28.43	1.409	1483	29.88	1.907	1533	31.24	1.328	1583	32.53	-7.064
1434	28.46	1.513	1484	29.89	2.776	1534	31.30	-0.598	1584	32.55	-7.708
1435	28.48	1.749	1485	29.90	3.392	1535	31.33	-0.996	1585	32.57	-8.599
1436	28.52	1.467	1486	29.91	3.759	1536	31.35	0.238	1586	32.59	-9.612
1437	28.53	1.713	1487	29.92	4.001	1537	31.38	1.091	1587	32.61	-10.250
1438	28.55	1.445	1488	29.93	3.994	1538	31.40	1.704	1588	32.62	-11.136
1439	28.58	1.921	1489	29.95	3.728	1539	31.41	2.692	1589	32.64	-11.776
1440	28.60	2.032	1490	30.01	0.928	1540	31.42	4.182	1590	32.65	-12.158
1441	28.61	1.394	1491	30.02	0.920	1541	31.43	3.928	1591	32.67	-11.923
1442	28.66	-1.515	1492	30.04	0.531	1542	31.46	4.528	1592	32.69	-11.309
1443	28.67	-2.152	1493	30.05	0.773	1543	31.47	4.521	1593	32.78	-6.628
1444	28.69	-2.418	1494	30.11	3.225	1544	31.50	6.375	1594	32.79	-6.018
1445	28.73	-1.824	1495	30.12	3.221	1545	31.52	6.983	1595	32.80	-5.647
1446	28.75	-3.087	1496	30.13	3.832	1546	31.53	7.597	1596	32.82	-5.409
1447	28.78	-5.358	1497	30.16	3.563	1547	31.54	7.836	1597	32.83	-5.421
1448	28.83	-7.898	1498	30.20	2.281	1548	31.55	7.829	1598	32.87	-6.089
1449	28.84	-8.158	1499	30.23	1.633	1549	31.57	7.565	1599	32.90	-5.471
1450	28.86	-8.171	1500	30.25	0.992	1550	31.59	6.671	1600	32.91	-4.666

INDEX NO. 826 104-GR-40 SHINTONEGAWA BR. LG. MAX.ACCEL.= 20.350(GAL) T=12.44(SEC) NO. 9

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1601	32.92	-2.743	1651	34.42	1.560	1701	36.31	8.341	1751	38.41	2.206
1602	32.95	-1.387	1652	34.44	3.421	1702	36.32	8.581	1752	38.44	3.438
1603	32.96	0.477	1653	34.45	4.036	1703	36.34	8.313	1753	38.48	4.533
1604	33.01	7.036	1654	34.47	5.647	1704	36.46	0.976	1754	38.51	5.003
1605	33.03	8.677	1655	34.49	6.129	1705	36.52	-4.701	1755	38.54	5.732
1606	33.04	9.169	1656	34.52	5.862	1706	36.58	-10.873	1756	38.55	6.973
1607	33.05	8.905	1657	34.56	5.827	1707	36.60	-12.135	1757	38.60	10.936
1608	33.10	9.614	1658	34.62	5.783	1708	36.61	-12.397	1758	38.61	11.552
1609	33.13	9.347	1659	34.66	4.877	1709	36.63	-13.035	1759	38.62	11.919
1610	33.14	8.712	1660	34.74	3.188	1710	36.64	-12.793	1760	38.63	11.288
1611	33.21	1.283	1661	34.80	1.015	1711	36.66	-12.559	1761	38.64	11.278
1612	33.23	-0.240	1662	34.84	-0.639	1712	36.67	-12.191	1762	38.74	5.579
1613	33.27	-1.273	1663	34.86	-1.280	1713	36.69	-10.957	1763	38.75	4.944
1614	33.30	-0.416	1664	34.88	-2.545	1714	36.71	-9.347	1764	38.76	4.564
1615	33.31	0.570	1665	34.91	-4.069	1715	36.81	-0.549	1765	38.78	4.173
1616	33.32	1.814	1666	34.93	-5.086	1716	36.93	-0.012	1766	38.81	3.649
1617	33.35	2.418	1667	34.95	-6.357	1717	36.96	2.088	1767	38.83	3.260
1618	33.36	2.161	1668	35.05	-6.684	1718	36.98	3.568	1768	38.84	3.004
1619	33.37	1.149	1669	35.10	-9.974	1719	36.99	4.810	1769	38.90	-2.549
1620	33.45	-5.542	1670	35.15	-10.635	1720	37.01	6.423	1770	38.95	-5.336
1621	33.46	-6.172	1671	35.17	-11.024	1721	37.03	8.034	1771	39.01	-7.632
1622	33.48	-6.813	1672	35.21	-10.676	1722	37.04	9.026	1772	39.04	-7.904
1623	33.51	-6.339	1673	35.27	-9.231	1723	37.05	9.889	1773	39.08	-7.063
1624	33.54	-5.359	1674	35.38	-6.566	1724	37.07	10.875	1774	39.10	-6.453
1625	33.61	-0.672	1675	35.41	-2.714	1725	37.09	11.111	1775	39.11	-5.211
1626	33.65	2.549	1676	35.43	-1.478	1726	37.10	11.726	1776	39.12	-4.220
1627	33.72	2.743	1677	35.46	0.751	1727	37.11	11.468	1777	39.14	-2.482
1628	33.77	2.076	1678	35.50	3.843	1728	37.13	11.204	1778	39.20	2.472
1629	33.79	2.062	1679	35.52	5.077	1729	37.15	9.940	1779	39.22	3.458
1630	33.83	1.155	1680	35.54	6.063	1730	37.23	2.998	1780	39.25	4.434
1631	33.86	0.507	1681	35.57	7.664	1731	37.40	-3.629	1781	39.26	4.547
1632	33.90	-0.782	1682	35.59	8.275	1732	37.56	-0.884	1782	39.27	4.787
1633	33.93	-1.427	1683	35.60	8.267	1733	37.59	-1.778	1783	39.29	4.774
1634	33.95	-2.691	1684	35.63	8.245	1734	37.63	-1.939	1784	39.37	2.216
1635	34.04	-9.513	1685	35.65	7.979	1735	37.77	-1.292	1785	39.38	2.576
1636	34.06	-11.035	1686	35.67	7.336	1736	37.84	3.026	1786	39.41	2.558
1637	34.07	-10.790	1687	35.68	6.324	1737	37.85	3.642	1787	39.43	2.536
1638	34.08	-10.799	1688	35.70	5.868	1738	37.87	4.251	1788	39.50	4.983
1639	34.09	-10.183	1689	35.83	-3.037	1739	37.89	4.859	1789	39.54	3.077
1640	34.13	-7.708	1690	35.84	-3.294	1740	37.90	4.478	1790	39.57	2.058
1641	34.15	-6.477	1691	35.85	-4.558	1741	37.91	3.594	1791	39.61	-0.099
1642	34.17	-5.889	1692	35.87	-4.819	1742	37.93	2.957	1792	39.63	-0.744
1643	34.18	-5.079	1693	35.88	-4.500	1743	38.12	-4.193	1793	39.66	-0.764
1644	34.20	-6.144	1694	35.91	-4.348	1744	38.14	-4.705	1794	39.72	0.309
1645	34.23	-7.164	1695	35.99	-1.538	1745	38.15	-4.218	1795	39.74	0.297
1646	34.30	-9.341	1696	36.02	-2.186	1746	38.17	-2.983	1796	39.75	0.291
1647	34.32	-8.735	1697	36.04	-2.205	1747	38.19	-1.993	1797	39.78	-0.233
1648	34.35	-6.885	1698	36.08	-2.481	1748	38.25	1.704	1798	39.82	-1.895
1649	34.37	-5.402	1699	36.11	-2.880	1749	38.35	0.757	1799	39.83	-2.148
1650	34.40	-2.544	1700	36.30	7.725	1750	38.38	0.984	1800	39.84	-1.910

INDEX NO. 826 104-GR-40 SHINTONEGAWA BR. LG. MAX.ACCEL.= 20.350(GAL) T=12.44(SEC) NO.10

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1801	39.85	-2.291	1851	41.44	2.346	1901	42.87	-14.145	1951	44.39	-0.097
1802	39.87	-1.932	1852	41.47	6.194	1902	42.88	-14.531	1952	44.45	-2.395
1803	39.89	-1.698	1853	41.48	7.062	1903	42.90	-14.545	1953	44.48	-3.292
1804	39.91	-1.708	1854	41.50	7.671	1904	42.93	-14.946	1954	44.50	-3.931
1805	39.92	-1.971	1855	41.52	6.282	1905	42.96	-13.972	1955	44.53	-4.582
1806	39.95	-2.865	1856	41.53	8.272	1906	43.00	-12.123	1956	44.55	-3.722
1807	40.01	-4.663	1857	41.56	7.123	1907	43.02	-9.390	1957	44.63	-3.539
1808	40.07	-6.210	1858	41.59	7.102	1908	43.03	-7.773	1958	44.65	-3.557
1809	40.08	-6.217	1859	41.61	6.458	1909	43.05	-4.918	1959	44.68	-4.454
1810	40.11	-6.245	1860	41.66	5.175	1910	43.12	2.030	1960	44.70	-4.217
1811	40.14	-7.017	1861	41.69	3.521	1911	43.13	3.021	1961	44.73	-3.616
1812	40.17	-8.163	1862	41.76	-0.280	1912	43.14	3.837	1962	44.76	-2.638
1813	40.18	-9.177	1863	41.79	-0.932	1913	43.15	4.254	1963	44.80	-1.168
1814	40.20	-9.440	1864	41.84	-1.592	1914	43.16	4.877	1964	44.83	0.433
1815	40.22	-9.581	1865	41.86	-1.356	1915	43.18	5.485	1965	44.85	1.038
1816	40.25	-8.802	1866	41.87	-1.864	1916	43.20	5.721	1966	44.89	1.010
1817	40.26	-7.985	1867	41.88	-3.251	1917	43.24	4.809	1967	44.90	1.820
1818	40.29	-6.758	1868	41.94	-8.043	1918	43.40	3.058	1968	44.93	2.228
1819	40.32	-3.410	1869	41.95	-8.678	1919	43.44	2.781	1969	44.94	2.839
1820	40.35	-1.803	1870	41.96	-9.063	1920	43.46	2.387	1970	44.98	3.432
1821	40.36	-1.565	1871	41.97	-9.071	1921	43.49	2.993	1971	45.00	3.170
1822	40.38	-2.708	1872	42.00	-8.341	1922	43.52	2.964	1972	45.01	2.785
1823	40.42	-3.359	1873	42.01	-7.478	1923	43.56	3.558	1973	45.02	2.525
1824	40.46	-2.690	1874	42.03	-6.494	1924	43.59	4.159	1974	45.10	-1.656
1825	40.59	0.501	1875	42.05	-5.378	1925	43.60	4.151	1975	45.11	-2.289
1826	40.62	1.104	1876	42.06	-5.010	1926	43.62	3.637	1976	45.13	-2.555
1827	40.66	3.576	1877	42.18	1.140	1927	43.64	3.623	1977	45.14	-2.692
1828	40.68	5.556	1878	42.22	4.608	1928	43.66	3.605	1978	45.15	-2.324
1829	40.70	6.793	1879	42.23	4.979	1929	43.67	3.226	1979	45.22	-0.249
1830	40.72	6.778	1660	42.24	5.845	1930	43.69	2.583	1980	45.24	0.730
1831	40.73	6.520	1881	42.25	5.039	1931	43.72	1.938	1981	45.30	0.888
1832	40.75	5.879	1882	42.34	6.270	1932	43.73	1.678	1982	45.32	0.671
1833	40.88	2.656	1803	42.35	6.261	1933	43.75	1.664	1983	45.34	0.655
1834	40.95	0.723	1884	42.36	6.626	1934	43.76	1.281	1984	45.37	1.257
1835	40.96	0.336	1885	42.41	7.842	1935	43.78	1.265	1985	45.41	1.849
1836	40.99	-1.560	1886	42.43	8.072	1936	43.79	1.501	1986	45.45	1.567
1837	41.03	-2.213	1887	42.44	7.813	1937	43.81	2.114	1987	45.48	1.169
1838	41.05	-2.483	1888	42.45	7.807	1938	43.82	2.483	1988	45.51	0.523
1839	41.11	-2.901	1889	42.46	7.172	1939	43.90	7.042	1989	45.53	1.150
1840	41.12	-3.539	1890	42.47	6.541	1940	43.92	7.149	1990	45.57	0.480
1841	41.17	-5.196	1891	42.48	5.907	1941	43.95	6.757	1991	45.58	-0.158
1842	41.21	-5.851	1892	42.50	4.140	1942	44.01	5.202	1992	45.61	-1.451
1843	41.23	-6.871	1893	42.62	-5.455	1943	44.04	4.803	1993	45.64	-3.332
1844	41.26	-6.020	1894	42.69	-10.259	1944	44.13	3.863	1994	45.70	-5.871
1845	41.28	-4.412	1895	42.71	-11.148	1945	44.16	4.085	1995	45.72	-6.766
1846	41.31	-3.180	1896	42.74	-11.421	1946	44.23	4.279	1996	45.74	-7.155
1847	41.33	-2.326	1897	42.77	-12.073	1947	44.26	4.011	1997	45.76	-7.298
1848	41.36	-1.723	1898	42.79	-13.089	1948	44.27	3.746	1998	45.81	-7.088
1849	41.40	-0.503	1899	42.83	-13.867	1949	44.28	3.367	1999	45.84	-6.732
1850	41.41	0.489	1900	42.85	-14.129	1950	44.31	2.465	2000	45.86	-5.876

土木構造物における加速度強震記録（No.9）

INDEX NO. 826 104-GR-40 SHINTONEGAWA GR. LG. MAX.ACCEL.= 20.350(GAL) T=12.44(SEC) NO.11

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2001	45.90	-6.406	2051	47.37	-0.933	2101	48.83	4.183	2151	50.77	-1.842
2002	45.92	-6.174	2052	47.44	-4.985	2102	48.85	5.546	2152	50.83	-1.390
2003	45.97	-6.935	2053	47.48	-7.892	2103	48.86	6.411	2153	50.87	-0.416
2004	45.99	-7.102	2054	47.52	-8.670	2104	48.88	8.020	2154	50.90	0.806
2005	46.01	-7.115	2055	47.60	-7.482	2105	48.90	9.874	2155	50.92	1.665
2006	46.02	-6.502	2056	47.62	-6.629	2106	48.91	10.744	2156	50.94	1.651
2007	46.04	-5.888	2057	47.66	-5.355	2107	48.92	11.736	2157	51.00	1.103
2008	46.10	-1.561	2058	47.70	-4.184	2108	48.94	11.972	2158	51.03	1.081
2009	46.16	1.263	2059	47.71	-2.323	2109	48.96	12.333	2159	51.09	1.530
2010	46.21	2.731	2060	47.73	-1.584	2110	49.09	12.054	2160	51.14	1.494
2011	46.24	3.954	2061	47.74	-0.971	2111	49.03	11.404	2161	51.21	0.563
2012	46.26	4.566	2062	47.76	0.014	2112	49.07	10.999	2162	51.27	-0.109
2013	46.27	4.933	2063	47.78	0.622	2113	49.12	11.579	2163	51.28	-0.117
2014	46.31	4.902	2064	47.81	0.975	2114	49.15	10.931	2164	51.31	0.483
2015	46.37	5.475	2065	47.83	1.212	2115	49.17	9.684	2165	51.37	0.438
2016	46.43	6.927	2066	47.85	2.448	2116	49.22	5.875	2166	51.42	0.402
2017	46.47	6.651	2067	47.88	3.920	2117	49.27	3.338	2167	51.48	-1.525
2018	46.48	6.637	2068	47.93	6.509	2118	49.32	2.419	2168	51.55	-1.950
2019	46.50	6.877	2069	47.95	7.491	2119	49.42	0.968	2169	51.59	-1.610
2020	46.53	6.723	2070	47.97	7.727	2120	49.43	1.332	2170	51.62	-0.757
2021	46.56	6.702	2071	47.96	7.716	2121	49.47	1.056	2171	51.67	-0.795
2022	46.59	7.302	2072	48.01	6.824	2122	49.54	2.249	2172	51.71	-0.825
2023	46.61	7.914	2073	48.07	4.897	2123	49.57	1.602	2173	51.74	0.147
2024	46.63	7.650	2074	48.10	4.000	2124	49.58	1.214	2174	51.77	1.373
2025	46.65	6.634	2075	48.11	3.619	2125	49.62	0.813	2175	51.81	1.720
2026	46.68	5.359	2076	48.12	2.732	2126	49.63	0.798	2176	51.85	1.960
2027	46.73	2.822	2077	48.16	-0.419	2127	49.66	1.155	2177	51.95	2.106
2028	46.74	1.933	2078	48.19	-4.070	2128	49.70	1.500	2178	52.05	3.034
2029	46.75	1.925	2079	48.25	-6.664	2129	49.72	1.730	2179	52.10	3.243
2030	46.79	0.899	2080	48.28	-7.266	2130	49.75	1.957	2180	52.16	6.066
2031	46.81	0.884	2081	46.30	-7.906	2131	49.77	1.694	2181	52.18	6.676
2032	46.87	1.206	2082	48.32	-8.797	2132	49.82	1.026	2182	52.23	6.917
2033	46.93	2.664	2083	48.35	-10.818	2133	49.92	0.570	2183	52.26	5.362
2034	46.94	3.028	2084	48.38	-12.721	2134	49.99	0.513	2184	52.30	4.708
2035	46.95	2.896	2085	48.40	-13.358	2135	50.03	0.857	2185	52.33	3.806
2036	46.98	3.244	2086	48.41	-14.370	2136	50.05	1.470	2186	52.41	1.499
2037	46.99	3.240	2087	48.43	-14.632	2137	50.12	2.669	2187	52.54	-1.733
2038	47.00	2.607	2088	48.46	-14.404	2138	50.15	3.268	2188	52.65	-4.443
2039	47.03	1.962	2089	48.50	-13.814	2139	50.20	2.604	2189	52.81	-7.066
2040	47.06	1.311	2090	48.52	-13.577	2140	50.25	1.686	2190	52.90	-5.266
2041	47.08	0.418	2091	48.56	-13.231	2141	50.29	1.533	2191	52.97	-5.069
2042	47.10	0.657	2092	48.59	-12.379	2142	50.34	1.243	2192	53.01	-5.350
2043	47.13	1.255	2093	48.60	-12.265	2143	50.37	0.594	2193	53.03	-5.367
2044	47.19	1.836	2094	48.62	-11.405	2144	50.40	-0.057	2194	53.05	-5.383
2045	47.21	1.568	2095	48.65	-10.177	2145	50.43	1.173	2195	53.09	-4.163
2046	47.24	0.921	2096	48.72	-1.731	2146	50.49	1.380	2196	53.14	-2.332
2047	47.27	0.775	2097	48.73	-0.116	2147	50.53	1.096	2197	53.18	-0.860
2048	47.31	0.863	2098	48.75	0.495	2148	50.57	0.063	2198	53.24	0.094
2049	47.35	0.087	2099	48.77	1.727	2149	50.62	-1.102	2199	53.32	3.280
2050	47.36	-0.299	2100	48.81	3.573	2150	50.72	-0.932	2200	53.34	4.508

INDEX NO. 826 104-GR-40 SHINTONEGAWA BR. LG. MAX.ACCEL.= 20.350(GAL) T=12.44(SEC) NO.12

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2201	53.36	5.116	2251	54.94	4.107	2301	56.72	4.631	2351	59.29	1.947
2202	53.39	5.724	2252	54.97	5.337	2302	56.78	4.037	2352	59.31	2.060
2203	53.42	5.944	2253	55.02	6.922	2303	56.79	3.775	2353	59.34	1.405
2204	53.45	6.547	2254	55.09	6.243	2304	56.89	-0.303	2354	59.39	0.995
2205	53.46	6.912	2255	55.16	6.437	2305	56.91	-0.066	2355	59.49	-0.336
2206	53.47	7.528	2256	55.19	6.538	2306	56.97	-0.615	2356	59.51	-0.348
2207	53.49	8.141	2257	55.22	5.511	2307	57.00	-0.890	2357	59.52	-0.607
2208	53.51	7.245	2258	55.24	5.499	2308	57.03	-0.911	2358	59.54	-0.370
2209	53.54	6.226	2259	55.27	4.224	2309	57.06	-1.564	2359	59.61	0.822
2210	53.61	1.792	2260	55.33	1.926	2310	57.09	-2.210	2360	59.63	1.059
2211	53.65	-0.116	2261	55.40	-1.879	2311	57.11	-1.350	2361	59.67	2.024
2212	53.70	-1.026	2262	55.45	-3.417	2312	57.28	1.391	2362	59.70	2.632
2213	53.73	-2.051	2263	55.48	-4.066	2313	57.32	1.611	2363	59.72	2.866
2214	53.76	-4.200	2264	55.50	-4.085	2314	57.35	1.339	2364	59.74	3.476
2215	53.80	-5.234	2265	55.52	-3.848	2315	57.66	-9.646	2365	59.75	4.217
2216	53.83	-5.006	2266	55.56	-2.253	2316	57.67	-9.906	2366	59.77	5.199
2217	53.87	-4.045	2267	55.58	-1.019	2317	57.69	-10.301	2367	59.80	6.052
2218	53.89	-3.431	2268	55.62	1.698	2318	57.71	-10.564	2368	59.83	7.029
2219	53.90	-3.180	2269	55.64	2.679	2319	57.74	-10.336	2369	59.87	7.244
2220	53.92	-3.203	2270	55.66	3.292	2320	57.77	-8.861	2370	59.91	7.219
2221	53.96	-3.116	2271	55.68	3.653	2321	58.02	0.575	2371	59.95	6.934
2222	53.98	-2.880	2272	55.71	3.877	2322	58.24	8.269	2372	60.00	6.644
2223	54.03	-2.670	2273	55.72	3.871	2323	58.27	8.247	2373	60.11	1.808
2224	54.08	-0.081	2274	55.74	3.852	2324	58.28	8.238	2374	60.18	-0.746
2225	54.10	0.401	2275	55.77	4.700	2325	58.30	8.222	2375	60.20	-1.388
2226	54.14	0.367	2276	55.80	5.680	2326	58.56	-1.355	2376	60.23	-1.413
2227	54.17	0.093	2277	55.84	6.896	2327	58.57	-2.116	2377	60.35	-1.258
2228	54.19	0.081	2278	55.86	6.886	2328	58.60	-2.135	2378	60.39	-0.285
2229	54.21	0.690	2279	55.89	6.861	2329	58.61	-2.145	2379	60.41	-0.300
2230	54.25	1.531	2280	55.91	7.096	2330	58.64	-2.169	2380	60.43	0.557
2231	54.26	2.521	2281	55.93	7.075	2331	58.68	-0.701	2381	60.47	1.777
2232	54.29	2.748	2282	55.97	7.794	2332	58.70	-0.344	2382	60.48	2.144
2233	54.31	2.108	2283	55.98	8.410	2333	58.74	-0.375	2383	60.50	1.501
2234	54.51	-2.671	2284	56.00	7.897	2334	58.77	0.229	2384	60.55	1.461
2235	54.52	-2.679	2285	56.03	7.499	2335	58.81	0.825	2385	60.60	1.418
2236	54.53	-3.317	2286	56.06	6.600	2336	58.83	1.686	2386	60.74	2.611
2237	54.54	-3.572	2287	56.09	6.200	2337	58.86	2.659	2387	60.79	3.399
2238	54.56	-3.339	2288	56.14	2.408	2338	58.87	3.273	2388	60.82	3.376
2239	54.59	-2.738	2289	56.16	2.147	2339	58.90	3.005	2389	60.84	3.359
2240	54.61	-2.504	2290	56.32	-2.227	2340	58.95	1.962	2390	60.85	2.723
2241	54.65	-1.536	2291	56.33	-2.485	2341	58.96	1.950	2391	60.97	-0.248
2242	54.66	0.079	2292	56.34	-2.870	2342	58.98	2.184	2392	61.12	-1.239
2243	54.69	0.679	2293	56.35	-2.501	2343	59.03	1.901	2393	61.29	0.376
2244	54.72	0.906	2294	56.43	0.435	2344	59.06	2.123	2394	61.31	0.983
2245	54.77	0.874	2295	56.44	0.805	2345	59.07	3.116	2395	61.34	1.965
2246	54.79	1.727	2296	56.49	2.262	2346	59.09	3.100	2396	61.36	2.822
2247	54.82	2.453	2297	56.50	2.629	2347	59.13	2.448	2397	61.38	2.806
2248	54.88	3.285	2298	56.58	6.190	2348	59.20	2.016	2398	61.41	2.280
2249	54.90	3.284	2299	56.62	6.658	2349	59.22	2.123	2399	61.47	1.611
2250	54.93	3.621	2300	56.65	6.305	2350	59.27	1.959	2400	61.52	0.586

INDEX NO. 826 104-GR-40 SHINTONIGAWA BR. LG. MAX.ACCEL.= 20.350(GAL) T=12.44(SEC) NO.13

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2401	61.57	0.281	2451	63.95	0.026
2402	61.63	-2.017	2452	63.99	-2.137
2403	61.65	-1.787	2453	64.02	-1.906
2404	61.67	-1.428	2454	64.04	-1.050
2405	61.73	-1.221	2455	64.13	0.507
2406	61.81	0.591	2456	64.15	0.243
2407	61.94	2.363	2457	64.19	-0.167
2408	62.13	4.836	2458	64.26	1.280
2409	62.20	4.284	2459	64.38	3.814
2410	62.28	4.095	2460	64.40	4.047
2411	62.31	4.444	2461	64.43	4.273
2412	62.34	3.541	2462	64.45	5.258
2413	62.38	2.261	2463	64.47	6.114
2414	62.43	1.851	2464	64.49	6.473
2415	62.45	2.707	2465	64.54	6.191
2416	62.50	3.042	2466	64.57	6.038
2417	62.52	3.026	2467	64.62	5.500
2418	62.54	3.264	2468	64.67	4.461
2419	62.56	3.249	2469	64.74	2.765
2420	62.59	2.723	2470	64.79	0.368
2421	62.63	3.191	2471	64.83	-0.913
2422	62.66	2.664	2472	64.94	-3.624
2423	62.74	3.656	2473	65.03	-4.567
2424	62.76	3.835	2474	65.08	-4.983
2425	62.86	3.386	2475	65.13	-4.899
2426	62.96	5.552	2476	65.17	-4.681
2427	62.99	5.155	2477	65.18	-5.689
2428	63.10	3.192	2478	65.20	-5.332
2429	63.16	2.519	2479	65.23	-4.729
2430	63.18	1.882	2480	65.26	-4.131
2431	63.21	1.227	2481	65.43	-0.768
2432	63.23	0.962	2482	65.55	1.887
2433	63.24	0.956	2483	65.66	4.916
2434	63.25	1.199	2484	65.72	6.748
2435	63.27	1.810	2485	65.74	7.603
2436	63.30	2.036	2486	65.75	7.469
2437	63.34	1.753	2487	65.78	7.451
2438	63.39	0.464	2488	65.80	6.804
2439	63.41	0.451	2489	65.84	7.401
2440	63.42	0.687	2490	65.65	7.643
2441	63.46	1.661	2491	65.95	8.556
2442	63.52	2.611	2492	65.98	8.784
2443	63.54	2.845			
2444	63.58	2.816			
2445	63.68	1.235			
2446	63.80	0.769			
2447	63.82	0.500			
2448	63.85	0.976			
2449	63.87	0.459			
2450	63.90	0.435			

Table IX D-53 Digitized Accelerations of Earthquake Record with Index Number 827

INDEX NO. 827 106-GR-41 SOUKA BRIDGE TR. MAX.ACCEL.= -27.877(GAL) T= 3.87(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.0	-1.222	51	0.93	9.433	101	2.00	-5.296	151	2.89	-7.728
2	0.01	-3.102	52	1.00	-0.769	102	2.01	-4.679	152	2.90	-7.985
3	0.03	-3.747	53	1.02	-3.540	103	2.02	-2.568	153	2.91	-8.997
4	0.04	-3.512	54	1.05	-4.817	104	2.04	-2.836	154	2.93	-9.271
5	0.08	-2.674	55	1.09	-8.114	105	2.06	-4.749	155	2.94	-8.778
6	0.10	-2.696	56	1.10	-9.119	106	2.07	-6.002	156	2.96	-7.549
7	0.13	-2.980	57	1.11	-10.006	107	2.09	-6.769	157	2.97	-7.560
8	0.14	-2.985	58	1.12	-10.641	108	2.11	-3.913	158	2.98	-7.819
9	0.15	-2.995	59	1.13	-11.659	109	2.16	0.788	159	2.99	-7.829
10	0.16	-3.010	60	1.14	-11.419	110	2.17	2.023	160	3.02	-8.483
11	0.17	-2.392	61	1.16	-10.439	111	2.19	3.876	161	3.04	-9.885
12	0.20	3.193	62	1.17	-10.195	112	2.20	3.618	162	3.05	-10.149
13	0.21	4.060	63	1.18	-9.202	113	2.22	3.349	163	3.07	-9.291
14	0.22	4.054	64	1.20	-9.223	114	2.23	2.964	164	3.08	-8.050
15	0.23	5.043	65	1.21	-8.987	115	2.24	2.953	165	3.11	-4.079
16	0.24	4.408	66	1.22	-9.249	116	2.26	2.310	166	3.12	-1.715
17	0.25	2.525	67	1.24	-9.514	117	2.28	2.283	167	3.13	-0.851
18	0.27	-3.378	68	1.26	-8.658	118	2.29	2.273	168	3.15	1.379
19	0.28	-4.385	69	1.28	-4.303	119	2.31	2.881	169	3.16	1.367
20	0.29	-6.268	70	1.31	10.909	120	2.34	8.594	170	3.17	1.607
21	0.30	-7.034	71	1.32	12.148	121	2.35	9.834	171	3.18	1.346
22	0.31	-7.046	72	1.33	13.640	122	2.37	11.082	172	3.20	-0.553
23	0.33	-5.810	73	1.34	13.379	123	2.39	11.042	173	3.21	-1.439
24	0.36	-1.470	74	1.36	11.862	124	2.41	10.400	174	3.22	-2.450
25	0.37	-0.253	75	1.37	11.222	125	2.45	6.610	175	3.23	-2.710
26	0.39	-0.001	76	1.40	10.571	126	2.48	4.706	176	3.25	-3.354
27	0.40	0.740	77	1.43	8.533	127	2.52	2.160	177	3.27	-2.494
28	0.42	-0.784	78	1.46	6.882	128	2.55	1.253	178	3.28	-1.008
29	0.45	-5.445	79	1.49	10.350	129	2.56	0.238	179	3.29	0.603
30	0.52	-9.387	80	1.51	10.709	130	2.59	-1.789	180	3.30	1.468
31	0.55	-9.797	81	1.52	13.191	131	2.60	-2.420	181	3.33	2.069
32	0.56	-9.185	82	1.54	13.177	132	2.61	-3.307	182	3.34	2.184
33	0.58	-8.328	83	1.56	12.908	133	2.62	-3.948	183	3.36	2.031
34	0.60	-6.720	84	1.59	11.627	134	2.64	-3.464	184	3.37	2.394
35	0.65	5.595	85	1.62	9.721	135	2.66	-2.239	185	3.39	2.380
36	0.66	7.335	86	1.78	-8.570	136	2.68	-2.507	186	3.40	2.620
37	0.67	8.705	87	1.79	-10.713	137	2.70	-2.278	187	3.42	4.725
38	0.68	9.946	88	1.80	-13.224	138	2.72	-2.300	188	3.45	10.814
39	0.69	9.936	89	1.82	-15.491	139	2.73	-2.558	189	3.46	11.178
40	0.71	8.790	90	1.84	-16.506	140	2.74	-2.316	190	3.47	11.793
41	0.72	7.146	91	1.85	-16.891	141	2.76	-1.586	191	3.48	12.408
42	0.74	6.500	92	1.86	-16.652	142	2.78	0.138	192	3.49	13.776
43	0.76	5.855	93	1.87	-14.795	143	2.79	1.128	193	3.50	13.518
44	0.80	5.567	94	1.89	-13.810	144	2.80	1.740	194	3.51	13.505
45	0.83	7.285	95	1.90	-12.947	145	2.81	2.982	195	3.53	12.486
46	0.86	9.758	96	1.91	-12.586	146	2.82	3.219	196	3.54	11.217
47	0.87	11.364	97	1.93	-12.605	147	2.83	2.334	197	3.56	11.201
48	0.89	12.601	98	1.94	-12.612	148	2.86	0.684	198	3.57	10.936
49	0.90	12.332	99	1.95	-11.748	149	2.87	-3.584	199	3.59	10.297
50	0.91	11.077	100	1.97	-9.270	150	2.88	-6.095	200	3.60	10.285

土木構造物における加速度強震記録（No.9）

INDEX NO. 827 106-GR-41 SOUKA BRIDGE TR. MAX.ACCEL.= -27.877(GAL) T= 3.87(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	3.61	9.648	251	4.54	5.690	301	5.49	-12.805	351	6.59	0.289
202	3.63	8.929	252	4.55	8.171	302	5.52	-9.962	352	6.63	0.504
203	3.64	7.742	253	4.56	7.914	303	5.54	-7.487	353	6.65	0.483
204	3.66	0.079	254	4.59	6.631	304	5.58	0.473	354	6.68	0.203
205	3.69	-4.811	255	4.66	2.828	305	5.61	2.824	355	6.72	-0.470
206	3.70	-6.072	256	4.67	1.802	306	5.62	4.561	356	6.75	-2.122
207	3.72	-6.346	257	4.71	-1.611	307	5.63	5.801	357	6.78	-5.156
208	3.74	-5.857	258	4.74	-4.895	308	5.66	7.018	358	6.81	-8.688
209	3.75	-5.495	259	4.77	-7.425	309	5.68	8.869	359	6.85	-11.600
210	3.76	-5.503	260	4.79	-7.445	310	5.70	9.101	360	6.87	-12.873
211	3.77	-5.764	261	4.80	-8.086	311	5.73	10.071	361	6.89	-12.894
212	3.78	-8.274	262	4.82	-8.725	312	5.74	10.678	362	6.91	-12.660
213	3.83	-23.338	263	4.83	-8.736	313	5.75	10.670	363	6.93	-11.187
214	3.84	-26.598	264	4.85	-7.888	314	5.76	11.039	364	6.99	-0.121
215	3.87	-27.877	265	4.87	-7.911	315	5.77	10.147	365	7.00	3.112
216	3.88	-25.388	266	4.91	-7.948	316	5.81	5.484	366	7.01	5.229
217	3.90	-22.654	267	4.93	-8.594	317	5.83	1.840	367	7.02	6.218
218	3.94	-12.197	268	4.94	-8.353	318	5.84	-0.047	368	7.04	7.447
219	3.95	-11.583	269	4.96	-6.496	319	5.85	-1.559	369	7.06	7.425
220	3.96	-9.596	270	4.97	-5.885	320	5.86	-1.569	370	7.10	6.142
221	3.99	-7.746	271	4.98	-5.890	321	5.88	-1.093	371	7.12	4.240
222	4.00	-5.884	272	5.01	0.699	322	5.91	1.749	372	7.14	2.724
223	4.03	-2.413	273	5.02	2.189	323	5.94	3.598	373	7.15	2.080
224	4.04	0.452	274	5.03	3.678	324	5.95	3.582	374	7.17	1.438
225	4.05	3.187	275	5.04	4.545	325	5.99	3.794	375	7.24	0.743
226	4.06	5.182	276	5.05	6.408	326	6.02	3.508	376	7.26	0.721
227	4.07	6.175	277	5.06	6.644	327	6.04	3.241	377	7.28	-0.303
228	4.08	6.406	278	5.08	7.247	328	6.05	3.230	378	7.31	-3.462
229	4.12	6.123	279	5.12	11.710	329	6.07	3.457	379	7.33	-5.603
230	4.14	6.100	280	5.13	13.573	330	6.10	4.680	380	7.37	-10.901
231	4.16	7.331	281	5.14	14.814	331	6.12	5.281	381	7.38	-12.661
232	4.17	8.563	282	5.16	16.042	332	6.13	4.693	382	7.39	-13.916
233	4.18	8.554	283	5.17	16.406	333	6.14	4.010	383	7.41	-15.315
234	4.19	9.796	284	5.18	14.521	334	6.18	-2.533	384	7.43	-15.956
235	4.21	10.781	285	5.20	12.630	335	6.20	-2.926	385	7.44	-15.970
236	4.22	12.645	286	5.24	-4.790	336	6.21	-3.814	386	7.45	-16.361
237	4.23	12.132	287	5.25	-8.933	337	6.25	-4.352	387	7.48	-17.010
238	4.24	11.124	288	5.26	-12.193	338	6.28	-4.380	388	7.49	-16.270
239	4.29	2.823	289	5.28	-13.460	339	6.30	-5.030	389	7.50	-16.908
240	4.30	0.313	290	5.30	-13.478	340	6.33	-4.814	390	7.52	-19.174
241	4.31	-1.829	291	5.31	-14.122	341	6.34	-5.325	391	7.53	-19.935
242	4.34	-4.485	292	5.33	-14.759	342	6.37	-5.102	392	7.55	-20.209
243	4.39	-7.030	293	5.34	-14.776	343	6.38	-4.241	393	7.56	-18.969
244	4.41	-8.182	294	5.35	-15.411	344	6.40	-4.262	394	7.57	-17.111
245	4.43	-8.197	295	5.37	-16.932	345	6.43	-3.661	395	7.60	-14.007
246	4.45	-7.347	296	5.40	-17.956	346	6.47	-2.958	396	7.73	12.731
247	4.47	-4.745	297	5.41	-17.968	347	6.50	-2.983	397	7.75	18.451
248	4.50	0.225	298	5.42	-17.735	348	6.52	-2.759	398	7.76	20.317
249	4.51	2.711	299	5.44	-16.749	349	6.54	-2.152	399	7.78	20.053
250	4.52	4.453	300	5.47	-14.914	350	6.57	-0.060	400	7.79	20.659

INDEX NO. 827 106-GR-41 SOUKA BRIDGE TR. MAX.ACCEL.= -27.877(GAL) T= 3.87(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	7.81	20.021	451	8.81	-9.889	501	9.85	8.024	551	10.94	4.650
402	7.82	20.010	452	8.83	-9.530	502	9.86	8.013	552	10.96	6.008
403	7.83	20.626	453	8.85	-8.654	503	9.87	7.744	553	10.98	6.612
404	7.85	21.228	454	8.88	-4.589	504	9.93	3.306	554	11.02	6.026
405	7.86	22.462	455	8.89	-3.724	505	9.95	3.040	555	11.04	5.929
406	7.87	22.459	456	8.91	-3.737	506	9.97	2.396	556	11.11	-1.895
407	7.89	23.060	457	8.93	-2.762	507	9.98	1.386	557	11.12	-3.658
408	7.91	23.661	458	8.95	-2.780	508	9.99	1.619	558	11.14	-4.923
409	7.92	23.276	459	8.97	-2.554	509	10.03	3.582	559	11.17	-5.586
410	7.94	22.758	460	8.98	-2.191	510	10.04	4.441	560	11.19	-5.352
411	7.98	15.465	461	9.00	-0.957	511	10.06	4.425	561	11.21	-5.868
412	7.99	14.577	462	9.03	1.010	512	10.08	4.159	562	11.23	-7.145
413	8.01	12.058	463	9.05	0.743	513	10.10	4.138	563	11.25	-9.669
414	8.04	9.154	464	9.06	0.349	514	10.12	4.116	564	11.26	-10.051
415	8.07	7.744	465	9.08	0.328	515	10.16	3.944	565	11.29	-10.835
416	8.08	7.741	466	9.12	0.289	516	10.17	3.687	566	11.32	-10.608
417	8.09	5.605	467	9.15	-0.363	517	10.19	3.670	567	11.34	-9.629
418	8.11	3.584	468	9.17	-2.515	518	10.20	3.656	568	11.36	-6.531
419	8.14	-3.451	469	9.19	-2.531	519	10.21	3.896	569	11.40	-4.070
420	8.15	-6.214	470	9.21	-2.555	520	10.22	4.263	570	11.42	-3.834
421	8.17	-8.231	471	9.22	-1.693	521	10.23	4.505	571	11.44	1.012
422	8.18	-10.362	472	9.24	-1.089	522	10.24	4.862	572	11.48	5.473
423	8.21	-11.019	473	9.25	-1.723	523	10.26	4.601	573	11.49	6.965
424	8.22	-9.527	474	9.28	-2.001	524	10.30	4.559	574	11.51	11.689
425	8.23	-8.290	475	9.31	-4.534	525	10.31	4.550	575	11.53	13.298
426	8.27	-1.456	476	9.32	-5.797	526	10.33	4.776	576	11.54	14.538
427	8.29	3.276	477	9.34	-7.070	527	10.35	5.382	577	11.56	15.521
428	8.30	4.882	478	9.38	-8.483	528	10.36	5.995	578	11.57	15.261
429	8.32	6.114	479	9.41	-9.145	529	10.38	5.973	579	11.58	14.623
430	8.38	8.433	480	9.43	-9.542	530	10.41	5.316	580	11.61	14.838
431	8.39	9.292	481	9.45	-8.935	531	10.44	5.042	581	11.69	5.383
432	8.41	9.898	482	9.47	-8.078	532	10.50	-0.019	582	11.70	4.370
433	8.42	10.134	483	9.49	-5.603	533	10.51	-1.285	583	11.73	2.719
434	8.45	8.978	484	9.51	-3.744	534	10.54	-2.440	584	11.75	1.817
435	8.47	8.336	485	9.52	-1.887	535	10.56	-2.457	585	11.77	0.173
436	8.48	7.326	486	9.56	-0.425	536	10.58	-3.352	586	11.79	-2.342
437	8.49	6.438	487	9.59	-0.454	537	10.60	-4.004	587	11.84	-7.148
438	8.51	5.792	488	9.62	-0.610	538	10.62	-5.019	588	11.85	-8.778
439	8.53	5.145	489	9.63	-1.124	539	10.63	-5.657	589	11.86	-10.292
440	8.55	3.506	490	9.66	0.349	540	10.65	-5.054	590	11.88	-11.669
441	8.57	1.986	491	9.67	0.586	541	10.67	-5.069	591	11.91	-12.347
442	8.60	-1.047	492	9.69	1.189	542	10.68	-4.460	592	11.98	-13.039
443	8.63	-2.578	493	9.72	2.777	543	10.72	-3.623	593	11.99	-12.802
444	8.65	-2.971	494	9.74	3.008	544	10.78	-3.680	594	12.02	-11.954
445	8.68	-3.628	495	9.76	2.987	545	10.79	-3.946	595	12.03	-11.598
446	8.72	-4.915	496	9.77	2.979	546	10.82	-4.601	596	12.05	-10.111
447	8.74	-7.071	497	9.79	4.208	547	10.85	-3.754	597	12.06	-9.374
448	8.76	-8.216	498	9.81	6.061	548	10.87	-3.147	598	12.09	-2.784
449	8.78	-9.861	499	9.82	6.800	549	10.91	0.937	599	12.11	-1.298
450	8.79	-9.869	500	9.83	7.170	550	10.92	3.046	600	12.12	-0.063

INDEX NO. 827 106-GR-41 SOUKA BRIDGE TR. MAX.ACCEL.= -27.877(GAL) T= 3.87(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	12.15	2.782	651	13.44	-5.190	701	14.91	3.549	751	16.24	-3.967
602	12.17	4.386	652	13.48	-5.477	702	14.95	0.375	752	16.26	-4.613
603	12.18	4.753	653	13.52	-6.142	703	15.08	-2.627	753	16.29	-5.514
604	12.19	4.990	654	13.54	-7.041	704	15.10	-2.897	754	16.30	-4.654
605	12.20	5.356	655	13.56	-6.810	705	15.13	-2.931	755	16.33	-2.802
606	12.21	6.223	656	13.59	-6.217	706	15.16	-2.708	756	16.35	-1.828
607	12.22	6.583	657	13.60	-5.605	707	15.19	-3.990	757	16.42	0.349
608	12.24	7.812	658	13.62	-5.366	708	15.22	-4.270	758	16.47	0.293
609	12.26	8.796	659	13.63	-4.381	709	15.23	-4.285	759	16.49	-0.347
610	12.28	7.776	660	13.65	-5.030	710	15.25	-4.306	760	16.51	-0.997
611	12.30	6.505	661	13.70	-6.954	711	15.28	-3.466	761	16.53	-0.390
612	12.31	5.618	662	13.71	-7.834	712	15.31	-1.995	762	16.54	0.219
613	12.32	4.607	663	13.72	-7.846	713	15.32	-0.378	763	16.61	2.897
614	12.36	3.566	664	13.74	-7.621	714	15.34	1.479	764	16.63	3.000
615	12.43	4.487	665	13.76	-6.763	715	15.36	2.331	765	16.65	3.604
616	12.47	4.452	666	13.77	-6.778	716	15.38	2.688	766	16.68	3.452
617	12.48	5.061	667	13.79	-7.049	717	15.40	3.539	767	16.69	2.936
618	12.49	5.297	668	13.92	-9.304	718	15.42	4.517	768	16.71	1.915
619	12.52	6.268	669	13.95	-10.340	719	15.44	7.244	769	16.84	-4.718
620	12.54	6.247	670	13.98	-9.996	720	15.47	11.463	770	16.87	-6.378
621	12.57	4.341	671	14.00	-10.009	721	15.49	13.317	771	16.88	-7.016
622	12.60	3.491	672	14.03	-8.916	722	15.50	15.432	772	16.89	-7.024
623	12.61	2.800	673	14.06	-6.695	723	15.53	16.534	773	16.92	-7.681
624	12.64	2.032	674	14.11	-1.379	724	15.56	16.498	774	16.93	-7.438
625	12.67	2.991	675	14.13	3.984	725	15.60	15.836	775	16.94	-6.830
626	12.68	2.349	676	14.16	5.197	726	15.62	14.309	776	17.01	-3.396
627	12.71	2.073	677	14.21	6.022	727	15.64	12.041	777	17.05	-1.936
628	12.74	0.167	678	14.26	6.973	728	15.69	3.115	778	17.09	-0.612
629	12.81	-3.659	679	14.30	6.303	729	15.72	0.082	779	17.12	0.489
630	12.85	-4.572	680	14.36	3.495	730	15.75	-1.695	780	17.15	0.203
631	12.88	-3.857	681	14.39	1.213	731	15.81	-4.637	781	17.19	-0.213
632	12.91	-2.766	682	14.42	0.556	732	15.82	-5.895	782	17.20	-0.227
633	12.95	0.941	683	14.43	-0.085	733	15.83	-7.535	783	17.23	0.739
634	12.98	2.789	684	14.46	-0.734	734	15.85	-8.806	784	17.25	2.220
635	13.00	4.265	685	14.49	-2.890	735	15.87	-9.451	785	17.27	2.829
636	13.03	4.863	686	14.53	-3.936	736	15.89	-9.847	786	17.28	3.438
637	13.05	3.837	687	14.57	-4.600	737	15.91	-9.613	787	17.30	3.795
638	13.08	2.311	688	14.60	-4.007	738	15.92	-8.380	788	17.33	4.393
639	13.09	1.672	689	14.63	-3.412	739	15.96	-5.543	789	17.35	4.372
640	13.12	0.643	690	14.65	-3.681	740	15.97	-5.304	790	17.39	4.573
641	13.13	1.255	691	14.66	-3.696	741	16.01	-4.090	791	17.43	5.164
642	13.16	0.605	692	14.69	-3.476	742	16.04	-3.129	792	17.45	5.767
643	13.19	-0.929	693	14.71	-2.873	743	16.05	-3.385	793	17.50	7.458
644	13.21	-2.575	694	14.73	-2.021	744	16.07	-2.781	794	17.53	7.675
645	13.22	-2.831	695	14.74	-1.024	745	16.08	-2.796	795	17.55	7.161
646	13.25	-3.242	696	14.76	2.328	746	16.10	-2.562	796	17.58	5.870
647	13.26	-2.378	697	14.77	2.938	747	16.12	-2.587	797	17.62	0.457
648	13.27	-2.381	698	14.80	4.782	748	16.14	-2.605	798	17.65	-1.945
649	13.29	-1.153	699	14.84	5.492	749	16.17	-3.634	799	17.68	-4.352
650	13.34	-1.582	700	14.87	5.091	750	16.21	-3.560	800	17.72	-6.898

INDEX NO. 827 106-GR-41 SOUKA BRIDGE TR. MAX.ACCEL.= -27.877(GAL) T= 3.87(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	17.75	-10.551	851	19.16	2.837	901	20.62	-1.541	951	21.66	-5.979
802	17.77	-12.698	852	19.19	3.439	902	20.64	-2.186	952	21.67	-7.246
803	17.78	-15.211	853	19.22	4.033	903	20.66	-2.202	953	21.70	-8.522
804	17.79	-16.226	854	19.24	4.632	904	20.67	-2.843	954	21.71	-9.532
805	17.80	-16.862	855	19.27	5.981	905	20.68	-3.478	955	21.75	-9.822
806	17.83	-18.512	856	19.28	5.989	906	20.70	-3.495	956	21.81	-8.386
807	17.85	-17.660	857	19.30	5.202	907	20.71	-3.567	957	21.83	-7.157
808	17.86	-15.168	858	19.33	3.667	908	20.72	-2.698	958	21.85	-5.951
809	17.88	-11.086	859	19.40	-0.159	909	20.78	-0.460	959	21.86	-4.938
810	17.92	-4.860	860	19.42	-0.801	910	20.79	-0.465	960	21.88	-2.586
811	17.94	-4.248	861	19.47	-4.348	911	20.80	-0.231	961	21.90	-0.732
812	17.95	-1.642	862	19.50	-6.011	912	20.84	0.356	962	21.96	1.987
813	17.96	-1.270	863	19.51	-8.146	913	20.85	0.096	963	21.99	3.678
814	17.97	2.086	864	19.54	-10.046	914	20.86	0.330	964	22.03	4.642
815	18.01	8.176	865	19.57	-12.458	915	20.87	1.573	965	22.04	5.252
816	18.03	10.279	866	19.64	-15.029	916	20.90	3.292	966	22.07	4.972
817	18.04	12.137	867	19.66	-16.545	917	20.91	4.155	967	22.08	4.584
818	18.06	14.294	868	19.68	-17.572	918	20.93	5.388	968	22.09	3.948
819	18.08	15.101	869	19.70	-17.586	919	20.95	5.989	969	22.10	3.936
820	18.10	15.457	870	19.73	-17.868	920	20.96	5.476	970	22.12	3.666
821	18.11	15.070	871	19.75	-16.391	921	20.98	5.080	971	22.17	3.872
822	18.14	14.035	872	19.88	-5.142	922	21.00	5.081	972	22.19	4.225
823	18.20	9.973	873	19.89	-4.283	923	21.03	5.034	973	22.20	4.211
824	18.27	-0.846	874	19.90	-3.671	924	21.05	5.386	974	22.23	3.183
825	18.30	-5.387	875	19.92	-0.562	925	21.07	5.622	975	22.26	3.150
826	18.33	-7.911	876	19.94	-0.203	926	21.08	4.981	976	22.28	2.746
827	18.36	-8.826	877	19.97	3.135	927	21.09	4.720	977	22.34	1.442
828	18.40	-9.491	878	20.03	7.323	928	21.11	5.577	978	22.36	0.294
829	18.42	-9.512	879	20.04	7.316	929	21.13	4.303	979	22.37	-0.094
830	18.45	-9.039	880	20.05	8.180	930	21.15	4.915	980	22.39	-0.111
831	18.49	-6.831	881	20.06	9.168	931	21.18	4.885	981	22.40	0.496
832	18.53	-3.747	882	20.08	10.028	932	21.20	4.859	982	22.42	0.227
833	18.57	-1.664	883	20.09	10.012	933	21.21	5.098	983	22.44	0.028
834	18.59	0.812	884	20.12	9.857	934	21.22	5.690	984	22.46	0.434
835	18.61	2.040	885	20.15	9.203	935	21.23	4.827	985	22.49	0.406
836	18.64	3.885	886	20.17	6.049	936	21.25	5.436	986	22.51	-0.492
837	18.66	5.112	887	20.23	1.498	937	21.27	6.093	987	22.52	-0.251
838	18.68	6.463	888	20.26	-0.612	938	21.29	5.391	988	22.53	-0.512
839	18.71	7.066	889	20.29	-2.700	939	21.31	5.000	989	22.54	-1.150
840	18.73	7.668	890	20.32	-4.350	940	21.33	4.724	990	22.55	-0.906
841	18.77	6.502	891	20.33	-4.991	941	21.34	4.964	991	22.57	-1.303
842	18.82	4.972	892	20.37	-5.653	942	21.37	5.066	992	22.58	-0.315
843	18.83	4.181	893	20.38	-5.664	943	21.38	5.551	993	22.59	-0.881
844	18.85	3.910	894	20.42	-4.828	944	21.40	5.462	994	22.62	0.518
845	18.88	3.293	895	20.46	-3.250	945	21.41	5.443	995	22.64	1.742
846	18.91	3.473	896	20.48	-2.392	946	21.45	5.226	996	22.65	2.355
847	18.95	3.809	897	20.51	-2.943	947	21.50	3.683	997	22.68	3.079
848	18.97	3.409	898	20.55	-3.345	948	21.55	2.007	998	22.70	3.312
849	19.01	3.372	899	20.58	-2.122	949	21.61	-1.804	999	22.72	3.291
850	19.13	3.625	900	20.60	-2.145	950	21.65	-4.343	1000	22.75	1.760

INDEX NO. 827 106-GR-41 SOUKA BRIDGE TR. MAX.ACCEL.= -27.877(GAL) T= 3.87(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	22.76	1.118	1051	24.48	9.959	1101	26.35	-0.616	1151	27.86	-4.585
1002	22.79	0.717	1052	24.51	11.802	1102	26.38	-1.894	1152	27.88	-6.481
1003	22.80	0.453	1053	24.56	13.998	1103	26.41	-4.927	1153	27.91	-8.007
1004	22.81	-0.108	1054	24.61	11.823	1104	26.43	-5.573	1154	27.93	-8.651
1005	22.83	-0.210	1055	24.64	11.171	1105	26.45	-8.349	1155	27.95	-10.305
1006	22.89	-1.524	1056	24.69	9.492	1106	26.48	-8.878	1156	27.97	-10.952
1007	22.91	-2.544	1057	24.73	6.451	1107	26.50	-8.527	1157	28.00	-9.479
1008	22.92	-2.805	1058	24.77	-0.964	1108	26.53	-9.183	1158	28.04	-7.271
1009	22.95	-4.452	1059	24.81	-5.380	1109	26.55	-7.706	1159	28.10	-2.703
1010	22.96	-3.216	1060	24.86	-9.929	1110	26.58	-7.104	1160	28.11	-1.091
1011	23.00	-3.255	1061	24.88	-10.959	1111	26.59	-8.622	1161	28.13	0.136
1012	23.01	-2.016	1062	24.92	-11.873	1112	26.62	-8.397	1162	28.15	0.742
1013	23.03	-1.417	1063	24.94	-11.640	1113	26.64	-7.168	1163	28.17	1.601
1014	23.05	-0.185	1064	24.97	-11.676	1114	26.66	-5.320	1164	28.19	2.822
1015	23.11	1.626	1065	25.00	-9.834	1115	26.77	3.198	1165	28.22	4.795
1016	23.22	4.388	1066	25.09	0.831	1116	26.84	8.622	1166	28.25	6.395
1017	23.26	4.222	1067	25.12	4.296	1117	26.86	11.097	1167	28.26	6.126
1018	23.30	5.186	1068	25.14	6.399	1118	26.88	12.330	1168	28.28	6.362
1019	23.32	5.787	1069	25.17	7.373	1119	26.89	13.192	1169	28.33	6.312
1020	23.34	6.768	1070	25.28	10.125	1120	26.90	12.930	1170	28.55	0.637
1021	23.36	6.367	1071	25.30	10.107	1121	26.93	12.278	1171	28.58	-1.202
1022	23.41	4.021	1072	25.33	10.330	1122	26.96	9.491	1172	28.61	-2.109
1023	23.43	2.547	1073	25.35	10.303	1123	27.03	3.922	1173	28.64	-2.384
1024	23.50	-0.021	1074	25.36	8.545	1124	27.05	3.897	1174	28.68	-4.051
1025	23.57	-3.598	1075	25.39	6.643	1125	27.07	2.373	1175	28.72	-1.984
1026	23.59	-4.120	1076	25.41	3.115	1126	27.11	-1.162	1176	28.76	0.238
1027	23.62	-5.151	1077	25.44	0.334	1127	27.13	-3.432	1177	28.85	4.275
1028	23.65	-5.929	1078	25.51	-4.614	1128	27.16	-5.970	1178	28.87	5.882
1029	23.68	-6.336	1079	25.56	-6.537	1129	27.19	-7.629	1179	28.90	5.721
1030	23.72	-4.128	1080	25.59	-7.816	1130	27.24	-7.927	1180	28.92	5.955
1031	23.78	-0.185	1081	25.60	-8.457	1131	27.29	-8.359	1181	28.95	6.293
1032	23.82	4.273	1082	25.62	-7.231	1132	27.33	-7.522	1182	28.99	5.884
1033	23.83	5.886	1083	25.67	-6.399	1133	27.34	-6.531	1183	29.04	3.953
1034	23.86	7.107	1084	25.69	-6.052	1134	27.36	-4.928	1184	29.09	2.649
1035	23.88	8.706	1085	25.71	-3.822	1135	27.38	-4.954	1185	29.14	1.482
1036	23.91	9.677	1086	25.75	-0.116	1136	27.40	-4.720	1186	29.22	0.399
1037	23.94	10.922	1087	25.76	1.375	1137	27.41	-3.858	1187	29.24	0.373
1038	23.97	8.994	1088	25.78	2.962	1138	27.44	-2.007	1188	29.28	0.705
1039	24.00	7.454	1089	25.81	6.452	1139	27.48	1.072	1189	29.30	0.318
1040	24.11	-3.775	1090	25.88	9.252	1140	27.51	2.916	1190	29.33	0.658
1041	24.15	-6.942	1091	25.92	9.464	1141	27.52	4.655	1191	29.36	0.631
1042	24.17	-8.097	1092	25.97	9.409	1142	27.54	6.261	1192	29.39	0.596
1043	24.21	-14.888	1093	26.03	8.717	1143	27.56	7.737	1193	29.43	1.801
1044	24.24	-15.290	1094	26.07	6.550	1144	27.57	8.971	1194	29.46	2.022
1045	24.26	-16.941	1095	26.11	4.007	1145	27.59	9.575	1195	29.49	1.991
1046	24.30	-17.352	1096	26.13	2.749	1146	27.64	10.899	1196	29.52	0.466
1047	24.33	-16.136	1097	26.17	1.452	1147	27.65	10.886	1197	29.55	-2.073
1048	24.35	-13.410	1098	26.22	1.020	1148	27.67	9.372	1198	29.64	-2.786
1049	24.44	3.373	1099	26.24	0.747	1149	27.69	8.346	1199	29.70	-4.727
1050	24.47	7.097	1100	26.32	-0.331	1150	27.71	7.700	1200	29.72	-4.246

INDEX NO. 827 106-GR-41 SOUKA BRIDGE TR. MAX.ACCEL.= -27.877(GAL) T= 3.87(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	29.75	-3.649	1251	31.84	-6.834	1301	33.63	-10.573	1351	35.63	0.858
1202	29.78	-3.057	1252	31.88	-6.004	1302	33.65	-9.964	1352	35.67	1.813
1203	29.80	-2.449	1253	31.93	-3.799	1303	33.68	-9.373	1353	35.71	1.142
1204	29.84	-0.866	1254	31.96	-1.337	1304	33.72	-6.661	1354	35.76	0.224
1205	29.88	0.966	1255	31.99	-0.739	1305	33.81	1.245	1355	35.86	-3.381
1206	29.95	4.022	1256	32.00	0.376	1306	33.82	1.610	1356	35.92	-5.320
1207	29.97	5.251	1257	32.02	0.662	1307	33.85	4.325	1357	35.96	-5.608
1208	30.00	4.598	1258	32.06	0.312	1308	33.89	6.530	1358	35.99	-6.265
1209	30.01	4.585	1259	32.15	-2.287	1309	33.93	6.613	1359	36.03	-5.429
1210	30.02	4.824	1260	32.17	-2.928	1310	33.99	5.934	1360	36.05	-4.823
1211	30.04	4.551	1261	32.19	-3.696	1311	34.06	4.230	1361	36.09	-2.293
1212	30.07	5.149	1262	32.22	-4.605	1312	34.15	-0.236	1362	36.19	2.533
1213	30.09	5.753	1263	32.25	-3.383	1313	34.22	-1.808	1363	36.24	5.354
1214	30.12	6.348	1264	32.26	-3.648	1314	34.29	-3.260	1364	36.28	6.565
1215	30.15	5.439	1265	32.28	-2.548	1315	34.33	-3.929	1365	36.34	8.133
1216	30.18	4.162	1266	32.32	-1.587	1316	34.36	-3.087	1366	36.37	8.101
1217	30.21	3.754	1267	32.35	-0.365	1317	34.39	-2.240	1367	36.40	7.819
1218	30.34	-2.006	1268	32.37	+0.643	1318	34.45	0.569	1368	36.47	4.495
1219	30.38	-4.298	1269	32.39	-0.039	1319	34.50	3.022	1369	36.55	1.038
1220	30.41	-4.212	1270	32.43	1.050	1320	34.54	5.231	1370	36.61	-2.146
1221	30.45	-3.123	1271	32.45	2.899	1321	34.56	5.830	1371	36.64	-3.433
1222	30.47	-1.521	1272	32.48	3.872	1322	34.61	6.781	1372	36.68	-5.100
1223	30.54	2.154	1273	32.51	4.720	1323	34.64	7.623	1373	36.72	-5.136
1224	30.61	6.205	1274	32.55	5.800	1324	34.67	7.092	1374	36.80	-4.966
1225	30.66	7.908	1275	32.58	5.521	1325	34.70	6.059	1375	36.85	-1.640
1226	30.71	9.855	1276	32.65	4.194	1326	34.73	4.782	1376	36.92	4.654
1227	30.77	10.421	1277	32.71	1.886	1327	34.76	2.878	1377	36.96	6.864
1228	30.80	9.133	1278	32.75	0.595	1328	34.79	1.595	1378	36.99	8.085
1229	30.86	6.324	1279	32.78	-1.441	1329	34.82	0.306	1379	37.02	10.686
1230	30.97	-3.288	1280	32.81	-2.976	1330	34.89	-1.642	1380	37.06	9.137
1231	31.01	-6.836	1281	32.84	-3.375	1331	34.94	-3.314	1381	37.12	8.082
1232	31.04	-9.120	1282	32.87	-5.290	1332	34.99	-4.370	1382	37.19	5.135
1233	31.08	-10.660	1283	32.96	-4.750	1333	35.04	-4.416	1383	37.25	1.321
1234	31.12	-10.825	1284	33.03	-4.822	1334	35.06	-2.564	1384	37.28	-1.585
1235	31.13	-9.840	1285	33.06	-3.980	1335	35.08	-2.583	1385	37.31	-3.741
1236	31.17	-8.879	1286	33.07	-0.873	1336	35.10	-1.732	1386	37.35	-4.157
1237	31.30	0.736	1287	33.14	4.685	1337	35.13	0.242	1387	37.38	-3.193
1238	31.32	3.209	1288	33.17	5.282	1338	35.15	0.221	1388	37.41	-2.724
1239	31.35	4.434	1289	33.19	6.629	1339	35.19	0.180	1389	37.51	1.297
1240	31.36	5.294	1290	33.22	8.848	1340	35.24	-1.499	1390	37.58	3.728
1241	31.39	6.886	1291	33.25	10.071	1341	35.28	-1.535	1391	37.63	6.174
1242	31.42	6.860	1292	33.27	10.297	1342	35.30	-2.190	1392	37.68	8.129
1243	31.46	7.072	1293	33.31	9.384	1343	35.33	-2.844	1393	37.72	9.831
1244	31.51	4.270	1294	33.35	8.472	1344	35.39	-3.902	1394	37.76	9.172
1245	31.64	-2.745	1295	33.39	5.552	1345	35.42	-4.630	1395	37.80	2.246
1246	31.67	-4.281	1296	33.45	3.690	1346	35.44	-4.458	1396	37.84	0.712
1247	31.70	-5.684	1297	33.50	-4.310	1347	35.49	-4.001	1397	37.90	+0.352
1248	31.74	-7.977	1298	33.54	-6.225	1348	35.54	-3.051	1398	37.98	-1.300
1249	31.77	-8.635	1299	33.57	-7.882	1349	35.57	-1.839	1399	38.08	-1.789
1250	31.79	-8.928	1300	33.60	-9.414	1350	35.62	-0.637	1400	38.13	-1.214

INDEX NO. 827 106-GR-41 SOUKA BRIDGE TR. MAX.ACCEL.= -27.877(GAL) T= 3.87(SEC) NO. 8

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1401	38.16	-1.879	1451	40.51	0.001	1501	43.68	-1.241	1551	45.72	4.152
1402	38.19	-1.533	1452	40.54	0.137	1502	43.16	-1.324	1552	45.76	3.732
1403	38.24	-1.333	1453	40.61	-0.177	1503	43.29	1.041	1553	45.84	2.149
1404	38.26	-2.227	1454	40.62	0.307	1504	43.37	3.088	1554	45.92	1.074
1405	38.30	-2.017	1455	40.65	0.903	1505	43.41	4.668	1555	45.98	-0.492
1406	38.33	-2.055	1456	40.69	2.116	1506	43.44	5.264	1556	46.06	-1.579
1407	38.37	-1.842	1457	40.71	1.213	1507	43.46	6.120	1557	46.17	-1.695
1408	38.44	-2.419	1458	40.74	2.434	1508	43.50	6.078	1558	46.24	-1.636
1409	38.50	-2.860	1459	40.78	2.641	1509	43.57	4.506	1559	46.27	-1.040
1410	38.53	-2.266	1460	40.81	2.108	1510	43.64	1.306	1560	46.34	0.383
1411	38.56	-2.294	1461	40.86	0.615	1511	43.71	-1.519	1561	46.46	0.632
1412	38.59	-1.705	1462	40.93	-2.507	1512	43.78	-3.835	1562	46.51	0.463
1413	38.63	-1.366	1463	40.97	-3.802	1513	43.81	-5.495	1563	46.56	-0.846
1414	38.66	0.101	1464	41.00	-4.462	1514	43.82	-5.260	1564	46.61	-0.517
1415	38.70	1.934	1465	41.03	-4.864	1515	43.86	-4.675	1565	46.68	-1.847
1416	38.76	2.750	1466	41.05	-3.914	1516	43.89	-5.562	1566	46.81	-1.350
1417	38.85	5.154	1467	41.15	-2.239	1517	43.92	-4.989	1567	47.10	-1.403
1418	38.92	6.080	1468	41.23	0.582	1518	44.00	-3.314	1568	47.23	-1.161
1419	39.01	4.467	1469	41.25	2.652	1519	44.11	0.696	1569	47.40	-1.348
1420	39.06	3.436	1470	41.29	2.987	1520	44.13	1.295	1570	47.44	-2.390
1421	39.13	3.112	1471	41.34	2.686	1521	44.18	1.877	1571	47.48	-1.432
1422	39.19	0.545	1472	41.42	-1.146	1522	44.22	2.579	1572	47.56	-1.135
1423	39.23	-0.742	1473	41.47	-1.825	1523	44.26	2.789	1573	47.65	0.891
1424	39.26	-1.147	1474	41.52	-2.678	1524	44.32	3.353	1574	47.72	1.700
1425	39.29	-1.806	1475	41.55	-4.159	1525	44.45	1.720	1575	47.76	2.032
1426	39.32	-2.715	1476	41.59	-1.947	1526	44.57	0.347	1576	47.80	2.865
1427	39.36	-2.253	1477	41.63	-0.667	1527	44.60	0.065	1577	47.85	3.562
1428	39.39	-1.035	1478	41.68	0.957	1528	44.65	-0.613	1578	47.92	2.490
1429	39.41	-0.437	1479	41.80	4.337	1529	44.68	-2.275	1579	48.00	1.523
1430	39.45	0.521	1480	41.88	4.755	1530	44.72	-1.934	1580	48.15	-0.880
1431	39.49	1.728	1481	42.02	1.987	1531	44.81	-1.781	1581	48.21	-2.822
1432	39.52	2.952	1482	42.08	2.042	1532	44.86	-1.583	1582	48.27	-2.880
1433	39.54	2.055	1483	42.12	1.624	1533	44.89	-0.363	1583	48.33	-2.567
1434	39.57	1.893	1484	42.16	0.068	1534	44.92	0.230	1584	48.35	-1.093
1435	39.63	1.839	1485	42.20	-0.958	1535	44.97	-0.068	1585	48.39	-0.756
1436	39.71	1.128	1486	42.23	-0.991	1536	44.98	0.164	1586	48.49	-0.862
1437	39.79	1.669	1487	42.28	-1.910	1537	45.01	-0.118	1587	48.54	-0.671
1438	39.83	0.375	1488	42.41	-2.926	1538	45.05	0.095	1588	48.59	-1.094
1439	39.85	0.353	1489	42.42	-2.557	1539	45.08	1.318	1589	48.62	-0.125
1440	39.90	-0.198	1490	42.47	-1.357	1540	45.10	1.044	1590	48.67	0.694
1441	39.94	0.634	1491	42.55	1.302	1541	45.15	0.365	1591	48.74	3.122
1442	39.99	0.831	1492	42.67	3.687	1542	45.19	0.325	1592	48.80	2.813
1443	40.03	2.419	1493	42.71	4.769	1543	45.28	-1.266	1593	49.87	3.361
1444	40.10	5.467	1494	42.75	5.099	1544	45.32	-1.933	1594	48.93	2.425
1445	40.17	7.398	1495	42.77	5.080	1545	45.36	-3.223	1595	49.00	1.100
1446	40.22	6.970	1496	42.81	5.538	1546	45.39	-3.260	1596	49.08	-0.858
1447	40.28	6.658	1497	42.85	4.626	1547	45.49	-2.233	1597	49.15	-1.550
1448	40.32	6.868	1498	42.93	1.414	1548	45.57	0.185	1598	49.26	-0.793
1449	40.37	4.692	1499	42.96	1.128	1549	45.62	2.004	1599	49.31	-0.844
1450	40.45	1.232	1500	43.01	0.075	1550	45.66	2.963	1600	49.41	2.177

INDEX NO. 827 106-GR-41 SOUKA BRIDGE TR. MAX.ACCEL.= -27.877(GAL) T= 3.87(SEC) NO. 9

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1601	49.47	3.365	1651	52.85	-1.253	1701	55.44	0.063	1751	58.63	1.511
1602	49.50	3.338	1652	52.88	-2.536	1702	55.49	1.015	1752	58.71	1.046
1603	49.53	2.690	1653	52.92	-3.205	1703	55.56	1.944	1753	58.81	0.694
1604	49.61	2.226	1654	52.97	-3.625	1704	55.64	2.481	1754	58.92	-0.920
1605	49.67	1.035	1655	53.07	-2.976	1705	55.72	2.900	1755	58.97	-1.345
1606	49.74	-1.909	1656	53.20	-1.615	1706	55.75	2.619	1756	59.03	-2.906
1607	49.80	-3.467	1657	53.25	-1.043	1707	55.82	3.169	1757	59.07	-2.327
1608	49.85	-4.278	1658	53.29	-0.081	1708	55.92	2.821	1758	59.11	-2.745
1609	49.91	-3.957	1659	53.34	0.369	1709	56.06	1.427	1759	59.17	-2.178
1610	49.94	-3.364	1660	53.38	1.073	1710	56.24	-1.893	1760	59.23	-0.998
1611	50.01	-0.941	1661	53.48	-0.033	1711	56.35	-4.007	1761	59.25	0.396
1612	50.08	0.860	1662	53.53	-1.009	1712	56.40	-4.315	1762	59.31	0.795
1613	50.13	0.812	1663	53.62	-1.674	1713	56.46	-4.004	1763	59.38	0.476
1614	50.19	1.999	1664	53.64	-2.073	1714	56.50	-4.916	1764	59.44	0.779
1615	50.25	1.941	1665	53.69	-2.746	1715	56.55	-7.220	1765	59.53	-1.188
1616	50.30	1.011	1666	53.73	-4.411	1716	56.63	-5.146	1766	59.62	-3.152
1617	50.42	0.766	1667	53.75	-3.810	1717	56.67	-3.096	1767	59.67	-4.460
1618	50.53	0.148	1668	53.80	-1.985	1718	56.74	+0.917	1768	59.73	-4.524
1619	50.68	0.242	1669	53.85	0.206	1719	56.79	0.654	1769	59.77	-6.564
1620	50.69	+0.648	1670	53.91	2.019	1720	56.84	1.477	1770	59.82	-6.365
1621	50.85	0.693	1671	53.99	4.070	1721	56.92	2.638	1771	59.88	+5.434
1622	50.90	0.884	1672	54.02	4.169	1722	57.01	3.165	1772	59.92	-4.476
1623	51.03	0.885	1673	54.07	4.104	1723	57.09	2.208	1773	60.04	-0.978
1624	51.15	+0.246	1674	54.12	3.684	1724	57.17	2.130	1774	60.10	1.460
1625	51.26	-1.236	1675	54.19	0.862	1725	57.26	1.670	1775	60.14	3.169
1626	51.30	+1.027	1676	54.23	+1.433	1726	57.32	0.106	1776	60.22	2.209
1627	51.33	-1.304	1677	54.28	+2.110	1727	57.38	+0.936	1777	60.28	1.778
1628	51.36	-2.712	1678	54.32	+3.026	1728	57.42	+0.998	1778	60.39	+1.715
1629	51.40	-1.748	1679	54.39	+4.715	1729	57.50	+2.953	1779	60.46	+2.158
1630	51.46	-0.560	1680	54.44	+4.151	1730	57.57	+2.647	1780	60.52	+2.600
1631	51.52	0.876	1681	54.48	-3.563	1731	57.65	-2.227	1781	60.56	+2.014
1632	51.62	0.773	1682	54.52	+2.960	1732	57.69	-2.271	1782	60.60	+1.682
1633	51.74	1.400	1683	54.57	+2.407	1733	57.73	+1.307	1783	60.64	+0.478
1634	51.86	0.030	1684	54.59	+1.550	1734	57.75	+1.578	1784	60.69	+1.400
1635	51.94	-0.683	1685	54.63	+0.969	1735	57.78	-1.737	1785	60.74	+1.834
1636	52.01	+1.755	1686	54.69	+0.652	1736	57.83	+2.035	1786	60.81	+2.773
1637	52.05	+2.050	1687	54.71	+0.681	1737	57.87	+2.467	1787	60.87	+3.464
1638	52.12	+3.492	1688	54.76	+0.724	1738	57.95	+4.410	1788	60.93	+3.531
1639	52.14	+4.393	1689	54.81	+1.657	1739	58.05	+4.762	1789	60.99	+3.589
1640	52.19	+3.563	1690	54.86	+1.832	1740	58.10	+4.187	1790	61.06	+2.784
1641	52.24	+3.245	1691	54.91	+2.756	1741	58.20	+3.666	1791	61.13	+1.608
1642	52.36	+0.614	1692	54.93	+2.406	1742	58.23	+3.701	1792	61.21	+0.439
1643	52.45	1.792	1693	55.02	+1.867	1743	58.26	+3.102	1793	61.27	0.742
1644	52.54	3.822	1694	55.06	+1.414	1744	58.28	+3.127	1794	61.33	0.939
1645	52.57	4.289	1695	55.10	+0.832	1745	58.31	+3.159	1795	61.41	1.478
1646	52.61	3.995	1696	55.15	0.119	1746	58.36	-3.837	1796	61.49	1.144
1647	52.63	4.603	1697	55.21	0.682	1747	58.43	+3.036	1797	61.60	0.406
1648	52.66	4.316	1698	55.29	0.600	1748	58.44	+3.038	1798	61.69	-0.559
1649	52.70	3.904	1699	55.34	+1.076	1749	58.51	+2.118	1799	61.84	+1.968
1650	52.83	+0.227	1700	55.40	+1.015	1750	58.59	+0.076	1800	61.93	+2.681

Table IX D-54 Digitized Accelerations of Earthquake Record with Index Number 828

INDEX NO. 828 106-GR-41 SOUKA BRIDGE U-D MAX.ACCEL.= -9.365(GAL) T= 1.00(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.01	-4.306	51	0.97	-6.839	101	1.94	-0.138	151	2.88	-0.406
2	0.02	-4.317	52	0.98	-8.475	102	1.95	0.230	152	2.89	-1.041
3	0.04	-4.077	53	0.99	-9.357	103	1.97	0.466	153	2.91	-1.677
4	0.05	-3.838	54	1.00	-9.365	104	1.98	0.455	154	2.93	-1.943
5	0.08	-2.854	55	1.01	-8.493	105	2.03	-0.702	155	2.96	-1.711
6	0.10	-2.247	56	1.02	-8.130	106	2.06	-2.095	156	3.00	0.390
7	0.12	-2.013	57	1.05	-6.647	107	2.07	-2.604	157	3.02	1.120
8	0.14	-2.526	58	1.06	-5.779	108	2.09	-2.618	158	3.04	1.358
9	0.16	-2.910	59	1.08	-5.793	109	2.10	-2.379	159	3.07	1.591
10	0.17	-2.917	60	1.09	-5.798	110	2.13	-1.768	160	3.08	2.206
11	0.19	-2.557	61	1.13	-2.952	111	2.15	-0.911	161	3.10	2.571
12	0.20	-1.690	62	1.18	-1.735	112	2.16	0.083	162	3.11	3.559
13	0.22	-0.454	63	1.20	-0.880	113	2.19	1.310	163	3.13	3.922
14	0.23	0.415	64	1.24	-0.278	114	2.22	1.919	164	3.16	3.654
15	0.25	1.030	65	1.26	0.080	115	2.24	2.529	165	3.16	3.015
16	0.26	1.647	66	1.29	0.938	116	2.27	2.262	166	3.21	1.740
17	0.27	2.264	67	1.30	1.553	117	2.29	1.871	167	3.25	0.713
18	0.29	1.747	68	1.32	1.917	118	2.31	1.230	168	3.27	0.702
19	0.32	0.728	69	1.34	2.152	119	2.33	0.594	169	3.29	0.441
20	0.35	-1.419	70	1.36	2.511	120	2.34	-0.917	170	3.30	-0.195
21	0.38	-3.312	71	1.37	2.504	121	2.36	-1.930	171	3.32	-0.580
22	0.39	-3.942	72	1.39	2.492	122	2.37	-2.812	172	3.33	-0.840
23	0.40	-4.953	73	1.41	2.227	123	2.38	-3.442	173	3.35	-0.854
24	0.42	-5.588	74	1.43	0.589	124	2.40	-4.080	174	3.39	-0.379
25	0.44	-5.606	75	1.45	-1.299	125	2.41	-4.712	175	3.40	-0.389
26	0.46	-5.619	76	1.47	-2.811	126	2.43	-4.851	176	3.42	0.222
27	0.52	-3.157	77	1.49	-5.706	127	2.44	-4.480	177	3.44	0.212
28	0.54	-1.673	78	1.51	-5.714	128	2.46	-3.620	178	3.47	-0.058
29	0.56	-1.060	79	1.52	-6.348	129	2.48	-2.007	179	3.48	-0.318
30	0.57	-0.690	80	1.53	-6.357	130	2.49	-0.765	180	3.49	-0.700
31	0.59	-0.078	81	1.54	-6.364	131	2.50	0.099	181	3.54	-1.356
32	0.60	-0.089	82	1.56	-5.750	132	2.51	0.094	182	3.56	-1.120
33	0.61	-0.097	83	1.57	-5.507	133	2.52	-0.165	183	3.58	-0.758
34	0.63	-0.362	84	1.58	-4.519	134	2.55	-0.805	184	3.60	-0.150
35	0.64	-0.119	85	1.60	-3.280	135	2.57	-1.443	185	3.62	0.087
36	0.66	0.742	86	1.62	-2.670	136	2.58	-1.825	186	3.65	-0.433
37	0.68	1.106	87	1.64	-2.685	137	2.61	-3.600	187	3.67	-0.447
38	0.71	1.337	88	1.66	-2.445	138	2.64	-4.242	188	3.69	-1.086
39	0.72	1.701	89	1.68	-1.834	139	2.66	-4.257	189	3.72	-1.481
40	0.74	1.440	90	1.70	-0.598	140	2.69	-4.309	190	3.75	-2.751
41	0.77	1.295	91	1.71	-0.232	141	2.72	-4.046	191	3.77	-3.142
42	0.79	1.033	92	1.73	1.003	142	2.73	-3.805	192	3.78	-3.401
43	0.81	2.019	93	1.75	0.738	143	2.75	-2.816	193	3.81	-3.417
44	0.82	2.508	94	1.78	0.367	144	2.76	-2.825	194	3.83	-3.807
45	0.84	2.249	95	1.80	-0.044	145	2.79	-1.344	195	3.85	-3.196
46	0.86	1.605	96	1.82	-0.929	146	2.81	0.269	196	3.86	-2.579
47	0.88	0.716	97	1.83	-0.940	147	2.82	1.138	197	3.88	-1.965
48	0.91	-0.551	98	1.85	-1.203	148	2.83	0.877	198	3.89	-0.972
49	0.93	-2.437	99	1.89	-0.981	149	2.84	0.622	199	3.90	-0.104
50	0.95	-5.580	100	1.92	-0.374	150	2.86	0.481	200	3.91	0.887

INDEX NO. 828 106-GR-41 SOUKA BRIDGE U-D MAX.ACCEL.= -9.365(GAL) T= 1.00(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	3.92	1.253	251	4.96	-0.461	301	6.01	-0.185	351	6.92	2.189
202	3.94	1.244	252	4.97	-0.718	302	6.02	-0.192	352	6.96	-0.219
203	3.95	1.488	253	4.99	-1.357	303	6.05	-0.213	353	6.99	-1.884
204	3.97	0.219	254	5.01	-1.748	304	6.08	-0.229	354	7.00	-3.124
205	3.99	-0.417	255	5.05	-0.521	305	6.10	-0.247	355	7.01	-3.758
206	4.01	-1.055	256	5.08	-0.701	306	6.12	-0.609	356	7.02	-4.390
207	4.02	-1.605	257	5.08	-0.294	307	6.15	-1.279	357	7.05	-5.281
208	4.03	-2.323	258	5.10	-0.557	308	6.17	-1.541	358	7.06	-5.913
209	4.05	-2.960	259	5.13	-1.252	309	6.19	-2.560	359	7.07	-6.046
210	4.07	-2.972	260	5.15	-1.843	310	6.21	-1.946	360	7.08	-5.431
211	4.08	-2.979	261	5.17	-2.732	311	6.23	-0.709	361	7.10	-5.690
212	4.11	-2.374	262	5.19	-3.366	312	6.24	-0.344	362	7.11	-5.072
213	4.12	-2.134	263	5.20	-3.500	313	6.25	0.525	363	7.12	-5.077
214	4.13	-0.891	264	5.21	-3.134	314	6.28	1.508	364	7.14	-4.841
215	4.16	0.092	265	5.24	-2.281	315	6.29	2.747	365	7.16	-4.234
216	4.17	0.957	266	5.28	0.192	316	6.30	2.116	366	7.18	-4.494
217	4.18	1.324	267	5.30	1.178	317	6.31	2.110	367	7.19	-3.880
218	4.19	2.195	268	5.32	1.796	318	6.32	1.725	368	7.21	-3.267
219	4.22	1.922	269	5.33	2.410	319	6.35	1.084	369	7.26	-2.049
220	4.25	1.654	270	5.35	2.148	320	6.37	-0.430	370	7.29	-1.195
221	4.27	1.012	271	5.38	1.379	321	6.38	-2.066	371	7.33	0.156
222	4.31	0.362	272	5.41	-0.147	322	6.40	-2.955	372	7.36	-0.243
223	4.33	-0.652	273	5.45	-1.672	323	6.42	-3.345	373	7.38	0.367
224	4.36	-1.296	274	5.47	-2.935	324	6.44	-3.359	374	7.41	0.351
225	4.40	-2.573	275	5.49	-3.949	325	6.46	-4.368	375	7.43	0.333
226	4.44	-3.226	276	5.51	-4.836	326	6.47	-4.005	376	7.45	-0.554
227	4.45	-3.233	277	5.54	-5.855	527	6.49	-3.390	377	7.47	-0.565
228	4.48	-2.627	278	5.56	-5.874	328	6.50	-2.152	378	7.48	-0.953
229	4.50	-1.770	279	5.58	-6.635	329	6.53	-1.297	379	7.50	-0.340
230	4.55	-1.429	280	5.60	-6.898	330	6.57	0.304	380	7.52	-0.102
231	4.59	-0.580	281	5.61	-6.408	331	6.59	0.536	381	7.54	-0.363
232	4.63	-0.485	282	5.64	-5.430	332	6.60	0.903	382	7.56	-0.627
233	4.66	0.122	283	5.66	-4.564	333	6.61	0.899	383	7.57	-0.634
234	4.68	0.360	284	5.69	-3.209	334	6.62	1.142	384	7.58	-0.641
235	4.69	0.976	285	5.70	-2.095	335	6.63	1.756	385	7.59	-1.274
236	4.71	0.959	286	5.73	-1.115	336	6.64	2.125	386	7.60	-1.656
237	4.73	0.700	287	5.76	-1.508	337	6.65	2.748	387	7.61	-1.663
238	4.74	0.066	288	5.78	-1.150	338	6.67	2.485	388	7.62	-2.548
239	4.75	-0.566	289	5.80	-1.537	339	6.69	3.346	389	7.64	-2.306
240	4.77	-1.202	290	5.81	-2.047	340	6.70	2.459	390	7.67	-2.329
241	4.78	-2.210	291	5.83	-2.060	341	6.72	2.446	391	7.70	-1.722
242	4.80	-2.473	292	5.85	-2.444	342	6.75	1.800	392	7.72	-1.490
243	4.81	-2.480	293	5.87	-2.457	343	6.77	1.788	393	7.75	-1.505
244	4.82	-0.991	294	5.88	-1.595	344	6.80	1.142	394	7.77	-1.397
245	4.84	-0.002	295	5.91	-1.240	345	6.81	1.383	395	7.79	-2.035
246	4.86	1.484	296	5.94	-0.631	346	6.83	1.623	396	7.82	-2.430
247	4.88	2.345	297	5.95	-0.266	347	6.84	1.613	397	7.83	-2.687
248	4.89	1.838	298	5.97	0.223	348	6.85	2.355	398	7.85	-3.076
249	4.92	0.191	299	5.98	0.711	349	6.88	2.587	399	7.87	-3.340
250	4.95	-0.077	300	6.00	0.077	350	6.89	2.830	400	7.89	-3.725

INDEX NO. 828 106-GR-41 SOUKA BRIDGE U-D MAX.ACCEL.= -9.365(GAL) T= 1.00(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	7.93	-3.753	451	9.25	0.085	501	10.31	-2.025	551	11.47	-0.317
402	7.98	-4.037	452	9.27	0.327	502	10.34	-1.043	552	11.51	1.905
403	8.01	-4.432	453	9.28	0.567	503	10.37	-0.438	553	11.52	2.152
404	8.03	-4.448	454	9.31	1.297	506	10.39	-0.203	554	11.53	4.392
405	8.05	-4.465	455	9.33	0.906	505	10.41	0.155	555	11.55	5.380
406	8.09	-3.488	456	9.36	0.889	506	10.46	0.121	556	11.57	5.740
407	8.12	-2.637	457	9.37	0.879	507	10.48	-0.516	557	11.58	5.358
408	8.15	-1.654	458	9.39	-0.133	508	10.51	-1.788	558	11.62	4.833
409	8.17	-1.166	459	9.40	-0.394	509	10.53	-2.423	559	11.66	2.304
410	8.18	-0.551	460	9.42	-0.153	510	10.54	-2.682	560	11.70	1.028
411	8.21	1.425	461	9.45	0.451	511	10.55	-3.312	561	11.74	0.003
412	8.25	2.905	462	9.47	1.183	512	10.56	-3.697	562	11.77	-0.641
413	8.27	4.140	463	9.49	1.167	513	10.59	-3.712	563	11.80	-0.914
414	8.30	5.989	464	9.52	1.397	514	10.60	-2.847	564	11.84	-1.692
415	8.37	7.068	465	9.54	1.136	515	10.61	-1.856	565	11.86	-1.954
416	8.39	6.683	466	9.56	0.743	516	10.63	-1.618	566	11.88	-1.988
417	8.43	5.151	467	9.60	-0.780	517	10.65	-0.006	567	11.89	-2.604
418	8.47	3.251	468	9.61	-1.416	518	10.67	-0.645	568	11.91	-1.741
419	8.50	1.603	469	9.64	-2.435	519	10.70	-0.043	569	11.96	-1.020
420	8.53	0.710	470	9.65	-3.319	520	10.76	-0.082	570	12.01	-0.182
421	8.56	-0.311	471	9.66	-3.328	521	10.83	-0.131	571	12.05	0.038
422	8.59	-0.330	472	9.68	-3.717	522	10.86	-0.151	572	12.10	-0.245
423	8.63	-1.963	473	9.69	-3.722	523	10.89	-0.170	573	12.12	-1.511
424	8.68	-2.642	474	9.71	-3.734	524	10.91	-0.186	574	12.16	-1.532
425	8.70	-3.633	475	9.73	-3.693	525	10.93	-0.820	575	12.19	-3.184
426	8.71	-3.661	476	9.74	-1.882	526	10.95	-1.208	576	12.21	-3.821
427	8.72	-4.045	477	9.75	-1.266	527	10.98	-2.108	577	12.23	-4.208
428	8.73	-4.300	478	9.77	-0.028	528	11.00	-3.617	578	12.24	-4.465
429	8.74	-4.684	479	9.80	0.579	529	11.03	-5.889	579	12.26	-4.228
430	8.75	-4.941	480	9.82	0.314	530	11.04	-6.522	580	12.27	-4.488
431	8.77	-4.331	481	9.84	-0.072	531	11.05	-6.783	581	12.28	-4.495
432	8.79	-4.093	482	9.85	-0.331	532	11.07	-6.916	582	12.31	-3.386
433	8.81	-2.484	483	9.86	-0.340	533	11.08	-6.553	583	12.33	-3.027
434	8.83	-0.999	484	9.88	-0.481	534	11.10	-5.938	584	12.35	-0.916
435	8.85	-0.012	485	9.90	-0.118	535	11.13	-4.457	585	12.38	-0.813
436	8.87	0.849	486	9.94	0.479	536	11.17	-1.984	586	12.41	1.915
437	8.90	1.830	487	9.96	1.340	537	11.18	-0.992	587	12.45	2.517
438	8.92	2.071	488	9.99	1.448	538	11.19	-0.376	588	12.48	2.492
439	8.94	1.807	489	10.01	1.058	539	11.21	0.238	589	12.51	1.598
440	8.96	1.165	490	10.03	0.792	540	11.22	0.480	590	12.55	0.322
441	8.99	0.768	491	10.05	0.151	541	11.25	0.459	591	12.56	-1.309
442	9.03	-1.631	492	10.07	-0.486	542	11.28	0.812	592	12.58	-1.571
443	9.04	-2.890	493	10.10	-1.507	543	11.33	0.781	593	12.59	-2.580
444	9.07	-4.910	494	10.13	-2.154	544	11.36	0.138	594	12.60	-2.590
445	9.10	-5.806	495	10.16	-2.425	545	11.38	-0.507	595	12.62	-2.601
446	9.12	-6.071	496	10.19	-2.818	546	11.40	-1.393	596	12.64	-1.992
447	9.19	-4.992	497	10.22	-2.590	547	11.41	-1.401	597	12.69	-1.778
448	9.20	-3.999	498	10.24	-2.226	548	11.43	-1.789	598	12.76	-1.195
449	9.22	-2.140	499	10.27	-2.245	549	11.44	-1.547	599	12.81	-1.230
450	9.23	-0.898	500	10.29	-2.261	550	11.46	-1.181	600	12.86	-1.265

INDEX NO. 828 106-GR-41 SOUKA BRIDGE U-D MAX.ACCEL.= -9.365(GAL) T= 1.00(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	12.92	-1.180	651	13.89	-4.100	701	15.03	-2.758	751	16.72	-0.295
602	12.94	-1.324	652	13.91	-4.986	702	15.06	-0.905	752	16.75	-0.314
603	12.96	-1.336	653	13.93	-6.002	703	15.10	0.444	753	16.79	0.905
604	12.97	-1.344	654	13.94	-5.761	704	15.14	1.912	754	16.84	1.122
605	13.00	-0.736	655	13.97	-6.651	705	15.20	2.995	755	16.88	2.090
606	13.01	0.254	656	13.98	-6.036	706	15.24	4.219	756	16.90	2.330
607	13.03	0.242	657	13.99	-5.671	707	15.27	5.076	757	16.92	2.691
608	13.04	0.858	658	14.02	-4.815	708	15.29	5.432	758	16.95	3.298
609	13.05	1.101	659	14.04	-4.203	709	15.32	4.790	759	16.96	3.039
610	13.07	1.715	660	14.06	-3.338	710	15.37	3.129	760	16.99	2.891
611	13.09	1.203	661	14.07	-2.347	711	15.43	-0.413	761	17.04	2.607
612	13.12	0.807	662	14.09	-1.111	712	15.47	-2.193	762	17.07	2.217
613	13.13	-0.203	663	14.11	-0.877	713	15.51	-3.217	763	17.09	1.323
614	13.15	-0.839	664	14.14	-0.272	714	15.53	-3.479	764	17.12	1.301
615	13.16	-0.850	665	14.16	0.714	715	15.55	-3.871	765	17.15	1.534
616	13.18	-0.487	666	14.19	0.320	716	15.58	-3.514	766	17.18	1.641
617	13.20	-1.125	667	14.23	0.670	717	15.61	-4.785	767	17.20	1.250
618	13.22	-0.516	668	14.26	0.644	718	15.64	-5.556	768	17.21	0.616
619	13.24	-0.153	669	14.29	-0.622	719	15.65	-5.938	769	17.24	0.348
620	13.26	0.459	670	14.31	-0.888	720	15.66	-6.324	770	17.26	-0.917
621	13.27	0.951	671	14.33	-0.900	721	15.68	-6.334	771	17.29	-1.936
622	13.30	0.932	672	14.34	-1.287	722	15.69	-6.341	772	17.30	-2.193
623	13.32	0.414	673	14.37	-1.053	723	15.72	-6.361	773	17.31	-2.581
624	13.34	0.407	674	14.39	-1.069	724	15.74	-5.376	774	17.33	-3.469
625	13.36	-0.236	675	14.41	-0.458	725	15.78	-3.532	775	17.35	-3.232
626	13.37	-0.869	676	14.43	0.151	726	15.84	-1.942	776	17.37	-3.246
627	13.38	-0.876	677	14.45	0.892	727	15.90	0.135	777	17.40	-2.892
628	13.39	-0.634	678	14.47	1.127	728	15.96	0.721	778	17.43	-2.408
629	13.42	-0.630	679	14.49	2.360	729	15.98	1.580	779	17.45	-2.047
630	13.43	-0.661	680	14.51	2.724	730	16.01	2.864	780	17.46	-2.056
631	13.45	-0.922	681	14.53	3.082	731	16.05	2.659	781	17.48	-2.695
632	13.48	-0.692	682	14.56	2.435	732	16.10	2.628	782	17.50	-3.336
633	13.49	-0.952	683	14.59	1.543	733	16.13	1.727	783	17.53	-3.354
634	13.51	-1.088	684	14.62	0.897	734	16.15	1.341	784	17.54	-3.610
635	13.53	-1.352	685	14.64	-0.364	735	16.17	0.952	785	17.57	-3.007
636	13.55	-1.364	686	14.65	-1.124	736	16.19	0.686	786	17.58	-2.767
637	13.57	-1.378	687	14.67	-1.760	737	16.23	0.838	787	17.60	-1.530
638	13.59	-1.021	688	14.68	-1.396	738	16.26	0.018	788	17.64	-0.053
639	13.64	-0.177	689	14.70	-1.656	739	16.28	0.254	789	17.65	0.315
640	13.66	1.308	690	14.71	-2.040	740	16.30	0.242	790	17.66	1.805
641	13.68	1.671	691	14.75	-2.068	741	16.32	0.598	791	17.68	1.788
642	13.69	1.910	692	14.78	-2.087	742	16.36	-0.428	792	17.71	1.894
643	13.71	2.275	693	14.81	-2.487	743	16.41	-0.712	793	17.77	2.978
644	13.72	2.266	694	14.86	-3.019	744	16.45	-1.363	794	17.80	3.956
645	13.74	2.253	695	14.89	-4.037	745	16.48	-2.008	795	17.82	3.321
646	13.76	1.618	696	14.92	-5.057	746	16.50	-1.772	796	17.83	3.310
647	13.79	0.968	697	14.93	-4.816	747	16.53	-2.041	797	17.85	3.671
648	13.81	-0.297	698	14.94	-4.577	748	16.58	-1.700	798	17.87	4.283
649	13.85	-2.824	699	14.96	-4.216	749	16.63	-1.733	799	17.90	3.887
650	13.87	-3.463	700	14.98	-4.226	750	16.67	-1.137	800	17.92	3.001

土木構造物における加速度強震記録（No. 9）

INDEX NO. 828 106-GR-41 SOUKA BRIDGE U-D MAX.ACCEL.= -9.365(GAL) T= 1.00(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	17.95	2.357	851	19.65	-0.815	901	21.11	-3.308	951	22.68	0.220
802	17.98	1.081	852	19.69	-0.472	902	21.13	-3.070	952	22.74	0.930
803	18.03	-0.573	853	19.71	0.137	903	21.15	-2.713	953	22.77	0.286
804	18.08	-2.858	854	19.74	0.742	904	21.18	-1.482	954	22.79	-0.103
805	18.12	-3.762	855	19.76	0.734	905	21.20	-0.249	955	22.83	-1.629
806	18.14	-3.154	856	19.78	1.340	906	21.23	0.608	956	22.85	-2.267
807	18.17	-2.544	857	19.82	1.942	907	21.26	1.208	957	22.86	-2.652
808	18.20	-2.943	858	19.84	1.928	908	21.33	1.535	958	22.88	-3.537
809	18.26	-2.604	859	19.85	1.667	909	21.37	1.882	959	22.89	-3.674
810	18.27	-1.740	860	19.89	0.997	910	21.40	1.456	960	22.90	-3.557
811	18.31	-0.517	861	19.92	1.244	911	21.42	1.224	961	22.93	-3.576
812	18.35	1.333	862	19.95	0.850	912	21.45	1.453	962	22.95	-3.590
813	18.38	2.561	863	19.98	1.204	913	21.49	1.426	963	22.98	-3.607
814	18.42	3.158	864	20.02	1.172	914	21.52	2.030	964	22.99	-3.368
815	18.46	2.879	865	20.05	0.992	915	21.57	1.368	965	23.01	-3.379
816	18.49	1.983	866	20.08	1.131	916	21.63	1.027	966	23.03	-3.143
817	18.53	1.587	867	20.11	1.112	917	21.66	0.857	967	23.06	-2.537
818	18.55	0.698	868	20.14	0.470	918	21.67	-0.202	968	23.09	-1.310
819	18.58	0.302	869	20.18	0.086	919	21.69	-0.840	969	23.12	0.044
820	18.60	0.034	870	20.21	-1.707	920	21.71	-1.483	970	23.16	0.519
821	18.63	0.013	871	20.23	-2.718	921	21.75	-1.629	971	23.25	1.710
822	18.66	-0.376	872	20.25	-2.983	922	21.77	-1.896	972	23.28	1.437
823	18.68	-1.021	873	20.29	-2.756	923	21.80	-1.915	973	23.39	0.483
824	18.70	-1.283	874	20.32	-2.779	924	21.85	-0.327	974	23.46	-0.564
825	18.72	-1.667	875	20.36	-2.178	925	21.89	0.142	975	23.48	-1.201
826	18.74	-1.934	876	20.39	-2.198	926	22.00	1.316	976	23.51	-2.221
827	18.76	-1.698	877	20.43	-1.851	927	22.06	1.277	977	23.53	-2.858
828	18.78	-1.461	878	20.46	-1.998	928	22.08	1.011	978	23.55	-3.124
829	18.81	-1.109	879	20.50	-1.647	929	22.11	0.988	979	23.57	-2.763
830	18.84	-0.874	880	20.52	-1.663	930	22.14	0.598	980	23.60	-2.536
831	18.86	-0.892	881	20.55	-1.930	931	22.15	0.586	981	23.64	-1.934
832	18.90	0.080	882	20.58	-1.952	932	22.19	1.309	982	23.68	-1.962
833	18.95	0.298	883	20.62	-1.728	933	22.22	0.913	983	23.70	-1.601
834	18.99	0.900	884	20.64	-1.119	934	22.26	0.636	984	23.75	-2.011
835	19.03	0.617	885	20.68	-0.768	935	22.29	0.240	985	23.77	-2.026
836	19.09	0.826	886	20.70	-0.279	936	22.32	-0.776	986	23.79	-2.038
837	19.12	0.805	887	20.73	1.321	937	22.33	-0.784	987	23.81	-2.048
838	19.15	-0.089	888	20.75	1.557	938	22.35	-0.421	988	23.82	-2.058
839	19.17	-0.106	889	20.77	2.796	939	22.37	-0.685	989	23.84	-2.069
840	19.20	-0.374	890	20.80	2.280	940	22.38	-0.691	990	23.87	-1.215
841	19.23	-0.770	891	20.82	2.766	941	22.41	1.034	991	23.89	0.022
842	19.25	-1.037	892	20.85	1.870	942	22.44	2.015	992	23.92	0.001
843	19.29	-2.062	893	20.88	1.224	943	22.48	2.613	993	23.99	0.702
844	19.32	-2.961	894	20.90	0.333	944	22.50	2.347	994	24.02	0.934
845	19.34	-3.598	895	20.93	0.312	945	22.52	1.956	995	24.08	-0.982
846	19.35	-4.234	896	20.96	-0.079	946	22.55	1.064	996	24.10	-1.249
847	19.37	-3.996	897	20.99	-0.975	947	22.57	0.425	997	24.11	-1.008
848	19.41	-4.021	898	21.02	-1.996	948	22.59	0.439	998	24.13	-1.667
849	19.45	-3.428	899	21.06	-2.649	949	22.62	0.016	999	24.17	-1.670
850	19.54	-2.239	900	21.08	-2.915	950	22.64	0.623	1000	24.21	-1.446

INDEX NO. 828 106-GR-41 SOUKA BRIDGE U-D MAX.ACCEL.= -9.365(GAL) T= 1.00(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	24.24	-1.718	1051	25.55	-0.618	1101	26.98	-2.618	1151	28.74	0.670
1002	24.28	-0.497	1052	25.56	-0.628	1102	27.01	-0.764	1152	28.79	0.636
1003	24.31	0.108	1053	25.66	2.433	1103	27.04	0.467	1153	28.85	1.095
1004	24.35	-0.546	1054	25.67	2.797	1104	27.07	0.821	1154	28.96	2.024
1005	24.38	-0.815	1055	25.69	3.034	1105	27.12	0.539	1155	28.99	2.629
1006	24.40	-0.628	1056	25.71	3.847	1106	27.13	0.780	1156	29.03	2.600
1007	24.43	-0.600	1057	25.72	3.888	1107	27.20	-1.144	1157	29.05	3.213
1008	24.47	0.002	1058	25.75	3.371	1108	27.23	-2.042	1158	29.07	2.572
1009	24.52	0.591	1059	25.77	2.602	1109	27.31	-2.473	1159	29.11	2.794
1010	24.56	1.188	1060	25.86	2.057	1110	27.34	-2.240	1160	29.16	1.884
1011	24.59	1.418	1061	25.87	2.032	1111	27.36	-1.882	1161	29.19	1.240
1012	24.62	1.146	1062	25.92	1.628	1112	27.39	-1.273	1162	29.23	0.966
1013	24.65	1.125	1063	25.95	1.601	1113	27.40	-0.659	1163	29.25	0.326
1014	24.69	0.472	1064	25.99	1.327	1114	27.42	-0.669	1164	29.26	-0.310
1015	24.72	-0.174	1065	26.02	0.927	1115	27.44	-0.312	1165	29.28	-0.319
1016	24.75	-1.064	1066	26.08	0.266	1116	27.47	-0.707	1166	29.29	-0.081
1017	24.76	-0.574	1067	26.12	-0.011	1117	27.50	-0.725	1167	29.31	-0.091
1018	24.77	-1.082	1068	26.15	0.213	1118	27.52	-0.118	1168	29.32	-0.350
1019	24.79	-0.846	1069	26.17	-0.423	1119	27.54	-0.131	1169	29.37	0.493
1020	24.82	-0.613	1070	26.20	-1.069	1120	27.57	0.100	1170	29.44	1.695
1021	24.84	-0.252	1071	26.21	-1.455	1121	27.60	0.707	1171	29.49	1.658
1022	24.88	0.348	1072	26.23	-1.966	1122	27.63	1.058	1172	29.52	1.887
1023	24.90	0.333	1073	26.24	-1.721	1123	27.64	1.427	1173	29.55	2.493
1024	24.92	0.319	1074	26.26	-1.361	1124	27.65	1.423	1174	29.57	3.105
1025	24.94	0.053	1075	26.28	-1.126	1125	27.69	1.645	1175	29.59	3.470
1026	24.97	0.532	1076	26.31	0.100	1126	27.72	0.996	1176	29.61	4.075
1027	25.00	0.989	1077	26.34	-0.542	1127	27.75	0.973	1177	29.67	3.788
1028	25.03	1.493	1078	26.36	0.069	1128	27.79	0.573	1178	29.79	2.080
1029	25.04	1.735	1079	26.39	-0.207	1129	27.82	0.049	1179	29.83	0.553
1030	25.06	2.101	1080	26.41	0.029	1130	27.85	0.279	1180	29.86	-0.469
1031	25.08	3.210	1081	26.47	0.618	1131	27.91	-0.138	1181	29.89	-1.363
1032	25.09	2.824	1082	26.52	1.458	1132	27.93	-0.151	1182	29.91	-2.378
1033	25.14	2.169	1083	26.54	2.086	1133	28.00	-0.825	1183	29.92	-3.013
1034	25.16	1.901	1084	26.58	1.789	1134	28.03	-0.467	1184	29.93	-3.270
1035	25.18	1.261	1085	26.60	2.021	1135	28.05	-0.481	1185	29.97	-3.916
1036	25.21	0.493	1086	26.63	1.756	1136	28.08	0.123	1186	30.00	-3.688
1037	25.23	-0.019	1087	26.64	1.747	1137	28.11	0.726	1187	30.06	-2.484
1038	25.24	-0.656	1088	26.66	1.356	1138	28.15	1.324	1188	30.09	-2.504
1039	25.27	-0.796	1089	26.68	0.840	1139	28.19	1.673	1189	30.13	-1.281
1040	25.28	-1.308	1090	26.71	0.451	1140	28.22	1.026	1190	30.16	-0.677
1041	25.31	-1.324	1091	26.73	0.185	1141	28.27	0.245	1191	30.19	0.180
1042	25.33	-1.088	1092	26.76	-0.464	1142	28.30	-1.653	1192	30.21	0.542
1043	25.35	-0.477	1093	26.81	-0.246	1143	28.35	-2.561	1193	30.22	0.531
1044	25.36	0.136	1094	26.84	-0.519	1144	28.57	1.667	1194	30.26	0.756
1045	25.39	-0.129	1095	26.87	-0.538	1145	28.59	2.276	1195	30.30	2.350
1046	25.40	0.119	1096	26.88	-1.169	1146	28.63	2.501	1196	30.33	2.582
1047	25.43	-0.287	1097	26.90	-1.808	1147	28.66	2.851	1197	30.35	2.946
1048	25.50	-0.581	1098	26.91	-1.815	1148	28.69	2.269	1198	30.38	2.673
1049	25.51	-1.215	1099	26.92	-1.827	1149	28.70	1.947	1199	30.42	2.272
1050	25.53	-0.982	1100	26.95	-2.843	1150	28.73	1.308	1200	30.45	0.997

INDEX NO. 828 106-GR-41 SOUKA BRIDGE U-D MAX.ACCEL.= -9.365(GAL) T= 1.00(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	30.49	-0.027	1251	32.50	0.635	1301	34.50	-0.162	1351	36.78	1.295
1202	30.50	-0.913	1252	32.58	-1.725	1302	34.53	0.945	1352	36.83	1.562
1203	30.57	-1.636	1253	32.63	-1.132	1303	34.55	1.553	1353	36.89	1.440
1204	30.66	-2.269	1254	32.65	-1.149	1304	34.59	1.278	1354	36.95	1.324
1205	30.73	-1.696	1255	32.68	-1.166	1305	34.65	1.482	1355	37.00	1.482
1206	30.83	-0.516	1256	32.70	-2.057	1306	34.68	0.588	1356	37.03	2.048
1207	30.89	0.322	1257	32.72	-2.069	1307	34.69	0.579	1357	37.05	1.763
1208	30.90	0.310	1258	32.73	-2.454	1308	34.73	1.178	1358	37.06	2.237
1209	30.95	0.905	1259	32.76	-3.975	1309	34.78	-0.978	1359	37.09	2.180
1210	31.05	2.083	1260	32.80	-2.877	1310	34.82	-0.760	1360	37.11	2.129
1211	31.09	2.058	1261	32.86	-1.303	1311	34.89	-0.183	1361	37.12	1.852
1212	31.16	1.757	1262	32.93	0.162	1312	34.94	0.034	1362	37.14	1.826
1213	31.26	1.315	1263	32.98	0.675	1313	34.98	0.381	1363	37.15	1.795
1214	31.42	0.332	1264	33.04	1.084	1314	35.04	0.345	1364	37.16	1.775
1215	31.44	0.317	1265	33.09	1.676	1315	35.11	2.168	1365	37.19	1.978
1216	31.46	-0.951	1266	33.12	1.564	1316	35.20	2.736	1366	37.24	1.610
1217	31.46	-1.215	1267	33.15	1.884	1317	35.23	2.462	1367	37.26	2.166
1218	31.51	-1.358	1268	33.19	2.230	1318	35.35	-0.116	1368	37.30	2.367
1219	31.52	-1.617	1269	33.23	2.204	1319	35.39	-0.141	1369	37.32	2.082
1220	31.53	-1.997	1270	33.27	1.552	1320	35.47	-0.321	1370	37.34	1.783
1221	31.55	-1.864	1271	33.32	0.898	1321	35.53	0.385	1371	37.35	1.398
1222	31.58	-1.652	1272	33.33	0.667	1322	35.59	-0.652	1372	37.36	1.378
1223	31.60	-1.041	1273	33.35	0.602	1323	35.65	-0.066	1373	37.37	1.361
1224	31.62	0.191	1274	33.37	-0.015	1324	35.69	-0.098	1374	37.39	0.688
1225	31.65	0.793	1275	33.39	-0.404	1325	35.73	-0.122	1375	37.40	0.919
1226	31.68	1.401	1276	33.42	-1.049	1326	35.79	-0.163	1376	37.41	0.639
1227	31.71	1.383	1277	33.45	-1.319	1327	35.83	-0.436	1377	37.42	0.623
1228	31.74	0.732	1278	33.48	-1.463	1328	35.89	-0.857	1378	37.44	0.842
1229	31.79	0.702	1279	33.52	0.137	1329	35.93	-0.881	1379	37.45	0.563
1230	31.84	0.918	1280	33.58	0.094	1330	35.98	-0.290	1380	37.46	0.793
1231	31.88	0.885	1281	33.68	0.276	1331	36.01	-0.312	1381	37.47	1.398
1232	31.94	0.971	1282	33.70	0.608	1332	36.07	-0.350	1382	37.49	1.728
1233	31.97	0.830	1283	33.74	0.859	1333	36.11	0.247	1383	37.50	2.089
1234	32.00	0.309	1284	33.77	1.460	1334	36.16	0.838	1384	37.51	2.070
1235	32.02	-0.334	1285	33.85	1.725	1335	36.20	1.061	1385	37.52	2.040
1236	32.06	-0.985	1286	33.89	1.136	1336	36.25	2.624	1386	37.54	2.263
1237	32.08	-1.376	1287	33.95	-0.410	1337	36.29	1.747	1387	37.56	1.343
1238	32.12	-1.031	1288	34.02	-1.084	1338	36.32	1.979	1388	37.57	1.577
1239	32.18	0.429	1289	34.10	-0.887	1339	36.34	1.564	1389	37.58	1.801
1240	32.21	0.159	1290	34.13	-1.159	1340	36.38	0.593	1390	37.59	0.905
1241	32.24	0.392	1291	34.17	-0.933	1341	36.41	-0.089	1391	37.60	0.661
1242	32.26	1.001	1292	34.19	-0.946	1342	36.42	-0.484	1392	37.63	0.203
1243	32.28	1.610	1293	34.21	-0.966	1343	36.43	-0.506	1393	37.64	-0.448
1244	32.30	2.221	1294	34.24	-0.985	1344	36.46	-0.551	1394	37.65	-0.469
1245	32.32	2.832	1295	34.29	-0.765	1345	36.48	-0.358	1395	37.68	-0.530
1246	32.34	3.822	1296	34.31	-0.410	1346	36.52	0.198	1396	37.71	-0.337
1247	32.37	4.051	1297	34.34	-0.176	1347	36.56	0.120	1397	37.74	0.846
1248	32.38	4.041	1298	34.38	0.170	1348	36.60	0.406	1398	37.77	1.414
1249	32.41	4.025	1299	34.43	-0.116	1349	36.66	0.296	1399	37.80	2.610
1250	32.46	2.738	1300	34.46	0.113	1350	36.71	0.805	1400	37.82	2.320

INDEX NO. 828 106-GR-41 SOUKA BRIDGE U-D MAX.ACCEL.= -9.365(GAL) T= 1.00(SEC) NO. 8

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1401	37.87	2.466	1451	39.59	2.079	1501	41.11	0.760	1551	42.92	0.290
1402	37.90	3.023	1452	39.60	2.069	1502	41.17	0.273	1552	42.95	0.224
1403	37.93	3.341	1453	39.62	2.016	1503	41.23	0.513	1553	42.98	-0.470
1404	37.96	3.279	1454	39.64	1.732	1504	41.28	1.049	1554	43.01	-1.156
1405	37.98	3.859	1455	39.66	1.695	1505	41.32	1.342	1555	43.03	-1.192
1406	38.01	3.791	1456	39.68	1.658	1506	41.34	1.299	1556	43.05	-1.229
1407	38.06	3.943	1457	39.70	1.612	1507	41.37	1.238	1557	43.08	-1.919
1408	38.08	3.869	1458	39.72	1.561	1508	41.41	0.780	1558	43.09	-1.942
1409	38.11	2.975	1459	39.75	1.882	1509	41.45	1.084	1559	43.10	-1.962
1410	38.13	2.934	1460	39.77	1.457	1510	41.49	1.010	1560	43.13	-2.269
1411	38.15	2.266	1461	39.80	1.394	1511	41.51	1.215	1561	43.15	-2.937
1412	38.17	2.055	1462	39.82	1.109	1512	41.54	1.152	1562	43.16	-2.961
1413	38.18	2.205	1463	39.83	1.069	1513	41.57	1.720	1563	43.19	-3.012
1414	38.19	2.179	1464	39.84	0.879	1514	41.62	1.627	1564	43.22	-2.813
1415	38.21	2.392	1465	39.85	-0.192	1515	41.66	1.791	1565	43.27	-2.038
1416	38.25	2.435	1466	39.86	-0.856	1516	41.69	1.738	1566	43.31	-1.746
1417	38.28	2.623	1467	39.87	-0.620	1517	41.72	2.045	1567	43.33	-0.916
1418	38.31	2.567	1468	39.88	-0.896	1518	41.76	2.218	1568	43.36	0.025
1419	38.33	1.898	1469	39.91	-0.947	1519	41.79	2.792	1569	43.39	0.220
1420	38.36	2.089	1470	39.94	-1.015	1520	41.81	2.500	1570	43.43	0.755
1421	38.41	1.110	1471	39.96	-0.842	1521	41.86	2.015	1571	43.46	1.315
1422	38.46	-0.227	1472	40.03	-0.606	1522	41.91	1.929	1572	43.49	1.381
1423	38.50	-0.321	1473	40.08	-0.164	1523	41.94	1.620	1573	43.51	1.520
1424	38.55	0.214	1474	40.11	-0.230	1524	41.97	1.305	1574	43.53	1.649
1425	38.61	-0.158	1475	40.17	-0.354	1525	42.00	0.867	1575	43.55	1.760
1426	38.68	0.503	1476	40.21	0.565	1526	42.04	0.540	1576	43.57	1.715
1427	38.72	0.245	1477	40.25	0.403	1527	42.13	-0.267	1577	43.59	2.306
1428	38.76	0.672	1478	40.30	0.637	1528	42.18	-0.489	1578	43.61	1.763
1429	38.82	0.296	1479	40.34	0.683	1529	42.23	-0.212	1579	43.64	1.956
1430	38.86	0.454	1480	40.39	0.204	1530	42.26	-0.282	1580	43.66	1.296
1431	38.90	0.372	1481	40.42	0.139	1531	42.29	-0.082	1581	43.68	0.879
1432	38.94	0.255	1482	40.47	0.674	1532	42.33	-0.166	1582	43.70	0.588
1433	39.01	0.164	1483	40.51	0.847	1533	42.35	-0.207	1583	43.72	0.551
1434	39.05	0.696	1484	40.55	2.124	1534	42.37	-0.122	1584	43.74	0.509
1435	39.08	0.391	1485	40.60	3.038	1535	42.39	-0.544	1585	43.76	0.433
1436	39.10	-0.031	1486	40.65	3.926	1536	42.42	-0.595	1586	43.79	0.183
1437	39.12	-0.314	1487	40.68	3.865	1537	42.45	-0.654	1587	43.81	0.624
1438	39.14	-0.354	1488	40.72	4.037	1538	42.48	-0.084	1588	43.84	0.688
1439	39.17	0.209	1489	40.76	3.704	1539	42.50	0.494	1589	43.85	0.913
1440	39.20	0.771	1490	40.79	3.022	1540	42.51	0.721	1590	43.87	0.875
1441	39.22	1.352	1491	40.81	3.227	1541	42.53	1.302	1591	43.88	0.230
1442	39.26	1.647	1492	40.86	1.878	1542	42.56	1.628	1592	43.91	0.164
1443	39.28	2.092	1493	40.88	1.843	1543	42.58	2.216	1593	43.92	0.148
1444	39.30	1.553	1494	40.92	1.514	1544	42.60	2.796	1594	43.94	-0.138
1445	39.34	1.478	1495	40.95	1.078	1545	42.64	3.087	1595	43.96	-0.310
1446	39.37	1.659	1496	41.01	0.709	1546	42.67	2.651	1596	44.01	0.342
1447	39.42	1.180	1497	41.03	1.796	1547	42.73	2.543	1597	44.03	0.291
1448	39.47	1.213	1498	41.08	1.825	1548	42.76	2.466	1598	44.06	0.492
1449	39.52	1.984	1499	41.09	1.867	1549	42.81	2.372	1599	44.09	0.171
1450	39.56	1.897	1500	41.10	1.411	1550	42.87	1.008	1600	44.11	0.130

INDEX NO. 828 106-GR-41 SOUKA BRIDGE U-D MAX.ACCEL.= -9.365(GAL) T= 1.00(SEC) NO. 9

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1601	44.14	0.083	1651	45.99	1.067	1701	48.09	-2.540	1751	50.26	-2.428
1602	44.16	0.032	1652	46.01	1.651	1702	48.13	-2.257	1752	50.30	-2.245
1603	44.19	0.213	1653	46.05	1.582	1703	48.19	-2.117	1753	50.35	-1.974
1604	44.21	0.172	1654	46.07	1.537	1704	48.24	-1.606	1754	50.39	-0.812
1605	44.24	0.365	1655	46.11	1.208	1705	48.31	-0.870	1755	50.43	-0.633
1606	44.27	0.693	1656	46.18	0.438	1706	48.36	-0.960	1756	50.49	-0.642
1607	44.30	0.618	1657	46.24	0.570	1707	48.40	-0.682	1757	50.55	-0.756
1608	44.33	1.194	1658	46.29	0.716	1708	48.45	-0.530	1758	50.60	-0.652
1609	44.35	0.518	1659	46.34	0.374	1709	48.54	-0.986	1759	50.64	-0.682
1610	44.37	0.484	1660	46.37	-0.320	1710	48.58	-0.174	1760	50.71	-0.197
1611	44.40	0.424	1661	46.43	-0.678	1711	48.68	0.378	1761	50.76	-0.035
1612	44.46	0.036	1662	46.50	-0.583	1712	48.76	1.223	1762	50.81	0.470
1613	44.49	0.239	1663	46.56	-0.686	1713	48.78	1.795	1763	50.87	0.362
1614	44.50	0.213	1664	46.60	-0.768	1714	48.80	2.136	1764	50.91	0.018
1615	44.53	0.145	1665	46.65	-1.243	1715	48.81	1.991	1765	51.01	0.066
1616	44.55	0.351	1666	46.69	-0.951	1716	48.85	1.280	1766	51.08	-0.689
1617	44.60	0.261	1667	46.72	-0.756	1717	48.89	0.326	1767	51.16	-0.848
1618	44.63	-0.056	1668	46.75	-1.319	1718	48.92	-0.114	1768	51.22	-0.972
1619	44.64	-0.066	1669	46.79	-1.532	1719	48.96	-0.180	1769	51.26	-0.060
1620	44.69	-0.168	1670	46.82	-1.841	1720	48.98	-0.487	1770	51.31	-0.153
1621	44.73	-0.008	1671	46.85	-1.890	1721	49.03	-0.335	1771	51.34	-0.600
1622	44.78	0.259	1672	46.86	-2.166	1722	49.08	-0.438	1772	51.38	-0.294
1623	44.83	0.284	1673	46.89	-2.229	1723	49.13	0.468	1773	51.42	-1.012
1624	44.93	0.089	1674	46.91	-1.774	1724	49.17	0.140	1774	51.48	-1.128
1625	44.96	0.272	1675	46.93	-1.436	1725	49.25	0.226	1775	51.55	-1.021
1626	45.03	0.512	1676	46.96	-0.864	1726	49.29	0.404	1776	51.60	-0.748
1627	45.06	0.701	1677	46.99	-0.679	1727	49.33	0.065	1777	51.64	-1.065
1628	45.11	0.966	1678	47.01	-0.722	1728	49.39	-0.418	1778	51.67	0.048
1629	45.16	1.493	1679	47.04	-1.029	1729	49.42	-0.740	1779	51.71	0.390
1630	45.18	1.452	1680	47.06	-1.074	1730	49.45	-0.553	1780	51.75	-0.262
1631	45.19	2.047	1681	47.10	-1.528	1731	49.50	-0.653	1781	51.93	0.868
1632	45.22	2.238	1682	47.16	-1.017	1732	49.54	-0.738	1782	52.00	1.819
1633	45.26	2.535	1683	47.20	-0.690	1733	49.61	-0.129	1783	52.07	2.017
1634	45.31	2.468	1684	47.24	0.053	1734	49.65	0.048	1784	52.21	1.926
1635	45.34	2.009	1685	47.30	-0.050	1735	49.68	-0.390	1785	52.27	1.634
1636	45.36	1.954	1686	47.35	0.211	1736	49.70	-0.431	1786	52.38	1.183
1637	45.38	1.418	1687	47.37	0.164	1737	49.75	-0.143	1787	52.45	-0.114
1638	45.42	0.960	1688	47.42	-0.180	1738	49.80	-0.001	1788	52.49	0.237
1639	45.47	1.126	1689	47.46	-0.014	1739	49.85	0.526	1789	52.61	0.405
1640	45.50	1.176	1690	47.51	0.145	1740	49.89	0.186	1790	52.64	0.134
1641	45.54	0.731	1691	47.60	0.338	1741	49.93	0.480	1791	52.88	-0.028
1642	45.58	0.275	1692	47.64	0.507	1742	49.97	0.027	1792	52.94	-0.196
1643	45.61	-0.673	1693	47.70	0.495	1743	50.01	-0.302	1793	53.03	0.370
1644	45.64	-0.734	1694	47.75	0.648	1744	50.05	-0.503	1794	53.12	0.055
1645	45.70	-1.717	1695	47.82	0.259	1745	50.09	-1.076	1795	53.21	-0.628
1646	45.74	-1.807	1696	47.87	0.149	1746	50.12	-1.518	1796	53.35	-1.726
1647	45.82	-1.330	1697	47.92	-0.313	1747	50.15	-2.210	1797	53.44	-1.161
1648	45.85	-1.144	1698	47.95	-0.760	1748	50.18	-2.636	1798	53.48	-0.816
1649	45.90	-0.633	1699	48.01	-1.390	1749	50.21	-2.949	1799	53.53	-0.600
1650	45.95	0.155	1700	48.06	-1.859	1750	50.24	-2.625	1800	53.63	0.703

INDEX NO. 828 106-GR-41 SOUKA BRIDGE U-D MAX.ACCEL.= -9.365(GAL) T= 1.00(SEC) NO.10

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1801	53.70	0.284	1851	57.60	-0.522	1901	61.05	0.221
1802	54.10	-0.614	1852	57.64	-0.797	1902	61.11	-0.071
1803	54.15	-0.898	1853	57.66	-1.188	1903	61.21	-0.762
1804	54.21	-1.316	1854	57.70	-0.983	1904	61.26	-0.296
1805	54.25	-0.720	1855	57.86	0.003	1905	61.32	0.033
1806	54.38	-0.178	1856	57.94	0.500	1906	61.37	0.626
1807	54.45	-0.231	1857	58.03	0.442	1907	61.44	-0.673
1808	54.51	-0.521	1858	58.06	-0.457	1908	61.51	-1.096
1809	54.56	-0.553	1859	58.17	-1.531	1909	61.57	-1.133
1810	54.60	-0.580	1860	58.24	-1.954	1910	61.64	0.069
1811	54.65	-1.611	1861	58.32	-1.387	1911	61.68	1.043
1812	54.68	-1.011	1862	58.35	-0.157	1912	61.70	0.779
1813	54.76	1.061	1863	58.40	1.057	1913	61.75	1.497
1814	54.88	1.728	1864	58.43	1.035	1914	61.76	1.984
1815	54.95	1.934	1865	58.46	0.764	1915	61.79	2.344
1816	55.02	1.637	1866	58.51	0.730	1916	61.82	2.073
1817	55.07	1.848	1867	58.57	1.937	1917	61.85	2.052
1818	55.16	0.910	1868	58.67	1.867	1918	61.89	1.025
1819	55.22	0.496	1869	58.78	2.167	1919	61.93	0.374
1820	55.29	-0.177	1870	58.88	1.718	1920	61.96	0.600
1821	55.34	-1.086	1871	58.93	1.683			
1822	55.37	-0.860	1872	58.98	1.022			
1823	55.56	1.514	1873	59.06	1.592			
1824	55.65	1.079	1874	59.19	0.006			
1825	55.74	1.391	1875	59.24	0.599			
1826	55.81	1.344	1876	59.29	1.060			
1827	55.86	1.911	1877	59.33	1.411			
1828	55.94	2.256	1878	59.37	0.756			
1829	55.99	1.840	1879	59.42	-0.151			
1830	56.03	0.568	1880	59.51	0.289			
1831	56.09	1.150	1881	59.57	-0.005			
1832	56.13	1.370	1882	59.61	-0.029			
1833	56.19	1.077	1883	59.79	0.717			
1834	56.24	1.292	1884	59.84	1.314			
1835	56.30	1.628	1885	59.93	0.749			
1836	56.41	0.926	1886	59.99	0.708			
1837	56.47	1.259	1887	60.05	-0.082			
1838	56.51	-0.145	1888	60.10	-0.116			
1839	56.52	-0.657	1889	60.16	-0.159			
1840	56.55	-1.052	1890	60.19	-0.181			
1841	56.64	-0.859	1891	60.23	-1.084			
1842	56.68	-0.516	1892	60.28	-0.868			
1843	56.71	-0.184	1893	60.34	-0.911			
1344	56.80	0.901	1894	60.39	-0.966			
1845	56.84	1.248	1895	60.42	-0.988			
1846	56.91	1.202	1896	60.46	-1.492			
1847	56.96	1.162	1897	60.48	-1.888			
1848	57.06	0.473	1898	60.86	0.598			
1849	57.17	0.146	1899	60.91	1.188			
1850	57.51	-0.461	1900	60.98	0.892			

Table IX D-55 Digitized Accelerations of Earthquake Record with Index Number 829

INDEX NO. 829 106-GR-41 SOUKA BRIDGE LG. MAX.ACCEL.= -26.398(GAL) T= 8.03(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.01	-5.455	51	0.67	15.073	101	1.30	0.120	151	1.88	4.318
2	0.03	-3.960	52	0.68	15.693	102	1.31	0.740	152	1.90	3.056
3	0.05	-1.722	53	0.69	15.936	103	1.32	1.359	153	1.91	3.052
4	0.06	0.772	54	0.71	15.429	104	1.33	1.979	154	1.92	3.295
5	0.07	2.018	55	0.72	14.174	105	1.34	2.348	155	1.93	3.915
6	0.08	2.637	56	0.73	11.916	106	1.35	1.467	156	1.94	3.909
7	0.09	3.631	57	0.75	7.533	107	1.36	-0.410	157	1.95	4.279
8	0.10	3.123	58	0.76	2.402	108	1.37	-2.540	158	1.96	4.526
9	0.12	2.491	59	0.77	-3.228	109	1.38	-6.800	159	1.97	3.018
10	0.13	0.235	60	0.78	-5.403	110	1.39	-8.677	160	1.98	1.137
11	0.14	-1.897	61	0.79	-7.363	111	1.40	-11.436	161	1.99	-0.117
12	0.15	-3.776	62	0.80	-10.247	112	1.41	-12.062	162	2.01	-1.999
13	0.16	-4.405	63	0.81	-11.124	113	1.42	-13.817	163	2.02	-2.879
14	0.17	-5.786	64	0.82	-12.128	114	1.43	-14.448	164	2.03	-3.888
15	0.18	-6.415	65	0.83	-12.385	115	1.44	-15.080	165	2.05	-5.398
16	0.20	-4.925	66	0.84	-11.893	116	1.45	-14.834	166	2.06	-6.780
17	0.21	-4.681	67	0.87	-11.279	117	1.46	-13.467	167	2.09	-6.794
18	0.23	-3.944	68	0.88	-10.909	118	1.47	-11.343	168	2.12	-8.432
19	0.25	-4.081	69	0.89	-10.669	119	1.48	-8.851	169	2.13	-8.691
20	0.27	-4.089	70	0.90	-10.923	120	1.49	-7.356	170	2.15	-9.324
21	0.28	-4.095	71	0.91	-10.551	121	1.50	-6.359	171	2.17	-9.957
22	0.30	-4.604	72	0.92	-10.557	122	1.51	-4.365	172	2.18	-9.967
23	0.31	-4.984	73	0.94	-10.942	123	1.52	-4.120	173	2.20	-9.973
24	0.32	-5.239	74	0.95	-12.451	124	1.53	-3.751	174	2.22	-9.737
25	0.33	-6.495	75	0.97	-13.834	125	1.54	-3.132	175	2.24	-8.869
26	0.34	-6.875	76	0.99	-12.593	126	1.55	-2.886	176	2.26	-5.130
27	0.35	-7.506	77	1.00	-8.602	127	1.56	-2.892	177	2.27	-2.013
28	0.36	-8.761	78	1.01	-6.732	128	1.58	-4.028	178	2.28	-1.391
29	0.37	-9.643	79	1.02	-4.487	129	1.60	-5.285	179	2.29	-0.396
30	0.38	-8.771	80	1.04	-3.493	130	1.61	-6.544	180	2.31	2.217
31	0.39	-7.530	81	1.05	-2.251	131	1.64	-7.557	181	2.32	0.087
32	0.41	-4.787	82	1.06	-1.006	132	1.65	-7.815	182	2.34	-0.671
33	0.43	-1.674	83	1.07	-1.009	133	1.66	-8.196	183	2.35	-2.806
34	0.45	2.065	84	1.08	0.235	134	1.68	-6.706	184	2.36	-4.936
35	0.46	3.186	85	1.09	0.228	135	1.69	-6.582	185	2.37	-4.941
36	0.47	4.681	86	1.11	0.469	136	1.70	-6.092	186	2.38	-4.944
37	0.48	5.050	87	1.12	1.085	137	1.72	-5.099	187	2.40	-3.453
38	0.49	6.296	88	1.13	1.081	138	1.74	-2.608	188	2.41	-1.583
39	0.50	6.039	89	1.14	0.827	139	1.75	-0.989	189	2.42	1.784
40	0.52	5.029	90	1.15	0.198	140	1.76	0.506	190	2.43	4.904
41	0.54	3.518	91	1.16	-0.435	141	1.77	2.123	191	2.44	5.901
42	0.56	1.509	92	1.20	-1.702	142	1.78	3.119	192	2.45	8.393
43	0.57	2.125	93	1.21	-1.709	143	1.79	3.364	193	2.46	11.637
44	0.58	2.498	94	1.22	-1.464	144	1.80	3.982	194	2.47	12.510
45	0.60	4.611	95	1.23	-1.093	145	1.81	5.226	195	2.48	12.506
46	0.61	6.607	96	1.24	-0.475	146	1.82	5.348	196	2.49	13.247
47	0.63	9.097	97	1.25	-0.729	147	1.83	5.217	197	2.50	12.618
48	0.64	11.963	98	1.26	-1.112	148	1.84	5.214	198	2.51	12.614
49	0.65	13.208	99	1.28	-1.119	149	1.85	5.584	199	2.53	12.230
50	0.66	14.078	100	1.29	-0.502	150	1.86	5.201	200	2.55	12.217

INDEX NO. 829 106-GR-41 SOUKA BRIDGE LG. MAX.ACCEL.= -26.398(GAL) T= 8.03(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	2.56	12.463	251	3.30	11.828	301	4.03	8.445	351	4.64	8.124
202	2.57	13.455	252	3.31	9.696	302	4.05	10.432	352	4.65	8.620
203	2.58	13.703	253	3.32	9.068	303	4.08	12.044	353	4.66	8.865
204	2.60	13.692	254	3.33	7.811	304	4.10	13.531	354	4.68	8.857
205	2.61	13.435	255	3.34	7.679	305	4.11	14.775	355	4.69	8.599
206	2.63	13.177	256	3.36	7.796	306	4.12	16.395	356	4.71	7.342
207	2.64	12.169	257	3.37	7.792	307	4.14	16.764	357	4.72	5.836
208	2.66	11.536	258	3.38	8.034	308	4.15	16.506	358	4.73	5.203
209	2.68	10.275	259	3.39	9.277	309	4.16	16.250	359	4.74	4.823
210	2.70	10.016	260	3.41	9.520	310	4.17	15.246	360	4.77	4.559
211	2.71	10.258	261	3.42	9.266	311	4.18	14.367	361	4.80	3.542
212	2.73	10.498	262	3.43	8.386	312	4.19	12.734	362	4.82	2.655
213	2.74	10.868	263	3.44	7.129	313	4.20	11.229	363	4.84	1.019
214	2.75	11.486	264	3.45	5.871	314	4.21	9.599	364	4.87	-0.388
215	2.76	11.231	265	3.47	3.989	315	4.22	6.343	365	4.89	-1.877
216	2.78	9.974	266	3.48	1.359	316	4.23	4.837	366	4.90	-2.884
217	2.79	8.091	267	3.49	-2.774	317	4.24	2.958	367	4.91	-4.142
218	2.81	5.833	268	3.50	-3.405	318	4.26	0.950	368	4.92	-4.772
219	2.83	2.699	269	3.52	-6.667	319	4.27	-0.308	369	4.93	-4.777
220	2.84	-2.435	270	3.53	-7.297	320	4.28	-1.562	370	4.95	-5.408
221	2.86	-5.567	271	3.55	-7.056	321	4.30	-2.821	371	4.96	-5.415
222	2.88	-8.028	272	3.56	-7.310	322	4.31	-4.078	372	4.97	-5.419
223	2.90	-11.341	273	3.58	-7.946	323	4.32	-6.334	373	4.98	-5.674
224	2.91	-12.845	274	3.59	-8.576	324	4.33	-7.965	374	5.00	-6.310
225	2.92	-14.602	275	3.61	-9.837	325	4.34	-8.343	375	5.01	-6.315
226	2.95	-16.489	276	3.62	-10.467	326	4.35	-10.848	376	5.02	-6.697
227	2.96	-18.371	277	3.63	-10.722	327	4.36	-14.229	377	5.04	-7.708
228	2.97	-19.000	278	3.65	-11.105	328	4.37	-14.982	378	5.06	-9.345
229	2.98	-21.506	279	3.66	-10.485	329	4.38	-16.240	379	5.07	-8.475
230	2.99	-22.887	280	3.67	-8.616	330	4.39	-17.247	380	5.08	-8.105
231	3.00	-23.516	281	3.69	-6.502	331	4.41	-18.504	381	5.10	-6.240
232	3.01	-23.774	202	3.70	-5.508	332	4.42	-17.883	382	5.11	-4.121
233	3.02	-24.154	283	3.71	-3.638	333	4.43	-17.263	383	5.12	-3.129
234	3.04	-22.661	284	3.73	-3.022	334	4.44	-15.769	384	5.14	-2.508
235	3.07	-16.429	285	3.74	-2.403	335	4.45	-13.524	385	5.15	-2.516
236	3.09	-11.315	286	3.76	-4.542	336	4.46	-9.779	386	5.16	-2.521
237	3.11	-6.200	287	3.78	-7.049	337	4.47	-8.784	387	5.19	-1.536
238	3.13	-1.460	288	3.79	-9.306	338	4.48	-7.165	388	5.20	-1.290
239	3.15	2.404	289	3.84	-14.333	339	4.49	-6.546	389	5.21	-1.044
240	3.17	5.772	290	3.86	-13.465	340	4.50	-5.674	390	5.22	0.324
241	3.18	9.388	291	3.87	-11.596	341	4.51	-5.309	391	5.23	1.317
242	3.20	11.879	292	3.89	-9.361	342	4.53	-5.315	392	5.26	1.306
243	3.21	13.125	293	3.91	-8.118	343	4.54	-4.449	393	5.28	1.292
244	3.22	14.367	294	3.92	-5.625	344	4.56	-3.833	394	5.31	0.654
245	3.23	15.238	295	3.93	-3.506	345	4.58	-2.466	395	5.33	-0.234
246	3.24	15.860	296	3.94	-1.261	346	4.59	-0.847	396	5.35	-0.870
247	3.25	16.053	297	3.96	0.730	347	4.60	1.898	397	5.36	-1.248
248	3.26	16.598	298	3.97	3.223	348	4.61	3.767	398	5.37	-1.254
249	3.27	15.967	299	3.99	5.338	349	4.62	5.014	399	5.39	-1.261
250	3.29	13.083	300	4.01	6.954	350	4.63	6.631	400	5.40	-0.395

土木構造物における加速度強震記録（No. 9）

INDEX NO. 829 106-GR-41 SOUKA BRIDGE LG. MAX.ACCEL.= -26.398(GAL) T= 8.03(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	5.42	-0.403	451	6.06	8.767	501	6.64	8.096	551	7.85	0.574
402	5.43	-0.408	452	6.07	9.132	502	6.85	8.714	552	7.86	0.567
403	5.45	0.330	453	6.09	9.374	503	6.87	9.581	553	7.88	-0.067
404	5.46	-0.049	454	6.10	9.743	504	6.90	9.563	554	7.90	-0.326
405	5.47	-0.054	455	6.11	10.365	505	6.93	9.047	555	7.91	-3.208
406	5.48	-0.059	456	6.12	10.609	506	7.00	8.262	556	7.92	-7.215
407	5.49	0.561	457	6.13	10.977	507	7.03	7.120	557	7.95	-15.857
408	5.52	2.416	458	6.14	10.972	508	7.05	6.487	558	7.97	-19.113
409	5.53	3.288	459	6.17	9.455	509	7.07	5.225	559	7.98	-21.620
410	5.54	3.660	460	6.19	8.194	510	7.09	4.217	560	7.99	-24.878
411	5.55	3.655	461	6.21	6.561	511	7.10	3.583	561	8.01	-26.386
412	5.56	3.631	462	6.23	4.069	512	7.13	4.195	562	8.03	-26.398
413	5.57	4.269	463	6.25	2.537	513	7.15	5.060	563	8.05	-26.155
414	5.58	3.640	464	6.27	1.904	514	7.17	5.049	564	8.07	-21.170
415	5.59	3.632	465	6.28	0.896	515	7.18	5.042	565	8.10	-17.434
416	5.60	2.378	466	6.29	0.640	516	7.20	5.408	566	8.13	-13.948
417	5.61	1.500	467	6.30	0.635	517	7.22	5.649	567	8.14	-11.705
418	5.62	1.492	468	6.32	-0.500	518	7.23	6.890	568	8.15	-10.212
419	5.63	1.740	469	6.33	-0.503	519	7.24	7.510	569	8.17	-9.096
420	5.64	2.357	470	6.34	-0.512	520	7.25	7.881	570	8.20	-8.233
421	5.66	3.223	471	6.35	-1.142	521	7.26	8.752	571	8.21	-7.864
422	5.67	3.594	472	6.38	-1.779	522	7.27	9.372	572	8.22	-7.620
423	5.68	3.588	473	6.39	-2.415	523	7.28	9.368	573	8.23	-7.002
424	5.69	3.552	474	6.42	-3.678	524	7.30	8.232	574	8.25	-6.012
425	5.71	3.324	475	6.45	-7.192	525	7.31	7.850	575	8.26	-4.518
426	5.72	1.441	476	6.46	-9.075	526	7.33	6.591	576	8.27	-3.274
427	5.73	-0.191	477	6.48	-10.958	527	7.35	4.707	577	8.29	-0.284
428	5.75	-3.948	478	6.49	-12.966	528	7.38	3.190	578	8.30	3.084
429	5.77	-7.334	479	6.50	-12.846	529	7.40	2.553	579	8.31	4.954
430	5.78	-8.713	480	6.52	-14.108	530	7.43	1.288	580	8.32	6.201
431	5.79	-10.347	481	6.54	-15.119	531	7.47	0.643	581	8.33	8.819
432	5.81	-11.229	482	6.56	-14.503	532	7.50	0.003	582	8.34	10.690
433	5.82	-12.483	483	6.57	-14.261	533	7.52	-0.759	583	8.35	11.683
434	5.83	-11.992	484	6.60	-13.649	534	7.55	-0.523	584	8.37	11.425
435	5.84	-10.995	485	6.62	-13.034	535	7.57	-0.530	585	8.39	9.541
436	5.86	-10.379	486	6.63	-11.168	536	7.58	-1.163	586	8.41	7.901
437	5.87	-9.511	487	6.65	-8.676	537	7.59	-1.795	587	8.43	5.767
438	5.88	-8.893	488	6.66	-6.808	538	7.62	-2.058	588	8.45	3.256
439	5.90	-7.653	489	6.67	-4.564	539	7.63	-3.315	589	8.47	2.619
440	5.92	-6.411	490	6.68	-2.694	540	7.64	-3.946	590	8.49	1.358
441	5.93	-5.415	491	6.70	-1.629	541	7.66	-4.580	591	8.52	-0.904
442	5.94	-3.295	492	6.72	-0.837	542	7.67	-4.961	592	8.54	-2.291
443	5.96	0.068	493	6.73	-0.095	543	7.70	-4.972	593	8.55	-4.421
444	5.97	3.437	494	6.74	-0.102	544	7.71	-4.981	594	8.56	-5.050
445	5.98	5.307	495	6.76	-0.111	545	7.72	-3.736	595	8.57	-7.308
446	5.99	6.550	496	6.77	0.135	546	7.75	-2.250	596	8.59	-10.193
447	6.00	6.799	497	6.78	1.128	547	7.77	-1.263	597	8.60	-10.199
448	6.01	7.916	498	6.80	2.616	548	7.79	-1.023	598	8.62	-11.456
449	6.03	8.532	499	6.82	4.484	549	7.83	0.210	599	8.64	-11.220
450	6.04	8.776	500	6.83	5.477	550	7.84	0.952	600	8.66	-9.727

INDEX NO. 829 106-GR-41 SOUKA BRIDGE LG. MAX.ACCEL.= -26.398(GAL) T= 8.03(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	8.67	-7.862	651	9.46	-4.647	701	10.29	-1.455	751	11.12	-3.770
602	8.70	-5.002	652	9.47	-4.902	702	10.30	-3.212	752	11.15	-2.159
603	8.72	-3.511	653	9.48	-8.680	703	10.31	-5.345	753	11.17	-0.547
604	8.74	-2.519	654	9.50	-10.671	704	10.32	-5.349	754	11.19	0.942
605	8.75	-2.527	655	9.51	-11.051	705	10.33	-5.327	755	11.22	5.429
606	8.76	-2.531	656	9.52	-11.305	706	10.34	-6.357	756	11.24	8.292
607	8.77	-2.288	657	9.53	-10.810	707	10.35	-7.239	757	11.27	10.402
608	8.79	-2.798	658	9.55	-10.192	708	10.36	-7.619	758	11.29	12.765
609	8.80	-2.806	659	9.56	-9.576	709	10.37	-7.374	759	11.31	13.382
610	8.82	-3.563	660	9.57	-9.206	710	10.39	-6.758	760	11.33	13.121
611	8.84	-4.698	661	9.59	-8.590	711	10.40	-5.142	761	11.35	12.483
612	8.86	-6.332	662	9.62	-9.480	712	10.41	-3.898	762	11.38	11.467
613	8.87	-8.215	663	9.64	-9.884	713	10.44	-0.534	763	11.40	8.331
614	8.88	-9.094	664	9.65	-10.469	714	10.45	1.711	764	11.42	5.821
615	8.89	-10.351	665	9.67	-10.257	715	10.46	4.203	765	11.43	3.190
616	8.90	-10.732	666	9.69	-10.519	716	10.48	5.068	766	11.44	1.310
617	8.91	-10.736	667	9.71	-10.278	717	10.49	5.812	767	11.45	-0.193
618	8.92	-10.742	668	9.74	-9.295	718	10.50	6.430	768	11.46	-0.824
619	8.93	-10.121	669	9.76	-8.055	719	10.52	7.046	769	11.47	-2.082
620	8.94	-9.251	670	9.78	-6.567	720	10.54	7.409	770	11.49	-2.466
621	8.96	-8.014	671	9.80	-5.576	721	10.57	7.144	771	11.52	-3.228
622	8.97	-5.519	672	9.82	-4.085	722	10.60	7.007	772	11.53	-2.987
623	8.99	-3.030	673	9.84	-2.458	723	10.61	5.501	773	11.54	-1.993
624	9.01	0.209	674	9.86	0.146	724	10.63	4.615	774	11.57	-1.130
625	9.04	2.447	675	9.87	1.637	725	10.64	2.732	775	11.59	-0.143
626	9.05	3.938	676	9.88	4.132	726	10.66	-1.402	776	11.60	0.477
627	9.07	7.552	677	9.90	4.746	727	10.67	-3.410	777	11.61	0.721
628	9.09	6.420	678	9.92	5.381	728	10.69	-4.921	778	11.63	1.336
629	9.10	9.040	679	9.95	5.848	729	10.72	-6.183	779	11.66	2.570
630	9.11	8.783	680	9.96	6.090	730	10.74	-6.568	780	11.68	3.811
631	9.13	9.399	681	9.99	6.078	731	10.76	-7.454	781	11.70	5.550
632	9.14	8.766	682	10.00	5.573	732	10.78	-9.339	782	11.72	6.789
633	9.17	9.003	683	10.01	5.565	733	10.80	-10.476	783	11.73	7.032
634	9.19	8.992	684	10.02	4.934	734	10.81	-11.984	784	11.75	8.022
635	9.21	8.982	685	10.04	4.927	735	10.82	-11.985	785	11.77	8.012
636	9.24	10.216	686	10.05	4.921	736	10.84	-14.498	786	11.79	8.627
637	9.26	11.455	687	10.06	5.412	737	10.85	-15.129	787	11.82	8.863
638	9.28	13.069	688	10.07	5.407	738	10.87	-16.139	788	11.84	9.225
639	9.29	14.439	689	10.09	6.024	739	10.88	-16.769	789	11.86	6.589
640	9.30	15.061	690	10.10	6.144	740	10.89	-17.402	790	11.88	7.953
641	9.31	15.930	691	10.12	6.385	741	10.91	-17.158	791	11.90	6.443
642	9.33	15.420	692	10.13	7.002	742	10.92	-15.914	792	11.92	4.809
643	9.35	15.659	693	10.15	6.995	743	10.94	-14.299	793	11.94	2.046
644	9.36	13.529	694	10.16	7.613	744	10.96	-11.184	794	11.96	1.039
645	9.38	12.521	695	10.17	7.858	745	10.97	-9.315	795	11.97	-0.842
646	9.39	9.137	696	10.19	8.223	746	10.99	-7.203	796	11.98	-2.347
647	9.41	5.877	697	10.21	7.336	747	11.01	-6.212	797	11.99	-3.478
648	9.43	3.369	698	10.23	6.324	748	11.04	-5.601	798	12.02	-3.741
649	9.44	-0.764	699	10.26	3.558	749	11.06	-5.363	799	12.04	-3.507
650	9.45	-2.768	700	10.27	0.677	750	11.10	-5.010	800	12.07	-3.268

INDEX NO. 829 106-GR-41 SOUKA BRIDGE LG. MAX.ACCEL.= -26.398(GAL) T= 8.03(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	12.09	-3.279	851	13.14	-0.455	901	14.22	1.487	951	15.21	0.108
802	12.10	-2.913	852	13.18	-2.727	902	14.24	0.479	952	15.22	0.104
803	12.11	-3.168	853	13.20	-2.487	903	14.25	0.224	953	15.24	0.099
804	12.13	-3.302	854	13.23	-2.123	904	14.27	0.712	954	15.25	0.346
805	12.14	-3.555	855	13.24	-2.133	905	14.29	1.076	955	15.26	0.344
806	12.15	-3.813	856	13.26	-2.141	906	14.32	1.311	956	15.28	0.715
807	12.17	-5.074	857	13.28	-2.402	907	14.36	1.291	957	15.29	1.336
808	12.20	-5.712	858	13.30	-2.785	908	14.38	2.280	958	15.30	1.708
809	12.22	-6.346	859	13.31	-3.044	909	14.40	2.271	959	15.32	1.954
810	12.26	-6.995	860	13.33	-2.861	910	14.42	2.258	960	15.33	2.824
811	12.30	-8.638	861	13.35	-2.167	911	14.44	2.498	961	15.34	3.447
812	12.32	-10.153	862	13.37	-0.948	912	14.46	3.115	962	15.35	3.819
813	12.34	-10.788	863	13.39	-0.331	913	14.47	3.733	963	15.36	3.567
814	12.37	-11.927	864	13.40	-0.338	914	14.50	5.596	964	15.39	2.810
815	12.39	-11.687	865	13.42	-0.347	915	14.51	6.588	965	15.42	1.928
816	12.41	-11.949	866	13.43	-0.103	916	14.53	7.455	966	15.43	1.298
817	12.43	-11.086	867	13.44	0.892	917	14.55	8.442	967	15.47	-1.210
818	12.47	-10.728	868	13.45	2.386	918	14.58	8.427	968	15.49	-2.716
819	12.49	-10.740	869	13.46	4.003	919	14.61	8.662	969	15.50	-3.970
820	12.51	-11.002	870	13.48	6.118	920	14.63	8.652	970	15.52	-4.348
821	12.54	-11.392	871	13.50	8.608	921	14.66	8.388	971	15.53	-5.227
822	12.57	-10.779	872	13.52	9.600	922	14.68	6.878	972	15.56	-6.235
823	12.58	-10.159	873	13.54	11.088	923	14.70	4.988	973	15.63	-7.127
824	12.61	-10.177	874	13.55	12.206	924	14.72	3.106	974	15.64	-7.131
825	12.63	-9.939	875	13.57	13.073	925	14.74	1.221	975	15.65	-7.134
826	12.64	-9.319	876	13.59	13.437	926	14.75	-0.662	976	15.67	-7.139
827	12.66	-8.579	877	13.63	12.169	927	14.78	-2.925	977	15.69	-7.143
828	12.67	-8.086	878	13.66	10.901	928	14.80	-5.185	978	15.70	-6.898
829	12.69	-7.468	879	13.69	6.888	929	14.82	-6.822	979	15.72	-6.901
830	12.70	-6.849	880	13.73	2.991	930	14.86	-7.839	980	15.73	-6.030
831	12.72	-5.609	881	13.74	2.609	931	14.89	-8.104	981	15.75	-5.659
832	12.75	-4.003	882	13.77	1.344	932	14.91	-8.993	982	15.77	-5.039
833	12.77	-3.263	883	13.80	-0.171	933	14.93	-9.000	983	15.78	-4.168
834	12.80	-2.025	884	13.83	-1.185	934	14.94	-9.010	984	15.80	-4.623
835	12.81	-2.282	885	13.85	-1.198	935	14.97	-7.897	985	15.82	-4.428
836	12.83	-1.778	886	13.89	-2.094	936	14.98	-8.032	986	15.85	-4.436
837	12.85	-1.180	887	13.92	-2.483	937	14.99	-7.712	987	15.88	-5.070
838	12.88	-1.193	888	13.95	-2.249	938	15.01	-6.465	988	15.90	-5.698
839	12.91	-0.831	889	14.02	-1.658	939	15.03	-4.847	989	15.91	-5.952
840	12.93	-0.844	890	14.04	-1.294	940	15.05	-4.601	990	15.92	-6.581
841	12.95	0.394	891	14.05	-1.302	941	15.07	-3.981	991	15.93	-6.958
842	12.96	1.637	892	14.07	-1.313	942	15.08	-3.359	992	15.94	-6.960
843	12.98	2.256	893	14.11	0.168	943	15.10	-2.113	993	15.95	-6.713
844	13.00	2.620	894	14.12	0.788	944	15.11	-1.491	994	15.97	-6.718
845	13.02	3.732	895	14.13	1.408	945	15.12	-1.120	995	15.99	-5.722
846	13.04	4.225	896	14.14	1.778	946	15.14	-1.125	996	16.00	-4.851
847	13.05	3.593	897	14.16	3.268	947	15.15	-1.127	997	16.02	-3.231
848	13.09	2.698	898	14.18	3.385	948	15.16	-1.131	998	16.04	-2.612
849	13.11	1.436	899	14.20	2.373	949	15.17	-1.133	999	16.07	-1.118
850	13.13	0.425	900	14.21	2.118	950	15.18	-0.511	1000	16.09	0.125

INDEX NO. 829 106-GR-41 SOUKA BRIDGE LG. MAX.ACCEL.= -26.398(GAL) T= 8.03(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	16.12	1.992	1051	17.04	1.248	1101	17.98	4.502	1151	18.99	-12.262
1002	16.13	2.615	1052	17.06	2.368	1102	18.01	3.243	1152	19.01	-12.268
1003	16.14	3.882	1053	17.07	2.740	1103	18.04	1.736	1153	19.05	-10.403
1004	16.17	6.480	1054	17.09	2.736	1104	18.05	1.108	1154	19.07	-8.533
1005	16.19	7.850	1055	17.10	2.983	1105	18.07	1.102	1155	19.10	-5.416
1006	16.20	8.971	1056	17.11	2.980	1106	18.10	0.096	1156	19.12	-4.047
1007	16.21	9.344	1057	17.14	1.847	1107	18.11	0.093	1157	19.14	-1.553
1008	16.22	9.341	1058	17.16	1.716	1108	18.13	0.087	1158	19.17	-0.309
1009	16.24	9.586	1059	17.18	2.086	1109	18.14	0.333	1159	19.18	1.187
1010	16.27	8.453	1060	17.20	2.060	1110	18.16	0.703	1160	19.20	2.807
1011	16.28	8.074	1061	17.22	1.825	1111	18.18	0.700	1161	19.23	4.800
1012	16.29	8.071	1062	17.24	1.445	1112	18.19	0.696	1162	19.24	6.296
1013	16.30	7.820	1063	17.27	0.189	1113	18.21	0.690	1163	19.25	7.919
1014	16.32	8.065	1064	17.29	-1.943	1114	18.23	0.686	1164	19.27	8.341
1015	16.34	8.685	1065	17.31	-3.823	1115	18.26	0.429	1165	19.28	9.162
1016	16.36	8.930	1066	17.33	-5.077	1116	18.28	0.047	1166	19.30	10.032
1017	16.37	9.301	1067	17.34	-6.955	1117	18.30	0.291	1167	19.33	11.025
1018	16.38	9.299	1068	17.35	-7.334	1118	18.33	1.285	1168	19.34	11.147
1019	16.39	9.297	1069	17.38	-7.090	1119	18.36	2.528	1169	19.36	11.391
1020	16.40	9.544	1070	17.41	-6.474	1120	18.38	4.021	1170	19.38	10.510
1021	16.41	9.291	1071	17.43	-5.853	1121	18.42	6.511	1171	19.41	8.629
1022	16.43	8.410	1072	17.44	-5.858	1122	18.43	7.509	1172	19.44	5.496
1023	16.46	6.402	1073	17.47	-5.865	1123	18.44	7.505	1173	19.47	2.614
1024	16.49	4.895	1074	17.49	-5.246	1124	18.46	8.377	1174	19.50	-2.771
1025	16.52	2.387	1075	17.52	-4.251	1125	18.47	7.873	1175	19.55	-6.908
1026	16.54	0.507	1076	17.53	-3.379	1126	18.48	7.245	1176	19.61	-10.423
1027	16.56	+2.875	1077	17.54	-1.508	1127	18.50	6.616	1177	19.65	-11.307
1028	16.58	+5.255	1078	17.55	0.364	1128	18.51	6.239	1178	19.68	-11.941
1029	16.59	+6.507	1079	17.58	3.357	1129	18.52	5.610	1179	19.72	-12.701
1030	16.60	+6.759	1080	17.59	4.853	1130	18.54	5.606	1180	19.74	-12.208
1031	16.61	-8.013	1081	17.60	6.101	1131	18.55	5.853	1181	19.77	-11.214
1032	16.63	-9.017	1082	17.62	6.095	1132	18.57	6.848	1182	19.79	-10.344
1033	16.64	-9.019	1083	17.64	7.092	1133	18.58	6.845	1183	19.82	-9.601
1034	16.65	-9.023	1084	17.67	7.959	1134	18.59	6.842	1184	19.83	-9.355
1035	16.67	-9.653	1085	17.69	8.952	1135	18.60	6.590	1185	19.86	-8.737
1036	16.71	-9.915	1086	17.71	9.572	1136	18.61	5.961	1186	19.89	-8.119
1037	16.75	-10.550	1087	17.72	9.820	1137	18.63	4.707	1187	19.90	-7.498
1038	16.78	-11.683	1088	17.74	9.815	1138	18.64	3.703	1188	19.92	-6.627
1039	16.81	-11.939	1089	17.76	8.935	1139	18.66	1.824	1189	19.94	-5.383
1040	16.83	-12.571	1090	17.78	8.930	1140	18.68	-1.338	1190	19.98	-3.393
1041	16.84	-12.573	1091	17.80	7.673	1141	18.70	-3.188	1191	20.01	-2.151
1042	16.85	-12.576	1092	17.82	7.419	1142	18.74	-7.071	1192	20.03	-1.155
1043	16.87	-11.706	1093	17.83	7.416	1143	18.75	-8.326	1193	20.04	-0.534
1044	16.89	-10.837	1094	17.84	7.662	1144	18.78	-10.209	1194	20.06	-0.538
1045	16.90	-8.341	1095	17.87	8.279	1145	18.81	-12.465	1195	20.09	0.704
1046	16.92	-6.721	1096	17.88	8.277	1146	18.84	-13.473	1196	20.10	1.325
1047	16.94	-5.226	1097	17.90	8.522	1147	18.87	-13.731	1197	20.11	1.947
1048	16.97	-3.482	1098	17.91	8.270	1148	18.89	-13.737	1198	20.13	3.317
1049	16.99	-2.238	1099	17.94	7.388	1149	18.92	-13.498	1199	20.14	3.565
1050	17.03	-0.375	1100	17.96	5.132	1150	18.96	-12.508	1200	20.15	4.188

土木構造物における加速度強震記録（No.9）

INDEX NO. 829 106-GR-41 SOUKA BRIDGE LG. MAX.ACCEL.= -26.398(GAL) T= 8.03(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	20.17	3.931	1251	21.30	6.136	1301	22.36	1.484	1351	23.62	-4.967
1202	20.21	2.423	1252	21.31	6.758	1302	22.42	-1.905	1352	23.64	-4.598
1203	20.25	0.161	1253	21.32	7.007	1303	22.45	-5.163	1353	23.65	-4.602
1204	20.27	-1.345	1254	21.33	6.754	1304	22.47	-6.795	1354	23.68	-3.753
1205	20.30	-2.352	1255	21.35	7.123	1305	22.49	-8.301	1355	23.70	-2.739
1206	20.34	-2.612	1256	21.36	6.746	1306	22.53	-9.309	1356	23.73	-0.879
1207	20.37	-2.621	1257	21.38	5.490	1307	22.57	-10.321	1357	23.74	1.250
1208	20.40	-2.378	1258	21.39	3.987	1308	22.60	-10.578	1358	23.78	4.241
1209	20.42	-2.134	1259	21.41	2.732	1309	22.62	-10.834	1359	23.81	6.109
1210	20.43	-1.763	1260	21.42	2.105	1310	22.64	-10.591	1360	23.85	8.599
1211	20.45	-0.892	1261	21.44	0.851	1311	22.66	-10.346	1361	23.87	9.470
1212	20.46	-0.270	1262	21.46	-0.494	1312	22.69	-9.352	1362	23.88	10.840
1213	20.50	3.844	1263	21.49	-1.414	1313	22.75	-5.618	1363	23.90	11.835
1214	20.54	6.960	1264	21.51	-2.293	1314	22.80	-2.881	1364	23.92	12.456
1215	20.55	8.206	1265	21.53	-3.548	1315	22.81	-1.010	1365	23.94	13.327
1216	20.57	9.702	1266	21.55	-4.178	1316	22.84	0.982	1366	23.96	13.947
1217	20.58	10.699	1267	21.57	-5.558	1317	22.85	1.478	1367	23.97	13.943
1218	20.60	12.070	1268	21.59	-5.939	1318	22.86	1.851	1368	23.99	14.314
1219	20.61	11.189	1269	21.63	-7.825	1319	22.88	2.098	1369	24.00	14.310
1220	20.64	11.432	1270	21.65	-8.455	1320	22.89	2.845	1370	24.03	14.053
1221	20.67	10.550	1271	21.68	-8.461	1321	22.91	3.465	1371	24.04	12.674
1222	20.70	9.917	1272	21.70	-8.718	1322	22.94	2.956	1372	24.07	11.167
1223	20.72	8.911	1273	21.74	-8.476	1323	22.96	3.201	1373	24.09	9.911
1224	20.75	7.028	1274	21.76	-7.858	1324	22.97	2.948	1374	24.11	7.780
1225	20.78	4.897	1275	21.79	-6.366	1325	23.00	2.566	1375	24.14	5.524
1226	20.80	4.266	1276	21.81	-4.747	1326	23.01	2.562	1376	24.15	3.395
1227	20.83	2.883	1277	21.84	-3.877	1327	23.03	2.307	1377	24.16	2.018
1228	20.84	1.255	1278	21.87	-2.260	1328	23.05	2.302	1378	24.18	0.138
1229	20.86	-0.251	1279	21.89	-0.392	1329	23.06	2.299	1379	24.20	-1.492
1230	20.88	-2.129	1280	21.92	1.102	1330	23.07	1.922	1380	24.23	-4.626
1231	20.90	-3.384	1281	21.93	1.474	1331	23.09	1.293	1381	24.26	-5.633
1232	20.92	-5.766	1282	21.94	2.096	1332	23.11	0.038	1382	24.30	-7.893
1233	20.94	-6.020	1283	21.96	2.842	1333	23.13	-0.594	1383	24.33	-9.152
1234	20.96	-7.652	1284	21.97	3.463	1334	23.15	-0.849	1384	24.35	-9.407
1235	20.99	-8.284	1285	21.98	4.461	1335	23.18	-1.231	1385	24.38	-10.040
1236	21.02	-8.543	1286	21.99	4.457	1336	23.21	-1.488	1386	24.39	-9.794
1237	21.05	-8.549	1287	22.02	5.076	1337	23.25	-5.000	1387	24.41	-9.548
1238	21.08	-8.557	1288	22.04	5.319	1338	23.28	-4.381	1388	24.43	-8.928
1239	21.10	-8.062	1289	22.07	5.561	1339	23.29	-5.009	1389	24.44	-8.307
1240	21.12	-7.442	1290	22.11	5.677	1340	23.30	-6.010	1390	24.46	-7.311
1241	21.14	-6.447	1291	22.13	6.172	1341	23.31	-7.265	1391	24.48	-6.440
1242	21.16	-3.327	1292	22.15	6.542	1342	23.32	-7.018	1392	24.50	-4.573
1243	21.17	-2.456	1293	22.18	7.409	1343	23.33	-7.020	1393	24.51	-3.575
1244	21.18	-1.458	1294	22.19	8.030	1344	23.35	-6.150	1394	24.52	-3.577
1245	21.19	0.039	1295	22.21	9.025	1345	23.38	-5.531	1395	24.53	-3.206
1246	21.21	0.659	1296	22.22	9.271	1346	23.42	-5.167	1396	24.54	-2.333
1247	21.23	2.279	1297	22.24	9.891	1347	23.47	-4.893	1397	24.59	-1.970
1248	21.25	3.023	1298	22.26	9.386	1348	23.52	-5.193	1398	24.63	-2.607
1249	21.28	4.266	1299	22.28	7.756	1349	23.58	-5.456	1399	24.67	-2.617
1250	21.29	5.138	1300	22.32	4.995	1350	23.60	-5.212	1400	24.72	-2.630

INDEX NO. 829 106-GR-41 SOUKA BRIDGE LG. MAX.ACCEL.= -26.398(GAL) T= 8.03(SEC) NO. 8

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1401	24.76	-2.640	1451	25.87	4.568	1501	27.41	-5.428	1551	28.80	0.088
1402	24.77	-2.644	1452	25.89	5.189	1502	27.46	-5.576	1552	28.85	0.065
1403	24.81	-2.653	1453	25.92	5.807	1503	27.49	-4.594	1553	28.90	1.913
1404	24.83	-2.659	1454	25.94	4.926	1504	27.54	-3.123	1554	28.93	3.519
1405	24.85	-2.414	1455	25.97	4.044	1505	27.58	-1.891	1555	28.94	3.517
1406	24.87	-1.794	1456	25.99	2.414	1506	27.61	-0.283	1556	28.97	4.126
1407	24.90	-1.177	1457	26.01	1.158	1507	27.65	1.198	1557	29.01	2.228
1408	24.94	0.312	1458	26.05	-1.353	1508	27.68	2.429	1558	29.04	0.087
1409	24.96	1.307	1459	26.07	-2.858	1509	27.71	2.789	1559	29.07	-1.804
1410	24.98	2.302	1460	26.09	-4.740	1510	27.73	3.151	1560	29.14	-6.963
1411	25.00	2.420	1461	26.11	-5.745	1511	27.76	3.386	1561	29.18	-9.061
1412	25.03	3.288	1462	26.14	-7.376	1512	27.79	2.748	1562	29.22	-11.383
1413	25.04	31661	1463	26.17	-81519	1513	27.80	2.490	1563	29.26	-12.774
1414	25.06	31531	1464	26.19	-10.154	1514	27.82	0.858	1564	29.31	-13.429
1415	25.08	41151	1465	26.21	-111536	1515	27.84	-0.031	1565	29.35	-12.967
1416	25.09	41524	1466	26.23	-11.799	1516	27.86	-1.416	1566	29.38	-11.963
1417	25.10	51146	1467	26.26	-111564	1517	27.89	-1.431	1567	29.41	-10.727
1418	25.12	51389	1468	26.28	-9.951	1518	27.92	-0.822	1568	29.45	-7.250
1419	25.13	61011	1469	26.32	-8.470	1519	27.93	-0.205	1569	29.48	-4.138
1420	25.15	6.381	1470	26.34	-6.357	1520	27.95	-0.714	1570	29.52	-0.659
1421	25.17	71253	1471	26.37	-3.496	1521	27.97	-0.725	1571	29.54	21452
1422	25.19	61371	1472	26.40	-0.888	1522	27.99	-1.108	1572	29.57	4.442
1423	25.20	51492	1473	26.44	3.463	1523	28.01	-1.119	1573	29.59	6.555
1424	25.25	31856	1474	26.48	6.942	1524	28.04	-1.385	1574	29.61	8.418
1425	25.27	21351	1475	26.53	8.545	1525	28.06	-0.900	1575	29.65	10.397
1426	25.33	-0.290	1476	26.56	8.528	1526	28.08	-1.159	1576	29.69	10.879
1427	25.35	-2.421	1477	26.59	7.883	1527	28.11	-1.798	1577	29.73	12.607
1428	25.37	-4.052	1478	26.63	6.364	1528	28.14	-2.192	1578	29.76	12.839
1429	25.39	-4.556	1479	26.66	4.100	1529	28.18	-2.084	1579	29.81	11.691
1430	25.41	-5.687	1480	26.68	1.339	1530	28.22	-0.607	1580	29.87	7.533
1431	25.43	-5.441	1481	26.70	-0.546	1531	28.30	1.224	1581	29.93	4.128
1432	25.46	-6.324	1482	26.72	-2.694	1532	28.33	2.711	1582	29.98	0.480
1433	25.48	-5.704	1483	26.74	-2.692	1533	28.34	2.705	1583	30.01	-1.614
1434	25.50	-5.458	1484	26.76	-2.954	1534	28.36	2.693	1584	30.05	-3.308
1435	25.52	-5.464	1485	26.80	-2.977	1535	28.37	3.062	1585	30.11	-4.713
1436	25.55	-5.097	1486	26.85	-2.755	1536	28.39	4.054	1586	30.21	-3.517
1437	25.56	-5.101	1487	26.89	-1.524	1537	28.41	5.044	1587	30.23	-3.278
1438	25.58	-5.354	1488	26.91	-0.283	1538	28.44	5.029	1588	30.26	-2.916
1439	25.59	-4.859	1489	26.95	0.944	1539	28.48	4.381	1589	30.28	-2.304
1440	25.61	-4.488	1490	27.01	1.665	1540	28.54	3.725	1590	30.31	-1.446
1441	25.62	-3.867	1491	27.04	1.896	1541	28.56	3.963	1591	30.36	0.154
1442	25.66	-2.626	1492	27.09	2.120	1542	28.60	1.817	1592	30.41	2.254
1443	25.69	-1.383	1493	27.12	1.605	1543	28.63	0.305	1593	30.48	3.341
1444	25.73	0.105	1494	27.15	1.587	1544	28.66	-0.961	1594	30.55	3.308
1445	25.76	0.723	1495	27.19	2.065	1545	28.69	-0.731	1595	30.63	2.641
1446	25.79	1.340	1496	27.22	1.550	1546	28.70	-0.736	1596	30.71	1.349
1447	25.81	1.834	1497	27.26	-0.719	1547	28.71	-0.737	1597	30.77	-0.809
1448	25.83	2.454	1498	27.30	-1.990	1548	28.72	-0.746	1598	30.84	-2.470
1449	25.85	3.325	1499	27.35	-4.142	1549	28.75	-0.761	1599	30.89	-3.993
1450	25.86	3.947	1500	27.40	-4.795	1550	28.78	0.099	1600	30.95	-5.776

INDEX NO. 829 106-GR-41 SOUKA BRIDGE LG. MAX.ACCEL.= -26.398(GAL) T= 8.03(SEC) NO. 9

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1601	30.97	-4.912	1651	32.84	-1.275	1701	34.80	-0.428	1751	36.63	-0.627
1602	31.00	-4.303	1652	32.88	-0.795	1702	34.85	0.048	1752	36.68	2.843
1603	31.04	-2.449	1653	32.91	0.441	1703	34.90	-0.853	1753	36.72	4.451
1604	31.07	-2.691	1654	32.94	1.425	1704	34.94	-0.500	1754	36.74	5.062
1605	31.13	-0.870	1655	32.99	2.649	1705	34.97	-0.890	1755	36.77	5.296
1606	31.14	-0.254	1656	33.02	3.254	1706	35.00	-0.657	1756	36.80	5.283
1607	31.17	1.231	1657	33.06	3.235	1707	35.05	-1.181	1757	36.82	5.269
1608	31.21	1.336	1658	33.10	3.213	1708	35.07	-1.820	1758	36.87	4.997
1609	31.27	1.182	1659	33.16	2.560	1709	35.10	-1.834	1759	36.91	4.098
1610	31.32	0.276	1660	33.21	1.284	1710	35.12	-1.345	1760	37.00	2.181
1611	31.39	0.240	1661	33.26	-1.246	1711	35.18	-0.999	1761	37.03	2.164
1612	31.46	-0.048	1662	33.33	-3.778	1712	35.24	-0.030	1762	37.07	1.142
1613	31.51	0.178	1663	33.37	-5.050	1713	35.27	0.826	1763	37.10	0.877
1614	31.54	0.409	1664	33.41	-7.072	1714	35.30	1.439	1764	37.17	-0.412
1615	31.59	1.386	1665	33.44	-7.337	1715	35.32	1.427	1765	37.24	-0.196
1616	31.63	0.489	1666	33.47	-7.104	1716	35.34	1.418	1766	37.34	-0.873
1617	31.67	-0.786	1667	33.50	-5.869	1717	35.35	2.038	1767	37.38	-0.286
1618	31.71	-2.681	1668	33.53	-5.262	1718	35.37	2.024	1768	37.42	0.708
1619	31.78	-2.718	1669	33.55	-4.395	1719	35.40	1.759	1769	37.47	0.935
1620	31.83	-3.372	1670	33.56	-3.153	1720	35.44	0.488	1770	37.50	1.167
1621	31.90	-3.781	1671	33.59	-1.540	1721	35.46	-0.144	1771	37.54	2.150
1622	31.94	-3.553	1672	33.61	-0.677	1722	35.50	-1.414	1772	37.58	1.129
1623	31.96	-2.814	1673	33.64	-0.692	1723	35.53	-2.432	1773	37.61	1.111
1624	31.99	-2.581	1674	33.66	-0.328	1724	35.56	-3.325	1774	37.64	-0.403
1625	32.03	-1.349	1675	33.71	-0.603	1725	35.60	-4.342	1775	37.68	-1.297
1626	32.07	0.754	1676	33.75	-0.373	1726	35.63	-4.608	1776	37.72	-2.569
1627	32.10	3.739	1677	33.80	-1.651	1727	35.66	-4.627	1777	37.75	-3.836
1628	32.13	5.598	1678	33.84	-0.170	1728	35.69	-4.639	1778	37.79	-4.463
1629	32.16	6.455	1679	33.88	-0.191	1729	35.72	-4.408	1779	37.84	-6.380
1630	32.19	7.442	1680	33.92	0.413	1730	35.81	-3.201	1780	37.86	-6.394
1631	32.22	7.425	1681	33.96	0.142	1731	35.85	-0.723	1781	37.89	-5.285
1632	32.25	7.407	1682	34.01	-0.509	1732	35.89	1.759	1782	37.93	-3.679
1633	32.28	5.893	1683	34.06	-1.413	1733	35.92	2.992	1783	37.97	-1.200
1634	32.32	3.996	1684	34.12	-2.442	1734	35.94	3.854	1784	38.02	0.898
1635	32.34	2.735	1685	34.20	-3.986	1735	35.96	5.468	1785	38.07	2.499
1636	32.36	2.724	1686	34.25	-3.765	1736	35.99	6.081	1786	38.09	3.111
1637	32.39	2.086	1687	34.27	-3.773	1737	36.01	7.197	1787	38.10	3.731
1638	32.42	1.694	1688	34.31	-3.791	1738	36.05	7.175	1788	38.12	4.348
1639	32.45	0.428	1689	34.33	-2.931	1739	36.08	6.156	1789	38.13	4.339
1640	32.49	-0.215	1690	34.35	-2.316	1740	36.14	4.252	1790	38.17	4.572
1641	32.51	-0.854	1691	34.37	-1.324	1741	36.19	1.477	1791	38.19	4.557
1642	32.54	-1.743	1692	34.40	0.532	1742	36.25	-1.805	1792	38.23	2.786
1643	32.57	-2.133	1693	34.43	2.142	1743	36.30	-4.959	1793	38.27	2.391
1644	32.60	-2.150	1694	34.45	2.757	1744	36.36	-7.490	1794	38.32	0.242
1645	32.63	-2.166	1695	34.48	3.369	1745	36.40	-8.885	1795	38.35	-0.773
1646	32.69	-1.323	1696	34.51	3.476	1746	36.44	-9.533	1796	38.38	-1.665
1647	32.73	-1.593	1697	34.59	2.182	1747	36.47	-9.298	1797	38.41	-2.683
1648	32.76	-1.360	1698	34.67	0.767	1748	36.51	-8.065	1798	38.45	-2.702
1649	32.80	-0.377	1699	34.74	-0.395	1749	36.54	-4.958	1799	38.48	-3.093
1650	32.82	-0.638	1700	34.76	-0.408	1750	36.58	-2.477	1800	38.50	-2.730

INDEX NO. 829 106-GR-41 SOUKA BRIDGE LG. MAX.ACCEL.= -26.398(GAL) T= 8.03(SEC) NO.10

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1801	38.53	-1.493	1851	40.54	-0.677	1901	42.64	3.354	1951	45.04	-0.518
1802	38.57	-0.640	1852	40.57	-2.192	1902	42.69	2.081	1952	45.09	0.332
1803	38.60	1.592	1853	40.61	-2.212	1903	42.76	1.046	1953	45.14	2.177
1804	38.65	4.316	1854	40.64	-2.239	1904	42.79	1.027	1954	45.19	3.531
1805	38.71	5.285	1855	40.69	-2.880	1905	42.84	0.750	1955	45.25	4.496
1806	38.77	6.129	1856	40.75	-2.659	1906	42.89	-0.150	1956	45.32	5.088
1807	38.80	5.988	1857	40.81	-0.817	1907	42.94	-2.297	1957	45.42	3.783
1808	38.85	5.086	1858	40.86	2.280	1908	42.97	-4.189	1958	45.48	3.755
1809	38.89	4.698	1859	40.92	4.999	1909	43.00	-2.953	1959	45.52	3.732
1810	38.94	3.412	1860	40.95	6.112	1910	43.03	-2.597	1960	45.55	3.090
1811	38.99	1.884	1861	40.98	6.721	1911	43.09	-2.002	1961	45.60	3.316
1812	39.05	-0.019	1862	41.01	6.703	1912	43.12	-1.765	1962	45.64	3.671
1813	39.07	-0.406	1863	41.07	6.420	1913	43.13	-1.150	1963	45.67	2.155
1814	39.12	-1.055	1864	41.13	5.139	1914	43.16	-0.540	1964	45.70	1.137
1815	39.15	-1.072	1865	41.18	2.238	1915	43.18	-0.548	1965	45.73	0.874
1816	39.17	-1.834	1866	41.23	1.590	1916	43.22	0.057	1966	45.79	-0.410
1817	39.21	-2.478	1867	41.29	-0.942	1917	43.25	0.418	1967	45.83	-0.430
1818	39.24	-2.872	1868	41.38	-1.367	1918	43.28	0.647	1968	45.87	-0.452
1819	39.28	-1.640	1869	41.42	-0.762	1919	43.33	1.875	1969	45.93	0.396
1820	39.32	-0.661	1870	41.48	-0.419	1920	43.37	2.854	1970	45.96	0.377
1821	39.38	0.181	1871	41.54	0.800	1921	43.40	3.713	1971	46.01	1.853
1822	39.47	0.261	1872	41.61	1.389	1922	43.44	4.818	1972	46.05	2.579
1823	39.52	0.730	1873	41.65	1.619	1923	43.46	4.805	1973	46.08	2.817
1824	39.58	0.452	1874	41.69	1.349	1924	43.50	4.537	1974	46.11	2.709
1825	39.62	0.432	1875	41.72	1.583	1925	43.54	3.263	1975	46.15	2.152
1826	39.64	0.417	1876	41.75	1.569	1926	43.58	2.618	1976	46.21	0.245
1827	39.68	-1.101	1877	41.79	1.921	1927	43.62	1.346	1977	46.28	-1.040
1828	39.73	-1.501	1878	41.84	2.147	1928	43.67	-2.177	1978	46.33	-2.566
1829	39.75	-1.891	1879	41.88	2.502	1929	43.74	-3.839	1979	46.36	-4.461
1830	39.79	-1.284	1880	41.92	2.728	1930	43.80	-3.619	1980	46.40	-4.855
1831	39.82	-0.302	1881	41.97	3.080	1931	43.84	-3.643	1981	46.47	-6.894
1832	39.86	-0.319	1882	41.99	3.318	1932	43.92	-3.682	1982	46.53	-6.674
1833	39.90	0.530	1883	42.02	3.050	1933	43.98	-3.088	1983	46.60	-6.089
1834	39.94	0.637	1884	42.03	3.049	1934	44.04	-1.620	1984	46.71	-3.643
1835	39.97	0.620	1885	42.08	1.145	1935	44.05	-1.249	1985	46.77	-2.054
1836	40.00	1.727	1886	42.14	-1.135	1936	44.10	-0.402	1986	46.86	-0.226
1837	40.04	0.833	1887	42.18	-1.654	1937	44.15	-0.050	1987	46.90	-0.497
1838	40.10	-0.071	1888	42.20	-3.042	1938	44.20	0.545	1988	46.97	-0.283
1839	40.13	-0.089	1889	42.22	-4.303	1939	44.26	0.513	1989	47.03	-0.692
1840	40.16	-0.478	1890	42.24	-4.937	1940	44.31	-0.139	1990	47.11	-0.982
1841	40.18	-0.490	1891	42.26	-5.322	1941	44.36	-0.412	1991	47.17	-1.641
1842	40.22	-0.135	1892	42.29	-4.087	1942	44.43	-1.468	1992	47.22	-1.664
1843	40.27	1.590	1893	42.37	-2.880	1943	44.49	-1.730	1993	47.26	-2.311
1844	40.30	2.573	1894	42.42	-1.407	1944	44.58	-2.777	1994	47.30	-2.079
1845	40.33	3.431	1895	42.49	-0.065	1945	44.66	-1.945	1995	47.32	-1.966
1846	40.36	4.041	1896	42.53	1.413	1946	44.74	-2.238	1996	47.33	-2.600
1847	40.39	4.401	1897	42.55	1.654	1947	44.84	-1.413	1997	47.36	-2.364
1848	40.42	3.762	1898	42.56	2.023	1948	44.90	-1.069	1998	47.37	-2.368
1849	40.47	1.861	1899	42.58	3.262	1949	44.95	-0.722	1999	47.39	-2.628
1850	40.51	0.587	1900	42.61	3.374	1950	44.99	+0.744	2000	47.41	-2.391

土木構造物における加速度強震記録（No.9）

INDEX NO. 829 106-GR-41 SOUKA BRIDGE LG. MAX.ACCEL.= -26.398(GAL) T= 8.03(SEC) NO.11

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2001	47.45	-1.783	2051	49.50	-3.365	2101	52.28	3.319	2151	54.50	1.291
2002	47.49	-1.555	2052	49.54	-3.386	2102	52.32	3.544	2152	54.54	1.522
2003	47.53	-0.326	2053	49.60	-4.042	2103	52.37	3.895	2153	54.58	1.251
2004	47.59	2.269	2054	49.64	-3.811	2104	52.41	4.249	2154	54.61	1.485
2005	47.62	3.251	2055	49.68	-3.206	2105	52.59	0.280	2155	54.77	2.651
2006	47.65	4.109	2056	49.72	-2.603	2106	52.67	-0.385	2156	54.81	3.252
2007	47.68	4.719	2057	49.82	-1.030	2107	52.72	-0.415	2157	54.86	3.855
2008	47.72	6.324	2058	49.87	-0.433	2108	52.77	-0.940	2158	54.91	3.028
2009	47.74	6.939	2059	49.93	-1.088	2109	52.79	-0.950	2159	55.00	3.155
2010	47.78	8.168	2060	49.97	-0.857	2110	52.82	-0.715	2160	55.07	2.866
2011	47.80	8.157	2061	50.06	1.344	2111	52.85	-0.481	2161	55.14	1.206
2012	47.83	8.390	2062	50.16	1.669	2112	52.89	-0.500	2162	55.19	0.930
2013	47.87	8.119	2063	50.23	1.630	2113	52.92	-0.517	2163	55.24	0.779
2014	47.92	7.470	2064	50.29	2.228	2114	52.99	-0.178	2164	55.30	1.744
2015	47.97	5.319	2065	50.33	2.458	2115	53.03	-0.201	2165	55.36	1.714
2016	48.02	3.291	2066	50.40	1.544	2116	53.07	-0.222	2166	55.40	1.690
2017	48.06	2.397	2067	50.45	1.517	2117	53.10	-0.860	2167	55.47	0.783
2018	48.12	0.491	2068	50.53	0.480	2118	53.12	-0.874	2168	55.53	-0.628
2019	48.18	-0.544	2069	50.57	1.981	2119	53.15	-1.137	2169	55.55	-0.885
2020	48.21	-0.558	2070	50.65	1.668	2120	53.17	-1.145	2170	55.58	-1.279
2021	48.24	-1.074	2071	50.72	2.256	2121	53.21	-1.170	2171	55.61	-1.294
2022	48.28	-1.095	2072	50.77	1.979	2122	53.26	-0.069	2172	55.66	-0.070
2023	48.32	-1.493	2073	50.87	0.927	2123	53.29	0.540	2173	55.70	-0.590
2024	48.35	-1.758	2074	50.96	0.257	2124	53.32	0.899	2174	55.75	-0.368
2025	48.39	-2.153	2075	51.02	-1.025	2125	53.36	1.130	2175	55.78	-0.135
2026	48.43	-1.924	2076	51.07	-2.552	2126	53.40	1.735	2176	55.81	-1.026
2027	48.48	-1.826	2077	51.12	-3.951	2127	53.44	1.464	2177	55.86	-0.799
2028	48.52	-1.869	2078	51.16	-3.598	2128	53.49	1.437	2178	55.90	-1.072
2029	48.56	-1.622	2079	51.23	-3.633	2129	53.56	0.526	2179	55.98	-1.988
2030	48.62	-0.776	2080	51.26	-3.025	2130	53.66	-0.273	2180	56.03	-1.143
2031	48.65	0.831	2081	51.30	-2.172	2131	53.71	-1.172	2181	56.08	-0.290
2032	48.68	0.565	2082	51.36	-0.953	2132	53.73	-0.561	2182	56.12	0.062
2033	48.70	0.803	2083	51.41	0.273	2133	53.76	0.051	2183	56.16	0.665
2034	48.74	0.784	2084	51.47	-0.009	2134	53.79	0.034	2184	56.20	0.897
2035	48.78	0.763	2085	51.56	-0.307	2135	53.82	0.643	2185	56.22	1.509
2036	48.81	0.120	2086	51.60	-0.705	2136	53.85	0.880	2186	56.24	2.122
2037	48.84	0.106	2087	51.65	-0.979	2137	53.88	1.235	2187	56.29	2.674
2038	48.91	0.066	2088	51.67	-0.739	2138	53.93	-0.038	2188	56.33	2.205
2039	48.98	-0.218	2089	51.69	-0.502	2139	53.97	-0.933	2189	56.39	0.548
2040	49.03	0.005	2090	51.73	-0.518	2140	54.03	-2.587	2190	56.46	-0.741
2041	49.09	-0.025	2091	51.77	-0.791	2141	54.08	-3.489	2191	56.51	-2.014
2042	49.12	-0.043	2092	51.83	0.050	2142	54.11	-3.508	2192	56.55	-2.664
2043	49.18	-0.697	2093	51.89	-0.226	2143	54.17	-3.661	2193	56.62	-1.025
2044	49.25	-0.734	2094	51.92	0.382	2144	54.21	-3.058	2194	56.67	-1.727
2045	49.30	-0.758	2095	51.97	0.353	2145	54.26	-2.708	2195	56.75	-0.891
2046	49.33	-1.027	2096	52.04	0.320	2146	54.29	-2.100	2196	56.82	0.321
2047	49.36	-1.668	2097	52.09	0.543	2147	54.34	-1.251	2197	56.86	0.299
2048	49.40	-1.686	2098	52.13	0.895	2148	54.39	0.350	2198	56.91	0.900
2049	49.42	-2.700	2099	52.18	1.497	2149	54.42	0.582	2199	56.98	0.613
2050	49.46	-2.966	2100	52.23	2.717	2150	54.46	0.688	2200	57.04	-0.042

INDEX NO. 829 106-GR-41 SOUKA BRIDGE LG. MAX.ACCEL.= -26.398(GAL) T= 8.03(SEC) NO.12

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2201	57.10	+0.448	2251	59.73	2.919
2202	57.16	-0.728	2252	59.79	1.890
2203	57.23	-0.268	2253	59.84	0.860
2204	57.28	+0.291	2254	59.93	+0.060
2205	57.35	0.920	2255	59.98	0.166
2206	57.42	1.260	2256	60.04	0.510
2207	57.47	2.107	2257	60.07	0.742
2208	57.52	2.833	2258	60.10	1.348
2209	57.57	3.679	2259	60.14	1.955
2210	57.64	3.646	2260	60.18	2.559
2211	57.73	1.471	2261	60.20	2.300
2212	57.80	0.811	2262	60.23	1.905
2213	57.88	-1.479	2263	60.27	1.386
2214	57.90	-2.116	2264	60.32	0.983
2215	57.93	-2.379	2265	60.41	0.310
2216	57.98	-2.783	2266	60.45	0.038
2217	58.06	-1.951	2267	60.52	0.004
2218	58.14	-0.119	2268	60.55	-0.390
2219	58.18	0.485	2269	60.61	-0.669
2220	58.23	1.712	2270	60.68	-1.083
2221	58.26	2.446	2271	60.71	-0.726
2222	58.30	2.056	2272	60.76	-0.254
2223	58.33	3.158	2273	60.79	0.980
2224	58.42	1.860	2274	60.88	0.310
2225	58.46	0.838	2275	60.91	1.292
2226	58.49	0.820	2276	60.95	1.270
2227	58.53	0.803	2277	61.00	0.998
2228	58.57	1.403	2278	61.06	-0.033
2229	58.63	1.374	2279	61.11	-0.688
2230	58.73	0.694	2280	61.17	-1.969
2231	58.79	0.665	2281	61.27	+2.394
2232	58.85	0.633	2282	61.34	-1.805
2233	58.93	-1.285	2283	61.42	-1.848
2234	58.96	-1.302	2284	61.48	-0.877
2235	59.03	-0.715	2285	61.53	-1.529
2236	59.08	-0.492	2286	61.58	-0.055
2237	59.14	-0.772	2287	61.62	1.175
2238	59.18	-0.795	2288	61.68	1.516
2239	59.23	-1.068	2289	61.73	1.742
2240	59.30	-1.729	2290	61.77	2.098
2241	59.34	+2.876	2291	61.79	2.209
2242	59.36	-2.887	2292	61.83	2.188
2243	59.41	-2.287	2293	61.89	0.659
2244	59.44	-2.302	2294	61.96	0.248
2245	59.49	-1.453			
2246	59.55	0.141			
2247	59.59	0.993			
2248	59.63	1.973			
2249	59.67	2.826			
2250	59.70	3.185			

Table IX D-56 Digitized Accelerations of Earthquake Record with Index Number 830

INDEX NO. 830 206-GR-20 OMIGAWA BRIDGE TR. MAX.ACCEL.= 60.546(GAL) T=24.00(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.0	-1.697	51	0.61	2.040	101	1.28	-0.828	151	1.81	3.460
2	0.01	0.163	52	0.62	1.399	102	1.29	-0.213	152	1.83	3.173
3	0.02	1.151	53	0.63	-2.127	103	1.30	1.269	153	1.86	3.120
4	0.03	0.749	54	0.64	-2.763	104	1.31	3.493	154	1.88	2.442
5	0.05	0.703	55	0.65	-3.027	105	1.32	3.729	155	1.91	1.144
6	0.07	0.676	56	0.67	2.430	106	1.33	3.465	156	1.94	-2.032
7	0.08	1.522	57	0.68	4.663	107	1.34	2.197	157	1.95	-4.560
8	0.09	1.870	58	0.69	6.522	108	1.35	0.052	158	1.96	-6.703
9	0.11	3.594	59	0.71	4.990	109	1.36	-3.471	159	1.97	-8.472
10	0.12	3.821	60	0.72	1.840	110	1.37	-4.368	160	1.98	-9.361
11	0.13	2.808	61	0.73	-1.064	111	1.38	-4.382	161	1.99	-8.879
12	0.15	3.157	62	0.74	-1.956	112	1.39	-4.773	162	2.00	-7.646
13	0.16	3.736	63	0.76	-2.354	113	1.40	-4.167	163	2.02	-2.681
14	0.17	4.366	64	0.78	0.351	114	1.41	-3.554	164	2.03	0.292
15	0.18	4.351	65	0.80	2.810	115	1.42	-3.196	165	2.04	3.022
16	0.20	01548	66	0.81	1.540	116	1.43	-6.099	166	2.06	6.113
17	0.21	-1.972	67	0.83	-1.862	117	1.44	-8.746	167	2.07	7.100
18	0.23	-2.870	69	0.84	-4.382	118	1.45	-9.389	168	2.08	6.459
19	0.24	-4.522	69	0.85	-6.656	119	1.46	-8.394	169	2.09	5.820
20	0.25	-6.793	70	0.86	-5.173	120	1.47	-2.916	170	2.10	1.799
21	0.27	-6.567	71	0.87	-4.312	121	1.48	1.307	171	2.11	-3.856
22	0.28	-6.336	72	0.88	-2.078	122	1.49	2.290	172	2.12	-5.494
23	0.31	-2.651	73	0.89	-0.476	123	1.51	0.638	173	2.13	-7.015
24	0.32	-2.042	74	0.90	0.002	124	1.52	-0.261	174	2.14	-6.530
25	0.33	-2.561	75	0.91	-0.258	125	1.53	-1.535	175	2.15	-4.925
26	0.34	-4.837	76	0.92	-3.163	126	1.54	-3.806	176	2.16	-2.442
27	0.35	-6.355	77	0.93	-3.056	127	1.55	-2.951	177	2.17	-1.577
28	0.36	-6.739	78	0.95	-1.958	128	1.56	-1.971	178	2.18	0.650
29	0.37	-6.133	79	0.96	-1.613	129	1.57	-0.587	179	2.19	-2.753
30	0.38	-3.415	80	0.98	-2.523	130	1.58	-1.378	180	2.22	-7.793
31	0.40	-6.453	81	1.00	-2.926	131	1.59	-2.018	181	2.24	-10.211
32	0.41	-7.470	82	1.01	-0.824	132	1.60	-2.659	182	2.26	-11.752
33	0.42	-8.979	83	1.03	-0.235	133	1.61	-2.678	183	2.28	-12.531
34	0.43	-7.499	84	1.05	0.738	134	1.62	-1.448	184	2.29	-11.019
35	0.44	-3.145	85	1.06	0.629	135	1.63	-0.591	185	2.30	-11.322
36	0.45	-2.528	86	1.09	-0.464	136	1.64	1.014	186	2.31	-11.584
37	0.46	1.198	87	1.11	-2.374	137	1.65	1.614	187	2.33	-8.508
38	0.47	1.182	88	1.12	-2.647	138	1.67	0.720	188	2.35	-5.415
39	0.48	1.159	89	1.13	-3.417	139	1.68	-0.929	189	2.37	-2.692
40	0.49	1.142	90	1.14	-3.054	140	1.70	-3.086	190	2.38	0.532
41	0.50	1.117	91	1.15	-2.452	141	1.71	-4.357	191	2.39	4.012
42	0.51	2.843	92	1.17	0.640	142	1.72	-4.753	192	2.40	7.487
43	0.53	4.062	93	1.18	3.988	143	1.73	-6.028	193	2.42	9.338
44	0.54	3.679	94	1.19	2.849	144	1.74	-5.791	194	2.43	10.308
45	0.55	2.405	95	1.21	-0.088	145	1.75	-5.182	195	2.45	9.278
46	0.56	-0.750	96	1.22	-2.210	146	1.76	-3.946	196	2.46	6.253
47	0.57	-1.005	97	1.23	-2.850	147	1.77	-2.091	197	2.47	3.740
48	0.58	0.098	98	1.24	-4.741	148	1.78	2.001	198	2.48	1.854
49	0.59	1.700	99	1.25	-4.513	149	1.79	3.487	199	2.49	-1.171
50	0.60	2.310	100	1.26	-4.529	150	1.80	3.477	200	2.50	-1.435

INDEX NO. 830 206-GR-20 OMIGAWA BRIDGE TR. MAX.ACCEL.= 60.546(GAL) T=24.00(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	2.51	-2.085	251	3.07	-16.725	301	3.61	5.267	351	4.12	4.064
202	2.52	-2.103	252	3.08	-16.738	302	3.62	7.743	352	4.13	1.920
203	2.53	-2.501	253	3.09	-16.135	303	3.63	9.977	353	4.14	0.020
204	2.54	-3.143	254	3.10	-14.653	304	3.64	11.211	354	4.15	-4.259
205	2.55	-5.288	255	3.11	-11.798	305	3.65	10.570	355	4.16	-10.154
206	2.56	-7.803	256	3.12	-9.064	306	3.67	8.663	356	4.17	-12.790
207	2.57	-10.442	257	3.13	-7.464	307	3.68	6.516	357	4.18	-16.309
208	2.58	-13.339	258	3.14	-6.239	308	3.69	1.110	358	4.19	-16.959
209	2.59	-13.611	259	3.15	-5.628	309	3.70	-1.653	359	4.20	-13.851
210	2.60	-14.250	260	3.16	-6.891	310	3.71	-4.675	360	4.21	-12.360
211	2.61	-14.641	261	3.17	-8.163	311	3.72	-6.190	361	4.22	-10.135
212	2.62	-15.284	262	3.18	-8.804	312	3.73	-5.955	362	4.23	-10.400
213	2.63	-16.307	263	3.19	-8.953	313	3.74	-5.722	363	4.24	-10.413
214	2.64	-16.525	264	3.20	-5.091	314	3.75	-4.740	364	4.25	-11.036
215	2.65	-15.959	265	3.21	2.133	315	3.76	-4.757	365	4.27	-7.099
216	2.67	-9.873	266	3.22	6.987	316	3.77	-6.916	366	4.28	-2.879
217	2.68	-6.390	267	3.24	10.091	317	3.78	-9.432	367	4.29	-1.387
218	2.69	-3.902	268	3.25	11.068	318	3.79	-11.065	368	4.30	0.488
219	2.70	-0.303	269	3.26	10.429	319	3.80	-13.961	369	4.31	1.079
220	2.71	0.307	270	3.27	8.783	320	3.81	-14.601	370	4.32	-3.322
221	2.72	-0.583	271	3.28	6.264	321	3.82	-12.502	371	4.33	-8.594
222	2.73	-0.989	272	3.29	6.246	322	3.83	-10.023	372	4.34	-9.604
223	2.74	-0.375	273	3.30	8.093	323	3.84	-9.419	373	4.35	-10.244
224	2.75	2.729	274	3.31	8.957	324	3.85	-10.317	374	4.36	-9.387
225	2.76	6.209	275	3.32	8.694	325	3.86	-10.959	375	4.37	-8.665
226	2.77	8.071	276	3.33	7.796	326	3.87	-10.971	376	4.38	-12.586
227	2.78	8.686	277	3.34	7.640	327	3.88	-9.488	377	4.39	-14.833
228	2.79	6.538	278	3.35	8.250	328	3.89	-8.633	378	4.40	-15.846
229	2.80	3.391	279	3.36	8.868	329	3.90	-6.786	379	4.41	-14.236
230	2.81	2.128	280	3.37	7.090	330	3.91	-5.802	380	4.42	-11.505
231	2.82	2.097	281	3.38	4.574	331	3.92	-5.187	381	4.43	-8.400
232	2.84	1.697	282	3.39	1.051	332	3.93	-3.207	382	4.44	-7.424
233	2.85	1.670	283	3.40	-1.464	333	3.94	-2.604	383	4.45	-6.443
234	2.86	1.411	284	3.41	-3.732	334	3.95	-2.995	384	4.46	-5.579
235	2.87	3.256	285	3.42	-8.750	335	3.96	-3.260	385	4.47	-0.110
236	2.88	3.870	286	3.43	-13.891	336	3.97	-3.661	386	4.49	7.101
237	2.89	3.850	287	3.44	-18.279	337	3.98	-3.296	387	4.50	10.983
238	2.91	2.945	288	3.45	-23.183	338	3.99	1.047	388	4.51	13.691
239	2.92	1.042	289	3.46	-23.028	339	4.00	1.910	389	4.52	14.307
240	2.94	-1.743	290	3.47	-22.598	340	4.01	2.506	390	4.53	11.907
241	2.96	-3.266	291	3.48	-17.992	341	4.02	2.611	391	4.54	7.513
242	2.97	-6.036	292	3.50	-10.905	342	4.03	2.598	392	4.55	2.373
243	2.98	-6.069	293	3.52	-6.928	343	4.04	4.459	393	4.56	-5.273
244	3.00	-5.217	294	3.53	-2.831	344	4.05	5.686	394	4.57	-7.790
245	3.01	-4.374	295	3.54	-1.600	345	4.06	7.917	395	4.58	-10.313
246	3.02	-4.882	296	3.55	-1.673	346	4.07	9.150	396	4.59	-12.584
247	3.03	-6.154	297	3.57	-1.898	347	4.08	9.760	397	4.60	-14.853
248	3.04	-8.421	298	3.58	-1.917	348	4.09	10.367	398	4.61	-14.998
249	3.05	-11.066	299	3.59	1.176	349	4.10	8.214	399	4.62	-13.383
250	3.06	-14.208	300	3.60	3.032	350	4.11	6.327	400	4.63	-11.524

土木構造物における加速度強震記録（No.9）

INDEX NO. 830 206-GR-20 OHIGAWA BRIDGE TR. MAX.ACCEL.= 60.546(GAL) T=24.00(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	4.64	-8.801	451	5.24	1.065	501	5.87	-16.103	551	6.41	18.954
402	4.65	-10.571	452	5.25	-0.826	502	5.88	-11.360	552	6.42	19.939
403	4.66	-13.725	453	5.25	-3.732	503	5.89	-11.660	553	6.43	20.546
404	4.67	-15.613	454	5.27	-5.621	504	5.91	-12.699	554	6.44	19.025
405	4.68	-16.002	455	5.28	-7.252	505	5.92	-12.470	555	6.45	16.126
406	4.69	-14.770	456	5.29	-6.792	506	5.94	-11.245	556	6.46	12.974
407	4.70	-11.424	457	5.30	-5.606	507	5.95	-8.636	557	6.47	9.583
408	4.72	-4.066	458	5.31	-4.574	508	5.96	-0.662	558	6.48	5.941
409	4.73	-0.976	459	5.32	-3.961	509	5.97	9.682	559	6.49	-5.460
410	4.74	4.751	460	5.33	-3.987	510	5.98	12.546	560	6.51	-20.370
411	4.75	5.990	461	5.34	-3.755	511	5.99	15.151	561	6.52	-25.394
412	4.76	6.227	462	5.35	-5.026	512	6.00	16.379	562	6.54	-27.169
413	4.77	2.816	463	5.36	-4.038	513	6.01	17.603	563	6.55	-28.071
414	4.79	0.046	464	5.37	-1.936	514	6.03	16.323	564	6.56	-28.464
415	4.80	-2.605	465	5.38	-0.324	515	6.04	14.801	565	6.57	-28.682
416	4.81	-2.631	466	5.39	0.533	516	6.05	13.537	566	6.59	-26.016
417	4.82	-1.649	467	5.40	-1.620	517	6.06	11.646	567	6.60	-20.417
418	4.83	-0.417	468	5.41	-4.146	518	6.07	10.371	568	6.61	-17.807
419	4.84	2.321	469	5.42	-5.034	519	6.08	10.355	569	6.62	-15.954
420	4.85	8.292	470	5.43	-6.301	520	6.09	10.829	570	6.63	-13.474
421	4.86	9.528	471	5.44	-7.324	521	6.10	10.820	571	6.64	-11.616
422	4.87	10.884	472	5.45	-8.591	522	6.11	8.038	572	6.65	-7.758
423	4.89	10.600	473	5.46	-9.482	523	6.12	5.146	573	6.67	1.332
424	4.90	9.954	474	5.47	-11.376	524	6.13	2.003	574	6.68	7.049
425	4.91	8.941	475	5.48	-11.140	525	6.14	0.365	575	6.69	8.910
426	4.92	0.029	476	5.49	-11.409	526	6.15	-0.911	576	6.70	9.893
427	4.94	-7.875	477	5.51	-9.335	527	6.16	-1.674	577	6.71	7.992
428	4.95	-14.279	478	5.52	-6.976	528	6.17	-1.075	578	6.72	7.103
429	4.97	-18.432	479	5.53	-5.467	529	6.18	-1.105	579	6.73	6.084
430	4.98	-21.953	480	5.54	-9.391	530	6.19	-2.617	580	6.74	7.319
431	4.99	-22.601	481	5.56	-10.048	531	6.20	-6.760	581	6.75	15.159
432	5.01	-23.391	482	5.57	-9.808	532	6.21	-10.900	582	6.76	19.267
433	5.04	-19.682	483	5.59	-2.974	533	6.22	-15.044	583	6.77	22.751
434	5.05	-17.215	484	5.62	9.092	534	6.23	-17.685	584	6.78	24.978
435	5.06	-15.361	485	5.63	11.577	535	6.24	-20.207	585	6.80	24.939
436	5.07	-12.754	486	5.64	15.047	536	6.25	-21.483	586	6.82	23.659
437	5.08	-9.894	487	5.66	13.140	537	6.26	-21.501	587	6.83	21.757
438	5.10	-3.295	488	5.69	11.212	538	6.27	-19.652	588	6.84	19.865
439	5.11	0.185	489	5.72	7.155	539	6.29	-16.302	589	6.85	16.099
440	5.12	2.540	490	5.73	6.766	540	6.30	-12.575	590	6.86	9.077
441	5.14	3.621	491	5.74	4.874	541	6.31	-6.851	591	6.87	-1.325
442	5.15	6.722	492	5.75	3.091	542	6.32	-4.990	592	6.88	-9.969
443	5.16	7.336	493	5.77	-3.813	543	6.33	-3.396	593	6.89	-13.478
444	5.17	7.696	494	5.80	-21.252	544	6.34	-3.660	594	6.90	-17.872
445	5.18	7.427	495	5.81	-27.272	545	6.35	-3.176	595	6.91	-22.145
446	5.19	4.907	496	5.82	-27.912	546	6.36	-3.690	596	6.92	-24.671
447	5.20	2.381	497	5.83	-30.903	547	6.37	-1.467	597	6.93	-28.193
448	5.21	2.369	498	5.84	-29.300	548	6.38	4.758	598	6.95	-31.467
449	5.22	1.979	499	5.85	-25.075	549	6.39	8.622	599	6.96	-31.983
450	5.23	1.324	500	5.86	-19.594	550	6.40	16.845	600	6.97	-32.003

INDEX NO. 830 206-GR-20 OHIGAWA BRIDGE TR. MAX.ACCEL.= 60.546(GAL) T=24.00(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	6.98	-30.859	651	7.55	4.616	701	8.16	25.307	751	8.68	20.076
602	6.99	-28.052	652	7.57	0.577	702	8.17	22.410	752	8.69	14.934
603	7.00	-25.325	653	7.58	-3.074	703	8.19	19.010	753	8.70	8.166
604	7.01	-23.474	654	7.60	-7.486	704	8.20	17.116	754	8.71	-10.238
605	7.03	-21.256	655	7.62	-12.028	705	8.21	16.092	755	8.72	-21.756
606	7.04	-19.031	656	7.63	-14.804	706	8.22	15.698	756	8.73	-32.777
607	7.05	-17.792	657	7.64	-15.195	707	8.23	15.672	757	8.74	-37.287
608	7.06	-16.560	658	7.65	-15.835	708	8.24	16.654	758	8.75	-43.314
609	7.07	-13.704	659	7.66	-14.606	709	8.25	16.893	759	8.76	-43.700
610	7.08	-11.863	660	7.68	-11.517	710	8.26	13.241	760	8.77	-43.339
611	7.09	-11.886	661	7.70	-10.942	711	8.27	9.606	761	8.78	-40.236
612	7.10	-11.904	662	7.72	-10.719	712	8.28	4.957	762	8.79	-38.125
613	7.11	-10.922	663	7.74	-11.381	713	8.29	2.563	763	8.80	-36.776
614	7.12	-9.313	664	7.75	-13.537	714	8.30	0.667	764	8.81	-37.177
615	7.13	-5.585	665	7.76	-14.802	715	8.31	-0.228	765	8.83	-38.700
616	7.14	1.643	666	7.77	-14.565	716	8.32	-3.378	766	8.84	-39.094
617	7.15	3.000	667	7.78	-11.093	717	8.33	-4.194	767	8.85	-37.860
618	7.16	11.593	668	7.79	-6.739	718	8.34	-5.409	768	8.86	-34.141
619	7.17	12.459	669	7.81	3.971	719	8.35	-7.055	769	8.88	-29.796
620	7.18	13.073	670	7.83	11.550	720	8.36	-7.952	770	8.89	-24.076
621	7.19	11.923	671	7.84	13.794	721	8.38	-10.851	771	8.91	-17.725
622	7.21	3.759	672	7.85	14.154	722	8.39	-13.502	772	8.93	-2.260
623	7.22	1.687	673	7.86	14.768	723	8.40	-15.645	773	8.94	11.458
624	7.23	0.224	674	7.87	13.860	724	8.41	-17.924	774	8.95	13.620
625	7.24	1.442	675	7.88	13.215	725	8.42	-18.180	775	8.96	15.114
626	7.25	2.927	676	7.89	11.943	726	8.43	-18.194	776	8.98	18.943
627	7.26	5.160	677	7.90	10.678	727	8.44	-15.717	777	8.99	21.426
628	7.27	8.269	678	7.91	7.532	728	8.45	-15.121	778	9.00	26.527
629	7.28	11.001	679	7.92	1.753	729	8.46	-16.758	779	9.01	31.759
630	7.29	13.605	680	7.94	-6.523	730	8.47	-21.539	780	9.02	39.355
631	7.30	11.834	681	7.95	-14.171	731	8.48	-23.426	781	9.03	43.210
632	7.31	6.695	682	7.96	-17.945	732	8.49	-23.809	782	9.04	42.944
633	7.32	3.179	683	7.97	-20.340	733	8.50	-21.712	783	9.05	40.175
634	7.33	-2.215	684	7.99	-21.240	734	8.51	-18.601	784	9.06	35.783
635	7.34	-10.862	685	8.00	-20.131	735	8.52	-9.366	785	9.07	29.639
636	7.35	-22.268	686	8.01	-19.531	736	8.53	-16.226	786	9.08	26.876
637	7.36	-24.776	687	8.02	-17.672	737	8.54	-25.093	787	9.09	21.970
638	7.37	-27.418	688	8.03	-13.329	738	8.55	-28.698	788	9.10	20.087
639	7.38	-27.435	689	8.04	-10.691	739	8.56	-32.425	789	9.11	15.563
640	7.39	-24.078	690	8.05	-6.977	740	8.57	-33.037	790	9.12	11.542
641	7.40	-19.732	691	8.06	-5.124	741	8.58	-33.022	791	9.13	9.148
642	7.41	-17.997	692	8.07	-2.776	742	8.59	-33.244	792	9.14	5.373
643	7.42	-14.642	693	8.08	-2.792	743	8.60	-34.480	793	9.15	3.861
644	7.43	-11.159	694	8.09	-2.176	744	8.61	-38.325	794	9.16	-5.426
645	7.44	-3.935	695	8.10	1.174	745	8.62	-40.310	795	9.17	-8.069
646	7.45	-1.327	696	8.11	8.658	746	8.63	-41.170	796	9.18	-10.584
647	7.46	1.530	697	8.12	15.129	747	8.64	-40.908	797	9.19	-12.103
648	7.48	4.617	698	8.13	19.243	748	8.65	-36.759	798	9.20	-11.874
649	7.50	5.963	699	8.14	24.532	749	8.66	-33.368	799	9.21	-11.266
650	7.51	6.177	700	8.15	25.571	750	8.67	-24.716	800	9.22	-11.540

INDEX NO. 830 206-GR-20 OMIGAWA BRIDGE TR. MAX.ACCEL.= 60.546(GAL) T=24.00(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	9.23	-11.551	851	9.80	-20.303	901	10.34	22.891	951	10.92	-33.847
802	9.24	-13.445	852	9.81	-20.944	902	10.35	25.381	952	10.93	-34.587
803	9.25	-16.354	853	9.82	-20.964	903	10.36	32.350	953	10.94	-34.745
804	9.26	-19.241	854	9.83	-15.735	904	10.37	32.713	954	10.95	-31.267
805	9.27	-20.881	855	9.84	0.986	905	10.38	32.695	955	10.96	-28.160
806	9.28	-20.899	856	9.85	17.943	906	10.39	31.176	956	10.97	-26.182
807	9.29	-20.043	857	9.86	42.189	907	10.40	25.526	957	10.98	-28.712
808	9.31	-19.081	858	9.87	46.550	908	10.41	17.502	958	10.99	-29.602
809	9.32	-19.352	859	9.88	53.903	909	10.42	17.499	959	11.00	-29.614
810	9.33	-21.251	860	9.89	55.519	910	10.43	8.975	960	11.01	-26.009
811	9.34	-22.268	861	9.90	56.127	911	10.44	-5.055	961	11.02	-8.915
812	9.35	-22.922	862	9.91	52.730	912	10.45	-14.324	962	11.03	3.691
813	9.37	-21.073	863	9.92	49.337	913	10.46	-17.718	963	11.04	10.674
814	9.38	-17.354	864	9.93	45.052	914	10.48	-21.794	964	11.05	14.283
815	9.39	-13.620	865	9.95	42.902	915	10.50	-25.789	965	11.06	12.132
816	9.40	-2.641	866	9.96	40.626	916	10.51	-26.558	966	11.07	7.740
817	9.41	10.714	867	9.97	38.737	917	10.52	-26.568	967	11.08	3.479
818	9.43	39.291	868	9.98	32.091	918	10.53	-24.467	968	11.09	-3.255
819	9.44	44.903	869	9.99	22.820	919	10.54	-23.480	969	11.10	-4.519
820	9.45	49.379	870	10.01	-2.098	920	10.55	-23.766	970	11.11	-3.291
821	9.46	49.746	871	10.03	-28.144	921	10.56	-25.404	971	11.12	-1.060
822	9.47	46.354	872	10.04	-34.153	922	10.57	-26.674	972	11.13	-1.708
823	9.48	40.329	873	10.05	-41.546	923	10.58	-26.688	973	11.14	-3.975
824	9.49	37.690	874	10.06	-48.449	924	10.60	-25.470	974	11.15	-6.501
825	9.50	31.777	875	10.07	-50.089	925	10.61	-23.623	975	11.16	-8.008
826	9.52	28.131	876	10.08	-50.491	926	10.62	-21.134	976	11.17	-9.155
827	9.53	22.360	877	10.09	-49.008	927	10.63	-13.914	977	11.19	-8.191
828	9.54	10.698	878	10.10	-46.145	928	10.64	-10.053	978	11.20	-7.715
829	9.56	4.551	879	10.11	-40.781	929	10.65	-6.944	979	11.21	-6.104
830	9.57	-4.594	880	10.12	-29.063	930	10.66	-5.593	980	11.22	-1.370
831	9.58	-19.878	881	10.13	-25.951	931	10.67	-9.121	981	11.23	8.735
832	9.59	-27.275	882	10.14	-23.089	932	10.68	-10.388	982	11.24	20.470
833	9.60	-29.782	883	10.15	-20.859	933	10.70	-9.161	983	11.25	40.191
834	9.61	-33.304	884	10.16	-17.383	934	10.71	-6.691	984	11.26	45.173
835	9.62	-33.069	885	10.17	-12.657	935	10.72	-4.838	985	11.27	46.773
836	9.64	-30.982	886	10.18	-10.556	936	10.73	-1.855	986	11.28	46.262
837	9.65	-30.381	887	10.19	-9.822	937	10.74	1.748	987	11.29	42.743
838	9.66	-30.657	888	10.20	-9.835	938	10.76	7.212	988	11.30	40.609
839	9.67	-30.669	889	10.21	-9.848	939	10.77	13.564	989	11.31	34.451
840	9.68	-24.702	890	10.22	-9.748	940	10.79	21.793	990	11.32	32.941
841	9.70	-17.492	891	10.23	-9.511	941	10.80	35.008	991	11.33	26.167
842	9.71	-14.260	892	10.25	-2.805	942	10.81	42.366	992	11.34	15.774
843	9.72	-12.775	893	10.26	0.807	943	10.82	45.850	993	11.35	-3.997
844	9.73	-12.174	894	10.27	4.037	944	10.83	47.960	994	11.37	-24.903
845	9.74	-13.073	895	10.28	6.267	945	10.84	48.070	995	11.38	-34.298
846	9.75	-15.862	896	10.29	9.000	946	10.85	43.919	996	11.39	-43.203
847	9.76	-17.733	897	10.30	11.223	947	10.86	32.892	997	11.40	-45.720
848	9.77	-18.127	898	10.31	13.077	948	10.88	7.105	998	11.41	-45.985
849	9.78	-18.771	899	10.32	15.301	949	10.90	-16.055	999	11.42	-46.372
850	9.79	-19.416	900	10.33	18.411	950	10.91	-29.455	1000	11.43	-43.024

INDEX NO. 830 206-GR-20 OMIGAWA BRIDGE TR. MAX.ACCEL.= 60.546(GAL) T=24.00(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	11.44	-39.162	1051	11.98	27.329	1101	12.48	-19.863	1151	12.99	-3.684
1002	11.45	-29.176	1052	11.99	29.935	1102	12.50	-32.528	1152	13.00	-1.822
1003	11.46	-18.700	1053	12.00	29.922	1103	12.51	-36.668	1153	13.01	1.024
1004	11.47	-10.839	1054	12.01	27.408	1104	12.52	-37.932	1154	13.02	2.140
1005	11.48	-2.610	1055	12.02	20.760	1105	12.53	-38.317	1155	13.03	3.249
1006	11.49	6.361	1056	12.03	13.867	1106	12.54	-34.339	1156	13.04	2.339
1007	11.50	8.348	1057	12.04	7.475	1107	12.55	-18.737	1157	13.05	0.070
1008	11.51	11.323	1058	12.05	-0.554	1108	12.56	-4.128	1158	13.06	0.309
1009	11.52	11.687	1059	12.06	-3.450	1109	12.57	24.595	1159	13.07	0.916
1010	11.53	12.286	1060	12.07	-3.465	1110	12.58	33.832	1160	13.08	1.900
1011	11.54	13.898	1061	12.08	-1.354	1111	12.59	42.312	1161	13.09	3.126
1012	11.55	16.125	1062	12.09	6.494	1112	12.60	46.542	1162	13.10	3.106
1013	11.56	16.368	1063	12.10	12.357	1113	12.61	47.783	1163	13.11	4.967
1014	11.57	12.351	1064	12.11	24.834	1114	12.62	43.764	1164	13.12	6.828
1015	11.58	5.333	1065	12.12	31.819	1115	12.63	38.372	1165	13.13	9.926
1016	11.59	-6.951	1066	12.13	41.047	1116	12.64	26.599	1166	13.14	11.031
1017	11.60	-11.470	1067	12.14	46.156	1117	12.65	19.576	1167	13.15	11.270
1018	11.61	-11.479	1068	12.15	47.398	1118	12.66	17.301	1168	13.16	9.376
1019	11.62	-9.747	1069	12.16	46.377	1119	12.67	15.409	1169	13.17	5.977
1020	11.63	-7.508	1070	12.17	37.104	1120	12.68	14.764	1170	13.18	3.719
1021	11.65	12.701	1071	12.18	18.826	1121	12.69	15.003	1171	13.19	2.561
1022	11.66	30.799	1072	12.19	10.308	1122	12.70	19.975	1172	13.20	5.421
1023	11.68	47.632	1073	12.20	5.298	1123	12.71	21.835	1173	13.21	8.153
1024	11.69	51.372	1074	12.21	-1.720	1124	12.72	25.562	1174	13.22	11.757
1025	11.70	54.847	1075	12.22	-4.740	1125	12.73	26.556	1175	13.23	11.493
1026	11.71	54.962	1076	12.23	-8.762	1126	12.74	25.291	1176	13.24	9.596
1027	11.72	53.320	1077	12.24	-13.290	1127	12.75	25.271	1177	13.25	7.083
1028	11.73	50.177	1078	12.25	-16.804	1128	12.76	16.241	1178	13.26	-1.572
1029	11.74	42.281	1079	12.26	-20.691	1129	12.77	13.729	1179	13.27	-3.083
1030	11.75	33.394	1080	12.27	-31.093	1130	12.78	12.715	1180	13.28	-3.092
1031	11.76	11.989	1081	12.28	-37.483	1131	12.79	13.561	1181	13.29	-2.617
1032	11.77	-4.158	1082	12.29	-40.369	1132	12.80	16.418	1182	13.30	-1.633
1033	11.79	-26.434	1083	12.30	-40.386	1133	12.81	19.520	1183	13.31	-1.903
1034	11.80	-38.829	1084	12.31	-33.541	1134	12.82	20.126	1184	13.32	-5.926
1035	11.81	-48.347	1085	12.32	-25.924	1135	12.83	19.495	1185	13.34	-11.955
1036	11.82	-57.501	1086	12.33	-16.446	1136	12.84	13.846	1186	13.35	-17.604
1037	11.83	-59.261	1087	12.34	-5.088	1137	12.85	7.835	1187	13.36	-20.997
1038	11.84	-57.777	1088	12.35	6.011	1138	12.86	-9.073	1188	13.37	-20.512
1039	11.85	-50.427	1089	12.36	11.624	1139	12.87	-14.839	1189	13.38	-14.294
1040	11.86	-41.317	1090	12.37	18.803	1140	12.88	-16.101	1190	13.39	-11.053
1041	11.87	-30.208	1091	12.38	25.954	1141	12.89	-17.614	1191	13.40	-1.068
1042	11.88	-22.977	1092	12.39	29.608	1142	12.90	-14.888	1192	13.41	14.154
1043	11.89	-18.751	1093	12.40	31.044	1143	12.91	-12.160	1193	13.42	20.506
1044	11.90	-17.266	1094	12.41	30.408	1144	12.92	-10.556	1194	13.43	23.995
1045	11.92	-14.423	1095	12.42	26.390	1145	12.93	-11.831	1195	13.44	25.468
1046	11.93	-11.950	1096	12.43	12.488	1146	12.94	-12.097	1196	13.45	24.574
1047	11.94	-9.588	1097	12.44	6.723	1147	12.95	-12.483	1197	13.46	23.059
1048	11.95	4.882	1098	12.45	-2.802	1148	12.96	-10.883	1198	13.47	18.668
1049	11.96	11.123	1099	12.46	-9.195	1149	12.97	-10.398	1199	13.48	13.902
1050	11.97	19.730	1100	12.47	-14.091	1150	12.98	-8.533	1200	13.49	6.637

INDEX NO. 830 206-GR-20 OMIGAWA BRIDGE TR. MAX.ACCEL.= 60.546(GAL) T=24.00(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	13.50	-5.392	1251	14.02	-5.471	1301	14.56	-10.449	1351	15.08	-51.657
1202	13.51	-9.273	1252	14.03	-13.744	1302	14.57	-9.846	1352	15.09	-49.298
1203	13.52	-12.171	1253	14.04	-18.879	1303	14.58	-9.859	1353	15.10	-43.196
1204	13.53	-14.447	1254	14.05	-23.401	1304	14.59	-9.623	1354	15.11	-40.336
1205	13.54	-16.092	1255	14.06	-31.916	1305	14.60	-8.386	1355	15.12	-36.863
1206	13.55	-16.732	1256	14.07	-35.682	1306	14.61	-3.541	1356	15.13	-34.129
1207	13.56	-16.249	1257	14.08	-39.564	1307	14.62	1.023	1357	15.14	-30.892
1208	13.57	-19.516	1258	14.10	-45.622	1308	14.63	9.428	1358	15.15	-22.287
1209	13.58	-20.159	1259	14.11	-47.256	1309	14.64	15.735	1359	15.16	-13.803
1210	13.59	-19.301	1260	14.12	-49.778	1310	14.65	24.633	1360	15.17	-3.073
1211	13.60	-15.945	1261	14.13	-49.790	1311	14.66	26.862	1361	15.18	7.271
1212	13.61	-8.695	1262	14.14	-47.065	1312	14.68	28.338	1362	15.19	12.752
1213	13.62	3.632	1263	14.15	-32.950	1313	14.69	28.317	1363	15.21	18.856
1214	13.63	12.665	1264	14.17	-3.984	1314	14.70	26.168	1364	15.22	25.823
1215	13.64	20.471	1265	14.18	24.608	1315	14.71	23.656	1365	15.23	30.177
1216	13.65	25.835	1266	14.19	36.223	1316	14.72	18.099	1366	15.25	33.407
1217	13.66	32.688	1267	14.20	39.454	1317	14.73	13.489	1367	15.26	35.259
1218	13.67	35.302	1268	14.21	43.186	1318	14.74	9.728	1368	15.27	35.867
1219	13.68	37.534	1269	14.22	46.290	1319	14.75	9.820	1369	15.28	30.592
1220	13.70	37.118	1270	14.23	51.142	1320	14.76	11.175	1370	15.29	25.198
1221	13.72	36.832	1271	14.24	51.127	1321	14.78	17.780	1371	15.30	21.046
1222	13.73	36.811	1272	14.25	49.868	1322	14.79	27.250	1372	15.31	22.278
1223	13.74	34.922	1273	14.26	44.228	1323	14.80	29.367	1373	15.32	23.142
1224	13.75	33.034	1274	14.27	39.575	1324	14.81	29.343	1374	15.33	28.995
1225	13.76	26.765	1275	14.28	29.817	1325	14.82	29.452	1375	15.34	34.104
1226	13.77	18.496	1276	14.29	21.660	1326	14.83	29.060	1376	15.35	41.457
1227	13.78	4.219	1277	14.31	19.133	1327	14.84	29.289	1377	15.36	47.436
1228	13.79	-10.807	1278	14.32	16.105	1328	14.85	31.264	1378	15.37	52.172
1229	13.80	-16.195	1279	14.33	14.442	1329	14.86	34.118	1379	15.38	55.400
1230	13.81	-19.093	1280	14.34	14.445	1330	14.87	34.982	1380	15.39	57.261
1231	13.82	-18.230	1281	14.35	13.930	1331	14.88	35.345	1381	15.40	57.249
1232	13.83	-13.499	1282	14.36	15.160	1332	14.89	34.698	1382	15.41	53.853
1233	13.84	-9.756	1283	14.38	16.132	1333	14.90	34.433	1383	15.42	34.202
1234	13.85	-5.036	1284	14.39	20.613	1334	14.91	32.526	1384	15.43	24.936
1235	13.86	-4.672	1285	14.40	22.213	1335	14.92	30.639	1385	15.44	17.301
1236	13.87	-4.313	1286	14.41	23.553	1336	14.93	28.373	1386	15.45	8.402
1237	13.88	-4.710	1287	14.42	19.617	1337	14.94	19.229	1387	15.46	0.132
1238	13.89	-2.604	1288	14.43	9.420	1338	14.95	-1.160	1388	15.47	-5.818
1239	13.90	2.254	1289	14.44	-5.465	1339	14.96	-18.066	1389	15.48	-5.283
1240	13.91	12.346	1290	14.45	-14.497	1340	14.97	-26.576	1390	15.49	-7.794
1241	13.92	15.459	1291	14.46	-21.518	1341	14.98	-42.476	1391	15.50	-6.936
1242	13.93	17.061	1292	14.47	-25.412	1342	14.99	-49.868	1392	15.51	-3.634
1243	13.94	16.797	1293	14.48	-27.296	1343	15.00	-53.252	1393	15.52	-0.480
1244	13.95	15.278	1294	14.49	-28.566	1344	15.01	-57.272	1394	15.53	0.501
1245	13.96	13.391	1295	14.50	-27.704	1345	15.02	-57.551	1395	15.54	-5.404
1246	13.97	8.868	1296	14.51	-24.603	1346	15.03	-56.315	1396	15.55	-8.541
1247	13.98	7.608	1297	14.52	-22.738	1347	15.04	-55.702	1397	15.56	-16.564
1248	13.99	2.578	1298	14.53	-16.147	1348	15.05	-54.486	1398	15.57	-24.455
1249	14.00	0.562	1299	14.54	-13.938	1349	15.06	-54.248	1399	15.58	-31.229
1250	14.01	-1.703	1300	14.55	-12.044	1350	15.07	-54.139	1400	15.59	-31.491

INDEX NO. 830 206-GR-20 OMIGAWA BRIDGE TR. MAX.ACCEL.= 60.546(GAL) T=24.00(SEC) NO. 8

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1401	15.60	-32.502	1451	16.12	5.126	1501	16.64	23.144	1551	17.18	-38.389
1402	15.61	-30.398	1452	16.13	14.229	1502	16.65	25.620	1552	17.19	-35.655
1403	15.62	-23.548	1453	16.14	20.209	1503	16.66	26.228	1553	17.20	-31.047
1404	15.63	-17.812	1454	16.15	23.438	1504	16.67	27.461	1554	17.21	-24.941
1405	15.64	-10.335	1455	16.16	25.296	1505	16.68	28.820	1555	17.22	-15.463
1406	15.65	-4.233	1456	16.17	25.282	1506	16.69	30.057	1556	17.23	-10.725
1407	15.66	-0.746	1457	16.18	26.131	1507	16.70	28.159	1557	17.24	-0.879
1408	15.67	3.358	1458	16.19	29.112	1508	16.71	21.253	1558	17.25	2.977
1409	15.68	6.587	1459	16.20	32.466	1509	16.72	17.990	1559	17.26	12.703
1410	15.69	5.564	1460	16.21	33.702	1510	16.73	14.852	1560	17.27	20.310
1411	15.70	4.295	1461	16.22	34.317	1511	16.74	12.703	1561	17.28	27.670
1412	15.71	3.407	1462	16.23	31.546	1512	16.75	12.688	1562	17.29	32.280
1413	15.72	1.890	1463	16.24	25.907	1513	16.76	12.421	1563	17.30	37.377
1414	15.73	2.357	1464	16.25	12.752	1514	16.77	11.903	1564	17.31	38.733
1415	15.74	6.837	1465	16.26	9.367	1515	16.78	8.754	1565	17.32	38.591
1416	15.75	10.830	1466	16.27	6.594	1516	16.79	-3.026	1566	17.33	39.200
1417	15.76	18.426	1467	16.28	5.944	1517	16.82	-25.210	1567	17.34	40.430
1418	15.77	21.906	1468	16.29	4.553	1518	16.83	-27.599	1568	17.35	43.420
1419	15.78	24.754	1469	16.30	2.667	1519	16.84	-29.240	1569	17.36	49.889
1420	15.79	26.629	1470	16.31	-2.110	1520	16.85	-29.004	1570	17.37	51.625
1421	15.80	32.602	1471	16.32	-4.385	1521	16.86	-28.648	1571	17.38	51.988
1422	15.81	36.337	1472	16.33	-6.393	1522	16.87	-25.539	1572	17.39	51.345
1423	15.82	40.825	1473	16.34	-6.536	1523	16.88	-20.190	1573	17.40	48.201
1424	15.83	42.682	1474	16.35	-11.430	1524	16.89	-15.212	1574	17.41	39.550
1425	15.84	42.661	1475	16.36	3.923	1525	16.90	-12.846	1575	17.43	28.789
1426	15.85	33.390	1476	16.37	9.277	1526	16.91	-10.748	1576	17.46	17.590
1427	15.86	17.744	1477	16.38	10.255	1527	16.92	-9.762	1577	17.48	7.418
1428	15.87	-4.911	1478	16.39	10.491	1528	16.93	-8.543	1578	17.52	-6.408
1429	15.88	-11.543	1479	16.40	8.725	1529	16.94	-6.053	1579	17.53	-9.032
1430	15.89	-20.440	1480	16.41	6.824	1530	16.95	-4.070	1580	17.54	-11.698
1431	15.90	-21.328	1481	16.43	0.796	1531	16.96	2.786	1581	17.55	-12.337
1432	15.91	-19.605	1482	16.44	-7.485	1532	16.97	12.135	1582	17.56	-13.683
1433	15.92	-17.367	1483	16.46	-14.755	1533	16.98	19.365	1583	17.58	-13.269
1434	15.93	-12.196	1484	16.47	-23.659	1534	16.99	26.216	1584	17.60	-12.298
1435	15.94	-9.792	1485	16.48	-32.307	1535	17.01	31.064	1585	17.61	-12.068
1436	15.96	-10.072	1486	16.49	-35.192	1536	17.02	34.035	1586	17.62	-12.593
1437	15.97	-9.217	1487	16.50	-38.080	1537	17.04	35.761	1587	17.63	-12.981
1438	15.98	-6.622	1488	16.51	-35.229	1538	17.05	34.864	1588	17.64	-17.011
1439	16.00	-8.400	1489	16.52	-29.119	1539	17.06	32.592	1589	17.66	-21.917
1440	16.01	-8.050	1490	16.53	-19.889	1540	17.07	29.197	1590	17.67	-26.564
1441	16.02	-8.935	1491	16.54	-4.663	1541	17.08	22.428	1591	17.68	-28.827
1442	16.03	-7.634	1492	16.55	4.934	1542	17.09	13.909	1592	17.69	-32.976
1443	16.04	-6.594	1493	16.56	6.797	1543	17.10	5.890	1593	17.70	-33.119
1444	16.05	-1.122	1494	16.57	10.522	1544	17.11	-3.639	1594	17.71	-32.759
1445	16.06	2.229	1495	16.58	11.380	1545	17.12	-10.281	1595	17.73	-30.288
1446	16.07	1.343	1496	16.59	12.490	1546	17.13	-20.547	1596	17.74	-27.182
1447	16.08	0.954	1497	16.60	15.219	1547	17.14	-27.190	1597	17.76	-24.089
1448	16.09	-1.262	1498	16.61	17.451	1548	17.15	-31.957	1598	17.77	-14.123
1449	16.10	-2.220	1499	16.62	19.310	1549	17.16	-37.107	1599	17.78	-7.641
1450	16.11	1.514	1500	16.63	20.671	1550	17.17	-38.128	1600	17.79	-0.660

INDEX NO. 830 206-GR-20 OMIGAWA BRIDGE TR. MAX.ACCEL.= 60.546(GAL) T=24.00(SEC) NO. 9

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1601	17.80	7.928	1651	18.34	-4.936	1701	18.92	-9.124	1751	19.48	28.815
1602	17.81	14.612	1652	18.35	-7.802	1702	18.93	-10.019	1752	19.49	27.291
1603	17.82	22.787	1653	18.36	-6.953	1703	18.94	-8.906	1753	19.50	25.153
1604	17.83	24.148	1654	18.37	-7.025	1704	18.95	-10.053	1754	19.51	18.254
1605	17.85	24.439	1655	18.42	-7.930	1705	18.96	-8.196	1755	19.52	11.858
1606	17.86	23.471	1656	18.43	-11.196	1706	18.97	-5.716	1756	19.53	5.460
1607	17.87	22.831	1657	18.44	-11.595	1707	18.98	-4.382	1757	19.54	2.321
1608	17.88	21.312	1658	18.45	-11.230	1708	18.99	-2.622	1758	19.55	1.061
1609	17.89	18.173	1659	18.46	-10.371	1709	19.00	5.599	1759	19.57	-3.476
1610	17.90	13.023	1660	18.47	-7.897	1710	19.01	11.711	1760	19.58	-6.377
1611	17.91	9.132	1661	18.48	-6.292	1711	19.02	20.186	1761	19.59	-7.645
1612	17.92	2.485	1662	18.49	-5.686	1712	19.03	24.417	1762	19.60	-9.912
1613	17.93	2.090	1663	18.50	-3.702	1713	19.04	24.655	1763	19.61	-14.058
1614	17.94	4.813	1664	18.51	-5.719	1714	19.05	25.258	1764	19.63	-18.214
1615	17.95	6.308	1665	18.52	-4.059	1715	19.06	24.733	1765	19.64	-20.106
1616	17.96	10.100	1666	18.53	-1.131	1716	19.08	25.578	1766	19.65	-22.629
1617	17.97	18.133	1667	18.54	3.721	1717	19.09	26.174	1767	19.66	-25.657
1618	17.98	20.625	1668	18.55	6.206	1718	19.10	27.935	1768	19.67	-25.923
1619	17.99	21.852	1669	18.56	7.929	1719	19.11	29.689	1769	19.68	-24.817
1620	18.00	23.086	1670	18.57	7.161	1720	19.12	33.368	1770	19.69	-25.084
1621	18.01	24.665	1671	18.59	6.637	1721	19.13	35.604	1771	19.70	-22.601
1622	18.02	25.298	1672	18.60	6.656	1722	19.14	35.839	1772	19.71	-19.491
1623	18.03	27.154	1673	18.62	7.459	1723	19.15	38.691	1773	19.72	-13.513
1624	18.04	27.769	1674	18.63	9.305	1724	19.16	40.667	1774	19.73	-9.029
1625	18.05	26.244	1675	18.64	12.029	1725	19.17	42.158	1775	19.74	-0.425
1626	18.06	23.106	1676	18.66	16.253	1726	19.18	41.644	1776	19.75	8.425
1627	18.07	16.458	1677	18.67	19.598	1727	19.19	38.748	1777	19.76	14.157
1628	18.08	11.683	1678	18.68	23.332	1728	19.20	32.481	1778	19.77	14.392
1629	18.09	11.431	1679	18.69	28.447	1729	19.22	15.941	1779	19.78	14.755
1630	18.10	8.411	1680	18.70	33.044	1730	19.24	-4.102	1780	19.79	16.239
1631	18.11	14.253	1681	18.71	42.772	1731	19.26	-21.268	1781	19.80	16.846
1632	18.12	16.491	1682	18.72	44.390	1732	19.27	-27.039	1782	19.81	19.699
1633	18.13	20.345	1683	18.73	44.021	1733	19.28	-33.187	1783	19.82	22.923
1634	18.14	20.961	1684	18.74	40.941	1734	19.29	-34.456	1784	19.83	25.411
1635	18.15	20.946	1685	18.75	36.929	1735	19.30	-35.974	1785	19.84	30.135
1636	18.16	17.551	1686	18.76	32.634	1736	19.31	-34.873	1786	19.85	32.618
1637	18.17	14.494	1687	18.77	29.411	1737	19.32	-32.635	1787	19.86	34.232
1638	18.18	6.752	1688	18.78	26.899	1738	19.33	-28.653	1788	19.87	35.451
1639	18.20	-0.022	1689	18.79	24.385	1739	19.34	-24.420	1789	19.88	36.061
1640	18.21	-7.294	1690	18.80	13.237	1740	19.36	-13.452	1790	19.89	36.043
1641	18.22	-14.196	1691	18.82	-4.544	1741	19.37	-5.479	1791	19.90	34.775
1642	18.23	-17.832	1692	18.83	-15.821	1742	19.38	7.244	1792	19.91	33.265
1643	18.24	-19.347	1693	18.84	-25.351	1743	19.39	15.098	1793	19.92	29.742
1644	18.25	-18.861	1694	18.85	-26.112	1744	19.40	20.736	1794	19.93	25.978
1645	18.27	-16.400	1695	18.86	-23.125	1745	19.41	22.694	1795	19.94	15.194
1646	18.29	-12.685	1696	18.87	-25.393	1746	19.42	24.928	1796	19.95	9.176
1647	18.30	-11.464	1697	18.88	-19.739	1747	19.43	26.163	1797	19.97	2.153
1648	18.31	-10.235	1698	18.89	-14.054	1748	19.44	27.008	1798	19.98	-3.621
1649	18.32	-9.627	1699	18.90	-9.703	1749	19.45	27.608	1799	19.99	-8.393
1650	18.33	-8.395	1700	18.91	-6.731	1750	19.47	28.588	1800	20.00	-10.661

INDEX NO. 830 206-GR-20 OMIGAWA BRIDGE TR. MAX.ACCEL.= 60.546(GAL) T=24.00(SEC) NO.10

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1801	20.01	-13.804	1851	20.57	7.763	1901	21.12	25.109	1951	21.65	-39.747
1802	20.02	-13.567	1852	20.58	10.863	1902	21.13	27.708	1952	21.66	-42.644
1803	20.03	-13.842	1853	20.59	13.844	1903	21.14	28.325	1953	21.67	-45.918
1804	20.04	-15.736	1854	20.60	15.700	1904	21.15	28.053	1954	21.69	-46.947
1805	20.06	-22.530	1855	20.62	16.679	1905	21.16	25.286	1955	21.70	-47.840
1806	20.07	-24.673	1856	20.63	17.781	1906	21.17	20.145	1956	21.71	-45.983
1807	20.08	-27.066	1857	20.64	21.001	1907	21.18	12.251	1957	21.72	-43.873
1808	20.09	-27.079	1858	20.65	22.063	1908	21.19	5.609	1958	21.74	-37.907
1809	20.10	-25.593	1859	20.66	26.343	1909	21.20	-1.410	1959	21.76	-23.198
1810	20.11	-22.733	1860	20.67	26.331	1910	21.21	-9.690	1960	21.77	-13.477
1811	20.12	-20.007	1861	20.68	29.558	1911	21.23	-15.215	1961	21.80	4.228
1812	20.13	-19.539	1862	20.70	29.904	1912	21.24	-19.000	1962	21.81	14.956
1813	20.14	-18.295	1863	20.71	28.676	1913	21.25	-19.258	1963	21.82	23.559
1814	20.15	-16.192	1864	20.72	26.104	1914	21.26	-19.024	1964	21.83	28.042
1815	20.16	-14.329	1865	20.74	22.954	1915	21.27	-17.798	1965	21.84	33.022
1816	20.18	3.759	1866	20.75	19.310	1916	21.28	-14.443	1966	21.85	35.257
1817	20.19	15.486	1867	20.77	6.021	1917	21.29	-12.578	1967	21.86	36.867
1818	20.20	25.382	1868	20.78	-2.379	1918	21.30	-7.857	1968	21.87	38.478
1819	20.21	37.065	1869	20.79	-7.401	1919	21.31	-7.247	1969	21.88	39.337
1820	20.22	41.802	1870	20.80	-5.046	1920	21.32	-6.334	1970	21.89	39.073
1821	20.23	45.654	1871	20.81	-7.803	1921	21.33	-4.410	1971	21.91	32.783
1822	20.24	45.884	1872	20.82	-6.594	1922	21.34	-2.548	1972	21.92	27.391
1823	20.26	47.231	1873	20.83	-5.848	1923	21.35	4.734	1973	21.93	20.119
1824	20.27	47.082	1874	20.84	-7.744	1924	21.36	12.403	1974	21.94	12.726
1825	20.28	44.064	1875	20.85	-9.639	1925	21.37	19.263	1975	21.95	5.700
1826	20.29	39.290	1876	20.86	-10.029	1926	21.38	25.868	1976	21.96	0.555
1827	20.30	35.144	1877	20.87	-9.171	1927	21.39	31.600	1977	21.98	-3.225
1828	20.31	31.625	1878	20.88	-9.059	1928	21.40	36.082	1978	21.99	-4.495
1829	20.32	29.735	1879	20.89	-3.220	1929	21.41	38.690	1979	22.00	-4.762
1830	20.33	27.090	1880	20.90	-1.731	1930	21.42	40.798	1980	22.01	-3.901
1831	20.34	23.698	1881	20.91	-2.623	1931	21.43	43.021	1981	22.03	-4.310
1832	20.35	18.174	1882	20.92	+3.517	1932	21.44	43.633	1982	22.04	-2.714
1833	20.36	14.793	1883	20.93	-4.791	1933	21.46	42.103	1983	22.06	-2.121
1834	20.37	6.771	1884	20.94	-5.437	1934	21.47	38.960	1984	22.08	-1.779
1835	20.38	-0.259	1885	20.95	-7.330	1935	21.48	32.932	1985	22.09	-1.807
1836	20.39	-16.775	1886	20.96	-6.094	1936	21.49	31.043	1986	22.11	-2.461
1837	20.40	-25.046	1887	20.97	-5.634	1937	21.50	29.165	1987	22.13	-4.752
1838	20.41	-28.945	1888	20.98	-4.626	1938	21.51	29.031	1988	22.14	-5.399
1839	20.43	-26.843	1889	20.99	-3.773	1939	21.52	28.353	1989	22.16	-4.552
1840	20.45	-22.760	1890	21.00	-3.038	1940	21.53	27.464	1990	22.17	-2.329
1841	20.46	+20.280	1891	21.01	-4.333	1941	21.54	26.703	1991	22.18	0.778
1842	20.47	-18.550	1892	21.02	-3.200	1942	21.55	23.557	1992	22.19	3.258
1843	20.48	-16.436	1893	21.03	2.392	1943	21.56	17.413	1993	22.21	8.237
1844	20.49	-10.713	1894	21.05	13.235	1944	21.57	8.696	1994	22.22	13.713
1845	20.51	5.121	1895	21.06	17.592	1945	21.58	0.622	1995	22.23	20.312
1846	20.52	8.880	1896	21.07	19.952	1946	21.59	-9.149	1996	22.25	22.900
1847	20.53	10.715	1897	21.08	21.811	1947	21.60	-18.415	1997	22.27	24.128
1848	20.54	10.322	1898	21.09	22.420	1948	21.61	-25.432	1998	22.28	24.731
1849	20.55	9.803	1899	21.10	23.651	1949	21.62	-30.197	1999	22.29	23.460
1850	20.56	7.778	1900	21.11	24.670	1950	21.63	-34.592	2000	22.30	19.687

INDEX NO. 830 206-GR-20 OHIGAWA BRIDGE TR. MAX.ACCEL.= 60.546(GAL) T=24.00(SEC) NO.11

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2001	22.31	15.795	2051	22.86	-13.089	2101	23.48	-5.884	2151	24.08	32.892
2002	22.32	12.031	2052	22.87	-27.372	2102	23.49	-5.518	2152	24.09	29.374
2003	22.33	8.513	2053	22.88	-33.766	2103	23.50	-4.661	2153	24.10	19.473
2004	22.34	6.872	2054	22.90	-39.290	2104	23.51	-3.425	2154	24.12	10.949
2005	22.35	1.843	2055	22.91	-42.691	2105	23.53	4.160	2155	24.13	-7.452
2006	22.37	-1.059	2056	22.93	-47.597	2106	23.54	10.092	2156	24.14	-16.721
2007	22.38	-2.702	2057	22.94	-48.867	2107	23.55	19.489	2157	24.15	-24.613
2008	22.39	-5.473	2058	22.95	-40.633	2108	23.56	24.471	2158	24.16	-34.019
2009	22.40	-8.740	2059	22.96	-47.026	2109	23.58	28.322	2159	24.17	-36.160
2010	22.41	-11.640	2060	22.98	-40.567	2110	23.59	30.792	2160	24.18	-38.428
2011	22.42	-12.912	2061	22.99	-35.672	2111	23.60	33.271	2161	24.19	-38.188
2012	22.43	-11.431	2062	23.01	-25.382	2112	23.62	35.483	2162	24.20	-36.334
2013	22.44	-10.190	2063	23.03	-14.798	2113	23.64	36.707	2163	24.21	-31.357
2014	22.45	-8.586	2064	23.06	-4.090	2114	23.65	37.938	2164	24.22	-24.999
2015	22.46	-6.726	2065	23.09	9.480	2115	23.66	37.923	2165	24.23	-20.264
2016	22.48	-4.631	2066	23.10	17.697	2116	23.67	35.402	2166	24.24	-12.410
2017	22.49	-4.032	2067	23.11	21.431	2117	23.68	29.373	2167	24.25	-8.186
2018	22.51	-3.436	2068	23.12	23.291	2118	23.70	18.728	2168	24.26	-6.321
2019	22.52	-3.339	2069	23.13	24.149	2119	23.71	5.199	2169	24.27	-5.713
2020	22.53	-2.232	2070	23.14	24.380	2120	23.72	-7.070	2170	24.28	-1.868
2021	22.54	-2.508	2071	23.15	25.235	2121	23.74	-22.599	2171	24.29	0.618
2022	22.55	-2.520	2072	23.16	26.467	2122	23.75	-35.757	2172	24.30	5.220
2023	22.56	-3.154	2073	23.17	28.077	2123	23.77	-43.028	2173	24.31	7.583
2024	22.57	-4.675	2074	23.18	29.939	2124	23.78	-50.427	2174	24.32	10.306
2025	22.58	-7.199	2075	23.19	32.540	2125	23.79	-55.456	2175	24.33	9.162
2026	22.59	-7.838	2076	23.20	37.138	2126	23.81	-58.113	2176	24.34	8.145
2027	22.60	-9.117	2077	23.21	40.747	2127	23.82	-59.381	2177	24.35	6.622
2028	22.61	-8.630	2078	23.22	44.478	2128	23.83	-56.642	2178	24.36	5.610
2029	22.62	-7.395	2079	23.24	46.329	2129	23.84	-55.040	2179	24.37	6.464
2030	22.63	-4.535	2080	23.25	45.682	2130	23.85	-48.432	2180	24.38	7.700
2031	22.64	-0.556	2081	23.26	42.915	2131	23.86	-40.200	2181	24.39	10.184
2032	22.65	6.423	2082	23.27	39.398	2132	23.87	-30.725	2182	24.40	13.041
2033	22.66	12.269	2083	23.28	34.373	2133	23.89	-19.622	2183	24.41	16.273
2034	22.67	16.999	2084	23.30	25.216	2134	23.90	-9.142	2184	24.42	18.128
2035	22.69	21.348	2085	23.31	13.309	2135	23.91	1.586	2185	24.43	20.235
2036	22.70	24.082	2086	23.33	3.786	2136	23.92	12.688	2186	24.44	21.966
2037	22.71	27.049	2087	23.34	-9.868	2137	23.93	24.414	2187	24.45	23.819
2038	22.72	27.908	2088	23.35	-17.259	2138	23.94	32.398	2188	24.46	25.050
2039	22.74	28.261	2089	23.36	-22.909	2139	23.95	40.251	2189	24.47	24.153
2040	22.75	29.114	2090	23.37	-25.930	2140	23.96	47.607	2190	24.48	22.252
2041	22.76	29.215	2091	23.38	-31.200	2141	23.97	52.839	2191	24.49	18.115
2042	22.77	31.313	2092	23.39	-31.468	2142	23.99	58.940	2192	24.50	12.346
2043	22.78	32.675	2093	23.40	-29.731	2143	24.00	60.546	2193	24.52	4.065
2044	22.79	33.900	2094	23.41	-25.375	2144	24.01	60.150	2194	24.53	-2.965
2045	22.80	33.637	2095	23.42	-21.513	2145	24.02	58.263	2195	24.56	-9.884
2046	22.81	30.750	2096	23.43	-17.902	2146	24.03	56.119	2196	24.58	-14.672
2047	22.82	24.350	2097	23.44	-15.302	2147	24.04	52.973	2197	24.59	-16.331
2048	22.83	17.211	2098	23.45	-12.817	2148	24.05	44.952	2198	24.61	-19.368
2049	22.84	8.943	2099	23.46	-9.708	2149	24.06	37.624	2199	24.64	-22.165
2050	22.85	-0.072	2100	23.47	-7.367	2150	24.07	36.664	2200	24.65	-23.067

INDEX NO. 830 206-GR-20 OHIGAWA BRIDGE TR. MAX.ACCEL.= 60.546(GAL) T=24.00(SEC) NO.12

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2201	24.66	-23.711	2251	25.27	19.794	2301	25.92	26.858	2351	26.55	-33.914
2202	24.67	-22.220	2252	25.28	14.020	2302	25.94	21.579	2352	26.56	-33.928
2203	24.68	-20.740	2253	25.29	17.746	2303	25.95	16.658	2353	26.57	-33.572
2204	24.69	-17.628	2254	25.31	21.837	2304	25.96	10.536	2354	26.58	-33.340
2205	24.70	-15.145	2255	25.33	23.690	2305	25.98	7.139	2355	26.59	-31.233
2206	24.71	-10.923	2256	25.34	23.664	2306	25.99	0.117	2356	26.60	-24.016
2207	24.72	-10.688	2257	25.35	23.396	2307	26.00	-4.906	2357	26.62	-17.665
2208	24.73	-10.965	2258	25.36	22.131	2308	26.02	-15.623	2358	26.63	-9.811
2209	24.75	-12.619	2259	25.37	19.982	2309	26.04	-24.098	2359	26.64	-2.830
2210	24.76	-12.694	2260	25.38	16.468	2310	26.05	-28.492	2360	26.65	8.893
2211	24.77	-12.913	2261	25.39	14.575	2311	26.06	-33.638	2361	26.66	13.008
2212	24.78	-11.049	2262	25.40	11.677	2312	26.07	-35.780	2362	26.67	19.355
2213	24.79	-8.563	2263	25.42	3.389	2313	26.08	-37.545	2363	26.68	20.966
2214	24.80	-5.454	2264	25.43	0.487	2314	26.09	-33.820	2364	26.69	21.824
2215	24.81	-0.096	2265	25.45	-1.794	2315	26.10	-30.715	2365	26.70	22.174
2216	24.82	5.633	2266	25.47	-2.081	2316	26.11	-24.112	2366	26.71	23.149
2217	24.83	13.614	2267	25.48	-0.847	2317	26.13	-15.267	2367	26.72	23.011
2218	24.84	20.591	2268	25.50	-0.628	2318	26.14	-8.538	2368	26.73	23.627
2219	24.85	26.203	2269	25.51	-0.904	2319	26.15	-4.058	2369	26.74	25.975
2220	24.86	30.061	2270	25.53	-2.181	2320	26.16	-2.567	2370	26.75	28.459
2221	24.87	32.543	2271	25.55	-5.718	2321	26.17	-1.332	2371	26.76	28.694
2222	24.88	36.648	2272	25.56	-10.118	2322	26.18	2.264	2372	26.77	30.676
2223	24.89	37.875	2273	25.57	-14.017	2323	26.19	2.623	2373	26.78	29.019
2224	24.91	40.712	2274	25.59	-17.547	2324	26.20	3.477	2374	26.79	25.877
2225	24.92	41.316	2275	25.61	-21.088	2325	26.21	3.836	2375	26.80	21.483
2226	24.93	40.673	2276	25.63	-24.248	2326	26.22	4.073	2376	26.81	15.467
2227	24.94	40.657	2277	25.64	-26.144	2327	26.23	5.934	2377	26.82	10.693
2228	24.95	37.514	2278	25.65	-26.785	2328	26.24	8.406	2378	26.84	4.666
2229	24.96	33.985	2279	25.66	-25.924	2329	26.26	10.631	2379	26.85	0.143
2230	24.98	29.962	2280	25.67	-26.193	2330	26.27	12.854	2380	26.86	-4.629
2231	24.99	24.190	2281	25.68	-24.704	2331	26.28	13.829	2381	26.87	-7.281
2232	25.00	18.168	2282	25.69	-20.093	2332	26.30	11.548	2382	26.89	-8.560
2233	25.02	7.631	2283	25.70	-13.865	2333	26.32	10.504	2383	26.91	-8.597
2234	25.04	-3.527	2284	25.71	-4.516	2334	26.34	8.728	2384	26.94	-9.527
2235	25.05	-9.799	2285	25.73	3.956	2335	26.35	7.076	2385	26.95	-9.671
2236	25.06	-13.441	2286	25.74	8.688	2336	26.37	5.801	2386	26.96	-8.691
2237	25.07	-16.202	2287	25.75	11.917	2337	26.38	2.147	2387	26.97	-6.583
2238	25.08	-19.101	2288	25.76	14.028	2338	26.40	-3.753	2388	26.98	-3.727
2239	25.09	-19.872	2289	25.77	17.125	2339	26.41	-11.410	2389	26.99	0.748
2240	25.10	-20.514	2290	25.79	21.604	2340	26.43	-16.560	2390	27.00	1.984
2241	25.11	-20.292	2291	25.80	21.958	2341	26.44	-21.584	2391	27.01	4.708
2242	25.15	-22.728	2292	25.81	21.563	2342	26.45	-25.727	2392	27.02	5.067
2243	25.16	-23.754	2293	25.82	24.411	2343	26.46	-29.242	2393	27.04	6.538
2244	25.17	-24.022	2294	25.83	27.022	2344	26.47	-33.383	2394	27.05	6.882
2245	25.18	-23.788	2295	25.84	30.127	2345	26.48	-36.287	2395	27.07	6.477
2246	25.19	-21.934	2296	25.85	30.987	2346	26.49	-36.056	2396	27.08	4.079
2247	25.20	-18.832	2297	25.86	33.217	2347	26.51	-36.328	2397	27.09	3.053
2248	25.22	-14.482	2298	25.88	33.446	2348	26.52	-35.113	2398	27.10	1.158
2249	25.24	-3.394	2299	25.89	33.299	2349	26.53	-34.257	2399	27.12	1.138
2250	25.25	3.452	2300	25.90	31.393	2350	26.54	-33.651	2400	27.13	1.739

INDEX NO. 830 206-GR-20 OHIGAWA BRIDGE TR. MAX.ACCEL.= 60.546(GAL) T=24.00(SEC) NO.13

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2401	27.14	3.216	2451	27.61	-5.922	2501	28.45	-7.657	2551	29.04	19.243
2402	27.15	3.186	2452	27.62	-1.957	2502	28.47	-7.932	2552	29.05	20.595
2403	27.16	1.022	2453	27.64	1.639	2503	28.48	-8.089	2553	29.06	20.571
2404	27.19	-1.121	2454	27.86	6.951	2504	28.49	-7.231	2554	29.07	20.926
2405	27.20	-7.151	2455	27.87	11.075	2505	28.50	-5.998	2555	29.09	17.520
2406	27.22	-12.931	2456	27.89	14.178	2506	28.51	-4.767	2556	29.11	10.481
2407	27.23	-16.205	2457	27.90	15.783	2507	28.52	-1.285	2557	29.13	1.809
2408	27.24	-19.352	2458	27.91	17.384	2508	28.53	2.368	2558	29.15	-4.224
2409	27.25	-21.242	2459	27.92	17.363	2509	28.55	6.290	2559	29.18	-11.268
2410	27.26	-24.142	2460	27.94	13.205	2510	28.57	9.505	2560	29.20	-18.558
2411	27.27	-24.529	2461	27.95	9.814	2511	28.59	15.082	2561	29.22	-27.229
2412	27.28	-27.303	2462	27.96	7.921	2512	28.61	17.549	2562	29.23	-30.999
2413	27.29	-30.576	2463	27.97	8.775	2513	28.62	18.152	2563	29.24	-33.897
2414	27.30	-32.219	2464	27.98	9.367	2514	28.63	18.133	2564	29.25	-35.918
2415	27.31	-31.984	2465	27.99	8.474	2515	28.64	18.490	2565	29.26	-38.062
2416	27.32	-33.875	2466	28.00	7.579	2516	28.65	18.089	2566	29.27	-35.953
2417	27.33	-33.518	2467	28.01	3.933	2517	28.67	17.183	2567	29.28	-34.726
2418	27.34	-32.038	2468	28.02	4.806	2518	28.68	16.539	2568	29.30	-30.128
2419	27.35	-28.938	2469	28.03	3.651	2519	28.69	15.647	2569	29.32	-24.294
2420	27.37	-23.213	2470	28.04	3.253	2520	28.70	13.377	2570	29.34	-20.327
2421	27.38	-15.619	2471	28.06	4.103	2521	28.71	10.857	2571	29.36	-14.367
2422	27.40	-8.405	2472	28.07	3.207	2522	28.72	8.333	2572	29.38	-8.901
2423	27.42	1.427	2473	28.08	2.552	2523	28.74	2.177	2573	29.40	-4.066
2424	27.44	8.402	2474	28.09	1.995	2524	28.75	-3.849	2574	29.41	-1.345
2425	27.45	12.755	2475	28.11	0.030	2525	28.76	-10.869	2575	29.43	2.002
2426	27.46	17.601	2476	28.12	-2.263	2526	28.78	-19.391	2576	29.44	4.599
2427	27.48	21.323	2477	28.13	-6.043	2527	28.79	-23.536	2577	29.45	6.208
2428	27.49	23.548	2478	28.15	-10.692	2528	28.80	-26.806	2578	29.46	7.439
2429	27.50	26.405	2479	28.16	-16.595	2529	28.81	-30.822	2579	29.47	6.001
2430	27.51	26.633	2480	28.17	-21.739	2530	28.82	-30.971	2580	29.48	6.787
2431	27.53	26.109	2481	28.18	-27.763	2531	28.83	-28.740	2581	29.49	6.131
2432	27.55	22.322	2482	28.20	-34.803	2532	28.84	-26.089	2582	29.50	6.367
2433	27.56	15.536	2483	28.22	-36.454	2533	28.85	-26.286	2583	29.51	6.350
2434	27.59	7.247	2484	28.23	-37.109	2534	28.86	-25.056	2584	29.52	6.081
2435	27.60	1.974	2485	28.25	-35.264	2535	28.87	-25.077	2585	29.53	4.814
2436	27.61	-7.809	2486	28.26	-33.160	2536	28.88	-24.215	2586	29.54	3.918
2437	27.63	-18.472	2487	28.27	-30.310	2537	28.89	-21.734	2587	29.56	1.391
2438	27.64	-21.365	2488	28.28	-26.580	2538	28.90	-20.752	2588	29.57	-4.767
2439	27.65	-23.503	2489	28.29	-23.100	2539	28.91	-18.144	2589	29.59	-8.803
2440	27.66	-24.691	2490	28.30	-20.609	2540	28.92	-16.286	2590	29.61	-12.712
2441	27.67	-27.785	2491	28.31	-16.128	2541	28.93	-15.425	2591	29.63	-15.869
2442	27.69	-28.204	2492	28.32	-10.526	2542	28.94	-11.949	2592	29.64	-18.392
2443	27.70	-27.597	2493	28.33	-7.550	2543	28.95	-8.099	2593	29.66	-19.675
2444	27.71	-25.991	2494	28.34	-5.069	2544	28.96	-5.981	2594	29.68	-21.460
2445	27.72	-23.883	2495	28.36	-2.594	2545	28.97	0.744	2595	29.69	-21.236
2446	27.73	-21.396	2496	28.37	-0.630	2546	28.98	8.340	2596	29.71	-21.147
2447	27.74	-16.305	2497	28.39	-2.159	2547	28.99	11.076	2597	29.73	-19.050
2448	27.76	-13.829	2498	28.40	-3.184	2548	29.00	14.440	2598	29.74	-15.951
2449	27.77	-11.979	2499	28.42	-5.097	2549	29.01	16.161	2599	29.76	-13.100
2450	27.79	-9.510	2500	28.44	-6.630	2550	29.02	18.393	2600	29.77	-9.002

INDEX NO. 830 206-GR-20 OHIGAWA BRIDGE TR. MAX.ACCEL.= 60.546(GAL) T=24.00(SEC) NO.14

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2601	29.78	-7.511	2651	30.50	-24.621	2701	31.28	-12.585	2751	32.00	10.918
2602	29.79	-2.293	2652	30.53	-26.165	2702	31.29	-13.982	2752	32.01	9.019
2603	29.80	0.068	2653	30.55	-26.454	2703	31.30	-16.506	2753	32.03	4.994
2604	29.81	3.675	2654	30.56	-26.891	2704	31.31	-16.640	2754	32.05	-2.046
2605	29.82	6.409	2655	30.61	-25.446	2705	31.32	-19.917	2755	32.06	-9.074
2606	29.83	8.012	2656	30.62	-21.367	2706	31.34	-19.694	2756	32.08	-14.478
2607	29.85	9.237	2657	30.64	-14.385	2707	31.35	-19.719	2757	32.09	-19.004
2608	29.86	12.459	2658	30.66	-7.918	2708	31.36	-18.673	2758	32.10	-22.151
2609	29.88	12.417	2659	30.67	-4.318	2709	31.37	-16.763	2759	32.11	-23.796
2610	29.90	9.258	2660	30.68	-1.581	2710	31.38	-14.202	2760	32.13	-24.319
2611	29.92	6.104	2661	30.69	4.768	2711	31.39	-11.180	2761	32.14	-24.842
2612	29.93	2.207	2662	30.70	7.621	2712	31.41	-9.212	2762	32.15	-24.864
2613	29.94	0.311	2663	30.73	12.702	2713	31.42	-7.609	2763	32.17	-23.018
2614	29.95	-0.587	2664	30.75	12.919	2714	31.44	-6.013	2764	32.18	-22.791
2615	29.97	-0.364	2665	30.77	10.751	2715	31.47	-5.190	2765	32.19	-22.449
2616	29.99	-1.019	2666	30.79	8.831	2716	31.48	-3.582	2766	32.20	-21.217
2617	30.00	-1.679	2667	30.81	4.600	2717	31.49	-5.111	2767	32.22	-19.744
2618	30.01	-2.324	2668	30.82	1.905	2718	31.51	-6.889	2768	32.23	-16.141
2619	30.02	-2.591	2669	30.83	0.515	2719	31.52	-5.659	2769	32.24	-12.789
2620	30.03	-4.986	2670	30.85	-1.148	2720	31.54	-4.696	2770	32.25	-8.935
2621	30.05	-8.382	2671	30.86	-2.683	2721	31.55	-4.098	2771	32.28	-3.232
2622	30.06	-13.536	2672	30.88	-6.592	2722	31.56	-4.497	2772	32.29	+0.129
2623	30.08	-18.314	2673	30.90	-9.998	2723	31.57	-5.640	2773	32.31	3.957
2624	30.09	-23.091	2674	30.91	-12.697	2724	31.59	-8.545	2774	32.34	7.781
2625	30.10	-24.977	2675	30.93	-17.682	2725	31.61	-13.589	2775	32.37	11.222
2626	30.11	-25.747	2676	30.95	-23.220	2726	31.63	-17.117	2776	32.39	13.310
2627	30.12	-25.151	2677	30.97	-28.388	2727	31.64	-20.643	2777	32.40	13.036
2628	30.14	-25.430	2678	30.98	-30.910	2728	31.66	-25.799	2778	32.42	10.747
2629	30.15	-25.208	2679	31.00	-32.442	2729	31.67	-26.694	2779	32.44	6.714
2630	30.17	-22.364	2680	31.02	-32.046	2730	31.68	-27.714	2780	32.46	1.671
2631	30.18	-19.266	2681	31.03	-31.368	2731	31.69	-26.113	2781	32.48	-5.120
2632	30.20	-14.042	2682	31.04	-29.396	2732	31.71	-24.651	2782	32.50	-10.534
2633	30.22	-8.959	2683	31.05	-26.543	2733	31.73	-23.182	2783	32.52	-13.446
2634	30.25	+1.388	2684	31.06	-18.438	2734	31.75	-21.345	2784	32.54	-15.979
2635	30.26	4.336	2685	31.07	-11.331	2735	31.77	-17.637	2785	32.56	-17.639
2636	30.28	11.306	2686	31.09	-4.685	2736	31.78	-11.543	2786	32.57	-16.158
2637	30.29	15.038	2687	31.10	0.500	2737	31.80	-6.818	2787	32.58	-18.937
2638	30.30	18.007	2688	31.11	5.852	2738	31.81	-2.347	2788	32.60	-19.963
2639	30.31	20.495	2689	31.12	9.712	2739	31.84	1.970	2789	32.61	-20.609
2640	30.32	19.851	2690	31.13	14.058	2740	31.86	4.617	2790	32.63	-18.781
2641	30.33	19.832	2691	31.14	15.919	2741	31.87	7.409	2791	32.65	+17.562
2642	30.35	15.048	2692	31.15	17.022	2742	31.89	8.638	2792	32.66	-15.706
2643	30.36	6.771	2693	31.17	15.745	2743	31.90	8.234	2793	32.68	-14.734
2644	30.38	3.994	2694	31.18	14.224	2744	31.91	9.461	2794	32.69	-13.883
2645	30.39	0.352	2695	31.19	11.071	2745	31.92	9.188	2795	32.70	-13.663
2646	30.41	-3.939	2696	31.21	7.170	2746	31.94	8.910	2796	32.73	-11.216
2647	30.42	-5.718	2697	31.22	1.774	2747	31.95	8.892	2797	32.77	-8.658
2648	30.45	-11.763	2698	31.24	-2.760	2748	31.96	10.369	2798	32.80	-4.398
2649	30.47	-16.799	2699	31.25	-8.163	2749	31.97	11.219	2799	32.82	-3.123
2650	30.49	-21.461	2700	31.26	-11.060	2750	31.99	11.195	2800	32.83	+2.027

INDEX NO. 830 206-GR-20 OHIGAWA BRIDGE TR. MAX.ACCEL.= 60.546(GAL) T=24.00(SEC) NO.15

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2801	32.84	-3.922	2851	33.76	-29.122
2802	32.87	-7.719	2852	33.73	-27.893
2803	32.89	-13.519	2853	33.79	-26.667
2804	32.90	-15.038	2854	33.81	-23.021
2805	32.91	-16.303	2855	33.82	-16.355
2806	32.92	-16.702	2856	33.85	-6.404
2807	32.94	-16.238	2857	33.88	-1.449
2808	32.96	-15.025	2858	33.89	2.892
2809	32.98	-12.935	2859	33.91	6.109
2810	33.01	-8.491	2860	33.93	9.454
2811	33.04	-1.793	2861	33.94	10.430
2812	33.06	-0.574	2862	33.96	11.772
2813	33.08	2.141	2863	33.98	10.244
2814	33.10	3.978	2864	34.00	4.825
2815	33.11	4.330	2865	34.02	0.041
2816	33.12	5.058	2866	34.04	-6.744
2817	33.14	2.526	2867	34.05	-11.150
2818	33.16	-0.893	2868	34.07	-15.313
2819	33.19	-5.445	2869	34.09	-17.050
2820	33.22	-11.005	2870	34.12	-19.022
2821	33.26	-18.574	2871	34.14	-19.062
2822	33.30	-22.143	2872	34.16	-18.850
2823	33.33	-25.072	2873	34.18	-17.269
2824	33.35	-25.874	2874	34.20	-17.055
2825	33.37	-26.521	2875	34.21	-15.198
2826	33.38	-25.546	2876	34.22	-14.590
2827	33.39	-24.966	2877	34.23	-11.991
2828	33.40	-21.337	2878	34.25	-10.401
2829	33.42	-16.743	2879	34.27	-9.553
2830	33.43	-12.759	2880	34.28	-8.330
2831	33.44	-7.655	2881	34.31	-7.376
2832	33.46	2.427	2882	34.33	-5.788
2833	33.48	5.277	2883	34.34	-3.819
2834	33.49	9.375	2884	34.35	-2.342
2835	33.50	11.233	2885	34.36	-1.735
2836	33.52	14.077	2886	34.38	0.734
2837	33.53	16.558	2887	34.39	2.956
2838	33.54	18.161	2888	34.41	5.426
2839	33.55	19.643	2889	34.43	6.643
2840	33.56	17.256	2890	34.45	7.232
2841	33.57	16.231	2891	34.46	7.576
2842	33.58	13.714	2892	34.48	6.919
2843	33.59	7.442	2893	34.50	4.135
2844	33.60	3.168			
2845	33.62	-4.108			
2846	33.63	-10.260			
2847	33.66	-17.566			
2848	33.70	-27.138			
2849	33.73	-28.060			
2850	33.75	-29.472			

Table IX D-57 Digitized Accelerations of Earthquake Record with Index Number 831

INDEX NO. 831 206-GR-20 OHIGAWA BRIDGE U-D MAX.ACCEL.= 18.866(GAL) T=12.32(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.0	0.750	51	0.51	-2.646	101	1.02	0.089	151	1.53	2.696
2	0.01	-0.130	52	0.52	-3.525	102	1.04	-2.189	152	1.54	4.319
3	0.02	-3.012	53	0.53	-5.278	103	1.05	-5.302	153	1.55	3.938
4	0.03	-5.265	54	0.54	-7.787	104	1.06	-7.683	154	1.56	1.183
5	0.04	-5.644	55	0.55	-8.039	105	1.07	-8.061	155	1.57	-0.322
6	0.05	-6.653	56	0.56	-6.544	106	1.08	-7.440	156	1.58	-0.702
7	0.06	-6.656	57	0.57	-3.322	107	1.09	-3.073	157	1.59	-2.210
8	0.07	-5.412	58	0.58	0.569	108	1.10	-0.577	158	1.60	-2.837
9	0.08	-4.167	59	0.59	1.186	109	1.11	2.667	159	1.61	-4.094
10	0.09	-3.171	60	0.60	1.181	110	1.12	2.039	160	1.62	-2.972
11	0.10	-6.555	61	0.61	0.301	111	1.13	-4.470	161	1.63	-2.604
12	0.11	-7.559	62	0.62	-1.203	112	1.14	-6.849	162	1.64	-6.735
13	0.12	-7.811	63	0.63	-0.957	113	1.15	-8.729	163	1.65	-7.988
14	0.13	-4.196	64	0.64	-0.961	114	1.16	-8.985	164	1.66	-4.369
15	0.14	-0.451	65	0.65	-0.341	115	1.17	-8.990	165	1.67	-1.248
16	0.16	3.789	66	0.66	-2.225	116	1.18	-9.621	166	1.68	0.996
17	0.17	5.681	67	0.67	-4.729	117	1.19	-9.372	167	1.69	0.993
18	0.18	4.156	68	0.68	-6.984	118	1.20	-3.502	168	1.70	-1.892
19	0.19	-2.728	69	0.70	-5.617	119	1.21	2.614	169	1.71	-3.396
20	0.20	-4.555	70	0.71	-5.123	120	1.22	2.360	170	1.72	-4.652
21	0.21	-2.860	71	0.72	-4.755	121	1.23	1.982	171	1.73	-4.407
22	0.22	-0.365	72	0.73	-4.132	122	1.24	-2.653	172	1.74	-4.661
23	0.23	1.256	73	0.74	-1.387	123	1.25	-2.658	173	1.75	-6.167
24	0.24	-0.002	74	0.75	4.979	124	1.26	-2.410	174	1.76	-6.170
25	0.25	-1.259	75	0.76	5.600	125	1.27	-0.793	175	1.77	-5.674
26	0.26	-1.012	76	0.77	7.472	126	1.28	-3.297	176	1.78	-4.429
27	0.27	1.231	77	0.79	5.338	127	1.29	-8.179	177	1.79	-3.436
28	0.28	2.103	78	0.79	2.582	128	1.30	-7.930	178	1.80	-4.943
29	0.29	0.346	79	0.80	0.955	129	1.31	-4.636	179	1.81	-4.947
30	0.30	-5.411	80	0.81	-0.927	130	1.32	-1.690	180	1.82	-5.328
31	0.31	-10.914	81	0.82	-0.600	131	1.33	-1.574	181	1.83	-5.082
32	0.32	-9.420	82	0.83	1.562	132	1.34	-1.952	182	1.84	-4.712
33	0.33	-6.548	83	0.84	3.183	133	1.35	2.540	183	1.85	-4.468
34	0.34	3.070	84	0.85	2.430	134	1.36	4.660	184	1.86	-3.473
35	0.35	3.942	85	0.86	-3.453	135	1.37	5.658	185	1.87	-6.978
36	0.36	2.436	86	0.87	-4.330	136	1.38	4.402	186	1.88	2.517
37	0.37	0.553	87	0.88	-3.836	137	1.39	-2.605	187	1.89	4.136
38	0.38	-0.702	88	0.89	-3.466	138	1.40	-3.484	188	1.90	7.256
39	0.39	1.791	89	0.90	-3.471	139	1.41	-2.612	189	1.91	7.878
40	0.40	2.662	90	0.91	-3.728	140	1.42	0.507	190	1.92	7.248
41	0.41	3.033	91	0.92	-4.110	141	1.43	0.876	191	1.93	-5.261
42	0.42	2.405	92	0.93	-4.363	142	1.44	0.247	192	1.94	-6.639
43	0.43	-0.729	93	0.94	-5.494	143	1.45	-2.886	193	1.95	-7.017
44	0.44	-1.360	94	0.95	-5.747	144	1.46	-4.140	194	1.96	-2.652
45	0.45	-0.737	95	0.96	-4.255	145	1.47	-3.020	195	1.97	-1.028
46	0.46	4.879	96	0.97	-3.384	146	1.48	-1.149	196	1.98	0.217
47	0.47	8.248	97	0.98	-2.388	147	1.49	-1.407	197	1.99	-1.666
48	0.48	7.746	98	0.99	-0.892	148	1.50	-2.661	198	2.00	-3.173
49	0.49	7.388	99	1.00	1.598	149	1.51	-3.339	199	2.01	-2.926
50	0.50	2.736	100	1.01	1.596	150	1.52	-3.546	200	2.02	-1.681

INDEX NO. 831 206-GR-20 OMIGAWA BRIDGE U-D MAX.ACCEL.= 18.866(GAL) T=12.32(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	2.03	-1.687	251	2.54	-3.201	301	3.04	-6.959	351	3.54	-5.599
202	2.04	-1.442	252	2.55	0.792	302	3.05	-5.089	352	3.55	-5.600
203	2.06	-2.324	253	2.56	-1.984	303	3.06	-4.099	353	3.56	-2.057
204	2.07	-3.834	254	2.57	-6.969	304	3.07	-3.851	354	3.57	-0.986
205	2.08	-4.214	255	2.58	-8.849	305	3.08	3.536	355	3.58	-1.869
206	2.09	-6.093	256	2.59	-5.355	306	3.09	6.637	356	3.59	-5.625
207	2.10	-8.598	257	2.60	-3.607	307	3.10	6.884	357	3.60	-5.877
208	2.11	-8.851	258	2.61	-0.487	308	3.11	3.503	358	3.61	-4.383
209	2.12	-4.656	259	2.62	-0.745	309	3.12	0.997	359	3.62	-4.137
210	2.13	2.136	260	2.63	-2.249	310	3.13	-1.509	360	3.63	-3.144
211	2.14	6.505	261	2.64	-3.004	311	3.14	-3.389	361	3.64	-5.027
212	2.15	6.754	262	2.65	-3.012	312	3.15	-7.894	362	3.65	-10.658
213	2.16	4.373	263	2.66	-4.516	313	3.16	-11.025	363	3.66	-12.536
214	2.17	-1.884	264	2.67	-6.021	314	3.17	-9.529	364	3.67	-11.039
215	2.18	-2.263	265	2.68	-6.652	315	3.18	-3.533	365	3.68	-10.673
216	2.19	-1.896	266	2.69	-6.656	316	3.19	7.461	366	3.69	-12.179
217	2.20	-4.402	267	2.70	-6.162	317	3.20	9.082	367	3.70	-12.556
218	2.21	-7.032	268	2.71	-5.166	318	3.21	5.076	368	3.71	-8.561
219	2.22	-7.036	269	2.72	-6.672	319	3.22	-4.306	369	3.72	-1.941
220	2.23	-5.789	270	2.73	-8.303	320	3.23	-6.062	370	3.73	3.175
221	2.24	-4.045	271	2.74	-9.558	321	3.24	-5.066	371	3.74	-3.706
222	2.25	-6.428	272	2.75	-8.311	322	3.25	-4.568	372	3.75	-6.961
223	2.26	-9.307	273	2.76	-6.814	323	3.26	-4.450	373	3.76	-6.962
224	2.27	-10.564	274	2.77	-5.195	324	3.27	-4.458	374	3.77	-5.472
225	2.28	-10.317	275	2.78	-4.578	325	3.28	-3.585	375	3.78	-5.725
226	2.29	-10.321	276	2.79	-4.332	326	3.29	-0.463	376	3.79	-6.608
227	2.30	-8.451	277	2.80	-6.088	327	3.30	0.779	377	3.80	-7.614
228	2.31	-5.585	278	2.81	-7.344	328	3.31	-1.353	378	3.81	-7.868
229	2.32	-5.338	279	2.82	-8.348	329	3.32	-5.107	379	3.82	-6.371
230	2.33	-5.044	280	2.83	-5.852	330	3.33	-9.864	380	3.83	-1.751
231	2.34	-4.972	281	2.84	-1.855	331	3.34	-12.368	381	3.84	0.117
232	2.35	-2.854	282	2.85	0.640	332	3.35	-12.995	382	3.85	-1.014
233	2.36	2.014	283	2.86	-2.120	333	3.36	-9.001	383	3.86	-2.645
234	2.37	5.385	284	2.87	-2.121	334	3.37	-1.757	384	3.87	-2.650
235	2.38	5.758	285	2.88	0.621	335	3.38	3.361	385	3.88	-2.404
236	2.39	2.627	286	2.89	2.365	336	3.39	3.358	386	3.89	-2.909
237	2.40	-3.632	287	2.90	1.737	337	3.40	2.104	387	3.90	-5.166
238	2.41	-5.887	288	2.91	-1.644	338	3.41	0.846	388	3.91	-7.298
239	2.42	-6.516	289	2.92	-3.274	339	3.42	4.590	389	3.92	-7.676
240	2.43	-6.923	290	2.93	-4.529	340	3.43	4.338	390	3.93	-6.430
241	2.44	-5.652	291	2.94	-7.785	341	3.44	4.204	391	3.94	-6.064
242	2.45	-7.783	292	2.95	-9.916	342	3.45	5.824	392	3.95	-7.941
243	2.46	-8.765	293	2.96	-12.419	343	3.46	5.823	393	3.96	-13.323
244	2.47	-8.789	294	2.97	-8.800	344	3.47	3.942	394	3.97	-13.951
245	2.48	-8.170	295	2.98	-7.554	345	3.48	-5.066	395	3.98	-8.335
246	2.49	-5.676	296	2.99	-4.687	346	3.49	-7.695	396	3.99	-4.591
247	2.50	-4.434	297	3.00	-3.815	347	3.50	-8.323	397	4.00	-2.719
248	2.51	-4.437	298	3.01	-3.696	348	3.51	-4.330	398	4.01	-2.352
249	2.52	-5.068	299	3.02	-6.203	349	3.52	-2.209	399	4.02	-2.981
250	2.53	-5.696	300	3.03	-7.207	350	3.53	-2.468	400	4.03	-2.984

INDEX NO. 831 206-GR-20 OMIGAWA BRIDGE U-D MAX.ACCEL.= 18.866(GAL) T=12.32(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	4.04	-1.742	451	4.56	-13.019	501	5.06	-3.288	551	5.56	-10.176
402	4.05	-2.372	452	4.57	-4.025	502	5.07	-2.668	552	5.57	-6.682
403	4.06	-3.002	453	4.58	1.093	503	5.08	-3.300	553	5.58	-6.689
404	4.07	-4.259	454	4.59	1.464	504	5.09	-3.554	554	5.59	-6.692
405	4.08	-4.260	455	4.60	-2.919	505	5.10	-4.036	555	5.60	-10.450
406	4.09	-3.391	456	4.61	-6.299	506	5.11	-4.939	556	5.61	-11.078
407	4.10	1.102	457	4.62	-7.056	507	5.12	-5.193	557	5.62	-7.709
408	4.11	-4.781	458	4.63	-5.556	508	5.13	-4.951	558	5.63	-3.590
409	4.12	-6.161	459	4.64	2.060	509	5.14	-6.081	559	5.64	-2.098
410	4.13	-5.913	460	4.65	1.434	510	5.15	-7.085	560	5.65	-2.976
411	4.14	-4.043	461	4.66	-5.701	511	5.16	-9.593	561	5.66	-5.110
412	4.15	-4.300	462	4.67	-7.078	512	5.17	-11.473	562	5.67	-5.487
413	4.16	-9.932	463	4.68	-6.208	513	5.18	-11.226	563	5.68	-4.402
414	4.17	-11.811	464	4.69	-7.092	514	5.19	-4.356	564	5.69	-1.496
415	4.18	-8.190	465	4.70	-9.598	515	5.20	1.138	565	5.70	1.119
416	4.19	-5.069	466	4.71	-11.603	516	5.21	2.385	566	5.71	-0.385
417	4.20	-2.199	467	4.72	-10.608	517	5.22	1.501	567	5.72	-6.016
418	4.21	-3.708	468	4.73	-9.361	518	5.23	0.874	568	5.73	-9.271
419	4.22	-7.840	469	4.74	-9.116	519	5.24	-3.260	569	5.74	-10.526
420	4.23	-8.719	470	4.75	-7.870	520	5.25	-7.389	570	5.75	-10.279
421	4.24	-8.724	471	4.76	-4.754	521	5.26	-9.644	571	5.76	-7.787
422	4.25	-8.727	472	4.77	-3.506	522	5.27	-9.398	572	5.77	-7.792
423	4.26	-9.359	473	4.78	-1.264	523	5.28	-8.406	573	5.78	-8.048
424	4.27	-11.867	474	4.79	-2.771	524	5.29	-8.158	574	5.79	-7.800
425	4.28	-12.496	475	4.80	-2.773	525	5.30	-6.288	575	5.80	-4.056
426	4.29	-11.998	476	4.81	-1.276	526	5.31	0.704	576	5.81	-2.436
427	4.31	4.987	477	4.82	-0.661	527	5.32	1.701	577	5.82	-1.820
428	4.32	7.482	478	4.83	-4.417	528	5.33	-1.058	578	5.83	-4.576
429	4.33	6.980	479	4.84	-7.172	529	5.34	-2.937	579	5.84	-6.205
430	4.35	4.469	480	4.85	-10.678	530	5.35	-4.567	580	5.85	-8.962
431	4.36	0.713	481	4.86	-11.557	531	5.36	-3.966	581	5.86	-10.841
432	4.37	-2.791	482	4.87	-11.061	532	5.37	-1.827	582	5.87	-10.598
433	4.38	-9.176	483	4.88	-10.440	533	5.38	-0.834	583	5.89	-8.731
434	4.39	-11.682	484	4.89	-9.824	534	5.39	-2.965	584	5.90	-6.612
435	4.40	-12.937	485	4.90	-10.077	535	5.40	-7.469	585	5.91	-5.368
436	4.41	-13.189	486	4.91	-9.455	536	5.41	-15.475	586	5.92	-3.746
437	4.42	-9.444	487	4.92	-4.214	537	5.42	-16.103	587	5.93	-1.880
438	4.43	-6.451	488	4.93	-2.967	538	5.43	-11.110	588	5.94	-2.759
439	4.44	-6.709	489	4.94	-0.726	539	5.44	-7.864	589	5.95	-3.389
440	4.45	-6.462	490	4.95	-0.856	540	5.45	-4.747	590	5.96	-3.767
441	4.46	-5.215	491	4.96	-0.611	541	5.46	-5.377	591	5.97	-3.152
442	4.47	-2.096	492	4.97	-0.865	542	5.47	-6.254	592	5.98	-4.030
443	4.48	3.396	493	4.98	-1.246	543	5.48	-3.885	593	5.99	-5.286
444	4.49	3.644	494	4.99	-3.127	544	5.49	-3.514	594	6.00	-6.667
445	4.50	2.139	495	5.00	-4.380	545	5.50	-4.146	595	6.01	-7.171
446	4.51	-2.869	496	5.01	-8.888	546	5.51	-5.400	596	6.02	-8.178
447	4.52	-3.126	497	5.02	-9.518	547	5.52	-6.657	597	6.03	-8.431
448	4.53	-4.129	498	5.03	-6.270	548	5.53	-8.788	598	6.04	-7.184
449	4.54	-10.136	499	5.04	-5.525	549	5.54	-10.669	599	6.05	-4.439
450	4.55	-13.892	500	5.05	-3.281	550	5.55	-10.422	600	6.06	-1.695

INDEX NO. 831 206-GR-20 ONIGAWA BRIDGE U-D MAX.ACCEL.= 18.866(GAL) T=12.32(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	6.07	-1.326	651	6.57	-4.337	701	7.07	-6.852	751	7.59	-8.131
602	6.08	-2.334	652	6.58	-5.404	702	7.08	-9.357	752	7.60	-5.261
603	6.09	-2.589	653	6.59	-6.349	703	7.09	-9.361	753	7.61	-2.140
604	6.10	-2.591	654	6.60	-9.977	704	7.10	-8.488	754	7.62	1.104
605	6.11	1.900	655	6.61	-5.962	705	7.11	-6.498	755	7.63	-4.155
606	6.12	1.699	656	6.62	5.637	706	7.12	-7.127	756	7.64	-4.159
607	6.13	-3.359	657	6.63	10.131	707	7.13	-8.134	757	7.65	-3.287
608	6.14	-5.613	658	6.64	8.377	708	7.14	-7.261	758	7.66	-0.795
609	6.15	-3.491	659	6.65	6.495	709	7.15	-1.019	759	7.67	1.323
610	6.16	-0.624	660	6.66	-2.761	710	7.16	0.728	760	7.68	0.445
611	6.17	-0.879	661	6.67	-3.012	711	7.17	0.973	761	7.69	0.442
612	6.18	-2.761	662	6.68	-1.518	712	7.18	-0.787	762	7.70	-1.067
613	6.19	-2.515	663	6.69	3.099	713	7.19	-2.166	763	7.71	-0.570
614	6.20	-1.893	664	6.70	4.719	714	7.20	-1.544	764	7.72	1.425
615	6.21	-1.026	665	6.71	3.217	715	7.21	3.450	765	7.73	2.543
616	6.22	-1.279	666	6.72	-1.167	716	7.22	5.322	766	7.74	2.910
617	6.23	-3.411	667	6.73	-2.420	717	7.23	-3.063	767	7.75	2.030
618	6.24	-4.417	668	6.74	-1.923	718	7.24	-8.442	768	7.76	1.650
619	6.25	-4.671	669	6.75	-0.931	719	7.25	-10.071	769	7.77	0.771
620	6.26	-4.424	670	6.76	-0.937	720	7.26	-8.576	770	7.78	-2.361
621	6.27	-3.182	671	6.77	-2.193	721	7.27	-3.631	771	7.79	-5.242
622	6.28	-2.563	672	6.78	-3.443	722	7.28	0.037	772	7.80	-7.123
623	6.29	-2.315	673	6.79	-0.653	723	7.29	-0.591	773	7.81	-7.125
624	6.30	-1.696	674	6.80	-2.635	724	7.30	-0.847	774	7.82	-5.009
625	6.31	-3.826	675	6.81	-3.465	725	7.31	-2.106	775	7.83	-4.014
626	6.32	-5.959	676	6.82	-2.218	726	7.33	-3.738	776	7.84	-2.143
627	6.33	-8.904	677	6.83	-2.221	727	7.34	-5.245	777	7.85	-1.272
628	6.34	-11.718	678	6.84	-1.653	728	7.35	-4.999	778	7.86	-0.277
629	6.35	-12.096	679	6.85	-3.110	729	7.36	-5.004	779	7.87	-0.536
630	6.36	-6.852	680	6.86	-4.366	730	7.37	-4.136	780	7.88	-1.791
631	6.37	-2.106	681	6.87	-4.119	731	7.38	-3.519	781	7.89	-3.672
632	6.38	1.136	682	6.88	-4.124	732	7.39	-3.523	782	7.90	-5.926
633	6.39	2.006	683	6.89	-2.878	733	7.40	-3.778	783	7.91	-7.433
634	6.40	3.252	684	6.90	-2.258	734	7.41	-5.282	784	7.92	-7.186
635	6.41	3.622	685	6.91	-3.516	735	7.42	-5.911	785	7.93	-3.192
636	6.42	5.115	686	6.92	-7.272	736	7.43	-6.544	786	7.94	0.929
637	6.43	6.360	687	6.93	-12.025	737	7.44	-6.923	787	7.95	-1.203
638	6.44	6.731	688	6.94	-12.404	738	7.45	-6.052	788	7.96	-3.459
639	6.45	6.100	689	6.95	-12.159	739	7.46	-2.310	789	7.97	-6.216
640	6.46	5.222	690	6.96	-6.539	740	7.47	2.059	790	7.98	-4.471
641	6.47	-1.661	691	6.97	-2.422	741	7.48	3.679	791	7.99	-3.475
642	6.48	-4.541	692	6.98	-3.677	742	7.49	3.677	792	8.00	-1.979
643	6.49	-5.172	693	6.99	-5.556	743	7.50	2.795	793	8.01	4.263
644	6.50	-4.927	694	7.00	-5.562	744	7.51	2.415	794	8.02	8.757
645	6.51	-5.557	695	7.01	-3.066	745	7.52	5.530	795	8.03	8.753
646	6.52	-5.166	696	7.02	-1.622	746	7.53	5.529	796	8.04	6.000
647	6.53	-4.564	697	7.03	-2.705	747	7.54	1.520	797	8.05	2.619
648	6.54	-2.444	698	7.04	-5.211	748	7.56	-2.237	798	8.06	4.737
649	6.55	0.674	699	7.05	-5.840	749	7.57	-4.742	799	8.07	6.854
650	6.56	-2.958	700	7.06	-5.647	750	7.58	-9.002	800	8.08	5.977

INDEX NO. 831 206-GR-20 ONIGAWA BRIDGE U-D MAX.ACCEL.= 18.866(GAL) T=12.32(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	8.09	-4.406	851	8.61	5.693	901	9.11	-0.949	951	9.61	2.540
802	8.10	-4.412	852	8.62	3.612	902	9.12	-0.950	952	9.62	2.536
803	8.11	-3.914	853	8.63	3.184	903	9.13	0.293	953	9.63	2.280
804	8.12	-4.176	854	8.64	3.803	904	9.14	6.911	954	9.64	3.773
805	8.13	-3.552	855	8.65	4.672	905	9.15	10.656	955	9.65	4.021
806	8.14	-4.807	856	8.66	6.292	906	9.16	11.652	956	9.66	1.889
807	8.15	-6.063	857	8.67	6.289	907	9.17	11.649	957	9.67	-6.870
808	8.16	-5.815	858	8.68	2.534	908	9.18	10.394	958	9.68	-7.497
809	8.17	-3.320	859	8.69	-7.226	909	9.19	8.763	959	9.69	-5.377
810	8.18	-1.459	860	8.70	-5.481	910	9.20	5.754	960	9.70	-2.258
811	8.19	-2.332	861	8.71	-7.607	911	9.21	5.002	961	9.71	-1.637
812	8.20	-3.586	862	8.72	-4.866	912	9.22	4.121	962	9.72	-1.268
813	8.21	-2.341	863	8.73	-4.245	913	9.23	-1.136	963	9.73	-2.276
814	8.22	2.650	864	8.74	-5.751	914	9.24	-5.141	964	9.74	-2.279
815	8.23	2.023	865	8.75	-6.391	915	9.25	-6.021	965	9.75	-2.158
816	8.24	0.516	866	8.76	-3.260	916	9.26	-6.275	966	9.76	3.083
817	8.25	-1.365	867	8.77	3.856	917	9.27	-7.532	967	9.77	-1.298
818	8.26	-1.992	868	8.78	4.231	918	9.28	-9.159	968	9.78	-4.429
819	8.27	1.624	869	8.79	-2.030	919	9.29	-8.540	969	9.79	-5.305
820	8.28	5.117	870	8.80	-3.657	920	9.30	-6.045	970	9.80	-4.187
821	8.29	5.365	871	8.81	-2.664	921	9.31	-4.800	971	9.81	-3.193
822	8.30	4.234	872	8.82	-2.417	922	9.32	-3.931	972	9.82	-2.323
823	8.31	2.353	873	8.83	-1.799	923	9.33	-3.312	973	9.83	-1.702
824	8.32	-1.154	874	8.84	-2.681	924	9.34	-2.068	974	9.84	-1.961
825	8.34	-1.535	875	8.85	-2.684	925	9.35	-2.574	975	9.85	-4.090
826	8.35	-2.042	876	8.86	-1.188	926	9.36	-3.828	976	9.86	-8.972
827	8.36	-3.300	877	8.87	0.650	927	9.37	-4.456	977	9.87	-8.723
828	8.38	-3.683	878	8.88	1.676	928	9.38	2.661	978	9.88	-6.229
829	8.39	-4.315	879	8.89	0.795	929	9.39	7.155	979	9.89	-4.861
830	8.40	-4.321	880	8.90	1.039	930	9.40	8.027	980	9.90	-8.993
831	8.41	-3.698	881	8.91	2.283	931	9.41	5.648	981	9.91	-11.498
832	8.42	-0.955	882	8.92	3.154	932	9.42	-3.234	982	9.92	-11.503
833	8.43	4.038	883	8.93	3.526	933	9.43	1.383	983	9.93	-10.005
834	8.44	7.657	884	8.94	2.270	934	9.44	2.879	984	9.94	-5.634
835	8.45	8.005	885	8.95	1.412	935	9.45	-1.128	985	9.95	-1.393
836	8.46	7.647	886	8.96	-0.245	936	9.46	-0.881	986	9.96	-3.523
837	8.47	6.768	887	8.97	-0.871	937	9.47	-0.888	987	9.97	-6.654
838	8.48	6.389	888	8.98	-6.129	938	9.48	-1.394	988	9.98	-6.658
839	8.49	6.135	889	8.99	-7.759	939	9.49	-2.397	989	9.99	-6.163
840	8.50	5.750	890	9.00	-7.765	940	9.50	-2.404	990	10.00	-5.797
841	8.51	6.819	891	9.01	-5.645	941	9.51	3.840	991	10.01	-7.301
842	8.52	7.615	892	9.02	-4.649	942	9.52	5.711	992	10.02	-8.554
843	8.53	5.738	893	9.03	-4.654	943	9.53	4.456	993	10.03	-8.558
844	8.54	1.982	894	9.04	-9.412	944	9.54	-4.925	994	10.04	-6.187
845	8.55	0.349	895	9.05	-10.416	945	9.55	-6.430	995	10.05	-1.193
846	8.56	1.346	896	9.06	-10.671	946	9.56	-6.811	996	10.06	-0.452
847	8.57	1.966	897	9.07	-10.423	947	9.57	-6.816	997	10.07	-2.706
848	8.58	3.836	898	9.08	-7.679	948	9.58	-5.320	998	10.08	-3.584
849	8.59	5.952	899	9.09	-4.562	949	9.59	-3.698	999	10.09	-3.088
850	8.60	6.946	900	9.10	-2.640	950	9.60	1.542	1000	10.10	-1.469

INDEX NO. 831 206-GR-20 OHIGAWA BRIDGE U-D MAX.ACCEL.= 18.866(GAL) T=12.32(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	10.11	1.024	1051	10.61	5.510	1101	11.11	0.635	1151	11.62	11.239
1002	10.12	2.518	1052	10.62	6.761	1102	11.12	-0.248	1152	11.63	10.986
1003	10.13	2.515	1053	10.63	6.507	1103	11.13	-2.129	1153	11.64	10.106
1004	10.14	-0.492	1054	10.64	4.629	1104	11.15	-4.511	1154	11.65	7.225
1005	10.15	-7.747	1055	10.65	-4.880	1105	11.16	-6.016	1155	11.66	5.094
1006	10.16	-13.753	1056	10.66	-5.506	1106	11.17	-7.021	1156	11.67	4.090
1007	10.17	-15.633	1057	10.67	-6.263	1107	11.18	-1.739	1157	11.68	2.207
1008	10.18	-14.510	1058	10.68	-2.344	1108	11.19	1.341	1158	11.69	1.581
1009	10.19	-13.208	1059	10.69	-0.698	1109	11.20	4.212	1159	11.70	1.571
1010	10.20	-13.271	1060	10.70	0.340	1110	11.21	8.079	1160	11.71	4.067
1011	10.21	-11.927	1061	10.71	0.966	1111	11.22	8.076	1161	11.72	4.940
1012	10.22	-6.657	1062	10.72	-1.166	1112	11.23	7.448	1162	11.73	1.557
1013	10.23	-3.286	1063	10.73	-1.795	1113	11.24	4.067	1163	11.74	1.550
1014	10.24	-0.293	1064	10.74	-1.174	1114	11.25	2.186	1164	11.75	2.172
1015	10.25	2.451	1065	10.75	-0.554	1115	11.26	1.557	1165	11.76	3.041
1016	10.26	3.072	1066	10.76	-0.311	1116	11.27	-0.326	1166	11.77	1.161
1017	10.27	2.193	1067	10.77	-0.565	1117	11.28	-2.208	1167	11.78	-2.471
1018	10.28	0.940	1068	10.78	-2.697	1118	11.29	-4.212	1168	11.79	-7.602
1019	10.29	-0.944	1069	10.79	-4.326	1119	11.30	-5.844	1169	11.80	-7.604
1020	10.30	-0.950	1070	10.80	-5.206	1120	11.31	-6.222	1170	11.81	-6.734
1021	10.31	-2.830	1071	10.81	-5.212	1121	11.32	2.896	1171	11.82	-5.489
1022	10.32	-5.585	1072	10.82	-4.714	1122	11.33	6.767	1172	11.83	-4.872
1023	10.33	-6.838	1073	10.83	-3.095	1123	11.34	7.390	1173	11.84	-4.000
1024	10.34	-7.218	1074	10.84	-2.728	1124	11.35	4.864	1174	11.85	1.993
1025	10.35	-5.347	1075	10.85	-3.733	1125	11.36	-4.623	1175	11.86	3.866
1026	10.36	-3.477	1076	10.86	-3.989	1126	11.37	-6.504	1176	11.87	3.481
1027	10.37	-4.361	1077	10.87	-2.242	1127	11.38	-4.632	1177	11.88	4.103
1028	10.38	-12.365	1078	10.88	0.878	1128	11.39	-1.512	1178	11.89	4.846
1029	10.39	-14.870	1079	10.89	2.497	1129	11.40	-1.770	1179	11.90	5.215
1030	10.40	-10.501	1080	10.90	2.493	1130	11.41	-4.277	1180	11.91	5.834
1031	10.41	-9.253	1081	10.91	0.611	1131	11.42	-4.655	1181	11.92	7.329
1032	10.42	-7.759	1082	10.92	0.350	1132	11.43	-4.908	1182	11.93	8.324
1033	10.43	-8.640	1083	10.93	2.475	1133	11.44	-4.040	1183	11.94	8.571
1034	10.44	-8.892	1084	10.94	1.849	1134	11.45	-3.420	1184	11.95	6.190
1035	10.45	-4.648	1085	10.95	1.219	1135	11.46	-3.427	1185	11.96	5.187
1036	10.46	-1.030	1086	10.96	-2.290	1136	11.47	-3.681	1186	11.97	2.681
1037	10.47	-1.287	1087	10.97	-2.544	1137	11.48	-3.434	1187	11.98	1.801
1038	10.48	-2.293	1088	10.98	-1.923	1138	11.49	-1.567	1188	11.99	0.794
1039	10.49	-1.046	1089	10.99	-2.180	1139	11.50	-0.322	1189	12.00	0.790
1040	10.50	2.943	1090	11.00	-2.557	1140	11.51	-1.203	1190	12.01	-1.092
1041	10.51	6.570	1091	11.01	-2.566	1141	11.52	-0.957	1191	12.02	-1.721
1042	10.52	9.315	1092	11.02	-1.694	1142	11.53	-0.711	1192	12.03	0.150
1043	10.53	9.936	1093	11.03	1.800	1143	11.54	1.532	1193	12.04	9.142
1044	10.54	9.931	1094	11.04	9.043	1144	11.55	2.777	1194	12.05	13.636
1045	10.55	8.423	1095	11.05	10.664	1145	11.56	4.646	1195	12.06	14.255
1046	10.56	8.171	1096	11.06	10.661	1146	11.57	2.765	1196	12.08	10.247
1047	10.57	7.162	1097	11.07	5.405	1147	11.58	2.137	1197	12.09	6.238
1048	10.58	5.909	1098	11.08	-0.853	1148	11.59	1.258	1198	12.11	1.354
1049	10.59	4.403	1099	11.09	-0.656	1149	11.60	-0.993	1199	12.12	-0.149
1050	10.60	3.400	1100	11.10	0.263	1150	11.61	8.493	1200	12.13	-5.031

INDEX NO. 831 206-GR-20 OHIGAWA BRIDGE U-D MAX.ACCEL.= 18.866(GAL) T=12.32(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	12.14	-9.038	1251	12.66	-1.313	1301	13.17	5.794	1351	13.67	7.156
1202	12.15	-10.044	1252	12.67	1.181	1302	13.18	5.788	1352	13.68	-2.602
1203	12.16	-9.421	1253	12.68	1.554	1303	13.19	6.409	1353	13.69	-5.857
1204	12.17	-6.677	1254	12.69	2.423	1304	13.20	7.028	1354	13.70	-7.987
1205	12.18	-4.184	1255	12.70	2.168	1305	13.21	7.649	1355	13.71	-8.365
1206	12.19	-4.063	1256	12.71	3.659	1306	13.22	7.644	1356	13.72	-7.495
1207	12.20	-3.570	1257	12.72	8.528	1307	13.23	6.762	1357	13.73	-2.124
1208	12.21	-3.825	1258	12.73	13.023	1308	13.24	5.133	1358	13.74	2.244
1209	12.22	-3.202	1259	12.74	13.643	1309	13.25	7.249	1359	13.75	4.864
1210	12.23	0.541	1260	12.75	14.891	1310	13.26	9.118	1360	13.76	8.233
1211	12.24	3.909	1261	12.76	12.761	1311	13.27	10.739	1361	13.77	11.353
1212	12.26	6.022	1262	12.77	10.505	1312	13.28	12.108	1362	13.78	13.972
1213	12.27	6.519	1263	12.78	12.999	1313	13.29	11.479	1363	13.79	15.219
1214	12.28	8.139	1264	12.79	15.491	1314	13.30	10.601	1364	13.80	17.087
1215	12.29	12.132	1265	12.80	13.613	1315	13.31	5.593	1365	13.81	18.205
1216	12.31	15.999	1266	12.81	11.360	1316	13.32	2.337	1366	13.83	15.449
1217	12.32	18.866	1267	12.82	-2.147	1317	13.33	0.708	1367	13.84	11.566
1218	12.33	18.238	1268	12.83	-7.902	1318	13.34	-2.674	1368	13.85	10.939
1219	12.34	14.482	1269	12.84	-10.033	1319	13.35	-4.428	1369	13.86	9.059
1220	12.35	11.104	1270	12.85	-10.663	1320	13.36	-5.681	1370	13.87	5.303
1221	12.36	6.098	1271	12.86	-9.543	1321	13.37	-4.436	1371	13.88	2.924
1222	12.37	3.468	1272	12.87	-7.672	1322	13.38	2.056	1372	13.89	2.917
1223	12.38	1.459	1273	12.89	2.314	1323	13.39	6.300	1373	13.90	3.163
1224	12.39	0.581	1274	12.90	4.311	1324	13.40	6.921	1374	13.91	3.533
1225	12.40	-2.553	1275	12.91	4.055	1325	13.41	6.917	1375	13.92	2.903
1226	12.41	-2.556	1276	12.92	4.924	1326	13.42	7.159	1376	13.93	-0.856
1227	12.42	-1.309	1277	12.93	5.294	1327	13.43	6.030	1377	13.94	-1.733
1228	12.43	5.557	1278	12.94	5.289	1328	13.44	6.527	1378	13.95	-3.364
1229	12.44	7.426	1279	12.95	4.037	1329	13.45	4.146	1379	13.96	-1.493
1230	12.45	4.924	1280	12.96	2.406	1330	13.46	6.512	1380	13.97	-1.126
1231	12.46	2.795	1281	12.97	2.773	1331	13.47	8.382	1381	13.98	-1.505
1232	12.47	1.787	1282	12.98	3.018	1332	13.48	8.130	1382	13.99	-1.512
1233	12.48	3.030	1283	12.99	6.137	1333	13.49	7.251	1383	14.01	-3.397
1234	12.49	3.027	1284	13.00	7.384	1334	13.50	5.370	1384	14.02	-5.652
1235	12.50	1.522	1285	13.01	5.880	1335	13.51	4.737	1385	14.03	-5.855
1236	12.51	-0.359	1286	13.02	1.498	1336	13.52	4.733	1386	14.04	-4.534
1237	12.52	3.010	1287	13.03	-1.634	1337	13.53	5.227	1387	14.05	6.207
1238	12.53	9.255	1288	13.04	-3.139	1338	13.54	5.599	1388	14.06	9.703
1239	12.54	9.502	1289	13.05	-3.142	1339	13.55	2.842	1389	14.07	10.948
1240	12.55	6.997	1290	13.06	-2.647	1340	13.56	-2.165	1390	14.08	7.819
1241	12.56	7.365	1291	13.07	-1.279	1341	13.57	-2.543	1391	14.09	4.440
1242	12.57	5.485	1292	13.08	-2.535	1342	13.58	-2.296	1392	14.10	5.556
1243	12.58	3.978	1293	13.09	-3.664	1343	13.59	1.822	1393	14.11	7.426
1244	12.59	3.350	1294	13.10	1.953	1344	13.60	5.189	1394	14.12	7.423
1245	12.60	1.719	1295	13.11	2.825	1345	13.61	6.187	1395	14.13	6.543
1246	12.61	-2.914	1296	13.12	4.196	1346	13.62	6.433	1396	14.14	5.040
1247	12.62	-8.669	1297	13.13	4.189	1347	13.63	6.424	1397	14.15	3.159
1248	12.63	-10.299	1298	13.14	5.182	1348	13.64	6.795	1398	14.16	4.277
1249	12.64	-9.677	1299	13.15	5.428	1349	13.65	7.666	1399	14.17	7.771
1250	12.65	-6.932	1300	13.16	5.422	1350	13.66	9.910	1400	14.18	11.142

土木構造物における加速度強震記録（No. 9）

INDEX NO. 831 206-GR-20 OMIGAWA BRIDGE U-D MAX.ACCEL.= 18.866(GAL) T=12.32(SEC) NO. 8

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1401	14.19	14.137	1451	14.71	3.120	1501	15.21	3.482	1551	15.71	11.464
1402	14.20	14.135	1452	14.72	2.488	1502	15.22	4.473	1552	15.72	12.459
1403	14.21	12.879	1453	14.73	0.235	1503	15.23	5.595	1553	15.73	11.204
1404	14.22	8.872	1454	14.74	3.102	1504	15.24	6.217	1554	15.76	9.324
1405	14.23	8.740	1455	14.75	7.472	1505	15.25	2.208	1555	15.75	6.443
1406	14.24	9.737	1456	14.76	8.365	1506	15.26	-0.567	1556	15.76	6.185
1407	14.25	10.980	1457	14.77	5.507	1507	15.27	-3.430	1557	15.77	6.430
1408	14.26	10.978	1458	14.78	3.459	1508	15.28	-5.685	1558	15.78	6.174
1409	14.27	8.471	1459	14.79	-0.049	1509	15.29	-6.690	1559	15.80	6.666
1410	14.28	6.964	1460	14.80	-1.303	1510	15.30	-5.442	1560	15.81	7.285
1411	14.29	7.210	1461	14.81	-0.436	1511	15.31	-4.196	1561	15.82	6.029
1412	14.30	6.330	1462	14.82	0.812	1512	15.32	-3.576	1562	15.83	5.776
1413	14.32	4.486	1463	14.83	0.556	1513	15.33	-4.209	1563	15.84	4.896
1414	14.33	2.692	1464	14.84	-0.326	1514	15.34	-6.966	1564	15.85	2.262
1415	14.34	1.435	1465	14.85	-0.954	1515	15.35	-7.343	1565	15.86	2.261
1416	14.35	-0.447	1466	14.85	-1.961	1516	15.36	-5.224	1566	15.87	2.255
1417	14.36	-0.700	1467	14.87	-1.339	1517	15.37	-2.729	1567	15.88	2.498
1418	14.37	0.795	1468	14.88	-0.346	1518	15.38	-0.487	1568	15.89	2.244
1419	14.38	1.038	1469	14.89	-4.600	1519	15.39	-0.741	1569	15.90	1.236
1420	14.39	0.785	1470	14.90	-7.356	1520	15.40	-0.496	1570	15.91	0.605
1421	14.40	-1.720	1471	14.91	-8.611	1521	15.41	2.621	1571	15.92	-2.527
1422	14.41	-2.599	1472	14.92	-4.615	1522	15.42	5.866	1572	15.93	-4.032
1423	14.42	-4.103	1473	14.93	2.076	1523	15.43	8.614	1573	15.94	-5.411
1424	14.43	1.263	1474	14.94	3.674	1524	15.44	12.856	1574	15.95	-6.061
1425	14.44	2.509	1475	14.95	5.491	1525	15.45	12.852	1575	15.96	-6.423
1426	14.45	2.507	1476	14.96	6.736	1526	15.46	12.849	1576	15.97	-5.803
1427	14.46	-1.251	1477	14.97	9.232	1527	15.47	9.456	1577	15.98	-3.933
1428	14.47	-3.380	1478	14.98	12.725	1528	15.48	10.338	1578	15.99	-2.438
1429	14.48	-4.388	1479	14.99	14.595	1529	15.49	11.207	1579	16.00	0.058
1430	14.49	-4.392	1480	15.00	14.594	1530	15.50	10.077	1580	16.01	5.550
1431	14.51	-5.652	1481	15.01	12.211	1531	15.51	7.573	1581	16.02	6.797
1432	14.52	-6.281	1482	15.02	8.457	1532	15.52	1.442	1582	16.03	6.561
1433	14.53	-1.912	1483	15.03	6.203	1533	15.53	0.812	1583	16.04	1.787
1434	14.54	1.832	1484	15.04	6.196	1534	15.54	2.678	1584	16.05	-4.720
1435	14.55	5.325	1485	15.05	5.938	1535	15.55	3.300	1585	16.06	-5.850
1436	14.56	6.571	1486	15.06	5.559	1536	15.56	2.669	1586	16.07	-5.228
1437	14.57	7.192	1487	15.07	2.305	1537	15.57	3.912	1587	16.08	-2.109
1438	14.58	6.939	1488	15.08	-0.828	1538	15.58	6.607	1588	16.09	1.260
1439	14.59	6.934	1489	15.09	-0.829	1539	15.59	8.901	1589	16.10	5.128
1440	14.60	6.925	1490	15.10	2.537	1540	15.60	9.149	1590	16.11	7.623
1441	14.61	7.795	1491	15.11	5.034	1541	15.61	5.143	1591	16.12	10.119
1442	14.62	10.041	1492	15.12	6.401	1542	15.62	-0.740	1592	16.13	11.862
1443	14.63	11.410	1493	15.13	5.396	1543	15.63	-2.371	1593	16.15	12.478
1444	14.64	12.280	1494	15.14	5.144	1544	15.64	-2.376	1594	16.16	11.845
1445	14.65	10.776	1495	15.15	3.134	1545	15.65	-1.752	1595	16.17	11.843
1446	14.66	9.897	1496	15.16	5.005	1546	15.66	-0.887	1596	16.18	11.839
1447	14.67	5.138	1497	15.17	7.249	1547	15.67	-0.515	1597	16.19	11.585
1448	14.68	3.511	1498	15.18	7.622	1548	15.68	3.478	1598	16.20	8.703
1449	14.69	1.503	1499	15.19	6.615	1549	15.69	5.974	1599	16.21	81694
1450	14.70	3.372	1500	15.20	5.363	1550	15.70	9.092	1600	16.22	7.816

INDEX NO. 831 206-GR-20 OMIGAWA BRIDGE U-D MAX.ACCEL.= 18.866(GAL) T=12.32(SEC) NO. 9

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1601	16.23	6.812	1651	16.76	8.402	1701	17.26	16.257	1751	17.80	5.222
1602	16.24	4.683	1652	16.77	8.848	1702	17.27	16.503	1752	17.81	5.217
1603	16.25	-2.951	1653	16.78	5.641	1703	17.28	15.623	1753	17.82	4.336
1604	16.26	-3.332	1654	16.79	3.761	1704	17.29	12.242	1754	17.83	3.079
1605	16.27	-2.460	1655	16.80	-1.997	1705	17.30	9.987	1755	17.84	1.824
1606	16.28	1.907	1656	16.81	-2.376	1706	17.31	7.480	1756	17.85	0.820
1607	16.29	3.777	1657	16.82	-2.380	1707	17.32	4.975	1757	17.86	1.688
1608	16.30	3.275	1658	16.83	3.485	1708	17.33	2.470	1758	17.87	2.684
1609	16.31	1.393	1659	16.84	2.982	1709	17.34	1.089	1759	17.88	5.178
1610	16.32	0.765	1660	16.85	3.851	1710	17.35	-2.291	1760	17.89	6.425
1611	16.33	-0.242	1661	16.86	5.343	1711	17.37	-1.805	1761	17.90	5.795
1612	16.34	0.380	1662	16.87	5.715	1712	17.39	-1.815	1762	17.91	2.662
1613	16.35	3.123	1663	16.88	5.336	1713	17.40	-2.321	1763	17.92	-1.969
1614	16.36	3.491	1664	16.89	4.456	1714	17.41	-2.949	1764	17.93	-2.599
1615	16.37	2.669	1665	16.90	3.821	1715	17.42	-3.577	1765	17.94	-2.353
1616	16.38	1.981	1666	16.91	5.317	1716	17.43	-2.084	1766	17.95	-1.465
1617	16.39	1.353	1667	16.92	6.562	1717	17.44	1.034	1767	17.96	-1.739
1618	16.40	-3.030	1668	16.93	8.806	1718	17.45	1.906	1768	17.97	-1.994
1619	16.41	-5.662	1669	16.94	10.176	1719	17.46	0.025	1769	17.98	-6.251
1620	16.42	-3.916	1670	16.95	12.294	1720	17.47	-2.358	1770	17.99	-6.505
1621	16.43	-0.795	1671	16.96	14.539	1721	17.48	-2.989	1771	18.00	-6.007
1622	16.44	1.448	1672	16.97	13.660	1722	17.49	-3.367	1772	18.01	-2.265
1623	16.46	3.440	1673	16.98	12.033	1723	17.50	-2.998	1773	18.02	5.729
1624	16.48	4.680	1674	16.99	5.775	1724	17.51	-4.003	1774	18.03	6.352
1625	16.49	7.420	1675	17.00	1.646	1725	17.52	-4.884	1775	18.04	4.647
1626	16.51	10.411	1676	17.01	-1.485	1726	17.53	-5.013	1776	18.05	1.716
1627	16.52	12.281	1677	17.02	-1.489	1727	17.54	-3.766	1777	18.06	0.708
1628	16.53	12.653	1678	17.03	-0.994	1728	17.55	-1.273	1778	18.07	1.330
1629	16.54	11.397	1679	17.04	0.248	1729	17.56	1.844	1779	18.08	3.822
1630	16.55	7.265	1680	17.05	1.242	1730	17.57	2.464	1780	18.09	5.066
1631	16.56	6.637	1681	17.06	2.112	1731	17.58	3.709	1781	18.10	5.688
1632	16.57	5.379	1682	17.07	2.109	1732	17.59	6.829	1782	18.11	6.558
1633	16.58	5.376	1683	17.08	-1.900	1733	17.60	8.200	1783	18.12	8.427
1634	16.59	4.120	1684	17.09	-3.154	1734	17.61	8.197	1784	18.13	10.798
1635	16.60	0.863	1685	17.10	-4.408	1735	17.62	6.939	1785	18.14	11.045
1636	16.61	0.859	1686	17.11	-6.038	1736	17.63	7.433	1786	18.15	9.914
1637	16.62	2.100	1687	17.12	-4.543	1737	17.64	6.927	1787	18.16	7.407
1638	16.63	2.469	1688	17.13	-2.674	1738	17.65	6.549	1788	18.18	3.898
1639	16.64	0.842	1689	17.14	-2.679	1739	17.66	5.293	1789	18.19	2.643
1640	16.65	-1.042	1690	17.15	-0.561	1740	17.67	4.416	1790	18.20	1.639
1641	16.66	-1.047	1691	17.16	2.434	1741	17.68	3.786	1791	18.21	0.629
1642	16.67	-1.052	1692	17.17	4.304	1742	17.69	5.527	1792	18.22	1.875
1643	16.68	-0.431	1693	17.18	7.048	1743	17.70	7.396	1793	18.23	1.871
1644	16.69	0.816	1694	17.19	9.545	1744	17.71	7.516	1794	18.24	1.868
1645	16.70	7.386	1695	17.20	11.290	1745	17.72	5.638	1795	18.25	2.109
1646	16.71	10.925	1696	17.21	15.281	1746	17.73	4.007	1796	18.27	2.103
1647	16.72	11.797	1697	17.22	16.277	1747	17.74	4.003	1797	18.28	2.470
1648	16.73	10.468	1698	17.23	16.022	1748	17.75	3.997	1798	18.29	1.841
1649	16.74	8.162	1699	17.24	15.840	1749	17.77	3.987	1799	18.30	1.584
1650	16.75	8.159	1700	17.25	16.260	1750	17.78	4.232	1800	18.31	1.205

INDEX NO. 831 206-GR-20 OHIGAWA BRIDGE U-D MAX.ACCEL.= 18.866(GAL) T=12.32(SEC) NO.10

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1801	18.32	2.075	1851	18.87	0.534	1901	19.38	6.133	1951	19.91	6.224
1802	18.33	5.569	1852	18.88	2.404	1902	19.39	6.129	1952	19.92	7.220
1803	18.34	8.688	1853	18.89	1.901	1903	19.40	6.750	1953	19.93	10.089
1804	18.35	10.683	1854	18.90	1.167	1904	19.41	6.116	1954	19.94	11.708
1805	18.36	11.304	1855	18.91	-0.985	1905	19.42	5.737	1955	19.95	12.954
1806	18.37	11.299	1856	18.92	-2.490	1906	19.43	5.734	1956	19.96	11.949
1807	18.38	10.417	1857	18.93	-2.868	1907	19.44	7.049	1957	19.97	11.694
1808	18.39	9.165	1858	18.94	-1.374	1908	19.45	9.719	1958	19.98	10.815
1809	18.40	6.909	1859	18.95	1.743	1909	19.46	10.464	1959	19.99	10.435
1810	18.41	7.528	1860	18.96	1.740	1910	19.47	10.462	1960	20.00	10.430
1811	18.42	7.273	1861	18.98	-1.024	1911	19.48	8.831	1961	20.01	10.422
1812	18.43	6.016	1862	18.99	-1.402	1912	19.49	4.199	1962	20.02	10.668
1813	18.44	5.013	1863	19.00	-1.032	1913	19.50	3.819	1963	20.03	9.789
1814	18.45	3.757	1864	19.01	1.463	1914	19.51	3.561	1964	20.04	10.032
1815	18.46	3.128	1865	19.02	0.632	1915	19.52	2.932	1965	20.05	8.276
1816	18.47	3.124	1866	19.03	1.077	1916	19.53	1.676	1966	20.06	7.894
1817	18.48	6.241	1867	19.04	1.694	1917	19.54	0.542	1967	20.07	6.639
1818	18.49	7.736	1868	19.05	2.939	1918	19.55	0.544	1968	20.08	5.383
1819	18.50	8.357	1869	19.06	4.562	1919	19.56	2.035	1969	20.09	4.305
1820	18.51	8.103	1870	19.07	6.552	1920	19.57	5.779	1970	20.10	4.502
1821	18.52	6.845	1871	19.08	11.172	1921	19.58	7.402	1971	20.11	4.742
1822	18.53	5.964	1872	19.09	13.043	1922	19.59	6.770	1972	20.12	4.737
1823	18.55	3.707	1873	19.10	14.918	1923	19.60	6.140	1973	20.13	3.858
1824	18.56	3.074	1874	19.11	13.405	1924	19.61	5.885	1974	20.14	3.480
1825	18.57	2.819	1875	19.12	13.652	1925	19.63	4.002	1975	20.15	3.850
1826	18.59	2.606	1876	19.13	13.648	1926	19.64	-0.756	1976	20.16	2.217
1827	18.60	4.305	1877	19.14	12.767	1927	19.65	-1.013	1977	20.17	2.460
1828	18.61	4.926	1878	19.15	11.888	1928	19.66	-1.643	1978	20.18	4.705
1829	18.62	6.792	1879	19.16	9.257	1929	19.67	-3.025	1979	20.19	4.953
1830	18.64	7.035	1880	19.17	6.374	1930	19.68	-4.527	1980	20.20	5.324
1831	18.66	7.024	1881	19.18	8.620	1931	19.69	-9.285	1981	20.21	3.819
1832	18.67	8.019	1882	19.19	8.990	1932	19.70	-11.164	1982	20.22	1.311
1833	18.68	8.014	1883	19.20	9.660	1933	19.71	-11.793	1983	20.23	-1.070
1834	18.69	7.758	1884	19.21	10.854	1934	19.72	-11.799	1984	20.24	-1.700
1835	18.70	6.002	1885	19.22	13.349	1935	19.73	-11.306	1985	20.25	-1.704
1836	18.71	9.245	1886	19.23	15.099	1936	19.75	-10.062	1986	20.26	-1.708
1837	18.72	7.691	1887	19.24	17.212	1937	19.76	-7.618	1987	20.27	-2.591
1838	18.73	7.111	1888	19.25	17.206	1938	19.77	-5.323	1988	20.28	-1.718
1839	18.74	4.605	1889	19.26	13.200	1939	19.78	-4.454	1989	20.29	0.776
1840	18.75	3.975	1890	19.27	11.321	1940	19.79	-2.584	1990	20.30	0.771
1841	18.77	2.092	1891	19.28	8.689	1941	19.81	-0.347	1991	20.31	0.764
1842	18.78	2.584	1892	19.29	7.057	1942	19.82	1.271	1992	20.32	-0.116
1843	18.79	3.628	1893	19.30	6.805	1943	19.83	2.518	1993	20.33	-1.371
1844	18.80	4.200	1894	19.31	6.424	1944	19.84	3.762	1994	20.34	-2.000
1845	18.81	2.320	1895	19.32	41.920	1945	19.85	3.259	1995	20.35	-0.880
1846	18.82	1.314	1896	19.33	3.288	1946	19.86	2.880	1996	20.36	0.361
1847	18.83	1.557	1897	19.34	3.031	1947	19.87	2.247	1997	20.38	5.100
1848	18.84	2.800	1898	19.35	3.275	1948	19.88	2.243	1998	20.39	61.971
1849	18.85	2.548	1899	19.36	4.518	1949	19.89	3.113	1999	20.40	7.842
1850	18.86	1.543	1900	19.37	6.387	1950	19.90	5.604	2000	20.41	81.335

INDEX NO. 831 206-GR-20 OHIGAWA BRIDGE U-D MAX.ACCEL.= 18.866(GAL) T=12.32(SEC) NO.11

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2001	20.42	10.454	2051	21.02	-3.987	2101	21.52	5.873	2151	22.07	1.092
2002	20.43	12.076	2052	21.03	-3.367	2102	21.53	5.618	2152	22.08	1.086
2003	20.44	13.318	2053	21.04	1.875	2103	21.54	5.239	2153	22.09	1.953
2004	20.45	13.940	2054	21.05	5.370	2104	21.55	4.608	2154	22.10	2.323
2005	20.46	13.685	2055	21.06	6.617	2105	21.56	3.728	2155	22.11	2.070
2006	20.47	10.178	2056	21.07	6.861	2106	21.57	3.349	2156	22.12	2.317
2007	20.48	8.309	2057	21.08	6.608	2107	21.58	3.343	2157	22.13	2.059
2008	20.49	6.042	2058	21.09	4.476	2108	21.59	3.962	2158	22.14	2.928
2009	20.50	6.661	2059	21.10	4.346	2109	21.61	3.953	2159	22.15	3.923
2010	20.53	7.649	2060	21.11	4.467	2110	21.62	4.197	2160	22.16	4.791
2011	20.55	8.259	2061	21.12	5.957	2111	21.64	4.563	2161	22.18	4.782
2012	20.57	8.250	2062	21.13	6.578	2112	21.65	3.682	2162	22.20	5.396
2013	20.60	6.987	2063	21.14	7.200	2113	21.66	2.676	2163	22.24	4.130
2014	20.61	5.977	2064	21.15	5.694	2114	21.67	2.044	2164	22.26	3.241
2015	20.63	5.966	2065	21.16	5.068	2115	21.69	2.663	2165	22.29	2.477
2016	20.64	5.463	2066	21.17	3.806	2116	21.70	3.532	2166	22.30	2.221
2017	20.65	6.956	2067	21.18	3.428	2117	21.72	7.018	2167	22.31	2.216
2018	20.66	9.077	2068	21.19	3.672	2118	21.73	7.890	2168	22.32	2.213
2019	20.67	9.676	2069	21.20	3.166	2119	21.74	8.886	2169	22.33	1.332
2020	20.68	10.067	2070	21.21	3.413	2120	21.75	9.506	2170	22.34	0.327
2021	20.69	9.814	2071	21.22	3.029	2121	21.76	9.252	2171	22.35	-1.555
2022	20.70	8.809	2072	21.23	4.650	2122	21.77	7.369	2172	22.36	-2.810
2023	20.71	9.428	2073	21.24	5.021	2123	21.78	6.991	2173	22.37	-3.439
2024	20.72	9.421	2074	21.25	4.392	2124	21.79	6.362	2174	22.38	-2.822
2025	20.73	10.288	2075	21.26	4.388	2125	21.80	5.482	2175	22.40	-2.204
2026	20.74	9.410	2076	21.27	3.004	2126	21.81	3.223	2176	22.41	-0.710
2027	20.75	9.155	2077	21.28	4.000	2127	21.82	1.093	2177	22.42	1.160
2028	20.76	9.399	2078	21.29	5.495	2128	21.83	-0.912	2178	22.43	3.654
2029	20.77	9.393	2079	21.30	6.740	2129	21.84	-2.165	2179	22.44	5.898
2030	20.78	8.765	2080	21.31	8.109	2130	21.85	-5.297	2180	22.45	7.269
2031	20.79	6.885	2081	21.32	9.727	2131	21.86	-5.675	2181	22.46	9.140
2032	20.80	5.004	2082	21.33	9.474	2132	21.87	-3.432	2182	22.47	8.885
2033	20.81	4.122	2083	21.34	8.716	2133	21.88	-1.684	2183	22.48	8.253
2034	20.83	4.361	2084	21.35	9.336	2134	21.89	-0.693	2184	22.49	7.873
2035	20.85	5.850	2085	21.36	9.958	2135	21.90	-0.948	2185	22.50	8.119
2036	20.86	6.846	2086	21.37	11.026	2136	21.91	-0.951	2186	22.51	9.359
2037	20.87	8.964	2087	21.38	11.823	2137	21.92	-0.706	2187	22.53	9.978
2038	20.88	10.835	2088	21.39	11.317	2138	21.93	-0.338	2188	22.54	11.844
2039	20.89	10.582	2089	21.40	8.811	2139	21.94	0.159	2189	22.55	13.089
2040	20.91	6.823	2090	21.41	8.183	2140	21.95	0.525	2190	22.56	13.208
2041	20.92	4.939	2091	21.42	7.177	2141	21.96	1.771	2191	22.57	13.455
2042	20.93	1.809	2092	21.43	7.794	2142	21.97	3.018	2192	22.58	13.700
2043	20.94	-1.697	2093	21.44	7.539	2143	21.98	4.265	2193	22.59	13.447
2044	20.95	-4.576	2094	21.45	6.910	2144	21.99	5.630	2194	22.60	9.687
2045	20.96	-6.706	2095	21.46	7.157	2145	22.01	2.997	2195	22.62	6.553
2046	20.97	-7.085	2096	21.47	7.398	2146	22.02	2.740	2196	22.64	5.046
2047	20.98	-5.840	2097	21.48	7.769	2147	22.03	2.737	2197	22.65	2.537
2048	20.99	-3.097	2098	21.49	7.766	2148	22.04	2.732	2198	22.66	0.908
2049	21.00	-3.353	2099	21.50	7.135	2149	22.05	2.727	2199	22.68	0.648
2050	21.01	-4.234	2100	21.51	6.080	2150	22.06	1.472	2200	22.69	0.266

土木構造物における加速度強震記録（No.9）

INDEX NO. 831 206-GR-20 OMIGAWA BRIDGE U-D MAX.ACCEL.= 18.866(GAL) T=12.32(SEC) NO.12

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2201	22.70	0.509	2251	23.27	5.460	2301	23.95	9.656	2351	24.60	-5.615
2202	22.72	-1.748	2252	23.28	5.455	2302	23.96	10.226	2352	24.61	-5.870
2203	22.74	0.739	2253	23.29	6.324	2303	23.97	10.221	2353	24.62	-4.627
2204	22.75	0.603	2254	23.30	8.069	2304	23.98	9.967	2354	24.63	-3.133
2205	22.77	1.351	2255	23.31	8.939	2305	23.99	8.084	2355	24.64	-0.514
2206	22.78	1.594	2256	23.32	9.061	2306	24.00	8.079	2356	24.65	1.229
2207	22.79	1.342	2257	23.33	7.806	2307	24.01	7.489	2357	24.67	2.471
2208	22.80	0.459	2258	23.34	6.176	2308	24.02	7.693	2358	24.68	4.465
2209	22.81	-1.171	2259	23.36	2.167	2309	24.04	8.308	2359	24.69	4.462
2210	22.82	-2.053	2260	23.38	-1.471	2310	24.06	7.049	2360	24.70	3.457
2211	22.83	-0.930	2261	23.39	-2.728	2311	24.07	5.793	2361	24.71	2.827
2212	22.84	0.313	2262	23.42	-5.241	2312	24.08	3.036	2362	24.72	2.196
2213	22.85	0.684	2263	23.43	-6.497	2313	24.09	1.782	2363	24.73	3.441
2214	22.86	1.303	2264	23.44	-7.129	2314	24.10	1.402	2364	24.74	4.932
2215	22.87	1.672	2265	23.45	-6.883	2315	24.11	-0.731	2365	24.75	5.802
2216	22.89	1.289	2266	23.46	-5.639	2316	24.12	-0.612	2366	24.76	6.047
2217	22.90	1.030	2267	23.47	-4.020	2317	24.14	-0.244	2367	24.77	5.417
2218	22.91	0.401	2268	23.49	-1.903	2318	24.15	-0.628	2368	24.78	4.161
2219	22.92	-0.603	2269	23.50	0.340	2319	24.16	-1.257	2369	24.80	3.279
2220	22.93	-1.482	2270	23.51	1.585	2320	24.18	-0.890	2370	24.81	1.399
2221	22.94	-0.366	2271	23.53	2.828	2321	24.19	-0.274	2371	24.82	-0.859
2222	22.95	-0.620	2272	23.56	2.561	2322	24.21	-0.910	2372	24.83	-2.238
2223	22.96	-0.624	2273	23.58	4.049	2323	24.22	-0.916	2373	24.84	-0.992
2224	22.97	0.246	2274	23.60	3.415	2324	24.23	-1.295	2374	24.85	1.751
2225	22.98	1.237	2275	23.62	4.404	2325	24.24	1.448	2375	24.86	3.370
2226	23.00	2.480	2276	23.64	4.893	2326	24.25	3.070	2376	24.87	3.991
2227	23.01	3.723	2277	23.66	4.255	2327	24.26	5.563	2377	24.88	3.737
2228	23.02	3.467	2278	23.67	3.750	2328	24.27	7.185	2378	24.89	3.981
2229	23.03	3.714	2279	23.69	-1.261	2329	24.28	6.931	2379	24.91	2.472
2230	23.04	4.958	2280	23.71	-1.896	2330	24.30	5.042	2380	24.92	1.213
2231	23.05	4.325	2281	23.72	-2.898	2331	24.33	5.029	2381	24.94	-0.671
2232	23.06	3.697	2282	23.73	0.845	2332	24.34	2.895	2382	24.95	-1.049
2233	23.07	3.068	2283	23.74	1.838	2333	24.35	2.515	2383	24.96	0.195
2234	23.08	3.064	2284	23.76	1.830	2334	24.36	1.885	2384	24.97	0.816
2235	23.09	2.055	2285	23.78	1.194	2335	24.37	1.256	2385	24.98	0.807
2236	23.10	3.675	2286	23.80	0.809	2336	24.38	2.748	2386	25.01	2.044
2237	23.11	4.547	2287	23.81	1.053	2337	24.39	3.743	2387	25.02	3.036
2238	23.12	4.543	2288	23.82	0.173	2338	24.41	4.610	2388	25.04	1.779
2239	23.13	3.662	2289	23.83	-0.209	2339	24.42	4.980	2389	25.06	0.143
2240	23.14	3.031	2290	23.84	0.162	2340	24.43	4.973	2390	25.07	-0.114
2241	23.15	1.400	2291	23.85	1.409	2341	24.44	4.967	2391	25.08	-1.369
2242	23.16	2.396	2292	23.86	5.150	2342	24.46	4.331	2392	25.09	-2.374
2243	23.17	3.887	2293	23.87	5.147	2343	24.47	3.074	2393	25.10	-2.881
2244	23.18	4.883	2294	23.88	4.893	2344	24.51	-0.819	2394	25.11	0.740
2245	23.19	5.130	2295	23.89	3.886	2345	24.53	-6.458	2395	25.12	1.611
2246	23.20	4.876	2296	23.90	5.379	2346	24.55	-6.218	2396	25.13	1.608
2247	23.21	4.870	2297	23.91	6.500	2347	24.56	-7.345	2397	25.14	-0.777
2248	23.22	4.237	2298	23.92	7.746	2348	24.57	-7.977	2398	25.15	-1.405
2249	23.24	4.227	2299	23.93	9.241	2349	24.58	-7.106	2399	25.16	-1.408
2250	23.26	4.467	2300	23.94	10.236	2350	24.59	-5.862	2400	25.17	-1.416

INDEX NO. 831 206-GR-20 OMIGAWA BRIDGE U-D MAX.ACCEL.= 18.866(GAL) T=12.32(SEC) NO.13

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2401	25.18	-2.423	2451	25.80	0.886	2501	26.46	-4.334	2551	27.09	-1.920
2402	25.19	-3.052	2452	25.82	-2.754	2502	26.48	-5.215	2552	27.10	-1.548
2403	25.20	-3.056	2453	25.83	-4.009	2503	26.49	-6.472	2553	27.11	-2.180
2404	25.21	-2.810	2454	25.84	-4.263	2504	26.50	-6.227	2554	27.12	-3.437
2405	25.22	-2.190	2455	25.85	-4.267	2505	26.51	-6.234	2555	27.13	-3.641
2406	25.23	-0.574	2456	25.86	-4.648	2506	26.53	-6.491	2556	27.15	-4.076
2407	25.25	-0.330	2457	25.87	-3.780	2507	26.54	-4.998	2557	27.17	-3.840
2408	25.26	0.664	2458	25.89	-1.913	2508	26.55	-3.379	2558	27.18	-3.221
2409	25.27	-0.217	2459	25.91	-0.673	2509	26.56	-1.008	2559	27.19	-2.599
2410	25.28	-1.473	2460	25.93	0.316	2510	26.57	-1.265	2560	27.20	-1.979
2411	25.30	-3.956	2461	25.95	1.180	2511	26.58	-1.271	2561	27.21	-0.985
2412	25.31	-3.113	2462	25.98	-0.333	2512	26.60	-2.533	2562	27.22	-0.617
2413	25.32	-3.370	2463	25.99	-0.088	2513	26.62	-3.169	2563	27.23	-1.621
2414	25.35	-5.633	2464	26.00	0.280	2514	26.64	-3.176	2564	27.25	-1.628
2415	25.36	-7.515	2465	26.02	0.271	2515	26.65	-4.060	2565	27.26	-2.263
2416	25.38	-7.524	2466	26.03	0.889	2516	26.67	-4.196	2566	27.27	-1.393
2417	25.40	-8.784	2467	26.04	1.133	2517	26.69	-3.829	2567	27.28	-1.020
2418	25.41	-8.541	2468	26.06	1.752	2518	26.70	-2.212	2568	27.29	-0.193
2419	25.42	-8.796	2469	26.07	2.497	2519	26.71	-1.591	2569	27.30	0.844
2420	25.43	-9.675	2470	26.08	1.242	2520	26.72	-0.971	2570	27.31	0.840
2421	25.44	-10.805	2471	26.09	0.610	2521	26.73	-0.729	2571	27.32	-0.419
2422	25.45	-10.810	2472	26.10	0.229	2522	26.75	-1.384	2572	27.33	-0.676
2423	25.47	-7.698	2473	26.11	-0.651	2523	26.77	-2.876	2573	27.34	-0.430
2424	25.48	-6.453	2474	26.13	-1.410	2524	26.79	-2.637	2574	27.35	0.191
2425	25.49	-4.582	2475	26.14	-1.664	2525	26.80	-1.392	2575	27.36	-0.065
2426	25.50	-4.336	2476	26.15	-1.922	2526	26.81	-1.147	2576	27.37	0.181
2427	25.51	-3.966	2477	26.16	-1.676	2527	26.82	-1.403	2577	27.38	0.426
2428	25.52	-3.348	2478	26.17	-0.807	2528	26.84	-3.285	2578	27.39	0.172
2429	25.53	-3.102	2479	26.18	-0.187	2529	26.86	-6.048	2579	27.40	-0.087
2430	25.54	-3.607	2480	26.20	3.050	2530	26.87	-6.678	2580	27.41	-1.719
2431	25.55	-3.111	2481	26.21	4.045	2531	26.88	-6.183	2581	27.42	-1.973
2432	25.56	-0.994	2482	26.22	3.416	2532	26.89	-6.439	2582	27.43	-2.979
2433	25.57	-0.122	2483	26.23	3.410	2533	26.90	-6.194	2583	27.44	-3.236
2434	25.58	0.497	2484	26.24	4.905	2534	26.91	-4.576	2584	27.46	-3.366
2435	25.59	2.367	2485	26.25	5.900	2535	26.93	-3.584	2585	27.47	-3.372
2436	25.60	2.609	2486	26.26	6.522	2536	26.94	-2.092	2586	27.48	-3.870
2437	25.61	3.855	2487	26.27	5.642	2537	26.95	-1.473	2587	27.49	-4.259
2438	25.62	3.849	2488	26.28	4.838	2538	26.96	-0.852	2588	27.50	-4.514
2439	25.63	3.971	2489	26.29	4.256	2539	26.97	-0.483	2589	27.51	-4.269
2440	25.64	4.217	2490	26.30	4.626	2540	26.98	-0.487	2590	27.52	-4.275
2441	25.65	4.463	2491	26.31	5.871	2541	26.99	-1.743	2591	27.53	-4.281
2442	25.66	4.454	2492	26.32	6.741	2542	27.00	-2.125	2592	27.54	-4.537
2443	25.67	6.198	2493	26.33	5.861	2543	27.01	-2.379	2593	27.55	-4.041
2444	25.68	5.317	2494	26.36	1.472	2544	27.02	-2.134	2594	27.56	-4.044
2445	25.69	4.313	2495	26.38	-1.666	2545	27.03	-1.513	2595	27.57	-3.925
2446	25.70	4.307	2496	26.40	-4.053	2546	27.04	-1.519	2596	27.58	-6.182
2447	25.72	5.179	2497	26.41	-4.932	2547	27.05	-2.774	2597	27.59	-7.064
2448	25.73	5.546	2498	26.42	-4.939	2548	27.06	-1.782	2598	27.60	-7.694
2449	25.76	2.155	2499	26.44	-4.945	2549	27.07	-2.161	2599	27.62	-8.077
2450	25.78	0.519	2500	26.45	-4.702	2550	27.08	-1.916	2600	27.63	-7.834

INDEX NO. 831 206-GR-20 OMIGAWA BRIDGE U-D MAX.ACCEL.= 18.866(GAL) T=12.32(SEC) NO.14

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2601	27.64	-8.090	2651	28.27	1.696	2701	28.85	-8.114	2751	29.55	-12.990
2602	27.65	-8.095	2652	28.29	1.439	2702	28.86	-7.872	2752	29.56	-13.371
2603	27.66	-7.851	2653	28.30	1.683	2703	28.88	-5.630	2753	29.57	-13.249
2604	27.68	-6.891	2654	28.31	1.427	2704	28.89	-5.637	2754	29.59	-10.883
2605	27.71	-5.375	2655	28.32	1.048	2705	28.90	-5.393	2755	29.60	-10.891
2606	27.73	-3.761	2656	28.33	-2.336	2706	28.92	-5.028	2756	29.62	-9.898
2607	27.75	-3.773	2657	28.34	-4.466	2707	28.94	-4.411	2757	29.63	-9.904
2608	27.78	-3.163	2658	28.35	-5.594	2708	28.95	-4.669	2758	29.64	-9.660
2609	27.79	-2.295	2659	28.37	-6.354	2709	28.97	-4.676	2759	29.65	-9.917
2610	27.81	-1.305	2660	28.38	-5.986	2710	28.98	-5.311	2760	29.66	-10.545
2611	27.82	-1.936	2661	28.40	-6.622	2711	29.00	-5.696	2761	29.67	-9.924
2612	27.83	-1.693	2662	28.41	-7.876	2712	29.01	-6.577	2762	29.68	-8.430
2613	27.84	-1.070	2663	28.42	-7.882	2713	29.03	-7.836	2763	29.70	-6.815
2614	27.85	0.171	2664	28.43	-7.888	2714	29.04	-7.590	2764	29.71	-6.195
2615	27.86	1.168	2665	28.44	-7.895	2715	29.05	-6.969	2765	29.72	-5.202
2616	27.87	0.538	2666	28.45	-8.526	2716	29.07	-4.231	2766	29.73	-3.959
2617	27.88	0.532	2667	28.46	-8.782	2717	29.08	-3.240	2767	29.75	-3.218
2618	27.89	-0.722	2668	28.48	-10.413	2718	29.10	-1.998	2768	29.77	-2.728
2619	27.90	-0.106	2669	28.49	-9.796	2719	29.11	-3.254	2769	29.79	-2.111
2620	27.91	0.516	2670	28.50	-9.799	2720	29.13	-4.762	2770	29.80	-1.370
2621	27.92	1.386	2671	28.51	-7.931	2721	29.14	-6.396	2771	29.82	-1.381
2622	27.93	0.254	2672	28.52	-6.437	2722	29.16	-7.657	2772	29.83	-1.760
2623	27.94	0.250	2673	28.53	-5.440	2723	29.18	-8.039	2773	29.84	-1.765
2624	27.95	0.242	2674	28.54	-4.825	2724	29.19	-7.047	2774	29.86	-2.649
2625	27.97	-2.264	2675	28.56	-5.211	2725	29.20	-6.176	2775	29.89	-4.539
2626	27.98	-3.522	2676	28.57	-4.590	2726	29.21	-5.556	2776	29.90	-4.921
2627	27.99	-3.903	2677	28.58	-3.595	2727	29.22	-4.560	2777	29.92	-5.552
2628	28.00	-4.782	2678	28.59	-3.350	2728	29.23	-3.315	2778	29.93	-5.558
2629	28.01	-4.787	2679	28.60	-2.605	2729	29.24	-2.071	2779	29.94	-5.612
2630	28.02	-4.292	2680	28.61	-2.358	2730	29.25	-1.452	2780	29.95	-6.820
2631	28.03	-4.297	2681	28.62	-2.614	2731	29.26	0.164	2781	29.96	-7.450
2632	28.04	-3.678	2682	28.63	-1.496	2732	29.28	1.281	2782	29.97	-8.955
2633	28.05	-4.187	2683	28.64	-2.626	2733	29.30	1.019	2783	29.98	-9.334
2634	28.06	-4.187	2684	28.65	-3.258	2734	29.32	1.007	2784	29.99	-9.340
2635	28.07	-3.947	2685	28.67	-3.641	2735	29.34	0.998	2785	30.00	-9.094
2636	28.10	-3.959	2686	28.68	-3.897	2736	29.36	1.612	2786	30.01	-8.353
2637	28.12	-3.971	2687	28.69	-4.277	2737	29.38	1.353	2787	30.02	-8.109
2638	28.13	-2.103	2688	28.70	-4.536	2738	29.40	0.717	2788	30.03	-7.736
2639	28.14	-0.857	2689	28.71	-3.666	2739	29.41	0.337	2789	30.04	-6.866
2640	28.15	-0.862	2690	28.72	-3.922	2740	29.42	-0.921	2790	30.05	-5.623
2641	28.16	0.009	2691	28.74	-3.678	2741	29.43	-2.177	2791	30.06	-4.127
2642	28.17	0.628	2692	28.75	-3.685	2742	29.45	-5.563	2792	30.07	-3.506
2643	28.18	1.619	2693	28.76	-3.943	2743	29.46	-6.816	2793	30.08	-1.264
2644	28.19	2.488	2694	28.78	-5.576	2744	29.47	-8.071	2794	30.09	-0.645
2645	28.20	3.484	2695	28.79	-7.084	2745	29.48	-9.951	2795	30.10	0.224
2646	28.21	4.229	2696	28.80	-7.090	2746	29.49	-10.332	2796	30.12	0.842
2647	28.22	4.227	2697	28.81	-6.845	2747	29.50	-10.588	2797	30.13	-0.043
2648	28.23	2.717	2698	28.82	-7.725	2748	29.51	-11.217	2798	30.14	0.204
2649	28.25	1.711	2699	28.83	-8.354	2749	29.52	-11.225	2799	30.15	-0.050
2650	28.26	1.953	2700	28.84	-8.735	2750	29.54	-11.232	2800	30.16	-0.683

INDEX NO. 831 206-GR-20 OMIGAWA BRIDGE U-D MAX.ACCEL.= 18.866(GAL) T=12.32(SEC) NO.15

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2801	30.17	0.187	2851	30.86	-6.935	2901	31.56	-4.931	2951	32.26	-4.934
2802	30.18	0.558	2852	30.87	-7.566	2902	31.58	-4.193	2952	32.28	-5.945
2803	30.19	1.426	2853	30.88	-8.196	2903	31.60	-4.575	2953	32.29	-5.574
2804	30.20	1.797	2854	30.90	-8.828	2904	31.61	-5.206	2954	32.30	-4.704
2805	30.21	2.045	2855	30.91	-8.836	2905	31.62	-2.087	2955	32.31	-3.711
2806	30.22	1.163	2856	30.92	-8.591	2906	31.63	-2.341	2956	32.33	-3.719
2807	30.23	0.283	2857	30.93	-8.345	2907	31.64	-2.972	2957	32.35	-3.103
2808	30.24	-0.724	2858	30.94	-8.601	2908	31.65	-3.353	2958	32.36	-2.486
2809	30.25	-1.356	2859	30.95	-7.731	2909	31.66	-4.609	2959	32.38	-3.747
2810	30.27	-1.988	2860	30.96	-6.485	2910	31.68	-6.492	2960	32.41	-5.636
2811	30.29	-2.623	2861	30.97	-5.494	2911	31.69	-6.752	2961	32.43	-5.398
2812	30.30	-2.880	2862	30.99	-4.252	2912	31.71	-7.763	2962	32.45	-5.659
2813	30.32	-3.889	2863	31.00	-4.685	2913	31.72	-7.767	2963	32.47	-5.669
2814	30.34	-3.900	2864	31.02	-4.020	2914	31.73	-7.772	2964	32.50	-6.059
2815	30.35	-3.284	2865	31.04	-3.029	2915	31.74	-6.278	2965	32.51	-5.440
2816	30.37	-2.666	2866	31.05	-1.536	2916	31.75	-5.033	2966	32.52	-5.447
2817	30.38	-3.299	2867	31.06	-0.541	2917	31.77	-3.168	2967	32.53	-4.453
2818	30.40	-3.933	2868	31.08	-1.177	2918	31.79	-1.554	2968	32.55	-3.214
2819	30.42	-3.944	2869	31.09	-1.808	2919	31.80	-2.186	2969	32.56	-2.344
2820	30.43	-4.199	2870	31.11	-1.190	2920	31.82	-2.817	2970	32.57	-1.350
2821	30.44	-3.956	2871	31.13	-0.326	2921	31.84	-2.204	2971	32.59	-1.608
2822	30.45	-3.085	2872	31.14	-0.831	2922	31.85	-3.459	2972	32.60	-2.614
2823	30.46	-3.341	2873	31.15	-2.464	2923	31.87	-3.469	2973	32.62	-3.249
2824	30.47	-3.722	2874	31.16	-2.719	2924	31.88	-4.354	2974	32.64	-4.759
2825	30.49	-4.355	2875	31.17	-2.474	2925	31.90	-4.988	2975	32.66	-6.019
2826	30.50	-4.989	2876	31.19	-2.107	2926	31.91	-5.620	2976	32.67	-6.650
2827	30.52	-6.496	2877	31.20	-2.490	2927	31.92	-6.247	2977	32.69	-5.536
2828	30.53	-6.503	2878	31.21	-3.745	2928	31.94	-9.757	2978	32.70	-4.919
2829	30.54	-7.759	2879	31.23	-6.256	2929	31.97	-9.150	2979	32.72	-4.554
2830	30.55	-7.763	2880	31.24	-7.511	2930	31.99	-9.788	2980	32.75	-4.942
2831	30.56	-9.020	2881	31.25	-8.140	2931	32.01	-10.048	2981	32.77	-3.330
2832	30.57	-8.773	2882	31.26	-8.395	2932	32.03	-10.681	2982	32.79	-3.589
2833	30.58	-7.529	2883	31.27	-8.153	2933	32.04	-11.690	2983	32.82	-3.981
2834	30.59	-7.538	2884	31.29	-8.413	2934	32.05	-11.694	2984	32.85	-3.371
2835	30.60	-7.542	2885	31.31	-9.421	2935	32.06	-11.699	2985	32.86	-3.126
2836	30.62	-6.550	2886	31.33	-9.433	2936	32.07	-10.454	2986	32.87	-4.256
2837	30.63	-6.307	2887	31.34	-9.439	2937	32.08	-9.587	2987	32.88	-5.889
2838	30.64	-5.688	2888	31.36	-7.946	2938	32.11	-6.723	2988	32.91	-7.779
2839	30.66	-4.950	2889	31.37	-6.705	2939	32.12	-4.856	2989	32.93	-8.416
2840	30.68	-3.459	2890	31.38	-5.461	2940	32.13	-4.237	2990	32.96	-10.054
2841	30.69	-3.217	2891	31.40	-4.471	2941	32.15	-2.999	2991	32.98	-10.065
2842	30.71	-2.050	2892	31.42	-5.106	2942	32.16	-4.255	2992	33.00	-10.074
2843	30.72	-2.056	2893	31.44	-4.740	2943	32.17	-4.260	2993	33.01	-10.958
2844	30.74	-3.494	2894	31.45	-4.498	2944	32.18	-4.640	2994	33.04	-10.346
2845	30.76	-2.679	2895	31.47	-4.509	2945	32.19	-4.268	2995	33.05	-9.980
2846	30.78	-3.139	2896	31.49	-3.890	2946	32.20	-3.649	2996	33.07	-9.737
2847	30.80	-4.527	2897	31.50	-4.146	2947	32.21	-4.531	2997	33.08	-7.618
2848	30.82	-4.410	2898	31.51	-4.779	2948	32.22	-4.037	2998	33.09	-6.268
2849	30.84	-5.046	2899	31.53	-4.789	2949	32.23	-4.043	2999	33.10	-5.756
2850	30.85	-5.676	2900	31.55	-4.923	2950	32.25	-4.301	3000	33.12	-5.264

INDEX NO. 831 206-GR-20 OMIGAWA BRIDGE U-D MAX.ACCEL.= 18.866(GAL) T=12.32(SEC) NO.16

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3001	33.13	-2.271	3051	33.91	-3.051
3002	33.14	-2.651	3052	33.94	-3.064
3003	33.16	-1.409	3053	33.97	-3.579
3004	33.18	0.829	3054	33.99	-1.466
3005	33.20	0.195	3055	34.01	-1.850
3006	33.22	0.182	3056	34.03	-1.488
3007	33.24	-0.701	3057	34.05	-1.498
3008	33.25	-1.707	3058	34.08	-1.685
3009	33.26	-2.965	3059	34.11	-0.277
3010	33.27	-2.344	3060	34.13	0.084
3011	33.29	-2.602	3061	34.16	-0.557
3012	33.30	-2.733	3062	34.16	-1.817
3013	33.31	-2.738	3063	34.20	-2.198
3014	33.33	-2.123	3064	34.21	-2.582
3015	33.36	-4.267	3065	34.22	-1.587
3016	33.38	-5.526	3066	34.23	-1.594
3017	33.41	-7.416	3067	34.25	-3.460
3018	33.43	-9.304	3068	34.28	-5.993
3019	33.45	-9.311	3069	34.30	-8.129
3020	33.46	-8.067	3070	34.31	-9.385
3021	33.48	-7.677	3071	34.32	-9.142
3022	33.49	-5.961	3072	34.34	-10.150
3023	33.50	-5.590	3073	34.36	-9.909
3024	33.52	-6.726	3074	34.38	-7.673
3025	33.53	-6.982	3075	34.40	-5.430
3026	33.55	-5.990	3076	34.42	-4.567
3027	33.56	-5.997	3077	34.43	-4.573
3028	33.57	-5.375	3078	34.44	-3.578
3029	33.58	-6.504	3079	34.46	-2.338
3030	33.59	-7.133	3080	34.43	-1.723
3031	33.60	-8.514	3081	34.49	-1.731
3032	33.61	-10.897			
3033	33.62	-9.401			
3034	33.63	-9.157			
3035	33.64	-8.787			
3036	33.66	-8.586			
3037	33.68	-7.932			
3038	33.70	-7.319			
3039	33.73	-6.333			
3040	33.75	-6.091			
3041	33.77	-6.351			
3042	33.79	-7.235			
3043	33.80	-7.618			
3044	33.81	-6.997			
3045	33.82	-8.252			
3046	33.83	-9.259			
3047	33.85	-8.267			
3048	33.86	-7.025			
3049	33.86	-5.531			
3050	33.89	-4.538			

Table IX D-58 Digitized Accelerations of Earthquake Record with Index Number 832

INDEX NO. 832 206-GR-20 OMIGAWA BRIDGE LG. MAX.ACCEL.= 88.467(GAL) T=13.80(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.0	-6.591	51	0.53	-6.038	101	1.12	4.285	151	1.75	0.249
2	0.01	-5.588	52	0.54	-4.535	102	1.13	1.665	152	1.76	-0.998
3	0.02	-3.836	53	0.55	-2.031	103	1.14	2.043	153	1.78	-2.493
4	0.03	-3.458	54	0.56	-1.027	104	1.15	2.671	154	1.79	-3.740
5	0.04	-4.079	55	0.57	-1.024	105	1.16	3.299	155	1.81	-7.484
6	0.05	-3.825	56	0.58	-2.643	106	1.17	3.929	156	1.82	-10.354
7	0.06	-3.198	57	0.60	-4.139	107	1.18	3.057	157	1.83	-11.601
8	0.07	-2.194	58	0.61	-4.759	108	1.19	1.810	158	1.84	-13.223
9	0.08	-0.941	59	0.64	-3.251	109	1.20	-1.311	159	1.85	-13.596
10	0.09	-0.312	60	0.66	-2.368	110	1.21	-2.558	160	1.86	-13.343
11	0.10	-0.308	61	0.67	-2.616	111	1.22	-3.180	161	1.87	-11.464
12	0.11	-1.554	62	0.68	-1.612	112	1.23	-1.925	162	1.88	-3.834
13	0.12	-1.553	63	0.69	0.767	113	1.25	-2.294	163	1.89	-1.332
14	0.14	-0.921	64	0.70	3.146	114	1.27	-2.540	164	1.90	3.797
15	0.15	-0.041	65	0.71	4.024	115	1.28	-5.160	165	1.91	5.051
16	0.16	0.336	66	0.72	3.777	116	1.30	-8.030	166	1.92	7.055
17	0.18	-2.157	67	0.73	3.406	117	1.31	-9.525	167	1.94	6.434
18	0.19	-4.901	68	0.75	3.786	118	1.33	-10.770	168	1.95	5.814
19	0.20	-5.524	69	0.76	4.040	119	1.34	-10.890	169	1.97	4.819
20	0.21	-5.896	70	0.77	5.044	120	1.35	-9.261	170	1.98	3.572
21	0.22	-5.642	71	0.78	6.298	121	1.37	-7.380	171	1.99	1.702
22	0.23	-5.263	72	0.79	5.425	122	1.38	-5.126	172	2.00	-0.794
23	0.24	-4.385	73	0.80	3.802	123	1.39	-3.624	173	2.02	-6.162
24	0.26	-5.254	74	0.81	-0.818	124	1.40	-3.371	174	2.04	-8.657
25	0.27	-5.875	75	0.82	-6.313	125	1.41	-3.243	175	2.05	-9.280
26	0.28	-7.121	76	0.83	-7.581	126	1.42	-4.490	176	2.06	-8.777
27	0.29	-7.743	77	0.84	-8.183	127	1.43	-7.611	177	2.07	-7.773
28	0.30	-7.491	78	0.85	-8.430	128	1.44	-9.858	178	2.08	-6.270
29	0.31	-5.235	79	0.87	-7.299	129	1.45	-11.727	179	2.09	-4.641
30	0.32	-3.357	80	0.88	-7.171	130	1.46	-11.973	180	2.10	-3.762
31	0.33	-2.103	81	0.89	-7.543	131	1.48	-11.719	181	2.12	-5.255
32	0.34	-2.726	82	0.90	-8.414	132	1.49	-11.715	182	2.14	-3.625
33	0.35	-3.347	83	0.91	-8.410	133	1.50	-9.211	183	2.16	-4.992
34	0.36	-4.594	84	0.92	-8.407	134	1.51	-7.959	184	2.17	-5.613
35	0.37	-7.965	85	0.93	-7.904	135	1.52	-6.705	185	2.18	-5.860
36	0.38	-9.837	86	0.94	-7.276	136	1.54	-4.823	186	2.19	-6.483
37	0.39	-10.833	87	0.95	-6.273	137	1.57	-0.811	187	2.20	-5.228
38	0.40	-11.079	88	0.96	-6.019	138	1.59	-0.432	188	2.21	-4.601
39	0.41	-10.826	89	0.97	-7.514	139	1.60	-1.054	189	2.22	-3.722
40	0.42	-9.574	90	0.98	-8.760	140	1.61	-1.050	190	2.23	-3.094
41	0.43	-8.445	91	0.99	-10.008	141	1.63	-1.044	191	2.24	-2.716
42	0.44	-3.065	92	1.00	-10.881	142	1.65	-0.413	192	2.25	-3.337
43	0.45	-1.814	93	1.01	-8.530	143	1.67	0.845	193	2.26	-3.334
44	0.46	0.690	94	1.04	-2.241	144	1.68	0.850	194	2.27	-2.706
45	0.47	-0.182	95	1.06	1.890	145	1.69	0.853	195	2.28	-1.077
46	0.48	-2.302	96	1.07	7.021	146	1.70	1.731	196	2.29	2.303
47	0.49	-4.174	97	1.08	7.897	147	1.71	2.108	197	2.30	2.930
48	0.50	-6.421	98	1.09	8.900	148	1.72	2.738	198	2.31	3.432
49	0.51	-7.667	99	1.10	8.903	149	1.73	2.491	199	2.32	0.562
50	0.52	-7.415	100	1.11	6.408	150	1.74	1.245	200	2.33	0.315

INDEX NO. 832 206-GR-20 OHIGAWA BRIDGE LG. MAX.ACCEL.= 88.467(GAL) T=13.80(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	2.34	-0.681	251	2.94	-15.433	301	3.50	2.080	351	4.12	-7.205
202	2.35	-0.928	252	2.95	-12.606	302	3.51	5.335	352	4.13	-4.451
203	2.36	-1.674	253	2.96	-4.850	303	3.52	5.964	353	4.15	-2.071
204	2.37	-4.046	254	2.97	-2.224	304	3.53	5.341	354	4.16	-1.066
205	2.38	-7.043	255	2.98	1.281	305	3.54	3.471	355	4.18	+0.183
206	2.39	-10.790	256	2.99	1.266	306	3.56	-1.149	356	4.20	0.697
207	2.40	-13.661	257	3.01	-0.335	307	3.57	-4.146	357	4.21	1.075
208	2.41	-15.534	258	3.02	-1.830	308	3.58	-5.393	358	4.22	1.704
209	2.42	-17.405	259	3.03	-1.829	309	3.59	-5.638	359	4.23	2.331
210	2.43	-17.526	260	3.04	-1.200	310	3.60	-5.636	360	4.24	2.962
211	2.44	-16.273	261	3.05	0.305	311	3.61	-6.007	361	4.25	0.840
212	2.45	-14.645	262	3.07	1.561	312	3.62	-7.503	362	4.26	-0.782
213	2.47	-14.015	263	3.08	2.814	313	3.63	-8.125	363	4.27	-2.654
214	2.48	-14.637	264	3.09	3.192	314	3.64	-10.370	364	4.28	-2.901
215	2.49	-14.882	265	3.10	1.946	315	3.65	-10.366	365	4.29	-3.897
216	2.51	-15.627	266	3.11	0.450	316	3.66	-10.114	366	4.31	-6.017
217	2.52	-15.249	267	3.12	-2.047	317	3.68	-6.856	367	4.32	-7.639
218	2.53	-13.745	268	3.13	-6.168	318	3.71	-4.722	368	4.33	-11.383
219	2.54	-9.991	269	3.15	-9.663	319	3.74	-0.711	369	4.34	-12.756
220	2.55	-7.487	270	3.16	-10.909	320	3.76	0.921	370	4.35	-14.378
221	2.56	-5.233	271	3.17	-10.906	321	3.78	1.175	371	4.36	-13.999
222	2.58	-4.228	272	3.18	-9.029	322	3.79	2.181	372	4.37	-13.745
223	2.59	-3.599	273	3.20	-3.647	323	3.81	2.811	373	4.38	-10.867
224	2.60	-3.220	274	3.21	-0.266	324	3.82	2.565	374	4.39	-8.739
225	2.61	-3.467	275	3.22	0.738	325	3.83	0.088	375	4.40	-6.861
226	2.62	-3.214	276	3.23	0.491	326	3.84	-7.176	376	4.41	-5.858
227	2.63	-2.336	277	3.24	-0.131	327	3.85	-8.422	377	4.42	-5.478
228	2.64	-0.707	278	3.25	-1.126	328	3.86	-8.670	378	4.43	-5.226
229	2.65	0.169	279	3.25	-1.999	329	3.87	-7.166	379	4.44	-4.720
230	2.66	0.548	280	3.27	-2.621	330	3.88	-4.412	380	4.45	-4.718
231	2.67	0.303	281	3.28	-2.618	331	3.90	-0.908	381	4.46	-6.590
232	2.68	0.306	282	3.29	-1.743	332	3.91	2.471	382	4.47	-7.211
233	2.70	1.811	283	3.30	-1.363	333	3.92	5.227	383	4.48	-10.081
234	2.71	3.817	284	3.31	-1.982	334	3.94	3.356	384	4.49	-10.079
235	2.73	5.697	285	3.33	-4.228	335	3.95	-1.389	385	4.50	-11.827
236	2.74	7.826	286	3.34	-9.847	336	3.96	-6.761	386	4.51	-11.073
237	2.75	9.079	287	3.35	-12.718	337	3.97	-10.507	387	4.52	-9.317
238	2.76	9.708	288	3.36	-13.965	338	3.98	-11.880	388	4.54	-8.064
239	2.77	8.211	289	3.37	-14.587	339	3.99	-13.751	389	4.55	-7.059
240	2.78	4.840	290	3.38	-13.460	340	4.00	-13.498	390	4.56	-6.182
241	2.80	1.096	291	3.39	-11.831	341	4.01	-11.621	391	4.57	-3.178
242	2.82	-3.646	292	3.40	-9.079	342	4.02	-8.241	392	4.58	8.454
243	2.84	-5.899	293	3.41	-6.823	343	4.03	-6.988	393	4.59	11.581
244	2.86	-6.511	294	3.42	-5.570	344	4.04	-7.432	394	4.60	13.959
245	2.87	-7.756	295	3.43	-4.943	345	4.06	-11.225	395	4.61	15.839
246	2.88	-10.628	296	3.44	-3.315	346	4.07	-12.847	396	4.63	15.843
247	2.89	-13.249	297	3.45	-1.436	347	4.08	-13.095	397	4.64	13.722
248	2.90	-16.619	298	3.46	-1.053	348	4.09	-12.841	398	4.65	9.976
249	2.92	-17.240	299	3.47	-0.805	349	4.10	-11.964	399	4.66	7.479
250	2.93	-16.986	300	3.48	0.450	350	4.11	-9.710	400	4.67	7.107

INDEX NO. 832 206-GR-20 OHIGAWA BRIDGE LG. MAX.ACCEL.= 88.467(GAL) T=13.80(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	4.68	4.986	451	5.23	6.550	501	5.77	-16.402	551	6.29	12.353
402	4.69	1.365	452	5.24	6.928	502	5.78	-10.772	552	6.30	16.357
403	4.70	-1.756	453	5.25	6.931	503	5.79	-1.892	553	6.31	18.986
404	4.71	-2.004	454	5.26	7.184	504	5.80	5.116	554	6.32	21.868
405	4.72	-5.000	455	5.27	6.563	505	5.81	6.996	555	6.33	22.748
406	4.73	-4.372	456	5.28	2.569	506	5.83	6.127	556	6.34	22.752
407	4.74	-3.744	457	5.30	-4.799	507	5.84	4.882	557	6.35	22.757
408	4.75	-3.988	458	5.31	-9.796	508	5.85	5.141	558	6.36	21.263
409	4.77	-4.984	459	5.32	-12.667	509	5.86	7.019	559	6.38	17.896
410	4.78	-6.854	460	5.34	-15.162	510	5.87	8.897	560	6.39	15.026
411	4.79	-8.100	461	5.35	-17.657	511	5.88	13.406	561	6.41	10.409
412	4.80	-8.721	462	5.37	-19.652	512	5.89	14.033	562	6.42	7.788
413	4.81	-8.718	463	5.38	-21.021	513	5.90	15.289	563	6.43	2.420
414	4.83	-8.463	464	5.39	-20.644	514	5.91	14.666	564	6.44	0.174
415	4.84	-7.208	465	5.40	-20.015	515	5.92	11.298	565	6.45	-1.446
416	4.85	-5.580	466	5.41	-18.761	516	5.93	7.177	566	6.46	-2.068
417	4.86	-4.326	467	5.42	-16.759	517	5.94	-0.691	567	6.47	-2.311
418	4.87	-4.074	468	5.43	-10.505	518	5.95	-6.083	568	6.48	-3.306
419	4.88	-4.320	469	5.44	-5.502	519	5.96	-10.559	569	6.49	-4.553
420	4.89	-4.568	470	5.45	2.127	520	5.97	-17.800	570	6.50	-9.669
421	4.91	-7.834	471	5.46	5.005	521	5.98	-20.045	571	6.51	-12.791
422	4.93	-10.676	472	5.47	6.258	522	5.99	-20.867	572	6.52	-15.413
423	4.94	-10.924	473	5.48	7.012	523	6.00	-20.038	573	6.53	-17.280
424	4.95	-10.921	474	5.49	6.017	524	6.01	-17.281	574	6.55	-17.524
425	4.96	-10.419	475	5.50	4.770	525	6.02	-15.403	575	6.56	-16.015
426	4.97	-9.165	476	5.51	4.522	526	6.03	-12.524	576	6.57	-14.762
427	4.98	-6.659	477	5.53	3.527	527	6.04	-7.289	577	6.58	-13.509
428	4.99	-5.031	478	5.54	2.281	528	6.05	-2.763	578	6.59	-12.255
429	5.00	-3.403	479	5.55	0.785	529	6.06	-1.133	579	6.60	-9.497
430	5.01	-2.401	480	5.56	-1.505	530	6.07	-2.376	580	6.61	-7.618
431	5.02	-2.645	481	5.57	-1.876	531	6.08	+3.873	581	6.62	+3.989
432	5.03	-3.642	482	5.58	-0.868	532	6.09	-6.368	582	6.63	-1.861
433	5.04	-4.889	483	5.59	0.635	533	6.10	+7.740	583	6.64	2.772
434	5.05	-5.762	484	5.60	1.514	534	6.11	-7.362	584	6.65	3.026
435	5.06	-8.631	485	5.61	2.769	535	6.12	-5.231	585	6.66	3.030
436	5.08	-8.877	486	5.62	3.150	536	6.13	-2.976	586	6.67	3.035
437	5.09	-9.499	487	5.63	3.781	537	6.14	-0.471	587	6.68	3.038
438	5.10	-10.495	488	5.64	4.411	538	6.15	0.410	588	6.69	3.297
439	5.11	-10.242	489	5.65	6.290	539	6.16	-1.087	589	6.70	3.926
440	5.12	-9.613	490	5.66	8.171	540	6.17	-3.580	590	6.71	3.678
441	5.13	-7.360	491	5.67	8.800	541	6.18	-6.950	591	6.72	1.185
442	5.14	-4.231	492	5.68	8.928	542	6.19	-10.445	592	6.73	-1.560
443	5.15	-0.853	493	5.69	5.184	543	6.21	-18.685	593	6.74	-4.430
444	5.16	2.651	494	5.70	-1.185	544	6.22	+21.180	594	6.75	+8.925
445	5.17	6.781	495	5.71	-8.805	545	6.23	-21.427	595	6.76	+11.045
446	5.18	8.033	496	5.72	-12.800	546	6.24	-22.547	596	6.77	-12.290
447	5.19	8.411	497	5.73	-17.669	547	6.25	-19.417	597	6.78	-12.036
448	5.20	8.664	498	5.74	-19.789	548	6.26	-15.039	598	6.79	-11.784
449	5.21	7.544	499	5.75	-20.786	549	6.27	-8.907	599	6.80	+10.193
450	5.22	6.547	500	5.76	-21.032	550	6.28	7.850	600	6.81	-8.847

土木構造物における加速度強震記録（No.9）

INDEX NO. 832 206-GR-20 OMIGAWA BRIDGE LG. MAX.ACCEL.= 88.467(GAL) T=13.80(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	6.82	-8.269	651	7.37	-17.845	701	7.90	-14.784	751	8.44	-5.223
602	6.83	-7.639	652	7.38	-17.217	702	7.91	-10.282	752	8.45	-10.594
603	6.84	-7.006	653	7.39	-15.588	703	7.92	-5.277	753	8.46	-24.965
604	6.85	-6.252	654	7.41	-13.458	704	7.93	-1.399	754	8.47	-25.462
605	6.86	-2.999	655	7.42	-9.203	705	7.94	1.730	755	8.48	-26.835
606	6.87	1.359	656	7.43	-5.199	706	7.95	4.657	756	8.49	-26.332
607	6.88	2.987	657	7.45	-0.965	707	7.96	12.487	757	8.50	-25.579
608	6.89	2.990	658	7.46	5.061	708	7.97	15.365	758	8.51	-20.948
609	6.91	3.495	659	7.47	7.565	709	7.98	20.869	759	8.52	-15.821
610	6.93	-3.249	660	7.48	8.568	710	7.99	23.997	760	8.53	-10.443
611	6.94	-7.619	661	7.49	10.071	711	8.00	25.500	761	8.54	0.687
612	6.95	-10.114	662	7.50	11.699	712	8.01	25.253	762	8.55	4.440
613	6.96	-12.111	663	7.51	18.704	713	8.02	24.381	763	8.56	10.810
614	6.97	-13.108	664	7.52	22.832	714	8.03	21.519	764	8.57	14.072
615	6.98	-11.605	665	7.53	25.084	715	8.04	17.764	765	8.58	19.076
616	6.99	-9.978	666	7.54	26.339	716	8.05	5.393	766	8.59	20.579
617	7.00	-2.725	667	7.55	25.091	717	8.06	1.645	767	8.60	21.706
618	7.01	10.280	668	7.56	22.345	718	8.07	-2.974	768	8.61	22.960
619	7.02	14.783	669	7.57	17.973	719	8.09	-4.093	769	8.62	26.340
620	7.03	19.161	670	7.58	12.227	720	8.10	-4.464	770	8.63	28.217
621	7.04	19.789	671	7.59	7.857	721	8.11	-5.337	771	8.64	31.472
622	7.05	19.542	672	7.60	2.111	722	8.12	-6.332	772	8.65	31.224
623	7.06	16.421	673	7.62	-4.632	723	8.13	-6.954	773	8.66	29.977
624	7.07	12.924	674	7.63	-6.754	724	8.14	-8.826	774	8.67	27.479
625	7.09	10.162	675	7.64	-7.376	725	8.15	-10.824	775	8.68	22.483
626	7.10	8.311	676	7.65	-8.122	726	8.16	-11.446	776	8.70	12.864
627	7.11	6.690	677	7.66	-7.495	727	8.17	-9.565	777	8.71	5.620
628	7.13	5.819	678	7.67	-7.492	728	8.19	-6.184	778	8.72	1.873
629	7.14	5.823	679	7.68	-5.863	729	8.20	-3.307	779	8.73	-3.623
630	7.15	6.078	680	7.69	-5.235	730	8.22	3.327	780	8.74	-4.246
631	7.16	6.331	681	7.70	-4.982	731	8.23	6.330	781	8.75	-6.368
632	7.17	5.834	682	7.71	-3.353	732	8.24	9.458	782	8.76	-6.365
633	7.18	1.339	683	7.72	0.401	733	8.25	12.036	783	8.77	-4.235
634	7.19	-2.408	684	7.73	2.530	734	8.26	14.213	784	8.78	-2.733
635	7.20	-6.155	685	7.74	3.158	735	8.27	14.892	785	8.79	1.646
636	7.21	-16.776	686	7.75	3.286	736	8.28	13.348	786	8.80	4.775
637	7.22	-20.897	687	7.76	2.539	737	8.29	10.601	787	8.81	5.279
638	7.23	-22.519	688	7.77	-3.329	738	8.30	5.105	788	8.83	7.160
639	7.24	-23.766	689	7.78	-6.452	739	8.31	3.482	789	8.84	8.039
640	7.25	-24.137	690	7.79	-9.200	740	8.32	1.987	790	8.86	8.422
641	7.26	-25.258	691	7.80	-12.821	741	8.33	2.365	791	8.87	8.174
642	7.27	-28.255	692	7.81	-15.567	742	8.34	4.243	792	8.88	6.552
643	7.28	-29.126	693	7.82	-18.813	743	8.35	6.747	793	8.89	-1.194
644	7.29	-29.500	694	7.83	-21.684	744	8.37	9.877	794	8.90	-8.191
645	7.30	-28.870	695	7.84	-25.056	745	8.38	11.631	795	8.91	-14.937
646	7.31	-27.618	696	7.85	-27.427	746	8.39	13.134	796	8.92	-22.183
647	7.32	-25.113	697	7.86	-28.675	747	8.40	12.762	797	8.93	-27.681
648	7.33	-22.986	698	7.87	-27.795	748	8.41	11.891	798	8.94	-29.552
649	7.34	-20.731	699	7.88	-26.292	749	8.42	9.020	799	8.95	-29.549
650	7.36	-19.851	700	7.89	-19.038	750	8.43	4.897	800	8.96	-28.672

INDEX NO. 832 206-GR-20 OMIGAWA BRIDGE LG. MAX.ACCEL.= 88.467(GAL) T=13.80(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	8.97	+27.668	851	9.58	-24.711	901	10.12	44.859	951	10.65	-13.636
802	8.98	+24.913	852	9.59	-13.333	902	10.13	38.364	952	10.66	-11.132
803	8.99	+24.286	853	9.60	8.299	903	10.14	21.871	953	10.67	-8.628
804	9.00	+24.533	854	9.61	17.552	904	10.15	10.124	954	10.68	-3.745
805	9.01	+26.403	855	9.62	21.304	905	10.16	-3.496	955	10.70	4.140
806	9.03	+28.646	856	9.63	24.182	906	10.17	-18.114	956	10.71	8.270
807	9.05	+25.767	857	9.64	27.061	907	10.18	-23.233	957	10.72	13.648
808	9.06	+22.013	858	9.65	29.690	908	10.19	-23.656	958	10.73	20.654
809	9.07	+11.632	859	9.66	33.693	909	10.20	-23.651	959	10.74	23.782
810	9.09	6.875	860	9.67	38.195	910	10.21	-23.347	960	10.75	25.039
811	9.11	17.379	861	9.68	44.824	911	10.22	-21.715	961	10.76	25.166
812	9.12	27.760	862	9.69	49.954	912	10.23	-21.963	962	10.77	24.170
813	9.13	30.137	863	9.70	51.206	913	10.24	-24.454	963	10.78	18.550
814	9.14	32.016	864	9.71	51.460	914	10.25	-26.950	964	10.79	11.430
815	9.16	31.773	865	9.72	49.589	915	10.26	-28.820	965	10.80	-4.437
816	9.17	31.402	866	9.73	43.967	916	10.27	-29.441	966	10.81	-10.807
817	9.19	28.657	867	9.74	36.096	917	10.28	-29.938	967	10.82	-14.678
818	9.20	27.035	868	9.75	27.850	918	10.29	-28.692	968	10.83	-17.799
819	9.21	26.414	869	9.77	20.230	919	10.30	-24.676	969	10.84	-19.668
820	9.22	26.668	870	9.79	13.236	920	10.32	-19.545	970	10.85	+20.041
821	9.23	27.670	871	9.81	7.617	921	10.33	-6.162	971	10.86	+21.787
822	9.24	27.923	872	9.82	2.872	922	10.34	1.363	972	10.87	+21.782
823	9.25	26.180	873	9.83	0.626	923	10.35	7.722	973	10.88	+23.650
824	9.26	23.557	874	9.84	-0.372	924	10.36	15.977	974	10.89	+24.770
825	9.27	19.186	875	9.85	-2.869	925	10.37	22.107	975	10.90	+25.764
826	9.28	14.190	876	9.86	+11.739	926	10.38	25.986	976	10.91	+25.136
827	9.29	11.567	877	9.87	+18.735	927	10.39	28.492	977	10.92	+24.507
828	9.30	7.194	878	9.88	+26.732	928	10.40	28.497	978	10.93	+22.379
829	9.31	3.323	879	9.89	+37.103	929	10.41	27.001	979	10.94	+10.371
830	9.32	1.701	880	9.90	+40.850	930	10.43	22.652	980	10.95	-5.494
831	9.34	-1.168	881	9.91	+41.723	931	10.44	16.888	981	10.96	4.263
832	9.35	-3.039	882	9.92	+40.718	932	10.45	7.646	982	10.97	11.894
833	9.36	-5.265	883	9.93	+38.590	933	10.46	5.148	983	10.98	15.398
834	9.37	-7.158	884	9.94	+35.463	934	10.47	+0.846	984	10.99	19.278
835	9.38	-15.401	885	9.95	+31.460	935	10.48	-2.716	985	11.00	20.533
836	9.40	-25.519	886	9.96	+25.455	936	10.49	-3.087	986	11.01	20.786
837	9.42	-31.763	887	9.97	+23.952	937	10.50	-2.834	987	11.02	20.289
838	9.43	-32.384	888	9.98	+23.323	938	10.51	1.299	988	11.03	18.044
839	9.44	-31.131	889	9.99	+22.320	939	10.52	2.802	989	11.05	10.179
840	9.45	-30.127	890	10.00	+22.068	940	10.53	4.683	990	11.06	3.310
841	9.46	+28.875	891	10.01	+19.814	941	10.54	4.686	991	11.07	-2.434
842	9.47	+28.246	892	10.03	-7.683	942	10.55	5.316	992	11.08	-6.303
843	9.48	+29.119	893	10.04	-2.679	943	10.56	4.194	993	11.09	-8.550
844	9.49	+31.365	894	10.05	5.701	944	10.57	2.574	994	11.10	-16.793
845	9.50	+34.735	895	10.06	9.585	945	10.58	-3.667	995	11.11	-18.040
846	9.52	+40.103	896	10.07	17.586	946	10.59	-6.287	996	11.12	-19.909
847	9.53	+41.726	897	10.08	28.593	947	10.61	-9.655	997	11.13	-19.907
848	9.55	+42.096	898	10.09	38.099	948	10.62	-11.900	998	11.15	-17.647
849	9.56	+39.593	899	10.10	43.604	949	10.63	-12.772	999	11.16	-11.764
850	9.57	+32.339	900	10.11	44.657	950	10.64	-13.893	1000	11.17	-10.513

INDEX NO. 832 206-GR-20 OHIGAWA BRIDGE LG. MAX.ACCEL.= 88.467(GAL) T=13.80(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	11.18	-7.133	1051	11.70	40.621	1101	12.21	4.493	1151	12.72	2.851
1002	11.19	-3.251	1052	11.71	27.376	1102	12.22	-4.749	1152	12.73	-6.270
1003	11.20	1.130	1053	11.72	11.882	1103	12.23	-6.118	1153	12.75	-16.266
1004	11.21	6.635	1054	11.73	1.636	1104	12.24	-8.238	1154	12.76	-24.857
1005	11.22	9.138	1055	11.74	-13.358	1105	12.25	-8.235	1155	12.77	-41.881
1006	11.23	13.018	1056	11.75	-21.603	1106	12.26	-8.231	1156	12.78	-46.629
1007	11.24	14.272	1057	11.76	-26.598	1107	12.27	-9.224	1157	12.79	-47.002
1008	11.25	14.028	1058	11.77	-30.468	1108	12.28	-8.595	1158	12.80	-43.121
1009	11.26	11.531	1059	11.78	-31.965	1109	12.29	-9.464	1159	12.81	-39.745
1010	11.27	9.660	1060	11.79	-34.211	1110	12.30	-10.083	1160	12.82	-24.240
1011	11.28	7.165	1061	11.80	-37.454	1111	12.31	-10.456	1161	12.83	-13.113
1012	11.29	5.797	1062	11.81	-37.699	1112	12.32	-8.948	1162	12.84	6.517
1013	11.30	6.802	1063	11.82	-37.696	1113	12.33	-6.693	1163	12.85	14.394
1014	11.31	8.058	1064	11.83	-34.316	1114	12.35	-3.563	1164	12.86	26.024
1015	11.32	9.562	1065	11.85	-19.430	1115	12.36	-1.058	1165	12.87	31.651
1016	11.33	10.568	1066	11.86	-12.424	1116	12.37	2.325	1166	12.88	37.031
1017	11.34	10.571	1067	11.87	-10.173	1117	12.38	3.703	1167	12.89	37.659
1018	11.35	11.827	1068	11.88	-4.418	1118	12.39	5.961	1168	12.90	38.162
1019	11.36	10.955	1069	11.89	-1.663	1119	12.40	6.839	1169	12.92	36.542
1020	11.37	8.085	1070	11.90	-1.281	1120	12.41	7.468	1170	12.93	33.795
1021	11.38	6.588	1071	11.91	-1.651	1121	12.42	5.722	1171	12.94	29.299
1022	11.39	1.095	1072	11.92	-0.648	1122	12.43	-3.019	1172	12.95	24.927
1023	11.40	-0.399	1073	11.93	8.235	1123	12.44	-9.389	1173	12.96	20.931
1024	11.41	1.106	1074	11.94	18.490	1124	12.45	-14.510	1174	12.97	10.936
1025	11.42	4.486	1075	11.95	30.119	1125	12.46	-16.756	1175	12.98	4.613
1026	11.43	6.367	1076	11.96	39.374	1126	12.47	-19.001	1176	12.99	-4.432
1027	11.44	6.744	1077	11.97	48.254	1127	12.48	-20.495	1177	13.00	-8.803
1028	11.45	7.372	1078	11.98	52.758	1128	12.49	-20.867	1178	13.01	-10.676
1029	11.46	3.627	1079	11.99	56.136	1129	12.50	-20.363	1179	13.02	-11.299
1030	11.47	-3.866	1080	12.00	56.517	1130	12.51	-17.733	1180	13.03	-11.296
1031	11.48	-10.486	1081	12.01	55.895	1131	12.52	-14.352	1181	13.04	-11.916
1032	11.49	-17.481	1082	12.02	54.649	1132	12.53	-13.589	1182	13.05	-15.037
1033	11.50	-23.225	1083	12.03	46.284	1133	12.54	-10.086	1183	13.06	-20.158
1034	11.51	-24.220	1084	12.04	44.410	1134	12.55	-4.332	1184	13.07	-25.655
1035	11.53	-25.215	1085	12.05	38.666	1135	12.56	4.172	1185	13.08	-32.901
1036	11.54	-23.330	1086	12.06	36.419	1136	12.57	10.300	1186	13.09	-35.523
1037	11.55	-21.077	1087	12.07	32.551	1137	12.58	17.929	1187	13.10	-36.395
1038	11.56	-17.698	1088	12.08	31.054	1138	12.59	20.681	1188	13.11	-36.143
1039	11.57	-14.194	1089	12.09	26.935	1139	12.60	24.686	1189	13.12	-32.388
1040	11.58	-3.688	1090	12.10	22.814	1140	12.61	27.063	1190	13.13	-26.384
1041	11.59	8.317	1091	12.11	15.465	1141	12.62	29.317	1191	13.14	-18.507
1042	11.61	36.954	1092	12.12	11.469	1142	12.63	31.571	1192	13.15	-9.630
1043	11.62	41.707	1093	12.13	8.208	1143	12.64	33.449	1193	13.16	-1.376
1044	11.63	50.089	1094	12.14	8.460	1144	12.65	36.952	1194	13.17	1.629
1045	11.64	51.591	1095	12.15	10.967	1145	12.66	39.955	1195	13.18	1.007
1046	11.65	56.598	1096	12.16	13.723	1146	12.67	43.334	1196	13.19	-0.865
1047	11.66	57.228	1097	12.17	14.975	1147	12.68	42.460	1197	13.20	-1.113
1048	11.67	56.981	1098	12.18	15.106	1148	12.69	38.339	1198	13.21	2.518
1049	11.68	55.109	1099	12.19	14.109	1149	12.70	30.968	1199	13.22	8.270
1050	11.69	47.366	1100	12.20	9.488	1150	12.71	22.721	1200	13.23	20.650

INDEX NO. 832 206-GR-20 OHIGAWA BRIDGE LG. MAX.ACCEL.= 88.467(GAL) T=13.80(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	13.24	27.277	1251	13.76	83.329	1301	14.33	-4.485	1351	14.88	33.324
1202	13.25	40.656	1252	13.77	86.207	1302	14.34	-9.607	1352	14.89	34.828
1203	13.26	44.784	1253	13.78	87.585	1303	14.35	-11.478	1353	14.90	35.207
1204	13.27	49.661	1254	13.79	88.214	1304	14.36	-13.724	1354	14.91	33.961
1205	13.28	53.666	1255	13.80	88.467	1305	14.37	-13.471	1355	14.92	33.713
1206	13.29	55.043	1256	13.81	87.971	1306	14.38	-13.092	1356	14.93	32.091
1207	13.30	52.922	1257	13.82	84.848	1307	14.39	-10.963	1357	14.94	25.845
1208	13.31	47.925	1258	13.83	80.476	1308	14.40	-6.586	1358	14.95	20.098
1209	13.32	34.178	1259	13.84	66.981	1309	14.41	-0.958	1359	14.96	2.977
1210	13.33	20.558	1260	13.85	61.609	1310	14.42	7.794	1360	14.97	-12.268
1211	13.34	14.809	1261	13.86	50.613	1311	14.43	14.048	1361	14.98	-17.391
1212	13.35	7.563	1262	13.88	36.868	1312	14.44	24.678	1362	14.99	-21.389
1213	13.36	4.943	1263	13.89	16.248	1313	14.46	28.433	1363	15.00	-25.633
1214	13.37	7.071	1264	13.91	-0.122	1314	14.48	28.690	1364	15.01	-25.381
1215	13.38	9.574	1265	13.92	-20.241	1315	14.50	28.071	1365	15.02	-23.752
1216	13.39	11.203	1266	13.93	-31.238	1316	14.51	27.452	1366	15.03	-22.250
1217	13.40	10.581	1267	13.95	-51.607	1317	14.52	25.580	1367	15.04	-19.996
1218	13.41	8.710	1268	13.96	-58.603	1318	14.53	23.082	1368	15.05	-20.243
1219	13.42	8.088	1269	13.97	-64.100	1319	14.54	18.710	1369	15.06	-20.864
1220	13.43	7.840	1270	13.98	-64.723	1320	14.55	13.338	1370	15.07	-22.485
1221	13.44	8.721	1271	13.99	-64.720	1321	14.57	7.219	1371	15.08	-22.731
1222	13.45	10.848	1272	14.00	-62.216	1322	14.58	-4.151	1372	15.09	-22.228
1223	13.46	15.728	1273	14.01	-57.839	1323	14.59	-12.396	1373	15.10	-20.352
1224	13.47	21.731	1274	14.02	-48.960	1324	14.60	-18.394	1374	15.11	-9.221
1225	13.48	25.234	1275	14.03	-43.582	1325	14.61	-28.891	1375	15.12	-2.217
1226	13.49	26.111	1276	14.04	-40.203	1326	14.62	-37.138	1376	15.14	7.663
1227	13.50	22.115	1277	14.05	-41.449	1327	14.63	-41.884	1377	15.15	16.293
1228	13.51	14.492	1278	14.06	-43.696	1328	14.64	-45.830	1378	15.16	18.421
1229	13.52	-6.004	1279	14.07	-45.819	1329	14.66	-46.625	1379	15.17	20.298
1230	13.53	-21.251	1280	14.08	-48.190	1330	14.67	-45.122	1380	15.18	23.929
1231	13.54	-51.495	1281	14.09	-48.188	1331	14.68	-35.368	1381	15.19	23.306
1232	13.55	-59.118	1282	14.10	-45.684	1332	14.69	-28.740	1382	15.20	21.808
1233	13.56	-70.114	1283	14.11	-31.305	1333	14.70	-15.610	1383	15.21	16.812
1234	13.57	-72.110	1284	14.12	-24.427	1334	14.71	-11.608	1384	15.22	11.314
1235	13.58	-74.981	1285	14.13	-16.174	1335	14.72	-7.104	1385	15.23	1.570
1236	13.59	-74.729	1286	14.14	-8.545	1336	14.73	-5.477	1386	15.24	-9.803
1237	13.60	-73.100	1287	14.16	2.211	1337	14.74	-5.472	1387	15.25	-2.925
1238	13.62	-69.971	1288	14.17	8.965	1338	14.75	-5.219	1388	15.26	-3.922
1239	13.63	-65.967	1289	14.19	14.595	1339	14.76	-4.591	1389	15.27	-4.794
1240	13.64	-61.088	1290	14.21	24.228	1340	14.77	-1.712	1390	15.28	-3.915
1241	13.65	-53.460	1291	14.23	28.857	1341	14.78	2.165	1391	15.29	3.966
1242	13.66	-45.582	1292	14.24	37.489	1342	14.79	8.795	1392	15.30	12.469
1243	13.67	-28.452	1293	14.25	40.761	1343	14.80	12.299	1393	15.31	16.971
1244	13.68	-15.075	1294	14.26	42.618	1344	14.81	16.178	1394	15.33	23.977
1245	13.69	8.179	1295	14.27	43.496	1345	14.82	18.306	1395	15.34	27.106
1246	13.70	32.310	1296	14.28	40.125	1346	14.83	19.558	1396	15.35	29.859
1247	13.72	56.441	1297	14.29	34.252	1347	14.84	22.438	1397	15.36	34.739
1248	13.73	63.069	1298	14.30	18.632	1348	14.85	24.692	1398	15.37	38.742
1249	13.74	69.322	1299	14.31	7.136	1349	14.86	28.819	1399	15.38	41.995
1250	13.75	79.951	1300	14.32	0.262	1350	14.87	31.447	1400	15.39	43.249

土木構造物における加速度強震記録（No.9）

INDEX NO. 832 206-GR-20 OMIGAWA BRIDGE LG. MAX.ACCEL.= 88.467(GAL) T=13.80(SEC) NO. 8

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1401	15.40	42.752	1451	15.98	-27.172	1501	16.52	31.386	1551	17.08	0.710
1402	15.41	41.504	1452	15.99	-25.045	1502	16.53	24.516	1552	17.10	2.340
1403	15.42	33.634	1453	16.00	-21.543	1503	16.54	16.895	1553	17.11	2.970
1404	15.43	28.511	1454	16.01	-12.684	1504	16.55	8.525	1554	17.12	3.848
1405	15.44	22.138	1455	16.02	-4.410	1505	16.57	-3.096	1555	17.13	5.726
1406	15.45	2.894	1456	16.03	4.469	1506	16.58	-10.091	1556	17.14	9.503
1407	15.46	-7.603	1457	16.04	7.971	1507	16.59	-24.086	1557	17.15	20.359
1408	15.47	-24.848	1458	16.05	9.603	1508	16.60	-25.333	1558	17.17	27.365
1409	15.49	-33.717	1459	16.06	8.105	1509	16.61	-24.455	1559	17.18	28.367
1410	15.50	-34.589	1460	16.07	4.983	1510	16.62	-20.704	1560	17.20	30.248
1411	15.51	-35.211	1461	16.08	-4.262	1511	16.63	-13.074	1561	17.21	32.253
1412	15.52	-33.084	1462	16.09	-13.134	1512	16.64	-5.820	1562	17.22	32.256
1413	15.53	-25.329	1463	16.10	-17.632	1513	16.65	-2.317	1563	17.23	31.385
1414	15.54	-24.201	1464	16.11	-22.003	1514	16.66	2.812	1564	17.24	30.389
1415	15.55	-22.699	1465	16.12	-22.876	1515	16.67	4.439	1565	17.25	30.142
1416	15.56	-22.318	1466	16.13	-24.247	1516	16.68	5.944	1566	17.26	29.145
1417	15.58	-25.695	1467	16.14	-24.869	1517	16.69	5.948	1567	17.27	27.272
1418	15.60	-28.305	1468	16.15	-25.241	1518	16.71	4.703	1568	17.28	22.526
1419	15.61	-29.426	1469	16.16	-26.487	1519	16.72	4.457	1569	17.29	15.529
1420	15.62	-31.298	1470	16.17	-29.859	1520	16.73	4.337	1570	17.33	-6.581
1421	15.63	-34.918	1471	16.18	-36.228	1521	16.74	5.591	1571	17.34	-11.453
1422	15.65	-36.414	1472	16.19	-37.476	1522	16.75	8.593	1572	17.35	-17.200
1423	15.66	-36.785	1473	16.20	-37.847	1523	16.76	19.973	1573	17.36	-22.821
1424	15.67	-36.155	1474	16.21	-35.970	1524	16.77	25.352	1574	17.37	-26.567
1425	15.68	-32.401	1475	16.22	-29.090	1525	16.78	26.980	1575	17.38	-27.315
1426	15.69	-25.899	1476	16.23	-20.837	1526	16.79	23.107	1576	17.39	-25.437
1427	15.70	-17.329	1477	16.24	-17.884	1527	16.80	16.463	1577	17.40	-19.889
1428	15.71	-10.891	1478	16.25	-13.207	1528	16.81	13.738	1578	17.41	-7.053
1429	15.72	-4.513	1479	16.26	-10.953	1529	16.82	2.368	1579	17.43	7.703
1430	15.73	7.491	1480	16.27	-10.075	1530	16.83	1.495	1580	17.44	14.457
1431	15.74	18.994	1481	16.28	-10.946	1531	16.84	0.626	1581	17.45	18.334
1432	15.75	29.746	1482	16.29	-11.317	1532	16.85	3.755	1582	17.46	20.212
1433	15.76	38.250	1483	16.30	-11.063	1533	16.86	6.883	1583	17.47	21.715
1434	15.77	48.878	1484	16.31	-10.686	1534	16.87	8.886	1584	17.48	23.595
1435	15.78	65.008	1485	16.32	-7.180	1535	16.88	10.764	1585	17.49	23.598
1436	15.79	76.762	1486	16.33	-4.302	1536	16.89	11.141	1586	17.50	21.227
1437	15.80	81.891	1487	16.35	-2.172	1537	16.91	4.274	1587	17.51	18.355
1438	15.82	85.896	1488	16.37	0.460	1538	16.93	-6.468	1588	17.52	15.232
1439	15.83	87.649	1489	16.38	1.715	1539	16.94	-11.838	1589	17.53	8.987
1440	15.84	86.778	1490	16.40	3.597	1540	16.96	-18.832	1590	17.54	0.615
1441	15.86	83.909	1491	16.41	4.599	1541	16.97	-19.628	1591	17.55	9.120
1442	15.87	70.540	1492	16.42	8.854	1542	16.98	-18.325	1592	17.56	10.998
1443	15.88	59.792	1493	16.43	12.857	1543	17.00	-16.695	1593	17.57	12.625
1444	15.90	33.548	1494	16.44	16.860	1544	17.01	-15.439	1594	17.58	14.253
1445	15.91	10.677	1495	16.45	24.612	1545	17.02	-14.812	1595	17.59	13.631
1446	15.92	-4.568	1496	16.46	29.365	1546	17.03	-13.808	1596	17.60	9.886
1447	15.93	-13.190	1497	16.47	34.494	1547	17.04	-11.680	1597	17.61	6.140
1448	15.95	-21.435	1498	16.48	38.498	1548	17.05	-7.926	1598	17.63	0.021
1449	15.96	-27.179	1499	16.49	38.627	1549	17.06	-5.674	1599	17.65	-5.224
1450	15.97	-28.426	1500	16.50	36.131	1550	17.07	-3.171	1600	17.66	-11.968

INDEX NO. 832 206-GR-20 OMIGAWA BRIDGE LG. MAX.ACCEL.= 88.467(GAL) T=13.80(SEC) NO. 9

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1601	17.69	-18.335	1651	18.40	-21.848	1701	19.01	-36.140	1751	19.70	32.352
1602	17.71	-22.027	1652	18.41	-29.469	1702	19.02	-30.008	1752	19.72	32.607
1603	17.73	-25.321	1653	18.42	-36.091	1703	19.03	-27.880	1753	19.73	32.362
1604	17.75	-29.064	1654	18.43	-39.712	1704	19.05	-21.748	1754	19.75	31.116
1605	17.76	-31.934	1655	18.44	-42.835	1705	19.07	-17.118	1755	19.76	29.870
1606	17.77	-32.056	1656	18.46	-45.329	1706	19.08	-14.740	1756	19.77	26.748
1607	17.78	-31.677	1657	18.48	-46.572	1707	19.09	-7.610	1757	19.78	19.002
1608	17.80	-29.798	1658	18.49	-47.317	1708	19.10	-2.107	1758	19.79	9.380
1609	17.81	-26.295	1659	18.51	-44.812	1709	19.11	5.146	1759	19.80	-4.490
1610	17.82	-16.290	1660	18.52	-42.309	1710	19.12	16.274	1760	19.81	-14.736
1611	17.83	-7.662	1661	18.53	-39.555	1711	19.13	23.278	1761	19.82	-25.482
1612	17.84	0.216	1662	18.54	-34.677	1712	19.14	30.531	1762	19.84	-32.478
1613	17.85	9.970	1663	18.55	-16.296	1713	19.15	36.035	1763	19.85	-39.474
1614	17.86	18.724	1664	18.56	-7.043	1714	19.16	40.039	1764	19.86	-47.843
1615	17.87	26.103	1665	18.57	0.961	1715	19.17	43.919	1765	19.87	-48.715
1616	17.88	28.604	1666	18.58	7.839	1716	19.19	49.175	1766	19.88	-47.213
1617	17.89	33.985	1667	18.60	10.720	1717	19.22	52.808	1767	19.89	-44.335
1618	17.90	33.736	1668	18.62	28.225	1718	19.24	52.565	1768	19.90	-40.832
1619	17.91	33.116	1669	18.64	34.983	1719	19.26	50.698	1769	19.91	-36.454
1620	17.92	32.243	1670	18.66	41.617	1720	19.28	45.706	1770	19.92	-28.448
1621	17.93	30.996	1671	18.67	42.495	1721	19.30	37.838	1771	19.93	-25.319
1622	17.94	29.375	1672	18.68	43.497	1722	19.33	23.846	1772	19.94	-23.816
1623	17.96	26.005	1673	18.69	45.375	1723	19.34	9.220	1773	19.95	-22.063
1624	17.97	22.385	1674	18.70	53.256	1724	19.36	-4.642	1774	19.96	-18.686
1625	17.98	21.139	1675	18.71	56.884	1725	19.37	-17.387	1775	19.97	-13.558
1626	17.99	21.391	1676	18.72	58.386	1726	19.39	-24.383	1776	19.98	-4.678
1627	18.00	20.520	1677	18.73	58.766	1727	19.40	-30.252	1777	19.99	7.325
1628	18.02	19.000	1678	18.74	57.894	1728	19.41	-31.374	1778	20.00	20.080
1629	18.03	14.781	1679	18.75	55.022	1729	19.43	-32.742	1779	20.02	33.834
1630	18.05	11.411	1680	18.76	52.899	1730	19.45	-32.360	1780	20.03	43.962
1631	18.07	4.042	1681	18.77	50.403	1731	19.48	-33.601	1781	20.04	54.719
1632	18.08	2.546	1682	18.78	48.406	1732	19.50	-33.843	1782	20.05	57.097
1633	18.09	1.551	1683	18.79	46.785	1733	19.51	-33.965	1783	20.06	58.225
1634	18.11	2.181	1684	18.80	45.289	1734	19.52	-32.336	1784	20.07	56.729
1635	18.12	3.059	1685	18.81	43.416	1735	19.53	-30.833	1785	20.09	54.234
1636	18.13	2.562	1686	18.82	41.922	1736	19.54	-28.580	1786	20.11	49.616
1637	18.14	1.940	1687	18.83	37.674	1737	19.55	-22.576	1787	20.12	44.746
1638	18.15	-2.555	1688	18.84	30.052	1738	19.56	-16.323	1788	20.13	37.124
1639	18.16	-4.426	1689	18.86	8.060	1739	19.57	-2.943	1789	20.15	28.253
1640	18.17	-5.674	1690	18.90	-23.053	1740	19.58	2.809	1790	20.16	18.132
1641	18.18	-6.046	1691	18.91	-42.672	1741	19.59	6.562	1791	20.17	-2.487
1642	18.19	-2.917	1692	18.92	-47.794	1742	19.60	12.692	1792	20.19	-20.606
1643	18.20	1.087	1693	18.93	-52.791	1743	19.61	13.571	1793	20.21	-32.351
1644	18.21	8.715	1694	18.94	-57.287	1744	19.62	14.824	1794	20.22	-42.847
1645	18.23	18.848	1695	18.95	-58.783	1745	19.63	16.453	1795	20.23	-47.594
1646	18.25	21.352	1696	18.96	-58.531	1746	19.64	17.205	1796	20.24	-50.466
1647	18.27	22.735	1697	18.97	-56.653	1747	19.65	19.458	1797	20.25	-52.962
1648	18.29	18.992	1698	18.98	-53.900	1748	19.66	23.712	1798	20.26	-52.707
1649	18.33	8.504	1699	18.99	-44.395	1749	19.67	27.717	1799	20.27	-51.704
1650	18.37	-8.232	1700	19.00	-40.018	1750	19.69	30.222	1800	20.28	-49.201

INDEX NO, 832 206-GR-20 OHIGAWA BRIDGE LG, MAX,ACCEL,= 88,467(GAL) T=13,80(SEC) NO,10

NO,	(SEC)	(GAL)	NO,	(SEC)	(GAL)	NO,	(SEC)	(GAL)	NO,	(SEC)	(GAL)
1801	20.29	-45.449	1851	20.87	-8.250	1901	21.53	6.100	1951	22.18	42.554
1802	20.30	-39.443	1852	20.88	-3.120	1902	21.54	7.852	1952	22.19	35.943
1803	20.31	-28.315	1853	20.90	1.769	1903	21.55	9.108	1953	22.20	29.948
1804	20.32	-25.187	1854	20.91	6.140	1904	21.57	9.115	1954	22.21	25.700
1805	20.33	-21.059	1855	20.93	10.020	1905	21.59	10.244	1955	22.22	22.327
1806	20.34	-18.555	1856	20.94	13.150	1906	21.60	11.123	1956	22.24	18.084
1807	20.35	-16.675	1857	20.95	15.279	1907	21.61	13.377	1957	22.25	17.214
1808	20.36	-15.673	1858	20.96	18.281	1908	21.62	15.006	1958	22.26	15.957
1809	20.37	-14.297	1859	20.97	21.783	1909	21.64	18.512	1959	22.27	14.969
1810	20.38	-8.416	1860	20.98	27.162	1910	21.65	19.765	1960	22.28	10.223
1811	20.39	-2.663	1861	20.99	31.791	1911	21.66	21.268	1961	22.31	-13.142
1812	20.40	9.092	1862	21.00	36.919	1912	21.67	21.922	1962	22.33	-31.634
1813	20.42	19.596	1863	21.01	40.672	1913	21.69	19.526	1963	22.34	-36.631
1814	20.44	34.979	1864	21.02	42.802	1914	21.70	17.905	1964	22.35	-40.879
1815	20.45	40.233	1865	21.04	41.807	1915	21.72	12.036	1965	22.36	-44.876
1816	20.46	43.111	1866	21.05	39.062	1916	21.74	2.045	1966	22.37	-47.870
1817	20.47	43.740	1867	21.07	34.693	1917	21.77	-10.825	1967	22.38	-46.993
1818	20.49	43.494	1868	21.08	29.573	1918	21.78	-19.442	1968	22.39	-45.991
1819	20.50	40.998	1869	21.09	20.702	1919	21.79	-26.189	1969	22.40	-42.486
1820	20.51	37.253	1870	21.11	9.831	1920	21.80	-30.311	1970	22.44	-31.850
1821	20.52	32.755	1871	21.12	-1.539	1921	21.81	-33.058	1971	22.46	-27.592
1822	20.53	30.409	1872	21.14	-10.784	1922	21.82	-35.554	1972	22.47	-21.587
1823	20.54	25.889	1873	21.15	-22.530	1923	21.83	-37.551	1973	22.48	-16.584
1824	20.56	23.018	1874	21.16	-30.525	1924	21.84	-37.297	1974	22.49	-10.830
1825	20.57	19.899	1875	21.17	-33.646	1925	21.85	-36.919	1975	22.52	2.929
1826	20.58	16.653	1876	21.19	-34.891	1926	21.87	-34.540	1976	22.53	12.434
1827	20.60	14.657	1877	21.20	-35.262	1927	21.88	-29.034	1977	22.54	16.187
1828	20.61	15.037	1878	21.22	-33.007	1928	21.89	-27.156	1978	22.55	20.940
1829	20.62	13.541	1879	21.23	-29.004	1929	21.90	-26.528	1979	22.56	23.193
1830	20.63	13.543	1880	21.24	-19.122	1930	21.92	-26.772	1980	22.57	23.446
1831	20.64	11.922	1881	21.27	-4.863	1931	21.93	-25.894	1981	22.58	23.199
1832	20.65	9.050	1882	21.28	0.515	1932	21.94	-24.016	1982	22.60	23.204
1833	20.66	6.054	1883	21.29	4.643	1933	21.95	-23.138	1983	22.61	22.960
1834	20.67	-3.567	1884	21.30	6.896	1934	21.96	-17.634	1984	22.62	22.964
1835	20.69	-10.312	1885	21.31	9.026	1935	21.97	-12.756	1985	22.63	23.842
1836	20.71	-19.804	1886	21.32	10.154	1936	21.98	-5.502	1986	22.64	24.095
1837	20.72	-23.051	1887	21.33	10.783	1937	21.99	-1.499	1987	22.65	24.223
1838	20.73	-25.797	1888	21.35	11.039	1938	22.01	6.507	1988	22.66	22.976
1839	20.74	-27.044	1889	21.36	11.419	1939	22.03	11.263	1989	22.67	20.478
1840	20.76	-25.537	1890	21.38	11.173	1940	22.04	16.269	1990	22.68	19.108
1841	20.77	-24.035	1891	21.40	8.305	1941	22.06	19.275	1991	22.70	17.363
1842	20.78	-21.156	1892	21.42	6.437	1942	22.09	24.034	1992	22.71	16.368
1843	20.79	-18.402	1893	21.44	4.819	1943	22.10	25.913	1993	22.72	17.246
1844	20.80	-18.024	1894	21.45	4.324	1944	22.11	27.790	1994	22.73	18.501
1845	20.81	-18.021	1895	21.47	3.329	1945	22.12	30.293	1995	22.75	18.880
1846	20.82	-18.018	1896	21.48	2.458	1946	22.13	33.672	1996	22.76	19.258
1847	20.83	-17.138	1897	21.49	1.711	1947	22.14	37.675	1997	22.77	17.637
1848	20.84	-16.134	1898	21.50	1.964	1948	22.15	43.430	1998	22.78	15.516
1849	20.85	-14.882	1899	21.51	3.468	1949	22.16	44.934	1999	22.79	12.394
1850	20.86	-11.378	1900	21.52	5.097	1950	22.17	44.436	2000	22.80	6.274

INDEX NO, 832 206-GR-20 OHIGAWA BRIDGE LG, MAX,ACCEL,= 88,467(GAL) T=13,80(SEC) NO,11

NO,	(SEC)	(GAL)	NO,	(SEC)	(GAL)	NO,	(SEC)	(GAL)	NO,	(SEC)	(GAL)
2001	22.81	2.152	2051	23.45	3.495	2101	24.19	-5.630	2151	24.83	21.460
2002	22.83	-1.343	2052	23.47	9.500	2102	24.20	-9.126	2152	24.84	26.465
2003	22.84	-4.215	2053	23.49	15.633	2103	24.22	-11.871	2153	24.86	29.346
2004	22.85	-6.460	2054	23.52	22.266	2104	24.23	-13.866	2154	24.87	32.602
2005	22.86	-7.332	2055	23.54	27.399	2105	24.24	-14.613	2155	24.88	32.605
2006	22.87	-7.953	2056	23.56	31.532	2106	24.26	-13.608	2156	24.89	31.357
2007	22.88	-8.949	2057	23.58	34.414	2107	24.27	-11.730	2157	24.90	28.486
2008	22.89	-10.445	2058	23.59	36.292	2108	24.28	-7.099	2158	24.91	25.740
2009	22.91	-13.441	2059	23.61	36.297	2109	24.30	-3.842	2159	24.92	21.992
2010	22.92	-16.811	2060	23.62	35.426	2110	24.32	-1.584	2160	24.93	20.120
2011	22.94	-23.555	2061	23.63	33.804	2111	24.35	1.549	2161	24.94	18.122
2012	22.96	-28.174	2062	23.64	30.684	2112	24.36	3.552	2162	24.95	15.629
2013	22.97	-32.420	2063	23.66	25.188	2113	24.37	5.432	2163	24.97	14.009
2014	22.98	-34.541	2064	23.69	13.323	2114	24.38	8.185	2164	24.98	13.138
2015	22.99	-35.787	2065	23.71	-0.418	2115	24.39	12.003	2165	24.99	10.142
2016	23.01	-34.032	2066	23.75	-20.655	2116	24.40	16.192	2166	25.00	8.896
2017	23.02	-31.779	2067	23.76	-28.525	2117	24.41	19.070	2167	25.01	8.646
2018	23.03	-27.151	2068	23.78	-34.646	2118	24.42	21.949	2168	25.02	3.401
2019	23.04	-24.848	2069	23.79	-39.392	2119	24.43	23.201	2169	25.04	-10.341
2020	23.06	-0.763	2070	23.80	-41.638	2120	24.44	23.830	2170	25.05	-15.838
2021	23.08	12.244	2071	23.82	-43.508	2121	24.45	21.709	2171	25.07	-25.501
2022	23.09	14.495	2072	23.83	-42.504	2122	24.46	19.837	2172	25.08	-26.203
2023	23.10	20.499	2073	23.84	-41.574	2123	24.47	18.214	2173	25.09	-27.201
2024	23.11	24.003	2074	23.86	-37.618	2124	24.48	16.343	2174	25.10	-27.447
2025	23.12	23.756	2075	23.88	-32.612	2125	24.49	15.098	2175	25.11	-25.944
2026	23.13	22.511	2076	23.90	-26.606	2126	24.51	14.227	2176	25.12	-25.316
2027	23.16	20.143	2077	23.91	-19.652	2127	24.52	11.731	2177	25.13	-21.562
2028	23.17	19.523	2078	23.92	-15.724	2128	24.53	9.110	2178	25.14	-19.309
2029	23.18	19.153	2079	23.93	-12.470	2129	24.54	5.989	2179	25.16	-16.928
2030	23.19	20.156	2080	23.94	-10.592	2130	24.55	1.744	2180	25.17	-13.172
2031	23.20	19.785	2081	23.95	-8.712	2131	24.57	-3.875	2181	25.19	-10.166
2032	23.21	16.163	2082	23.97	-7.458	2132	24.60	-14.366	2182	25.20	-7.411
2033	23.22	14.666	2083	23.98	-5.205	2133	24.61	-20.736	2183	25.22	-5.158
2034	23.23	12.545	2084	23.99	-1.324	2134	24.63	-25.105	2184	25.23	-1.901
2035	23.24	9.209	2085	24.00	0.180	2135	24.65	-30.224	2185	25.25	-1.022
2036	23.25	7.426	2086	24.02	1.312	2136	24.66	-33.094	2186	25.26	-0.269
2037	23.26	4.930	2087	24.03	0.815	2137	24.68	-33.715	2187	25.27	-2.763
2038	23.28	4.312	2088	24.04	0.694	2138	24.69	-32.461	2188	25.29	-3.756
2039	23.30	2.317	2089	24.05	1.322	2139	24.70	-29.957	2189	25.30	-6.204
2040	23.31	1.496	2090	24.06	13.576	2140	24.71	-24.078	2190	25.31	-7.901
2041	23.32	0.448	2091	24.08	14.207	2141	24.72	-17.826	2191	25.32	-4.622
2042	23.33	-1.172	2092	24.09	14.209	2142	24.73	-13.947	2192	25.33	-5.742
2043	23.34	-5.668	2093	24.10	12.338	2143	24.74	-11.318	2193	25.35	-2.237
2044	23.36	-13.286	2094	24.11	11.092	2144	24.75	-8.440	2194	25.36	-0.358
2045	23.38	-16.781	2095	24.12	8.595	2145	24.76	-5.837	2195	25.38	3.273
2046	23.39	-19.192	2096	24.13	5.226	2146	24.77	-3.059	2196	25.39	4.827
2047	23.40	-18.023	2097	24.14	3.977	2147	24.78	1.070	2197	25.40	6.654
2048	23.41	-13.019	2098	24.15	2.854	2148	24.79	6.198	2198	25.41	12.784
2049	23.42	-9.891	2099	24.17	-0.263	2149	24.80	12.201	2199	25.42	16.537
2050	23.43	-5.263	2100	24.18	-1.310	2150	24.81	15.955	2200	25.43	19.414

土木構造物における加速度強震記録（No. 9）

INDEX NO. 832 206-GR-20 OMIGAWA BRIDGE LG. MAX.ACCEL.= 88.467(GAL) T=13.80(SEC) NO.12

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2201	25.44	23.793	2251	26.21	-25.579	2301	26.97	10.180	2351	27.59	-8.854
2202	25.45	26.295	2252	26.22	-24.075	2302	26.99	7.437	2352	27.60	-9.476
2203	25.46	28.050	2253	26.24	-20.319	2303	27.00	6.610	2353	27.61	-10.723
2204	25.47	27.603	2254	26.26	-14.636	2304	27.01	5.621	2354	27.62	-12.469
2205	25.48	26.558	2255	26.27	-6.433	2305	27.02	4.574	2355	27.64	-16.464
2206	25.49	23.437	2256	26.29	7.575	2306	27.03	2.328	2356	27.65	-20.710
2207	25.51	17.943	2257	26.30	12.451	2307	27.05	-1.792	2357	27.66	-25.082
2208	25.54	6.952	2258	26.31	15.430	2308	27.06	-5.260	2358	27.67	-29.203
2209	25.57	-7.413	2259	26.33	22.337	2309	27.07	-7.744	2359	27.69	-31.448
2210	25.58	-12.535	2260	26.35	25.093	2310	27.08	-8.780	2360	27.70	-33.567
2211	25.60	-16.529	2261	26.37	27.724	2311	27.10	-9.398	2361	27.72	-35.187
2212	25.61	-18.775	2262	26.39	29.605	2312	27.12	-9.393	2362	27.73	-34.806
2213	25.63	-20.769	2263	26.40	30.235	2313	27.13	-9.388	2363	27.75	-32.050
2214	25.65	-20.513	2264	26.42	30.460	2314	27.14	-8.759	2364	27.77	-27.410
2215	25.67	-19.881	2265	26.43	29.370	2315	27.16	-7.505	2365	27.78	-21.791
2216	25.71	-20.743	2266	26.44	26.247	2316	27.17	-5.001	2366	27.79	-16.287
2217	25.72	-20.115	2267	26.46	21.073	2317	27.18	-3.122	2367	27.80	-9.909
2218	25.73	-18.861	2268	26.47	17.391	2318	27.19	-0.868	2368	27.81	-1.655
2219	25.75	-16.980	2269	26.48	12.010	2319	27.20	-0.616	2369	27.82	4.973
2220	25.76	-14.852	2270	26.49	5.640	2320	27.21	0.890	2370	27.83	14.229
2221	25.77	-10.347	2271	26.51	0.157	2321	27.23	-0.855	2371	27.84	15.731
2222	25.79	-4.217	2272	26.53	-5.046	2322	27.24	-1.475	2372	27.85	17.359
2223	25.80	0.412	2273	26.55	-6.591	2323	27.26	-3.719	2373	27.86	17.987
2224	25.81	5.540	2274	26.56	-13.086	2324	27.28	-5.212	2374	27.87	16.742
2225	25.82	8.044	2275	26.57	-13.084	2325	27.29	-7.458	2375	27.89	13.373
2226	25.83	10.923	2276	26.58	-12.829	2326	27.30	-8.705	2376	27.91	8.630
2227	25.84	12.551	2277	26.59	-13.074	2327	27.31	-9.325	2377	27.92	5.510
2228	25.85	12.929	2278	26.61	-13.692	2328	27.32	-9.574	2378	27.94	1.639
2229	25.87	12.059	2279	26.63	-14.886	2329	27.33	-8.695	2379	27.95	0.392
2230	25.88	7.939	2280	26.65	-16.804	2330	27.34	-8.942	2380	27.96	-0.228
2231	25.89	7.564	2281	26.68	-22.920	2331	27.35	-8.064	2381	27.98	-1.473
2232	25.91	1.947	2282	26.69	-25.665	2332	27.36	-5.560	2382	27.99	-1.468
2233	25.94	-8.166	2283	26.71	-26.656	2333	27.37	-2.432	2383	28.01	-1.712
2234	25.96	-12.660	2284	26.73	-24.901	2334	27.38	0.322	2384	28.02	-0.831
2235	25.98	-14.531	2285	26.75	-26.520	2335	27.39	4.200	2385	28.04	-1.076
2236	25.99	-14.278	2286	26.77	-22.389	2336	27.40	8.706	2386	28.05	-2.321
2237	26.00	-13.022	2287	26.78	-19.760	2337	27.42	11.461	2387	28.07	-5.314
2238	26.01	-11.145	2288	26.79	-15.652	2338	27.43	13.714	2388	28.09	-7.434
2239	26.04	-2.635	2289	26.80	-10.678	2339	27.44	14.467	2389	28.10	-9.305
2240	26.05	0.869	2290	26.81	-6.500	2340	27.45	14.721	2390	28.11	-9.677
2241	26.06	1.497	2291	26.82	-2.247	2341	27.46	14.976	2391	28.12	-10.548
2242	26.07	2.126	2292	26.83	1.759	2342	27.48	15.732	2392	28.13	-10.544
2243	26.08	1.876	2293	26.85	5.639	2343	27.50	13.237	2393	28.14	-6.915
2244	26.09	0.632	2294	26.86	9.644	2344	27.51	10.368	2394	28.17	-2.156
2245	26.10	-4.114	2295	26.88	12.650	2345	27.53	5.624	2395	28.18	-0.652
2246	26.12	-8.734	2296	26.89	14.903	2346	27.54	2.504	2396	28.19	0.353
2247	26.13	-13.356	2297	26.90	16.657	2347	27.55	0.006	2397	28.21	2.484
2248	26.15	-18.597	2298	26.92	17.287	2348	27.56	-2.241	2398	28.23	2.240
2249	26.18	-23.340	2299	26.94	14.795	2349	27.57	-4.237	2399	28.25	3.373
2250	26.19	-25.209	2300	26.95	12.675	2350	27.58	-7.608	2400	28.27	3.006

INDEX NO. 832 206-GR-20 OMIGAWA BRIDGE LG. MAX.ACCEL.= 88.467(GAL) T=13.80(SEC) NO.13

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2401	28.29	3.636	2451	28.97	-6.379	2501	29.85	-14.830	2551	30.74	4.475
2402	28.30	5.766	2452	28.99	-7.248	2502	29.87	-17.325	2552	30.76	0.731
2403	28.32	6.771	2453	29.01	-8.616	2503	29.89	-18.692	2553	30.78	-5.886
2404	28.33	8.650	2454	29.02	-9.111	2504	29.90	-16.812	2554	30.80	-12.630
2405	28.34	9.904	2455	29.03	-9.732	2505	29.93	-11.554	2555	30.82	-19.247
2406	28.35	10.532	2456	29.04	-10.104	2506	29.94	-7.300	2556	30.84	-22.366
2407	28.36	9.661	2457	29.05	-9.227	2507	29.96	-4.735	2557	30.86	-23.982
2408	28.37	6.165	2458	29.06	-9.098	2508	29.97	-1.915	2558	30.90	-25.845
2409	28.39	0.296	2459	29.07	-8.220	2509	29.99	2.218	2559	30.93	-25.710
2410	28.40	-6.449	2460	29.08	-6.715	2510	30.01	4.099	2560	30.96	-23.448
2411	28.42	-9.569	2461	29.09	-5.711	2511	30.03	6.729	2561	31.00	-18.935
2412	28.43	-12.190	2462	29.10	-5.457	2512	30.04	8.232	2562	31.03	-13.047
2413	28.44	-11.561	2463	29.12	-5.078	2513	30.05	8.611	2563	31.07	-5.661
2414	28.45	-10.932	2464	29.13	-4.449	2514	30.06	8.614	2564	31.12	7.356
2415	28.46	-10.928	2465	29.15	-3.066	2515	30.07	6.119	2565	31.13	11.485
2416	28.48	-10.923	2466	29.17	-0.935	2516	30.09	2.751	2566	31.15	18.742
2417	28.49	-9.419	2467	29.20	5.452	2517	30.12	-1.991	2567	31.17	21.373
2418	28.50	-7.166	2468	29.23	11.386	2518	30.13	-6.110	2568	31.18	23.003
2419	28.51	-5.288	2469	29.25	17.469	2519	30.15	-8.354	2569	31.20	24.510
2420	28.52	-3.533	2470	29.27	22.601	2520	30.16	-10.474	2570	31.22	24.642
2421	28.53	-2.655	2471	29.29	24.657	2521	30.18	-10.968	2571	31.24	23.021
2422	28.54	-2.650	2472	29.30	26.361	2522	30.19	-11.839	2572	31.26	20.279
2423	28.56	-2.645	2473	29.31	27.304	2523	30.22	-10.079	2573	31.27	14.284
2424	28.57	-2.641	2474	29.32	28.363	2524	30.26	-7.566	2574	31.29	9.541
2425	28.60	-2.007	2475	29.33	27.497	2525	30.29	-5.930	2575	31.32	0.550
2426	28.61	-0.502	2476	29.35	25.001	2526	30.32	-2.044	2576	31.34	+5.817
2427	28.62	0.502	2477	29.36	18.381	2527	30.35	1.089	2577	31.37	-11.558
2428	28.64	1.134	2478	29.38	8.252	2528	30.36	2.343	2578	31.40	-16.172
2429	28.66	1.391	2479	29.39	-0.984	2529	30.37	3.846	2579	31.43	-20.037
2430	28.68	1.770	2480	29.40	-8.604	2530	30.38	3.849	2580	31.46	-21.028
2431	28.69	1.150	2481	29.42	-13.725	2531	30.39	3.228	2581	31.48	-19.771
2432	28.70	-0.096	2482	29.43	-17.719	2532	30.40	0.108	2582	31.49	-19.142
2433	28.72	-2.591	2483	29.45	-25.712	2533	30.42	-3.510	2583	31.50	-16.890
2434	28.73	-5.711	2484	29.47	-29.956	2534	30.44	-5.133	2584	31.51	-15.010
2435	28.74	-9.082	2485	29.49	-30.625	2535	30.46	-8.999	2585	31.54	-11.124
2436	28.76	-13.952	2486	29.50	-32.321	2536	30.47	-8.244	2586	31.56	-10.246
2437	28.77	-18.321	2487	29.51	-32.692	2537	30.49	-8.238	2587	31.57	-8.615
2438	28.79	-22.191	2488	29.53	-32.312	2538	30.51	-8.232	2588	31.58	-6.110
2439	28.80	-24.062	2489	29.54	-30.556	2539	30.53	-7.350	2589	31.60	-3.602
2440	28.81	-25.557	2490	29.57	-26.673	2540	30.55	-6.092	2590	31.62	-0.096
2441	28.83	-25.676	2491	29.59	-22.415	2541	30.57	-3.209	2591	31.63	0.532
2442	28.85	-24.044	2492	29.64	-12.524	2542	30.60	0.800	2592	31.64	1.536
2443	28.87	-20.912	2493	29.71	0.872	2543	30.62	4.558	2593	31.66	1.188
2444	28.89	-18.407	2494	29.73	3.004	2544	30.63	5.686	2594	31.69	-1.322
2445	28.90	-15.652	2495	29.74	5.383	2545	30.64	4.816	2595	31.71	-3.440
2446	28.91	-12.149	2496	29.75	6.388	2546	30.66	4.197	2596	31.74	-5.682
2447	28.92	-9.271	2497	29.76	6.391	2547	30.67	5.077	2597	31.77	-6.796
2448	28.93	-7.017	2498	29.77	4.144	2548	30.69	5.707	2598	31.78	-8.667
2449	28.94	-6.388	2499	29.79	-1.474	2549	30.70	6.587	2599	31.80	-9.286
2450	28.96	-6.133	2500	29.83	-10.838	2550	30.72	6.094	2600	31.81	-9.282

INDEX NO. 832 206-GR-20 OHIGAWA BRIDGE LG. MAX.ACCEL.= 88.467(GAL) T=13.80(SEC) NO.14

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2601	31.82	-9.153	2651	32.59	-5.012	2701	33.43	-4.355	2751	34.28	-2.570
2602	31.83	-7.648	2652	32.60	-6.257	2702	33.45	-7.471	2752	34.29	-5.065
2603	31.85	-5.017	2653	32.62	-8.751	2703	33.49	-11.960	2753	34.30	-3.811
2604	31.87	-1.885	2654	32.63	-12.622	2704	33.50	-15.079	2754	34.32	-4.805
2605	31.89	2.871	2655	32.65	-13.243	2705	33.52	-15.825	2755	34.33	-4.177
2606	31.90	4.751	2656	32.66	-13.864	2706	33.53	-17.695	2756	34.34	-4.172
2607	31.92	4.383	2657	32.67	-14.111	2707	33.54	-17.442	2757	34.35	-4.418
2608	31.94	4.765	2658	32.68	-13.232	2708	33.55	-15.562	2758	34.36	-3.540
2609	31.96	4.273	2659	32.69	-14.103	2709	33.59	-9.552	2759	34.37	-2.537
2610	31.98	1.529	2660	32.70	-14.099	2710	33.62	-3.914	2760	34.39	-2.907
2611	32.00	-4.216	2661	32.72	-14.717	2711	33.65	-0.655	2761	34.40	-3.151
2612	32.01	-9.711	2662	32.73	-15.340	2712	33.66	-0.026	2762	34.41	-4.022
2613	32.03	-14.705	2663	32.74	-16.335	2713	33.68	2.855	2763	34.43	-4.018
2614	32.04	-17.452	2664	32.75	-15.958	2714	33.70	4.737	2764	34.44	-3.390
2615	32.05	-18.574	2665	32.76	-14.829	2715	33.72	4.992	2765	34.45	-3.137
2616	32.07	-18.317	2666	32.79	-11.076	2716	33.73	5.497	2766	34.46	-3.130
2617	32.08	-15.436	2667	32.83	-5.680	2717	33.75	3.002	2767	34.48	-2.875
2618	32.10	-12.679	2668	32.85	-2.548	2718	33.76	1.507	2768	34.50	-4.369
2619	32.12	-9.673	2669	32.86	-1.735	2719	33.78	-0.988			
2620	32.14	-8.417	2670	32.87	-1.167	2720	33.79	-3.984			
2621	32.16	-6.284	2671	32.88	-1.790	2721	33.80	-5.231			
2622	32.18	-3.778	2672	32.89	-2.611	2722	33.81	-5.476			
2623	32.19	-2.275	2673	32.91	-3.029	2723	33.83	-5.472			
2624	32.20	-2.270	2674	32.92	-3.024	2724	33.84	-6.718			
2625	32.22	-3.266	2675	32.93	-2.771	2725	33.85	-6.215			
2626	32.24	-4.508	2676	32.94	-2.643	2726	33.86	-5.836			
2627	32.26	-6.375	2677	32.95	-4.014	2727	33.88	-5.579			
2628	32.28	-6.618	2678	32.96	-5.510	2728	33.90	-6.447			
2629	32.30	-5.736	2679	32.98	-8.879	2729	33.92	-6.691			
2630	32.31	-5.107	2680	32.99	-10.876	2730	33.94	-8.561			
2631	32.32	-3.479	2681	33.01	-12.246	2731	33.96	-10.304			
2632	32.33	-1.725	2682	33.02	-13.114	2732	33.97	-13.673			
2633	32.34	1.154	2683	33.05	-12.481	2733	33.99	-14.667			
2634	32.35	2.657	2684	33.09	-10.968	2734	34.00	-14.663			
2635	32.36	4.284	2685	33.12	-9.706	2735	34.02	-13.782			
2636	32.37	6.288	2686	33.15	-8.446	2736	34.04	-12.150			
2637	32.38	7.292	2687	33.19	-4.935	2737	34.06	-10.644			
2638	32.40	7.798	2688	33.21	-1.052	2738	34.09	-7.760			
2639	32.41	7.552	2689	33.24	4.208	2739	34.10	-6.255			
2640	32.42	5.430	2690	33.26	8.214	2740	34.12	-2.748			
2641	32.43	4.184	2691	33.28	9.720	2741	34.14	0.134			
2642	32.44	4.188	2692	33.29	11.225	2742	34.16	4.516			
2643	32.46	3.818	2693	33.30	11.692	2743	34.17	7.520			
2644	32.49	1.078	2694	33.31	11.356	2744	34.19	10.025			
2645	32.50	1.332	2695	33.32	10.361	2745	34.20	10.278			
2646	32.52	1.089	2696	33.34	6.616	2746	34.21	10.907			
2647	32.54	1.096	2697	33.35	3.246	2747	34.22	10.035			
2648	32.56	0.101	2698	33.37	1.001	2748	34.23	7.540			
2649	32.57	-2.520	2699	33.38	-0.870	2749	34.25	1.547			
2650	32.58	-4.014	2700	33.40	-2.239	2750	34.26	-0.199			

Table IX D-59 Digitized Accelerations of Earthquake Record with Index Number 833

INDEX NO. 833 304-GR-43 DATE BRIDGE LG. MAX.ACCEL.= -31.847(GAL) T=11.62(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.0	-4.443	51	0.76	-6.176	101	1.69	-0.869	151	2.54	-1.277
2	0.02	-1.326	52	0.77	-6.180	102	1.70	-2.126	152	2.55	-1.279
3	0.03	-0.766	53	0.78	-4.312	103	1.72	-2.758	153	2.56	-1.910
4	0.04	0.787	54	0.79	-3.448	104	1.74	-3.392	154	2.58	-2.167
5	0.05	0.784	55	0.80	-3.070	105	1.76	-3.650	155	2.59	-2.549
6	0.07	0.277	56	0.81	-1.578	106	1.77	-4.034	156	2.60	-2.553
7	0.08	-0.104	57	0.82	-1.833	107	1.78	-4.039	157	2.61	-1.311
8	0.09	-0.107	58	0.85	-2.469	108	1.80	-3.169	158	2.62	-0.064
9	0.10	-0.362	59	0.87	-2.477	109	1.81	-2.175	159	2.63	0.556
10	0.11	-0.994	60	0.88	-1.607	110	1.83	-0.934	160	2.64	-0.074
11	0.12	-2.001	61	0.90	-0.994	111	1.84	0.060	161	2.65	-0.076
12	0.14	-2.632	62	0.93	-0.635	112	1.85	0.555	162	2.66	-0.331
13	0.15	-2.889	63	0.97	-0.653	113	1.86	0.927	163	2.68	-2.218
14	0.17	-2.645	64	0.99	0.214	114	1.87	0.922	164	2.70	-2.850
15	0.18	-2.028	65	1.00	0.958	115	1.89	0.910	165	2.71	-4.107
16	0.19	-1.659	66	1.02	1.948	116	1.92	0.274	166	2.72	-4.236
17	0.21	-2.040	67	1.06	-2.445	117	1.93	-0.358	167	2.73	-4.239
18	0.22	-2.048	68	1.07	-1.197	118	1.96	-1.873	168	2.74	-3.619
19	0.25	-2.310	69	1.08	0.296	119	1.99	-2.635	169	2.75	-3.253
20	0.27	-2.694	70	1.09	1.291	120	2.00	-2.892	170	2.76	-2.631
21	0.29	-2.952	71	1.10	2.535	121	2.01	-2.895	171	2.77	-2.636
22	0.30	-3.334	72	1.11	3.157	122	2.02	-3.149	172	2.78	-2.889
23	0.32	-3.343	73	1.12	2.775	123	2.03	-3.154	173	2.79	-3.270
24	0.33	-3.101	74	1.14	1.016	124	2.04	-3.287	174	2.80	-3.525
25	0.35	-2.359	75	1.18	-1.251	125	2.07	-1.673	175	2.82	-2.657
26	0.37	-1.743	76	1.20	-2.137	126	2.08	-0.804	176	2.83	-1.664
27	0.38	-1.495	77	1.21	-2.142	127	2.09	-0.683	177	2.84	-0.793
28	0.40	-0.882	78	1.23	-2.902	128	2.11	-3.321	178	2.85	-0.797
29	0.42	-0.892	79	1.25	-3.705	129	2.14	-3.332	179	2.87	-0.810
30	0.43	-1.148	80	1.27	-4.918	130	2.18	-2.978	180	2.89	-0.195
31	0.45	-0.907	81	1.28	-6.426	131	2.21	-2.744	181	2.90	-0.573
32	0.46	-1.284	82	1.29	-5.806	132	2.24	-2.383	182	2.91	-0.825
33	0.47	-0.914	83	1.30	-5.436	133	2.28	-2.150	183	2.93	-1.211
34	0.48	0.080	84	1.32	-5.195	134	2.30	-1.163	184	2.94	-2.094
35	0.49	0.327	85	1.35	-4.585	135	2.33	-0.802	185	2.95	-2.098
36	0.50	0.069	86	1.39	-4.601	136	2.34	-0.807	186	2.97	-1.482
37	0.53	-0.567	87	1.40	-4.608	137	2.36	-0.562	187	2.98	-0.859
38	0.54	-0.073	88	1.42	-4.614	138	2.37	0.679	188	3.00	0.004
39	0.55	0.046	89	1.44	-4.625	139	2.39	1.049	189	3.01	0.626
40	0.57	0.289	90	1.45	-3.756	140	2.40	1.544	190	3.02	0.372
41	0.59	0.278	91	1.47	-2.139	141	2.41	2.162	191	3.03	-0.260
42	0.60	-0.602	92	1.48	-1.268	142	2.42	2.159	192	3.04	-0.890
43	0.62	-2.488	93	1.49	0.474	143	2.44	-1.854	193	3.06	-1.148
44	0.64	-4.120	94	1.52	1.089	144	2.45	-3.982	194	3.07	-1.153
45	0.65	-5.002	95	1.55	1.323	145	2.46	-5.613	195	3.08	-0.907
46	0.67	-4.135	96	1.59	1.680	146	2.47	-4.994	196	3.09	-0.914
47	0.68	-3.516	97	1.61	1.420	147	2.48	-3.498	197	3.10	-1.169
48	0.69	-2.646	98	1.63	1.035	148	2.50	-1.632	198	3.12	-1.175
49	0.71	-3.156	99	1.65	0.398	149	2.51	-0.636	199	3.13	-1.555
50	0.75	-5.549	100	1.67	0.389	150	2.52	-0.642	200	3.14	-2.187

土木構造物における加速度強震記録（No. 9）

INDEX NO. 833 304-GR-43 DATE BRIDGE LG. MAX.ACCEL.= -31.847(GAL) T=11.62(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	3.17	-1.952	251	3.97	3.427	301	4.57	-6.407	351	5.41	5.493
202	3.19	-1.585	252	3.99	3.043	302	4.68	-6.039	352	5.42	4.863
203	3.21	0.281	253	4.00	2.787	303	4.69	-5.792	353	5.43	3.983
204	3.22	0.900	254	4.01	2.405	304	4.71	-5.802	354	5.44	3.980
205	3.23	1.522	255	4.02	2.402	305	4.74	-6.067	355	5.45	3.975
206	3.25	1.889	256	4.03	2.147	306	4.76	-4.573	356	5.46	4.216
207	3.26	2.135	257	4.06	0.510	307	4.77	-2.081	357	5.47	2.962
208	3.27	1.504	258	4.04	-1.127	308	4.81	0.526	358	5.49	2.079
209	3.29	0.871	259	4.09	-1.632	309	4.82	1.395	359	5.51	-0.102
210	3.30	0.615	260	4.10	-2.011	310	4.83	2.265	360	5.53	-0.814
211	3.31	-0.017	261	4.11	-1.766	311	4.84	2.887	361	5.54	-2.069
212	3.33	-0.649	262	4.12	-2.021	312	4.85	4.133	362	5.55	-2.950
213	3.35	-1.284	263	4.14	-2.654	313	4.86	4.130	363	5.56	-3.954
214	3.37	-1.667	264	4.15	-2.908	314	4.87	5.748	364	5.57	-5.585
215	3.39	-1.426	265	4.16	-4.163	315	4.89	5.488	365	5.58	-4.341
216	3.41	-0.812	266	4.16	-5.174	316	4.90	4.983	366	5.60	-3.973
217	3.43	0.427	267	4.19	-5.178	317	4.92	4.351	367	5.61	-3.979
218	3.45	0.542	268	4.20	-4.558	318	4.93	3.969	368	5.62	-3.983
219	3.46	1.039	269	4.22	-4.566	319	4.94	3.717	369	5.63	-4.614
220	3.47	1.411	270	4.23	-4.324	320	4.95	3.333	370	5.65	-6.246
221	3.48	-1.347	271	4.26	-3.712	321	4.98	3.319	371	5.67	-4.382
222	3.50	-3.229	272	4.28	-3.346	322	4.99	3.940	372	5.69	-2.139
223	3.52	-7.614	273	4.30	-3.354	323	5.01	2.681	373	5.70	-1.268
224	3.53	-7.617	274	4.31	-3.109	324	5.03	0.173	374	5.72	0.346
225	3.54	-9.374	275	4.32	-2.489	325	5.04	-1.459	375	5.73	0.965
226	3.55	-9.126	276	4.33	-1.244	326	5.05	-1.839	376	5.75	1.032
227	3.56	-6.507	277	4.35	0.120	327	5.06	-1.216	377	5.76	2.451
228	3.57	-6.137	278	4.36	1.238	328	5.09	-1.232	378	5.77	3.446
229	3.58	-7.516	279	4.37	2.234	329	5.10	-1.238	379	5.78	4.440
230	3.59	-7.519	280	4.38	2.480	330	5.11	-1.867	380	5.80	5.309
231	3.61	-7.779	281	4.40	1.598	331	5.12	-1.871	381	5.81	4.426
232	3.63	-8.414	282	4.41	1.344	332	5.13	-2.502	382	5.84	3.789
233	3.65	-7.548	283	4.42	1.589	333	5.14	-2.754	383	5.85	2.158
234	3.66	-5.053	284	4.43	2.206	334	5.16	-2.763	384	5.86	1.527
235	3.70	-4.698	285	4.44	2.203	335	5.17	-1.896	385	5.87	0.648
236	3.72	-3.832	286	4.45	2.196	336	5.18	-1.650	386	5.89	-0.986
237	3.74	-3.590	287	4.46	2.569	337	5.19	-1.653	387	5.91	-0.993
238	3.76	-2.601	288	4.48	1.934	338	5.20	-2.295	388	5.92	-0.999
239	3.76	-0.983	289	4.50	0.548	339	5.22	-2.543	389	5.93	-0.631
240	3.79	0.011	290	4.53	2.161	340	5.23	-2.300	390	5.94	0.240
241	3.80	0.880	291	4.54	1.904	341	5.25	-1.683	391	5.95	0.486
242	3.81	0.876	292	4.55	1.523	342	5.27	0.807	392	5.96	0.484
243	3.85	-0.665	293	4.56	1.520	343	5.29	1.423	393	5.97	-0.025
244	3.86	-0.022	294	4.57	1.265	344	5.30	2.044	394	5.98	-0.652
245	3.87	0.598	295	4.59	0.632	345	5.31	1.788	395	5.99	-0.409
246	3.89	1.465	296	4.61	-2.870	346	5.33	0.779	396	6.00	-0.663
247	3.90	2.633	297	4.62	-6.007	347	5.35	0.269	397	6.02	-0.670
248	3.92	3.701	298	4.63	-6.262	348	5.36	0.764	398	6.03	-1.052
249	3.93	4.319	299	4.65	-7.895	349	5.38	4.504	399	6.04	-3.806
250	3.94	5.192	300	4.66	-8.651	350	5.40	5.498	400	6.06	-4.816

INDEX NO. 833 304-GR-43 DATE BRIDGE LG. MAX.ACCEL.= -31.847(GAL) T=11.62(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	6.08	-8.450	451	6.70	-5.615	501	7.27	-0.139	551	7.91	-1.952
402	6.09	-8.707	452	6.71	-3.744	502	7.29	2.353	552	7.92	-1.705
403	6.11	-8.713	453	6.72	0.500	503	7.30	3.597	553	7.93	0.788
404	6.12	-7.467	454	6.73	2.995	504	7.31	5.967	554	7.94	4.283
405	6.14	-4.728	455	6.74	5.240	505	7.33	8.459	555	7.95	7.529
406	6.15	-3.106	456	6.75	5.113	506	7.34	16.077	556	7.96	10.649
407	6.16	-2.487	457	6.76	2.731	507	7.35	19.200	557	7.97	12.768
408	6.17	-3.115	458	6.78	1.101	508	7.36	22.444	558	7.98	13.517
409	6.18	-2.871	459	6.79	-2.032	509	7.37	24.563	559	7.99	15.759
410	6.19	-3.128	460	6.80	-3.538	510	7.38	25.558	560	8.00	16.382
411	6.20	-3.130	461	6.82	-5.169	511	7.39	24.305	561	8.01	16.377
412	6.21	-2.259	462	6.83	-5.174	512	7.40	19.050	562	8.02	13.872
413	6.22	-2.264	463	6.84	-3.932	513	7.41	16.546	563	8.03	11.741
414	6.23	0.356	464	6.85	-1.437	514	7.42	12.041	564	8.04	7.787
415	6.26	3.592	465	6.87	-0.817	515	7.43	9.534	565	8.05	-2.645
416	6.27	4.488	466	6.88	-0.199	516	7.44	10.029	566	8.06	-5.773
417	6.28	6.456	467	6.89	0.424	517	7.45	10.649	567	8.07	-10.281
418	6.29	7.079	468	6.90	0.667	518	7.47	11.892	568	8.08	-11.534
419	6.30	7.073	469	6.91	1.289	519	7.48	12.884	569	8.09	-12.163
420	6.31	7.067	470	6.92	2.285	520	7.49	12.630	570	8.11	-12.423
421	6.32	6.190	471	6.93	2.906	521	7.50	11.625	571	8.13	-14.050
422	6.33	5.557	472	6.94	3.150	522	7.51	10.747	572	8.14	-14.063
423	6.35	4.922	473	6.95	2.642	523	7.53	7.863	573	8.16	-13.448
424	6.36	4.544	474	6.96	2.015	524	7.54	3.358	574	8.18	-12.828
425	6.37	3.663	475	6.98	0.380	525	7.55	2.103	575	8.19	-12.212
426	6.38	2.035	476	6.99	-0.625	526	7.56	-2.030	576	8.20	-11.339
427	6.40	-0.349	477	7.00	-1.128	527	7.57	-3.910	577	8.21	+9.093
428	6.42	-3.108	478	7.01	-1.503	528	7.58	-4.915	578	8.22	-5.975
429	6.43	-2.486	479	7.02	-1.890	529	7.59	-4.917	579	8.23	-4.105
430	6.44	-1.494	480	7.03	-1.267	530	7.60	-6.173	580	8.24	-3.484
431	6.45	-0.621	481	7.04	0.602	531	7.63	-7.437	581	8.25	-2.737
432	6.46	-0.001	482	7.05	2.471	532	7.66	-8.702	582	8.26	-1.870
433	6.47	0.245	483	7.06	3.093	533	7.68	+8.963	583	8.27	-2.999
434	6.48	0.238	484	7.07	5.336	534	7.70	-10.724	584	8.28	-3.629
435	6.49	1.233	485	7.08	6.082	535	7.71	-11.353	585	8.29	-4.259
436	6.50	2.102	486	7.09	2.075	536	7.74	-12.990	586	8.31	-6.769
437	6.51	2.474	487	7.10	0.447	537	7.76	-7.625	587	8.32	-8.024
438	6.52	2.220	488	7.11	-2.432	538	7.77	-3.881	588	8.33	-9.027
439	6.53	1.840	489	7.12	-6.562	539	7.78	-0.887	589	8.34	+10.158
440	6.54	1.836	490	7.13	-8.441	540	7.79	1.856	590	8.36	-8.791
441	6.55	1.580	491	7.14	-11.700	541	7.80	1.853	591	8.37	-4.171
442	6.56	0.324	492	7.16	-12.333	542	7.81	+0.852	592	8.38	-2.176
443	6.58	0.317	493	7.17	-12.963	543	7.82	-1.906	593	8.39	-1.181
444	6.60	-0.318	494	7.18	-13.219	544	7.84	-3.166	594	8.41	-1.563
445	6.61	-1.322	495	7.19	-13.225	545	7.85	-3.173	595	8.42	-2.195
446	6.63	-5.082	496	7.21	-13.231	546	7.86	-2.549	596	8.43	-2.448
447	6.64	-6.336	497	7.23	-12.991	547	7.87	-1.308	597	8.44	-3.081
448	6.65	-10.468	498	7.24	-7.374	548	7.88	-1.937	598	8.45	-1.335
449	6.67	-12.974	499	7.25	-4.254	549	7.89	-2.191	599	8.46	-0.088
450	6.69	-9.984	500	7.26	-1.633	550	7.90	-2.573	600	8.47	0.906

INDEX NO. 833 304-GR-43 DATE BRIDGE LG. MAX.ACCEL.= -31.847(GAL) T=11.62(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	8.48	1.777	651	9.09	-11.136	701	9.67	1.086	751	10.29	10.414
602	8.49	2.399	652	9.10	-12.895	702	9.69	3.201	752	10.30	12.410
603	8.50	2.394	653	9.11	-13.895	703	9.70	2.697	753	10.31	13.656
604	8.51	1.511	654	9.13	-10.781	704	9.71	1.444	754	10.32	13.652
605	8.52	0.259	655	9.15	-9.167	705	9.72	-0.184	755	10.33	14.020
606	8.54	-1.251	656	9.16	-10.420	706	9.73	-2.066	756	10.34	13.767
607	8.55	-2.883	657	9.17	-19.427	707	9.74	-2.320	757	10.35	13.135
608	8.56	-3.511	658	9.18	-21.806	708	9.75	-2.702	758	10.36	12.130
609	8.57	-1.392	659	9.19	-27.562	709	9.77	-2.710	759	10.37	11.500
610	8.59	0.225	660	9.21	-27.946	710	9.78	-3.091	760	10.38	10.622
611	8.60	1.097	661	9.22	-27.074	711	9.79	-2.596	761	10.39	11.116
612	8.61	2.092	662	9.23	-24.578	712	9.81	-1.354	762	10.41	10.858
613	8.62	3.959	663	9.24	-19.210	713	9.82	1.516	763	10.42	12.101
614	8.64	4.578	664	9.26	-16.341	714	9.83	3.635	764	10.43	12.722
615	8.65	2.073	665	9.28	-10.602	715	9.84	5.381	765	10.44	11.469
616	8.66	-2.933	666	9.29	-3.109	716	9.85	6.077	766	10.45	4.213
617	8.67	-11.440	667	9.30	-7.236	717	9.86	7.872	767	10.46	2.583
618	8.68	-15.194	668	9.31	-1.989	718	9.87	7.241	768	10.47	0.881
619	8.69	-17.450	669	9.32	0.502	719	9.89	5.733	769	10.49	-1.803
620	8.71	-18.002	670	9.33	10.246	720	9.92	2.846	770	10.50	-0.311
621	8.72	-17.463	671	9.34	14.742	721	9.94	0.585	771	10.51	0.686
622	8.74	-16.219	672	9.35	15.741	722	9.95	-0.921	772	10.52	3.180
623	8.75	-15.600	673	9.36	16.235	723	9.97	-2.556	773	10.53	1.928
624	8.76	-13.481	674	9.37	16.106	724	9.98	-1.557	774	10.55	-6.961
625	8.77	-10.984	675	9.38	14.477	725	9.99	0.562	775	10.56	-10.715
626	8.78	-4.990	676	9.39	10.344	726	10.00	1.558	776	10.57	-11.468
627	8.80	3.876	677	9.40	7.342	727	10.01	3.050	777	10.58	-12.724
628	8.81	7.120	678	9.41	2.637	728	10.02	2.797	778	10.59	-12.105
629	8.82	8.616	679	9.42	-2.921	729	10.03	-0.961	779	10.60	-12.110
630	8.83	10.487	680	9.43	-4.799	730	10.04	-3.212	780	10.61	-12.114
631	8.84	11.104	681	9.44	-7.929	731	10.06	-5.722	781	10.62	-12.370
632	8.85	11.725	682	9.45	-8.560	732	10.08	-1.732	782	10.64	-13.376
633	8.87	14.091	683	9.46	-9.615	733	10.09	1.636	783	10.65	-15.682
634	8.89	17.206	684	9.49	-11.328	734	10.10	2.632	784	10.67	-23.768
635	8.90	19.328	685	9.50	-11.831	735	10.11	2.878	785	10.68	-26.024
636	8.91	21.696	686	9.51	-12.461	736	10.12	1.747	786	10.69	-26.026
637	8.92	23.194	687	9.53	-14.098	737	10.13	0.744	787	10.70	-26.282
638	8.93	23.565	688	9.54	-12.600	738	10.14	-0.886	788	10.71	-26.288
639	8.94	22.635	689	9.55	-10.354	739	10.15	-1.765	789	10.72	-26.293
640	8.97	21.044	690	9.56	-4.734	740	10.17	-2.774	790	10.73	-26.047
641	8.98	21.038	691	9.57	2.864	741	10.18	-0.280	791	10.74	-26.302
642	8.99	22.284	692	9.58	4.004	742	10.19	1.591	792	10.75	-28.057
643	9.00	22.907	693	9.59	6.124	743	10.20	3.209	793	10.76	-28.314
644	9.01	23.774	694	9.60	5.498	744	10.21	5.203	794	10.77	-28.317
645	9.02	23.520	695	9.61	3.618	745	10.22	4.576	795	10.78	-28.324
646	9.03	21.643	696	9.62	1.112	746	10.23	3.943	796	10.80	-27.454
647	9.04	17.013	697	9.63	-1.643	747	10.25	3.058	797	10.82	-18.965
648	9.05	9.005	698	9.64	-2.646	748	10.26	3.931	798	10.84	-7.601
649	9.06	1.750	699	9.65	-0.779	749	10.27	6.049	799	10.86	4.893
650	9.06	-8.384	700	9.66	0.091	750	10.28	8.546	800	10.88	27.254

INDEX NO. 833 304-GR-43 DATE BRIDGE LG. MAX.ACCEL.= -31.847(GAL) T=11.62(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	10.89	29.001	851	11.46	-5.894	901	12.05	1.325	951	12.62	-6.814
802	10.90	29.872	852	11.47	-4.098	902	12.06	2.572	952	12.64	5.299
803	10.91	30.868	853	11.48	-4.653	903	12.07	2.565	953	12.65	8.669
804	10.92	27.736	854	11.49	-5.533	904	12.09	3.930	954	12.66	9.915
805	10.94	23.603	855	11.50	-6.788	905	12.10	6.176	955	12.67	12.284
806	10.95	19.849	856	11.51	-9.920	906	12.11	8.923	956	12.68	11.407
807	10.96	15.716	857	11.52	-13.799	907	12.12	13.420	957	12.69	10.151
808	10.98	14.210	858	11.54	-21.056	908	12.13	20.787	958	12.70	9.145
809	10.99	13.628	859	11.57	-26.698	909	12.14	24.785	959	12.71	8.516
810	11.00	11.571	860	11.58	-29.078	910	12.15	29.027	960	12.72	7.636
811	11.02	8.689	861	11.59	-30.334	911	12.16	29.026	961	12.73	7.008
812	11.04	-2.697	862	11.60	-30.963	912	12.17	26.894	962	12.74	7.253
813	11.05	-6.827	863	11.62	-31.847	913	12.18	25.014	963	12.75	8.498
814	11.06	-7.204	864	11.63	-28.478	914	12.19	22.758	964	12.76	9.118
815	11.07	-11.710	865	11.64	-25.106	915	12.20	21.256	965	12.78	10.359
816	11.08	-7.339	866	11.65	-20.935	916	12.22	17.996	966	12.79	10.103
817	11.09	-3.217	867	11.66	-14.930	917	12.23	16.742	967	12.80	8.850
818	11.10	6.277	868	11.67	-10.492	918	12.24	13.235	968	12.83	6.963
819	11.11	18.894	869	11.68	-6.999	919	12.26	9.728	969	12.85	4.079
820	11.12	20.893	870	11.69	-4.503	920	12.28	4.970	970	12.86	1.822
821	11.13	23.759	871	11.71	-2.512	921	12.30	-1.664	971	12.87	0.817
822	11.14	25.631	872	11.72	-1.020	922	12.31	-7.796	972	12.88	-1.314
823	11.15	25.377	873	11.74	0.224	923	12.32	-14.426	973	12.89	-1.941
824	11.16	25.246	874	11.76	1.838	924	12.33	-16.054	974	12.90	-2.321
825	11.17	23.495	875	11.77	2.706	925	12.34	-17.935	975	12.91	-2.700
826	11.18	13.486	876	11.79	2.701	926	12.35	-19.441	976	12.92	-3.581
827	11.20	10.479	877	11.80	2.442	927	12.36	-21.446	977	12.93	-3.212
828	11.21	6.726	878	11.82	5.308	928	12.37	-22.077	978	12.94	-2.714
829	11.22	2.846	879	11.83	7.554	929	12.38	-24.330	979	12.95	-2.343
830	11.23	3.083	880	11.84	9.425	930	12.39	-25.835	980	12.96	-2.977
831	11.24	5.333	881	11.85	10.926	931	12.41	-27.469	981	12.97	-2.731
832	11.25	7.454	882	11.86	12.914	932	12.42	-28.850	982	12.98	-4.235
833	11.26	8.652	883	11.87	12.910	933	12.43	-28.228	983	12.99	-7.114
834	11.27	11.570	884	11.88	12.407	934	12.44	-26.356	984	13.00	-9.369
835	11.28	10.942	885	11.89	12.025	935	12.45	-22.860	985	13.02	-11.751
836	11.29	6.312	886	11.90	11.770	936	12.46	-15.989	986	13.03	-5.758
837	11.31	0.924	887	11.91	12.018	937	12.47	-13.122	987	13.04	0.237
838	11.32	3.045	888	11.92	12.261	938	12.48	-11.500	988	13.06	9.728
839	11.33	9.668	889	11.93	12.258	939	12.49	-9.880	989	13.07	14.222
840	11.34	17.285	890	11.94	12.630	940	12.50	-9.633	990	13.08	17.967
841	11.35	19.158	891	11.95	10.500	941	12.51	-8.641	991	13.09	18.587
842	11.36	19.653	892	11.96	5.494	942	12.52	-8.270	992	13.10	19.335
843	11.37	19.275	893	11.97	-1.262	943	12.53	-8.650	993	13.12	8.949
844	11.38	16.768	894	11.98	-4.142	944	12.54	-9.277	994	13.13	6.444
845	11.39	12.765	895	11.99	-6.647	945	12.55	-9.908	995	13.14	2.566
846	11.40	0.008	896	12.00	-8.275	946	12.56	-11.413	996	13.15	-0.564
847	11.41	-3.872	897	12.01	-9.656	947	12.57	-12.418	997	13.16	-1.444
848	11.43	-5.256	898	12.02	-6.285	948	12.58	-13.296	998	13.17	-1.198
849	11.44	-5.759	899	12.03	-4.289	949	12.59	-13.928	999	13.18	0.919
850	11.45	-6.140	900	12.04	-2.043	950	12.61	-11.609	1000	13.19	2.789

土木構造物における加速度強震記録（No. 9）

INDEX NO. 833 304-GR-43 DATE BRIDGE LG. MAX.ACCEL.= -31.847(GAL) T=11.62(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	13.20	3.161	1051	13.83	-3.015	1101	14.48	-15.946	1151	15.09	-2.606
1002	13.21	4.033	1052	13.84	-4.522	1102	14.49	-14.453	1152	15.10	-2.614
1003	13.23	3.523	1053	13.85	-5.652	1103	14.51	-13.836	1153	15.12	-2.623
1004	13.24	2.515	1054	13.87	-10.612	1104	14.52	-11.216	1154	15.14	-2.255
1005	13.25	2.760	1055	13.88	-12.292	1105	14.53	-8.719	1155	15.15	-2.263
1006	13.26	2.758	1056	13.89	-14.547	1106	14.54	-7.723	1156	15.17	-1.643
1007	13.27	2.752	1057	13.90	-18.927	1107	14.55	-5.853	1157	15.18	-1.649
1008	13.28	2.247	1058	13.91	-21.305	1108	14.56	-5.108	1158	15.19	-1.404
1009	13.30	0.988	1059	13.93	-24.439	1109	14.57	-4.490	1159	15.20	-1.034
1010	13.31	-2.144	1060	13.94	-19.443	1110	14.59	-4.247	1160	15.21	-1.037
1011	13.32	-2.773	1061	13.95	-9.950	1111	14.61	-3.882	1161	15.22	-1.296
1012	13.34	-3.532	1062	13.96	-2.954	1112	14.62	1.738	1162	15.23	-1.674
1013	13.36	-2.915	1063	13.97	5.290	1113	14.64	11.353	1163	15.24	-2.304
1014	13.37	0.204	1064	13.98	6.538	1114	14.65	19.847	1164	15.25	-2.934
1015	13.38	1.024	1065	13.99	7.409	1115	14.66	23.594	1165	15.27	-4.194
1016	13.39	2.696	1065	14.00	8.652	1116	14.67	25.839	1166	15.28	-3.321
1017	13.40	3.692	1067	14.02	11.692	1117	14.68	28.085	1167	15.29	-1.078
1018	13.41	3.062	1068	14.03	14.763	1118	14.69	28.082	1168	15.30	2.417
1019	13.42	0.932	1069	14.04	20.757	1119	14.70	23.824	1169	15.31	2.789
1020	13.43	-1.950	1070	14.05	23.255	1120	14.71	21.569	1170	15.32	4.034
1021	13.44	-3.828	1071	14.06	27.747	1121	14.72	19.692	1171	15.34	4.898
1022	13.46	-6.008	1072	14.06	27.760	1122	14.73	17.685	1172	15.35	5.895
1023	13.48	-2.721	1073	14.09	27.736	1123	14.74	17.680	1173	15.36	6.515
1024	13.49	2.520	1074	14.11	26.352	1124	14.76	17.673	1174	15.37	6.134
1025	13.50	3.265	1075	14.12	25.969	1125	14.77	17.417	1175	15.38	5.882
1026	13.51	3.260	1076	14.14	28.712	1126	14.78	17.414	1176	15.39	1.251
1027	13.53	1.504	1077	14.16	26.079	1127	14.79	17.658	1177	15.40	-1.254
1028	13.54	0.122	1078	14.17	26.072	1128	14.80	15.152	1178	15.41	-3.135
1029	13.56	-1.385	1079	14.18	28.068	1129	14.82	12.020	1179	15.42	-4.388
1030	13.57	2.359	1080	14.19	27.437	1130	14.84	6.885	1180	15.43	-1.646
1031	13.58	4.479	1081	14.21	24.930	1131	14.86	1.125	1181	15.44	0.849
1032	13.59	5.100	1082	14.24	8.416	1132	14.88	-7.759	1102	15.45	3.595
1033	13.60	6.096	1083	14.29	-10.981	1133	14.89	-11.763	1183	15.46	5.464
1034	13.61	6.967	1084	14.30	-17.237	1134	14.90	-16.645	1184	15.48	6.084
1035	13.63	2.330	1085	14.31	-25.244	1135	14.91	-20.151	1185	15.49	6.079
1036	13.64	-2.300	1086	14.32	-26.748	1136	14.93	-21.408	1186	15.50	5.199
1037	13.65	-6.182	1087	14.33	-27.750	1137	14.94	-19.910	1187	15.51	4.316
1038	13.66	-8.686	1088	14.34	-27.505	1138	14.95	-16.166	1188	15.52	3.315
1039	13.67	-10.941	1089	14.35	-26.885	1139	14.96	-11.420	1189	15.53	2.434
1040	13.69	-13.201	1090	14.36	-26.515	1140	14.97	-8.300	1190	15.54	0.180
1041	13.70	-11.452	1091	14.37	-26.146	1141	14.98	-5.303	1191	15.55	-0.076
1042	13.71	-1.959	1092	14.38	-26.528	1142	14.99	-1.934	1192	15.56	-1.080
1043	13.72	6.659	1093	14.39	-27.780	1143	15.00	-1.567	1193	15.57	0.415
1044	13.73	11.155	1094	14.40	-28.410	1144	15.02	-1.572	1194	15.58	0.786
1045	13.75	13.647	1095	14.41	-29.166	1145	15.03	-1.827	1195	15.59	-1.097
1046	13.76	13.394	1096	14.42	-25.169	1146	15.04	-3.092	1196	15.60	-2.350
1047	13.77	8.390	1097	14.43	-27.300	1147	15.05	-3.087	1197	15.61	-3.856
1048	13.78	3.365	1098	14.44	-23.306	1148	15.06	-3.466	1198	15.62	-5.109
1049	13.80	0.123	1099	14.45	-20.934	1149	15.07	-3.222	1199	15.63	-7.739
1050	13.82	-1.509	1100	14.46	-17.565	1150	15.08	-2.852	1200	15.64	-9.996

INDEX NO. 833 304-GR-43 DATE BRIDGE LG. MAX.ACCEL.= -31.847(GAL) T=11.62(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	15.65	-10.625	1251	16.28	-16.675	1301	16.92	-4.979	1351	17.52	1.485
1202	15.67	-10.633	1252	16.29	-15.866	1302	16.93	-2.860	1352	17.54	1.978
1203	15.68	-9.388	1253	16.30	-12.934	1303	16.96	-0.620	1353	17.55	2.345
1204	15.69	-7.516	1254	16.31	-12.668	1304	16.97	1.374	1354	17.56	2.592
1205	15.70	-6.896	1255	16.33	-10.821	1305	16.98	3.243	1355	17.57	2.587
1206	15.71	-6.027	1256	16.36	-8.565	1306	16.99	4.112	1356	17.58	2.581
1207	15.73	-5.035	1257	16.37	-7.341	1307	17.01	4.481	1357	17.59	2.077
1208	15.74	-3.790	1258	16.39	-7.099	1308	17.03	4.471	1358	17.61	1.445
1209	15.75	-3.171	1259	16.40	-6.355	1309	17.04	4.464	1359	17.62	-2.063
1210	15.76	-2.302	1260	16.41	-4.111	1310	17.05	5.084	1360	17.63	-3.568
1211	15.77	-1.682	1261	16.42	-2.616	1311	17.06	5.705	1361	17.65	-4.199
1212	15.79	1.935	1262	16.43	-0.121	1312	17.07	5.949	1362	17.66	-5.456
1213	15.80	3.804	1263	16.45	4.121	1313	17.08	6.569	1363	17.67	-5.210
1214	15.81	6.925	1264	16.46	8.740	1314	17.09	7.814	1364	17.68	-4.984
1215	15.82	8.794	1265	16.47	13.234	1315	17.10	9.810	1365	17.69	-2.096
1216	15.83	10.769	1266	16.48	14.679	1316	17.11	10.430	1366	17.70	-0.475
1217	15.84	11.659	1267	16.49	15.100	1317	17.12	10.551	1367	17.71	1.269
1218	15.85	10.529	1268	16.50	15.470	1318	17.13	10.171	1368	17.72	2.514
1219	15.86	10.150	1269	16.51	14.590	1319	17.14	7.043	1369	17.73	2.884
1220	15.87	9.524	1270	16.53	13.582	1320	17.15	5.535	1370	17.74	0.756
1221	15.88	6.786	1271	16.55	12.698	1321	17.17	3.653	1371	17.75	-0.876
1222	15.91	5.753	1272	16.56	11.441	1322	17.18	2.648	1372	17.76	-3.630
1223	15.92	8.247	1273	16.57	11.064	1323	17.19	1.267	1373	17.77	-5.885
1224	15.93	9.117	1274	16.59	9.804	1324	17.20	-0.238	1374	17.78	-7.513
1225	15.94	9.737	1275	16.60	9.175	1325	17.21	-0.993	1375	17.79	-7.893
1226	15.96	9.480	1276	16.61	7.672	1326	17.22	-2.494	1376	17.80	-8.146
1227	15.98	8.596	1277	16.62	0.289	1327	17.23	-3.749	1377	17.81	-4.777
1228	15.99	7.986	1278	16.64	-3.670	1328	17.24	-3.253	1378	17.82	-1.407
1229	16.00	6.086	1279	16.65	-4.725	1329	17.25	-3.508	1379	17.83	2.037
1230	16.02	3.826	1280	16.66	-5.979	1330	17.26	-3.763	1380	17.84	3.457
1231	16.04	0.939	1281	16.67	-5.982	1331	17.27	-3.522	1381	17.85	5.327
1232	16.05	0.935	1282	16.68	-6.362	1332	17.29	-5.279	1382	17.86	4.700
1233	16.06	1.629	1283	16.69	-5.243	1333	17.31	-6.162	1383	17.87	0.692
1234	16.08	1.797	1284	16.70	-5.751	1334	17.32	-3.920	1384	17.88	-1.561
1235	16.09	1.560	1285	16.71	-6.128	1335	17.33	-2.672	1385	17.89	-4.690
1236	16.11	1.534	1286	16.72	-7.383	1336	17.34	-1.180	1386	17.90	-6.569
1237	16.13	1.399	1287	16.74	-8.692	1337	17.36	0.439	1387	17.91	-9.576
1238	16.14	0.893	1288	16.76	-12.027	1338	17.37	0.683	1388	17.92	-8.329
1239	16.16	-0.114	1289	16.78	-12.410	1339	17.38	0.628	1389	17.93	-7.334
1240	16.17	-0.369	1290	16.79	-12.664	1340	17.39	-1.701	1390	17.94	-6.464
1241	16.18	-0.375	1291	16.80	-12.672	1341	17.41	-2.711	1391	17.95	-5.469
1242	16.19	-0.380	1292	16.81	-12.178	1342	17.42	-3.965	1392	17.97	-3.603
1243	16.20	-0.387	1293	16.82	-11.556	1343	17.43	-4.220	1393	17.98	-2.109
1244	16.21	-2.016	1294	16.83	-10.559	1344	17.44	-4.352	1394	17.99	0.387
1245	16.22	-3.522	1295	16.84	-7.613	1345	17.45	-3.981	1395	18.00	1.506
1246	16.23	-5.148	1296	16.85	-6.194	1346	17.46	-2.487	1396	18.01	0.879
1247	16.24	-7.405	1297	16.86	-5.326	1347	17.47	-1.739	1397	18.02	-0.626
1248	16.25	-12.786	1298	16.87	-5.580	1348	17.48	-1.743	1398	18.03	-1.007
1249	16.26	-13.413	1299	16.90	-5.967	1349	17.49	-0.250	1399	18.05	-2.512
1250	16.27	-14.796	1300	16.91	-5.973	1350	17.50	-0.257	1400	18.07	-2.025

INDEX NO. 833 304-GR-43 DATE BRIDGE LG. MAX.ACCEL.= -31.847(GAL) T=11.62(SEC) NO. 8

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1401	18.08	-0.783	1451	18.76	3.020	1501	19.30	1.761	1551	20.01	-0.332
1402	18.10	0.458	1452	18.77	3.689	1502	19.31	1.757	1552	20.02	-1.089
1403	18.12	1.451	1453	18.78	3.884	1503	19.33	2.746	1553	20.03	-0.969
1404	18.13	4.569	1454	18.79	5.132	1504	19.34	3.615	1554	20.05	-1.353
1405	18.14	6.689	1455	18.80	5.502	1505	19.35	2.986	1555	20.06	-2.606
1406	18.15	5.687	1456	18.81	5.497	1506	19.36	3.357	1556	20.07	-2.863
1407	18.16	6.055	1457	18.82	5.490	1507	19.37	2.352	1557	20.09	-3.495
1408	18.17	5.549	1458	18.83	5.109	1508	19.38	2.095	1558	20.10	-3.251
1409	18.18	4.923	1459	18.84	4.667	1509	19.39	0.215	1559	20.11	-3.507
1410	18.19	4.542	1460	18.85	3.631	1510	19.41	0.834	1560	20.12	-4.136
1411	18.21	4.530	1461	18.86	3.596	1511	19.42	1.078	1561	20.13	-3.893
1412	18.22	5.776	1462	18.87	2.719	1512	19.43	1.447	1562	20.14	-3.023
1413	18.24	6.019	1463	18.88	2.337	1513	19.45	1.686	1563	20.16	-2.655
1414	18.25	6.639	1464	18.89	1.709	1514	19.47	1.178	1564	20.17	-2.409
1415	18.26	7.008	1465	18.90	-0.421	1515	19.48	0.546	1565	20.18	-1.167
1416	18.27	6.129	1466	18.91	-2.303	1516	19.49	1.666	1566	20.20	-1.801
1417	18.28	5.750	1467	18.92	-2.681	1517	19.50	1.662	1567	20.21	-2.679
1418	18.29	4.244	1468	18.93	-2.668	1518	19.51	2.034	1568	20.22	-2.933
1419	18.30	3.863	1469	18.94	-2.691	1519	19.52	2.276	1569	20.23	-3.939
1420	18.31	3.861	1470	18.95	-2.070	1520	19.54	2.270	1570	20.24	-3.320
1421	18.32	5.354	1471	18.96	-2.676	1521	19.55	2.015	1571	20.25	-3.323
1422	18.34	4.846	1472	18.97	-2.080	1522	19.56	1.758	1572	20.26	-3.326
1423	18.35	3.219	1473	18.98	-2.337	1523	19.57	1.379	1573	20.27	-2.706
1424	18.37	1.707	1474	18.99	-3.340	1524	19.58	1.122	1574	20.28	-1.836
1425	18.38	-0.550	1475	19.00	-3.347	1525	19.59	0.742	1575	20.29	0.657
1426	18.41	-5.187	1476	19.01	-4.850	1526	19.60	1.612	1576	20.30	1.655
1427	18.42	-7.563	1477	19.02	-5.479	1527	19.62	3.853	1577	20.31	-0.228
1428	18.43	-10.325	1478	19.03	-6.732	1528	19.65	5.089	1578	20.32	-0.854
1429	18.44	-11.329	1479	19.04	-6.740	1529	19.67	6.580	1579	20.33	-1.484
1430	18.45	-12.209	1480	19.05	-8.245	1530	19.68	7.576	1580	20.34	-2.365
1431	18.46	-14.089	1481	19.06	-8.250	1531	19.70	7.569	1581	20.35	-3.372
1432	18.48	-14.721	1482	19.08	-7.633	1532	19.71	7.560	1582	20.38	-4.636
1433	18.49	-15.226	1483	19.09	-7.639	1533	19.73	5.674	1583	20.40	-4.646
1434	18.50	-15.479	1484	19.10	-7.266	1534	19.77	3.535	1584	20.42	-4.030
1435	18.51	-12.109	1485	19.11	-6.649	1535	19.80	0.019	1585	20.45	-4.293
1436	18.52	-8.991	1486	19.13	-4.530	1536	19.81	-1.261	1586	20.46	-4.298
1437	18.56	-7.375	1487	19.14	-3.269	1537	19.82	-3.992	1587	20.48	-2.558
1438	18.55	-4.254	1488	19.15	-2.041	1538	19.83	-5.247	1588	20.51	-0.694
1439	18.56	-2.636	1489	19.16	0.950	1539	19.64	-6.504	1589	20.52	-0.076
1440	18.57	-1.391	1490	19.17	1.199	1540	19.85	-10.134	1590	20.53	1.168
1441	18.58	-0.521	1491	19.19	1.564	1541	19.86	-11.013	1591	20.54	1.538
1442	18.60	1.845	1492	19.20	0.934	1542	19.88	-12.021	1592	20.55	2.160
1443	18.62	4.335	1493	19.21	0.681	1543	19.89	-11.401	1593	20.56	2.406
1444	18.63	6.831	1494	19.22	0.549	1544	19.90	-9.907	1594	20.57	2.773
1445	18.64	6.827	1495	19.23	0.543	1545	19.92	-8.042	1595	20.58	2.144
1446	18.65	6.021	1496	19.24	0.913	1546	19.94	-5.173	1596	20.60	1.887
1447	18.66	5.944	1497	19.26	2.155	1547	19.95	-3.057	1597	20.61	1.256
1448	18.67	4.938	1498	19.27	2.776	1548	19.96	-0.812	1598	20.62	0.626
1449	18.69	3.053	1499	19.28	2.772	1549	19.98	-0.070	1599	20.63	-0.005
1450	18.73	2.160	1500	19.29	2.392	1550	20.00	-0.329	1600	20.65	-0.388

INDEX NO. 833 304-GR-43 DATE BRIDGE LG. MAX.ACCEL.= -31.847(GAL) T=11.62(SEC) NO. 9

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1601	20.66	-0.143	1651	21.40	-8.371	1701	22.13	3.032	1751	22.87	-3.068
1602	20.67	0.229	1652	21.42	-5.030	1702	22.15	2.399	1752	22.88	-1.819
1603	20.69	2.093	1653	21.43	-3.135	1703	22.18	1.634	1753	22.90	1.293
1604	20.71	2.085	1654	21.45	-1.267	1704	22.19	2.877	1754	22.91	1.289
1605	20.73	0.576	1655	21.46	0.102	1705	22.21	4.493	1755	22.93	1.655
1606	20.74	-1.682	1656	21.48	1.968	1706	22.22	4.492	1756	22.94	1.898
1607	20.76	-3.566	1657	21.50	3.502	1707	22.23	5.735	1757	22.95	2.521
1608	20.78	-6.326	1658	21.51	4.459	1708	22.24	6.357	1758	22.96	2.890
1609	20.79	-6.704	1659	21.54	5.063	1709	22.25	5.851	1759	22.97	3.512
1610	20.80	-6.709	1660	21.57	4.796	1710	22.26	5.846	1760	22.99	3.501
1611	20.81	-6.465	1661	21.60	6.782	1711	22.27	4.968	1761	23.01	2.245
1612	20.83	-6.098	1662	21.62	7.400	1712	22.28	3.339	1762	23.02	0.363
1613	20.85	-6.106	1663	21.63	8.893	1713	22.29	1.631	1763	23.03	-1.516
1614	20.86	-6.361	1664	21.64	8.391	1714	22.30	1.027	1764	23.04	-2.770
1615	20.87	-6.368	1665	21.65	7.758	1715	22.31	0.821	1765	23.05	-4.652
1616	20.88	-5.247	1666	21.66	6.504	1716	22.32	0.817	1766	23.06	-5.657
1617	20.89	-4.252	1667	21.68	4.873	1717	22.33	2.312	1767	23.07	-4.411
1618	20.90	-2.135	1668	21.69	3.617	1716	22.34	3.306	1768	23.09	-2.794
1619	20.93	0.356	1669	21.71	2.359	1719	22.35	2.676	1769	23.10	-1.551
1620	20.95	4.456	1670	21.72	2.104	1720	22.37	0.792	1770	23.11	-0.929
1621	20.96	5.338	1671	21.74	2.719	1721	22.38	0.164	1771	23.12	0.567
1622	20.97	5.709	1672	21.75	1.711	1722	22.39	-1.217	1772	23.13	0.309
1623	20.98	5.954	1673	21.76	0.833	1723	22.41	-1.850	1773	23.15	0.554
1624	21.00	5.944	1674	21.77	-1.549	1724	22.42	-2.105	1774	23.17	0.544
1625	21.03	6.055	1675	21.78	-2.177	1725	22.45	-2.117	1775	23.18	0.588
1626	21.05	5.922	1676	21.79	-2.606	1726	22.46	-2.508	1776	23.20	-1.595
1627	21.06	6.292	1677	21.80	-3.639	1727	22.48	-2.510	1777	23.21	-2.477
1628	21.07	5.037	1678	21.82	-4.073	1728	22.51	-1.274	1778	23.22	-3.484
1629	21.08	3.782	1679	21.83	-3.826	1729	22.52	-0.403	1779	23.24	-3.242
1630	21.09	2.275	1680	21.84	-5.957	1730	22.54	0.216	1780	23.25	-3.497
1631	21.11	1.895	1681	21.85	-6.837	1731	22.55	1.210	1781	23.27	-2.879
1632	21.12	1.265	1682	21.86	-7.640	1732	22.56	2.204	1782	23.28	-2.884
1633	21.13	2.134	1683	21.87	-11.095	1733	22.57	2.449	1783	23.29	-2.889
1634	21.14	3.130	1684	21.88	-11.724	1734	22.59	3.690	1784	23.30	-3.144
1635	21.16	3.746	1685	21.89	-12.605	1735	22.60	3.934	1785	23.32	-3.529
1636	21.17	3.489	1686	21.91	-12.362	1736	22.62	4.553	1786	23.33	-3.283
1637	21.18	2.483	1687	21.93	-10.247	1737	22.63	4.919	1787	23.34	-2.915
1638	21.20	1.851	1688	21.95	-9.257	1738	22.65	4.912	1788	23.37	-2.301
1639	21.22	-0.911	1689	21.97	-9.019	1739	22.67	2.153	1789	23.39	-1.887
1640	21.24	-3.793	1690	22.01	-8.660	1740	22.68	0.899	1790	23.41	-1.698
1641	21.27	-6.560	1691	22.02	-8.039	1741	22.69	-0.729	1791	23.43	-1.455
1642	21.29	-7.567	1692	22.03	-7.422	1742	22.70	-1.361	1792	23.45	-1.091
1643	21.31	-8.201	1693	22.04	-6.552	1743	22.71	-2.865	1793	23.46	-1.096
1644	21.32	-8.959	1694	22.05	-4.678	1744	22.72	-2.872	1794	23.47	-1.101
1645	21.33	-9.588	1695	22.06	0.190	1745	22.74	-3.254	1795	23.49	-1.108
1646	21.34	-10.844	1696	22.07	2.061	1746	22.77	-3.521	1796	23.50	-0.491
1647	21.36	-11.726	1697	22.08	3.932	1747	22.80	-3.533	1797	23.51	1.004
1648	21.37	-11.656	1698	22.09	5.176	1748	22.81	-3.538	1798	23.52	1.999
1649	21.38	-10.235	1699	22.11	3.918	1749	22.83	-3.547	1799	23.54	3.242
1650	21.39	-10.239	1700	22.12	3.660	1750	22.85	-3.930	1800	23.55	1.987

土木構造物における加速度強震記録（No.9）

INDEX NO. 833 304-GR-43 DATE 6HIDGE LG. MAX.ACCEL.= -31.847(GAL) T=11.62(SEC) NO.10

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1801	23.56	1.355	1851	24.27	4.140	1901	25.04	0.039	1951	25.82	-1.338
1802	23.57	1.354	1852	24.29	5.762	1902	25.05	0.282	1952	25.83	-0.970
1803	23.59	1.093	1853	24.30	6.384	1903	25.06	0.029	1953	25.84	-0.975
1804	23.60	-0.160	1854	24.32	6.751	1904	25.07	-0.601	1954	25.85	-0.355
1805	23.61	-0.169	1855	24.34	4.241	1905	25.08	-1.230	1955	25.86	-0.606
1806	23.63	0.074	1856	24.35	2.361	1906	25.09	-1.465	1956	25.87	-0.615
1807	23.64	0.318	1857	24.37	-0.773	1907	25.11	-1.870	1957	25.89	0.503
1808	23.66	0.310	1858	24.38	-1.655	1908	25.12	-2.750	1958	25.90	1.122
1809	23.67	0.056	1859	24.40	-2.411	1909	25.14	-2.259	1959	25.91	1.243
1810	23.68	-0.201	1860	24.41	-2.545	1910	25.16	-1.272	1960	25.93	1.485
1811	23.69	-0.581	1861	24.43	-1.301	1911	25.19	-1.535	1961	25.94	1.226
1812	23.70	-1.211	1862	24.45	-0.313	1912	25.21	-1.547	1962	25.97	1.462
1813	23.71	-1.465	1863	24.47	0.930	1913	25.24	-1.559	1963	26.00	1.451
1814	23.72	-1.471	1864	24.48	0.676	1914	25.26	-2.566	1964	26.03	1.434
1815	23.74	-0.603	1865	24.49	-1.832	1915	25.27	-2.624	1965	26.06	1.419
1816	23.75	0.267	1866	24.51	-2.213	1916	25.29	-3.457	1966	26.09	1.155
1817	23.77	1.883	1867	24.52	-4.345	1917	25.30	-5.340	1967	26.11	1.148
1818	23.81	1.240	1868	24.53	-5.001	1918	25.32	-5.723	1968	26.12	1.143
1819	23.83	0.980	1869	24.54	-5.731	1919	25.33	-5.101	1969	26.13	1.389
1820	23.84	-0.403	1870	24.56	-4.737	1920	25.35	-5.112	1970	26.14	1.383
1821	23.85	-0.406	1871	24.57	-5.368	1921	25.36	-2.369	1971	26.15	1.377
1822	23.86	-1.912	1872	24.59	-4.750	1922	25.37	-1.371	1972	26.18	2.616
1823	23.87	-1.667	1873	24.60	-4.505	1923	25.38	-1.376	1973	26.21	-0.901
1824	23.89	0.573	1874	24.61	-4.759	1924	25.39	-1.131	1974	26.23	0.089
1825	23.92	0.812	1875	24.62	-4.767	1925	25.40	-1.135	1975	26.25	0.957
1826	23.94	0.802	1876	24.63	-3.526	1926	25.41	-1.017	1976	26.27	0.948
1827	23.95	0.297	1877	24.65	-2.028	1927	25.42	-1.022	1977	26.29	1.938
1828	23.97	-0.339	1878	24.66	-0.783	1928	25.43	-0.524	1978	26.31	2.555
1829	23.99	-0.720	1879	24.67	-0.415	1929	25.45	0.466	1979	26.32	2.799
1830	24.00	-0.978	1880	24.70	-0.678	1930	25.46	1.334	1980	26.33	2.793
1831	24.01	-1.359	1881	24.71	-0.685	1931	25.49	2.945	1981	26.35	3.161
1832	24.02	0.138	1882	24.73	-0.193	1932	25.51	3.611	1982	26.36	2.154
1833	24.04	1.131	1883	24.74	0.177	1933	25.53	4.803	1983	26.37	1.898
1834	24.05	2.000	1884	24.77	1.416	1934	25.54	4.795	1984	26.38	1.019
1835	24.06	4.244	1885	24.79	1.654	1935	25.56	4.765	1985	26.40	0.386
1836	24.08	4.863	1886	24.81	1.646	1936	25.59	4.399	1986	26.41	-0.244
1837	24.09	4.233	1887	24.83	1.308	1937	25.60	4.391	1987	26.43	-1.505
1838	24.10	3.601	1888	24.85	1.376	1938	25.62	3.882	1988	26.45	-1.015
1839	24.11	2.974	1889	24.87	1.119	1939	25.64	3.250	1989	26.47	-0.397
1840	24.12	2.094	1890	24.89	0.735	1940	25.65	1.992	1990	26.49	-0.030
1841	24.13	1.464	1891	24.90	0.727	1941	25.66	1.362	1991	26.51	0.583
1842	24.14	0.832	1892	24.92	-0.155	1942	25.67	-0.893	1992	26.52	0.329
1843	24.16	0.198	1893	24.93	-1.159	1943	25.69	-1.275	1993	26.53	-0.299
1844	24.17	0.442	1894	24.94	-1.418	1944	25.71	-1.284	1994	26.56	-2.817
1845	24.18	1.312	1895	24.96	-1.798	1945	25.73	-0.546	1995	26.59	-4.453
1846	24.19	1.933	1896	24.97	-1.804	1946	25.74	-0.300	1996	26.60	-5.083
1847	24.20	3.556	1897	24.98	-1.184	1947	25.76	-0.558	1997	26.62	-5.343
1848	24.22	4.798	1898	24.99	-0.940	1948	25.77	-0.583	1998	26.64	-5.725
1849	24.25	4.158	1899	25.00	-0.571	1949	25.79	-1.201	1999	26.66	-6.360
1850	24.26	3.902	1900	25.02	0.045	1950	25.80	-1.831	2000	26.67	-6.994

INDEX NO. 833 304-GR-43 DATE 6HIDGE LG. MAX.ACCEL.= -31.847(GAL) T=11.62(SEC) NO.11

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2001	26.68	-5.497	2051	27.49	-0.756	2101	28.54	4.119	2151	29.29	-2.495
2002	26.69	-3.877	2052	27.51	-0.516	2102	28.56	3.487	2152	29.32	-2.507
2003	26.71	-3.010	2053	27.53	0.101	2103	28.58	2.652	2153	29.34	-2.519
2004	26.73	-2.018	2054	27.55	0.716	2104	28.59	2.847	2154	29.36	-3.152
2005	26.75	-0.782	2055	27.57	0.956	2105	28.60	1.588	2155	29.37	-4.032
2006	26.77	-0.166	2056	27.58	1.327	2106	28.61	0.709	2156	29.39	-4.542
2007	26.79	-0.174	2057	27.60	1.567	2107	28.63	0.076	2157	29.41	-4.552
2008	26.81	-0.183	2058	27.62	-0.193	2108	28.65	-1.557	2158	29.43	-2.684
2009	26.82	0.060	2059	27.65	-0.578	2109	28.66	-2.188	2159	29.44	-1.190
2010	26.83	1.059	2060	27.68	-1.467	2110	28.67	-2.817	2160	29.45	0.677
2011	26.84	2.553	2061	27.70	-1.228	2111	28.68	-3.074	2161	29.47	0.169
2012	26.85	3.172	2062	27.75	-0.628	2112	28.69	-3.454	2162	29.48	0.414
2013	26.86	4.170	2063	27.81	1.471	2113	28.70	-3.210	2163	29.49	1.283
2014	26.87	4.165	2064	27.88	2.437	2114	28.72	-2.594	2164	29.51	2.525
2015	26.88	3.285	2065	27.91	3.674	2115	28.73	-2.223	2165	29.52	3.270
2016	26.89	2.280	2066	27.93	4.037	2116	28.74	-1.602	2166	29.53	4.268
2017	26.90	0.774	2067	27.95	3.779	2117	28.75	-2.482	2167	29.54	5.511
2018	26.91	0.393	2068	27.97	3.146	2118	28.76	-1.863	2168	29.56	5.253
2019	26.93	1.259	2069	27.99	1.883	2119	28.77	-1.615	2169	29.58	4.864
2020	26.95	2.001	2070	28.02	0.995	2120	28.78	-2.623	2170	29.62	3.598
2021	26.97	2.244	2071	28.04	-0.891	2121	28.79	-2.878	2171	29.68	1.069
2022	26.98	2.486	2072	28.05	+2.521	2122	28.81	-3.510	2172	29.73	-1.455
2023	27.00	1.979	2073	28.09	-6.663	2123	28.82	-2.017	2173	29.77	-3.348
2024	27.03	1.340	2074	28.10	-5.792	2124	28.83	-1.644	2174	29.79	-4.984
2025	27.05	0.953	2075	28.12	-5.803	2125	28.84	-0.774	2175	29.81	-5.620
2026	27.07	0.946	2076	28.13	-4.931	2126	28.86	-0.159	2176	29.84	-5.632
2027	27.08	0.938	2077	28.14	-4.563	2127	28.88	0.454	2177	29.86	-5.146
2028	27.10	1.179	2078	28.16	-5.823	2128	28.91	1.065	2178	29.89	-4.534
2029	27.12	1.547	2079	28.18	-5.834	2129	28.93	2.307	2179	29.92	-2.923
2030	27.14	2.411	2080	28.20	-6.094	2130	28.94	2.925	2180	29.94	-1.681
2031	27.15	2.530	2081	28.23	-6.482	2131	28.95	3.920	2181	29.95	-1.061
2032	27.17	2.774	2082	28.25	-6.492	2132	28.97	5.164	2182	29.96	-0.443
2033	27.20	3.382	2083	28.27	-6.251	2133	28.98	4.532	2183	29.97	0.801
2034	27.22	2.500	2084	28.28	-5.631	2134	28.99	5.403	2184	29.99	1.667
2035	27.23	0.869	2085	28.29	-4.634	2135	29.00	5.146	2185	30.01	4.033
2036	27.24	0.241	2086	28.30	-2.161	2136	29.01	4.267	2186	30.02	3.780
2037	27.25	0.233	2087	28.33	1.845	2137	29.03	4.134	2187	30.03	4.025
2038	27.27	0.476	2088	28.35	3.481	2138	29.04	2.626	2188	30.04	4.016
2039	27.29	0.840	2089	28.36	4.455	2139	29.05	1.121	2189	30.05	3.762
2040	27.30	0.836	2090	28.38	4.822	2140	29.07	0.739	2190	30.06	3.382
2041	27.32	-0.047	2091	28.39	5.065	2141	29.10	0.725	2191	30.08	3.123
2042	27.34	-0.434	2092	28.41	4.608	2142	29.11	0.718	2192	30.10	2.741
2043	27.36	-0.441	2093	28.43	4.799	2143	29.13	0.710	2193	30.13	2.101
2044	27.37	-0.200	2094	28.44	4.169	2144	29.15	0.949	2194	30.16	0.208
2045	27.40	0.415	2095	28.46	3.908	2145	29.17	0.940	2195	30.22	-0.442
2046	27.41	0.782	2096	28.48	3.899	2146	29.18	-0.192	2196	30.25	-0.458
2047	27.43	0.775	2097	28.49	3.892	2147	29.19	-0.572	2197	30.29	-1.103
2048	27.44	0.142	2098	28.50	4.136	2148	29.23	-1.212	2198	30.31	-0.861
2049	27.46	-0.492	2099	28.51	4.384	2149	29.25	-1.224	2199	30.34	-0.501
2050	27.48	-0.747	2100	28.53	4.749	2150	29.26	-2.112	2200	30.36	-0.761

INDEX NO. 833 304-GR-43 DATE BRIDGE LG. MAX.ACCEL.= -31.847(GAL) T=11.62(SEC) NO.12

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2201	30.37	-0.269	2251	31.34	-3.485	2301	32.65	-1.219	2351	33.87	3.082
2202	30.39	0.097	2252	31.39	-1.383	2302	32.67	-1.857	2352	33.91	3.438
2203	30.42	0.957	2253	31.43	0.473	2303	32.73	-2.633	2353	33.94	3.176
2204	30.44	1.326	2254	31.45	1.715	2304	32.76	-3.148	2354	33.95	2.170
2205	30.46	2.191	2255	31.46	2.981	2305	32.79	-3.163	2355	33.97	1.286
2206	30.47	3.434	2256	31.47	3.956	2306	32.81	-3.546	2356	33.99	0.901
2207	30.48	4.677	2257	31.50	3.692	2307	32.83	-3.553	2357	34.01	0.889
2208	30.50	5.293	2258	31.52	3.055	2308	32.85	-3.316	2358	34.04	0.251
2209	30.51	5.288	2259	31.56	2.412	2309	32.86	-1.696	2359	34.08	0.234
2210	30.53	5.282	2260	31.60	0.520	2310	32.90	-1.460	2360	34.11	-0.406
2211	30.54	5.025	2261	31.66	-0.500	2311	32.92	-0.095	2361	34.12	-0.409
2212	30.56	5.017	2262	31.68	-1.144	2312	32.93	-0.102	2362	34.13	-0.416
2213	30.57	5.010	2263	31.71	-1.159	2313	32.95	0.141	2363	34.14	-0.421
2214	30.60	4.370	2264	31.73	-0.291	2314	32.96	1.633	2364	34.16	-1.680
2215	30.63	3.108	2265	31.74	-0.547	2315	32.99	3.246	2365	34.17	-1.936
2216	30.65	1.847	2266	31.75	-1.429	2316	33.00	4.740	2366	34.19	-2.942
2217	30.67	1.213	2267	31.77	-1.812	2317	33.03	5.476	2367	34.20	-3.026
2218	30.69	0.953	2268	31.79	-2.068	2318	33.06	5.711	2368	34.21	-2.953
2219	30.71	-0.684	2269	31.80	-2.449	2319	33.09	5.947	2369	34.23	-2.340
2220	30.72	-1.563	2270	31.82	-1.587	2320	33.14	5.677	2370	34.25	-1.098
2221	30.73	-1.566	2271	31.84	0.658	2321	33.18	4.408	2371	34.27	-0.231
2222	30.76	-1.080	2272	31.87	2.269	2322	33.20	4.145	2372	34.28	0.388
2223	30.78	-0.091	2273	31.89	3.133	2323	33.22	4.139	2373	34.30	0.752
2224	30.80	0.523	2274	31.92	4.370	2324	33.23	2.509	2374	34.31	0.996
2225	30.82	0.764	2275	31.97	4.095	2325	33.25	1.248	2375	34.33	1.365
2226	30.84	-0.121	2276	31.98	4.591	2326	33.27	0.364	2376	34.34	1.107
2227	30.86	-0.132	2277	32.00	5.206	2327	33.29	-0.645	2377	34.37	1.094
2228	30.88	-0.139	2278	32.01	4.324	2328	33.32	-0.910	2378	34.39	0.709
2229	30.89	-0.146	2279	32.03	3.440	2329	33.36	-1.930	2379	34.40	0.455
2230	30.92	-0.158	2280	32.05	2.806	2330	33.40	-2.196	2380	34.43	-0.184
2231	30.93	-1.038	2281	32.08	1.171	2331	33.42	-2.206	2381	34.44	-0.191
2232	30.94	-1.045	2282	32.10	0.911	2332	33.44	-2.217	2382	34.46	0.300
2233	30.97	-1.432	2283	32.13	1.146	2333	33.46	-2.223	2383	34.48	0.917
2234	30.98	-1.188	2284	32.16	-0.116	2334	33.47	-1.981	2384	34.51	2.150
2235	30.99	-0.817	2285	32.19	-1.756	2335	33.48	-1.986	2385	34.53	2.141
2236	31.00	-0.198	2286	32.21	-2.015	2336	33.49	-1.741	2386	34.55	3.131
2237	31.01	0.420	2287	32.24	-0.779	2337	33.51	-1.375	2387	34.60	2.486
2238	31.03	0.663	2288	32.28	-0.549	2338	33.53	-0.757	2388	34.62	2.474
2239	31.05	1.286	2289	32.32	0.680	2339	33.55	0.110	2389	34.66	2.705
2240	31.06	0.148	2290	32.33	0.679	2340	33.56	0.478	2390	34.69	2.191
2241	31.09	0.137	2291	32.37	1.282	2341	33.59	0.214	2391	34.71	1.806
2242	31.11	-0.502	2292	32.40	2.268	2342	33.61	-0.171	2392	34.73	3.047
2243	31.14	-0.891	2293	32.43	3.133	2343	33.63	-0.181	2393	34.75	2.788
2244	31.19	-0.915	2294	32.45	3.247	2344	33.66	-0.443	2394	34.76	2.157
2245	31.21	-0.924	2295	32.47	2.237	2345	33.69	-0.457	2395	34.77	1.151
2246	31.25	-1.189	2296	32.49	1.353	2346	33.71	-0.218	2396	34.80	-0.488
2247	31.27	-1.823	2297	32.51	0.967	2347	33.74	0.396	2397	34.84	-0.757
2248	31.29	-2.460	2298	32.54	0.703	2348	33.77	1.254	2398	34.86	-1.015
2249	31.31	-3.096	2299	32.59	-0.942	2349	33.80	1.617	2399	34.90	-1.409
2250	31.33	-3.103	2300	32.61	-0.705	2350	33.83	2.476	2400	34.92	-1.620

INDEX NO. 833 304-GR-43 DATE BRIDGE LG. MAX.ACCEL.= -31.847(GAL) T=11.62(SEC) NO.13

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2401	34.94	-1.431	2451	36.35	0.397	2501	37.81	-3.426	2551	39.31	-1.647
2402	34.98	-1.822	2452	36.38	0.634	2502	37.82	-2.558	2552	39.33	-1.654
2403	35.01	-0.836	2453	36.41	0.621	2503	37.85	-1.310	2553	39.34	-1.661
2404	35.03	0.402	2454	36.44	1.856	2504	37.89	-0.962	2554	39.36	-0.671
2405	35.05	1.893	2455	36.46	2.469	2505	37.91	-0.972	2555	39.37	-0.678
2406	35.07	2.682	2456	36.51	2.197	2506	37.96	-1.250	2556	39.41	0.432
2407	35.09	3.249	2457	36.55	0.928	2507	38.00	-1.643	2557	39.42	0.798
2408	35.12	3.861	2458	36.58	-0.336	2508	38.04	-1.039	2558	39.46	1.155
2409	35.14	2.226	2459	36.62	-1.232	2509	38.07	-1.051	2559	39.49	-0.111
2410	35.17	2.461	2460	36.66	-1.002	2510	38.10	-0.442	2560	39.53	-0.505
2411	35.21	1.564	2461	36.69	-1.014	2511	38.12	-0.200	2561	39.55	-1.140
2412	35.24	1.002	2462	36.72	-0.778	2512	38.14	0.165	2562	39.58	-1.780
2413	35.27	1.538	2463	36.75	-0.166	2513	38.16	1.399	2563	39.59	-2.033
2414	35.28	1.781	2464	36.77	-0.178	2514	38.20	3.261	2564	39.61	-2.670
2415	35.30	2.146	2465	36.79	0.187	2515	38.25	4.115	2565	39.63	-3.054
2416	35.33	2.383	2466	36.81	-0.071	2516	38.28	4.725	2566	39.66	-3.065
2417	35.34	3.004	2467	36.83	-0.079	2517	38.33	2.950	2567	39.68	-2.204
2418	35.37	2.489	2468	36.85	-0.717	2518	38.36	0.684	2568	39.72	-1.595
2419	35.40	1.477	2469	36.88	0.772	2519	38.38	0.427	2569	39.75	-1.234
2420	35.43	1.210	2470	36.92	1.627	2520	38.40	-0.833	2570	39.77	-0.996
2421	35.45	-0.425	2471	36.97	2.977	2521	38.41	-1.039	2571	39.79	-0.379
2422	35.48	-1.311	2472	37.02	2.829	2522	38.43	-1.048	2572	39.82	0.856
2423	35.50	-2.950	2473	37.07	2.555	2523	38.45	-1.610	2573	39.85	1.216
2424	35.53	-3.839	2474	37.10	1.667	2524	38.48	-1.622	2574	39.88	1.200
2425	35.56	-2.976	2475	37.12	0.654	2525	38.50	-1.883	2575	39.92	1.434
2426	35.58	-2.111	2476	37.15	-0.860	2526	38.52	-2.139	2576	39.95	1.418
2427	35.62	-1.127	2477	37.17	-2.118	2527	38.55	-1.905	2577	39.98	-0.097
2428	35.64	-1.141	2478	37.20	-2.131	2528	38.59	-1.048			
2429	35.69	0.713	2479	37.24	-1.653	2529	38.62	-0.688			
2430	35.72	1.571	2480	37.25	-1.283	2530	38.64	-0.451			
2431	35.76	2.555	2481	37.28	-1.296	2531	38.67	-0.086			
2432	35.77	2.798	2482	37.32	-0.460	2532	38.70	-0.101			
2433	35.79	2.539	2483	37.34	0.174	2533	38.73	0.134			
2434	35.82	2.149	2484	37.37	0.341	2534	38.75	0.499			
2435	35.90	-1.513	2485	37.40	-1.606	2535	38.77	0.738			
2436	35.94	-2.204	2486	37.44	-0.124	2536	38.83	-0.612			
2437	35.97	-2.797	2487	37.47	0.112	2537	38.86	-1.178			
2438	36.00	-2.813	2488	37.50	1.973	2538	38.88	-1.187			
2439	36.04	-2.581	2489	37.51	1.967	2539	38.92	-1.207			
2440	36.07	-2.344	2490	37.53	2.085	2540	38.95	-0.848			
2441	36.09	-1.978	2491	37.55	1.448	2541	38.98	-0.610			
2442	36.11	-1.365	2492	37.57	1.063	2542	39.01	-1.249			
2443	36.13	-0.498	2493	37.59	0.806	2543	39.04	-0.892			
2444	36.15	0.119	2494	37.60	0.798	2544	39.09	-0.289			
2445	36.18	0.478	2495	37.62	0.788	2545	39.11	-0.050			
2446	36.21	-0.413	2496	37.66	1.397	2546	39.15	-1.192			
2447	36.25	-0.554	2497	37.69	0.382	2547	39.18	-1.583			
2448	36.27	-0.817	2498	37.73	-0.264	2548	39.21	-1.848			
2449	36.30	-1.454	2499	37.77	-1.780	2549	39.26	-1.623			
2450	36.32	-0.215	2500	37.79	-2.415	2550	39.29	-1.385			

Table IX D-60 Digitized Accelerations of Earthquake Record with Index Number 834

INDEX NO. 834 304-GR-43 DATE BRIDGE U-D MAX.ACCEL.= 12.414(GAL) T=10.01(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.03	-1.772	51	0.92	-1.247	101	1.99	-0.951	151	2.99	-1.245
2	0.05	-3.042	52	0.94	-1.510	102	2.00	-1.211	152	3.00	-1.630
3	0.07	-4.053	53	0.96	-1.774	103	2.02	-2.221	153	3.02	-1.392
4	0.09	-4.063	54	0.97	-1.776	104	2.03	-3.106	154	3.04	-1.026
5	0.10	-4.070	55	0.99	-1.790	105	2.05	-3.490	155	3.06	0.207
6	0.11	-3.630	56	1.02	-2.109	106	2.07	-3.252	156	3.08	0.020
7	0.13	-3.464	57	1.05	-1.956	107	2.09	-2.895	157	3.10	0.559
8	0.15	-1.970	58	1.10	-1.241	108	2.12	-2.937	158	3.12	0.170
9	0.17	-0.741	59	1.14	-1.019	109	2.14	-1.676	159	3.14	-0.467
10	0.19	-0.380	60	1.17	-1.035	110	2.17	-1.325	160	3.16	-0.734
11	0.21	-0.144	61	1.19	-1.926	111	2.18	-1.091	161	3.18	-1.124
12	0.24	-0.164	62	1.21	-2.563	112	2.19	-1.338	162	3.23	-0.905
13	0.26	-0.428	63	1.23	-2.699	113	2.21	-1.367	163	3.26	-1.176
14	0.26	-0.191	64	1.25	-2.339	114	2.23	-0.490	164	3.28	-1.189
15	0.29	-0.451	65	1.26	-2.093	115	2.24	-0.491	165	3.30	-1.202
16	0.30	-1.084	66	1.27	-2.351	116	2.25	0.998	166	3.32	-1.216
17	0.31	-1.714	67	1.29	-2.364	117	2.27	1.614	167	3.33	-1.225
18	0.32	-2.347	68	1.31	-2.127	118	2.28	1.357	168	3.34	-2.107
19	0.34	-2.357	69	1.34	-2.145	119	2.31	0.709	169	3.36	-2.492
20	0.36	-2.372	70	1.36	-1.408	120	2.35	-1.194	170	3.37	-2.750
21	0.39	-2.139	71	1.37	-0.295	121	2.37	-1.206	171	3.38	-2.756
22	0.42	-2.413	72	1.39	0.697	122	2.39	-2.095	172	3.39	-2.263
23	0.44	-2.422	73	1.41	0.934	123	2.41	-2.233	173	3.40	-1.019
24	0.46	-3.060	74	1.42	1.298	124	2.43	-2.243	174	3.41	-0.401
25	0.48	-3.449	75	1.44	1.283	125	2.44	-1.876	175	3.42	-0.033
26	0.49	-3.460	76	1.47	0.016	126	2.46	-1.013	176	3.44	0.829
27	0.51	-2.099	77	1.49	-1.245	127	2.47	0.228	177	3.45	1.446
28	0.53	-1.860	78	1.51	-1.507	128	2.48	0.348	178	3.46	1.813
29	0.54	-1.618	79	1.54	-2.152	129	2.49	0.590	179	3.48	2.053
30	0.55	-1.873	80	1.58	-2.183	130	2.50	0.580	180	3.50	1.790
31	0.56	-1.883	81	1.61	-2.200	131	2.52	0.322	181	3.52	1.527
32	0.59	-1.901	82	1.62	-2.210	132	2.53	-0.312	182	3.55	1.134
33	0.61	-2.104	83	1.63	-2.040	133	2.54	-0.945	183	3.57	1.121
34	0.62	-2.176	84	1.64	-2.848	134	2.56	-1.585	184	3.59	0.229
35	0.64	-1.931	85	1.66	-3.234	135	2.57	-1.968	185	3.61	0.215
36	0.65	-1.688	86	1.68	-3.246	136	2.63	-1.632	186	3.63	-0.549
37	0.66	-0.698	87	1.69	-3.037	137	2.66	-1.772	187	3.65	-0.812
38	0.67	-0.953	88	1.71	-2.020	138	2.69	-2.064	188	3.66	-0.816
39	0.70	-1.349	89	1.75	-1.657	139	2.73	-2.071	189	3.67	-0.575
40	0.71	-1.357	90	1.78	-1.439	140	2.76	-1.467	190	3.71	-0.223
41	0.75	-1.629	91	1.85	-1.487	141	2.80	-1.242	191	3.73	0.011
42	0.77	-2.019	92	1.87	-1.498	142	2.81	-1.253	192	3.76	-0.009
43	0.79	-2.283	93	1.89	-2.134	143	2.84	-0.898	193	3.77	-0.015
44	0.81	-3.045	94	1.90	-2.516	144	2.86	-0.536	194	3.78	-0.025
45	0.82	-3.050	95	1.91	-2.775	145	2.88	-0.299	195	3.79	-0.032
46	0.85	-3.321	96	1.93	-2.538	146	2.90	-0.309	196	3.80	-0.289
47	0.86	-2.704	97	1.94	-2.165	147	2.93	-0.383	197	3.81	-0.543
48	0.87	-2.086	98	1.95	-0.675	148	2.95	-0.591	198	3.84	-1.188
49	0.89	-1.223	99	1.97	0.564	149	2.96	-0.974	199	3.85	-1.196
50	0.91	-1.235	100	1.98	-0.068	150	2.98	-1.240	200	3.87	-2.206

INDEX NO. 834 304-GR-43 DATE BRIDGE U-D MAX.ACCEL.= 12.414(GAL) T=10.81(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	3.89	-2.218	251	4.85	-0.980	301	5.53	-1.184	351	6.39	-3.750
202	3.91	-2.482	252	4.86	-0.985	302	5.57	-1.205	352	6.40	-3.134
203	3.92	-2.865	253	4.88	-0.997	303	5.59	-0.849	353	6.41	-2.264
204	3.95	-1.385	254	4.90	-0.386	304	5.65	-0.635	354	6.42	-1.269
205	3.97	-0.773	255	4.93	0.469	305	5.69	-0.291	355	6.43	-0.029
206	3.98	-0.406	256	4.95	-0.417	306	5.71	-0.929	356	6.45	0.838
207	4.00	0.209	257	4.96	-0.428	307	5.73	-1.564	357	6.46	0.829
208	4.01	0.824	258	4.99	-1.068	308	5.75	-0.951	358	6.48	1.190
209	4.03	1.439	259	5.00	-1.076	309	5.76	-0.333	359	6.49	1.183
210	4.04	1.682	260	5.01	-1.711	310	5.77	-0.093	360	6.50	1.426
211	4.06	2.044	261	5.02	-1.465	311	5.78	0.278	361	6.51	1.422
212	4.07	1.788	262	5.03	-1.722	312	5.79	0.518	362	6.52	1.787
213	4.08	1.776	263	5.04	-1.979	313	5.81	1.133	363	6.55	1.146
214	4.10	1.392	264	5.07	-2.121	314	5.82	0.623	364	6.57	0.597
215	4.12	-1.126	265	5.08	-1.756	315	5.85	-0.646	365	6.58	-0.753
216	4.15	-1.764	266	5.10	-1.145	316	5.86	-1.652	366	6.59	-0.760
217	4.17	-1.778	267	5.12	-1.155	317	5.87	-1.412	367	6.61	-1.397
218	4.18	-2.039	268	5.14	-0.546	318	5.89	-2.673	368	6.63	-1.657
219	4.20	-2.047	269	5.15	-0.303	319	5.90	-2.305	369	6.64	-1.665
220	4.21	-1.810	270	5.16	-0.309	320	5.91	-1.682	370	6.67	-1.186
221	4.22	-1.562	271	5.17	0.058	321	5.92	-0.439	371	6.68	-0.569
222	4.23	-1.196	272	5.18	0.054	322	5.93	1.550	372	6.69	-0.201
223	4.24	-1.205	273	5.20	-0.337	323	5.95	2.164	373	6.70	0.044
224	4.25	-0.835	274	5.21	-0.842	324	5.96	2.409	374	6.72	0.036
225	4.26	-3.106	275	5.22	-1.852	325	5.98	3.019	375	6.73	1.023
226	4.29	-2.859	276	5.23	-1.857	326	5.99	3.385	376	6.75	2.887
227	4.30	-2.492	277	5.25	-1.868	327	6.01	3.751	377	6.76	3.756
228	4.31	-1.872	278	5.26	-0.997	328	6.02	4.243	378	6.78	3.746
229	4.32	-0.868	279	5.27	-0.632	329	6.03	4.236	379	6.79	3.862
230	4.33	1.236	280	5.28	-0.011	330	6.04	4.226	380	6.80	3.477
231	4.34	0.982	281	5.29	0.230	331	6.05	4.222	381	6.82	2.589
232	4.36	1.218	282	5.30	1.224	332	6.06	3.716	382	6.83	2.209
233	4.39	1.202	283	5.31	1.216	333	6.09	2.070	383	6.84	1.577
234	4.43	1.426	284	5.32	0.958	334	6.10	2.064	384	6.85	1.320
235	4.47	0.322	285	5.33	0.578	335	6.11	1.435	385	6.86	0.938
236	4.50	0.250	286	5.34	0.195	336	6.12	1.425	386	6.88	0.930
237	4.53	-0.145	287	5.36	-0.440	337	6.13	1.421	387	6.89	1.171
238	4.59	-0.429	288	5.37	-0.949	338	6.15	1.156	388	6.90	1.163
239	4.63	-0.832	289	5.38	-1.331	339	6.17	1.143	389	6.92	0.902
240	4.68	-0.885	290	5.39	-1.090	340	6.19	0.506	390	6.93	0.270
241	4.69	-1.122	291	5.40	-1.345	341	6.22	-0.516	391	6.94	-2.865
242	4.71	-1.761	292	5.42	-0.730	342	6.24	-1.151	392	6.95	-3.745
243	4.72	-1.769	293	5.43	-0.366	343	6.26	-1.167	393	6.96	-4.748
244	4.73	-1.775	294	5.44	-0.119	344	6.28	-1.177	394	6.97	-5.382
245	4.74	-1.531	295	5.45	+0.129	345	6.29	-1.439	395	6.98	-5.136
246	4.77	-1.549	296	5.46	-0.134	346	6.31	-2.070	396	7.00	-4.774
247	4.78	-0.933	297	5.47	-0.391	347	6.32	-3.083	397	7.01	-4.534
248	4.80	-0.963	298	5.48	-0.771	348	6.33	-3.340	398	7.03	-3.921
249	4.82	-0.957	299	5.49	-0.777	349	6.35	-4.351	399	7.04	-3.303
250	4.84	-0.971	300	5.51	-1.418	350	6.38	-4.117	400	7.05	-3.319

INDEX NO. 834 304-GR-43 DATE BRIDGE U-D MAX.ACCEL.= 12.414(GAL) T=10.81(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	7.06	-2.992	451	7.76	-2.418	501	8.58	-5.224	551	9.24	-4.418
402	7.07	-2.700	452	7.77	-3.055	502	8.59	-5.482	552	9.25	-3.802
403	7.08	-1.332	453	7.79	-3.819	503	8.61	-5.870	553	9.26	-3.182
404	7.09	-0.464	454	7.81	-3.457	504	8.62	-6.128	554	9.27	-2.938
405	7.10	0.405	455	7.83	-3.221	505	8.63	-6.508	555	9.28	-1.947
406	7.11	0.774	456	7.84	-2.851	506	8.64	-5.641	556	9.29	-1.952
407	7.12	0.767	457	7.85	-2.608	507	8.66	-5.029	557	9.30	-1.709
408	7.13	1.011	458	7.88	-2.002	508	8.67	-5.036	558	9.31	-1.716
409	7.14	1.381	459	7.89	-2.260	509	8.68	-5.040	559	9.32	-1.723
410	7.15	0.497	460	7.90	-2.017	510	8.69	-4.672	560	9.33	-1.731
411	7.16	-0.136	461	7.91	-1.650	511	8.70	-4.054	561	9.34	-1.738
412	7.17	-1.393	462	7.93	-1.410	512	8.72	-0.944	562	9.36	-1.746
413	7.20	-3.287	463	7.94	-1.416	513	8.73	1.174	563	9.37	-1.634
414	7.21	-4.045	464	7.95	0.202	514	8.74	2.170	564	9.38	-1.390
415	7.22	-4.300	465	7.96	1.070	515	8.75	3.409	565	9.40	-1.404
416	7.24	-4.316	466	7.97	1.434	516	8.76	4.651	566	9.42	-1.662
417	7.25	-4.321	467	7.98	1.677	517	8.78	4.641	567	9.43	-1.422
418	7.26	-3.076	468	8.00	1.418	518	8.79	4.261	568	9.44	-1.428
419	7.27	-2.457	469	8.02	1.153	519	8.83	3.356	569	9.45	-1.436
420	7.28	-0.344	470	8.04	0.516	520	8.84	2.723	570	9.46	-1.193
421	7.29	0.277	471	8.06	0.126	521	8.86	1.836	571	9.47	-1.200
422	7.30	1.270	472	8.09	-0.516	522	8.87	0.832	572	9.48	-0.581
423	7.31	2.138	473	8.10	-0.276	523	8.88	-0.680	573	9.49	-0.212
424	7.32	3.128	474	8.12	-0.289	524	8.90	-1.313	574	9.50	0.030
425	7.33	3.998	475	8.13	0.701	525	8.91	-1.325	575	9.51	1.272
426	7.35	5.232	476	8.14	1.948	526	8.94	-1.967	576	9.53	1.264
427	7.36	5.225	477	8.16	3.184	527	8.96	-1.984	577	9.54	1.254
428	7.37	4.720	478	8.18	2.797	528	8.97	-1.991	578	9.55	0.374
429	7.40	4.954	479	8.19	1.662	529	8.98	-1.997	579	9.56	0.370
430	7.41	3.445	480	8.22	0.393	530	8.99	-1.753	580	9.57	-0.267
431	7.45	1.789	481	8.24	-0.869	531	9.00	-1.760	581	9.58	0.352
432	7.49	0.892	482	8.25	-1.503	532	9.01	-0.888	582	9.59	1.345
433	7.50	0.882	483	8.26	-2.761	533	9.02	0.728	583	9.60	2.638
434	7.51	0.497	484	8.27	-3.389	534	9.03	1.597	584	9.61	4.333
435	7.52	-0.383	485	8.28	-4.646	535	9.04	2.219	585	9.62	4.950
436	7.53	-1.016	486	8.29	-4.652	536	9.05	3.211	586	9.64	4.938
437	7.54	-1.398	487	8.30	-3.787	537	9.06	4.449	587	9.65	5.680
438	7.55	-2.277	488	8.32	-3.173	538	9.08	4.441	588	9.66	4.674
439	7.56	-2.662	489	8.33	-1.932	539	9.09	3.554	589	9.68	3.409
440	7.58	-1.422	490	8.35	-1.317	540	9.10	1.925	590	9.70	2.522
441	7.59	0.068	491	8.38	-0.342	541	9.11	0.040	591	9.71	2.889
442	7.61	0.682	492	8.40	0.148	542	9.13	-1.593	592	9.73	1.375
443	7.63	1.046	493	8.42	1.382	543	9.14	-2.728	593	9.76	-0.514
444	7.64	2.035	494	8.44	2.368	544	9.15	-3.110	594	9.77	-1.898
445	7.65	2.027	495	8.45	2.363	545	9.16	-3.742	595	9.78	-3.153
446	7.67	2.018	496	8.47	2.351	546	9.17	-4.373	596	9.79	-4.769
447	7.69	1.628	497	8.50	1.703	547	9.18	-4.631	597	9.81	-5.673
448	7.71	0.361	498	8.51	-0.181	548	9.20	-5.641	598	9.82	-6.057
449	7.73	-0.899	499	8.53	-1.693	549	9.21	-5.648	599	9.83	-6.317
450	7.74	-1.783	500	8.56	-3.964	550	9.22	-5.653	600	9.84	-6.699

INDEX NO. 834 304-GR-43 DATE BRIDGE U-D MAX.ACCEL.= 12.414(GAL) T=10.81(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	9.85	-6.703	651	10.55	-3.667	701	11.39	3.776	751	12.14	0.785
602	9.86	-6.086	652	10.56	-6.175	702	11.41	4.142	752	12.16	1.143
603	9.87	-5.467	653	10.58	-8.434	703	11.42	4.134	753	12.17	1.385
604	9.89	-4.852	654	10.61	-11.706	704	11.43	3.750	754	12.18	1.753
605	9.90	-4.233	655	10.63	-11.718	705	11.45	3.487	755	12.19	1.746
606	9.92	-2.748	656	10.64	-11.725	706	11.46	2.232	756	12.20	1.114
607	9.94	-2.388	657	10.67	-9.496	707	11.48	0.970	757	12.21	-0.141
608	9.96	-2.402	658	10.69	-4.635	708	11.50	-1.542	758	12.22	-0.772
609	9.98	-2.167	659	10.72	0.222	709	11.51	-2.799	759	12.24	-2.911
610	10.00	-1.602	660	10.75	5.448	710	11.52	-4.934	760	12.25	-3.292
611	10.01	-1.807	661	10.76	6.820	711	11.53	-6.566	761	12.26	-3.550
612	10.02	-1.818	662	10.78	9.682	712	11.55	-6.826	762	12.27	-3.929
613	10.03	-2.071	663	10.79	10.927	713	11.57	-6.587	763	12.28	-2.684
614	10.05	-1.838	664	10.80	11.544	714	11.58	-5.097	764	12.29	-2.065
615	10.06	-1.845	665	10.81	12.414	715	11.59	-3.481	765	12.35	2.269
616	10.07	-1.227	666	10.82	12.407	716	11.60	-2.235	766	12.36	3.134
617	10.09	-0.361	667	10.84	10.266	717	11.62	0.627	767	12.38	3.374
618	10.10	0.382	668	10.86	8.380	718	11.63	1.495	768	12.40	4.480
619	10.11	1.240	669	10.88	7.118	719	11.64	2.114	769	12.42	4.845
620	10.12	1.241	670	10.90	4.603	720	11.65	2.982	770	12.43	4.589
621	10.14	1.230	671	10.91	2.969	721	11.66	3.600	771	12.44	3.956
622	10.15	1.223	672	10.92	1.641	722	11.68	4.215	772	12.45	2.697
623	10.17	0.962	673	10.93	-1.046	723	11.69	4.828	773	12.47	0.812
624	10.18	0.577	674	10.94	-1.300	724	11.70	4.573	774	12.51	-2.091
625	10.19	-0.055	675	10.95	-1.306	725	11.72	3.687	775	12.54	-3.736
626	10.22	-1.572	676	10.96	-1.011	726	11.74	2.423	776	12.60	0.850
627	10.23	-2.206	677	10.97	-1.446	727	11.76	0.785	777	12.62	0.587
628	10.24	-1.959	678	10.99	-1.205	728	11.77	-0.472	778	12.67	2.678
629	10.25	-1.094	679	11.01	-1.221	729	11.78	-1.981	779	12.69	2.662
630	10.26	-0.477	680	11.03	-0.612	730	11.80	-3.241	780	12.70	1.404
631	10.28	0.759	681	11.05	-0.371	731	11.81	-3.874	781	12.72	1.145
632	10.29	1.752	682	11.06	0.245	732	11.83	-4.262	782	12.73	-2.615
633	10.31	3.245	683	11.08	0.609	733	11.84	-4.269	783	12.74	-4.497
634	10.32	3.863	684	11.09	0.599	734	11.86	-3.656	784	12.75	-5.126
635	10.33	4.482	685	11.10	-0.404	735	11.87	-3.414	785	12.76	-5.758
636	10.34	5.099	686	11.13	-2.802	736	11.88	-3.046	786	12.78	-6.146
637	10.35	5.214	687	11.16	-5.072	737	11.89	-2.800	787	12.80	-6.782
638	10.36	4.836	688	11.19	-5.961	738	11.91	-1.438	788	12.81	-6.791
639	10.37	5.076	689	11.22	-6.360	739	11.92	-1.195	789	12.82	-6.799
640	10.38	5.447	690	11.23	-6.367	740	11.93	-0.574	790	12.83	-6.556
641	10.40	6.431	691	11.24	-6.124	741	11.95	-0.589	791	12.85	-5.942
642	10.41	6.798	692	11.25	-5.780	742	11.97	-0.603	792	12.86	-4.951
643	10.42	6.542	693	11.27	-4.269	743	12.01	-0.882	793	12.88	-3.467
644	10.44	6.778	694	11.29	-3.029	744	12.03	-1.266	794	12.91	-2.109
645	10.46	6.144	695	11.31	-0.422	745	12.04	-1.902	795	12.93	-1.244
646	10.48	5.132	696	11.32	0.449	746	12.05	-2.156	796	12.94	-0.626
647	10.49	3.622	697	11.33	1.315	747	12.06	-2.540	797	12.95	0.613
648	10.50	2.114	698	11.35	2.307	748	12.07	-2.546	798	12.96	1.481
649	10.52	0.231	699	11.36	2.925	749	12.09	-1.682	799	12.97	2.723
650	10.54	-1.785	700	11.38	3.708	750	12.12	-0.078	800	12.98	2.721

土木構造物における加速度強震記録（No. 9）

INDEX NO. 834 304-GR-43 OATE BRIDGE U-D MAX.ACCEL.= 12.414(GAL) T=10.81(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	12.99	2.715	851	13.66	-0.729	901	14.47	0.750	951	15.19	-2.510
802	13.00	0.333	852	13.70	-1.127	902	14.49	-1.378	952	15.21	-1.014
803	13.01	-0.030	853	13.71	-2.385	903	14.50	-2.005	953	15.23	0.859
804	13.02	-1.309	854	13.72	-3.019	904	14.51	-3.633	954	15.24	2.106
805	13.03	-1.938	855	13.74	-2.784	905	14.52	-3.634	955	15.25	3.354
806	13.05	-2.201	856	13.75	-3.041	906	14.53	-4.011	956	15.26	3.978
807	13.06	-2.209	857	13.76	-3.993	907	14.54	-4.263	957	15.28	3.974
808	13.07	-2.216	858	13.79	-1.373	908	14.55	-3.640	958	15.31	3.969
809	13.08	-3.595	859	13.81	0.873	909	14.56	-2.392	959	15.34	3.462
810	13.09	-3.655	860	13.82	1.121	910	14.59	-1.397	960	15.36	2.458
811	13.11	-4.114	861	13.83	0.619	911	14.60	0.101	961	15.37	2.207
812	13.12	-4.496	862	13.86	-2.514	912	14.62	0.722	962	15.38	0.955
813	13.13	-5.757	863	13.90	-2.645	913	14.64	0.969	963	15.39	0.578
814	13.14	-5.512	864	13.94	-2.651	914	14.65	1.341	964	15.40	-0.050
815	13.16	-4.274	865	13.97	-2.907	915	14.67	1.089	965	15.42	-0.927
816	13.17	-2.655	866	13.98	-2.909	916	14.69	0.084	966	15.43	-1.555
817	13.19	0.457	867	13.99	-2.911	917	14.72	-1.421	967	15.45	-2.184
818	13.21	3.508	868	14.01	-3.290	918	14.73	-3.049	968	15.47	-2.562
819	13.22	5.811	869	14.02	-3.541	919	14.74	-3.926	969	15.49	-2.315
820	13.23	7.053	870	14.04	-2.920	920	14.75	-4.928	970	15.50	-0.692
821	13.24	8.671	871	14.05	-2.671	921	14.76	-5.680	971	15.52	2.678
822	13.25	8.916	872	14.06	-0.759	922	14.78	-5.933	972	15.53	2.677
823	13.26	9.536	873	14.08	-0.052	923	14.79	-6.059	973	15.54	3.676
824	13.27	9.901	874	14.10	0.569	924	14.80	-5.687	974	15.55	3.924
825	13.29	10.512	875	14.12	0.815	925	14.82	-4.690	975	15.56	4.297
826	13.30	10.756	876	14.14	1.437	926	14.83	-3.817	976	15.57	4.045
827	13.32	10.247	877	14.16	1.050	927	14.85	-1.695	977	15.59	1.790
828	13.33	8.986	878	14.18	0.178	928	14.86	1.427	978	15.61	-0.089
829	13.34	6.732	879	14.20	-0.451	929	14.87	4.425	979	15.63	-0.717
830	13.35	4.597	880	14.22	-1.073	930	14.89	5.048	980	15.64	-1.344
831	13.36	2.969	881	14.23	-1.956	931	14.90	5.296	981	15.65	-1.970
832	13.37	1.711	882	14.24	-3.833	932	14.91	6.919	982	15.66	-4.473
833	13.38	-0.173	883	14.25	-4.460	933	14.93	5.915	983	15.68	-5.852
834	13.39	-0.801	884	14.26	-5.211	934	14.95	5.412	984	15.70	-7.106
835	13.40	-1.433	885	14.27	-5.588	935	14.96	4.783	985	15.72	-6.734
836	13.42	-1.693	886	14.28	-5.590	936	14.99	4.154	986	15.73	-7.111
837	13.45	-1.838	887	14.29	-4.717	937	15.00	3.152	987	15.75	-5.616
838	13.46	-1.599	888	14.30	-4.344	938	15.01	2.524	988	15.77	-5.619
839	13.48	-1.361	889	14.31	-4.346	939	15.03	1.647	989	15.79	-4.622
840	13.49	-0.741	890	14.32	-4.097	940	15.04	0.644	990	15.80	-4.374
841	13.50	0.249	891	14.33	-4.099	941	15.05	0.017	991	15.82	-2.502
842	13.52	0.614	892	14.36	-1.229	942	15.06	-1.234	992	15.84	0.368
843	13.53	1.729	893	14.37	1.893	943	15.07	-2.737	993	15.85	2.991
844	13.55	1.718	894	14.38	2.691	944	15.08	-3.114	994	15.86	3.239
845	13.56	1.665	895	14.39	3.515	945	15.10	-3.743	995	15.87	3.612
846	13.58	0.576	896	14.40	4.763	946	15.12	-4.622	996	15.88	3.860
847	13.59	0.570	897	14.41	5.136	947	15.14	-5.000	997	15.90	4.857
848	13.60	0.184	898	14.42	5.384	948	15.16	-5.004	998	15.91	3.605
849	13.62	0.172	899	14.43	5.132	949	15.17	-4.755	999	15.93	2.726
850	13.64	-0.093	900	14.45	3.254	950	15.18	-3.508	1000	15.95	0.473

INDEX NO. 834 304-GR-43 OATE BRIDGE U-D MAX.ACCEL.= 12.414(GAL) T=10.81(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	15.96	0.220	1051	16.62	-4.778	1101	17.28	3.596	1151	18.02	-0.544
1002	15.98	-0.533	1052	16.63	-4.530	1102	17.29	3.971	1152	18.03	-0.797
1003	16.00	-1.411	1053	16.64	-3.158	1103	17.30	3.718	1153	18.04	-0.924
1004	16.02	-1.665	1054	16.67	-2.663	1104	17.31	2.091	1154	18.06	-1.552
1005	16.03	-2.043	1055	16.71	-1.046	1105	17.32	2.090	1155	18.07	-1.804
1006	16.05	-1.420	1056	16.75	-0.177	1106	17.34	0.585	1156	18.08	-2.430
1007	16.06	-1.423	1057	16.76	-0.179	1107	17.35	-0.668	1157	18.09	-3.308
1008	16.07	-1.176	1058	16.77	-0.182	1108	17.36	-1.044	1158	18.11	-3.936
1009	16.08	-1.177	1059	16.78	0.441	1109	17.38	-1.922	1159	18.13	-4.315
1010	16.10	-0.805	1060	16.80	1.063	1110	17.39	-1.674	1160	18.15	-4.068
1011	16.11	-0.558	1061	16.81	1.436	1111	17.41	-1.429	1161	18.16	-3.696
1012	16.13	-0.562	1062	16.82	0.810	1112	17.43	-1.057	1162	18.18	-3.323
1013	16.14	1.436	1063	16.83	1.057	1113	17.45	-1.435	1163	18.19	-2.826
1014	16.15	2.560	1064	16.84	1.429	1114	17.46	-0.813	1164	18.20	-2.202
1015	16.16	2.933	1065	16.85	1.677	1115	17.47	-0.440	1165	18.22	-0.581
1016	16.17	2.931	1066	16.86	1.676	1116	17.48	0.183	1166	18.23	1.541
1017	16.18	3.555	1067	16.88	2.172	1117	17.50	0.430	1167	18.25	2.538
1018	16.19	3.553	1068	16.90	2.169	1118	17.51	0.802	1168	18.26	4.410
1019	16.20	2.926	1069	16.91	1.541	1119	17.53	0.548	1169	18.27	4.159
1020	16.21	1.924	1070	16.93	1.913	1120	17.55	0.544	1170	18.28	4.157
1021	16.23	2.294	1071	16.94	0.912	1121	17.59	0.162	1171	18.29	4.405
1022	16.25	2.916	1072	16.95	0.035	1122	17.60	0.410	1172	18.32	2.900
1023	16.27	2.913	1073	16.97	-2.845	1123	17.61	0.784	1173	18.34	1.896
1024	16.28	2.911	1074	16.98	-3.097	1124	17.62	1.031	1174	18.36	0.017
1025	16.29	2.033	1075	16.99	-3.724	1125	17.63	1.404	1175	18.38	-1.861
1026	16.30	2.032	1076	17.01	-4.103	1126	17.64	1.402	1176	18.39	-2.737
1027	16.31	1.280	1077	17.02	-4.479	1127	17.65	1.401	1177	18.40	-3.115
1028	16.32	0.403	1078	17.03	-4.106	1128	17.67	1.397	1178	18.42	-3.368
1029	16.33	0.151	1079	17.04	-3.483	1129	17.68	0.770	1179	18.43	-3.370
1030	16.34	-0.226	1080	17.05	-2.860	1130	17.69	0.143	1180	18.44	-3.122
1031	16.35	0.022	1081	17.06	-2.236	1131	17.70	-0.233	1181	18.45	-2.500
1032	16.36	0.396	1082	17.07	-1.613	1132	17.71	-0.486	1182	18.49	-0.882
1033	16.38	0.642	1083	17.08	-1.616	1133	17.72	-0.737	1183	18.51	-0.385
1034	16.39	0.765	1084	17.09	-1.367	1134	17.73	-1.365	1184	18.52	0.612
1035	16.40	-0.237	1085	17.10	-1.369	1135	17.74	-1.116	1185	18.53	1.860
1036	16.42	-1.742	1086	17.11	-1.370	1136	17.75	-0.243	1186	18.54	2.108
1037	16.44	-2.745	1087	17.12	-1.373	1137	17.76	0.130	1187	18.55	2.482
1038	16.46	-4.624	1088	17.13	-0.999	1138	17.77	0.378	1188	18.56	2.229
1039	16.47	-4.876	1089	17.14	-0.751	1139	17.79	-0.251	1189	18.58	1.601
1040	16.48	-5.253	1090	17.15	-0.379	1140	17.81	-1.130	1190	18.60	0.848
1041	16.49	-6.003	1091	17.16	0.245	1141	17.82	-1.382	1191	18.62	-0.280
1042	16.51	-6.257	1092	17.18	0.241	1142	17.84	-2.011	1192	18.65	-1.286
1043	16.52	-6.385	1093	17.19	0.489	1143	17.86	-2.015	1193	18.67	-2.541
1044	16.53	-5.761	1094	17.20	0.486	1144	17.87	-2.392	1194	18.69	-2.543
1045	16.54	-5.763	1095	17.22	1.109	1145	17.89	-2.395	1195	18.70	-2.545
1046	16.55	-5.390	1096	17.23	1.482	1146	17.92	-2.650	1196	18.71	-2.547
1047	16.56	-5.143	1097	17.24	2.105	1147	17.94	-2.404	1197	18.72	-2.550
1048	16.57	-4.770	1098	17.25	2.352	1148	17.96	-2.408	1198	18.74	-2.927
1049	16.58	-5.022	1099	17.26	2.726	1149	17.98	-1.786	1199	18.75	-1.929
1050	16.60	-4.775	1100	17.27	3.349	1150	17.99	-0.914	1200	18.77	1.191

INDEX NO. 834 304-GR-43 DATE BRIDGE U-D MAX.ACCEL.= 12.414(GAL) T=10.81(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	18.76	2.965	1251	19.61	2.937	1301	20.46	1.974	1351	21.54	0.255
1202	18.79	3.062	1252	19.62	2.984	1302	20.47	1.966	1352	21.57	0.862
1203	18.80	3.060	1253	19.65	2.932	1303	20.49	1.705	1353	21.59	1.227
1204	18.82	3.932	1254	19.66	3.276	1304	20.50	1.327	1354	21.61	1.213
1205	18.84	3.429	1255	19.66	2.271	1305	20.51	1.068	1355	21.63	0.951
1206	18.86	2.425	1256	19.68	1.392	1306	20.53	1.053	1356	21.66	0.303
1207	18.88	1.171	1257	19.70	-0.237	1307	20.54	0.046	1357	21.68	-0.705
1208	18.90	0.542	1258	19.72	-1.115	1308	20.56	0.909	1358	21.69	-0.965
1209	18.92	0.539	1259	19.76	-2.122	1309	20.57	1.277	1359	21.71	-1.352
1210	18.93	-0.088	1260	19.79	-2.753	1310	20.59	1.510	1360	21.74	-1.621
1211	18.94	-0.090	1261	19.83	-2.327	1311	20.60	0.630	1361	21.76	-1.384
1212	18.96	-0.343	1262	19.81	-1.955	1312	20.63	0.235	1362	21.77	-0.768
1213	18.97	0.154	1263	19.82	-2.215	1313	20.64	-0.274	1363	21.79	-0.780
1214	18.98	0.527	1264	19.85	-2.612	1314	20.66	-0.859	1364	21.81	-0.169
1215	18.99	1.156	1265	19.87	-2.001	1315	20.67	-0.919	1365	21.84	-0.190
1216	19.01	1.147	1266	19.89	-2.260	1316	20.70	-0.646	1366	21.88	-0.211
1217	19.02	2.020	1267	19.93	-2.026	1317	20.72	-0.554	1367	21.92	-0.488
1218	19.03	1.768	1268	19.93	-1.417	1318	20.75	-1.346	1368	21.94	-0.505
1219	19.04	2.015	1269	19.96	-0.562	1319	20.77	-1.734	1369	21.96	-0.264
1220	19.07	1.760	1270	19.98	-0.574	1320	20.79	-2.627	1370	21.97	-0.023
1221	19.08	1.509	1271	19.99	-1.083	1321	20.80	-2.879	1371	21.99	0.340
1222	19.10	0.255	1272	20.00	-0.038	1322	20.81	-3.635	1372	22.00	0.084
1223	19.11	-0.748	1273	20.02	-0.599	1323	20.82	-4.518	1373	22.03	-0.938
1224	19.13	-1.626	1274	20.04	-0.861	1324	20.84	-5.157	1374	22.05	-1.574
1225	19.14	-2.628	1275	20.05	-0.618	1325	20.85	-5.167	1375	22.06	-1.834
1226	19.17	-3.508	1276	20.07	0.614	1326	20.87	-3.681	1376	22.09	-2.224
1227	19.19	-3.867	1277	20.09	0.604	1327	20.89	-3.063	1377	22.11	-2.238
1228	19.21	-4.893	1278	20.11	1.216	1328	20.90	-1.826	1378	22.13	-1.628
1229	19.25	-4.150	1279	20.12	1.502	1329	20.91	-2.331	1379	22.15	-1.393
1230	19.26	-3.280	1280	20.13	1.577	1330	20.94	-2.475	1380	22.18	-1.409
1231	19.30	-2.658	1281	20.15	0.937	1331	20.96	-0.865	1381	22.19	-1.046
1232	19.31	-1.787	1282	20.17	1.172	1332	20.98	-0.255	1382	22.21	-1.308
1233	19.33	-1.414	1283	20.19	0.657	1333	21.00	0.361	1383	22.24	-1.323
1234	19.34	-1.167	1284	20.20	0.901	1334	21.01	0.977	1384	22.25	-1.082
1235	19.35	-0.544	1285	20.21	0.893	1335	21.03	0.967	1385	22.28	-0.850
1236	19.36	-0.170	1286	20.23	0.256	1336	21.08	1.558	1386	22.29	-0.488
1237	19.37	-0.172	1287	20.25	0.242	1337	21.10	1.545	1387	22.31	-1.124
1238	19.39	0.199	1288	20.27	0.232	1338	21.13	1.273	1388	22.32	-1.754
1239	19.40	0.196	1289	20.28	-0.401	1339	21.17	0.872	1389	22.33	-2.388
1240	19.42	0.194	1290	20.29	-1.411	1340	21.19	0.860	1390	22.35	-3.274
1241	19.44	-0.435	1291	20.30	-1.667	1341	21.23	1.083	1391	22.36	-3.280
1242	19.45	-1.436	1292	20.31	-2.299	1342	21.26	1.437	1392	22.39	-3.677
1243	19.46	-0.516	1293	20.32	-2.681	1343	21.30	1.165	1393	22.41	-4.062
1244	19.48	-1.443	1294	20.34	-2.944	1344	21.32	0.776	1394	22.42	-3.073
1245	19.49	-1.446	1295	20.35	-2.328	1345	21.39	0.727	1395	22.44	-2.461
1246	19.52	-0.826	1296	20.37	-1.465	1346	21.41	0.718	1396	22.46	-1.596
1247	19.53	0.046	1297	20.39	-1.100	1347	21.43	0.704	1397	22.47	-0.978
1248	19.56	1.291	1298	20.40	-0.233	1348	21.46	0.058	1398	22.48	-0.359
1249	19.58	1.913	1299	20.41	1.008	1349	21.49	-0.212	1399	22.50	0.624
1250	19.60	2.534	1300	20.44	1.366	1350	21.53	0.012	1400	22.53	0.356

INDEX NO. 834 304-GR-43 DATE BRIDGE U-D MAX.ACCEL.= 12.414(GAL) T=10.81(SEC) NO. 8

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1401	22.54	0.600	1451	23.40	-0.348	1501	24.49	0.310	1551	25.76	-0.910
1402	22.56	0.833	1452	23.42	-0.356	1502	24.51	0.800	1552	25.77	-0.914
1403	22.57	0.576	1453	23.44	0.254	1503	24.52	0.789	1553	25.78	-0.674
1404	22.59	-0.469	1454	23.46	0.866	1504	24.54	0.776	1554	25.80	-0.684
1405	22.60	-0.089	1455	23.48	1.601	1505	24.58	0.505	1555	25.81	-0.945
1406	22.63	-0.336	1456	23.51	2.205	1506	24.60	0.490	1556	25.84	-0.959
1407	22.65	-0.347	1457	23.54	2.190	1507	24.62	0.480	1557	25.85	-0.968
1408	22.67	-0.469	1458	23.56	2.425	1508	24.64	0.214	1558	25.87	-0.982
1409	22.69	0.122	1459	23.59	2.154	1509	24.65	0.458	1559	25.90	-0.754
1410	22.72	0.105	1460	23.60	1.521	1510	24.68	0.687	1560	25.92	-0.764
1411	22.74	0.837	1461	23.62	0.511	1511	24.70	0.425	1561	25.95	-0.409
1412	22.77	1.071	1462	23.63	0.503	1512	24.71	0.667	1562	25.97	-0.425
1413	22.79	1.309	1463	23.66	-0.142	1513	24.73	1.032	1563	26.00	-0.192
1414	22.80	1.672	1464	23.67	0.728	1514	24.75	1.270	1564	26.02	-0.209
1415	22.82	1.910	1465	23.70	0.460	1515	24.77	1.381	1565	26.05	-0.727
1416	22.83	2.527	1466	23.72	-0.181	1516	24.78	1.621	1566	26.08	-1.121
1417	22.84	2.022	1467	23.73	0.061	1517	24.80	1.361	1567	26.11	-0.895
1418	22.85	2.015	1468	23.76	0.044	1518	24.82	1.595	1568	26.15	0.081
1419	22.85	1.621	1469	23.78	-0.222	1519	24.86	0.696	1569	26.17	0.067
1420	22.90	1.609	1470	23.80	-0.485	1520	24.91	0.284	1570	26.20	0.298
1421	22.92	1.844	1471	23.83	-0.880	1521	24.94	0.268	1571	26.24	0.895
1422	22.94	1.832	1472	23.86	-0.901	1522	24.96	0.255	1572	26.26	1.253
1423	22.95	1.573	1473	23.88	-0.915	1523	24.99	0.858	1573	26.28	0.616
1424	22.97	2.190	1474	23.93	-0.947	1524	25.01	0.842	1574	26.30	0.354
1425	22.99	2.423	1475	23.95	-0.711	1525	25.03	0.832	1575	26.32	-0.913
1426	23.00	2.794	1476	23.97	-0.096	1526	25.04	1.824	1576	26.38	-0.076
1427	23.01	2.787	1477	23.99	0.515	1527	25.06	1.812	1577	26.42	-0.104
1428	23.02	3.029	1478	24.01	0.880	1528	25.08	1.425	1578	26.46	-0.126
1429	23.03	3.023	1479	24.05	0.853	1529	25.11	0.531	1579	26.49	-0.152
1430	23.05	2.510	1480	24.06	0.596	1530	25.12	1.023	1580	26.52	0.081
1431	23.07	1.743	1481	24.08	1.085	1531	25.14	0.509	1581	26.53	-0.178
1432	23.10	-0.649	1482	24.10	0.822	1532	25.16	0.372	1582	26.55	-0.818
1433	23.11	-1.032	1483	24.11	0.614	1533	25.19	-0.223	1583	26.58	-1.083
1434	23.12	-1.660	1484	24.13	0.175	1534	25.22	-0.294	1584	26.60	-1.474
1435	23.13	-1.668	1485	24.14	0.165	1535	25.25	0.059	1585	26.63	-1.490
1436	23.14	-1.923	1486	24.18	-0.111	1536	25.29	0.658	1586	26.65	-1.510
1437	23.15	-2.935	1487	24.21	-0.129	1537	25.30	1.277	1587	26.68	-0.905
1438	23.17	-2.073	1488	24.24	0.978	1538	25.32	1.010	1588	26.72	0.319
1439	23.19	-0.835	1489	24.29	0.447	1539	25.35	0.993	1589	26.74	0.307
1440	23.21	-0.472	1490	24.31	0.432	1540	25.40	1.208	1590	26.76	0.293
1441	23.23	-0.484	1491	24.34	0.681	1541	25.45	-0.072	1591	26.78	0.282
1442	23.24	-0.241	1492	24.36	0.695	1542	25.47	-0.466	1592	26.81	0.513
1443	23.25	0.126	1493	24.37	0.688	1543	25.50	-0.483	1593	26.83	-0.002
1444	23.27	0.739	1494	24.39	0.631	1544	25.53	-0.132	1594	26.85	-0.144
1445	23.28	0.732	1495	24.40	0.621	1545	25.58	-1.039	1595	26.88	0.836
1446	23.29	0.474	1496	24.42	0.357	1546	25.62	-1.438	1596	26.90	0.826
1447	23.32	0.331	1497	24.44	0.597	1547	25.65	-2.082	1597	26.92	1.436
1448	23.33	0.326	1498	24.45	0.590	1548	25.68	-1.657	1598	26.94	1.170
1449	23.35	-0.183	1499	24.46	0.582	1549	25.72	-1.883	1599	26.97	0.776
1450	23.36	-0.583	1500	24.47	0.326	1550	25.74	-1.518	1600	27.00	0.759

土木構造物における加速度強震記録（No.9）

INDEX NO. 834 304-GR-43. DATE BRIDGE U-D MAX.ACCEL.= 12.414(GAL) T=10.81(SEC) NO. 9

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1601	27.02	-0.506	1651	28.55	-0.523	1701	29.91	-1.072	1751	31.61	0.922
1602	27.04	-1.145	1652	28.58	-0.169	1702	29.95	-1.097	1752	31.67	0.502
1603	27.07	-1.410	1653	28.63	+0.455	1703	29.98	-0.667	1753	31.75	-0.421
1604	27.09	-2.427	1654	28.66	-0.477	1704	30.02	-1.770	1754	31.82	-0.467
1605	27.11	-2.441	1655	28.69	-0.496	1705	30.05	-1.785	1755	31.88	-0.885
1606	27.13	-2.453	1656	28.72	-0.513	1706	30.06	-1.545	1756	31.93	-0.546
1607	27.15	-1.213	1657	28.74	-0.528	1707	30.66	-1.557	1757	32.01	-0.219
1608	27.16	0.014	1658	28.76	-0.543	1708	30.13	0.205	1758	32.05	-0.622
1609	27.19	0.256	1659	28.78	0.566	1709	30.15	0.643	1759	32.08	-0.805
1610	27.21	0.619	1660	28.79	0.936	1710	30.18	0.628	1760	32.11	-0.603
1611	27.24	0.599	1661	28.81	1.545	1711	30.21	0.607	1761	32.14	-0.309
1612	27.28	1.196	1662	28.83	0.912	1712	30.24	0.962	1762	32.19	0.785
1613	27.31	0.929	1663	28.84	0.650	1713	30.26	1.199	1763	32.23	0.262
1614	27.36	-0.106	1664	28.86	0.001	1714	30.27	1.189	1764	32.26	-0.134
1615	27.40	-0.753	1665	28.90	-0.014	1715	30.30	1.421	1765	32.32	-0.427
1616	27.44	-0.782	1666	28.93	-0.405	1716	30.32	1.154	1766	32.37	-0.205
1617	27.51	-1.450	1667	28.96	-0.176	1717	30.36	0.502	1767	32.39	0.029
1618	27.55	-1.481	1668	28.98	0.806	1718	30.39	0.487	1768	32.42	0.382
1619	27.60	-0.884	1669	29.00	0.794	1719	30.41	-0.156	1769	32.46	0.696
1620	27.63	-1.530	1670	29.04	1.141	1720	30.44	-0.176	1770	32.51	0.574
1621	27.65	-1.796	1671	29.08	0.743	1721	30.49	-0.833	1771	32.53	0.312
1622	27.66	-0.941	1672	29.10	0.730	1722	30.51	-0.599	1772	32.56	0.044
1623	27.70	-0.701	1673	29.13	0.710	1723	30.54	-0.242	1773	32.60	-0.359
1624	27.73	-0.101	1674	29.15	0.068	1724	30.58	0.984	1774	32.62	-0.624
1625	27.76	-0.365	1675	29.18	-0.199	1725	30.60	0.344	1775	32.65	-1.264
1626	27.78	-0.384	1676	29.20	-0.538	1726	30.63	-0.050	1776	32.67	-1.656
1627	27.82	-0.656	1677	29.23	-0.610	1727	30.65	0.307	1777	32.69	-1.666
1628	27.86	-1.058	1678	29.26	-0.627	1728	30.69	-0.096	1778	32.71	0.193
1629	27.87	-1.432	1679	29.29	-0.028	1729	30.71	0.267	1779	32.75	0.418
1630	27.91	-1.716	1680	29.33	0.200	1730	30.74	0.247	1780	32.77	0.780
1631	27.94	-1.966	1681	29.36	0.800	1731	30.78	0.226	1781	32.79	1.020
1632	27.98	-1.138	1682	29.39	0.779	1732	30.81	0.450	1782	32.82	1.000
1633	28.03	-1.169	1683	29.42	-0.111	1733	30.84	-0.692	1783	32.87	-0.157
1634	28.06	-1.445	1684	29.45	-0.385	1734	30.88	0.407	1784	32.90	0.943
1635	28.08	-1.833	1685	29.50	-1.042	1735	30.95	0.108	1785	32.92	1.310
1636	28.12	-1.609	1686	29.52	-0.808	1736	31.03	0.680	1786	32.93	1.300
1637	28.15	-1.254	1687	29.54	-0.821	1737	31.06	0.647	1787	32.96	0.657
1638	28.17	-0.393	1688	29.56	-0.633	1738	31.15	0.597	1788	32.99	0.387
1639	28.19	0.593	1689	29.59	-0.605	1739	31.16	-0.283	1789	33.02	0.369
1640	28.21	1.204	1690	29.61	-0.619	1740	31.20	-0.684	1790	33.03	-0.019
1641	28.23	1.819	1691	29.63	-0.631	1741	31.24	-0.961	1791	33.06	-0.283
1642	28.24	2.306	1692	29.64	-0.639	1742	31.27	0.144	1792	33.08	-0.672
1643	28.28	2.157	1693	29.66	-0.901	1743	31.32	0.738	1793	33.10	-0.941
1644	28.31	1.640	1694	29.68	-0.912	1744	31.34	0.723	1794	33.15	-0.723
1645	28.34	0.368	1695	29.69	-0.923	1745	31.37	0.766	1795	33.17	0.140
1646	28.37	-0.279	1696	29.71	-0.662	1746	31.41	0.175	1796	33.18	0.507
1647	28.40	-0.923	1697	29.74	0.294	1747	31.47	0.013	1797	33.20	0.498
1648	28.42	-1.315	1698	29.78	0.020	1748	31.50	0.368	1798	33.21	0.491
1649	28.47	-1.094	1699	29.82	0.243	1749	31.53	0.597	1799	33.24	0.719
1650	28.50	-1.116	1700	29.88	-0.426	1750	31.56	0.958	1800	33.26	0.204

INDEX NO. 834 304-GR-43 DATE BRIDGE U-D MAX.ACCEL.= 12.414(GAL) T=10.81(SEC) NO.10

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1801	33.28	0.188	1851	34.66	-0.240	1901	36.19	1.011	1951	37.98	2.058
1802	33.30	0.678	1852	34.68	-0.252	1902	36.21	1.000	1952	38.00	1.424
1803	33.32	0.661	1853	34.70	-0.265	1903	36.24	0.977	1953	38.03	1.027
1804	33.34	1.022	1854	34.72	0.098	1904	36.28	0.704	1954	38.06	0.755
1805	33.38	1.625	1855	34.74	0.332	1905	36.31	0.928	1955	38.09	0.987
1806	33.39	0.992	1856	34.77	0.313	1906	36.36	0.898	1956	38.12	1.216
1807	33.43	0.340	1857	34.82	-0.221	1907	36.39	0.674	1957	38.17	1.810
1808	33.44	0.080	1858	34.85	-0.617	1908	36.42	0.607	1958	38.19	1.543
1809	33.49	-0.573	1859	34.89	-0.863	1909	36.44	0.590	1959	38.23	1.267
1810	33.50	-0.960	1860	34.92	-0.660	1910	36.47	1.071	1960	38.31	0.215
1811	33.52	-0.978	1861	34.94	-0.429	1911	36.49	1.432	1961	38.34	-0.055
1812	33.55	-0.991	1862	34.97	-0.671	1912	36.51	1.667	1962	38.37	0.175
1813	33.57	-1.004	1863	34.98	0.169	1913	36.54	1.402	1963	38.41	0.308
1814	33.60	0.849	1864	34.99	0.167	1914	36.56	1.383	1964	38.45	1.368
1815	33.62	1.086	1865	35.02	0.518	1915	36.60	1.110	1965	38.50	1.336
1816	33.63	1.452	1866	35.05	0.503	1916	36.62	0.717	1966	38.56	1.048
1817	33.65	2.316	1867	35.07	0.237	1917	36.65	0.073	1967	38.58	1.283
1818	33.69	2.289	1868	35.10	-0.156	1918	36.68	0.681	1968	38.62	0.629
1819	33.72	2.269	1869	35.12	0.457	1919	36.71	0.659	1969	38.66	0.349
1820	33.76	1.745	1870	35.14	0.443	1920	36.73	0.644	1970	38.69	0.329
1821	33.78	1.353	1871	35.16	0.679	1921	36.82	-0.043	1971	38.74	0.302
1822	33.80	1.088	1872	35.20	1.655	1922	36.85	-0.889	1972	38.76	-0.338
1823	33.84	1.061	1873	35.22	1.392	1923	36.89	-0.712	1973	38.78	-0.731
1824	33.88	0.658	1874	35.24	1.377	1924	36.91	-0.353	1974	38.81	-0.407
1825	33.89	0.028	1875	35.28	1.356	1925	36.98	0.104	1975	38.85	0.476
1826	33.99	-0.910	1876	35.32	0.952	1926	37.01	0.708	1976	38.88	0.702
1827	34.06	-0.961	1877	35.34	-0.311	1927	37.04	1.061	1977	38.91	1.307
1828	34.14	-1.136	1878	35.36	-0.323	1928	37.07	1.040	1978	38.95	1.654
1829	34.15	-0.145	1879	35.37	-0.331	1929	37.12	1.633	1979	38.99	2.253
1830	34.17	0.468	1880	35.40	0.279	1930	37.16	0.733	1980	39.03	2.231
1831	34.18	0.460	1881	35.41	0.648	1931	37.22	0.694	1981	39.06	1.330
1832	34.20	-0.430	1882	35.44	0.874	1932	37.26	-0.582	1982	39.10	0.933
1833	34.21	-0.613	1883	35.50	1.714	1933	37.28	-0.348	1983	39.12	0.663
1834	34.25	-0.837	1884	35.55	1.433	1934	37.30	0.511	1984	39.17	0.261
1835	34.27	-0.850	1885	35.60	1.650	1935	37.34	1.235	1985	39.22	0.471
1836	34.29	-1.114	1886	35.66	1.112	1936	37.39	1.826	1986	39.26	0.447
1837	34.30	-1.126	1887	35.71	1.075	1937	37.43	1.176	1987	39.30	1.044
1838	34.32	-0.883	1888	35.75	0.051	1938	37.48	0.767	1988	39.36	1.628
1839	34.34	-0.898	1889	35.79	0.027	1939	37.50	0.503	1989	39.40	1.350
1840	34.36	-0.912	1890	35.83	-0.623	1940	37.55	0.472	1990	39.43	1.578
1841	34.38	-0.551	1891	35.86	-0.645	1941	37.60	0.063	1991	39.46	1.559
1842	34.40	0.314	1892	35.91	-0.052	1942	37.65	0.280	1992	39.49	1.289
1843	34.41	0.307	1893	35.94	0.178	1943	37.69	0.627	1993	39.53	0.008
1844	34.43	0.543	1894	35.97	0.782	1944	37.74	0.344	1994	39.57	0.233
1845	34.45	0.280	1895	36.00	1.140	1945	37.78	0.569	1995	39.63	0.567
1846	34.52	0.230	1896	36.04	1.364	1946	37.81	0.171	1996	39.66	1.423
1847	34.56	0.202	1897	36.06	1.097	1947	37.85	1.144	1997	39.69	1.403
1848	34.59	0.183	1898	36.09	1.079	1948	37.90	1.735	1998	39.71	1.137
1849	34.61	-0.081	1899	36.13	1.303	1949	37.93	2.090	1999	39.74	1.117
1850	34.63	-0.095	1900	36.16	1.035	1950	37.96	2.076	2000	39.76	0.852

INDEX NO. 834 304-GR-43 DATE BRIDGE U-D MAX.ACCEL.= 12.414(GAL) T=10.81(SEC) NO.11

NO.	(SEC)	(GAL)
2001	39.79	0.461
2002	39.81	0.194
2003	39.83	0.184
2004	39.86	0.409
2005	39.89	0.389
2006	39.92	0.954
2007	39.95	0.974
2008	39.99	0.950

Table IX D-61 Digitized Accelerations of Earthquake Record with Index Number 835

INDEX NO. 835 304-GR-43 DATE BRIDGE TR. MAX.ACCEL.= -32.405(GAL) T=13.98(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.02	-1.788	51	0.89	-0.645	101	1.97	-0.654	151	2.66	1.385
2	0.03	-2.914	52	0.91	-0.273	102	1.99	-1.406	152	2.71	1.379
3	0.04	-4.291	53	0.93	-0.651	103	2.00	-1.033	153	2.74	1.125
4	0.06	-4.292	54	0.96	-0.279	104	2.01	-1.284	154	2.75	1.373
5	0.07	-3.919	55	0.97	-0.281	105	2.02	-0.411	155	2.77	1.372
6	0.09	-5.172	56	0.99	-0.282	106	2.04	-0.787	156	2.78	1.120
7	0.10	-4.173	57	1.00	0.341	107	2.06	-1.665	157	2.79	0.744
8	0.12	-4.550	58	1.01	0.590	108	2.07	-2.917	158	2.80	-1.383
9	0.13	-5.177	59	1.03	2.213	109	2.08	-3.168	159	2.81	-1.384
10	0.15	-5.179	60	1.04	1.711	110	2.09	-3.295	160	2.82	-1.760
11	0.16	-4.181	61	1.06	0.708	111	2.11	-3.546	161	2.84	-1.762
12	0.18	-3.558	62	1.08	0.456	112	2.12	-1.673	162	2.85	-1.764
13	0.20	-3.960	63	1.12	-0.424	113	2.13	-1.674	163	2.86	-1.515
14	0.21	-2.436	64	1.15	-0.802	114	2.15	-0.176	164	2.87	-1.516
15	0.24	-2.315	65	1.17	-1.430	115	2.16	0.197	165	2.88	-1.517
16	0.26	-2.068	66	1.19	-2.057	116	2.19	0.444	166	2.89	-1.518
17	0.27	-1.444	67	1.21	-1.810	117	2.20	-1.058	167	2.90	-2.020
18	0.30	-0.822	68	1.24	-2.063	118	2.21	-1.684	168	2.95	-5.526
19	0.31	-0.823	69	1.27	-1.193	119	2.22	-2.310	169	2.97	-5.278
20	0.32	0.425	70	1.28	-1.319	120	2.23	-2.937	170	2.98	-3.655
21	0.36	0.421	71	1.34	-3.701	121	2.24	-2.938	171	3.01	-2.409
22	0.38	0.418	72	1.37	-2.830	122	2.25	-2.314	172	3.03	-2.162
23	0.39	0.666	73	1.44	-1.338	123	2.29	0.431	173	3.05	-1.164
24	0.40	1.040	74	1.47	-2.218	124	2.31	-0.447	174	3.07	-0.542
25	0.41	1.039	75	1.49	-3.720	125	2.32	-0.448	175	3.09	-0.294
26	0.43	1.037	76	1.51	-2.847	126	2.33	-1.074	176	3.10	0.080
27	0.44	1.035	77	1.52	-1.599	127	2.34	-1.326	177	3.11	0.079
28	0.46	0.783	78	1.57	2.770	128	2.35	-1.702	178	3.13	0.077
29	0.48	-0.219	79	1.58	2.770	129	2.36	-1.953	179	3.15	0.073
30	0.50	-0.846	80	1.63	1.263	130	2.37	-2.330	180	3.17	0.070
31	0.51	-1.098	81	1.65	0.261	131	2.38	-2.080	181	3.20	0.068
32	0.53	-1.100	82	1.67	-1.617	132	2.40	-1.457	182	3.21	0.316
33	0.54	-1.478	83	1.68	-1.868	133	2.42	0.414	183	3.22	0.940
34	0.57	-2.355	84	1.69	-1.620	134	2.43	0.414	184	3.24	1.937
35	0.58	-2.982	85	1.71	-1.622	135	2.44	-0.088	185	3.25	1.937
36	0.64	-4.864	86	1.72	-0.998	136	2.46	-0.715	186	3.26	1.685
37	0.66	-3.992	87	1.73	-1.624	137	2.47	-0.841	187	3.27	1.683
38	0.69	-2.746	88	1.74	-1.626	138	2.48	-0.467	188	3.28	0.683
39	0.71	-1.498	89	1.75	-1.627	139	2.49	-0.468	189	3.31	0.679
40	0.74	-1.127	90	1.76	-2.253	140	2.50	-0.720	190	3.32	0.928
41	0.76	-1.754	91	1.78	-2.006	141	2.52	-0.847	191	3.33	1.551
42	0.78	-2.381	92	1.79	-1.632	142	2.53	-0.849	192	3.34	1.925
43	0.79	-2.759	93	1.80	-2.258	143	2.55	-0.476	193	3.36	1.298
44	0.80	-3.009	94	1.81	-1.635	144	2.56	-0.478	194	3.37	1.296
45	0.81	-3.011	95	1.83	-2.262	145	2.57	-0.229	195	3.38	1.294
46	0.83	-2.513	96	1.86	-3.515	146	2.58	-0.231	196	3.39	0.418
47	0.84	-2.139	97	1.91	0.228	147	2.59	-0.231	197	3.40	0.042
48	0.85	-1.890	98	1.92	-0.023	148	2.61	0.141	198	3.41	-0.210
49	0.86	-1.265	99	1.94	-0.025	149	2.62	0.389	199	3.42	-0.211
50	0.87	-1.517	100	1.95	-3.652	150	2.63	0.763	200	3.44	0.286

土木構造物における加速度強震記録（No. 9）

INDEX NO. 835 304-GR-43 DATE BRIDGE TR. MAX.ACCEL.= -32.405(GAL) T=13.98(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	3.46	0.660	251	4.20	-2.509	301	4.95	1.100	351	5.78	-0.503
202	3.47	0.909	252	4.22	+1.935	302	4.96	1.723	352	5.79	-1.130
203	3.48	0.907	253	4.23	+0.687	303	4.97	1.973	353	5.80	-1.506
204	3.50	0.655	254	4.25	0.561	304	4.98	1.721	354	5.81	-1.507
205	3.51	0.028	255	4.27	0.809	305	4.99	1.721	355	5.83	-0.883
206	3.52	-1.223	256	4.29	0.556	306	5.00	1.093	356	5.84	-0.885
207	3.54	-4.351	257	4.31	-0.071	307	5.02	1.092	357	5.85	0.363
208	3.55	-4.977	258	4.32	-0.948	306	5.03	-2.035	358	5.86	0.113
209	3.56	-5.228	259	4.35	-3.702	309	5.05	-2.412	359	5.88	-2.390
210	3.57	-4.979	260	4.37	0.921	310	5.07	-3.290	360	5.89	-3.642
211	3.58	-4.356	261	4.39	2.044	311	5.08	-3.292	361	5.90	-4.268
212	3.59	-3.683	262	4.40	1.793	312	5.10	-3.043	362	5.91	-5.269
213	3.60	-2.636	263	4.41	1.541	313	5.11	-3.295	363	5.92	-6.521
214	3.62	-2.485	264	4.44	0.288	314	5.12	-3.547	364	5.93	-6.772
215	3.64	-2.113	265	4.49	-2.219	315	5.14	-3.548	365	5.95	-6.898
216	3.65	-2.115	266	4.53	2.026	316	5.16	-3.301	366	5.96	-5.900
217	3.67	-2.117	267	4.54	1.775	317	5.18	-3.054	367	5.98	-4.402
218	3.69	-2.119	268	4.55	0.899	318	5.20	-2.631	368	5.99	-2.779
219	3.71	-1.247	269	4.56	0.273	319	5.23	-2.059	369	6.00	-1.280
220	3.73	0.876	270	4.57	-0.103	320	5.25	-1.812	370	6.02	-0.657
221	3.75	1.873	271	4.58	-0.355	321	5.26	-0.813	371	6.04	-0.160
222	3.77	3.120	272	4.59	-0.356	322	5.27	-0.190	372	6.05	0.088
223	3.79	3.368	273	4.60	-0.732	323	5.28	0.684	373	6.06	0.087
224	3.82	3.364	274	4.62	-0.984	324	5.29	1.058	374	6.08	0.085
225	3.84	2.237	275	4.63	-1.361	325	5.30	1.682	375	6.09	0.083
226	3.85	2.235	276	4.64	-1.362	326	5.31	1.681	376	6.12	-0.170
227	3.86	1.859	277	4.65	-1.613	327	5.36	-0.825	377	6.13	-0.171
228	3.87	1.233	278	4.66	-1.364	328	5.38	0.422	378	6.14	-0.172
229	3.88	1.232	279	4.67	-1.616	329	5.41	2.043	379	6.16	-0.174
230	3.89	0.980	280	4.68	-1.617	330	5.42	2.541	380	6.17	-0.427
231	3.91	-0.648	281	4.69	-1.618	331	5.43	2.540	381	6.19	-0.429
232	3.95	-5.402	282	4.70	-2.244	332	5.44	3.164	382	6.21	-0.431
233	3.96	-2.154	283	4.71	-2.621	333	5.50	-2.092	383	6.22	0.068
234	3.99	0.942	284	4.72	-2.622	334	5.52	-0.596	384	6.25	2.939
235	4.01	-0.660	285	4.73	-1.749	335	5.53	-0.597	385	6.28	5.435
236	4.03	-1.287	286	4.74	-1.375	336	5.55	0.151	386	6.29	5.184
237	4.04	-1.539	287	4.75	-0.751	337	5.56	0.149	387	6.31	3.931
238	4.06	-2.167	288	4.76	-0.502	338	5.57	0.648	388	6.32	2.305
239	4.07	-2.543	289	4.77	-0.503	339	5.58	1.022	389	6.33	1.054
240	4.08	-2.794	290	4.78	-0.754	340	5.59	1.271	390	6.34	0.177
241	4.09	-2.795	291	4.79	-1.381	341	5.61	3.144	391	6.36	-0.450
242	4.10	-3.171	292	4.80	-1.132	342	5.66	-1.738	392	6.37	-0.451
243	4.11	-3.172	293	4.81	-0.758	343	5.68	0.009	393	6.38	-0.452
244	4.12	-2.298	294	4.82	0.491	344	5.70	0.632	394	6.40	-0.455
245	4.13	-1.925	295	4.84	2.988	345	5.71	1.006	395	6.41	0.044
246	4.15	-1.552	296	4.85	2.362	346	5.72	1.005	396	6.43	2.561
247	4.16	-1.928	297	4.87	2.110	347	5.73	0.754	397	6.44	3.290
248	4.17	-2.180	298	4.89	1.483	348	5.74	0.753	398	6.45	4.539
249	4.18	-2.180	299	4.91	-0.145	349	5.75	0.376	399	6.46	4.788
250	4.19	-2.557	300	4.92	-0.396	350	5.77	0.374	400	6.47	4.787

INDEX NO. 835 304-GR-43 DATE BRIDGE TR. MAX.ACCEL.= -32.405(GAL) T=13.98(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	6.48	4.160	451	7.07	2.211	501	7.80	8.368	551	8.48	-0.218
402	6.49	2.283	452	7.08	1.960	502	7.81	7.492	552	8.49	-0.219
403	6.51	-0.894	453	7.09	0.334	503	7.82	6.866	553	8.54	1.399
404	6.53	-2.345	454	7.11	0.332	504	7.83	6.240	554	8.56	0.522
405	6.54	-2.722	455	7.13	-0.046	505	7.84	6.113	555	8.58	-0.731
406	6.55	-3.598	456	7.14	-0.298	506	7.85	6.737	556	8.60	-1.483
407	6.56	-3.600	457	7.15	-1.174	507	7.86	6.735	557	8.61	-3.609
408	6.58	-3.352	458	7.17	-1.801	508	7.87	6.734	558	8.63	-5.237
409	6.60	-3.105	459	7.18	-1.802	509	7.88	6.733	559	8.65	-8.114
410	6.61	-2.731	460	7.19	-1.803	510	7.91	4.605	560	8.66	-7.490
411	6.62	-2.732	461	7.20	-2.806	511	7.93	2.477	561	8.69	1.880
412	6.63	-3.358	462	7.22	-2.808	512	7.94	1.851	562	8.70	1.880
413	6.64	-4.985	463	7.23	-2.809	513	7.95	0.600	563	8.71	0.628
414	6.65	-6.611	464	7.24	-2.560	514	7.96	-1.277	564	8.74	-1.251
415	6.66	-6.487	465	7.25	-1.937	515	7.97	-1.653	565	8.78	1.869
416	6.67	-9.114	466	7.26	-1.312	516	7.98	-1.405	566	8.79	1.868
417	6.68	-9.115	467	7.27	-0.064	517	8.00	-1.033	567	8.80	0.991
418	6.69	-6.491	468	7.28	0.311	518	8.01	-1.034	568	8.81	0.365
419	6.70	-6.993	469	7.29	1.184	519	8.02	-1.285	569	8.82	-0.261
420	6.71	-6.993	470	7.31	0.931	520	8.03	-2.286	570	8.83	-2.513
421	6.72	-5.995	471	7.32	0.305	521	8.04	-4.537	571	8.85	-4.640
422	6.73	-5.371	472	7.34	+0.572	522	8.05	-8.289	572	8.86	-7.516
423	6.74	-5.122	473	7.35	+1.824	523	8.07	-9.041	573	8.87	-9.392
424	6.75	-5.124	474	7.36	+1.826	524	8.08	+11.167	574	8.88	+10.769
425	6.76	-5.125	475	7.38	-3.078	525	8.10	-8.419	575	8.89	-9.520
426	6.77	-4.751	476	7.39	-3.704	526	8.12	-4.922	576	8.90	-9.271
427	6.78	-4.502	477	7.40	-5.081	527	8.13	-2.173	577	8.91	-8.648
428	6.79	-3.503	478	7.42	-7.333	528	8.14	-1.550	578	8.93	-6.775
429	6.80	-2.629	479	7.44	-9.460	529	8.15	-1.175	579	8.94	-5.526
430	6.81	-1.006	480	7.45	+10.712	530	8.16	-1.177	580	8.95	-2.528
431	6.82	-0.383	481	7.46	+11.089	531	8.17	-1.178	581	8.96	-1.653
432	6.83	-0.009	482	7.48	-9.361	532	8.18	+1.430	582	8.97	-1.030
433	6.84	-0.010	483	7.49	-9.092	533	8.19	+2.431	583	8.98	0.594
434	6.85	0.239	484	7.52	-7.220	534	8.20	-3.057	584	8.99	0.592
435	6.86	-0.012	485	7.54	-3.973	535	8.21	-3.934	585	9.00	-0.660
436	6.87	0.236	486	7.55	-2.724	536	8.22	+4.310	586	9.01	-3.786
437	6.88	0.360	487	7.56	1.399	537	8.23	+4.310	587	9.02	-4.411
438	6.89	2.734	488	7.57	1.648	538	8.24	+2.437	588	9.03	-6.289
439	6.90	3.732	489	7.58	2.271	539	8.28	2.807	589	9.04	+6.539
440	6.92	4.106	490	7.59	2.270	540	8.29	1.931	590	9.05	-5.665
441	6.94	4.729	491	7.60	1.769	541	8.33	+2.824	591	9.06	-1.666
442	6.95	4.727	492	7.61	0.143	542	8.34	-2.200	592	9.08	3.831
443	6.97	5.599	493	7.62	+0.108	543	8.35	+0.951	593	9.09	7.830
444	6.99	5.972	494	7.63	-0.485	544	8.36	3.919	594	9.10	9.703
445	7.00	6.595	495	7.64	+0.736	545	8.39	4.543	595	9.11	9.702
446	7.01	7.220	496	7.65	+0.737	546	8.41	6.041	596	9.12	8.826
447	7.02	7.218	497	7.66	-3.239	547	8.42	7.040	597	9.13	7.950
448	7.03	7.567	498	7.71	3.630	548	8.43	7.039	598	9.14	3.573
449	7.04	7.666	499	7.78	5.996	549	8.46	3.285	599	9.15	+6.553
450	7.06	5.964	500	7.79	8.995	550	8.47	2.409	600	9.17	-13.306

INDEX NO. 835 304-GR-43 DATE BRIDGE TR. MAX.ACCEL.= -32.405(GAL) T=13.98(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	9.18	-15.182	651	9.78	-5.256	701	10.40	-25.959	751	11.10	8.205
602	9.20	-16.184	652	9.79	-5.258	702	10.42	-15.836	752	11.11	11.203
603	9.21	-14.935	653	9.80	-4.259	703	10.43	-8.212	753	11.13	10.326
604	9.22	-12.062	654	9.82	-2.637	704	10.44	-1.464	754	11.14	7.450
605	9.25	-8.065	655	9.83	-1.138	705	10.45	4.910	755	11.17	-3.179
606	9.26	-5.016	656	9.84	0.735	706	10.46	5.534	756	11.18	3.569
607	9.27	-3.193	657	9.85	1.360	707	10.47	6.157	757	11.19	8.568
608	9.28	-1.069	658	9.86	1.359	708	10.48	8.031	758	11.20	9.192
609	9.29	2.034	659	9.87	1.357	709	10.49	9.530	759	11.21	10.066
610	9.30	4.053	660	9.88	1.356	710	10.50	10.779	760	11.22	12.440
611	9.31	5.677	661	9.89	1.355	711	10.52	19.526	761	11.24	14.937
612	9.32	6.301	662	9.90	1.978	712	10.53	18.650	762	11.25	18.685
613	9.33	6.924	663	9.91	1.977	713	10.57	8.770	763	11.26	21.310
614	9.34	7.548	664	9.92	2.975	714	10.59	12.517	764	11.27	22.808
615	9.35	7.797	665	9.93	3.724	715	10.60	18.766	765	11.28	22.307
616	9.36	9.670	666	9.94	3.723	716	10.61	20.765	766	11.29	20.431
617	9.37	10.295	667	9.95	2.846	717	10.62	23.263	767	11.30	18.555
618	9.38	11.418	668	9.97	1.595	718	10.63	23.887	768	11.31	15.053
619	9.39	11.666	669	9.99	-2.534	719	10.65	24.760	769	11.32	14.803
620	9.40	11.665	670	10.00	-2.159	720	10.66	25.759	770	11.34	15.050
621	9.41	10.789	671	10.01	-4.035	721	10.67	26.008	771	11.35	15.049
622	9.42	9.538	672	10.03	-6.663	722	10.69	26.381	772	11.36	13.172
623	9.44	8.286	673	10.04	-5.790	723	10.70	23.629	773	11.37	9.046
624	9.45	6.409	674	10.05	-5.166	724	10.72	15.751	774	11.39	2.293
625	9.46	4.908	675	10.06	-4.917	725	10.73	2.125	775	11.42	-12.211
626	9.47	4.532	676	10.07	-4.543	726	10.74	-1.001	776	11.43	-14.212
627	9.48	3.781	677	10.08	-4.544	727	10.75	-4.627	777	11.44	-15.088
628	9.49	3.155	678	10.09	-4.545	728	10.76	-6.128	778	11.45	-16.089
629	9.50	3.154	679	10.10	-5.422	729	10.77	-8.630	779	11.46	-15.215
630	9.51	2.527	680	10.12	-3.924	730	10.81	-11.260	780	11.47	-14.217
631	9.52	2.526	681	10.14	-3.051	731	10.83	-12.886	781	11.50	-9.845
632	9.55	5.271	682	10.15	-0.803	732	10.84	-15.014	782	11.51	-10.722
633	9.57	4.645	683	10.17	0.445	733	10.87	-16.267	783	11.52	-13.598
634	9.59	-5.984	684	10.18	0.193	734	10.88	-19.143	784	11.53	-15.224
635	9.61	-12.111	685	10.20	0.440	735	10.90	-22.646	785	11.54	-16.350
636	9.62	-12.986	686	10.22	1.689	736	10.91	-20.522	786	11.55	-17.727
637	9.63	-13.614	687	10.23	2.312	737	10.92	-20.274	787	11.57	-13.604
638	9.64	-13.990	688	10.24	2.936	738	10.94	-24.775	788	11.58	-10.480
639	9.65	-13.116	689	10.25	3.684	739	10.95	-24.151	789	11.59	-8.356
640	9.66	-11.242	690	10.27	3.933	740	10.96	-23.528	790	11.61	-6.109
641	9.67	-8.993	691	10.28	3.056	741	10.97	-23.529	791	11.62	-5.486
642	9.68	-8.745	692	10.29	2.179	742	10.98	-23.156	792	11.64	-5.488
643	9.69	-8.121	693	10.31	-1.323	743	10.99	-22.157	793	11.66	-6.115
644	9.70	-8.372	694	10.33	-5.451	744	11.00	-17.408	794	11.68	-9.493
645	9.71	-8.999	695	10.34	-11.702	745	11.01	-14.659	795	11.69	-10.494
646	9.73	-9.875	696	10.35	-20.703	746	11.02	-10.785	796	11.70	-11.370
647	9.74	-8.376	697	10.36	-21.954	747	11.04	-8.538	797	11.71	-11.372
648	9.75	-6.878	698	10.37	-23.830	748	11.06	-7.541	798	11.72	-10.873
649	9.76	-6.504	699	10.38	-26.332	749	11.07	-7.541	799	11.73	-1.000
650	9.77	-5.630	700	10.39	-29.083	750	11.08	-3.418	800	11.76	6.247

INDEX NO. 835 304-GR-43 DATE BRIDGE TR. MAX.ACCEL.= -32.405(GAL) T=13.98(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	11.77	12.935	851	12.37	-14.329	901	12.99	16.594	951	13.68	9.633
802	11.78	14.244	852	12.38	-21.955	902	13.00	17.843	952	13.69	8.382
803	11.80	14.242	853	12.39	-21.956	903	13.01	17.642	953	13.70	6.506
804	11.81	13.991	854	12.40	-21.707	904	13.02	16.340	954	13.71	6.255
805	11.82	13.990	855	12.42	-14.960	905	13.03	12.589	955	13.72	5.503
806	11.83	14.489	856	12.43	0.163	906	13.04	10.713	956	13.73	5.877
807	11.84	15.738	857	12.44	1.412	907	13.05	9.337	957	13.74	8.626
808	11.86	17.985	858	12.45	2.661	908	13.07	8.210	958	13.76	17.373
809	11.87	19.983	859	12.46	4.035	909	13.11	14.329	959	13.77	19.747
810	11.88	21.231	860	12.47	4.284	910	13.12	13.079	960	13.78	20.621
811	11.89	21.855	861	12.48	4.658	911	13.13	6.952	961	13.79	22.245
812	11.90	22.104	862	12.49	4.656	912	13.16	-9.927	962	13.80	20.743
813	11.91	21.853	863	12.51	4.654	913	13.17	-13.803	963	13.81	14.742
814	11.92	21.602	864	12.52	4.028	914	13.18	-14.429	964	13.82	10.866
815	11.94	18.475	865	12.53	4.027	915	13.19	-15.055	965	13.83	8.114
816	11.96	10.222	866	12.55	5.274	916	13.20	-13.807	966	13.84	-4.512
817	11.97	5.221	867	12.56	6.523	917	13.21	-11.934	967	13.86	-6.889
818	11.98	-2.406	868	12.57	11.646	918	13.22	-11.060	968	13.89	-8.768
819	11.99	-3.657	869	12.63	26.889	919	13.23	-9.186	969	13.90	-11.519
820	12.00	-4.783	870	12.64	26.263	920	13.25	-10.689	970	13.92	-16.022
821	12.01	-6.035	871	12.65	15.806	921	13.26	-14.440	971	13.93	-18.898
822	12.03	-6.037	872	12.66	7.665	922	13.28	-20.068	972	13.95	-28.401
823	12.04	-6.288	873	12.67	4.760	923	13.30	-22.695	973	13.98	-32.405
824	12.05	-8.165	874	12.68	0.883	924	13.31	-24.946	974	14.00	-29.907
825	12.06	-10.791	875	12.69	-1.619	925	13.33	-23.948	975	14.01	-23.283
826	12.07	-14.542	876	12.70	-0.369	926	13.34	-22.075	976	14.02	-18.159
827	12.08	-15.543	877	12.71	1.504	927	13.35	-19.951	977	14.03	-12.410
828	12.09	-16.795	878	12.72	3.378	928	13.36	-18.702	978	14.04	-8.662
829	12.10	-16.546	879	12.73	4.626	929	13.37	-17.763	979	14.05	-7.038
830	12.12	-14.673	880	12.74	4.625	930	13.38	-16.454	980	14.06	-6.414
831	12.13	-13.674	881	12.75	4.874	931	13.39	-17.331	981	14.07	-6.665
832	12.14	-12.175	882	12.76	2.748	932	13.40	-17.332	982	14.08	-8.291
833	12.15	-9.927	883	12.77	0.246	933	13.41	-16.834	983	14.09	-8.543
834	12.16	-10.178	884	12.78	-3.755	934	13.42	-17.334	984	14.10	-8.544
835	12.17	-10.804	885	12.80	-7.631	935	13.43	-16.336	985	14.11	-8.045
836	12.18	-12.431	886	12.81	-11.133	936	13.47	-5.215	986	14.12	-6.422
837	12.19	-13.932	887	12.82	-14.635	937	13.48	6.408	987	14.13	-4.173
838	12.20	-14.309	888	12.83	-18.136	938	13.50	18.030	988	14.14	2.076
839	12.21	-14.310	889	12.84	-18.762	939	13.52	24.778	989	14.16	9.448
840	12.23	-13.436	890	12.85	-18.763	940	13.53	24.777	990	14.17	14.197
841	12.25	-12.814	891	12.86	-18.765	941	13.54	26.525	991	14.18	18.321
842	12.26	-12.440	892	12.87	-16.640	942	13.56	23.648	992	14.19	21.195
843	12.27	-11.816	893	12.88	-14.142	943	13.57	20.522	993	14.20	23.068
844	12.28	-10.942	894	12.90	-11.895	944	13.58	18.270	994	14.21	21.942
845	12.30	-5.946	895	12.92	-9.147	945	13.59	16.644	995	14.22	19.691
846	12.31	-3.572	896	12.93	-6.648	946	13.60	15.767	996	14.24	15.314
847	12.32	-1.448	897	12.94	-4.024	947	13.62	14.766	997	14.25	10.813
848	12.34	-0.075	898	12.95	-1.100	948	13.64	14.139	998	14.26	8.937
849	12.35	-0.076	899	12.97	5.848	949	13.65	13.887	999	14.27	8.685
850	12.36	-1.078	900	12.98	13.476	950	13.66	13.261	1000	14.29	8.933

土木構造物における加速度強震記録（No.9）

INDEX NO. 835 304-GR-43 DATE BRIDGE TR. MAX.ACCEL.= -32.405(GAL) T=13.98(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	14.31	9.180	1051	14.96	-11.774	1101	15.59	-5.479	1151	16.21	-4.681
1002	14.32	10.179	1052	14.96	-4.527	1102	15.61	-5.231	1152	16.23	0.567
1003	14.34	10.177	1053	15.00	1.096	1103	15.62	-6.463	1153	16.24	4.015
1004	14.35	10.176	1054	15.01	5.044	1104	15.64	-5.609	1154	16.25	5.439
1005	14.36	9.299	1055	15.02	12.216	1105	15.66	-3.111	1155	16.26	6.063
1006	14.37	6.048	1056	15.03	14.717	1106	15.67	-0.863	1156	16.27	6.937
1007	14.38	-1.203	1057	15.05	16.340	1107	15.68	0.635	1157	16.28	3.935
1008	14.39	-3.329	1058	15.06	12.338	1108	15.69	1.884	1158	16.29	1.059
1009	14.40	-7.956	1059	15.07	6.962	1109	15.70	3.258	1159	16.30	-0.193
1010	14.41	-10.332	1060	15.08	-3.789	1110	15.72	4.660	1160	16.31	-2.694
1011	14.43	-10.709	1061	15.09	-9.166	1111	15.73	5.504	1161	16.33	-3.571
1012	14.44	-11.336	1062	15.11	-9.542	1112	15.74	6.127	1162	16.34	-3.947
1013	14.45	-11.586	1063	15.12	-12.294	1113	15.75	6.126	1163	16.35	-1.448
1014	14.46	-10.088	1064	15.13	-16.545	1114	15.76	5.500	1164	16.36	4.623
1015	14.48	-9.215	1065	15.14	-4.547	1115	15.78	4.622	1165	16.39	5.047
1016	14.49	-8.216	1066	15.16	0.076	1116	15.80	4.246	1166	16.40	6.045
1017	14.51	-5.469	1067	15.17	3.075	1117	15.81	3.994	1167	16.41	6.294
1018	14.52	-1.970	1068	15.18	5.524	1118	15.82	3.369	1168	16.42	5.418
1019	14.54	1.403	1069	15.19	6.468	1119	15.83	1.117	1169	16.43	5.167
1020	14.55	5.651	1070	15.20	6.196	1120	15.85	-0.761	1170	16.44	4.791
1021	14.57	6.274	1071	15.21	4.965	1121	15.86	-2.388	1171	16.45	4.540
1022	14.59	5.897	1072	15.22	4.588	1122	15.88	1.735	1172	16.46	4.788
1023	14.61	3.519	1073	15.23	2.517	1123	15.89	5.110	1173	16.48	5.161
1024	14.62	1.893	1074	15.24	1.191	1124	15.90	13.107	1174	16.49	6.034
1025	14.63	2.516	1075	15.25	0.565	1125	15.91	16.856	1175	16.50	6.283
1026	14.64	3.140	1076	15.26	-0.311	1126	15.92	19.105	1176	16.52	5.406
1027	14.65	4.014	1077	15.27	-1.314	1127	15.93	20.104	1177	16.53	4.779
1028	14.66	4.762	1078	15.29	-1.940	1128	15.94	20.353	1178	16.55	4.152
1029	14.67	5.011	1079	15.30	-1.692	1129	15.95	19.477	1179	16.57	3.524
1030	14.68	6.260	1080	15.31	0.162	1130	15.96	9.975	1180	16.59	-0.228
1031	14.69	5.634	1081	15.33	1.179	1131	15.98	2.722	1181	16.61	-1.730
1032	14.70	5.382	1082	15.34	3.678	1132	15.99	-2.654	1182	16.62	-3.356
1033	14.71	2.861	1083	15.36	5.800	1133	16.00	-7.155	1183	16.64	-4.234
1034	14.72	-0.620	1084	15.38	6.799	1134	16.01	-12.407	1184	16.65	-5.985
1035	14.76	-9.250	1085	15.39	6.548	1135	16.02	-16.908	1185	16.66	-7.237
1036	14.77	-10.126	1086	15.40	5.170	1136	16.03	-19.409	1186	16.67	-8.113
1037	14.78	-8.877	1087	15.41	4.044	1137	16.04	-20.535	1187	16.68	-9.989
1038	14.79	-8.253	1088	15.43	-0.033	1138	16.05	-19.911	1188	16.69	-11.240
1039	14.80	-6.755	1089	15.44	-3.035	1139	16.06	-19.037	1189	16.71	-13.618
1040	14.82	-5.757	1090	15.45	-5.211	1140	16.07	-17.163	1190	16.72	-13.620
1041	14.84	-4.259	1091	15.47	-4.964	1141	16.08	-13.165	1191	16.74	-12.747
1042	14.85	-2.636	1092	15.49	-4.590	1142	16.09	-7.041	1192	16.77	-11.501
1043	14.86	-2.888	1093	15.50	-4.592	1143	16.11	-4.043	1193	16.80	-9.879
1044	14.88	-2.640	1094	15.51	-5.593	1144	16.12	-4.920	1194	16.81	-8.631
1045	14.89	-4.516	1095	15.53	-6.095	1145	16.13	-6.172	1195	16.83	-7.382
1046	14.91	-7.393	1096	15.54	-9.097	1146	16.14	-7.922	1196	16.85	-2.260
1047	14.92	-12.644	1097	15.55	-7.098	1147	16.16	-9.675	1197	16.86	2.488
1048	14.93	-13.021	1098	15.56	-6.224	1148	16.17	-9.426	1198	16.87	3.487
1049	14.94	-12.522	1099	15.57	-4.975	1149	16.18	-9.677	1199	16.88	3.736
1050	14.95	-12.523	1100	15.58	-3.973	1150	16.19	-7.179	1200	16.89	3.110

INDEX NO. 835 304-GR-43 DATE BRIDGE TR. MAX.ACCEL.= -32.405(GAL) T=13.98(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	16.92	1.356	1251	17.65	9.139	1301	18.31	-6.194	1351	18.94	-16.773
1202	16.93	3.479	1252	17.66	10.307	1302	18.32	-8.071	1352	18.95	-16.149
1203	16.95	4.727	1253	17.67	11.014	1303	18.33	-8.322	1353	18.96	-14.525
1204	16.97	6.225	1254	17.69	11.633	1304	18.34	-8.949	1354	18.98	-11.402
1205	16.98	7.223	1255	17.71	11.381	1305	18.35	-8.703	1355	18.99	-8.904
1206	16.99	8.097	1256	17.72	11.005	1306	18.36	-7.825	1356	19.00	-7.655
1207	17.00	8.221	1257	17.73	7.628	1307	18.38	-7.702	1357	19.01	-5.407
1208	17.01	8.470	1258	17.74	1.252	1308	18.39	-5.560	1358	19.02	-5.658
1209	17.02	8.719	1259	17.76	-8.875	1309	18.41	-5.561	1359	19.04	-6.536
1210	17.03	8.717	1260	17.77	-13.377	1310	18.42	-6.208	1360	19.06	-7.162
1211	17.04	7.841	1261	17.78	-14.378	1311	18.44	-5.960	1361	19.08	-6.915
1212	17.05	7.840	1262	17.79	-14.629	1312	18.45	-5.586	1362	19.09	-2.917
1213	17.06	6.588	1263	17.80	-16.256	1313	18.46	-5.338	1363	19.10	-0.418
1214	17.08	6.586	1264	17.81	-15.257	1314	18.47	-4.090	1364	19.12	2.830
1215	17.11	8.082	1265	17.82	-14.383	1315	18.48	-2.466	1365	19.13	5.953
1216	17.12	8.456	1266	17.83	-13.759	1316	18.49	-1.591	1366	19.14	7.577
1217	17.13	5.329	1267	17.84	-11.636	1317	18.50	0.032	1367	19.16	9.699
1218	17.15	2.578	1268	17.85	-11.262	1318	18.51	0.281	1368	19.17	9.449
1219	17.16	0.076	1269	17.86	-11.513	1319	18.53	0.654	1369	19.18	9.947
1220	17.18	-0.302	1270	17.87	-12.140	1320	18.54	-0.598	1370	19.19	9.321
1221	17.20	-1.804	1271	17.89	-12.267	1321	18.55	-1.224	1371	19.20	9.570
1222	17.22	-3.682	1272	17.90	-12.518	1322	18.56	-1.850	1372	19.21	9.194
1223	17.25	-4.936	1273	17.91	-13.144	1323	18.57	-3.101	1373	19.22	7.692
1224	17.27	-7.314	1274	17.92	-11.895	1324	18.59	-4.980	1374	19.23	7.941
1225	17.28	-8.190	1275	17.93	-11.022	1325	18.60	-3.730	1375	19.24	7.940
1226	17.29	-9.191	1276	17.94	-7.898	1326	18.61	-1.857	1376	19.25	8.563
1227	17.30	-10.693	1277	17.95	-4.524	1327	18.62	0.017	1377	19.26	8.562
1228	17.31	-10.819	1278	17.96	-1.151	1328	18.63	2.641	1378	19.27	8.310
1229	17.32	-10.445	1279	17.98	0.722	1329	18.64	3.515	1379	19.28	7.434
1230	17.33	-10.696	1280	17.99	3.345	1330	18.65	4.763	1380	19.29	6.184
1231	17.34	-9.822	1281	18.01	4.593	1331	18.66	5.387	1381	19.30	4.557
1232	17.36	-8.324	1282	18.02	5.467	1332	18.68	5.760	1382	19.31	3.056
1233	17.37	-6.701	1283	18.04	6.465	1333	18.70	6.008	1383	19.32	1.954
1234	17.38	-5.452	1284	18.05	7.338	1334	18.72	6.380	1384	19.33	-0.197
1235	17.39	-4.579	1285	18.07	7.961	1335	18.74	6.378	1385	19.35	-0.200
1236	17.40	-5.080	1286	18.08	8.584	1336	18.75	6.376	1386	19.36	-1.201
1237	17.42	-5.457	1287	18.09	8.333	1337	18.76	6.375	1387	19.38	-1.578
1238	17.43	-5.834	1288	18.11	3.956	1338	18.77	6.624	1388	19.40	-1.205
1239	17.44	-6.085	1289	18.12	1.204	1339	18.78	7.247	1389	19.41	-1.207
1240	17.45	-6.337	1290	18.13	-0.047	1340	18.80	8.620	1390	19.42	-1.209
1241	17.47	-6.339	1291	18.14	-1.048	1341	18.81	9.118	1391	19.44	-1.211
1242	17.48	-5.840	1292	18.15	-1.049	1342	18.82	7.992	1392	19.46	-1.838
1243	17.50	-4.217	1293	18.16	-0.176	1343	18.84	5.116	1393	19.48	-3.341
1244	17.52	2.030	1294	18.17	0.198	1344	18.85	3.238	1394	19.49	-5.968
1245	17.53	7.153	1295	18.19	1.070	1345	18.86	0.737	1395	19.50	-6.594
1246	17.54	9.027	1296	18.21	0.816	1346	18.88	-5.641	1396	19.51	-7.845
1247	17.55	10.651	1297	18.23	0.565	1347	18.90	-11.893	1397	19.53	-7.972
1248	17.57	8.774	1298	18.26	-0.688	1348	18.91	-15.145	1398	19.54	-7.973
1249	17.61	5.643	1299	18.28	-2.565	1349	18.92	-15.396	1399	19.55	-6.786
1250	17.63	6.891	1300	18.29	-4.442	1350	18.93	-15.396	1400	19.56	-5.477

INDEX NO. 835 304-GR-43 DATE BRIDGE TR. MAX.ACCEL.= -32.405(GAL) T=13.98(SEC) NO. 8

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1401	19.57	-4.220	1451	20.34	-2.675	1501	21.04	0.712	1551	21.79	-3.632
1402	19.58	-2.979	1452	20.36	-1.203	1502	21.05	0.336	1552	21.81	-5.259
1403	19.59	-4.106	1453	20.36	0.676	1503	21.07	0.583	1553	21.84	-6.887
1404	19.61	-3.233	1454	20.39	2.044	1504	21.08	0.582	1554	21.85	-7.514
1405	19.62	-4.109	1455	20.40	3.917	1505	21.09	0.583	1555	21.86	-8.140
1406	19.64	-3.237	1456	20.41	5.549	1506	21.10	0.955	1556	21.88	-10.018
1407	19.65	-3.238	1457	20.43	7.414	1507	21.11	1.203	1557	21.90	-10.395
1408	19.66	-2.615	1458	20.44	8.662	1508	21.12	1.577	1558	21.92	-9.772
1409	19.67	-2.991	1459	20.45	8.411	1509	21.13	0.951	1559	21.93	-8.899
1410	19.69	-2.992	1460	20.46	8.034	1510	21.14	0.699	1560	21.95	-7.276
1411	19.70	-3.244	1461	20.48	7.407	1511	21.17	0.071	1561	21.97	-5.404
1412	19.71	-2.870	1462	20.51	6.779	1512	21.20	-1.184	1562	21.98	-4.156
1413	19.72	-1.997	1463	20.53	5.276	1513	21.21	-1.559	1563	22.00	-3.283
1414	19.74	-1.749	1464	20.55	4.649	1514	21.24	-1.937	1564	22.02	-2.659
1415	19.75	-1.376	1465	20.56	3.397	1515	21.26	-2.190	1565	22.04	-2.037
1416	19.76	-0.752	1466	20.57	2.771	1516	21.27	-2.191	1566	22.05	-0.613
1417	19.79	-2.005	1467	20.58	1.145	1517	21.28	-0.943	1567	22.06	2.460
1418	19.80	-2.882	1468	20.59	0.519	1518	21.29	-0.694	1568	22.07	4.709
1419	19.82	-2.635	1469	20.60	-1.353	1519	21.30	-0.071	1569	22.08	5.957
1420	19.84	-1.762	1470	20.61	-2.359	1520	21.31	0.304	1570	22.09	7.207
1421	19.85	-0.764	1471	20.63	-2.862	1521	21.32	0.303	1571	22.10	7.455
1422	19.87	0.485	1472	20.65	-4.115	1522	21.33	-0.074	1572	22.11	6.954
1423	19.89	3.982	1473	20.66	-4.491	1523	21.34	-0.325	1573	22.13	7.201
1424	19.90	6.231	1474	20.67	-5.369	1524	21.35	-0.576	1574	22.15	7.199
1425	19.91	7.730	1475	20.71	-6.121	1525	21.36	-0.953	1575	22.16	6.573
1426	19.93	10.727	1476	20.73	-5.874	1526	21.38	-0.955	1576	22.17	6.571
1427	19.94	9.850	1477	20.74	-5.626	1527	21.39	-0.082	1577	22.19	6.570
1428	19.96	7.347	1478	20.77	-5.005	1528	21.41	-0.084	1578	22.20	6.568
1429	19.97	6.097	1479	20.79	-3.755	1529	21.43	0.663	1579	22.22	6.566
1430	19.98	4.220	1480	20.80	-2.757	1530	21.45	1.536	1580	22.24	6.563
1431	20.00	3.593	1481	20.81	-1.510	1531	21.46	1.910	1581	22.25	6.562
1432	20.02	0.340	1482	20.82	-1.261	1532	21.47	2.534	1582	22.28	5.934
1433	20.04	-0.912	1483	20.83	-1.762	1533	21.48	3.782	1583	22.30	4.431
1434	20.05	-1.288	1484	20.84	-1.513	1534	21.49	2.905	1584	22.31	4.430
1435	20.06	-1.040	1485	20.85	-0.690	1535	21.50	2.905	1585	22.32	4.429
1436	20.07	-1.041	1486	20.87	-0.892	1536	21.51	1.903	1586	22.33	4.677
1437	20.08	-1.542	1487	20.89	-0.894	1537	21.53	1.901	1587	22.34	4.925
1438	20.10	-2.171	1488	20.90	-0.020	1538	21.54	1.650	1588	22.36	4.674
1439	20.11	-2.797	1489	20.91	0.354	1539	21.56	2.522	1589	22.37	4.423
1440	20.12	-2.798	1490	20.92	0.352	1540	21.57	2.521	1590	22.38	4.045
1441	20.14	-2.551	1491	20.93	0.976	1541	21.58	2.519	1591	22.39	3.794
1442	20.17	-2.179	1492	20.94	0.599	1542	21.59	2.518	1592	22.41	2.792
1443	20.19	-1.931	1493	20.95	1.223	1543	21.61	2.266	1593	22.43	2.539
1444	20.21	-2.184	1494	20.96	0.971	1544	21.63	2.514	1594	22.44	2.539
1445	20.23	-2.561	1495	20.97	0.345	1545	21.65	2.886	1595	22.45	1.913
1446	20.24	-2.562	1496	20.99	0.093	1546	21.66	2.635	1596	22.46	1.287
1447	20.28	-8.313	1497	21.00	-0.283	1547	21.66	2.008	1597	22.47	0.910
1448	20.29	-7.444	1498	21.01	0.341	1548	21.71	0.129	1598	22.49	0.033
1449	20.31	-5.822	1499	21.02	0.589	1549	21.75	-0.501	1599	22.50	-1.594
1450	20.33	-3.699	1500	21.03	0.963	1550	21.77	-1.754	1600	22.51	-2.220

INDEX NO. 835 304-GR-43 DATE BRIDGE TR. MAX.ACCEL.= -32.405(GAL) T=13.98(SEC) NO. 9

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1601	22.52	-3.096	1651	23.25	-1.686	1701	23.99	1.971	1751	24.65	0.640
1602	22.53	-4.098	1652	23.26	-1.688	1702	24.00	1.970	1752	24.66	0.638
1603	22.54	-6.099	1653	23.27	-1.689	1703	24.01	1.344	1753	24.67	-0.863
1604	22.55	-6.725	1654	23.28	-0.815	1704	24.02	0.718	1754	24.68	-0.365
1605	22.57	-7.603	1655	23.30	-0.442	1705	24.04	0.465	1755	24.69	-0.616
1606	22.59	-7.980	1656	23.31	0.431	1706	24.05	0.714	1756	24.70	-1.243
1607	22.61	-7.982	1657	23.33	0.803	1707	24.07	0.712	1757	24.71	-0.619
1608	22.62	-7.984	1658	23.34	0.802	1708	24.09	0.959	1758	24.72	-0.370
1609	22.63	-6.735	1659	23.37	-0.201	1709	24.10	0.708	1759	24.73	0.253
1610	22.64	-6.111	1660	23.38	-1.702	1710	24.12	0.456	1760	24.74	0.627
1611	22.65	-4.238	1661	23.39	-1.454	1711	24.13	-0.171	1761	24.76	0.876
1612	22.67	-1.739	1662	23.40	-1.455	1712	24.15	-0.549	1762	24.77	0.875
1613	22.68	-0.865	1663	23.42	-1.457	1713	24.16	-0.550	1763	24.78	0.624
1614	22.69	-0.242	1664	23.43	-1.709	1714	24.18	0.323	1764	24.79	0.622
1615	22.70	0.757	1665	23.46	-1.962	1715	24.19	0.696	1765	24.80	-0.005
1616	22.71	1.006	1666	23.47	-4.464	1716	24.21	1.569	1766	24.81	-0.255
1617	22.72	1.756	1667	23.49	-4.842	1717	24.22	2.192	1767	24.82	-0.007
1618	22.74	1.752	1668	23.50	-4.593	1718	24.24	1.940	1768	24.83	-0.008
1619	22.76	2.124	1669	23.52	-4.595	1719	24.25	1.939	1769	24.84	-0.385
1620	22.79	2.121	1670	23.53	-3.971	1720	24.27	1.937	1770	24.86	-0.638
1621	22.81	2.369	1671	23.55	-3.348	1721	24.28	1.310	1771	24.87	0.236
1622	22.83	2.366	1672	23.57	-2.601	1722	24.29	1.059	1772	24.89	0.609
1623	22.84	2.114	1673	23.59	-2.603	1723	24.30	-0.817	1773	24.90	0.358
1624	22.85	1.863	1674	23.60	-3.230	1724	24.31	-2.068	1774	24.92	-0.894
1625	22.88	1.485	1675	23.62	-3.232	1725	24.32	-2.694	1775	24.93	-1.896
1626	22.89	0.859	1676	23.63	-2.984	1726	24.33	-2.696	1776	24.94	-3.147
1627	22.91	-0.394	1677	23.65	-1.736	1727	24.34	-2.697	1777	24.96	-4.774
1628	22.92	-0.645	1678	23.66	-0.863	1728	24.35	-0.573	1778	24.97	-3.776
1629	22.93	-0.646	1679	23.68	-0.239	1729	24.36	2.175	1779	24.99	-3.529
1630	22.94	-0.647	1680	23.69	-0.241	1730	24.39	2.547	1780	25.01	-2.530
1631	22.95	-0.649	1681	23.70	0.132	1731	24.40	1.295	1781	25.02	-1.283
1632	22.97	0.224	1682	23.72	-0.495	1732	24.41	1.044	1782	25.04	0.590
1633	22.98	0.472	1683	23.73	-0.496	1733	24.43	0.041	1783	25.05	1.214
1634	23.00	0.470	1684	23.74	-1.748	1734	24.44	0.040	1784	25.06	1.463
1635	23.01	0.468	1685	23.76	-1.749	1735	24.45	-1.212	1785	25.07	2.712
1636	23.03	1.466	1686	23.77	-2.001	1736	24.47	-0.963	1786	25.08	2.460
1637	23.04	2.340	1687	23.79	-2.003	1737	24.48	-0.840	1787	25.09	3.084
1638	23.05	4.213	1688	23.81	-0.506	1738	24.49	-0.591	1788	25.10	3.083
1639	23.07	4.586	1689	23.82	2.243	1739	24.50	-0.592	1789	25.11	2.081
1640	23.08	3.960	1690	23.84	3.865	1740	24.51	-0.343	1790	25.12	3.330
1641	23.10	3.708	1691	23.86	3.863	1741	24.52	-0.595	1791	25.14	3.328
1642	23.11	3.081	1692	23.87	3.862	1742	24.54	-1.222	1792	25.16	5.200
1643	23.12	2.080	1693	23.88	2.955	1743	24.55	-1.223	1793	25.18	5.573
1644	23.13	2.078	1694	23.89	2.609	1744	24.57	-0.600	1794	25.19	5.821
1645	23.15	2.076	1695	23.90	1.983	1745	24.58	-0.352	1795	25.20	5.820
1646	23.17	2.073	1696	23.91	2.232	1746	24.59	-0.853	1796	25.22	5.818
1647	23.19	2.072	1697	23.92	2.231	1747	24.60	-0.654	1797	25.23	5.567
1648	23.21	1.819	1698	23.93	2.604	1748	24.61	-0.606	1798	25.24	5.315
1649	23.23	0.191	1699	23.95	4.226	1749	24.63	0.267	1799	25.26	4.063
1650	23.24	-0.686	1700	23.98	3.223	1750	24.64	0.841	1800	25.27	3.061

土木構造物における加速度強震記録（No. 9）

INDEX NO. 835 304-GR-43 DATE BRIDGE TR. MAX.ACCEL.= -32.405(GAL) T=13.98(SEC) NO.10

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1801	25.30	0.933	1851	26.16	0.624	1901	26.93	-3.147	1951	27.73	0.879
1802	25.31	-0.444	1852	26.18	-0.429	1902	26.95	-1.274	1952	27.74	0.252
1803	25.32	-1.945	1853	26.20	-1.431	1903	26.96	-0.276	1953	27.75	-0.374
1804	25.33	-1.321	1854	26.22	-2.058	1904	26.98	0.597	1954	27.76	-0.626
1805	25.34	-2.197	1855	26.25	-2.687	1905	26.99	0.346	1955	27.77	-1.251
1806	25.35	-1.998	1856	26.30	-3.318	1906	27.01	-0.282	1956	27.79	-1.628
1807	25.36	-1.325	1857	26.32	-3.320	1907	27.02	-1.533	1957	27.81	-0.756
1808	25.37	-0.951	1858	26.34	-3.324	1908	27.03	-2.160	1958	27.83	0.241
1809	25.39	0.546	1859	26.36	-2.701	1909	27.04	-2.161	1959	27.85	0.489
1810	25.40	0.795	1860	26.37	-2.702	1910	27.05	-4.037	1960	27.86	-0.012
1811	25.41	1.169	1861	26.38	-2.703	1911	27.06	-4.663	1961	27.87	0.237
1812	25.42	0.542	1862	26.39	-1.830	1912	27.07	-4.414	1962	27.88	0.486
1813	25.43	-0.084	1863	26.41	-1.207	1913	27.08	-3.790	1963	27.89	0.484
1814	25.45	-3.462	1864	26.42	-0.833	1914	27.09	-3.418	1964	27.90	0.483
1815	25.46	-3.838	1865	26.43	-0.835	1915	27.13	-0.922	1965	27.92	0.605
1816	25.47	-3.839	1866	26.44	-1.086	1916	27.15	0.950	1966	27.93	0.229
1817	25.48	-3.591	1867	26.45	-1.087	1917	27.16	1.824	1967	27.95	-0.023
1818	25.50	-3.843	1868	26.46	-0.214	1918	27.17	2.823	1968	27.96	-0.024
1819	25.53	-1.347	1869	26.47	0.411	1919	27.18	3.072	1969	27.97	-0.026
1820	25.56	0.775	1870	26.48	1.035	1920	27.20	2.445	1970	27.98	0.222
1821	25.59	2.647	1871	26.49	1.909	1921	27.24	-1.310	1971	28.00	0.220
1822	25.60	3.645	1872	26.50	3.157	1922	27.26	-1.188	1972	28.02	0.842
1823	25.61	4.519	1873	26.51	3.781	1923	27.28	-0.940	1973	28.03	0.591
1824	25.62	4.893	1874	26.53	3.778	1924	27.30	-1.192	1974	28.04	-0.035
1825	25.63	5.516	1875	26.57	3.274	1925	27.32	-1.821	1975	28.06	-0.412
1826	25.64	5.265	1876	26.59	3.271	1926	27.34	-2.623	1976	28.07	-0.414
1827	25.67	4.012	1877	26.60	3.519	1927	27.37	-4.076	1977	28.08	-0.665
1828	25.70	1.508	1878	26.62	3.767	1928	27.38	-2.828	1978	28.09	-1.042
1829	25.74	-1.997	1879	26.63	4.140	1929	27.39	-1.954	1979	28.11	-1.293
1830	25.76	-3.626	1880	26.65	4.138	1930	27.40	-0.955	1980	28.12	-0.420
1831	25.79	-5.129	1881	26.66	4.367	1931	27.41	-0.331	1981	28.13	0.204
1832	25.80	-5.756	1882	26.68	5.010	1932	27.42	0.292	1982	28.15	1.076
1833	25.82	-6.008	1883	26.69	5.383	1933	27.43	0.291	1983	28.17	2.073
1834	25.83	-6.010	1884	26.71	4.506	1934	27.44	0.290	1984	28.18	2.072
1835	25.84	-5.136	1885	26.72	3.754	1935	27.45	0.039	1985	28.20	2.070
1836	25.85	-4.512	1886	26.75	0.751	1936	27.46	-0.588	1986	28.22	1.817
1837	25.86	-2.669	1887	26.76	-0.251	1937	27.47	-0.589	1987	28.24	2.064
1838	25.90	-0.768	1888	26.77	-0.877	1938	27.48	-0.349	1988	28.27	1.436
1839	25.94	1.978	1889	26.78	-1.753	1939	27.49	-0.092	1989	28.29	0.808
1840	25.97	2.348	1890	26.79	-2.755	1940	27.50	0.282	1990	28.31	0.431
1841	25.99	3.221	1891	26.80	-3.006	1941	27.52	0.529	1991	28.33	-0.071
1842	26.00	4.219	1892	26.81	-2.757	1942	27.54	0.527	1992	28.34	0.427
1843	26.02	5.717	1893	26.82	-2.508	1943	27.56	0.024	1993	28.37	0.799
1844	26.03	7.340	1894	26.83	-2.509	1944	27.58	0.023	1994	28.38	1.422
1845	26.04	7.589	1895	26.84	-2.510	1945	27.60	-0.606	1995	28.40	1.169
1846	26.05	8.213	1896	26.85	-2.512	1946	27.61	-0.732	1996	28.42	0.542
1847	26.06	8.587	1897	26.87	-2.514	1947	27.62	-0.358	1997	28.44	0.540
1848	26.08	7.584	1898	26.88	-2.765	1948	27.67	1.511	1998	28.46	0.162
1849	26.10	5.457	1899	26.90	-3.399	1949	27.68	1.509	1999	28.48	0.160
1850	26.13	4.203	1900	26.91	-3.395	1950	27.70	1.507	2000	28.52	-1.470

INDEX NO. 835 304-GR-43 DATE BRIDGE TR. MAX.ACCEL.= -32.405(GAL) T=13.98(SEC) NO.11

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2001	28.55	0.150	2051	29.29	-0.193	2101	30.13	2.200	2151	30.88	-0.767
2002	28.58	-0.728	2052	29.30	0.306	2102	30.14	2.449	2152	30.89	-0.769
2003	28.59	-0.480	2053	29.33	0.677	2103	30.16	1.822	2153	30.90	-0.520
2004	28.61	-0.732	2054	29.34	0.426	2104	30.18	1.570	2154	30.91	0.103
2005	28.62	-1.108	2055	29.35	-0.201	2105	30.19	0.944	2155	30.92	0.477
2006	28.63	-1.985	2056	29.36	-0.827	2106	30.20	-0.684	2156	30.93	0.726
2007	28.65	-2.987	2057	29.37	-1.204	2107	30.22	-1.936	2157	30.94	1.100
2008	28.66	-3.613	2058	29.39	-1.205	2108	30.24	-2.813	2158	30.95	1.473
2009	28.67	-3.865	2059	29.40	-0.957	2109	30.25	-2.564	2159	30.96	1.347
2010	28.69	-4.493	2060	29.42	-0.334	2110	30.28	-3.193	2160	30.97	1.095
2011	28.70	-4.244	2061	29.43	-0.336	2111	30.29	-2.944	2161	30.98	1.094
2012	28.72	-4.246	2062	29.44	-0.838	2112	30.32	-3.198	2162	30.99	1.344
2013	28.73	-3.622	2063	29.48	-2.717	2113	30.33	-3.450	2163	31.00	1.342
2014	28.74	-2.748	2064	29.49	-2.719	2114	30.35	-3.827	2164	31.01	1.341
2015	28.75	-2.124	2065	29.51	-2.471	2115	30.36	-3.578	2165	31.03	1.714
2016	28.76	-1.501	2066	29.54	-1.600	2116	30.37	-2.954	2166	31.04	2.337
2017	28.77	-0.252	2067	29.57	-0.353	2117	30.38	-3.206	2167	31.05	1.462
2018	28.78	0.121	2068	29.58	0.020	2118	30.40	-2.958	2168	31.06	1.960
2019	28.79	-0.505	2069	29.59	1.518	2119	30.41	-2.334	2169	31.07	1.459
2020	28.81	-0.507	2070	29.61	1.516	2120	30.42	-1.086	2170	31.08	1.082
2021	28.83	-0.760	2071	29.62	1.015	2121	30.45	0.535	2171	31.09	0.831
2022	28.84	-0.761	2072	29.64	0.388	2122	30.47	0.533	2172	31.10	0.205
2023	28.85	-0.762	2073	29.65	-0.614	2123	30.50	0.530	2173	31.11	-0.172
2024	28.87	-0.765	2074	29.67	-1.241	2124	30.52	0.152	2174	31.13	-0.423
2025	28.88	-0.767	2075	29.70	-1.245	2125	30.53	0.151	2175	31.14	-0.800
2026	28.91	0.105	2076	29.72	-0.622	2126	30.54	-0.101	2176	31.16	-1.052
2027	28.93	0.352	2077	29.75	-0.001	2127	30.55	0.148	2177	31.17	-1.179
2028	28.95	0.725	2078	29.76	-0.628	2128	30.57	1.146	2178	31.18	-1.180
2029	28.97	1.348	2079	29.78	-1.255	2129	30.58	1.770	2179	31.19	-1.431
2030	28.99	2.595	2080	29.79	-1.506	2130	30.60	2.017	2180	31.20	-1.683
2031	29.00	1.968	2081	29.81	-2.134	2131	30.62	2.390	2181	31.21	-2.060
2032	29.02	1.341	2082	29.82	-2.511	2132	30.64	2.387	2182	31.22	-2.310
2033	29.03	1.340	2083	29.83	-2.512	2133	30.65	2.385	2183	31.23	-2.686
2034	29.04	0.964	2084	29.84	-1.255	2134	30.66	1.759	2184	31.24	-2.687
2035	29.05	0.403	2085	29.88	-0.893	2135	30.67	0.803	2185	31.25	-3.315
2036	29.06	0.086	2086	29.89	-1.019	2136	30.69	0.506	2186	31.27	-3.567
2037	29.07	0.084	2087	29.91	-1.271	2137	30.70	0.505	2187	31.29	-3.569
2038	29.08	0.700	2088	29.92	-1.023	2138	30.71	0.504	2188	31.30	-3.320
2039	29.09	0.707	2089	29.94	-0.401	2139	30.73	0.501	2189	31.31	-3.071
2040	29.11	0.705	2090	29.96	0.597	2140	30.75	0.499	2190	31.32	-2.698
2041	29.12	0.954	2091	29.98	0.970	2141	30.76	0.497	2191	31.33	-2.449
2042	29.13	1.327	2092	30.01	1.466	2142	30.78	1.370	2192	31.34	-2.075
2043	29.14	1.951	2093	30.03	2.089	2143	30.79	1.368	2193	31.35	-0.827
2044	29.15	2.574	2094	30.04	2.712	2144	30.80	1.992	2194	31.37	-1.079
2045	29.17	1.947	2095	30.06	3.085	2145	30.81	1.991	2195	31.38	-0.581
2046	29.18	1.946	2096	30.08	3.082	2146	30.82	1.990	2196	31.40	-1.083
2047	29.19	2.195	2097	30.09	2.206	2147	30.83	1.738	2197	31.42	-1.460
2048	29.20	1.693	2098	30.10	2.205	2148	30.84	1.112	2198	31.43	-1.712
2049	29.22	0.690	2099	30.11	2.203	2149	30.85	0.660	2199	31.44	-1.713
2050	29.25	0.687	2100	30.12	2.452	2150	30.97	-0.392	2200	31.46	-1.465

INDEX NO. 835 304-GR-43 DATE GRIDGE TR. MAX.ACCEL.= -32.405(GAL) T=13.98(SEC) NO.12

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2201	31.47	-1.242	2251	32.23	1.564	2301	32.91	0.231	2351	33.99	1.347
2202	31.51	3.153	2252	32.24	1.313	2302	32.95	0.351	2352	34.02	2.218
2203	31.52	0.652	2253	32.25	1.312	2303	32.97	0.224	2353	34.06	2.838
2204	31.54	1.649	2254	32.26	1.810	2304	32.99	-0.028	2354	34.09	3.459
2205	31.55	1.896	2255	32.27	2.434	2305	33.02	-0.032	2355	34.12	1.956
2206	31.57	3.147	2256	32.29	3.057	2306	33.04	-0.410	2356	34.15	0.452
2207	31.58	3.145	2257	32.30	3.431	2307	33.06	-0.162	2357	34.19	0.072
2208	31.59	2.693	2258	32.31	4.304	2308	33.07	0.212	2358	34.21	0.069
2209	31.61	2.641	2259	32.32	4.302	2309	33.08	0.210	2359	34.23	-0.559
2210	31.62	2.014	2260	32.34	3.801	2310	33.10	0.458	2360	34.26	-1.437
2211	31.64	1.637	2261	32.36	3.174	2311	33.11	0.456	2361	34.28	-2.190
2212	31.65	1.386	2262	32.37	2.172	2312	33.13	0.204	2362	34.30	-2.193
2213	31.67	0.364	2263	32.38	1.921	2313	33.14	-0.423	2363	34.32	-1.820
2214	31.68	0.132	2264	32.39	1.294	2314	33.17	-0.426	2364	34.33	-1.571
2215	31.70	0.130	2265	32.41	1.293	2315	33.19	-0.428	2365	34.35	-0.574
2216	31.71	0.126	2266	32.42	1.291	2316	33.21	0.194	2366	34.37	-0.326
2217	31.73	0.126	2267	32.43	0.914	2317	33.23	0.192	2367	34.39	0.296
2218	31.74	0.375	2268	32.44	0.913	2318	33.25	0.189	2368	34.41	-0.206
2219	31.76	0.622	2269	32.45	0.662	2319	33.26	-0.062	2369	34.43	-0.834
2220	31.77	0.621	2270	32.46	0.266	2320	33.29	0.185	2370	34.45	-1.461
2221	31.78	0.370	2271	32.47	0.035	2321	33.30	0.183	2371	34.46	-1.462
2222	31.79	0.368	2272	32.48	-0.342	2322	33.32	-0.069	2372	34.48	-0.590
2223	31.80	0.367	2273	32.50	-0.593	2323	33.34	-0.447	2373	34.51	-0.594
2224	31.81	-0.259	2274	32.51	-0.970	2324	33.36	-0.199	2374	34.53	-0.347
2225	31.82	-0.686	2275	32.52	-1.222	2325	33.37	-0.201	2375	34.60	0.021
2226	31.84	-0.262	2276	32.55	-1.225	2326	33.38	-0.202	2376	34.62	0.018
2227	31.85	-0.264	2277	32.56	-0.976	2327	33.40	0.170	2377	34.65	2.514
2228	31.86	-0.015	2278	32.58	-0.978	2328	33.42	0.418	2378	34.67	2.512
2229	31.87	0.608	2279	32.59	-1.229	2329	33.43	0.416	2379	34.70	4.008
2230	31.88	0.982	2280	32.60	-1.231	2330	33.45	0.789	2380	34.71	4.006
2231	31.90	0.980	2281	32.61	-1.857	2331	33.46	0.788	2381	34.74	3.753
2232	31.92	1.602	2282	32.62	-1.859	2332	33.48	0.536	2382	34.76	3.500
2233	31.93	0.976	2283	32.64	-1.861	2333	33.49	0.534	2383	34.79	3.497
2234	31.95	0.599	2284	32.66	-1.363	2334	33.51	0.532	2384	34.82	3.118
2235	31.97	0.596	2285	32.67	-0.990	2335	33.55	0.402	2385	34.83	3.366
2236	31.98	-0.531	2286	32.70	-0.993	2336	33.56	0.400	2386	34.85	3.364
2237	31.99	-0.532	2287	32.72	-0.255	2337	33.59	1.147	2387	34.87	3.112
2238	32.00	-0.283	2288	32.73	-0.078	2338	33.61	1.394	2388	34.88	2.860
2239	32.01	-0.284	2289	32.75	-0.076	2339	33.65	2.265	2389	34.91	2.856
2240	32.02	0.965	2290	32.76	1.500	2340	33.66	3.263	2390	34.94	2.478
2241	32.03	1.213	2291	32.77	1.748	2341	33.68	3.510	2391	34.97	1.224
2242	32.05	0.336	2292	32.79	1.746	2342	33.70	3.508	2392	34.99	0.596
2243	32.06	0.085	2293	32.81	1.493	2343	33.73	3.256	2393	35.02	-0.033
2244	32.07	0.084	2294	32.82	1.493	2344	33.76	2.000	2394	35.04	-0.035
2245	32.08	0.332	2295	32.84	1.240	2345	33.80	0.495	2395	35.06	0.587
2246	32.10	0.579	2296	32.86	0.488	2346	33.82	-0.133	2396	35.08	0.584
2247	32.14	3.075	2297	32.87	0.236	2347	33.86	-1.387	2397	35.10	0.582
2248	32.16	3.698	2298	32.88	-0.390	2348	33.90	-3.016	2398	35.13	-0.046
2249	32.17	4.072	2299	32.89	-0.141	2349	33.93	-1.146	2399	35.19	-1.053
2250	32.18	4.070	2300	32.90	-0.143	2350	33.95	-0.273	2400	35.21	-1.306

INDEX NO. 835 304-GR-43 DATE GRIDGE TR. MAX.ACCEL.= -32.405(GAL) T=13.98(SEC) NO.13

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2401	35.23	-1.309	2451	36.51	1.906	2501	37.68	0.508	2551	39.01	0.091
2402	35.25	-0.436	2452	36.52	1.904	2502	37.70	1.257	2552	39.04	0.962
2403	35.29	-0.891	2453	36.54	2.276	2503	37.71	1.255	2553	39.08	2.207
2404	35.32	0.556	2454	36.56	2.274	2504	37.72	1.254	2554	39.12	3.828
2405	35.37	1.790	2455	36.58	1.646	2505	37.75	1.500	2555	39.15	4.823
2406	35.40	2.045	2456	36.62	1.016	2506	37.77	1.748	2556	39.17	3.821
2407	35.42	2.042	2457	36.65	0.637	2507	37.78	0.871	2557	39.20	3.193
2408	35.43	2.041	2458	36.67	0.634	2508	37.81	-0.007	2558	39.21	2.315
2409	35.45	2.038	2459	36.70	1.631	2509	37.83	-1.010	2559	39.23	1.688
2410	35.47	2.662	2460	36.72	1.628	2510	37.84	0.489	2560	39.27	0.683
2411	35.48	2.659	2461	36.75	2.251	2511	37.86	1.111	2561	39.30	0.679
2412	35.50	1.532	2462	36.76	2.499	2512	37.89	1.483	2562	39.33	1.301
2413	35.52	0.904	2463	36.80	3.493	2513	37.93	2.103	2563	39.35	1.298
2414	35.54	0.527	2464	36.84	3.739	2514	37.95	1.850	2564	39.38	1.669
2415	35.57	0.274	2465	36.86	4.111	2515	38.00	1.219	2565	39.40	1.292
2416	35.59	0.271	2466	36.89	3.107	2516	38.02	1.216	2566	39.42	1.289
2417	35.60	-0.106	2467	36.92	3.478	2517	38.06	1.461	2567	39.44	1.661
2418	35.63	0.141	2468	36.95	3.725	2518	38.10	2.081	2568	39.46	1.033
2419	35.66	-1.813	2469	36.99	2.595	2519	38.14	2.076	2569	39.48	-0.219
2420	35.68	-1.615	2470	37.00	1.968	2520	38.17	1.622	2570	39.51	-0.348
2421	35.69	-1.617	2471	37.04	1.338	2521	38.18	0.821	2571	39.53	0.649
2422	35.72	-0.746	2472	37.07	1.585	2522	38.20	0.819	2572	39.57	1.895
2423	35.74	0.502	2473	37.08	1.208	2523	38.21	-0.058	2573	39.60	2.141
2424	35.78	1.497	2474	37.10	1.206	2524	38.23	-0.434	2574	39.63	1.262
2425	35.79	1.995	2475	37.12	0.323	2525	38.25	-0.187	2575	39.64	1.011
2426	35.82	2.742	2476	37.15	-1.300	2526	38.27	0.809	2576	39.65	1.009
2427	35.84	2.740	2477	37.17	-1.303	2527	38.30	1.806	2577	39.67	1.007
2428	35.86	2.111	2478	37.24	-1.186	2528	38.33	2.927	2578	39.68	1.006
2429	35.88	1.734	2479	37.26	-2.189	2529	38.37	2.673	2579	39.69	1.004
2430	35.91	1.481	2480	37.29	-1.942	2530	38.40	2.043	2580	39.72	1.001
2431	35.94	1.476	2481	37.30	-0.944	2531	38.43	2.665	2581	39.74	0.624
2432	35.97	1.093	2482	37.33	1.177	2532	38.46	2.661	2582	39.78	0.887
2433	36.01	0.217	2483	37.36	2.174	2533	38.48	2.408	2583	39.80	1.490
2434	36.05	-0.162	2484	37.38	2.422	2534	38.50	2.656	2584	39.84	1.860
2435	36.09	-0.417	2485	37.40	1.919	2535	38.52	1.773	2585	39.86	1.857
2436	36.12	-0.421	2486	37.41	2.417	2536	38.55	1.775	2586	39.89	0.979
2437	36.17	0.073	2487	37.43	2.790	2537	38.58	0.521	2587	39.90	0.352
2438	36.19	1.070	2488	37.46	1.911	2538	38.61	1.392	2588	39.92	-0.025
2439	36.21	1.318	2489	37.49	1.532	2539	38.63	1.640	2589	39.95	-0.028
2440	36.23	1.691	2490	37.52	0.903	2540	38.65	3.261	2590	39.96	-0.030
2441	36.25	1.438	2491	37.54	0.026	2541	38.68	3.008	2591	39.99	-0.658
2442	36.26	1.061	2492	37.55	-0.975	2542	38.72	1.753			
2443	36.30	1.056	2493	37.56	0.273	2543	38.76	1.373			
2444	36.35	0.426	2494	37.58	0.272	2544	38.80	0.493			
2445	36.37	0.673	2495	37.59	0.896	2545	38.82	-0.510			
2446	36.40	0.669	2496	37.60	1.519	2546	38.85	-0.764			
2447	36.43	0.165	2497	37.61	1.767	2547	38.03	-1.392			
2448	36.45	0.413	2498	37.64	1.764	2548	38.91	-1.770			
2449	36.46	1.036	2499	37.65	1.262	2549	38.95	-1.775			
2450	36.49	1.658	2500	37.67	0.260	2550	38.98	-0.905			

Table IX D-62 Digitized Accelerations of Earthquake Record with Index Number 836

INDEX NO. 836 907-GR-126 TAIRA BRIDGE TR. MAX.ACCEL.= -36.581(GAL) T=16.76(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.01	-6.605	51	0.81	-3.787	101	1.61	-5.210	151	2.27	-0.087
2	0.04	-6.163	52	0.82	-3.779	102	1.64	-3.315	152	2.29	-7.827
3	0.06	-5.274	53	0.84	-4.017	103	1.65	-3.054	153	2.30	-7.567
4	0.08	-4.262	54	0.85	-4.634	104	1.67	-3.921	154	2.31	-6.933
5	0.09	-3.876	55	0.86	-4.630	105	1.69	-4.156	155	2.33	-5.924
6	0.10	-2.744	56	0.87	-4.371	106	1.60	-4.522	156	2.34	-5.041
7	0.11	-2.613	57	0.88	-3.742	107	1.62	-5.135	157	2.36	-4.403
8	0.13	-3.600	58	0.91	-2.225	108	1.63	-4.077	158	2.38	-3.763
9	0.15	-4.839	59	0.93	-0.939	109	1.65	-3.865	159	2.40	-4.255
10	0.17	-6.978	60	0.94	-0.327	110	1.66	-2.985	160	2.41	-4.249
11	0.18	-7.320	61	0.95	0.303	111	1.67	-1.730	161	2.42	-4.614
12	0.19	-7.315	62	0.96	0.310	112	1.69	2.665	162	2.43	-5.234
13	0.20	-6.056	63	0.97	0.694	113	1.70	2.794	163	2.44	-4.979
14	0.22	-5.420	64	0.98	0.699	114	1.71	3.052	164	2.45	-4.972
15	0.25	-4.526	65	1.02	-1.776	115	1.73	2.811	165	2.46	-4.341
16	0.27	-3.867	66	1.05	-3.630	116	1.75	1.197	166	2.47	-3.335
17	0.31	-3.862	67	1.06	-3.872	117	1.77	-0.665	167	2.48	-2.701
18	0.35	-3.461	68	1.07	-4.886	118	1.78	-0.655	168	2.49	-1.821
19	0.36	-3.188	69	1.08	-5.734	119	1.79	-1.525	169	2.50	-1.441
20	0.42	-3.043	70	1.09	-6.981	120	1.80	-1.017	170	2.51	-1.180
21	0.44	-4.030	71	1.11	-7.594	121	1.82	0.247	171	2.52	-1.675
22	0.46	-4.266	72	1.12	-9.213	122	1.83	1.256	172	2.54	-2.285
23	0.47	-4.885	73	1.13	-8.579	123	1.85	1.516	173	2.55	-2.655
24	0.48	-5.253	74	1.14	-6.070	124	1.86	1.274	174	2.56	-3.025
25	0.49	-5.493	75	1.15	-5.190	125	1.86	0.407	175	2.57	-3.016
26	0.50	-5.237	76	1.16	-3.935	126	1.89	-0.210	176	2.58	-2.639
27	0.52	-4.603	77	1.17	-3.307	127	1.90	-1.454	177	2.59	-2.004
28	0.53	-3.721	78	1.18	-2.274	128	1.91	-1.447	178	2.60	-1.751
29	0.54	-2.465	79	1.19	-2.667	129	1.93	-2.060	179	2.61	-1.369
30	0.55	-0.829	80	1.20	-2.908	130	1.94	-2.801	180	2.62	-0.734
31	0.57	-0.441	81	1.22	-4.394	131	1.95	-3.048	181	2.63	-0.730
32	0.59	-0.433	82	1.24	-5.385	132	1.96	-3.238	182	2.64	-0.725
33	0.60	0.078	83	1.25	-6.873	133	1.97	-3.058	183	2.65	-1.592
34	0.62	0.462	84	1.27	-8.113	134	1.99	-3.396	184	2.66	-1.961
35	0.63	-0.155	85	1.29	-8.103	135	2.00	-3.388	185	2.67	-1.332
36	0.65	-0.393	86	1.31	-7.639	136	2.01	-2.755	186	2.69	-1.519
37	0.66	-1.383	87	1.33	-7.448	137	2.02	-2.372	187	2.71	-0.678
38	0.67	-2.875	88	1.35	-7.437	138	2.04	-2.113	188	2.72	-0.673
39	0.68	-3.494	89	1.36	-6.557	139	2.05	-1.107	189	2.73	-1.537
40	0.69	-4.117	90	1.37	-5.926	140	2.06	-1.346	190	2.74	-2.158
41	0.70	-5.984	91	1.38	-4.663	141	2.08	-3.211	191	2.75	-2.149
42	0.71	-6.354	92	1.39	-3.787	142	2.09	-5.078	192	2.76	-2.523
43	0.72	-6.346	93	1.41	-2.525	143	2.11	-6.939	193	2.77	-2.888
44	0.73	-6.338	94	1.42	-2.390	144	2.13	-7.926	194	2.78	-3.510
45	0.74	-6.331	95	1.43	-2.757	145	2.15	-8.165	195	2.79	-3.125
46	0.75	-6.075	96	1.44	-3.374	146	2.17	-8.152	196	2.80	-2.497
47	0.77	-5.440	97	1.46	-4.616	147	2.19	-8.136	197	2.82	-1.232
48	0.78	-4.807	98	1.47	-4.859	148	2.22	-8.119	198	2.83	-0.974
49	0.79	-4.173	99	1.48	-5.228	149	2.24	-7.858	199	2.84	-0.593
50	0.80	-3.794	100	1.49	-5.468	150	2.25	-7.848	200	2.85	-1.215

INDEX NO. 836 907-GR-126 TAIRA BRIDGE TR. MAX.ACCEL.= -36.581(GAL) T=16.76(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	2.86	-2.082	251	3.56	-6.628	301	4.28	-7.294	351	4.94	-1.497
202	2.87	-3.073	252	3.57	-6.625	302	4.30	-7.263	352	4.95	-1.117
203	2.88	-3.320	253	3.59	-7.609	303	4.31	-6.653	353	4.96	-0.860
204	2.89	-3.688	254	3.61	-7.599	304	4.32	-5.018	354	4.98	-1.347
205	2.90	-4.307	255	3.63	-7.567	305	4.33	-3.512	355	5.01	-1.326
206	2.91	-4.297	256	3.65	-6.951	306	4.34	-2.884	356	5.03	-2.938
207	2.93	-3.033	257	3.66	-6.070	307	4.35	-0.626	357	5.07	-4.788
208	2.95	-2.396	258	3.68	-4.053	308	4.37	0.637	358	5.09	-5.652
209	2.97	-2.386	259	3.71	-3.158	309	4.39	0.648	359	5.11	-6.640
210	2.99	-2.373	260	3.72	-2.902	310	4.40	0.406	360	5.12	-6.880
211	3.01	-2.607	261	3.74	-2.266	311	4.41	-0.459	361	5.13	-7.251
212	3.03	-2.970	262	3.75	-1.883	312	4.43	-3.577	362	5.14	-8.118
213	3.04	-3.587	263	3.77	-1.674	313	4.44	-6.070	363	5.16	-8.984
214	3.05	-3.830	264	3.78	-2.488	314	4.45	-9.686	364	5.17	-8.850
215	3.07	-4.817	265	3.80	-3.352	315	4.46	-12.428	365	5.18	-6.465
216	3.08	-4.812	266	3.81	-3.347	316	4.48	-15.541	366	5.19	-4.209
217	3.09	-4.806	267	3.82	-3.090	317	4.49	-16.267	367	5.21	-2.325
218	3.11	-4.545	268	3.83	-3.084	318	4.50	-16.281	368	5.22	-1.695
219	3.13	-3.531	269	3.85	-2.197	319	4.51	-16.651	369	5.23	-0.562
220	3.14	-2.898	270	3.87	-2.662	320	4.52	-14.766	370	5.24	-0.551
221	3.16	-0.762	271	3.88	-3.299	321	4.53	-12.636	371	5.26	-0.542
222	3.17	0.870	272	3.90	-5.789	322	4.54	-9.752	372	5.27	-2.784
223	3.18	2.375	273	3.91	-6.783	323	4.57	-5.235	373	5.28	-4.994
224	3.19	3.007	274	3.92	-7.028	324	4.59	-3.722	374	5.29	-7.399
225	3.20	3.636	275	3.93	-8.018	325	4.61	-1.084	375	5.30	-10.016
226	3.21	5.268	276	3.94	-8.265	326	4.62	0.174	376	5.31	-12.883
227	3.22	5.277	277	3.96	-8.127	327	4.63	1.179	377	5.32	-15.378
228	3.23	4.406	278	3.97	-5.243	328	4.64	3.938	378	5.33	-16.371
229	3.24	3.163	279	3.99	-3.611	329	4.65	4.569	379	5.34	-16.366
230	3.25	0.672	280	4.01	-1.467	330	4.67	4.582	380	5.35	-15.857
231	3.27	-0.570	281	4.02	-0.935	331	4.68	4.086	381	5.36	-15.853
232	3.28	-1.812	282	4.04	-1.077	332	4.69	3.092	382	5.37	-15.847
233	3.30	-3.950	283	4.05	-1.317	333	4.70	2.474	383	5.38	-14.968
234	3.31	-3.665	284	4.06	-1.313	334	4.71	1.228	384	5.39	-12.715
235	3.33	-4.276	285	4.07	-2.553	335	4.72	0.983	385	5.41	-7.956
236	3.35	-4.641	286	4.08	-2.924	336	4.74	-0.374	386	5.44	9.436
237	3.36	-4.009	287	4.09	-1.292	337	4.76	0.635	387	5.45	2.317
238	3.38	-3.372	288	4.10	-0.766	338	4.78	0.398	388	5.46	3.820
239	3.40	-2.981	289	4.11	0.220	339	4.79	0.404	389	5.48	5.082
240	3.41	-2.978	290	4.12	0.479	340	4.80	0.039	390	5.50	5.337
241	3.42	-3.349	291	4.13	0.433	341	4.81	-0.833	391	5.52	3.848
242	3.43	-3.588	292	4.14	0.242	342	4.83	-3.691	392	5.54	1.358
243	3.46	-3.947	293	4.16	-2.248	343	4.84	-3.607	393	5.55	0.115
244	3.47	-3.939	294	4.17	-5.363	344	4.85	-3.632	394	5.56	-0.130
245	3.48	-3.931	295	4.18	-5.934	345	4.86	-3.049	395	5.58	-0.497
246	3.51	-3.916	296	4.19	-7.475	346	4.87	-2.166	396	5.60	-0.736
247	3.52	-4.158	297	4.22	-9.210	347	4.88	-1.784	397	5.62	-1.102
248	3.53	-4.525	298	4.23	-8.577	348	4.89	-1.402	398	5.64	-0.845
249	3.54	-5.769	299	4.25	-8.314	349	4.91	-1.143	399	5.66	-0.084
250	3.55	-6.014	300	4.27	-7.673	350	4.93	-1.757	400	5.67	1.047

INDEX NO. 836 907-GR-126 TAIRA BRIDGE TR. MAX.ACCEL.= -36.581(GAL) T=16.76(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	5.70	1.683	451	6.23	-2.316	501	6.86	-2.393	551	7.50	-3.842
402	5.71	2.689	452	6.24	-5.434	502	6.89	-2.134	552	7.51	-1.335
403	5.72	4.192	453	6.25	-6.430	503	6.90	-2.128	553	7.52	-0.331
404	5.73	5.575	454	6.26	-7.052	504	6.92	-1.494	554	7.53	2.300
405	5.74	6.456	455	6.27	-7.048	505	6.93	-1.115	555	7.54	2.055
406	5.76	8.089	456	6.28	-7.293	506	6.94	0.394	556	7.55	-2.066
407	5.77	9.344	457	6.29	-8.411	507	6.97	1.655	557	7.56	-3.312
408	5.78	9.722	458	6.30	-8.655	508	6.98	3.534	558	7.57	-5.182
409	5.79	10.352	459	6.32	-9.896	509	6.99	5.790	559	7.58	-6.054
410	5.80	10.982	460	6.33	-11.142	510	7.00	5.795	560	7.59	-6.671
411	5.81	10.736	461	6.35	-12.758	511	7.01	5.174	561	7.60	-5.703
412	5.82	10.740	462	6.36	-11.881	512	7.02	5.177	562	7.62	-4.285
413	5.83	9.746	463	6.38	-10.247	513	7.03	4.558	563	7.64	-4.151
414	5.84	8.877	464	6.39	-8.592	514	7.04	2.689	564	7.65	-6.018
415	5.85	7.506	465	6.40	-7.406	515	7.05	1.818	565	7.67	-10.260
416	5.86	7.011	466	6.42	-5.850	516	7.06	1.447	566	7.68	-16.253
417	5.87	5.768	467	6.44	-5.219	517	7.07	0.579	567	7.69	-16.624
418	5.88	6.023	468	6.46	-4.832	518	7.08	0.583	568	7.70	-18.744
419	5.89	6.275	469	6.47	-6.701	519	7.09	0.587	569	7.72	-15.988
420	5.90	6.653	470	6.48	-8.696	520	7.10	0.594	570	7.73	-12.858
421	5.91	6.661	471	6.50	-12.314	521	7.11	-0.402	571	7.74	-8.850
422	5.92	6.665	472	6.51	-14.102	522	7.12	-1.646	572	7.75	-7.472
423	5.93	6.669	473	6.52	-14.802	523	7.13	-2.893	573	7.76	-6.469
424	5.94	6.423	474	6.53	-15.427	524	7.14	-4.139	574	7.77	-5.460
425	5.95	5.430	475	6.55	-13.917	525	7.15	-4.756	575	7.78	-7.080
426	5.96	4.808	476	6.56	-13.285	526	7.16	-5.379	576	7.79	-8.951
427	5.97	3.938	477	6.57	-12.658	527	7.17	-5.625	577	7.80	-10.573
428	5.98	2.943	478	6.58	-10.526	528	7.18	-5.997	578	7.81	-13.316
429	5.99	2.323	479	6.59	-10.522	529	7.20	-5.984	579	7.82	-14.564
430	6.00	2.076	480	6.61	-10.138	530	7.22	-5.726	580	7.83	-13.684
431	6.01	2.331	481	6.63	-9.860	531	7.23	-5.969	581	7.84	-10.805
432	6.02	2.337	482	6.64	-9.126	532	7.24	-5.088	582	7.86	-1.795
433	6.03	1.717	483	6.65	-6.668	533	7.27	-4.703	583	7.88	2.466
434	6.04	1.472	484	6.66	-8.613	534	7.28	-4.696	584	7.89	3.097
435	6.06	0.482	485	6.68	-6.229	535	7.29	-4.440	585	7.91	3.979
436	6.07	-0.513	486	6.69	-7.349	536	7.31	-3.808	586	7.92	5.234
437	6.08	-1.136	487	6.70	-5.721	537	7.32	-2.604	587	7.93	7.488
438	6.09	-3.003	488	6.71	-5.091	538	7.34	-1.545	588	7.95	13.252
439	6.10	-4.249	489	6.72	-2.835	539	7.35	-1.539	589	7.96	15.131
440	6.11	-5.244	490	6.74	0.673	540	7.36	-2.159	590	7.97	15.759
441	6.12	-5.492	491	6.75	4.430	541	7.37	-2.777	591	7.98	16.140
442	6.13	-3.967	492	6.76	5.685	542	7.39	-5.267	592	8.00	16.272
443	6.14	-2.732	493	6.78	7.691	543	7.40	-6.512	593	8.01	14.277
444	6.15	-1.853	494	6.79	6.822	544	7.42	-7.130	594	8.02	10.033
445	6.16	-0.850	495	6.80	4.952	545	7.43	-7.673	595	8.03	8.037
446	6.17	1.034	496	6.81	3.082	546	7.44	-8.495	596	8.04	5.541
447	6.18	0.412	497	6.82	1.459	547	7.45	-9.113	597	8.05	3.924
448	6.20	0.419	498	6.83	-0.784	548	7.46	-8.486	598	8.08	5.811
449	6.21	-0.201	499	6.84	-1.405	549	7.47	-7.605	599	8.09	8.568
450	6.22	-1.446	500	6.85	-1.773	550	7.48	-5.349	600	8.10	10.822

INDEX NO. 836 907-GR-126 TAIRA BRIDGE TR. MAX.ACCEL.= -36.581(GAL) T=16.76(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	8.11	11.701	651	8.72	-0.011	701	9.40	19.690	751	10.03	-0.009
602	8.12	10.830	652	8.73	-3.003	702	9.41	19.695	752	10.04	2.243
603	8.13	9.585	653	8.75	-6.493	703	9.43	18.202	753	10.06	9.879
604	8.14	8.714	654	8.76	-8.488	704	9.45	6.216	754	10.07	12.386
605	8.15	7.093	655	8.77	-9.358	705	9.46	4.592	755	10.08	14.515
606	8.16	6.849	656	8.78	-10.604	706	9.47	1.867	756	10.09	15.143
607	8.17	6.677	657	8.79	-10.974	707	9.48	-0.521	757	10.10	14.647
608	8.18	6.234	658	8.80	-10.970	708	9.49	-1.143	758	10.11	13.402
609	8.19	5.614	659	8.81	-11.214	709	9.50	-0.764	759	10.12	9.281
610	8.20	3.994	660	8.82	-9.459	710	9.51	0.116	760	10.13	3.411
611	8.21	1.248	661	8.85	-5.323	711	9.52	1.122	761	10.14	-2.081
612	8.22	-6.372	662	8.87	-1.562	712	9.53	3.878	762	10.15	-6.827
613	8.23	-10.240	663	8.88	0.692	713	9.54	4.131	763	10.16	-11.572
614	8.24	-12.737	664	8.89	1.949	714	9.55	4.135	764	10.17	-16.692
615	8.25	-15.358	665	8.91	3.209	715	9.56	3.891	765	10.18	-23.312
616	8.26	-17.229	666	8.92	3.212	716	9.58	3.898	766	10.20	-26.179
617	8.27	-17.598	667	8.93	4.218	717	9.59	3.654	767	10.21	-28.675
618	8.28	-17.841	668	8.95	3.850	718	9.60	2.661	768	10.22	-30.292
619	8.30	-17.336	669	8.97	3.361	719	9.62	2.418	769	10.23	-31.288
620	8.33	-15.697	670	8.98	1.742	720	9.64	2.053	770	10.24	-30.410
621	8.35	-14.810	671	9.00	-1.002	721	9.66	2.062	771	10.25	-26.531
622	8.37	-13.802	672	9.01	-4.745	722	9.68	2.324	772	10.26	-19.023
623	8.38	-12.546	673	9.02	-8.615	723	9.69	3.328	773	10.29	-9.137
624	8.39	-10.415	674	9.03	-9.661	724	9.71	5.836	774	10.30	-1.880
625	8.40	-5.910	675	9.04	-11.108	725	9.73	9.097	775	10.31	4.874
626	8.43	3.980	676	9.05	-12.353	726	9.74	10.350	776	10.32	8.860
627	8.44	6.734	677	9.06	-12.724	727	9.75	10.355	777	10.33	11.259
628	8.45	9.362	678	9.07	-10.592	728	9.76	10.980	778	10.34	13.765
629	8.46	9.365	679	9.08	-8.337	729	9.77	10.741	779	10.36	12.522
630	8.47	9.372	680	9.09	-2.707	730	9.78	9.745	780	10.38	10.657
631	8.48	10.379	681	9.10	2.048	731	9.79	9.126	781	10.41	0.298
632	8.49	11.382	682	9.11	6.301	732	9.81	3.885	782	10.46	-13.415
633	8.50	13.762	683	9.12	8.309	733	9.82	-5.984	783	10.47	-14.033
634	8.52	18.022	684	9.13	8.813	734	9.83	-9.229	784	10.48	-15.530
635	8.53	20.778	685	9.14	8.565	735	9.84	-12.351	785	10.49	-17.305
636	8.54	20.280	686	9.15	5.695	736	9.85	-13.647	786	10.50	-17.360
637	8.56	19.916	687	9.16	2.950	737	9.86	-15.217	787	10.52	-18.360
638	8.58	11.551	688	9.17	-3.793	738	9.87	-13.336	788	10.53	-17.121
639	8.60	4.557	689	9.20	-10.781	739	9.88	-10.331	789	10.55	-13.986
640	8.61	1.686	690	9.22	-18.023	740	9.90	-4.824	790	10.56	-10.602
641	8.62	-3.680	691	9.23	-22.140	741	9.92	2.187	791	10.57	-4.843
642	8.63	-4.925	692	9.25	-26.629	742	9.93	10.089	792	10.59	-0.707
643	8.64	-4.922	693	9.27	-28.495	743	9.95	11.078	793	10.60	5.051
644	8.65	-4.041	694	9.28	-29.365	744	9.96	11.955	794	10.61	8.183
645	8.66	-3.037	695	9.31	-26.353	745	9.97	8.963	795	10.62	9.437
646	8.67	-1.283	696	9.32	-23.223	746	9.98	6.092	796	10.63	11.068
647	8.68	-0.030	697	9.34	-11.213	747	9.99	3.972	797	10.64	10.826
648	8.69	0.975	698	9.37	6.049	748	10.00	0.350	798	10.66	8.960
649	8.70	0.730	699	9.38	12.307	749	10.01	-0.270	799	10.68	1.723
650	8.71	0.109	700	9.39	17.812	750	10.02	-1.765	800	10.69	-1.393

土木構造物における加速度強震記録（No. 9）

INDEX NO. 836 907-GR-126 TAIRA BRIDGE TR. MAX.ACCEL.= -36.581(GAL) T=16.76(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	10.70	-3.011	851	11.36	-7.979	901	12.03	19.734	951	12.72	18.684
802	10.71	-5.007	852	11.38	-11.691	902	12.05	4.752	952	12.73	22.318
803	10.72	-4.750	853	11.39	-12.819	903	12.06	-0.494	953	12.74	23.201
804	10.73	-3.988	854	11.40	-13.676	904	12.07	-6.238	954	12.75	24.458
805	10.75	-2.481	855	11.41	-14.669	905	12.08	-13.230	955	12.76	24.214
806	10.76	2.153	856	11.42	-11.538	906	12.10	-18.595	956	12.77	21.721
807	10.77	2.532	857	11.44	-7.703	907	12.12	-23.707	957	12.79	16.733
808	10.78	2.539	858	11.45	-1.395	908	12.13	-26.445	958	12.82	9.125
809	10.79	2.545	859	11.46	2.365	909	12.14	-27.617	959	12.84	2.762
810	10.80	2.557	860	11.47	4.620	910	12.15	-29.059	960	12.85	-1.608
811	10.82	2.570	861	11.48	7.124	911	12.16	-29.426	961	12.86	-3.097
812	10.83	3.577	862	11.49	9.383	912	12.18	-29.667	962	12.87	-4.465
813	10.84	4.630	863	11.50	10.263	913	12.19	-28.537	963	12.88	-5.709
814	10.85	7.340	864	11.51	11.396	914	12.21	-24.150	964	12.89	-6.327
815	10.86	10.468	865	11.53	11.406	915	12.22	-20.643	965	12.90	-6.321
816	10.88	18.100	866	11.55	11.424	916	12.23	-18.011	966	12.91	-6.316
817	10.90	23.622	867	11.56	11.429	917	12.24	-16.126	967	12.92	-4.810
818	10.91	24.254	868	11.57	10.562	918	12.25	-15.245	968	12.93	-2.303
819	10.92	26.136	869	11.58	9.317	919	12.27	-14.861	969	12.95	1.082
820	10.93	27.143	870	11.60	6.203	920	12.28	-15.478	970	12.96	8.718
821	10.94	27.150	871	11.62	-5.284	921	12.29	-18.217	971	12.97	9.973
822	10.95	26.278	872	11.63	-16.650	922	12.30	-20.086	972	12.98	10.978
823	10.96	24.787	873	11.64	-20.522	923	12.31	-21.329	973	12.99	13.238
824	10.98	19.046	874	11.65	-23.014	924	12.34	-22.561	974	13.00	13.618
825	10.99	11.807	875	11.66	-25.882	925	12.35	-22.305	975	13.01	12.998
826	11.02	-0.552	876	11.67	-27.378	926	12.36	-20.424	976	13.02	12.379
827	11.03	-8.292	877	11.68	-28.865	927	12.38	-17.637	977	13.03	11.137
828	11.04	-11.661	878	11.69	-28.489	928	12.39	-12.906	978	13.04	9.642
829	11.05	-14.281	879	11.70	-27.233	929	12.40	-10.897	979	13.06	10.532
830	11.06	-16.403	880	11.71	-20.723	930	12.41	-8.144	980	13.07	10.538
831	11.07	-18.641	881	11.73	-9.459	931	12.42	-5.008	981	13.09	9.923
832	11.09	-19.883	882	11.74	-3.705	932	12.43	-3.252	982	13.10	8.930
833	11.10	-20.875	883	11.76	14.061	933	12.44	-4.746	983	13.11	7.436
834	11.12	-22.733	884	11.77	18.444	934	12.46	-5.735	984	13.12	4.941
835	11.13	-23.352	885	11.79	23.202	935	12.48	-6.598	985	13.13	2.076
836	11.14	-23.970	886	11.80	24.837	936	12.49	-7.588	986	13.14	1.078
837	11.16	-25.212	887	11.81	27.471	937	12.51	-7.827	987	13.15	-2.036
838	11.17	-26.206	888	11.83	28.730	938	12.53	-7.816	988	13.17	-2.901
839	11.18	-26.825	889	11.84	28.736	939	12.54	-6.930	989	13.18	-3.395
840	11.19	-27.192	890	11.85	28.118	940	12.55	-4.802	990	13.19	-2.765
841	11.20	-24.936	891	11.88	26.014	941	12.56	-3.169	991	13.20	-1.883
842	11.21	-21.553	892	11.90	24.152	942	12.57	-1.289	992	13.21	0.376
843	11.22	-16.793	893	11.91	22.285	943	12.58	2.470	993	13.22	1.632
844	11.25	-8.279	894	11.93	20.421	944	12.59	5.103	994	13.23	2.263
845	11.26	-2.142	895	11.94	20.053	945	12.61	6.111	995	13.25	1.273
846	11.27	-0.889	896	11.96	19.940	946	12.63	7.625	996	13.27	-3.589
847	11.28	1.621	897	11.97	19.949	947	12.65	9.766	997	13.28	-8.581
848	11.29	2.675	898	11.99	19.688	948	12.68	13.032	998	13.30	-14.941
849	11.31	2.261	899	12.00	18.468	949	12.70	16.548	999	13.32	-19.802
850	11.34	-2.345	900	12.01	17.226	950	12.71	17.605	1000	13.33	-22.546

INDEX NO. 836 907-GR-126 TAIRA BRIDGE TR. MAX.ACCEL.= -36.581(GAL) T=16.76(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	13.34	-23.540	1051	14.07	17.550	1101	14.78	7.131	1151	15.50	-16.523
1002	13.36	-26.280	1052	14.10	16.065	1102	14.79	8.388	1152	15.51	-14.017
1003	13.38	-28.013	1053	14.11	15.447	1103	14.80	9.646	1153	15.53	-9.881
1004	13.42	-27.744	1054	14.12	13.078	1104	14.81	8.776	1154	15.54	-6.999
1005	13.43	-28.236	1055	14.13	9.059	1105	14.82	8.409	1155	15.55	-5.497
1006	13.44	-27.976	1056	14.14	7.844	1106	14.83	7.164	1156	15.56	-2.362
1007	13.47	-27.711	1057	14.15	4.850	1107	14.84	3.797	1157	15.57	0.895
1008	13.48	-25.628	1058	14.17	2.736	1108	14.85	3.175	1158	15.58	1.527
1009	13.49	-22.069	1059	14.19	1.749	1109	14.86	1.932	1159	15.59	2.532
1010	13.51	-13.185	1060	14.20	1.505	1110	14.87	1.941	1160	15.61	2.294
1011	13.53	-2.546	1061	14.21	-0.115	1111	14.90	0.586	1161	15.62	1.677
1012	13.54	1.832	1062	14.22	-1.356	1112	14.92	0.720	1162	15.65	0.443
1013	13.55	2.219	1063	14.24	-3.595	1113	14.93	0.105	1163	15.66	0.078
1014	13.57	10.980	1064	14.25	-5.214	1114	14.94	0.112	1164	15.67	-0.539
1015	13.58	12.737	1065	14.26	-7.332	1115	14.95	0.368	1165	15.69	-0.779
1016	13.59	14.245	1066	14.28	-10.945	1116	14.98	2.260	1166	15.70	-1.165
1017	13.60	15.248	1067	14.29	-11.814	1117	15.02	5.663	1167	15.72	-2.633
1018	13.61	16.129	1068	14.32	-14.663	1118	15.04	6.674	1168	15.73	-3.003
1019	13.62	16.509	1069	14.33	-15.283	1119	15.05	7.559	1169	15.75	-3.865
1020	13.63	16.266	1070	14.35	-16.523	1120	15.07	8.818	1170	15.77	-3.602
1021	13.64	16.148	1071	14.37	-18.761	1121	15.08	9.827	1171	15.79	-3.337
1022	13.65	15.029	1072	14.39	-22.872	1122	15.09	11.330	1172	15.81	-2.951
1023	13.67	11.916	1073	14.40	-27.362	1123	15.10	14.967	1173	15.83	-2.064
1024	13.68	7.798	1074	14.41	-29.606	1124	15.11	18.348	1174	15.84	-0.429
1025	13.69	4.554	1075	14.42	-30.724	1125	15.12	21.354	1175	15.85	0.827
1026	13.70	0.810	1076	14.43	-31.969	1126	15.13	22.235	1176	15.86	2.709
1027	13.71	-3.681	1077	14.44	-34.334	1127	15.14	23.244	1177	15.88	8.097
1028	13.72	-4.550	1078	14.46	-34.327	1128	15.16	22.376	1178	15.92	19.869
1029	13.74	-5.790	1079	14.47	-33.444	1129	15.17	21.386	1179	15.93	27.507
1030	13.75	-4.532	1080	14.48	-33.063	1130	15.18	20.140	1180	15.94	30.389
1031	13.76	-3.025	1081	14.50	-25.425	1131	15.19	17.399	1181	15.95	32.395
1032	13.77	-0.892	1082	14.53	-16.907	1132	15.21	15.785	1182	15.96	32.648
1033	13.79	1.369	1083	14.55	-7.639	1133	15.22	15.542	1183	15.97	33.028
1034	13.80	3.876	1084	14.59	3.134	1134	15.23	13.797	1184	15.98	32.660
1035	13.82	9.263	1085	14.60	5.392	1135	15.24	12.179	1185	16.00	32.678
1036	13.84	15.399	1086	14.61	8.898	1136	15.25	9.810	1186	16.04	31.827
1037	13.85	19.155	1087	14.62	11.406	1137	15.27	5.573	1187	16.06	31.212
1038	13.86	22.665	1088	14.63	12.036	1138	15.29	-4.789	1188	16.07	29.596
1039	13.87	23.668	1089	14.64	12.293	1139	15.31	-12.403	1189	16.09	26.858
1040	13.88	25.174	1090	14.65	13.425	1140	15.33	-16.140	1190	16.13	26.756
1041	13.89	26.181	1091	14.66	13.183	1141	15.34	-19.756	1191	16.14	18.266
1042	13.90	26.191	1092	14.68	10.314	1142	15.35	-21.871	1192	16.15	15.521
1043	13.92	26.204	1093	14.69	7.574	1143	15.37	-23.486	1193	16.16	13.776
1044	13.93	25.337	1094	14.70	6.329	1144	15.39	-25.845	1194	16.17	11.283
1045	13.96	23.477	1095	14.71	4.583	1145	15.41	-25.837	1195	16.18	10.664
1046	13.98	21.615	1096	14.72	3.090	1146	15.42	-25.827	1196	16.19	9.675
1047	14.00	20.378	1097	14.73	1.475	1147	15.44	-24.814	1197	16.21	10.059
1048	14.03	18.524	1098	14.74	2.107	1148	15.46	-22.928	1198	16.22	10.316
1049	14.05	18.532	1099	14.75	4.613	1149	15.48	-20.769	1199	16.23	11.325
1050	14.06	18.165	1100	14.77	6.499	1150	15.49	-18.530	1200	16.24	11.333

INDEX NO. 836 907-GR-126 TAIRA BRIDGE TR. MAX.ACCEL.= -36.581(GAL) T=16.76(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	16.26	9.842	1251	17.01	-5.295	1301	17.70	11.752	1351	18.37	14.345
1202	16.27	7.599	1252	17.02	-5.239	1302	17.71	13.040	1352	18.39	10.606
1203	16.28	6.979	1253	17.04	-4.649	1303	17.73	14.052	1353	18.40	9.612
1204	16.29	6.238	1254	17.05	-4.639	1304	17.74	14.310	1354	18.41	7.994
1205	16.30	4.992	1255	17.06	-4.009	1305	17.75	14.068	1355	18.42	7.003
1206	16.31	4.999	1256	17.07	-2.753	1306	17.76	11.325	1356	18.45	4.895
1207	16.33	4.763	1257	17.09	-2.743	1307	17.77	9.704	1357	18.46	3.905
1208	16.35	4.402	1258	17.10	-2.106	1308	17.78	5.337	1358	18.48	1.790
1209	16.36	3.763	1259	17.11	-1.850	1309	17.80	2.221	1359	18.50	0.053
1210	16.37	2.540	1260	17.12	-1.843	1310	17.82	-2.013	1360	18.51	0.061
1211	16.38	0.674	1261	17.13	-1.464	1311	17.83	-5.378	1361	18.52	0.319
1212	16.39	-2.569	1262	17.15	-0.576	1312	17.85	-8.243	1362	18.53	0.701
1213	16.40	-3.438	1263	17.16	1.058	1313	17.87	-11.352	1363	18.54	0.959
1214	16.42	-7.600	1264	17.18	2.944	1314	17.90	-12.962	1364	18.56	1.344
1215	16.43	-9.548	1265	17.19	5.072	1315	17.91	-11.706	1365	18.57	1.974
1216	16.44	-11.412	1266	17.20	7.084	1316	17.93	-10.442	1366	18.59	-1.761
1217	16.46	-11.653	1267	17.23	8.977	1317	17.94	-7.934	1367	18.60	-3.882
1218	16.47	-12.896	1268	17.25	10.868	1318	17.96	-4.173	1368	18.61	-4.250
1219	16.49	-12.382	1269	17.28	12.511	1319	17.98	5.595	1369	18.63	-5.488
1220	16.51	-11.366	1270	17.29	12.768	1320	17.99	6.851	1370	18.65	-7.346
1221	16.53	-10.481	1271	17.31	13.402	1321	18.00	7.233	1371	18.70	-10.192
1222	16.55	-9.217	1272	17.32	14.034	1322	18.01	7.986	1372	18.72	-10.805
1223	16.57	-8.583	1273	17.33	13.792	1323	18.02	8.619	1373	18.74	-13.040
1224	16.59	-8.618	1274	17.34	13.175	1324	18.03	8.376	1374	18.75	-13.031
1225	16.60	-9.685	1275	17.35	12.930	1325	18.04	8.629	1375	18.77	-14.269
1226	16.62	-12.796	1276	17.36	11.060	1326	18.05	7.637	1376	18.79	-14.255
1227	16.63	-16.540	1277	17.37	7.317	1327	18.06	7.393	1377	18.80	-13.624
1228	16.64	-19.784	1278	17.38	6.078	1328	18.08	6.157	1378	18.82	-12.613
1229	16.65	-23.899	1279	17.39	5.459	1329	18.09	5.913	1379	18.83	-11.481
1230	16.67	-26.764	1280	17.40	5.465	1330	18.10	5.047	1380	18.84	-9.851
1231	16.68	-29.879	1281	17.41	5.971	1331	18.12	7.310	1381	18.85	-8.340
1232	16.71	-32.363	1282	17.42	6.353	1332	18.13	8.693	1382	18.86	-7.333
1233	16.72	-33.103	1283	17.44	7.612	1333	18.14	10.198	1383	18.87	-6.455
1234	16.74	-35.593	1284	17.45	8.495	1334	18.15	12.456	1384	18.89	-7.941
1235	16.76	-36.581	1285	17.46	8.876	1335	18.17	12.965	1385	18.91	-10.055
1236	16.76	-34.443	1286	17.48	8.512	1336	18.18	11.650	1386	18.92	-12.544
1237	16.79	-32.558	1287	17.49	8.773	1337	18.20	10.984	1387	18.94	-13.534
1238	16.82	-27.792	1288	17.50	8.277	1338	18.22	9.750	1388	18.95	-14.153
1239	16.85	-20.769	1289	17.51	2.034	1339	18.23	9.757	1389	18.97	-14.392
1240	16.87	-12.259	1290	17.52	-1.456	1340	18.24	10.886	1390	18.98	-13.881
1241	16.89	-4.621	1291	17.53	-2.451	1341	18.25	13.143	1391	19.00	-13.745
1242	16.90	3.638	1292	17.55	-3.962	1342	18.26	16.399	1392	19.02	-13.484
1243	16.91	6.642	1293	17.56	-5.681	1343	18.27	18.908	1393	19.03	-12.848
1244	16.92	8.276	1294	17.57	-5.423	1344	18.28	21.039	1394	19.04	-12.216
1245	16.93	8.531	1295	17.59	-2.413	1345	18.29	22.921	1395	19.05	-11.960
1246	16.94	8.536	1296	17.62	-0.897	1346	18.31	23.306	1396	19.07	-10.949
1247	16.95	7.293	1297	17.63	1.366	1347	18.32	23.313	1397	19.08	-6.316
1248	16.96	3.925	1298	17.65	3.878	1348	18.33	22.445	1398	19.11	-2.172
1249	16.98	-0.437	1299	17.67	6.639	1349	18.34	21.453	1399	19.14	1.095
1250	16.99	-4.678	1300	17.68	9.021	1350	18.36	17.712	1400	19.17	4.494

INDEX NO. 836 907-GR-126 TAIRA BRIDGE TR. MAX.ACCEL.= -36.581(GAL) T=16.76(SEC) NO. 8

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1401	19.19	6.757	1451	19.97	-13.735	1501	20.82	6.442	1551	21.76	11.434
1402	19.20	8.765	1452	19.98	-13.727	1502	20.83	4.577	1552	21.78	11.697
1403	19.22	10.275	1453	20.00	-13.715	1503	20.85	2.086	1553	21.80	12.337
1404	19.23	11.282	1454	20.01	-12.830	1504	20.86	-2.777	1554	21.81	12.967
1405	19.24	12.549	1455	20.03	-12.195	1505	20.87	-4.021	1555	21.82	13.351
1406	19.25	13.423	1456	20.05	-9.434	1506	20.88	-5.896	1556	21.83	14.856
1407	19.26	13.551	1457	20.07	-3.793	1507	20.89	-7.509	1557	21.85	16.745
1408	19.27	14.436	1458	20.09	1.723	1508	20.90	-9.376	1558	21.87	18.756
1409	19.28	14.190	1459	20.11	5.108	1509	20.92	-9.991	1559	21.88	18.764
1410	19.29	13.571	1460	20.12	6.113	1510	20.93	-10.606	1560	21.90	18.398
1411	19.30	12.331	1461	20.13	7.373	1511	20.94	-10.975	1561	21.92	16.916
1412	19.32	11.342	1462	20.14	7.380	1512	20.96	-9.712	1562	21.94	15.053
1413	19.34	10.728	1463	20.17	7.649	1513	20.98	-7.823	1563	21.96	12.565
1414	19.35	11.362	1464	20.19	8.035	1514	21.02	-5.051	1564	21.97	11.071
1415	19.37	11.371	1465	20.21	9.422	1515	21.04	-2.534	1565	21.98	9.078
1416	19.38	11.378	1466	20.22	10.054	1516	21.07	-1.516	1566	21.99	7.460
1417	19.39	11.639	1467	20.23	11.565	1517	21.09	-0.627	1567	22.00	5.967
1418	19.41	11.649	1468	20.24	12.570	1518	21.12	-0.237	1568	22.01	4.723
1419	19.42	10.782	1469	20.25	13.823	1519	21.13	-0.227	1569	22.03	3.112
1420	19.44	9.542	1470	20.26	13.206	1520	21.15	-0.508	1570	22.06	2.877
1421	19.45	8.673	1471	20.27	13.586	1521	21.17	-0.578	1571	22.08	1.517
1422	19.46	8.055	1472	20.30	11.354	1522	21.19	-2.055	1572	22.11	-0.340
1423	19.47	5.565	1473	20.31	9.740	1523	21.21	-3.928	1573	22.13	-3.201
1424	19.48	4.322	1474	20.35	7.012	1524	21.22	-5.792	1574	22.16	-5.056
1425	19.50	3.950	1475	20.37	4.900	1525	21.24	-7.653	1575	22.19	-6.783
1426	19.52	3.099	1476	20.38	3.661	1526	21.27	-8.512	1576	22.22	-7.892
1427	19.54	1.863	1477	20.40	2.421	1527	21.30	-9.494	1577	22.23	-9.132
1428	19.56	1.376	1478	20.41	1.306	1528	21.33	-10.723	1578	22.25	-10.119
1429	19.58	1.135	1479	20.43	1.944	1529	21.34	-10.965	1579	22.27	-11.360
1430	19.59	1.142	1480	20.46	1.964	1530	21.36	-11.329	1580	22.29	-12.221
1431	19.61	1.406	1481	20.47	1.720	1531	21.37	-10.446	1581	22.31	-10.708
1432	19.62	1.163	1482	20.49	0.480	1532	21.40	-8.175	1582	22.34	-7.939
1433	19.64	0.801	1483	20.51	-0.132	1533	21.42	-4.790	1583	22.37	-5.290
1434	19.66	-0.689	1484	20.53	0.131	1534	21.43	-2.534	1584	22.40	-3.151
1435	19.68	-2.299	1485	20.55	0.769	1535	21.45	-0.393	1585	22.41	-2.266
1436	19.70	-5.410	1486	20.58	0.787	1536	21.48	2.627	1586	22.42	-1.633
1437	19.71	-6.278	1487	20.60	0.801	1537	21.51	3.894	1587	22.44	-0.624
1438	19.72	-7.648	1488	20.62	1.437	1538	21.53	5.161	1588	22.45	-0.863
1439	19.75	-9.628	1489	20.63	2.075	1539	21.56	5.429	1589	22.46	-0.607
1440	19.76	-10.493	1490	20.65	3.336	1540	21.59	5.820	1590	22.49	-2.210
1441	19.79	-11.104	1491	20.67	5.473	1541	21.61	6.463	1591	22.52	-1.819
1442	19.80	-11.344	1492	20.68	6.730	1542	21.63	6.725	1592	22.54	-2.431
1443	19.82	-11.954	1493	20.69	7.985	1543	21.66	6.742	1593	22.56	-0.918
1444	19.84	-11.447	1494	20.70	9.742	1544	21.67	7.752	1594	22.58	0.095
1445	19.86	-10.806	1495	20.71	11.248	1545	21.69	8.387	1595	22.61	1.117
1446	19.88	-11.043	1496	20.72	13.508	1546	21.70	9.268	1596	22.64	2.763
1447	19.90	-11.026	1497	20.74	12.267	1547	21.72	9.530	1597	22.67	4.027
1448	19.92	-11.639	1498	20.76	11.404	1548	21.73	10.661	1598	22.68	4.914
1449	19.94	-12.876	1499	20.78	8.797	1549	21.74	11.668	1599	22.70	4.922
1450	19.96	-12.865	1500	20.81	7.586	1550	21.75	11.928	1600	22.71	3.432

土木構造物における加速度強震記録（No.9）

INDEX NO. 836 907-GR-126 TAIRA BRIDGE TR. MAX.ACCEL.= -36.581(GAL) T=16.76(SEC) NO. 9

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1601	22.73	1.319	1651	23.59	-11.000	1701	24.43	-5.588	1751	25.33	8.992
1602	22.75	-1.796	1652	23.61	-7.490	1702	24.45	-5.952	1752	25.34	10.499
1603	22.76	-5.032	1653	23.64	-4.599	1703	24.46	-7.442	1753	25.35	11.130
1604	22.78	-6.895	1654	23.66	-1.709	1704	24.47	-7.688	1754	25.37	12.140
1605	22.79	-8.764	1655	23.68	-0.823	1705	24.49	-7.429	1755	25.39	14.029
1606	22.80	-10.007	1656	23.69	-0.439	1706	24.50	-6.796	1756	25.40	13.788
1607	22.82	-11.623	1657	23.71	-0.176	1707	24.52	-7.032	1757	25.42	13.803
1608	22.83	-12.987	1658	23.73	-2.290	1708	24.54	-7.396	1758	25.44	12.187
1609	22.86	-12.973	1659	23.76	-3.147	1709	24.56	-8.884	1759	25.46	10.702
1610	22.87	-12.713	1660	23.78	-4.384	1710	24.58	-10.119	1760	25.50	6.590
1611	22.88	-12.329	1661	23.80	-4.742	1711	24.59	-11.660	1761	25.54	1.250
1612	22.90	-10.821	1662	23.81	-5.363	1712	24.61	-12.475	1762	25.57	-6.103
1613	22.92	-4.931	1663	23.83	-5.103	1713	24.62	-13.715	1763	25.60	-12.456
1614	22.96	4.472	1664	23.84	-3.472	1714	24.65	-14.574	1764	25.63	-17.191
1615	22.98	6.732	1665	23.86	1.168	1715	24.67	-15.184	1765	25.65	-18.303
1616	22.99	9.491	1666	23.90	9.818	1716	24.69	-15.174	1766	25.67	-19.662
1617	23.00	11.496	1667	23.91	12.704	1717	24.70	-14.916	1767	25.70	-20.266
1618	23.01	15.004	1668	23.92	14.583	1718	24.71	-14.907	1768	25.75	-20.863
1619	23.02	14.636	1669	23.93	16.214	1719	24.73	-14.023	1769	25.78	-19.965
1620	23.05	14.153	1670	23.94	17.472	1720	24.75	-12.760	1770	25.80	-19.077
1621	23.07	13.165	1671	23.96	17.482	1721	24.77	-10.493	1771	25.83	-17.811
1622	23.09	11.933	1672	23.97	17.868	1722	24.82	-8.090	1772	25.84	-15.928
1623	23.11	11.070	1673	24.00	17.511	1723	24.83	-4.834	1773	25.85	-14.297
1624	23.13	11.329	1674	24.02	15.648	1724	24.84	-3.450	1774	25.86	-12.415
1625	23.15	11.965	1675	24.04	13.783	1725	24.85	-2.572	1775	25.87	-10.406
1626	23.16	11.974	1676	24.05	12.539	1726	24.86	-0.313	1776	25.88	-9.775
1627	23.17	11.732	1677	24.06	10.670	1727	24.87	0.945	1777	25.89	-8.894
1628	23.19	11.367	1678	24.07	9.429	1728	24.89	2.205	1778	25.91	-7.632
1629	23.20	10.125	1679	24.08	5.187	1729	24.91	3.718	1779	25.92	-6.001
1630	23.22	9.865	1680	24.10	7.945	1730	24.92	5.099	1780	25.94	-2.738
1631	23.24	7.900	1681	24.11	7.578	1731	24.93	4.860	1781	25.96	3.147
1632	23.25	6.405	1682	24.12	6.963	1732	24.95	5.119	1782	25.97	5.784
1633	23.26	4.911	1683	24.14	7.602	1733	24.96	5.127	1783	25.98	7.415
1634	23.27	4.541	1684	24.16	8.861	1734	24.99	6.144	1784	26.00	7.673
1635	23.29	3.679	1685	24.18	10.749	1735	25.00	6.778	1785	26.01	8.933
1636	23.31	4.442	1686	24.19	12.881	1736	25.02	8.288	1786	26.03	10.573
1637	23.33	3.582	1687	24.20	15.135	1737	25.03	9.548	1787	26.06	12.462
1638	23.34	3.213	1688	24.21	17.272	1738	25.05	10.561	1788	26.07	13.469
1639	23.35	2.971	1689	24.22	18.903	1739	25.07	11.447	1789	26.08	14.731
1640	23.37	2.356	1690	24.24	20.286	1740	25.09	12.638	1790	26.12	16.381
1641	23.38	-1.759	1691	24.25	20.294	1741	25.11	13.851	1791	26.15	17.649
1642	23.41	-7.490	1692	24.28	16.562	1742	25.13	12.988	1792	26.18	18.542
1643	23.44	-10.224	1693	24.31	10.207	1743	25.15	11.127	1793	26.19	17.675
1644	23.45	-12.589	1694	24.32	5.591	1744	25.19	8.650	1794	26.20	17.684
1645	23.47	-14.079	1695	24.34	1.975	1745	25.22	8.044	1795	26.22	18.320
1646	23.49	-15.315	1696	24.35	-2.017	1746	25.23	6.799	1796	26.24	19.207
1647	23.52	-16.924	1697	24.37	-5.630	1747	25.26	6.060	1797	26.25	20.216
1648	23.54	-17.284	1698	24.39	-5.242	1748	25.26	5.823	1798	26.27	20.977
1649	23.56	-16.271	1699	24.41	-5.229	1749	25.29	6.091	1799	26.28	20.986
1650	23.58	-14.760	1700	24.42	-5.222	1750	25.31	6.731	1800	26.29	20.994

INDEX NO. 836 907-GR-126 TAIRA BRIDGE TR. MAX.ACCEL.= -36.581(GAL) T=16.76(SEC) NO.10

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1801	26.30	20.999	1851	27.30	22.529	1901	28.45	6.023	1951	29.47	10.939
1802	26.31	20.006	1852	27.33	23.549	1902	28.46	7.411	1952	29.49	11.330
1803	26.33	18.770	1853	27.36	22.069	1903	28.48	9.045	1953	29.51	10.968
1804	26.34	17.027	1854	27.38	20.458	1904	28.50	10.558	1954	29.53	10.982
1805	26.36	17.290	1855	27.41	16.478	1905	28.52	12.823	1955	29.55	9.998
1806	26.39	16.879	1856	27.44	11.994	1906	28.54	15.068	1956	29.57	7.880
1807	26.41	14.818	1857	27.46	9.759	1907	28.56	15.729	1957	29.58	6.637
1808	26.43	11.956	1858	27.48	7.898	1908	28.57	16.982	1958	29.59	5.166
1809	26.45	6.595	1859	27.51	5.043	1909	28.59	17.368	1959	29.60	3.905
1810	26.47	3.111	1860	27.56	0.945	1910	28.61	16.756	1960	29.61	2.912
1811	26.49	-1.630	1861	27.59	-0.279	1911	28.64	16.146	1961	29.64	2.301
1812	26.52	-3.610	1862	27.62	-1.140	1912	28.65	14.658	1962	29.66	2.066
1813	26.54	-6.098	1863	27.64	-2.872	1913	28.67	12.166	1963	29.68	2.079
1814	26.57	-7.576	1864	27.65	-3.490	1914	28.68	9.923	1964	29.69	1.089
1815	26.59	-8.186	1865	27.67	-4.107	1915	28.70	6.690	1965	29.70	1.097
1816	26.61	-8.173	1866	27.68	-5.348	1916	28.73	4.823	1966	29.73	0.235
1817	26.64	-8.152	1867	27.71	-9.826	1917	28.74	3.335	1967	29.75	-1.749
1818	26.67	-8.136	1868	27.73	-11.065	1918	28.77	1.479	1968	29.79	-5.596
1819	26.68	-8.126	1869	27.76	-13.172	1919	28.79	1.746	1969	29.82	-9.328
1820	26.69	-8.120	1870	27.79	-15.651	1920	28.82	2.014	1970	29.84	-12.565
1821	26.70	-8.113	1871	27.82	-16.633	1921	28.83	2.649	1971	29.85	-14.305
1822	26.72	-8.726	1872	27.85	-17.365	1922	28.85	3.284	1972	29.87	-16.668
1823	26.74	-11.088	1873	27.88	-17.093	1923	28.87	3.670	1973	29.89	-17.903
1824	26.75	-12.960	1874	27.90	-15.827	1924	28.88	2.804	1974	29.91	-17.642
1825	26.76	-13.827	1875	27.91	-13.320	1925	28.91	1.445	1975	29.94	-18.748
1826	26.77	-15.444	1876	27.93	-9.682	1926	28.94	0.339	1976	29.95	-17.865
1827	26.80	-17.301	1877	27.95	-6.269	1927	29.00	-3.617	1977	29.96	-16.359
1828	26.81	-17.919	1878	27.96	-2.541	1928	29.04	-5.095	1978	29.97	-14.728
1829	26.83	-18.281	1879	27.97	0.094	1929	29.06	-5.332	1979	29.99	-10.718
1830	26.85	-18.644	1880	27.99	2.603	1930	29.07	-5.946	1980	30.01	-3.327
1831	26.87	-18.628	1881	28.00	3.611	1931	29.09	-6.308	1981	30.03	2.690
1832	26.89	-17.742	1882	28.01	5.744	1932	29.12	-5.042	1982	30.05	5.574
1833	26.90	-15.486	1883	28.03	6.503	1933	29.13	-3.782	1983	30.06	8.206
1834	26.92	-11.722	1884	28.04	6.264	1934	29.15	-0.394	1984	30.08	10.344
1835	26.93	-9.714	1885	28.07	6.284	1935	29.16	2.490	1985	30.09	10.979
1836	26.94	-7.585	1886	28.12	3.190	1936	29.17	4.371	1986	30.11	12.240
1837	26.95	-5.701	1887	28.17	0.718	1937	29.19	5.882	1987	30.14	12.882
1838	26.97	-4.440	1888	28.19	-0.619	1938	29.21	7.022	1988	30.16	13.272
1839	27.01	-1.411	1889	28.20	-1.262	1939	29.24	8.037	1989	30.16	12.035
1840	27.03	-1.147	1890	28.22	-0.998	1940	29.26	7.680	1990	30.21	11.427
1841	27.06	-0.754	1891	28.25	0.021	1941	29.29	7.949	1991	30.23	10.190
1842	27.09	1.138	1892	28.26	0.904	1942	29.30	7.705	1992	30.25	8.580
1843	27.10	2.648	1893	28.28	1.915	1943	29.32	6.467	1993	30.26	8.086
1844	27.13	4.539	1894	28.29	2.799	1944	29.33	5.851	1994	30.27	6.468
1845	27.16	8.440	1895	28.31	3.810	1945	29.35	5.615	1995	30.29	6.231
1846	27.19	12.580	1896	28.33	4.447	1946	29.38	4.383	1996	30.30	6.237
1847	27.22	16.102	1897	28.35	4.460	1947	29.39	5.516	1997	30.32	5.252
1848	27.24	17.986	1898	28.37	4.727	1948	29.42	7.407	1998	30.34	6.765
1849	27.26	20.501	1899	28.40	5.121	1949	29.43	8.041	1999	30.35	7.774
1850	27.28	22.266	1900	28.43	5.763	1950	29.45	9.052	2000	30.37	8.658

INDEX NO. 836 907-GR-126 TAIRA BRIDGE IR. MAX.ACCEL.= -36.581(GAL) T=16.76(SEC) NO.11

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2001	30.38	9.269	2051	31.39	19.574	2101	32.70	-16.073	2151	33.90	-14.682
2002	30.39	9.923	2052	31.43	14.849	2102	32.73	-16.924	2152	33.93	-13.660
2003	30.41	11.814	2053	31.47	9.674	2103	32.76	-17.029	2153	33.95	-13.150
2004	30.42	13.695	2054	31.53	9.665	2104	32.80	-16.382	2154	33.97	-13.136
2005	30.44	9.956	2055	31.55	-4.069	2105	32.83	-15.737	2155	34.00	-13.363
2006	30.45	9.461	2056	31.60	-9.793	2106	32.85	-15.096	2156	34.03	-13.345
2007	30.46	8.471	2057	31.61	-11.655	2107	32.89	-13.199	2157	34.05	-13.082
2008	30.48	7.605	2058	31.63	-12.292	2108	32.93	-10.926	2158	34.07	-12.671
2009	30.49	6.985	2059	31.65	-14.129	2109	32.96	-9.025	2159	34.09	-10.555
2010	30.50	5.994	2060	31.68	-14.113	2110	32.98	-4.513	2160	34.11	-8.672
2011	30.52	4.756	2061	31.71	-15.469	2111	33.01	-1.369	2161	34.13	-4.783
2012	30.55	3.274	2062	31.73	-16.703	2112	33.02	0.513	2162	34.14	-2.984
2013	30.56	3.282	2063	31.75	-16.193	2113	33.04	2.151	2163	34.15	1.855
2014	30.58	2.297	2064	31.78	-17.422	2114	33.05	4.031	2164	34.17	6.994
2015	30.60	0.807	2065	31.80	-20.657	2115	33.07	7.795	2165	34.20	12.139
2016	30.61	-1.184	2066	31.82	-21.473	2116	33.09	9.557	2166	34.22	16.150
2017	30.62	-2.424	2067	31.83	-21.016	2117	33.10	12.067	2167	34.23	18.531
2018	30.64	-5.207	2068	31.84	-19.131	2118	33.12	15.078	2168	34.24	19.168
2019	30.65	-5.030	2069	31.88	-17.235	2119	33.13	19.336	2169	34.26	20.681
2020	30.67	-6.143	2070	31.90	-13.219	2120	33.15	22.846	2170	34.27	23.187
2021	30.71	-7.246	2071	31.94	-7.818	2121	33.17	25.862	2171	34.29	22.324
2022	30.72	-8.737	2072	31.95	-5.612	2122	33.18	28.618	2172	34.31	22.964
2023	30.73	-10.353	2073	31.96	-2.678	2123	33.21	30.508	2173	34.37	23.002
2024	30.74	-11.597	2074	31.99	-1.163	2124	33.23	30.770	2174	34.42	22.656
2025	30.76	-13.067	2075	32.00	1.848	2125	33.24	29.906	2175	34.46	22.183
2026	30.77	-14.952	2076	32.06	5.007	2126	33.27	29.296	2176	34.48	21.198
2027	30.78	-15.320	2077	32.09	7.530	2127	33.28	27.807	2177	34.51	19.965
2028	30.79	-16.063	2078	32.12	10.176	2128	33.32	24.077	2178	34.54	18.112
2029	30.82	-16.043	2079	32.15	12.321	2129	33.35	19.345	2179	34.56	16.873
2030	30.84	-15.158	2080	32.17	13.959	2130	33.37	15.862	2180	34.59	12.892
2031	30.86	-12.895	2081	32.19	15.845	2131	33.41	12.365	2181	34.62	8.659
2032	30.89	-5.267	2082	32.20	17.228	2132	33.43	10.274	2182	34.64	4.300
2033	30.92	0.519	2083	32.22	18.743	2133	33.45	9.789	2183	34.66	-1.686
2034	30.95	4.267	2084	32.24	20.601	2134	33.49	6.938	2184	34.69	-4.545
2035	30.96	6.797	2085	32.25	22.886	2135	33.51	7.700	2185	34.70	-6.788
2036	30.98	8.433	2086	32.28	22.653	2136	33.53	6.337	2186	34.71	-9.279
2037	31.00	9.659	2087	32.33	25.167	2137	33.56	3.607	2187	34.72	-12.146
2038	31.03	10.361	2088	32.32	22.602	2138	33.58	0.743	2188	34.75	-12.380
2039	31.04	11.350	2089	32.34	22.320	2139	33.61	-2.112	2189	34.77	-13.114
2040	31.06	11.113	2090	32.37	21.481	2140	33.62	-5.230	2190	34.80	-13.469
2041	31.09	11.758	2091	32.40	19.608	2141	33.65	-8.211	2191	34.84	-14.694
2042	31.11	12.646	2092	32.43	16.502	2142	33.69	-9.691	2192	34.87	-15.929
2043	31.14	13.911	2093	32.45	13.017	2143	33.71	-11.175	2193	34.91	-19.399
2044	31.18	16.317	2094	32.48	6.037	2144	33.73	-13.784	2194	34.93	-22.637
2045	31.23	18.471	2095	32.51	-0.319	2145	33.76	-16.267	2195	34.94	-24.377
2046	31.26	19.365	2096	32.54	-5.551	2146	33.79	-17.876	2196	34.96	-24.364
2047	31.28	20.756	2097	32.57	-8.156	2147	33.81	-17.239	2197	34.98	-24.103
2048	31.31	21.023	2098	32.59	-11.268	2148	33.83	-16.601	2198	34.99	-23.470
2049	31.34	21.043	2099	32.63	-14.117	2149	33.86	-16.204	2199	35.02	-21.327
2050	31.36	20.809	2100	32.67	-15.467	2150	33.87	-15.948	2200	35.03	-19.444

INDEX NO. 836 907-GR-126 TAIRA BRIDGE IR. MAX.ACCEL.= -36.561(GAL) T=16.76(SEC) NO.12

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2201	35.05	-15.683	2251	36.20	5.006	2301	37.11	-8.353	2351	38.16	-3.048
2202	35.07	-10.172	2252	36.22	5.194	2302	37.13	-8.338	2352	38.19	-1.774
2203	35.08	-5.538	2253	36.24	4.956	2303	37.16	-7.820	2353	38.21	-0.886
2204	35.09	-1.031	2254	36.26	4.345	2304	37.18	-5.932	2354	38.24	-0.243
2205	35.10	2.848	2255	36.27	4.356	2305	37.21	-3.039	2355	38.26	0.396
2206	35.12	6.112	2256	36.29	4.366	2306	37.22	-1.159	2356	38.30	0.708
2207	35.13	7.620	2257	36.31	4.626	2307	37.23	-0.526	2357	38.32	1.684
2208	35.15	10.131	2258	36.32	5.514	2308	37.25	0.987	2358	38.35	3.576
2209	35.17	12.391	2259	36.34	6.777	2309	37.26	2.245	2359	38.38	7.224
2210	35.19	13.404	2260	36.37	8.417	2310	37.27	2.877	2360	38.41	9.991
2211	35.21	14.917	2261	36.39	10.307	2311	37.23	2.883	2361	38.42	11.625
2212	35.22	15.929	2262	36.41	11.096	2312	37.31	4.275	2362	38.44	13.014
2213	35.25	16.568	2263	36.42	13.204	2313	37.32	4.284	2363	38.45	14.267
2214	35.26	17.203	2264	36.43	13.585	2314	37.34	4.296	2364	38.46	14.899
2215	35.28	18.466	2265	36.45	14.470	2315	37.36	4.062	2365	38.48	15.789
2216	35.30	20.430	2266	36.46	15.104	2316	37.38	4.070	2366	38.51	16.430
2217	35.33	21.749	2267	36.46	14.867	2317	37.40	4.087	2367	38.52	15.938
2218	35.35	21.763	2268	36.49	14.246	2318	37.44	4.359	2368	38.55	13.706
2219	35.38	21.781	2269	36.51	13.634	2319	37.46	4.123	2369	38.57	10.220
2220	35.41	21.171	2270	36.54	12.153	2320	37.47	4.134	2370	38.60	4.864
2221	35.43	19.687	2271	36.56	9.919	2321	37.50	4.399	2371	38.62	-0.123
2222	35.46	17.830	2272	36.59	7.612	2322	37.51	4.730	2372	38.63	-2.988
2223	35.48	16.217	2273	36.62	4.329	2323	37.52	5.413	2373	38.65	-6.475
2224	35.50	14.105	2274	36.64	2.091	2324	37.54	6.303	2374	38.67	-9.214
2225	35.52	10.870	2275	36.66	0.228	2325	37.55	6.309	2375	38.68	-10.205
2226	35.54	8.382	2276	36.67	-1.388	2326	37.56	5.442	2376	38.70	-10.944
2227	35.56	5.271	2277	36.68	-1.632	2327	37.58	4.206	2377	38.73	-11.803
2228	35.57	3.276	2278	36.70	-2.620	2328	37.60	3.340	2378	38.75	-10.665
2229	35.59	1.665	2279	36.71	-3.987	2329	37.61	2.725	2379	38.76	-9.656
2230	35.61	1.052	2280	36.72	-5.054	2330	37.64	1.741	2380	38.78	-8.771
2231	35.64	0.450	2281	36.74	-7.343	2331	37.67	1.510	2381	38.80	-8.133
2232	35.70	-1.766	2282	36.75	-7.659	2332	37.70	-0.719	2382	38.81	-7.752
2233	35.72	-3.251	2283	36.77	-7.948	2333	37.72	-1.334	2383	38.82	-7.744
2234	35.74	+4.863	2284	36.79	-7.936	2334	37.75	-1.565	2384	38.84	-8.977
2235	35.76	-7.698	2285	36.80	-9.301	2335	37.78	-1.918	2385	38.87	-9.586
2236	35.79	+10.208	2286	36.82	-8.287	2336	37.81	-1.901	2386	38.89	-10.199
2237	35.80	+12.075	2287	36.86	-7.888	2337	37.83	-2.509	2387	38.91	-9.935
2238	35.83	+15.307	2288	36.88	-7.378	2338	37.86	-3.243	2388	38.93	-9.920
2239	35.85	+17.165	2289	36.89	-5.745	2339	37.87	-3.858	2389	38.95	-8.282
2240	35.89	+18.643	2290	36.92	-4.104	2340	37.89	-4.474	2390	38.96	-6.774
2241	35.91	+19.754	2291	36.93	-2.967	2341	37.90	-5.088	2391	38.99	-4.259
2242	35.93	+19.741	2292	36.94	-1.960	2342	37.93	-5.695	2392	39.00	-1.003
2243	35.95	+19.106	2293	36.96	-2.202	2343	37.95	-6.558	2393	39.01	0.009
2244	35.98	+15.711	2294	36.98	-2.559	2344	37.97	-7.168	2394	39.02	0.638
2245	36.01	-9.936	2295	37.01	-3.790	2345	38.00	-7.149	2395	39.04	1.900
2246	36.05	-3.538	2296	37.04	-5.272	2346	38.03	-7.133	2396	39.06	1.288
2247	36.12	5.509	2297	37.06	-6.259	2347	38.06	-7.109	2397	39.08	1.054
2248	36.13	4.135	2298	37.07	-6.676	2348	38.11	-5.831	2398	39.12	1.576
2249	36.16	6.410	2299	37.09	-7.743	2349	38.12	-4.648	2399	39.13	2.208
2250	36.18	6.420	2300	37.10	-6.359	2350	38.14	-4.058	2400	39.15	2.598

土木構造物における加速度強震記録（No.9）

INDEX NO. 636 907-GR-126 TAIRA BRIDGE TR. MAX.ACCEL.= -36.581(GAL) T=16.76(SEC) NO.13

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2401	39.16	2.602	2451	40.26	7.451	2501	41.61	3.712	2551	42.90	-7.942
2402	39.18	2.616	2452	40.27	6.462	2502	41.65	0.611	2552	42.93	-6.921
2403	39.19	1.753	2453	40.31	7.989	2503	41.66	-3.246	2553	42.96	-5.026
2404	39.21	2.014	2454	40.34	9.507	2504	41.72	-6.594	2554	42.98	-3.137
2405	39.23	2.652	2455	40.37	8.273	2505	41.75	-9.198	2555	43.02	-1.242
2406	39.25	3.539	2456	40.42	6.056	2506	41.78	-10.604	2556	43.05	1.028
2407	39.27	5.100	2457	40.44	5.620	2507	41.80	-11.042	2557	43.08	2.924
2408	39.31	8.201	2458	40.47	6.337	2508	41.83	-12.271	2558	43.12	4.946
2409	39.34	10.596	2459	40.50	6.733	2509	41.85	-11.756	2559	43.14	4.587
2410	39.35	12.230	2460	40.53	6.501	2510	41.90	-9.651	2560	43.17	5.228
2411	39.38	13.375	2461	40.56	5.524	2511	41.93	-9.207	2561	43.19	6.116
2412	39.40	13.638	2462	40.59	4.671	2512	41.95	-7.194	2562	43.20	7.373
2413	39.43	12.784	2463	40.62	3.668	2513	41.96	-5.684	2563	43.22	8.136
2414	39.46	10.556	2464	40.65	2.453	2514	41.98	-3.795	2564	43.24	7.900
2415	39.50	7.827	2465	40.67	0.970	2515	41.99	-2.914	2565	43.26	7.661
2416	39.52	4.844	2466	40.69	0.358	2516	42.01	-1.651	2566	43.28	7.300
2417	39.55	2.985	2467	40.70	-0.011	2517	42.04	-0.134	2567	43.31	7.069
2418	39.57	2.373	2468	40.72	-1.998	2518	42.06	-0.496	2568	43.33	6.702
2419	39.58	1.130	2469	40.75	-2.606	2519	42.08	-0.730	2569	43.36	5.224
2420	39.59	-0.739	2470	40.77	-3.843	2520	42.11	-1.337	2570	43.38	3.360
2421	39.61	-2.098	2471	40.78	-4.082	2521	42.13	-0.451	2571	43.41	1.130
2422	39.63	-3.960	2472	40.82	-4.811	2522	42.15	2.068	2572	43.44	-0.481
2423	39.66	-6.065	2473	40.83	-5.924	2523	42.18	3.960	2573	43.45	-2.348
2424	39.68	-7.052	2474	40.86	-7.905	2524	42.21	5.231	2574	43.48	-4.579
2425	39.70	-7.913	2475	40.87	-8.773	2525	42.22	5.864	2575	43.50	-3.693
2426	39.72	-8.898	2476	40.90	-10.757	2526	42.25	7.130	2576	43.53	-2.674
2427	39.74	-10.262	2477	40.92	-11.992	2527	42.27	7.895	2577	43.56	-1.780
2428	39.76	-10.872	2478	40.94	-12.657	2528	42.30	8.768	2578	43.58	-0.139
2429	39.80	-11.226	2479	40.95	-12.971	2529	42.32	9.175	2579	43.60	0.122
2430	39.82	-11.208	2480	40.97	-12.334	2530	42.34	8.942	2580	43.62	0.132
2431	39.84	-9.944	2481	40.99	-10.440	2531	42.36	8.328	2581	43.63	0.138
2432	39.86	-8.298	2482	41.01	-6.682	2532	42.39	7.725	2582	43.65	-0.972
2433	39.89	-6.411	2483	41.05	-1.907	2533	42.41	7.360	2583	43.70	-3.441
2434	39.91	-5.150	2484	41.07	-0.273	2534	42.42	7.371	2584	43.74	-5.293
2435	39.92	-3.016	2485	41.08	0.987	2535	42.45	7.385	2585	43.76	-5.652
2436	39.93	-1.884	2486	41.10	2.247	2536	42.47	7.650	2586	43.79	-6.259
2437	39.96	0.257	2487	41.11	2.679	2537	42.50	7.668	2587	43.82	-6.489
2438	39.97	0.637	2488	41.13	3.271	2538	42.52	6.560	2588	43.86	-5.589
2439	39.98	0.022	2489	41.17	3.668	2539	42.55	4.329	2589	43.91	-4.058
2440	40.00	0.286	2490	41.22	3.330	2540	42.58	3.096	2590	43.96	-1.531
2441	40.04	0.309	2491	41.25	3.598	2541	42.61	0.865	2591	44.03	1.389
2442	40.06	-0.551	2492	41.27	3.984	2542	42.65	-1.357	2592	44.05	2.276
2443	40.08	-0.162	2493	41.28	4.870	2543	42.67	-2.596	2593	44.06	3.287
2444	40.11	1.804	2494	41.31	6.513	2544	42.69	-2.578	2594	44.08	4.176
2445	40.13	1.995	2495	41.35	8.167	2545	42.72	-3.436	2595	44.10	4.562
2446	40.16	2.262	2496	41.42	9.209	2546	42.76	-4.662	2596	44.12	3.322
2447	40.19	3.910	2497	41.46	10.111	2547	42.79	-5.267	2597	44.15	2.717
2448	40.21	4.173	2498	41.49	9.635	2548	42.82	-7.498	2598	44.16	0.236
2449	40.23	5.809	2499	41.53	8.406	2549	42.85	-8.228	2599	44.21	-2.866
2450	40.24	6.567	2500	41.57	7.435	2550	42.88	-8.457	2600	44.24	-4.346

INDEX NO. 836 907-GR-126 TAIRA BRIDGE TR. MAX.ACCEL.= -36.581(GAL) T=16.76(SEC) NO.14

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2601	44.28	-5.573	2651	45.99	4.910	2701	47.22	7.565	2751	48.23	6.254
2602	44.31	-6.181	2652	46.02	6.056	2702	47.23	7.221	2752	48.24	6.634
2603	44.33	-5.917	2653	46.04	6.690	2703	47.25	7.230	2753	48.26	7.522
2604	44.36	-4.399	2654	46.05	6.698	2704	47.28	6.003	2754	48.27	7.530
2605	44.38	-2.133	2655	46.07	5.836	2705	47.33	3.288	2755	48.29	7.541
2606	44.42	1.266	2656	46.10	5.232	2706	47.36	1.431	2756	48.30	7.676
2607	44.47	2.675	2657	46.13	5.252	2707	47.40	-0.793	2757	48.32	7.314
2608	44.51	4.200	2658	46.16	5.522	2708	47.41	-1.035	2758	48.34	6.452
2609	44.57	4.861	2659	46.19	5.916	2709	47.43	-1.024	2759	48.35	5.836
2610	44.62	3.645	2660	46.21	6.557	2710	47.44	-1.014	2760	48.38	3.849
2611	44.68	2.438	2661	46.22	6.313	2711	47.46	-1.382	2761	48.40	1.742
2612	44.73	1.592	2662	46.24	5.699	2712	47.47	-1.625	2762	48.43	-0.117
2613	44.78	1.876	2663	46.26	4.710	2713	47.48	-2.238	2763	48.45	-2.225
2614	44.84	1.912	2664	46.27	3.844	2714	47.49	-2.856	2764	48.48	-2.835
2615	44.86	1.675	2665	46.30	2.237	2715	47.51	-3.473	2765	48.50	-3.197
2616	44.89	0.444	2666	46.32	1.624	2716	47.52	-4.461	2766	48.52	-3.183
2617	44.91	0.458	2667	46.35	1.024	2717	47.53	-5.030	2767	48.54	-3.418
2618	44.94	-0.770	2668	46.38	1.035	2718	47.55	-6.070	2768	48.56	-2.905
2619	44.97	-0.503	2669	46.47	-2.653	2719	47.57	-6.684	2769	48.58	-2.892
2620	45.01	0.401	2670	46.51	-4.124	2720	47.58	-7.050	2770	48.59	-3.139
2621	45.03	0.785	2671	46.55	-7.099	2721	47.60	-7.661	2771	48.60	-3.131
2622	45.04	0.170	2672	46.58	-8.328	2722	47.62	-6.776	2772	48.61	-3.373
2623	45.07	-0.685	2673	46.61	-9.134	2723	47.64	-6.759	2773	48.64	-4.728
2624	45.10	-1.916	2674	46.64	-9.916	2724	47.66	-5.748	2774	48.66	-5.965
2625	45.14	-2.268	2675	46.67	-9.277	2725	47.68	-4.860	2775	48.70	-8.567
2626	45.17	-1.997	2676	46.68	-8.640	2726	47.70	-4.847	2776	48.71	-9.681
2627	45.19	-2.233	2677	46.73	-7.376	2727	47.72	-5.081	2777	48.73	-11.543
2628	45.23	-2.459	2678	46.72	-5.490	2728	47.76	-5.933	2778	48.75	-11.529
2629	45.27	-2.810	2679	46.73	-3.359	2729	47.77	-6.298	2779	48.78	-10.638
2630	45.30	-2.785	2680	46.76	-2.593	2730	47.79	-7.160	2780	48.79	-8.752
2631	45.33	-3.647	2681	46.77	-1.711	2731	47.81	-7.522	2781	48.84	-6.597
2632	45.36	-4.248	2682	46.78	-0.699	2732	47.82	-7.513	2782	48.86	-3.706
2633	45.40	-4.850	2683	46.82	-1.304	2733	47.84	-7.500	2783	48.89	-0.943
2634	45.45	-6.568	2684	46.84	-0.235	2734	47.85	-6.243	2784	48.91	0.948
2635	45.47	-5.931	2685	46.87	-0.269	2735	47.87	-5.359	2785	48.92	0.706
2636	45.48	-5.919	2686	46.88	-0.260	2736	47.90	-3.464	2786	48.95	-0.527
2637	45.50	-6.158	2687	46.90	-0.249	2737	47.92	-1.823	2787	48.97	-0.762
2638	45.54	-5.633	2688	46.92	0.015	2738	47.95	1.320	2788	49.00	-1.116
2639	45.59	-6.102	2689	46.94	-0.222	2739	47.97	3.584	2789	49.04	-1.095
2640	45.62	-6.828	2690	46.95	-0.588	2740	47.98	4.842	2790	49.05	0.188
2641	45.68	-6.040	2691	46.97	-0.578	2741	47.99	5.472	2791	49.09	1.691
2642	45.73	-3.884	2692	47.00	-1.186	2742	48.00	6.732	2792	49.11	3.579
2643	45.75	-2.618	2693	47.03	-0.287	2743	48.02	6.743	2793	49.14	5.349
2644	45.78	-0.100	2694	47.06	0.728	2744	48.05	6.762	2794	49.15	5.983
2645	45.79	0.783	2695	47.13	2.256	2745	48.07	6.276	2795	49.17	6.389
2646	45.81	1.918	2696	47.13	4.029	2746	48.10	5.672	2796	49.19	6.632
2647	45.86	2.574	2697	47.16	4.670	2747	48.13	5.066	2797	49.21	6.643
2648	45.89	3.467	2698	47.17	5.555	2748	48.15	5.080	2798	49.23	5.404
2649	45.93	3.493	2699	47.19	5.943	2749	48.17	5.091	2799	49.25	4.793
2650	45.96	4.138	2700	47.20	7.201	2750	48.21	5.364	2800	49.28	3.562

INDEX NO. 836 907-GR-126 TAIRA BRIDGE TR. MAX.ACCEL.= -36.581(GAL) T=16.76(SEC) NO.15

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2801	49.31	2.337	2851	50.65	-7.042	2901	52.37	0.187	2951	53.51	0.921
2802	49.36	3.617	2852	50.68	-7.395	2902	52.40	0.082	2952	53.54	-0.058
2803	49.40	4.267	2853	50.93	-6.383	2903	52.41	0.467	2953	53.57	-0.042
2804	49.43	4.535	2854	50.94	-6.237	2904	52.44	1.110	2954	53.60	-1.024
2805	49.45	4.298	2855	50.96	-5.469	2905	52.47	1.126	2955	53.61	-0.392
2806	49.47	3.606	2856	50.99	-3.574	2906	52.49	0.896	2956	53.63	-0.254
2807	49.50	2.459	2857	51.01	-2.313	2907	52.51	0.530	2957	53.65	0.007
2808	49.54	0.965	2858	51.04	-0.798	2908	52.54	-0.324	2958	53.67	0.023
2809	49.56	-0.077	2859	51.05	-0.165	2909	52.57	-1.303	2959	53.69	0.034
2810	49.59	-3.482	2860	51.08	0.233	2910	52.60	-2.841	2960	53.72	-0.573
2811	49.63	-5.794	2861	51.11	0.301	2911	52.62	-3.403	2961	53.77	-3.288
2812	49.66	-8.186	2862	51.16	-0.715	2912	52.64	-3.140	2962	53.81	-5.511
2813	49.67	-8.807	2863	51.18	-1.578	2913	52.66	-2.248	2963	53.84	-6.119
2814	49.71	-9.032	2864	51.20	-3.065	2914	52.69	-1.608	2964	53.87	-6.351
2815	49.74	-9.010	2865	51.23	-2.548	2915	52.70	-0.972	2965	53.89	-6.087
2816	49.75	-8.501	2866	51.28	-2.141	2916	52.72	-0.589	2966	53.95	-3.926
2817	49.78	-7.482	2867	51.30	-0.875	2917	52.73	-0.328	2967	53.99	-2.650
2818	49.80	-6.594	2868	51.33	1.270	2918	52.75	0.060	2968	54.02	-0.751
2819	49.83	-5.954	2869	51.35	1.606	2919	52.77	-0.556	2969	54.06	-0.105
2820	49.85	-4.688	2870	51.37	2.542	2920	52.79	-1.791	2970	54.09	1.165
2821	49.87	-4.300	2871	51.38	2.925	2921	52.83	-3.269	2971	54.11	1.803
2822	49.90	-4.032	2872	51.40	3.190	2922	52.86	-5.500	2972	54.12	2.812
2823	49.95	-4.501	2873	51.46	3.355	2923	52.88	-6.734	2973	54.14	3.076
2824	49.97	-4.237	2874	51.50	2.756	2924	52.90	-6.721	2974	54.17	3.467
2825	49.99	-4.225	2875	51.55	2.408	2925	52.92	-7.333	2975	54.20	2.610
2826	50.01	-2.959	2876	51.61	1.575	2926	52.94	-6.448	2976	54.23	0.632
2827	50.03	-1.070	2877	51.64	1.590	2927	52.95	-6.062	2977	54.26	-2.101
2828	50.07	1.083	2878	51.68	-0.007	2928	52.98	-5.171	2978	54.28	-3.961
2829	50.09	2.715	2879	51.72	-1.230	2929	53.01	-3.274	2979	54.31	-4.815
2830	50.11	5.359	2880	51.75	-1.213	2930	53.03	-1.263	2980	54.32	-5.184
2831	50.14	7.250	2881	51.79	-2.682	2931	53.06	-0.368	2981	54.35	-5.415
2832	50.20	7.289	2882	51.83	-3.407	2932	53.08	0.519	2982	54.37	-6.402
2833	50.23	6.682	2883	51.88	-2.755	2933	53.10	0.529	2983	54.39	-5.136
2834	50.25	6.072	2884	51.92	-1.973	2934	53.12	0.546	2984	54.43	-2.360
2835	50.28	7.591	2885	51.96	-2.571	2935	53.15	0.312	2985	54.46	-0.093
2836	50.32	7.614	2886	52.01	-2.290	2936	53.17	-0.548	2986	54.49	1.549
2837	50.35	8.009	2887	52.04	-2.522	2937	53.19	-0.910	2987	54.50	2.059
2838	50.40	8.292	2888	52.06	-3.138	2938	53.21	-1.149	2988	54.52	2.694
2839	50.42	7.808	2889	52.08	-4.125	2939	53.22	-1.139	2989	54.53	3.327
2840	50.46	6.833	2890	52.09	-3.490	2940	53.25	-0.620	2990	54.55	3.716
2841	50.48	5.347	2891	52.11	-3.101	2941	53.28	-0.854	2991	54.57	3.482
2842	50.52	3.120	2892	52.14	-1.957	2942	53.31	-1.086	2992	54.62	1.884
2843	50.56	-0.352	2893	52.17	-0.691	2943	53.32	-1.075	2993	54.65	0.031
2844	50.58	-2.090	2894	52.19	0.322	2944	53.34	-0.815	2994	54.68	-1.451
2845	50.61	-3.444	2895	52.21	1.214	2945	53.36	-0.179	2995	54.71	-2.808
2846	50.64	-3.801	2896	52.24	1.228	2946	53.38	0.711	2996	54.73	-3.044
2847	50.67	-3.533	2897	52.26	0.995	2947	53.40	1.974	2997	54.76	-3.400
2848	50.72	-4.374	2898	52.28	1.259	2948	53.43	2.371	2998	54.78	-3.012
2849	50.77	-4.969	2899	52.31	1.023	2949	53.45	2.132	2999	54.81	-0.490
2850	50.81	-5.193	2900	52.35	0.173	2950	53.48	1.526	3000	54.84	0.777

INDEX NO. 836 907-GR-126 TAIRA BRIDGE TR. MAX.ACCEL.= -36.581(GAL) T=16.76(SEC) NO.16

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3001	54.85	2.288	3051	56.14	3.120	3101	57.50	-1.876	3151	59.14	-2.681
3002	54.86	2.669	3052	56.17	3.137	3102	57.54	-0.347	3152	59.19	-2.026
3003	54.87	2.674	3053	56.19	1.903	3103	57.57	1.298	3153	59.21	-1.762
3004	54.89	2.935	3054	56.23	0.430	3104	57.61	2.945	3154	59.24	-1.367
3005	54.90	1.446	3055	56.25	-0.432	3105	57.65	3.221	3155	59.25	-0.484
3006	54.93	0.212	3056	56.27	-1.419	3106	57.69	4.122	3156	59.27	0.152
3007	54.96	-1.895	3057	56.29	-1.407	3107	57.75	3.534	3157	59.29	0.790
3008	54.97	-3.509	3058	56.31	-2.395	3108	57.79	2.064	3158	59.31	2.057
3009	55.01	-5.984	3059	56.34	-2.375	3109	57.85	-0.023	3159	59.35	2.082
3010	55.03	-5.971	3060	56.39	-1.970	3110	57.89	-2.250	3160	59.36	2.841
3011	55.05	-6.582	3061	56.41	-1.703	3111	57.92	-4.106	3161	59.40	1.240
3012	55.09	-6.562	3062	56.44	-1.687	3112	57.96	-6.955	3162	59.45	0.022
3013	55.11	-5.544	3063	56.48	-2.262	3113	57.99	-8.557	3163	59.49	-2.452
3014	55.14	-4.027	3064	56.50	-3.395	3114	58.03	-9.155	3164	59.52	-3.933
3015	55.16	-2.511	3065	56.53	-3.756	3115	58.08	-7.247	3165	59.53	-3.922
3016	55.18	-1.875	3066	56.54	-3.996	3116	58.11	-6.355	3166	59.56	-4.281
3017	55.21	-1.656	3067	56.56	-3.981	3117	58.14	-5.961	3167	59.58	-5.015
3018	55.25	-1.454	3068	56.58	-3.469	3118	58.18	-5.313	3168	59.61	-5.373
3019	55.26	-1.669	3069	56.61	-2.627	3119	58.19	-5.050	3169	59.71	-3.682
3020	55.31	-1.418	3070	56.64	-0.556	3120	58.23	-4.280	3170	59.79	-2.376
3021	55.33	-1.152	3071	56.67	1.716	3121	58.25	-3.389	3171	59.84	-1.468
3022	55.36	-0.512	3072	56.69	2.600	3122	58.28	-2.366	3172	59.87	-0.196
3023	55.39	0.760	3073	56.70	3.232	3123	58.32	-1.465	3173	59.90	0.195
3024	55.41	1.396	3074	56.72	3.243	3124	58.35	-0.825	3174	59.93	1.714
3025	55.43	1.159	3075	56.73	3.256	3125	58.36	0.433	3175	59.96	2.112
3026	55.45	1.175	3076	56.75	3.644	3126	58.38	1.323	3176	59.98	1.748
3027	55.47	0.563	3077	56.78	3.660	3127	58.40	2.086	3177	60.02	-0.101
3028	55.50	-0.919	3078	56.82	1.437	3128	58.44	3.732	3178	60.05	-0.576
3029	55.54	-1.896	3079	56.85	3.634	3129	58.46	3.122	3179	60.09	-1.805
3030	55.58	-3.743	3080	56.89	-1.266	3130	58.49	2.695	3180	60.15	-3.138
3031	55.64	-3.952	3081	56.92	-2.499	3131	58.51	1.283	3181	60.22	-3.970
3032	55.66	-3.941	3082	56.95	-2.480	3132	58.53	0.047	3182	60.26	-3.942
3033	55.69	-3.670	3083	56.97	-2.463	3133	58.55	-0.818	3183	60.29	-4.550
3034	55.72	-1.775	3084	57.00	-2.819	3134	58.58	-1.186	3184	60.31	-5.783
3035	55.74	-1.137	3085	57.02	-2.608	3135	58.58	-1.421	3185	60.33	-5.770
3036	55.77	-0.497	3086	57.04	-3.045	3136	58.60	-1.787	3186	60.34	-6.392
3037	55.78	0.136	3087	57.08	-4.272	3137	58.62	-1.148	3187	60.37	-6.997
3038	55.80	0.395	3088	57.11	-5.500	3138	58.65	-0.879	3188	60.39	-6.734
3039	55.81	0.780	3089	57.14	-5.484	3139	58.69	-0.476	3189	60.42	-6.086
3040	55.84	0.549	3090	57.16	-5.644	3140	58.76	-1.304	3190	60.45	-5.444
3041	55.87	-0.634	3091	57.20	-6.067	3141	58.81	-2.521	3191	60.51	-1.279
3042	55.91	-1.281	3092	57.22	-6.056	3142	58.85	-3.749	3192	60.56	-0.248
3043	55.95	-3.757	3093	57.23	-6.069	3143	58.88	-4.106	3193	60.58	0.014
3044	55.97	-4.743	3094	57.26	-5.777	3144	58.91	-4.334	3194	60.61	-0.339
3045	55.98	-5.360	3095	57.29	-5.134	3145	58.93	-4.818	3195	60.65	-1.568
3046	56.00	-5.100	3096	57.32	-5.116	3146	58.95	-3.808	3196	60.70	-3.032
3047	56.02	-3.707	3097	57.35	-5.720	3147	58.98	-4.048	3197	60.75	-3.000
3048	56.05	-2.563	3098	57.39	-5.696	3148	59.00	-3.400	3198	60.78	-2.606
3049	56.09	0.585	3099	57.42	-5.423	3149	59.04	-3.624	3199	60.81	-1.709
3050	56.12	2.654	3100	57.46	-3.777	3150	59.06	-3.350	3200	60.84	-2.318

INDEX NO. 836 907-GR-126 TAIRA BRIDGE TR. MAX.ACCEL.= -36.531(GAL) T=16.76(SEC) NO.17

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3201	60.86	-0.427	3251	62.06	-4.035
3202	60.89	0.467	3252	62.10	-0.117
3203	60.90	1.473	3253	62.12	-6.479
3204	60.92	2.357	3254	62.14	-7.091
3205	60.93	3.367	3255	62.16	-7.704
3206	60.94	3.750	3256	62.18	-7.694
3207	60.96	4.138	3257	62.20	-7.427
3208	61.01	2.920	3258	62.23	-6.413
3209	61.06	1.700	3259	62.25	-5.770
3210	61.10	-0.149	3260	62.27	-4.835
3211	61.14	-2.620	3261	62.29	-3.871
3212	61.16	-4.595	3262	62.33	-4.470
3213	61.21	-7.950	3263	62.37	-4.445
3214	61.24	-9.607	3264	62.41	-5.922
3215	61.27	-10.765	3265	62.44	-5.903
3216	61.29	-10.147	3266	62.46	-5.639
3217	61.32	-9.879	3267	62.50	-5.615
3218	61.35	-6.985	3268	62.52	-4.678
3219	61.37	-5.720	3269	62.54	-4.557
3220	61.38	-3.836	3270	62.56	-4.077
3221	61.39	-2.329	3271	62.57	-3.695
3222	61.42	-1.063	3272	62.58	-2.612
3223	61.43	-0.433	3273	62.61	-2.169
3224	61.45	1.207	3274	62.66	-2.388
3225	61.47	2.218	3275	62.71	-2.606
3226	61.50	1.613	3276	62.74	-2.088
3227	61.53	-0.241	3277	62.77	-2.071
3228	61.55	-1.655	3278	62.80	-2.053
3229	61.56	-2.718	3279	62.54	-2.275
3230	61.57	-3.336	3280	62.89	-2.869
3231	61.60	-3.072	3281	62.94	-3.713
3232	61.61	-2.819	3282	62.97	-3.444
3233	61.63	-2.426	3283	62.99	-3.427
3234	61.64	-1.793			
3235	61.65	-1.533			
3236	61.67	-1.149			
3237	61.69	-0.508			
3238	61.72	-0.741			
3239	61.75	-1.096			
3240	61.76	-1.946			
3241	61.82	-2.925			
3242	61.84	-3.162			
3243	61.86	-3.774			
3244	61.88	-2.886			
3245	61.90	-2.619			
3246	61.93	-1.604			
3247	61.94	-1.597			
3248	61.96	-1.330			
3249	61.98	-0.942			
3250	62.03	-3.036			

Table IX D-63 Digitized Accelerations of Earthquake Record with Index Number 837

INDEX NO. 837 907-GR-126 TAIRA BRIDGE U-D MAX.ACCEL.= 20.429(GAL) T= 9.89(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.01	-2.112	51	0.68	-3.697	101	1.28	0.788	151	1.86	-2.293
2	0.02	-1.482	52	0.69	-4.764	102	1.29	1.041	152	1.87	-5.412
3	0.03	-0.650	53	0.70	-5.758	103	1.30	1.673	153	1.89	-5.776
4	0.05	-1.003	54	0.71	-6.003	104	1.31	1.426	154	1.92	-5.139
5	0.06	-1.902	55	0.73	-7.868	105	1.32	1.682	155	1.95	-4.496
6	0.07	-3.578	56	0.74	-8.365	106	1.33	0.612	156	2.01	-3.594
7	0.08	-4.451	57	0.75	-8.735	107	1.35	-2.303	157	2.03	-2.829
8	0.09	-5.447	58	0.76	-9.231	108	1.36	-4.423	158	2.05	-2.822
9	0.10	-6.317	59	0.77	-9.976	109	1.37	-5.416	159	2.06	-2.818
10	0.11	-6.311	60	0.78	-9.157	110	1.39	-7.032	160	2.07	-2.562
11	0.12	-6.055	61	0.79	-9.160	111	1.40	-7.027	161	2.08	-1.680
12	0.13	-5.423	62	0.80	-9.006	112	1.41	-6.024	162	2.10	-0.922
13	0.14	-5.167	63	0.82	-8.199	113	1.42	-4.142	163	2.11	-0.666
14	0.15	-4.162	64	0.83	-7.817	114	1.43	-3.088	164	2.12	1.217
15	0.17	-4.156	65	0.84	-7.039	115	1.44	-2.683	165	2.14	0.599
16	0.18	-4.150	66	0.86	-6.554	116	1.45	-2.879	166	2.15	-0.894
17	0.20	-3.889	67	0.88	-5.668	117	1.46	-2.494	167	2.16	-2.516
18	0.21	-3.886	68	0.89	-2.911	118	1.47	-2.866	168	2.17	-3.387
19	0.22	-1.629	69	0.90	-0.031	119	1.48	-2.861	169	2.18	-3.755
20	0.23	-1.901	70	0.93	4.109	120	1.50	-3.476	170	2.19	-3.125
21	0.24	-0.371	71	0.94	4.485	121	1.51	-2.593	171	2.21	-2.868
22	0.25	1.136	72	0.95	4.493	122	1.52	-2.216	172	2.22	-2.486
23	0.26	0.265	73	0.96	4.496	123	1.53	-0.960	173	2.23	-1.854
24	0.27	-1.601	74	0.98	0.756	124	1.54	-0.707	174	2.25	-4.594
25	0.29	-2.220	75	0.99	-3.238	125	1.55	-0.327	175	2.26	-4.589
26	0.30	-3.715	76	1.00	-4.981	126	1.56	-0.946	176	2.27	-5.832
27	0.31	-4.958	77	1.01	-4.978	127	1.57	-1.192	177	2.29	-4.325
28	0.32	-5.328	78	1.02	-6.474	128	1.58	-1.812	178	2.30	-1.821
29	0.33	-5.574	79	1.03	-6.218	129	1.59	-2.807	179	2.31	1.562
30	0.35	-5.315	80	1.04	-4.088	130	1.60	-3.678	180	2.32	1.940
31	0.37	-3.430	81	1.05	-2.831	131	1.61	-3.671	181	2.33	3.820
32	0.39	-0.665	82	1.06	-2.826	132	1.62	-3.165	182	2.34	3.824
33	0.41	0.344	83	1.08	-2.191	133	1.63	-2.533	183	2.36	-2.038
34	0.42	0.346	84	1.09	-1.561	134	1.65	-2.149	184	2.37	-2.783
35	0.43	0.351	85	1.10	-1.555	135	1.66	-2.144	185	2.38	-3.655
36	0.44	0.982	86	1.11	-1.552	136	1.68	-2.761	186	2.39	-3.901
37	0.46	-2.132	87	1.12	-1.544	137	1.69	-3.379	187	2.41	-3.639
38	0.47	-3.001	88	1.13	-1.540	138	1.70	-4.248	188	2.42	-3.011
39	0.48	-3.998	89	1.14	-2.410	139	1.72	-5.239	189	2.43	-1.504
40	0.49	-4.243	90	1.15	-2.656	140	1.73	-5.485	190	2.45	-0.492
41	0.50	-4.612	91	1.16	-4.275	141	1.74	-5.855	191	2.48	0.145
42	0.51	-3.732	92	1.17	-4.022	142	1.75	-6.096	192	2.49	-0.098
43	0.52	-2.979	93	1.18	-3.891	143	1.76	-6.094	193	2.51	-1.349
44	0.53	-1.097	94	1.19	-2.336	144	1.77	-5.839	194	2.52	-2.336
45	0.54	-1.467	95	1.20	-1.756	145	1.79	-3.329	195	2.53	-3.204
46	0.56	-1.455	96	1.22	-1.121	146	1.80	-1.698	196	2.54	-3.824
47	0.58	-1.695	97	1.23	-0.240	147	1.81	-0.571	197	2.55	-4.816
48	0.61	-2.682	98	1.24	0.142	148	1.82	1.062	198	2.56	-5.061
49	0.64	-2.667	99	1.25	0.398	149	1.83	1.692	199	2.57	-5.809
50	0.65	-3.283	100	1.27	0.406	150	1.85	0.075	200	2.58	-2.929

INDEX NO. 837 907-GR-126 TAIRA BRIDGE U-D MAX.ACCEL.= 20.429(GAL) T= 9.89(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	2.59	-1.048	251	3.26	-0.456	301	3.96	-5.599	351	4.59	1.721
202	2.60	-0.420	252	3.27	-0.951	302	3.97	-6.841	352	4.61	0.104
203	2.61	4.465	253	3.28	-1.070	303	3.98	-7.211	353	4.62	-0.764
204	2.62	4.717	254	3.29	-0.693	304	3.99	-7.456	354	4.64	-1.753
205	2.64	4.725	255	3.30	-0.061	305	4.00	-7.451	355	4.66	-2.742
206	2.65	1.610	256	3.31	-0.054	306	4.01	-7.622	356	4.67	-3.361
207	2.67	0.366	257	3.32	0.199	307	4.02	-6.940	357	4.69	-3.727
208	2.68	0.121	258	3.35	0.338	308	4.03	-5.063	358	4.70	-3.474
209	2.69	1.003	259	3.36	-1.030	309	4.04	-4.054	359	4.71	-2.842
210	2.72	1.016	260	3.37	-2.149	310	4.06	-2.797	360	4.73	-1.832
211	2.73	0.399	261	3.38	-2.526	311	4.07	-1.542	361	4.74	-1.829
212	2.75	-0.466	262	3.40	-2.510	312	4.08	-1.283	362	4.75	-1.822
213	2.76	-1.686	263	3.41	-1.875	313	4.09	-0.908	363	4.76	-2.067
214	2.77	-3.030	264	3.43	-1.670	314	4.10	0.569	364	4.77	-4.310
215	2.78	-4.700	265	3.44	-1.865	315	4.11	2.231	365	4.81	-9.203
216	2.79	-4.698	266	3.45	-2.733	316	4.13	3.113	366	4.83	-2.782
217	2.80	-5.315	267	3.46	-2.228	317	4.14	3.496	367	4.84	-0.965
218	2.82	-4.433	268	3.51	1.546	318	4.15	2.873	368	4.85	0.728
219	2.83	-2.177	269	3.52	1.053	319	4.16	1.003	369	4.86	0.731
220	2.85	1.209	270	3.54	-1.136	320	4.17	-0.439	370	4.87	1.615
221	2.87	0.966	271	3.55	-2.431	321	4.18	-2.987	371	4.90	1.378
222	2.90	-0.518	272	3.56	-2.678	322	4.19	-5.233	372	4.91	1.636
223	2.92	-0.881	273	3.58	-2.420	323	4.20	-7.724	373	4.92	1.641
224	2.94	0.006	274	3.62	-1.774	324	4.21	-7.969	374	4.93	1.645
225	2.98	1.651	275	3.65	-2.009	325	4.22	-8.088	375	4.94	1.149
226	3.00	1.658	276	3.66	-1.751	326	4.24	-6.455	376	4.96	0.531
227	3.01	1.665	277	3.67	-1.122	327	4.26	-3.947	377	4.97	-1.337
228	3.02	1.670	278	3.68	-1.363	328	4.27	-2.691	378	4.99	-3.827
229	3.03	1.425	279	3.70	1.020	329	4.28	-2.059	379	5.00	-5.694
230	3.04	1.054	280	3.71	2.900	330	4.29	-1.431	380	5.01	-6.315
231	3.05	-0.188	281	3.72	3.905	331	4.30	-1.423	381	5.02	-6.935
232	3.06	-1.435	282	3.73	3.033	332	4.31	-1.421	382	5.03	-7.306
233	3.07	-2.056	283	3.74	2.040	333	4.32	-2.662	383	5.04	-6.424
234	3.08	-2.050	284	3.75	-1.953	334	4.33	-4.534	384	5.09	-1.650
235	3.09	-2.044	285	3.76	-3.572	335	4.35	-7.650	385	5.10	-1.896
236	3.10	-1.163	286	3.77	-6.693	336	4.36	-9.144	386	5.12	-2.508
237	3.11	-1.035	287	3.79	-6.184	337	4.37	-10.515	387	5.14	-2.872
238	3.12	-1.027	288	3.81	-6.427	338	4.38	-12.384	388	5.16	-4.113
239	3.13	-1.022	289	3.82	-4.172	339	4.39	-11.254	389	5.17	-4.359
240	3.14	-1.017	290	3.83	-2.913	340	4.42	-3.115	390	5.18	-4.728
241	3.15	-1.393	291	3.84	-2.909	341	4.43	0.516	391	5.19	-4.725
242	3.16	-2.632	292	3.85	-1.652	342	4.44	3.643	392	5.20	-4.096
243	3.18	-2.875	293	3.87	-1.645	343	4.45	5.274	393	5.21	0.286
244	3.19	-3.243	294	3.88	-1.013	344	4.46	5.905	394	5.24	4.051
245	3.20	-2.614	295	3.90	-0.629	345	4.47	6.534	395	5.25	6.882
246	3.21	-1.984	296	3.91	-0.625	346	4.49	5.670	396	5.27	8.819
247	3.22	-1.354	297	3.92	-1.616	347	4.53	4.067	397	5.28	9.450
248	3.23	-0.970	298	3.93	-2.237	348	4.55	3.825	398	5.30	9.457
249	3.24	-0.967	299	3.94	-3.464	349	4.57	3.211	399	5.32	9.216
250	3.25	-0.714	300	3.95	-4.729	350	4.58	2.344	400	5.33	8.597

INDEX NO. 837 907-GR-126 TAIRA BRIDGE U-D MAX.ACCEL.= 20.429(GAL) T= 9.89(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	5.35	5.860	451	6.10	3.867	501	6.83	-0.137	551	7.51	-3.790
402	5.36	3.364	452	6.11	3.871	502	6.86	3.252	552	7.53	-5.407
403	5.38	1.125	453	6.12	2.629	503	6.87	4.255	553	7.54	-6.649
404	5.40	-0.993	454	6.13	1.134	504	6.88	6.138	554	7.55	-9.269
405	5.41	-3.985	455	6.15	-0.108	505	6.89	7.143	555	7.56	-9.891
406	5.43	-4.650	456	6.16	-1.104	506	6.91	7.776	556	7.57	-8.030
407	5.45	-5.217	457	6.17	1.404	507	6.92	7.533	557	7.59	-3.623
408	5.46	-5.209	458	6.19	2.036	508	6.93	5.038	558	7.60	-0.745
409	5.49	-4.945	459	6.21	1.422	509	6.95	0.044	559	7.61	1.135
410	5.50	-4.562	460	6.23	-0.443	510	6.96	-2.824	560	7.62	2.140
411	5.53	-4.549	461	6.24	-1.608	511	6.97	-5.691	561	7.63	2.770
412	5.55	-4.789	462	6.26	-3.177	512	6.99	-6.307	562	7.64	2.777
413	5.56	-5.775	463	6.28	-3.790	513	7.01	-6.926	563	7.65	2.159
414	5.59	-6.643	464	6.30	-4.156	514	7.02	-4.793	564	7.66	0.914
415	5.62	-9.129	465	6.32	-4.398	515	7.04	-2.910	565	7.68	-2.829
416	5.63	-8.621	466	6.33	-4.140	516	7.06	1.229	566	7.72	-9.180
417	5.64	-4.492	467	6.34	-3.510	517	7.08	3.113	567	7.74	-10.424
418	5.65	0.761	468	6.35	-3.256	518	7.10	4.373	568	7.75	-10.689
419	5.66	7.144	469	6.37	-3.497	519	7.11	5.253	569	7.76	-10.413
420	5.67	9.775	470	6.38	-4.368	520	7.12	5.634	570	7.77	-8.908
421	5.68	10.903	471	6.39	-4.998	521	7.13	5.390	571	7.79	-6.399
422	5.69	11.286	472	6.40	-5.604	522	7.15	4.397	572	7.80	-4.517
423	5.70	11.291	473	6.42	-6.594	523	7.16	2.530	573	7.81	-3.888
424	5.72	8.799	474	6.43	-6.339	524	7.19	0.294	574	7.82	-3.757
425	5.73	5.631	475	6.45	-5.079	525	7.20	-1.827	575	7.83	-4.127
426	5.75	2.939	476	6.46	-4.698	526	7.21	-3.319	576	7.85	-4.993
427	5.76	1.696	477	6.48	-4.690	527	7.22	-4.063	577	7.86	-5.362
428	5.78	0.453	478	6.49	-5.634	528	7.23	-2.684	578	7.87	-5.607
429	5.80	0.341	479	6.51	-4.051	529	7.24	-1.429	579	7.89	-3.471
430	5.82	0.099	480	6.52	-4.043	530	7.25	-1.424	580	7.90	-1.591
431	5.83	-0.518	481	6.54	-0.661	531	7.26	-1.418	581	7.91	-0.213
432	5.85	-4.383	482	6.55	0.972	532	7.27	-1.791	582	7.92	0.422
433	5.87	-5.001	483	6.56	1.851	533	7.28	-1.783	583	7.93	0.424
434	5.88	-6.243	484	6.57	2.230	534	7.30	-4.272	584	7.94	0.430
435	5.89	-5.990	485	6.58	1.984	535	7.31	-4.268	585	7.95	0.685
436	5.91	-2.228	486	6.59	1.686	536	7.32	-4.013	586	7.97	2.643
437	5.92	-1.223	487	6.60	0.995	537	7.33	-2.383	587	7.98	5.703
438	5.93	0.032	488	6.62	-1.120	538	7.34	-0.253	588	7.99	8.334
439	5.94	0.663	489	6.64	-3.359	539	7.35	0.128	589	8.00	9.984
440	5.95	0.419	490	6.67	-4.846	540	7.37	0.139	590	8.01	10.593
441	5.98	0.056	491	6.70	-8.331	541	7.39	-0.727	591	8.02	9.974
442	5.99	-1.812	492	6.71	-4.573	542	7.40	-1.720	592	8.03	8.104
443	6.00	-2.680	493	6.72	-3.069	543	7.42	-2.588	593	8.04	5.609
444	6.02	-3.921	494	6.73	-1.437	544	7.43	-3.580	594	8.05	3.112
445	6.03	-4.540	495	6.74	-1.686	545	7.44	-3.576	595	8.06	0.617
446	6.04	-4.535	496	6.75	-2.056	546	7.45	-2.947	596	8.07	-0.376
447	6.06	-0.903	497	6.76	-1.799	547	7.46	-2.314	597	8.09	-2.243
448	6.07	0.728	498	6.78	-2.291	548	7.47	-1.686	598	8.10	-3.238
449	6.08	2.235	499	6.79	-3.909	549	7.48	-1.679	599	8.11	-4.480
450	6.09	2.863	500	6.81	-3.025	550	7.49	-2.303	600	8.12	-4.478

INDEX NO. 837 907-GR-126 TAIRA BRIDGE U-D MAX.ACCEL.= 20.429(GAL) T= 9.89(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	8.13	-4.471	651	8.79	4.617	701	9.55	0.004	751	10.22	-11.025
602	8.14	-3.592	652	8.81	5.251	702	9.56	-0.614	752	10.23	-10.771
603	8.15	-2.901	653	8.82	5.257	703	9.58	-1.230	753	10.24	-6.390
604	8.17	-2.326	654	8.83	4.390	704	9.59	0.276	754	10.26	0.997
605	8.18	-2.321	655	8.85	3.773	705	9.60	2.532	755	10.28	4.382
606	8.19	-2.316	656	8.88	-0.984	706	9.62	5.039	756	10.29	6.009
607	8.20	-1.934	657	8.89	-3.456	707	9.63	7.172	757	10.30	7.265
608	8.22	-1.302	658	8.90	-5.579	708	9.64	7.178	758	10.31	7.521
609	8.23	-0.670	659	8.91	-7.195	709	9.65	6.682	759	10.32	7.279
610	8.25	-0.286	660	8.93	-7.938	710	9.66	-0.187	760	10.35	4.790
611	8.26	-0.904	661	8.94	-7.308	711	9.67	-5.556	761	10.37	0.802
612	8.26	-1.522	662	8.95	-4.802	712	9.68	-8.805	762	10.39	-2.312
613	8.30	-2.512	663	8.97	-3.290	713	9.69	-10.674	763	10.40	-4.180
614	8.31	-3.756	664	8.98	3.716	714	9.70	-12.167	764	10.41	-5.175
615	8.32	-5.247	665	9.00	6.600	715	9.72	-13.406	765	10.43	-8.042
616	8.34	-4.741	666	9.01	6.665	716	9.74	-15.396	766	10.44	-8.037
617	8.35	-5.985	667	9.02	6.852	717	9.76	-16.010	767	10.45	-7.158
618	8.36	-5.230	668	9.03	6.617	718	9.75	-16.378	768	10.47	1.980
619	8.37	-4.724	669	9.05	1.998	719	9.80	-6.242	769	10.49	6.739
620	8.39	-1.588	670	9.06	-0.494	720	9.83	7.648	770	10.50	7.997
621	8.41	1.546	671	9.08	-1.236	721	9.84	14.030	771	10.52	7.755
622	8.43	3.806	672	9.11	-1.470	722	9.86	17.914	772	10.53	5.514
623	8.44	5.062	673	9.14	-2.330	723	9.87	19.417	773	10.55	4.019
624	8.46	6.070	674	9.15	-2.948	724	9.88	20.423	774	10.56	1.777
625	8.47	6.078	675	9.16	-2.067	725	9.89	20.429	775	10.57	1.783
626	8.48	4.832	676	9.18	-0.810	726	9.90	17.061	776	10.59	2.040
627	8.50	3.469	677	9.19	0.698	727	9.92	5.695	777	10.61	4.303
628	8.51	0.100	678	9.22	4.839	728	9.93	-1.927	778	10.62	6.183
629	8.52	-1.398	679	9.23	6.716	729	9.94	-7.422	779	10.63	7.689
630	8.53	-3.641	680	9.24	7.596	730	9.95	-9.290	780	10.64	7.693
631	8.54	-4.084	681	9.25	9.979	731	9.97	-9.908	781	10.65	6.823
632	8.55	-6.381	682	9.27	10.236	732	9.98	-10.153	782	10.66	5.577
633	8.56	-7.003	683	9.28	3.492	733	9.99	-10.147	783	10.68	-4.659
634	8.57	-7.869	684	9.29	-5.376	734	10.00	-8.639	784	10.71	-16.771
635	8.59	-6.609	685	9.30	-11.745	735	10.03	-6.748	785	10.73	-17.762
636	8.61	-4.976	686	9.31	-13.991	736	10.04	-2.743	786	10.74	-20.256
637	8.62	-3.721	687	9.32	-15.610	737	10.07	3.019	787	10.76	-15.620
638	8.63	-3.091	688	9.33	-17.481	738	10.08	6.526	788	10.78	-7.482
639	8.64	-3.711	689	9.34	-18.100	739	10.09	10.407	789	10.80	6.529
640	8.65	-4.332	690	9.36	-15.969	740	10.10	13.162	790	10.81	8.907
641	8.66	-5.823	691	9.37	-9.460	741	10.11	15.418	791	10.82	10.161
642	8.68	-7.065	692	9.40	-3.321	742	10.12	15.673	792	10.83	11.416
643	8.69	-8.684	693	9.41	0.561	743	10.13	16.051	793	10.84	11.422
644	8.71	-8.925	694	9.42	2.439	744	10.14	12.932	794	10.85	10.554
645	8.72	-9.542	695	9.43	3.695	745	10.15	7.687	795	10.87	6.814
646	8.73	-7.788	696	9.45	4.952	746	10.17	-4.926	796	10.90	-0.173
647	8.74	-6.781	697	9.46	4.959	747	10.18	-7.546	797	10.91	-3.666
648	8.76	-3.024	698	9.48	4.969	748	10.19	-10.416	798	10.92	-7.533
649	8.77	-0.144	699	9.51	3.110	749	10.20	-11.034	799	10.93	-10.029
650	8.78	2.361	700	9.54	0.874	750	10.21	-11.404	800	10.94	-11.274

INDEX NO. 837 907-GR-126 TAIRA BRIDGE U-D MAX.ACCEL.= 20.429(GAL) T= 9.89(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	10.96	-13.192	851	11.61	-9.303	901	12.23	6.764	951	12.87	-6.528
802	10.97	-12.512	852	11.63	-6.546	902	12.24	6.394	952	12.89	-6.519
803	10.98	-9.380	853	11.65	-2.158	903	12.25	5.777	953	12.91	-4.384
804	10.99	-2.747	854	11.66	0.099	904	12.28	1.165	954	12.94	-3.371
805	11.02	6.643	855	11.68	1.984	905	12.29	-2.580	955	12.97	-0.228
806	11.03	9.897	856	11.70	2.615	906	12.30	-7.446	956	12.98	0.404
807	11.05	13.657	857	11.71	2.621	907	12.31	-9.319	957	13.00	1.285
808	11.06	14.912	858	11.72	2.629	908	12.32	-10.814	958	13.01	3.919
809	11.07	15.291	859	11.73	3.634	909	12.33	-11.432	959	13.02	4.296
810	11.08	15.046	860	11.74	3.638	910	12.34	-12.428	960	13.03	4.301
811	11.09	13.801	861	11.75	3.645	911	12.35	-12.170	961	13.04	4.310
812	11.11	-1.686	862	11.76	4.275	912	12.36	-10.916	962	13.06	4.691
813	11.13	-12.426	863	11.77	4.279	913	12.37	-8.035	963	13.07	3.446
814	11.14	-15.921	864	11.78	4.035	914	12.39	-4.026	964	13.09	2.831
815	11.15	-18.166	865	11.80	4.045	915	12.40	0.355	965	13.11	2.221
816	11.16	-19.036	866	11.81	2.176	916	12.41	2.358	966	13.15	2.116
817	11.17	-16.657	867	11.82	0.931	917	12.42	4.616	967	13.16	2.245
818	11.19	-10.019	868	11.83	0.932	918	12.43	6.245	968	13.17	1.624
819	11.21	-4.263	869	11.84	2.437	919	12.44	5.873	969	13.19	1.510
820	11.22	-1.758	870	11.85	3.696	920	12.45	5.255	970	13.21	-0.356
821	11.23	1.501	871	11.86	5.202	921	12.46	5.010	971	13.22	-0.850
822	11.24	2.379	872	11.87	5.578	922	12.47	4.388	972	13.24	-2.092
823	11.25	3.011	873	11.89	4.963	923	12.48	3.769	973	13.25	1.916
824	11.27	2.768	874	11.90	3.094	924	12.49	2.401	974	13.26	3.796
825	11.28	2.152	875	11.91	1.228	925	12.50	2.405	975	13.28	4.807
826	11.32	0.669	876	11.92	0.357	926	12.51	2.409	976	13.29	6.312
827	11.33	2.424	877	11.93	-0.016	927	12.53	2.796	977	13.31	6.569
828	11.34	4.932	878	11.94	-0.636	928	12.54	2.800	978	13.32	4.451
829	11.36	7.191	879	11.95	-0.381	929	12.55	3.057	979	13.35	-0.158
830	11.37	8.698	880	11.96	3.752	930	12.57	2.815	980	13.37	-3.646
831	11.38	9.204	881	11.97	4.634	931	12.59	1.950	981	13.39	-5.137
832	11.40	8.335	882	11.98	6.887	932	12.60	1.330	982	13.41	-6.255
833	11.41	6.466	883	12.00	8.145	933	12.62	-0.284	983	13.43	-7.119
834	11.42	2.349	884	12.01	8.401	934	12.63	-2.401	984	13.44	-7.488
835	11.43	-4.648	885	12.02	8.408	935	12.65	-3.643	985	13.45	-7.233
836	11.45	-9.138	886	12.03	7.538	936	12.66	-3.760	986	13.47	-7.724
837	11.46	-10.633	887	12.04	4.793	937	12.67	-4.006	987	13.48	-7.093
838	11.47	-11.876	888	12.07	-4.315	938	12.69	-3.123	988	13.49	-5.962
839	11.48	-13.120	889	12.09	-10.307	939	12.71	-1.237	989	13.50	-4.080
840	11.49	-13.739	890	12.10	-12.177	940	12.72	-0.231	990	13.51	-1.825
841	11.50	-10.359	891	12.11	-14.170	941	12.73	0.648	991	13.53	2.936
842	11.52	-7.602	892	12.12	-15.185	942	12.74	1.652	992	13.54	4.562
843	11.53	-3.222	893	12.13	-17.037	943	12.75	2.262	993	13.55	6.445
844	11.54	-1.592	894	12.14	-17.280	944	12.76	2.288	994	13.56	6.701
845	11.55	-0.961	895	12.15	-16.401	945	12.77	2.294	995	13.58	6.207
846	11.56	-1.207	896	12.16	-12.394	946	12.78	2.050	996	13.59	5.214
847	11.57	-5.940	897	12.18	-2.137	947	12.80	0.809	997	13.61	2.102
848	11.58	-8.442	898	12.19	0.244	948	12.83	-2.300	998	13.63	-1.013
849	11.59	-9.314	899	12.20	4.502	949	12.84	-3.544	999	13.65	-3.507
850	11.60	-9.935	900	12.21	7.007	950	12.85	-5.163	1000	13.66	-4.749

INDEX NO. 837 907-GR-126 TAIRA BRIDGE U-D MAX.ACCEL.= 20.429(GAL) T= 9.89(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	13.67	-4.119	1051	14.35	-1.524	1101	15.02	5.934	1151	15.71	8.165
1002	13.68	-4.492	1052	14.37	-3.142	1102	15.03	5.940	1152	15.73	8.797
1003	13.69	-3.109	1053	14.38	-6.009	1103	15.04	5.317	1153	15.74	7.555
1004	13.71	-2.601	1054	14.40	-5.126	1104	15.05	2.627	1154	15.76	7.563
1005	13.72	-2.596	1055	14.41	-5.370	1105	15.06	1.329	1155	15.78	4.824
1006	13.73	-2.508	1056	14.42	-6.366	1106	15.07	0.712	1156	15.79	3.204
1007	13.74	-3.459	1057	14.43	-7.236	1107	15.08	-0.284	1157	15.80	1.710
1008	13.75	-4.079	1058	14.44	-8.480	1108	15.10	-1.149	1158	15.81	0.716
1009	13.76	-4.073	1059	14.46	-10.344	1109	15.11	-2.144	1159	15.83	0.097
1010	13.77	-3.193	1060	14.48	-10.962	1110	15.12	-3.012	1160	15.84	-0.144
1011	13.78	-3.189	1061	14.49	-11.331	1111	15.14	-4.255	1161	15.85	0.732
1012	13.79	-2.556	1062	14.53	-6.313	1112	15.15	-5.997	1162	15.86	2.238
1013	13.80	-2.842	1063	14.54	-4.181	1113	15.17	-6.613	1163	15.87	3.871
1014	13.82	-2.794	1064	14.56	-1.673	1114	15.18	-7.481	1164	15.88	4.123
1015	13.84	-3.035	1065	14.57	-0.043	1115	15.20	-7.475	1165	15.89	4.753
1016	13.85	-3.654	1066	14.59	0.594	1116	15.21	-6.592	1166	15.90	3.634
1017	13.86	-4.024	1067	14.61	2.106	1117	15.23	-4.709	1167	15.91	2.014
1018	13.87	-4.019	1068	14.63	2.490	1118	15.24	-2.579	1168	15.94	-3.719
1019	13.88	-2.514	1069	14.64	3.494	1119	15.25	-0.700	1169	15.95	-7.464
1020	13.90	0.374	1070	14.65	4.250	1120	15.26	0.307	1170	15.96	-9.333
1021	13.92	2.260	1071	14.66	3.879	1121	15.27	0.564	1171	15.97	-11.628
1022	13.93	3.139	1072	14.67	2.633	1122	15.28	1.193	1172	15.98	-12.198
1023	13.94	3.769	1073	14.68	0.764	1123	15.30	1.204	1173	15.99	-12.570
1024	13.95	3.774	1074	14.69	-1.354	1124	15.32	0.337	1174	16.00	-11.938
1025	13.96	3.530	1075	14.71	-2.598	1125	15.34	-0.529	1175	16.02	-9.430
1026	13.99	3.166	1076	14.72	-3.592	1126	15.35	-1.770	1176	16.04	-0.291
1027	14.00	2.298	1077	14.73	-3.588	1127	15.37	-2.760	1177	16.06	3.969
1028	14.02	-1.692	1078	14.74	-2.705	1128	15.39	-3.375	1178	16.08	5.475
1029	14.04	-2.308	1079	14.75	-1.452	1129	15.41	-3.990	1179	16.09	8.606
1030	14.05	-2.051	1080	14.77	0.182	1130	15.43	-4.232	1180	16.11	8.991
1031	14.07	-1.418	1081	14.78	1.062	1131	15.44	-3.102	1181	16.12	8.371
1032	14.09	-1.409	1082	14.79	2.695	1132	15.45	-2.719	1182	16.13	7.751
1033	14.10	-0.778	1083	14.81	3.329	1133	15.46	-2.467	1183	16.15	6.515
1034	14.11	0.477	1084	14.82	3.959	1134	15.47	-1.210	1184	16.16	6.143
1035	14.13	0.488	1085	14.84	3.717	1135	15.48	-0.580	1185	16.17	4.648
1036	14.14	1.367	1086	14.85	2.100	1136	15.49	-0.825	1186	16.18	4.028
1037	14.15	2.376	1087	14.86	0.603	1137	15.51	-1.690	1187	16.19	4.035
1038	14.17	2.635	1088	14.87	-2.266	1138	15.55	-3.546	1188	16.20	5.290
1039	14.18	2.391	1089	14.88	-5.138	1139	15.56	-5.414	1189	16.21	5.920
1040	14.19	2.394	1090	14.89	-6.382	1140	15.57	-7.033	1190	16.22	8.051
1041	14.21	1.778	1091	14.90	-7.001	1141	15.59	-8.526	1191	16.23	8.681
1042	14.22	2.035	1092	14.91	-7.997	1142	15.60	-9.518	1192	16.24	9.059
1043	14.23	2.415	1093	14.92	-7.992	1143	15.61	-9.263	1193	16.25	8.814
1044	14.25	3.298	1094	14.93	-7.113	1144	15.62	-7.632	1194	16.27	7.576
1045	14.27	4.057	1095	14.94	-5.232	1145	15.63	-4.502	1195	16.28	2.833
1046	14.28	3.687	1096	14.96	-1.722	1146	15.66	0.887	1196	16.30	0.964
1047	14.29	3.693	1097	14.98	3.416	1147	15.67	4.390	1197	16.31	-0.530
1048	14.30	3.075	1098	14.99	4.295	1148	15.68	6.522	1198	16.32	-1.150
1049	14.32	1.211	1099	15.00	5.301	1149	15.69	7.529	1199	16.35	-1.756
1050	14.34	-0.282	1100	15.01	5.553	1150	15.70	8.158	1200	16.38	-2.494

INDEX NO. 837 907-GR-126 TAIRA BRIDGE U-D MAX.ACCEL.= 20.429(GAL) T= 9.89(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	16.39	-2.988	1251	17.22	-3.062	1301	18.27	-0.020	1351	19.07	1.647
1202	16.41	-3.353	1252	17.24	-2.177	1302	18.28	-0.638	1352	19.09	0.410
1203	16.43	-2.094	1253	17.26	-0.540	1303	18.30	-0.630	1353	19.12	0.171
1204	16.44	-0.589	1254	17.29	1.101	1304	18.32	-0.992	1354	19.13	0.180
1205	16.45	0.419	1255	17.32	1.367	1305	18.33	-0.613	1355	19.16	-0.182
1206	16.46	1.675	1256	17.35	0.131	1306	18.35	-0.352	1356	19.17	-0.178
1207	16.47	1.930	1257	17.37	-1.108	1307	18.37	0.284	1357	19.18	-0.173
1208	16.48	1.432	1258	17.39	-1.973	1308	18.38	2.541	1358	19.19	-0.168
1209	16.51	0.822	1259	17.40	-3.842	1309	18.39	3.171	1359	19.20	0.712
1210	16.53	-0.163	1260	17.41	-5.710	1310	18.40	4.427	1360	19.21	0.719
1211	16.55	-0.781	1261	17.43	-8.202	1311	18.41	4.807	1361	19.22	0.476
1212	16.59	-0.510	1262	17.44	-8.572	1312	18.42	4.562	1362	19.23	-0.394
1213	16.62	-0.745	1263	17.45	-9.190	1313	18.44	3.945	1363	19.24	-1.389
1214	16.63	-0.987	1264	17.48	-9.550	1314	18.46	3.082	1364	19.25	-2.010
1215	16.65	-0.352	1265	17.49	-7.673	1315	18.50	1.475	1365	19.26	-2.630
1216	16.66	-0.097	1266	17.50	-5.791	1316	18.51	0.608	1366	19.27	-2.372
1217	16.67	2.033	1267	17.51	-3.286	1317	18.54	-0.379	1367	19.28	-1.742
1218	16.68	3.664	1268	17.53	-0.777	1318	18.55	-0.995	1368	19.30	-1.361
1219	16.69	4.293	1269	17.54	1.481	1319	18.58	-1.234	1369	19.31	-1.603
1220	16.71	6.426	1270	17.56	2.367	1320	18.59	-0.726	1370	19.33	-3.218
1221	16.72	6.807	1271	17.59	4.378	1321	18.61	2.410	1371	19.35	-3.458
1222	16.73	6.562	1272	17.60	6.012	1322	18.62	5.540	1372	19.37	-3.197
1223	16.74	6.945	1273	17.62	7.273	1323	18.63	6.795	1373	19.39	-3.188
1224	16.77	0.957	1274	17.64	7.283	1324	18.64	7.173	1374	19.40	-2.307
1225	16.78	-2.160	1275	17.67	7.295	1325	18.66	6.308	1375	19.41	-1.302
1226	16.80	-4.778	1276	17.69	6.432	1326	18.68	5.319	1376	19.42	-0.672
1227	16.82	-7.015	1277	17.71	5.440	1327	18.72	2.466	1377	19.44	2.713
1228	16.84	-8.506	1278	17.72	3.948	1328	18.73	2.470	1378	19.46	7.849
1229	16.86	-9.496	1279	17.74	1.706	1329	18.76	-1.263	1379	19.48	8.482
1230	16.87	-10.114	1280	17.76	-0.760	1330	18.78	-3.127	1380	19.49	9.488
1231	16.89	-10.355	1281	17.79	-1.394	1331	18.79	-4.370	1381	19.50	9.743
1232	16.91	-10.096	1282	17.82	-2.879	1332	18.81	-4.988	1382	19.51	10.124
1233	16.93	-8.837	1283	17.83	-4.248	1333	18.82	-6.231	1383	19.52	9.880
1234	16.94	-7.955	1284	17.84	-4.369	1334	18.84	-6.598	1384	19.54	8.887
1235	16.96	-7.195	1285	17.85	-4.360	1335	18.85	-7.214	1385	19.56	4.772
1236	16.97	-6.937	1286	17.87	-3.978	1336	18.86	-6.586	1386	19.57	-1.344
1237	16.98	-7.557	1287	17.88	-3.719	1337	18.87	-5.954	1387	19.59	-5.587
1238	17.00	-6.674	1288	17.90	-3.336	1338	18.89	-5.323	1388	19.60	-7.081
1239	17.01	-6.042	1289	17.92	-3.077	1339	18.90	-3.440	1389	19.61	-8.323
1240	17.03	-4.155	1290	17.95	-3.561	1340	18.92	-3.055	1390	19.63	-7.688
1241	17.06	-1.644	1291	17.96	-3.054	1341	18.94	-3.418	1391	19.65	-7.432
1242	17.07	-0.337	1292	17.99	-1.415	1342	18.95	-4.038	1392	19.66	-5.550
1243	17.08	-0.008	1293	18.02	-0.773	1343	18.97	-4.654	1393	19.67	-4.667
1244	17.09	-0.002	1294	18.05	0.498	1344	18.98	-4.022	1394	19.69	-3.410
1245	17.10	0.628	1295	18.11	1.398	1345	19.00	-2.139	1395	19.70	-2.780
1246	17.11	-0.241	1296	18.16	1.798	1346	19.02	1.249	1396	19.72	-1.517
1247	17.13	-0.855	1297	18.19	1.816	1347	19.03	1.876	1397	19.75	-1.130
1248	17.15	-2.722	1298	18.21	1.826	1348	19.04	2.510	1398	19.77	-0.493
1249	17.16	-3.714	1299	18.23	1.586	1349	19.05	3.139	1399	19.79	0.392
1250	17.19	-3.951	1300	18.25	0.346	1350	19.06	3.142	1400	19.80	1.397

土木構造物における加速度強震記録（No.9）

INDEX NO. 837 907-GR-126 TAIRA BRIDGE U-D MAX.ACCEL.= 20.429(GAL) T= 9.89(SEC) NO. 8

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1401	19.81	1.654	1451	20.72	2.125	1501	21.64	1.972	1551	22.53	-4.321
1402	19.83	1.411	1452	20.74	3.131	1502	21.65	1.479	1552	22.55	-4.934
1403	19.84	1.418	1453	20.75	3.138	1503	21.66	1.734	1553	22.56	-4.429
1404	19.86	1.676	1454	20.76	2.270	1504	21.67	1.738	1554	22.57	-3.799
1405	19.87	1.957	1455	20.79	0.660	1505	21.68	1.405	1555	22.58	-3.419
1406	19.89	-0.681	1456	20.82	-1.622	1506	21.70	0.880	1556	22.60	-2.532
1407	19.92	-3.541	1457	20.83	-2.444	1507	21.71	1.336	1557	22.63	-2.770
1408	19.93	-3.786	1458	20.85	-3.087	1508	21.73	3.018	1558	22.64	-2.764
1409	19.95	-4.153	1459	20.86	-3.428	1509	21.74	3.901	1559	22.65	-2.506
1410	19.96	-4.148	1460	20.89	-3.663	1510	21.76	3.908	1560	22.66	-2.077
1411	19.97	-3.513	1461	20.92	-2.146	1511	21.78	3.669	1561	22.67	-0.872
1412	19.99	-2.628	1462	20.93	-1.769	1512	21.79	4.299	1562	22.68	0.009
1413	20.01	-1.622	1463	20.94	-0.885	1513	21.80	5.557	1563	22.69	0.639
1414	20.03	-0.610	1464	20.95	0.120	1514	21.81	5.311	1564	22.70	1.644
1415	20.05	-0.976	1465	20.97	1.376	1515	21.83	4.572	1565	22.71	2.649
1416	20.07	-2.215	1466	20.98	2.261	1516	21.86	2.462	1566	22.72	3.154
1417	20.09	-3.079	1467	21.00	2.017	1517	21.89	-0.274	1567	22.73	4.409
1418	20.11	-3.443	1468	21.01	2.274	1518	21.92	-1.582	1568	22.74	4.789
1419	20.13	-4.058	1469	21.02	2.029	1519	21.95	-2.742	1569	22.75	4.169
1420	20.15	-2.798	1470	21.04	0.790	1520	21.97	-3.356	1570	22.77	2.552
1421	20.16	-1.919	1471	21.06	-0.075	1521	21.99	-3.347	1571	22.78	0.807
1422	20.17	-1.289	1472	21.09	-1.698	1522	22.01	-4.334	1572	22.79	-0.610
1423	20.18	-1.284	1473	21.10	-2.303	1523	22.02	-4.333	1573	22.80	-1.660
1424	20.19	-0.931	1474	21.11	-1.675	1524	22.03	-3.701	1574	22.81	-2.299
1425	20.20	-0.894	1475	21.12	-0.792	1525	22.05	-1.814	1575	22.83	-2.417
1426	20.22	-1.509	1476	21.14	-0.157	1526	22.08	0.074	1576	22.84	-1.784
1427	20.25	-2.121	1477	21.16	1.112	1527	22.10	1.585	1577	22.85	-1.407
1428	20.26	-1.857	1478	21.21	1.503	1528	22.11	2.849	1578	22.86	0.475
1429	20.29	-0.476	1479	21.25	1.775	1529	22.12	3.473	1579	22.87	1.981
1430	20.31	0.035	1480	21.26	1.526	1530	22.14	4.482	1580	22.88	3.236
1431	20.33	1.048	1481	21.31	0.302	1531	22.16	4.738	1581	22.89	5.117
1432	20.35	2.305	1482	21.32	0.061	1532	22.17	4.747	1582	22.91	5.500
1433	20.36	2.311	1483	21.34	-0.307	1533	22.19	5.881	1583	22.93	5.511
1434	20.37	2.318	1484	21.35	-1.173	1534	22.22	2.022	1584	22.95	5.522
1435	20.39	1.076	1485	21.37	-1.292	1535	22.25	-0.091	1585	22.97	4.031
1436	20.41	-0.414	1486	21.39	1.220	1536	22.27	-1.331	1586	22.98	3.036
1437	20.42	-2.281	1487	21.41	3.106	1537	22.29	-2.570	1587	23.01	1.174
1438	20.43	-3.526	1488	21.42	3.436	1538	22.30	-2.937	1588	23.02	0.306
1439	20.45	-4.519	1489	21.43	3.491	1539	22.32	-2.925	1589	23.03	-0.688
1440	20.46	-5.513	1490	21.45	2.873	1540	22.34	-3.166	1590	23.06	-0.675
1441	20.47	-4.504	1491	21.47	0.762	1541	22.36	-3.782	1591	23.07	-0.668
1442	20.50	-1.367	1492	21.49	-1.106	1542	22.38	-3.770	1592	23.09	0.220
1443	20.53	5.899	1493	21.50	-2.368	1543	22.40	-3.760	1593	23.11	0.228
1444	20.54	3.007	1494	21.52	-3.591	1544	22.43	-4.123	1594	23.14	0.281
1445	20.57	3.670	1495	21.54	-3.580	1545	22.44	-4.114	1595	23.17	1.884
1446	20.62	1.195	1496	21.56	-3.318	1546	22.46	-3.857	1596	23.19	1.891
1447	20.65	0.339	1497	21.57	-2.063	1547	22.48	-3.223	1597	23.20	2.147
1448	20.67	0.599	1498	21.59	-0.554	1548	22.49	-2.840	1598	23.21	2.529
1449	20.68	0.600	1499	21.61	1.083	1549	22.50	-3.085	1599	23.22	1.907
1450	20.70	1.862	1500	21.63	1.716	1550	22.52	-3.702	1600	23.24	1.292

INDEX NO. 837 907-GR-126 TAIRA BRIDGE U-D MAX.ACCEL.= 20.429(GAL) T= 9.89(SEC) NO. 9

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1601	23.25	0.422	1651	24.17	4.893	1701	25.23	2.052	1751	26.26	-0.292
1602	23.26	0.430	1652	24.20	4.033	1702	25.25	2.940	1752	26.27	1.592
1603	23.28	-0.563	1653	24.23	2.796	1703	25.27	2.948	1753	26.31	1.609
1604	23.29	-1.431	1654	24.26	1.559	1704	25.28	3.580	1754	26.33	1.369
1605	23.30	-0.550	1655	24.28	0.574	1705	25.30	4.212	1755	26.35	1.629
1606	23.32	0.712	1656	24.30	0.333	1706	25.31	3.343	1756	26.36	0.763
1607	23.34	2.222	1657	24.32	0.340	1707	25.33	3.353	1757	26.38	0.396
1608	23.35	3.477	1658	24.33	-0.030	1708	25.34	2.737	1758	26.39	0.633
1609	23.36	3.655	1659	24.34	1.851	1709	25.36	2.747	1759	26.40	1.034
1610	23.37	4.236	1660	24.37	3.990	1710	25.38	2.755	1760	26.42	1.916
1611	23.38	4.490	1661	24.38	5.246	1711	25.40	3.015	1761	26.43	2.295
1612	23.39	3.870	1662	24.39	6.253	1712	25.41	3.021	1762	26.44	3.554
1613	23.40	3.002	1663	24.40	5.834	1713	25.43	3.280	1763	26.45	4.431
1614	23.42	2.365	1664	24.43	3.524	1714	25.45	2.792	1764	26.47	4.191
1615	23.43	2.018	1665	24.44	-1.450	1715	25.47	1.804	1765	26.49	3.330
1616	23.45	2.026	1666	24.51	-3.188	1716	25.49	1.561	1766	26.52	2.092
1617	23.49	1.796	1667	24.52	-4.557	1717	25.51	2.022	1767	26.53	1.476
1618	23.54	2.948	1668	24.55	-6.170	1718	25.52	2.079	1768	26.55	1.109
1619	23.57	4.213	1669	24.57	-5.909	1719	25.55	2.469	1769	26.56	1.116
1620	23.59	4.598	1670	24.58	-5.903	1720	25.57	1.855	1770	26.58	1.124
1621	23.61	4.607	1671	24.59	-4.897	1721	25.61	1.252	1771	26.60	1.134
1622	23.62	4.613	1672	24.61	-3.386	1722	25.64	1.018	1772	26.62	1.143
1623	23.63	4.367	1673	24.64	-2.125	1723	25.66	-0.847	1773	26.64	-0.094
1624	23.64	3.374	1674	24.66	-1.489	1724	25.69	-3.084	1774	26.66	-0.337
1625	23.66	2.758	1675	24.68	0.775	1725	25.71	-4.948	1775	26.67	-0.953
1626	23.69	0.899	1676	24.70	0.783	1726	25.72	-6.191	1776	26.69	-0.693
1627	23.71	0.659	1677	24.72	0.544	1727	25.75	-6.804	1777	26.72	0.821
1628	23.73	-0.332	1678	24.74	-0.449	1728	25.76	-7.545	1778	26.74	1.832
1629	23.74	-1.824	1679	24.75	-1.315	1729	25.78	-7.787	1779	26.76	1.588
1630	23.76	-3.440	1680	24.76	-1.314	1730	25.79	-7.282	1780	26.79	0.604
1631	23.77	-4.059	1681	24.77	-2.305	1731	25.80	-6.274	1781	26.83	0.001
1632	23.79	-4.051	1682	24.79	-2.297	1732	25.82	-5.014	1782	26.86	-1.234
1633	23.81	-4.664	1683	24.80	-1.415	1733	25.83	-4.134	1783	26.89	-2.091
1634	23.84	-4.903	1684	24.83	-0.779	1734	25.85	-3.124	1784	26.91	-3.082
1635	23.85	-4.696	1685	24.84	-0.397	1735	25.87	-2.490	1785	26.92	-3.701
1636	23.88	-4.382	1686	24.87	0.243	1736	25.89	-2.478	1786	26.94	-3.444
1637	23.92	-3.611	1687	24.89	0.004	1737	25.91	-2.470	1787	26.96	-3.058
1638	23.95	-3.596	1688	24.91	-0.613	1738	25.94	-3.080	1788	26.97	-3.052
1639	23.99	-3.076	1689	24.93	-2.229	1739	25.96	-3.693	1789	26.98	1.078
1640	24.00	-3.068	1690	24.94	-3.096	1740	25.98	-2.434	1790	27.01	2.217
1641	24.02	-2.683	1691	24.96	-3.712	1741	26.01	-0.917	1791	27.04	2.857
1642	24.04	-2.049	1692	24.97	-3.704	1742	26.03	1.092	1792	27.05	2.865
1643	24.05	-0.790	1693	24.99	-3.023	1743	26.04	1.472	1793	27.07	3.500
1644	24.06	1.722	1694	25.01	-3.435	1744	26.05	2.728	1794	27.09	1.382
1645	24.10	2.354	1695	25.05	-2.793	1745	26.06	3.358	1795	27.11	1.845
1646	24.11	2.987	1696	25.10	-0.266	1746	26.12	0.648	1796	27.13	2.028
1647	24.12	3.616	1697	25.15	2.065	1747	26.17	-0.959	1797	27.15	4.166
1648	24.13	4.247	1698	25.17	3.146	1748	26.19	-2.201	1798	27.19	6.434
1649	24.14	5.079	1699	25.19	2.985	1749	26.22	-2.812	1799	27.23	6.286
1650	24.16	5.512	1700	25.21	2.916	1750	26.23	-1.929	1800	27.25	6.719

INDEX NO. 837 907-GR-126 TAIRA BRIDGE U-D MAX.ACCEL.= 20.429(GAL) T= 9.89(SEC) NO.10

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1801	27.28	7.108	1851	28.41	2.315	1901	29.45	-3.145	1951	30.41	2.226
1802	27.32	6.252	1852	28.43	2.949	1902	29.46	-2.514	1952	30.42	2.483
1803	27.35	4.395	1853	28.45	3.337	1903	29.48	-2.507	1953	30.44	2.742
1804	27.40	1.546	1854	28.47	3.346	1904	29.49	-2.259	1954	30.45	3.374
1805	27.45	0.068	1855	28.49	3.356	1905	29.52	-2.487	1955	30.47	3.759
1806	27.46	-0.926	1856	28.52	3.119	1906	29.54	-1.851	1956	30.49	2.892
1807	27.47	-1.544	1857	28.53	2.126	1907	29.56	-2.091	1957	30.51	1.280
1808	27.49	-2.409	1858	28.55	1.512	1908	29.58	-1.202	1958	30.56	-1.445
1809	27.52	-4.644	1859	28.57	0.699	1909	29.60	-0.945	1959	30.59	-3.056
1810	27.55	-5.256	1860	28.60	-0.089	1910	29.61	0.061	1960	30.61	-3.921
1811	27.56	-5.500	1861	28.63	-0.073	1911	29.64	0.077	1961	30.62	-4.664
1812	27.58	-5.238	1862	28.66	-0.932	1912	29.67	-1.159	1962	30.64	-4.403
1813	27.61	-4.599	1863	28.67	-0.926	1913	29.69	-2.397	1963	30.66	-4.395
1814	27.62	-3.717	1864	28.69	-0.665	1914	29.72	-3.007	1964	30.67	-3.137
1815	27.63	-3.085	1865	28.70	-0.284	1915	29.75	-1.743	1965	30.69	-2.128
1816	27.65	-1.451	1866	28.71	-0.279	1916	29.79	-1.723	1966	30.71	-1.242
1817	27.67	-2.069	1867	28.73	-0.269	1917	29.81	-0.709	1967	30.74	-0.352
1818	27.68	-2.311	1868	28.74	-0.262	1918	29.83	0.427	1968	30.78	-0.331
1819	27.71	-2.921	1869	28.76	0.619	1919	29.85	1.059	1969	30.80	-0.568
1820	27.73	-3.910	1870	28.77	1.002	1920	29.88	2.574	1970	30.83	-1.179
1821	27.75	-4.150	1871	28.79	1.635	1921	29.90	3.712	1971	30.85	-2.042
1822	27.77	-3.892	1872	28.81	1.665	1922	29.92	4.972	1972	30.88	-2.654
1823	27.80	-2.627	1873	28.83	0.781	1923	29.94	5.360	1973	30.90	-3.016
1824	27.82	-1.991	1874	28.87	-1.447	1924	29.98	6.001	1974	30.91	-3.638
1825	27.86	-0.720	1875	28.88	-0.815	1925	30.00	5.766	1975	30.92	-3.881
1826	27.89	-0.452	1876	28.90	1.696	1926	30.04	4.532	1976	30.94	-4.246
1827	27.93	-1.310	1877	28.94	4.212	1927	30.05	3.539	1977	30.95	-3.618
1828	27.96	-1.919	1878	28.95	5.470	1928	30.07	2.299	1978	30.96	-2.363
1829	27.98	-2.782	1879	28.97	6.355	1929	30.08	0.804	1979	30.97	0.396
1830	28.01	-3.767	1880	28.98	6.734	1930	30.09	-0.190	1980	30.99	2.031
1831	28.03	-2.680	1881	29.00	6.743	1931	30.10	-1.682	1981	31.00	3.411
1832	28.06	-1.618	1882	29.02	6.379	1932	30.11	-1.677	1982	31.02	4.295
1833	28.07	-0.985	1883	29.05	4.896	1933	30.13	-0.794	1983	31.04	4.681
1834	28.10	0.655	1884	29.09	3.042	1934	30.15	0.466	1984	31.06	5.691
1835	28.12	0.915	1885	29.14	1.442	1935	30.16	1.097	1985	31.08	3.827
1836	28.15	1.054	1886	29.17	0.584	1936	30.17	1.729	1986	31.11	3.714
1837	28.17	1.064	1887	29.22	-0.015	1937	30.19	2.985	1987	31.12	4.065
1838	28.18	1.572	1888	29.25	-0.003	1938	30.20	3.242	1988	31.13	4.351
1839	28.21	2.835	1889	29.26	0.632	1939	30.21	3.247	1989	31.14	5.355
1840	28.22	3.840	1890	29.28	1.265	1940	30.22	3.253	1990	31.15	5.983
1841	28.24	3.852	1891	29.29	1.521	1941	30.24	2.386	1991	31.16	6.618
1842	28.26	4.736	1892	29.30	2.151	1942	30.25	1.146	1992	31.18	6.829
1843	28.27	5.119	1893	29.31	2.531	1943	30.26	1.151	1993	31.21	5.392
1844	28.29	5.751	1894	29.32	2.910	1944	30.27	1.781	1994	31.23	5.151
1845	28.30	5.758	1895	29.33	2.560	1945	30.29	2.037	1995	31.25	5.162
1846	28.32	6.017	1896	29.35	1.925	1946	30.31	3.051	1996	31.27	3.548
1847	28.33	5.775	1897	29.39	-3.304	1947	30.33	3.059	1997	31.29	3.557
1848	28.35	4.908	1898	29.41	-4.793	1948	30.35	3.070	1998	31.30	2.688
1849	28.37	3.668	1899	29.43	-4.751	1949	30.37	2.829	1999	31.32	1.698
1850	28.39	2.430	1900	29.44	-3.776	1950	30.38	2.464	2000	31.34	0.456

INDEX NO. 837 907-GR-126 TAIRA BRIDGE U-D MAX.ACCEL.= 20.429(GAL) T= 9.89(SEC) NO.11

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2001	31.35	-0.413	2051	32.25	-2.697	2101	33.19	2.033	2151	34.37	0.379
2002	31.36	-1.404	2052	32.28	2.086	2102	33.20	2.034	2152	34.39	-0.610
2003	31.38	-1.148	2053	32.29	2.696	2103	33.23	2.301	2153	34.41	-1.222
2004	31.39	-0.786	2054	32.30	3.578	2104	33.26	2.692	2154	34.43	-1.212
2005	31.40	-0.758	2055	32.34	4.095	2105	33.29	2.934	2155	34.45	-0.578
2006	31.42	0.252	2056	32.36	4.105	2106	33.31	3.502	2156	34.47	0.306
2007	31.44	1.759	2057	32.38	3.496	2107	33.32	3.098	2157	34.49	1.817
2008	31.45	2.018	2058	32.41	3.258	2108	33.35	2.489	2158	34.51	3.454
2009	31.47	1.524	2059	32.42	2.264	2109	33.38	1.252	2159	34.53	7.336
2010	31.48	1.529	2060	32.45	1.653	2110	33.42	0.648	2160	34.56	8.595
2011	31.49	1.784	2061	32.46	0.410	2111	33.47	-0.702	2161	34.56	8.727
2012	31.50	1.790	2062	32.47	0.161	2112	33.49	-1.567	2162	34.57	8.735
2013	31.51	1.546	2063	32.49	-0.829	2113	33.52	-2.429	2163	34.59	7.744
2014	31.52	1.177	2064	32.51	-2.814	2114	33.54	-2.542	2164	34.64	5.269
2015	31.55	0.944	2065	32.55	-3.420	2115	33.56	-1.284	2165	34.72	1.311
2016	31.56	1.820	2066	32.59	0.474	2116	33.58	0.352	2166	34.74	-0.554
2017	31.57	2.451	2067	32.63	1.121	2117	33.61	1.887	2167	34.77	-2.817
2018	31.58	2.707	2068	32.64	2.000	2118	33.64	2.257	2168	34.78	-3.535
2019	31.59	3.086	2069	32.65	2.632	2119	33.66	3.144	2169	34.80	-4.401
2020	31.60	3.091	2070	32.66	3.263	2120	33.69	2.284	2170	34.82	-4.141
2021	31.61	2.846	2071	32.67	3.391	2121	33.71	2.292	2171	34.84	-3.508
2022	31.62	2.655	2072	32.68	3.396	2122	33.73	2.552	2172	34.88	-2.610
2023	31.66	0.996	2073	32.71	4.035	2123	33.75	4.190	2173	34.92	-1.339
2024	31.67	0.627	2074	32.75	0.930	2124	33.79	5.707	2174	34.94	-0.703
2025	31.68	0.382	2075	32.76	0.562	2125	33.80	6.088	2175	34.96	-0.089
2026	31.72	0.401	2076	32.79	-0.925	2126	33.82	6.474	2176	34.98	-0.931
2027	31.74	0.915	2077	32.80	-1.545	2127	33.83	5.481	2177	35.02	-0.288
2028	31.76	1.926	2078	32.82	-2.160	2128	33.86	4.617	2178	35.04	0.347
2029	31.79	2.564	2079	32.84	-2.524	2129	33.89	1.507	2179	35.05	0.980
2030	31.81	2.825	2080	32.85	-1.893	2130	33.92	-0.351	2180	35.08	1.868
2031	31.83	3.461	2081	32.87	-0.630	2131	33.95	-2.712	2181	35.11	1.008
2032	31.85	3.470	2082	32.89	1.251	2132	33.97	-2.953	2182	35.13	1.021
2033	31.86	3.477	2083	32.90	2.136	2133	33.99	-3.084	2183	35.16	1.285
2034	31.88	3.862	2084	32.91	2.786	2134	34.03	-3.294	2184	35.19	1.301
2035	31.90	3.244	2085	32.95	1.284	2135	34.04	-3.288	2185	35.21	1.312
2036	31.92	2.630	2086	32.97	0.042	2136	34.06	-3.278	2186	35.26	1.708
2037	31.93	2.011	2087	32.98	-0.575	2137	34.07	-2.023	2187	35.30	1.981
2038	31.95	1.148	2088	32.99	-0.821	2138	34.11	1.999	2188	35.34	3.249
2039	31.97	1.139	2089	33.00	-0.565	2139	34.13	3.006	2189	35.36	4.512
2040	31.99	1.168	2090	33.01	-0.309	2140	34.14	3.263	2190	35.38	5.647
2041	32.00	1.174	2091	33.02	+0.305	2141	34.16	3.393	2191	35.40	5.904
2042	32.03	0.813	2092	33.03	0.701	2142	34.19	2.411	2192	35.41	6.287
2043	32.07	0.207	2093	33.06	2.841	2143	34.21	1.171	2193	35.42	6.791
2044	32.09	-1.032	2094	33.08	5.726	2144	34.24	0.313	2194	35.44	6.929
2045	32.10	-1.901	2095	33.10	6.611	2145	34.27	-0.298	2195	35.47	6.087
2046	32.14	-3.133	2096	33.11	6.991	2146	34.28	-0.665	2196	35.49	0.078
2047	32.16	-4.246	2097	33.12	6.748	2147	34.30	-0.033	2197	35.51	-0.161
2048	32.18	-4.603	2098	33.14	6.132	2148	34.31	0.848	2198	35.53	-0.526
2049	32.21	-4.845	2099	33.16	5.513	2149	34.33	1.857	2199	35.56	0.737
2050	32.24	-4.580	2100	33.18	3.898	2150	34.35	1.620	2200	35.58	1.999

土木構造物における加速度強震記録（No.9）

INDEX NO. 837 907-GR-126 TAIRA BRIDGE U-D MAX.ACCEL.= 20.429(GAL) T= 9.89(SEC) NO.12

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2201	35.61	1.761	2251	36.72	0.825	2301	37.51	-0.271	2351	38.74	1.383
2202	35.63	1.398	2252	36.73	0.830	2302	37.54	0.995	2352	38.77	0.377
2203	35.66	0.787	2253	36.74	0.588	2303	37.55	1.251	2353	38.79	-0.861
2204	35.67	0.166	2254	36.76	-0.279	2304	37.56	1.883	2354	38.83	-0.841
2205	35.69	-1.697	2255	36.77	-0.899	2305	37.58	1.019	2355	38.86	-1.078
2206	35.71	-3.684	2256	36.78	-0.644	2306	37.60	0.780	2356	38.87	-1.821
2207	35.73	-3.678	2257	36.79	-0.389	2307	37.63	0.170	2357	38.88	-2.063
2208	35.74	-2.794	2258	36.80	1.244	2308	37.65	-0.197	2358	38.90	-1.428
2209	35.77	-1.154	2259	36.84	1.261	2309	37.67	-0.433	2359	38.92	-1.420
2210	35.79	0.355	2260	36.85	1.644	2310	37.69	-0.175	2360	38.94	-1.159
2211	35.80	1.610	2261	36.87	0.652	2311	37.71	0.083	2361	38.96	0.478
2212	35.83	1.126	2262	36.89	0.038	2312	37.73	1.722	2362	38.98	1.111
2213	35.85	0.761	2263	36.91	-0.203	2313	37.75	2.353	2363	38.99	1.740
2214	35.88	0.150	2264	36.93	-0.194	2314	37.76	2.111	2364	39.00	1.497
2215	35.90	0.409	2265	36.94	0.315	2315	37.78	1.747	2365	39.01	1.125
2216	35.94	0.179	2266	36.96	0.948	2316	37.82	1.140	2366	39.02	0.509
2217	35.97	0.821	2267	36.98	2.206	2317	37.86	0.285	2367	39.04	0.269
2218	36.03	0.478	2268	36.99	2.587	2318	37.88	-0.704	2368	39.06	-0.723
2219	36.09	0.883	2269	37.00	2.595	2319	37.90	-0.443	2369	39.09	-1.334
2220	36.10	0.639	2270	37.02	2.603	2320	37.92	-0.058	2370	39.13	-0.686
2221	36.13	0.653	2271	37.03	2.860	2321	37.94	-0.049	2371	39.14	-0.054
2222	36.15	1.789	2272	37.05	2.618	2322	37.95	0.583	2372	39.17	1.207
2223	36.17	3.424	2273	37.06	1.750	2323	37.96	0.590	2373	39.18	1.840
2224	36.20	4.311	2274	37.08	0.135	2324	37.97	-0.031	2374	39.19	2.470
2225	36.22	4.449	2275	37.10	-0.731	2325	38.03	-0.874	2375	39.20	2.475
2226	36.25	2.587	2276	37.11	-0.477	2326	38.04	-1.243	2376	39.21	2.233
2227	36.29	1.357	2277	37.12	-1.347	2327	38.05	-0.613	2377	39.25	1.626
2228	36.32	0.372	2278	37.15	-1.706	2328	38.07	-0.852	2378	39.28	0.018
2229	36.34	0.134	2279	37.17	-1.070	2329	38.12	-1.453	2379	39.30	-1.220
2230	36.36	0.142	2280	37.19	-1.061	2330	38.14	-1.821	2380	39.32	-3.086
2231	36.40	0.162	2281	37.21	-0.798	2331	38.16	-2.056	2381	39.34	-4.326
2232	36.42	0.422	2282	37.23	-0.664	2332	38.18	-1.800	2382	39.35	-4.321
2233	36.43	1.304	2283	37.25	-2.276	2333	38.19	-1.791	2383	39.37	-4.562
2234	36.45	2.939	2284	37.27	-3.143	2334	38.20	-1.163	2384	39.38	-3.682
2235	36.47	3.201	2285	37.29	-3.134	2335	38.24	0.485	2385	39.39	-3.049
2236	36.49	2.959	2286	37.30	-3.253	2336	38.27	1.370	2386	39.42	-1.408
2237	36.51	1.469	2287	37.31	-2.873	2337	38.29	2.635	2387	39.46	0.109
2238	36.53	0.231	2288	37.33	-2.863	2338	38.31	3.517	2388	39.50	1.630
2239	36.54	-0.764	2289	37.34	-2.605	2339	38.33	3.906	2389	39.56	3.286
2240	36.56	-2.880	2290	37.35	-2.851	2340	38.36	3.668	2390	39.61	2.687
2241	36.57	-3.249	2291	37.36	-3.095	2341	38.41	3.943	2391	39.64	2.082
2242	36.58	-3.244	2292	37.37	-3.715	2342	38.43	3.707	2392	39.67	1.218
2243	36.59	-3.239	2293	37.38	-4.085	2343	38.46	2.723	2393	39.69	-0.022
2244	36.61	-3.232	2294	37.40	-4.952	2344	38.49	2.485	2394	39.71	-0.009
2245	36.62	-2.976	2295	37.41	-4.696	2345	38.53	2.755	2395	39.74	0.256
2246	36.63	-2.596	2296	37.42	-4.440	2346	38.56	2.519	2396	39.75	0.514
2247	36.65	-1.711	2297	37.44	-3.431	2347	38.59	3.038	2397	39.79	0.909
2248	36.67	-0.451	2298	37.45	-2.799	2348	38.64	2.561	2398	39.82	2.173
2249	36.69	0.561	2299	37.47	-1.540	2349	38.66	2.822	2399	39.84	3.058
2250	36.70	0.568	2300	37.48	-0.908	2350	38.71	1.597	2400	39.85	2.566

INDEX NO. 837 907-GR-126 TAIRA BRIDGE U-D MAX.ACCEL.= 20.429(GAL) T= 9.89(SEC) NO.13

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2401	39.87	2.200	2451	41.11	0.969	2501	42.45	1.645	2551	43.86	-0.760
2402	39.88	1.956	2452	41.13	1.226	2502	42.47	2.280	2552	43.89	-0.120
2403	39.90	1.592	2453	41.15	1.236	2503	42.49	2.544	2553	43.91	0.518
2404	39.92	1.352	2454	41.17	1.247	2504	42.51	2.554	2554	43.94	-0.094
2405	39.94	0.986	2455	41.20	1.010	2505	42.53	2.060	2555	43.96	-0.335
2406	39.96	1.244	2456	41.22	0.397	2506	42.54	1.694	2556	43.97	-0.704
2407	39.97	2.878	2457	41.23	0.154	2507	42.58	1.087	2557	43.99	-1.317
2408	39.99	3.510	2458	41.27	1.046	2508	42.61	0.478	2558	44.02	-1.555
2409	40.00	3.515	2459	41.30	2.311	2509	42.64	-0.130	2559	44.04	-0.418
2410	40.01	3.524	2460	41.34	3.207	2510	42.68	-0.109	2560	44.06	0.844
2411	40.04	2.286	2461	41.38	4.227	2511	42.72	0.532	2561	44.10	2.112
2412	40.07	-0.197	2462	41.43	5.253	2512	42.77	1.184	2562	44.13	3.377
2413	40.09	-1.437	2463	41.47	5.276	2513	42.81	1.204	2563	44.16	3.392
2414	40.10	-2.056	2464	41.51	4.296	2514	42.85	1.598	2564	44.19	3.160
2415	40.12	-2.672	2465	41.54	3.685	2515	42.89	0.620	2565	44.28	1.952
2416	40.13	-2.915	2466	41.55	2.814	2516	42.91	-0.243	2566	44.32	1.098
2417	40.16	-3.027	2467	41.57	0.578	2517	42.93	-0.858	2567	44.34	-0.139
2418	40.19	-2.636	2468	41.60	-0.035	2518	42.95	-0.973	2568	44.38	-0.247
2419	40.22	-1.746	2469	41.63	-0.645	2519	42.98	-0.208	2569	44.41	-0.232
2420	40.27	-0.218	2470	41.67	-1.248	2520	43.00	0.053	2570	44.44	-0.716
2421	40.31	0.176	2471	41.73	-1.591	2521	43.04	0.695	2571	44.47	0.175
2422	40.33	1.813	2472	41.77	-1.821	2522	43.06	0.455	2572	44.50	0.191
2423	40.36	3.327	2473	41.79	-1.813	2523	43.08	0.717	2573	44.53	0.206
2424	40.39	3.344	2474	41.81	-2.052	2524	43.11	0.981	2574	44.56	0.468
2425	40.41	4.355	2475	41.83	-2.044	2525	43.14	2.623	2575	44.63	-0.994
2426	40.44	3.745	2476	41.84	-1.789	2526	43.17	3.888	2576	44.65	-1.232
2427	40.47	2.263	2477	41.86	-0.903	2527	43.19	4.146	2577	44.68	-2.220
2428	40.50	2.277	2478	41.89	1.615	2528	43.21	3.659	2578	44.69	-2.212
2429	40.52	1.286	2479	41.91	2.250	2529	43.23	3.203	2579	44.72	-1.321
2430	40.55	0.679	2480	41.95	3.642	2530	43.25	3.055	2580	44.76	0.322
2431	40.57	-0.190	2481	41.99	3.913	2531	43.27	3.065	2581	44.79	1.840
2432	40.59	-0.552	2482	42.02	5.177	2532	43.29	3.077	2582	44.84	3.111
2433	40.61	0.331	2483	42.04	5.190	2533	43.31	3.566	2583	44.86	3.874
2434	40.63	0.969	2484	42.07	4.579	2534	43.34	3.100	2584	44.92	3.529
2435	40.65	2.231	2485	42.10	3.092	2535	43.38	3.370	2585	44.96	3.551
2436	40.67	2.863	2486	42.12	3.105	2536	43.42	2.765	2586	45.01	3.576
2437	40.69	3.249	2487	42.14	2.740	2537	43.47	2.165	2587	45.07	2.602
2438	40.74	2.028	2488	42.16	2.751	2538	43.51	0.310	2588	45.10	1.496
2439	40.80	1.184	2489	42.18	3.385	2539	43.53	-0.303	2589	45.13	0.511
2440	40.83	0.199	2490	42.19	2.766	2540	43.55	-1.167	2590	45.17	0.278
2441	40.85	-0.043	2491	42.22	2.529	2541	43.58	-2.154	2591	45.19	0.292
2442	40.87	-0.655	2492	42.24	1.542	2542	43.60	-2.396	2592	45.24	-0.060
2443	40.90	-1.268	2493	42.26	0.676	2543	43.65	-0.616	2593	45.30	0.220
2444	40.92	-1.007	2494	42.28	-0.312	2544	43.69	0.403	2594	45.35	0.246
2445	40.95	-0.364	2495	42.30	-0.927	2545	43.73	0.426	2595	45.41	-0.345
2446	40.99	-0.093	2496	42.33	-0.665	2546	43.77	0.442	2596	45.43	-0.584
2447	41.04	0.305	2497	42.34	-0.032	2547	43.79	0.707	2597	45.45	-0.325
2448	41.06	0.068	2498	42.37	1.603	2548	43.82	0.222	2598	45.46	0.056
2449	41.08	0.076	2499	42.40	2.247	2549	43.83	-0.148	2599	45.48	0.061
2450	41.10	0.335	2500	42.42	2.007	2550	43.85	-0.390	2600	45.49	-0.254

INDEX NO. 837 907-GR-126 TAIRA BRIDGE U-D MAX.ACCEL.= 20.429(GAL) T= 9.89(SEC) NO.14

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2601	45.52	-0.539	2651	46.98	2.090	2701	48.57	1.998	2751	49.88	-2.167
2602	45.55	-1.773	2652	46.99	1.648	2702	48.59	1.667	2752	49.91	-0.654
2603	45.58	-0.259	2653	47.04	1.499	2703	48.61	1.662	2753	49.94	-0.014
2604	45.68	-1.084	2654	47.12	1.287	2704	48.64	0.445	2754	49.96	-0.003
2605	45.73	-0.057	2655	47.20	0.982	2705	48.67	-0.788	2755	49.98	1.009
2606	45.76	-0.420	2656	47.24	-0.276	2706	48.71	-2.018	2756	50.00	1.019
2607	45.77	0.463	2657	47.26	-0.265	2707	48.75	-4.000	2757	50.02	1.030
2608	45.78	0.899	2658	47.28	-0.505	2708	48.76	-4.243	2758	50.03	1.286
2609	45.80	1.102	2659	47.30	-0.245	2709	48.78	-2.730	2759	50.05	1.670
2610	45.81	2.357	2660	47.32	0.392	2710	48.81	-1.842	2760	50.06	1.922
2611	45.87	1.868	2661	47.36	0.660	2711	48.84	-0.575	2761	50.07	2.305
2612	45.90	0.653	2662	47.39	0.178	2712	48.87	0.436	2762	50.08	2.311
2613	45.92	0.665	2663	47.43	-0.802	2713	48.88	0.446	2763	50.11	2.073
2614	45.94	0.301	2664	47.48	-1.153	2714	48.90	0.456	2764	50.13	1.087
2615	45.98	0.942	2665	47.54	-0.996	2715	48.92	0.714	2765	50.16	0.224
2616	46.01	1.210	2666	47.58	-1.101	2716	48.94	0.472	2766	50.18	-0.515
2617	46.03	2.473	2667	47.62	0.168	2717	48.97	0.240	2767	50.21	1.125
2618	46.06	3.110	2668	47.66	0.814	2718	49.00	-0.119	2768	50.23	1.388
2619	46.07	3.493	2669	47.69	2.060	2719	49.03	-0.353	2769	50.24	1.394
2620	46.09	2.878	2670	47.72	3.722	2720	49.08	-0.955	2770	50.25	1.399
2621	46.15	2.657	2671	47.74	4.807	2721	49.10	-1.317	2771	50.28	0.912
2622	46.20	2.932	2672	47.77	5.619	2722	49.12	-1.307	2772	50.31	-0.072
2623	46.25	2.959	2673	47.79	5.381	2723	49.14	-0.421	2773	50.33	-1.312
2624	46.28	2.977	2674	47.81	4.393	2724	49.17	-0.034	2774	50.35	-2.550
2625	46.31	2.999	2675	47.86	2.919	2725	49.19	-0.621	2775	50.37	-2.290
2626	46.32	2.747	2676	47.97	1.775	2726	49.21	-0.010	2776	50.41	-1.019
2627	46.34	1.757	2677	47.92	-3.616	2727	49.23	-0.628	2777	50.45	0.624
2628	46.39	-0.716	2678	48.02	-3.502	2728	49.26	-0.361	2778	50.46	2.133
2629	46.41	-1.958	2679	48.03	-3.494	2729	49.29	-0.348	2779	50.47	2.764
2630	46.42	-2.824	2680	48.05	-2.486	2730	49.31	-0.336	2780	50.49	3.774
2631	46.43	-2.568	2681	48.08	-0.969	2731	49.32	0.671	2781	50.51	3.533
2632	46.46	-0.931	2682	48.11	0.298	2732	49.34	1.304	2782	50.55	2.305
2633	46.48	-1.046	2683	48.13	1.309	2733	49.36	2.566	2783	50.61	0.457
2634	46.50	-0.409	2684	48.15	2.568	2734	49.38	1.949	2784	50.71	-1.491
2635	46.52	-0.899	2685	48.19	2.335	2735	49.41	3.215	2785	50.75	-2.344
2636	46.54	-1.515	2686	48.20	2.719	2736	49.45	2.364	2786	50.77	-3.207
2637	46.56	-1.504	2687	48.24	2.115	2737	49.50	0.763	2787	50.79	-3.820
2638	46.59	-0.988	2688	48.27	1.502	2738	49.54	-0.092	2788	50.80	-3.565
2639	46.61	-0.603	2689	48.29	1.516	2739	49.56	-1.333	2789	50.82	-3.305
2640	46.64	-0.337	2690	48.30	1.521	2740	49.57	-1.078	2790	50.84	-1.672
2641	46.68	0.061	2691	48.32	1.529	2741	49.59	-0.819	2791	50.85	-1.669
2642	46.71	-0.797	2692	48.33	1.534	2742	49.60	-1.312	2792	50.87	-1.404
2643	46.74	-1.158	2693	48.35	0.921	2743	49.63	-1.049	2793	50.90	-1.641
2644	46.77	-1.391	2694	48.38	0.061	2744	49.66	-0.783	2794	50.93	-1.626
2645	46.81	-1.748	2695	48.42	-0.544	2745	49.68	-0.773	2795	50.98	-0.725
2646	46.83	-1.734	2696	48.46	-0.900	2746	49.71	-0.382	2796	51.00	-0.090
2647	46.86	-1.488	2697	48.43	-0.263	2747	49.74	-0.363	2797	51.02	1.173
2648	46.89	-0.203	2698	48.51	0.035	2748	49.78	-0.596	2798	51.04	1.930
2649	46.92	1.059	2699	48.54	1.019	2749	49.80	-0.957	2799	51.06	1.315
2650	46.94	1.697	2700	48.55	1.025	2750	49.83	-1.571	2800	51.11	0.091

INDEX NO. 837 907-GR-126 TAIRA BRIDGE U-D MAX.ACCEL.= 20.429(GAL) T= 9.89(SEC) NO.15

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2801	51.15	-0.890	2851	52.73	-1.583	2901	54.46	-0.828	2951	56.11	-0.859
2802	51.17	-1.752	2852	52.75	-1.698	2902	54.49	-0.440	2952	56.13	-1.101
2803	51.20	-2.363	2853	52.78	-1.059	2903	54.51	1.073	2953	56.16	-1.837
2804	51.23	-2.345	2854	52.81	-0.669	2904	54.55	2.090	2954	56.18	-0.573
2805	51.26	-1.208	2855	52.83	0.340	2905	54.57	2.978	2955	56.22	0.070
2806	51.28	0.180	2856	52.86	1.481	2906	54.59	2.486	2956	56.26	0.468
2807	51.29	0.435	2857	52.88	1.243	2907	54.60	2.119	2957	56.30	1.113
2808	51.31	1.068	2858	52.91	1.505	2908	54.64	1.137	2958	56.33	1.376
2809	51.32	0.824	2859	52.94	1.522	2909	54.68	0.033	2959	56.34	1.134
2810	51.34	0.709	2860	52.99	1.046	2910	54.71	-0.575	2960	56.37	0.897
2811	51.36	0.470	2861	53.05	0.076	2911	54.76	-0.299	2961	56.39	0.530
2812	51.39	0.484	2862	53.08	0.095	2912	54.79	-0.035	2962	56.41	0.541
2813	51.42	1.372	2863	53.11	0.109	2913	54.82	1.227	2963	56.43	-0.072
2814	51.44	1.758	2864	53.14	0.749	2914	54.84	1.240	2964	56.44	-0.067
2815	51.45	2.013	2865	53.17	1.039	2915	54.85	1.622	2965	56.46	0.319
2816	51.46	2.767	2866	53.19	1.774	2916	54.88	1.633	2966	56.49	0.583
2817	51.47	2.650	2867	53.22	1.413	2917	54.91	0.398	2967	56.51	2.095
2818	51.51	3.046	2868	53.28	1.447	2918	54.94	-0.034	2968	56.53	1.605
2819	51.59	0.586	2869	53.39	-0.000	2919	54.98	-0.566	2969	56.56	0.620
2820	51.65	-1.511	2870	53.45	-0.592	2920	55.01	-0.172	2970	56.56	0.880
2821	51.68	-1.495	2871	53.49	-0.700	2921	55.03	0.463	2971	56.63	0.028
2822	51.70	-1.233	2872	53.51	-0.311	2922	55.06	1.103	2972	56.67	0.047
2823	51.74	-0.963	2873	53.54	-0.046	2923	55.09	1.119	2973	56.70	0.689
2824	51.77	0.425	2874	53.58	1.974	2924	55.12	1.131	2974	56.73	1.331
2825	51.78	0.433	2875	53.62	2.620	2925	55.15	1.401	2975	56.77	0.101
2826	51.80	1.567	2876	53.66	2.638	2926	55.21	1.178	2976	56.81	-0.505
2827	51.81	1.949	2877	53.70	2.284	2927	55.25	0.952	2977	56.84	-1.987
2828	51.86	1.722	2878	53.74	2.555	2928	55.29	0.343	2978	56.89	-2.339
2829	51.92	0.504	2879	53.81	1.090	2929	55.32	-0.263	2979	56.95	-2.309
2830	51.98	-0.094	2880	53.85	-0.142	2930	55.34	-0.879	2980	57.00	-2.032
2831	52.00	-0.455	2881	53.88	-0.125	2931	55.38	-0.982	2981	57.03	-1.393
2832	52.03	-1.066	2882	53.91	-0.733	2932	55.43	-0.585	2982	57.07	-0.749
2833	52.07	-2.048	2883	53.95	0.535	2933	55.47	-0.314	2983	57.12	-0.348
2834	52.12	-0.771	2884	53.98	0.799	2934	55.50	0.703	2984	57.17	0.303
2835	52.17	0.881	2885	54.02	2.446	2935	55.53	0.469	2985	57.21	0.701
2836	52.21	2.149	2886	54.05	1.585	2936	55.59	1.750	2986	57.26	-0.526
2837	52.26	1.800	2887	54.08	1.225	2937	55.62	1.763	2987	57.30	-1.128
2838	52.32	1.580	2888	54.12	-0.601	2938	55.66	1.158	2988	57.35	-1.106
2839	52.38	0.735	2889	54.16	0.016	2939	55.70	0.179	2989	57.37	-1.466
2840	52.42	0.131	2890	54.20	0.035	2940	55.74	-0.675	2990	57.42	0.057
2841	52.43	-0.881	2891	54.21	-1.455	2941	55.77	-0.784	2991	57.46	0.704
2842	52.46	-0.598	2892	54.26	-2.434	2942	55.79	-0.150	2992	57.50	1.347
2843	52.49	0.669	2893	54.30	-2.163	2943	55.81	0.860	2993	57.55	0.248
2844	52.52	0.682	2894	54.33	-1.520	2944	55.83	1.748	2994	57.60	0.274
2845	52.54	0.692	2895	54.35	-1.513	2945	55.88	0.649	2995	57.63	-0.960
2846	52.58	1.338	2896	54.36	-0.881	2946	55.92	-0.081	2996	57.65	-1.573
2847	52.61	-0.395	2897	54.38	0.128	2947	55.96	-0.310	2997	57.68	-1.309
2848	52.65	-1.002	2898	54.39	-0.114	2948	55.99	-0.294	2998	57.72	-0.665
2849	52.67	-1.488	2899	54.41	-0.479	2949	56.03	-0.276	2999	57.74	-0.655
2850	52.70	-1.472	2900	54.44	-1.089	2950	56.06	-0.011	3000	57.77	0.361

INDEX NO. 837 907-GR-120 TAIRA BRIDGE U-D MAX.ACCEL.= 20.429(GAL) T= 9.89(SEC) NO.16

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3001	57.79	1.498	3051	59.92	-5.620	3101	61.97	1.033
3002	57.82	1.640	3052	59.95	-5.504	3102	61.99	1.169
3003	57.86	1.033	3053	59.95	-3.259	3103	62.02	-0.066
3004	57.89	1.672	3054	60.01	-2.972	3104	62.05	-1.266
3005	57.92	1.065	3055	60.05	-2.326	3105	62.14	-0.759
3006	57.97	-1.103	3056	60.10	-1.930	3106	62.16	-0.737
3007	57.98	-1.779	3057	60.11	-0.205	3107	62.21	-1.596
3008	58.02	-2.011	3058	60.17	-0.393	3108	62.24	-2.455
3009	58.04	-2.301	3059	60.22	-0.944	3109	62.27	-3.462
3010	58.05	-1.730	3060	60.25	-1.225	3110	62.31	-1.297
3011	58.12	-1.536	3061	60.28	-1.457	3111	62.35	0.348
3012	58.16	-1.310	3062	60.32	-1.442	3112	62.39	0.996
3013	58.19	-1.671	3063	60.41	0.106	3113	62.45	1.025
3014	58.23	-1.930	3064	60.45	-0.508	3114	62.51	-0.621
3015	58.27	-2.254	3065	60.52	1.415	3115	62.54	-0.853
3016	58.31	-1.612	3066	60.57	1.443	3116	62.57	-1.412
3017	58.36	-0.711	3067	60.64	-0.403	3117	62.61	-0.145
3018	58.42	0.073	3068	60.67	-1.261	3118	62.64	-0.130
3019	58.47	-0.277	3069	60.69	-2.240	3119	62.67	-0.360
3020	58.54	0.760	3070	60.72	-2.235	3120	62.72	-1.337
3021	58.56	1.657	3071	60.75	-1.592	3121	62.76	-1.598
3022	58.61	1.423	3072	60.79	-1.324	3122	62.82	-1.661
3023	58.65	-0.134	3073	60.81	-0.936	3123	62.89	-1.253
3024	58.70	-0.410	3074	60.84	-1.175	3124	62.93	-1.233
3025	58.75	-1.007	3075	60.88	-0.278	3125	62.96	-1.213
3026	58.81	-1.603	3076	60.92	-0.519			
3027	58.84	-2.213	3077	60.97	-2.169			
3028	58.86	-1.315	3078	60.98	-2.103			
3029	58.93	-0.040	3079	60.99	-2.348			
3030	59.01	-0.623	3080	61.07	-0.807			
3031	59.07	-0.340	3081	61.12	0.096			
3032	59.12	-0.814	3082	61.20	0.511			
3033	59.16	-1.418	3083	61.24	0.783			
3034	59.20	-2.025	3084	61.31	1.194			
3035	59.22	-2.014	3085	61.33	0.605			
3036	59.25	-1.123	3086	61.43	-0.020			
3037	59.28	0.146	3087	61.46	-2.479			
3038	59.34	1.050	3088	61.49	-3.342			
3039	59.40	1.458	3089	61.50	-4.458			
3040	59.45	0.860	3090	61.54	-2.941			
3041	59.51	-1.238	3091	61.55	-2.304			
3042	59.55	-1.341	3092	61.59	-0.414			
3043	59.58	-1.575	3093	61.63	0.355			
3044	59.61	-1.807	3094	61.70	0.016			
3045	59.65	-1.288	3095	61.78	-0.566			
3046	59.66	0.806	3096	61.83	-0.542			
3047	59.71	0.993	3097	61.91	-1.767			
3048	59.78	0.779	3098	61.91	-1.749			
3049	59.82	-1.071	3099	61.94	-3.405			
3050	59.87	-2.298	3100	61.96	0.776			

Table IX D-64 Digitized Accelerations of Earthquake Record with Index Number 838

INDEX NO. 838 907-GR-120 TAIRA BRIDGE LG. MAX.ACCEL.= 38.357(GAL) T=21.50(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.01	-3.095	51	0.63	-6.327	101	1.26	-2.182	151	1.85	-2.546
2	0.03	-3.091	52	0.64	-6.325	102	1.27	-2.179	152	1.87	-2.915
3	0.05	-4.034	53	0.65	-6.071	103	1.28	-2.176	153	1.89	-2.661
4	0.07	-4.331	54	0.66	-5.445	104	1.30	-3.296	154	1.91	-2.656
5	0.08	-4.329	55	0.67	-3.191	105	1.31	-3.920	155	1.92	-2.656
6	0.10	-4.699	56	0.69	-2.313	106	1.32	-5.792	156	1.93	-2.904
7	0.11	-4.696	57	0.70	-1.636	107	1.33	-6.165	157	1.94	-2.900
8	0.12	-4.445	58	0.72	-2.181	108	1.35	-6.410	158	1.95	-2.648
9	0.13	-3.493	59	0.74	-3.176	109	1.37	-6.157	159	1.96	-2.646
10	0.14	-2.191	60	0.75	-4.423	110	1.38	-4.279	160	1.97	-3.143
11	0.15	-0.812	61	0.77	-5.045	111	1.40	-1.774	161	1.98	-3.517
12	0.16	-0.135	62	0.78	-5.291	112	1.41	-0.271	162	1.99	-4.139
13	0.17	0.442	63	0.80	-5.283	113	1.43	1.357	163	2.00	-4.761
14	0.18	0.694	64	0.81	-5.411	114	1.44	1.609	164	2.01	-5.384
15	0.19	1.472	65	0.83	-5.406	115	1.45	2.237	165	2.02	-5.632
16	0.20	-0.801	66	0.84	-3.779	116	1.46	2.240	166	2.03	-5.630
17	0.21	-1.948	67	0.85	-3.775	117	1.48	0.744	167	2.04	-5.378
18	0.22	-1.046	68	0.86	-4.023	118	1.49	0.497	168	2.05	-5.126
19	0.24	-1.042	69	0.87	-4.396	119	1.50	-1.127	169	2.06	-4.498
20	0.25	-1.038	70	0.89	-4.393	120	1.51	-1.374	170	2.07	-4.121
21	0.27	-0.785	71	0.89	-4.392	121	1.52	-1.371	171	2.08	-3.869
22	0.29	-0.530	72	0.90	-4.138	122	1.53	-1.494	172	2.09	-3.492
23	0.30	-1.027	73	0.92	-3.759	123	1.54	-1.491	173	2.10	-3.239
24	0.31	-1.649	74	0.93	-4.007	124	1.56	-0.862	174	2.12	-3.235
25	0.33	-2.395	75	0.95	-4.378	125	1.57	-0.860	175	2.14	-4.104
26	0.34	-3.517	76	0.96	-4.375	126	1.58	-1.357	176	2.15	-4.353
27	0.35	-3.517	77	0.98	-4.622	127	1.59	-1.355	177	2.16	-4.725
28	0.36	-3.514	78	0.99	-4.118	128	1.60	-1.729	178	2.17	-4.722
29	0.37	-3.201	79	1.00	-3.116	129	1.62	-3.223	179	2.18	-4.720
30	0.38	-2.334	80	1.01	-2.439	130	1.63	-3.847	180	2.19	-3.844
31	0.39	-2.008	81	1.02	-1.610	131	1.64	-6.093	181	2.20	-3.841
32	0.40	-2.005	82	1.03	-1.233	132	1.65	-6.717	182	2.21	-4.088
33	0.41	-2.628	83	1.04	-1.232	133	1.66	-6.715	183	2.22	-4.335
34	0.42	-3.250	84	1.05	-0.979	134	1.67	-6.712	184	2.24	-4.706
35	0.44	-4.744	85	1.06	-0.602	135	1.68	-6.085	185	2.27	-4.451
36	0.45	-5.365	86	1.07	-0.599	136	1.69	-6.083	186	2.29	-2.820
37	0.46	-5.366	87	1.09	0.029	137	1.70	-5.456	187	2.31	-1.315
38	0.47	-5.739	88	1.10	0.031	138	1.71	-4.829	188	2.33	1.189
39	0.48	-5.986	89	1.11	-0.591	139	1.72	-4.827	189	2.34	3.691
40	0.49	-6.358	90	1.12	-1.213	140	1.73	-4.574	190	2.35	4.068
41	0.51	-6.355	91	1.13	-2.686	141	1.74	-4.822	191	2.36	5.946
42	0.52	-5.102	92	1.14	-2.709	142	1.75	-4.819	192	2.37	7.947
43	0.53	-4.475	93	1.15	-3.706	143	1.76	-3.941	193	2.38	8.824
44	0.54	-4.473	94	1.16	-3.955	144	1.77	-3.565	194	2.39	8.826
45	0.55	-4.095	95	1.17	-4.733	145	1.78	-2.938	195	2.40	8.580
46	0.56	-4.467	96	1.18	-4.975	146	1.79	-2.936	196	2.41	6.706
47	0.58	-5.088	97	1.19	-3.446	147	1.80	-2.683	197	2.42	4.208
48	0.59	-5.336	98	1.21	-3.063	148	1.81	-2.304	198	2.44	-0.037
49	0.61	-5.957	99	1.22	-2.316	149	1.83	-2.551	199	2.45	-0.285
50	0.62	-6.330	100	1.24	-2.437	150	1.84	-2.549	200	2.46	-0.906

INDEX NO. 838 907-GR-126 TAIRA BRIDGE LG. MAX.ACCEL.= 38.357(GAL) T=21.59(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	2.48	-1.152	251	3.17	-1.494	301	4.02	-4.674	351	4.62	1.461
202	2.49	-2.149	252	3.18	-1.242	302	4.03	-4.047	352	4.63	1.713
203	2.51	-3.021	253	3.20	-1.238	303	4.04	-4.044	353	4.64	1.467
204	2.52	-3.644	254	3.21	-1.735	304	4.05	-4.232	354	4.66	1.471
205	2.53	-4.316	255	3.22	-3.357	305	4.08	-7.034	355	4.67	1.222
206	2.55	-4.262	256	3.23	-4.230	306	4.09	-8.407	356	4.68	0.851
207	2.57	-4.633	257	3.25	-5.227	307	4.10	-8.405	357	4.69	0.603
208	2.60	-4.001	258	3.26	-5.849	308	4.11	-9.403	358	4.70	-0.395
209	2.62	-4.247	259	3.28	-6.465	309	4.12	-9.400	359	4.71	-0.643
210	2.63	-3.366	260	3.30	-6.215	310	4.13	-8.149	360	4.73	-1.638
211	2.65	-2.363	261	3.32	-5.585	311	4.15	-5.645	361	4.74	-2.260
212	2.66	-1.061	262	3.35	-2.733	312	4.16	-3.768	362	4.75	-2.884
213	2.67	-1.234	263	3.41	1.436	313	4.18	1.963	363	4.76	-4.756
214	2.68	-0.607	264	3.43	3.691	314	4.19	2.866	364	4.77	-6.004
215	2.69	-0.230	265	3.45	4.965	315	4.20	4.118	365	4.78	-6.627
216	2.70	-0.851	266	3.46	5.196	316	4.21	4.495	365	4.79	-7.250
217	2.72	-2.397	267	3.47	5.575	317	4.22	4.496	367	4.81	-7.246
218	2.75	-4.217	268	3.48	5.578	318	4.23	4.749	368	4.82	-6.993
219	2.76	-5.463	269	3.50	5.831	319	4.24	5.377	369	4.83	-6.990
220	2.77	-5.460	270	3.51	4.959	320	4.25	6.129	370	4.84	-6.989
221	2.78	-7.334	271	3.53	3.464	321	4.26	7.006	371	4.85	-7.987
222	2.79	-8.457	272	3.56	1.595	322	4.27	7.632	372	4.86	-9.484
223	2.80	-9.079	273	3.59	-1.898	323	4.28	9.636	373	4.87	-9.483
224	2.81	-9.327	274	3.61	-5.019	324	4.29	10.262	374	4.88	-9.486
225	2.83	-9.323	275	3.63	-7.139	325	4.31	10.691	375	4.89	-9.228
226	2.84	-9.072	276	3.64	-7.886	326	4.32	9.269	376	4.90	-8.369
227	2.86	-8.192	277	3.66	-8.853	327	4.33	7.771	377	4.92	-7.970
228	2.87	-8.190	278	3.67	-9.129	328	4.34	6.523	378	4.94	-6.966
229	2.88	-8.186	279	3.69	-10.125	329	4.35	5.651	379	4.95	-6.963
230	2.89	-6.434	280	3.71	-10.121	330	4.37	5.030	380	4.97	-6.085
231	2.90	-8.432	281	3.73	-8.616	331	4.38	3.783	381	4.99	-5.205
232	2.92	-9.678	282	3.74	-6.112	332	4.39	3.410	382	5.00	-4.201
233	2.93	-10.674	283	3.76	-1.733	333	4.40	3.162	383	5.03	-2.694
234	2.95	-10.671	284	3.79	2.524	334	4.42	1.792	384	5.07	-1.436
235	2.96	-10.042	285	3.82	5.031	335	4.43	-0.081	385	5.09	-1.057
236	2.97	-8.415	286	3.83	5.033	336	4.44	-2.953	386	5.10	-1.054
237	2.98	-7.539	287	3.85	6.913	337	4.45	-6.951	387	5.11	-0.802
238	2.99	-5.912	288	3.86	7.165	338	4.46	-7.699	388	5.13	1.578
239	3.00	-4.034	289	3.87	7.166	339	4.47	-8.947	389	5.15	3.707
240	3.01	-2.158	290	3.88	7.169	340	4.48	-9.945	390	5.16	4.085
241	3.03	-0.903	291	3.89	6.672	341	4.49	-8.067	391	5.17	5.588
242	3.05	-1.148	292	3.91	4.601	342	4.51	-6.563	392	5.18	5.591
243	3.06	-1.770	293	3.92	1.053	343	4.52	-5.936	393	5.20	5.344
244	3.08	-2.765	294	3.93	-3.943	344	4.53	-4.684	394	5.24	3.479
245	3.10	-3.011	295	3.94	-4.642	345	4.54	-4.055	395	5.29	2.239
246	3.11	-3.385	296	3.95	-5.615	346	4.56	-2.802	396	5.31	1.369
247	3.12	-3.632	297	3.96	-6.187	347	4.56	-2.173	397	5.32	0.748
248	3.13	-3.629	298	3.98	-6.163	348	4.59	-0.919	398	5.33	0.374
249	3.14	-3.627	299	3.99	-5.604	349	4.60	-0.543	399	5.34	0.378
250	3.15	-2.748	300	4.01	-4.925	350	4.61	0.634	400	5.36	0.381

INDEX NO. 838 907-GR-126 TAIRA BRIDGE LG. MAX.ACCEL.= 38.357(GAL) T=21.50(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	5.37	0.634	451	6.12	7.058	501	6.85	-0.529	551	7.44	1.482
402	5.39	1.264	452	6.13	9.685	502	6.86	-1.402	552	7.45	1.110
403	5.41	1.643	453	6.14	11.313	503	6.88	-3.647	553	7.46	2.362
404	5.43	2.272	454	6.15	13.440	504	6.89	-6.144	554	7.47	3.614
405	5.47	1.281	455	6.16	13.443	505	6.91	-10.014	555	7.48	4.867
406	5.48	0.786	456	6.17	13.819	506	6.92	-11.886	556	7.49	5.869
407	5.50	-0.210	457	6.18	13.822	507	6.93	-12.510	557	7.50	6.746
408	5.52	-2.081	458	6.19	12.949	508	6.94	-14.632	558	7.51	6.499
409	5.53	-3.578	459	6.21	10.703	509	6.96	-16.003	559	7.52	6.500
410	5.54	-4.200	460	6.22	8.206	510	6.98	-13.874	560	7.53	5.003
411	5.56	-7.072	461	6.23	7.582	511	6.99	-6.247	561	7.54	4.380
412	5.57	-8.369	462	6.24	6.709	512	7.00	-2.869	562	7.55	3.132
413	5.59	-9.690	463	6.25	5.713	513	7.01	1.383	563	7.56	0.635
414	5.60	-9.687	464	6.27	5.717	514	7.02	4.511	564	7.57	0.262
415	5.61	-9.684	465	6.28	6.345	515	7.03	6.012	565	7.58	-1.859
416	5.63	-11.555	466	6.30	6.973	516	7.04	7.016	566	7.59	-1.858
417	5.64	-11.552	467	6.31	7.225	517	7.05	4.892	567	7.60	-0.981
418	5.66	-11.799	468	6.32	7.603	518	7.06	3.644	568	7.61	3.021
419	5.67	-12.171	469	6.33	7.604	519	7.07	-1.978	569	7.62	8.275
420	5.69	-12.167	470	6.35	8.109	520	7.08	-7.476	570	7.64	18.030
421	5.70	-11.915	471	6.36	5.112	521	7.09	-8.724	571	7.65	20.157
422	5.71	-10.036	472	6.38	4.490	522	7.10	-9.597	572	7.66	22.034
423	5.72	-6.284	473	6.39	2.993	523	7.11	-12.094	573	7.67	23.662
424	5.74	-3.156	474	6.40	1.996	524	7.12	-13.093	574	7.69	23.415
425	5.75	-1.527	475	6.42	1.375	525	7.13	-13.090	575	7.70	21.543
426	5.76	-0.900	476	6.43	1.127	526	7.14	-13.087	576	7.71	19.670
427	5.76	-1.520	477	6.44	0.629	527	7.16	-13.003	577	7.73	15.174
428	5.81	-1.764	478	6.45	0.633	528	7.17	-13.030	578	7.74	8.553
429	5.83	-4.008	479	6.47	0.886	529	7.18	-13.076	579	7.75	7.055
430	5.85	-4.630	480	6.49	1.515	530	7.19	-13.075	580	7.76	6.682
431	5.86	-6.502	481	6.50	2.144	531	7.20	-13.322	581	7.77	7.935
432	5.87	-7.999	482	6.53	2.774	532	7.21	-13.945	582	7.78	9.187
433	5.88	-8.622	483	6.55	3.405	533	7.22	-14.568	583	7.79	9.813
434	5.90	-8.992	484	6.59	4.039	534	7.24	-15.065	584	7.80	10.440
435	5.91	-8.739	485	6.61	4.669	535	7.25	-15.686	585	7.81	11.319
436	5.92	-8.364	486	6.64	4.425	536	7.26	-15.683	586	7.82	11.071
437	5.94	-8.359	487	6.66	3.555	537	7.27	-16.557	587	7.84	10.825
438	5.95	-3.355	488	6.68	2.559	538	7.28	-16.304	588	7.87	9.833
439	5.96	-9.604	489	6.70	1.314	539	7.29	-15.677	589	7.89	8.587
440	5.97	-11.101	490	6.71	0.691	540	7.31	-13.798	590	7.90	7.715
441	5.98	-12.368	491	6.72	-0.806	541	7.32	-9.419	591	7.93	5.846
442	5.99	-13.346	492	6.74	-1.803	542	7.34	-4.666	592	7.95	4.849
443	6.00	-13.534	493	6.75	-1.802	543	7.35	0.336	593	7.96	4.227
444	6.01	-15.591	494	6.76	-1.799	544	7.36	3.589	594	7.97	2.730
445	6.02	-15.340	495	6.77	-1.171	545	7.37	7.967	595	7.98	2.357
446	6.04	-14.711	496	6.78	-1.170	546	7.38	8.468	596	7.99	1.485
447	6.05	-12.834	497	6.80	-0.165	547	7.39	9.095	597	8.00	1.987
448	6.06	-9.955	498	6.81	0.087	548	7.40	9.097	598	8.02	3.867
449	6.07	-5.579	499	6.82	0.340	549	7.42	5.102	599	8.03	6.745
450	6.10	1.179	500	6.83	0.092	550	7.43	3.230	600	8.04	7.996

INDEX NO. 838 907-GR-126 TAIRA BRIDGE LG. MAX.ACCEL.= 36.357(GAL) T=21.50(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	8.05	9.509	651	8.61	-10.246	701	9.24	-6.601	751	9.86	9.291
602	8.07	9.502	652	8.62	-10.496	702	9.26	-17.097	752	9.87	11.168
603	8.08	8.380	653	8.63	-11.741	703	9.27	-21.718	753	9.88	14.296
604	8.09	5.257	654	8.64	-11.240	704	9.28	-22.092	754	9.89	17.299
605	8.10	2.134	655	8.65	-9.363	705	9.29	-22.841	755	9.90	18.175
606	8.11	-1.486	656	8.66	-6.860	706	9.30	-23.088	756	9.91	20.054
607	8.12	-1.735	657	8.67	3.017	707	9.31	-21.336	757	9.92	19.806
608	8.13	-2.108	658	8.68	5.645	708	9.32	-15.333	758	9.93	20.057
609	8.14	-1.231	659	8.69	12.523	709	9.34	-11.954	759	9.94	15.436
610	8.15	-0.603	660	8.70	13.400	710	9.37	-6.697	760	9.96	10.815
611	8.16	0.649	661	8.71	13.777	711	9.38	-5.069	761	9.97	4.067
612	8.17	2.028	662	8.72	12.279	712	9.39	-2.567	762	9.98	-0.056
613	8.18	2.279	663	8.74	7.407	713	9.40	2.612	763	9.99	-0.679
614	8.19	2.280	664	8.75	6.660	714	9.41	4.589	764	10.00	-1.052
615	8.20	2.533	665	8.76	3.788	715	9.42	6.941	765	10.02	3.328
616	8.22	-2.088	666	8.77	3.164	716	9.43	7.943	766	10.04	11.208
617	8.23	-9.959	667	8.78	2.542	717	9.44	8.195	767	10.05	17.962
618	8.24	-21.081	668	8.80	2.797	718	9.47	6.951	768	10.06	20.464
619	8.25	-23.704	669	8.84	5.305	719	9.48	1.953	769	10.07	21.966
620	8.26	-30.951	670	8.86	5.186	720	9.49	-6.168	770	10.08	22.343
621	8.27	-33.449	671	8.87	9.439	721	9.50	-10.290	771	10.09	22.346
622	8.28	-34.698	672	8.88	10.316	722	9.51	-11.288	772	10.10	19.223
623	8.29	-35.320	673	8.89	13.943	723	9.52	-11.537	773	10.11	17.100
624	8.30	-34.193	674	8.90	11.571	724	9.53	-12.159	774	10.13	10.228
625	8.31	-28.565	675	8.92	11.951	725	9.55	-12.156	775	10.14	6.356
626	8.32	-24.439	676	8.93	10.453	726	9.57	-11.901	776	10.15	5.358
627	8.33	-13.935	677	8.95	7.581	727	9.58	-11.899	777	10.16	2.861
628	8.34	-10.810	678	8.96	5.459	728	9.59	-11.645	778	10.18	-0.634
629	8.35	-7.933	679	8.98	4.214	729	9.60	-11.642	779	10.20	-2.256
630	8.36	-5.055	680	9.00	4.468	730	9.61	-11.890	780	10.21	-3.502
631	8.37	-4.926	681	9.02	5.348	731	9.62	-12.764	781	10.23	-3.748
632	8.39	-12.796	682	9.04	6.352	732	9.64	-15.384	782	10.24	-3.745
633	8.40	-20.419	683	9.05	6.986	733	9.65	-17.632	783	10.25	-3.243
634	8.41	-22.667	684	9.06	7.858	734	9.66	-19.504	784	10.27	-3.488
635	8.42	-24.915	685	9.07	7.860	735	9.67	-20.377	785	10.29	-1.984
636	8.43	-25.768	686	9.08	3.238	736	9.68	-20.750	786	10.31	-0.353
637	8.44	-26.161	687	9.09	7.989	737	9.69	-21.998	787	10.32	-0.101
638	8.45	-25.534	688	9.10	6.992	738	9.70	-21.370	788	10.33	0.901
639	8.46	-19.905	689	9.11	6.118	739	9.71	-20.743	789	10.34	0.903
640	8.47	-15.904	690	9.12	3.871	740	9.72	-19.865	790	10.35	0.031
641	8.49	-12.275	691	9.13	2.998	741	9.73	-17.989	791	10.38	0.037
642	8.50	-9.773	692	9.14	2.376	742	9.74	-14.736	792	10.40	-0.584
643	8.51	-7.644	693	9.15	2.378	743	9.75	-10.734	793	10.42	-2.203
644	8.53	-5.016	694	9.16	1.506	744	9.77	-5.605	794	10.44	-3.199
645	8.54	-2.766	695	9.17	1.883	745	9.78	3.523	795	10.46	-4.070
646	8.55	-0.885	696	9.18	1.686	746	9.79	5.151	796	10.48	-5.565
647	8.57	-0.037	697	9.20	1.264	747	9.80	6.902	797	10.49	-6.687
648	8.58	-2.753	698	9.21	1.017	748	9.83	6.410	798	10.52	-7.931
649	8.59	-4.252	699	9.22	0.018	749	9.84	6.861	799	10.53	-8.552
650	8.60	-7.374	700	9.23	-1.055	750	9.85	7.914	800	10.54	-8.801

INDEX NO. 838 907-GR-126 TAIRA BRIDGE LG. MAX.ACCEL.= 38.357(GAL) T=21.50(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	10.55	-9.548	851	11.08	17.575	901	11.64	-17.170	951	12.20	2.710
802	10.56	-9.797	852	11.09	18.202	902	11.65	-17.793	952	12.21	-3.037
803	10.57	-10.669	853	11.10	19.455	903	11.66	-18.790	953	12.22	-3.910
804	10.58	-12.292	854	11.11	19.707	904	11.67	-16.913	954	12.23	-3.909
805	10.59	-14.289	855	11.12	16.833	905	11.69	-14.410	955	12.24	-2.031
806	10.60	-16.787	856	11.13	16.962	906	11.70	-9.906	956	12.25	0.972
807	10.61	-18.285	857	11.14	14.463	907	11.71	-8.405	957	12.27	5.726
808	10.62	-21.407	858	11.15	9.340	908	11.72	-6.153	958	12.29	10.231
809	10.63	-21.780	859	11.16	3.093	909	11.73	-3.650	959	12.30	11.483
810	10.64	-20.902	860	11.17	-7.155	910	11.75	-0.771	960	12.31	12.986
811	10.65	-18.650	861	11.18	-14.777	911	11.76	2.733	961	12.32	13.362
812	10.66	-14.898	862	11.19	-22.400	912	11.79	4.738	962	12.33	13.988
813	10.67	-9.146	863	11.20	-24.272	913	11.80	5.866	963	12.34	13.742
814	10.68	-3.894	864	11.22	-25.268	914	11.81	7.119	964	12.35	12.119
815	10.69	6.609	865	11.23	-21.516	915	11.82	8.996	965	12.36	10.622
816	10.70	11.362	866	11.24	-7.639	916	11.83	11.376	966	12.38	6.876
817	10.71	18.989	867	11.26	12.117	917	11.84	14.126	967	12.40	3.381
818	10.72	22.742	868	11.27	20.119	918	11.85	15.129	968	12.43	-1.112
819	10.73	27.243	869	11.28	23.871	919	11.86	15.504	969	12.47	-5.853
820	10.74	31.371	870	11.29	24.497	920	11.87	14.508	970	12.50	-9.971
821	10.75	33.374	871	11.30	25.625	921	11.88	14.510	971	12.51	-11.844
822	10.76	33.376	872	11.31	21.254	922	11.89	13.263	972	12.52	-12.716
823	10.77	33.377	873	11.32	17.630	923	11.90	13.016	973	12.53	-13.840
824	10.78	33.130	874	11.33	9.758	924	11.91	13.617	974	12.54	-14.713
825	10.79	32.507	875	11.34	7.260	925	11.92	13.020	975	12.55	-15.959
826	10.80	30.260	876	11.35	6.011	926	11.93	13.021	976	12.56	-16.582
827	10.81	26.513	877	11.37	5.891	927	11.94	13.024	977	12.58	-16.578
828	10.82	19.515	878	11.38	6.644	928	11.95	13.026	978	12.59	-15.450
829	10.83	9.266	879	11.39	6.520	929	11.96	11.154	979	12.60	-15.074
830	10.84	-9.981	880	11.40	7.524	930	11.97	9.281	980	12.61	-11.946
831	10.85	-22.728	881	11.41	7.276	931	11.98	8.033	981	12.62	-10.070
832	10.86	-28.726	882	11.42	5.653	932	11.99	3.909	982	12.64	-4.314
833	10.87	-32.223	883	11.43	-13.363	933	12.00	-8.461	983	12.65	-2.437
834	10.88	-33.221	884	11.45	-21.965	934	12.01	-12.209	984	12.66	1.316
835	10.89	-33.844	885	11.46	-25.088	935	12.02	-15.207	985	12.67	2.067
836	10.90	-31.718	886	11.47	-31.209	936	12.03	-18.580	986	12.69	3.947
837	10.91	-26.716	887	11.48	-32.457	937	12.04	-20.203	987	12.72	4.954
838	10.92	-16.212	888	11.49	-32.705	938	12.05	-20.200	988	12.74	5.833
839	10.94	5.168	889	11.50	-34.077	939	12.06	-18.073	989	12.75	6.837
840	10.96	12.423	890	11.51	-32.826	940	12.07	-15.195	990	12.76	6.839
841	10.97	14.298	891	11.52	-29.073	941	12.08	-9.569	991	12.77	6.466
842	10.98	14.926	892	11.55	-21.066	942	12.10	-1.698	992	12.79	6.220
843	10.99	14.927	893	11.56	-16.063	943	12.11	8.438	993	12.80	5.223
844	11.00	14.056	894	11.57	-13.688	944	12.12	13.962	994	12.81	4.349
845	11.01	12.433	895	11.58	-12.185	945	12.13	17.319	995	12.82	2.727
846	11.02	9.684	896	11.59	-8.808	946	12.14	19.071	996	12.83	-0.646
847	11.03	4.688	897	11.60	+7.806	947	12.15	19.698	997	12.85	-8.641
848	11.04	4.315	898	11.61	+8.428	948	12.17	17.202	998	12.87	-15.636
849	11.05	6.443	899	11.62	+9.926	949	12.18	12.586	999	12.88	+18.134
850	11.07	10.572	900	11.63	-14.672	950	12.19	5.458	1000	12.89	-16.755

INDEX NO. 838 907-GR-126 TAIRA BRIDGE LG. MAX.ACCEL.= 38.357(GAL) T=21.50(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	12.91	-18.502	1051	13.54	-12.231	1101	14.22	-1.201	1151	14.80	-8.444
1002	12.92	-16.125	1052	13.55	-16.355	1102	14.23	-2.074	1152	14.81	-10.693
1003	12.93	-14.122	1053	13.56	-17.978	1103	14.24	-2.947	1153	14.82	-14.190
1004	12.94	-17.245	1054	13.57	-19.349	1104	14.25	-5.344	1154	14.83	-15.813
1005	12.96	-16.241	1055	13.58	-19.223	1105	14.26	-6.692	1155	14.84	-17.311
1006	12.97	-13.488	1056	13.60	-17.344	1106	14.27	-7.066	1156	14.85	-18.308
1007	12.98	-11.486	1057	13.61	-11.716	1107	14.28	-6.063	1157	14.87	-18.305
1008	13.00	-9.357	1058	13.64	-5.335	1108	14.30	-6.436	1158	14.88	-17.426
1009	13.01	-8.479	1059	13.65	-3.208	1109	14.31	-4.932	1159	14.90	-16.797
1010	13.03	-7.474	1060	13.66	1.046	1110	14.32	-4.555	1160	14.91	-14.921
1011	13.05	-6.845	1061	13.68	0.801	1111	14.33	-3.302	1161	14.92	-13.667
1012	13.06	-6.842	1062	13.69	1.052	1112	14.34	-3.059	1162	14.93	-12.041
1013	13.07	-6.590	1063	13.70	1.055	1113	14.35	-3.208	1163	14.94	-10.789
1014	13.08	-5.462	1064	13.72	1.059	1114	14.36	-3.920	1164	14.95	-9.285
1015	13.09	-4.564	1065	13.73	4.137	1115	14.37	-5.166	1165	14.96	-9.283
1016	13.11	-3.332	1066	13.74	6.938	1116	14.38	-5.790	1166	14.97	-9.280
1017	13.12	-1.703	1067	13.75	9.816	1117	14.39	-5.788	1167	14.98	-8.903
1018	13.13	-1.076	1068	13.76	9.818	1118	14.40	-6.036	1168	15.00	-8.900
1019	13.15	0.427	1069	13.77	9.321	1119	14.41	-5.533	1169	15.01	-8.022
1020	13.16	2.431	1070	13.79	6.700	1120	14.42	-3.906	1170	15.02	-7.895
1021	13.18	10.435	1071	13.80	7.203	1121	14.43	-2.028	1171	15.03	-5.018
1022	13.20	20.566	1072	13.81	7.204	1122	14.44	1.348	1172	15.04	-1.640
1023	13.21	25.693	1073	13.82	6.207	1123	14.46	7.478	1173	15.06	4.115
1024	13.23	28.447	1074	13.83	5.585	1124	14.47	8.731	1174	15.07	5.742
1025	13.24	29.624	1075	13.84	7.713	1125	14.48	9.983	1175	15.08	5.744
1026	13.25	29.201	1076	13.85	9.965	1126	14.49	12.235	1176	15.09	5.996
1027	13.26	26.078	1077	13.86	11.217	1127	14.51	13.238	1177	15.10	5.999
1028	13.27	21.955	1078	13.88	12.471	1128	14.52	13.866	1178	15.11	6.626
1029	13.28	16.634	1079	13.89	14.973	1129	14.53	14.119	1179	15.12	7.004
1030	13.29	17.210	1080	13.90	16.851	1130	14.54	14.247	1180	15.13	7.631
1031	13.30	12.837	1081	13.91	16.228	1131	14.56	13.875	1181	15.14	8.258
1032	13.31	11.841	1082	13.93	13.732	1132	14.57	12.003	1182	15.15	8.261
1033	13.32	11.217	1083	13.94	9.985	1133	14.59	9.257	1183	15.16	8.887
1034	13.33	11.469	1084	13.95	4.362	1134	14.60	6.364	1184	15.17	7.389
1035	13.35	10.973	1085	13.97	-2.634	1135	14.61	4.886	1185	15.19	5.143
1036	13.37	6.853	1086	13.98	-14.330	1136	14.62	1.889	1186	15.20	1.771
1037	13.39	2.233	1087	14.01	-17.500	1137	14.63	-1.858	1187	15.21	-1.102
1038	13.40	-4.014	1088	14.02	-20.622	1138	14.64	-3.730	1188	15.22	-1.725
1039	13.41	-4.887	1089	14.04	-22.992	1139	14.65	-3.729	1189	15.23	-1.972
1040	13.42	-6.885	1090	14.05	-23.865	1140	14.67	-1.599	1190	15.24	-2.345
1041	13.43	-7.506	1091	14.06	-23.863	1141	14.68	0.027	1191	15.25	-1.717
1042	13.44	-6.005	1092	14.07	-23.610	1142	14.69	3.155	1192	15.27	-1.714
1043	13.45	-4.503	1093	14.08	-24.482	1143	14.70	7.783	1193	15.28	-2.336
1044	13.46	-2.251	1094	14.09	-23.356	1144	14.71	9.660	1194	15.30	-2.957
1045	13.47	0.878	1095	14.12	-17.099	1145	14.72	12.037	1195	15.31	-3.580
1046	13.48	1.504	1096	14.15	-8.840	1146	14.73	14.540	1196	15.32	-5.827
1047	13.49	1.756	1097	14.16	-6.592	1147	14.74	15.167	1197	15.33	-7.074
1048	13.50	1.256	1098	14.19	-3.709	1148	14.75	13.044	1198	15.34	-7.072
1049	13.51	-1.814	1099	14.20	-3.082	1149	14.76	10.171	1199	15.35	-7.695
1050	13.52	-5.987	1100	14.21	-1.453	1150	14.77	6.174	1200	15.37	-5.316

INDEX NO. 838 907-GR-126 TAIRA BRIDGE LG. MAX.ACCEL.= 38.357(GAL) T=21.50(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	15.38	-2.189	1251	15.97	-1.928	1301	16.55	-11.418	1351	17.28	0.127
1202	15.39	4.314	1252	15.98	-0.926	1302	16.56	-10.166	1352	17.29	0.505
1203	15.41	12.194	1253	16.00	-0.546	1303	16.58	-8.912	1353	17.31	-1.365
1204	15.42	15.947	1254	16.01	0.581	1304	16.60	-7.283	1354	17.33	-2.861
1205	15.43	20.450	1255	16.02	0.959	1305	16.61	-6.030	1355	17.36	-6.979
1206	15.44	20.826	1256	16.03	0.710	1306	16.62	-5.026	1356	17.37	-7.853
1207	15.46	21.330	1257	16.04	0.337	1307	16.64	-4.022	1357	17.38	-9.724
1208	15.48	10.585	1258	16.05	0.591	1308	16.66	-2.518	1358	17.39	-10.098
1209	15.49	7.212	1259	16.06	0.968	1309	16.67	-0.016	1359	17.40	-10.345
1210	15.50	4.089	1260	16.09	0.972	1310	16.68	0.988	1360	17.41	-10.967
1211	15.51	1.841	1261	16.09	2.475	1311	16.70	0.992	1361	17.42	-10.090
1212	15.52	0.218	1262	16.10	3.477	1312	16.72	0.745	1362	17.44	-9.212
1213	15.53	-0.030	1263	16.11	3.478	1313	16.73	-1.126	1363	17.45	-7.958
1214	15.54	-0.652	1264	16.12	3.231	1314	16.74	-2.748	1364	17.47	-6.704
1215	15.55	1.102	1265	16.13	1.983	1315	16.76	-4.246	1365	17.48	-4.203
1216	15.56	2.104	1266	16.14	0.735	1316	16.77	-6.117	1366	17.49	-1.324
1217	15.57	3.356	1267	16.15	-0.887	1317	16.78	-7.115	1367	17.51	3.179
1218	15.58	4.638	1268	16.16	-1.760	1318	16.80	-8.610	1368	17.53	10.310
1219	15.59	4.659	1269	16.17	-2.132	1319	16.82	-8.357	1369	17.54	12.312
1220	15.60	5.863	1270	16.18	-2.755	1320	16.83	-7.729	1370	17.55	13.564
1221	15.61	5.865	1271	16.20	-0.251	1321	16.85	-7.974	1371	17.56	15.191
1222	15.63	2.493	1272	16.22	3.130	1322	16.87	-6.845	1372	17.57	15.444
1223	15.64	-3.503	1273	16.23	4.383	1323	16.89	-3.956	1373	17.58	14.947
1224	15.66	-5.124	1274	16.24	6.260	1324	16.91	-2.085	1374	17.60	13.951
1225	15.67	-5.122	1275	16.25	6.886	1325	16.95	0.423	1375	17.62	12.081
1226	15.68	-4.620	1276	16.26	7.264	1326	16.96	1.052	1376	17.64	8.711
1227	15.69	-3.369	1277	16.27	6.641	1327	16.97	2.304	1377	17.66	7.715
1228	15.70	-1.739	1278	16.28	6.018	1328	16.98	3.681	1378	17.67	5.218
1229	15.72	-0.236	1279	16.29	4.521	1329	17.00	4.935	1379	17.68	4.344
1230	15.73	2.017	1280	16.30	2.273	1330	17.01	5.187	1380	17.69	2.346
1231	15.74	3.394	1281	16.31	0.400	1331	17.02	4.690	1381	17.70	2.349
1232	15.75	5.021	1282	16.32	-2.346	1332	17.03	4.317	1382	17.71	1.977
1233	15.76	6.025	1283	16.33	-3.596	1333	17.04	1.570	1383	17.72	2.230
1234	15.77	8.651	1284	16.34	-4.593	1334	17.06	-0.051	1384	17.73	2.608
1235	15.78	11.654	1285	16.35	-4.964	1335	17.07	-1.922	1385	17.75	3.236
1236	15.79	13.157	1286	16.36	-3.463	1336	17.09	-3.168	1386	17.76	3.864
1237	15.80	14.159	1287	16.37	-0.960	1337	17.10	-4.915	1387	17.78	4.119
1238	15.81	15.035	1288	16.38	0.293	1338	17.12	-5.162	1388	17.79	4.746
1239	15.82	15.913	1289	16.39	0.545	1339	17.13	-6.033	1389	17.80	6.374
1240	15.83	14.790	1290	16.40	1.547	1340	17.15	-7.279	1390	17.81	8.500
1241	15.85	9.170	1291	16.41	11.549	1341	17.16	-9.151	1391	17.82	9.503
1242	15.86	4.173	1292	16.42	-0.576	1342	17.18	-11.021	1392	17.83	10.130
1243	15.87	2.799	1293	16.43	-3.072	1343	17.19	-11.644	1393	17.84	11.132
1244	15.89	-0.572	1294	16.44	+12.318	1344	17.21	-12.015	1394	17.85	12.385
1245	15.90	-1.819	1295	16.46	+15.440	1345	17.22	-11.763	1395	17.87	13.014
1246	15.91	-2.817	1296	16.47	+19.438	1346	17.23	-8.685	1396	17.88	13.017
1247	15.92	-2.814	1297	16.49	+19.803	1347	17.24	-5.757	1397	17.90	13.396
1248	15.93	-2.563	1298	16.50	+15.556	1348	17.25	-3.880	1398	17.91	13.649
1249	15.94	-2.310	1299	16.51	+16.427	1349	17.26	-2.629	1399	17.93	14.030
1250	15.96	-2.556	1300	16.54	+13.547	1350	17.27	-0.126	1400	17.95	13.158

土木構造物における加速度強震記録（No.9）

INDEX NO. 838 907-GR-126 TAIRA BRIDGE LG. MAX.ACCEL.= 38.357(GAL) T=21.50(SEC) NO. 8

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1401	17.96	13.412	1451	18.80	-16.441	1501	19.26	11.836	1551	19.91	-5.015
1402	17.98	12.541	1452	18.81	-16.340	1502	19.27	6.839	1552	19.92	-3.261
1403	18.00	12.546	1453	18.83	-14.685	1503	19.29	3.343	1553	19.93	-2.383
1404	18.02	12.799	1454	18.85	-9.054	1504	19.30	-1.654	1554	19.94	-1.756
1405	18.03	12.802	1455	18.86	-7.428	1505	19.31	-3.278	1555	19.95	-1.753
1406	18.04	13.054	1456	18.87	-4.926	1506	19.32	-3.525	1556	19.96	-2.001
1407	18.05	12.557	1457	18.89	-2.048	1507	19.33	-3.523	1557	19.98	-3.246
1408	18.07	12.561	1458	18.89	-1.422	1508	19.34	-3.521	1558	19.99	-4.496
1409	18.08	11.938	1459	18.70	-2.294	1509	19.35	-3.019	1559	20.00	-5.368
1410	18.10	11.317	1460	18.71	-2.916	1510	19.36	-2.642	1560	20.01	-6.365
1411	18.12	9.697	1461	18.72	-3.163	1511	19.37	-1.764	1561	20.02	-6.614
1412	18.13	9.451	1462	18.73	-4.160	1512	19.39	-0.509	1562	20.03	-6.360
1413	18.14	9.077	1463	18.74	-5.409	1513	19.40	1.118	1563	20.04	-6.608
1414	18.15	8.454	1464	18.75	-5.408	1514	19.41	3.620	1564	20.05	-5.732
1415	18.16	7.206	1465	18.76	-4.156	1515	19.42	6.999	1565	20.06	-4.228
1416	18.17	6.335	1466	18.77	-2.653	1516	19.43	8.625	1566	20.08	-3.600
1417	18.19	4.339	1467	18.78	-1.401	1517	19.44	10.129	1567	20.09	-2.973
1418	18.21	2.093	1468	18.79	0.653	1518	19.45	11.131	1568	20.10	-2.595
1419	18.22	-0.654	1469	18.80	1.855	1519	19.47	12.511	1569	20.11	-2.591
1420	18.24	-2.525	1470	18.82	1.483	1520	19.49	13.139	1570	20.12	-2.839
1421	18.25	-4.147	1471	18.83	0.237	1521	19.50	13.391	1571	20.13	-2.837
1422	18.26	-5.769	1472	18.84	-0.636	1522	19.51	13.769	1572	20.14	-2.586
1423	18.28	-8.016	1473	18.85	-1.610	1523	19.53	13.774	1573	20.15	-2.582
1424	18.29	-9.638	1474	18.86	-1.632	1524	19.55	14.153	1574	20.16	-2.580
1425	18.30	-8.635	1475	18.89	-3.126	1525	19.56	13.531	1575	20.17	-1.703
1426	18.31	-8.383	1476	18.90	-3.747	1526	19.57	12.909	1576	20.18	-1.076
1427	18.32	-8.632	1477	18.92	-4.368	1527	19.58	11.286	1577	20.19	0.552
1428	18.33	-6.004	1478	18.96	-4.359	1528	19.59	9.413	1578	20.21	5.431
1429	18.34	-5.125	1479	18.99	-4.477	1529	19.61	6.917	1579	20.22	9.435
1430	18.35	-3.374	1480	19.02	-3.220	1530	19.62	5.044	1580	20.23	12.311
1431	18.36	-3.373	1481	19.04	-1.590	1531	19.63	3.421	1581	20.24	13.313
1432	18.37	-1.465	1482	19.06	0.539	1532	19.64	0.924	1582	20.25	15.462
1433	18.38	-0.492	1483	19.07	2.418	1533	19.65	-2.573	1583	20.26	15.443
1434	18.39	-1.989	1484	19.08	3.795	1534	19.66	-3.821	1584	20.27	15.821
1435	18.40	-3.613	1485	19.09	4.797	1535	19.68	-5.442	1585	20.29	14.949
1436	18.41	-5.735	1486	19.10	5.675	1536	19.70	-9.561	1586	20.30	13.077
1437	18.42	-9.232	1487	19.12	6.303	1537	19.72	-14.931	1587	20.31	8.954
1438	18.44	-13.978	1488	19.13	6.680	1538	19.73	-16.429	1588	20.32	7.706
1439	18.45	-14.975	1489	19.14	7.308	1539	19.74	-19.303	1589	20.33	6.459
1440	18.46	-15.598	1490	19.15	7.310	1540	19.75	-20.426	1590	20.34	5.587
1441	18.47	-16.470	1491	19.16	8.564	1541	19.76	-21.673	1591	20.35	5.589
1442	18.49	-15.592	1492	19.17	9.190	1542	19.77	-21.921	1592	20.37	4.594
1443	18.50	-14.964	1493	19.18	10.443	1543	19.79	-19.791	1593	20.39	4.848
1444	18.51	-14.087	1494	19.19	11.621	1544	19.80	-17.914	1594	20.40	3.850
1445	18.52	-13.459	1495	19.20	12.447	1545	19.82	-15.160	1595	20.41	3.227
1446	18.54	-12.456	1496	19.21	13.324	1546	19.83	-12.156	1596	20.43	-0.768
1447	18.55	-12.702	1497	19.22	14.577	1547	19.84	-9.654	1597	20.44	-3.265
1448	18.57	-13.947	1498	19.23	14.579	1548	19.87	-7.522	1598	20.45	-4.638
1449	18.58	-15.195	1499	19.24	14.581	1549	19.89	-6.519	1599	20.46	-6.511
1450	18.59	-15.818	1500	19.25	13.458	1550	19.90	-5.641	1600	20.47	-6.883

INDEX NO. 838 907-GR-126 TAIRA BRIDGE LG. MAX.ACCEL.= 38.357(GAL) T=21.50(SEC) NO. 9

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1601	20.50	-6.877	1651	21.21	-3.836	1701	21.91	-13.801	1751	22.54	-3.655
1602	20.53	-6.618	1652	21.23	-3.834	1702	21.92	-15.049	1752	22.55	-0.776
1603	20.55	-5.993	1653	21.25	-4.203	1703	21.93	-16.295	1753	22.57	5.604
1604	20.58	-5.609	1654	21.26	-4.201	1704	21.95	-17.291	1754	22.58	9.356
1605	20.60	-1.853	1655	21.27	-4.197	1705	21.96	-16.413	1755	22.59	11.858
1606	20.61	1.900	1656	21.29	-3.944	1706	21.98	-16.284	1756	22.60	13.485
1607	20.62	2.776	1657	21.30	-3.316	1707	21.99	-16.033	1757	22.61	16.614
1608	20.63	4.154	1658	21.31	-2.583	1708	22.00	-14.780	1758	22.62	17.616
1609	20.64	4.781	1659	21.33	0.191	1709	22.01	-13.902	1759	22.64	16.120
1610	20.65	5.159	1660	21.36	4.697	1710	22.02	-13.524	1760	22.67	14.501
1611	20.66	4.910	1661	21.37	5.950	1711	22.03	-12.898	1761	22.69	13.630
1612	20.67	4.788	1662	21.38	7.453	1712	22.04	-13.520	1762	22.70	12.009
1613	20.68	4.291	1663	21.40	9.331	1713	22.06	-13.766	1763	22.71	10.137
1614	20.69	3.669	1664	21.41	15.085	1714	22.07	-13.887	1764	22.73	8.266
1615	20.71	3.047	1665	21.43	20.840	1715	22.08	-14.136	1765	22.75	6.395
1616	20.72	1.800	1666	21.45	26.845	1716	22.09	-13.883	1766	22.77	3.150
1617	20.73	0.178	1667	21.46	31.347	1717	22.11	-13.504	1767	22.80	1.031
1618	20.75	-1.069	1668	21.47	33.849	1718	22.12	-14.126	1768	22.81	-2.091
1619	20.76	-2.315	1669	21.48	35.851	1719	22.13	-14.123	1769	22.84	-7.210
1620	20.78	-2.562	1670	21.50	38.357	1720	22.14	-14.371	1770	22.85	-8.832
1621	20.79	-2.309	1671	21.52	38.110	1721	22.15	-14.744	1771	22.86	-12.953
1622	20.80	-3.182	1672	21.53	37.487	1722	22.16	-14.993	1772	22.88	-13.575
1623	20.81	-4.305	1673	21.54	36.491	1723	22.17	-15.990	1773	22.89	-14.947
1624	20.83	-5.301	1674	21.55	35.618	1724	22.18	-16.237	1774	22.91	-14.818
1625	20.84	-8.048	1675	21.57	33.371	1725	22.20	-16.982	1775	22.93	-15.439
1626	20.85	-11.419	1676	21.58	30.000	1726	22.22	-15.603	1776	22.94	-15.437
1627	20.86	-15.292	1677	21.60	27.254	1727	22.23	-14.477	1777	22.95	-15.808
1628	20.87	-15.915	1678	21.61	21.381	1728	22.25	-8.846	1778	22.96	-15.806
1629	20.88	-16.913	1679	21.63	16.885	1729	22.26	-6.593	1779	22.98	-15.802
1630	20.89	-18.162	1680	21.64	10.888	1730	22.27	-5.091	1780	22.99	-15.549
1631	20.90	-18.783	1681	21.66	9.893	1731	22.28	-4.090	1781	23.00	-14.297
1632	20.94	-19.900	1682	21.67	9.270	1732	22.29	-2.462	1782	23.01	-13.295
1633	20.97	-19.518	1683	21.68	9.897	1733	22.30	-2.085	1783	23.02	-12.043
1634	20.98	-19.765	1684	21.70	10.775	1734	22.31	-2.083	1784	23.03	-9.914
1635	20.99	-19.262	1685	21.71	11.404	1735	22.33	-2.702	1785	23.05	-8.661
1636	21.00	-18.259	1686	21.72	11.530	1736	22.35	-2.949	1786	23.07	-7.406
1637	21.02	-17.381	1687	21.73	11.533	1737	22.37	-2.693	1787	23.09	-6.151
1638	21.03	-15.503	1688	21.74	10.287	1738	22.40	-2.437	1788	23.11	-4.897
1639	21.06	-10.371	1689	21.76	7.416	1739	22.41	-2.435	1789	23.12	-4.520
1640	21.07	-8.494	1690	21.78	4.169	1740	22.42	-1.432	1790	23.13	-4.518
1641	21.09	-6.240	1691	21.79	2.297	1741	22.43	-1.431	1791	23.14	-3.514
1642	21.10	-5.363	1692	21.80	0.424	1742	22.44	-1.052	1792	23.15	-3.513
1643	21.12	-2.983	1693	21.81	-1.073	1743	22.46	-2.047	1793	23.16	-3.386
1644	21.13	-2.106	1694	21.83	-2.694	1744	22.47	-3.295	1794	23.17	-3.383
1645	21.14	-1.103	1695	21.84	-3.316	1745	22.48	-3.918	1795	23.18	-3.755
1646	21.15	-0.726	1696	21.86	-4.062	1746	22.49	-4.791	1796	23.21	-5.250
1647	21.16	-0.723	1697	21.87	-5.309	1747	22.50	-5.163	1797	23.22	-6.248
1648	21.17	-1.096	1698	21.88	-6.558	1748	22.51	-5.161	1798	23.23	-6.870
1649	21.19	-1.967	1699	21.89	-9.304	1749	22.52	-5.159	1799	23.24	-6.618
1650	21.20	-2.964	1700	21.90	-11.927	1750	22.53	-5.157	1800	23.25	-5.239

INDEX NO. 838 907-GR-126 TAIRA BRIDGE LG. MAX.ACCEL.= 38.357(GAL) T=21.50(SEC) NO.10

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1801	23.28	-2.493	1851	24.16	-4.468	1901	24.92	12.765	1951	25.61	-11.900
1802	23.37	3.786	1852	24.17	-9.156	1902	24.95	13.142	1952	25.63	-11.261
1803	23.38	6.040	1853	24.19	-12.630	1903	24.95	13.396	1953	25.66	-9.747
1804	23.40	6.065	1854	24.19	-12.920	1904	24.97	13.490	1954	25.68	-9.111
1805	23.41	6.472	1855	24.21	-13.028	1905	24.99	13.155	1955	25.69	-6.851
1806	23.42	6.675	1856	24.23	-13.043	1906	25.00	12.900	1956	25.71	-3.465
1807	23.43	7.651	1857	24.25	-14.512	1907	25.01	12.286	1957	25.73	-0.204
1808	23.46	8.307	1858	24.26	-14.260	1908	25.02	11.298	1958	25.74	2.678
1809	23.48	8.937	1859	24.28	-13.950	1909	25.24	8.792	1959	25.75	3.556
1810	23.52	8.697	1860	24.33	-12.752	1910	25.36	6.040	1960	25.76	5.188
1811	23.54	8.701	1861	24.31	-12.125	1911	25.07	3.673	1961	25.77	5.820
1812	23.56	8.379	1862	24.32	-10.872	1912	25.08	0.926	1962	25.78	5.824
1813	23.56	8.083	1863	24.33	-10.744	1913	25.09	-1.320	1963	25.79	5.827
1814	23.59	5.211	1864	24.35	-11.116	1914	25.11	-1.692	1964	25.81	5.593
1815	23.60	3.340	1865	24.37	-11.735	1915	25.12	-1.939	1965	25.82	5.848
1816	23.61	3.091	1866	24.40	-12.979	1916	25.13	-1.937	1966	25.83	5.852
1817	23.62	2.467	1867	24.43	-14.068	1917	25.14	-1.934	1967	25.84	6.486
1818	23.63	2.721	1868	24.44	-16.094	1918	25.15	-1.307	1968	25.85	6.865
1819	23.64	2.348	1869	24.45	-16.716	1919	25.16	-0.430	1969	25.86	7.244
1820	23.66	2.727	1870	24.47	-16.954	1920	25.18	-0.050	1970	25.87	7.503
1821	23.67	3.605	1871	24.48	-17.338	1921	25.20	2.455	1971	25.89	7.262
1822	23.68	4.357	1872	24.49	-17.055	1922	25.21	3.332	1972	25.90	6.645
1823	23.69	5.235	1873	24.50	-15.456	1923	25.22	4.335	1973	25.91	6.651
1824	23.71	5.239	1874	24.52	-12.952	1924	25.24	5.589	1974	25.92	6.406
1825	23.72	4.366	1875	24.54	-10.197	1925	25.25	4.393	1975	25.94	6.668
1826	23.73	3.744	1876	24.56	-7.693	1926	25.27	5.654	1976	25.97	7.682
1827	23.74	3.121	1877	24.57	-6.440	1927	25.29	6.541	1977	25.98	8.563
1828	23.75	2.999	1878	24.58	-5.814	1928	25.30	6.922	1978	25.99	9.449
1829	23.76	3.626	1879	24.59	-5.185	1929	25.31	6.930	1979	26.00	9.829
1830	23.77	4.254	1880	24.60	-4.608	1930	25.33	6.314	1980	26.01	11.085
1831	23.79	4.862	1881	24.61	-5.055	1931	25.34	6.318	1981	26.03	10.846
1832	23.80	5.259	1882	24.62	-5.678	1932	25.35	5.453	1982	26.05	9.857
1833	23.81	5.512	1883	24.64	-7.569	1933	25.36	4.840	1983	26.09	7.753
1834	23.82	5.515	1884	24.67	-10.416	1934	25.49	4.230	1984	26.11	5.891
1835	23.83	5.267	1885	24.69	-15.413	1935	25.42	3.665	1985	26.12	5.271
1836	23.85	5.272	1886	24.71	-17.905	1936	25.43	3.244	1986	26.13	4.650
1837	23.87	5.524	1887	24.72	-18.156	1937	25.44	2.627	1987	26.14	4.282
1838	23.89	6.529	1888	24.73	-18.154	1938	25.45	2.006	1988	26.15	3.666
1839	23.91	8.935	1889	24.74	-18.151	1939	25.46	0.762	1989	26.16	3.670
1840	23.95	11.169	1890	24.75	-17.649	1940	25.47	-0.473	1990	26.18	3.932
1841	23.98	13.176	1891	24.77	-16.019	1941	25.48	-1.224	1991	26.19	4.310
1842	23.99	14.426	1892	24.79	-14.765	1942	25.50	-2.711	1992	26.20	4.319
1843	24.00	15.056	1893	24.81	-13.261	1943	25.51	-3.705	1993	26.21	3.697
1844	24.02	16.060	1894	24.82	-11.633	1944	25.52	-3.702	1994	26.22	3.080
1845	24.05	16.316	1895	24.83	-8.880	1945	25.53	-4.320	1995	26.23	2.833
1846	24.07	15.445	1896	24.35	-2.501	1946	25.54	-5.937	1996	26.24	1.839
1847	24.08	14.199	1897	24.68	3.755	1947	25.55	-7.428	1997	26.25	1.224
1848	24.11	11.079	1898	24.39	7.333	1948	25.57	-9.671	1998	26.27	1.483
1849	24.13	7.334	1899	24.93	10.751	1949	25.58	-10.914	1999	26.28	2.114
1850	24.15	-3.286	1900	24.91	11.702	1950	25.60	-12.157	2000	26.29	3.746

INDEX NO. 939 907-GR-126 TAIRA BRIDGE LG. MAX.ACCEL.= 38.357(GAL) T=21.50(SEC) NO.11

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2001	26.30	4.628	2051	27.04	-4.193	2101	27.87	8.663	2151	28.47	-3.749
2002	26.31	4.633	2052	27.05	-2.061	2102	27.88	9.289	2152	28.50	-3.980
2003	26.32	4.639	2053	27.06	1.194	2103	27.89	9.921	2153	28.51	-3.598
2004	26.34	4.398	2054	27.11	5.975	2104	27.90	10.552	2154	28.52	-3.715
2005	26.35	4.156	2055	27.13	10.113	2105	27.91	10.935	2155	28.54	-4.582
2006	26.37	4.169	2056	27.14	10.741	2106	27.92	10.961	2156	28.55	-4.825
2007	26.39	4.180	2057	27.15	11.370	2107	27.93	10.945	2157	28.56	-4.817
2008	26.40	4.186	2058	27.16	12.626	2108	27.96	11.585	2158	28.58	-3.935
2009	26.41	4.192	2059	27.17	13.009	2109	27.97	12.894	2159	28.60	-2.674
2010	26.42	3.921	2060	27.18	13.012	2110	27.99	13.855	2160	28.62	-1.409
2011	26.44	3.206	2061	27.20	13.028	2111	28.00	14.486	2161	28.65	-0.519
2012	26.45	1.087	2062	27.25	11.177	2112	28.01	16.117	2162	28.67	-0.133
2013	26.46	-0.655	2063	27.29	3.079	2113	28.02	15.872	2163	28.69	2.129
2014	26.47	-2.149	2064	27.32	5.593	2114	28.04	15.506	2164	28.70	3.135
2015	26.48	-5.018	2065	27.33	4.726	2115	28.05	14.090	2165	28.71	6.265
2016	26.50	-6.506	2066	27.35	2.486	2116	28.06	14.643	2166	28.72	6.523
2017	26.51	-9.769	2067	27.37	-6.750	2117	28.07	14.027	2167	28.73	6.280
2018	26.52	-10.746	2068	27.38	-8.372	2118	28.08	13.408	2168	28.74	6.285
2019	26.53	-11.363	2069	27.39	-10.491	2119	28.09	13.037	2169	28.75	6.291
2020	26.54	-11.608	2070	27.40	-12.112	2120	28.10	13.043	2170	28.76	6.295
2021	26.55	-11.602	2071	27.41	-12.357	2121	28.11	12.799	2171	28.77	5.429
2022	26.56	-11.346	2072	27.42	-12.975	2122	28.12	12.428	2172	28.78	5.058
2023	26.57	-10.714	2073	27.43	-12.971	2123	28.13	12.183	2173	28.79	4.812
2024	26.59	-8.453	2074	27.44	-12.964	2124	28.14	11.189	2174	28.80	4.194
2025	26.60	-7.322	2075	27.45	-12.708	2125	28.15	10.947	2175	28.81	3.825
2026	26.61	-6.319	2076	27.46	-10.625	2126	28.16	9.325	2176	28.82	3.828
2027	26.62	-6.064	2077	27.47	-10.572	2127	28.17	7.081	2177	28.83	5.709
2028	26.63	-5.055	2078	27.48	-10.187	2128	28.19	3.593	2178	28.85	8.972
2029	26.65	-4.420	2079	27.49	-10.806	2129	28.20	0.100	2179	28.86	10.854
2030	26.67	-3.535	2080	27.50	-11.050	2130	28.22	-2.140	2180	28.87	13.610
2031	26.68	-2.902	2081	27.52	-12.293	2131	28.24	-4.253	2181	28.88	14.616
2032	26.69	-2.520	2082	27.53	-13.532	2132	28.25	-5.246	2182	28.89	14.372
2033	26.70	-2.265	2083	27.54	-14.152	2133	28.26	-5.865	2183	28.90	14.250
2034	26.71	-1.886	2084	27.56	-14.769	2134	28.27	-6.737	2184	28.91	13.756
2035	26.72	-1.879	2085	27.58	-15.134	2135	28.28	-7.108	2185	28.92	13.385
2036	26.73	-1.875	2086	27.63	-14.230	2136	28.29	-7.648	2186	28.94	12.148
2037	26.74	-1.617	2087	27.66	-13.460	2137	28.30	-8.092	2187	28.95	11.904
2038	26.76	-2.482	2088	27.67	-13.457	2138	28.31	-8.086	2188	28.98	10.298
2039	26.77	-3.973	2089	27.68	-13.200	2139	28.32	-8.081	2189	29.00	9.681
2040	26.79	-4.962	2090	27.70	-12.939	2140	28.33	-7.578	2190	29.02	8.820
2041	26.80	-5.204	2091	27.71	-11.054	2141	28.34	-7.198	2191	29.03	7.825
2042	26.83	-5.562	2092	27.72	-9.800	2142	28.35	-5.942	2192	29.05	5.962
2043	26.89	-5.529	2093	27.73	-7.293	2143	28.36	-5.311	2193	29.06	4.094
2044	26.97	-4.858	2094	27.76	-3.528	2144	28.37	-5.056	2194	29.08	2.228
2045	26.98	-4.853	2095	27.78	-0.285	2145	28.38	-4.675	2195	29.09	-1.890
2046	26.99	-4.845	2096	27.81	3.676	2146	28.39	-4.419	2196	29.10	-4.131
2047	27.00	-4.841	2097	27.83	5.395	2147	28.40	-4.037	2197	29.11	-5.625
2048	27.01	-4.837	2098	27.84	6.020	2148	28.42	-4.026	2198	29.12	-5.994
2049	27.02	-4.831	2099	27.85	7.024	2149	28.43	-4.271	2199	29.15	-6.606
2050	27.03	-4.572	2100	27.86	7.231	2150	28.45	-5.781	2200	29.16	-7.346

INDEX NO. 838 907-GR-126 TAIRA BRIDGE LG. MAX.ACCEL.= 38.357(GAL) T=21.50(SEC) NO.12

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2201	29.19	-7.954	2251	29.91	16.168	2301	30.59	-10.924	2351	31.35	-2.872
2202	29.22	-6.816	2252	29.72	15.549	2302	30.63	-11.514	2352	31.36	-2.494
2203	29.24	-10.051	2253	29.93	14.649	2303	30.64	-11.537	2353	31.38	-3.366
2204	29.25	-10.621	2254	29.94	13.050	2304	30.65	-11.534	2354	31.40	-3.985
2205	29.26	-10.662	2255	29.95	11.602	2305	30.66	-11.201	2355	31.42	-5.232
2206	29.27	-11.282	2256	29.96	10.304	2306	30.66	-10.278	2356	31.43	-8.104
2207	29.28	-12.525	2257	29.97	9.434	2307	30.71	-7.146	2357	31.44	-10.725
2208	29.29	-12.897	2258	29.98	8.060	2308	30.73	-2.515	2358	31.45	-12.598
2209	29.30	-13.766	2259	29.99	6.602	2309	30.75	-1.137	2359	31.46	-12.847
2210	29.31	-14.882	2260	30.00	5.364	2310	30.76	1.367	2360	31.47	-13.844
2211	29.32	-15.751	2261	30.01	5.008	2311	30.77	1.993	2361	31.48	-14.467
2212	29.33	-16.997	2262	30.02	5.069	2312	30.78	4.495	2362	31.49	-15.340
2213	29.34	-18.243	2263	30.05	5.326	2313	30.79	5.498	2363	31.50	-14.837
2214	29.35	-18.238	2264	30.06	5.630	2314	30.80	6.250	2364	31.51	-13.834
2215	29.36	-18.854	2265	30.07	5.082	2315	30.81	6.252	2365	31.54	-11.954
2216	29.37	-19.223	2266	30.09	7.836	2316	30.85	6.387	2366	31.57	-8.821
2217	29.38	-19.467	2267	30.10	7.464	2317	30.86	6.689	2367	31.59	-7.316
2218	29.39	-19.212	2268	30.12	8.593	2318	30.87	7.141	2368	31.62	-4.810
2219	29.41	-18.952	2269	30.13	9.471	2319	30.88	7.519	2369	31.64	-2.930
2220	29.42	-17.996	2270	30.15	9.599	2320	30.89	7.771	2370	31.66	-1.550
2221	29.43	-17.069	2271	30.17	2.135	2321	30.90	7.524	2371	31.68	-0.545
2222	29.44	-15.433	2272	30.19	0.860	2322	30.91	7.776	2372	31.69	0.083
2223	29.45	-13.549	2273	30.20	-0.753	2323	30.92	7.779	2373	31.70	0.334
2224	29.46	-10.159	2274	30.22	-1.780	2324	30.94	8.407	2374	31.72	0.713
2225	29.47	-8.288	2275	30.23	-2.332	2325	30.95	8.785	2375	31.73	0.967
2226	29.48	-5.282	2276	30.25	-5.232	2326	30.96	10.288	2376	31.75	1.346
2227	29.49	-3.400	2277	30.26	-7.124	2327	30.97	10.915	2377	31.76	1.349
2228	29.52	-0.174	2278	30.27	-9.247	2328	30.98	11.543	2378	31.78	1.101
2229	29.54	3.957	2279	30.28	-10.619	2329	31.00	11.921	2379	31.79	0.730
2230	29.55	6.585	2280	30.29	-11.243	2330	31.01	11.549	2380	31.80	0.983
2231	29.57	8.714	2281	30.30	-13.115	2331	31.03	10.052	2381	31.81	0.984
2232	29.58	9.341	2282	30.31	-13.487	2332	31.04	7.556	2382	31.82	1.612
2233	29.59	9.969	2283	30.32	-13.735	2333	31.05	6.683	2383	31.83	2.615
2234	29.61	10.347	2284	30.33	-13.234	2334	31.06	6.061	2384	31.85	3.493
2235	29.62	9.099	2285	30.34	-11.981	2335	31.07	6.313	2385	31.86	3.621
2236	29.64	7.604	2286	30.37	-10.350	2336	31.08	6.941	2386	31.87	3.623
2237	29.65	6.981	2287	30.39	-7.596	2337	31.10	7.621	2387	31.88	3.251
2238	29.66	5.734	2288	30.40	-5.342	2338	31.11	8.448	2388	31.89	3.252
2239	29.67	4.113	2289	30.41	-3.465	2339	31.12	8.825	2389	31.91	3.507
2240	29.69	4.116	2290	30.42	-2.587	2340	31.13	9.261	2390	31.92	4.510
2241	29.72	4.499	2291	30.43	-0.210	2341	31.14	6.578	2391	31.93	4.762
2242	29.75	4.755	2292	30.44	0.417	2342	31.15	6.830	2392	31.94	4.890
2243	29.76	5.384	2293	30.45	1.669	2343	31.17	7.956	2393	31.96	5.145
2244	29.78	6.012	2294	30.46	2.046	2344	31.20	6.342	2394	31.97	5.148
2245	29.79	7.266	2295	30.47	0.798	2345	31.26	2.607	2395	31.98	4.898
2246	29.81	8.519	2296	30.48	0.426	2346	31.27	2.360	2396	31.99	4.900
2247	29.82	9.396	2297	30.50	-2.069	2347	31.29	2.363	2397	32.00	3.654
2248	29.85	13.405	2298	30.52	-6.065	2348	31.31	0.118	2398	32.02	3.909
2249	29.87	14.284	2299	30.54	-6.311	2349	31.32	-0.504	2399	32.04	4.537
2250	29.89	16.165	2300	30.55	-9.930	2350	31.33	-1.502	2400	32.05	4.290

INDEX NO. 838 907-GR-126 TAIRA BRIDGE LG. MAX.ACCEL.= 38.357(GAL) T=21.50(SEC) NO.13

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2401	32.06	3.918	2451	32.78	-1.291	2501	33.49	-9.378	2551	34.11	9.138
2402	32.08	3.921	2452	32.79	-0.289	2502	33.50	-8.376	2552	34.12	9.516
2403	32.09	3.300	2453	32.80	1.589	2503	33.51	-7.123	2553	34.14	9.770
2404	32.12	2.306	2454	32.81	1.591	2504	33.52	-6.246	2554	34.15	9.523
2405	32.15	1.187	2455	32.82	2.216	2505	33.53	-5.870	2555	34.17	9.276
2406	32.17	1.192	2456	32.83	1.595	2506	33.54	-4.993	2556	34.18	8.904
2407	32.18	0.821	2457	32.85	0.974	2507	33.55	-2.740	2557	34.19	8.657
2408	32.20	0.200	2458	32.86	-0.272	2508	33.57	-2.486	2558	34.21	8.036
2409	32.21	0.202	2459	32.87	-0.895	2509	33.58	-1.734	2559	34.22	7.413
2410	32.23	0.206	2460	32.88	-1.768	2510	33.59	-1.731	2560	34.24	6.168
2411	32.26	0.838	2461	32.89	-2.766	2511	33.60	-1.854	2561	34.26	5.173
2412	32.29	1.722	2462	32.91	-3.012	2512	33.61	-2.102	2562	34.29	-0.194
2413	32.31	2.350	2463	32.93	-2.756	2513	33.62	-2.349	2563	34.31	-1.441
2414	32.33	2.729	2464	32.95	-1.873	2514	33.63	-2.347	2564	34.32	-3.689
2415	32.34	2.981	2465	32.97	0.002	2515	33.64	-2.344	2565	34.34	-5.310
2416	32.35	2.734	2466	32.99	3.756	2516	33.65	-2.091	2566	34.35	-5.806
2417	32.36	2.113	2467	33.01	7.386	2517	33.66	-2.339	2567	34.36	-6.553
2418	32.38	0.886	2468	33.02	9.269	2518	33.66	-1.835	2568	34.37	-6.177
2419	32.39	-0.631	2469	33.03	10.142	2519	33.69	-1.458	2569	34.38	-6.424
2420	32.41	-2.876	2470	33.04	10.763	2520	33.70	-1.081	2570	34.39	-5.546
2421	32.43	-3.749	2471	33.05	11.146	2521	33.71	0.172	2571	34.41	-5.542
2422	32.44	-4.119	2472	33.06	11.399	2522	33.74	1.803	2572	34.42	-4.665
2423	32.45	-4.992	2473	33.08	10.902	2523	33.75	2.431	2573	34.43	-4.662
2424	32.46	-4.740	2474	33.09	9.655	2524	33.76	3.058	2574	34.44	-3.660
2425	32.48	-4.906	2475	33.11	8.660	2525	33.77	3.061	2575	34.46	-3.658
2426	32.49	-5.359	2476	33.13	8.788	2526	33.79	3.315	2576	34.48	-4.903
2427	32.50	-5.732	2477	33.14	8.166	2527	33.80	3.317	2577	34.49	-6.775
2428	32.51	-5.978	2478	33.15	9.918	2528	33.81	3.319	2578	34.50	-9.646
2429	32.53	-6.600	2479	33.16	5.297	2529	33.82	3.322	2579	34.51	-10.644
2430	32.54	-7.221	2480	33.19	4.677	2530	33.83	3.697	2580	34.52	-11.517
2431	32.55	-7.884	2481	33.20	4.681	2531	33.85	3.703	2581	34.53	-11.890
2432	32.56	-8.092	2482	33.21	3.433	2532	33.86	3.955	2582	34.54	-13.763
2433	32.57	-8.465	2483	33.23	2.188	2533	33.87	4.586	2583	34.55	-12.260
2434	32.58	-8.212	2484	33.25	0.566	2534	33.88	4.585	2584	34.56	-11.633
2435	32.59	-7.584	2485	33.26	-0.307	2535	33.90	5.214	2585	34.58	-10.626
2436	32.60	-6.562	2486	33.27	-1.679	2536	33.91	5.842	2586	34.61	-9.373
2437	32.61	-5.956	2487	33.28	-3.552	2537	33.92	5.845	2587	34.63	-8.492
2438	32.62	-3.829	2488	33.29	-5.175	2538	33.93	5.848	2588	34.67	-7.484
2439	32.63	-2.450	2489	33.31	-7.045	2539	33.94	5.350	2589	34.70	-6.651
2440	32.64	-2.449	2490	33.34	-8.289	2540	33.95	5.852	2590	34.72	-7.096
2441	32.65	-1.947	2491	33.35	-8.286	2541	33.96	6.233	2591	34.74	-7.093
2442	32.66	-1.194	2492	33.38	-9.026	2542	33.97	5.857	2592	34.75	-7.090
2443	32.67	-2.192	2493	33.40	-9.275	2543	33.99	6.235	2593	34.77	-5.585
2444	32.69	-2.813	2494	33.41	-9.648	2544	34.00	7.237	2594	34.79	-3.080
2445	32.70	-3.684	2495	33.42	-9.894	2545	34.02	8.368	2595	34.81	-0.449
2446	32.72	-4.430	2496	33.43	-10.267	2546	34.03	9.493	2596	34.86	4.185
2447	32.74	-4.426	2497	33.44	-10.266	2547	34.04	10.372	2597	34.88	6.066
2448	32.75	-3.423	2498	33.45	-10.263	2548	34.05	10.375	2598	34.90	6.695
2449	32.76	-3.046	2499	33.46	-10.260	2549	34.07	10.380	2599	34.91	7.448
2450	32.77	-2.794	2500	33.48	-10.037	2550	34.08	10.134	2600	34.92	8.450

INDEX NO. 838 907-GR-126 TAIRA BRIDGE LG. MAX.ACCEL.= 38.357(GAL) T=21.50(SEC) NO.14

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2631	34.93	9.076	2651	35.30	4.931	2701	36.36	7.644	2751	37.95	-7.608
2632	34.95	9.081	2652	35.82	0.406	2702	36.87	6.772	2752	37.96	-8.854
2633	34.97	8.211	2653	35.85	7.412	2703	36.88	6.150	2753	37.98	-10.475
2634	34.99	7.216	2654	35.89	4.921	2704	36.89	5.152	2754	37.99	-11.348
2635	35.04	3.852	2655	35.90	5.174	2705	36.91	4.281	2755	38.00	-12.595
2636	35.10	-3.256	2656	35.92	4.928	2706	36.94	0.767	2756	38.01	-13.592
2637	35.12	-4.754	2657	35.96	4.062	2707	36.97	-2.456	2757	38.02	-14.216
2638	35.13	-6.251	2658	35.99	2.819	2708	36.99	-6.201	2758	38.03	-14.839
2639	35.14	-6.625	2659	36.02	1.577	2709	37.00	-6.823	2759	38.04	-15.461
2610	35.15	-7.497	2660	36.08	-0.784	2710	37.02	-8.195	2760	38.05	-16.208
2611	35.16	-8.119	2661	36.14	-3.896	2711	37.04	-10.314	2761	38.06	-16.206
2612	35.17	-9.492	2662	36.15	-5.143	2712	37.06	-10.685	2762	38.07	-15.579
2613	35.19	-9.489	2663	36.17	-5.015	2713	37.08	-10.930	2763	38.11	-16.571
2614	35.20	-9.611	2664	36.19	-7.010	2714	37.10	-10.926	2764	38.12	-15.567
2615	35.21	-9.233	2665	36.21	-7.629	2715	37.11	-10.672	2765	38.15	-14.061
2616	35.23	-3.354	2666	36.26	-7.870	2716	37.12	-10.420	2766	38.20	-7.674
2617	35.25	-7.975	2667	36.29	-7.863	2717	37.14	-10.041	2767	38.22	-4.545
2618	35.27	-7.345	2668	36.33	-7.853	2718	37.15	-9.788	2768	38.23	-2.917
2619	35.29	-7.091	2669	36.36	-7.346	2719	37.17	-9.785	2769	38.24	-1.046
2620	35.31	-6.712	2670	36.38	-7.841	2720	37.19	-9.406	2770	38.25	0.962
2621	35.32	-7.533	2671	36.40	-7.587	2721	37.20	-9.153	2771	38.26	2.215
2622	35.34	-9.455	2672	36.41	-7.586	2722	37.22	-9.149	2772	38.27	2.842
2623	35.35	-10.702	2673	36.43	-6.706	2723	37.24	-8.769	2773	38.28	1.968
2624	35.37	-13.572	2674	36.44	-6.328	2724	37.26	-9.390	2774	38.29	2.471
2625	35.39	-13.619	2675	36.45	-5.700	2725	37.28	-7.686	2775	38.31	1.601
2626	35.41	-14.439	2676	36.47	-5.696	2726	37.30	-6.629	2776	38.33	0.980
2627	35.43	-14.184	2677	36.48	-5.693	2727	37.34	-4.371	2777	38.36	0.738
2628	35.44	-13.306	2678	36.49	-5.065	2728	37.39	-0.609	2778	38.40	0.372
2629	35.45	-11.053	2679	36.51	-3.562	2729	37.44	4.527	2779	38.42	0.628
2630	35.47	-8.550	2680	36.52	-1.933	2730	37.46	6.031	2780	38.45	1.633
2631	35.49	-2.920	2681	36.56	1.824	2731	37.48	8.412	2781	38.47	2.263
2632	35.52	4.338	2682	36.57	2.453	2732	37.49	9.288	2782	38.49	4.142
2633	35.53	6.215	2683	36.59	3.332	2733	37.51	10.918	2783	38.51	6.646
2634	35.54	8.592	2684	36.60	4.959	2734	37.54	11.925	2784	38.52	7.525
2635	35.55	10.095	2685	36.61	6.463	2735	37.57	12.182	2785	38.54	9.905
2636	35.56	11.096	2686	36.63	7.093	2736	37.62	11.317	2786	38.56	10.784
2637	35.57	11.724	2687	36.65	6.846	2737	37.67	9.705	2787	38.58	11.413
2638	35.60	11.480	2688	36.66	6.849	2738	37.74	6.595	2788	38.60	13.044
2639	35.61	10.858	2689	36.67	5.976	2739	37.76	5.725	2789	38.62	13.671
2640	35.63	10.488	2690	36.69	5.980	2740	37.77	5.101	2790	38.63	13.676
2641	35.65	10.491	2691	36.72	5.362	2741	37.78	4.728	2791	38.64	13.928
2642	35.66	10.494	2692	36.74	7.868	2742	37.79	4.107	2792	38.67	13.058
2643	35.67	10.497	2693	36.75	9.119	2743	37.80	3.659	2793	38.70	11.567
2644	35.68	10.499	2694	36.76	9.496	2744	37.81	3.237	2794	38.71	10.944
2645	35.70	10.502	2695	36.77	10.123	2745	37.83	1.992	2795	38.73	9.324
2646	35.71	10.755	2696	36.78	10.376	2746	37.85	0.371	2796	38.75	8.078
2647	35.73	11.134	2697	36.79	11.003	2747	37.87	-1.624	2797	38.78	6.835
2648	35.75	11.389	2698	36.80	10.506	2748	37.89	-3.495	2798	38.81	6.217
2649	35.76	11.392	2699	36.82	9.259	2749	37.91	-4.990	2799	38.84	6.224
2650	35.78	11.146	2700	36.84	8.014	2750	37.93	-6.237	2800	38.86	6.228

INDEX NO. 838 907-GR-126 TAIRA BRIDGE LG. MAX.ACCEL.= 38.357(GAL) T=21.50(SEC) NO.15

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
2801	38.87	5.980	2851	39.79	5.445	2901	40.68	1.527	2951	41.80	1.162
2802	38.88	4.984	2852	39.80	5.198	2902	40.70	-1.218	2952	41.82	1.790
2803	38.90	3.736	2853	39.82	5.202	2903	40.73	-2.837	2953	41.83	2.418
2804	38.92	0.992	2854	39.83	5.455	2904	40.74	-4.084	2954	41.84	3.921
2805	38.96	-4.124	2855	39.84	5.457	2905	40.76	-4.704	2955	41.86	4.361
2806	38.97	-4.498	2856	39.85	5.459	2906	40.78	-5.576	2956	41.90	4.933
2807	38.98	-5.995	2857	39.87	4.963	2907	40.80	-5.446	2957	41.92	5.189
2808	38.99	-6.992	2858	39.90	3.720	2908	40.82	-5.065	2958	41.94	5.569
2809	39.01	-7.988	2859	39.95	-0.768	2909	40.84	-3.811	2959	41.96	6.198
2810	39.03	-9.234	2860	39.97	-3.262	2910	40.86	-1.931	2960	41.97	7.701
2811	39.04	-9.856	2861	39.98	-3.259	2911	40.87	-1.179	2961	41.99	8.330
2812	39.06	-10.226	2862	40.00	-5.129	2912	40.88	-0.677	2962	42.00	8.333
2813	39.08	-10.221	2863	40.02	-5.502	2913	40.89	1.201	2963	42.03	9.089
2814	39.10	-9.966	2864	40.03	-5.749	2914	40.92	2.207	2964	42.04	10.091
2815	39.12	-8.962	2865	40.04	-5.747	2915	40.94	2.837	2965	42.06	10.345
2816	39.13	-8.084	2866	40.06	-5.493	2916	40.96	3.091	2966	42.08	10.352
2817	39.14	-6.832	2867	40.07	-4.864	2917	41.00	1.977	2967	42.10	10.105
2818	39.15	-5.580	2868	40.08	-4.236	2918	41.03	1.607	2968	42.13	9.236
2819	39.16	-4.952	2869	40.10	-4.233	2919	41.05	2.238	2969	42.15	6.991
2820	39.17	-4.576	2870	40.11	-4.230	2920	41.07	3.492	2970	42.16	5.119
2821	39.18	-4.322	2871	40.13	-4.227	2921	41.09	4.122	2971	42.18	2.374
2822	39.19	-3.696	2872	40.14	-4.223	2922	41.12	4.753	2972	42.19	2.002
2823	39.20	-4.193	2873	40.16	-4.469	2923	41.15	5.387	2973	42.20	1.378
2824	39.21	-4.191	2874	40.17	-4.466	2924	41.17	6.016	2974	42.21	1.006
2825	39.24	-4.560	2875	40.20	-3.961	2925	41.20	7.273	2975	42.22	0.383
2826	39.25	-4.306	2876	40.23	-3.953	2926	41.22	7.903	2976	42.24	0.387
2827	39.29	-4.798	2877	40.24	-3.950	2927	41.24	8.156	2977	42.28	0.020
2828	39.32	-5.166	2878	40.26	-3.571	2928	41.25	8.160	2978	42.30	-0.225
2829	39.34	-5.161	2879	40.28	-3.317	2929	41.28	7.915	2979	42.33	-0.842
2830	39.35	-4.533	2880	40.30	-2.937	2930	41.30	7.921	2980	42.35	-1.212
2831	39.36	-3.655	2881	40.33	-2.305	2931	41.33	6.428	2981	42.37	-1.208
2832	39.39	-2.024	2882	40.34	-1.677	2932	41.36	4.809	2982	42.39	-2.454
2833	39.40	-0.771	2883	40.36	-1.422	2933	41.37	3.562	2983	42.41	-2.449
2834	39.45	5.865	2884	40.38	-0.793	2934	41.39	2.691	2984	42.43	-1.820
2835	39.46	9.244	2885	40.40	-0.413	2935	41.41	1.446	2985	42.45	-1.565
2836	39.47	10.371	2886	40.43	-0.156	2936	41.43	0.230	2986	42.47	-1.185
2837	39.48	11.374	2887	40.44	-0.403	2937	41.46	-1.668	2987	42.50	-0.929
2838	39.50	11.127	2888	40.45	-0.651	2938	41.48	-3.289	2988	42.52	-0.924
2839	39.52	9.881	2889	40.46	-0.649	2939	41.51	-7.607	2989	42.54	-0.920
2840	39.56	7.391	2890	40.47	-0.396	2940	41.52	-9.029	2990	42.56	-0.789
2841	39.59	4.273	2891	40.49	0.482	2941	41.53	-9.902	2991	42.59	-1.409
2842	39.61	2.653	2892	40.51	2.112	2942	41.54	-10.899	2992	42.60	-1.406
2843	39.63	1.159	2893	40.52	2.990	2943	41.55	-11.146	2993	42.62	-1.402
2844	39.65	0.780	2894	40.54	4.620	2944	41.58	-10.891	2994	42.64	-1.397
2845	39.67	1.417	2895	40.56	5.498	2945	41.63	-9.004	2995	42.65	-1.394
2846	39.68	2.045	2896	40.57	5.501	2946	41.70	-4.611	2996	42.67	-1.765
2847	39.72	3.553	2897	40.58	5.879	2947	41.74	-2.103	2997	42.69	-2.011
2848	39.73	4.557	2898	40.60	5.634	2948	41.76	-1.473	2998	42.70	-2.384
2849	39.75	5.187	2899	40.62	4.639	2949	41.77	-1.221	2999	42.71	-2.381
2850	39.77	5.441	2900	40.65	3.145	2950	41.79	-0.217	3000	42.73	-3.251

土木構造物における加速度強震記録（No. 9）

INDEX NO. 838 907-GR-126 TAIRA BRIDGE LG. MAX.ACCEL.= 38.357(GAL) T=21.50(SEC) NO.16

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3001	42.75	-3.246	3051	43.70	-0.031	3101	44.60	-0.075	3151	45.73	1.684
3002	42.77	-2.992	3052	43.72	0.599	3102	44.62	-0.070	3152	45.75	2.687
3003	42.80	-2.737	3053	43.73	1.227	3103	44.63	-0.318	3153	45.76	2.689
3004	42.81	-2.107	3054	43.75	1.230	3104	44.65	0.186	3154	45.78	2.444
3005	42.83	-1.729	3055	43.76	1.857	3105	44.67	0.817	3155	45.81	1.826
3006	42.87	-0.470	3056	43.78	2.862	3106	44.70	2.075	3156	45.84	1.209
3007	42.88	1.659	3057	43.79	3.490	3107	44.72	2.454	3157	45.86	0.838
3008	42.90	2.911	3058	43.81	3.669	3108	44.75	3.084	3158	45.90	0.222
3009	42.91	4.164	3059	43.82	4.497	3109	44.76	2.837	3159	45.92	0.227
3010	42.93	4.793	3060	43.84	4.501	3110	44.78	3.716	3160	45.96	1.735
3011	42.94	4.547	3061	43.85	3.879	3111	44.79	4.594	3161	45.98	2.365
3012	42.97	3.679	3062	43.86	3.507	3112	44.81	4.973	3162	46.00	2.995
3013	42.99	2.664	3063	43.87	2.884	3113	44.83	5.602	3163	46.03	3.377
3014	43.02	1.440	3064	43.88	2.261	3114	44.84	4.357	3164	46.05	2.507
3015	43.04	1.195	3065	43.89	2.014	3115	44.87	4.113	3165	46.08	1.889
3016	43.06	0.824	3066	43.90	1.016	3116	44.89	3.742	3166	46.10	0.892
3017	43.09	1.079	3067	43.92	0.144	3117	44.91	3.122	3167	46.11	0.644
3018	43.10	1.083	3068	43.93	-0.853	3118	44.93	3.376	3168	46.14	0.027
3019	43.12	1.713	3069	43.94	-0.850	3119	44.95	3.506	3169	46.16	-0.093
3020	43.14	2.342	3070	43.96	-0.596	3120	44.99	3.514	3170	46.18	0.912
3021	43.15	2.720	3071	43.98	-1.092	3121	45.03	4.024	3171	46.20	1.792
3022	43.16	2.972	3072	44.00	-0.213	3122	45.05	3.780	3172	46.22	2.422
3023	43.17	3.599	3073	44.02	0.667	3123	45.09	3.162	3173	46.24	3.051
3024	43.19	4.603	3074	44.03	1.296	3124	45.13	2.547	3174	46.27	3.057
3025	43.21	5.232	3075	44.04	1.298	3125	45.16	1.680	3175	46.29	3.438
3026	43.22	5.235	3076	44.05	1.300	3126	45.19	0.564	3176	46.32	2.570
3027	43.23	4.988	3077	44.07	1.678	3127	45.20	-0.812	3177	46.36	2.205
3028	43.24	4.615	3078	44.10	1.935	3128	45.22	-2.682	3178	46.40	0.338
3029	43.25	3.741	3079	44.13	1.442	3129	45.23	-3.930	3179	46.41	-1.158
3030	43.26	2.494	3080	44.16	0.824	3130	45.25	-4.676	3180	46.44	-2.401
3031	43.27	2.496	3081	44.20	0.208	3131	45.27	-5.547	3181	46.46	-2.398
3032	43.28	1.499	3082	44.23	-1.161	3132	45.29	-4.042	3182	46.47	-3.019
3033	43.29	1.502	3083	44.25	-1.030	3133	45.33	-2.409	3183	46.50	-4.264
3034	43.32	0.882	3084	44.28	-1.648	3134	45.34	-1.530	3184	46.52	-4.258
3035	43.34	0.013	3085	44.30	-2.019	3135	45.38	-0.272	3185	46.53	-3.756
3036	43.36	0.267	3086	44.33	-2.262	3136	45.41	0.985	3186	46.55	-3.126
3037	43.38	0.521	3087	44.36	-2.256	3137	45.43	0.990	3187	46.57	-2.120
3038	43.41	1.154	3088	44.38	-1.751	3138	45.46	0.747	3188	46.59	-1.492
3039	43.43	1.532	3089	44.40	-1.372	3139	45.48	0.502	3189	46.61	-0.236
3040	43.45	2.162	3090	44.41	-0.742	3140	45.49	0.139	3190	46.62	0.391
3041	43.47	2.167	3091	44.43	-0.489	3141	45.51	-0.491	3191	46.66	0.650
3042	43.49	1.921	3092	44.45	0.141	3142	45.55	-2.358	3192	46.68	-0.219
3043	43.53	0.931	3093	44.47	0.145	3143	45.57	-3.354	3193	46.71	0.661
3044	43.57	0.690	3094	44.49	0.150	3144	45.59	-4.225	3194	46.73	0.668
3045	43.59	0.370	3095	44.50	-0.098	3145	45.60	-3.596	3195	46.76	0.174
3046	43.61	-0.550	3096	44.52	-0.719	3146	45.63	-2.715	3196	46.80	-0.817
3047	43.64	-0.544	3097	44.53	-1.340	3147	45.67	-1.457	3197	46.83	-0.809
3048	43.66	-0.540	3098	44.55	-0.711	3148	45.69	-1.076	3198	46.89	-0.795
3049	43.67	-0.287	3099	44.57	-0.082	3149	45.70	-0.443	3199	46.90	-0.168
3050	43.69	-0.283	3100	44.58	-0.879	3150	45.72	0.430	3200	46.91	0.084

INDEX NO. 838 907-GR-126 TAIRA BRIDGE LG. MAX.ACCEL.= 38.357(GAL) T=21.50(SEC) NO.17

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3201	46.93	0.089	3251	48.04	0.472	3301	49.32	-0.394	3351	50.68	0.084
3202	46.95	0.468	3252	48.06	-0.150	3302	49.33	5.021	3352	50.72	0.092
3203	46.97	1.098	3253	48.09	-1.144	3303	49.34	5.148	3353	50.74	0.347
3204	46.99	2.354	3254	48.12	-1.387	3304	49.35	5.650	3356	50.76	0.352
3205	47.00	2.981	3255	48.15	-1.754	3305	49.36	5.777	3355	50.81	0.112
3206	47.04	3.865	3256	48.19	-1.370	3306	49.37	5.779	3356	50.83	-0.133
3207	47.06	5.494	3257	48.20	-1.368	3307	49.40	5.786	3357	50.85	-0.252
3208	47.09	6.376	3258	48.22	-0.863	3308	49.46	5.676	3358	50.87	-1.123
3209	47.10	6.754	3259	48.24	-0.859	3309	49.49	6.058	3359	50.89	-0.868
3210	47.11	7.907	3260	48.25	-0.480	3310	49.50	6.060	3360	50.91	-1.740
3211	47.13	7.010	3261	48.28	-0.224	3311	49.51	6.062	3361	50.92	-1.737
3212	47.14	5.514	3262	48.29	-0.221	3312	49.53	5.492	3362	50.94	-1.108
3213	47.17	2.646	3263	48.30	0.135	3313	49.55	4.573	3363	50.95	-0.229
3214	47.20	1.401	3264	48.32	1.036	3314	49.59	1.455	3364	50.97	-0.224
3215	47.21	0.779	3265	48.34	2.291	3315	49.64	-0.157	3365	50.99	0.155
3216	47.22	0.282	3266	48.38	3.301	3316	49.71	-1.786	3366	51.00	0.407
3217	47.25	0.287	3267	48.40	3.930	3317	49.79	-2.622	3367	51.01	0.785
3218	47.27	-0.332	3268	48.42	4.560	3318	49.81	-2.243	3368	51.02	1.036
3219	47.33	-1.944	3269	48.44	4.814	3319	49.84	-2.612	3369	51.03	1.038
3220	47.35	-2.189	3270	48.46	5.194	3320	49.87	-3.479	3370	51.06	1.796
3221	47.38	-3.182	3271	48.49	5.449	3321	49.93	-3.215	3371	51.08	1.801
3222	47.39	-3.178	3272	48.52	4.332	3322	49.96	-2.960	3372	51.10	1.180
3223	47.42	-2.548	3273	48.57	2.488	3323	49.98	-2.654	3373	51.12	1.684
3224	47.44	-1.669	3274	48.62	2.105	3324	50.00	-2.575	3374	51.14	2.313
3225	47.45	-0.415	3275	48.63	1.244	3325	50.01	-2.572	3375	51.15	2.691
3226	47.46	0.588	3276	48.74	-0.365	3326	50.03	-2.567	3376	51.17	3.321
3227	47.48	0.592	3277	48.76	-1.237	3327	50.07	-3.434	3377	51.18	3.324
3228	47.50	0.846	3278	48.79	-1.855	3328	50.10	-1.302	3378	51.22	3.957
3229	47.51	0.599	3279	48.81	-1.851	3329	50.12	0.204	3379	51.26	2.466
3230	47.54	0.855	3280	48.83	-2.471	3330	50.14	1.459	3380	51.28	1.847
3231	47.56	0.631	3281	48.84	-2.643	3331	50.16	1.462	3381	51.31	0.229
3232	47.57	1.487	3282	48.86	-3.839	3332	50.18	1.593	3382	51.34	-0.660
3233	47.58	1.490	3283	48.89	-4.084	3333	50.21	1.225	3383	51.35	-1.263
3234	47.59	1.867	3284	48.91	-5.451	3334	50.24	1.635	3384	51.37	-2.009
3235	47.61	1.621	3285	48.92	-5.449	3335	50.25	2.110	3385	51.38	-2.630
3236	47.63	1.000	3286	48.94	-5.195	3336	50.29	3.743	3386	51.40	-2.627
3237	47.66	-0.241	3287	48.96	-4.190	3337	50.32	5.000	3387	51.41	-1.998
3238	47.69	-0.609	3288	48.97	-3.307	3338	50.35	5.882	3388	51.43	-1.369
3239	47.73	-1.602	3289	49.05	-1.044	3339	50.37	6.510	3389	51.45	-1.366
3240	47.74	-1.598	3290	49.12	-0.434	3340	50.38	6.513	3390	51.47	-0.360
3241	47.75	-1.595	3291	49.15	-0.396	3341	50.39	6.517	3391	51.49	0.269
3242	47.77	-0.966	3292	49.17	0.058	3342	50.41	6.271	3392	51.50	0.021
3243	47.79	-0.336	3293	49.18	1.111	3343	50.46	2.282	3393	51.52	-0.348
3244	47.82	1.545	3294	49.19	0.684	3344	50.50	-0.583	3394	51.54	-0.595
3245	47.85	3.176	3295	49.20	1.116	3345	50.52	-1.205	3395	51.55	-1.216
3246	47.88	3.559	3296	49.22	1.119	3346	50.54	-1.208	3396	51.57	-2.212
3247	47.92	3.568	3297	49.23	0.622	3347	50.57	-0.819	3397	51.60	-2.205
3248	47.95	3.199	3298	49.24	1.500	3348	50.58	-0.566	3398	51.62	-1.325
3249	47.98	2.207	3299	49.26	0.630	3349	50.62	-0.307	3399	51.65	-1.316
3250	48.01	1.964	3300	49.29	2.157	3350	50.64	-0.301	3400	51.66	-0.315

INDEX NO. 838 907-GR-126 TAIRA BRIDGE LG. MAX.ACCEL.= 38.357(GAL) T=21.50(SEC) NO.18

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3401	51.68	0.939	3451	52.39	2.088	3501	53.93	2.078	3551	54.93	4.182
3402	51.70	1.567	3452	52.41	2.092	3502	53.94	2.081	3552	54.95	4.185
3403	51.71	1.571	3453	52.43	2.472	3503	53.96	2.335	3553	54.97	2.940
3404	51.73	2.825	3454	52.45	2.726	3504	53.98	2.454	3554	55.00	0.448
3405	51.75	2.829	3455	52.46	2.234	3505	53.99	2.467	3555	55.02	0.453
3406	51.81	4.719	3456	53.01	2.110	3506	54.00	2.969	3556	55.04	1.081
3407	51.84	4.099	3457	53.02	2.492	3507	54.01	3.346	3557	55.07	0.713
3408	51.86	4.104	3458	53.05	1.074	3508	54.02	3.099	3558	55.10	0.094
3409	51.88	3.235	3459	53.07	2.129	3509	54.03	2.726	3559	55.11	0.097
3410	51.91	1.990	3460	53.10	1.886	3510	54.05	3.356	3560	55.12	0.726
3411	51.93	0.746	3461	53.13	1.266	3511	54.07	3.139	3561	55.13	1.103
3412	51.95	0.374	3462	53.16	1.025	3512	54.09	2.739	3562	55.16	1.109
3413	51.97	0.379	3463	53.18	0.030	3513	54.11	2.110	3563	55.17	1.736
3414	51.98	0.382	3464	53.21	-0.438	3514	54.14	0.625	3564	55.18	1.489
3415	51.99	0.385	3465	53.24	-1.457	3515	54.17	0.257	3565	55.23	1.375
3416	52.01	0.640	3466	53.25	-1.029	3516	54.20	0.014	3566	55.26	1.132
3417	52.04	1.271	3467	53.27	-1.024	3517	54.23	0.321	3567	55.28	1.388
3418	52.06	1.650	3468	53.30	-1.316	3518	54.25	0.301	3568	55.31	1.769
3419	52.08	1.905	3469	53.31	-1.305	3519	54.26	0.657	3569	55.34	2.025
3420	52.11	2.037	3470	53.34	-1.809	3520	54.29	0.284	3570	55.36	2.029
3421	52.14	1.418	3471	53.36	-1.180	3521	54.30	-0.337	3571	55.39	1.786
3422	52.17	1.929	3472	53.38	-0.550	3522	54.32	-0.334	3572	55.43	0.920
3423	52.20	2.307	3473	53.39	0.077	3523	54.33	0.295	3573	55.44	0.207
3424	52.21	2.560	3474	53.40	0.330	3524	54.37	1.553	3574	55.45	0.551
3425	52.23	2.939	3475	53.41	1.333	3525	54.41	2.169	3575	55.47	1.886
3426	52.24	3.567	3476	53.43	2.212	3526	54.46	2.448	3576	55.50	2.687
3427	52.27	3.573	3477	53.45	2.341	3527	54.49	2.456	3577	55.52	2.192
3428	52.30	3.579	3478	53.46	2.844	3528	54.53	0.964	3578	55.54	1.821
3429	52.34	1.963	3479	53.47	3.225	3529	54.56	-0.279	3579	55.56	1.825
3430	52.36	1.094	3480	53.51	2.979	3530	54.59	-1.523	3580	55.58	2.080
3431	52.39	-0.399	3481	53.54	2.987	3531	54.62	-2.390	3581	55.61	0.961
3432	52.41	-0.771	3482	53.56	2.368	3532	54.63	-2.368	3582	55.63	-0.283
3433	52.42	-1.019	3483	53.58	2.373	3533	54.64	-2.761	3583	55.65	-1.529
3434	52.43	-1.391	3484	53.60	2.253	3534	54.65	-3.009	3584	55.66	-2.151
3435	52.45	-1.387	3485	53.62	2.881	3535	54.66	-2.756	3585	55.69	-3.144
3436	52.47	-1.382	3486	53.64	2.885	3536	54.71	-0.245	3586	55.72	-2.887
3437	52.51	-0.497	3487	53.67	2.641	3537	54.73	1.010	3587	55.73	-2.884
3438	52.54	1.134	3488	53.68	2.395	3538	54.74	1.638	3588	55.76	-3.378
3439	52.55	1.761	3489	53.70	2.399	3539	54.76	2.892	3589	55.78	-3.124
3440	52.56	2.139	3490	53.72	2.403	3540	54.77	3.145	3590	55.80	-3.870
3441	52.59	2.146	3491	53.74	2.408	3541	54.79	3.523	3591	55.82	-2.991
3442	52.62	0.902	3492	53.76	1.412	3542	54.80	3.525	3592	55.84	-2.360
3443	52.66	-0.463	3493	53.77	0.799	3543	54.81	3.779	3593	55.85	-1.359
3444	52.69	-0.706	3494	53.79	0.793	3544	54.82	3.906	3594	55.87	-0.479
3445	52.74	-1.570	3495	53.79	0.796	3545	54.83	3.533	3595	55.90	0.778
3446	52.76	-1.567	3496	53.81	0.550	3546	54.84	4.162	3596	55.91	1.157
3447	52.79	-1.309	3497	53.84	0.556	3547	54.87	3.917	3597	55.93	0.911
3448	52.82	-0.927	3498	53.86	0.562	3548	54.88	3.545	3598	55.96	0.292
3449	52.83	-0.050	3499	53.89	1.444	3549	54.90	3.549	3599	55.97	1.420
3450	52.86	0.582	3500	53.91	2.073	3550	54.91	4.177	3600	56.00	1.801

INDEX NO. 838 907-GR-126 TAIRA BRIDGE LG. MAX.ACCEL.= 38.357(GAL) T=21.50(SEC) NO.19

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3601	56.01	2.053	3651	57.25	-2.286	3701	58.20	-0.944	3751	59.51	-1.014
3602	56.03	2.434	3652	57.26	-2.533	3702	58.21	-0.910	3752	59.52	-1.635
3603	56.04	3.311	3653	57.29	-2.903	3703	58.22	-0.437	3753	59.54	-1.632
3604	56.05	3.064	3654	57.32	-3.145	3704	58.23	-0.060	3754	59.55	-1.629
3605	56.06	3.691	3655	57.34	-2.641	3705	58.25	0.820	3755	59.57	-1.374
3606	56.08	4.070	3656	57.35	-2.513	3706	58.26	1.822	3756	59.59	-1.368
3607	56.10	3.200	3657	57.36	-2.611	3707	58.28	2.452	3757	59.60	-0.992
3608	56.11	1.953	3658	57.38	-1.382	3708	58.30	3.081	3758	59.61	-0.366
3609	56.15	1.712	3659	57.39	-0.128	3709	58.33	2.837	3759	59.62	-0.361
3610	56.17	-1.158	3660	57.42	1.753	3710	58.35	3.092	3760	59.65	-1.229
3611	56.21	-0.526	3661	57.44	2.508	3711	58.37	2.846	3761	59.67	-2.224
3612	56.23	-0.271	3662	57.46	2.511	3712	58.39	2.477	3762	59.70	-1.843
3613	56.26	-0.514	3663	57.48	3.015	3713	58.42	2.482	3763	59.71	-1.590
3614	56.29	-0.507	3664	57.51	4.524	3714	58.44	1.862	3764	59.75	-0.956
3615	56.32	-0.501	3665	57.57	3.536	3715	58.45	1.865	3765	59.77	-0.952
3616	56.35	0.132	3666	57.61	1.420	3716	58.47	1.869	3766	59.79	-0.948
3617	56.38	0.390	3667	57.63	0.801	3717	58.48	1.496	3767	59.81	-0.944
3618	56.41	1.021	3668	57.67	-0.816	3718	58.55	0.638	3768	59.85	-0.559
3619	56.44	1.653	3669	57.68	-0.512	3719	58.60	-1.850	3769	59.88	0.323
3620	56.47	0.159	3670	57.70	-1.058	3720	58.65	-3.213	3770	59.91	0.580
3621	56.52	-0.203	3671	57.73	-1.427	3721	58.60	-4.457	3771	59.93	0.959
3622	56.55	-1.446	3672	57.76	-2.045	3722	58.70	-5.077	3772	59.94	0.963
3623	56.57	-1.317	3673	57.77	-2.293	3723	58.72	-5.697	3773	59.96	1.593
3624	56.61	-0.809	3674	57.78	-2.914	3724	58.74	-5.694	3774	59.98	1.348
3625	56.64	-1.052	3675	57.80	-2.911	3725	58.76	-5.062	3775	60.01	1.355
3626	56.66	-1.047	3676	57.82	-2.906	3726	58.79	-4.181	3776	60.04	0.986
3627	56.68	-1.042	3677	57.83	-2.905	3727	58.83	-3.547	3777	60.07	1.242
3628	56.70	-1.036	3678	57.85	-2.900	3728	58.86	-2.914	3778	60.09	2.246
3629	56.73	-0.155	3679	57.86	-2.896	3729	58.91	-1.029	3779	60.12	2.254
3630	56.75	0.224	3680	57.88	-2.892	3730	58.94	-0.022	3780	60.19	3.520
3631	56.77	0.477	3681	57.89	-2.639	3731	58.96	0.609	3781	60.26	2.661
3632	56.78	0.481	3682	57.91	-2.010	3732	58.99	1.241	3782	60.28	2.292
3633	56.81	0.488	3683	57.92	-1.382	3733	59.01	2.121	3783	60.32	1.676
3634	56.84	-0.130	3684	57.94	-0.503	3734	59.06	3.881	3784	60.37	1.436
3635	56.87	-0.999	3685	57.95	-0.126	3735	59.09	3.639	3785	60.40	1.068
3636	56.89	-1.245	3686	57.97	0.254	3736	59.12	3.271	3786	60.41	0.821
3637	56.91	-2.615	3687	57.99	0.257	3737	59.15	2.653	3787	60.44	-0.172
3638	56.93	-3.360	3688	58.00	-0.384	3738	59.19	2.037	3788	60.47	-1.040
3639	56.95	-2.981	3689	58.03	-0.109	3739	59.24	-0.076	3789	60.49	-2.284
3640	56.98	-2.098	3690	58.04	-0.106	3740	59.25	-1.074	3790	60.51	-3.406
3641	56.99	-2.345	3691	58.06	-0.101	3741	59.27	-1.944	3791	60.54	-4.899
3642	57.02	-1.714	3692	58.08	-0.347	3742	59.29	-2.314	3792	60.56	-5.519
3643	57.04	-2.333	3693	58.10	0.160	3743	59.32	-2.558	3793	60.60	-6.509
3644	57.07	-2.077	3694	58.12	0.163	3744	59.34	-1.678	3794	60.63	-6.752
3645	57.09	-1.697	3695	58.13	-0.085	3745	59.36	-1.424	3795	60.66	-6.496
3646	57.11	-0.818	3696	58.14	0.543	3746	59.39	-0.792	3796	60.71	-4.608
3647	57.13	-0.690	3697	58.15	0.296	3747	59.41	-0.411	3797	60.75	-3.100
3648	57.14	-0.685	3698	58.16	-0.702	3748	59.44	-0.154	3798	60.77	-2.095
3649	57.19	-1.951	3699	58.17	-0.699	3749	59.46	-0.024	3799	60.80	-1.464
3650	57.21	-1.295	3700	58.19	-0.696	3750	59.48	-0.645	3800	60.82	-1.458

INDEX NO. 838 907-GR-126 TAIRA BRIDGE LG. MAX.ACCEL.= 38.357(GAL) T=21.50(SEC) NO.29

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
3801	60.85	-1.292	3851	61.95	-1.176
3802	60.88	0.056	3852	61.96	-1.193
3803	60.91	1.062	3853	61.98	-1.813
3804	60.93	1.691	3854	62.00	-1.808
3805	60.95	2.322	3855	62.02	-1.805
3806	60.96	2.575	3856	62.05	-0.924
3807	60.99	3.830	3857	62.06	0.040
3808	61.01	5.210	3858	62.07	0.957
3809	61.03	4.965	3859	62.09	1.536
3810	61.04	4.716	3860	62.11	1.904
3811	61.06	4.346	3861	62.13	1.719
3812	61.07	4.349	3862	62.18	1.356
3813	61.09	3.105	3863	62.21	1.739
3814	61.12	2.486	3864	62.25	1.373
3815	61.15	1.867	3865	62.32	0.763
3816	61.18	1.625	3866	62.37	0.524
3817	61.21	1.881	3867	62.40	-0.093
3818	61.22	1.885	3868	62.43	-1.088
3819	61.25	1.892	3869	62.45	-2.332
3820	61.27	1.897	3870	62.47	-2.954
3821	61.29	1.900	3871	62.48	-3.575
3822	61.32	1.907	3872	62.50	-3.621
3823	61.35	1.039	3873	62.52	-3.596
3824	61.37	0.420	3874	62.54	-3.562
3825	61.40	-0.573	3875	62.56	-3.308
3826	61.44	-1.815	3876	62.60	-2.924
3827	61.45	-2.811	3877	62.64	-3.164
3828	61.47	-3.807	3878	62.67	-3.534
3829	61.50	-4.802	3879	62.69	-3.530
3830	61.52	-4.795	3880	62.70	-3.277
3831	61.55	-5.289	3881	62.73	-2.896
3832	61.58	-4.783	3882	62.75	-2.265
3833	61.60	-4.403	3883	62.78	-2.009
3834	61.62	-3.149	3884	62.80	-1.379
3835	61.63	-2.895	3885	62.82	-1.250
3836	61.66	-1.639	3886	62.83	-1.621
3837	61.68	-0.634	3887	62.85	-1.617
3838	61.69	-0.006	3888	62.87	-1.863
3839	61.70	0.620	3889	62.89	-1.607
3840	61.73	1.877	3890	62.91	-0.978
3841	61.75	1.007	3891	62.94	0.277
3842	61.76	1.634	3892	62.96	2.158
3843	61.79	1.516	3893	62.98	2.787
3844	61.80	1.519	3894	63.00	3.666
3845	61.83	1.902			
3846	61.85	1.905			
3847	61.86	1.657			
3848	61.87	1.910			
3849	61.89	1.290			
3850	61.93	0.048			

Table IX D-65 Digitized Accelerations of Earthquake Record with Index Number 839

INDEX NO. 839 911-GR-1 FUKUI BRIDGE TR. MAX.ACCEL.= -51.265(GAL) T= 2.19(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.01	-12.123	51	0.53	7.132	101	1.05	-3.338	151	1.55	-6.013
2	0.02	-5.154	52	0.54	-9.900	102	1.06	3.892	152	1.56	-2.286
3	0.03	-6.942	53	0.55	-19.668	103	1.07	3.668	153	1.57	0.193
4	0.04	-10.210	54	0.56	-25.194	104	1.08	-9.172	154	1.58	-1.593
5	0.05	-13.990	55	0.57	-25.203	105	1.09	-11.188	155	1.59	-3.620
6	0.06	-15.757	56	0.59	-9.737	106	1.10	-11.201	156	1.60	-4.889
7	0.07	-15.789	57	0.60	13.710	107	1.11	0.511	157	1.61	-5.417
8	0.08	-11.547	58	0.61	14.951	108	1.12	1.252	158	1.62	-4.433
9	0.09	-9.814	59	0.62	11.928	109	1.13	-3.793	159	1.63	1.288
10	0.10	-4.087	60	0.63	9.907	110	1.14	-5.563	160	1.64	3.027
11	0.11	-0.371	61	0.64	-1.872	111	1.15	-5.075	161	1.65	-1.766
12	0.12	-1.647	62	0.65	-15.906	112	1.16	-4.593	162	1.66	-5.033
13	0.13	-6.675	63	0.66	-17.926	113	1.17	-2.626	163	1.67	-8.805
14	0.14	-10.953	64	0.67	-17.442	114	1.18	-3.905	164	1.68	-7.082
15	0.16	-11.747	65	0.68	-12.962	115	1.19	-6.428	165	1.69	0.393
16	0.18	-8.787	66	0.69	1.249	116	1.20	-9.686	166	1.71	10.354
17	0.19	-9.813	67	0.70	6.473	117	1.21	-5.960	167	1.72	8.578
18	0.20	-10.585	68	0.71	7.713	118	1.22	-0.945	168	1.73	6.060
19	0.21	-10.108	69	0.72	7.196	119	1.23	-6.525	169	1.74	-13.226
20	0.22	-9.882	70	0.73	5.168	120	1.24	-7.795	170	1.75	-22.995
21	0.23	-8.153	71	0.74	0.146	121	1.25	-7.803	171	1.76	-24.765
22	0.24	-4.427	72	0.75	-7.894	122	1.26	-6.826	172	1.77	-0.545
23	0.25	-1.944	73	0.76	-7.404	123	1.27	2.147	173	1.78	27.933
24	0.26	-3.224	74	0.77	-3.685	124	1.28	-0.378	174	1.79	30.914
25	0.27	-4.992	75	0.78	-1.696	125	1.29	-4.153	175	1.80	23.903
26	0.28	-12.034	76	0.79	-1.737	126	1.30	-8.435	176	1.81	-6.643
27	0.29	-15.801	77	0.80	-4.756	127	1.31	-9.200	177	1.82	-17.411
28	0.30	-15.064	78	0.81	-9.787	128	1.32	-4.971	178	1.83	-21.935
29	0.31	-7.855	79	0.82	-10.049	129	1.33	5.758	179	1.84	-21.952
30	0.32	-2.871	80	0.83	-6.820	130	1.34	3.982	180	1.85	-12.728
31	0.33	2.850	81	0.84	4.890	131	1.35	-6.808	181	1.88	11.956
32	0.34	3.085	82	0.85	5.885	132	1.36	-8.826	182	1.89	20.172
33	0.35	2.317	83	0.86	-8.654	133	1.37	-8.087	183	1.90	19.664
34	0.36	0.048	84	0.87	-7.666	134	1.38	0.626	184	1.91	14.637
35	0.37	-8.736	85	0.88	-1.944	135	1.39	-1.902	185	1.92	1.622
36	0.38	-16.021	86	0.89	1.060	136	1.40	-6.173	186	1.93	-41.672
37	0.39	-14.781	87	0.90	-3.236	137	1.41	-6.935	187	1.94	-46.928
38	0.40	-12.298	88	0.91	-10.024	138	1.42	-3.217	188	1.95	-23.212
39	0.41	-3.579	89	0.92	-8.283	139	1.43	-1.479	189	1.96	41.007
40	0.42	4.141	90	0.93	-4.055	140	1.44	2.251	190	1.97	45.250
41	0.43	7.864	91	0.94	2.172	141	1.45	-1.291	191	1.98	42.231
42	0.44	4.846	92	0.95	0.397	142	1.46	-5.061	192	1.99	17.206
43	0.45	-0.182	93	0.96	-7.142	143	1.47	-9.587	193	2.00	-31.339
44	0.46	-8.456	94	0.97	-8.914	144	1.48	-10.659	194	2.01	-31.345
45	0.47	-14.980	95	0.98	-8.920	145	1.49	-5.378	195	2.02	-7.378
46	0.48	-20.486	96	0.99	-2.949	146	1.50	0.345	196	2.03	4.601
47	0.49	-9.269	97	1.00	2.776	147	1.51	4.078	197	2.04	-5.167
48	0.50	0.948	98	1.02	-10.281	148	1.52	0.297	198	2.05	-17.950
49	0.51	11.922	99	1.03	-13.808	149	1.53	-4.725	199	2.06	-17.959
50	0.52	11.403	100	1.04	-10.572	150	1.54	-7.750	200	2.07	23.002

INDEX NO. 839 911-GR-1 FUKUI BRIDGE TR. MAX.ACCEL.= -51.265(GAL) T= 2.19(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	2.08	35.723	251	2.60	9.000	301	3.11	10.717	351	3.63	1.057
202	2.09	33.964	252	2.61	10.976	302	3.12	11.230	352	3.64	0.274
203	2.10	-2.314	253	2.62	9.714	303	3.13	8.991	353	3.66	2.734
204	2.11	-46.095	254	2.63	6.441	304	3.14	-2.226	354	3.67	5.214
205	2.12	-46.101	255	2.64	-2.348	305	3.15	-5.964	355	3.68	6.948
206	2.13	-34.126	256	2.65	-4.871	306	3.16	-5.446	356	3.69	5.173
207	2.14	45.563	257	2.66	-3.139	307	3.17	4.586	357	3.70	3.146
208	2.15	47.575	258	2.67	7.578	308	3.18	10.460	358	3.71	-2.895
209	2.16	26.794	259	2.68	16.554	309	3.19	10.365	359	3.72	-2.910
210	2.17	-34.735	260	2.69	16.545	310	3.20	6.639	360	3.73	-1.180
211	2.18	-51.259	261	2.70	11.021	311	3.21	4.663	361	3.74	5.537
212	2.19	-51.265	262	2.72	-11.845	312	3.22	4.691	362	3.75	10.012
213	2.20	-1.052	263	2.73	-13.084	313	3.23	8.460	363	3.76	8.752
214	2.21	46.172	264	2.74	-10.070	314	3.24	10.229	364	3.77	4.217
215	2.22	49.419	265	2.75	12.719	315	3.25	7.983	365	3.78	0.443
216	2.23	37.632	266	2.76	26.241	316	3.26	-3.989	366	3.79	-1.329
217	2.24	-22.901	267	2.77	20.249	317	3.27	-6.464	367	3.80	-0.100
218	2.25	-33.669	268	2.78	14.317	318	3.28	-6.946	368	3.81	1.132
219	2.26	-31.184	269	2.79	-6.196	319	3.29	10.336	369	3.82	3.608
220	2.27	10.526	270	2.80	-11.180	320	3.30	14.354	370	3.83	4.084
221	2.28	19.262	271	2.81	-12.414	321	3.31	13.368	371	3.84	5.306
222	2.29	14.491	272	2.82	-11.153	322	3.32	8.896	372	3.86	2.263
223	2.30	4.475	273	2.83	11.634	323	3.33	3.412	373	3.87	-3.202
224	2.31	-14.061	274	2.84	14.652	324	3.34	2.174	374	3.88	-3.305
225	2.32	-12.320	275	2.85	12.912	325	3.35	-0.302	375	3.89	-2.027
226	2.33	17.884	276	2.86	9.185	326	3.36	1.475	376	3.90	2.650
227	2.34	21.120	277	2.87	4.207	327	3.37	5.249	377	3.91	3.885
228	2.35	14.098	278	2.88	1.220	328	3.38	9.020	378	3.92	5.859
229	2.36	-5.928	279	2.89	1.753	329	3.39	9.034	379	3.93	4.592
230	2.37	-14.190	280	2.90	3.528	330	3.40	7.799	380	3.94	2.057
231	2.39	6.993	281	2.91	3.540	331	3.41	6.067	381	3.95	2.043
232	2.40	9.484	282	2.92	1.025	332	3.42	1.591	382	3.96	-2.230
233	2.41	1.952	283	2.93	4.346	333	3.43	-1.390	383	3.97	-1.760
234	2.42	-8.076	284	2.94	5.111	334	3.44	1.843	384	3.98	-0.038
235	2.43	-13.594	285	2.95	6.136	335	3.45	7.161	385	4.00	1.159
236	2.44	-2.363	286	2.96	6.146	336	3.46	10.932	386	4.02	4.366
237	2.45	15.857	287	2.97	4.499	337	3.47	12.195	387	4.03	4.337
238	2.46	22.094	288	2.98	4.950	338	3.48	9.954	388	4.05	2.551
239	2.47	22.073	289	2.99	6.971	339	3.49	7.902	389	4.06	0.518
240	2.48	7.789	290	3.00	8.739	340	3.50	5.900	390	4.08	0.983
241	2.49	-6.241	291	3.01	9.492	341	3.51	2.521	391	4.10	4.673
242	2.50	-8.754	292	3.02	3.270	342	3.53	-0.687	392	4.11	2.899
243	2.51	-5.777	293	3.03	-4.947	343	3.54	1.777	393	4.12	1.620
244	2.52	-0.304	294	3.04	-3.938	344	3.55	4.749	394	4.13	0.345
245	2.54	4.906	295	3.05	3.593	345	3.56	6.725	395	4.14	-0.925
246	2.55	5.372	296	3.06	11.113	346	3.57	6.213	396	4.15	-1.437
247	2.56	3.599	297	3.07	11.126	347	3.58	5.435	397	4.16	0.287
248	2.57	1.574	298	3.08	6.891	348	3.59	2.696	398	4.17	3.247
249	2.58	1.544	299	3.09	-1.078	349	3.60	2.372	399	4.18	5.227
250	2.59	5.268	300	3.10	5.696	350	3.62	2.345	400	4.19	3.953

INDEX NO. 839 911-GR-1 FUKUI BRIDGE TR. MAX.ACCEL.= -51.265(GAL) T= 2.19(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	4.20	3.430	451	4.75	5.616	501	5.44	4.947	551	6.13	-1.698
402	4.21	2.162	452	4.76	1.825	502	5.45	3.180	552	6.14	-0.466
403	4.22	4.372	453	4.77	2.547	503	5.46	2.409	553	6.15	2.001
404	4.23	5.103	454	4.78	2.523	504	5.47	3.626	554	6.16	3.733
405	4.24	5.579	455	4.79	2.504	505	5.49	5.326	555	6.17	5.716
406	4.25	5.062	456	4.81	3.217	506	5.53	3.499	556	6.18	3.187
407	4.26	2.043	457	4.82	4.930	507	5.56	2.174	557	6.19	1.413
408	4.27	0.004	458	4.84	4.392	508	5.57	2.644	558	6.20	0.125
409	4.28	1.735	459	4.85	4.122	509	5.58	5.367	559	6.22	2.324
410	4.29	3.703	460	4.86	5.590	510	5.59	5.840	560	6.23	2.550
411	4.30	3.196	461	4.87	5.310	511	5.61	4.045	561	6.25	-0.727
412	4.31	1.159	462	4.88	5.296	512	5.62	2.764	562	6.26	2.227
413	4.32	-0.118	463	4.89	3.534	513	5.64	4.476	563	6.28	5.930
414	4.33	-1.381	464	4.90	1.743	514	5.65	5.696	564	6.29	2.411
415	4.34	-1.899	465	4.91	3.977	515	5.67	4.416	565	6.30	-1.372
416	4.35	0.315	466	4.92	5.957	516	5.68	3.886	566	6.31	-2.139
417	4.36	2.798	467	4.93	6.933	517	5.69	4.857	567	6.32	-0.911
418	4.37	6.023	468	4.94	6.162	518	5.70	5.575	568	6.33	0.323
419	4.38	4.752	469	4.95	3.630	519	5.72	2.537	569	6.34	4.790
420	4.39	2.217	470	4.96	1.095	520	5.73	1.766	570	6.35	2.764
421	4.41	-2.068	471	4.98	2.811	521	5.74	1.234	571	6.36	-1.511
422	4.42	-3.342	472	4.99	4.290	522	5.75	1.706	572	6.37	-2.789
423	4.43	-2.864	473	5.00	3.604	523	5.76	5.433	573	6.39	-0.569
424	4.45	0.837	474	5.01	2.979	524	5.77	6.161	574	6.40	3.890
425	4.46	2.048	475	5.02	2.701	525	5.78	4.884	575	6.41	2.118
426	4.48	4.004	476	5.04	6.907	526	5.80	1.803	576	6.42	-1.850
427	4.50	0.206	477	5.05	6.648	527	5.81	2.082	577	6.43	-2.921
428	4.51	-1.817	478	5.06	4.626	528	5.82	4.544	578	6.44	-1.944
429	4.52	-3.095	479	5.07	1.601	529	5.83	4.521	579	6.45	0.529
430	4.53	-0.616	480	5.08	-0.423	530	5.85	1.476	580	6.46	1.254
431	4.54	3.111	481	5.09	1.530	531	5.86	0.207	581	6.47	1.215
432	4.55	6.823	482	5.10	2.015	532	5.87	1.427	582	6.49	1.171
433	4.56	6.805	483	5.11	4.502	533	5.88	3.146	583	6.50	1.651
434	4.57	3.783	484	5.13	2.706	534	5.89	3.371	584	6.51	2.884
435	4.58	0.515	485	5.14	0.680	535	5.90	2.602	585	6.52	1.862
436	4.59	-3.263	486	5.15	1.905	536	5.91	2.080	586	6.53	-0.166
437	4.60	-3.288	487	5.17	5.594	537	5.93	3.791	587	6.54	-0.198
438	4.61	-0.304	488	5.18	6.323	538	5.95	5.742	588	6.56	0.521
439	4.62	4.159	489	5.19	6.312	539	5.96	3.215	589	6.57	2.741
440	4.63	4.643	490	5.20	3.785	540	5.97	1.948	590	6.58	2.718
441	4.64	2.872	491	5.21	3.606	541	5.98	2.430	591	6.60	1.425
442	4.65	4.084	492	5.22	2.474	542	5.99	2.904	592	6.61	0.384
443	4.67	3.557	493	5.24	4.691	543	6.00	3.625	593	6.63	-1.662
444	4.68	2.770	494	5.26	5.383	544	6.01	0.342	594	6.65	-2.942
445	4.69	4.001	495	5.28	5.347	545	6.02	-0.602	595	6.66	2.512
446	4.70	1.480	496	5.31	5.262	546	6.03	0.291	596	6.67	3.995
447	4.71	0.712	497	5.34	5.184	547	6.05	1.503	597	6.68	4.974
448	4.72	-0.312	498	5.39	4.334	548	6.06	3.464	598	6.70	5.191
449	4.73	1.412	499	5.41	5.522	549	6.09	1.645	599	6.71	1.914
450	4.74	3.384	500	5.43	4.488	550	6.12	-2.926	600	6.72	-1.872

土木構造物における加速度強震記録（No. 9）

INDEX NO. 839 911-GR-1 FUKUI BRIDGE TR. MAX.ACCEL.= -51.265(GAL) T= 2.19(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	6.73	-2.649	651	7.41	0.197	701	8.60	-5.151	751	9.63	-1.406
602	6.75	-0.182	652	7.45	1.353	702	8.61	-6.437	752	9.65	-3.205
603	6.76	1.282	653	7.46	0.575	703	8.63	-3.473	753	9.66	-4.491
604	6.77	1.754	654	7.48	-2.480	704	8.64	-7.005	754	9.68	-4.787
605	6.78	-0.014	655	7.50	-2.027	705	8.66	-6.047	755	9.69	-2.820
606	6.79	-0.787	656	7.53	-1.348	706	8.67	-3.587	756	9.72	-2.677
607	6.80	-0.804	657	7.54	-1.369	707	8.70	-3.398	757	9.73	-5.407
608	6.81	-0.324	658	7.55	-3.394	708	8.72	-4.202	758	9.75	-4.946
609	6.82	2.393	659	7.57	-3.424	709	8.74	-3.743	759	9.77	-2.994
610	6.83	2.381	660	7.58	-2.207	710	8.76	-4.779	760	9.78	-4.276
611	6.84	-0.914	661	7.59	-1.482	711	8.78	-3.831	761	9.79	-3.061
612	6.85	-1.432	662	7.60	-2.764	712	8.79	-4.357	762	9.81	-2.353
613	6.87	2.780	663	7.61	-4.026	713	8.80	-1.879	763	9.82	-3.889
614	6.89	2.741	664	7.62	-5.310	714	8.81	-0.655	764	9.84	-3.683
615	6.90	-1.535	665	7.64	-3.601	715	8.83	-4.970	765	9.85	-2.461
616	6.91	0.679	666	7.66	-1.644	716	8.84	-4.994	766	9.87	-2.493
617	6.93	0.800	667	7.67	-2.932	717	8.85	-4.015	767	9.88	-2.769
618	6.95	1.334	668	7.69	-1.225	718	8.86	-2.791	768	9.90	-5.072
619	6.97	1.297	669	7.72	-1.048	719	8.88	-3.318	769	9.91	-4.597
620	6.98	0.768	670	7.75	-0.623	720	8.89	-4.609	770	9.92	-3.377
621	6.99	2.485	671	7.77	-0.656	721	8.90	-4.637	771	9.94	-4.169
622	7.01	1.955	672	7.79	-3.719	722	8.92	-1.672	772	9.95	-6.439
623	7.03	-1.058	673	7.80	-4.493	723	8.94	-1.711	773	9.96	-5.969
624	7.04	-1.888	674	7.81	-2.518	724	8.95	-3.485	774	9.97	-2.753
625	7.06	-1.429	675	7.82	0.467	725	8.96	-4.759	775	9.99	-1.799
626	7.07	-0.196	676	7.85	-2.101	726	8.97	-3.540	776	10.01	-4.100
627	7.09	-0.747	677	7.87	-1.652	727	8.99	-2.846	777	10.05	-3.202
628	7.10	-2.282	678	7.89	-2.769	728	9.02	-4.418	778	10.11	-3.103
629	7.11	-1.054	679	7.91	-3.491	729	9.04	-2.973	779	10.17	-4.501
630	7.12	-0.334	680	7.93	-2.289	730	9.06	-2.525	780	10.21	-3.326
631	7.14	-1.616	681	7.95	-1.848	731	9.09	-4.327	781	10.25	-4.676
632	7.15	-2.145	682	7.98	-4.921	732	9.10	-5.104	782	10.27	-5.987
633	7.16	-1.684	683	8.03	-1.791	733	9.11	-3.339	783	10.29	-5.540
634	7.18	-3.471	684	8.08	-3.914	734	9.12	-2.671	784	10.31	-3.822
635	7.19	-0.497	685	8.13	-2.765	735	9.14	-2.711	785	10.33	-6.144
636	7.20	-0.518	686	8.15	-2.330	736	9.17	-4.044	786	10.37	-5.720
637	7.21	-1.047	687	8.16	-3.300	737	9.22	-4.668	787	10.40	-3.795
638	7.22	-2.522	688	8.18	-3.648	738	9.28	-3.541	788	10.44	-5.912
639	7.23	-3.090	689	8.20	-0.938	739	9.29	-5.084	789	10.49	-3.521
640	7.24	-0.132	690	8.22	-2.249	740	9.31	-3.876	790	10.54	-2.092
641	7.25	0.089	691	8.24	-3.536	741	9.33	-1.424	791	10.59	-4.279
642	7.28	-1.231	692	8.26	-3.096	742	9.35	-2.466	792	10.64	-2.633
643	7.30	-3.232	693	8.31	-1.970	743	9.36	-2.505	793	10.73	-4.096
644	7.32	-3.330	694	8.39	-2.651	744	9.42	-3.904	794	10.75	-3.659
645	7.33	-2.102	695	8.48	-2.359	745	9.49	-3.561	795	10.79	-3.502
646	7.35	2.841	696	8.53	-4.480	746	9.52	-1.887	796	10.81	-6.062
647	7.36	1.577	697	8.54	-5.012	747	9.54	-4.951	797	10.85	-3.641
648	7.37	1.954	698	8.55	-4.539	748	9.56	-3.747	798	10.90	-5.276
649	7.38	-0.214	699	8.57	-1.336	749	9.59	-4.564	799	10.96	-4.672
650	7.39	-0.499	700	8.58	-3.114	759	9.61	-4.358	809	11.04	-2.861

INDEX NO. 839 911-GR-1 FUKUI BRIDGE TR. MAX.ACCEL.= -51.265(GAL) T= 2.19(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	11.12	-3.051	851	13.59	-0.309
802	11.20	-3.984	852	13.61	-1.103
803	11.29	-4.211	853	13.63	-4.152
804	11.33	-3.057	854	13.67	-3.252
805	11.39	-4.440	855	13.72	-1.366
806	11.42	-3.283	856	13.84	-3.402
807	11.44	-2.976	857	13.91	-2.577
808	11.46	-5.368	858	13.97	-1.970
809	11.49	-3.792	859	14.06	-3.438
810	11.55	-4.082	860	14.14	-0.652
811	11.59	-4.194	861	14.21	-2.562
812	11.68	-3.395	862	14.31	-2.543
813	11.78	-4.641	863	14.44	-2.366
814	11.83	-4.259	864	14.53	-0.594
815	11.90	-3.920	865	14.60	-3.208
816	11.95	-4.545	866	14.93	-2.562
817	12.05	-4.786			
818	12.07	-3.587			
819	12.09	-2.887			
820	12.10	-5.421			
821	12.13	-3.230			
822	12.15	-3.794			
823	12.18	-5.117			
824	12.24	-4.012			
825	12.34	-1.257			
826	12.46	-2.048			
827	12.56	-2.282			
828	12.65	-4.261			
829	12.76	-2.629			
830	12.73	-3.218			
831	12.80	-3.384			
832	12.86	-2.531			
833	12.89	-4.350			
834	12.93	-2.443			
835	12.96	-2.759			
836	13.00	-2.110			
837	13.02	-3.417			
838	13.04	-2.214			
839	13.06	-3.501			
840	13.09	-2.332			
841	13.13	-3.190			
842	13.18	-1.302			
843	13.22	-3.417			
844	13.32	-2.160			
845	13.40	-1.859			
846	13.46	-1.995			
847	13.52	-0.688			
848	13.54	-2.685			
849	13.55	-2.714			
850	13.56	-2.748			

Table IX D-66 Digitized Accelerations of Earthquake Record with Index Number 840

INDEX NO. 840 911-GR-1 FUKUI BRIDGE U-D MAX.ACCEL.= -16.045(GAL) T= 0.07(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.0	-11.175	51	0.50	-1.519	101	1.00	-9.843	151	1.50	5.478
2	0.01	-11.698	52	0.51	-0.959	102	1.01	4.007	152	1.51	11.953
3	0.02	-12.357	53	0.52	-3.159	103	1.02	9.568	153	1.52	10.944
4	0.03	7.746	54	0.53	-3.062	104	1.03	9.575	154	1.53	-1.593
5	0.04	7.755	55	0.54	-2.525	105	1.04	1.655	155	1.54	-6.113
6	0.05	2.100	56	0.55	3.611	106	1.05	-3.776	156	1.55	-5.630
7	0.06	-10.324	57	0.56	5.096	107	1.06	-1.979	157	1.56	1.342
8	0.07	-16.045	58	0.57	2.636	108	1.07	1.612	158	1.57	-2.448
9	0.08	-15.493	59	0.58	-3.516	109	1.08	1.902	159	1.58	-2.456
10	0.09	-9.944	60	0.59	-7.706	110	1.09	4.473	160	1.59	3.013
11	0.10	-1.637	61	0.60	-6.921	111	1.10	4.485	161	1.60	2.977
12	0.11	-2.528	62	0.61	-5.361	112	1.11	-1.667	162	1.61	-1.800
13	0.12	-6.715	63	0.62	2.979	113	1.12	-2.895	163	1.62	-4.329
14	0.13	-6.192	64	0.63	5.523	114	1.13	3.452	164	1.63	-5.605
15	0.14	-4.404	65	0.64	6.076	115	1.14	4.008	165	1.64	-4.614
16	0.15	3.957	66	0.65	5.102	116	1.15	3.030	166	1.65	1.104
17	0.16	3.972	67	0.66	-1.804	117	1.16	-1.387	167	1.66	7.825
18	0.17	-5.177	68	0.67	-4.735	118	1.17	-6.307	168	1.67	7.819
19	0.18	-10.119	69	0.68	-5.980	119	1.18	-6.775	169	1.68	3.040
20	0.19	-10.073	70	0.69	-5.377	120	1.19	-4.489	170	1.69	-5.252
21	0.20	-9.529	71	0.70	-4.598	121	1.20	7.618	171	1.70	-6.519
22	0.21	-7.726	72	0.71	3.501	122	1.21	9.388	172	1.71	-3.543
23	0.22	-6.906	73	0.72	7.310	123	1.22	2.716	173	1.72	-1.062
24	0.23	-4.368	74	0.73	8.075	124	1.23	-6.458	174	1.73	1.393
25	0.24	3.241	75	0.74	5.640	125	1.24	-11.657	175	1.74	2.880
26	0.25	4.531	76	0.75	-1.262	126	1.25	-11.887	176	1.75	3.364
27	0.26	3.304	77	0.76	-4.950	127	1.26	7.581	177	1.76	2.838
28	0.27	-7.839	78	0.77	-4.429	128	1.27	9.570	178	1.77	-4.208
29	0.28	-12.926	79	0.78	-2.370	129	1.28	5.795	179	1.78	-4.728
30	0.29	-13.243	80	0.79	-2.317	130	1.29	-5.494	180	1.79	-4.736
31	0.30	-10.672	81	0.80	3.533	131	1.30	-6.756	181	1.80	6.468
32	0.31	-8.895	82	0.81	6.817	132	1.31	-4.277	182	1.81	8.200
33	0.32	2.467	83	0.82	5.848	133	1.32	-0.550	183	1.82	6.940
34	0.33	5.775	84	0.83	1.675	134	1.33	1.158	184	1.83	-4.349
35	0.34	4.554	85	0.84	-5.753	135	1.34	1.129	185	1.84	-9.381
36	0.35	3.384	86	0.85	-6.226	136	1.35	3.114	186	1.85	-8.138
37	0.36	-1.546	87	0.86	1.687	137	1.36	3.091	187	1.86	6.818
38	0.37	-3.497	88	0.87	2.659	138	1.37	-3.194	188	1.87	9.808
39	0.38	-7.706	89	0.88	0.731	139	1.38	-3.201	189	1.88	6.786
40	0.39	-14.120	90	0.89	3.783	140	1.39	2.262	190	1.89	-3.257
41	0.40	-16.846	91	0.90	2.829	141	1.40	3.498	191	1.90	-3.764
42	0.41	-13.048	92	0.91	-2.071	142	1.41	-3.299	192	1.91	0.455
43	0.42	3.799	93	0.92	-0.792	143	1.42	-4.562	193	1.92	-2.584
44	0.43	4.836	94	0.93	1.039	144	1.43	-2.831	194	1.93	-7.112
45	0.44	6.154	95	0.94	1.595	145	1.44	7.130	195	1.94	-8.871
46	0.45	2.700	96	0.95	5.411	146	1.45	6.624	196	1.95	-4.644
47	0.46	-5.466	97	0.96	6.721	147	1.46	2.346	197	1.96	5.324
48	0.47	-9.150	98	0.97	6.741	148	1.47	-5.945	198	1.97	4.059
49	0.48	-5.869	99	0.98	-4.919	149	1.48	-11.226	199	1.98	-0.975
50	0.49	-1.572	100	0.99	-5.397	150	1.49	-9.980	200	1.99	-5.264

INDEX NO. 840 911-GR-1 FUKUI BRIDGE U-D MAX.ACCEL.= -16.045(GAL) T= 0.07(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	2.00	-5.273	251	2.50	-5.198	301	3.00	3.248	351	3.51	-0.949
202	2.01	-4.300	252	2.51	-3.619	302	3.01	-2.167	352	3.52	1.361
203	2.02	5.164	253	2.52	2.939	303	3.02	-2.133	353	3.53	3.421
204	2.03	5.658	254	2.53	3.716	304	3.03	2.954	354	3.54	5.980
205	2.04	-2.888	255	2.54	0.772	305	3.04	2.977	355	3.55	6.011
206	2.05	-6.162	256	2.55	-2.919	306	3.05	1.287	356	3.56	2.336
207	2.06	-6.682	257	2.56	-2.344	307	3.06	-0.612	357	3.57	0.396
208	2.07	3.790	258	2.57	3.239	308	3.07	-0.597	358	3.58	1.671
209	2.08	10.515	259	2.58	4.762	309	3.08	2.500	359	3.59	-2.496
210	2.09	11.257	260	2.59	1.080	310	3.09	4.546	360	3.60	-2.450
211	2.10	-7.541	261	2.60	-2.610	311	3.10	4.602	361	3.61	1.909
212	2.11	-9.311	262	2.61	-2.573	312	3.11	0.924	362	3.62	3.949
213	2.12	-7.074	263	2.62	1.779	313	3.12	0.503	363	3.63	2.256
214	2.13	7.384	264	2.63	3.558	314	3.13	-0.207	364	3.64	1.047
215	2.14	7.378	265	2.64	3.656	315	3.14	2.369	365	3.65	1.633
216	2.15	-1.916	266	2.65	2.682	316	3.15	2.402	366	3.66	4.175
217	2.16	-6.440	267	2.66	-2.985	317	3.16	1.208	367	3.67	3.724
218	2.17	-4.698	268	2.67	-2.451	318	3.17	0.003	368	3.68	-1.932
219	2.18	6.506	269	2.68	-0.375	319	3.18	-1.197	369	3.69	-4.413
220	2.19	9.743	270	2.69	0.929	320	3.19	1.874	370	3.70	-3.088
221	2.20	5.970	271	2.70	1.461	321	3.20	2.183	371	3.71	3.255
222	2.21	-2.071	272	2.71	-3.192	322	3.21	3.248	372	3.72	3.301
223	2.22	-3.331	273	2.72	-3.165	323	3.22	4.047	373	3.73	-0.370
224	2.23	-2.867	274	2.73	-3.837	324	3.23	4.137	374	3.74	-3.329
225	2.24	-1.636	275	2.74	-3.285	325	3.24	3.701	375	3.75	-4.535
226	2.25	2.581	276	2.75	-2.460	326	3.25	-1.175	376	3.76	-2.717
227	2.26	2.575	277	2.75	-2.424	327	3.27	-1.891	377	3.78	2.385
228	2.27	0.792	278	2.77	3.166	328	3.28	0.669	378	3.79	5.471
229	2.28	-1.743	279	2.78	5.235	329	3.29	3.222	379	3.80	5.505
230	2.29	-1.749	280	2.79	2.778	330	3.30	6.300	380	3.81	2.061
231	2.30	1.968	281	2.80	1.068	331	3.31	8.344	381	3.82	-2.386
232	2.31	2.446	282	2.81	-2.595	332	3.32	7.140	382	3.83	1.474
233	2.32	-1.094	283	2.82	-2.560	333	3.33	0.958	383	3.84	3.278
234	2.33	-1.102	284	2.83	-2.016	334	3.34	-1.947	384	3.85	2.813
235	2.34	3.101	285	2.84	-1.955	335	3.35	-1.922	385	3.86	-4.596
236	2.35	3.096	286	2.85	-1.392	336	3.36	4.915	386	3.87	-4.571
237	2.36	-1.950	287	2.86	3.205	337	3.37	6.216	387	3.88	-3.260
238	2.37	-4.473	288	2.87	4.276	338	3.38	6.740	388	3.89	2.329
239	2.38	-3.242	289	2.88	5.791	339	3.39	3.310	389	3.90	3.638
240	2.39	3.473	290	2.89	4.091	340	3.40	1.367	390	3.91	1.439
241	2.40	4.700	291	2.90	-1.580	341	3.41	3.960	391	3.92	0.251
242	2.41	4.696	292	2.91	-4.516	342	3.42	4.514	392	3.93	-3.423
243	2.42	-2.602	293	2.92	-3.483	343	3.43	4.533	393	3.94	-3.654
244	2.43	-2.611	294	2.93	4.130	344	3.44	-0.874	394	3.95	-1.605
245	2.44	-1.632	295	2.94	6.174	345	3.45	-3.347	395	3.96	5.249
246	2.45	3.325	296	2.95	6.198	346	3.46	1.257	396	3.97	5.291
247	2.46	5.311	297	2.95	3.269	347	3.47	3.542	397	3.98	2.337
248	2.47	4.794	298	2.97	-1.156	348	3.48	4.325	398	3.99	2.437
249	2.48	3.519	299	2.98	-1.127	349	3.49	1.386	399	4.00	2.490
250	2.49	-3.527	300	2.99	1.971	350	3.50	0.217	400	4.01	1.767

INDEX NO. 840 911-GR-1 FUKUI BRIDGE U-D MAX.ACCEL.= -16.045(GAL) T= 0.07(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	4.02	-4.143	451	4.56	-3.388	501	5.23	-1.814	551	5.83	-1.600
402	4.03	-4.120	452	4.57	0.926	502	5.24	-1.825	552	5.84	0.378
403	4.04	-1.795	453	4.58	6.975	503	5.25	1.697	553	5.85	-1.388
404	4.05	-0.493	454	4.59	3.541	504	5.26	2.378	554	5.86	-3.928
405	4.07	0.918	455	4.60	-3.655	505	5.27	1.336	555	5.87	-3.950
406	4.08	1.711	456	4.61	-1.330	506	5.28	-1.184	556	5.88	-2.217
407	4.09	3.522	457	4.62	-1.786	507	5.29	-1.469	557	5.89	-0.985
408	4.10	3.054	458	4.63	0.607	508	5.30	-0.737	558	5.90	-0.269
409	4.11	1.913	459	4.64	3.063	509	5.31	0.497	559	5.91	0.206
410	4.12	3.210	460	4.65	2.020	510	5.32	0.973	560	5.92	0.174
411	4.13	3.765	461	4.66	3.202	511	5.33	0.433	561	5.94	0.132
412	4.14	1.570	462	4.67	-2.280	512	5.34	0.417	562	5.95	-0.408
413	4.15	-2.877	463	4.68	0.825	513	5.35	0.397	563	5.96	0.566
414	4.16	-1.587	464	4.69	1.601	514	5.36	1.419	564	5.97	0.040
415	4.17	1.517	465	4.70	1.147	515	5.37	2.085	565	5.98	-1.238
416	4.18	2.322	466	4.71	-1.252	516	5.38	0.304	566	5.99	-1.745
417	4.19	1.867	467	4.72	-3.458	517	5.40	0.247	567	6.00	-0.786
418	4.20	0.654	468	4.73	-1.650	518	5.41	-0.277	568	6.02	-2.575
419	4.21	1.759	469	4.74	0.421	519	5.42	0.698	569	6.04	-2.633
420	4.23	-0.419	470	4.75	-2.020	520	5.43	0.409	570	6.07	-0.715
421	4.24	0.167	471	4.77	-2.433	521	5.44	0.150	571	6.09	-1.510
422	4.25	0.754	472	4.79	-0.039	522	5.45	-0.368	572	6.10	-0.796
423	4.27	0.555	473	4.81	2.073	523	5.46	-0.389	573	6.11	-2.054
424	4.28	0.904	474	4.84	1.763	524	5.47	-0.414	574	6.12	-2.853
425	4.29	2.203	475	4.86	3.716	525	5.48	0.055	575	6.13	-3.372
426	4.30	4.300	476	4.91	3.439	526	5.49	-1.229	576	6.14	-2.896
427	4.31	4.349	477	4.95	1.416	527	5.51	-1.773	577	6.15	-2.419
428	4.32	3.133	478	4.96	1.699	528	5.52	-1.815	578	6.16	0.815
429	4.33	-1.780	479	4.98	1.345	529	5.53	-1.027	579	6.17	0.776
430	4.34	-0.475	480	4.99	1.802	530	5.54	1.133	580	6.20	-1.299
431	4.35	3.347	481	5.00	-0.463	531	5.55	1.130	581	6.23	-0.625
432	4.36	3.918	482	5.01	-1.226	532	5.56	-1.911	582	6.26	1.032
433	4.37	3.944	483	5.02	-0.761	533	5.57	-2.668	583	6.29	1.726
434	4.38	-0.712	484	5.03	-0.790	534	5.58	-1.467	584	6.30	1.698
435	4.39	-1.928	485	5.05	0.414	535	5.59	-1.475	585	6.33	-1.403
436	4.40	-2.607	486	5.07	-0.639	536	5.60	0.243	586	6.34	0.323
437	4.41	-2.072	487	5.09	0.318	537	5.61	1.462	587	6.35	2.055
438	4.42	0.512	488	5.13	-0.713	538	5.62	-0.313	588	6.36	2.035
439	4.43	1.815	489	5.11	0.266	539	5.63	-0.830	589	6.37	-1.506
440	4.44	1.388	490	5.12	3.476	540	5.65	0.367	590	6.38	-3.529
441	4.45	-1.557	491	5.13	3.464	541	5.67	-0.429	591	6.39	-3.549
442	4.46	-2.765	492	5.14	-2.085	542	5.68	0.027	592	6.40	-3.562
443	4.47	-1.696	493	5.15	-2.857	543	5.70	0.737	593	6.41	-1.838
444	4.48	0.349	494	5.16	-3.366	544	5.73	-1.093	594	6.42	1.870
445	4.49	-0.084	495	5.17	-1.147	545	5.77	1.059	595	6.43	1.852
446	4.50	-0.737	496	5.18	1.316	546	5.78	0.023	596	6.44	-2.937
447	4.51	0.568	497	5.19	1.309	547	5.79	-1.251	597	6.45	-3.716
448	4.53	1.144	498	5.20	0.261	548	5.80	-2.517	598	6.46	-3.732
449	4.54	-2.251	499	5.21	-0.500	549	5.81	-1.535	599	6.47	-3.010
450	4.55	-2.216	500	5.22	-1.793	550	5.82	-3.317	600	6.48	-1.278

INDEX NO. 840 911-GR-1 FUKUI BRIDGE U-D MAX.ACCEL.= -16.045(GAL) T= 0.07(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	6.49	-0.064	651	7.11	-2.905	701	7.91	-4.235	751	9.07	-3.483
602	6.50	-2.596	652	7.12	-2.935	702	7.92	-4.253	752	9.10	-5.051
603	6.51	-3.110	653	7.13	-1.709	703	7.93	-0.785	753	9.11	-5.093
604	6.52	-3.126	654	7.14	-2.225	704	7.94	-0.573	754	9.13	-3.137
605	6.53	-2.155	655	7.15	-3.505	705	7.96	-3.076	755	9.15	-2.680
606	6.54	-3.942	656	7.17	-3.548	706	7.97	-4.395	756	9.16	-0.725
607	6.55	-4.466	657	7.19	-3.855	707	7.98	-3.917	757	9.17	-1.244
608	6.56	-4.469	658	7.20	-4.043	708	7.99	-2.687	758	9.18	-2.526
609	6.57	-2.763	659	7.21	-3.152	709	8.00	-2.723	759	9.20	-1.573
610	6.58	-1.039	660	7.22	-1.188	710	8.01	-3.998	760	9.22	-1.379
611	6.60	-0.839	661	7.23	-2.711	711	8.02	-1.016	761	9.25	-2.195
612	6.62	-3.381	662	7.24	-3.251	712	8.03	-1.539	762	9.28	-1.542
613	6.65	-4.210	663	7.25	-2.030	713	8.04	-1.581	763	9.31	-2.877
614	6.66	-2.990	664	7.26	-2.552	714	8.05	-2.110	764	9.35	-1.212
615	6.67	43.028	665	7.27	-2.074	715	8.07	-2.906	765	9.36	-1.759
616	6.69	-1.328	666	7.28	-2.104	716	8.11	-0.514	766	9.37	-1.785
617	6.70	-1.335	667	7.29	-2.126	717	8.19	-2.446	767	9.38	-0.056
618	6.71	-0.625	668	7.30	-2.668	718	8.27	-0.917	768	9.39	-2.080
619	6.73	-1.918	669	7.31	-1.674	719	8.33	-0.310	769	9.40	-0.849
620	6.74	-3.698	670	7.32	-2.200	720	8.35	-1.127	770	9.41	-0.888
621	6.75	-3.716	671	7.33	-2.736	721	8.37	-2.413	771	9.42	-1.911
622	6.76	-3.735	672	7.34	-2.261	722	8.38	-2.961	772	9.43	-1.927
623	6.77	-3.231	673	7.35	-1.798	723	8.39	-3.724	773	9.44	-2.698
624	6.78	-3.288	674	7.37	-1.029	724	8.40	-4.512	774	9.45	+0.239
625	6.79	-2.070	675	7.38	+1.658	725	8.41	-2.525	775	9.46	+0.264
626	6.80	-0.849	676	7.39	-2.892	726	8.42	0.449	776	9.47	-0.794
627	6.81	1.632	677	7.40	-2.924	727	8.43	-1.827	777	9.49	-1.582
628	6.82	-2.658	678	7.41	-2.951	728	8.44	-2.610	778	9.51	-1.654
629	6.83	-3.437	679	7.42	-2.974	729	8.46	-4.404	779	9.56	-1.288
630	6.84	-3.963	680	7.44	-2.528	730	8.49	-3.476	780	9.62	-2.441
631	6.85	-2.981	681	7.46	-1.324	731	8.52	-2.824	781	9.71	-2.923
632	6.86	-2.257	682	7.48	-1.681	732	8.59	-2.991	782	9.76	-0.557
633	6.87	-2.270	683	7.50	-0.694	733	8.61	+3.542	783	9.87	-3.344
634	6.88	-1.793	684	7.52	-2.747	734	8.62	+4.315	784	10.00	-2.942
635	6.90	-2.341	685	7.59	-2.903	735	8.63	+3.034	785	10.09	-2.906
636	6.92	-2.916	686	7.62	-2.484	736	8.64	+3.057	786	10.18	-1.918
637	6.94	-0.715	687	7.65	-0.089	737	8.65	-1.926	787	10.28	+2.168
638	6.97	-1.269	688	7.67	+0.608	738	8.69	+1.497	788	10.41	-1.756
639	6.98	-1.314	689	7.68	-1.905	739	8.72	-3.821	789	10.46	-0.150
640	6.99	-1.334	690	7.69	-2.421	740	8.81	+2.797	790	10.51	+1.527
641	7.00	-3.870	691	7.70	-1.959	741	8.85	+3.181	791	10.58	-1.717
642	7.02	-2.648	692	7.71	-1.984	742	8.89	+2.523	792	10.65	-1.388
643	7.03	-1.437	693	7.73	-3.283	743	8.94	+3.381	793	10.71	-2.051
644	7.04	-2.722	694	7.75	+2.615	744	8.96	+3.448	794	10.83	-1.119
645	7.05	-3.993	695	7.76	+1.348	745	8.98	+3.986	795	10.98	-0.250
646	7.06	-4.509	696	7.77	+0.382	746	8.99	+2.770	796	11.13	1.112
647	7.07	-34538	697	7.81	+0.978	747	9.00	-1.558	797	11.35	+0.715
648	7.08	-2.813	698	7.85	-2.340	748	9.02	-1.599	798	11.45	-0.229
649	7.09	-1.596	699	7.89	-1.194	749	9.03	+3.389	799	11.51	+0.365
650	7.10	-1.621	700	7.90	-2.461	750	9.05	+2.441	800	11.58	-0.552

INDEX NO. 840 911-GR-1 FUKUI BRIDGE U-D MAX.ACCEL.= -16.045(GAL) T= 0.07(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	11.65	1.258	851	14.32	5.015
802	11.72	0.327	852	14.35	4.961
803	11.00	-1.636	853	14.43	5.981
804	11.09	-0.056	854	14.52	7.499
805	11.94	2.264	855	14.63	7.967
806	12.07	1.432	856	14.66	6.378
807	12.15	1.707	857	14.69	3.562
808	12.23	3.256	858	14.75	5.403
809	12.33	2.987	859	14.79	8.043
810	12.38	1.855	860	14.86	6.860
811	12.47	2.127	861	14.95	8.881
812	12.55	2.663			
813	12.63	0.956			
814	12.69	3.555			
815	12.70	2.783			
816	12.72	3.224			
817	12.78	3.620			
818	12.84	2.397			
819	12.91	3.479			
820	12.99	4.515			
821	13.07	2.552			
822	13.08	2.527			
823	13.14	2.879			
824	13.22	1.916			
825	13.27	3.769			
826	13.29	3.720			
827	13.32	2.406			
828	13.36	4.802			
829	13.39	3.452			
830	13.43	2.847			
831	13.48	4.473			
832	13.51	6.154			
833	13.52	4.370			
834	13.54	3.826			
835	13.58	4.227			
836	13.67	3.979			
837	13.72	4.615			
838	13.79	5.931			
839	13.83	5.067			
840	13.87	5.468			
841	13.90	4.884			
842	13.92	4.828			
843	13.94	5.280			
844	13.99	5.906			
845	14.02	4.567			
846	14.06	4.967			
847	14.08	5.656			
848	14.13	6.707			
849	14.19	6.110			
850	14.28	5.883			

Table IX D-67 Digitized Accelerations of Earthquake Record with Index Number 841

INDEX NO. 841 911-GR-1 FUKUI BRIDGE LG. MAX.ACCEL.= -31.450(GAL) T= 1.86(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.0	7.019	51	0.51	-4.375	101	1.03	3.568	151	1.53	-3.111
2	0.01	11.349	52	0.52	-1.048	102	1.04	-1.814	152	1.54	2.475
3	0.02	7.134	53	0.53	2.020	103	1.05	-3.785	153	1.55	7.042
4	0.03	-8.532	54	0.54	2.825	104	1.06	-4.237	154	1.56	7.067
5	0.04	-10.989	55	0.55	-0.069	105	1.07	-0.650	155	1.57	4.126
6	0.05	-9.198	56	0.56	-1.235	106	1.08	1.931	156	1.58	-5.267
7	0.06	6.421	57	0.57	-4.422	107	1.09	0.978	157	1.59	-7.716
8	0.07	9.980	58	0.58	-4.387	108	1.10	-2.171	158	1.60	-7.671
9	0.08	9.502	59	0.59	-1.320	109	1.11	-3.382	159	1.61	2.927
10	0.09	-6.617	60	0.60	0.740	110	1.12	-2.806	160	1.62	7.988
11	0.10	-10.061	61	0.61	-0.925	111	1.13	-0.003	161	1.63	3.279
12	0.11	-10.761	62	0.62	-3.137	112	1.14	0.571	162	1.64	-9.111
13	0.12	-9.481	63	0.63	-3.963	113	1.15	-0.621	163	1.65	-11.567
14	0.13	-3.884	64	0.64	-3.502	114	1.16	-3.024	164	1.66	-11.031
15	0.14	0.454	65	0.65	-3.553	115	1.17	-2.988	165	1.67	-8.334
16	0.15	9.256	66	0.67	-1.781	116	1.18	1.349	166	1.68	12.894
17	0.16	7.564	67	0.68	-4.227	117	1.19	4.654	167	1.69	11.664
18	0.17	5.104	68	0.69	-7.368	118	1.20	5.211	168	1.70	4.991
19	0.18	-4.782	69	0.70	-7.355	119	1.21	-2.711	169	1.71	-14.649
20	0.19	-5.977	70	0.71	-4.282	120	1.22	-6.387	170	1.72	-14.624
21	0.20	-5.431	71	0.72	0.823	121	1.23	-6.362	171	1.73	-14.069
22	0.21	0.934	72	0.73	2.141	122	1.24	-3.302	172	1.74	4.541
23	0.22	2.251	73	0.74	1.688	123	1.25	1.286	173	1.75	5.071
24	0.23	2.286	74	0.75	2.238	124	1.26	-8.625	174	1.76	4.621
25	0.24	1.852	75	0.76	2.298	125	1.27	-9.845	175	1.77	-0.286
26	0.25	-1.821	76	0.77	0.645	126	1.28	-6.029	176	1.78	-0.726
27	0.26	-6.253	77	0.78	-1.067	127	1.29	6.581	177	1.79	-6.392
28	0.27	-6.211	78	0.79	-2.240	128	1.30	5.362	178	1.80	-8.836
29	0.28	-2.373	79	0.80	-1.707	129	1.31	-2.563	179	1.81	1.226
30	0.29	2.717	80	0.81	-1.619	130	1.32	-2.528	180	1.82	14.294
31	0.30	3.238	81	0.82	-2.067	131	1.33	-0.660	181	1.83	20.362
32	0.31	6.077	82	0.83	-2.745	132	1.34	-4.347	182	1.84	15.425
33	0.32	5.877	83	0.84	-2.686	133	1.35	-7.287	183	1.85	-25.489
34	0.33	2.932	84	0.85	-2.575	134	1.36	-6.749	184	1.86	-31.450
35	0.34	-4.953	85	0.87	0.793	135	1.37	5.839	185	1.87	-30.909
36	0.35	-7.161	86	0.88	2.636	136	1.38	7.132	186	1.88	-15.833
37	0.36	-9.615	87	0.89	-0.305	137	1.39	0.989	187	1.89	29.527
38	0.37	-10.113	88	0.90	-3.500	138	1.40	-1.466	188	1.90	31.348
39	0.38	-8.958	89	0.91	-3.967	139	1.41	-4.409	189	1.91	28.367
40	0.39	-3.919	90	0.92	-0.907	140	1.42	-2.614	190	1.92	17.179
41	0.40	-0.086	91	0.93	-1.284	141	1.43	1.217	191	1.93	-20.727
42	0.41	1.974	92	0.94	-3.750	142	1.44	1.802	192	1.94	-29.654
43	0.43	3.342	93	0.95	-6.207	143	1.45	-0.406	193	1.95	-27.112
44	0.44	3.444	94	0.96	1.403	144	1.46	-2.308	194	1.96	-12.808
45	0.45	4.759	95	0.97	1.962	145	1.47	-1.026	195	1.97	10.307
46	0.46	6.054	96	0.98	-1.725	146	1.48	-0.966	196	1.98	14.857
47	0.47	1.135	97	0.99	-4.165	147	1.49	-0.881	197	1.99	14.912
48	0.48	-5.038	98	1.00	-4.632	148	1.50	-2.547	198	2.00	12.458
49	0.49	-9.226	99	1.01	-1.566	149	1.51	-3.729	199	2.01	-2.936
50	0.50	-8.686	100	1.02	3.555	150	1.52	-4.929	200	2.02	-18.121

土木構造物における加速度強震記録（No.9）

INDEX NO. 841 911-GR-1 FUKUI BRIDGE LG. MAX.ACCEL.= -31.450(GAL) T= 1.86(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	2.03	-20.568	251	2.53	-11.792	301	3.03	-7.159	351	3.56	-0.643
202	2.04	-13.783	252	2.54	7.823	302	3.04	-9.642	352	3.57	2.684
203	2.05	-3.719	253	2.55	9.093	303	3.05	-10.073	353	3.58	3.972
204	2.06	-4.865	254	2.56	4.420	304	3.06	-8.247	354	3.59	-0.181
205	2.07	-5.343	255	2.57	-4.249	305	3.07	-0.650	355	3.60	-4.633
206	2.08	2.742	256	2.58	-4.212	306	3.08	1.896	356	3.61	-7.053
207	2.09	16.830	257	2.59	6.906	307	3.09	4.001	357	3.62	-6.690
208	2.10	20.872	258	2.60	9.946	308	3.10	4.033	358	3.63	-1.427
209	2.11	6.682	259	2.61	2.750	309	3.11	4.116	359	3.64	6.175
210	2.12	-10.453	260	2.62	-14.143	310	3.13	1.726	360	3.65	6.947
211	2.13	-19.441	261	2.63	-15.355	311	3.14	-0.203	361	3.66	4.510
212	2.14	-11.382	262	2.64	-13.042	312	3.15	-0.647	362	3.67	0.827
213	2.15	12.233	263	2.65	-8.503	313	3.16	-2.571	363	3.68	-3.321
214	2.16	14.762	264	2.66	7.111	314	3.17	-4.252	364	3.69	-5.257
215	2.17	1.105	265	2.67	10.678	315	3.18	-2.424	365	3.70	-5.198
216	2.18	-17.818	266	2.68	11.216	316	3.19	1.419	366	3.71	-2.126
217	2.19	-22.754	267	2.69	9.021	317	3.20	1.454	367	3.72	2.455
218	2.20	-20.238	268	2.70	3.351	318	3.21	-0.224	368	3.73	3.750
219	2.21	-6.416	269	2.71	-0.852	319	3.22	-2.164	369	3.74	6.327
220	2.22	13.951	270	2.72	-3.522	320	3.23	-4.606	370	3.75	5.127
221	2.23	19.525	271	2.73	-8.657	321	3.24	-3.309	371	3.76	-1.525
222	2.24	17.795	272	2.74	-4.047	322	3.25	4.306	372	3.77	-2.753
223	2.25	14.102	273	2.75	0.965	323	3.26	4.325	373	3.78	-2.670
224	2.26	1.207	274	2.76	10.541	324	3.27	2.641	374	3.79	1.665
225	2.27	-9.721	275	2.77	11.816	325	3.28	-4.754	375	3.80	1.195
226	2.28	-14.678	276	2.78	9.655	326	3.29	-7.173	376	3.81	0.513
227	2.29	-18.853	277	2.79	6.441	327	3.30	-5.381	377	3.82	1.135
228	2.30	-10.306	278	2.80	-2.204	328	3.31	-2.339	378	3.83	2.442
229	2.31	-12.756	279	2.81	-3.878	329	3.32	9.762	379	3.84	4.509
230	2.32	14.638	280	2.82	-5.685	330	3.33	11.047	380	3.85	4.047
231	2.33	17.155	281	2.83	-4.530	331	3.34	3.144	381	3.86	1.602
232	2.34	15.955	282	2.84	-1.959	332	3.35	-6.784	382	3.87	-4.546
233	2.35	-7.696	283	2.85	0.889	333	3.36	-9.264	383	3.88	-7.728
234	2.36	-15.392	284	2.86	0.697	334	3.37	-8.171	384	3.89	-7.183
235	2.37	-13.612	285	2.87	11.283	335	3.38	-4.861	385	3.90	1.165
236	2.38	-9.032	286	2.88	10.315	336	3.39	0.240	386	3.91	6.233
237	2.39	-5.958	287	2.89	2.871	337	3.41	3.589	387	3.92	6.770
238	2.40	-1.380	288	2.90	-9.272	338	3.42	4.669	388	3.93	2.590
239	2.41	5.426	289	2.91	-9.244	339	3.44	3.765	389	3.94	-3.603
240	2.42	20.761	290	2.92	-6.179	340	3.45	0.117	390	3.95	-3.044
241	2.43	25.053	291	2.93	4.684	341	3.46	-4.295	391	3.96	-0.970
242	2.44	16.363	292	2.94	5.215	342	3.47	-4.743	392	3.97	-1.349
243	2.45	-25.031	293	2.95	1.033	343	3.48	-2.443	393	3.98	-3.794
244	2.46	-31.231	294	2.96	-3.129	344	3.49	2.650	394	3.99	-4.992
245	2.47	-29.951	295	2.97	-3.857	345	3.50	0.457	395	4.00	-3.942
246	2.48	12.420	296	2.98	-3.785	346	3.51	0.499	396	4.01	6.163
247	2.49	19.471	297	2.99	5.079	347	3.52	-0.696	397	4.02	7.461
248	2.50	21.251	298	3.00	8.891	348	3.53	-0.624	398	4.03	6.549
249	2.51	14.064	299	3.01	10.181	349	3.54	-5.028	399	4.04	-2.884
250	2.52	-12.317	300	3.02	7.242	350	3.55	-4.990	400	4.05	-5.859

INDEX NO. 841 911-GR-1 FUKUI BRIDGE LG. MAX.ACCEL.= -31.450(GAL) T= 1.86(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	4.06	-4.757	451	4.56	5.109	501	5.07	-1.445	551	5.61	-1.310
402	4.07	-2.205	452	4.57	1.944	502	5.08	-1.400	552	5.64	-1.652
403	4.08	3.654	453	4.58	0.749	503	5.09	-0.857	553	5.66	-0.492
404	4.09	4.180	454	4.59	-0.921	504	5.10	-2.534	554	5.68	-0.891
405	4.10	3.756	455	4.60	-0.353	505	5.11	-1.958	555	5.69	-2.031
406	4.11	-2.409	456	4.61	0.211	506	5.12	-0.640	556	5.70	-1.454
407	4.12	-4.359	457	4.62	0.274	507	5.13	-0.582	557	5.71	-3.150
408	4.13	-2.311	458	4.63	0.354	508	5.14	-2.985	558	5.72	-3.077
409	4.14	-3.474	459	4.64	2.412	509	5.16	-1.641	559	5.74	-2.987
410	4.15	-3.934	460	4.65	4.206	510	5.17	0.177	560	5.75	-0.916
411	4.16	-0.832	461	4.66	3.272	511	5.18	1.002	561	5.76	-0.314
412	4.17	1.721	462	4.67	0.871	512	5.19	0.626	562	5.78	-0.709
413	4.18	4.286	463	4.68	-1.066	513	5.20	-1.323	563	5.79	-1.576
414	4.19	5.608	464	4.70	-1.717	514	5.21	-1.736	564	5.80	-1.765
415	4.20	6.155	465	4.71	1.662	515	5.22	-0.688	565	5.81	-1.717
416	4.21	3.243	466	4.72	1.714	516	5.23	0.608	566	5.83	-0.621
417	4.22	-2.906	467	4.73	3.036	517	5.24	1.913	567	5.84	0.171
418	4.23	-5.684	468	4.74	1.815	518	5.25	2.723	568	5.85	0.777
419	4.24	-4.807	469	4.75	-1.320	519	5.26	1.553	569	5.86	0.866
420	4.25	1.548	470	4.76	-1.783	520	5.27	-0.090	570	5.88	-3.252
421	4.26	2.844	471	4.77	1.310	521	5.28	-7.290	571	5.89	-3.727
422	4.27	3.632	472	4.78	4.618	522	5.29	-5.472	572	5.90	-3.906
423	4.28	-0.034	473	4.79	4.142	523	5.30	-4.652	573	5.91	-3.066
424	4.29	-1.194	474	4.80	3.962	524	5.31	-2.845	574	5.93	-2.927
425	4.30	-0.639	475	4.81	4.035	525	5.32	-3.265	575	5.95	-1.576
426	4.31	1.954	476	4.82	1.112	526	5.33	-3.202	576	5.96	-0.261
427	4.32	1.026	477	4.83	-3.813	527	5.34	-2.663	577	5.97	-1.901
428	4.33	-1.414	478	4.84	-4.277	528	5.35	-0.080	578	5.99	-1.813
429	4.34	-1.389	479	4.85	-2.451	529	5.36	1.226	579	6.00	-0.741
430	4.35	0.458	480	4.86	-0.341	530	5.37	0.312	580	6.01	-0.389
431	4.36	3.559	481	4.87	-0.291	531	5.38	-3.353	581	6.02	-1.079
432	4.37	3.078	482	4.88	-1.470	532	5.39	-5.825	582	6.04	-1.741
433	4.38	3.152	483	4.89	-2.690	533	5.40	-4.775	583	6.05	-4.626
434	4.39	-3.502	484	4.90	1.660	534	5.41	-1.448	584	6.06	-0.799
435	4.40	-5.471	485	4.91	2.234	535	5.42	0.425	585	6.07	-0.241
436	4.41	-1.139	486	4.92	1.509	536	5.43	0.453	586	6.08	-0.187
437	4.42	-0.819	487	4.93	-1.673	537	5.44	-2.440	587	6.09	-1.873
438	4.43	1.033	488	4.94	-3.693	538	5.45	-4.155	588	6.10	-1.780
439	4.44	-0.150	489	4.95	-3.569	539	5.46	-4.105	589	6.12	-2.169
440	4.45	-3.834	490	4.96	-2.961	540	5.47	-1.045	590	6.13	0.915
441	4.46	-2.034	491	4.97	0.672	541	5.48	0.315	591	6.14	0.466
442	4.47	1.271	492	4.98	0.903	542	5.49	0.352	592	6.15	-1.446
443	4.48	2.563	493	4.99	0.495	543	5.50	1.649	593	6.16	-3.139
444	4.49	2.639	494	5.00	-0.716	544	5.51	1.237	594	6.18	-3.018
445	4.50	-0.246	495	5.01	-2.615	545	5.52	0.568	595	6.20	-2.835
446	4.51	-3.454	496	5.02	-3.084	546	5.53	0.136	596	6.22	-3.502
447	4.52	-2.903	497	5.03	0.045	547	5.54	-1.784	597	6.23	-2.890
448	4.53	-0.809	498	5.04	0.062	548	5.56	-2.441	598	6.26	-0.221
449	4.54	0.927	499	5.05	1.423	549	5.58	-3.300	599	6.28	1.194
450	4.55	4.309	500	5.06	-0.255	550	5.59	-3.191	600	6.29	-0.485

INDEX NO. 841 911-GR-1 FUKUI BRIDGE LG. MAX.ACCEL.= -31.450(GAL) T= 1.86(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	6.30	-1.649	651	6.93	-2.456	701	7.46	0.469	751	8.30	-1.397
602	6.31	-2.073	652	6.94	-1.142	702	7.48	-1.646	752	8.31	-3.300
603	6.32	-1.511	653	6.95	-0.571	703	7.49	-1.608	753	8.33	-1.804
604	6.34	-0.155	654	6.96	0.244	704	7.50	0.764	754	8.36	-1.715
605	6.35	-0.067	655	6.97	0.294	705	7.51	0.799	755	8.38	-1.569
606	6.36	0.007	656	6.98	-0.087	706	7.52	1.599	756	8.40	-0.217
607	6.37	-0.430	657	6.99	-1.299	707	7.53	1.164	757	8.42	-0.576
608	6.38	-1.665	658	7.00	-2.502	708	7.54	-2.098	758	8.43	-1.220
609	6.39	-1.778	659	7.01	-3.184	709	7.55	-3.201	759	8.45	-2.871
610	6.41	-1.421	660	7.03	0.769	710	7.56	-1.842	760	8.46	-3.522
611	6.43	-3.791	661	7.04	1.314	711	7.58	-0.445	761	8.47	-1.701
612	6.47	-0.515	662	7.05	0.399	712	7.60	-0.835	762	8.49	-0.861
613	6.50	-0.792	663	7.06	0.449	713	7.61	-1.487	763	8.50	-0.750
614	6.53	-0.130	664	7.07	-3.208	714	7.64	-2.558	764	8.51	-1.924
615	6.54	1.227	665	7.08	-2.691	715	7.65	-2.530	765	8.53	-2.294
616	6.55	-0.457	666	7.09	1.119	716	7.67	-1.142	766	8.56	-2.849
617	6.56	-1.152	667	7.10	2.443	717	7.68	1.958	767	8.58	-2.231
618	6.57	-3.585	669	7.11	-1.678	718	7.71	0.835	768	8.60	-1.362
619	6.59	-2.979	669	7.12	-4.122	719	7.72	1.703	769	8.61	-2.506
620	6.60	-3.407	670	7.13	-4.095	720	7.74	-3.127	770	8.63	-3.654
621	6.61	0.958	671	7.14	3.737	721	7.75	-3.593	771	8.66	-3.439
622	6.62	1.013	672	7.15	1.556	722	7.76	-3.520	772	8.68	-2.777
623	6.63	1.072	673	7.16	2.103	723	7.77	-2.458	773	8.73	-2.969
624	6.64	1.137	674	7.17	-2.533	724	7.78	-1.143	774	8.74	-3.376
625	6.66	-0.512	675	7.18	-3.749	725	7.79	-0.280	775	8.76	-2.758
626	6.67	-1.687	676	7.19	-3.681	726	7.81	-0.154	776	8.78	-2.164
627	6.69	-0.317	677	7.20	-0.598	727	7.83	-0.539	777	8.79	-1.326
628	6.70	0.258	678	7.21	1.241	728	7.86	-0.365	778	8.81	-0.703
629	6.71	2.348	679	7.22	1.271	729	7.87	-1.486	779	8.82	-0.589
630	6.72	1.895	680	7.23	-2.124	730	7.90	-2.082	780	8.85	-0.644
631	6.73	1.246	681	7.24	-1.535	731	7.93	0.130	781	8.86	-0.343
632	6.74	0.824	682	7.25	-0.249	732	7.94	-1.015	782	8.88	-1.982
633	6.75	-2.885	683	7.26	1.106	733	7.95	-1.700	783	8.90	-1.839
634	6.76	-3.549	684	7.27	1.164	734	7.96	-1.132	784	8.91	-1.738
635	6.77	-3.500	685	7.28	0.694	735	7.99	0.523	785	8.94	-2.813
636	6.78	-0.937	686	7.29	-3.721	736	8.01	-0.807	786	8.97	-1.377
637	6.79	0.885	687	7.30	-4.174	737	8.03	-0.664	787	8.99	0.803
638	6.80	1.698	688	7.31	-1.634	738	8.05	-1.029	788	9.03	-0.178
639	6.81	2.265	689	7.32	0.261	739	8.09	-2.304	789	9.08	-2.382
640	6.82	2.316	690	7.33	0.837	740	8.12	-2.037	790	9.17	-0.511
641	6.83	-1.824	691	7.34	0.367	741	8.14	-0.672	791	9.18	-4.155
642	6.84	-2.294	692	7.35	-2.053	742	8.16	-0.575	792	9.22	-3.355
643	6.85	-3.697	693	7.36	-4.438	743	8.17	-0.991	793	9.25	-0.688
644	6.86	-2.395	694	7.37	-1.916	744	8.20	-2.787	794	9.28	0.002
645	6.87	-0.337	695	7.38	1.931	745	8.22	-2.689	795	9.30	0.153
646	6.88	-0.755	696	7.39	1.459	746	8.23	-1.345	796	9.32	0.293
647	6.89	-1.437	697	7.40	-2.964	747	8.24	-0.279	797	9.35	0.500
648	6.90	-0.879	698	7.42	-2.303	748	8.25	-1.932	798	9.40	-0.905
649	6.91	-0.827	699	7.43	0.279	749	8.27	-1.076	799	9.43	-2.411
650	6.92	-1.260	700	7.45	-0.893	750	8.28	-1.496	800	9.45	-1.289

INDEX NO. 841 911-GR-1 FUKUI BRIDGE LG. MAX.ACCEL.= -31.450(GAL) T= 1.86(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	9.46	-0.454	851	12.92	4.734
802	9.48	0.153	852	12.85	4.990
803	9.50	0.275	853	12.90	6.542
804	9.52	0.453	854	12.96	1.969
805	9.56	0.220	855	13.01	4.062
806	9.61	0.071	856	13.02	2.122
807	9.67	-2.030	857	13.03	1.700
808	9.73	-2.367	858	13.05	1.845
809	9.79	-1.109	859	13.07	3.722
810	9.86	-3.189	860	13.09	3.857
811	9.92	-3.081	861	13.12	4.040
812	9.96	-0.759	862	13.15	3.027
813	10.04	-1.976	863	13.17	4.413
814	10.14	-0.768	864	13.19	6.323
815	10.27	-2.634	865	13.23	6.805
816	10.35	0.879	866	13.27	5.090
817	10.42	0.890	867	13.31	4.128
818	10.50	0.203	868	13.34	5.555
819	10.58	-0.500	869	13.38	5.076
820	10.68	1.448	870	13.43	4.948
821	10.77	-0.450	871	13.50	5.398
822	10.85	1.303	872	13.55	6.531
823	10.93	-0.651	873	13.59	6.061
824	11.01	-0.097	874	13.61	5.693
825	11.12	1.806	875	13.64	5.854
826	11.15	2.101	876	13.65	3.968
827	11.29	2.337	877	13.70	6.620
828	11.34	1.659	878	13.77	4.765
829	11.40	2.552	879	13.84	3.944
830	11.48	0.626	880	13.95	3.999
831	11.58	0.780	881	14.04	4.634
832	11.68	1.940	882	14.17	6.931
833	11.78	-0.402	883	14.26	6.398
834	11.81	1.610	884	14.36	8.789
835	11.86	0.685	885	14.50	7.783
836	11.91	1.740	886	14.53	9.088
837	11.98	1.480	887	14.67	6.663
838	12.03	3.130	888	14.75	9.446
839	12.11	2.383	889	14.85	8.644
840	12.19	2.924	890	14.93	6.950
841	12.26	4.139			
842	12.35	1.056			
843	12.40	1.381			
844	12.45	2.236			
845	12.49	2.519			
846	12.55	3.431			
847	12.60	3.272			
848	12.67	4.229			
849	12.71	4.014			
850	12.76	6.372			

Table IX D-68 Digitized Accelerations of Earthquake Record with Index Number 842

INDEX NO. 842 907-GR-132 TAIRA BRIDGE TR. MAX.ACCEL.= -32.286(GAL) T= 0.55(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.01	23.979	51	0.56	-26.661	101	1.14	0.861	151	1.69	-3.368
2	0.02	23.722	52	0.63	-4.784	102	1.15	-2.889	152	1.70	-1.243
3	0.03	20.069	53	0.63	7.592	103	1.16	-5.638	153	1.71	-0.867
4	0.04	-12.305	54	0.64	10.843	104	1.17	-7.388	154	1.72	0.383
5	0.05	-23.930	55	0.65	12.467	105	1.18	-9.637	155	1.73	1.884
6	0.06	-26.804	56	0.66	14.593	106	1.19	-12.262	156	1.74	2.884
7	0.07	-27.804	57	0.67	16.448	107	1.20	-14.387	157	1.75	5.134
8	0.08	-27.554	58	0.69	17.719	108	1.21	-15.386	158	1.76	5.760
9	0.09	-22.553	59	0.71	18.094	109	1.22	-16.636	159	1.77	6.760
10	0.12	-12.427	60	0.71	18.720	110	1.23	-16.261	160	1.78	7.385
11	0.13	-10.427	61	0.72	18.345	111	1.24	-10.760	161	1.79	7.385
12	0.14	-7.927	62	0.73	16.846	112	1.27	2.491	162	1.80	7.386
13	0.15	-6.426	63	0.74	14.971	113	1.28	4.241	163	1.81	6.511
14	0.16	-3.426	64	0.75	9.097	114	1.29	4.242	164	1.82	5.887
15	0.17	-2.176	65	0.76	3.972	115	1.30	4.242	165	1.83	3.387
16	0.18	-0.925	66	0.77	2.972	116	1.31	4.492	166	1.85	1.138
17	0.19	-0.675	67	0.78	1.097	117	1.32	5.118	167	1.86	-4.612
18	0.20	-0.674	68	0.79	-0.527	118	1.33	6.110	168	1.87	-6.736
19	0.21	-1.799	69	0.80	-0.527	119	1.34	8.619	169	1.88	-7.111
20	0.22	-2.798	70	0.81	-0.526	120	1.35	11.369	170	1.89	-7.361
21	0.23	-4.048	71	0.82	2.599	121	1.36	13.120	171	1.90	-6.235
22	0.24	-4.673	72	0.83	5.475	122	1.37	13.995	172	1.91	-4.360
23	0.25	-4.422	73	0.84	6.725	123	1.38	13.995	173	1.92	-2.485
24	0.27	9.828	74	0.85	6.975	124	1.39	12.120	174	1.93	-0.859
25	0.30	24.705	75	0.86	3.601	125	1.41	7.871	175	1.94	-0.609
26	0.31	26.955	76	0.87	-2.649	126	1.42	4.996	176	1.95	-0.234
27	0.32	27.330	77	0.89	-11.148	127	1.44	2.622	177	1.96	0.017
28	0.33	27.331	78	0.90	-13.773	128	1.45	2.998	178	1.97	0.017
29	0.34	26.081	79	0.91	-14.773	129	1.46	3.623	179	1.99	-0.232
30	0.35	23.581	80	0.92	-14.772	130	1.47	4.248	180	2.01	-0.856
31	0.36	19.457	81	0.93	-13.897	131	1.48	4.249	181	2.02	-0.856
32	0.37	17.957	82	0.94	-11.397	132	1.49	3.624	182	2.03	-0.855
33	0.38	16.582	83	0.95	-9.771	133	1.50	2.125	183	2.04	-1.105
34	0.39	14.833	84	0.96	-8.271	134	1.51	0.500	184	2.05	-1.105
35	0.40	13.833	85	0.97	-6.895	135	1.52	-0.749	185	2.06	-0.854
36	0.41	11.834	86	0.98	-5.770	136	1.53	-0.749	186	2.07	0.646
37	0.42	10.584	87	0.99	-4.770	137	1.55	-1.374	187	2.08	1.271
38	0.43	8.959	88	1.00	-3.769	138	1.56	-1.373	188	2.09	2.897
39	0.44	1.085	89	1.01	-2.144	139	1.57	-1.998	189	2.10	3.147
40	0.45	-5.915	90	1.02	2.482	140	1.58	-1.997	190	2.11	3.773
41	0.46	-11.664	91	1.03	5.107	141	1.59	-2.247	191	2.12	4.273
42	0.47	-15.414	92	1.04	9.857	142	1.60	-2.872	192	2.13	3.648
43	0.48	-18.164	93	1.05	12.733	143	1.61	-3.621	193	2.14	3.399
44	0.49	-19.164	94	1.06	12.733	144	1.62	-4.871	194	2.15	2.399
45	0.50	-24.038	95	1.08	10.859	145	1.63	-5.246	195	2.16	1.524
46	0.51	-26.413	96	1.09	9.109	146	1.64	-6.120	196	2.17	0.275
47	0.52	-30.662	97	1.10	5.609	147	1.65	-6.745	197	2.18	-0.100
48	0.53	-31.912	98	1.11	4.735	148	1.66	-6.744	198	2.19	-0.100
49	0.54	-32.161	99	1.12	3.985	149	1.67	-6.244	199	2.20	-0.349
50	0.55	-32.286	100	1.13	2.735	150	1.68	-4.369	200	2.21	0.151

INDEX NO. 842 907-GR-132 TAIRA BRIDGE TR. MAX.ACCEL.= -32.286(GAL) T= 0.55(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	2.22	-0.348	251	2.83	-1.773	301	3.51	3.904	351	4.30	-6.501
202	2.23	-1.973	252	2.84	0.470	302	3.53	5.138	352	4.31	-5.506
203	2.24	-4.848	253	2.85	2.588	303	3.56	6.995	353	4.34	-2.399
204	2.26	-8.972	254	2.86	5.206	304	3.57	7.236	354	4.35	0.090
205	2.27	-12.221	255	2.87	5.202	305	3.59	7.851	355	4.36	0.709
206	2.28	-12.846	256	2.89	6.815	306	3.60	8.216	356	4.37	1.327
207	2.29	-13.096	257	2.90	6.185	307	3.61	8.209	357	4.38	2.197
208	2.30	-12.845	258	2.91	4.926	308	3.62	8.206	358	4.39	2.941
209	2.31	-11.970	259	2.93	1.788	309	3.63	6.948	359	4.42	3.548
210	2.33	-6.969	260	2.94	-0.098	310	3.65	4.809	360	4.44	4.532
211	2.34	-2.719	261	2.96	-1.609	311	3.66	2.551	361	4.48	4.759
212	2.36	2.532	262	2.97	-2.614	312	3.67	1.047	362	4.50	5.121
213	2.37	3.782	263	2.98	-2.868	313	3.68	-3.714	363	4.51	5.115
214	2.38	4.908	264	2.99	-3.505	314	3.69	-4.717	364	4.53	4.851
215	2.39	6.408	265	3.01	-3.267	315	3.70	-6.351	365	4.54	3.214
216	2.40	7.033	266	3.03	-3.029	316	3.71	-6.609	366	4.55	2.334
217	2.41	7.409	267	3.05	-1.169	317	3.73	-7.623	367	4.58	-1.184
218	2.42	8.284	268	3.07	-0.184	318	3.75	-7.633	368	4.59	-2.065
219	2.43	8.660	269	3.09	0.604	319	3.76	-7.892	369	4.60	-2.450
220	2.44	8.910	270	3.11	1.291	320	3.80	-7.666	370	4.61	-2.703
221	2.45	8.410	271	3.12	1.035	321	3.81	-7.676	371	4.62	-3.085
222	2.47	7.411	272	3.13	0.401	322	3.82	-7.431	372	4.64	-3.349
223	2.48	7.162	273	3.14	0.146	323	3.83	-7.061	373	4.65	-3.355
224	2.50	5.912	274	3.15	-0.236	324	3.84	-6.197	374	4.66	-3.113
225	2.53	3.663	275	3.16	-0.241	325	3.85	-5.578	375	4.67	-2.497
226	2.54	3.039	276	3.18	0.619	326	3.88	-3.719	376	4.70	-0.646
227	2.55	1.789	277	3.19	0.990	327	3.92	1.251	377	4.71	-0.395
228	2.56	2.034	278	3.20	1.609	328	3.96	4.849	378	4.72	-0.027
229	2.58	1.397	279	3.21	1.603	329	3.99	6.957	379	4.73	0.591
230	2.59	1.637	280	3.22	1.593	330	4.00	7.574	380	4.74	0.588
231	2.60	2.630	281	3.24	0.331	331	4.01	7.944	381	4.75	0.828
232	2.61	2.999	282	3.26	-1.556	332	4.02	8.189	382	4.76	1.196
233	2.62	3.867	283	3.27	-1.817	333	4.03	8.555	383	4.78	2.058
234	2.63	3.864	284	3.29	-2.201	334	4.04	8.297	384	4.80	3.673
235	2.64	4.106	285	3.30	-2.834	335	4.05	7.919	385	4.81	4.538
236	2.65	3.222	286	3.31	-2.840	336	4.06	7.909	386	4.82	5.156
237	2.66	2.341	287	3.32	-3.472	337	4.07	7.279	387	4.83	5.153
238	2.67	0.456	288	3.33	-3.227	338	4.08	6.394	388	4.84	5.141
239	2.69	-2.053	289	3.34	-3.236	339	4.11	4.130	389	4.85	4.885
240	2.70	-3.311	290	3.37	-3.507	340	4.12	2.244	390	4.87	3.626
241	2.71	-4.065	291	3.38	-3.140	341	4.14	-0.895	391	4.88	1.116
242	2.72	-5.074	292	3.40	-2.650	342	4.17	-5.665	392	4.89	-0.516
243	2.73	-5.331	293	3.41	-2.281	343	4.18	-6.672	393	4.91	-1.651
244	2.74	-5.339	294	3.42	-1.413	344	4.19	-8.178	394	4.92	-2.033
245	2.75	-5.345	295	3.43	0.454	345	4.20	-8.810	395	4.93	-2.669
246	2.77	-5.104	296	3.44	1.695	346	4.21	-9.168	396	4.94	-2.925
247	2.78	-5.114	297	3.45	2.067	347	4.23	-9.201	397	4.96	-3.938
248	2.80	-4.253	298	3.46	2.435	348	4.25	-9.214	398	4.97	-4.567
249	2.81	-3.884	299	3.47	2.675	349	4.27	-8.606	399	4.98	-5.575
250	2.82	-3.014	300	3.49	2.865	350	4.29	-7.741	400	4.99	-6.582

INDEX NO. 842 907-GR-132 TAIRA BRIDGE TR. MAX.ACCEL.= -32.286(GAL) T= 0.55(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	5.00	-6.038	451	5.69	-3.172	501	6.43	1.084	551	7.14	-3.516
402	5.01	-6.046	452	5.70	-2.555	502	6.44	1.076	552	7.15	-3.273
403	5.02	-6.051	453	5.73	-0.672	503	6.45	1.067	553	7.16	-3.279
404	5.03	-6.054	454	5.75	1.791	504	6.48	0.427	554	7.18	-2.667
405	5.04	-6.361	455	5.76	3.031	505	6.49	-0.583	555	7.19	-2.925
406	5.05	-5.743	456	5.77	3.899	506	6.50	-0.840	556	7.20	-2.934
407	5.06	-4.500	457	5.78	4.266	507	6.52	-1.852	557	7.22	-2.947
408	5.07	-2.009	458	5.79	5.135	508	6.53	-2.483	558	7.23	-2.329
409	5.11	1.718	459	5.80	5.129	509	6.54	-2.740	559	7.24	-2.087
410	5.14	4.069	460	5.81	4.072	510	6.55	-3.125	560	7.26	-1.474
411	5.15	5.309	461	5.82	4.865	511	6.56	-3.130	561	7.28	-0.736
412	5.16	5.305	462	5.83	4.611	512	6.58	-2.893	562	7.29	-0.742
413	5.17	5.051	463	5.85	2.971	513	6.60	-1.278	563	7.31	0.119
414	5.18	5.044	464	5.87	1.709	514	6.61	-0.664	564	7.33	0.979
415	5.19	4.663	465	5.88	0.452	515	6.63	-0.051	565	7.34	1.349
416	5.20	4.032	466	5.89	-1.683	516	6.66	0.176	566	7.35	1.594
417	5.22	2.518	467	5.90	-2.689	517	6.70	0.156	567	7.36	1.962
418	5.24	1.879	468	5.91	-2.445	518	6.72	-0.111	568	7.38	2.575
419	5.26	0.239	469	5.93	-2.334	519	6.75	-1.007	569	7.46	2.562
420	5.27	-1.019	470	5.94	-2.342	520	6.76	-1.016	570	7.41	3.175
421	5.29	-1.653	471	5.95	-2.097	521	6.77	-1.020	571	7.44	2.907
422	5.30	-2.287	472	5.96	-2.102	522	6.78	-0.778	572	7.45	3.148
423	5.31	-3.545	473	5.97	-1.858	523	6.80	-0.787	573	7.47	3.390
424	5.32	-4.423	474	5.99	-1.496	524	6.81	-1.047	574	7.49	2.875
425	5.33	-5.009	475	6.00	-1.506	525	6.83	-0.811	575	7.50	2.491
426	5.34	-5.013	476	6.02	-1.519	526	6.84	-0.817	576	7.51	1.861
427	5.35	-5.823	477	6.05	-1.787	527	6.85	-0.823	577	7.52	0.353
428	5.36	-5.577	478	6.07	-2.176	528	6.86	-0.205	578	7.56	-2.794
429	5.37	-3.708	479	6.08	-2.102	529	6.87	-0.212	579	7.57	-3.179
430	5.39	-1.845	480	6.10	-3.070	530	6.88	0.658	580	7.58	-4.064
431	5.41	0.266	481	6.11	-3.705	531	6.89	1.652	581	7.59	-4.069
432	5.42	0.631	482	6.13	-4.090	532	6.90	1.895	582	7.60	-4.449
433	5.44	1.746	483	6.15	-4.478	533	6.91	2.885	583	7.61	-4.459
434	5.46	2.234	484	6.17	-4.491	534	6.92	3.130	584	7.63	-4.468
435	5.47	1.976	485	6.20	-2.013	535	6.93	3.121	585	7.64	-4.226
436	5.49	4.084	486	6.24	-0.165	536	6.94	2.865	586	7.66	-2.612
437	5.50	3.829	487	6.27	1.066	537	6.96	2.604	587	7.67	-1.119
438	5.51	4.448	488	6.29	2.302	538	6.97	2.596	588	7.68	1.372
439	5.52	4.439	489	6.30	3.043	539	6.99	1.957	589	7.69	1.989
440	5.53	4.436	490	6.31	3.288	540	7.00	1.577	590	7.71	2.602
441	5.54	3.550	491	6.32	3.533	541	7.01	0.693	591	7.73	2.591
442	5.57	0.657	492	6.33	3.903	542	7.02	0.312	592	7.74	2.332
443	5.59	-1.606	493	6.34	4.521	543	7.04	-0.948	593	7.75	2.327
444	5.60	-2.115	494	6.35	4.760	544	7.05	-2.457	594	7.76	2.321
445	5.62	-3.127	495	6.36	4.752	545	7.06	-4.088	595	7.77	2.315
446	5.64	-3.767	496	6.38	4.494	546	7.07	-4.365	596	7.78	2.307
447	5.65	-4.020	497	6.39	3.613	547	7.08	-4.728	597	7.79	2.548
448	5.66	-4.026	498	6.40	2.353	548	7.10	-4.971	598	7.80	2.042
449	5.67	-4.031	499	6.41	1.972	549	7.12	-4.503	599	7.82	1.406
450	5.68	-3.539	500	6.42	1.091	550	7.13	-4.137	600	7.83	0.396

INDEX NO. 842 907-GR-132 TAIRA BRIDGE TR. MAX.ACCEL.= -32.286(GAL) T= 0.55(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	7.87	-2.382	651	8.79	-1.874	701	9.89	-2.483	751	11.10	0.454
602	7.88	-2.764	652	8.80	-1.503	702	9.94	-1.394	752	11.13	0.938
603	7.90	-3.652	653	8.82	-0.641	703	10.00	1.070	753	11.16	0.916
604	7.91	-4.034	654	8.84	-0.655	704	10.02	1.431	754	11.19	0.397
605	7.92	-4.289	655	8.85	-0.289	705	10.04	2.041	755	11.22	0.003
606	7.94	-4.053	656	8.87	0.326	706	10.06	2.029	756	11.24	-0.009
607	7.96	-3.443	657	8.99	1.180	707	10.08	1.336	757	11.26	-0.276
608	8.00	-1.590	658	8.91	1.545	708	10.12	-0.142	758	11.28	-0.663
609	8.02	0.896	659	8.93	1.537	709	10.17	-2.049	759	11.29	-0.923
610	8.03	1.515	660	8.94	1.277	710	10.20	-3.317	760	11.31	-1.311
611	8.04	2.384	661	8.96	0.512	711	10.22	-3.955	761	11.34	-1.325
612	8.05	2.376	662	9.01	-1.645	712	10.24	-3.967	762	11.36	-1.593
613	8.06	3.368	663	9.03	-2.535	713	10.25	-4.192	763	11.39	-1.360
614	8.07	3.363	664	9.06	-3.175	714	10.28	-2.269	764	11.40	-1.370
615	8.08	3.105	665	9.07	-3.812	715	10.32	-0.024	765	11.43	-1.138
616	8.11	1.837	666	9.09	-3.820	716	10.35	1.459	766	11.45	-0.779
617	8.13	0.821	667	9.10	-3.829	717	10.36	2.199	767	11.47	0.459
618	8.17	-1.077	668	9.12	-3.342	718	10.38	2.187	768	11.49	1.605
619	8.18	-1.337	669	9.14	-1.980	719	10.41	1.794	769	11.52	2.303
620	8.19	-1.969	670	9.15	-1.489	720	10.43	1.157	770	11.54	2.540
621	8.20	-2.602	671	9.17	-0.874	721	10.45	0.888	771	11.57	2.520
622	8.23	-2.992	672	9.18	-0.259	722	10.47	0.252	772	11.58	2.010
623	8.25	-2.756	673	9.20	-0.275	723	10.48	-0.753	773	11.61	0.992
624	8.26	-2.393	674	9.27	-0.193	724	10.49	-1.763	774	11.63	-0.523
625	8.28	-2.404	675	9.42	-0.919	725	10.51	-2.027	775	11.64	-0.905
626	8.29	-2.411	676	9.45	-0.436	726	10.53	-2.285	776	11.66	-0.663
627	8.31	-2.050	677	9.46	-0.073	727	10.55	-2.673	777	11.67	-0.675
628	8.32	-1.806	678	9.48	-0.081	728	10.57	-2.064	778	11.72	-0.681
629	8.33	-1.565	679	9.49	-0.339	729	10.60	-1.209	779	11.78	-0.372
630	8.35	-1.198	680	9.50	-0.973	730	10.62	-0.222	780	11.81	-1.015
631	8.36	0.042	681	9.51	-1.355	731	10.64	0.385	781	11.84	-1.034
632	8.37	0.289	682	9.52	-1.363	732	10.67	0.621	782	11.85	-1.294
633	8.38	0.282	683	9.54	-1.371	733	10.70	0.976	783	11.87	-1.057
634	8.39	0.647	684	9.55	-1.130	734	10.71	0.970	784	11.89	-0.818
635	8.41	0.906	685	9.56	-0.511	735	10.72	0.962	785	11.90	-0.199
636	8.43	-0.252	686	9.57	0.105	736	10.74	0.699	786	11.91	-0.206
637	8.45	-1.015	687	9.59	0.095	737	10.76	0.935	787	11.93	-0.094
638	8.47	-1.029	688	9.60	0.462	738	10.77	0.927	788	11.95	-0.858
639	8.49	-0.670	689	9.61	0.207	739	10.80	0.284	789	11.96	-1.113
640	8.53	0.179	690	9.62	-0.130	740	10.84	-1.621	790	11.97	-1.120
641	8.55	0.788	691	9.64	-0.190	741	10.88	-1.648	791	11.99	-1.131
642	8.58	1.142	692	9.65	-0.230	742	10.91	-1.684	792	12.00	-0.263
643	8.59	1.135	693	9.68	0.033	743	10.93	-1.302	793	12.01	0.727
644	8.63	1.987	694	9.69	0.398	744	10.95	-0.820	794	12.02	0.970
645	8.66	1.340	695	9.71	1.263	745	10.97	-0.459	795	12.03	0.965
646	8.69	0.195	696	9.74	1.244	746	11.00	1.022	796	12.05	1.326
647	8.72	-0.825	697	9.76	0.729	747	11.02	1.632	797	12.07	1.312
648	8.74	-1.465	698	9.81	-1.554	748	11.05	1.365	798	12.10	1.293
649	8.76	-1.724	699	9.84	-2.199	749	11.07	0.728	799	12.12	0.601
650	8.78	-1.865	700	9.87	-2.469	750	11.08	0.467	800	12.14	0.014

土木構造物における加速度強震記録（No. 9）

INDEX NO. 642 907-GR-132 TAIRA BRIDGE TR. MAX.ACCEL.= -32.286(GAL) T= 0.55(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	12.17	-0.631	851	13.47	1.255	901	15.42	0.338	951	16.68	0.110
802	12.19	-0.640	852	13.54	0.555	902	15.45	0.570	952	16.91	0.092
803	12.22	-0.410	853	13.60	0.921	903	15.49	0.921	953	16.96	0.594
804	12.24	-0.046	854	13.63	0.896	904	15.55	1.767	954	16.99	0.915
805	12.25	0.566	855	13.67	0.674	905	15.57	1.662	955	17.05	0.999
806	12.25	0.550	856	13.71	0.598	906	15.60	0.842	956	17.09	0.344
807	12.29	0.789	857	13.75	0.194	907	15.64	0.192	957	17.15	-0.068
808	12.31	1.777	858	13.83	0.514	908	15.67	0.171	958	17.20	0.270
809	12.33	2.136	859	13.93	0.483	909	15.70	0.153	959	17.26	0.479
810	12.35	2.627	860	13.98	1.965	910	15.75	1.118	960	17.29	0.461
811	12.37	2.736	861	13.42	2.206	911	15.80	1.710	961	17.31	0.200
812	12.41	1.709	862	13.93	2.321	912	15.85	1.681	962	17.33	0.187
813	12.44	1.668	863	13.96	1.666	913	15.89	1.535	963	17.35	-0.456
814	12.46	-0.450	864	14.03	-0.026	914	15.93	0.252	964	17.37	-0.842
815	12.48	-2.086	865	14.05	-1.023	915	15.96	-0.665	965	17.40	-1.111
816	12.49	-2.332	866	14.12	-1.258	916	15.97	-0.653	966	17.41	-1.121
817	12.50	-2.725	867	14.11	-1.549	917	16.00	-0.670	967	17.43	-0.634
818	12.51	-2.985	868	14.14	-1.563	918	16.03	-0.939	968	17.47	-0.031
819	12.54	-2.500	869	14.16	-1.320	919	16.05	-0.079	969	17.48	0.959
820	12.55	-1.883	870	14.17	-0.494	920	16.06	0.162	970	17.50	0.943
821	12.57	-1.273	871	14.21	0.090	921	16.11	0.508	971	17.55	1.162
822	12.60	-0.291	872	14.23	1.372	922	16.13	0.492	972	17.58	1.145
823	12.63	0.566	873	14.31	1.698	923	16.16	0.471	973	17.61	0.870
824	12.64	1.557	874	14.37	1.280	924	16.18	-0.169	974	17.68	0.203
825	12.66	1.797	875	14.38	1.026	925	16.20	-0.433	975	17.72	0.172
826	12.66	2.780	876	14.40	1.885	926	16.21	-1.065	976	17.81	0.113
827	12.70	2.770	877	14.41	1.079	927	16.25	-0.586	977	17.92	0.414
828	12.71	2.139	878	14.43	1.387	928	16.28	0.013	978	17.99	-0.256
829	12.73	1.496	879	14.45	0.603	929	16.32	1.241	979	18.08	0.553
830	12.74	1.490	880	14.47	0.344	930	16.36	2.215	980	18.17	0.871
831	12.76	1.681	881	14.50	0.071	931	16.38	2.323	981	18.19	0.479
832	12.77	1.473	882	14.56	0.531	932	16.40	2.310	982	18.27	0.178
833	12.78	1.464	883	14.63	1.436	933	16.44	1.032	983	18.60	0.459
834	12.80	1.452	884	14.68	2.072	934	16.47	-0.486	984	18.82	0.684
835	12.81	0.192	885	14.75	0.532	935	16.49	-1.503	985	18.99	0.322
836	12.84	0.175	886	14.79	-0.120	936	16.50	-2.135	986	19.03	-0.705
837	12.86	0.163	887	14.82	-0.510	937	16.52	-2.146	987	19.06	-0.727
838	12.89	0.389	888	14.85	-0.530	938	16.53	-2.155	988	19.09	-0.751
839	12.96	1.349	889	14.89	-0.316	939	16.54	-2.411	989	19.21	0.422
840	13.03	1.296	890	14.93	-0.213	940	16.56	-2.425	990	19.28	1.369
841	13.10	0.876	891	14.96	-0.233	941	16.58	-2.188	991	19.33	0.966
842	13.11	0.373	892	15.02	0.609	942	16.61	-1.333	992	19.35	0.948
843	13.12	0.361	893	15.08	0.813	943	16.65	0.518	993	19.40	-0.082
844	13.14	-0.025	894	15.12	0.538	944	16.67	1.503	994	19.49	-1.021
845	13.17	-0.292	895	15.15	0.516	945	16.69	1.741	995	19.60	-0.468
846	13.21	0.179	896	15.23	1.111	946	16.72	2.096	996	19.64	0.376
847	13.28	0.506	897	15.24	1.083	947	16.79	1.176	997	19.69	1.344
848	13.31	1.110	898	15.29	0.427	948	16.83	0.772	998	19.81	0.389
849	13.35	1.087	899	15.32	-0.471	949	16.85	0.135	999	20.02	-0.129
850	13.39	1.058	900	15.36	-0.869	950	16.87	0.119	1000	20.29	0.313

INDEX NO. 642 907-GR-132 TAIRA BRIDGE TR. MAX.ACCEL.= -32.286(GAL) T= 0.55(SEC) NO. 6

NO.	(SEC)	(GAL)
1001	20.32	0.541
1002	20.35	0.523
1003	20.37	-0.365
1004	20.42	0.165
1005	20.65	0.450
1006	20.70	0.042
1007	20.75	-0.245
1008	20.82	-0.669
1009	20.90	-0.472
1010	20.96	0.474
1011	21.09	0.652
1012	21.13	1.005
1013	21.16	0.983
1014	21.22	0.064
1015	21.31	0.252
1016	21.39	-0.176
1017	21.50	0.754
1018	21.55	1.343
1019	21.61	0.679
1020	21.74	-0.286
1021	21.90	0.235
1022	21.98	-0.131
1023	21.98	-0.823
1024	22.02	-0.597
1025	22.07	-0.037
1026	22.12	0.583
1027	22.22	0.821
1028	22.38	0.788
1029	22.44	0.124
1030	22.49	-0.162
1031	22.54	-0.815
1032	22.63	0.621
1033	22.73	0.806
1034	22.76	0.534
1035	22.81	-0.376
1036	22.91	-0.442

Table IX D-69 Digitized Accelerations of Earthquake Record with Index Number 843

INDEX NO. 843 907-GR-132 TAIRA BRIDGE U-D MAX.ACCEL.= -17.723(GAL) T= 1.10(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.01	0.788	51	0.63	-15.323	101	1.30	8.284	151	1.86	-7.169
2	0.03	-7.602	52	0.64	-16.592	102	1.31	8.031	152	1.87	-6.551
3	0.04	-8.657	53	0.65	-16.586	103	1.33	4.767	153	1.88	-5.932
4	0.05	-10.238	54	0.66	-16.589	104	1.34	-0.490	154	1.90	-5.690
5	0.06	-10.241	55	0.67	-14.723	105	1.35	-3.997	155	1.91	-5.697
6	0.07	-9.371	56	0.68	-11.353	106	1.36	-4.376	156	1.92	-5.702
7	0.10	-0.513	57	0.72	1.074	107	1.37	-4.381	157	1.93	-5.335
8	0.11	5.227	58	0.73	6.370	108	1.38	-3.762	158	1.94	-5.339
9	0.12	6.722	59	0.74	8.236	109	1.40	-3.523	159	1.95	-4.720
10	0.13	7.093	60	0.75	9.859	110	1.41	-2.279	160	1.96	-2.855
11	0.14	7.711	61	0.76	10.726	111	1.42	-1.659	161	1.98	-0.987
12	0.15	7.084	62	0.78	10.841	112	1.43	-1.293	162	1.99	1.757
13	0.16	6.451	63	0.80	6.453	113	1.44	-2.175	163	2.00	2.748
14	0.18	3.691	64	0.81	-0.802	114	1.45	-2.805	164	2.01	2.995
15	0.19	1.810	65	0.82	-5.936	115	1.46	-3.808	165	2.02	4.114
16	0.20	-0.449	66	0.83	-7.817	116	1.47	-5.942	166	2.03	4.358
17	0.21	-0.453	67	0.84	-8.073	117	1.48	-8.823	167	2.04	4.477
18	0.22	-1.085	68	0.85	-9.454	118	1.49	-10.080	168	2.05	3.843
19	0.23	-1.068	69	0.86	-8.458	119	1.50	-10.711	169	2.06	3.213
20	0.24	-1.349	70	0.87	-6.588	120	1.51	-10.714	170	2.08	2.581
21	0.25	-1.977	71	0.89	-3.473	121	1.52	-10.717	171	2.09	0.947
22	0.26	-2.484	72	0.91	0.520	122	1.53	-9.852	172	2.10	0.942
23	0.27	-2.469	73	0.92	3.385	123	1.54	-8.230	173	2.11	0.935
24	0.28	-3.121	74	0.93	6.001	124	1.55	-6.109	174	2.12	0.929
25	0.29	-3.124	75	0.95	8.737	125	1.56	-4.865	175	2.13	2.421
26	0.32	1.230	76	0.96	9.733	126	1.57	-4.496	176	2.14	3.041
27	0.33	2.726	77	0.97	10.975	127	1.58	-3.257	177	2.15	3.036
28	0.34	2.720	78	0.98	11.223	128	1.60	-3.016	178	2.16	3.408
29	0.35	0.963	79	0.99	11.593	129	1.61	-2.398	179	2.17	3.403
30	0.36	-0.292	80	1.00	10.686	130	1.62	-1.402	180	2.18	3.148
31	0.37	-3.170	81	1.02	8.948	131	1.63	-0.161	181	2.19	1.142
32	0.38	-7.554	82	1.05	-14.572	132	1.64	1.709	182	2.21	-1.871
33	0.39	-9.433	83	1.06	-16.450	133	1.65	2.956	183	2.22	-2.501
34	0.40	-11.067	84	1.07	-17.078	134	1.66	4.574	184	2.23	-3.133
35	0.41	-11.448	85	1.08	-17.713	135	1.68	6.439	185	2.24	-3.889
36	0.42	-11.452	86	1.09	-17.718	136	1.69	7.058	186	2.25	-4.270
37	0.43	-11.455	87	1.10	-17.723	137	1.70	8.053	187	2.27	-5.705
38	0.49	8.381	88	1.11	-16.232	138	1.71	9.294	188	2.29	-6.792
39	0.50	10.625	89	1.12	-11.663	139	1.72	9.537	189	2.30	-7.051
40	0.51	11.995	90	1.16	-3.006	140	1.74	9.903	190	2.31	-7.430
41	0.52	13.063	91	1.18	2.230	141	1.75	9.273	191	2.32	-7.686
42	0.53	14.487	92	1.19	5.648	142	1.76	7.390	192	2.33	-7.195
43	0.54	14.481	93	1.21	9.961	143	1.77	4.007	193	2.34	-6.575
44	0.55	15.100	94	1.22	10.209	144	1.79	-1.625	194	2.35	-5.582
45	0.56	13.842	95	1.23	9.953	145	1.80	-4.805	195	2.38	-1.597
46	0.57	10.711	96	1.24	10.196	146	1.81	-5.890	196	2.39	1.699
47	0.59	0.323	97	1.25	8.940	147	1.82	-6.520	197	2.40	3.893
48	0.60	-6.683	98	1.26	3.684	148	1.83	-6.773	198	2.41	5.386
49	0.61	-12.439	99	1.27	8.300	149	1.84	-7.155	199	2.42	7.630
50	0.62	-14.068	100	1.29	5.292	150	1.85	-7.411	200	2.43	8.872

INDEX NO. 843 907-GR-132 TAIRA BRIDGE U-D MAX.ACCEL.= -17.723(GAL) T= 1.10(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	2.44	9.868	251	3.05	-4.736	301	3.77	1.343	351	4.66	2.075
202	2.45	9.113	252	3.06	-2.868	302	3.78	2.334	352	4.67	1.818
203	2.46	8.854	253	3.07	0.249	303	3.79	2.331	353	4.68	2.062
204	2.48	8.220	254	3.08	1.493	304	3.80	2.576	354	4.69	1.807
205	2.49	7.338	255	3.09	2.987	305	3.82	2.314	355	4.70	1.800
206	2.50	6.335	256	3.10	2.485	306	3.83	1.429	356	4.71	0.293
207	2.51	4.452	257	3.12	2.473	307	3.84	0.798	357	4.74	-2.225
208	2.53	2.942	258	3.13	1.842	308	3.86	-0.461	358	4.75	-3.482
209	2.54	2.938	259	3.14	-0.043	309	3.87	-1.090	359	4.77	-4.115
210	2.55	2.557	260	3.15	-0.673	310	3.88	-1.721	360	4.78	-4.747
211	2.57	-0.208	261	3.16	-0.678	311	3.89	-2.101	361	4.79	-5.376
212	2.58	-2.464	262	3.19	-0.441	312	3.90	-2.736	362	4.81	-4.891
213	2.59	-3.717	263	3.22	1.036	313	3.92	-2.748	363	4.82	-4.269
214	2.60	-5.724	264	3.26	1.642	314	3.95	-2.761	364	4.84	-2.407
215	2.61	-8.233	265	3.30	1.364	315	3.97	-2.523	365	4.85	0.088
216	2.62	-8.238	266	3.33	0.971	316	3.98	-2.532	366	4.86	0.832
217	2.63	-8.493	267	3.36	0.455	317	4.00	-2.545	367	4.88	1.947
218	2.64	-8.499	268	3.38	-0.807	318	4.03	-2.437	368	4.90	2.683
219	2.65	-8.502	269	3.40	-2.445	319	4.06	-1.952	369	4.91	2.675
220	2.66	-5.759	270	3.41	-3.950	320	4.07	-1.961	370	4.93	2.168
221	2.68	-3.899	271	3.42	-4.330	321	4.09	-1.969	371	4.94	2.162
222	2.69	-3.654	272	3.43	-4.503	322	4.10	-1.352	372	4.95	2.154
223	2.70	-3.286	273	3.44	-4.966	323	4.12	-1.613	373	4.96	2.151
224	2.72	-3.298	274	3.45	-5.220	324	4.13	-1.616	374	4.97	1.770
225	2.73	-3.302	275	3.47	-4.981	325	4.14	-1.623	375	4.98	1.138
226	2.74	-3.558	276	3.48	-3.736	326	4.15	0.246	376	5.00	-0.124
227	2.75	-3.561	277	3.49	-1.867	327	4.17	1.736	377	5.01	-1.633
228	2.76	-3.067	278	3.50	-0.626	328	4.19	3.472	378	5.02	-2.888
229	2.77	-1.823	279	3.51	0.243	329	4.21	4.710	379	5.03	-3.268
230	2.78	1.296	280	3.52	0.614	330	4.24	5.320	380	5.04	-3.522
231	2.79	2.914	281	3.53	1.233	331	4.25	4.436	381	5.06	-3.287
232	2.80	3.658	282	3.54	1.225	332	4.27	3.176	382	5.10	-3.307
233	2.81	4.527	283	3.56	1.465	333	4.28	3.047	383	5.14	-1.209
234	2.83	5.517	284	3.57	1.209	334	4.29	0.037	384	5.19	-0.611
235	2.84	6.760	285	3.58	1.204	335	4.31	-3.475	385	5.23	0.618
236	2.86	7.000	286	3.60	0.942	336	4.32	-4.103	386	5.24	0.608
237	2.88	7.364	287	3.61	0.562	337	4.33	-4.737	387	5.27	1.594
238	2.89	6.731	288	3.62	0.805	338	4.34	-5.116	388	5.29	2.830
239	2.90	5.849	289	3.63	-0.703	339	4.35	-5.499	389	5.32	2.190
240	2.91	5.219	290	3.64	-0.957	340	4.37	-5.258	390	5.33	1.309
241	2.93	-0.794	291	3.65	-1.590	341	4.38	-4.262	391	5.35	1.296
242	2.94	-3.550	292	3.67	-1.602	342	4.39	-2.397	392	5.39	-0.979
243	2.96	-7.436	293	3.68	-1.106	343	4.40	-2.028	393	5.41	-1.863
244	2.97	-8.066	294	3.69	-1.109	344	4.41	-1.783	394	5.42	-2.497
245	2.98	-8.698	295	3.70	-1.368	345	4.43	-1.543	395	5.43	-3.127
246	2.99	-9.329	296	3.71	-1.372	346	4.46	-1.814	396	5.44	-3.508
247	3.00	-9.335	297	3.72	-1.131	347	4.54	-1.231	397	5.46	-3.516
248	3.01	-9.466	298	3.73	-1.387	348	4.61	0.354	398	5.47	-3.525
249	3.03	-8.476	299	3.75	-0.521	349	4.64	1.212	399	5.49	-2.912
250	3.04	-6.356	300	3.76	1.695	350	4.65	2.078	400	5.52	-1.053

土木構造物における加速度強震記録（No. 9）

INDEX NO. 843 907-GR-132 TAIRA BRIDGE U-D MAX.ACCEL.= -17.723(GAL) T= 1.10(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	5.53	0.186	451	6.41	-0.951	501	7.37	-0.264	551	8.27	-0.169
402	5.55	1.676	452	6.43	-1.840	502	7.42	0.579	552	8.28	0.447
403	5.56	2.299	453	6.45	-1.851	503	7.45	1.563	553	8.30	0.436
404	5.57	2.043	454	6.47	-1.860	504	7.47	1.551	554	8.32	0.675
405	5.58	1.411	455	6.49	-1.374	505	7.48	0.292	555	8.35	0.660
406	5.60	1.151	456	6.51	0.240	506	7.53	-0.609	556	8.37	-0.229
407	5.62	0.137	457	6.53	1.476	507	7.56	-1.252	557	8.39	-0.492
408	5.64	-0.498	458	6.55	1.717	508	7.58	-1.888	558	8.40	-0.497
409	5.66	0.113	459	6.56	1.212	509	7.60	-2.276	559	8.42	-1.507
410	5.68	0.354	460	6.59	0.566	510	7.63	-2.293	560	8.43	-1.762
411	5.70	0.344	461	6.60	0.185	511	7.65	-1.680	561	8.44	-2.147
412	5.71	1.336	462	6.62	0.174	512	7.66	-1.685	562	8.47	-1.286
413	5.73	0.701	463	6.63	0.166	513	7.68	-1.697	563	8.48	-1.294
414	5.74	0.070	464	6.65	0.407	514	7.71	-1.715	564	8.50	-0.057
415	5.76	-0.817	465	6.68	0.391	515	7.72	-1.723	565	8.52	0.556
416	5.77	-2.075	466	6.69	0.382	516	7.74	-1.484	566	8.54	0.922
417	5.78	-2.706	467	6.71	-0.503	517	7.76	0.132	567	8.55	0.291
418	5.80	-3.342	468	6.73	-0.513	518	7.78	1.620	568	8.57	-0.349
419	5.81	-3.724	469	6.74	-0.772	519	7.79	2.240	569	8.58	-0.352
420	5.83	-3.986	470	6.76	-0.910	520	7.80	2.854	570	8.60	0.258
421	5.84	-3.994	471	6.78	-0.544	521	7.81	2.853	571	8.62	0.250
422	5.88	-2.892	472	6.79	-0.552	522	7.82	2.594	572	8.63	0.867
423	5.90	-1.279	473	6.81	-0.610	523	7.84	2.333	573	8.64	1.116
424	5.94	-0.048	474	6.82	-1.443	524	7.85	1.952	574	8.67	0.595
425	5.96	1.437	475	6.83	-1.451	525	7.87	1.318	575	8.69	-0.045
426	5.97	2.057	476	6.84	-1.630	526	7.88	1.307	576	8.73	-0.443
427	5.99	2.044	477	6.85	-2.089	527	7.90	0.426	577	8.78	-1.094
428	6.01	1.535	478	6.86	-2.469	528	7.91	-0.208	578	8.82	-1.117
429	6.04	0.893	479	6.87	-2.725	529	7.93	0.029	579	8.84	-1.130
430	6.05	0.513	480	6.89	-2.736	530	7.96	-0.235	580	8.87	-1.148
431	6.06	0.507	481	6.93	-2.632	531	7.98	-0.621	581	8.90	-1.165
432	6.07	0.247	482	6.95	0.606	532	7.99	-0.877	582	8.94	-0.563
433	6.09	-0.140	483	6.96	1.224	533	8.00	-1.258	583	8.98	0.284
434	6.11	0.474	484	6.97	2.090	534	8.01	-1.691	584	9.04	0.001
435	6.13	-1.036	485	6.98	2.066	535	8.03	-3.155	585	9.10	-0.286
436	6.15	-1.422	486	6.99	2.090	536	8.05	-3.414	586	9.15	-0.317
437	6.16	-2.430	487	7.01	1.621	537	8.07	-2.927	587	9.20	-0.346
438	6.17	-2.433	488	7.02	1.189	538	8.09	-1.936	588	9.25	-0.371
439	6.18	-2.691	489	7.03	0.933	539	8.10	-0.442	589	9.28	-0.766
440	6.20	-2.702	490	7.05	0.296	540	8.11	0.549	590	9.31	-1.410
441	6.22	-2.089	491	7.07	-0.691	541	8.12	1.170	591	9.33	-1.668
442	6.24	-1.228	492	7.09	0.149	542	8.13	1.414	592	9.35	-2.055
443	6.26	-0.611	493	7.11	-0.113	543	8.14	1.784	593	9.36	-2.311
444	6.28	-0.624	494	7.13	-0.126	544	8.15	1.777	594	9.38	-2.074
445	6.29	-1.257	495	7.15	-0.137	545	8.16	1.143	595	9.39	-1.208
446	6.30	-1.764	496	7.16	-0.766	546	8.19	0.502	596	9.42	0.028
447	6.31	-1.769	497	7.17	-1.274	547	8.20	0.244	597	9.45	0.636
448	6.33	-1.781	498	7.19	-2.035	548	8.22	0.236	598	9.48	0.619
449	6.36	-0.298	499	7.22	-1.426	549	8.24	-0.154	599	9.51	0.725
450	6.38	0.065	500	7.26	-1.202	550	8.26	-0.411	600	9.52	0.341

INDEX NO. 843 907-GR-132 TAIRA BRIDGE U-D MAX.ACCEL.= -17.723(GAL) T= 1.10(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	9.55	0.573	651	11.38	0.500	701	13.39	-0.052	751	15.38	0.042
602	9.57	0.561	652	11.40	1.361	702	13.54	0.109	752	15.40	0.034
603	9.60	0.547	653	11.45	1.335	703	13.62	0.441	753	15.42	-0.606
604	9.65	-0.358	654	11.47	1.324	704	13.67	0.158	754	15.43	-0.610
605	9.71	-1.017	655	11.49	0.185	705	13.72	-0.242	755	15.45	-0.875
606	9.73	-1.031	656	11.51	-0.199	706	13.74	-0.257	756	15.46	0.619
607	9.79	-0.814	657	11.52	-0.459	707	13.79	-0.536	757	15.49	1.478
608	9.83	-0.466	658	11.55	-1.099	708	13.82	-0.554	758	15.53	1.582
609	9.88	0.303	659	11.59	-0.874	709	13.85	-0.321	759	15.58	0.303
610	9.91	0.112	660	11.62	-1.139	710	13.88	0.536	760	15.67	0.248
611	9.93	0.101	661	11.65	-0.905	711	13.92	0.263	761	15.72	-0.405
612	9.97	-0.298	662	11.68	-0.673	712	13.95	0.244	762	15.80	0.173
613	10.01	0.052	663	11.70	-0.314	713	13.99	0.473	763	15.87	0.634
614	10.05	0.653	664	11.74	-0.082	714	14.02	0.590	764	15.95	0.709
615	10.11	0.619	665	11.77	0.896	715	14.07	0.176	765	16.09	0.004
616	10.18	-0.047	666	11.80	1.503	716	14.10	0.161	766	16.13	-0.648
617	10.26	0.279	667	11.85	1.475	717	14.11	-0.723	767	16.18	-0.428
618	10.32	-0.129	668	11.89	1.205	718	14.12	-1.103	768	16.23	-0.205
619	10.33	-0.761	669	11.94	0.423	719	14.16	-0.513	769	16.29	0.136
620	10.34	-1.017	670	11.99	-0.856	720	14.21	-0.278	770	16.37	0.460
621	10.36	-1.652	671	12.02	-0.871	721	14.24	-0.174	771	16.44	0.048
622	10.39	+2.046	672	12.08	-1.156	722	14.26	0.068	772	16.47	0.653
623	10.44	-1.449	673	12.11	-0.924	723	14.28	0.058	773	16.49	0.265
624	10.52	0.382	674	12.14	-0.317	724	14.30	0.918	774	16.56	-0.649
625	10.58	2.471	675	12.15	0.648	725	14.32	1.909	775	16.58	-0.911
626	10.60	3.080	676	12.18	0.661	726	14.34	2.145	776	16.66	0.539
627	10.64	2.811	677	12.21	0.018	727	14.38	2.499	777	16.74	0.494
628	10.66	1.548	678	12.22	-0.237	728	14.42	0.976	778	16.83	0.438
629	10.68	0.283	679	12.24	-0.627	729	14.45	-0.043	779	16.90	-0.224
630	10.71	-0.356	680	12.28	-0.273	730	14.49	-1.318	780	16.97	-0.270
631	10.74	-1.000	681	12.31	1.207	731	14.54	-1.343	781	17.00	-0.537
632	10.77	-1.842	682	12.34	1.192	732	14.57	-1.314	782	17.04	0.568
633	10.84	-1.683	683	12.40	0.531	733	14.62	-0.139	783	17.09	-0.091
634	10.92	-0.229	684	12.48	0.107	734	14.66	1.336	784	17.13	-1.239
635	10.96	0.370	685	12.59	-0.455	735	14.70	2.312	785	17.15	-1.250
636	10.99	0.480	686	12.61	-0.842	736	14.72	2.302	786	17.19	-1.021
637	11.01	0.341	687	12.66	-0.248	737	14.77	1.650	787	17.25	0.441
638	11.04	1.573	688	12.70	-0.268	738	14.80	0.380	788	17.30	1.038
639	11.05	1.568	689	12.72	-0.534	739	14.81	0.123	789	17.33	1.397
640	11.07	1.680	690	12.78	0.307	740	14.84	-0.517	790	17.35	1.132
641	11.15	0.008	691	12.82	0.909	741	14.86	-0.032	791	17.38	0.490
642	11.17	-0.004	692	12.85	1.267	742	14.91	0.315	792	17.44	-0.169
643	11.20	-0.892	693	12.94	0.588	743	14.92	0.311	793	17.47	-0.812
644	11.21	-1.274	694	13.01	0.172	744	14.94	0.069	794	17.49	-0.823
645	11.23	-1.538	695	13.08	-0.741	745	14.96	+0.334	795	17.54	-0.853
646	11.27	-0.935	696	13.14	-0.902	746	15.01	+0.384	796	17.59	0.240
647	11.28	-0.691	697	13.20	-0.312	747	15.08	0.220	797	17.65	0.328
648	11.30	-0.078	698	13.25	0.280	748	15.16	0.795	798	17.76	-0.485
649	11.34	-0.191	699	13.29	0.882	749	15.33	0.075	799	17.85	-0.536
650	11.36	-0.115	700	13.34	-0.273	750	15.35	0.060	800	17.90	-0.568

INDEX NO. 843 907-GR-132 TAIRA BRIDGE U-D MAX.ACCEL.= -17.723(GAL) T= 1.10(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	17.93	0.041	851	19.83	0.164
802	17.95	1.280	852	19.90	0.448
803	17.97	1.017	853	20.07	1.022
804	17.99	0.757	854	20.03	1.367
805	18.01	0.367	855	20.12	1.116
806	18.03	0.355	856	20.15	0.849
807	18.04	0.595	857	20.16	0.213
808	18.07	1.209	858	20.20	-0.436
809	18.10	0.939	859	20.33	0.117
810	18.14	0.292	860	20.50	0.015
811	18.16	0.280	861	20.65	0.554
812	18.17	-0.352	862	20.72	0.389
813	18.24	-0.767	863	20.76	0.115
814	18.30	-0.679	864	20.81	-0.293
815	18.33	-0.447	865	20.86	-0.320
816	18.38	-0.227	866	20.91	0.025
817	18.43	0.372	867	20.94	0.632
818	18.45	1.356	868	20.96	1.250
819	18.49	1.962	869	20.97	1.491
820	18.53	1.313	870	21.01	1.217
821	18.55	0.298	871	21.07	0.559
822	18.57	-0.588	872	21.17	0.499
823	18.59	-0.849	873	21.28	-0.194
824	18.62	-0.385	874	21.34	-0.228
825	18.66	-0.017	875	21.37	-1.244
826	18.74	-0.936	876	21.39	0.368
827	18.80	-0.476	877	21.41	0.730
828	18.86	0.114	878	21.43	0.718
829	18.92	0.705	879	21.45	0.707
830	18.97	1.053	880	21.53	0.987
831	18.99	1.286	881	21.65	0.586
832	19.01	0.777	882	21.73	0.512
833	19.04	0.135	883	21.83	0.730
834	19.06	0.359	884	21.87	0.081
835	19.12	0.085	885	21.90	-0.182
836	19.15	0.569	886	21.98	0.906
837	19.17	-0.568	887	22.05	0.587
838	19.22	-0.973	888	22.14	0.552
839	19.28	0.244	889	22.30	0.080
840	19.33	0.212	890	22.37	1.042
841	19.35	0.451	891	22.40	1.649
842	19.36	0.445	892	22.44	0.988
843	19.37	0.811	893	22.55	0.312
844	19.41	0.539	894	22.76	0.185
845	19.44	0.144	895	22.83	0.773
846	19.48	-0.502	896	22.89	0.764
847	19.54	0.385	897	22.97	0.745
848	19.56	0.359	898	22.99	0.684
849	19.65	0.019			
850	19.73	-0.028			

Table IX D-70 Digitized Accelerations of Earthquake Record with Index Number 844

INDEX NO. 844 907-GR-132 TAIRA BRIDGE LG. MAX.ACCEL.= 26.022(GAL) T= 0.26(SEC) NO. 1

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1	0.0	-7.270	51	0.66	21.605	101	1.27	3.928	151	1.81	1.790
2	0.01	-24.134	52	0.67	21.119	102	1.28	3.933	152	1.82	0.547
3	0.02	24.247	53	0.68	19.876	103	1.29	1.566	153	1.84	-5.046
4	0.03	44.386	54	0.71	11.783	104	1.30	-4.416	154	1.85	-7.910
5	0.04	54.400	55	0.74	-7.186	105	1.31	-7.778	155	1.86	-8.279
6	0.05	44.779	56	0.75	-12.918	106	1.32	-9.514	156	1.88	-5.509
7	0.06	-5.457	57	0.76	-14.656	107	1.33	-10.760	157	1.89	-3.248
8	0.07	-15.941	58	0.77	-15.641	108	1.34	-7.306	158	1.90	-1.111
9	0.08	-23.428	59	0.78	-19.255	109	1.35	-6.361	159	1.91	0.655
10	0.09	-21.672	60	0.79	-16.999	110	1.36	-5.099	160	1.92	0.911
11	0.10	-22.036	61	0.80	-14.981	111	1.37	-4.463	161	1.93	0.673
12	0.12	-16.387	62	0.83	-5.704	112	1.38	-4.701	162	1.94	0.690
13	0.13	-13.881	63	0.84	-11689	113	1.40	-6.553	163	1.95	0.702
14	0.14	-13.242	64	0.85	0.321	114	1.41	-8.420	164	1.96	0.088
15	0.15	-12.858	65	0.86	1.982	115	1.42	-8.409	165	1.97	0.969
16	0.16	-11.984	66	0.87	1.968	116	1.43	-8.400	166	1.98	2.605
17	0.17	-11.956	67	0.89	0.491	117	1.44	-5.385	167	1.99	7.250
18	0.19	-5.613	68	0.90	-1.992	118	1.45	-3.749	168	2.00	8.006
19	0.23	10.965	69	0.91	-2.609	119	1.46	-2.865	169	2.01	6.390
20	0.24	24.130	70	0.92	-2.725	120	1.47	-1.603	170	2.02	0.907
21	0.25	24.384	71	0.93	-2.718	121	1.48	-0.209	171	2.04	-6.078
22	0.26	26.022	72	0.94	-1.082	122	1.49	-0.204	172	2.05	-15.685
23	0.27	24.156	73	0.95	-0.690	123	1.50	-0.194	173	2.06	-17.546
24	0.28	21.045	74	0.96	-0.635	124	1.51	-0.682	174	2.07	-17.792
25	0.30	-1.306	75	0.97	-1.920	125	1.52	-0.418	175	2.09	-11.895
26	0.32	-20.404	76	0.99	-5.394	126	1.53	-0.404	176	2.11	-3.372
27	0.33	-22.642	77	1.00	-6.011	127	1.55	0.498	177	2.12	1.772
28	0.34	-24.506	78	1.01	-6.252	128	1.56	5.506	178	2.13	1.784
29	0.35	-25.000	79	1.02	-6.240	129	1.58	11.029	179	2.15	1.807
30	0.38	-9.721	80	1.03	-5.352	130	1.59	12.917	180	2.16	1.818
31	0.39	-0.452	81	1.04	-2.593	131	1.60	12.923	181	2.17	2.205
32	0.40	3.312	82	1.06	5.311	132	1.62	6.821	182	2.18	2.464
33	0.41	4.573	83	1.07	71575	133	1.63	-1.791	183	2.19	31726
34	0.42	5.204	84	1.08	8.209	134	1.64	-3.149	184	2.20	3.984
35	0.43	41961	85	1.09	6.597	135	1.65	-3.765	185	2.21	3.874
36	0.44	2.108	86	1.10	3.604	136	1.66	-3.384	186	2.22	8.885
37	0.48	-8.732	87	1.11	1.620	137	1.67	-6.248	187	2.23	8.887
38	0.49	-12.526	88	1.12	2.383	138	1.68	-6.810	188	2.25	5.294
39	0.50	-13.202	89	1.13	5.396	139	1.69	-4.469	189	2.27	-3.563
40	0.51	-13.571	90	1.14	7.400	140	1.70	-2.840	190	2.28	-5.174
41	0.52	-13.810	91	1.15	5.542	141	1.71	-1.955	191	2.29	-7.413
42	0.53	-13.549	92	1.16	2.426	142	1.72	-2.187	192	2.30	-8.034
43	0.54	-12.285	93	1.17	-21935	143	1.73	-3.052	193	2.31	-8.023
44	0.55	-11.644	94	1.19	-10.542	144	1.74	-3.660	194	2.33	-8.124
45	0.56	-9.131	95	1.20	-14.029	145	1.75	-5.275	195	2.34	-5.238
46	0.59	-24855	96	1.21	-15.893	146	1.76	-5.897	196	2.35	-4.349
47	0.62	9.560	97	1.22	-15.868	147	1.77	-4.686	197	2.36	-4.334
48	0.63	14.898	98	1.24	-14.366	148	1.78	-3.125	198	2.37	-4.326
49	0.64	18.461	99	1.25	-3.104	149	1.79	-1.438	199	2.38	-3.687
50	0.65	20.346	100	1.26	5.291	150	1.80	1.778	200	2.39	-3.305

土木構造物における加速度強震記録（No. 9）

INDEX NO. 844 907-GR-132 TAIRA BRIDGE LG. MAX.ACCEL.= 26.022(GAL) T= 0.26(SEC) NO. 2

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
201	2.40	-2.669	251	2.97	-9.768	301	3.65	-3.616	351	4.25	0.185
202	2.41	-1.400	252	2.98	-9.507	302	3.66	-3.852	352	4.26	-0.673
203	2.42	-0.519	253	2.99	-7.990	303	3.67	-3.593	353	4.27	-0.418
204	2.43	-0.133	254	3.00	-6.734	304	3.68	-3.335	354	4.29	0.237
205	2.44	1.504	255	3.02	-1.336	305	3.69	-2.324	355	4.30	1.115
206	2.45	0.020	256	3.03	0.806	306	3.70	-1.307	356	4.31	1.129
207	2.46	-1.467	257	3.04	2.187	307	3.71	-1.051	357	4.32	1.771
208	2.48	-4.950	258	3.05	3.823	308	3.72	-0.156	358	4.34	0.918
209	2.49	-6.813	259	3.06	4.085	309	3.73	-0.405	359	4.36	-0.560
210	2.50	-7.549	260	3.07	5.093	310	3.75	-0.374	360	4.37	-1.180
211	2.51	-8.164	261	3.08	5.359	311	3.76	-0.119	361	4.38	-1.547
212	2.52	-8.409	262	3.09	4.864	312	3.77	-0.109	362	4.39	-2.776
213	2.53	-8.517	263	3.10	4.875	313	3.78	0.530	363	4.40	-3.020
214	2.54	-8.127	264	3.11	4.514	314	3.79	0.920	364	4.42	-2.752
215	2.56	-7.733	265	3.13	3.909	315	3.80	1.558	365	4.43	-2.983
216	2.57	-6.602	266	3.14	3.046	316	3.81	1.567	366	4.44	-3.349
217	2.59	-2.828	267	3.15	2.686	317	3.82	1.573	367	4.46	-4.574
218	2.60	0.064	268	3.16	2.444	318	3.83	0.960	368	4.48	-4.927
219	2.62	4.589	269	3.18	2.100	319	3.84	0.978	369	4.49	-5.041
220	2.63	5.223	270	3.19	2.112	320	3.86	0.745	370	4.50	-4.035
221	2.64	5.235	271	3.20	2.370	321	3.87	0.381	371	4.52	-3.136
222	2.65	4.990	272	3.21	2.135	322	3.88	0.643	372	4.53	-2.755
223	2.66	4.011	273	3.24	2.167	323	3.89	0.656	373	4.54	-2.112
224	2.67	2.772	274	3.26	1.942	324	3.90	1.047	374	4.55	-1.853
225	2.68	2.530	275	3.27	2.199	325	3.91	1.305	375	4.58	-0.819
226	2.69	2.161	276	3.28	1.339	326	3.92	1.694	376	4.59	0.073
227	2.70	0.302	277	3.30	0.731	327	3.93	1.708	377	4.62	1.099
228	2.71	0.315	278	3.32	-2.989	328	3.94	1.716	378	4.63	2.616
229	2.72	1.202	279	3.35	-5.836	329	3.95	1.103	379	4.64	3.372
230	2.73	2.838	280	3.36	-7.444	330	3.96	0.234	380	4.65	3.758
231	2.74	3.097	281	3.37	-7.808	331	3.98	-1.992	381	4.66	3.519
232	2.75	5.359	282	3.38	-8.427	332	3.99	-3.225	382	4.67	3.528
233	2.76	6.244	283	3.39	-7.789	333	4.00	-4.463	383	4.69	3.177
234	2.77	6.257	284	3.40	-6.698	334	4.01	-4.702	384	4.71	2.331
235	2.78	4.519	285	3.42	-6.259	335	4.02	-4.696	385	4.72	2.336
236	2.79	3.280	286	3.43	-2.129	336	4.04	-4.173	386	4.73	1.979
237	2.81	2.297	287	3.44	-0.237	337	4.06	-3.528	387	4.74	1.738
238	2.83	0.198	288	3.45	4.536	338	4.08	-2.252	388	4.75	1.374
239	2.85	-1.031	289	3.46	5.546	339	4.11	-0.598	389	4.76	0.752
240	2.86	-2.262	290	3.47	6.807	340	4.14	0.936	390	4.77	0.141
241	2.87	-2.628	291	3.48	6.813	341	4.15	1.953	391	4.78	-0.092
242	2.88	-3.242	292	3.49	6.202	342	4.16	1.965	392	4.79	-0.087
243	2.89	-3.654	293	3.50	4.963	343	4.17	1.971	393	4.81	-0.688
244	2.90	-4.096	294	3.53	2.248	344	4.18	1.984	394	4.82	-0.671
245	2.91	-5.082	295	3.57	-2.087	345	4.19	2.246	395	4.83	-0.662
246	2.92	-5.324	296	3.59	-2.441	346	4.20	2.257	396	4.84	-1.025
247	2.93	-7.062	297	3.60	-3.671	347	4.21	1.772	397	4.85	-1.020
248	2.94	-7.307	298	3.61	-3.910	348	4.22	1.156	398	4.87	-1.865
249	2.95	-8.539	299	3.63	-3.637	349	4.23	1.162	399	4.88	-2.234
250	2.96	-9.152	300	3.64	-3.876	350	4.24	0.554	400	4.89	-2.473

INDEX NO. 844 907-GR-132 TAIRA BRIDGE LG. MAX.ACCEL.= 26.022(GAL) T= 0.26(SEC) NO. 3

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
401	4.91	-2.454	451	5.73	+0.762	501	6.58	-1.286	551	7.39	-1.984
402	4.94	-1.796	452	5.74	-1.001	502	6.60	-2.891	552	7.41	-2.587
403	4.95	-1.285	453	5.75	-1.114	503	6.61	-3.502	553	7.42	-2.825
404	4.97	-0.990	454	5.77	-1.089	504	6.62	-3.497	554	7.43	-3.191
405	4.99	0.643	455	5.80	+0.932	505	6.63	-3.481	555	7.45	-3.173
406	5.00	1.275	456	5.84	+0.639	506	6.67	-3.195	556	7.46	-3.410
407	5.01	1.917	457	5.86	+0.868	507	6.68	-3.178	557	7.47	-2.523
408	5.03	1.432	458	5.87	+1.230	508	6.69	+2.790	558	7.49	+1.622
409	5.04	0.826	459	5.88	+0.970	509	6.71	-3.393	559	7.53	0.295
410	5.05	0.464	460	5.89	+0.958	510	6.73	+3.616	560	7.54	1.941
411	5.07	0.734	461	5.90	+0.316	511	6.74	-3.608	561	7.56	1.960
412	5.08	1.370	462	5.91	1.323	512	6.75	+3.972	562	7.57	2.601
413	5.09	1.382	463	5.93	2.843	513	6.76	+3.584	563	7.58	2.863
414	5.11	1.149	464	5.94	3.230	514	6.78	+3.068	564	7.59	2.621
415	5.13	0.300	465	5.95	2.994	515	6.79	+2.423	565	7.60	2.382
416	5.16	+1.669	466	5.96	3.005	516	6.82	+0.518	566	7.61	2.018
417	5.18	+3.389	467	5.98	2.395	517	6.85	1.141	567	7.62	2.027
418	5.20	+4.244	468	5.99	1.662	518	6.87	1.414	568	7.63	1.795
419	5.21	+4.235	469	6.01	1.668	519	6.90	1.824	569	7.65	2.059
420	5.22	+4.474	470	6.04	1.466	520	6.92	1.847	570	7.67	1.466
421	5.24	-3.576	471	6.05	0.608	521	6.94	1.616	571	7.68	1.221
422	5.26	-0.678	472	6.08	0.010	522	6.95	+0.241	572	7.70	0.620
423	5.28	1.472	473	6.09	-0.598	523	6.96	+0.605	573	7.71	+0.613
424	5.29	2.734	474	6.12	+1.319	524	6.97	-1.468	574	7.73	-1.596
425	5.31	3.885	475	6.13	+1.798	525	6.99	+0.953	575	7.74	-2.826
426	5.33	4.155	476	6.15	+1.784	526	7.00	+0.559	576	7.75	-2.823
427	5.34	4.170	477	6.16	+1.770	527	7.01	-0.172	577	7.76	+2.561
428	5.36	3.939	478	6.17	+1.503	528	7.02	+0.161	578	7.77	+2.169
429	5.38	3.707	479	6.20	+1.480	529	7.04	+1.140	579	7.78	+1.280
430	5.39	3.727	480	6.21	+1.712	530	7.06	+1.743	580	7.80	+1.515
431	5.41	3.369	481	6.23	+1.692	531	7.07	+2.355	581	7.82	+0.620
432	5.42	2.768	482	6.24	+2.304	532	7.08	+2.597	582	7.83	+0.230
433	5.45	0.293	483	6.25	+2.916	533	7.09	+2.961	583	7.85	0.418
434	5.49	+2.167	484	6.26	+3.280	534	7.10	+2.696	584	7.87	0.198
435	5.50	+3.776	485	6.27	+3.274	535	7.11	+1.685	585	7.90	0.108
436	5.51	+4.387	486	6.28	+3.513	536	7.12	+0.798	586	7.91	0.120
437	5.52	+5.378	487	6.29	+4.117	537	7.13	+0.166	587	7.94	+0.475
438	5.53	+5.367	488	6.31	+3.229	538	7.14	0.475	588	7.95	+0.459
439	5.54	+5.606	489	6.33	+2.571	539	7.15	0.483	589	7.96	-0.455
440	5.55	+5.969	490	6.36	+1.290	540	7.16	0.867	590	7.97	-1.317
441	5.56	-6.207	491	6.39	-0.007	541	7.17	1.137	591	7.98	-1.556
442	5.57	-5.695	492	6.42	0.646	542	7.18	1.142	592	7.99	-1.547
443	5.59	-5.051	493	6.45	1.931	543	7.20	1.164	593	8.01	-1.517
444	5.61	-4.029	494	6.46	2.575	544	7.22	0.957	594	8.03	-0.998
445	5.62	-2.761	495	6.47	2.834	545	7.24	1.590	595	8.04	-0.361
446	5.64	-1.238	496	6.49	3.226	546	7.25	1.598	596	8.06	0.293
447	5.65	-0.598	497	6.50	3.863	547	7.26	1.864	597	8.08	0.683
448	5.67	-0.456	498	6.52	2.639	548	7.28	1.631	598	8.11	0.469
449	5.69	-0.177	499	6.54	2.036	549	7.30	1.040	599	8.15	0.198
450	5.72	-0.402	500	6.57	0.200	550	7.36	+1.400	600	8.16	0.152

INDEX NO. 844 907-GR-132 TAIRA BRIDGE LG. MAX.ACCEL.= 26.022(GAL) T= 0.26(SEC) NO. 4

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
601	8.17	0.161	651	8.80	-0.306	701	9.66	0.007	751	10.48	-0.069
602	8.18	-0.451	652	8.87	-0.295	702	9.70	0.039	752	10.49	0.321
603	8.19	-0.692	653	8.88	-0.903	703	9.73	-0.179	753	10.50	0.582
604	8.20	-1.052	654	8.90	-0.885	704	9.75	-0.782	754	10.51	0.587
605	8.21	-1.037	655	8.92	-1.740	705	9.76	-1.145	755	10.52	0.356
606	8.22	-0.779	656	8.93	-2.098	706	9.78	-1.375	756	10.53	0.620
607	8.24	-0.137	657	8.94	-2.714	707	9.79	-1.358	757	10.55	0.134
608	8.26	0.016	658	8.95	-2.703	708	9.81	-1.091	758	10.57	-0.461
609	8.27	0.027	659	8.96	-3.313	709	9.83	-1.317	759	10.58	-1.073
610	8.28	-0.341	660	8.97	-3.306	710	9.84	-1.058	760	10.60	-1.431
611	8.30	-0.570	661	8.98	-3.046	711	9.85	-0.416	761	10.61	-1.416
612	8.31	-0.678	662	8.99	-2.407	712	9.87	0.228	762	10.62	-1.405
613	8.33	-0.283	663	9.01	-1.384	713	9.88	0.240	763	10.63	-1.397
614	8.35	0.371	664	9.03	-0.739	714	9.91	0.647	764	10.65	-0.495
615	8.36	0.382	665	9.04	0.273	715	9.93	0.295	765	10.66	0.517
616	8.37	0.638	666	9.05	-0.087	716	9.95	0.327	766	10.67	0.780
617	8.38	0.649	667	9.07	-0.318	717	9.98	0.605	767	10.69	1.797
618	8.39	0.661	668	9.08	-0.675	718	10.01	0.762	768	10.70	1.563
619	8.40	0.428	669	9.09	-0.416	719	10.03	0.411	769	10.71	1.201
620	8.41	0.190	670	9.10	-0.030	720	10.04	0.174	770	10.73	1.216
621	8.42	0.195	671	9.11	0.863	721	10.05	-0.189	771	10.74	1.228
622	8.43	0.207	672	9.12	0.874	722	10.07	-1.042	772	10.75	1.495
623	8.44	0.475	673	9.14	1.512	723	10.08	-1.024	773	10.76	1.506
624	8.46	1.114	674	9.15	2.528	724	10.10	-1.632	774	10.77	1.521
625	8.47	1.128	675	9.16	3.170	725	10.11	-1.620	775	10.78	1.901
626	8.48	1.143	676	9.18	2.937	726	10.12	-1.609	776	10.79	1.910
627	8.49	0.904	677	9.21	2.341	727	10.14	-1.586	777	10.80	2.172
628	8.50	0.293	678	9.23	0.748	728	10.15	-1.568	778	10.82	1.697
629	8.52	-0.436	679	9.26	-0.474	729	10.16	-1.559	779	10.83	1.090
630	8.54	-0.922	680	9.27	-1.084	730	10.17	-1.298	780	10.86	0.116
631	8.56	-1.274	681	9.29	-1.686	731	10.20	-1.270	781	10.88	-0.684
632	8.57	-1.253	682	9.30	-1.674	732	10.21	0.002	782	10.89	-0.466
633	8.58	-1.495	683	9.32	-1.655	733	10.22	0.635	783	10.90	-0.455
634	8.59	-1.855	684	9.33	-1.639	734	10.24	1.279	784	10.91	-0.694
635	8.60	-2.222	685	9.34	-1.626	735	10.26	1.550	785	10.94	-1.034
636	8.61	-2.461	686	9.35	-1.617	736	10.27	2.193	786	10.96	-1.269
637	8.62	-2.452	687	9.36	-1.361	737	10.28	1.701	787	10.97	-1.249
638	8.64	-2.428	688	9.38	-1.588	738	10.29	1.093	788	10.99	-1.235
639	8.68	-1.131	689	9.39	-1.575	739	10.30	0.479	789	11.01	-0.084
640	8.72	0.783	690	9.40	-2.184	740	10.31	-0.134	790	11.02	0.307
641	8.73	0.798	691	9.41	-2.173	741	10.32	-0.126	791	11.03	1.193
642	8.75	2.076	692	9.42	-2.161	742	10.35	0.406	792	11.05	1.842
643	8.76	2.330	693	9.45	-0.881	743	10.37	0.426	793	11.07	1.865
644	8.77	2.721	694	9.47	0.018	744	10.38	0.444	794	11.08	1.875
645	8.78	2.980	695	9.48	1.035	745	10.39	0.583	795	11.09	1.687
646	8.79	2.988	696	9.51	1.686	746	10.41	0.232	796	11.11	1.400
647	8.81	1.888	697	9.53	2.341	747	10.42	-0.010	797	11.12	0.787
648	8.82	1.282	698	9.57	1.761	748	10.43	0.004	798	11.14	0.188
649	8.83	1.285	699	9.63	0.574	749	10.44	-0.110	799	11.16	-0.794
650	8.84	0.921	700	9.66	0.237	750	10.47	-0.327	800	11.17	-0.777

INDEX NO. 844 907-GR-132 TAIRA BRIDGE LG. MAX.ACCEL.= 26.022(GAL) T= 0.26(SEC) NO. 5

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
801	11.18	-0.764	851	12.09	0.259	901	13.11	-0.197	951	13.95	-1.364
802	11.20	-0.749	852	12.13	-0.573	902	13.12	-0.180	952	13.96	-1.347
803	11.21	-0.481	853	12.14	-1.308	903	13.15	0.473	953	13.99	-0.439
804	11.22	-0.975	854	12.16	-1.786	904	13.18	0.889	954	14.00	0.574
805	11.25	-1.316	855	12.17	-1.771	905	13.23	0.690	955	14.01	0.834
806	11.26	-2.177	856	12.19	-1.754	906	13.25	0.089	956	14.02	0.841
807	11.28	-2.159	857	12.21	-0.851	907	13.26	0.106	957	14.03	1.483
808	11.30	-1.883	858	12.22	-0.586	908	13.29	0.391	958	14.04	1.245
809	11.32	-0.989	859	12.24	-0.199	909	13.30	0.647	959	14.08	1.030
810	11.35	0.425	860	12.25	-0.435	910	13.31	0.664	960	14.11	0.698
811	11.40	0.351	861	12.27	-0.164	911	13.32	0.675	961	14.13	0.463
812	11.41	0.746	862	12.29	-0.764	912	13.34	0.442	962	14.14	0.102
813	11.44	1.028	863	12.31	-0.741	913	13.36	-0.157	963	14.15	0.366
814	11.45	1.161	864	12.32	-0.724	914	13.38	-0.381	964	14.17	0.761
815	11.46	0.804	865	12.35	-0.084	915	13.40	-0.367	965	14.19	0.787
816	11.48	0.824	866	12.39	0.851	916	13.41	-0.350	966	14.20	0.796
817	11.49	0.835	867	12.40	1.237	917	13.43	0.168	967	14.21	0.804
818	11.51	1.483	868	12.41	1.496	918	13.44	0.558	968	14.22	0.816
819	11.53	2.382	869	12.43	1.522	919	13.46	0.577	969	14.23	0.205
820	11.55	2.780	870	12.44	1.914	920	13.49	0.362	970	14.25	-0.030
821	11.56	3.038	871	12.49	0.714	921	13.51	0.014	971	14.26	-0.015
822	11.57	3.043	872	12.51	0.118	922	13.55	-0.565	972	14.27	-0.379
823	11.58	2.805	873	12.55	-0.464	923	13.57	-0.793	973	14.28	-0.121
824	11.59	2.573	874	12.58	-0.177	924	13.58	-0.785	974	14.29	0.525
825	11.61	0.970	875	12.62	-0.380	925	13.59	-1.145	975	14.30	0.536
826	11.64	-0.501	876	12.64	-0.358	926	13.60	-1.131	976	14.31	0.923
827	11.65	-0.865	877	12.68	-0.317	927	13.62	-0.488	977	14.32	0.929
828	11.66	-1.722	878	12.70	0.339	928	13.63	-0.473	978	14.33	0.937
829	11.68	-1.457	879	12.72	0.359	929	13.65	0.174	979	14.35	0.960
830	11.69	-1.438	880	12.75	1.390	930	13.67	0.441	980	14.38	0.743
831	11.71	-1.167	881	12.76	1.652	931	13.68	1.079	981	14.40	0.390
832	11.73	-0.774	882	12.77	1.913	932	13.70	1.728	982	14.41	0.151
833	11.74	-1.136	883	12.78	2.303	933	13.72	3.007	983	14.42	0.163
834	11.80	-1.324	884	12.79	2.665	934	13.73	3.016	984	14.43	0.180
835	11.84	-0.898	885	12.82	1.469	935	13.74	3.028	985	14.46	0.206
836	11.87	-0.613	886	12.83	1.488	936	13.75	3.411	986	14.47	0.467
837	11.89	0.029	887	12.85	1.509	937	13.77	3.178	987	14.48	0.237
838	11.90	0.292	888	12.87	1.529	938	13.79	2.201	988	14.50	-0.120
839	11.92	0.939	889	12.88	1.790	939	13.81	1.228	989	14.51	-0.358
840	11.93	0.950	890	12.89	1.549	940	13.82	0.745	990	14.52	-0.344
841	11.94	0.961	891	12.91	1.203	941	13.83	0.382	991	14.53	-0.339
842	11.95	0.350	892	12.93	0.971	942	13.84	-0.238	992	14.54	-0.322
843	11.97	0.126	893	12.98	-0.597	943	13.85	-0.471	993	14.55	-0.316
844	11.99	0.141	894	13.00	-0.818	944	13.87	-0.458	994	14.57	0.214
845	12.00	0.152	895	13.01	-1.804	945	13.88	-0.194	995	14.58	1.475
846	12.01	0.417	896	13.03	-1.784	946	13.89	-0.180	996	14.59	1.478
847	12.02	0.805	897	13.05	-1.766	947	13.90	-0.418	997	14.60	1.247
848	12.04	0.829	898	13.06	-1.122	948	13.92	-0.774	998	14.61	1.503
849	12.05	0.838	899	13.08	-0.857	949	13.93	+1.012	999	14.62	1.512
850	12.07	0.863	900	13.09	-0.468	950	13.94	+1.003	1000	14.63	1.030

土木構造物における加速度強震記録（No. 9）

INDEX NO. 844 907-GR-132 TAIRA BRIDGE LG. MAX.ACCEL.= 26.022(GAL) T= 0.26(SEC) NO. 6

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1001	14.65	1.299	1051	15.84	-0.847	1101	17.06	1.165	1151	18.32	-1.260
1002	14.66	1.555	1052	15.86	-0.825	1102	17.09	0.568	1152	18.38	-0.191
1003	14.67	1.317	1053	15.89	-0.793	1103	17.10	0.209	1153	18.41	0.473
1004	14.69	1.593	1054	15.92	-0.756	1104	17.11	-0.027	1154	18.43	0.498
1005	14.70	1.099	1055	15.94	0.140	1105	17.13	-0.385	1155	18.47	0.788
1006	14.72	1.122	1056	15.97	0.794	1106	17.14	-0.996	1156	18.51	0.209
1007	14.75	0.156	1057	15.98	0.813	1107	17.15	-1.238	1157	18.55	0.259
1008	14.76	0.176	1058	16.03	1.459	1108	17.17	-1.214	1158	18.56	0.024
1009	14.78	0.191	1059	16.05	1.267	1109	17.18	-0.697	1159	18.61	0.075
1010	14.79	0.210	1060	16.10	0.944	1110	17.22	-0.279	1160	18.64	-0.519
1011	14.82	0.487	1061	16.17	0.774	1111	17.26	0.142	1161	18.70	-0.447
1012	14.83	0.880	1062	16.22	-0.170	1112	17.32	0.462	1162	18.78	-0.977
1013	14.86	1.160	1063	16.24	-0.148	1113	17.37	0.266	1163	18.84	-1.156
1014	14.89	1.571	1064	16.25	-0.128	1114	17.39	0.542	1164	18.96	-0.767
1015	14.93	0.735	1065	16.27	-0.361	1115	17.43	0.588	1165	19.10	-0.230
1016	14.94	0.373	1066	16.28	-0.729	1116	17.45	0.614	1166	19.14	0.309
1017	14.95	-0.990	1067	16.29	-1.335	1117	17.46	0.625	1167	19.18	0.111
1018	14.96	-0.984	1068	16.31	-1.565	1118	17.47	0.884	1168	19.22	-0.474
1019	14.97	-1.218	1069	16.33	-1.540	1119	17.48	0.649	1169	19.24	0.175
1020	14.99	-1.198	1070	16.35	-1.016	1120	17.50	0.919	1170	19.27	0.459
1021	15.02	-1.166	1071	16.40	-0.342	1121	17.51	0.438	1171	19.29	0.861
1022	15.06	-0.862	1072	16.42	0.059	1122	17.52	0.447	1172	19.31	1.253
1023	15.10	-0.816	1073	16.43	0.077	1123	17.54	0.093	1173	19.32	0.692
1024	15.14	-1.022	1074	16.45	0.094	1124	17.55	-0.515	1174	19.33	0.529
1025	15.16	-0.996	1075	16.47	0.114	1125	17.58	-1.109	1175	19.34	0.290
1026	15.18	-0.474	1076	16.49	-0.113	1126	17.61	-1.704	1176	19.35	-0.570
1027	15.20	0.295	1077	16.51	0.412	1127	17.63	-1.931	1177	19.37	-0.553
1028	15.21	0.556	1078	16.54	0.820	1128	17.64	-1.917	1178	19.38	-0.291
1029	15.22	0.819	1079	16.57	1.109	1129	17.65	-1.901	1179	19.40	-0.261
1030	15.25	0.345	1080	16.61	1.152	1130	17.68	-1.993	1180	19.42	0.138
1031	15.26	-0.010	1081	16.65	0.948	1131	17.71	-1.832	1181	19.43	0.147
1032	15.28	-0.242	1082	16.71	0.015	1132	17.77	-0.643	1182	19.45	0.172
1033	15.31	-0.835	1083	16.74	-0.450	1133	17.81	0.151	1183	19.47	-0.432
1034	15.32	-0.316	1084	16.76	-0.830	1134	17.83	-0.449	1184	19.50	-1.305
1035	15.35	0.086	1085	16.78	-1.030	1135	17.85	0.075	1185	19.56	-0.326
1036	15.36	0.725	1086	16.80	-1.387	1136	17.88	0.484	1186	19.60	-0.280
1037	15.37	0.489	1087	16.81	-0.762	1137	17.89	1.118	1187	19.63	-0.871
1038	15.40	0.152	1088	16.83	-0.978	1138	17.90	0.887	1188	19.66	-1.211
1039	15.42	-0.078	1089	16.84	-1.336	1139	17.91	1.150	1189	19.69	-1.184
1040	15.46	-0.406	1090	16.85	-1.323	1140	17.92	1.161	1190	19.71	-0.904
1041	15.53	-0.082	1091	16.86	-1.312	1141	17.95	0.314	1191	19.73	-0.886
1042	15.57	-0.286	1092	16.87	-1.298	1142	17.98	-0.022	1192	19.74	0.131
1043	15.60	-0.005	1093	16.92	-0.377	1143	18.04	0.297	1193	19.78	0.549
1044	15.65	-0.197	1094	16.94	0.280	1144	18.09	1.098	1194	19.80	0.573
1045	15.68	0.096	1095	16.96	0.672	1145	18.13	0.769	1195	19.83	0.854
1046	15.71	0.499	1096	16.98	1.317	1146	18.17	0.193	1196	19.85	0.256
1047	15.74	0.156	1097	16.99	1.337	1147	18.21	-0.005	1197	19.88	0.040
1048	15.76	-0.062	1098	17.01	1.601	1148	18.23	-0.357	1198	19.91	-0.302
1049	15.79	-0.286	1099	17.02	1.612	1149	18.26	-0.575	1199	19.94	-0.266
1050	15.82	-0.627	1100	17.03	2.008	1150	18.29	-1.250	1200	19.98	0.411

INDEX NO. 844 907-GR-132 TAIRA BRIDGE LG. MAX.ACCEL.= 26.022(GAL) T= 0.26(SEC) NO. 7

NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)	NO.	(SEC)	(GAL)
1201	20.01	0.442	1251	21.37	0.383	1301	22.74	0.702
1202	20.03	0.462	1252	21.38	0.772	1302	22.76	0.348
1203	20.05	0.233	1253	21.39	1.406	1303	22.79	0.382
1204	20.07	-0.114	1254	21.40	1.415	1304	22.82	0.419
1205	20.09	0.288	1255	21.42	1.438	1305	22.85	-0.175
1206	20.11	0.811	1256	21.44	1.211	1306	22.91	-0.358
1207	20.14	0.595	1257	21.45	0.850	1307	22.92	-0.346
1208	20.15	-0.025	1258	21.48	0.508			
1209	20.17	-0.251	1259	21.49	0.271			
1210	20.18	-0.612	1260	21.52	0.305			
1211	20.23	-0.301	1261	21.55	0.584			
1212	20.28	0.128	1262	21.58	0.747			
1213	20.31	0.166	1263	21.62	0.421			
1214	20.33	0.438	1264	21.66	0.467			
1215	20.35	0.209	1265	21.69	0.495			
1216	20.40	0.019	1266	21.73	0.290			
1217	20.45	0.077	1267	21.74	0.553			
1218	20.49	-0.008	1268	21.75	-0.057			
1219	20.53	0.416	1269	21.76	-0.043			
1220	20.59	0.853	1270	21.88	-0.405			
1221	20.60	1.125	1271	21.94	-0.338			
1222	20.62	1.148	1272	21.98	-0.167			
1223	20.66	0.819	1273	22.01	-0.508			
1224	20.69	0.603	1274	22.03	-0.488			
1225	20.70	0.611	1275	22.07	0.183			
1226	20.72	0.263	1276	22.14	0.886			
1227	20.74	0.280	1277	22.17	0.923			
1228	20.76	-0.572	1278	22.21	0.966			
1229	20.79	-0.537	1279	22.25	1.010			
1230	20.83	0.136	1280	22.27	1.291			
1231	20.88	-0.432	1281	22.30	0.451			
1232	20.94	0.260	1282	22.32	0.724			
1233	20.98	0.312	1283	22.34	0.247			
1234	21.01	0.361	1284	22.36	0.261			
1235	21.04	0.373	1285	22.38	-0.716			
1236	21.06	-0.228	1286	22.40	-0.440			
1237	21.08	-0.204	1287	22.44	-0.387			
1238	21.10	0.076	1288	22.47	0.012			
1239	21.12	0.090	1289	22.49	0.286			
1240	21.15	0.252	1290	22.50	0.051			
1241	21.18	-0.092	1291	22.52	0.326			
1242	21.20	-0.069	1292	22.55	0.484			
1243	21.23	-0.286	1293	22.56	0.747			
1244	21.24	-0.267	1294	22.57	0.381			
1245	21.26	0.006	1295	22.59	0.401			
1246	21.29	0.289	1296	22.60	-0.081			
1247	21.30	0.297	1297	22.65	-0.407			
1248	21.31	0.683	1298	22.66	-1.015			
1249	21.33	0.086	1299	22.70	-0.350			
1250	21.35	0.104	1300	22.72	0.932			

参考文献

1）建設省土木研究所振動研究室：土木構造物における加速度強震記録（No.1），土木研究所彙報第32号，昭和53年10月。

2）建設省土木研究所振動研究室：土木構造物における加速度強震記録（No.2），土木研究所彙報第33号，昭和53年10月。

3）建設省土木研究所振動研究室：土木構造物における加速度強震記録（No.3），土木研究所彙報第34号，昭和53年10月。

4）建設省土木研究所振動研究室：土木構造物における加造度強震記録（No.4），土木研究所彙報第35号，昭和55年3月。

5）建設省土木研究所振動研究室：土木構造物における加速度強震記録（No.5），土木研究所彙報第36号，昭和55年3月。

6）建設省土木研究所振動研究室：土木構造物における加速度強震記録（No.6），土木研究所彙報第37号，昭和56年7月。

7）建設省土木研究所振動研究室：土木構造物における加速度強震記録（No.7），土木研究所彙報第38号，昭和56年3月。

8）建設省土木研究所振動研究室：土木構造物における加速度強震記録（No.8），土木研究所彙報第41号，昭和57年10月。

9）建設省土木研究所振動研究室：土木構造物における強震記録，No.1（1961～66年），No.2（1967），No.3（1968），No.4（1969），No.5（1970），No.6（1971），No.7（1972），土木研究所資料第217号（昭和41年12月），第341号（昭和43年2月），第430号（昭和44年4月），第641号（昭和45年3月），第718号（昭和47年3月），第815号（昭和48年3月），第913号（昭和49年3月），第967号（昭和49年11月）。

10）建設省土木研究所振動研究室：地震記録のディジタル数値，No.1～3，No.4，No.5～6，土木研究所資料第876号（昭和48年12月），第877号（昭和48年12月），第1072号（昭和50年12月）。

11）建設省土木研究所振動研究室：強震計設置構造物概要図，（その1），（その2），昭和46年1月，昭和46年1月，昭和47年3月。

12）建設省土木研究所振動研究室：強震観測の手引き，土木研究所資料第61号，昭和40年6月。

13）栗林，岩崎，若林：強震観測とその記録の利用，土木技術資料15－1，昭和48年1月。

14）岩崎，若林，高木：土木施設に対する強震観測網の整備，土木技術資料18－9，昭和51年9月。

15）川島，若林，高木：SMAC型強震計の特性が地震応答スペクトルに与える影響，第15回土木学会地震工学研究発表会，昭和54年7月。

16）川島，高木，相沢：SMAC型強震計記録の数値化の精度，第7回土木学会関東支部年次研究発表会，昭和55年1月。

17）岩崎，川島，若林，高木：地震応答スペクトルに及ぼすSMAC型強震計の特性，土木技術資料Vol.22－2，昭和55年2月。

18) 建設省土木研究所振動研究室：土木構造物に対する強震観測，土木研究所資料等1734号，昭和57年6月。

19) 川島，高木，相沢：ディジタイザによるＳＭＡＣ型強震計記録の数値化精度，土木学会論文報告集，第323号，昭和57年7月。

20) 川島，高木，相沢：数値化精度を考慮したＳＭＡＣ－B_2型強震計記録の計器補正法および変位計算法，土木学会論文報告集，第325号，昭和57年9月。

21) 建設省土木研究所ダム部フィルダム研究室：ダムサイト岩盤における地震動，土木研究所資料1789号，昭和57年2月。

付録－1　強震観測網の現況

強震観測に使用している計器は，大別してＳＭＡＣ型強震計と電磁式強震計の２種類に分類できる。

昭和57年3月31日現在の設置状況をＳＭＡＣ型強震計については，Figure Ⅸ－１－１およびTable Ⅸ－１－１に，または電磁式強震計については，Figure Ⅸ－１－２およびTable Ⅸ－１－２に示す。

ＳＭＡＣ型強震計の設置箇所数および台数は，それぞれ150地点，307台となっている。また電磁式強震計は56地点，511成分である。この電磁式強震計は，ＳＭＡＣ型強震計が設置できないような場所に設置される例が多く，特に最近は地表面下の地中部における地震動の観測に使われており，現在56地点中15地点（141成分）において観測が実施されている。

ＳＭＡＣ型強震計は，１台につき３成分（上下動１成分，水平動２成分）の加速度換振器が備わっている。また電磁式強震計は，設置点毎に成分数は異なっており，大半は加速度換振器であるが一部には土圧計もしくは変位計などが含まれている。

Table Ⅸ－１－３にＳＭＡＣ型強震計および電磁式強震計の観測点数を構造物ごとに分類した結果を示す。

Table Ⅸ－1－1　SMAC型強震計配置一覧表

建設省土木研究所（1983.3.31現在）

No.	観測所名	型式	台数	設置箇所	県名	維持管理	設置年月
	1. 国道一号						
101	新富橋	B2	2	地盤・基礎	千葉	国道国道	41・3
102	米山大橋	〃	3	地盤・基礎・橋脚	新潟	長岡工事	41・3
103	安倍川大橋	〃	3	地盤・橋脚(2)	大阪	大阪国道工事	38・3
104	新別府川橋	〃	2	地盤・橋脚	埼玉	宇都宮国道	42・2
105	倉敷大橋	E2	2	〃	岩手	三陸国道	45・2
106	久加高架橋	B2	2	〃	埼玉	大宮国道	43・3
107	宝塚橋	Q	3	地盤・橋脚・1F	伏田	伏田工事	51・3
108	妙高大橋	E2	2	地盤・橋脚	新潟	高田工事	47・11
109	大平橋	Q	2	〃	愛知	愛知国道	49・3
100							
111							
112	紀ノ川大橋	B2	2	地盤・橋脚	和歌山	和歌山工事	42・3
113	平石橋	B2, D	2	〃	岩手	岩手工事事務所	47・1
114	夏崎高架橋	B2, C	2	〃	兵庫	兵庫国道	38・3
115							
	2. 国道二号						
201	小谷橋	B2	2	地盤・橋脚	香川	金津石松建設	40・3
202	魚沼橋	〃	2	〃	新潟	小千谷土木	40・12
203	横倉沢橋	〃	2	〃	長野	飯山建設	40・10
204	第八幡橋	〃	2	〃	愛知	岸田土木	40・11
205	石瀬戸橋	〃	2	〃	宮崎	小林土木	43・3
206	小見川大橋	E2	2	〃	千葉	香取土木	45・3
207	高津大橋	B2	2	〃	島根	益田土木	42・3
208	三川橋	Q	2	〃	山形	庄内支庁	55・3
209	瑞光寺橋	〃	3	地盤(2)・橋脚	香川	金津石松建設	45・3
210							
	3. 地方道						
301	塩平橋	B2	2	地盤・橋脚	秋田	雄勝土木	41・12
302	開北橋	〃	2	〃	宮城	石巻土木	41・3
303	河北橋	B2, Q	2	〃	山形	東村江建設	昭・14
304	伊達橋	B2	2	〃	福島	保原土木	40・10
305	滝大橋	〃	2	〃	兵庫	養父土木	40・3
306	妙見橋	〃	2	〃	島根	出雲土木	昭・14
307	五台山橋	〃	2	〃	高知	高知土木	41・3
308	祝島橋	〃	2	〃	愛媛	宇和島中央土木	41・3
309	乙女橋	〃	2	〃	熊本	矢部土木	40・3
310	平井大橋	〃	3	地盤・橋脚(2)	東京	第5建設	40・8
311	鶴浜大橋	〃	2	地盤・橋脚	三重	伊勢土木	41・9
312	波木橋	〃	2	地盤・橋台	和歌山	野宮土木	41・9
313	石越橋	〃	2	〃	愛媛	丹原土木	42・3
314	清川橋	(S.56.8観測休了)			山形	庄内支庁	昭・14
315	太宏大橋	Q	2	地盤・橋脚	徳島	木頭大橋管理所	55・10
316	津野大橋	D	2	〃	高知	五所川原土木	45・3
317	潮島大橋	B2	2	〃	徳島	川島土木	42・3
318	新田大橋	E2	2	〃	福島	勿川土木	48・2
319	四徳大橋	B2	2	〃	長野	伊那建設	41・12
320	厚岸大橋	E2	2	〃	北海道	北海道庁	46・11
321	創大橋	〃	3	地盤・橋脚(2)	東京	建設局	50・3
322	鶴橋	〃	2	地盤・橋脚	〃	〃	〃
323	関戸橋	〃	2	〃	〃	〃	〃
324	尾久橋	〃	2	〃	〃	〃	〃
325	新大橋	〃	2	〃	〃	〃	53・3
326	七一色橋	〃	2	〃	〃	〃	〃
327	宝明橋	〃	2	〃	〃	〃	51・3
328	高円寺橋	〃	2	〃	〃	〃	54・3
329							
330							
	4. 首都高速道路						
401	昆陽高大橋	B2	1	橋脚	兵庫	大津土木	39・9
402							
403							
	5. 道路企画課						
501	東京湾(富津岬)	B2	1	地盤	千葉	東京湾岸道路	40・10
502	関門架橋	〃	2	地盤(門司・下関)	福岡	北九州国道	40・10
503	東京湾(観音崎)	〃	1	地盤	神奈川	東京湾岸道路	42・3
504							
505							
	6. 開発課						
601	室牧ダム	B2	1	堤体	高山	管理所(出)	36・8
602	横山ダム	B2, Q	3	地盤(2)・堤体	岐阜	〃(建)	昭・14
603	猿谷ダム	A	1	地盤	奈良	〃(〃)	33・3
604	天ケ瀬ダム	B2	1	堤体	京都	〃(〃)	39・8
605	菊花ダム	B2, D	2	地盤・堤体	長野	〃(出)	昭・14
606	鶴田ダム	D	2	〃	鹿児島	〃(建)	43・12
607	境水ダム	E2	2	堤体(頂, 底)	島根	〃(出)	50・12
608	大石ダム	E2	3	地盤, 堤体(中, 底)	新潟	ダム工事(建)	48・10
609	三保ダム	Q	2	地盤, 堤体	神奈川	〃(出)	49・5
610	小菅ダム	(S.56.9観測終了)			長野	管理所(建)	43・12
611	真名川ダム	E2	2	堤体(頂, 底)	福井	ダム工事(〃)	52・3
612	大川ダム	Q	1	地盤	福島	阿賀川工事(〃)	54・2
613	白川ダム	Q	2	堤体(頂, 底)	山形	管理所(〃)	54・12
614	湯沢ダム	Q	2	〃	宮城	〃(出)	55・3
615	島地川ダム	Q	2	地盤・堤頂	山口	〃(建)	56・3
616	御所ダム	Q	2	堤体(頂, 底)	岩手	〃(〃)	55・11
617	桐生川ダム	E2	2	〃	群馬	〃(出)	57・3
618	砂瀬ダム	Q	2	〃	栃木	〃(〃)	〃
619							
620							
	7. 治水課						
701	淀川堤防	D, Q	4	地盤・本体	大阪	淀川工事	41・3
702	大島水門	E2	2	〃	東京	東京都建設局	50・3
703	新潟大堰	E2	2	〃	新潟	信濃川下流工事	46・11
704	小名木川水門	〃	2	〃	東京	東京都建設局	50・3
705	中川護岸	〃	2	〃	〃	〃	〃
706	木曽川下流堤防	Q	2	〃	三重	木曽川下流工事	53・3
707	通賀川河口堰	〃	3	地盤・P3・P8	福岡	通賀川工事	55・3
708	安部川堤防	〃	2	地盤・本体	静岡	静岡河川工事	51・11
709	信濃川水門	〃	3	地盤(2)・本体	新潟	信濃川工事	56・3
710	太田川堤防	〃	2	地盤・本体	広島	太田川工事	55・9
711	大和川堤防	〃	2	〃	大阪	大和川工事	56・3
712	江戸川堤防	〃	2	〃	千葉	江戸川工事	55・8
713							
714							
715							

No.	観測所名	型式	台数	設置箇所	県名	維持管理	設置年月
	8. 海岸課						
801	行当海	B2	1	地盤	佐賀	佐賀土事	49・8
802							
803							
804							
805							
	9. 土木研究所						
901	土研千葉支所	(S.54.3観測休了)					
902	西新井橋	B2	3	地盤・橋脚(2)	東京	〃	37・3
903	綾瀬大橋	〃	2	地盤・橋脚	東京	新三郷庁(委)	49・1
904	新天竜川橋	B2, Q	2	〃	静岡	浜松工事	39・12
905	潤合橋	B2	2	地盤・橋脚	兵野	兵野国道(委)	49・12
906	鹿島臨海橋	(S.54.3観測休了)					
907	平井大橋	〃	2	地盤・橋台	福島	福島国道(委)	昭・14
908	新巴川橋	〃	2	〃	静岡	静岡西土木(委)	52・3
909	富士大橋	〃	2	地盤・橋脚	〃	富士下田土木(委)	53・3
910	鏡岡大橋	〃	2	〃	〃	静岡国道(委)	53・3
911	堀井大橋	〃	2	〃	岡井	堀井工事(委)	53・11
912	弥栄橋	〃	1	地盤	静岡	御殿場土木(委)	53・9
913	天津舞鶴橋	Q, B2	4	地盤(2)・橋脚(2)	千葉	鴨川土木(委)	54・11
914	八重洲地下駐	Q	3	構造物	東京	上野	〃
915	土木試験所	〃	1	B1F	茨城	〃	55・8
	10. 日本道路公団						
1001	東名大橋	E2	3	橋脚(2)・地盤	静岡	東名バイパス	昭・14
1002	東名・富士川橋	B2	2	地盤・橋脚	〃	静岡局	42・3
1003	東名・新名神橋	D	2	〃	〃	〃	昭・14
1004	境川橋	B2	2	〃	山梨	八王子支局	42・3
1005	足久保橋	〃	2	〃	山梨	〃	42・3
1006	鞍川橋	〃	2	〃	愛知	名古屋局	43・3
1007	東名・豊川橋	〃	2	〃	〃	〃	43・3
1008	瀬戸大橋	E2	3	地盤・橋脚(2)	香川	大阪支社	65・5
1009	東名・酒匂川橋	D	2	地盤・橋脚	神奈川	新原場局	44・3
1010	大島大橋	〃	3	橋脚(2), スパン中央	山口	管理所	51・7
1011	帝釈川橋	E2	2	橋台, 橋脚	広島	三次管理所	53・8
1012	東伊豆橋取	E2	1	地盤	静岡	東伊豆道路	54・3
1013							
1014							
1015							
	11. 首都高速道路公団						
1101	目黒区大橋1丁目	E2	2	地盤・橋脚	3号線	工務部	47・1
1102	杉並区高井戸5丁目	〃	3	地盤・橋脚(2)	4号線	〃	47・1
1103	墨田区堤通り1丁目	〃	2	地盤・橋脚	6号線	〃	47・1
1104	護国寺管理所	〃	2	1F・9F	5号線	〃	47・5
1105	江東区塩浜	〃	2	地盤・橋脚	9号線	〃	49・7
1106	海岸橋(品川)	〃	3	地盤・トンネル・B2F		〃	51・3
1107	5号線(板橋)	〃	2	地盤・橋脚		〃	52・3
1108	一ノ橋高架橋	B2	2	〃	2号線	〃	42・7
1109	羽田海底トンネル	〃	3	地盤・トンネル(2)	1号線	〃	43・2
1110							
	12. 阪神高速道路公団						
1201	西成架高架橋	B2	2	地盤・橋脚	1号線	管理部保全課	40・5
1202							
1203	南津守高架橋	D	2	地盤・橋脚	4号線	管理部保全課	45・3
1204							
1205							
	13. 北海道開発局						
1301	室蘭大橋	Q	2	地盤・橋脚	室蘭	開発局	53・2
1302	千代田橋	B2	3	地盤・基礎・橋脚	十勝	〃	41・11
1303	新石狩大橋	〃	2	地盤・橋脚	石狩	〃	昭・14
1304	大雪七橋	〃	2	〃	上川	〃	42・10
1305	双葉橋	〃	2	〃	日高	〃	42・12
1306	旭川大橋	〃	2	〃	石狩	〃	昭・14
1307	七重橋	〃	2	〃	渡島	〃	43・12
1308	石狩河口橋	〃	3	地盤・橋脚(2)	石狩	〃	45・3
1309	無意根大橋	D	2	地盤・橋脚	〃	〃	44・10
1310	釧里大橋	D, E2	2	〃	釧走	〃	45・3
1311	豊谷橋	D	2	〃	渡島	〃	45・11
1312	湧泉橋	E2	2	〃	留萌	〃	昭・14
1313	岸岡橋	B2	2	〃	宗谷	〃	47・11
1314	志国子橋	〃	2	〃	網走	〃	47・12
1315	屈根別橋	Q	3	地盤・橋脚(2)	根室	〃	50・11
1316	神水橋	〃	1	地盤・橋台	留萌	〃	昭・14
1317	広尾橋	〃	2	地盤・橋台	十勝	〃	53・3
1318	上島橋	〃	2	地盤・橋脚	渡島	〃	53・3
1319	島松沢橋	〃	1	地盤	石狩	〃	54・12
1320	札幌1.C高架橋	〃	2	地盤・橋脚	札幌	〃	56・3
	14. 水資源開発公団						
1401	利根川河口堰	D	2	地盤・堤体	千葉	利根川堰管理所	昭・14
1402	寺内ダム	E2	2	堤頂・ギャラリー	福岡	ダム管理所	52・3
1403							
1404							
1405							
	15. 本州四国連絡橋公団						
1501	岩屋	B2	1	地盤	兵庫	本四公団	37・10
1502	明石	〃	1	1F	〃	〃	〃
1503	大三島	〃	1	地盤	愛媛	〃	作設
1504	鳴門	〃	1	〃	徳島	〃	38・3
1505	番ノ瀬	〃	1	〃	香川	〃	作設
1506	高松	〃	1	1F	〃	〃	〃
1507							
1508							
1509							
1510							
	16. 下水道部						
1601	落合処理場	E2	2	地盤・構造物	東京	東京都下水道局	51・2
1602	13号埋立地(江東)	〃	2	〃	〃	〃	〃
1603	南砂ポンプ場	〃	2	地盤(2)	〃	〃	〃
1604	小菅処理場	〃	2	地盤・構造物	〃	〃	52・3
1605	谷端川幹線	〃	2	地盤(2)	〃	〃	〃
1606							
1607							
1608							
1609							
1610							
1611							




Figure Ⅸ－１－１　ＳＭＡＣ型強震計設置位置図（昭和５８年３月３１日現在）

Table IX－1－2　電磁型強震計設置位置一覧表

No.	観測所名	型式	成分数	設置箇所	県名	維持管理	設置年月
1. 国道一課							
5101	新旗野川橋	電磁式	12	橋脚（12）	宮城	仙台工事々務所	48-12
2. 国道二課							
3. 地方道課							
5301	厚岸大橋	電磁式	10		北海道	北海道庁	46-12
4. 有料道路課							
5401	瓦倉湖大橋	電磁式	6	橋脚(4)，地盤(2)	滋賀	大津土木事務所	38-12
5. 道路企画課							
5501	富津岬	地中式	9	0 m(3)，－70 m(3)，－110 m(3)，	千葉	東京湾岸道路調査事務所	45-12
5502	浮島公園	〃	12	0 m(3)，－27 m(3)，－67 m(3)，－127 m(3)，	神奈川	〃	45-12
5503	観音崎	〃	9	0 m(3)，－80 m(3)，－120 m(3)，	〃	〃	46-12
5504	南港	〃	12	0 m(3)，－22 m(3)，－43 m(3)，－88 m(3)，	大阪	阪神国道工事々務所	49-3
5505	扇島	〃	12	0 m(3)，－15 m(3)，－38 m(3)，－150 m(3)，	神奈川	東京湾岸道路調査事務所	49-3
5506	金城草頭	〃	9	0 m(3)，－45 m(3)，－114 m(3)，	愛知	名四国道工事々務所	
5507	深江	〃	15	0 m(3)，－28 m(3)，－61 m(3)，－71 m(3)，－120m(3)	大阪	阪神国道工事々務所	
6. 開発課							
5601	海田ダム	電磁式	6	天端(3)，岩盤(3)	岩手	管理所(建)	40-12
5602	皆瀬ダム	〃	6	堤体(3)，監査廊(3)	秋田	管理事務所(県)	38-12
5603	鳴子ダム	〃	8	天端(2)，岩盤(3)，監査廊(3)	宮城	管理所(建)	48-12
5604	川俣ダム	〃	13	支持坑内(3)，ゲート(7)，監査廊(3)	栃木	〃　〃	49-12
5605	室牧ダム	〃	9	岩盤(3)，堤体(6)	富山	管理事務所(県)	36-12
5606	横山ダム	〃	12	岩盤(5)，天端(5)，BIF(2)	岐阜	管理所(建)	37-12
5607	天ケ瀬ダム	〃	12	岩盤(3)，堤体(9)	京都	管理事務所(建)	39-12
5608	猿谷ダム	〃	5	堤体(5)	奈良	管理所(建)	32-12
5609	四十四田ダム	〃	12	監査廊(3)，堤体(3)，マンホール(6)	岩手	〃　〃	32-12
5610	早川ダム	〃	10	監査廊(5)，堤体(5)	石川	管理事務所(県)	43-12
5611	矢作ダム	〃	14	天端(3)，堤体(8)，天端(3)	愛知	管理所(建)	45-12
5612	釜房ダム	〃	6	岩盤(3)，天端(3)	宮城	〃　〃	45-12
5613	都ダム	地中式	6	－5 m(3)，天端(3)	千葉	千葉開発庁〃	48-12
5614	松原下筌ダム	電磁式	8	地盤(4)，天端(4)	大分	管理所(建)	46-12
5615	蓮原ダム	〃	3	監査廊(4)	群馬	〃　〃	48-12
5616	阿蘇立野	〃	3	地盤(3)	熊本	熊本工事々務所〃	50-12
5617	白川ダム	〃	12	監査廊(3)，天端(3)，法面(3)，横坑(3)	山形	管理所(建)	54-12
5618	御所ダム	〃	27	監査廊(9)，天端(6)，法面(3)，コア内(3)，地盤(6)	岩手	〃　(建)	55-10
5619	石淵ダム	〃	6	岩盤(3)，天端(3)	〃	〃　(建)	55-2
5620	田瀬ダム	〃	6	監査廊(3)，天端(3)	〃	〃　(建)	55-3
5621	野村ダム	〃	6	岩盤(3)，天端(3)	愛媛	ダム工事々務所(建)	55-3
5622	美和ダム	〃	3	堤体内(3)	長野	管理所(建)	53-8
5623	小渋ダム	〃	6	堤体内(3)，岩盤(3)	〃	〃　(建)	53-8
5624	石手川ダム	〃	3	監査廊(3)	愛媛	管理支所(建)	56-3
5625	五十里ダム	〃	3	監査廊	栃木	〃　(建)	55-3
7. 治水課							
5701	豊川放水路堤防	電磁式	4	上手上(2)，上手下(2)	愛知	豊橋工事々務所	41-12
8. 海岸課							
5801	大矢野島	電磁式	3	地盤(3)	熊本	熊本工事々務所	48-12
9. 土木研究所							
5901	荒川堤防	電磁式	8	地盤(2)，堤体(1)	千葉	土木研究所	43-12
5902	荒川堤防	〃	9	堤防上部(3)，中部(3)，下部(3)	東京	〃	48-12
5903	淀川堤防	〃	9	〃	大阪	〃	49-12
10. 日本道路公団							
6001	尾道大橋	電磁式	11	地盤(3)，主塔(2)，主桁(6)	広島	日本道路公団	43-4
6002	境水道大橋	〃	11	地盤(3)，地中(3)，橋脚(5)	鳥取	〃	47-7
6003	関門橋	〃	31	地中，主塔	福岡	〃	49-3
6004	広島大橋	〃	10	地盤(2)，橋脚(2)，ケーソン(6)	広島	〃	49-5
13. 北海道開発局							
6301	別海橋	地中式	4	－2 m(2)，－40 m(2)	北海道	北海道開発局	46-12
6302	静内橋	〃	4	－2 m(2)，－40 m(2)	〃	〃	46-12
6303	釧路（鉄網防護橋）	電磁式	9	地盤(3)，－53 m(3)，橋台(3)	〃	〃	48-11
6304	豊平峡ダム	〃	15	ギャラリー内（3◎3），ダム法面（2◎3）	〃	〃	47-9
6305	大雪ダム	〃	12	ギャラリー内(6)，天端(4)，堤体内(2)	〃	〃	49-11
6306	魚川ダム	電磁式	12	本体（底，中，頂），法面上	北海道	北海道開発局	54-11
6307	島松沢橋	地中式	3	－40 m(3)	〃	〃	54-12
14. 水資源開発公団							
6401	阿木川ダム	電磁式	3		岐阜	水資源開発公団	47-12
15. 本州四国連絡橋公団							
6501	東水（本州四国）	地中式	16	－5 m(6)，－20 m(4)，－60 m(3)，－250 m(3)	兵庫	本州四国連絡橋公団	47-12
6502	坂出（〃）	〃	15	－5 m(6)，－20 m(3)，－35 m(3)，－55 m	香川	〃	48-12
6503	今治（〃）	〃	12	－5 m(6)，－20 m(3)，－40 m(3)	愛媛	〃	48-3
16. 下水道部							
6601	花畑雨水幹線	地中式	3		東京	東京都下水道局	52-3




Figure Ⅸ－１－２　電磁型強震計設置位置図（昭和５８年３月３１日現在）

Table Ⅸ－1－3 構造物ごとの強震計観測地点数(昭和58年3月31日現在)

区分		SMAC型			電磁式	
		設置箇所	台数		設置箇所	成分数
			地盤	構造物		
橋		99	99	113	11	111
ダム	コンクリート	12	8	14	21	185
	フィル	5	1	9	7	57
河川	堤防	7	8	8	4	28
	堰	6	7	7	0	0
構造物予定地点		9	9	0	10	121
下水道		5	7	3	1	3
沈埋トンネル		2	2	4	0	0
地下外路		1	3	0	0	0
その他		4	2	3	2	6
合計		150	146	161	56	511
			307			

付録－2　強震計の特性

本資料に収録した地震動の加速度記録は，ＳＭＡＣ－Ａ型，ＳＭＡＣ－Ｂ型，ＳＭＡＣ－Ｂ２型，ＳＭＡＣ－Ｄ型，ＳＭＡＣ－Ｅ２型，ＳＭＡＣ－Ｑ型，電磁式強震計のいずれかの型式の地震計により記録されたものである。

これらの地震計の公称の特性および構造の概略を Table Ⅸ－２－１～Table Ⅸ－２－４，および Figure Ⅸ－２－１～Figure Ⅸ－２－４に示す。

ここで


Table Ⅸ－２－１　ＳＭＡＣ－Ｂ２型強震計の特性
Figure Ⅸ－２－１　ＳＭＡＣ－Ｂ２型強震計の構造


Table Ⅸ－２－２　ＳＭＡＣ－Ｄ型　強震計の特性
Figure Ⅸ－２－２　ＳＭＡＣ－Ｄ型　強震計の構造

Table Ⅸ－２－３　ＳＭＡＣ－Ｑ型　強震計の特性
Figure Ⅸ－２－３　ＳＭＡＣ－Ｑ型　強震計の構造

Table Ⅸ－２－４　電磁式強震計の性性
Figure Ⅸ－２－４　電磁式強震計の構造

Table Ⅸ－2－1 Strong-Motion Accelerograph, SMAC－B2

Parts	Specifications and Characteristics
Pendulum	3-Component accelerometer
	Natural period : 0.14 sec. Sensitivity : 12.5 gals per mm on the paper Damping : critical damping (h=1) Recording range : 6 ~ 500 gals Magnitication : x 16 (mechanical)
Recording system	Recording paper : scratching stylus roll-paper Recording speed : 10 mm per sec. Recording pen : sapphire point
Driving part	Spring motor
	Operating for about 3 min.
Electric self-starter	Vertical component accelerometer
	Natural period : 0.3 sec. Sensitivity at starting : from 5 to 15 gals
Mechanical self starter	Sensitivity at starting : about 100 gals
Time marking	Interval : 1 sec.
Checking device	Pilot lamp and buzzer
Electric power supply	Dry cell 3V x 4 (JIS No. FM 5)
Console	Aluminum alloy
Dimension	540 (width) x 540 (length) x 370 (height) mm
Net weight	Approximately 100 kg
Frequency Characteristics	








Figure IX－2－1 Illustration of Strong-Motion Accelerograph, SMAC－B2

Table Ⅸ－2－2 Strong-Motion Accelerograph, SMAC－D

Parts	Specifications and Characteristics
Pendulum	3-Component accelerometer
	Natural period : 0.05 sec. (20 cps) Sensitivity : 5mm/500gals on scratch-record-film. 40mm/500gals (by multiplying optically the film by 8) Damping : air damper h = 0.5 ~ 0.7 Recording range : 5 ~ 500 gals Frequency range : 0 ~ 20 cps
Recording system	Recording paper : scratching stylus scratch-record-film Recording speed : 5 mm per sec. Recording pen : diamond point
Driving part	Micro-motor (DC. 12 Volts)
	able to start 100 times, operates for about 1 min. 30 sec. after each starting
Electric- self stater	Vertical component accelerometer
	Natural period : 0.3 sec. Sensitivity at starting : 5 gals
Time marking system	5 pulse/sec, Electric timer
Electric power supply	Nickel-Cadmium Battery (DC 12V , 3.5A, with Automatic charger or AC 100V together)
Dimension	450 (width) x 450 (length) x 350 (height) mm
Net weight	Approximately 70 kg
Frequency Characteristics	








Figure Ⅸ－2－2　Illustration of Strong-Motion Accelerograph, SMAC－D

Table Ⅸ－2－3 Strong-Motion Accelerograph, SMAC－Q

Parts	Specifications and Characteristics
Pendulum	3-Component Accelerometer
	Natural Period : 0.05 sec. (20 cps) Sensitivity : 5mm/1,000 gals on scratch-record-film. 40 mm/1,000 gals by multiplying optically the film by 8. Damping : Air damper h = 0.6 Recording Range : 5 ~ 1,000 gals Frequency Range : 0 ~ 20 cps
Recording system	Recording Paper : Scratching Record-Film φ 35mm x 45m Recording Film : 5mm per sec. Number of Recording Pen : 3 for recording, 1 for time marker and 1 for base line
Driving part	Micro-water (±DC 6V)
	Operates for about 90 seconds for each starting
Electro-self starter	Vertical Component Accelerometer
	Natural Period : 0.22 sec. (4.5 cps) Sensitivity at starting : 10 gals
Time marking system	2 pulse/sec.
Electric power supply	Dry Battery
Dimension	φ400mm x 320mm (height)
Net weight	Approximately 35 Kg
Frequency Characteristics	



No.	Name of part	No.	Name of part
1	Right-left pendulum	10	Back-forth pendulum
2	Recording pen unit	11	Blind cover for inter connection cable
3	Accessories box		
4	Recorder	12	Starter pickup
5	O-ring	13	Bed
6	Case hold-down	14	Case
7	Electric device	15	Anchor bolt M10x160
8	Case set screw	16	Carrying bolt M8x100
9	Up-down pendulum	17	Anchor bolt hole 10.5φ

TITLE: OVERALL OUTSIDE VIEW
DWG. NO. J62027302-13
AKASHI SEISAKUSHO LTD.

Figure Ⅸ－2－3 Strong-Motion Accelerograph, SMAC－Q





Table IX－2－4 Bore-hole Seismograph (Type－3203)

Parts	Specifications and Characteristics
Transducer	3-Component Accelerometer
	Natural Period : 0.25 sec. (4 cps) Sensitivity : 7mV/gal Damping Factor : h ≃ 10 Recording Range : 400 gals Frequency Range : 0.5 ~ 30 cps
Test Coil	Coil Resistance : 2 KΩ Usage : able to vibrate a pendulum of transducer with oscilator
Declinometer	Principle : Measuring angles from North with a Optical system and Magnetic Compass Accuracy : ±5 degree
Water-proof	30 Kg/cm^2 (at the joint between cable and case)
Dimension and Net Weight	Total length : 2,230 mm Max. Outside Diameter : 130 mm Length of Declinometer : 790 mm Length of Horizontal Transeducer : 370 mm Length of Vertical Transeducer : 390 mm Net Weight : Approximately 110 Kg






Figure IX－2－4 Bore-hole Seismograph (Type－3203)

付録－3　記録の補正

本資料に収録した地震動記録はＳＭＡＣ型強震計もしくは電磁式強震計により記録紙上にアナログ量として収録された波形を自動座標変換機（ディジタイザー）により読み取った後に次の2種類の補正を施したものである。

1）中心軸（基線）の補正

ディジタル化した記録の中心軸を最小二乗法により定めこの中心軸が加速度振幅軸の基線となるよう補正したものである。

2）円弧補正

ＳＭＡＣ型強震計では，記録ペンの構造上，加速度記録はFigureⅨ－３－１に示すように，円弧状の曲線を描く。ディジタル化の際には，見かけの加速度振幅$\overline{A't'}$を読み取ってこれを時刻t'での加速度値としているが，加速度振幅が大きくなるにつれて，真の加速度振幅$\overline{At}$およびこれの生ずる時間tとの間の誤差が大きくなる。このような点を正しく補正するために，ＳＭＡＣ型強震計で採取された地震動の記録に対しては，次のような円弧補正を加えている。

FigureⅨ－３－１において，見かけの時刻t'において見かけの加速度振幅a'gal（$\overline{A't'}$）をもつ任意の点A'は，正しくは時刻tにおける加速度振幅a gal（$\overline{At}$）の点Aに対応しなければならない。したがって今，紙送り速度vが一定であると仮定すると時間軸の補正値Δtおよび加速度振幅の補正値Δaは次式のようになる。

$$\Delta t \equiv t' - t = R(1 - \cos\theta) / v \quad \cdots\cdots (A\,3-1)$$

$$\Delta a \equiv OA - OA' = R\sin\theta - R\theta \quad \cdots\cdots (A\,3-2)$$

ここで

t：正しい時刻

t'：見かけの時刻

R：アーム長

v：紙送り速度

$$\theta : \sin(a'/R) \quad \cdots\cdots (A\,3-3)$$

一般には（Ａ３－３）式で与えられるθは極めて小さいため（Ａ３－２）式で与えられる加速度振幅に対する補正量Δaは，微少な値となるので（Ａ３－１）式で与えられる時間軸の補正（Δt）のみを加えることとしている。




Figure　Ⅸ－３－１
Arc-Correction of Acceleration Measured by SMAC Type Seismograph

付録—4　加速度応答スペクトル

FigureⅨ－4－1に示す質量m，ばね係数k，減衰係数cからなる1自由度の振動系が$\ddot{z}$なる地震動の加速度を受けた場合の運動方程式は，次式で表わされる。

$$m\ddot{y}+c\dot{y}+Ky=-m\ddot{z} \quad \cdots\cdots (A4-1)$$

（A4－1）式の解は，次式で与えられる。

$$y=-\frac{1}{\omega p}\int_0^t \ddot{z}(t)\, e^{-ph(t-\tau)} \sin \omega p\,(t-\tau)\, d\tau \quad \cdots\cdots (A4-2)$$

ここで

$\omega p = p\sqrt{1-h^2}$

$p=\sqrt{\kappa/m}$　　：固有円振動数

$h=c/2\cdot\sqrt{m\cdot\kappa}$　：減衰定数

（A4－2）式の応答変位yは系の減衰定数hをパラメータとして固有周期Tの関数として求められる。

応答変位スペクトル（SD）は，応答変位yの最大値として定義し，次式で表わされる。

$$SD=|y|_{max}=\frac{1}{\omega p}\left|\int_0^t \ddot{z}(\tau)\, e^{-ph(t-\tau)} \sin \omega p\,(t-\tau)\, d\tau\right|_{max} \quad \cdots (A4-3)$$

速度応答スペクトル（SV），加速度（絶対加速度）応答スペクトル（SA）は応答変位スペクトル（SD）から近似的に次式で与えられる。

$$SV\simeq \frac{2\pi}{T}\cdot SD \quad \cdots\cdots (A4-4)$$

$$SA\simeq \left(\frac{2\pi}{T}\right)^2\cdot SD \quad \cdots\cdots (A4-5)$$

ここで，加速度応答スペクトルの値を入力地震動加速度の最大値$\ddot{z}_{max}$で割った値は，いわば地震動の加速に対するその系の応答加速度の倍率を表わしている。これを加速度応答倍率スペクトルβと定義した。

すなわち

$$\beta=SA/\ddot{z}_{max} \quad \cdots\cdots (A4-6)$$

である。




Figure Ⅸ－4－1
Response of One Mass-Spring System

付録－5　英文解説

APPENDIX－5　ENGLISH DESCRIPTION

Table-1 shows the earthquake motions contained in this issue of report. Identifications in Table-1 are as follows.

INDEX NO.	Index Number of earthquake motions identified at the Public Works Research Institute.
RECORD NO.	Number of record presenting three informations, i.e., STATION No., INSTRUMENT and SEQUENCE NO., where STATION NO. : Number representing the place where accelerometers are installed. INSTRUMENT : Identification representing the point where accelerometers are set. For an instance, GR: ground surface PI: pier top of bridge AB: abutment of bridge G : girder FU: footing of pier DA: dam GT: Water gate BK: bank TU: tunnel US: under ground structure nF or Bn. F: building ST: structure SEQUENCE NO.: Number representing the sequence of earthquake motion recorded by that particular accelerometer
NAME OF STRUCTURE	Name representing the place or region where accelerometers are installed. Generally the name of bridges or dams on which accelerometers are installed is used.

	Direction of the accelerometer is expressed as follows NS, EW : North-south, East-west LG, TR : Longitudinal and Transverse axis to the principal axis of structure, respectively U-D : Up Down
MAXIMUM ACCELERATION	Unit : gal
TIME	Time when the maximum acceleration is achieved.
DURATION TIME	Unit : seconds
EARTHQUAKE NUMBER	Index number of earthquake identified. Contains two informations, i. e., year and sequence of occurrence of earthquakes. In the case when these informations are uncertain, the earthquake number is left blank.

Table－2 shows the informations of earthquake whose records are expressed in Table－1. Identifications in Table－2 are as follows.

EARTHQUAKE NO.	Refer to Table-1
EPICENTRAL REGION	———————
EARTHQUAKE TIME AND DAY	The time when earthquake occured. Express in the sequence of year, month, day, hour and minute.
LONGITUDE LATITUDE	Longitude and latitude of epicenter.
DEPTH	Unit : km
MAGNITUDE	Magnitude of earthquake in Richer scale

Table-3 shows informations of earthquake records. Identifications in Table-3 are as follows.

STATION NO.	refer to Table-1
INSTRUMENT	refer to Table-1
SEQUENCE NO.	refer to Table-1
HORIZONTAL-A VERTICAL HORIZONTAL-B	three components of record
NAME OF STRUCTURE	refer to Table-1
LONGITUDE LATITUDE	Longitude and latitude of the point where accelerometers are installed.
Y.M. INSTALLED	Time (Year and month) when the accelerometers were installed
TYPE	Type of accelerometer
MACHINE NO.	Number of products (machine)
EPICENTRAL DISTANCE	Unit : km

Figures 1 ～ 9 show maps on which informations presented in Table-3 are plotted, in which the marks of * and o indicate the epicenter and accelerometers worked respectively.

Figures IXA-1～IXA-24 show earthquake motions in the sequence of identification number presented in Table-1.

Figures IXS-1～IXS-24 show response spectra (absolute response spectrum/maximum input acceleration) of the earthquake motions presented in Figs. IXA-1～IXA-24.

Table IXD-1～Table IXD-70 show digitized accelerations (gal).

In the case when acceleration records are digitized with an equal time interval, the time interval and the acceleration values are presented. In the case when acceleration records are digitized with unequal time interval, the acceleration values and corresponding times are presented simultaneously.