



30

土木研究所資料 第715号

多摩ニュータウン試験地水文観測資料

(昭和44年～昭和46年)

昭和47年3月

建設省土木研究所

土木研究所資料第七一五号

多摩ニュータウン試験地水文観測資料(昭和四十四年～昭和四十六年)

昭和四十七年三月 建設省土木研究所

正 誤 表

errata

ページ page	行 line	誤 error	正 correct
6	1のLocationの欄	Myozin	Myojin
13	右 上	Qctober	October
18	中	Myozin	Myojin
97	全 部 削 除 す る		

序 文

わが国経済の高度成長を支えたものとして顕著な工業化があげられるが、そのために、人口の都市集中は目を見はるばかりの勢いであり、膨脹する都市の整備と新都市の建設とは、わが国公共事業の中心課題となっている。このような都市のよりよい環境づくりの一環として、また都市に集中した資産を災害から守るため、雨水排除計画の合理的な策定と、迅速な実施が強く望まれている。ここで何が合理的な計画であるかは大へんむずかしい問題であって一朝一夕に解決するとは思われないが少くとも、それを議論するための基礎的なデータを提供することは極めて重要であり、かつ我々の責任であると考えた。これに焦点を合わせて土木研究所では昭和40年より都市河川の一例として石神井川において観測を開始し有益なデータを集収しているが、本課題の重要性に鑑みて急速に結果を得るべく都市化の速い流域において、新たに流出試験地を設けることになった。そこで我々は多摩ニュータウンを選んだ。

多摩ニュータウンは東京都の八王子市・多摩市などにまたがり約40km²の範囲で、水文的には多摩川水系の大栗川などの流域内に位置する。比高約80～100mの西に高く東に低い丘陵地で上部に関東ローム層、次は稲城砂層から成り、下部には厚い礫層が分布する。ここに東京都・東京都住宅供給公社・日本住宅公団が大規模な宅地造成を行ない、人口約40万人の都市を作りつつある。ここの流出試験地調査において東京都建設局河川部、日本住宅公団、関東地方建設局京浜工事事務所、土木研究所が協同し、建設省河川局治水課が推進役となって観測網を展開した。観測網にはその流域面積でマクロスケール、メソスケール、ミクロスケールに分けおおよその面積をそれぞれ数十km²、1km²、数haとした。これらはまた都市化流域と自然流域とで対比できるようにした。流出の様々な要素を各種のスケールで明らかにすることを意図したものである。

各観測所はできうる限り刃形堰を用いて水位測定より流量を測定できるようにし、雨量計を併設して、同じ記録用紙上に記した。

すべての観測所の開設年月日も一定していないし、宅地造成工事・河川改修工事などによって中断したものもあるので、本資料では、とりあえず第1報としてそれらの観測所のうちデータの整ったもののみを出版するものである。観測所の充実に従って、第2報以下に総合的なデータを印刷したいと思っている。

本資料を刊行するに当たり、ご協力いただいた各機関の諸氏に厚くお礼を述べるとともに、本資料が同学の士によって有効適切に利用されることを切に望んでやまない。

昭和47年3月

建設省土木研究所水文研究室

Preface

Tama New Town is at the west of Tokyo Metropolis. Land development and housing works by Japan Housing Corporation and other housing services have been steadily promoted. Population will be more than 400,000 at the time of completion of the plan.

This area is gently rolling. Elevation above the sea level is 100 ~200m. The upper layer is loam, the lower are thick sand and gravel layers. They belong to tertiary deposits.

A few years ago, Ministry of Construction, Tokyo Metropolitan Government and Japan Housing Corporation organized the working group for researches on change of runoff due to urbanization in this area. They set up several stations for observations of rainfall and runoff as shown in the map and the lists. As discharge stations are sited along the main stream named Oguri-gawa, runoff from various kinds of catchment areas can be simultaneously observed. The maximum catchment area is 35km² and the minimum is 1km².

The observation network covers both the developed and undeveloped areas. In the developed area continuous data are not collected because of interruption of construction works. The data tabulated in this book are obtained at the stations in the undeveloped area. The second book shall be published within a few years, when the whole network operates well and good data are compiled.

March, 1972

The Section of Hydrology
Public Works Research Institute
Ministry of Construction
41-7, Simo 5, Kita-ku, Tokyo, Japan

目 次

1 序 文

I 流域図および観測施設 1

1 多摩試験地流域図 3

2 雨量流量観測所一覧表 5

II 観 測 資 料 9

1 掲載洪水資料一覧表 11

2 出水ハイドログラフ 12


3 ピーク生起時刻表 16

4 水位－流量曲線図 17

5 水位・流量・雨量資料 19

I 流域図および観測施設

多摩試験地流域図



雨量観測所一覧表

記号	観測所名	所在地	管轄	観測器械
1	明神橋	明神橋流量観測所に併設 (大)	東京都	水研62型自記水位雨量計
2	大栗川橋	大栗川橋流量観測所に併設 (大)	"	"
3	南大沢	南大沢流量観測所に併設 (大)	建設省土木研究所	"
4	清水入谷戸	東京都八王子市清水入谷戸 (大)	"	"
5	別所	東京都八王子市別所 (大)	日本住宅公団	"
6	青木葉	東京都多摩市青木葉 (ㇿ)	"	転倒柵 (0.5mm)
7	瓜生 1	東京都多摩市永山 (ㇿ)	"	水研62型自記水位雨量計
8	瓜生 2	東京都多摩市永山 (ㇿ)	"	転倒柵 (0.5mm)

水位・流量観測所一覧表

記号	観測所名	所在地	管轄	観測器械	流域面積
A	報恩橋	東京都多摩市関戸 (大)	建設省京浜工事事務所	水研62型自記水位計	42550 km ²
B	明神橋	東京都多摩市下和田 (大)	東京都	水研62型自記水位雨量計	24705 km ²
C	常盤橋	東京都多摩市堰場 (大)	"	水研62型自記水位計	19110 km ²
D	大栗川橋	東京都八王子市芝原 (大)	"	水研62型自記水位雨量計	14665 km ²
E	南大沢	東京都八王子市南大沢 (大)	建設省土木研究所	"	0.968 km ²
F	関戸	東京都多摩市関戸 (ㇿ)	日本住宅公団	水研62型自記水位計	km ²

(大) …大栗川流域

(ㇿ) …ㇿ田川流域

List of Rain Gage Stations

mark on map	Station	Location	Jurisdiction	Equipment
1	Myojin-bashi	Juxtaposed with Myozin-bashi discharge stn.	Tokyo Metropolitan Government	Suiken 62-type Recording Level and Rain Gage
2	Ogurigawa-bashi	Juxtaposed with Ogurigawa-bashi discharge stn.	"	"
3	Minami-osawa	Juxtaposed with Minami-osawa discharge stn.	Public Works Research Institute, M.C.	"
4	Shimizu-iriyado	Shimizu-iriyado, Hachioji-city Tokyo	"	"
5	Bessho	Bessho, Hachioji-city, Tokyo	Japan Housing Corporation	"
6	Aokiba	Aokiba, Tama-city, Tokyo	"	Tipping Bucket type recoding Rain Gage
7	Uryu-1	Nagayama, Tama-city, Tokyo	"	Suiken 62-type Recording Level and Rain Gage
8	Uryu-2	Nagayama, Tama-city, Tokyo	"	Tipping Bucket typ recoding Rain Gate

List of Water Level and Discharge Gaging Stations

mark on map	Station	Location	Jurisdiction	Equipment	Drainage Area
A	Ho'on-bashi	Sekido, Tama-city, Tokyo	Keihin Construction Office, M.C.	Suiken 62-type Recording Level Gage	km ² 42,550

B	Myojin-bashi	Shimowada, Tama-city, Tokyo	Tokyo Metropolitan Government	Suiken 62-type Recording Level and Rain Gage	24.705
O	Tokiwa-bashi	Sekiba, Tama-city, Tokyo	"	Suiken 62-type Recording Level Gage	19.110
D	Ogurigawa-bashi	Shibahara, Hachioji-city Tokyo	"	Suiken 62-type Recording Level and Rain Gage	14.665
E	Minami-osawa	Minami-osawa, Hachioji-city Tokyo	Public Works Research Institute, M.C.	"	0.968
F	Sekido	Sekido, Tama-city, Tokyo	Japan Housing Corporation	Suiken 62-type Recording Level Gage	

M.C.—Ministry of Construction

Ⅱ 観 測 資 料

イ. 大栗川橋、常盤橋、明神橋水位流量観測所においては、量水塔の下部に土砂が堆積することがあって、水位が低いときは、水位計のフロートがこれに着床し、示様通り着水しないので、水位が高く観測されている場合がある。本資料にはこのような場合の水位流量値をも敢えて掲載してあるので注意されたい。

ロ. 記載してある資料の単位は次の通りである。(Units of Data)

降雨量 (Rainfall) mm
水位 (Water Level) m (量水標の読み値)
ただし関戸水位観測所のみ cm (")
流量 (Discharge) m^3/sec

ハ. 空欄は欠測または資料未収集を表わす。


掲載洪水資料一覧表
List of Floods

Flood No	洪水発生年月日 Date	雨 Rainfall								南大沢 Minami-osawa		大栗川橋 Ogurigawa -bashi		常盤橋 Tokiwa -bashi		明神橋 Myojin-bashi		報恩橋 Ho'on-bashi		関戸 Sekido
		清水入谷 Shimizu -Iriyado	南大沢 Minami -osawa	別所 Besso	大栗川橋 Ogurigawa -bashi	明神橋 Myojin -bashi	青木栗 Aokiwa	瓜生1 Uryu-1	瓜生2 Uryu-2	水位	流量	水位	流量	水位	流量	水位	流量	水位	流量	水位
1	昭和44年6月21日～29日 June 21～29, 1969	○	×	○	○	○	○	○	○	×	×	○	○	○	○	○	○	×	○	○
2	昭和44年8月23日～24日 August 23～24, 1969	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	×	○	○
3	昭和44年9月2日～4日 September 2～4, 1969	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	×	○	○
4	昭和44年10月24日～29日 October 24～29, 1969	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	○	×	○	○
5	昭和45年7月1日～3日 July 1～3, 1970	○	○	×	○	○	○	×	×	○	○	○	○	○	○	○	○	×	○	×
6	昭和45年11月18日～21日 November 18～21, 1970	○	○	○	○	○	○	○	○	○	○	○	○	×	○	○	○	×	○	×
7	昭和46年8月30日～9月1日 August 30～ September 1, 1971	×	×	○	○	○	○	×	○	×	×	○	○	○	○	○	○	×	○	×
8	昭和46年9月6日～8日 September 6～8, 1971	×	×	○	×	○	○	×	×	×	×	○	○	○	○	○	○	×	×	×


注 ○印：資料掲載 (tabulated)
×印：資料未収集又は欠測 (failed)

出水ハイドログラフ (Flood Hydrographs)





昭和44年6月25日~昭和44年6月26日
June 25~26, 1969




昭和44年 10月25日~26日
October 25~26, 1969



昭和45年8月23日
August 23, 1969



昭和45年11月18日~昭和45年11月21日
November 18~21, 1970



ピーク生起時刻表
Time of Occurrence of Flood Peak


観測所 Station 年月日 Date	南大沢 Minami-osawa	大栗川橋 Ogurigawa-bashi	常盤橋 Tokiwa-bashi	明神橋 Myojin-bashi
昭和44年6月29日 June 29, 1969		9時10分	9時30分～9時50分	10時40分
昭和44年7月9日 July 9, 1969	1時10分～1時40分	2時20分	2時10分～2時40分	2時50分
昭和44年8月23日 August 23, 1969	10時30分	11時10分～11時20分	12時00分～12時10分	13時00分～13時30分
昭和44年9月2日 September 2, 1969	18時20分	18時40分	19時10分	
昭和44年9月11日 September 11, 1969	5時00分	4時40分～6時00分	4時10分～6時40分	
昭和44年10月8日 October 8, 1969		18時50分～19時20分	19時30分	19時40分～20時20分
昭和45年7月1日 July 1, 1970	8時40分～9時00分	15時40分～15時50分	15時30分～16時00分	15時40分～16時30分
昭和45年11月20日 November 20, 1969	7時20分～7時30分	8時50分～9時00分		8時40分～8時50分
昭和46年8月31日 August 31, 1971		6時10分		6時40分
昭和46年9月8日 September 8, 1971		0時30分～0時50分		

大栗川 支川

南大沢観測所水位流量曲線図 (刀形四角堰越流量公式より作成)

Rating curve at Minami-osawa discharge station.


(昭和45年10月以降適用 available after 1970)



大栗川

大栗川橋流量曲線図 (流量観測により作成)


Rating curve at Ogurigawa-bashi discharge station



大栗川

常盤橋流量観測所水位流量曲線図(広頂堰流量公式より試作)


Rating curve at Tokiwa-bashi discharge station



大栗川

明神橋流量観測所水位流量曲線図(流量観測により作成)


Rating curve at Myozin-bashi discharge station



大栗川

報恩橋流量観測所(建設省京浜工事事務所作成)

Rating curve at Ho'on-bashi discharge station



1969年(昭和44年)

1955年(昭和30年)																			
月・日	時分	雨 量							南大沢		大栗川橋		常盤橋	明 神 橋		報恩橋		関戸	
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 栗	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
6.21	.10	—	—	—	—	—	—	—			0.508	1.329	0.779	0.058	2.577				
	.20	—	—	—	—	—	—	—			0.508	1.329	0.779	0.058	2.577				
	.30	—	—	—	—	—	—	—			0.508	1.329	0.778	0.057	2.566				
	.40	—	—	—	—	—	—	—			0.508	1.329	0.778	0.057	2.566				
	.50	—	—	—	—	—	—	—			0.508	1.329	0.778	0.057	2.566				
	.00	—	—	—	—	—	—	—			0.508	1.329	0.778	0.057	2.566				
	0 ~ 1	—	—	—	—	—	—	—			0.508	1.329	0.778	0.057	2.566		0.59	10.0	
												1.329			2.570				
	.10	—	—	—	—	—	—	—			0.508	1.329	0.778	0.056	2.555				
	.20	—	—	—	—	—	—	—			0.508	1.329	0.778	0.055	2.544				
	.30	—	—	—	—	—	—	—			0.508	1.329	0.778	0.055	2.544				
	.40	—	—	—	—	—	—	—			0.508	1.329	0.778	0.055	2.544				
	.50	—	—	—	—	—	—	—			0.508	1.329	0.778	0.055	2.544				
	.00	—	—	—	—	—	—	—			0.508	1.329	0.778	0.055	2.544				
	1 ~ 2	—	—	—	—	—	—	—			0.508	1.329	0.778	0.055	2.544		0.59	9.0	
												1.329			2.546				
	.10	—	—	—	—	—	—	—			0.508	1.329	0.778	0.055	2.544				
	.20	—	—	—	—	—	—	—			0.508	1.329	0.778	0.053	2.523				
	.30	—	—	—	—	—	—	—			0.508	1.329	0.778	0.052	2.512				
	.40	—	—	—	—	—	—	—			0.508	1.329	0.778	0.052	2.512				
	.50	—	—	—	—	—	—	—			0.508	1.329	0.778	0.052	2.512				
	.00	—	—	—	—	—	—	—			0.508	1.329	0.778	0.052	2.512				
	2 ~ 3	—	—	—	—	—	—	—			0.508	1.329	0.778	0.052	2.512		0.59	8.0	
												1.329			2.519				
	.10	—	—	—	—	—	—	—			0.508	1.329	0.778	0.052	2.512				
	.20	—	—	—	—	—	—	—			0.508	1.329	0.778	0.052	2.512				
	.30	—	—	—	—	—	0.5	—			0.508	1.329	0.778	0.052	2.512				
	.40	—	—	—	—	—	—	—			0.508	1.329	0.778	0.052	2.512				
	.50	—	—	—	—	—	—	—			0.508	1.329	0.778	0.052	2.512				
	.00	0.5	—	—	—	—	—	—			0.508	1.329	0.778	0.052	2.512				
	3 ~ 4	0.5	—	—	—	—	—	—			0.508	1.329	0.778	0.052	2.512		0.49	7.0	
												1.329			2.512				
	.10	—	—	—	—	—	—	—			0.508	1.329	0.778	0.052	2.512				
	.20	—	—	—	—	—	—	—			0.508	1.329	0.778	0.052	2.512				
	.30	—	—	—	—	—	—	—			0.508	1.329	0.778	0.052	2.512				
	.40	—	—	—	—	—	—	—			0.508	1.329	0.778	0.052	2.512				
	.50	—	—	—	—	—	—	—			0.509	1.338	0.778	0.052	2.512				
	.00	—	—	—	—	—	—	—			0.509	1.338	0.778	0.052	2.512				
	4 ~ 5	—	—	—	—	—	—	—			0.509	1.338	0.778	0.052	2.512		0.49	6.5	
												1.332			2.512				
	.10	—	—	—	—	—	—	—			0.509	1.338	0.778	0.052	2.512				
	.20	—	—	—	—	—	—	—			0.509	1.338	0.778	0.052	2.512				
.30	—	—	—	—	—	0.5	—			0.509	1.338	0.778	0.053	2.523					
.40	—	—	—	—	—	—	—			0.509	1.338	0.778	0.054	2.534					
.50	—	—	—	—	—	—	—			0.509	1.338	0.779	0.054	2.534					
.00	—	—	—	—	—	—	—			0.509	1.338	0.779	0.054	2.534					
5 ~ 6	—	—	—	—	—	—	0.5			0.509	1.338	0.779	0.054	2.524		0.49	6.0		
											1.338			2.524					

1969年(昭和 44年)

月・日	時・分	雨							南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 森	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	流量	水位	流量	水位
6.21	.10	—	—	—	—	—	—	—	—	—	—	0.509	1.338	0.779	0.054	2.534	—	—
	.20	—	—	—	—	—	—	—	—	—	—	0.509	1.338	0.779	0.054	2.534	—	—
	.30	—	—	—	—	—	—	—	—	—	—	0.509	1.338	0.779	0.054	2.534	—	—
	.40	—	—	—	—	—	—	—	—	—	—	0.509	1.338	0.779	0.054	2.534	—	—
	.50	—	—	—	—	—	—	—	—	—	—	0.509	1.338	0.779	0.054	2.534	—	—
	.00	—	—	—	—	—	—	—	—	—	—	0.509	1.338	0.779	0.054	2.534	—	—
	6~7	—	—	—	—	—	—	—	—	—	—	0.509	1.338	0.779	0.054	2.534	0.59	5.5
	.10	—	—	—	—	—	—	—	—	—	—	0.509	1.338	0.779	0.054	2.534	—	—
	.20	—	—	—	—	—	—	—	—	—	—	0.509	1.338	0.780	0.051	2.501	—	—
	.30	—	—	—	—	—	—	—	—	—	—	0.509	1.338	0.780	0.049	2.479	—	—
	.40	—	—	—	—	—	—	—	—	—	—	0.509	1.338	0.780	0.049	2.479	—	—
	.50	—	—	—	—	—	—	—	—	—	—	0.509	1.338	0.780	0.047	2.458	—	—
	.00	—	—	—	—	—	—	—	—	—	—	0.509	1.338	0.780	0.047	2.458	—	—
	7~8	—	—	—	—	—	—	—	—	—	—	0.509	1.338	0.780	0.047	2.458	0.59	5.5
	.10	—	—	—	—	—	—	—	—	—	—	0.508	1.329	0.780	0.047	2.458	—	—
	.20	—	—	—	—	—	—	—	—	—	—	0.508	1.329	0.780	0.048	2.469	—	—
	.30	—	—	—	—	—	—	—	—	—	—	0.508	1.329	0.780	0.049	2.479	—	—
	.40	—	—	—	—	—	—	—	—	—	—	0.508	1.329	0.780	0.049	2.479	—	—
	.50	—	—	—	—	—	—	—	—	—	—	0.508	1.329	0.780	0.049	2.479	—	—
	.00	0.5	—	—	—	—	—	—	—	—	—	0.505	1.303	0.780	0.049	2.479	—	—
	8~9	0.5	—	—	—	—	—	—	—	—	—	0.505	1.303	0.780	0.048	2.469	0.59	8.0
	.10	—	—	—	—	—	—	—	—	—	—	0.504	1.295	0.780	0.047	2.458	—	—
	.20	—	—	—	—	—	—	—	—	—	—	0.504	1.295	0.780	0.046	2.447	—	—
	.30	—	—	—	—	—	—	—	—	—	—	0.504	1.295	0.780	0.045	2.436	—	—
	.40	—	—	—	—	—	—	—	—	—	—	0.504	1.295	0.780	0.042	2.404	—	—
	.50	—	—	—	—	—	—	—	—	—	—	0.503	1.287	0.779	0.041	2.394	—	—
	.00	—	—	—	—	—	—	—	—	—	—	0.502	1.279	0.779	0.039	2.373	0.59	10.0
	9~10	—	—	—	—	—	—	—	—	—	—	0.502	1.279	0.779	0.039	2.373	—	—
	.10	—	—	—	—	—	—	—	—	—	—	0.501	1.279	0.778	0.039	2.373	—	—
	.20	—	—	—	—	—	—	—	—	—	—	0.501	1.279	0.778	0.039	2.373	—	—
	.30	—	—	—	—	—	—	—	—	—	—	0.501	1.279	0.778	0.039	2.373	—	—
	.40	—	—	—	—	—	—	—	—	—	—	0.500	1.262	0.778	0.039	2.373	—	—
	.50	—	—	—	—	—	—	—	—	—	—	0.499	1.255	0.778	0.040	2.383	—	—
	.00	—	—	—	—	—	—	—	—	—	—	0.499	1.255	0.778	0.040	2.383	0.59	14.5
	10~11	—	—	—	—	—	—	—	—	—	—	0.499	1.255	0.778	0.040	2.383	—	—
	.10	—	—	—	—	—	—	—	—	—	—	0.499	1.255	0.778	0.040	2.383	—	—
	.20	—	—	—	—	—	—	—	—	—	—	0.498	1.247	0.778	0.041	2.394	—	—
	.30	—	—	—	—	—	—	—	—	—	—	0.498	1.247	0.778	0.043	2.415	—	—
	.40	—	—	—	—	—	—	—	—	—	—	0.496	1.232	0.778	0.043	2.415	—	—
	.50	—	—	—	—	—	—	—	—	—	—	0.493	1.211	0.776	0.043	2.415	—	—
	.00	—	—	—	—	—	—	—	—	—	—	0.493	1.211	0.776	0.044	2.426	0.59	15.5
	11~12	—	—	—	—	—	—	—	—	—	—	0.493	1.211	0.776	0.044	2.426	—	—

1969年(昭和44年)

月・日	時分	雨							南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸	
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 葉	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
6.21	.10	—	—	—	—	—	—	—	—	—	0.493	1.211	0.776	0.044	2.426	—	—	—	
	.20	—	—	—	—	—	—	—	—	—	0.493	1.211	0.775	0.043	2.415	—	—	—	
	.30	—	—	—	—	—	—	—	—	—	0.493	1.211	0.775	0.042	2.404	—	—	—	
	.40	—	—	—	—	—	—	—	—	—	0.493	1.211	0.775	0.040	2.383	—	—	—	
	.50	—	—	—	—	—	—	—	—	—	0.493	1.211	0.774	0.040	2.383	—	—	—	
	.00	—	—	—	—	—	—	—	—	—	0.493	1.211	0.774	0.039	2.373	—	—	—	
	12~13	—	—	—	—	—	—	—	—	—	—	1.211	—	—	—	2.397	0.59	15.5	
	.10	—	—	—	—	—	—	—	—	—	0.493	1.211	0.773	0.037	2.352	—	—	—	
	.20	—	—	—	—	—	—	—	—	—	0.493	1.211	0.773	0.037	2.352	—	—	—	
	.30	—	—	—	—	—	—	—	—	—	0.493	1.211	0.773	0.037	2.352	—	—	—	
	.40	—	—	—	—	—	—	—	—	—	0.493	1.211	0.773	0.037	2.352	—	—	—	
	.50	—	—	—	—	—	—	—	—	—	0.493	1.211	0.773	0.037	2.352	—	—	—	
	.00	—	—	—	—	—	—	—	—	—	0.493	1.211	0.773	0.037	2.352	—	—	—	
	13~14	—	—	—	—	—	—	—	—	—	—	1.211	—	—	—	2.352	0.59	15.0	
	.10	—	—	—	—	—	—	—	—	—	0.492	1.205	0.773	0.037	2.352	—	—	—	
	.20	—	—	—	—	—	—	—	—	—	0.492	1.205	0.773	0.037	2.352	—	—	—	
	.30	—	—	—	—	—	—	—	—	—	0.491	1.198	0.773	0.037	2.352	—	—	—	
	.40	—	—	—	—	—	—	—	—	—	0.491	1.198	0.773	0.037	2.352	—	—	—	
	.50	—	—	—	—	—	—	—	—	—	0.491	1.198	0.773	0.036	2.341	—	—	—	
	.00	—	—	—	—	—	—	—	—	—	0.490	1.191	0.773	0.035	2.331	—	—	—	
	14~15	—	—	—	—	—	—	—	—	—	—	1.199	—	—	—	2.346	0.59	13.0	
	.10	—	—	—	—	—	—	—	—	—	0.489	1.185	0.773	0.035	2.331	—	—	—	
	.20	—	—	—	—	—	—	—	—	—	0.489	1.185	0.773	0.035	2.331	—	—	—	
	.30	—	—	—	—	—	—	—	—	—	0.489	1.185	0.773	0.033	2.310	—	—	—	
	.40	—	—	—	—	—	—	—	—	—	0.489	1.185	0.773	0.032	2.299	—	—	—	
	.50	—	—	—	—	—	—	—	—	—	0.489	1.185	0.772	0.032	2.299	—	—	—	
	.00	—	—	—	—	—	—	—	—	—	0.489	1.185	0.771	0.031	2.289	—	—	—	
	15~16	—	—	—	—	—	—	—	—	—	—	1.185	—	—	—	2.310	0.49	11.0	
	.10	—	—	—	—	—	—	—	—	—	0.489	1.185	0.771	0.029	2.268	—	—	—	
	.20	—	—	—	—	—	—	—	—	—	0.489	1.185	0.770	0.029	2.268	—	—	—	
	.30	—	—	—	—	—	—	—	0.5	—	—	0.489	1.185	0.770	0.029	2.268	—	—	—
	.40	—	—	—	—	—	—	—	—	—	—	0.489	1.185	0.770	0.029	2.268	—	—	—
	.50	—	—	—	—	—	—	—	—	—	—	0.489	1.185	0.770	0.029	2.268	—	—	—
	.00	—	—	—	—	—	—	—	0.5	—	—	0.489	1.185	0.770	0.029	2.268	—	—	—
	16~17	—	—	—	—	—	—	—	—	—	—	1.185	—	—	—	2.268	0.49	9.5	
	.10	—	—	—	—	—	—	—	—	—	—	0.489	1.185	0.770	0.029	2.268	—	—	—
	.20	—	—	—	—	—	—	—	—	—	—	0.489	1.185	0.770	0.029	2.268	—	—	—
	.30	—	—	—	—	—	—	—	—	—	—	0.489	1.185	0.770	0.029	2.268	—	—	—
	.40	—	—	—	—	—	—	—	—	—	—	0.489	1.185	0.770	0.029	2.268	—	—	—
	.50	—	—	—	—	—	—	—	—	—	—	0.489	1.185	0.770	0.030	2.279	—	—	—
	.00	—	—	—	—	—	—	—	—	—	—	0.489	1.185	0.770	0.031	2.289	—	—	—
	17~18	—	—	—	—	—	—	—	—	—	—	1.185	—	—	—	2.274	0.49	7.5	

1969年(昭和44年)

月・日	時・分	雨						南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 葉	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位
6.21	.10	—	—	—	—	—	—	—	—	—	—	0.489	1.185	0.769	0.033	2.310	—
	.20	—	—	—	—	—	—	—	—	—	—	0.489	1.185	0.769	0.033	2.310	—
	.30	—	—	—	—	—	—	—	—	—	—	0.489	1.185	0.769	0.033	2.310	—
	.40	—	—	—	—	—	—	—	—	—	—	0.489	1.185	0.769	0.033	2.310	—
	.50	—	—	—	—	—	—	—	—	—	—	0.489	1.185	0.769	0.033	2.310	—
	.00	—	—	—	—	—	—	—	—	—	—	0.489	1.185	0.769	0.033	2.310	—
	18~19	—	—	—	—	—	—	—	—	—	—	1.185	1.185	0.769	0.033	2.310	0.49
	.10	—	—	—	—	—	—	—	—	—	—	0.489	1.185	0.769	0.033	2.310	—
	.20	—	—	—	—	—	—	—	—	—	—	0.489	1.185	0.769	0.032	2.299	—
	.30	—	—	0.5	0.5	0.5	—	0.5	—	—	—	0.489	1.185	0.769	0.032	2.299	—
	.40	—	—	—	—	—	—	—	—	—	—	0.489	1.185	0.769	0.033	2.310	—
	.50	—	—	—	—	—	—	—	—	—	—	0.489	1.185	0.769	0.035	2.331	—
	.00	—	—	—	—	—	—	—	—	—	—	0.489	1.185	0.769	0.035	2.331	—
	19~20	—	—	0.5	0.5	0.5	—	0.5	—	—	—	1.185	1.185	0.769	0.035	2.331	0.49
	.10	—	—	—	—	—	—	—	—	—	—	0.489	1.185	0.770	0.035	2.331	—
	.20	—	—	—	—	—	0.5	—	—	—	—	0.489	1.185	0.770	0.037	2.352	—
	.30	—	—	—	—	—	—	—	—	—	—	0.489	1.185	0.770	0.039	2.373	—
	.40	—	—	—	—	—	—	—	—	—	—	0.489	1.185	0.770	0.039	2.373	—
	.50	—	—	—	—	—	—	—	—	—	—	0.489	1.185	0.770	0.039	2.373	—
	.00	—	—	0.5	0.5	0.5	0.5	—	—	—	—	0.489	1.185	0.770	0.039	2.373	—
	20~21	—	—	0.5	0.5	0.5	1.0	—	—	—	—	1.185	1.185	0.770	0.039	2.373	0.49
	.10	—	—	—	—	—	—	—	—	—	—	0.489	1.185	0.770	0.039	2.373	—
	.20	—	—	0.5	0.5	—	0.5	—	—	—	—	0.489	1.185	0.770	0.039	2.373	—
	.30	0.5	—	0.5	0.5	—	0.5	—	—	—	—	0.490	1.191	0.771	0.039	2.373	—
	.40	—	—	—	0.5	0.5	1.5	—	—	—	—	0.492	1.205	0.771	0.039	2.373	—
	.50	0.5	—	1.0	1.0	0.5	1.5	—	—	—	—	0.493	1.211	0.772	0.043	2.415	—
	.00	—	—	1.0	2.5	1.0	0.5	—	—	—	—	0.495	1.225	0.774	0.047	2.458	—
	21~22	1.0	—	3.0	3.0	2.5	4.5	—	—	—	—	1.200	1.200	0.774	0.047	2.458	0.59
	.10	1.0	—	1.0	1.0	0.5	0.5	—	—	—	—	0.498	1.247	0.777	0.051	2.501	—
	.20	—	—	1.0	0.5	0.5	1.0	—	—	—	—	0.500	1.262	0.778	0.057	2.566	—
	.30	1.0	—	1.0	0.5	1.5	2.0	—	—	—	—	0.504	1.295	0.779	0.064	2.644	—
	.40	1.0	—	0.5	1.0	1.0	1.5	—	—	—	—	0.508	1.329	0.783	0.081	2.836	—
	.50	1.0	—	1.0	1.0	1.5	0.5	—	—	—	—	0.512	1.365	0.790	0.110	3.180	—
	.00	0.5	—	1.0	1.5	2.5	0.5	—	—	—	—	0.518	1.420	0.794	0.136	3.506	—
	22~23	4.5	—	5.5	5.5	7.5	6.0	—	—	—	—	1.320	1.320	0.794	0.136	3.506	1.10
	.10	0.5	—	1.5	0.5	1.0	0.5	—	—	—	—	0.522	1.459	0.799	0.161	3.834	—
	.20	1.0	—	1.0	1.5	1.0	1.0	—	—	—	—	0.530	1.539	0.804	0.196	4.317	—
	.30	1.5	—	1.0	0.5	1.0	1.0	—	—	—	—	0.537	1.612	0.809	0.219	4.650	—
	.40	2.0	—	1.0	1.0	1.0	1.0	—	—	—	—	0.543	1.677	0.814	0.230	4.814	—
	.50	2.0	—	1.0	1.0	1.0	1.0	—	—	—	—	0.550	1.755	0.820	0.233	4.859	—
	.00	0.5	—	1.0	1.5	1.0	1.5	—	—	—	—	0.560	1.879	0.827	0.242	4.996	—
	23~24	7.5	—	6.5	6.0	6.0	6.0	—	—	—	—	1.653	1.653	0.827	0.242	4.996	3.5

1969年(昭和44年)

1969年(昭和44年)																			
月・日	時分	雨							南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸	
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 森	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
6.22	.10	1.0		1.5	1.5	1.0	1.5	—	—			0.568	1.985	0.833	0.253	5.166			
	.20	1.0		1.5	1.0	2.0	1.0	—	—			0.581	2.168	0.843	0.274	5.498			
	.30	1.0		1.0	1.0	1.0	1.5	—	—			0.596	2.394	0.860	0.301	5.940			
	.40	1.0		1.5	1.5	1.5	1.5	—	—			0.610	2.620	0.873	0.332	6.468			
	.50	1.5		1.0	1.0	1.0	1.0	—	—			0.623	2.840	0.888	0.362	7.001			
	.00	1.5		1.5	1.0	1.5	0.5	—	—			0.638	3.107	0.900	0.386	7.443	4.11		8.5
	0~1	7.0		8.0	7.0	8.0	7.0	—	—				2.519			6.253			
	.10	1.5		0.5	1.0	0.5	1.5	—	—			0.650	3.331	0.916	0.411	7.917			
	.20	1.5		1.5	2.0	1.0	2.0	—	—			0.668	3.681	0.932	0.429	8.268			
	.30	1.0		2.0	1.0	1.0	1.5	—	—			0.681	3.946	0.950	0.450	8.686			
	.40	1.5		1.0	1.0	1.5	0.5	—	—			0.693	4.199	0.968	0.473	9.156			
	.50	0.5		1.0	1.0	1.0	1.0	—	—			0.705	4.459	0.983	0.507	9.874			
	.00	1.5		1.0	1.0	1.0	0.5	—	—			0.722	4.841	0.994	0.548	10.776	7.06		12.0
	1~2	7.5		7.0	7.0	6.0	7.0	—	—				4.076			9.113			
	.10	1.5		0.5	1.0	0.5	0.5	—	—			0.735	5.144	1.011	0.570	11.276			
	.20	1.5		1.0	1.0	1.0	1.0	—	—			0.749	5.488	1.023	0.595	11.858			
	.30	1.0		1.0	0.5	0.5	0.5	—	—			0.763	5.826	1.033	0.607	12.143			
	.40	1.0		0.5	—	0.5	0.5	—	—			0.770	6.003	1.042	0.623	12.527			
	.50	1.0		—	0.5	0.5	—	—	—			0.776	6.156	1.051	0.650	13.190			
	.00	0.5		0.5	0.5	0.5	0.5	—	—			0.780	6.260	1.065	0.677	13.870	9.90		12.0
	2~3	6.5		3.5	3.5	3.5	3.0	—	—				5.811			12.477			
	.10	1.5		0.5	0.5	—	0.5	—	—			0.781	6.286	1.079	0.684	14.049			
	.20	0.5		0.5	0.5	0.5	0.5	—	—			0.787	6.443	1.084	0.696	14.359			
	.30	1.0		0.5	0.5	0.5	0.5	—	—			0.789	6.495	1.090	0.704	14.567			
	.40	—		0.5	0.5	0.5	0.5	—	—			0.788	6.469	1.095	0.719	14.961			
	.50	0.5		0.5	—	0.5	0.5	—	—			0.788	6.469	1.099	0.738	15.469			
	.00	0.5		—	0.5	—	—	—	—			0.785	6.390	1.101	0.732	15.308	11.74		10.5
	3~4	4.0		2.5	2.5	2.0	2.5	—	—				6.425			14.785			
	.10	1.0		0.5	—	0.5	—	—	—			0.783	6.336	1.102	0.730	15.254			
	.20	0.5		—	—	—	—	—	—			0.780	6.260	1.101	0.732	15.308			
	.30	0.5		—	0.5	—	—	—	—			0.777	6.182	1.101	0.735	15.388			
	.40	0.5		0.5	—	—	0.5	—	—			0.773	6.079	1.100	0.748	15.739			
	.50	—		—	—	—	—	—	—			0.769	5.977	1.098	0.750	15.794			
	.00	—		—	—	—	—	—	—			0.764	5.851	1.096	0.752	15.848	11.26		10.0
	4~5	2.5		1.0	0.5	0.5	0.5	—	—				6.115			15.555			
	.10	0.5		1.0	—	—	—	—	—			0.758	5.781	1.091	0.749	15.766			
	.20	—		—	—	0.5	—	—	—			0.753	5.578	1.088	0.735	15.388			
	.30	0.5		0.5	—	—	0.5	—	—			748	5.455	1.085	0.731	15.281			
	.40	—		0.5	0.5	—	—	—	—			0.742	5.311	1.080	0.719	14.961			
	.50	—		—	—	—	—	—	—			0.737	5.191	1.075	0.711	14.750			
	.00	—		—	1.0	—	0.5	—	—			0.731	5.050	1.071	0.701	14.489	10.80		9.0
	5~6	1.0		2.0	1.5	0.5	1.0	—	—				5.381			15.106			

1969年(昭和44年)

月・日	時・分	雨						南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 葉	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位
6.22	.10	—	—	—	—	0.5	0.5	—	—	0.733	5.097	1.068	0.695	14.333	—	—	—
	.20	—	—	—	0.5	0.5	—	—	—	0.731	5.058	1.066	0.690	14.203	—	—	—
	.30	0.5	—	—	0.5	0.5	0.5	—	—	0.728	4.980	1.061	0.683	14.023	—	—	—
	.40	0.5	—	—	—	—	—	—	—	0.723	4.864	1.059	0.678	13.895	—	—	—
	.50	0.5	—	—	—	—	—	—	—	0.719	4.773	1.057	0.672	13.743	—	—	—
	.00	0.5	—	—	—	—	—	—	—	0.716	4.705	1.055	0.669	13.667	—	9.90	0.5
	6~7	2.0	—	—	1.0	1.5	1.0	—	—	4.911	—	—	13.977	—	—	—	—
	.10	0.5	—	—	—	0.5	—	—	—	0.714	4.660	1.051	0.663	13.515	—	—	—
	.20	0.5	—	—	—	—	—	—	—	0.711	4.592	1.048	0.653	13.265	—	—	—
	.30	—	—	—	—	—	—	—	—	0.709	4.548	1.045	0.644	13.041	—	—	—
	.40	—	—	—	—	—	—	—	—	0.707	4.503	1.041	0.635	12.820	—	—	—
	.50	—	—	—	—	—	0.5	—	—	0.703	4.415	1.039	0.629	12.673	—	—	—
	.00	—	—	—	—	—	—	—	—	0.700	4.350	1.037	0.622	12.503	—	9.04	5.0
	7~8	1.0	—	—	—	0.5	0.5	—	—	4.511	—	—	12.970	—	—	—	—
	.10	—	—	—	—	—	—	—	—	0.695	4.242	1.034	0.621	12.479	—	—	—
	.20	—	—	—	—	—	—	—	—	0.692	4.177	1.031	0.613	12.286	—	—	—
	.30	—	—	—	—	—	—	—	—	0.689	4.114	1.028	0.608	12.166	—	—	—
	.40	—	—	—	—	—	—	—	—	0.687	4.071	1.024	0.595	11.858	—	—	—
	.50	0.5	—	—	—	—	—	—	—	0.685	4.029	1.021	0.583	11.577	—	—	—
	.00	—	—	—	—	—	—	—	—	0.678	3.884	1.017	0.576	11.414	—	7.82	5.0
	8~9	0.5	—	—	—	—	—	—	—	4.086	—	—	11.963	—	—	—	—
	.10	—	—	—	—	—	—	—	—	0.673	3.782	1.014	0.571	11.299	—	—	—
	.20	—	—	—	—	—	—	—	—	0.670	3.722	1.010	0.563	11.116	—	—	—
	.30	—	—	—	—	—	—	—	—	0.668	3.681	1.008	0.559	11.025	—	—	—
	.40	—	—	—	—	—	—	—	—	0.670	3.722	1.001	0.551	10.843	—	—	—
	.50	—	—	—	—	—	—	—	—	0.668	3.681	0.996	0.543	10.664	—	—	—
	.00	—	—	—	—	—	—	—	—	0.661	3.543	0.992	0.535	10.486	—	7.06	6.0
	9~10	—	—	—	—	—	—	—	—	3.688	—	—	10.905	—	—	—	—
	.10	—	—	—	—	—	—	—	—	0.658	3.484	0.991	0.529	10.353	—	—	—
	.20	—	—	—	—	—	—	—	—	0.655	3.426	0.991	0.520	10.156	—	—	—
	.30	—	—	—	—	—	—	—	—	0.651	3.350	0.987	0.514	10.025	—	—	—
	.40	—	—	—	—	—	—	—	—	0.650	3.331	0.984	0.507	9.874	—	—	—
	.50	—	—	—	—	—	—	0.5	—	0.647	3.274	0.980	0.498	9.682	—	—	—
	.00	—	—	—	—	—	—	—	—	0.644	3.218	0.978	0.493	9.575	—	6.34	7.5
	10~11	—	—	—	—	—	—	0.5	—	3.347	—	—	9.944	—	—	—	—
	.10	—	—	—	—	—	—	—	—	0.639	3.126	0.975	0.491	9.533	—	—	—
	.20	—	—	—	—	—	—	0.5	—	0.638	3.107	0.972	0.485	9.407	—	—	—
	.30	—	—	—	—	—	—	0.5	—	0.633	3.017	0.969	0.480	9.302	—	—	—
	.40	—	—	0.5	—	—	—	—	—	0.631	2.981	0.966	0.476	9.219	—	—	—
	.50	—	—	—	—	—	—	0.5	—	0.628	2.928	0.963	0.469	9.074	—	—	—
	.00	—	—	—	—	—	—	1.0	—	0.627	2.910	0.960	0.462	8.930	—	5.32	7.0
	11~12	—	—	0.5	—	—	—	2.5	—	3.011	—	—	9.244	—	—	—	—

1969年(昭和44年)

月・日	時分	雨						南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸		
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 葉	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
6.22	.10	—	—	—	—	—	—	0.5	—	—	—	0.623	2.840	0.957	0.457	8.828	—	—	—
	.20	—	—	—	—	—	—	1.0	—	—	—	0.622	2.823	0.954	0.453	8.747	—	—	—
	.30	—	—	—	0.5	—	—	0.5	—	—	—	0.620	2.788	0.952	0.447	8.626	—	—	—
	.40	—	—	—	—	—	—	1.0	—	—	—	0.618	2.754	0.950	0.443	8.545	—	—	—
	.50	—	—	—	—	—	—	1.5	—	—	—	0.615	2.703	0.948	0.437	8.426	—	—	—
	.00	—	—	—	—	—	—	1.5	—	—	—	0.611	2.636	0.946	0.432	8.327	—	—	—
	12-13	—	—	—	0.5	—	—	6.0	—	—	—	—	2.757	—	—	8.583	4.70	—	6.5
	.10	—	—	—	—	—	—	2.0	—	—	—	0.609	2.603	0.944	0.424	8.169	—	—	—
	.20	—	—	—	—	—	—	1.0	—	—	—	0.607	2.570	0.942	0.419	8.072	—	—	—
	.30	—	—	—	—	—	—	1.0	—	—	—	0.606	2.554	0.939	0.412	7.936	—	—	—
	.40	—	—	—	—	—	—	0.5	—	—	—	0.604	2.522	0.937	0.408	7.859	—	—	—
	.50	—	—	—	—	—	—	0.5	—	—	—	0.603	2.505	0.933	0.405	7.802	—	—	—
	.00	—	—	—	—	—	—	1.0	—	—	—	0.602	2.489	0.931	0.402	7.745	—	—	—
	13-14	—	—	—	—	—	—	6.0	—	—	—	—	2.541	—	—	7.931	4.11	—	6.0
	.10	—	—	—	—	—	—	1.0	—	—	—	0.600	2.457	0.930	0.397	7.650	—	—	—
	.20	—	—	—	—	—	—	1.0	—	—	—	0.600	2.457	0.929	0.394	7.593	—	—	—
	.30	—	—	—	—	—	—	1.0	—	—	—	0.598	2.426	0.927	0.388	7.480	—	—	—
	.40	—	—	—	—	—	—	1.0	—	—	—	0.595	2.379	0.926	0.383	7.387	—	—	—
	.50	—	—	—	—	—	—	1.5	—	—	—	0.594	2.366	0.924	0.378	7.294	—	—	—
	.00	—	—	—	—	—	—	1.0	—	—	—	0.593	2.348	0.922	0.372	7.184	—	—	—
	14-15	—	—	—	—	—	—	6.5	—	—	—	—	2.405	—	—	7.431	3.83	—	5.0
	.10	—	—	—	—	—	—	1.5	—	—	—	0.592	2.332	0.921	0.367	7.092	—	—	—
	.20	—	—	—	—	—	—	1.0	—	—	—	0.591	2.317	0.920	0.365	7.056	—	—	—
	.30	—	—	—	—	—	—	1.5	—	—	—	0.589	2.287	0.918	0.362	7.001	—	—	—
	.40	—	—	—	—	—	—	1.0	—	—	—	0.589	2.287	0.917	0.359	6.947	—	—	—
	.50	—	—	—	—	—	—	0.5	—	—	—	0.588	2.272	0.914	0.356	6.893	—	—	—
	.00	—	—	—	—	—	—	1.5	—	—	—	0.586	2.242	0.912	0.352	6.821	—	—	—
	15-16	—	—	—	—	—	—	7.0	—	—	—	—	2.289	—	—	6.968	3.30	—	4.0
	.10	—	—	—	—	—	—	2.0	—	—	—	0.585	2.227	0.912	0.349	6.768	—	—	—
	.20	—	—	—	—	—	—	1.0	—	—	—	0.583	2.197	0.911	0.347	6.732	—	—	—
	.30	—	—	—	—	—	—	0.5	—	—	—	0.581	2.168	0.910	0.343	6.661	—	—	—
	.40	—	—	—	—	—	—	0.5	—	—	—	0.580	2.153	0.909	0.339	6.591	—	—	—
	.50	—	—	—	—	—	—	1.0	—	—	—	0.578	2.124	0.908	0.337	6.556	—	—	—
	.00	—	—	—	—	—	—	0.5	—	—	—	0.577	2.110	0.906	0.335	6.521	—	—	—
	16-17	—	—	—	—	—	—	5.5	—	—	—	—	2.163	—	—	6.638	3.06	—	2.0
	.10	—	—	—	—	—	—	0.5	—	—	—	0.577	2.110	0.904	0.330	6.434	—	—	—
	.20	—	—	—	—	—	—	0.5	—	—	—	0.575	2.082	0.902	0.327	6.382	—	—	—
	.30	—	—	—	—	—	—	—	—	—	—	0.574	2.068	0.900	0.325	6.347	—	—	—
	.40	—	—	—	—	—	—	0.5	—	—	—	0.572	2.040	0.899	0.321	6.278	—	—	—
	.50	—	—	—	—	—	—	0.5	—	—	—	0.571	2.028	0.898	0.317	6.210	—	—	—
	.00	—	—	—	—	—	—	0.5	—	—	—	0.570	2.012	0.896	0.316	6.193	—	—	—
	17-18	—	—	—	—	—	—	2.5	—	—	—	—	2.056	—	—	6.307	3.06	—	0.5

1969年(昭和44年)

月・日	時・分	雨						南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 菜	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位
6.22	.10	—	—	—	—	—	—	—	—	—	—	0.569	1.998	0.894	0.313	6.142	—
	.20	—	—	—	—	—	—	0.5	—	—	—	0.568	1.985	0.892	0.311	6.108	—
	.30	—	—	—	—	—	—	0.5	—	—	—	0.567	1.971	0.891	0.310	6.091	—
	.40	—	—	—	—	—	—	0.5	—	—	—	0.567	1.971	0.891	0.307	6.040	—
	.50	—	—	—	—	—	—	—	—	—	—	0.567	1.971	0.890	0.304	5.990	—
	.00	—	—	—	—	—	—	—	—	—	—	0.567	1.971	0.890	0.300	5.923	2.59
	18~19	—	—	—	—	—	—	1.5	—	—	—	1.978	—	—	—	6.049	0.0
	.10	—	—	—	—	—	—	—	—	—	—	0.567	1.971	0.889	0.298	5.890	—
	.20	—	—	—	—	—	—	0.5	—	—	—	0.566	1.958	0.888	0.298	5.890	—
	.30	—	—	—	—	0.5	—	—	—	—	—	0.562	1.905	0.887	0.297	5.873	—
	.40	—	—	—	—	—	—	—	—	—	—	0.562	1.905	0.886	0.294	5.824	—
	.50	—	—	—	—	—	—	—	—	—	—	0.561	1.892	0.886	0.292	5.791	—
	.00	—	—	—	—	—	—	—	—	—	—	0.560	1.879	0.886	0.290	5.758	2.37
	19~20	—	—	—	—	0.5	—	0.5	—	—	—	1.918	—	—	—	5.838	0.5
	.10	—	—	—	—	—	—	—	—	—	—	0.560	1.879	0.883	0.288	5.725	—
	.20	—	—	—	—	—	—	—	—	—	—	0.560	1.879	0.882	0.286	5.692	—
	.30	—	—	—	—	—	—	—	—	—	—	0.559	1.866	0.881	0.283	5.643	—
	.40	—	—	—	—	—	—	0.5	—	—	—	0.559	1.866	0.880	0.282	5.627	—
	.50	—	—	—	—	—	—	—	—	—	—	0.559	1.866	0.879	0.281	5.611	—
	.00	—	—	—	—	—	—	0.5	—	—	—	0.558	1.853	0.878	0.280	5.595	2.37
	20~21	—	—	—	—	—	—	1.0	—	—	—	1.868	—	—	—	5.649	1.5
	.10	—	—	—	—	—	—	—	—	—	—	0.558	1.853	0.878	0.278	5.562	—
	.20	—	—	—	—	—	—	—	—	—	—	0.558	1.853	0.878	0.276	5.530	—
	.30	—	—	—	—	—	—	0.5	—	—	—	0.558	1.853	0.878	0.275	5.514	—
	.40	—	—	—	—	—	—	—	—	—	—	0.558	1.853	0.877	0.272	5.466	—
	.50	—	—	—	—	—	—	—	—	—	—	0.557	1.841	0.876	0.271	5.450	—
	.00	—	—	—	—	—	—	0.5	—	—	—	0.557	1.841	0.876	0.269	5.418	2.16
	21~22	—	—	—	—	—	—	—	—	—	—	1.849	—	—	—	5.490	3.0
	.10	—	—	—	—	—	—	—	—	—	—	0.556	1.828	0.875	0.268	5.402	—
	.20	—	—	—	—	—	—	—	—	—	—	0.556	1.828	0.874	0.268	5.402	—
	.30	—	—	—	—	—	—	—	—	—	—	0.556	1.828	0.874	0.267	5.386	—
	.40	—	—	—	—	—	—	0.5	—	—	—	0.556	1.828	0.873	0.266	5.370	—
	.50	—	—	—	—	—	—	—	—	—	—	0.555	1.816	0.873	0.263	5.323	—
	.00	—	—	—	—	—	—	—	—	—	—	0.555	1.816	0.872	0.261	5.291	2.16
	22~23	—	—	—	—	—	—	0.5	—	—	—	1.824	—	—	—	5.362	4.0
	.10	—	—	—	—	—	—	—	—	—	—	0.554	1.803	0.872	0.261	5.291	—
	.20	—	—	—	—	—	—	—	—	—	—	0.554	1.803	0.872	0.259	5.260	—
	.30	—	—	—	—	—	—	—	—	—	—	0.554	1.803	0.872	0.258	5.244	—
	.40	—	—	—	—	—	—	—	—	—	—	0.554	1.803	0.871	0.257	5.228	—
	.50	—	—	—	—	—	—	—	—	—	—	0.554	1.803	0.871	0.256	5.213	—
	.00	—	—	—	—	—	—	—	—	—	—	0.554	1.803	0.871	0.255	5.197	1.96
	23~24	—	—	—	—	—	—	—	—	—	—	1.803	—	—	—	5.239	5.0

1969年(昭和44年)

1969年(昭和44年)																			
月・日	時・分	雨							南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸	
		清水 入谷戸	南大沢	別所	大栗川橋	明神橋	青木 塞	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
6.23	.10	—	—	—	—	—	—	—	—	—	0.553	1.791	0.871	0.255	5.197	—	—	—	
	.20	—	—	—	—	—	—	—	—	—	0.552	1.779	0.871	0.254	5.182	—	—	—	
	.30	—	—	—	—	—	—	—	—	—	0.552	1.779	0.871	0.253	5.166	—	—	—	
	.40	—	—	—	—	—	—	—	—	—	0.552	1.779	0.871	0.252	5.150	—	—	—	
	.50	—	—	—	—	—	—	—	—	—	0.552	1.779	0.870	0.251	5.135	—	—	—	
	.00	—	—	—	—	—	—	—	—	—	0.552	1.779	0.870	0.251	5.135	1.96	—	6.0	
	0~1	—	—	—	—	—	—	—	—	—	—	1.781	—	—	5.161	—	—	—	
	.10	—	—	—	—	—	—	—	—	—	0.552	1.779	0.869	0.250	5.119	—	—	—	
	.20	—	—	—	—	—	—	—	—	—	0.551	1.767	0.869	0.249	5.104	—	—	—	
	.30	—	—	—	—	—	—	—	—	—	0.551	1.767	0.869	0.249	5.104	—	—	—	
	.40	—	—	—	—	—	—	—	—	—	0.551	1.767	0.869	0.248	5.088	—	—	—	
	.50	—	—	—	—	—	—	—	—	—	0.551	1.767	0.869	0.248	5.088	—	—	—	
	.00	—	—	—	—	—	—	—	—	—	0.551	1.767	0.869	0.247	5.073	1.76	—	8.0	
	1~2	—	—	—	—	—	—	—	—	—	—	1.769	—	—	5.096	—	—	—	
	.10	—	—	—	—	—	—	—	—	—	0.551	1.767	0.869	0.246	5.058	—	—	—	
	.20	—	—	—	—	—	—	—	—	—	0.551	1.767	0.869	0.246	5.058	—	—	—	
	.30	—	—	—	—	—	—	—	—	—	0.551	1.767	0.868	0.246	5.058	—	—	—	
	.40	—	—	—	—	—	—	—	—	—	0.551	1.767	0.868	0.246	5.058	—	—	—	
	.50	—	—	—	—	—	—	—	—	—	0.551	1.767	0.868	0.246	5.058	—	—	—	
	.00	—	—	—	—	—	—	—	—	—	0.551	1.767	0.868	0.245	5.042	1.76	—	9.0	
	2~3	—	—	—	—	—	—	—	—	—	—	1.767	—	—	5.055	—	—	—	
	.10	—	—	—	—	—	—	—	—	—	0.550	1.755	0.867	0.245	5.042	—	—	—	
	.20	—	—	—	—	—	—	—	—	—	0.550	1.755	0.867	0.244	5.027	—	—	—	
	.30	—	—	—	—	—	—	—	—	—	0.550	1.755	0.867	0.244	5.027	—	—	—	
	.40	—	—	—	—	—	—	—	—	—	0.550	1.755	0.866	0.243	5.012	—	—	—	
	.50	—	—	—	—	—	—	—	—	—	0.550	1.755	0.865	0.241	4.981	—	—	—	
	.00	—	—	—	—	—	0.5	—	—	—	0.550	1.755	0.865	0.240	4.966	1.76	—	9.5	
	3~4	—	—	—	—	—	0.5	—	—	—	—	1.755	—	—	5.009	—	—	—	
	.10	—	—	—	—	—	—	—	—	—	0.549	1.744	0.864	0.240	4.966	—	—	—	
	.20	—	—	—	—	—	—	0.5	—	—	0.549	1.744	0.864	0.240	4.966	—	—	—	
	.30	—	—	—	—	—	—	—	—	—	0.549	1.744	0.864	0.240	4.966	—	—	—	
	.40	—	—	—	—	—	—	—	—	—	0.549	1.744	0.863	0.240	4.966	—	—	—	
	.50	—	—	—	—	—	—	—	—	—	0.549	1.744	0.863	0.240	4.966	—	—	—	
	.00	—	—	—	—	—	—	—	—	—	0.549	1.744	0.863	0.240	4.966	1.76	—	9.5	
	4~5	—	—	—	—	—	—	—	—	—	—	1.744	—	—	4.966	—	—	—	
	.10	—	—	—	—	—	—	—	—	—	0.549	1.744	0.863	0.240	4.966	—	—	—	
	.20	—	—	—	—	—	—	—	—	—	0.549	1.744	0.863	0.239	4.950	—	—	—	
	.30	—	0.5	—	—	—	—	—	—	—	0.549	1.744	0.863	0.239	4.950	—	—	—	
	.40	—	—	—	—	—	—	—	—	—	0.549	1.744	0.863	0.239	4.950	—	—	—	
	.50	—	—	—	—	—	—	—	—	—	0.548	1.732	0.863	0.240	4.966	—	—	—	
	.00	—	—	—	—	—	—	—	—	—	0.548	1.732	0.862	0.240	4.966	1.76	—	10.0	
	5~6	0.5	—	—	—	—	—	—	—	—	—	1.740	—	—	4.958	—	—	—	

1969年(昭和44年)

月・日	時・分	雨							南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸	
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 葉	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
6.23	.10	—	—	—	—	—	—	—	—	—	0.548	1.732	0.862	0.240	4.966	—	—	—	
	.20	0.5	—	—	—	—	—	—	—	—	0.548	1.732	0.862	0.239	4.950	—	—	—	
	.30	—	—	—	—	—	—	—	—	—	0.547	1.721	0.862	0.237	4.920	—	—	—	
	.40	—	—	—	—	—	—	—	—	—	0.547	1.721	0.861	0.236	4.905	—	—	—	
	.50	—	—	—	—	—	—	—	—	—	0.547	1.721	0.861	0.235	4.890	—	—	—	
	.00	—	—	—	—	—	—	—	—	—	0.546	1.710	0.861	0.234	4.875	—	—	—	
	6~7	0.5	—	—	—	—	—	—	—	—	—	1.723	—	—	—	4.918	1.76	9.0	
	.10	—	—	—	—	—	—	—	—	—	0.544	1.688	0.860	0.234	4.875	—	—	—	
	.20	—	—	—	—	—	—	—	—	—	0.544	1.688	0.860	0.234	4.875	—	—	—	
	.30	—	—	—	—	—	—	—	—	—	0.543	1.677	0.859	0.232	4.844	—	—	—	
	.40	—	—	—	—	—	—	—	—	—	0.542	1.666	0.858	0.231	4.829	—	—	—	
	.50	—	—	—	—	—	—	—	—	—	0.541	1.655	0.858	0.230	4.814	—	—	—	
	.00	—	—	—	—	—	—	—	—	—	0.541	1.655	0.858	0.228	4.784	1.76	6.5	—	
	7~8	—	—	—	—	—	—	—	—	—	—	1.671	—	—	—	4.837	—	—	—
	.10	—	—	—	—	—	—	—	—	—	0.541	1.655	0.857	0.227	4.769	—	—	—	
	.20	—	—	—	—	—	—	—	—	—	0.540	1.644	0.855	0.225	4.739	—	—	—	
	.30	—	—	—	—	—	—	—	—	—	0.539	1.633	0.854	0.223	4.710	—	—	—	
	.40	—	—	—	—	—	—	—	—	—	0.539	1.633	0.853	0.222	4.695	—	—	—	
	.50	—	—	—	—	—	—	—	—	—	0.538	1.622	0.853	0.220	4.665	—	—	—	
	.00	—	—	—	—	—	—	—	—	—	0.537	1.612	0.852	0.217	4.621	1.58	5.5	—	
	8~9	—	—	—	—	—	—	—	—	—	—	1.633	—	—	—	4.700	—	—	—
	.10	—	—	—	—	—	—	—	—	—	0.534	1.580	0.850	0.215	4.592	—	—	—	
	.20	—	—	—	—	—	—	—	—	—	0.534	1.580	0.849	0.213	4.562	—	—	—	
	.30	—	—	—	—	—	—	—	—	—	0.532	1.559	0.848	0.211	4.533	—	—	—	
	.40	—	—	—	—	—	—	—	—	—	0.531	1.549	0.845	0.210	4.519	—	—	—	
	.50	—	—	—	—	—	—	—	—	—	0.531	1.549	0.843	0.206	4.461	—	—	—	
	.00	—	—	—	—	—	—	—	—	—	0.530	1.539	0.841	0.203	4.417	1.58	4.0	—	
	9~10	—	—	—	—	—	—	—	—	—	—	1.559	—	—	—	4.514	—	—	—
	.10	—	—	—	—	—	—	—	—	—	0.530	1.539	0.840	0.202	4.403	—	—	—	
	.20	—	—	—	—	—	—	—	—	—	0.530	1.539	0.839	0.200	4.374	—	—	—	
	.30	—	—	—	—	—	—	—	—	—	0.529	1.529	0.839	0.197	4.331	—	—	—	
	.40	—	—	—	—	—	—	—	—	—	0.528	1.518	0.837	0.195	4.303	—	—	—	
	.50	—	—	—	—	—	—	—	—	—	0.527	1.508	0.836	0.193	4.275	—	—	—	
	.00	—	—	—	—	—	—	—	—	—	0.526	1.495	0.835	0.191	4.246	1.41	3.0	—	
	10~11	—	—	—	—	—	—	—	—	—	—	1.522	—	—	—	4.322	—	—	—
	.10	—	—	—	—	—	—	—	—	—	0.525	1.488	0.834	0.188	4.204	—	—	—	
	.20	—	—	—	—	—	—	—	—	—	0.524	1.478	0.833	0.186	4.176	—	—	—	
	.30	—	—	—	—	—	—	—	—	—	0.523	1.469	0.832	0.185	4.162	—	—	—	
	.40	—	—	—	—	—	—	—	—	—	0.523	1.469	0.831	0.182	4.120	—	—	—	
	.50	—	—	—	—	—	0.5	—	—	—	0.522	1.459	0.830	0.180	4.093	—	—	—	
	.00	—	—	—	—	—	—	—	—	—	0.521	1.449	0.830	0.178	4.065	1.41	5.5	—	
	11~12	—	—	—	—	—	0.5	0.5	—	—	—	1.469	—	—	—	4.137	—	—	—

1969年(昭和44年)

月・日	時・分	雨							南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸
		清水 入谷戸	南大沢	別所	大栗 川橋	明神 橋	青木 架	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量
6.23	.10	—	—	—	—	—	—	—	—	—	0.521	1.449	0.830	0.176	4.037	—	—	—
	.20	—	—	—	—	—	—	—	—	—	0.520	1.439	0.829	0.175	4.024	—	—	—
	.30	—	—	—	—	—	—	—	—	—	0.520	1.439	0.829	0.173	3.996	—	—	—
	.40	—	—	—	—	—	—	—	—	—	0.520	1.439	0.828	0.171	3.969	—	—	—
	.50	—	—	—	—	—	—	—	—	—	0.520	1.439	0.828	0.173	3.996	—	—	—
	.00	—	—	—	—	—	—	—	—	—	0.520	1.439	0.828	0.172	3.982	1.25	5.5	—
	12~13	—	—	—	—	—	—	—	—	—	0.520	1.439	0.828	0.172	3.982	—	—	—
												1.441	—	—	4.001	—	—	—
	.10	—	—	—	—	—	0.5	—	—	—	0.520	1.439	0.827	0.170	3.955	—	—	—
	.20	—	—	0.5	0.5	0.5	—	—	—	—	0.520	1.439	0.827	0.169	3.942	—	—	—
	.30	—	—	0.5	—	—	0.5	—	—	—	0.520	1.439	0.827	0.169	3.942	—	—	—
	.40	—	—	—	—	—	—	—	—	—	0.520	1.439	0.826	0.168	3.928	—	—	—
	.50	—	—	—	—	—	—	—	—	—	0.520	1.439	0.825	0.167	3.914	—	—	—
	.00	0.5	—	—	—	—	0.5	—	—	—	0.520	1.439	0.824	0.165	3.887	1.25	8.0	—
	13~14	0.5	—	1.0	0.5	0.5	1.5	—	—	—	—	1.439	—	—	3.928	—	—	—
	.10	—	—	—	—	—	—	—	—	—	0.520	1.439	0.823	0.165	3.887	—	—	—
	.20	—	—	0.5	0.5	—	—	—	—	—	0.520	1.439	0.823	0.164	3.874	—	—	—
	.30	—	—	—	—	0.5	—	—	—	—	0.521	1.449	0.823	0.163	3.860	—	—	—
	.40	—	—	—	—	—	—	—	—	—	0.521	1.449	0.823	0.163	3.860	—	—	—
	.50	0.5	—	—	—	—	—	—	—	—	0.522	1.459	0.823	0.162	3.847	—	—	—
	.00	—	—	—	—	—	—	—	—	—	0.522	1.459	0.823	0.162	3.847	1.25	9.5	—
	14~15	0.5	—	0.5	0.5	0.5	—	—	—	—	—	1.449	—	—	3.863	—	—	—
	.10	0.5	—	—	—	—	0.5	—	—	—	0.522	1.459	0.823	0.170	3.955	—	—	—
	.20	—	—	—	—	—	—	—	—	—	0.522	1.459	0.823	0.167	3.914	—	—	—
	.30	—	—	—	—	—	—	—	—	—	0.522	1.459	0.825	0.163	3.860	—	—	—
	.40	0.5	—	0.5	0.5	—	—	—	—	—	0.522	1.459	0.826	0.162	3.847	—	—	—
	.50	—	—	—	—	0.5	—	—	—	—	0.523	1.469	0.827	0.162	3.847	—	—	—
	.00	0.5	—	—	—	—	—	—	—	—	0.523	1.469	0.827	0.163	3.860	1.25	10.0	—
	15~16	1.5	—	0.5	0.5	0.5	0.5	—	—	—	—	1.462	—	—	3.881	—	—	—
	.10	—	—	—	—	—	0.5	—	—	—	0.525	1.488	0.828	0.163	3.860	—	—	—
	.20	—	—	0.5	1.0	—	1.0	—	—	—	0.526	1.498	0.828	0.163	3.860	—	—	—
	.30	—	—	1.0	—	0.5	0.5	—	—	—	0.526	1.498	0.828	0.166	3.901	—	—	—
	.40	—	—	0.5	—	0.5	—	—	—	—	0.529	1.529	0.829	0.167	3.914	—	—	—
	.50	0.5	—	—	—	—	—	—	—	—	0.530	1.539	0.829	0.168	3.928	—	—	—
	.00	—	—	—	—	—	—	—	—	—	0.532	1.559	0.830	0.170	3.955	1.25	11.0	—
	16~17	0.5	—	2.0	1.0	1.0	2.0	—	—	—	—	1.519	—	—	3.903	—	—	—
	.10	—	—	—	—	—	—	—	—	—	0.532	1.559	0.830	0.173	3.996	—	—	—
	.20	—	—	—	—	—	—	—	—	—	0.535	1.591	0.832	0.179	4.079	—	—	—
	.30	—	—	—	—	—	—	—	—	—	0.535	1.591	0.835	0.181	4.106	—	—	—
	.40	—	—	—	—	—	—	—	—	—	0.535	1.591	0.836	0.182	4.120	—	—	—
	.50	0.5	—	—	—	—	—	—	—	—	0.535	1.591	0.838	0.183	4.134	—	—	—
	.00	0.5	—	—	—	—	—	—	—	—	0.535	1.591	0.839	0.183	4.134	1.25	12.0	—
17~18	1.0	—	—	—	—	—	—	—	—	—	1.585	—	—	4.095	—	—	—	

1969年(昭和44年)

月・日	時・分	雨							南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 葉	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量
6.23	.10	0.5	—	—	—	—	—	—			0.535	1.591	0.839	0.180	4.093			
	.20	—	—	—	—	—	—	—			0.535	1.591	0.840	0.180	4.093			
	.30	—	—	—	—	—	—	—			0.535	1.591	0.840	0.180	4.093			
	.40	—	—	—	—	—	—	—			0.535	1.591	0.840	0.180	4.093			
	.50	—	—	—	—	—	—	—			0.538	1.622	0.840	0.180	4.093			
	.00	—	—	—	—	—	—	—			0.538	1.622	0.840	0.181	4.106			
	18~19	0.5	—	—	—	—	—	—			1.601				4.095		1.25	13.0
	.10	—	—	—	—	—	—	—			0.537	1.612	0.841	0.184	4.148			
	.20	—	—	—	—	—	—	—			0.536	1.601	0.841	0.185	4.162			
	.30	—	—	—	—	—	—	—			0.534	1.580	0.841	0.186	4.176			
6.24	.40	—	—	—	—	—	—	—			0.533	1.570	0.841	0.187	4.190			
	.50	—	—	—	—	—	—	—			0.532	1.559	0.841	0.189	4.218			
	.00	—	—	—	—	—	—	—			0.532	1.559	0.841	0.189	4.218			
	19~20	—	—	—	—	—	—	—			1.580				4.185		1.25	14.0
	.10	—	—	—	—	—	—	—			0.532	1.559	0.840	0.189	4.218			
	.20	—	—	—	—	—	—	—			0.532	1.559	0.840	0.190	4.232			
	.30	—	—	—	—	—	—	—			0.531	1.549	0.839	0.191	4.246			
	.40	—	—	—	—	—	—	0.5			0.531	1.549	0.839	0.191	4.246			
	.50	—	—	—	—	—	—	—			0.531	1.549	0.838	0.191	4.246			
	.00	—	—	—	—	—	—	0.5			0.531	1.549	0.838	0.191	4.246		1.25	15.0
6.25	20~21	—	—	—	—	—	—	0.5			1.552				4.239			
	.10	—	—	—	—	—	—	0.5			0.531	1.549	0.838	0.191	4.246			
	.20	—	—	—	—	—	—	—			0.530	1.539	0.838	0.191	4.246			
	.30	—	—	—	—	—	—	—			0.530	1.539	0.838	0.189	4.218			
	.40	—	—	—	—	—	—	—			0.530	1.539	0.838	0.189	4.218			
	.50	—	—	—	—	—	—	—			0.530	1.539	0.838	0.189	4.218			
	.00	—	—	—	—	—	—	—			0.530	1.539	0.838	0.189	4.218		1.25	17.0
	21~22	—	—	—	—	—	—	0.5			1.540				4.228			
	.10	—	—	—	—	—	—	—			0.530	1.539	0.838	0.187	4.190			
	.20	—	—	—	—	—	—	—			0.530	1.539	0.838	0.187	4.190			
6.26	.30	—	—	—	—	—	—	—			0.530	1.539	0.838	0.186	4.176			
	.40	—	—	—	—	—	—	—			0.530	1.539	0.838	0.185	4.162			
	.50	—	—	—	—	—	—	—			0.530	1.539	0.838	0.184	4.148			
	.00	—	—	—	—	—	—	—			0.530	1.539	0.838	0.183	4.134		1.25	20.0
	22~23	—	—	—	—	—	—	—			1.539				4.167			
	.10	—	—	—	—	—	—	—			0.530	1.539	0.838	0.183	4.134			
	.20	—	—	—	—	—	—	—			0.530	1.539	0.838	0.183	4.134			
	.30	—	—	—	—	—	—	—			0.530	1.539	0.838	0.183	4.134			
	.40	—	—	—	—	—	—	—			0.530	1.539	0.838	0.183	4.134			
	.50	—	—	—	—	—	—	—			0.530	1.539	0.838	0.182	4.120			
6.27	.00	—	—	—	—	—	—	—			0.530	1.539	0.838	0.181	4.106		1.25	22.0
	23~24	—	—	—	—	—	—	—			1.539				4.127			

1969年(昭和44年)

月・日	時分	雨							南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸	
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 葉	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
6.24	.10	—	—	—	—	—	—	—	—			0.530	1.539	0.838	0.181	4.106			
	.20	—	—	—	—	—	—	—	—			0.530	1.539	0.838	0.181	4.106			
	.30	—	—	—	—	—	—	—	—			0.530	1.539	0.838	0.181	4.106			
	.40	—	—	—	—	—	—	—	—			0.530	1.539	0.838	0.180	4.093			
	.50	—	—	—	—	—	—	—	—			0.530	1.539	0.838	0.180	4.093			
	.00	—	—	—	—	—	—	—	—			0.530	1.539	0.838	0.180	4.093			
	0 ~ 1	—	—	—	—	—	—	—	—			0.530	1.539	0.838	0.180	4.093	1.25		22.5
	.10	—	—	—	—	—	—	—	—			0.530	1.539	0.838	0.180	4.093			
	.20	—	—	—	—	—	—	—	—			0.530	1.539	0.838	0.180	4.093			
	.30	—	—	—	—	—	—	—	—			0.530	1.539	0.838	0.179	4.079			
	.40	—	—	—	—	—	—	—	—			0.530	1.539	0.838	0.179	4.079			
	.50	—	—	—	—	—	—	—	—			0.530	1.539	0.838	0.179	4.079			
	.00	—	—	—	—	—	—	—	—			0.530	1.539	0.838	0.179	4.079			
	1 ~ 2	—	—	—	—	—	—	—	—			0.530	1.539	0.838	0.179	4.079	1.25		23.0
	.10	—	—	—	—	—	—	—	—			0.530	1.539	0.837	0.179	4.079			
	.20	—	—	—	—	—	—	—	—			0.530	1.539	0.837	0.179	4.079			
	.30	—	—	—	—	—	—	—	—			0.530	1.539	0.837	0.179	4.079			
	.40	—	—	—	—	—	—	—	—			0.530	1.539	0.837	0.178	4.065			
	.50	—	—	—	—	—	—	—	—			0.530	1.539	0.837	0.178	4.065			
	.00	—	—	—	—	—	—	—	—			0.530	1.539	0.837	0.178	4.065			
	2 ~ 3	—	—	—	—	—	—	—	—			0.530	1.539	0.837	0.178	4.065	1.25		24.0
	.10	—	—	—	—	—	—	—	—			0.530	1.539	0.836	0.178	4.065			
	.20	—	—	—	—	—	—	—	—			0.530	1.539	0.836	0.178	4.065			
	.30	—	—	—	—	—	—	—	—			0.530	1.539	0.836	0.178	4.065			
	.40	—	—	—	—	—	—	—	—			0.530	1.539	0.836	0.177	4.051			
	.50	—	—	—	—	—	—	—	—			0.530	1.539	0.835	0.177	4.051			
	.00	—	—	—	—	—	—	—	—			0.530	1.539	0.835	0.177	4.051			
	3 ~ 4	—	—	—	—	—	—	—	—			0.530	1.539	0.835	0.177	4.051	1.25		24.0
	.10	—	—	—	—	—	—	—	—			0.530	1.539	0.835	0.177	4.051			
	.20	—	—	—	—	—	—	—	—			0.530	1.539	0.835	0.176	4.037			
	.30	—	—	—	—	—	—	—	—			0.530	1.539	0.835	0.175	4.024			
	.40	—	—	—	—	—	—	0.5	—			0.530	1.539	0.835	0.175	4.024			
	.50	—	—	—	—	—	—	—	—			0.530	1.539	0.835	0.175	4.024			
	.00	—	—	—	—	—	—	—	—			0.530	1.539	0.835	0.175	4.024			
	4 ~ 5	—	—	—	—	—	—	0.5	—			0.530	1.539	0.835	0.175	4.024	1.25		25.5
	.10	—	—	—	—	—	—	0.5	—			0.530	1.539	0.835	0.175	4.024			
	.20	—	—	—	—	—	—	—	—			0.530	1.539	0.835	0.175	4.024			
	.30	—	—	—	—	—	—	—	—			0.530	1.539	0.833	0.174	4.010			
	.40	—	—	—	—	—	—	—	—			0.530	1.539	0.832	0.173	3.996			
	.50	—	—	—	—	—	—	—	—			0.529	1.529	0.832	0.172	3.982			
	.00	—	—	—	—	—	—	—	—			0.529	1.529	0.831	0.172	3.982			
	5 ~ 6	—	—	—	—	—	—	0.5	—			0.529	1.535	0.831	0.172	4.003	1.25		26.0

1969年(昭和44年)

月・日	時・分	雨							南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸
		清水入谷戸	南大沢	別所	大栗川橋	明神橋	青木森	瓜生1	瓜生2	水位	流量	水位	流量	水位	流量	水位	流量	水位
6.24	.10	—	—	—	—	—	—	—	—	—	—	0.528	1.518	0.830	0.170	3.955	—	—
	.20	—	—	—	—	—	—	0.5	—	—	—	0.528	1.518	0.830	0.170	3.955	—	—
	.30	—	—	—	0.5	—	—	—	—	—	—	0.528	1.518	0.830	0.168	3.928	—	—
	.40	—	—	—	—	—	—	0.5	—	—	—	0.528	1.518	0.830	0.166	3.901	—	—
	.50	—	—	—	—	—	—	—	—	—	—	0.527	1.508	0.830	0.164	3.874	—	—
	.00	—	—	—	—	—	—	—	—	—	—	0.527	1.508	0.830	0.162	3.847	1.10	22.0
	6~7	—	—	—	0.5	—	—	1.0	—	—	—	1.515	—	—	—	3.910	—	—
	.10	—	—	—	—	—	—	0.5	—	—	—	0.526	1.498	0.829	0.161	3.834	—	—
	.20	—	—	—	—	—	—	—	—	—	—	0.525	1.488	0.829	0.158	3.794	—	—
	.30	—	—	—	—	—	—	—	—	—	—	0.525	1.488	0.829	0.158	3.794	—	—
	.40	—	—	—	—	—	—	0.5	—	—	—	0.525	1.488	0.828	0.157	3.780	—	—
	.50	—	—	—	—	—	—	—	—	—	—	0.524	1.478	0.828	0.155	3.754	—	—
	.00	—	—	—	—	—	—	—	—	—	—	0.524	1.478	0.828	0.154	3.740	1.10	18.0
	7~8	—	—	—	—	—	—	1.0	—	—	—	1.487	—	—	—	3.782	—	—
	.10	—	—	—	—	—	—	—	—	—	—	0.523	1.469	0.828	0.154	3.740	—	—
	.20	—	—	—	—	—	—	—	—	—	—	0.523	1.469	0.827	0.154	3.740	—	—
	.30	—	—	—	—	—	—	—	—	—	—	0.522	1.459	0.824	0.153	3.727	—	—
	.40	—	—	—	—	—	—	—	—	—	—	0.521	1.449	0.824	0.152	3.714	—	—
	.50	—	—	—	—	—	—	—	—	—	—	0.521	1.449	0.824	0.150	3.688	—	—
	.00	—	—	—	—	—	—	—	—	—	—	0.520	1.439	0.823	0.148	3.661	1.10	13.5
	8~9	—	—	—	—	—	—	—	—	—	—	1.456	—	—	—	3.712	—	—
	.10	—	—	—	—	—	—	0.5	—	—	—	0.519	1.430	0.822	0.146	3.635	—	—
	.20	—	—	—	—	—	—	—	—	—	—	0.519	1.430	0.822	0.142	3.583	—	—
	.30	—	—	—	—	—	—	—	—	—	—	0.519	1.430	0.821	0.141	3.570	—	—
	.40	—	—	—	—	—	—	0.5	—	—	—	0.518	1.420	0.821	0.137	3.519	—	—
	.50	—	—	—	—	—	—	0.5	—	—	—	0.518	1.420	0.820	0.134	3.480	—	—
	.00	—	—	—	—	—	—	0.5	—	—	—	0.517	1.411	0.820	0.132	3.455	0.96	9.5
	9~10	—	—	—	—	—	—	2.0	—	—	—	1.424	—	—	—	3.540	—	—
	.10	—	—	—	—	—	—	—	—	—	—	0.514	1.383	0.819	0.129	3.417	—	—
	.20	—	—	—	—	—	—	—	—	—	—	0.513	1.374	0.818	0.125	3.366	—	—
	.30	—	—	—	—	—	—	—	—	—	—	0.512	1.365	0.818	0.123	3.341	—	—
	.40	—	—	—	—	—	—	—	—	—	—	0.511	1.356	0.817	0.123	3.341	—	—
	.50	—	—	—	—	—	—	—	—	—	—	0.510	1.347	0.816	0.121	3.316	—	—
	.00	—	—	—	—	—	—	—	—	—	—	0.508	1.329	0.815	0.119	3.291	0.96	6.0
	10~11	—	—	—	—	—	—	—	—	—	—	1.359	—	—	—	3.345	—	—
	.10	—	—	—	—	—	—	—	—	—	—	0.508	1.329	0.813	0.118	3.279	—	—
	.20	—	—	—	—	—	—	—	—	—	—	0.507	1.321	0.812	0.117	3.267	—	—
	.30	—	—	—	—	—	—	—	—	—	—	0.506	1.312	0.811	0.117	3.267	—	—
	.40	—	—	—	—	—	—	—	—	—	—	0.504	1.395	0.811	0.114	3.229	—	—
	.50	—	—	—	—	—	—	—	—	—	—	0.502	1.279	0.810	0.112	3.205	—	—
	.00	—	—	—	—	—	—	—	—	—	—	0.501	1.270	0.810	0.111	3.193	0.96	4.5
	11~12	—	—	—	—	—	—	—	—	—	—	1.301	—	—	—	3.240	—	—

1969年(昭和44年)

1969年(昭和44年)																		
月・日	時分	雨							南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 葉	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量
6.24	.10	—	—	—	—	—	—	—	—	—	0.501	1.270	0.809	0.110	3.180	—	—	—
	.20	—	—	—	—	—	—	—	—	—	0.500	1.262	0.809	0.110	3.180	—	—	—
	.30	—	—	—	—	—	—	—	—	—	0.499	1.255	0.808	0.109	3.168	—	—	—
	.40	—	—	—	—	—	—	—	—	—	0.499	1.255	0.807	0.106	3.132	—	—	—
	.50	—	—	—	—	—	—	—	—	—	0.498	1.247	0.807	0.105	3.120	—	—	—
	.00	—	—	—	—	—	—	—	—	—	0.497	1.239	0.806	0.105	3.120	0.83	5.0	—
	12~13	—	—	—	—	—	—	—	—	—	—	1.255	—	—	3.150	—	—	—
	.10	—	—	—	—	—	—	—	—	—	0.496	1.232	0.805	0.105	3.120	—	—	—
	.20	—	—	—	—	—	—	—	—	—	0.494	1.218	0.804	0.105	3.120	—	—	—
	.30	—	—	—	—	—	—	—	—	—	0.493	1.211	0.803	0.102	3.084	—	—	—
	.40	—	—	—	—	—	—	—	—	—	0.493	1.211	0.802	0.100	3.060	—	—	—
	.50	—	—	—	—	—	—	—	—	—	0.492	1.205	0.802	0.099	3.048	—	—	—
	.00	—	—	—	—	—	—	—	—	—	0.492	1.205	0.801	0.098	3.036	0.83	5.0	—
	13~14	—	—	—	—	—	—	—	—	—	—	1.214	—	—	3.078	—	—	—
	.10	—	—	—	—	—	—	—	—	—	0.492	1.205	0.801	0.095	3.000	—	—	—
	.20	—	—	—	—	—	—	—	—	—	0.492	1.205	0.801	0.093	2.976	—	—	—
	.30	—	—	—	—	—	—	—	—	—	0.492	1.205	0.800	0.091	2.953	—	—	—
	.40	—	—	—	—	—	—	—	—	—	0.492	1.205	0.800	0.090	2.941	—	—	—
	.50	—	—	—	—	—	—	—	—	—	0.490	1.191	0.800	0.090	2.941	—	—	—
	.00	—	—	—	—	—	—	—	—	—	0.489	1.185	0.800	0.087	2.906	0.70	5.0	—
	14~15	—	—	—	—	—	—	—	—	—	—	1.199	—	—	2.953	—	—	—
	.10	—	—	—	—	—	—	—	—	—	0.488	1.178	0.800	0.086	2.894	—	—	—
	.20	—	—	—	—	—	—	—	—	—	0.488	1.178	0.800	0.085	2.883	—	—	—
	.30	—	—	—	—	—	—	—	—	—	0.488	1.178	0.800	0.083	2.859	—	—	—
	.40	—	—	—	—	—	—	—	—	—	0.488	1.178	0.800	0.081	2.836	—	—	—
	.50	—	—	—	—	—	—	—	—	—	0.488	1.178	0.800	0.081	2.836	—	—	—
	.00	—	—	—	—	—	—	—	—	—	0.488	1.178	0.799	0.081	2.836	0.70	6.0	—
	15~16	—	—	—	—	—	—	—	—	—	—	1.178	—	—	2.857	—	—	—
	.10	—	—	—	—	—	—	—	—	—	0.488	1.178	0.799	0.080	2.825	—	—	—
	.20	—	—	—	—	—	—	—	—	—	0.488	1.178	0.798	0.078	2.802	—	—	—
	.30	—	—	—	—	—	—	—	—	—	0.489	1.185	0.798	0.077	2.790	—	—	—
	.40	—	—	—	—	—	—	—	—	—	0.489	1.185	0.798	0.077	2.790	—	—	—
	.50	—	—	—	—	—	—	—	—	—	0.490	1.191	0.798	0.077	2.790	—	—	—
	.00	—	—	—	—	—	—	—	—	—	0.490	1.191	0.798	0.075	2.768	0.59	8.5	—
	16~17	—	—	—	—	—	—	—	—	—	—	1.185	—	—	2.794	—	—	—
	.10	—	—	—	—	—	—	—	—	—	0.490	1.191	0.798	0.075	2.768	—	—	—
	.20	—	—	—	—	—	—	—	—	—	0.490	1.191	0.798	0.074	2.756	—	—	—
	.30	—	—	—	—	—	—	—	—	—	0.490	1.191	0.798	0.071	2.722	—	—	—
	.40	—	—	—	—	—	—	—	—	—	0.490	1.191	0.798	0.070	2.711	—	—	—
	.50	—	—	—	—	—	—	—	—	—	0.490	1.191	0.798	0.070	2.711	—	—	—
	.00	—	—	—	—	—	—	—	—	—	0.490	1.191	0.798	0.069	2.700	0.59	12.0	—
	17~18	—	—	—	—	—	—	—	—	—	—	1.191	—	—	2.728	—	—	—

1969年(昭和44年)

月・日	時・分	雨 量							南大沢		大栗川橋		常盤橋	明 神 橋		報恩橋		関戸
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 薬	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	流量	水位	流量	水位
6.24	.10	—	—	—	—	—	—	—	—		0.489	1.185	0.798	0.068	2.688			
	.20	—	—	—	—	—	—	—	—		0.486	1.165	0.798	0.068	2.688			
	.30	—	—	—	—	—	—	—	—		0.486	1.165	0.798	0.068	2.688			
	.40	—	—	—	—	—	—	—	—		0.485	1.158	0.798	0.064	2.644			
	.50	—	—	—	—	—	—	—	—		0.482	1.138	0.798	0.062	2.621			
	.00	—	—	—	—	—	—	—	—		0.481	1.132	0.798	0.063	2.633		0.59	16.0
	18~19	—	—	—	—	—	—	—	—		1.157				2.660			
	.10	—	—	—	—	—	—	—	—		0.480	1.125	0.798	0.065	2.655			
	.20	—	—	—	—	—	—	—	—		0.479	1.119	0.798	0.066	2.666			
	.30	—	—	—	—	—	—	—	—		0.478	1.112	0.798	0.067	2.677			
	.40	—	—	—	—	—	—	—	—		0.477	1.106	0.798	0.068	2.688			
	.50	—	—	—	—	—	—	—	—		0.477	1.106	0.798	0.070	2.711			
	.00	—	—	—	—	—	—	—	—		0.476	1.099	0.797	0.073	2.745		0.59	21.0
	19~20	—	—	—	—	—	—	—	—		1.111				2.690			
	.10	—	—	—	—	—	—	—	—		0.475	1.093	0.796	0.075	2.768			
	.20	—	—	—	—	—	—	—	—		0.473	1.080	0.795	0.075	2.768			
	.30	—	—	—	—	—	—	—	—		0.472	1.074	0.794	0.076	2.779			
	.40	—	—	—	—	—	—	—	—		0.472	1.074	0.793	0.078	2.802			
	.50	—	—	—	—	—	—	—	—		0.472	1.074	0.792	0.078	2.802			
	.00	—	—	—	—	—	—	—	—		0.472	1.074	0.792	0.078	2.802		0.59	24.0
	20~21	—	—	—	—	—	—	—	—		1.078				2.787			
	.10	—	—	—	—	—	—	—	—		0.472	1.074	0.791	0.078	2.802			
	.20	—	—	—	—	—	—	—	—		0.472	1.074	0.791	0.078	2.802			
	.30	—	—	—	—	—	—	—	—		0.472	1.074	0.791	0.078	2.802			
	.40	—	—	—	—	—	—	—	—		0.472	1.074	0.791	0.078	2.802			
	.50	—	—	—	—	—	—	—	—		0.472	1.074	0.791	0.078	2.802			
	.00	—	—	—	—	—	—	—	—		0.472	1.074	0.791	0.078	2.802		0.59	26.0
	21~22	—	—	—	—	—	—	—	—		1.074				2.802			
	.10	—	—	—	—	—	—	—	—		0.472	1.074	0.791	0.078	2.802			
	.20	—	—	—	—	—	—	—	—		0.472	1.074	0.791	0.077	2.790			
	.30	—	—	—	—	—	—	—	—		0.472	1.074	0.791	0.076	2.779			
	.40	—	—	—	—	—	—	—	—		0.472	1.074	0.791	0.075	2.768			
	.50	—	—	—	—	—	—	—	—		0.473	1.080	0.791	0.073	2.745			
	.00	—	—	—	—	—	—	—	—		0.473	1.080	0.791	0.071	2.722		0.59	29.0
	22~23	—	—	—	—	—	—	—	—		1.076				2.768			
	.10	—	—	—	—	—	—	—	—		0.473	1.080	0.791	0.071	2.722			
	.20	—	—	—	—	—	—	—	—		0.473	1.080	0.791	0.070	2.711			
	.30	—	—	—	—	—	—	—	—		0.473	1.080	0.791	0.069	2.700			
	.40	—	—	—	—	—	—	—	—		0.473	1.080	0.791	0.069	2.700			
	.50	—	—	—	—	—	—	—	—		0.473	1.080	0.791	0.069	2.700			
	.00	—	—	—	—	—	—	—	—		0.473	1.080	0.791	0.069	2.700		0.59	30.0
	23~24	—	—	—	—	—	—	—	—		1.080				2.705			

1969年(昭和44年)

月・日	時・分	雨							南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸	
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 葉	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
6.25	.10	—	—	—	—	—	—	—	—			0.473	1.880	0.791	0.069	2.700			
	.20	—	—	—	—	—	—	—	—			0.473	1.080	0.791	0.068	2.688			
	.30	—	—	—	—	—	—	—	—			0.473	1.080	0.791	0.068	2.688			
	.40	—	—	—	—	—	—	—	—			0.473	1.080	0.791	0.068	2.688			
	.50	—	—	—	—	—	—	—	—			0.474	1.086	0.791	0.068	2.688			
	.00	—	—	—	—	—	—	—	—			0.474	1.086	0.791	0.068	2.688	0.59		32.0
	0 ~ 1	—	—	—	—	—	—	—	—			1.082		0.791	0.068	2.690			
	.10	—	—	—	—	—	—	—	—			0.474	1.086	0.791	0.068	2.688			
	.20	—	—	—	—	—	—	—	—			0.474	1.086	0.791	0.067	2.677			
	.30	—	—	—	—	—	—	—	—			0.475	1.093	0.791	0.067	2.677			
	.40	—	—	—	—	—	—	—	—			0.475	1.093	0.791	0.067	2.677			
	.50	—	—	—	—	—	—	—	—			0.475	1.093	0.791	0.067	2.677			
	.00	—	—	—	—	—	—	—	—			0.475	1.093	0.791	0.068	2.688	0.59		32.0
	1 ~ 2	—	—	—	—	—	—	—	—			1.091		0.791		2.681			
	.10	—	—	—	—	—	—	—	—			0.477	1.106	0.791	0.069	2.700			
	.20	—	—	—	—	—	—	—	—			0.478	1.112	0.791	0.069	2.700			
	.30	—	—	—	—	—	—	—	—			0.478	1.112	0.791	0.069	2.700			
	.40	—	—	—	—	—	—	—	—			0.478	1.112	0.791	0.069	2.700			
	.50	—	—	—	—	—	—	—	—			0.479	1.119	0.791	0.069	2.700			
	.00	—	—	—	—	—	—	—	—			0.480	1.125	0.791	0.069	2.700	0.59		32.5
	2 ~ 3	—	—	—	—	—	—	—	—			1.114		0.791		2.700			
	.10	—	—	—	—	—	—	—	—			0.480	1.125	0.791	0.069	2.700			
	.20	—	—	—	—	—	—	—	—			0.480	1.125	0.791	0.070	2.711			
	.30	—	—	—	—	—	—	—	—			0.480	1.125	0.791	0.070	2.711			
	.40	—	—	—	—	—	—	—	—			0.481	1.132	0.791	0.070	2.711			
	.50	—	—	—	—	—	—	—	—			0.482	1.138	0.792	0.070	2.711			
	.00	—	—	—	—	—	—	—	—			0.484	1.152	0.792	0.070	2.711	0.59		33.5
	3 ~ 4	—	—	—	—	—	—	—	—			1.133		0.792		2.709			
	.10	—	—	—	—	—	—	—	—			0.486	1.165	0.792	0.070	2.711			
	.20	—	—	—	—	—	—	—	—			0.487	1.171	0.792	0.070	2.711			
	.30	—	—	—	—	—	—	—	—			0.489	1.185	0.792	0.070	2.711			
	.40	—	—	—	—	—	—	—	—			0.489	1.185	0.792	0.070	2.711			
	.50	—	—	—	—	—	—	—	—			0.489	1.185	0.793	0.070	2.711			
	.00	—	—	—	—	—	—	—	—			0.489	1.186	0.793	0.070	2.711	0.59		35.0
	4 ~ 5	—	—	—	—	—	—	—	—			1.179		0.793		2.711			
	.10	—	—	—	—	—	—	—	—			0.489	1.185	0.793	0.071	2.722			
	.20	—	—	—	—	—	—	—	—			0.489	1.185	0.794	0.071	2.722			
	.30	—	—	—	—	—	—	—	—			0.489	1.185	0.797	0.071	2.722			
	.40	—	—	—	—	—	—	—	—			0.489	1.185	0.797	0.071	2.722			
	.50	—	—	—	—	—	—	—	—			0.488	1.178	0.798	0.071	2.722			
	.00	—	—	—	—	—	—	—	—			0.488	1.178	0.797	0.071	2.722	0.59		35.0
	5 ~ 6	—	—	—	—	—	—	—	—			1.182		0.797		2.722			

1969年(昭和44年)

月・日	時・分	雨								南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸
		清水 入谷	南 大沢	別所	大栗 川橋	明神 橋	青木 森	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
6.25	.10	—	—	—	—	—	—	—	—	—	—	0.487	1.171	0.796	0.071	2.722	—	—	—
	.20	—	—	—	—	—	—	—	—	—	—	0.487	1.171	0.795	0.071	2.722	—	—	—
	.30	—	—	—	—	—	—	—	—	—	—	0.487	1.171	0.795	0.071	2.722	—	—	—
	.40	—	—	—	—	—	—	—	—	—	—	0.487	1.171	0.795	0.071	2.722	—	—	—
	.50	—	—	—	—	—	—	—	—	—	—	0.487	1.171	0.795	0.071	2.722	—	—	—
	.00	—	—	—	—	—	—	—	—	—	—	0.487	1.171	0.795	0.071	2.722	0.59	35.0	—
	6~7	—	—	—	—	—	—	—	—	—	—	0.487	1.171	0.795	0.071	2.722	—	—	—
	.10	—	—	—	—	—	—	—	—	—	—	0.487	1.171	0.794	0.071	2.722	—	—	—
	.20	—	—	—	—	—	—	—	—	—	—	0.487	1.171	0.794	0.071	2.722	—	—	—
	.30	—	—	—	—	—	—	—	—	—	—	0.487	1.171	0.794	0.071	2.722	—	—	—
	.40	—	—	—	—	—	—	—	—	—	—	0.487	1.171	0.794	0.072	2.733	—	—	—
	.50	—	—	—	—	—	—	—	—	—	—	0.487	1.171	0.794	0.074	2.756	—	—	—
	.00	—	—	—	—	—	—	—	—	—	—	0.486	1.165	0.794	0.075	2.768	0.59	33.0	—
	7~8	—	—	—	—	—	—	—	—	—	—	0.486	1.165	0.794	0.075	2.768	—	—	—
	.10	—	—	—	—	—	—	—	—	—	—	0.485	1.158	0.794	0.075	2.768	—	—	—
	.20	—	—	—	—	—	—	—	—	—	—	0.484	1.152	0.794	0.077	2.790	—	—	—
	.30	—	—	—	—	—	—	—	—	—	—	0.483	1.145	0.794	0.078	2.802	—	—	—
	.40	—	—	—	—	—	—	—	—	—	—	0.483	1.145	0.794	0.078	2.802	—	—	—
	.50	—	—	—	—	—	—	—	—	—	—	0.483	1.145	0.794	0.076	2.779	—	—	—
	.00	—	—	—	—	—	—	—	—	—	—	0.482	1.138	0.794	0.075	2.768	0.59	27.0	—
	8~9	—	—	—	—	—	—	—	—	—	—	0.482	1.138	0.794	0.075	2.768	—	—	—
	.10	—	—	—	—	—	—	—	—	—	—	0.482	1.138	0.793	0.075	2.768	—	—	—
	.20	—	—	—	—	—	—	—	—	—	—	0.481	1.132	0.793	0.075	2.768	—	—	—
	.30	—	—	—	—	—	—	—	—	—	—	0.481	1.132	0.793	0.073	2.745	—	—	—
	.40	—	—	—	—	—	—	—	—	—	—	0.480	1.125	0.793	0.071	2.722	—	—	—
	.50	—	—	—	—	—	—	—	—	—	—	0.480	1.125	0.792	0.069	2.700	—	—	—
	.00	—	—	—	—	—	—	—	—	—	—	0.479	1.119	0.791	0.069	2.700	0.59	25.0	—
	9~10	—	—	—	—	—	—	—	—	—	—	0.479	1.119	0.791	0.069	2.700	—	—	—
	.10	—	—	—	—	—	—	—	—	—	—	0.479	1.119	0.791	0.069	2.700	—	—	—
	.20	—	—	—	—	—	—	—	—	—	—	0.479	1.119	0.791	0.069	2.700	—	—	—
	.30	—	—	—	—	—	—	—	—	—	—	0.478	1.112	0.791	0.069	2.700	—	—	—
	.40	—	—	—	—	—	—	—	—	—	—	0.477	1.106	0.791	0.068	2.688	—	—	—
	.50	—	—	—	—	—	—	—	—	—	—	0.477	1.106	0.791	0.068	2.688	—	—	—
	.00	—	—	—	—	—	—	—	—	—	—	0.476	1.099	0.791	0.068	2.688	0.59	20.5	—
	10~11	—	—	—	—	—	—	—	—	—	—	0.476	1.099	0.791	0.068	2.688	—	—	—
	.10	—	—	—	—	—	—	—	—	—	—	0.475	1.093	0.790	0.068	2.688	—	—	—
	.20	—	—	—	—	—	—	—	—	—	—	0.474	1.086	0.790	0.066	2.666	—	—	—
	.30	—	—	—	—	—	—	—	—	—	—	0.474	1.086	0.790	0.065	2.655	—	—	—
	.40	—	—	—	—	—	—	—	—	—	—	0.474	1.086	0.790	0.062	2.621	—	—	—
	.50	—	—	—	—	—	—	—	—	—	—	0.474	1.086	0.790	0.061	2.610	—	—	—
	.00	—	—	—	—	—	—	—	—	—	—	0.474	1.086	0.790	0.061	2.610	0.59	18.5	—
	11~12	—	—	—	—	—	—	—	—	—	—	0.474	1.086	0.790	0.061	2.610	—	—	—

1969年(昭和44年)

1969年(昭和44年)																		
月・日	時分	雨							南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 森	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量
6.25	.10	—	—	—	—	—	—	—	—	—	0.473	1.080	0.789	0.063	2.633	—	—	—
	.20	—	—	—	—	—	—	—	—	—	0.473	1.080	0.789	0.066	2.666	—	—	—
	.30	—	—	—	—	—	—	—	—	—	0.472	1.074	0.789	0.065	2.655	—	—	—
	.40	—	—	—	—	—	—	—	—	—	0.471	1.067	0.789	0.063	2.633	—	—	—
	.50	—	—	—	—	—	—	—	—	—	0.470	1.061	0.789	0.062	2.621	—	—	—
	.00	—	—	—	—	—	—	—	—	—	0.470	1.061	0.789	0.061	2.610	0.59	—	17.0
	12-13	—	—	—	—	—	—	—	—	—	1.070	—	—	—	2.636	—	—	—
	.10	—	—	—	—	—	—	—	—	—	0.470	1.061	0.788	0.061	2.610	—	—	—
	.20	—	—	—	—	—	—	—	—	—	0.470	1.061	0.787	0.061	2.610	—	—	—
	.30	—	—	—	—	—	—	—	—	—	0.470	1.061	0.786	0.060	2.599	—	—	—
	.40	—	—	—	—	—	—	—	—	—	0.470	1.061	0.785	0.059	2.588	—	—	—
	.50	—	—	—	—	—	—	—	—	—	0.470	1.061	0.783	0.058	2.577	—	—	—
	.00	—	—	—	—	—	—	—	—	—	0.470	1.061	0.781	0.057	2.566	0.59	—	17.0
	13-14	—	—	—	—	—	—	—	—	—	1.061	—	—	—	2.592	—	—	—
	.10	—	—	—	—	—	—	—	—	—	0.469	1.055	0.781	0.054	2.534	—	—	—
	.20	—	—	—	—	—	—	—	—	—	0.468	1.048	0.780	0.054	2.534	—	—	—
	.30	—	—	—	—	—	—	—	—	—	0.468	1.048	0.780	0.054	2.534	—	—	—
	.40	—	—	—	—	—	—	—	—	—	0.468	1.048	0.780	0.053	2.523	—	—	—
	.50	—	—	—	—	—	—	—	—	—	0.467	1.042	0.780	0.053	2.523	—	—	—
	.00	—	—	—	—	—	—	—	—	—	0.467	1.042	0.779	0.052	2.512	0.59	—	17.0
	14-15	—	—	—	—	—	—	—	—	—	1.047	—	—	—	2.526	—	—	—
	.10	—	—	—	—	—	—	—	—	—	0.466	1.036	0.779	0.052	2.512	—	—	—
	.20	—	—	—	—	—	—	—	—	—	0.465	1.029	0.779	0.051	2.501	—	—	—
	.30	—	—	—	—	—	—	—	—	—	0.465	1.029	0.779	0.051	2.501	—	—	—
	.40	—	—	—	—	—	—	—	—	—	0.465	1.029	0.779	0.051	2.501	—	—	—
	.50	—	—	—	—	—	—	—	—	—	0.465	1.029	0.779	0.051	2.501	—	—	—
	.00	—	—	—	—	—	—	—	—	—	0.465	1.029	0.779	0.050	2.490	0.59	—	20.5
	15-16	—	—	—	—	—	—	—	—	—	1.030	—	—	—	2.501	—	—	—
	.10	—	—	—	—	—	—	—	—	—	0.465	1.029	0.779	0.050	2.490	—	—	—
	.20	—	—	—	—	—	—	—	—	—	0.465	1.029	0.779	0.050	2.490	—	—	—
	.30	—	—	—	—	—	—	—	—	—	0.465	1.029	0.779	0.050	2.490	—	—	—
	.40	—	—	—	—	—	—	—	—	—	0.465	1.029	0.779	0.050	2.490	—	—	—
	.50	—	—	—	—	—	—	—	—	—	0.465	1.029	0.779	0.050	2.490	—	—	—
	.00	—	—	—	—	—	—	—	—	—	0.465	1.029	0.779	0.050	2.490	0.49	—	23.5
	16-17	—	—	—	—	—	—	—	—	—	1.029	—	—	—	2.490	—	—	—
	.10	—	—	—	—	—	—	—	—	—	0.465	1.029	0.779	0.050	2.490	—	—	—
	.20	—	—	—	—	—	—	—	—	—	0.465	1.029	0.779	0.050	2.490	—	—	—
	.30	—	—	—	—	—	—	—	—	—	0.465	1.029	0.779	0.050	2.490	—	—	—
	.40	—	—	—	—	—	0.5	—	—	—	0.465	1.029	0.779	0.050	2.490	—	—	—
	.50	—	—	—	—	—	—	—	—	—	0.465	1.029	0.779	0.050	2.490	—	—	—
	.00	—	—	—	—	—	—	—	—	—	0.465	1.029	0.779	0.050	2.490	0.49	—	27.0
	17-18	0.5	—	0.5	1.0	0.5	0.5	1.0	—	—	1.029	—	—	—	2.490	—	—	—

1969年(昭和44年)

月・日	時・分	雨							南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸
		落水 大谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 橋	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量
6.25	.10	1.0				0.5	1.0				0.469	1.055	0.779	0.050	2.490			
	.20	1.0		1.0	2.5	1.0	3.0				0.472	1.074	0.780	0.054	2.534			
	.30	3.0		2.5	1.5	1.5	1.5				0.482	1.138	0.783	0.061	2.610			
	.40	1.0		2.0	0.5	2.5	1.0				0.493	1.211	0.787	0.067	2.677			
	.50	0.5		0.5	0.5	0.5	1.5				0.502	1.279	0.790	0.075	2.768			
	.00	0.5		0.5	0.5	1.5	0.5				0.511	1.356	0.799	0.112	3.205	1.10		27.0
	18-19	7.0		6.5	6.0	7.0	8.5					1.185			2.714			
	.10	0.5		0.5		0.5					0.520	1.439	0.801	0.160	3.820			
	.20	0.5		0.5	0.5		0.5				0.527	1.508	0.805	0.175	4.024			
	.30					0.5					0.531	1.549	0.807	0.177	4.051			
	.40	0.5		0.5							0.536	1.601	0.810	0.177	4.051			
	.50				0.5						0.540	1.644	0.813	0.176	4.037			
	.00						0.5				0.545	1.699	0.817	0.179	4.079	1.58		27.0
	19-20	1.5		1.5	1.0	1.0	1.0					1.573			4.010			
	.10										0.549	1.744	0.821	0.183	4.134			
	.20	0.5		0.5							0.554	1.803	0.826	0.189	4.218			
	.30					0.5	0.5				0.559	1.868	0.830	0.188	4.204			
	.40				0.5		0.5				0.563	1.918	0.833	0.185	4.162			
	.50			0.5		0.5					0.564	1.931	0.837	0.181	4.106			
	.00	0.5									0.565	1.944	0.843	0.179	4.079	1.76		28.5
	20-21	1.0		1.0	0.5	1.0	1.0					1.868			4.151			
	.10										0.566	1.958	0.848	0.178	4.065			
	.20										0.568	1.985	0.851	0.181	4.106			
	.30	0.5			0.5	0.5	0.5				0.569	1.998	0.855	0.184	4.148			
	.40			0.5							0.569	1.998	0.859	0.191	4.246			
	.50						0.5				0.570	2.012	0.860	0.200	4.374			
	.00	0.5			0.5						0.570	2.012	0.862	0.208	4.489	1.76		28.5
	21-22	1.0		0.5	1.0	0.5	1.0					1.994			4.238			
	.10			0.5							0.570	2.012	0.863	0.215	4.592			
	.20					0.5					0.569	1.998	0.865	0.222	4.695			
	.30	0.5									0.568	1.985	0.865	0.230	4.814			
	.40			0.5							0.568	1.985	0.865	0.238	4.935			
	.50						0.5				0.567	1.971	0.865	0.243	5.012			
	.00										0.567	1.971	0.865	0.248	5.088	1.96		28.5
	22-23	0.5		1.0		0.5	0.5					1.987			4.856			
	.10	0.5			0.5			0.5			0.568	1.985	0.865	0.253	5.166			
	.20							0.5			0.568	1.985	0.865	0.259	5.260			
	.30			0.5	0.5	0.5					0.568	1.985	0.865	0.261	5.291			
	.40	0.5		0.5	0.5		0.5				0.568	1.985	0.865	0.262	5.307			
	.50	1.0		0.5	0.5	0.5	1.0				0.568	1.985	0.865	0.262	5.307			
	.00	0.5		0.5	0.5	0.5	0.5				0.568	1.985	0.865	0.262	5.307	1.96		28.5
	23-24	2.5		2.0	2.5	1.5	2.5					1.985			5.273			

1969年(昭和44年)

1969年(昭和44年)		雨								南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸	
月・日	時分	清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 菜	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位	
6.26	.10	0.5		0.5	0.5	0.5	—	—	—			0.569	1.998	0.866	0.265	5.354				
	.20	0.5		0.5	0.5	—	1.0	—	—			0.570	2.012	0.869	0.265	5.354				
	.30	0.5		1.0	—	0.5	—	—	—			0.572	2.040	0.870	0.271	5.450				
	.40	0.5		0.5	1.5	0.5	1.0	—	—			0.575	2.082	0.871	0.278	5.562				
	.50	1.0		0.5	1.0	0.5	1.5	—	—			0.576	2.096	0.874	0.283	5.643				
	.00	0.5		2.0	1.0	1.5	1.0	—	—			0.580	2.153	0.878	0.292	5.791	2.37	28.5		
	0~1	3.5		5.0	4.5	3.5	4.5	—	—			2.063	—	—	—	5.526				
	.10	2.0		1.0	1.0	1.0	1.0	—	—			0.583	2.197	0.882	0.300	5.923				
	.20	1.0		1.0	1.5	1.0	1.5	—	—			0.590	2.302	0.890	0.310	6.091				
	.30	1.0		2.0	1.5	1.0	1.0	—	—			0.602	2.489	0.897	0.334	6.503				
	.40	1.5		1.5	1.0	1.0	1.0	—	—			0.612	2.653	0.905	0.359	6.947				
	.50	1.5		1.5	1.5	1.0	1.5	—	—			0.623	2.840	0.913	0.375	7.239				
	.00	1.5		1.5	1.0	1.5	1.0	—	—			0.639	3.126	0.923	0.399	7.688	3.83	24.0		
	1~2	8.5		8.5	7.5	6.5	7.0	—	—			2.601	—	—	—	6.732				
	.10	1.0		2.0	1.5	1.0	1.0	—	—			0.653	3.388	0.935	0.413	7.956				
	.20	2.0		1.5	1.5	0.5	1.0	—	—			0.670	3.722	0.947	0.432	8.327				
	.30	1.5		1.5	1.0	1.0	1.0	—	—			0.686	4.050	0.958	0.460	8.889				
	.40	1.5		1.5	1.5	1.0	1.5	—	—			0.702	4.393	0.970	0.475	9.198				
	.50	1.5		2.0	1.0	1.5	1.0	—	—			0.718	4.750	0.982	0.492	9.554				
	.00	1.5		1.0	0.5	0.5	0.5	—	—			0.730	5.027	1.000	0.515	10.047	6.69	21.0		
	2~3	9.0		9.5	7.0	5.5	6.0	—	—			4.222	—	—	—	8.995				
	.10	1.5		1.0	—	0.5	0.5	—	—			0.741	5.287	1.020	0.537	10.530				
	.20	1.5		0.5	—	—	—	—	—			0.750	5.504	1.030	0.560	11.047				
	.30	1.0		0.5	0.5	0.5	0.5	—	—			0.756	5.652	1.039	0.578	11.461				
	.40	0.5		0.5	0.5	—	—	—	—			0.760	5.751	1.045	0.591	11.764				
	.50	—		—	—	0.5	0.5	—	—			0.762	5.801	1.052	0.602	12.024				
	.00	0.5		0.5	—	—	—	—	—			0.762	5.801	1.057	0.616	12.358	9.04	21.5		
	3~4	5.0		3.0	1.0	1.5	1.5	—	—			5.633	—	—	—	11.531				
	.10	0.5		0.5	0.5	0.5	0.5	—	—			0.758	5.701	1.059	0.620	12.455				
	.20	—		—	1.5	0.5	0.5	—	—			0.755	5.627	1.061	0.633	12.771				
	.30	0.5		2.0	—	1.0	0.5	—	—			0.752	5.553	1.062	0.641	12.967				
	.40	0.5		0.5	0.5	—	—	—	—			0.750	5.504	1.063	0.650	13.190				
	.50	1.0		—	—	—	0.5	—	—			0.748	5.456	1.061	0.659	13.415				
	.00	1.0		0.5	0.5	0.5	—	—	—			0.746	5.407	1.060	0.667	13.616	9.90	22.0		
	4~5	3.5		3.5	3.0	2.0	2.0	—	—			5.541	—	—	—	13.069				
	.10	0.5		0.5	—	—	—	0.5	—	—			0.743	5.335	1.058	0.675	13.819			
	.20	0.5		—	0.5	—	—	0.5	—	—			0.740	5.266	1.057	0.677	13.870			
	.30	—		1.0	—	0.5	—	—	—	—			0.738	5.215	1.055	0.680	13.947			
	.40	0.5		—	—	—	—	0.5	—	—			0.736	5.168	1.054	0.680	13.947			
	.50	0.5		0.5	0.5	—	—	—	—	—			0.734	5.120	1.052	0.682	13.998			
	.00	0.5		—	—	—	—	—	—	—			0.732	5.073	1.050	0.673	13.768	9.90	22.0	
	5~6	2.5		2.0	1.0	0.5	1.0	—	—	—			5.198	—	—	—	13.891			

1969年(昭和44年)

月・日	時・分	雨							南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 葉	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量
6.26	.10	—	—	0.5	0.5	0.5	0.5	—	—			0.732	5.073	1.048	0.669	13.667		
	.20	0.5	—	—	—	—	0.5	—	—			0.731	5.050	1.056	0.666	13.591		
	.30	0.5	—	0.5	0.5	—	0.5	—	—			0.730	5.027	1.045	0.661	13.465		
	.40	—	—	1.0	1.0	0.5	0.5	—	—			0.729	5.003	1.045	0.657	13.365		
	.50	0.5	—	1.0	0.5	0.5	1.0	—	—			0.728	4.980	1.044	0.652	13.240		
	.00	1.0	—	0.5	1.5	0.5	1.0	—	—			0.730	5.027	1.045	0.649	13.165	9.90	22.5
	6~7	2.5	—	3.5	4.0	2.0	4.0	—	—			5.027	5.027	—	—	13.415		
	.10	0.5	—	1.5	1.5	1.5	1.5	—	—			0.732	5.073	1.047	0.650	13.190		
	.20	1.0	—	2.0	0.5	1.0	1.5	—	—			0.737	5.191	1.050	0.650	13.190		
	.30	1.0	—	1.0	1.5	1.5	1.0	—	—			0.743	5.335	1.055	0.661	13.465		
	.40	1.5	—	1.5	0.5	0.5	0.5	—	—			0.750	5.504	1.058	0.679	13.921		
	.50	1.0	—	1.0	0.5	0.5	1.0	—	—			0.756	5.652	1.060	0.698	14.411		
	.00	1.0	—	1.0	1.5	0.5	1.0	—	—			0.762	5.801	1.063	0.703	14.541	10.80	20.5
	7~8	6.0	—	8.0	6.0	5.5	6.5	—	—			5.426	5.426	—	—	13.786		
	.10	1.5	—	1.5	0.5	1.0	0.5	—	—			0.771	6.028	1.069	0.712	14.777		
	.20	1.0	—	1.5	—	—	—	—	—			0.780	6.260	1.075	0.721	15.014		
	.30	1.0	—	—	0.5	—	0.5	—	—			0.790	6.522	1.080	0.731	15.281		
	.40	2.0	—	0.5	—	0.5	—	—	—			0.797	6.708	1.085	0.737	15.442		
	.50	0.5	—	0.5	—	—	—	—	—			0.800	6.789	1.090	0.740	15.523		
	.00	—	—	—	0.5	—	—	—	—			0.802	6.843	1.095	0.732	15.308	12.72	21.5
	8~9	6.0	—	4.0	1.5	2.0	1.0	—	—			6.525	6.525	—	—	15.224		
	.10	0.5	—	0.5	0.5	—	—	—	—			0.803	6.870	1.098	0.723	15.068		
	.20	0.5	—	—	—	—	—	—	—			0.802	6.843	1.099	0.726	15.147		
	.30	—	—	—	—	—	—	—	—			0.800	6.789	1.100	0.727	15.174		
	.40	—	—	—	—	—	1.5	—	—			0.798	6.735	1.100	0.730	15.254		
	.50	0.5	—	1.0	—	1.0	2.0	—	—			0.796	6.682	1.100	0.733	15.334		
	.00	1.5	—	1.5	—	1.0	—	—	—			0.793	6.601	1.100	0.737	15.442	12.22	21.0
	9~10	3.0	—	3.0	0.5	2.0	3.5	—	—			6.753	6.753	—	—	15.237		
	.10	1.0	—	0.5	—	—	—	—	—			0.790	6.522	1.099	0.739	15.496		
	.20	—	—	—	—	—	—	—	—			0.788	6.469	1.097	0.749	15.766		
	.30	0.5	—	—	—	—	0.5	—	—			0.783	6.338	1.096	0.753	15.875		
	.40	—	—	—	—	—	—	—	—			0.780	6.260	1.092	0.755	15.930		
	.50	—	—	—	—	—	—	—	—			0.777	6.182	1.090	0.747	15.712		
	.00	—	—	—	—	—	—	—	—			0.773	6.079	1.088	0.743	15.604	12.22	18.5
	10~11	1.5	—	0.5	—	—	0.5	—	—			6.308	6.308	—	—	15.731		
	.10	—	—	—	—	—	—	—	—			0.764	5.851	1.083	0.740	15.523		
	.20	—	—	—	—	—	—	—	—			0.761	5.776	1.080	0.732	15.308		
	.30	—	—	—	—	—	—	—	—			0.753	5.578	1.077	0.723	15.068		
	.40	—	—	—	—	—	—	—	—			0.749	5.480	1.073	0.714	14.829		
	.50	—	—	—	—	—	—	—	—			0.745	5.383	1.071	0.710	14.724		
	.00	—	—	—	—	—	—	—	—			0.740	5.263	1.067	0.702	14.515	11.74	71.0
	11~12	—	—	—	—	—	—	—	—			5.555	5.555	—	—	14.994		

1969年(昭和44年)

月・日	時・分	雨							南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸
		清水入谷	南大沢	別所	大栗川橋	明神橋	青木葉	瓜生1	瓜生2	水位	流量	水位	流量	水位	流量	水位	流量	水位
6.26	.10	—	—	—	—	—	—	—	—			0.735	5.144	1.062	0.698	14.411		
	.20	—	—	—	—	—	—	—	—			0.730	5.027	1.058	0.687	14.126		
	.30	—	—	—	—	—	—	—	—			0.726	4.933	1.051	0.679	13.921		
	.40	—	—	—	—	—	—	—	—			0.723	4.864	1.049	0.669	13.667		
	.50	—	—	—	—	—	—	—	—			0.720	4.796	1.045	0.661	13.465		
	.00	—	—	—	—	—	—	—	—			0.714	4.660	1.040	0.652	13.240	10.35	70.0
	12~13	—	—	—	—	—	—	—	—			4.904				13.805		
	.10	—	—	—	—	—	—	—	—			0.710	4.570	1.037	0.643	13.017		
	.20	—	—	—	—	—	—	—	—			0.704	4.437	1.031	0.637	12.869		
	.30	—	—	—	—	—	—	—	—			0.699	4.328	1.030	0.629	12.673		
	.40	—	—	—	—	—	—	—	—			0.697	4.285	1.026	0.619	12.431		
	.50	—	—	—	—	—	—	—	—			0.694	4.220	1.022	0.607	12.143		
	.00	—	—	—	—	—	—	—	—			0.690	4.135	1.019	0.601	12.000	8.62	67.0
	13~14	—	—	—	—	—	—	—	—			4.329				12.522		
	.10	—	—	—	—	—	—	—	—			0.687	4.071	1.016	0.594	11.834		
	.20	—	—	—	—	—	—	—	—			0.683	3.988	1.011	0.585	11.623		
	.30	—	—	—	—	—	—	—	—			0.679	3.905	1.007	0.578	11.461		
	.40	—	—	—	—	—	—	0.5	—			0.677	3.864	1.000	0.569	11.253		
	.50	—	—	—	—	—	—	—	—			0.674	3.802	1.000	0.560	11.047		
	.00	—	—	—	—	—	—	1.0	—			0.671	3.742	0.991	0.553	10.889	7.82	67.0
	14~15	—	—	—	—	—	—	1.5	—			3.895				11.351		
	.10	—	—	—	—	—	—	1.5	—			0.669	3.701	0.988	0.547	10.753		
	.20	—	—	—	—	—	—	3.0	—			0.667	3.661	0.985	0.542	10.641		
	.30	—	—	—	—	—	—	1.0	—			0.665	3.622	0.983	0.536	10.508		
	.40	—	—	—	—	—	—	0.5	—			0.662	3.562	0.981	0.532	10.419		
	.50	—	—	—	—	—	—	1.5	—			0.657	3.465	0.979	0.524	10.243		
	.00	—	—	—	—	—	—	1.0	—			0.655	3.426	0.976	0.513	10.004	7.06	64.0
	15~16	—	—	—	—	—	—	8.5	—			3.573				10.428		
	.10	—	—	—	—	—	—	0.5	—			0.652	3.369	0.973	0.510	9.939		
	.20	—	—	—	—	—	—	—	—			0.649	3.312	0.971	0.505	9.831		
	.30	—	—	—	—	—	—	0.5	—			0.648	3.296	0.969	0.500	9.724		
	.40	—	—	—	—	—	—	—	—			0.646	3.255	0.967	0.496	9.639		
	.50	—	—	—	—	—	—	—	—			0.645	3.237	0.964	0.489	9.491		
	.00	—	—	—	—	—	—	—	—			0.642	3.181	0.961	0.485	9.407	6.69	63.0
	16~17	—	—	—	—	—	—	1.0	—			3.274				9.872		
	.10	—	—	—	—	—	—	0.5	—			0.640	3.144	0.960	0.479	9.281		
	.20	—	—	—	—	—	—	—	—			0.638	3.107	0.959	0.477	9.239		
	.30	—	—	—	—	—	—	—	—			0.637	3.089	0.957	0.474	9.177		
	.40	—	—	—	—	—	—	0.5	—			0.636	3.071	0.955	0.469	9.074		
	.50	—	—	—	—	—	—	0.5	—			0.635	3.053	0.952	0.464	8.971	5.99	62.0
	.00	—	—	—	—	—	—	0.5	—			0.633	3.017	0.950	0.461	8.909		
	17~18	—	—	—	—	—	—	1.5	—			3.080				9.109		

1969年(昭和44年)

月・日	時・分	雨						南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 薬	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位
6.26	.10	—	—	—	—	—	—	—	—			0.630	2.963	0.956	0.456	8.808	
	.20	—	—	—	—	—	—	—	—			0.628	2.928	0.949	0.450	8.686	
	.30	—	—	—	—	—	—	—	—			0.627	2.910	0.947	0.445	8.585	
	.40	—	—	—	—	—	—	0.5	—			0.624	2.857	0.944	0.441	8.505	
	.50	—	—	—	—	—	—	—	—			0.623	2.840	0.941	0.435	8.386	
	.00	—	—	—	—	—	—	—	—			0.622	2.823	0.939	0.433	8.346	4.70
	18-19	—	—	—	—	—	—	0.5	—			2.887	—	—	—	8.553	60.0
	.10	—	—	—	—	—	—	—	—			0.621	2.805	0.938	0.426	8.209	
	.20	—	—	—	—	—	—	0.5	—			0.621	2.805	0.938	0.424	8.169	
	.30	—	—	—	—	—	—	—	—			0.621	2.805	0.936	0.422	8.130	
	.40	—	—	—	—	—	—	—	—			0.621	2.805	0.935	0.418	8.052	
	.50	—	—	—	—	—	—	—	—			0.620	2.788	0.934	0.415	7.994	
	.00	—	—	—	—	—	—	—	—			0.618	2.754	0.933	0.411	7.917	4.40
	19-20	—	—	—	—	—	—	0.5	—			2.794	—	—	—	8.079	58.0
	.10	—	—	—	—	—	—	—	—			0.618	2.754	0.932	0.408	7.859	
	.20	—	—	—	—	—	—	0.5	—			0.617	2.737	0.931	0.405	7.802	
	.30	—	—	—	—	—	—	—	—			0.615	2.703	0.929	0.403	7.764	
	.40	—	—	—	—	—	—	—	—			0.614	2.686	0.928	0.400	7.707	
	.50	—	—	—	—	—	—	—	—			0.613	2.670	0.927	0.398	7.669	
	.00	—	—	—	—	—	—	0.5	—			0.613	2.670	0.927	0.395	7.612	3.83
	20-21	—	—	—	—	—	—	1.0	—			2.703	—	—	—	7.735	58.0
	.10	—	—	—	—	—	—	0.5	—			0.613	2.670	0.926	0.393	7.574	
	.20	—	—	—	—	—	—	0.5	—			0.613	2.670	0.926	0.391	7.536	
	.30	—	—	—	—	—	—	0.5	—			0.615	2.703	0.925	0.390	7.518	
	.40	—	—	—	—	—	—	—	—			0.618	2.754	0.924	0.388	7.480	
	.50	—	—	—	—	—	—	0.5	—			0.619	2.771	0.923	0.386	7.443	
	.00	—	—	—	—	—	—	0.5	—			0.619	2.771	0.923	0.384	7.405	3.56
	21-22	—	—	—	—	—	—	2.5	—			2.723	—	—	—	7.493	58.0
	.10	—	—	—	—	—	—	0.5	—			0.619	2.771	0.924	0.381	7.350	
	.20	—	—	—	—	—	—	1.5	—			0.619	2.771	0.925	0.379	7.313	
	.30	—	—	—	—	—	—	0.5	—			0.619	2.771	0.927	0.377	7.276	
	.40	—	—	—	—	—	—	1.5	—			0.619	2.771	0.928	0.377	7.276	
	.50	—	—	—	—	—	—	1.0	—			0.619	2.771	0.928	0.375	7.239	
	.00	—	—	—	—	—	—	1.0	—			0.618	2.754	0.928	0.374	7.220	3.30
	22-23	—	—	—	—	—	—	6.0	—			2.768	—	—	—	7.279	58.0
	.10	—	—	—	—	—	—	1.0	—			0.618	2.754	0.928	0.374	7.220	
	.20	—	—	—	—	—	—	1.5	—			0.617	2.737	0.928	0.375	7.239	
	.30	—	—	—	—	—	—	1.0	—			0.617	2.737	0.927	0.376	7.257	
	.40	—	—	—	—	—	—	1.0	—			0.616	2.720	0.926	0.379	7.313	
	.50	—	—	—	—	—	—	0.5	—			0.615	2.703	0.925	0.379	7.313	
	.00	—	—	—	—	—	—	1.0	—			0.614	2.686	0.924	0.379	7.313	3.30
	23-24	—	—	—	—	—	—	6.0	—			2.723	—	—	—	7.276	57.0

1969年(昭和44年)

1959年(昭和34年)																			
月・日	時分	雨						南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸		
		消水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 森	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
6.27	.10	—	—	—	—	—	—	1.0	—	—	—	0.610	2.620	0.924	0.378	7.294	—	—	—
	.20	—	—	—	—	—	—	1.0	—	—	—	0.610	2.620	0.923	0.378	7.294	—	—	—
	.30	—	—	—	—	—	—	0.5	—	—	—	0.608	2.587	0.922	0.378	7.294	—	—	—
	.40	—	—	—	—	—	—	0.5	—	—	—	0.606	2.554	0.921	0.377	7.276	—	—	—
	.50	—	—	—	—	—	—	0.5	—	—	—	0.605	2.538	0.920	0.375	7.239	—	—	—
	.00	—	—	—	—	—	—	—	—	—	—	0.605	2.538	0.918	0.373	7.202	—	3.30	56.0
	0~1	—	—	—	—	—	—	3.5	—	—	—	—	2.576	—	—	7.266	—	—	—
	.10	—	—	—	—	—	—	0.5	—	—	—	0.605	2.538	0.917	0.372	7.184	—	—	—
	.20	—	—	—	—	—	—	—	—	—	—	0.605	2.538	0.915	0.371	7.165	—	—	—
	.30	—	—	—	—	—	—	—	—	—	—	0.605	2.538	0.913	0.370	7.147	—	—	—
	.40	—	—	—	—	—	—	0.5	—	—	—	0.603	2.505	0.912	0.369	7.129	—	—	—
	.50	—	—	—	—	—	—	—	—	—	—	0.603	2.505	0.912	0.368	7.110	—	—	—
	.00	—	—	—	—	—	—	—	—	—	—	0.602	2.489	0.911	0.366	7.074	—	3.30	56.0
	1~2	—	—	—	—	—	—	1.0	—	—	—	—	2.519	—	—	7.135	—	—	—
	.10	—	—	—	—	—	—	0.5	—	—	—	0.602	2.489	0.911	0.364	7.038	—	—	—
	.20	—	—	—	—	—	—	—	—	—	—	0.602	2.489	0.911	0.361	6.983	—	—	—
	.30	—	—	—	—	—	—	—	—	—	—	0.602	2.489	0.911	0.359	6.947	—	—	—
	.40	—	—	—	—	—	—	—	—	—	—	0.602	2.489	0.910	0.356	6.893	—	—	—
	.50	—	—	—	—	—	—	0.5	—	—	—	0.601	2.473	0.910	0.354	6.857	—	—	—
	.00	—	—	—	—	—	—	—	—	—	—	0.600	2.457	0.909	0.353	6.839	—	3.30	56.0
	2~3	—	—	—	—	—	—	1.0	—	—	—	—	2.481	—	—	6.926	—	—	—
	.10	—	—	—	—	—	—	—	—	—	—	0.600	2.457	0.909	0.352	6.821	—	—	—
	.20	—	—	—	—	—	—	—	—	—	—	0.600	2.457	0.909	0.351	6.803	—	—	—
	.30	—	—	—	—	—	—	—	—	—	—	0.600	2.457	0.908	0.350	6.786	—	—	—
	.40	—	—	—	—	—	—	0.5	—	—	—	0.600	2.457	0.908	0.349	6.768	—	—	—
	.50	—	—	—	—	—	—	—	—	—	—	0.600	2.457	0.908	0.348	6.750	—	—	—
	.00	—	—	—	—	—	—	—	—	—	—	0.600	2.457	0.907	0.347	6.732	—	3.06	56.0
	3~4	—	—	—	—	—	—	0.5	—	—	—	—	2.457	—	—	6.777	—	—	—
	.10	—	—	—	—	—	—	0.5	—	—	—	0.600	2.457	0.907	0.347	6.732	—	—	—
	.20	—	—	—	—	—	—	—	—	—	—	0.600	2.457	0.907	0.347	6.732	—	—	—
	.30	—	—	—	—	—	—	0.5	—	—	—	0.600	2.457	0.906	0.346	6.697	—	—	—
	.40	—	—	—	—	—	—	0.5	—	—	—	0.600	2.457	0.906	0.345	6.679	—	—	—
	.50	—	—	—	—	—	—	0.5	—	—	—	0.600	2.457	0.905	0.343	6.661	—	—	—
	.00	0.5	—	—	—	—	—	1.0	—	—	—	0.600	2.457	0.905	0.342	6.644	—	3.06	56.0
	4~5	0.5	—	—	—	—	—	3.0	—	—	—	—	2.457	—	—	6.691	—	—	—
	.10	—	—	0.5	0.5	0.5	0.5	1.5	—	—	—	0.599	2.442	0.905	0.342	6.644	—	—	—
	.20	0.5	—	—	0.5	—	—	1.0	—	—	—	0.599	2.442	0.905	0.341	6.626	—	—	—
	.30	—	—	0.5	—	0.5	0.5	1.0	—	—	—	0.599	2.442	0.905	0.340	6.608	—	—	—
	.40	0.5	—	0.5	0.5	—	—	0.5	—	—	—	0.599	2.442	0.905	0.340	6.608	—	—	—
	.50	—	—	—	—	—	0.5	0.5	—	—	—	0.599	2.442	0.905	0.341	6.626	—	—	—
	.00	0.5	—	—	—	0.5	—	1.0	—	—	—	0.599	2.442	0.905	0.342	6.644	—	3.06	56.5
	5~6	1.5	—	1.5	1.5	2.0	1.5	5.5	—	—	—	—	2.442	—	—	6.626	—	—	—

1969年(昭和44年)

月・日	時・分	雨							南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸	
		潛水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 葉	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
6.27	.10	—	—	0.5	—	—	—	—	—			0.599	2.442	0.905	0.342	6.644			
	.20	—	—	—	0.5	—	—	0.5	—			0.599	2.442	0.905	0.344	6.679			
	.30	—	—	—	0.5	—	—	—	—			0.600	2.457	0.905	0.346	6.714			
	.40	0.5	—	—	—	—	0.5	—	—			0.600	2.457	0.905	0.348	6.750			
	.50	—	—	0.5	—	0.5	—	—	—			0.600	2.457	0.906	0.349	6.768			
	.00	—	—	—	—	—	0.5	—	—			0.600	2.457	0.906	0.349	6.768			
	6~7	0.5	—	1.0	1.0	0.5	1.0	0.5	—			2.452	—	—	—	—	2.82	56.0	
	.10	0.5	—	0.5	0.5	0.5	—	—	—			0.600	2.457	0.907	0.349	6.768			
	.20	0.5	—	—	0.5	—	0.5	—	—			0.600	2.457	0.908	0.350	6.786			
	.30	—	—	0.5	—	0.5	0.5	—	—			0.600	2.457	0.908	0.350	6.786			
	.40	0.5	—	—	—	—	—	0.5	—			0.601	2.473	0.909	0.351	6.803			
	.50	—	—	—	—	0.5	—	1.0	—			0.602	2.489	0.909	0.352	6.821			
	.00	—	—	—	—	—	—	1.5	—			0.604	2.522	0.910	0.354	6.857			
	7~8	1.5	—	1.0	1.0	1.5	1.0	3.0	—			2.476	—	—	—	—	3.06	55.0	
	.10	—	—	0.5	—	—	—	0.5	—			0.605	2.538	0.910	0.356	6.893			
	.20	—	—	—	0.5	—	0.5	—	—			0.605	2.538	0.910	0.359	6.947			
	.30	—	—	—	—	—	—	—	—			0.605	2.538	0.910	0.361	6.983			
	.40	0.5	—	—	—	0.5	—	—	—			0.605	2.538	0.911	0.362	7.001			
	.50	—	—	0.5	—	—	—	—	—			0.605	2.538	0.912	0.363	7.019			
	.00	—	—	—	—	—	—	—	—			0.605	2.538	0.912	0.363	7.019			
	8~9	0.5	—	1.0	0.5	0.5	0.5	0.5	—			2.538	—	—	—	—	3.06	56.0	
	.10	—	—	—	—	—	0.5	—	—			0.605	2.538	0.912	0.363	7.019			
	.20	—	—	—	—	—	—	—	—			0.605	2.538	0.912	0.363	7.019			
	.30	—	—	—	—	—	—	—	—			0.605	2.538	0.912	0.363	7.019			
.40	—	—	—	—	—	—	—	—			0.604	2.522	0.912	0.363	7.019				
.50	—	—	—	—	—	—	—	—			0.603	2.505	0.912	0.363	7.019				
.00	—	—	—	—	—	—	—	—			0.602	2.489	0.912	0.363	7.019				
9~10	—	—	—	—	—	0.5	—	—			2.522	—	—	—	—	2.82	57.0		
.10	—	—	—	—	—	—	—	—			0.602	2.489	0.911	0.362	7.001				
.20	—	—	—	—	—	—	—	—			0.602	2.489	0.911	0.361	6.983				
.30	—	—	—	—	—	—	—	—			0.600	2.457	0.910	0.361	6.983				
.40	—	—	—	—	—	—	—	—			0.600	2.457	0.909	0.360	6.965				
.50	—	—	—	—	—	—	—	—			0.600	2.457	0.908	0.359	6.947				
.00	—	—	—	—	—	—	—	—			0.600	2.457	0.908	0.357	6.911				
10~11	—	—	—	—	—	—	—	—			2.468	—	—	—	—	2.59	56.0		
.10	—	—	—	—	—	—	—	—			0.598	2.428	0.907	0.357	6.911				
.20	—	—	—	—	—	—	—	—			0.597	2.410	0.906	0.355	6.875				
.30	—	—	—	—	—	—	—	—			0.593	2.348	0.904	0.353	6.839				
.40	—	—	—	—	—	—	—	—			0.593	2.348	0.903	0.351	6.803				
.50	—	—	—	—	—	—	—	—			0.592	2.332	0.902	0.349	6.768				
.00	—	—	—	—	—	—	—	—			0.590	2.302	0.900	0.348	6.750				
11~12	—	—	—	—	—	—	—	—			2.361	—	—	—	—	2.37	55.0		

1969年(昭和44年)

月・日	時分	雨 量							南大沢		大栗川橋		常盤橋	明 神 橋		報恩橋		関戸	
		消水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 薬	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
6.27	.10	—	—	—	—	—	—	—	—			0.590	2.302	0.899	0.346	6.714			
	.20	—	—	—	—	—	—	—	—			0.590	2.302	0.899	0.344	6.679			
	.30	—	—	—	—	—	—	—	—			0.590	2.302	0.898	0.342	6.644			
	.40	—	—	—	—	—	—	—	—			0.590	2.302	0.897	0.340	6.608			
	.50	—	—	—	—	—	—	—	—			0.590	2.302	0.895	0.338	6.573			
	.00	—	—	—	—	—	—	—	—			0.589	2.287	0.894	0.332	6.468	2.37	55.5	
	12-13	—	—	—	—	—	—	—	—			2.299	2.299			6.615			
	.10	—	—	—	0.5	—	—	—	—			0.588	2.272	0.892	0.332	6.468			
	.20	—	—	—	—	—	—	—	—			0.587	2.256	0.892	0.329	6.416			
	.30	—	—	—	—	—	—	—	—			0.585	2.227	0.891	0.327	6.382			
	.40	—	—	—	—	—	—	—	—			0.585	2.227	0.891	0.325	6.347			
	.50	—	—	—	—	—	—	—	—			0.585	2.227	0.890	0.323	6.313			
	.00	—	—	—	—	—	—	—	—			0.583	2.197	0.890	0.321	6.278	2.37	56.5	
	13-14	—	—	—	0.5	—	—	—	—			2.234	2.234			6.367			
	.10	—	—	—	—	—	—	—	—			0.582	2.182	0.889	0.320	6.261			
	.20	—	—	—	—	—	—	—	—			0.582	2.182	0.889	0.319	6.244			
	.30	—	—	—	—	—	—	—	—			0.582	2.182	0.888	0.317	6.210			
	.40	—	—	—	—	—	—	—	—			0.582	2.182	0.888	0.316	6.193			
	.50	—	—	—	—	—	—	—	—			0.580	2.163	0.888	0.312	6.125			
	.00	—	—	—	—	—	—	—	—			0.580	2.153	0.888	0.310	6.091	2.16	56.0	
	14-15	—	—	—	—	—	—	—	—			2.173	2.173			6.187			
	.10	—	—	—	—	—	—	—	—			0.580	2.153	0.887	0.310	6.091			
	.20	—	—	—	—	—	—	—	—			0.580	2.163	0.886	0.309	6.074			
	.30	—	—	—	—	—	—	—	—			0.580	2.153	0.884	0.307	6.040			
	.40	—	—	—	—	—	—	—	—			0.580	2.153	0.883	0.305	6.007			
	.50	—	—	—	—	—	—	—	—			0.580	2.153	0.883	0.305	6.007			
	.00	—	—	—	—	—	—	—	—			0.580	2.153	0.883	0.305	6.007	2.16	55.0	
	15-16	—	—	—	—	—	—	—	—			2.153	2.153			6.038			
	.10	—	—	—	—	—	—	—	—			0.579	2.139	0.882	0.304	5.990			
	.20	—	—	—	—	—	—	—	—			0.578	2.124	0.882	0.302	5.957			
	.30	—	—	—	—	—	—	—	—			0.576	2.096	0.882	0.302	5.957			
	.40	—	—	—	—	—	—	—	—			0.576	2.096	0.882	0.301	5.940			
	.50	—	—	—	—	—	—	—	—			0.576	2.096	0.881	0.300	5.923			
	.00	—	—	—	—	—	—	—	—			0.576	2.096	0.880	0.299	5.907	1.76	54.5	
	16-17	—	—	—	—	—	—	—	—			2.108	2.108			5.945			
	.10	—	—	—	—	—	—	—	—			0.575	2.082	0.880	0.297	5.873			
	.20	—	—	—	—	—	—	—	—			0.573	2.053	0.880	0.295	5.840			
	.30	—	—	—	—	—	—	—	—			0.573	2.053	0.879	0.294	5.824			
	.40	—	—	—	—	—	—	—	—			0.573	2.053	0.879	0.294	5.824			
	.50	—	—	—	—	—	—	—	—			0.573	2.053	0.878	0.294	5.824			
	.00	—	—	—	—	—	—	—	—			0.572	2.040	0.877	0.292	5.791	1.76	54.5	
	17-18	—	—	—	—	—	—	—	—			2.056	2.056			5.829			

1969年(昭和44年)

月・日	時・分	雨							南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸	
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 菜	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
6.27	.10	—	—	—	—	—	—	—	—			0.572	2.040	0.876	0.290	5.758			
	.20	—	—	—	—	—	—	—	—			0.572	2.040	0.875	0.289	5.741			
	.30	—	—	—	—	—	—	—	—			0.572	2.040	0.875	0.288	5.725			
	.40	—	—	—	—	—	—	—	—			0.572	2.040	0.875	0.287	5.709			
	.50	—	—	—	—	—	—	—	—			0.572	2.040	0.875	0.286	5.692			
	.00	—	—	—	—	—	—	—	—			0.570	2.012	0.875	0.285	5.676		2.16	54.5
	18~19	—	—	—	—	—	—	—	—				2.035			5.717			
	.10	—	—	—	—	—	—	—	—			0.570	2.012	0.875	0.285	5.676			
	.20	—	—	—	—	—	—	—	—			0.570	2.012	0.874	0.283	5.643			
	.30	—	—	—	—	—	—	—	—			0.565	1.944	0.873	0.280	5.595			
	.40	—	—	—	—	—	—	—	—			0.565	1.944	0.873	0.279	5.578			
	.50	—	—	—	—	—	—	—	—			0.565	1.944	0.872	0.279	5.578			
	.00	—	—	—	—	—	—	—	—			0.565	1.944	0.870	0.278	5.562		2.16	54.0
	19~20	—	—	—	—	—	—	—	—				1.967			5.606			
	.10	—	—	—	—	—	—	—	—			0.565	1.944	0.870	0.278	5.562			
	.20	—	—	—	—	—	—	—	—			0.565	1.944	0.869	0.278	5.562			
	.30	—	—	—	—	—	—	—	—			0.565	1.944	0.869	0.278	5.562			
	.40	—	—	—	—	—	—	—	—			0.565	1.944	0.869	0.276	5.530			
	.50	—	—	—	—	—	—	—	—			0.565	1.944	0.868	0.276	5.530			
	.00	—	—	—	—	—	—	—	—			0.565	1.944	0.868	0.275	5.514		2.16	53.5
	20~21	—	—	—	—	—	—	—	—				1.944			5.544			
	.10	—	—	—	—	—	—	—	—			0.565	1.944	0.868	0.273	5.482			
	.20	—	—	—	—	—	—	—	—			0.565	1.944	0.868	0.270	5.434			
	.30	—	—	—	—	—	—	—	—			0.565	1.944	0.868	0.269	5.418			
	.40	—	—	—	—	—	—	—	—			0.565	1.944	0.868	0.268	5.402			
	.50	—	—	—	—	—	—	—	—			0.565	1.944	0.868	0.266	5.370			
	.00	—	—	—	—	—	—	—	—			0.565	1.944	0.868	0.265	5.354		1.96	53.5
	21~22	—	—	—	—	—	—	—	—				1.944			5.410			
	.10	—	—	—	—	—	—	—	—			0.565	1.944	0.868	0.264	5.339			
	.20	—	—	—	—	—	—	—	—			0.565	1.944	0.868	0.262	5.307			
	.30	—	—	—	—	—	—	—	—			0.565	1.944	0.868	0.261	5.291			
	.40	—	—	—	—	—	—	—	—			0.565	1.944	0.868	0.260	5.275			
	.50	—	—	—	—	—	—	—	—			0.565	1.944	0.868	0.260	5.275			
	.00	—	—	—	—	—	—	—	—			0.565	1.944	0.868	0.259	5.260		1.96	53.5
	22~23	—	—	—	—	—	—	—	—				1.944			5.291			
	.10	—	—	—	—	—	—	—	—			0.565	1.944	0.868	0.259	5.260			
	.20	—	—	—	—	—	—	—	—			0.565	1.944	0.868	0.259	5.260			
	.30	—	—	—	—	—	—	—	—			0.565	1.944	0.868	0.259	5.260			
	.40	—	—	—	—	—	—	—	—			0.565	1.944	0.868	0.259	5.260			
	.50	—	—	—	—	—	—	—	—			0.565	1.944	0.868	0.259	5.260			
	.00	—	—	—	—	—	—	—	—			0.565	1.944	0.868	0.259	5.260		1.96	53.5
	23~24	—	—	—	—	—	—	—	—				1.944			5.260			

1969年(昭和44年)

1969年(昭和44年)																				
月・日	時・分	雨							南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸		
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 葉	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位	
6.28	.10	—	—	—	—	—	—	—	—	—	—	0.565	1.944	0.867	0.259	5.260	—	—	—	
	.20	—	—	—	—	—	—	—	—	—	—	0.568	1.985	0.867	0.258	5.244	—	—	—	
	.30	—	—	—	—	—	—	—	—	—	—	0.568	1.985	0.867	0.258	5.244	—	—	—	
	.40	—	—	—	—	—	—	—	—	—	—	0.568	1.985	0.867	0.258	5.244	—	—	—	
	.50	—	—	—	—	—	—	—	—	—	—	0.568	1.985	0.867	0.258	5.244	—	—	—	
	.00	—	—	—	—	—	—	—	—	—	—	0.568	1.985	0.867	0.258	5.244	—	—	—	
	0~1	—	—	—	—	—	—	—	—	—	—	0.568	1.985	0.867	0.258	5.244	—	1.96	53.5	
		—	—	—	—	—	—	—	—	—	—	—	1.978	—	—	—	5.247	—	—	—
	.10	—	—	—	—	—	—	—	—	—	—	0.568	1.985	0.868	0.258	5.244	—	—	—	
	.20	—	—	—	—	—	—	—	—	—	—	0.568	1.985	0.868	0.258	5.244	—	—	—	
	.30	—	—	—	—	—	—	—	—	—	—	0.568	1.985	0.868	0.258	5.244	—	—	—	
	.40	—	—	—	—	—	—	—	—	—	—	0.568	1.985	0.868	0.257	5.228	—	—	—	
	.50	—	—	—	—	—	—	—	—	—	—	0.568	1.985	0.868	0.257	5.228	—	—	—	
	.00	—	—	—	—	—	—	—	—	—	—	0.568	1.985	0.868	0.257	5.228	—	1.96	53.5	
	1~2	—	—	—	—	—	—	—	—	—	—	—	0.568	1.985	—	—	5.236	—	—	—
		—	—	—	—	—	—	—	—	—	—	—	1.985	—	—	—	5.228	—	—	—
	.10	—	—	—	—	—	—	—	—	—	—	—	0.568	1.985	0.868	0.257	5.228	—	—	—
	.20	—	—	—	—	—	—	—	—	—	—	—	0.568	1.985	0.868	0.257	5.228	—	—	—
	.30	—	—	—	—	—	—	—	—	—	—	—	0.568	1.985	0.868	0.259	5.260	—	—	—
	.40	—	—	—	—	—	—	—	—	—	—	—	0.568	1.985	0.868	0.260	5.275	—	—	—
	.50	—	—	—	—	—	—	—	—	—	—	—	0.568	1.985	0.868	0.261	5.291	—	—	—
	.00	—	—	—	—	—	—	—	—	—	—	—	0.568	1.985	0.868	0.261	5.307	—	1.96	53.5
	2~3	—	—	—	—	—	—	—	—	—	—	—	0.568	1.985	—	—	5.265	—	—	—
		—	—	—	—	—	—	—	—	—	—	—	1.985	—	—	—	5.228	—	—	—
	.10	—	—	—	—	—	—	—	—	—	—	—	0.568	1.985	0.868	0.262	5.307	—	—	—
	.20	—	—	—	—	—	—	—	—	—	—	—	0.568	1.985	0.868	0.262	5.307	—	—	—
	.30	—	—	—	—	—	—	—	—	—	—	—	0.568	1.985	0.868	0.261	5.291	—	—	—
	.40	—	—	—	—	—	—	—	—	—	—	—	0.568	1.985	0.868	0.261	5.291	—	—	—
	.50	—	—	—	—	—	—	—	—	—	—	—	0.568	1.985	0.868	0.261	5.291	—	—	—
	.00	—	—	—	—	—	—	—	—	—	—	—	0.568	1.985	0.868	0.261	5.291	—	1.76	53.0
	3~4	—	—	—	—	—	—	—	—	—	—	—	0.568	1.985	—	—	5.296	—	—	—
		—	—	—	—	—	—	—	—	—	—	—	1.985	—	—	—	5.291	—	—	—
	.10	—	—	—	—	—	—	—	—	—	—	—	0.568	1.985	0.868	0.261	5.291	—	—	—
	.20	—	—	—	—	—	—	—	—	—	—	—	0.568	1.985	0.868	0.261	5.291	—	—	—
	.30	—	—	—	—	—	—	—	—	—	—	—	0.568	1.985	0.868	0.261	5.291	—	—	—
	.40	—	—	—	—	—	—	—	—	—	—	—	0.568	1.985	0.868	0.261	5.291	—	—	—
	.50	—	—	—	—	—	—	—	—	—	—	—	0.568	1.985	0.868	0.261	5.291	—	—	—
	.00	—	—	—	—	—	—	—	—	—	—	—	0.568	1.985	0.868	0.261	5.291	—	1.76	53.0
	4~5	—	—	—	—	—	—	—	—	—	—	—	0.568	1.985	—	—	5.291	—	—	—
		—	—	—	—	—	—	—	—	—	—	—	1.985	—	—	—	5.291	—	—	—
	.10	—	—	—	—	—	—	—	—	—	—	—	0.568	1.985	0.868	0.260	5.275	—	—	—
	.20	—	—	—	—	—	—	—	—	—	—	—	0.568	1.985	0.868	0.260	5.275	—	—	—
	.30	—	—	—	—	—	—	—	—	—	—	—	0.568	1.985	0.868	0.260	5.275	—	—	—
.40	—	—	—	—	—	—	—	—	—	—	—	0.568	1.985	0.868	0.259	5.260	—	—	—	
.50	—	—	—	—	—	—	—	—	—	—	—	0.568	1.985	0.868	0.259	5.260	—	—	—	
.00	—	—	—	—	—	—	—	—	—	—	—	0.562	1.905	0.868	0.258	5.244	—	1.76	53.0	
5~6	—	—	—	—	—	—	—	—	—	—	—	1.971	—	—	—	5.265	—	—	—	

1969年(昭和44年)

月・日	時・分	雨 量							南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 葉	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	流量	水位	流量	水位
6.28	.10	—	—	—	—	—	—	—	—	—	—	0.562	1.905	0.868	0.257	5.228	—	—
	.20	—	—	—	—	—	—	0.5	—	—	—	0.562	1.905	0.868	0.257	5.228	—	—
	.30	—	—	—	—	—	—	—	—	—	—	0.561	1.892	0.866	0.257	5.228	—	—
	.40	—	—	—	—	—	—	0.5	—	—	—	0.561	1.892	0.864	0.257	5.228	—	—
	.50	—	—	—	—	—	—	—	—	—	—	0.561	1.892	0.862	0.230	4.814	—	—
	.00	—	—	—	—	—	—	0.5	—	—	—	0.560	1.879	0.861	0.217	4.621	1.76	53.0
	6~7	—	—	—	—	—	—	1.5	—	—	—	1.894	—	—	—	5.058	—	—
	.10	—	—	—	—	—	—	0.5	—	—	—	0.560	1.879	0.861	0.229	4.799	—	—
	.20	—	—	—	—	—	—	—	—	—	—	0.558	1.853	0.860	0.238	4.935	—	—
	.30	—	—	—	—	—	—	—	—	—	—	0.556	1.828	0.860	0.240	4.966	—	—
	.40	—	—	—	—	—	—	—	—	—	—	0.555	1.816	0.860	0.241	4.981	—	—
	.50	—	—	—	—	—	—	—	—	—	—	0.555	1.816	0.859	0.241	4.981	—	—
	.00	—	—	—	—	—	—	—	—	—	—	0.552	1.779	0.858	0.240	4.966	1.76	53.0
	7~8	—	—	—	—	—	—	0.5	—	—	—	1.828	—	—	—	4.938	—	—
	.10	—	—	—	—	—	—	0.5	—	—	—	0.551	1.767	0.855	0.237	4.920	—	—
	.20	—	—	—	—	—	—	—	—	—	—	0.550	1.755	0.853	0.234	4.875	—	—
	.30	—	—	—	—	—	—	—	—	—	—	0.550	1.755	0.852	0.234	4.875	—	—
	.40	—	—	—	—	—	—	—	—	—	—	0.550	1.755	0.851	0.231	4.829	—	—
	.50	—	—	—	—	—	—	—	—	—	—	0.550	1.755	0.850	0.228	4.784	—	—
	.00	—	—	—	—	—	—	—	—	—	—	0.550	1.755	0.849	0.227	4.769	1.76	53.0
	8~9	—	—	—	—	—	—	0.5	—	—	—	1.757	—	—	—	4.842	—	—
	.10	—	—	—	—	—	—	—	—	—	—	0.550	1.755	0.848	0.224	4.725	—	—
	.20	—	—	—	—	—	—	—	—	—	—	0.550	1.755	0.847	0.219	4.650	—	—
	.30	—	—	—	—	—	—	—	—	—	—	0.550	1.755	0.846	0.216	4.606	—	—
	.40	—	—	—	—	—	—	—	—	—	—	0.550	1.755	0.845	0.214	4.577	—	—
	.50	—	—	—	—	—	—	—	—	—	—	0.550	1.755	0.844	0.212	4.548	—	—
	.00	—	—	—	—	—	—	—	—	—	—	0.550	1.755	0.843	0.211	4.533	1.58	53.0
	9~10	—	—	—	—	—	—	—	—	—	—	1.755	—	—	—	4.607	—	—
	.10	—	—	—	—	—	—	—	—	—	—	0.545	1.699	0.843	0.209	4.504	—	—
	.20	—	—	—	—	—	—	—	—	—	—	0.542	1.666	0.844	0.208	4.489	—	—
	.30	—	—	—	—	—	—	—	—	—	—	0.542	1.666	0.845	0.205	4.446	—	—
	.40	—	—	—	—	—	—	—	—	—	—	0.542	1.666	0.847	0.203	4.417	—	—
	.50	—	—	—	—	—	—	—	—	—	—	0.542	1.666	0.847	0.202	4.403	—	—
	.00	—	—	—	—	—	—	—	—	—	—	0.540	1.644	0.845	0.200	4.374	1.41	53.0
	10~11	—	—	—	—	—	—	—	—	—	—	1.668	—	—	—	4.439	—	—
	.10	—	—	—	—	—	—	—	—	—	—	0.540	1.644	0.841	0.199	4.360	—	—
	.20	—	—	—	—	—	—	—	—	—	—	0.540	1.644	0.840	0.198	4.346	—	—
	.30	—	—	—	—	—	—	—	—	—	—	0.540	1.644	0.839	0.198	4.346	—	—
	.40	—	—	—	—	—	—	—	—	—	—	0.540	1.644	0.838	0.198	4.346	—	—
	.50	—	—	—	—	—	—	—	—	—	—	0.560	1.644	0.838	0.198	4.346	—	—
	.00	—	—	—	—	—	—	—	—	—	—	0.535	1.591	0.838	0.198	4.346	1.41	53.0
	11~12	—	—	—	—	—	—	—	—	—	—	1.635	—	—	—	4.348	—	—

1969年(昭和44年)

月・日	時分	雨 量							南大沢		大栗川橋		常盤橋	明 神 橋		報恩橋		関戸	
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 葉	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
6.28	.10	—	—	—	—	—	—	—	—			0.535	1.591	0.838	0.199	4.360			
	.20	—	—	—	—	—	—	—	—			0.535	1.591	0.835	0.199	4.360			
	.30	—	—	—	—	—	—	—	—			0.535	1.591	0.833	0.198	4.346			
	.40	—	—	—	—	—	—	—	—			0.535	1.591	0.833	0.196	4.317			
	.50	—	—	—	—	—	—	—	—			0.535	1.591	0.832	0.193	4.275			
	.00	—	—	—	—	—	—	—	—			0.535	1.591	0.832	0.191	4.246		1.41	53.5
	12~13	—	—	—	—	—	—	—	—			1.591	—	—	—	4.317			
	.10	—	—	—	—	—	—	—	—			0.535	1.591	0.831	0.189	4.218			
	.20	—	—	—	—	—	—	—	—			0.535	1.591	0.831	0.187	4.190			
	.30	—	—	—	—	—	—	—	—			0.535	1.591	0.830	0.185	4.162			
	.40	—	—	—	—	—	—	—	—			0.532	1.559	0.830	0.185	4.162			
	.50	—	—	—	—	—	—	—	—			0.532	1.559	0.830	0.185	4.162			
	.00	—	—	—	—	—	—	—	—			0.532	1.559	0.830	0.185	4.162		1.25	53.5
	13~14	—	—	—	—	—	—	—	—			1.575	—	—	—	4.176			
	.10	—	—	—	—	—	—	—	—			0.532	1.559	0.829	0.185	4.162			
	.20	—	—	—	—	—	—	—	—			0.530	1.539	0.829	0.183	4.134			
	.30	—	—	—	—	—	—	—	—			0.530	1.539	0.828	0.181	4.106			
	.40	—	—	—	—	—	—	—	—			0.530	1.539	0.828	0.180	4.093			
	.50	—	—	—	—	—	—	—	—			0.530	1.539	0.827	0.179	4.079			
	.00	—	—	—	—	—	—	—	—			0.530	1.539	0.827	0.177	4.051		1.25	53.5
	14~15	—	—	—	—	—	—	—	—			1.542	—	—	—	4.104			
	.10	—	—	—	—	—	—	—	—			0.530	1.539	0.827	0.176	4.037			
	.20	—	—	—	—	—	—	—	—			0.530	1.539	0.827	0.175	4.024			
	.30	—	—	—	—	—	—	—	—			0.530	1.539	0.827	0.174	4.010			
	.40	—	—	—	—	—	—	—	—			0.529	1.529	0.827	0.172	3.982			
	.50	—	—	—	—	—	—	—	—			0.529	1.529	0.821	0.171	3.969			
	.00	—	—	—	—	—	—	—	—			0.529	1.529	0.820	0.170	3.955		1.25	53.5
	15~16	—	—	—	—	—	—	—	—			1.534	—	—	—	3.996			
	.10	—	—	—	—	—	—	—	—			0.528	1.518	0.819	0.169	3.942			
	.20	—	—	—	—	—	—	—	—			0.528	1.518	0.819	0.168	3.928			
	.30	—	—	—	—	—	—	—	—			0.528	1.518	0.818	0.168	3.928			
	.40	—	—	—	—	—	—	—	—			0.528	1.518	0.818	0.167	3.914			
	.50	—	—	—	—	—	—	—	—			0.528	1.518	0.818	0.166	3.901			
	.00	—	—	—	—	—	—	—	—			0.529	1.529	0.818	0.165	3.887		1.10	54.0
	16~17	—	—	—	—	—	—	—	—			1.520	—	—	—	3.917			
	.10	—	—	—	—	—	—	—	—			0.529	1.529	0.818	0.163	3.860			
	.20	—	—	—	—	—	—	—	—			0.529	1.529	0.818	0.161	3.834			
	.30	—	—	—	—	—	—	—	—			0.529	1.529	0.818	0.160	3.820			
	.40	—	—	—	—	—	—	—	—			0.529	1.529	0.818	0.159	3.807			
	.50	—	—	—	—	—	—	—	—			0.529	1.529	0.818	0.156	3.767		1.10	54.0
	.00	—	—	—	—	—	—	—	—			0.529	1.529	0.818	0.155	3.754			
	17~18	—	—	—	—	—	—	—	—			1.529	—	—	—	3.807			

1969年(昭和44年)

月・日	時・分	雨							南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 葉	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量
6.28	.10	—	—	—	—	—	—	—	—	—	0.529	1.529	0.818	0.154	3.740	—	—	—
	.20	—	—	—	—	—	—	—	—	—	0.528	1.518	0.818	0.152	3.714	—	—	—
	.30	—	—	—	—	—	—	—	—	—	0.528	1.518	0.818	0.152	3.714	—	—	—
	.40	—	—	—	—	—	—	—	—	—	0.528	1.518	0.818	0.151	3.701	—	—	—
	.50	—	—	—	—	—	—	—	—	—	0.528	1.518	0.818	0.150	3.688	—	—	—
	.00	—	—	—	—	—	—	—	—	—	0.528	1.518	0.818	0.151	3.701	1.10	54.0	—
	18~19	—	—	—	—	—	—	—	—	—	—	1.520	—	—	3.710	—	—	—
	.10	—	—	—	—	—	—	—	—	—	0.528	1.518	0.818	0.149	3.674	—	—	—
	.20	—	—	—	—	—	—	—	—	—	0.528	1.518	0.818	0.149	3.674	—	—	—
	.30	—	—	—	—	—	—	—	—	—	0.528	1.518	0.818	0.110	3.180	—	—	—
	.40	—	—	—	—	—	—	—	—	—	0.528	1.518	0.818	0.097	3.024	—	—	—
	.50	—	—	—	—	—	—	—	—	—	0.528	1.518	0.818	0.097	3.024	—	—	—
	.00	—	—	—	—	—	—	—	—	—	0.528	1.518	0.818	0.120	3.304	1.10	54.0	—
	19~20	—	—	—	—	—	—	—	—	—	—	1.518	—	—	3.313	—	—	—
	.10	—	—	—	—	—	—	—	—	—	0.528	1.518	0.818	0.133	3.467	—	—	—
	.20	—	—	—	—	—	—	—	—	—	0.528	1.518	0.818	0.142	3.583	—	—	—
	.30	—	—	—	—	—	—	—	—	—	0.528	1.518	0.818	0.147	3.648	—	—	—
	.40	—	—	—	—	—	—	—	—	—	0.528	1.518	0.818	0.151	3.701	—	—	—
	.50	—	—	—	—	—	—	—	—	—	0.528	1.518	0.818	0.153	3.727	—	—	—
	.00	—	—	—	—	—	—	—	—	—	0.528	1.518	0.818	0.153	3.727	1.10	54.0	—
	20~21	—	—	—	—	—	—	—	—	—	—	1.518	—	—	3.642	—	—	—
	.10	—	—	—	—	—	—	—	—	—	0.528	1.518	0.818	0.154	3.740	—	—	—
	.20	—	—	—	—	—	—	—	—	—	0.528	1.518	0.818	0.155	3.754	—	—	—
	.30	—	—	—	—	—	—	—	—	—	0.528	1.518	0.818	0.155	3.754	—	—	—
	.40	—	—	—	—	—	—	—	—	—	0.528	1.518	0.818	0.155	3.754	—	—	—
	.50	—	—	—	—	—	—	—	—	—	0.528	1.518	0.818	0.156	3.767	—	—	—
	.00	—	—	—	—	—	—	—	—	—	0.528	1.518	0.818	0.157	3.780	1.10	54.0	—
	21~22	—	—	—	—	—	—	—	—	—	—	1.518	—	—	3.758	—	—	—
	.10	—	—	—	—	—	—	—	—	—	0.528	1.518	0.818	0.158	3.794	—	—	—
	.20	—	—	—	—	—	—	—	—	—	0.528	1.518	0.818	0.158	3.794	—	—	—
	.30	—	—	—	—	—	—	—	—	—	0.528	1.518	0.818	0.158	3.794	—	—	—
	.40	—	—	—	—	—	—	—	—	—	0.528	1.518	0.818	0.158	3.794	—	—	—
	.50	—	—	—	—	—	—	—	—	—	0.528	1.518	0.818	0.158	3.794	—	—	—
	.00	—	—	—	—	—	—	—	—	—	0.529	1.529	0.818	0.158	3.794	1.10	54.0	—
	22~23	—	—	—	—	—	—	—	—	—	—	1.520	—	—	3.794	—	—	—
	.10	—	—	—	—	—	—	—	—	—	0.529	1.529	0.818	0.158	3.794	—	—	—
	.20	—	—	—	—	—	—	—	—	—	0.529	1.529	0.818	0.158	3.794	—	—	—
	.30	—	—	—	—	—	—	—	—	—	0.529	1.529	0.818	0.158	3.794	—	—	—
	.40	—	—	—	—	—	—	—	—	—	0.529	1.529	0.818	0.158	3.794	—	—	—
	.50	—	—	—	—	—	—	—	—	—	0.529	1.529	0.818	0.158	3.794	—	—	—
	.00	—	—	—	—	—	—	—	—	—	0.530	1.539	0.818	0.158	3.794	1.10	54.0	—
	23~24	—	—	—	—	—	—	—	—	—	—	1.530	—	—	3.794	—	—	—

1969年(昭和44年)

1969年(昭和44年)																			
月・日	時分	雨							南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸	
		清水 入谷戸	南大沢	別所	大栗 川橋	明神 橋	青木 葉	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
6.29	.10	—	—	—	—	—	—	—	—			0.530	1.539	0.818	0.158	3.794			
	.20	—	—	—	—	—	—	—	—			0.530	1.539	0.818	0.158	3.794			
	.30	—	—	—	—	—	—	—	—			0.530	1.539	0.818	0.158	3.794			
	.40	—	—	—	—	—	—	—	—			0.530	1.539	0.819	0.159	3.887			
	.50	—	—	—	—	—	—	—	—			0.530	1.539	0.819	0.159	3.807			
	.00	—	—	—	—	—	—	—	—			0.530	1.539	0.819	0.159	3.807			
	0~1	—	—	—	—	—	—	—	—			1.539				3.800	1.10		54.0
	.10	—	—	—	—	—	—	—	—			0.530	1.539	0.819	0.160	3.820			
	.20	—	—	—	—	—	—	—	—			0.530	1.539	0.819	0.160	3.820			
	.30	—	—	—	—	—	—	—	—			0.530	1.539	0.819	0.161	3.834			
	.40	—	—	—	—	—	—	—	—			0.530	1.539	0.820	0.162	3.847			
	.50	—	—	—	—	—	—	—	—			0.530	1.539	0.820	0.162	3.847			
	.00	—	—	—	—	—	—	—	—			0.530	1.539	0.820	0.162	3.847			
	1~2	—	—	—	—	—	—	—	—			1.539				3.836	1.10		54.0
	.10	—	—	—	—	—	—	—	—			0.530	1.539	0.820	0.163	3.860			
	.20	—	—	—	—	—	—	—	—			0.530	1.539	0.820	0.163	3.860			
	.30	—	—	—	—	—	—	—	—			0.530	1.539	0.820	0.164	3.874			
	.40	—	—	—	—	—	—	—	—			0.531	1.549	0.820	0.165	3.887			
	.50	—	—	—	—	—	—	—	—			0.531	1.549	0.821	0.167	3.914			
	.00	—	—	—	—	—	—	—	—			0.531	1.549	0.821	0.167	3.914			
	2~3	—	—	—	—	—	—	—	—			1.544				3.885	1.10		54.0
	.10	—	—	—	—	—	—	—	—			0.531	1.549	0.821	0.167	3.914			
	.20	—	—	—	—	—	—	—	—			0.531	1.549	0.821	0.168	3.928			
	.30	—	—	—	—	—	—	—	—			0.531	1.549	0.821	0.168	3.928			
	.40	—	—	—	—	—	—	—	—			0.531	1.549	0.822	0.169	3.942			
	.50	—	—	—	—	—	—	—	—			0.531	1.549	0.822	0.169	3.942			
	.00	—	—	—	—	—	—	—	—			0.532	1.559	0.822	0.170	3.955			
	3~4	—	—	—	—	—	—	—	—			1.551				3.935	1.10		54.0
	.10	—	—	—	—	—	—	—	—			0.532	1.559	0.822	0.171	3.969			
	.20	—	—	—	—	—	—	—	—			0.532	1.559	0.822	0.172	3.982			
	.30	—	—	—	—	—	—	—	—			0.535	1.591	0.822	0.172	3.982			
	.40	—	—	—	—	—	—	—	—			0.535	1.591	0.822	0.172	3.982			
	.50	—	—	—	—	—	—	—	—			0.535	1.591	0.822	0.172	3.982			
	.00	—	—	—	—	—	—	—	—			0.535	1.591	0.824	0.173	3.996			
	4~5	—	—	—	—	—	—	—	—			1.580				3.982	1.10		54.0
	.10	—	—	—	—	—	—	—	—			0.535	1.591	0.824	0.175	4.024			
	.20	—	—	—	—	—	—	—	—			0.535	1.591	0.824	0.175	4.024			
	.30	—	—	—	—	—	—	—	—			0.535	1.591	0.824	0.176	4.037			
	.40	—	—	—	—	—	—	—	—			0.535	1.591	0.824	0.177	4.051			
	.50	—	—	—	—	—	—	—	—			0.535	1.591	0.824	0.178	4.065			
	.00	—	—	—	—	—	—	—	—			0.535	1.591	0.825	0.179	4.079			
	5~6	—	—	—	—	—	—	—	—			1.591				4.047	1.10		54.0

1969年(昭和44年)

月・日		時・分	雨							南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸	
			清水 大谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 葉	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
6.29	.10	—	—	—	—	—	—	—	—	—			0.535	1.591	0.825	0.179	4.079			
	.20	—	—	—	—	—	—	—	—	—			0.535	1.591	0.825	0.179	4.079			
	.30	—	—	—	—	—	—	—	—	—			0.535	1.591	0.825	0.179	4.079			
	.40	—	—	—	—	—	—	—	—	—			0.535	1.591	0.826	0.179	4.079			
	.50	—	—	—	—	—	—	—	—	—			0.535	1.591	0.826	0.179	4.079			
	.00	—	—	—	—	—	—	—	—	—			0.535	1.591	0.827	0.180	4.093	1.10		54.0
	6~7	—	—	—	—	—	—	—	—	—			1.591	1.591			4.081			
	.10	—	—	—	—	—	—	—	—	—			0.535	1.591	0.828	0.180	4.093			
	.20	—	—	—	—	—	—	—	—	—			0.535	1.591	0.828	0.181	4.106			
	.30	—	—	—	—	—	—	—	—	—			0.535	1.591	0.828	0.182	4.120			
	.40	—	—	—	—	—	—	—	—	—			0.535	1.591	0.828	0.182	4.120			
	.50	—	—	—	—	—	—	—	—	—			0.535	1.591	0.828	0.183	4.134			
	.00	—	—	—	—	—	—	—	—	—			0.535	1.591	0.826	0.184	4.148	1.10		54.0
	7~8	—	—	—	—	—	—	—	—	—			1.591	1.591			4.120			
	.10	—	—	—	—	—	—	—	—	—			0.535	1.591	0.828	0.184	4.148			
	.20	—	—	—	—	—	—	—	—	—			0.535	1.591	0.828	0.183	4.134			
	.30	—	—	—	—	—	—	—	—	—			0.535	1.591	0.828	0.183	4.134			
	.40	—	—	—	—	—	—	—	—	—			0.535	1.591	0.828	0.185	4.162			
	.50	—	—	—	—	—	—	—	—	—			0.535	1.591	0.828	0.185	4.162			
	.00	—	—	—	—	—	—	—	—	—			0.535	1.591	0.828	0.185	4.162	1.10		44.0
	8~9	—	—	—	—	—	—	—	—	—			1.591	1.591			4.150			
	.10	—	—	—	—	—	—	—	—	—			0.535	1.591	0.828	0.186	4.176			
	.20	—	—	—	—	—	—	—	—	—			0.535	1.591	0.828	0.186	4.176			
	.30	—	—	—	—	—	—	—	—	—			0.535	1.591	0.828	0.187	4.190			
	.40	—	—	—	—	—	—	—	—	—			0.535	1.591	0.828	0.188	4.204			
	.50	—	—	—	—	—	—	—	—	—			0.535	1.591	0.828	0.188	4.204			
	.00	—	—	—	—	—	—	—	—	—			0.535	1.591	0.828	0.189	4.218	1.10		44.0
	9~10	—	—	—	—	—	—	—	—	—			1.591	1.591			4.195			
	.10	—	—	—	—	—	—	—	—	—			0.535	1.591	0.828	0.189	4.218			
	.20	—	—	—	—	—	—	—	—	—			0.535	1.591	0.828	0.189	4.218			
	.30	—	—	—	—	—	—	—	—	—			0.535	1.591	0.827	0.189	4.218			
	.40	—	—	—	—	—	—	—	—	—			0.535	1.591	0.827	0.190	4.232			
	.50	—	—	—	—	—	—	—	—	—			0.535	1.591	0.827	0.191	4.246			
	.00	—	—	—	—	—	—	—	—	—			0.535	1.591	0.827	0.192	4.260	1.10		43.5
	10~11	—	—	—	—	—	—	—	—	—			1.591	1.591			4.232			
	.10	—	—	—	—	—	—	—	—	—			0.535	1.591	0.826	0.193	4.275			
	.20	—	—	—	—	—	—	—	—	—			0.535	1.591	0.825	0.194	4.289			
	.30	—	—	—	—	—	—	—	—	—			0.535	1.591	0.825	0.195	4.303			
	.40	—	—	—	—	—	—	—	—	—			0.535	1.591	0.824	0.195	4.303			
	.50	—	—	—	—	—	—	—	—	—			0.535	1.591	0.824	0.193	4.275			
	.00	—	—	—	—	—	—	—	—	—			0.535	1.591	0.824	0.192	4.260	1.10		43.5
	11~12	—	—	—	—	—	—	—	—	—			1.591	1.591			4.284			

1969年(昭和44年)

1959年(昭和34年)																			
月・日	時分	雨 量							南大沢		大栗川橋		常盤橋	明 神 橋		報恩橋		関戸	
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 葉	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
6.29	.10	—	—	—	—	—	—	—	—			0.532	1.559	0.823	0.192	4.260			
	.20	—	—	—	—	—	—	—	—			0.532	1.559	0.822	0.192	4.260			
	.30	—	—	—	—	—	—	—	—			0.532	1.559	0.822	0.191	4.246			
	.40	—	—	—	—	—	—	—	—			0.532	1.559	0.822	0.190	4.232			
	.50	—	—	—	—	—	—	—	—			0.532	1.559	0.822	0.190	4.232			
	.00	—	—	—	—	—	—	—	—			0.532	1.559	0.822	0.190	4.232	1.10		43.5
	12~13	—	—	—	—	—	—	—	—			—	1.559	—	—	4.244			
	.10	—	—	—	—	—	—	—	—			0.532	1.559	0.822	0.189	4.218			
	.20	—	—	—	—	—	—	—	—			0.532	1.559	0.822	0.189	4.218			
	.30	—	—	—	—	—	—	—	—			0.532	1.559	0.822	0.188	4.204			
	.40	—	—	—	—	—	—	—	—			0.532	1.559	0.821	0.188	4.204			
	.50	—	—	—	—	—	—	—	—			0.532	1.559	0.821	0.187	4.190			
	.00	—	—	—	—	—	—	—	—			0.530	1.539	0.821	0.186	4.176	1.10		43.5
	13~14	—	—	—	—	—	—	—	—			—	1.556	—	—	4.202			
	.10	—	—	—	—	—	—	—	—			0.530	1.539	0.821	0.186	4.176			
	.20	—	—	—	—	—	—	—	—			0.530	1.539	0.821	0.186	4.176			
	.30	—	—	—	—	—	—	—	—			0.530	1.539	0.821	0.183	4.134			
	.40	—	—	—	—	—	—	—	—			0.530	1.539	0.821	0.182	4.120			
	.50	—	—	—	—	—	—	—	—			0.530	1.539	0.821	0.182	4.120			
	.00	—	—	—	—	—	—	—	—			0.530	1.539	0.821	0.181	4.106	1.10		43.5
	14~15	—	—	—	—	—	—	—	—			—	1.539	—	—	4.139			
	.10	—	—	—	—	—	—	—	—			0.530	1.539	0.821	0.180	4.093			
	.20	—	—	—	—	—	—	—	—			0.530	1.539	0.821	0.179	4.079			
	.30	—	—	—	—	—	—	—	—			0.530	1.539	0.821	0.178	4.065			
	.40	—	—	—	—	—	—	—	—			0.530	1.539	0.821	0.178	4.065			
	.50	—	—	—	—	—	—	—	—			0.530	1.539	0.821	0.177	4.051			
	.00	—	—	—	—	—	—	—	—			0.530	1.539	0.821	0.196	4.317	1.10		43.5
	15~16	—	—	—	—	—	—	—	—			—	1.539	—	—	4.112			
	.10	—	—	—	—	—	—	—	—			0.530	1.539	0.821	0.175	4.024			
	.20	—	—	—	—	—	—	—	—			0.530	1.539	0.821	0.178	4.065			
	.30	—	—	—	—	—	—	—	—			0.530	1.539	0.821	0.178	4.065			
	.40	—	—	—	—	—	—	—	—			0.530	1.539	0.821	0.178	4.065			
	.50	—	—	—	—	—	—	—	—			0.530	1.539	0.821	0.178	4.065			
	.00	—	—	—	—	—	—	—	—			0.530	1.539	0.821	0.178	4.065	1.10		43.0
	16~17	—	—	—	—	—	—	—	—			—	1.539	—	—	4.058			
	.10	—	—	—	—	—	—	—	—			0.530	1.539	0.820	0.178	4.065			
	.20	—	—	—	—	—	—	—	—			0.530	1.539	0.820	0.178	4.065			
	.30	—	—	—	—	—	—	—	—			0.530	1.539	0.820	0.177	4.051			
	.40	—	—	—	—	—	—	—	—			0.530	1.539	0.820	0.177	4.051			
	.50	—	—	—	—	—	—	—	—			0.530	1.539	0.820	0.178	4.065			
	.00	—	—	—	—	—	—	—	—			0.530	1.539	0.820	0.178	4.065	1.10		43.0
	17~18	—	—	0.5	—	—	—	—	—			—	1.539	—	—	4.060			

1969年(昭和44年)

月・日	時・分	雨							南大沢		大栗川橋		常盤橋	明神橋			報恩橋		関戸
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 葉	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
6.29	.10	—	—	—	—	—	—	—	—	—	—	0.535	1.591	0.820	0.178	4.065	—	—	—
	.20	—	—	—	—	—	—	—	—	—	—	0.535	1.591	0.820	0.179	4.079	—	—	—
	.30	—	—	—	—	—	—	—	—	—	—	0.535	1.591	0.820	0.179	4.079	—	—	—
	.40	—	—	—	—	—	—	—	—	—	—	0.535	1.591	0.820	0.178	4.065	—	—	—
	.50	—	—	—	—	—	—	—	—	—	—	0.535	1.591	0.820	0.174	4.010	—	—	—
	.00	—	—	—	—	—	—	—	—	—	—	0.535	1.591	0.820	0.170	3.955	1.25	43.0	—
	18-19	—	—	—	—	—	—	—	—	—	—	—	1.591	—	—	4.042	—	—	—
	.10	—	—	—	—	—	—	—	—	—	—	0.535	1.591	0.820	0.169	3.942	—	—	—
	.20	—	—	—	—	—	—	—	—	—	—	0.535	1.591	0.820	0.169	3.942	—	—	—
	.30	—	—	—	—	—	—	—	—	—	—	0.535	1.591	0.821	0.171	3.969	—	—	—
	.40	—	—	—	—	—	—	—	—	—	—	0.540	1.644	0.821	0.173	3.996	—	—	—
	.50	—	—	—	—	—	—	—	—	—	—	0.540	1.644	0.821	0.174	4.010	—	—	—
	.00	—	—	—	—	—	—	—	—	—	—	0.540	1.644	0.822	0.175	4.024	1.25	43.0	—
	19-20	—	—	—	—	—	—	—	—	—	—	—	1.617	—	—	3.980	—	—	—
	.10	—	—	—	—	—	—	—	—	—	—	0.540	1.644	0.822	0.175	4.024	—	—	—
	.20	—	—	—	—	—	—	—	—	—	—	0.540	1.644	0.822	0.176	4.037	—	—	—
	.30	—	—	—	—	—	—	—	—	—	—	0.540	1.644	0.825	0.179	4.079	—	—	—
	.40	—	—	—	—	—	—	—	—	—	—	0.540	1.644	0.828	0.180	4.093	—	—	—
	.50	—	—	—	—	0.5	—	—	—	—	—	0.540	1.644	0.828	0.181	4.106	—	—	—
	.00	—	—	—	—	—	—	—	—	—	—	0.540	1.644	0.828	0.183	4.134	1.41	43.0	—
	20-21	—	—	—	—	0.5	—	—	—	—	—	—	1.614	—	—	4.079	—	—	—
	.10	—	—	—	—	0.5	—	—	—	—	—	0.540	1.644	0.828	0.185	4.162	—	—	—
	.20	—	—	—	—	—	—	—	—	—	—	0.540	1.644	0.828	0.186	4.176	—	—	—
	.30	—	—	—	—	—	—	—	—	—	—	0.540	1.644	0.828	0.187	4.190	—	—	—
	.40	—	—	—	—	—	0.5	—	—	—	—	0.540	1.644	0.828	0.189	4.218	—	—	—
	.50	—	—	—	—	—	—	—	—	—	—	0.540	1.644	0.828	0.192	4.260	—	—	—
	.00	—	—	—	—	—	—	—	—	—	—	0.540	1.644	0.828	0.197	4.331	1.41	43.0	—
	21-22	—	—	—	—	0.5	0.5	—	—	—	—	—	1.644	—	—	4.223	—	—	—
	.10	—	—	—	—	—	—	—	—	—	—	0.540	1.644	0.829	0.199	4.360	—	—	—
	.20	—	—	—	—	—	—	—	—	—	—	0.540	1.644	0.829	0.202	4.403	—	—	—
	.30	—	—	—	—	0.5	—	—	—	—	—	0.540	1.644	0.829	0.204	4.432	—	—	—
	.40	—	—	—	—	—	—	—	—	—	—	0.540	1.644	0.829	0.204	4.432	—	—	—
	.50	—	—	—	—	—	—	—	—	—	—	0.540	1.644	0.829	0.203	4.417	—	—	—
	.00	—	—	—	—	—	—	—	—	—	—	0.540	1.644	0.830	0.202	4.403	1.41	43.0	—
	22-23	—	—	—	—	0.5	—	—	—	—	—	—	1.644	—	—	4.408	—	—	—
	.10	—	—	—	—	—	—	—	—	—	—	0.540	1.644	0.830	0.201	4.389	—	—	—
	.20	—	—	—	—	—	—	—	—	—	—	0.540	1.644	0.830	0.201	4.389	—	—	—
	.30	—	—	—	—	—	—	—	—	—	—	0.540	1.644	0.830	0.201	4.389	—	—	—
	.40	—	—	—	—	—	—	—	—	—	—	0.540	1.644	0.830	0.200	4.374	—	—	—
	.50	—	—	—	—	—	—	—	—	—	—	0.540	1.644	0.830	0.200	4.374	—	—	—
	.00	—	—	—	—	—	—	—	—	—	—	0.540	1.644	0.830	0.201	4.389	1.41	43.0	—
	23-24	—	—	—	—	—	—	—	—	—	—	—	1.644	—	—	4.384	—	—	—

1969年(昭和44年)

1969年(昭和44年)																			
月・日	時分	雨							南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸	
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 葵	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
8.23	.10	—	—	—	—	—	—	—	0.002	0.001	0.490	1.624	0.720	0.027	4.581				
	.20	—	—	—	—	—	—	—	0.002	0.001	0.490	1.624	0.720	0.027	4.581				
	.30	—	—	—	—	—	—	—	0.002	0.001	0.490	1.624	0.720	0.027	4.581				
	.40	—	—	—	—	—	—	—	0.002	0.001	0.490	1.624	0.720	0.027	4.581				
	.50	—	—	—	—	—	—	—	0.002	0.001	0.490	1.624	0.720	0.027	4.581				
	.00	—	—	—	—	—	—	—	0.002	0.001	0.490	1.624	0.720	0.027	4.581				
	0~1	—	—	—	—	—	—	—	0.001	—	—	1.624	—	—	4.581	0.40		30.0	
	.10	—	—	—	—	—	—	—	0.002	0.001	0.490	1.624	0.720	0.027	4.581				
	.20	—	—	—	—	—	—	—	0.002	0.001	0.490	1.624	0.720	0.027	4.581				
	.30	—	—	—	—	—	—	—	0.002	0.001	0.490	1.624	0.720	0.027	4.581				
	.40	—	—	—	—	—	—	—	0.002	0.001	0.490	1.624	0.720	0.027	4.581				
	.50	—	—	—	—	—	—	—	0.002	0.001	0.490	1.624	0.720	0.027	4.581				
	.00	—	—	—	—	—	—	—	0.002	0.001	0.490	1.624	0.720	0.027	4.581				
	1~2	—	—	—	—	—	—	—	0.001	—	—	1.624	—	—	4.581	0.40		30.0	
	.10	—	—	—	—	—	—	—	0.002	0.001	0.490	1.624	0.720	0.027	4.581				
	.20	—	—	—	—	—	—	—	0.002	0.001	0.493	1.642	0.720	0.027	4.581				
	.30	0.5	—	—	—	1.0	—	—	—	0.002	0.001	0.493	1.642	0.725	0.027	4.581			
	.40	1.0	0.5	—	3.5	1.5	—	—	—	0.002	0.001	0.493	1.642	0.722	0.027	4.581			
	.50	0.5	—	—	—	0.5	0.5	—	—	0.002	0.001	0.493	1.642	0.725	0.027	4.581			
	.00	—	0.5	—	—	—	—	—	—	0.002	0.001	0.493	1.642	0.725	0.027	4.581	0.83		30.0
	2~3	2.0	1.0	3.5	3.0	0.5	—	—	—	0.001	—	—	1.639	—	—	4.581			
	.10	—	—	1.0	—	—	—	—	—	0.003	0.001	0.493	1.642	0.725	0.027	4.581			
	.20	—	—	—	—	—	—	—	—	0.003	0.001	0.495	1.653	0.728	0.027	4.581			
	.30	—	—	—	—	—	—	—	—	0.003	0.001	0.495	1.653	0.728	0.027	4.581			
	.40	—	—	—	—	—	—	—	—	0.003	0.001	0.495	1.653	0.720	0.027	4.581			
	.50	—	—	—	—	—	—	—	—	0.003	0.001	0.495	1.653	0.729	0.027	4.581			
	.00	—	—	—	—	—	—	—	—	0.003	0.001	0.495	1.653	0.730	0.027	4.581	0.59		30.0
	3~4	—	—	1.0	—	—	—	—	—	0.001	—	—	1.651	—	—	4.581			
	.10	—	—	—	—	—	—	—	—	0.003	0.001	0.495	1.653	0.730	0.027	4.581			
	.20	—	—	—	—	—	—	—	—	0.003	0.001	0.495	1.653	0.730	0.027	4.581			
	.30	—	—	—	—	—	—	—	—	0.003	0.001	0.495	1.653	0.730	0.027	4.581			
	.40	—	—	—	—	—	—	—	—	0.003	0.001	0.495	1.653	0.730	0.027	4.581			
	.50	—	—	—	—	—	—	—	—	0.003	0.001	0.495	1.653	0.730	0.027	4.581			
	.00	—	—	—	—	—	—	—	—	0.003	0.001	0.495	1.653	0.730	0.027	4.581			
	4~5	—	—	—	—	—	—	—	—	0.001	—	—	1.653	—	—	4.581	0.70		29.5
	.10	—	—	—	—	—	—	—	—	0.003	0.001	0.495	1.653	0.730	0.027	4.581			
	.20	—	—	—	—	—	—	—	—	0.004	0.001	0.495	1.653	0.730	0.027	4.581			
	.30	—	—	—	—	—	—	—	—	0.004	0.001	0.495	1.653	0.730	0.027	4.581			
	.40	—	—	—	—	—	—	—	—	0.004	0.001	0.495	1.653	0.730	0.027	4.581			
	.50	—	—	—	—	—	—	—	—	0.004	0.001	0.495	1.653	0.730	0.027	4.581			
	.00	—	—	—	—	—	—	—	—	0.004	0.001	0.495	1.653	0.730	0.027	4.581			
	5~6	—	—	—	—	—	—	—	—	0.001	—	—	1.653	—	—	4.581	0.40		29.0

1969年(昭和44年)

月・日	時・分	雨							南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸	
		清水 大谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 築	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
8.23	.10	—	—	—	—	—	—	—	—	0.004	0.001	0.495	1.653	0.730	0.027	4.581			
	.20	—	—	—	—	—	—	—	—	0.004	0.001	0.495	1.653	0.730	0.027	4.581			
	.30	—	—	—	0.5	—	—	—	—	0.004	0.001	0.500	1.683	0.730	0.040	4.891			
	.40	—	—	—	—	—	—	—	—	0.004	0.001	0.500	1.683	0.730	0.040	4.891			
	.50	1.0	—	—	—	—	—	—	—	0.004	0.001	0.500	1.683	0.730	0.030	4.652			
	.00	—	0.5	—	—	—	—	—	—	0.004	0.001	0.500	1.683	0.730	0.030	4.652			
	6~7	1.0	0.5	0.5	0.5	—	—	—	—	0.004	0.001	0.500	1.683	0.730	0.030	4.652	0.70		29.0
	.10	—	—	—	—	1.0	—	—	—	0.004	0.001	0.505	1.713	0.730	0.029	4.628			
	.20	—	—	—	0.5	—	—	—	—	0.005	0.002	0.510	1.743	0.730	0.029	4.628			
	.30	—	0.5	—	—	—	—	—	—	0.007	0.003	0.510	1.743	0.730	0.029	4.628			
	.40	0.5	—	0.5	—	—	—	—	—	0.008	0.003	0.510	1.743	0.731	0.029	4.628			
	.50	—	0.5	—	0.5	—	1.0	—	—	0.009	0.004	0.510	1.743	0.731	0.029	4.628			
	.00	0.5	—	0.5	—	—	0.5	—	—	0.010	0.004	0.510	1.743	0.732	0.029	4.628			
	7~8	1.0	1.0	1.0	1.0	1.0	1.5	—	—	0.003	0.003	0.510	1.738	0.732	0.029	4.628	1.10		29.0
	.10	—	0.5	—	—	—	—	—	—	0.010	0.004	0.510	1.743	0.732	0.028	4.604			
	.20	—	—	—	1.5	—	—	0.5	—	0.010	0.004	0.515	1.773	0.735	0.028	4.604			
	.30	1.0	0.5	1.5	1.0	—	—	—	—	0.011	0.005	0.515	1.773	0.738	0.028	4.604			
	.40	1.0	1.0	1.0	0.5	2.0	—	0.5	—	0.012	0.005	0.520	1.804	0.740	0.028	4.604			
	.50	1.0	1.0	1.0	1.5	1.0	—	1.5	—	0.013	0.006	0.520	1.804	0.745	0.028	4.604			
	.00	0.5	0.5	—	2.5	1.0	—	0.5	—	0.016	0.008	0.525	1.835	0.750	0.028	4.604			
	8~9	3.5	3.5	3.5	7.0	4.0	—	3.0	—	0.005	0.005	0.525	1.789	0.750	0.028	4.604	3.83		29.0
	.10	3.0	0.5	4.0	12.5	0.5	—	1.0	—	0.018	0.010	0.530	1.866	0.760	0.028	4.604			
	.20	7.5	6.0	7.5	7.5	2.0	—	4.5	—	0.027	0.017	0.540	1.929	0.770	0.028	4.604			
	.30	4.0	8.0	4.0	2.5	4.0	—	6.5	—	0.060	0.056	0.550	1.993	0.800	0.028	4.604			
	.40	3.0	3.0	3.5	1.0	3.0	—	4.5	—	0.126	0.175	0.570	2.124	0.855	0.028	4.604			
	.50	2.0	2.0	2.0	2.0	4.0	—	2.0	—	0.130	0.184	0.590	2.260	0.860	0.028	4.604			
	.00	1.0	1.5	1.5	2.5	0.5	—	1.0	—	0.112	0.146	0.620	2.471	0.860	0.060	5.389	6.34		52.0
	9~10	2.0	2.1	2.2	28.0	1.4	—	1.9	—	0.098	0.098	0.620	2.107	0.860	0.060	4.735			
	.10	4.0	3.5	3.5	1.5	0.5	—	—	—	0.110	0.142	0.630	2.543	0.865	0.090	6.180			
	.20	3.0	3.5	2.5	6.5	3.5	—	4.0	—	0.112	0.146	0.670	2.843	0.870	0.100	6.456			
	.30	0.5	2.5	1.0	1.0	1.5	—	1.5	—	0.139	0.204	0.730	3.325	0.890	0.100	6.456			
	.40	1.0	0.5	0.5	—	0.5	—	0.5	—	0.138	0.202	0.760	3.580	0.915	0.110	6.738			
	.50	0.5	1.0	0.5	—	—	—	—	—	0.126	0.175	0.780	3.756	0.930	0.150	7.926			
	.00	0.5	0.5	0.5	0.5	—	—	0.5	0.5	0.114	0.150	0.800	3.935	0.950	0.160	8.238	5.99		56.0
	10~11	9.5	1.5	8.5	9.5	6.0	—	6.5	0.5	0.170	0.170	0.800	3.331	0.950	0.160	6.999			
	.10	0.5	—	0.5	—	—	—	—	—	0.110	0.142	0.815	4.072	0.980	0.165	8.396			
	.20	—	1.0	—	—	—	—	—	—	0.104	0.130	0.820	4.119	1.020	0.155	8.081			
	.30	—	—	—	—	0.5	—	—	—	0.099	0.120	0.820	4.119	1.040	0.155	8.081			
	.40	—	—	—	—	—	—	—	0.5	0.095	0.113	0.815	4.072	1.050	0.155	8.081			
	.50	1.0	0.5	—	—	—	—	—	—	0.090	0.104	0.790	3.845	1.060	0.155	8.081			
	.00	0.5	0.5	—	—	—	—	0.5	1.0	0.085	0.095	0.780	3.756	1.065	0.159	8.207	7.06		56.0
	11~12	2.0	2.0	1.5	—	0.5	—	0.5	2.5	0.117	0.117	0.780	3.997	1.065	0.159	8.155			

1969年(昭和44年)

月・日	時分	雨							南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 菜	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量
8.23	.10	—	—	0.5	0.5	0.5	—	0.5	0.082	0.090	0.770	3.667	1.065	0.170	8.556			
	.20	—	—	—	—	—	—	2.5	0.080	0.087	0.755	3.537	1.060	0.185	9.045			
	.30	—	—	—	—	—	—	3.5	0.075	0.079	0.750	3.494	1.050	0.200	9.546			
	.40	—	—	—	0.5	—	—	6.0	0.071	0.072	0.740	3.409	1.049	0.220	10.237			
	.50	—	—	—	—	—	—	6.0	0.066	0.065	0.730	3.325	1.040	0.225	10.413			
	.00	—	—	—	0.5	—	—	0.5	1.0	0.060	0.056	0.720	3.242	1.030	0.235	10.770	6.34	54.0
	12~13	—	—	0.5	1.5	0.5	—	0.5	19.5	—	0.075	—	3.446	—	—	9.761		
	.10	—	0.5	—	—	—	—	—	0.058	0.053	0.715	3.201	1.020	0.235	10.770			
	.20	—	—	—	—	—	—	3.0	0.056	0.051	0.710	3.161	1.000	0.235	10.770			
	.30	—	—	—	—	—	—	2.0	0.053	0.047	0.700	3.080	0.990	0.235	10.770			
	.40	—	—	—	—	—	—	1.0	0.051	0.044	0.690	3.000	0.982	0.230	10.591			
	.50	—	—	—	—	—	0.5	0.5	0.048	0.040	0.685	2.960	0.972	0.220	10.237			
	.00	—	—	—	—	—	0.5	—	0.047	0.039	0.675	2.882	0.970	0.215	10.062	5.01	50.0	
	13~14	—	0.5	—	—	—	1.0	—	6.5	—	0.046	—	3.047	—	—	10.533		
	.10	—	—	—	—	—	1.0	0.5	0.044	0.035	0.670	2.843	0.960	0.205	9.717			
	.20	—	—	—	—	—	0.5	—	0.042	0.033	0.660	2.767	0.952	0.200	9.546			
	.30	—	—	—	—	—	0.5	—	0.041	0.032	0.660	2.767	0.950	0.190	9.210			
	.40	—	—	—	—	—	2.0	—	0.039	0.029	0.650	2.691	0.942	0.180	8.880			
	.50	—	—	—	—	—	4.0	—	0.037	0.027	0.649	2.684	0.935	0.170	8.556			
	.00	—	—	—	—	—	2.5	—	0.036	0.026	0.640	2.617	0.930	0.165	8.396	4.11	50.0	
	14~15	—	—	—	—	—	1.0	0.5	0.5	—	0.030	—	2.728	—	—	9.051		
.10	—	—	—	—	—	3.0	0.5	0.034	0.024	0.639	2.609	0.925	0.160	8.238				
.20	—	—	—	—	—	1.0	—	0.033	0.023	0.637	2.595	0.920	0.150	7.926				
.30	—	—	—	—	—	0.5	—	0.032	0.022	0.630	2.543	0.915	0.145	7.772				
.40	—	—	—	—	—	3.5	—	0.031	0.021	0.625	2.507	0.910	0.140	7.620				
.50	—	—	—	—	—	2.0	—	0.030	0.020	0.620	2.471	0.905	0.130	7.320				
.00	—	—	—	—	—	0.5	0.5	0.029	0.019	0.620	2.471	0.900	0.125	7.172	3.30	48.0		
15~16	—	—	—	—	—	1.0	1.0	—	0.022	—	—	2.533	—	—	7.675			
.10	—	—	—	—	—	1.0	—	0.028	0.018	0.615	2.435	0.895	0.120	7.026				
.20	—	—	—	—	—	—	—	0.027	0.017	0.610	2.399	0.892	0.115	6.881				
.30	—	—	—	—	—	0.5	—	0.026	0.016	0.635	2.580	0.890	0.100	6.456				
.40	—	—	—	—	—	—	—	0.026	0.016	0.600	2.329	0.885	0.105	6.597				
.50	—	—	—	—	—	—	—	0.026	0.016	0.600	2.329	0.885	0.100	6.456				
.00	—	—	—	—	—	—	—	0.025	0.015	0.598	2.315	0.880	0.090	6.180	2.82	46.0		
16~17	—	—	—	—	—	1.5	—	—	0.016	—	—	2.398	—	—	6.600			
.10	—	—	—	—	—	—	—	0.025	0.015	0.595	2.294	0.875	0.090	6.180				
.20	—	—	—	—	—	0.5	—	0.025	0.015	0.592	2.273	0.870	0.098	6.401				
.30	—	—	—	—	—	—	—	0.024	0.014	0.590	2.260	0.865	0.085	6.045				
.40	—	—	—	—	—	0.5	—	0.024	0.014	0.590	2.260	0.865	0.080	5.911				
.50	—	—	—	—	—	—	—	0.023	0.014	0.589	2.253	0.860	0.075	5.778	2.59	44.0		
.00	—	—	—	—	—	0.5	—	0.022	0.013	0.588	2.246	0.860	0.073	5.725				
17~18	—	—	—	—	—	1.5	—	—	0.014	—	—	2.264	—	—	6.007			

1969年(昭和44年)

月・日	時・分	雨							南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸	
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 葉	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
8.23	.10	—	—	—	—	—	—	—	0.022	0.013	0.585	2.225	0.855	0.070	5.647				
	.20	—	—	—	—	—	—	—	0.022	0.013	0.580	2.191	0.855	0.068	5.595				
	.30	—	—	—	—	—	—	—	0.022	0.013	0.575	2.158	0.852	0.065	5.517				
	.40	—	—	—	—	—	—	—	0.021	0.012	0.575	2.158	0.850	0.060	5.389				
	.50	—	—	—	—	—	—	—	0.021	0.012	0.575	2.158	0.849	0.059	5.364				
	.00	—	—	—	—	—	—	—	0.020	0.011	0.575	2.158	0.848	0.058	5.338		5.01	45.0	
	18-19	—	—	—	—	—	—	—	0.012	0.012	2.175				5.475				
	.10	—	—	—	—	—	—	—	0.020	0.011	0.575	2.158	0.843	0.055	5.262				
	.20	—	—	—	—	—	—	—	0.020	0.011	0.570	2.124	0.840	0.050	5.137				
	.30	—	—	—	—	—	—	—	0.020	0.011	0.570	2.124	0.838	0.050	5.137				
	.40	—	—	—	—	—	—	—	0.020	0.011	0.568	2.111	0.836	0.048	5.088				
	.50	—	—	—	—	—	—	—	0.019	0.010	0.568	2.111	0.835	0.045	5.014				
	.00	—	—	—	—	—	—	—	0.019	0.010	0.568	2.111	0.835	0.042	4.940		2.16	45.0	
	19-20	—	—	—	—	—	—	—	—	0.011	2.123				5.096				
	.10	—	—	—	—	—	—	—	—	0.019	0.010	0.568	2.111	0.832	0.041	4.916			
	.20	—	—	—	—	—	—	—	—	0.019	0.010	0.570	2.124	0.830	0.040	4.891			
	.30	—	—	—	—	—	—	—	—	0.019	0.010	0.570	2.124	0.829	0.040	4.891			
	.40	—	—	—	—	—	—	—	—	0.019	0.010	0.570	2.124	0.825	0.040	4.891			
	.50	—	—	—	—	—	—	—	—	0.019	0.010	0.572	2.138	0.825	0.040	4.891			
	.00	—	—	—	—	—	—	—	—	0.018	0.010	0.572	2.138	0.825	0.039	4.867		1.96	43.0
	20-21	—	—	—	—	—	—	—	—	0.010	2.126				4.891				
	.10	—	—	—	—	—	—	—	—	0.018	0.010	0.570	2.124	0.825	0.038	4.843			
	.20	—	—	—	—	—	—	—	—	0.018	0.010	0.570	2.124	0.825	0.038	4.843			
	.30	—	—	—	—	—	—	—	—	0.018	0.010	0.570	2.124	0.825	0.038	4.843			
	.40	—	—	—	—	—	—	—	—	0.018	0.010	0.570	2.124	0.825	0.038	4.843			
	.50	—	—	—	—	—	—	—	—	0.018	0.010	0.568	2.111	0.828	0.038	4.843			
	.00	—	—	—	—	—	—	—	—	0.017	0.009	0.575	2.158	0.830	0.037	4.819		1.76	43.0
	21-22	—	—	—	—	—	—	—	—	0.010	2.128				4.829				
	.10	—	—	—	—	—	—	—	—	0.017	0.009	0.572	2.138	0.830	0.037	4.819			
	.20	—	—	—	—	—	—	—	—	0.017	0.009	0.570	2.124	0.830	0.037	4.819			
	.30	—	—	—	—	—	—	—	—	0.017	0.009	0.570	2.124	0.825	0.037	4.819			
	.40	—	—	—	—	—	—	—	—	0.017	0.009	0.570	2.124	0.823	0.037	4.819			
	.50	—	—	—	—	—	—	—	—	0.017	0.009	0.570	2.124	0.820	0.037	4.819			
	.00	—	—	—	—	—	—	—	—	0.017	0.009	0.570	2.124	0.820	0.037	4.819		1.58	42.0
	22-23	—	—	—	—	—	—	—	—	0.009	2.126				4.819				
	.10	—	—	—	—	—	—	—	—	0.017	0.009	0.570	2.124	0.820	0.037	4.819			
	.20	—	—	—	—	—	—	—	—	0.017	0.009	0.570	2.124	0.818	0.037	4.819			
	.30	—	—	—	—	—	—	—	—	0.017	0.009	0.570	2.124	0.818	0.037	4.819			
	.40	—	—	—	—	—	—	—	—	0.017	0.009	0.570	2.124	0.816	0.037	4.819			
	.50	—	—	—	—	—	—	—	—	0.017	0.009	0.570	2.124	0.815	0.037	4.819			
	.00	—	—	—	—	—	—	—	—	0.016	0.008	0.569	2.118	0.813	0.037	4.819		1.58	42.0
	23-24	—	—	—	—	—	—	—	—	0.009	2.123				4.819				

1969 年 (昭和 44 年)

1955年(昭和30年)		雨 量							南大沢		大栗川橋		常盤橋	明 神 橋		報恩橋		関戸		
月・日	時分	清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 栗	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位	
8.24	.10	—	—	—	—	—	—	—	—	0.016	0.008	0.569	2.118	0.812	0.035	4.771				
	.20	—	—	—	—	—	—	—	—	0.016	0.008	0.568	2.111	0.812	0.035	4.771				
	.30	—	—	—	—	—	—	—	—	0.016	0.008	0.568	2.111	0.812	0.035	4.771				
	.40	—	—	—	—	—	—	—	—	0.016	0.008	0.568	2.111	0.812	0.035	4.771				
	.50	—	—	—	—	—	—	—	—	0.016	0.008	0.568	2.111	0.812	0.035	4.771				
	0 ~ 1	—	—	—	—	—	—	—	—	0.015	0.007	0.565	2.091	0.810	0.035	4.771		1.25	41.5	
											0.008		2.109				4.771			
	.10	—	—	—	—	—	—	—	—	0.015	0.007	0.565	2.091	0.810	0.035	4.771				
	.20	—	—	—	—	—	—	—	—	0.015	0.007	0.565	2.091	0.810	0.035	4.771				
	.30	—	—	—	—	—	—	—	—	0.015	0.007	0.565	2.091	0.810	0.035	4.771				
	.40	—	—	—	—	—	—	—	—	0.015	0.007	0.565	2.091	0.810	0.035	4.771				
	.50	—	—	—	—	—	—	—	—	0.015	0.007	0.565	2.091	0.810	0.035	4.771				
	1 ~ 2	—	—	—	—	—	—	—	—	0.015	0.007	0.563	2.078	0.810	0.035	4.771		1.25	41.0	
											0.007		2.089				4.771			
	.10	—	—	—	—	—	—	—	—	0.015	0.007	0.563	2.078	0.809	0.035	4.771				
	.20	—	—	—	—	—	—	—	—	0.015	0.007	0.563	2.078	0.809	0.035	4.771				
	.30	—	—	—	—	—	—	—	—	0.015	0.007	0.563	2.078	0.808	0.035	4.771				
	.40	—	—	—	—	—	—	—	—	0.015	0.007	0.560	2.058	0.808	0.035	4.771				
	.50	—	—	—	—	—	—	—	—	0.015	0.007	0.563	2.078	0.805	0.035	4.771				
	2 ~ 3	—	—	—	—	—	—	—	—	0.015	0.007	0.563	2.078	0.805	0.035	4.771		1.25	41.0	
											0.007		2.074				4.771			
	.10	—	—	—	—	—	—	—	—	0.015	0.007	0.563	2.078	0.803	0.035	4.771				
	.20	—	—	—	—	—	—	—	—	0.015	0.007	0.563	2.078	0.803	0.035	4.771				
	.30	—	—	—	—	—	—	—	—	0.015	0.007	0.563	2.078	0.803	0.035	4.771				
	.40	—	—	—	—	—	—	—	—	0.015	0.007	0.563	2.078	0.803	0.035	4.771				
	.50	—	—	—	—	—	—	—	—	0.015	0.007	0.563	2.078	0.802	0.035	4.771				
	3 ~ 4	—	—	—	—	—	—	—	—	0.013	0.006	0.563	2.078	0.802	0.035	4.771		1.10	41.0	
											0.007		2.078				4.771			
	.10	—	—	—	—	—	—	—	—	0.013	0.006	0.563	2.078	0.802	0.035	4.771				
	.20	—	—	—	—	—	—	—	—	0.013	0.006	0.563	2.078	0.801	0.035	4.771				
	.30	—	—	—	—	—	—	—	—	0.013	0.006	0.563	2.078	0.801	0.035	4.771				
	.40	—	—	—	—	—	—	—	—	0.013	0.006	0.563	2.078	0.800	0.035	4.771				
	.50	—	—	—	—	—	—	—	—	0.013	0.006	0.563	2.078	0.800	0.035	4.771				
	4 ~ 5	—	—	—	—	—	—	—	—	0.013	0.006	0.563	2.078	0.800	0.035	4.771		0.59	40.0	
											0.006		2.078				4.771			
	.10	—	—	—	—	—	—	—	—	0.013	0.006	0.563	2.078	0.800	0.035	4.771				
	.20	—	—	—	—	—	—	—	—	0.013	0.006	0.563	2.078	0.800	0.035	4.771				
	.30	—	—	—	—	—	—	—	—	0.013	0.006	0.563	2.078	0.800	0.035	4.771				
	.40	—	—	—	—	—	—	—	—	0.013	0.006	0.563	2.078	0.800	0.035	4.771				
	.50	—	—	—	—	—	—	—	—	0.013	0.006	0.563	2.078	0.800	0.035	4.771				
	5 ~ 6	—	—	—	—	—	—	—	—	0.013	0.006	0.563	2.078	0.800	0.035	4.771		1.10	40.0	
											0.006		2.078				4.771			

1969年(昭和44年)

月・日	時・分	雨								南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 菜	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
8.24	.10	—	—	—	—	—	—	—	—	0.013	0.006	0.563	2.078	0.800	0.032	4.699			
	.20	—	—	—	—	—	—	—	—	0.013	0.006	0.560	2.058	0.800	0.032	4.699			
	.30	—	—	—	—	—	—	—	—	0.013	0.006	0.559	2.051	0.800	0.032	4.699			
	.40	—	—	—	—	—	—	—	—	0.013	0.006	0.559	2.051	0.800	0.032	4.699			
	.50	—	—	—	—	—	—	—	—	0.013	0.006	0.559	2.051	0.799	0.032	4.699			
	.00	—	—	—	—	—	—	—	—	0.013	0.006	0.559	2.051	0.798	0.032	4.699			
	6~7	—	—	—	—	—	—	—	—	0.013	0.006	0.559	2.057	0.800	0.032	4.699	1.10	40.0	
	.10	—	—	—	—	—	—	—	—	0.013	0.006	0.559	2.051	0.798	0.032	4.699			
	.20	—	—	—	—	—	—	—	—	0.013	0.006	0.559	2.051	0.798	0.032	4.699			
	.30	—	—	—	—	—	—	—	—	0.013	0.006	0.559	2.051	0.797	0.032	4.699			
	.40	—	—	—	—	—	—	—	—	0.013	0.006	0.559	2.051	0.797	0.032	4.699			
	.50	—	—	—	—	—	—	—	—	0.013	0.006	0.559	2.051	0.796	0.032	4.699			
	.00	—	—	—	—	—	—	—	—	0.013	0.006	0.557	2.038	0.796	0.032	4.699			
	7~8	—	—	—	—	—	—	—	—	0.013	0.006	0.557	2.049	0.796	0.032	4.699	1.10	40.0	
	.10	—	—	—	—	—	—	—	—	0.013	0.006	0.557	2.038	0.795	0.032	4.699			
	.20	—	—	—	—	—	—	—	—	0.013	0.006	0.557	2.038	0.795	0.032	4.699			
	.30	—	—	—	—	—	—	—	—	0.013	0.006	0.557	2.038	0.795	0.032	4.699			
	.40	—	—	—	—	—	—	—	—	0.013	0.006	0.557	2.038	0.795	0.032	4.699			
	.50	—	—	—	—	—	—	—	—	0.013	0.006	0.557	2.038	0.794	0.032	4.699			
	.00	—	—	—	—	—	—	—	—	0.013	0.006	0.555	2.025	0.793	0.032	4.699			
	8~9	—	—	—	—	—	—	—	—	0.013	0.006	0.555	2.036	0.793	0.031	4.675	1.10	39.5	
	.10	—	—	—	—	—	—	—	—	0.013	0.006	0.555	2.025	0.793	0.031	4.675			
	.20	—	—	—	—	—	—	—	—	0.013	0.006	0.555	2.025	0.792	0.031	4.675			
	.30	—	—	—	—	—	—	—	—	0.013	0.006	0.555	2.025	0.792	0.031	4.675			
	.40	—	—	—	—	—	—	—	—	0.013	0.006	0.555	2.025	0.791	0.031	4.675			
	.50	—	—	—	—	—	—	—	—	0.011	0.005	0.551	1.999	0.791	0.031	4.675			
	.00	—	—	—	—	—	—	—	—	0.011	0.005	0.551	1.999	0.791	0.031	4.675			
	9~10	—	—	—	—	—	—	—	—	0.011	0.005	0.551	1.993	0.790	0.031	4.675	1.10	39.5	
	.10	—	—	—	—	—	—	—	—	0.011	0.005	0.550	1.993	0.790	0.031	4.675			
	.20	—	—	—	—	—	—	—	—	0.011	0.005	0.550	1.993	0.790	0.031	4.675			
	.30	—	—	—	—	—	—	—	—	0.011	0.005	0.550	1.993	0.790	0.031	4.675			
	.40	—	—	—	—	—	—	—	—	0.011	0.005	0.550	1.993	0.790	0.031	4.675			
	.50	—	—	—	—	—	—	—	—	0.011	0.005	0.550	1.993	0.790	0.031	4.675			
	.00	—	—	—	—	—	—	—	—	0.010	0.004	0.550	1.993	0.790	0.031	4.675			
	10~11	—	—	—	—	—	—	—	—	0.010	0.004	0.550	1.994	0.790	0.031	4.675			
	.10	—	—	—	—	—	—	—	—	0.010	0.004	0.550	1.993	0.790	0.031	4.675			
	.20	—	—	—	—	—	—	—	—	0.010	0.004	0.550	1.993	0.789	0.031	4.675			
	.30	—	—	—	—	—	—	—	—	0.010	0.004	0.550	1.993	0.789	0.031	4.675			
	.40	—	—	—	—	—	—	—	—	0.010	0.004	0.550	1.993	0.789	0.031	4.675			
	.50	—	—	—	—	—	—	—	—	0.010	0.004	0.550	1.993	0.789	0.031	4.675			
	.00	—	—	—	—	—	—	—	—	0.009	0.004	0.550	1.993	0.789	0.031	4.675	0.96	39.5	
	11~12	—	—	—	—	—	—	—	—	0.009	0.004	0.550	1.993	0.789	0.031	4.675			

1969年(昭和44年)

月・日		時分	雨 量							南大沢		大栗川橋		常盤橋	明 神 橋		報恩橋		関戸		
			清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 渠	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位	
8.24	.10	—	—	—	—	—	—	—	—	—	0.009	0.004	0.550	1.993	0.789	0.030	4.652				
	.20	—	—	—	—	—	—	—	—	—	0.009	0.004	0.550	1.993	0.786	0.030	4.652				
	.30	—	—	—	—	—	—	—	—	—	0.009	0.004	0.550	1.993	0.785	0.030	4.652				
	.40	—	—	—	—	—	—	—	—	—	0.009	0.004	0.550	1.993	0.785	0.030	4.652				
	.50	—	—	—	—	—	—	—	—	—	0.009	0.004	0.550	1.993	0.784	0.030	4.652				
	.00	—	—	—	—	—	—	—	—	—	0.008	0.003	0.550	1.993	0.783	0.030	4.652		0.96	39.5	
	12~13	—	—	—	—	—	—	—	—	—		0.004		1.993			4.652				
	.10	—	—	—	—	—	—	—	—	—	0.008	0.003	0.550	1.993	0.781	0.030	4.652				
	.20	—	—	—	—	—	—	—	—	—	0.008	0.003	0.550	1.993	0.781	0.030	4.652				
	.30	—	—	—	—	—	—	—	—	—	0.008	0.003	0.553	2.012	0.781	0.030	4.652				
	.40	—	—	—	—	—	—	—	—	—	0.008	0.003	0.552	2.006	0.780	0.030	4.652				
	.50	—	—	—	—	—	—	—	—	—	0.008	0.003	0.551	1.999	0.780	0.030	4.652				
	.00	—	—	—	—	—	—	—	—	—	0.008	0.003	0.550	1.993	0.780	0.030	4.652		0.96	39.0	
	13~14	—	—	—	—	—	—	—	—	—		0.003		1.999			4.652				
	.10	—	—	—	—	—	—	—	—	—	0.008	0.003	0.550	1.993	0.780	0.030	4.652				
	.20	—	—	—	—	—	—	—	—	—	0.008	0.003	0.550	1.993	0.780	0.030	4.652				
	.30	—	—	—	—	—	—	—	—	—	0.008	0.003	0.550	1.993	0.780	0.030	4.652				
	.40	—	—	—	—	—	—	—	—	—	0.008	0.003	0.550	1.993	0.780	0.030	4.652				
	.50	—	—	—	—	—	—	—	—	—	0.008	0.003	0.550	1.993	0.780	0.030	4.652				
	.00	—	—	—	—	—	—	—	—	—	0.008	0.003	0.550	1.993	0.780	0.030	4.652		0.96	38.0	
	14~15	—	—	—	—	—	—	—	—	—	—		0.003		1.993			4.652			
	.10	—	—	—	—	—	—	—	—	—	0.008	0.003	0.550	1.993	0.780	0.030	4.652				
	.20	—	—	—	—	—	—	—	—	—	0.008	0.003	0.550	1.993	0.780	0.030	4.652				
	.30	—	—	—	—	—	—	—	—	—	0.008	0.003	0.550	1.993	0.780	0.030	4.652				
	.40	—	—	—	—	—	—	—	—	—	0.008	0.003	0.550	1.993	0.780	0.030	4.652				
	.50	—	—	—	—	—	—	—	—	—	0.008	0.003	0.550	1.993	0.780	0.030	4.652				
	.00	—	—	—	—	—	—	—	—	—	0.008	0.003	0.550	1.993	0.780	0.030	4.652		0.96	37.5	
	15~16	—	—	—	—	—	—	—	—	—	—		0.003		1.993			4.652			
	.10	—	—	—	—	—	—	—	—	—	0.006	0.002	0.550	1.993	0.778	0.030	4.652				
	.20	—	—	—	—	—	—	—	—	—	0.006	0.002	0.550	1.993	0.778	0.030	4.652				
	.30	—	—	—	—	—	—	—	—	—	0.006	0.002	0.550	1.993	0.777	0.030	4.652				
	.40	—	—	—	—	—	—	—	—	—	0.006	0.002	0.550	1.993	0.777	0.030	4.652				
	.50	—	—	—	—	—	—	—	—	—	0.006	0.002	0.550	1.993	0.776	0.030	4.652				
	.00	—	—	—	—	—	—	—	—	—	0.005	0.002	0.550	1.993	0.775	0.030	4.652		0.83	37.5	
	16~17	—	—	—	—	—	—	—	—	—	—		0.002		1.993			4.652			
	.10	—	—	—	—	—	—	—	—	—	0.005	0.002	0.548	1.980	0.775	0.030	4.652				
	.20	—	—	—	—	—	—	—	—	—	0.005	0.002	0.548	1.980	0.773	0.030	4.652				
	.30	—	—	—	—	—	—	—	—	—	0.005	0.002	0.548	1.980	0.773	0.030	4.652				
	.40	—	—	—	—	—	—	—	—	—	0.005	0.002	0.548	1.980	0.773	0.030	4.652				
	.50	—	—	—	—	—	—	—	—	—	0.005	0.002	0.548	1.980	0.773	0.030	4.652				
	.00	—	—	—	—	—	—	—	—	—	0.005	0.002	0.548	1.980	0.772	0.030	4.652		0.59	37.5	
	17~18	—	—	—	—	—	—	—	—	—	—		0.002		1.980			4.652			

1969年(昭和44年)

月・日	時・分	雨								南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 築	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
9. 2	.10	—	—	—	—	—	—	—	—	0.003	0.001	0.475	1.538	0.709	0.025	4.534			
	.20	—	—	—	—	—	—	—	—	0.004	0.001	0.475	1.538	0.709	0.025	4.534			
	.30	—	—	—	—	—	—	—	—	0.004	0.001	0.475	1.538	0.709	0.025	4.534			
	.40	—	—	—	—	—	—	—	—	0.004	0.001	0.475	1.538	0.709	0.025	4.534			
	.50	—	—	—	—	—	—	—	—	0.004	0.001	0.475	1.538	0.709	0.025	4.534			
	.00	—	—	—	—	—	—	—	—	0.004	0.001	0.475	1.538	0.709	0.025	4.534			
	0 ~ 1	—	—	—	—	—	—	—	—	0.004	0.001	0.475	1.538	0.709	0.025	4.534	0.3 1	27.0	
	.10	—	—	—	—	—	—	—	—	0.004	0.001	0.475	1.538	0.709	0.025	4.534			
	.20	—	—	—	—	—	—	—	—	0.004	0.001	0.475	1.538	0.709	0.025	4.534			
	.30	—	—	—	—	—	—	—	—	0.005	0.002	0.475	1.538	0.709	0.025	4.534			
	.40	—	—	—	—	—	—	—	—	0.005	0.002	0.475	1.538	0.709	0.025	4.534			
	.50	—	—	—	—	—	—	—	—	0.005	0.002	0.475	1.538	0.709	0.025	4.534			
	.00	—	—	—	—	—	—	—	—	0.005	0.002	0.475	1.538	0.709	0.025	4.534			
	1 ~ 2	—	—	—	—	—	—	—	—	0.005	0.002	0.475	1.538	0.709	0.025	4.534	0.3 1	27.0	
	.10	—	—	—	—	—	—	—	—	0.005	0.002	0.475	1.538	0.709	0.025	4.534			
	.20	—	—	—	—	—	—	—	—	0.005	0.002	0.475	1.538	0.709	0.025	4.534			
	.30	—	—	—	—	—	—	—	—	0.005	0.002	0.475	1.538	0.709	0.025	4.534			
	.40	—	—	—	—	—	—	—	—	0.005	0.002	0.475	1.538	0.709	0.025	4.534			
	.50	—	—	—	—	—	—	—	—	0.005	0.002	0.475	1.538	0.709	0.025	4.534			
	.00	—	—	—	—	—	—	—	—	0.005	0.002	0.475	1.538	0.709	0.025	4.534			
	2 ~ 3	—	—	—	—	—	—	—	—	0.005	0.002	0.475	1.538	0.709	0.025	4.534	0.3 1	27.0	
	.10	—	—	—	—	—	—	—	—	0.005	0.002	0.475	1.538	0.709	0.025	4.534			
	.20	—	—	—	—	—	—	—	—	0.005	0.002	0.475	1.538	0.709	0.025	4.534			
	.30	—	—	—	—	—	—	—	—	0.006	0.002	0.475	1.538	0.709	0.025	4.534			
	.40	—	—	—	—	—	—	—	—	0.006	0.002	0.475	1.538	0.709	0.025	4.534			
	.50	—	—	—	—	—	—	—	—	0.006	0.002	0.475	1.538	0.709	0.025	4.534			
	.00	—	—	—	—	—	—	—	—	0.006	0.002	0.475	1.538	0.709	0.025	4.534			
	3 ~ 4	—	—	—	—	—	—	—	—	0.006	0.002	0.475	1.538	0.709	0.025	4.534	0.3 1	27.0	
	.10	—	—	—	—	—	—	—	—	0.006	0.002	0.478	1.555	0.709	0.025	4.534			
	.20	—	—	—	—	—	—	—	—	0.006	0.002	0.475	1.538	0.709	0.025	4.534			
	.30	—	—	—	—	—	—	—	—	0.006	0.002	0.475	1.538	0.709	0.025	4.534			
	.40	—	—	—	—	—	—	—	—	0.007	0.003	0.475	1.538	0.709	0.025	4.534			
	.50	—	—	—	—	—	—	—	—	0.007	0.003	0.475	1.538	0.709	0.025	4.534			
	.00	—	—	—	—	—	—	—	—	0.007	0.003	0.475	1.538	0.709	0.025	4.534			
	4 ~ 5	—	—	—	—	—	—	—	—	0.007	0.003	0.475	1.541	0.709	0.025	4.534	0.4 0		
	.10	—	—	—	—	—	—	—	—	0.007	0.003	0.475	1.538	0.709	0.025	4.534			
	.20	—	—	—	—	—	—	—	—	0.007	0.003	0.475	1.538	0.709	0.025	4.534			
	.30	—	—	—	—	—	—	—	—	0.007	0.003	0.475	1.538	0.709	0.025	4.534			
	.40	—	—	—	—	—	—	—	—	0.007	0.003	0.475	1.538	0.709	0.025	4.534			
	.50	—	—	—	—	—	—	—	—	0.007	0.003	0.475	1.538	0.709	0.025	4.534			
	.00	—	—	—	—	—	—	—	—	0.007	0.003	0.478	1.555	0.709	0.025	4.534			
	5 ~ 6	—	—	—	—	—	—	—	—	0.003	0.003	0.478	1.541	0.709	0.025	4.534	0.4 0		

1969年(昭和44年)

1969年(昭和44年)		雨							南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸		
月・日	時分	消水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 葉	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位	
9. 2	.10	—	—	—	—	—	—	—	—	0.007	0.003	0.478	1.555	0.709	0.025	4.534				
	.20	—	—	—	—	—	—	—	—	0.007	0.003	0.478	1.555	0.709	0.025	4.534				
	.30	—	—	—	—	—	—	—	—	0.007	0.003	0.478	1.555	0.709	0.025	4.534				
	.40	—	—	—	—	—	—	—	—	0.007	0.003	0.478	1.555	0.709	0.025	4.534				
	.50	—	—	—	—	—	—	—	—	0.007	0.003	0.478	1.555	0.709	0.025	4.534				
	.00	—	—	—	—	—	—	—	—	0.008	0.003	0.478	1.555	0.709	0.025	4.534				
	6~7	—	—	—	—	—	—	—	—	0.003	0.003	0.478	1.555	0.709	0.025	4.534	0.40			
	.10	—	—	—	—	—	—	—	—	0.008	0.003	0.478	1.555	0.709	0.025	4.534				
	.20	—	—	—	—	—	—	—	—	0.008	0.003	0.478	1.555	0.709	0.025	4.534				
	.30	—	—	—	—	—	—	—	—	0.008	0.003	0.478	1.555	0.709	0.025	4.534				
	.40	—	—	—	—	—	—	—	—	0.008	0.003	0.478	1.555	0.710	0.025	4.534				
	.50	—	—	—	—	—	—	—	—	0.008	0.003	0.478	1.555	0.710	0.025	4.534				
	.00	—	—	—	—	—	—	—	—	0.008	0.003	0.479	1.561	0.710	0.025	4.534				
	7~8	—	—	—	—	—	—	—	—	0.003	0.003	0.478	1.556	0.710	0.025	4.534	0.40			
	.10	—	—	—	—	—	—	—	—	0.008	0.003	0.478	1.555	0.710	0.025	4.534				
	.20	—	—	—	—	—	—	—	—	0.008	0.003	0.478	1.555	0.710	0.025	4.534				
	.30	—	—	—	—	—	—	—	—	0.008	0.003	0.478	1.555	0.710	0.025	4.534				
	.40	—	—	—	—	—	—	—	—	0.008	0.003	0.478	1.555	0.710	0.025	4.534				
	.50	—	—	—	—	—	—	—	—	0.008	0.003	0.478	1.555	0.710	0.025	4.534				
	.00	—	—	—	—	—	—	—	—	0.008	0.003	0.480	1.566	0.710	0.025	4.534				
	8~9	—	—	—	—	—	—	—	—	—	0.003	0.003	0.478	1.557	0.710	0.025	4.534	0.40		
	.10	—	—	—	—	—	—	—	—	—	0.008	0.003	0.478	1.555	0.710	0.025	4.534			
	.20	—	—	—	—	—	—	—	—	—	0.008	0.003	0.478	1.555	0.710	0.025	4.534			
	.30	—	—	—	—	—	—	—	—	—	0.008	0.003	0.478	1.555	0.710	0.025	4.534			
	.40	—	—	—	—	—	—	—	—	—	0.008	0.003	0.478	1.555	0.710	0.025	4.534			
	.50	—	—	—	—	—	—	—	—	—	0.009	0.004	0.478	1.555	0.710	0.025	4.534			
	.00	—	—	—	—	—	—	—	—	—	0.009	0.004	0.478	1.555	0.710	0.025	4.534			
	9~10	—	—	—	—	—	—	—	—	—	0.003	0.003	0.478	1.555	0.710	0.025	4.534	0.40		
	.10	—	—	—	—	—	—	—	—	—	0.009	0.004	0.478	1.555	0.710	0.025	4.534			
	.20	—	—	—	—	—	—	—	—	—	0.009	0.004	0.478	1.555	0.710	0.025	4.534			
	.30	—	—	—	—	—	—	—	—	—	0.010	0.004	0.478	1.555	0.710	0.025	4.534			
	.40	—	—	—	—	—	—	—	—	—	0.010	0.004	0.478	1.555	0.710	0.025	4.534			
	.50	—	—	—	—	—	—	—	—	—	0.010	0.004	0.478	1.555	0.710	0.025	4.534			
	.00	—	—	—	—	—	—	—	—	—	0.010	0.004	0.478	1.555	0.710	0.025	4.534			
	10~11	—	—	—	—	—	—	—	—	—	0.004	0.004	0.478	1.555	0.710	0.025	4.534	0.40		
	.10	—	—	—	—	—	—	—	—	—	0.010	0.004	0.478	1.555	0.710	0.025	4.534			
	.20	—	—	—	—	—	—	—	—	—	0.010	0.004	0.478	1.555	0.710	0.025	4.534			
	.30	—	—	—	—	—	—	—	—	—	0.010	0.004	0.478	1.555	0.710	0.025	4.534			
	.40	—	—	—	—	—	—	—	—	—	0.010	0.004	0.478	1.555	0.710	0.025	4.534			
	.50	—	—	—	—	—	—	—	—	—	0.010	0.004	0.478	1.555	0.710	0.025	4.534			
	.00	—	—	—	—	—	—	—	—	—	0.010	0.004	0.478	1.555	0.710	0.025	4.534			
	11~12	—	—	—	—	—	—	—	—	—	0.004	0.004	0.478	1.555	0.710	0.025	4.534	0.40		

1969年(昭和44年)

月・日	時・分	雨							南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸	
		清水 入谷戸	南大 沢	別所	大栗 川橋	明神 橋	青木 渠	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
9. 2	.10	—	—	—	—	—	—	—	0.010	0.004	0.478	1.555	0.701	0.025	4.534				
	.20	—	—	—	—	—	—	—	0.010	0.004	0.478	1.555	0.701	0.025	4.534				
	.30	—	—	—	—	—	—	—	0.010	0.004	0.478	1.555	0.701	0.025	4.534				
	.40	—	—	—	—	—	—	—	0.010	0.004	0.478	1.555	0.701	0.025	4.534				
	.50	—	—	—	—	—	—	—	0.010	0.004	0.478	1.555	0.701	0.025	4.534				
	.00	—	—	—	—	—	—	—	0.010	0.004	0.478	1.555	0.701	0.025	4.534				
	12~13	—	—	—	—	—	—	—	—	0.004	—	1.555	—	—	0.025	4.534	0.40		
	.10	—	—	—	—	—	—	—	0.010	0.004	0.478	1.555	0.701	0.025	4.534				
	.20	—	—	—	—	—	—	—	0.010	0.004	0.478	1.555	0.701	0.025	4.534				
	.30	—	—	—	—	—	—	—	0.010	0.004	0.478	1.555	0.701	0.025	4.534				
	.40	—	—	—	—	—	—	—	0.010	0.004	0.478	1.555	0.701	0.025	4.534				
	.50	—	—	—	—	—	—	—	0.010	0.004	0.478	1.555	0.700	0.025	4.534				
	.00	—	—	—	—	—	—	—	0.010	0.004	0.478	1.555	0.700	0.025	4.534				
	13~14	—	—	—	—	—	—	—	—	—	0.004	—	1.555	—	0.025	4.534	0.40		
	.10	—	—	—	—	—	—	—	—	0.010	0.004	0.478	1.555	0.699	0.025	4.534			
	.20	—	—	—	—	—	—	—	—	0.010	0.004	0.478	1.555	0.698	0.025	4.534			
	.30	—	—	—	—	—	—	—	—	0.010	0.004	0.478	1.555	0.696	0.025	4.534			
	.40	—	—	—	—	—	—	—	—	0.010	0.004	0.478	1.555	0.695	0.025	4.534			
	.50	—	6.5	—	—	—	—	—	—	0.010	0.004	0.478	1.555	0.695	0.025	4.534			
	.00	—	—	—	—	—	—	—	—	0.010	0.004	0.478	1.555	0.695	0.025	4.534	1.25		
	14~15	—	6.5	—	—	—	—	—	—	—	0.004	—	1.555	—	0.025	4.534			
	.10	—	0.5	—	—	—	—	—	—	0.010	0.004	0.478	1.555	0.695	0.025	4.534			
	.20	—	—	—	—	—	—	—	—	0.010	0.004	0.478	1.555	0.695	0.025	4.534			
	.30	—	—	—	—	—	—	—	—	0.010	0.004	0.478	1.555	0.700	0.025	4.534			
	.40	—	—	—	—	—	—	—	—	0.010	0.004	0.478	1.555	0.710	0.025	4.534			
	.50	—	—	—	—	—	—	—	—	0.010	0.004	0.478	1.555	0.715	0.025	4.534			
	.00	—	—	—	—	—	—	—	—	0.010	0.004	0.480	1.566	0.720	0.025	4.534	5.32		
	15~16	—	0.5	—	—	—	—	—	—	—	0.004	—	1.557	—	0.025	4.534			
	.10	—	—	—	7.0	—	—	—	—	0.010	0.004	0.480	1.566	0.722	0.025	4.534			
	.20	—	—	—	—	—	—	—	—	0.010	0.004	0.490	1.624	0.722	0.025	4.534			
	.30	—	—	—	13.5	—	—	—	—	0.010	0.004	0.495	1.653	0.750	0.025	4.534			
	.40	—	—	1.5	0.5	—	—	—	—	0.010	0.004	0.500	1.683	0.798	0.025	4.534			
	.50	7.5	10.5	—	—	6.0	3.5	1.0	6.0	0.010	0.004	0.500	1.683	0.920	0.025	4.534			
	.00	0.5	0.5	—	—	20.0	5.0	9.5	6.5	0.029	0.019	0.515	1.773	0.890	0.025	4.534	6.69		
	16~17	8.0	12.5	21.0	26.0	8.5	10.5	12.5	—	0.007	—	—	1.664	—	0.025	4.534			
	.10	—	—	0.5	—	2.5	0.5	0.5	—	0.033	0.023	0.560	2.058	0.850	0.025	4.534			
	.20	—	—	—	—	0.5	—	—	—	0.040	0.031	0.560	2.058	0.825	0.180	8.880			
	.30	—	—	—	—	—	—	—	—	0.028	0.018	0.564	2.084	0.828	0.150	7.926			
	.40	1.5	2.0	4.0	—	1.0	1.0	—	1.0	0.025	0.015	0.570	2.124	0.890	0.110	6.738			
	.50	2.5	2.0	4.0	1.5	4.0	3.5	0.5	1.5	0.030	0.020	0.590	2.260	0.930	0.110	6.738			
	.00	3.5	6.5	7.5	—	5.5	4.5	1.0	2.5	0.050	0.043	0.730	3.325	0.950	0.170	8.556	5.99		
	17~18	7.5	10.5	16.0	20.0	13.5	9.5	2.0	5.0	—	0.025	—	2.318	—	—	7.229			

1969年(昭和44年)

月・日	時・分	雨 量								南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 橋	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
9. 2	.10	2.5	2.5	1.5	0.5	5.5	2.0	4.5	3.0	0.050	0.043	0.740	3.409	0.975	0.260	11.690			
	.20	0.5	2.0	0.5	—	0.5	1.0	1.0	0.5	0.085	0.095	0.780	3.756	0.985	0.265	11.878			
	.30	—	—	—	—	0.5	—	—	0.5	0.072	0.074	0.790	3.845	1.100	0.250	11.317			
	.40	—	0.5	0.5	—	—	—	0.5	—	0.067	0.066	0.792	3.863	1.130	0.240	10.951			
	.50	—	—	—	—	0.5	—	—	—	0.060	0.056	0.790	3.845	1.145	0.245	11.134			
	.00	—	—	—	—	—	—	—	—	0.053	0.047	0.785	3.800	1.150	0.245	11.134		6.34	
	18-19	3.0	5.0	2.5	0.5	7.0	3.0	6.0	4.0	—	0.064	—	3.753	—	—	11.351			
	.10	—	—	—	—	—	—	—	—	0.048	0.040	0.780	3.756	1.155	0.245	11.134			
	.20	—	—	—	—	—	—	—	—	0.046	0.038	0.770	3.667	1.150	0.240	10.951			
	.30	—	—	—	—	—	0.5	—	—	0.044	0.035	0.750	3.494	1.145	0.235	10.770			
	.40	—	—	—	—	—	—	—	—	0.042	0.033	0.740	3.409	1.140	0.232	10.663			
	.50	—	—	—	—	—	—	—	—	0.040	0.031	0.720	3.242	1.140	0.235	10.770			
	.00	—	—	—	—	—	—	—	—	0.039	0.029	0.710	3.161	1.130	0.240	10.951		5.01	
	19-20	—	—	—	—	—	0.5	—	—	—	0.034	—	3.455	—	—	10.873			
	.10	—	—	—	—	—	—	—	—	0.038	0.028	0.690	3.000	1.120	0.250	11.317			
	.20	—	—	—	—	—	—	—	—	0.036	0.026	0.685	2.960	1.000	0.250	11.317			
	.30	—	—	—	—	—	—	—	—	0.036	0.026	0.680	2.921	0.990	0.250	11.317			
	.40	—	—	—	—	—	—	—	—	0.034	0.024	0.670	2.843	0.980	0.250	11.317			
	.50	0.5	—	—	—	—	—	0.5	—	0.033	0.023	0.660	2.767	0.970	0.245	11.134			
	.00	—	—	—	—	—	—	—	—	0.032	0.022	0.655	2.729	0.960	0.235	10.770		3.83	
	20-21	0.5	—	—	—	—	—	0.5	—	—	0.025	—	2.870	—	—	11.195			
	.10	—	—	—	—	—	—	—	—	0.031	0.021	0.650	2.691	0.950	0.230	10.591			
	.20	—	—	—	—	—	—	—	—	0.030	0.020	0.645	2.654	0.945	0.220	10.237			
	.30	—	—	—	—	—	—	—	0.5	0.029	0.019	0.640	2.617	0.940	0.210	9.889			
	.40	—	—	—	0.5	—	—	—	—	0.028	0.018	0.635	2.580	0.932	0.200	9.546			
	.50	—	—	—	—	—	—	—	—	0.027	0.017	0.630	2.543	0.928	0.190	9.210			
	.00	—	—	—	—	—	—	—	—	0.025	0.015	0.628	2.529	0.922	0.179	8.848		3.30	
	21-22	—	—	—	0.5	—	—	—	0.5	—	0.018	—	2.602	—	—	9.720			
	.10	—	—	—	—	—	—	—	—	0.024	0.014	0.620	2.471	0.998	0.170	8.556			
	.20	—	0.5	—	—	—	0.5	—	—	0.023	0.014	0.620	2.471	0.912	0.160	8.248			
	.30	0.5	—	0.5	—	—	—	0.5	—	0.022	0.013	0.615	2.435	0.908	0.150	7.926			
	.40	—	—	—	—	—	—	—	0.5	0.022	0.013	0.610	2.399	0.902	0.140	7.620			
	.50	—	—	—	—	0.5	—	—	—	0.022	0.013	0.610	2.399	0.900	0.130	7.320			
	.00	—	—	—	0.5	—	—	—	—	0.022	0.013	0.608	2.385	0.898	0.125	7.172		2.82	
	22-23	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	—	0.013	—	2.427	—	—	7.806			
	.10	—	—	—	—	—	—	—	—	0.022	0.013	0.608	2.385	0.892	0.120	7.026			
	.20	0.5	0.5	—	—	—	—	0.5	—	0.021	0.012	0.600	2.329	0.890	0.115	6.881			
	.30	—	—	0.5	—	0.5	0.5	—	—	0.021	0.012	0.600	2.329	0.888	0.110	6.738			
	.40	—	—	—	—	—	—	—	0.5	0.020	0.011	0.600	2.329	0.883	0.105	6.597			
	.50	—	—	—	—	—	—	—	—	0.020	0.011	0.598	2.315	0.880	0.100	6.456			
	.00	—	—	—	—	—	—	—	—	0.020	0.011	0.595	2.294	0.880	0.098	6.401		2.82	
	23-24	0.5	0.5	0.5	—	0.5	0.5	0.5	0.5	—	0.012	—	2.330	—	—	6.683			

1969年(昭和44年)

月・日	時・分	雨							南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸	
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 葉	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
9. 3	.10	—	—	—	—	—	—	—	0.020	0.011	0.592	2.273	0.875	0.095	6.318				
	.20	—	—	—	—	—	—	—	0.019	0.010	0.590	2.260	0.872	0.090	6.180				
	.30	—	—	—	—	—	—	—	0.019	0.010	0.590	2.260	0.871	0.085	6.045				
	.40	—	—	—	—	—	—	—	0.019	0.010	0.590	2.260	0.870	0.081	5.937				
	.50	—	—	—	—	—	—	—	0.018	0.010	0.588	2.246	0.870	0.080	5.911				
	.00	—	—	—	—	—	—	—	0.018	0.010	0.585	2.225	0.868	0.079	5.884		2.59		
	0 ~ 1	—	—	—	—	—	—	—	—	0.010	—	2.254	—	—	—	6.046			
	.10	—	—	—	—	—	—	—	0.018	0.010	0.583	2.212	0.865	0.078	5.857				
	.20	—	—	—	—	—	—	—	0.017	0.009	0.582	2.205	0.861	0.071	5.673				
	.30	—	—	—	—	—	—	—	0.017	0.009	0.580	2.191	0.860	0.070	5.647				
	.40	—	—	—	—	—	—	—	0.017	0.009	0.580	2.191	0.860	0.070	5.647				
	.50	—	—	—	—	—	—	—	0.017	0.009	0.580	2.191	0.859	0.068	5.595				
	.00	—	—	—	—	—	—	—	0.016	0.008	0.580	2.191	0.857	0.068	5.595		2.37		
	1 ~ 2	—	—	—	—	—	—	—	—	0.009	—	2.197	—	—	—	5.669			
	.10	—	—	—	—	—	—	—	—	0.016	0.008	0.579	2.185	0.855	0.065	5.517			
	.20	—	—	—	—	—	—	—	—	0.016	0.008	0.578	2.178	0.852	0.065	5.517			
	.30	—	—	—	—	—	—	—	—	0.016	0.008	0.578	2.178	0.850	0.065	5.517			
	.40	—	—	—	—	—	—	—	—	0.016	0.008	0.575	2.158	0.850	0.064	5.491			
	.50	—	—	—	—	—	—	—	—	0.016	0.008	0.578	2.178	0.850	0.063	5.466			
	.00	—	—	—	—	—	—	—	—	0.016	0.008	0.578	2.178	0.849	0.062	5.440		2.16	
	2 ~ 3	—	—	—	—	—	—	—	—	—	0.008	—	2.176	—	—	5.491			
	.10	—	—	—	—	—	—	—	—	0.015	0.007	0.569	2.118	0.848	0.062	5.440			
	.20	—	—	—	—	—	—	—	—	0.015	0.007	0.568	2.111	0.846	0.061	5.414			
	.30	—	—	—	—	—	—	—	—	0.015	0.007	0.567	2.104	0.845	0.061	5.414			
	.40	—	—	—	—	—	—	—	—	0.015	0.007	0.565	2.091	0.842	0.061	5.414			
	.50	—	—	—	—	—	—	—	—	0.015	0.007	0.563	2.078	0.841	0.061	5.414			
	.00	—	—	—	—	—	—	—	—	0.015	0.007	0.562	2.071	0.840	0.060	5.389		1.96	
	3 ~ 4	—	—	—	—	—	—	—	—	—	0.007	—	2.095	—	—	5.415			
	.10	—	—	—	—	—	—	—	—	0.014	0.007	0.560	2.058	0.840	0.060	5.389			
	.20	—	—	—	—	—	—	—	—	0.014	0.007	0.560	2.058	0.840	0.060	5.389			
	.30	—	—	—	—	—	—	—	—	0.014	0.007	0.560	2.058	0.838	0.060	5.389			
	.40	—	—	—	—	—	—	—	—	0.013	0.006	0.560	2.058	0.838	0.060	5.389			
	.50	—	—	—	—	—	—	—	—	0.013	0.006	0.560	2.058	0.836	0.060	5.389			
	.00	—	—	—	—	—	—	—	—	0.013	0.006	0.560	2.058	0.835	0.059	5.364		1.96	
	4 ~ 5	—	—	—	—	—	—	—	—	—	0.007	—	2.058	—	—	5.385			
	.10	—	—	—	—	—	—	—	—	0.013	0.006	0.560	2.058	0.833	0.059	5.364			
	.20	—	—	—	—	—	—	—	—	0.013	0.006	0.560	2.058	0.832	0.059	5.364			
	.30	—	—	—	—	—	—	—	—	0.013	0.006	0.560	2.058	0.831	0.059	5.364			
	.40	—	—	—	—	—	—	—	—	0.012	0.005	0.560	2.058	0.830	0.059	5.364			
	.50	—	—	—	—	—	—	—	—	0.012	0.005	0.560	2.058	0.830	0.058	5.338			
	.00	—	—	—	—	—	—	—	—	0.012	0.005	0.560	2.058	0.830	0.058	5.338		0.96	
	5 ~ 6	—	—	—	—	—	—	—	—	—	0.006	—	2.058	—	—	5.355			

1969年(昭和44年)

月・日	時・分	雨 量								南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸
		滑水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 柴	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
9. 3	.10	—	—	—	—	—	—	—	—	0.012	0.005	0.560	2.058	0.830	0.058	5.338			
	.20	—	—	—	—	—	—	—	—	0.012	0.005	0.560	2.058	0.828	0.058	5.338			
	.30	—	—	—	—	—	—	—	—	0.012	0.005	0.560	2.058	0.827	0.058	5.338			
	.40	—	—	—	—	—	—	—	—	0.012	0.005	0.539	2.051	0.826	0.058	5.338			
	.50	—	—	—	—	—	—	—	—	0.012	0.005	0.558	2.045	0.825	0.057	5.313			
	.00	—	—	—	—	—	—	—	—	0.012	0.005	0.558	2.045	0.823	0.057	5.313			
	6~7	—	—	—	—	—	—	—	—	0.012	0.005	0.558	2.045	0.823	0.057	5.313		1.76	
		—	—	—	—	—	—	—	—	0.005			2.053			5.330			
	.10	—	—	—	—	—	—	—	—	0.012	0.005	0.557	2.038	0.822	0.057	5.313			
	.20	—	—	—	—	—	—	—	—	0.012	0.005	0.557	2.038	0.821	0.057	5.313			
	.30	—	—	—	—	—	—	—	—	0.012	0.005	0.557	2.038	0.820	0.056	5.288			
	.40	—	—	—	—	—	—	—	—	0.012	0.005	0.553	2.012	0.820	0.056	5.288			
	.50	—	—	—	—	—	—	—	—	0.012	0.005	0.553	2.012	0.819	0.055	5.262			
	.00	—	—	—	—	—	—	—	—	0.012	0.005	0.553	2.012	0.818	0.055	5.262		1.76	
	7~8	—	—	—	—	—	—	—	—	0.012	0.005	0.553	2.012	0.818	0.055	5.262			
		—	—	—	—	—	—	—	—	0.005			2.025			5.288			
	.10	—	—	—	—	—	—	—	—	0.012	0.005	0.553	2.012	0.818	0.054	5.237			
	.20	—	—	—	—	—	—	—	—	0.011	0.005	0.553	2.012	0.818	0.054	5.237			
	.30	—	—	—	—	—	—	—	—	0.010	0.004	0.553	2.012	0.817	0.054	5.237			
	.40	—	—	—	—	—	—	—	—	0.010	0.004	0.553	2.012	0.817	0.054	5.237			
	.50	—	—	—	—	—	—	—	—	0.010	0.004	0.553	2.012	0.816	0.054	5.237			
	.00	—	—	—	—	—	—	—	—	0.010	0.004	0.550	1.993	0.815	0.054	5.237		1.58	
	8~9	—	—	—	—	—	—	—	—	0.010	0.004	0.550	1.993	0.815	0.054	5.237			
		—	—	—	—	—	—	—	—	0.004			2.009			5.241			
	.10	—	—	—	—	—	—	—	—	0.010	0.004	0.550	1.993	0.813	0.054	5.237			
	.20	—	—	—	—	—	—	—	—	0.010	0.004	0.550	1.993	0.813	0.053	5.212			
	.30	—	—	—	—	—	—	—	—	0.010	0.004	0.550	1.993	0.812	0.053	5.212			
	.40	—	—	—	—	—	—	—	—	0.010	0.004	0.550	1.993	0.812	0.053	5.212			
	.50	—	—	—	—	—	—	—	—	0.010	0.004	0.550	1.993	0.812	0.053	5.212			
	.00	—	—	—	—	—	—	—	—	0.010	0.004	0.550	1.993	0.812	0.053	5.212		1.58	
	9~10	—	—	—	—	—	—	—	—	0.010	0.004	0.550	1.993	0.812	0.053	5.212			
		—	—	—	—	—	—	—	—	0.004			1.993			5.216			
	.10	—	—	—	—	—	—	—	—	0.010	0.004	0.550	1.993	0.811	0.053	5.212			
	.20	—	—	—	—	—	—	—	—	0.010	0.004	0.550	1.993	0.810	0.053	5.212			
	.30	—	—	—	—	—	—	—	—	0.010	0.004	0.550	1.993	0.810	0.053	5.212			
	.40	—	—	—	—	—	—	—	—	0.010	0.004	0.550	1.993	0.810	0.053	5.212			
	.50	—	—	—	—	—	—	—	—	0.010	0.004	0.549	1.986	0.810	0.053	5.212			
	.00	—	—	—	—	—	—	—	—	0.010	0.004	0.549	1.986	0.810	0.053	5.212		1.58	
	10~11	—	—	—	—	—	—	—	—	0.010	0.004	0.549	1.986	0.810	0.053	5.212			
		—	—	—	—	—	—	—	—	0.004			1.991			5.212			
	.10	—	—	—	—	—	—	—	—	0.010	0.004	0.549	1.986	0.808	0.053	5.212			
	.20	—	—	—	—	—	—	—	—	0.010	0.004	0.549	1.986	0.808	0.053	5.212			
	.30	—	—	—	—	—	—	—	—	0.010	0.004	0.548	1.980	0.806	0.053	5.212			
	.40	—	—	—	—	—	—	—	—	0.010	0.004	0.548	1.980	0.805	0.053	5.212			
	.50	—	—	—	—	—	—	—	—	0.010	0.004	0.548	1.980	0.805	0.053	5.212			
	.00	—	—	—	—	—	—	—	—	0.010	0.004	0.545	1.961	0.803	0.053	5.212		1.41	
	11~12	—	—	—	—	—	—	—	—	0.010	0.004	0.545	1.979			5.212			

1969年(昭和44年)

月・日	時・分	雨							南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸	
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 架	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
9. 3	.10	—	—	—	—	—	—	—	0.010	0.004	0.543	1.948	0.802	0.053	5.212				
	.20	—	—	—	—	—	—	—	0.010	0.004	0.543	1.948	0.802	0.052	5.187				
	.30	—	—	—	—	—	—	—	0.010	0.004	0.543	1.948	0.800	0.052	5.187				
	.40	—	—	—	—	—	—	—	0.010	0.004	0.543	1.948	0.800	0.052	5.187				
	.50	—	—	—	—	—	—	—	0.010	0.004	0.543	1.948	0.800	0.052	5.187				
	.00	—	—	—	—	—	—	—	0.010	0.004	0.543	1.948	0.800	0.052	5.187				
	12~13	—	—	—	—	—	—	—	—	0.004	—	1.948	—	—	—	5.191		1.41	
	.10	—	—	—	—	—	—	—	0.009	0.004	0.543	1.948	0.800	0.052	5.187				
	.20	—	—	—	—	—	—	—	0.009	0.004	0.543	1.948	0.800	0.052	5.187				
	.30	—	—	—	—	—	—	—	0.009	0.004	0.543	1.948	0.800	0.052	5.187				
	.40	—	—	—	—	—	—	—	0.009	0.004	0.543	1.948	0.800	0.052	5.187				
	.50	—	—	—	—	—	—	—	0.008	0.003	0.540	1.929	0.800	0.052	5.187				
	.00	—	—	—	—	—	—	—	0.008	0.003	0.540	1.929	0.800	0.051	5.162		1.41		
	13~14	—	—	—	—	—	—	—	—	0.004	—	1.942	—	—	—	5.183			
	.10	—	—	—	—	—	—	—	0.008	0.003	0.540	1.929	0.800	0.051	5.162				
	.20	—	—	—	—	—	—	—	0.008	0.003	0.540	1.929	0.800	0.051	5.162				
	.30	—	—	—	—	—	—	—	0.008	0.003	0.540	1.929	0.800	0.051	5.162				
	.40	—	—	—	—	—	—	—	0.008	0.003	0.540	1.929	0.800	0.051	5.162				
	.50	—	—	—	—	—	—	—	0.007	0.003	0.540	1.929	0.800	0.051	5.162				
	.00	—	—	—	—	—	—	—	0.007	0.003	0.540	1.929	0.799	0.051	5.162		1.25		
	14~15	—	—	—	—	—	—	—	—	0.003	—	1.929	—	—	—	5.162			
	.10	—	—	—	—	—	—	—	0.007	0.003	0.540	1.929	0.799	0.050	5.137				
	.20	—	—	—	—	—	—	—	0.007	0.003	0.540	1.929	0.800	0.050	5.137				
	.30	—	—	—	—	—	—	—	0.007	0.003	0.540	1.929	0.800	0.050	5.137				
	.40	—	—	—	—	—	—	—	0.007	0.003	0.540	1.929	0.800	0.051	5.162				
	.50	—	—	—	—	—	—	—	0.007	0.003	0.540	1.929	0.800	0.051	5.162				
	.00	—	—	—	—	—	—	—	0.007	0.003	0.540	1.929	0.798	0.051	5.162		1.10		
	15~16	—	—	—	—	—	—	—	—	0.003	—	1.929	—	—	—	5.150			
	.10	—	—	—	—	—	—	—	0.007	0.003	0.539	1.922	0.797	0.050	5.137				
	.20	—	—	—	—	—	—	—	0.007	0.003	0.539	1.922	0.796	0.050	5.137				
	.30	—	—	—	—	—	—	—	0.007	0.003	0.539	1.922	0.793	0.050	5.137				
	.40	—	—	—	—	—	—	—	0.006	0.002	0.539	1.922	0.793	0.050	5.137				
	.50	—	—	—	—	—	—	—	0.006	0.002	0.539	1.922	0.793	0.050	5.137				
	.00	—	—	—	—	—	—	—	0.006	0.002	0.539	1.922	0.793	0.050	5.137		1.10		
	16~17	—	—	—	—	—	—	—	—	0.003	—	1.922	—	—	—	5.137			
	.10	—	—	—	—	—	—	—	0.006	0.002	0.539	1.922	0.793	0.050	5.137				
	.20	—	—	—	—	—	—	—	0.006	0.002	0.539	1.922	0.792	0.050	5.137				
	.30	—	—	—	—	—	—	—	0.006	0.002	0.539	1.922	0.792	0.050	5.137				
	.40	—	—	—	—	—	—	—	0.006	0.002	0.539	1.922	0.792	0.050	5.137				
	.50	—	—	—	—	—	—	—	0.006	0.002	0.539	1.922	0.792	0.050	5.137				
	.00	—	—	—	—	—	—	—	0.006	0.002	0.538	1.916	0.792	0.050	5.137		1.10		
	17~18	—	—	—	—	—	—	—	—	0.002	—	1.921	—	—	—	5.137			

1969年(昭和44年)

月・日		時分	雨 量							南大沢		大栗川橋		常盤橋	明 神 橋		報恩橋		関戸	
			清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 葉	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
9. 3	.10	—	—	—	—	—	—	—	—	—	0.006	0.002	0.538	1.916	0.792	0.050	5.137			
	.20	—	—	—	—	—	—	—	—	—	0.006	0.002	0.538	1.916	0.792	0.050	5.137			
	.30	—	—	—	—	—	—	—	—	—	0.006	0.002	0.538	1.916	0.792	0.050	5.137			
	.40	—	—	—	—	—	—	—	—	—	0.006	0.002	0.538	1.916	0.792	0.050	5.137			
	.50	—	—	—	—	—	—	—	—	—	0.006	0.002	0.538	1.916	0.790	0.050	5.137			
	.00	—	—	—	—	—	—	—	—	—	0.006	0.002	0.538	1.916	0.790	0.050	5.137	1.10		
	18~19	—	—	—	—	—	—	—	—	—	0.006	0.002	0.538	1.916	0.790	0.050	5.137			
	.10	—	—	—	—	—	—	—	—	—	0.006	0.002	0.538	1.916	0.790	0.050	5.137			
	.20	—	—	—	—	—	—	—	—	—	0.006	0.002	0.538	1.916	0.790	0.050	5.137			
	.30	—	—	—	—	—	—	—	—	—	0.006	0.002	0.538	1.916	0.790	0.050	5.137			
	.40	—	—	—	—	—	—	—	—	—	0.006	0.002	0.538	1.916	0.790	0.050	5.137			
	.50	—	—	—	—	—	—	—	—	—	0.006	0.002	0.538	1.916	0.790	0.050	5.137			
	.00	—	—	—	—	—	—	—	—	—	0.006	0.002	0.538	1.897	0.790	0.050	5.137	0.96		
	19~20	—	—	—	—	—	—	—	—	—	0.006	0.002	0.535	1.897	0.790	0.050	5.137			
	.10	—	—	—	—	—	—	—	—	—	0.006	0.002	0.535	1.897	0.790	0.050	5.137			
	.20	—	—	—	—	—	—	—	—	—	0.006	0.002	0.535	1.897	0.790	0.050	5.137			
	.30	—	—	—	—	—	—	—	—	—	0.006	0.002	0.535	1.897	0.790	0.050	5.137			
	.40	—	—	—	—	—	—	—	—	—	0.006	0.002	0.535	1.897	0.790	0.050	5.137			
	.50	—	—	—	—	—	—	—	—	—	0.006	0.002	0.535	1.897	0.790	0.050	5.137			
	.00	—	—	—	—	—	—	—	—	—	0.006	0.002	0.534	1.891	0.790	0.050	5.137	0.96		
	20~21	—	—	—	—	—	—	—	—	—	0.006	0.002	0.534	1.891	0.790	0.050	5.137			
	.10	—	—	—	—	—	—	—	—	—	0.006	0.002	0.534	1.891	0.790	0.050	5.137			
	.20	—	—	—	—	—	—	—	—	—	0.006	0.002	0.534	1.891	0.790	0.050	5.137			
	.30	—	—	—	—	—	—	—	—	—	0.006	0.002	0.534	1.891	0.790	0.050	5.137			
	.40	—	—	—	—	—	—	—	—	—	0.006	0.002	0.534	1.891	0.790	0.050	5.137			
	.50	—	—	—	—	—	—	—	—	—	0.006	0.002	0.534	1.891	0.790	0.050	5.137			
	.00	—	—	—	—	—	—	—	—	—	0.006	0.002	0.533	1.885	0.790	0.050	5.137	0.96		
	21~22	—	—	—	—	—	—	—	—	—	0.006	0.002	0.533	1.885	0.789	0.050	5.137			
	.10	—	—	—	—	—	—	—	—	—	0.006	0.002	0.533	1.885	0.789	0.050	5.137			
	.20	—	—	—	—	—	—	—	—	—	0.006	0.002	0.533	1.885	0.789	0.050	5.137			
	.30	—	—	—	—	—	—	—	—	—	0.006	0.002	0.533	1.885	0.789	0.050	5.137			
	.40	—	—	—	—	—	—	—	—	—	0.006	0.002	0.533	1.885	0.788	0.050	5.137			
	.50	—	—	—	—	—	—	—	—	—	0.006	0.002	0.533	1.885	0.788	0.050	5.137			
	.00	—	—	—	—	—	—	—	—	—	0.006	0.002	0.532	1.878	0.788	0.050	5.137	0.96		
	22~23	—	—	—	—	—	—	—	—	—	0.006	0.002	0.532	1.884	0.787	0.050	5.137			
	.10	—	—	—	—	—	—	—	—	—	0.006	0.002	0.532	1.878	0.787	0.050	5.137			
	.20	—	—	—	—	—	—	—	—	—	0.006	0.002	0.532	1.878	0.787	0.050	5.137			
	.30	—	—	—	—	—	—	—	—	—	0.006	0.002	0.532	1.878	0.786	0.050	5.137			
	.40	—	—	—	—	—	—	—	—	—	0.006	0.002	0.532	1.878	0.786	0.050	5.137			
	.50	—	—	—	—	—	—	—	—	—	0.006	0.002	0.532	1.878	0.786	0.050	5.137			
	.00	—	—	—	—	—	—	—	—	—	0.006	0.002	0.532	1.878	0.785	0.050	5.137	0.83		
	32~24	—	—	—	—	—	—	—	—	—	0.006	0.002	0.532	1.878			5.137			

1969年(昭和44年)

月・日	時・分	雨							南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸	
		清水入谷戸	南大沢	別所	大栗川橋	明神橋	青木森	瓜生1	瓜生2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
9. 4	.10	—	—	—	—	—	—	—	—	0.006	0.002	0.532	1.878	0.785	0.050	5.137			
	.20	—	—	—	—	—	—	—	—	0.006	0.002	0.532	1.878	0.785	0.050	5.137			
	.30	—	—	—	—	—	—	—	—	0.006	0.002	0.532	1.878	0.785	0.050	5.137			
	.40	—	—	—	—	—	—	—	—	0.006	0.002	0.532	1.878	0.785	0.050	5.137			
	.50	—	—	—	—	—	—	—	—	0.006	0.002	0.530	1.866	0.785	0.050	5.137			
	.00	—	—	—	—	—	—	—	—	0.006	0.002	0.530	1.866	0.783	0.050	5.137			
	0 ~ 1	—	—	—	—	—	—	—	—	0.006	0.002	0.530	1.866	0.783	0.050	5.137		0.83	
	.10	—	—	—	—	—	—	—	—	0.006	0.002	0.530	1.866	0.783	0.050	5.137			
	.20	—	—	—	—	—	—	—	—	0.006	0.002	0.530	1.866	0.783	0.050	5.137			
	.30	—	—	—	—	—	—	—	—	0.006	0.002	0.530	1.866	0.783	0.050	5.137			
	.40	—	—	—	—	—	—	—	—	0.006	0.002	0.530	1.866	0.783	0.050	5.137			
	.50	—	—	—	—	—	—	—	—	0.006	0.002	0.530	1.866	0.783	0.050	5.137			
	.00	—	—	—	—	—	—	—	—	0.006	0.002	0.530	1.866	0.783	0.050	5.137			
	1 ~ 2	—	—	—	—	—	—	—	—	0.006	0.002	0.530	1.866	0.782	0.050	5.137		0.83	
	.10	—	—	—	—	—	—	—	—	0.006	0.002	0.530	1.866	0.782	0.050	5.137			
	.20	—	—	—	—	—	—	—	—	0.006	0.002	0.530	1.866	0.782	0.050	5.137			
	.30	—	—	—	—	—	—	—	—	0.006	0.002	0.530	1.866	0.782	0.049	5.112			
	.40	—	—	—	—	—	—	—	—	0.006	0.002	0.530	1.866	0.782	0.049	5.112			
	.50	—	—	—	—	—	—	—	—	0.006	0.002	0.530	1.866	0.782	0.049	5.112			
	.00	—	—	—	—	—	—	—	—	0.006	0.002	0.530	1.866	0.782	0.049	5.112			
	2 ~ 3	—	—	—	—	—	—	—	—	0.006	0.002	0.530	1.866	0.782	0.049	5.112		0.83	
	.10	—	—	—	—	—	—	—	—	0.006	0.002	0.530	1.866	0.782	0.049	5.112			
	.20	—	—	—	—	—	—	—	—	0.006	0.002	0.530	1.866	0.782	0.049	5.112			
	.30	—	—	—	—	—	—	—	—	0.006	0.002	0.530	1.866	0.782	0.049	5.112			
	.40	—	—	—	—	—	—	—	—	0.006	0.002	0.530	1.866	0.782	0.049	5.112			
	.50	—	—	—	—	—	—	—	—	0.006	0.002	0.530	1.866	0.782	0.049	5.112			
	.00	—	—	—	—	—	—	—	—	0.006	0.002	0.530	1.866	0.781	0.049	5.112			
	3 ~ 4	—	—	—	—	—	—	—	—	0.006	0.002	0.530	1.866	0.781	0.049	5.112		0.70	
	.10	—	—	—	—	—	—	—	—	0.006	0.002	0.530	1.866	0.781	0.049	5.112			
	.20	—	—	—	—	—	—	—	—	0.006	0.002	0.530	1.866	0.781	0.049	5.112			
	.30	—	—	—	—	—	—	—	—	0.006	0.002	0.530	1.866	0.780	0.049	5.112			
	.40	—	—	—	—	—	—	—	—	0.006	0.002	0.530	1.866	0.780	0.049	5.112			
	.50	—	—	—	—	—	—	—	—	0.006	0.002	0.530	1.866	0.780	0.049	5.112			
	.00	—	—	—	—	—	—	—	—	0.006	0.002	0.530	1.866	0.780	0.049	5.112			
	4 ~ 5	—	—	—	—	—	—	—	—	0.006	0.002	0.530	1.866	0.780	0.049	5.112		0.96	
	.10	—	—	—	—	—	—	—	—	0.006	0.002	0.530	1.866	0.780	0.049	5.112			
	.20	—	—	—	—	—	—	—	—	0.006	0.002	0.530	1.866	0.780	0.048	5.088			
	.30	—	—	—	—	—	—	—	—	0.006	0.002	0.530	1.866	0.780	0.048	5.088			
	.40	—	—	—	—	—	—	—	—	0.006	0.002	0.530	1.866	0.780	0.048	5.088			
	.50	—	—	—	—	—	—	—	—	0.006	0.002	0.530	1.866	0.780	0.048	5.088			
	.00	—	—	—	—	—	—	—	—	0.006	0.002	0.530	1.866	0.780	0.048	5.088			
	5 ~ 6	—	—	—	—	—	—	—	—	0.006	0.002	0.530	1.866	0.780	0.048	5.088		1.10	
	.10	—	—	—	—	—	—	—	—	0.006	0.002	0.530	1.866	0.780	0.048	5.092			

1969 年 (昭和 44 年)

月・日	時分	雨 量								南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 葉	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
9. 4	.10	—	—	—	—	—	—	—	—	0.006	0.002	0.530	1.866	0.780	0.048	5.088			
	.20	—	—	—	—	—	—	—	—	0.006	0.002	0.530	1.866	0.780	0.048	5.088			
	.30	—	—	—	—	—	—	—	—	0.006	0.002	0.530	1.866	0.780	0.048	5.088			
	.40	—	—	—	—	—	—	—	—	0.006	0.002	0.530	1.866	0.780	0.048	5.088			
	.50	—	—	—	—	—	—	—	—	0.006	0.002	0.530	1.866	0.780	0.048	5.088			
	.00	—	—	—	—	—	—	—	—	0.006	0.002	0.530	1.866	0.780	0.048	5.088			
	6~7	—	—	—	—	—	—	—	—	0.006	0.002	0.530	1.866	0.780	0.048	5.088	0.83		
	.10	—	—	—	—	—	—	—	—	0.006	0.002	0.530	1.866	0.780	0.048	5.088			
	.20	—	—	—	—	—	—	—	—	0.006	0.002	0.530	1.866	0.780	0.048	5.088			
	.30	—	—	—	—	—	—	—	—	0.006	0.002	0.530	1.866	0.780	0.048	5.088			
	.40	—	—	—	—	—	—	—	—	0.006	0.002	0.530	1.866	0.780	0.048	5.088			
	.50	—	—	—	—	—	—	—	—	0.006	0.002	0.530	1.866	0.780	0.048	5.088			
	.00	—	—	—	—	—	—	—	—	0.006	0.002	0.530	1.866	0.780	0.048	5.088			
	7~8	—	—	—	—	—	—	—	—	0.006	0.002	0.530	1.866	0.780	0.048	5.088	0.70		
	.10	—	—	—	—	—	—	—	—	0.006	0.002	0.530	1.866	0.780	0.048	5.088			
	.20	—	—	—	—	—	—	—	—	0.006	0.002	0.530	1.866	0.780	0.048	5.088			
	.30	—	—	—	—	—	—	—	—	0.006	0.002	0.530	1.866	0.780	0.048	5.088			
	.40	—	—	—	—	—	—	—	—	0.006	0.002	0.530	1.866	0.780	0.048	5.088			
	.50	—	—	—	—	—	—	—	—	0.006	0.002	0.529	1.860	0.780	0.048	5.088			
	.00	—	—	—	—	—	—	—	—	0.006	0.002	0.529	1.860	0.780	0.048	5.088			
	8~9	—	—	—	—	—	—	—	—	0.006	0.002	0.529	1.860	0.780	0.048	5.088	0.70		
	.10	—	—	—	—	—	—	—	—	0.006	0.002	0.529	1.860	0.780	0.048	5.088			
	.20	—	—	—	—	—	—	—	—	0.006	0.002	0.529	1.860	0.780	0.048	5.088			
	.30	—	—	—	—	—	—	—	—	0.006	0.002	0.529	1.860	0.780	0.048	5.088			
	.40	—	—	—	—	—	—	—	—	0.006	0.002	0.529	1.860	0.780	0.048	5.088			
	.50	—	—	—	—	—	—	—	—	0.006	0.002	0.529	1.860	0.780	0.048	5.088			
	.00	—	—	—	—	—	—	—	—	0.006	0.002	0.529	1.860	0.780	0.048	5.088			
	9~10	—	—	—	—	—	—	—	—	0.006	0.002	0.529	1.860	0.780	0.048	5.088	0.70		
	.10	—	—	—	—	—	—	—	—	0.006	0.002	0.529	1.860	0.780	0.048	5.088			
	.20	—	—	—	—	—	—	—	—	0.006	0.002	0.529	1.860	0.780	0.048	5.088			
	.30	—	—	—	—	—	—	—	—	0.006	0.002	0.529	1.860	0.779	0.048	5.088			
	.40	—	—	—	—	—	—	—	—	0.006	0.002	0.529	1.860	0.779	0.048	5.088			
	.50	—	—	—	—	—	—	—	—	0.006	0.002	0.529	1.860	0.779	0.030	4.652			
	.00	—	—	—	—	—	—	—	—	0.006	0.002	0.529	1.860	0.779	0.030	4.652			
	10~11	—	—	—	—	—	—	—	—	0.006	0.002	0.529	1.860	0.779	0.030	4.652	0.70		
	.10	—	—	—	—	—	—	—	—	0.006	0.002	0.529	1.860	0.778	0.030	4.652			
	.20	—	—	—	—	—	—	—	—	0.006	0.002	0.529	1.860	0.778	0.030	4.652			
	.30	—	—	—	—	—	—	—	—	0.006	0.002	0.529	1.860	0.778	0.030	4.652			
	.40	—	—	—	—	—	—	—	—	0.006	0.002	0.529	1.860	0.778	0.030	4.652			
	.50	—	—	—	—	—	—	—	—	0.006	0.002	0.529	1.860	0.778	0.030	4.652			
	.00	—	—	—	—	—	—	—	—	0.006	0.002	0.525	1.835	0.778	0.030	4.652			
	11~12	—	—	—	—	—	—	—	—	0.006	0.002	0.525	1.855	0.778	0.030	4.652	0.70		

1969年(昭和44年)

月・日	時・分	雨							南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 架	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量
9. 4	.10	—	—	—	—	—	—	—	0.006	0.002	0.525	1.835	0.778	0.030	4.652			
	.20	—	—	—	—	—	—	—	0.006	0.002	0.525	1.835	0.778	0.030	4.652			
	.30	—	—	—	—	—	—	—	0.006	0.002	0.525	1.835	0.778	0.030	4.652			
	.40	—	—	—	—	—	—	—	0.006	0.002	0.525	1.835	0.778	0.030	4.652			
	.50	—	—	—	—	—	—	—	0.006	0.002	0.525	1.835	0.778	0.030	4.652			
	.00	—	—	—	—	—	—	—	0.006	0.002	0.525	1.835	0.778	0.030	4.652			
	12~13	—	—	—	—	—	—	—	0.006	0.002	0.525	1.835	0.778	0.030	4.652		0.70	
	.10	—	—	—	—	—	—	—	0.006	0.002	0.523	1.822	0.778	0.030	4.652			
	.20	—	—	—	—	—	—	—	0.006	0.002	0.523	1.822	0.778	0.030	4.652			
	.30	—	—	—	—	—	—	—	0.006	0.002	0.523	1.822	0.776	0.030	4.652			
	.40	—	—	—	—	—	—	—	0.006	0.002	0.523	1.822	0.776	0.030	4.652			
	.50	—	—	—	—	—	—	—	0.006	0.002	0.523	1.822	0.776	0.030	4.652			
	.00	—	—	—	—	—	—	—	0.006	0.002	0.523	1.822	0.775	0.030	4.652		0.70	
	13~14	—	—	—	—	—	—	—	0.002	0.002	0.523	1.822	0.775	0.030	4.652			
	.10	—	—	—	—	—	—	—	0.006	0.002	0.523	1.822	0.775	0.030	4.652			
	.20	—	—	—	—	—	—	—	0.006	0.002	0.523	1.822	0.775	0.030	4.652			
	.30	—	—	—	—	—	—	—	0.006	0.002	0.523	1.822	0.775	0.030	4.652			
	.40	—	—	—	—	—	—	—	0.005	0.002	0.523	1.822	0.775	0.030	4.652			
	.50	—	—	—	—	—	—	—	0.004	0.001	0.523	1.822	0.775	0.030	4.652			
	.00	—	—	—	—	—	—	—	0.004	0.001	0.523	1.822	0.775	0.030	4.652			
	14~15	—	—	—	—	—	—	—	0.004	0.001	0.523	1.822	0.775	0.030	4.652		0.70	
	.10	—	—	—	—	—	—	—	0.004	0.001	0.523	1.822	0.773	0.030	4.652			
	.20	—	—	—	—	—	—	—	0.004	0.001	0.523	1.822	0.773	0.030	4.652			
	.30	—	—	—	—	—	—	—	0.004	0.001	0.520	1.804	0.773	0.030	4.652			
	.40	—	—	—	—	—	—	—	0.004	0.001	0.520	1.804	0.773	0.030	4.652			
	.50	—	—	—	—	—	—	—	0.004	0.001	0.520	1.804	0.773	0.030	4.652			
	.00	—	—	—	—	—	—	—	0.004	0.001	0.520	1.804	0.773	0.030	4.652			
	15~16	—	—	—	—	—	—	—	0.004	0.001	0.520	1.804	0.773	0.030	4.652		0.70	
	.10	—	—	—	—	—	—	—	0.004	0.001	0.520	1.804	0.773	0.030	4.652			
	.20	—	—	—	—	—	—	—	0.004	0.001	0.520	1.804	0.773	0.030	4.652			
	.30	—	—	—	—	—	—	—	0.004	0.001	0.520	1.804	0.773	0.030	4.652			
	.40	—	—	—	—	—	—	—	0.004	0.001	0.520	1.804	0.773	0.030	4.652			
	.50	—	—	—	—	—	—	—	0.004	0.001	0.520	1.804	0.778	0.030	4.652			
	.00	—	—	—	—	—	—	—	0.004	0.001	0.520	1.804	0.778	0.030	4.652			
	16~17	—	—	—	—	—	—	—	0.001	0.001	0.520	1.804	0.778	0.030	4.652		0.70	
	.10	—	—	—	—	—	—	—	0.004	0.001	0.520	1.804	0.778	0.030	4.652			
	.20	—	—	—	—	—	—	—	0.004	0.001	0.520	1.804	0.778	0.030	4.652			
	.30	—	—	—	—	—	—	—	0.004	0.001	0.520	1.804	0.778	0.030	4.652			
	.40	—	—	—	—	—	—	—	0.004	0.001	0.520	1.804	0.778	0.030	4.652			
	.50	—	—	—	—	—	—	—	0.004	0.001	0.520	1.804	0.775	0.030	4.652			
	.00	—	—	—	—	—	—	—	0.004	0.001	0.520	1.804	0.772	0.030	4.652			
	17~18	—	—	—	—	—	—	—	0.001	0.001	0.520	1.804	0.772	0.030	4.652		0.70	

1969年(昭和44年)

月・日	時分	雨								南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 架	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
9. 4	.10	—	—	—	—	—	—	—	—	0.004	0.001	0.520	1.804	0.772	0.030	4.652			
	.20	—	—	—	—	—	—	—	—	0.004	0.001	0.520	1.804	0.772	0.030	4.652			
	.30	—	—	—	—	—	—	—	—	0.004	0.001	0.520	1.804	0.772	0.030	4.652			
	.40	—	—	—	—	—	—	—	—	0.004	0.001	0.520	1.804	0.772	0.030	4.652			
	.50	—	—	—	—	—	—	—	—	0.004	0.001	0.520	1.804	0.772	0.030	4.652			
	.00	—	—	—	—	—	—	—	—	0.004	0.001	0.520	1.804	0.772	0.030	4.652		0.70	
	18-19	—	—	—	—	—	—	—	—	0.001	0.001	0.520	1.804	0.772	0.030	4.652			
	.10	—	—	—	—	—	—	—	—	0.004	0.001	0.520	1.804	0.772	0.030	4.652			
	.20	—	—	—	—	—	—	—	—	0.004	0.001	0.520	1.804	0.772	0.030	4.652			
	.30	—	—	—	—	—	—	—	—	0.004	0.001	0.520	1.804	0.772	0.030	4.652			
	.40	—	—	—	—	—	—	—	—	0.004	0.001	0.520	1.804	0.772	0.030	4.652			
	.50	—	—	—	—	—	—	—	—	0.004	0.001	0.520	1.804	0.772	0.030	4.652			
	.00	—	—	—	—	—	—	—	—	0.004	0.001	0.520	1.804	0.772	0.030	4.652		0.70	
	19-20	—	—	—	—	—	—	—	—	0.001	0.001	0.520	1.804	0.772	0.030	4.652			
	.10	—	—	—	—	—	—	—	—	0.004	0.001	0.520	1.804	0.772	0.030	4.652			
	.20	—	—	—	—	—	—	—	—	0.004	0.001	0.520	1.804	0.771	0.030	4.652			
	.30	—	—	—	—	—	—	—	—	0.004	0.001	0.520	1.804	0.771	0.030	4.652			
	.40	—	—	—	—	—	—	—	—	0.004	0.001	0.520	1.804	0.771	0.030	4.652			
	.50	—	—	—	—	—	—	—	—	0.004	0.001	0.520	1.804	0.770	0.030	4.652			
	.00	—	—	—	—	—	—	—	—	0.004	0.001	0.520	1.804	0.770	0.030	4.652		0.70	
	20-21	—	—	—	—	—	—	—	—	0.001	0.001	0.520	1.804	0.770	0.030	4.652			
	.10	—	—	—	—	—	—	—	—	0.004	0.001	0.520	1.804	0.770	0.030	4.652			
	.20	—	—	—	—	—	—	—	—	0.004	0.001	0.520	1.804	0.770	0.030	4.652			
	.30	—	—	—	—	—	—	—	—	0.004	0.001	0.520	1.804	0.770	0.030	4.652			
	.40	—	—	—	—	—	—	—	—	0.004	0.001	0.520	1.804	0.770	0.030	4.652			
	.50	—	—	—	—	—	—	—	—	0.004	0.001	0.520	1.804	0.770	0.030	4.652			
	.00	—	—	—	—	—	—	—	—	0.004	0.001	0.520	1.804	0.770	0.030	4.652		0.59	
	21-22	—	—	—	—	—	—	—	—	0.001	0.001	0.520	1.804	0.770	0.030	4.652			
	.10	—	—	—	—	—	—	—	—	0.004	0.001	0.520	1.804	0.770	0.030	4.652			
	.20	—	—	—	—	—	—	—	—	0.004	0.001	0.520	1.804	0.770	0.030	4.652			
	.30	—	—	—	—	—	—	—	—	0.004	0.001	0.520	1.804	0.770	0.030	4.652			
	.40	—	—	—	—	—	—	—	—	0.004	0.001	0.520	1.804	0.770	0.030	4.652			
	.50	—	—	—	—	—	—	—	—	0.004	0.001	0.520	1.804	0.770	0.030	4.652			
	.00	—	—	—	—	—	—	—	—	0.004	0.001	0.520	1.804	0.770	0.030	4.652		0.59	
	22-23	—	—	—	—	—	—	—	—	0.001	0.001	0.520	1.804	0.770	0.030	4.652			
	.10	—	—	—	—	—	—	—	—	0.004	0.001	0.520	1.804	0.770	0.030	4.652			
	.20	—	—	—	—	—	—	—	—	0.004	0.001	0.520	1.804	0.770	0.030	4.652			
	.30	—	—	—	—	—	—	—	—	0.004	0.001	0.520	1.804	0.770	0.030	4.652			
	.40	—	—	—	—	—	—	—	—	0.004	0.001	0.520	1.804	0.770	0.030	4.652			
	.50	—	—	—	—	—	—	—	—	0.004	0.001	0.520	1.804	0.770	0.030	4.652			
	.00	—	—	—	—	—	—	—	—	0.004	0.001	0.520	1.804	0.770	0.030	4.652		0.59	
	23-24	—	—	—	—	—	—	—	—	0.001	0.001	0.520	1.804	0.770	0.030	4.652			

1969年(昭和44年)

月・日	時・分	雨								南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 葉	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
10.24	.10	—	—	—	—	—	—	—	—			0.269	0.591	0.769	0.532	1.471			
	.20	—	—	—	—	—	—	—	—			0.269	0.591	0.769	0.532	1.471			
	.30	—	—	—	—	—	—	—	—			0.269	0.591	0.769	0.532	1.471			
	.40	—	—	—	—	—	—	—	—			0.269	0.591	0.769	0.532	1.471			
	.50	—	—	—	—	—	—	—	—			0.269	0.591	0.769	0.532	1.471			
	.00	—	—	—	—	—	—	—	—			0.269	0.591	0.769	0.532	1.471			
	0~1	—	—	—	—	—	—	—	—			0.269	0.591	0.769	0.532	1.471	0.70		36.0
	.10	—	—	—	—	—	—	—	—			0.269	0.591	0.769	0.532	1.471			
	.20	—	—	—	—	—	—	—	—			0.269	0.591	0.769	0.532	1.471			
	.30	—	—	—	—	—	—	—	—			0.269	0.591	0.769	0.532	1.471			
	.40	—	—	—	—	—	—	—	—			0.269	0.591	0.769	0.532	1.471			
	.50	—	—	—	—	—	—	—	—			0.269	0.591	0.769	0.532	1.471			
	.00	—	—	—	—	—	—	—	—			0.269	0.591	0.769	0.532	1.471			
	1~2	—	—	—	—	—	—	—	—			0.269	0.591	0.769	0.532	1.471	0.70		36.0
	.10	—	—	—	—	—	—	—	—			0.269	0.591	0.768	0.532	1.471			
	.20	—	—	—	—	—	—	—	—			0.269	0.591	0.768	0.532	1.471			
	.30	—	—	—	—	—	—	—	—			0.269	0.591	0.768	0.532	1.471			
	.40	—	—	—	—	—	—	—	—			0.269	0.591	0.768	0.532	1.471			
	.50	—	—	—	—	—	—	—	—			0.269	0.591	0.768	0.532	1.471			
	.00	—	—	—	—	—	—	—	—			0.269	0.591	0.768	0.532	1.471			
	2~3	—	—	—	—	—	—	—	—			0.269	0.591	0.768	0.532	1.471	0.70		35.0
	.10	—	—	—	—	—	—	—	—			0.269	0.591	0.768	0.532	1.471			
	.20	—	—	—	—	—	—	—	—			0.269	0.591	0.768	0.532	1.471			
	.30	—	—	—	—	—	—	—	—			0.269	0.591	0.768	0.532	1.471			
	.40	—	—	—	—	—	—	—	—			0.269	0.591	0.768	0.532	1.471			
	.50	—	—	—	—	—	—	—	—			0.269	0.591	0.768	0.532	1.471			
	.00	—	—	—	—	—	—	—	—			0.269	0.591	0.768	0.532	1.471			
	3~4	—	—	—	—	—	—	—	—			0.269	0.591	0.768	0.532	1.471	0.70		35.0
	.10	—	—	—	—	—	—	—	—			0.269	0.591	0.768	0.532	1.471			
	.20	—	—	—	—	—	—	—	—			0.269	0.591	0.768	0.532	1.471			
	.30	—	—	—	—	—	—	—	—			0.269	0.591	0.768	0.532	1.471			
	.40	—	—	—	—	—	—	—	—			0.269	0.591	0.768	0.532	1.471			
	.50	—	—	—	—	—	—	—	—			0.269	0.591	0.768	0.532	1.471			
	.00	—	—	—	—	—	—	—	—			0.269	0.591	0.768	0.532	1.471			
	4~5	—	—	—	—	—	—	—	—			0.269	0.591	0.768	0.532	1.471	0.70		34.5
	.10	—	—	—	—	—	—	—	—			0.269	0.591	0.768	0.532	1.471			
	.20	—	—	—	—	—	—	—	—			0.269	0.591	0.768	0.532	1.471			
	.30	—	—	—	—	—	—	—	—			0.269	0.591	0.768	0.532	1.471			
	.40	—	—	—	—	—	—	—	—			0.269	0.591	0.768	0.532	1.471			
	.50	—	—	—	—	—	—	—	—			0.269	0.591	0.768	0.532	1.471			
	.00	—	—	—	—	—	—	—	—			0.269	0.591	0.768	0.532	1.471			
	5~6	—	—	—	—	—	—	—	—			0.269	0.591	0.768	0.532	1.471	0.70		34.5

1969年(昭和44年)

1969年(昭和44年)										南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸
月・日	時・分	雨 量								水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 森	瓜生 1	瓜生 2										
10.24	.10	—	—	—	—	—	—	—	—			0.269	0.591	0.768	0.532	1.471			
	.20	—	—	—	—	—	—	—	—			0.269	0.591	0.768	0.532	1.471			
	.30	—	—	—	—	—	—	—	—			0.269	0.591	0.768	0.532	1.471			
	.40	—	—	—	—	—	—	—	—			0.269	0.591	0.768	0.532	1.471			
	.50	—	—	—	—	—	—	—	—			0.269	0.591	0.768	0.532	1.471			
	.00	—	—	—	—	—	—	—	—			0.269	0.591	0.768	0.532	1.471			
	6~7	—	—	—	—	—	—	—	—				0.591	0.768	0.532	1.471	0.70		34.5
	.10	—	—	—	—	—	—	—	—			0.269	0.591	0.768	0.532	1.471			
	.20	—	—	—	—	—	—	—	—			0.269	0.591	0.768	0.532	1.471			
	.30	—	—	—	—	—	—	—	—			0.269	0.591	0.768	0.532	1.471			
	.40	—	—	—	—	—	—	—	—			0.269	0.591	0.768	0.532	1.471			
	.50	—	—	—	—	—	—	—	—			0.269	0.591	0.768	0.532	1.471			
	.00	—	—	—	—	—	—	—	—			0.269	0.591	0.768	0.532	1.471			
	7~8	—	—	—	—	—	—	—	—				0.591	0.768	0.532	1.471	0.70		34.0
	.10	—	—	—	—	—	—	—	—			0.269	0.591	0.768	0.532	1.471			
	.20	—	—	—	—	—	—	—	—			0.269	0.591	0.768	0.532	1.471			
	.30	—	—	—	—	—	—	—	—			0.269	0.591	0.768	0.532	1.471			
	.40	—	—	—	—	—	—	—	—			0.269	0.591	0.768	0.532	1.471			
	.50	—	—	—	—	—	—	—	—			0.269	0.591	0.768	0.532	1.471			
	.00	—	—	—	—	—	—	—	—			0.269	0.591	0.768	0.532	1.471			
	8~9	—	—	—	—	—	—	—	—				0.591	0.768	0.532	1.471	0.70		34.0
	.10	—	—	—	—	—	—	—	—			0.269	0.591	0.768	0.532	1.471			
	.20	—	—	—	—	—	—	—	—			0.269	0.591	0.768	0.532	1.471			
	.30	—	—	—	—	—	—	—	—			0.269	0.591	0.768	0.532	1.471			
	.40	—	—	—	—	—	—	—	—			0.269	0.591	0.768	0.532	1.471			
	.50	—	—	—	—	—	—	—	—			0.269	0.591	0.768	0.532	1.471			
	.00	—	—	—	—	—	—	—	—			0.269	0.591	0.768	0.532	1.471			
	9~10	—	—	—	—	—	—	—	—				0.591	0.768	0.532	1.471	0.70		34.0
	.10	—	—	—	—	—	—	—	—	0.008	0.003	0.269	0.591	0.768	0.532	1.471			
	.20	—	—	—	—	—	—	—	—	0.008	0.003	0.269	0.591	0.768	0.532	1.471			
	.30	—	—	—	—	—	—	—	—	0.008	0.003	0.269	0.591	0.768	0.532	1.471			
	.40	—	—	—	—	—	—	—	—	0.008	0.003	0.269	0.591	0.768	0.532	1.471			
	.50	—	—	—	—	—	—	—	—	0.008	0.003	0.269	0.591	0.768	0.532	1.471			
	.00	—	—	—	—	—	—	—	—	0.008	0.003	0.269	0.591	0.768	0.532	1.471			
	10~11	—	—	—	—	—	—	—	—	0.008	0.003	0.269	0.591	0.768	0.532	1.471	0.70		36.0
	.10	—	—	—	—	—	—	—	—	0.008	0.003	0.269	0.591	0.768	0.530	1.498			
	.20	—	—	—	—	—	—	—	—	0.008	0.003	0.269	0.591	0.768	0.530	1.498			
	.30	—	—	—	—	—	—	—	—	0.008	0.003	0.269	0.591	0.768	0.530	1.498			
	.40	—	—	—	—	—	—	—	—	0.008	0.003	0.269	0.591	0.768	0.530	1.498			
	.50	—	—	—	—	—	—	—	—	0.008	0.003	0.269	0.591	0.768	0.530	1.498			
	.00	—	—	—	—	—	—	—	—	0.008	0.003	0.269	0.591	0.768	0.530	1.498			
	11~12	—	—	—	—	—	—	—	—	0.008	0.003	0.269	0.591	0.768	0.530	1.498	0.70		38.0

1969年(昭和44年)

月・日	時・分	雨							南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 架	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量
10.24	.10	—	—	—	—	—	—	—	—	0.008	0.003	0.269	0.591	0.768	0.530	1.498		
	.20	—	—	—	—	—	—	—	—	0.008	0.003	0.269	0.591	0.768	0.530	1.498		
	.30	—	—	—	—	—	—	—	—	0.008	0.003	0.269	0.591	0.768	0.530	1.498		
	.40	—	—	—	—	—	—	—	—	0.008	0.003	0.269	0.591	0.768	0.530	1.498		
	.50	—	—	—	—	—	—	—	—	0.008	0.003	0.269	0.591	0.768	0.530	1.498		
	.00	—	—	—	—	—	—	—	—	0.008	0.003	0.269	0.591	0.768	0.530	1.498		
	12-13	—	—	—	—	—	—	—	—	0.008	0.003	0.269	0.591	0.768	0.530	1.498	0.83	37.0
	.10	—	—	—	—	—	—	—	—	0.008	0.003	0.269	0.591	0.768	0.530	1.498		
	.20	—	—	—	—	—	—	—	—	0.008	0.003	0.267	0.584	0.768	0.530	1.498		
	.30	—	—	—	—	—	—	—	—	0.008	0.003	0.267	0.584	0.768	0.530	1.498		
	.40	—	—	—	—	—	—	—	—	0.008	0.003	0.266	0.581	0.768	0.530	1.498		
	.50	—	—	—	—	—	—	—	—	0.008	0.003	0.266	0.581	0.768	0.530	1.498		
	.00	—	—	—	—	—	—	—	—	0.008	0.003	0.266	0.581	0.768	0.530	1.498		
	13-14	—	—	—	—	—	—	—	—	0.008	0.003	0.266	0.581	0.768	0.530	1.498	0.83	37.5
	.10	—	—	—	—	—	—	—	—	0.008	0.003	0.266	0.581	0.768	0.530	1.498		
	.20	—	—	—	—	—	—	—	—	0.008	0.003	0.266	0.581	0.768	0.530	1.498		
	.30	—	—	—	—	—	—	—	—	0.008	0.003	0.266	0.581	0.768	0.530	1.498		
	.40	—	—	—	—	—	—	—	—	0.008	0.003	0.266	0.581	0.768	0.530	1.498		
	.50	—	—	—	—	—	—	—	—	0.008	0.003	0.266	0.581	0.768	0.530	1.498		
	.00	—	—	—	—	—	—	—	—	0.008	0.003	0.266	0.581	0.768	0.530	1.498		
	14-15	—	—	—	—	—	—	—	—	0.008	0.003	0.266	0.581	0.768	0.530	1.498	0.83	38.0
	.10	—	—	—	—	—	—	—	—	0.008	0.003	0.266	0.581	0.767	0.530	1.498		
	.20	—	—	—	—	—	—	—	—	0.008	0.003	0.266	0.581	0.767	0.530	1.498		
	.30	—	—	—	—	—	—	—	—	0.008	0.003	0.266	0.581	0.767	0.530	1.498		
	.40	—	—	—	—	—	—	—	—	0.008	0.003	0.266	0.581	0.767	0.530	1.498		
	.50	—	—	—	—	—	—	—	—	0.008	0.003	0.266	0.581	0.767	0.530	1.498		
	.00	—	—	—	—	—	—	—	—	0.008	0.003	0.265	0.577	0.767	0.530	1.498	0.83	37.0
	15-16	—	—	—	—	—	—	—	—	0.008	0.003	0.265	0.577	0.767	0.530	1.498		
	.10	—	—	—	—	—	—	0.5	—	0.008	0.003	0.265	0.577	0.767	0.530	1.498		
	.20	—	—	—	—	—	—	—	—	0.008	0.003	0.265	0.577	0.767	0.530	1.498		
	.30	—	—	—	—	—	—	—	—	0.008	0.003	0.265	0.577	0.767	0.530	1.498		
	.40	—	—	—	—	—	—	—	—	0.008	0.003	0.265	0.577	0.767	0.530	1.498		
	.50	—	—	—	—	—	—	—	—	0.008	0.003	0.265	0.577	0.767	0.530	1.498		
	.00	—	—	—	—	—	—	—	—	0.008	0.003	0.265	0.577	0.767	0.530	1.498		
	16-17	—	—	—	—	—	—	0.5	—	0.008	0.003	0.265	0.577	0.767	0.530	1.498	0.83	37.0
	.10	—	—	—	—	—	—	—	—	0.008	0.003	0.265	0.577	0.767	0.530	1.498		
	.20	—	—	—	—	—	—	—	—	0.008	0.003	0.265	0.577	0.767	0.530	1.498		
	.30	—	—	—	—	—	—	—	—	0.008	0.003	0.265	0.577	0.767	0.530	1.498		
	.40	—	—	—	—	—	—	—	—	0.008	0.003	0.265	0.577	0.767	0.530	1.498		
	.50	—	—	—	—	—	—	—	—	0.008	0.003	0.265	0.577	0.767	0.530	1.498		
	.00	—	—	—	—	—	—	—	—	0.008	0.003	0.265	0.577	0.767	0.530	1.498		
	17-18	—	—	—	—	—	—	—	—	0.008	0.003	0.265	0.577	0.767	0.530	1.498	0.70	36.0

-77-

1969年(昭和44年)		雨量								南大沢		大栗川橋		常盤橋		明神橋		報恩橋		関戸
月・日	時分	清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 栗	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位	
1024	.10	—	—	—	—	—	—	—	—	0.008	0.003	0.265	0.577	0.766	0.530	1.498				
	.20	—	—	—	—	—	—	—	—	0.008	0.003	0.265	0.577	0.766	0.530	1.498				
	.30	—	—	—	—	—	—	—	—	0.008	0.003	0.265	0.577	0.766	0.530	1.498				
	.40	—	—	—	—	—	—	—	—	0.008	0.003	0.265	0.577	0.766	0.530	1.498				
	.50	—	—	—	—	—	—	—	—	0.008	0.003	0.265	0.577	0.766	0.530	1.498				
	.00	—	—	—	—	—	—	—	—	0.008	0.003	0.265	0.577	0.766	0.530	1.498		0.70	3.55	
	18-19	—	—	—	—	—	—	—	—	—	—	—	0.577	—	—	—	1.498			
	.10	—	—	—	—	—	—	—	—	0.008	0.003	0.265	0.577	0.766	0.530	1.498				
	.20	—	—	—	—	—	—	—	—	0.008	0.003	0.265	0.577	0.766	0.530	1.498				
	.30	—	—	—	—	—	—	—	—	0.008	0.003	0.265	0.577	0.766	0.530	1.498				
	.40	—	—	—	—	—	—	—	—	0.008	0.003	0.265	0.577	0.766	0.530	1.498				
	.50	—	—	—	—	—	—	—	—	0.008	0.003	0.265	0.577	0.766	0.530	1.498				
	.00	—	—	—	—	—	—	—	—	0.008	0.003	0.265	0.577	0.766	0.530	1.498		0.70	3.55	
	19-20	—	—	—	—	—	—	—	—	—	—	—	0.577	—	—	—	1.498			
	.10	—	—	—	—	—	—	—	—	0.008	0.003	0.265	0.577	0.766	0.530	1.498				
	.20	—	—	—	—	—	—	—	—	0.008	0.003	0.265	0.577	0.766	0.530	1.498				
	.30	—	—	—	—	—	—	—	—	0.008	0.003	0.265	0.577	0.766	0.530	1.498				
	.40	—	—	—	—	—	—	—	—	0.008	0.003	0.265	0.577	0.766	0.530	1.498				
	.50	—	—	—	—	—	—	—	—	0.008	0.003	0.265	0.577	0.766	0.530	1.498				
	.00	—	—	—	—	—	—	—	—	0.008	0.003	0.265	0.577	0.766	0.530	1.498		0.70	3.50	
	20-21	—	—	—	—	—	—	—	—	—	—	—	0.577	—	—	—	1.498			
	.10	—	—	—	—	—	—	—	—	0.008	0.003	0.265	0.577	0.766	0.530	1.498				
	.20	—	—	—	—	—	—	—	—	0.008	0.003	0.265	0.577	0.766	0.530	1.498				
	.30	—	—	—	—	—	—	—	—	0.008	0.003	0.265	0.577	0.766	0.530	1.498				
.40	—	—	—	—	—	—	—	—	0.008	0.003	0.265	0.577	0.766	0.530	1.498					
.50	—	—	—	—	—	—	—	—	0.008	0.003	0.265	0.577	0.766	0.530	1.498					
.00	—	—	—	—	—	—	—	—	0.008	0.003	0.265	0.577	0.766	0.530	1.498		0.70	3.45		
21-22	—	—	—	—	—	—	—	—	—	—	—	0.577	—	—	—	1.498				
.10	—	—	—	—	—	—	—	—	—	0.008	0.003	0.265	0.577	0.766	0.530	1.498				
.20	—	—	—	—	—	—	—	—	—	0.008	0.003	0.265	0.577	0.766	0.530	1.498				
.30	—	—	—	—	—	—	—	—	—	0.008	0.003	0.265	0.577	0.766	0.530	1.498				
.40	—	—	—	—	—	—	—	—	—	0.008	0.003	0.265	0.577	0.766	0.530	1.498				
.50	—	—	—	—	—	—	—	—	—	0.008	0.003	0.265	0.577	0.766	0.530	1.498				
.00	—	—	—	—	—	—	—	—	—	0.008	0.003	0.265	0.577	0.766	0.530	1.498		0.70	3.45	
22-23	—	—	—	—	—	—	—	—	—	—	—	0.577	—	—	—	1.498				
.10	—	—	—	—	—	—	—	—	—	0.008	0.003	0.265	0.577	0.766	0.530	1.498				
.20	—	—	—	—	—	—	—	—	—	0.008	0.003	0.265	0.577	0.766	0.530	1.498				
.30	—	—	—	—	—	—	—	—	—	0.008	0.003	0.265	0.577	0.766	0.530	1.498				
.40	—	—	—	—	—	—	—	—	—	0.008	0.003	0.265	0.577	0.766	0.530	1.498				
.50	—	—	—	—	—	—	—	—	—	0.008	0.003	0.265	0.577	0.766	0.530	1.498				
.00	—	—	—	—	—	—	—	—	—	0.008	0.003	0.265	0.577	0.766	0.530	1.498		0.70	3.45	
23-24	—	—	—	—	—	—	—	—	—	—	—	0.576	—	—	—	1.498				

1969年(昭和44年)

月・日	時・分	雨							南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸	
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 栗	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
10.25	.10	—	—	—	—	—	—	—	—	0.007	0.003	0.263	0.570	0.766	0.530	1.498			
	.20	—	—	—	—	—	—	—	—	0.007	0.003	0.263	0.570	0.766	0.530	1.498			
	.30	—	—	—	—	—	—	—	—	0.007	0.003	0.263	0.570	0.766	0.530	1.498			
	.40	—	—	—	—	—	—	—	—	0.007	0.003	0.263	0.570	0.766	0.530	1.498			
	.50	—	—	—	—	—	—	—	—	0.007	0.003	0.263	0.570	0.766	0.530	1.498			
	.00	—	—	—	—	—	—	—	—	0.007	0.003	0.263	0.570	0.766	0.530	1.498			
	0 ~ 1	—	—	—	—	—	—	—	—	0.007	0.003	0.263	0.570	0.766	0.530	1.498		0.70	34.0
	.10	—	—	—	—	—	—	—	—	0.007	0.003	0.263	0.570	0.766	0.530	1.498			
	.20	—	—	—	—	—	—	—	—	0.007	0.003	0.263	0.570	0.766	0.530	1.498			
	.30	—	—	—	—	—	—	—	—	0.007	0.003	0.263	0.570	0.766	0.530	1.498			
	.40	—	—	—	—	—	—	—	—	0.007	0.003	0.263	0.570	0.766	0.530	1.498			
	.50	—	—	—	—	—	—	—	—	0.007	0.003	0.263	0.570	0.766	0.530	1.498			
	.00	—	—	—	—	—	—	—	—	0.007	0.003	0.263	0.570	0.766	0.530	1.498			
	1 ~ 2	—	0.5	—	—	—	—	—	—	0.007	0.003	0.263	0.570	0.766	0.530	1.498		0.70	34.0
	.10	—	—	—	0.5	—	0.5	—	—	0.007	0.003	0.263	0.570	0.766	0.530	1.498			
	.20	—	—	—	—	—	—	—	—	0.007	0.003	0.263	0.570	0.766	0.530	1.498			
	.30	—	—	—	—	—	—	—	—	0.007	0.003	0.263	0.570	0.766	0.530	1.498			
	.40	—	—	—	—	0.5	—	—	—	0.007	0.003	0.263	0.570	0.766	0.530	1.498			
	.50	—	—	—	—	—	—	—	—	0.007	0.003	0.263	0.570	0.766	0.530	1.498			
	.00	—	—	—	—	—	—	—	—	0.007	0.003	0.263	0.570	0.766	0.530	1.498			
	2 ~ 3	—	—	—	0.5	0.5	0.5	—	—	0.007	0.003	0.263	0.570	0.766	0.530	1.498		0.70	34.0
	.10	—	—	—	—	—	—	—	—	0.007	0.003	0.263	0.570	0.766	0.530	1.498			
	.20	—	—	—	—	—	—	—	—	0.007	0.003	0.263	0.570	0.766	0.530	1.498			
	.30	—	—	—	—	—	—	—	—	0.007	0.003	0.263	0.570	0.766	0.530	1.498			
	.40	0.5	—	0.5	—	—	—	—	—	0.007	0.003	0.263	0.570	0.766	0.530	1.498			
	.50	—	—	—	—	—	—	—	—	0.007	0.003	0.263	0.570	0.766	0.530	1.498			
	.00	—	—	—	—	—	0.5	0.5	—	0.007	0.003	0.263	0.570	0.766	0.530	1.498		0.70	34.0
	3 ~ 4	0.5	—	0.5	—	—	0.5	0.5	—	0.007	0.003	0.263	0.570	0.766	0.532	1.471			
	.10	—	0.5	—	0.5	—	—	—	—	0.007	0.003	0.263	0.570	0.766	0.532	1.471			
	.20	—	—	—	—	—	—	—	—	0.007	0.003	0.263	0.570	0.766	0.532	1.471			
	.30	—	—	—	—	—	—	—	—	0.007	0.003	0.263	0.570	0.766	0.532	1.471			
	.40	0.5	—	0.5	—	0.5	—	0.5	—	0.007	0.003	0.263	0.570	0.766	0.532	1.471			
	.50	—	—	—	0.5	—	0.5	—	0.5	0.007	0.003	0.263	0.570	0.766	0.532	1.471			
	.00	—	0.5	—	—	0.5	—	—	—	0.007	0.003	0.263	0.570	0.766	0.532	1.471			
	4 ~ 5	0.5	1.0	0.5	1.0	1.0	0.5	1.0	—	0.007	0.003	0.263	0.570	0.766	0.532	1.471		0.70	34.0
	.10	0.5	—	—	—	0.5	—	0.5	—	0.007	0.003	0.263	0.570	0.766	0.532	1.471			
	.20	—	—	—	—	—	0.5	—	0.5	0.007	0.003	0.263	0.570	0.766	0.532	1.471			
	.30	—	—	0.5	—	—	—	—	—	0.007	0.003	0.263	0.570	0.766	0.532	1.471			
	.40	0.5	—	—	—	0.5	—	—	0.5	0.007	0.003	0.263	0.570	0.766	0.532	1.471			
	.50	—	0.5	—	—	—	—	—	—	0.007	0.003	0.263	0.570	0.766	0.532	1.471			
	.00	—	—	—	—	0.5	0.5	—	—	0.007	0.003	0.263	0.570	0.766	0.532	1.471			
	5 ~ 6	1.0	0.5	0.5	0.5	1.0	1.0	1.0	0.5	0.007	0.003	0.263	0.570	0.766	0.532	1.471		0.70	35.0

1969年(昭和44年)

月・日	時分	雨								南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 橋	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
10.25	.10	0.5	0.5	0.5	0.5	—	—	0.5	—	0.007	0.003	0.263	0.570	0.767	0.532	1.471			
	.20	0.5	—	—	—	—	0.5	—	—	0.008	0.003	0.263	0.570	0.767	0.532	1.471			
	.30	—	0.5	0.5	0.5	0.5	—	0.5	—	0.009	0.004	0.263	0.570	0.768	0.530	1.498			
	.40	0.5	0.5	0.5	—	—	0.5	0.5	—	0.010	0.004	0.263	0.570	0.768	0.530	1.498			
	.50	0.5	—	—	0.5	0.5	0.5	—	—	0.012	0.005	0.263	0.570	0.768	0.532	1.471			
	.00	0.5	0.5	1.0	0.5	0.5	0.5	0.5	—	0.013	0.006	0.265	0.577	0.769	0.529	1.511		0.70	37.0
	6~7	2.5	2.0	2.5	2.0	1.5	2.0	2.0	—					0.571		1.487			
	.10	—	0.5	—	0.5	0.5	—	—	—	0.016	0.008	0.267	0.584	0.778	0.529	1.511			
	.20	0.5	—	0.5	—	0.5	—	0.5	—	0.020	0.011	0.270	0.595	0.771	0.525	1.566			
	.30	0.5	0.5	—	0.5	—	0.5	0.5	—	0.026	0.016	0.270	0.595	0.772	0.525	1.566			
	.40	0.5	0.5	0.5	0.5	—	0.5	—	—	0.030	0.020	0.272	0.602	0.773	0.522	1.607			
	.50	—	—	—	—	0.5	—	0.5	—	0.033	0.023	0.275	0.612	0.774	0.520	1.635			
	.00	0.5	0.5	—	0.5	0.5	—	—	0.5	0.033	0.023	0.280	0.630	0.775	0.520	1.638		0.70	40.0
	7~8	2.0	2.0	1.0	2.0	2.0	2.0	1.5	0.5				0.603			1.587			
	.10	0.5	0.5	0.5	0.5	0.5	0.5	0.5	—	0.033	0.023	0.280	0.630	0.775	0.522	1.607			
	.20	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.034	0.024	0.288	0.660	0.776	0.520	1.635			
	.30	0.5	0.5	0.5	0.5	0.5	—	—	—	0.037	0.027	0.289	0.663	0.777	0.518	1.663			
	.40	0.5	0.5	0.5	0.5	—	0.5	0.5	—	0.040	0.031	0.293	0.678	0.778	0.518	1.663			
	.50	0.5	0.5	0.5	0.5	0.5	—	0.5	0.5	0.044	0.035	0.300	0.705	0.781	0.515	1.706			
	.00	—	—	—	—	0.5	0.5	—	—	0.050	0.043	0.300	0.705	0.782	0.510	1.778		0.96	41.0
	8~9	2.5	2.5	2.5	2.5	2.5	2.0	2.0	1.0				0.674			1.676			
	.10	1.0	0.5	1.0	1.0	0.5	0.5	0.5	—	0.054	0.048	0.305	0.724	0.784	0.517	1.677			
	.20	0.5	1.0	0.5	0.5	0.5	1.0	1.0	0.5	0.058	0.053	0.310	0.744	0.787	0.505	1.852			
	.30	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.060	0.056	0.315	0.764	0.790	0.500	1.928			
	.40	1.0	1.0	1.0	1.0	0.5	1.0	1.0	—	0.065	0.063	0.320	0.784	0.794	0.499	1.943			
	.50	0.5	0.5	1.0	1.0	1.0	0.5	0.5	—	0.075	0.079	0.339	0.863	0.800	0.495	2.005			
	.00	1.0	1.0	1.0	1.0	1.0	1.0	0.5	—	0.086	0.097	0.339	0.863	0.805	0.490	2.083		1.10	45.0
	9~10	4.5	4.5	5.0	5.0	4.0	4.5	4.0	1.0				0.790			1.915			
	.10	0.5	0.5	0.5	0.5	—	—	0.5	1.0	0.084	0.094	0.345	0.889	0.812	0.485	2.163			
	.20	1.0	1.0	1.0	1.0	0.5	0.5	0.5	0.5	0.092	0.108	0.360	0.954	0.818	0.486	2.245			
	.30	0.5	1.0	0.5	1.0	1.0	1.0	0.5	—	0.100	0.122	0.370	1.000	0.822	0.470	2.412			
	.40	0.5	0.5	0.5	0.5	—	—	0.5	0.5	0.108	0.138	0.390	1.093	0.826	0.465	2.498			
	.50	0.5	0.5	0.5	—	0.5	1.0	0.5	0.5	0.114	0.150	0.400	1.142	0.830	0.460	2.586			
	.00	0.5	0.5	1.0	1.0	0.5	0.5	0.5	—	0.116	0.154	0.415	1.216	0.832	0.450	2.765		1.41	48.0
	10~11	3.5	4.0	4.0	4.0	2.5	3.5	3.5	2.0				1.049			2.445			
	.10	1.0	0.5	0.5	1.0	1.0	1.0	0.5	0.5	0.117	0.156	0.430	1.293	0.838	0.440	2.951			
	.20	0.5	1.0	1.0	0.5	0.5	0.5	1.0	0.5	0.117	0.156	0.445	1.372	0.842	0.435	3.046			
	.30	1.0	1.0	0.5	1.0	1.0	1.0	1.0	—	0.118	0.158	0.460	1.454	0.850	0.425	3.240			
	.40	0.5	0.5	1.0	1.0	1.0	1.0	1.0	0.5	0.126	0.175	0.470	1.510	0.860	0.418	3.380			
	.50	1.0	0.5	1.0	0.5	1.0	0.5	1.0	—	0.135	0.195	0.480	1.566	0.870	0.410	3.543			
	.00	1.0	1.5	1.0	1.5	1.5	1.0	1.0	0.5	0.142	0.211	0.495	1.653	0.878	0.400	3.753		2.37	51.5
	11~12	5.0	5.0	5.0	5.5	6.0	5.0	5.5	2.0				1.475			3.319			

1969年(昭和44年)

月・日	時・分	雨								南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 橋	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
1025	.10	1.0	0.5	1.0	1.0	1.0	0.5	1.0	—	0.150	0.230	0.518	1.743	0.886	0.390	3.969			
	.20	0.5	1.0	0.5	0.5	1.0	0.5	0.5	0.5	0.160	0.255	0.518	1.792	0.897	0.385	4.079			
	.30	1.0	0.5	0.5	1.0	0.5	0.5	1.0	0.5	0.176	0.297	0.530	1.866	0.903	0.380	4.190			
	.40	1.5	1.0	2.0	1.5	0.5	1.0	1.5	—	0.176	0.297	0.542	1.942	0.906	0.370	4.418			
	.50	1.5	2.0	1.0	1.0	2.0	1.5	1.5	—	0.180	0.308	0.555	2.025	0.912	0.365	4.534			
	.00	2.5	1.0	2.0	2.0	1.0	2.0	2.0	0.5	0.190	0.336	0.569	2.118	0.921	0.360	4.652		3.56	5.80
	12-13	8.0	6.0	7.0	7.0	6.0	6.5	7.5	1.5				1.914			4.307			
	.10	2.0	3.0	1.5	2.0	2.5	2.0	1.5	0.5	0.218	0.419	0.580	2.191	0.933	0.355	4.771			
	.20	3.0	2.0	2.0	1.5	1.5	2.0	1.5	0.5	0.229	0.454	0.600	2.329	0.950	0.345	5.014			
	.30	2.5	2.5	2.0	2.5	0.5	1.0	0.5	0.5	0.253	0.534	0.620	2.471	0.962	0.315	5.778			
	.40	1.5	1.5	1.5	1.5	1.0	1.0	2.5	0.5	0.261	0.562	0.645	2.654	0.972	0.310	5.911			
	.50	1.5	2.0	1.5	1.5	1.5	2.0	1.5	1.0	0.272	0.601	0.670	2.843	0.984	0.300	6.180			
	.00	1.0	1.0	1.5	2.0	2.0	2.0	0.5	1.0	0.270	0.594	0.695	3.040	1.007	0.299	6.208		5.32	7.40
	13-14	11.5	12.0	10.0	11.0	9.0	10.0	8.0	4.0				2.588			5.644			
	.10	1.5	1.0	1.0	1.5	1.0	1.0	0.5	0.5	0.270	0.594	0.720	3.242	1.027	0.270	7.026			
	.20	1.0	1.5	1.0	1.0	0.5	1.0	0.5	0.5	0.268	0.587	0.741	3.418	1.041	0.240	7.926			
	.30	1.0	1.0	1.0	0.5	0.5	0.5	—	1.0	0.267	0.583	0.760	3.580	1.055	0.235	8.081			
	.40	1.0	0.5	0.5	1.0	0.5	0.5	0.5	0.5	0.269	0.590	0.770	3.667	1.068	0.230	8.238			
	.50	1.5	1.5	1.5	1.5	—	1.5	1.0	0.5	0.270	0.594	0.780	3.756	1.079	0.230	8.238			
	.00	2.0	1.5	1.5	2.0	1.0	1.5	0.5	0.5	0.270	0.594	0.790	3.845	1.093	0.230	8.238		8.62	7.00
	14-15	8.0	7.0	6.5	7.5	3.5	6.0	3.0	3.5				3.585			7.958			
	.10	1.5	1.5	1.5	1.5	1.0	1.0	1.0	0.5	0.278	0.623	0.795	3.890	1.104	0.230	8.238			
	.20	0.5	1.0	0.5	1.0	1.0	1.0	1.0	0.5	0.282	0.638	0.800	3.935	1.112	0.220	8.556			
	.30	0.5	1.0	0.5	0.5	1.0	0.5	0.5	1.0	0.284	0.645	0.810	4.026	1.114	0.210	8.880			
	.40	0.0	0.5	1.0	0.5	1.0	0.5	0.5	1.0	0.281	0.634	0.820	4.119	1.118	0.180	9.889			
	.50	—	1.0	0.5	0.5	—	—	0.5	1.0	0.279	0.627	0.830	4.212	1.121	0.170	10.237			
	.00	1.0	0.5	0.5	0.5	0.5	1.0	0.5	1.0	0.276	0.616	0.840	4.307	1.126	0.160	10.591		12.22	7.50
	15-16	4.5	5.5	4.5	4.5	4.5	4.0	4.0	5.0				4.081			9.398			
	.10	1.0	0.5	1.0	1.0	0.5	0.5	1.5	1.0	0.274	0.608	0.840	4.307	1.129	0.160	10.591			
	.20	1.0	1.5	1.0	1.0	0.5	1.5	0.5	1.0	0.272	0.601	0.850	4.402	1.131	0.160	10.591			
	.30	1.0	1.0	1.0	1.0	0.5	1.0	1.0	1.0	0.274	0.608	0.845	4.354	1.135	0.160	10.591			
	.40	1.0	1.0	1.0	1.0	0.5	0.5	0.5	0.5	0.278	0.623	0.842	4.326	1.140	0.160	10.591			
	.50	1.0	1.0	—	—	—	1.0	1.0	1.5	0.280	0.630	0.842	4.326	1.143	0.160	10.591			
	.00	0.5	0.5	1.0	1.0	1.0	0.5	0.5	1.5	0.277	0.619	0.840	4.307	1.141	0.160	10.591		13.73	7.90
	16-17	5.5	5.5	5.0	5.0	3.0	5.0	5.0	6.5				4.337			10.591			
	.10	0.5	0.5	0.5	1.0	1.0	1.0	0.5	1.5	0.277	0.619	0.840	4.307	1.140	0.160	10.591			
	.20	0.5	1.0	0.5	—	0.5	0.5	0.5	2.0	0.272	0.601	0.840	4.307	1.139	0.150	10.951			
	.30	0.5	0.5	0.5	0.5	0.5	0.5	—	1.5	0.270	0.594	0.837	4.278	1.138	0.140	11.317			
	.40	—	—	—	0.5	0.5	—	0.5	1.0	0.268	0.587	0.835	4.259	1.135	0.140	11.317			
	.50	0.5	0.5	—	—	—	0.5	—	1.5	0.265	0.576	0.830	4.212	1.135	0.140	11.317			
	.00	—	—	0.5	0.5	—	0.5	—	3.0	0.260	0.558	0.825	4.165	1.135	0.145	11.134		18.19	7.65
	17-18	2.0	2.5	2.0	2.5	2.5	3.0	1.5	10.5				4.255			11.105			

1969年(昭和44年)

月・日	時分	雨 量							南大沢		大栗川橋		常盤橋	明 神 橋		報恩橋		関戸	
		消水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 葉	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
10.25	.10	0.5	—	—	—	—	—	—	1.0	0.256	0.544	0.820	4.119	1.131	0.150	10.951			
	.20	—	0.5	—	—	—	—	—	0.5	0.252	0.530	0.810	4.026	1.128	0.160	10.591			
	.30	—	—	—	—	—	—	—	0.5	0.249	0.520	0.800	3.935	1.122	0.165	10.413			
	.40	—	—	—	—	—	—	0.5	0.5	0.243	0.500	0.790	3.845	1.121	0.170	10.237			
	.50	—	—	—	0.5	—	0.5	—	—	0.239	0.486	0.780	3.756	1.115	0.175	10.062			
	.00	0.5	—	0.5	—	0.5	—	—	1.0	0.234	0.470	0.770	3.667	1.109	0.180	9.889		17.60	71.5
	18-19	1.0	0.5	0.5	0.5	0.5	0.5	0.5	3.5	—	—	—	3.891	—	—	10.357			
	.10	0.5	0.5	0.5	1.0	—	0.5	0.5	0.5	0.230	0.457	0.762	3.598	1.103	0.185	9.717			
	.20	1.5	1.0	1.5	1.0	0.5	1.0	1.0	1.5	0.228	0.450	0.760	3.580	1.100	0.185	9.717			
	.30	1.0	1.0	1.0	1.5	1.0	1.5	1.5	1.0	0.230	0.451	0.750	3.494	1.096	0.185	9.717			
	.40	0.5	1.5	1.0	1.0	1.5	1.0	2.0	1.0	0.237	0.480	0.749	3.486	1.096	0.190	9.546			
	.50	0.5	0.5	0.5	1.0	1.0	1.0	1.5	0.5	0.245	0.506	0.749	3.486	1.095	0.190	9.546			
	.00	1.5	1.0	1.0	0.5	1.5	1.0	1.0	0.5	0.247	0.513	0.750	3.494	1.095	0.190	9.546		147.9	72.0
	19-20	5.5	5.5	5.5	6.0	5.5	6.0	7.5	5.0	—	—	—	3.523	—	—	9.632			
	.10	1.5	1.5	1.0	1.0	1.0	2.0	1.0	0.5	0.246	0.510	0.753	3.520	1.095	0.185	9.717			
	.20	1.5	1.0	2.0	1.0	0.5	1.5	2.5	1.0	0.248	0.516	0.760	3.580	1.098	0.180	9.889			
	.30	2.0	2.0	1.5	2.5	1.0	1.5	2.0	1.0	0.266	0.579	0.770	3.667	1.102	0.175	10.062			
	.40	1.0	2.5	3.5	3.0	1.0	2.5	1.5	1.0	0.272	0.601	0.785	3.800	1.111	0.170	10.237			
	.50	1.5	1.5	1.5	2.5	0.5	2.5	2.0	1.0	0.287	0.657	0.800	3.935	1.121	0.165	10.413			
	.00	1.5	2.5	1.5	1.0	—	1.5	2.0	1.0	0.292	0.676	0.820	4.119	1.125	0.160	10.591		158.8	80.0
	20-21	9.0	11.0	11.0	11.0	4.0	11.5	11.0	5.5	—	—	—	3.770	—	—	10.151			
	.10	2.5	1.5	1.0	0.5	0.5	1.5	2.0	1.0	0.300	0.707	0.840	4.307	1.130	0.155	10.770			
	.20	1.5	2.0	2.0	2.0	0.5	3.5	1.5	1.0	0.308	0.738	0.850	4.402	1.138	0.150	10.951			
	.30	2.0	2.5	1.0	1.0	0.5	1.0	1.5	0.5	0.315	0.766	0.870	4.596	1.148	0.145	11.134			
	.40	2.0	1.0	1.5	1.0	0.5	1.5	2.0	0.5	0.324	0.803	0.890	4.794	1.154	0.135	11.503			
	.50	1.5	2.0	1.0	1.0	0.5	2.5	2.5	—	0.333	0.841	0.900	4.895	1.162	0.130	11.690			
	.00	2.5	1.5	1.0	0.5	0.5	1.0	—	0.5	0.338	0.862	0.920	5.100	1.167	0.125	11.878		18.19	88.0
	21-22	12.0	10.5	7.5	6.0	3.0	11.0	9.5	3.5	—	—	—	4.682	—	—	11.321			
	.10	3.0	0.5	1.0	1.0	—	0.5	0.5	—	0.345	0.893	0.930	5.204	1.175	0.120	12.068			
	.20	1.5	1.0	0.5	—	0.5	0.5	1.0	0.5	0.352	0.923	0.945	5.361	1.183	0.115	12.259			
	.30	0.5	1.0	1.0	1.5	1.0	—	0.5	—	0.361	0.964	0.950	5.415	1.189	0.110	12.452			
	.40	1.0	0.5	1.5	1.5	1.0	1.0	—	—	0.360	0.959	0.960	5.522	1.195	0.095	13.040			
	.50	1.5	2.0	0.5	—	—	—	—	—	0.359	0.955	0.960	5.522	1.205	0.085	13.439			
	.00	—	—	—	—	—	0.5	—	—	0.368	0.995	0.959	5.610	1.203	0.080	13.641		18.79	92.5
	22-23	7.5	5.0	4.5	4.0	2.5	2.5	2.0	0.5	—	—	—	5.440	—	—	12.817			
	.10	0.5	0.5	—	0.5	0.5	—	—	0.5	0.360	0.959	0.965	5.575	1.204	0.075	13.845			
	.20	—	—	0.5	—	—	0.5	0.5	0.5	0.354	0.932	0.960	5.522	1.204	0.070	14.050			
	.30	0.5	0.5	—	0.5	0.5	—	—	0.5	0.349	0.910	0.955	5.468	1.203	0.070	14.050			
	.40	0.5	0.5	1.0	0.5	1.0	—	1.0	1.5	0.343	0.884	0.950	5.415	1.201	0.065	14.256			
	.50	1.0	1.0	0.5	1.0	—	1.0	0.5	1.0	0.340	0.871	0.942	5.330	1.198	0.065	14.256			
	.00	0.5	0.5	0.5	—	—	0.5	0.5	1.5	0.337	0.858	0.938	5.287	1.194	0.065	14.256		19.40	97.5
	23-24	3.0	2.5	2.5	2.5	2.0	2.0	2.5	5.5	—	—	—	5.433	—	—	14.118			

1969年(昭和44年)

月・日	時・分	雨						南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 薬	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位
10.26	.10	—	0.5	—	—	0.5	—	—	1.5	0.334	0.845	0.930	5.204	1.190	0.065	14.256	
	.20	—	—	—	—	—	0.5	—	2.0	0.330	0.828	0.920	5.100	1.187	0.065	14.256	
	.30	—	—	—	—	—	—	—	1.0	0.323	0.799	0.910	4.997	1.185	0.070	14.050	
	.40	—	—	—	—	—	—	—	1.5	0.318	0.779	0.905	4.946	1.180	0.075	13.845	
	.50	—	—	—	—	—	—	—	2.5	0.311	0.750	0.900	4.895	1.175	0.085	13.439	
	.00	—	—	—	—	—	—	—	2.0	0.307	0.734	0.890	4.794	1.170	0.090	13.239	17.60
	0~1	—	0.5	—	—	0.5	0.5	—	10.5	—	—	—	4.982	—	—	13.848	79.5
	.10	—	—	—	—	—	—	—	1.5	0.302	0.715	0.880	4.695	1.165	0.100	12.843	
	.20	—	—	—	—	—	—	—	1.5	0.298	0.699	0.870	4.596	1.160	0.105	12.647	
	.30	—	—	—	—	—	—	—	2.0	0.294	0.683	0.860	4.499	1.152	0.110	12.452	
	.40	—	—	—	—	—	—	—	1.5	0.290	0.668	0.850	4.402	1.148	0.120	12.068	
	.50	—	—	—	—	—	—	—	1.0	0.286	0.653	0.835	4.259	1.140	0.125	11.878	
	.00	—	—	—	—	—	—	—	1.5	0.282	0.638	0.825	4.165	1.135	0.130	11.690	19.40
	1~2	—	—	—	—	—	—	—	9.0	—	—	—	4.436	—	—	12.263	69.5
	.10	—	—	—	—	—	—	—	1.5	0.280	0.630	0.815	4.072	1.130	0.140	11.317	
	.20	—	—	—	—	—	—	—	2.0	0.277	0.619	0.809	4.017	1.125	0.150	10.951	
	.30	—	—	—	—	—	—	—	—	0.273	0.605	0.800	3.935	1.118	0.160	10.591	
	.40	—	—	—	—	—	—	—	—	0.270	0.594	0.790	3.845	1.113	0.165	10.413	
	.50	—	—	—	—	—	—	—	0.5	0.267	0.583	0.780	3.756	1.105	0.170	10.237	
	.00	—	—	—	—	—	—	—	1.0	0.263	0.569	0.770	3.667	1.101	0.180	9.889	17.02
	2~3	—	—	—	—	—	—	—	5.0	—	—	—	3.882	—	—	10.566	69.0
	.10	—	—	—	—	—	—	—	1.0	0.261	0.562	0.765	3.624	1.098	0.190	9.546	
	.20	—	—	—	—	—	—	—	—	0.259	0.555	0.760	3.580	1.090	0.200	9.210	
	.30	—	—	—	—	—	—	—	0.5	0.257	0.548	0.750	3.494	1.088	0.210	8.880	
	.40	—	—	—	—	—	—	—	—	0.254	0.537	0.745	3.452	1.080	0.210	8.880	
	.50	—	—	—	—	—	—	—	0.5	0.251	0.527	0.740	3.409	1.077	0.210	8.880	
	.00	—	—	—	—	—	—	—	—	0.249	0.520	0.730	3.325	1.071	0.220	8.556	13.73
	3~4	—	—	—	—	—	—	—	2.0	—	—	—	3.481	—	—	8.992	62.0
	.10	—	—	—	—	—	—	—	0.5	0.248	0.516	0.725	3.284	1.070	0.225	8.396	
	.20	—	—	—	—	—	—	—	1.0	0.245	0.506	0.720	3.242	1.065	0.230	8.238	
	.30	—	—	—	—	—	—	—	0.5	0.243	0.500	0.715	3.201	1.060	0.240	7.926	
	.40	—	—	—	—	—	—	—	—	0.241	0.493	0.710	3.161	1.059	0.245	7.772	
	.50	0.5	—	—	—	—	—	—	0.5	0.239	0.486	0.705	3.120	1.055	0.250	7.620	
	.00	—	—	—	—	—	—	—	—	0.238	0.483	0.700	3.080	1.050	0.255	7.469	10.35
	4~5	0.5	—	—	—	—	—	—	2.5	—	—	—	3.181	—	—	7.904	60.0
	.10	—	—	—	—	—	—	—	—	0.236	0.476	0.695	3.040	1.048	0.260	7.320	
	.20	—	—	—	—	—	—	—	—	0.234	0.470	0.692	3.016	1.044	0.265	7.172	
	.30	—	—	—	—	—	—	—	—	0.233	0.467	0.690	3.000	1.040	0.270	7.026	
	.40	—	—	—	—	—	—	—	—	0.231	0.460	0.695	3.040	1.039	0.275	6.881	
	.50	—	—	—	—	—	—	—	—	0.230	0.451	0.680	2.921	1.035	0.280	6.738	
	.00	—	—	—	—	—	—	—	—	0.228	0.450	0.678	2.906	1.032	0.285	6.597	7.82
	5~6	—	—	—	—	—	—	—	—	—	—	—	2.987	—	—	6.956	57.0

1969年(昭和44年)

1969年(昭和44年)																			
月・日	時分	雨 量							南大沢		大栗川橋		常盤橋	明 神 橋		報恩橋		関戸	
		消水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 薬	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
10.26	.10	—	—	—	—	—	—	—	0.228	0.450	0.675	2.882	1.030	0.285	6.597				
	.20	—	—	—	—	—	—	—	0.226	0.444	0.670	2.843	1.028	0.290	6.456				
	.30	—	—	—	—	—	—	—	0.224	0.438	0.665	2.805	1.024	0.295	6.318				
	.40	—	—	—	—	—	—	—	0.223	0.434	0.662	2.782	1.020	0.298	6.235				
	.50	—	—	—	—	—	—	—	0.221	0.428	0.660	2.767	1.019	0.300	6.180				
	.00	—	—	—	—	—	—	—	0.220	0.425	0.657	2.744	1.019	0.305	6.045	7.44		535	
	6~7	—	—	—	—	—	—	—				2.804			6.305				
	.10	—	—	—	—	—	—	—	0.219	0.422	0.655	2.729	1.014	0.308	5.964				
	.20	—	—	—	—	—	—	—	0.217	0.416	0.650	2.691	1.010	0.310	5.911				
	.30	—	—	—	—	—	—	—	0.217	0.416	0.648	2.676	1.009	0.315	5.778				
	.40	—	—	—	—	—	—	—	0.215	0.409	0.647	2.669	1.007	0.318	5.699				
	.50	—	—	—	—	—	—	—	0.213	0.403	0.646	2.654	1.003	0.320	5.647				
	.00	—	—	—	—	—	—	—	0.212	0.400	0.645	2.654	0.992	0.320	5.647	7.06		515	
	7~8	—	—	—	—	—	—	—				2.679			5.774				
	.10	—	—	—	—	—	—	—	0.211	0.397	0.640	2.617	0.990	0.325	5.517				
	.20	—	—	—	—	—	—	—	0.210	0.394	0.639	2.609	0.990	0.328	5.440				
	.30	—	—	—	—	—	—	—	0.209	0.391	0.638	2.602	0.990	0.300	6.180				
	.40	—	—	—	—	—	—	—	0.208	0.388	0.635	2.580	0.989	0.330	5.389				
	.50	—	—	—	—	—	—	—	0.205	0.379	0.631	2.551	0.985	0.335	5.262				
	.00	—	—	—	—	—	—	—	0.205	0.379	0.630	2.543	0.983	0.338	5.187	6.34		50.0	
	8~9	—	—	—	—	—	—	—				2.584			5.496				
	.10	—	—	—	—	—	—	—	0.205	0.379	0.630	2.543	0.982	0.338	5.187				
	.20	—	—	—	—	—	—	—	0.205	0.379	0.628	2.529	0.980	0.339	5.162				
	.30	—	—	—	—	—	—	—	0.204	0.376	0.625	2.507	0.980	0.340	5.137				
	.40	—	—	—	—	—	—	—	0.204	0.376	0.620	2.471	0.980	0.340	5.137				
	.50	—	—	—	—	—	—	—	0.204	0.376	0.620	2.471	0.978	0.341	5.112				
	.00	—	—	—	—	—	—	—	0.204	0.376	0.620	2.471	0.975	0.343	5.063	5.99		49.0	
	9~10	—	—	—	—	—	—	—				2.498			5.133				
	.10	—	—	—	—	—	—	—	0.203	0.373	0.618	2.456	0.973	0.343	5.063				
	.20	—	—	—	—	—	—	—	0.201	0.367	0.614	2.428	0.971	0.345	5.014				
	.30	—	—	—	—	—	—	—	0.200	0.364	0.612	2.414	0.970	0.350	4.891				
	.40	—	—	—	—	—	—	—	0.199	0.361	0.610	2.399	0.970	0.350	4.891				
	.50	—	—	—	—	—	—	—	0.198	0.359	0.610	2.399	0.968	0.351	4.867				
	.00	—	—	—	—	—	—	—	0.198	0.359	0.609	2.392	0.967	0.353	4.819	5.65		49.0	
	10~11	—	—	—	—	—	—	—				2.415			4.924				
	.10	—	—	—	—	—	—	—	0.197	0.356	0.605	2.364	0.965	0.355	4.771				
	.20	—	—	—	—	—	—	—	0.197	0.356	0.603	2.350	0.963	0.358	4.699				
	.30	—	—	—	—	—	—	—	0.196	0.353	0.602	2.343	0.961	0.360	4.652				
	.40	—	—	—	—	—	—	—	0.196	0.353	0.600	2.329	0.960	0.360	4.652				
	.50	—	—	—	—	—	—	—	0.196	0.353	0.600	2.329	0.960	0.360	4.652				
	.00	—	—	—	—	—	—	—	0.195	0.350	0.595	2.294	0.959	0.363	4.581	5.65		48.5	
	11~12	—	—	—	—	—	—	—				2.335			4.668				

1969年(昭和44年)

月・日	時・分	雨								南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 森	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
10.26	.10	—	—	—	—	—	—	—	—	0.186	0.324	0.595	2.294	0.957	0.365	4.534			
	.20	—	—	—	—	—	—	—	—	0.185	0.322	0.593	2.280	0.955	0.370	4.418			
	.30	—	—	—	—	—	—	—	—	0.184	0.319	0.590	2.260	0.954	0.370	4.418			
	.40	—	—	—	—	—	—	—	—	0.182	0.313	0.590	2.260	0.952	0.370	4.418			
	.50	—	—	—	—	—	—	—	—	0.181	0.311	0.588	2.253	0.950	0.373	4.349			
	.00	—	—	—	—	—	—	—	—	0.179	0.305	0.587	2.239	0.950	0.375	4.303	5.32	53.0	
	12~13	—	—	—	—	—	—	—	—				2.264			4.407			
	.10	—	—	—	—	—	—	—	—	0.178	0.302	0.585	2.225	0.950	0.378	4.235			
	.20	—	—	—	—	—	—	—	—	0.177	0.300	0.580	2.191	0.948	0.380	4.190			
	.30	—	—	—	—	—	—	—	—	0.175	0.294	0.580	2.191	0.946	0.380	4.190			
	.40	—	—	—	—	—	—	—	—	0.173	0.289	0.580	2.191	0.945	0.380	4.190			
	.50	—	—	—	—	—	—	—	—	0.172	0.286	0.578	2.178	0.943	0.383	4.123			
	.00	—	—	—	—	—	—	—	—	0.172	0.286	0.575	2.158	0.941	0.385	4.079	5.01	52.0	
	13~14	—	—	—	—	—	—	—	—				2.189			4.168			
	.10	—	—	—	—	—	—	—	—	0.169	0.278	0.575	2.158	0.940	0.385	4.079			
	.20	—	—	—	—	—	—	—	—	0.167	0.273	0.573	2.144	0.940	0.390	3.969			
	.30	—	—	—	—	—	—	—	—	0.165	0.268	0.572	2.138	0.940	0.390	3.969			
	.40	—	—	—	—	—	—	—	—	0.164	0.265	0.570	2.124	0.940	0.390	3.969			
	.50	—	—	—	—	—	—	—	—	0.162	0.260	0.570	2.124	0.937	0.392	3.925			
	.00	—	—	—	—	—	—	—	—	0.161	0.258	0.568	2.111	0.936	0.395	3.860	4.70	50.5	
	14~15	—	—	—	—	—	—	—	—				2.133			3.962			
	.10	—	—	—	—	—	—	—	—	0.160	0.255	0.565	2.091	0.935	0.398	3.796			
	.20	—	—	—	—	—	—	—	—	0.160	0.255	0.565	2.091	0.933	0.400	3.753			
	.30	—	—	—	—	—	—	—	—	0.160	0.255	0.563	2.078	0.932	0.400	3.753			
	.40	—	—	—	—	—	—	—	—	0.159	0.253	0.561	2.065	0.931	0.400	3.753			
	.50	—	—	—	—	—	—	—	—	0.157	0.248	0.560	2.058	0.930	0.400	3.753			
	.00	—	—	—	—	—	—	—	—	0.157	0.248	0.560	2.058	0.930	0.400	3.753	4.70	50.5	
	15~16	—	—	—	—	—	—	—	—				2.073			3.760			
	.10	—	—	—	—	—	—	—	—	0.156	0.245	0.559	2.051	0.930	0.403	3.689			
	.20	—	—	—	—	—	—	—	—	0.155	0.243	0.558	2.045	0.929	0.405	3.647			
	.30	—	—	—	—	—	—	—	—	0.154	0.240	0.557	2.038	0.929	0.407	3.606			
	.40	—	—	—	—	—	—	—	—	0.154	0.240	0.557	2.038	0.928	0.408	3.585			
	.50	—	—	—	—	—	—	—	—	0.153	0.238	0.555	2.025	0.927	0.409	3.564			
	.00	—	—	—	—	—	—	—	—	0.153	0.238	0.555	2.025	0.925	0.410	3.543	4.40	50.0	
	16~17	—	—	—	—	—	—	—	—				2.037			3.606			
	.10	—	—	—	—	—	—	—	—	0.152	0.235	0.553	2.012	0.925	0.410	3.543			
	.20	—	—	—	—	—	—	—	—	0.151	0.233	0.552	2.006	0.923	0.412	3.502			
	.30	—	—	—	—	—	—	—	—	0.150	0.230	0.551	1.999	0.923	0.413	3.482			
	.40	—	—	—	—	—	—	—	—	0.150	0.230	0.550	1.993	0.922	0.415	3.441			
	.50	—	—	—	—	—	—	—	—	0.149	0.228	0.549	1.986	0.921	0.418	3.380			
	.00	—	—	—	—	—	—	—	—	0.148	0.226	0.548	1.980	0.920	0.419	3.360	4.40	50.0	
	17~18	—	—	—	—	—	—	—	—				1.996			3.451			

1969年(昭和44年)

月・日	時分	雨 量								南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 塞	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
10.26	.10	—	—	—	—	—	—	—	—	0.147	0.223	0.546	1.967	0.920	0.420	3.340			
	.20	—	—	—	—	—	—	—	—	0.146	0.221	0.546	1.967	0.920	0.420	3.340			
	.30	—	—	—	—	—	—	—	—	0.146	0.221	0.545	1.961	0.919	0.420	3.340			
	.40	—	—	—	—	—	—	—	—	0.145	0.218	0.545	1.961	0.918	0.420	3.340			
	.50	—	—	—	—	—	—	—	—	0.145	0.218	0.543	1.948	0.917	0.420	3.340			
	.00	—	—	—	—	—	—	—	—	0.144	0.216	0.542	1.942	0.917	0.421	3.320	4.11	50.0	
	18-19	—	—	—	—	—	—	—	—	—	—	—	1.958	—	—	3.336			
	.10	—	—	—	—	—	—	—	—	0.143	0.214	0.540	1.929	0.916	0.422	3.300			
	.20	—	—	—	—	—	—	—	—	0.143	0.214	0.540	1.929	0.915	0.425	3.240			
	.30	—	—	—	—	—	—	—	—	0.143	0.214	0.540	1.929	0.912	0.425	3.240			
	.40	—	—	—	—	—	—	—	—	0.142	0.211	0.540	1.929	0.911	0.428	3.181			
	.50	—	—	—	—	—	—	—	—	0.141	0.209	0.538	1.916	0.911	0.428	3.181			
	.00	—	—	—	—	—	—	—	—	0.141	0.209	0.537	1.910	0.918	0.429	3.162	3.83	50.0	
	19-20	—	—	—	—	—	—	—	—	—	—	—	1.924	—	—	3.217			
	.10	—	—	—	—	—	—	—	—	0.140	0.207	0.537	1.910	0.910	0.430	3.142			
	.20	—	—	—	—	—	—	—	—	0.139	0.204	0.535	1.897	0.910	0.430	3.142			
	.30	—	—	—	—	—	—	—	—	0.138	0.202	0.533	1.885	0.910	0.430	3.142			
	.40	—	—	—	—	—	—	—	—	0.137	0.200	0.531	1.872	0.910	0.430	3.142			
	.50	—	—	—	—	—	—	—	—	0.137	0.200	0.530	1.866	0.909	0.430	3.142			
	.00	—	—	—	—	—	—	—	—	0.137	0.200	0.530	1.866	0.909	0.430	3.142	3.56	49.5	
	20-21	—	—	—	—	—	—	—	—	—	—	—	1.883	—	—	3.142			
	.10	—	—	—	—	—	—	—	—	0.136	0.197	0.528	1.853	0.908	0.432	3.103			
	.20	—	—	—	—	—	—	—	—	0.135	0.195	0.527	1.847	0.908	0.433	3.084			
	.30	—	—	—	—	—	—	—	—	0.135	0.195	0.527	1.847	0.907	0.433	3.084			
	.40	—	—	—	—	—	—	—	—	0.134	0.193	0.536	1.903	0.905	0.435	3.046			
	.50	—	—	—	—	—	—	—	—	0.134	0.193	0.535	1.897	0.904	0.438	2.988			
	.00	—	—	—	—	—	—	—	—	0.133	0.191	0.525	1.835	0.903	0.439	2.970	3.56	49.0	
	21-22	—	—	—	—	—	—	—	—	—	—	—	1.864	—	—	3.046			
	.10	—	—	—	—	—	—	—	—	0.133	0.191	0.525	1.835	0.902	0.439	2.970			
	.20	—	—	—	—	—	—	—	—	0.132	0.188	0.520	1.804	0.901	0.439	2.970			
	.30	—	—	—	—	—	—	—	—	0.132	0.188	0.520	1.804	0.901	0.440	2.951			
	.40	—	—	—	—	—	—	—	—	0.131	0.186	0.520	1.804	0.901	0.440	2.951			
	.50	—	—	—	—	—	—	—	—	0.131	0.186	0.520	1.804	0.901	0.440	2.951			
	.00	—	—	—	—	—	—	—	—	0.130	0.184	0.519	1.798	0.900	0.440	2.951	3.30	49.0	
	22-23	—	—	—	—	—	—	—	—	—	—	—	1.808	—	—	2.957			
	.10	—	—	—	—	—	—	—	—	0.130	0.184	0.518	1.792	0.900	0.440	2.951			
	.20	—	—	—	—	—	—	—	—	0.129	0.182	0.516	1.779	0.900	0.442	2.913			
	.30	—	—	—	—	—	—	—	—	0.129	0.182	0.515	1.773	0.900	0.443	2.894			
	.40	—	—	—	—	—	—	—	—	0.129	0.182	0.515	1.773	0.900	0.443	2.894			
	.50	—	—	—	—	—	—	—	—	0.128	0.180	0.512	1.755	0.900	0.444	2.876			
	.00	—	—	—	—	—	—	—	—	0.128	0.180	0.511	1.749	0.899	0.445	2.857	3.30	48.5	
	23-24	—	—	—	—	—	—	—	—	—	—	—	1.770	—	—	2.898			

1969年(昭和44年)

月・日	時・分	雨								南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 菜	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
1027	.10	—	—	—	—	—	—	—	—	0127	0.177	0.510	1.743	0.898	0.445	2.857			
	.20	—	—	—	—	—	—	—	—	0127	0.177	0.510	1.743	0.898	0.448	2.802			
	.30	—	—	—	—	—	—	—	—	0127	0.177	0.509	1.737	0.898	0.448	2.802			
	.40	—	—	—	—	—	—	—	—	0126	0.175	0.509	1.737	0.897	0.449	2.783			
	.50	—	—	—	—	—	—	—	—	0126	0.175	0.505	1.713	0.895	0.450	2.765			
	.00	—	—	—	—	—	—	—	—	0125	0.173	0.505	1.713	0.894	0.450	2.765	3.06		48.0
	0~1	—	—	—	—	—	—	—	—				1.731			2.796			
	.10	—	—	—	—	—	—	—	—	0124	0.171	0.505	1.713	0.894	0.450	2.765			
	.20	—	—	—	—	—	—	—	—	0124	0.171	0.505	1.713	0.893	0.450	2.765			
	.30	—	—	—	—	—	—	—	—	0124	0.171	0.505	1.713	0.892	0.450	2.765			
	.40	—	—	—	—	—	—	—	—	0123	0.169	0.505	1.713	0.892	0.450	2.765			
	.50	—	—	—	—	—	—	—	—	0123	0.169	0.502	1.695	0.891	0.450	2.765			
	.00	—	—	—	—	—	—	—	—	0123	0.169	0.502	1.695	0.891	0.450	2.765	3.06		47.5
	1~2	—	—	—	—	—	—	—	—				1.707			2.765			
	.10	—	—	—	—	—	—	—	—	0122	0.167	0.500	1.683	0.891	0.450	2.765			
	.20	—	—	—	—	—	—	—	—	0122	0.167	0.500	1.683	0.891	0.452	2.729			
	.30	—	—	—	—	—	—	—	—	0122	0.167	0.500	1.683	0.890	0.452	2.729			
	.40	—	—	—	—	—	—	—	—	0121	0.164	0.500	1.683	0.890	0.452	2.729			
	.50	—	—	—	—	—	—	—	—	0121	0.164	0.500	1.683	0.890	0.453	2.711			
	.00	—	—	—	—	—	—	—	—	0120	0.162	0.500	1.683	0.890	0.453	2.711	2.82		47.5
	2~3	—	—	—	—	—	—	—	—				1.683			2.729			
	.10	—	—	—	—	—	—	—	—	0120	0.162	0.498	1.671	0.890	0.455	2.675			
	.20	—	—	—	—	—	—	—	—	0120	0.162	0.498	1.671	0.890	0.455	2.675			
	.30	—	—	—	—	—	—	—	—	0120	0.162	0.496	1.659	0.890	0.455	2.675			
	.40	—	—	—	—	—	—	—	—	0120	0.162	0.495	1.653	0.889	0.455	2.675			
	.50	—	—	—	—	—	—	—	—	0119	0.160	0.493	1.642	0.889	0.455	2.675			
	.00	—	—	—	—	—	—	—	—	0119	0.160	0.492	1.636	0.889	0.455	2.675	2.82		46.5
	3~4	—	—	—	—	—	—	—	—				1.655			2.675			
	.10	—	—	—	—	—	—	—	—	0119	0.160	0.492	1.636	0.889	0.455	2.675			
	.20	—	—	—	—	—	—	—	—	0118	0.158	0.492	1.636	0.888	0.458	2.621			
	.30	—	—	—	—	—	—	—	—	0118	0.158	0.492	1.636	0.888	0.458	2.621			
	.40	—	—	—	—	—	—	—	—	0118	0.158	0.490	1.624	0.887	0.459	2.603			
	.50	—	—	—	—	—	—	—	—	0117	0.156	0.490	1.624	0.885	0.459	2.603			
	.00	—	—	—	—	—	—	—	—	0117	0.156	0.490	1.624	0.885	0.460	2.586	2.59		47.0
	4~5	—	—	—	—	—	—	—	—				1.630			2.618			
	.10	—	—	—	—	—	—	—	—	0117	0.156	0.490	1.624	0.884	0.460	2.586			
	.20	—	—	—	—	—	—	—	—	0116	0.154	0.489	1.618	0.883	0.460	2.586			
	.30	—	—	—	—	—	—	—	—	0116	0.154	0.489	1.618	0.882	0.460	2.586			
	.40	—	—	—	—	—	—	—	—	0115	0.152	0.489	1.618	0.882	0.460	2.586			
	.50	—	—	—	—	—	—	—	—	0115	0.152	0.485	1.595	0.882	0.460	2.586			
	.00	—	—	—	—	—	—	—	—	0114	0.150	0.485	1.595	0.881	0.460	2.586	2.59		47.0
	5~6	—	—	—	—	—	—	—	—				1.612			2.586			

1969年(昭和44年)

月・日	時分	雨 量							南大沢		大栗川橋		常盤橋	明 神 橋		報恩橋		関戸	
		清水 入谷戸	南大沢	別所	大栗 川橋	明神 橋	青木 菜	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
10.27	.10	—	—	—	—	—	—	—	—	0.114	0.150	0.485	1.595	0.881	0.460	2.586			
	.20	—	—	—	—	—	—	—	—	0.114	0.150	0.483	1.584	0.881	0.460	2.586			
	.30	—	—	—	—	—	—	—	—	0.114	0.150	0.482	1.578	0.881	0.462	2.550			
	.40	—	—	—	—	—	—	—	—	0.113	0.148	0.482	1.578	0.880	0.465	2.498			
	.50	—	—	—	—	—	—	—	—	0.113	0.148	0.482	1.578	0.880	0.465	2.498			
	.00	—	—	—	—	—	—	—	—	0.112	0.146	0.480	1.566	0.880	0.465	2.498			
	6~7	—	—	—	—	—	—	—	—			0.480	1.580	0.880	0.465	2.536	2.59		46.5
	.10	—	—	—	—	—	—	—	—	0.112	0.146	0.480	1.566	0.880	0.465	2.498			
	.20	—	—	—	—	—	—	—	—	0.112	0.146	0.480	1.566	0.880	0.465	2.498			
	.30	—	—	—	—	—	—	—	—	0.112	0.146	0.480	1.566	0.880	0.465	2.498			
	.40	—	—	—	—	—	—	—	—	0.111	0.144	0.480	1.566	0.880	0.468	2.446			
	.50	—	—	—	—	—	—	—	—	0.111	0.144	0.480	1.566	0.879	0.468	2.446			
	.00	—	—	—	—	—	—	—	—	0.110	0.142	0.480	1.566	0.879	0.468	2.446			
	7~8	—	—	—	—	—	—	—	—			0.480	1.566	0.879	0.468	2.472	2.59		46.5
	.10	0.5	—	0.5	—	—	—	—	—	0.110	0.142	0.480	1.566	0.879	0.468	2.446			
	.20	—	2.0	1.0	—	—	—	—	—	0.111	0.144	0.480	1.566	0.879	0.468	2.446			
	.30	0.5	0.5	0.5	—	0.5	0.5	1.5	—	0.117	0.156	0.480	1.566	0.880	0.468	2.446			
	.40	—	—	—	—	—	0.5	1.0	—	0.128	0.180	0.480	1.566	0.880	0.468	2.446			
	.50	—	—	—	—	—	—	—	—	0.143	0.214	0.480	1.566	0.880	0.468	2.446			
	.00	—	—	—	—	—	—	—	—	0.140	0.207	0.490	1.624	0.880	0.468	2.446			
	8~9	1.0	2.5	2.0	—	0.5	1.0	2.5	—			0.490	1.576	0.880	0.468	2.446	2.37		47.5
	.10	—	—	—	1.0	—	—	—	—	0.132	0.188	0.499	1.677	0.880	0.468	2.446			
	.20	—	—	—	0.5	—	—	—	1.0	0.128	0.180	0.500	1.683	0.880	0.468	2.446			
	.30	—	—	0.5	0.5	—	—	—	—	0.124	0.171	0.505	1.713	0.882	0.468	2.446			
	.40	—	—	—	—	—	—	—	—	0.122	0.167	0.508	1.731	0.883	0.465	2.498			
	.50	—	—	—	—	—	—	—	—	0.120	0.162	0.510	1.743	0.887	0.460	2.586			
	.00	—	—	—	—	—	—	—	—	0.118	0.158	0.510	1.743	0.888	0.460	2.586			
	9~10	—	—	0.5	2.0	—	—	—	1.0				1.715	0.890	0.460	2.501			
	.10	—	0.5	—	—	—	—	—	—	0.117	0.156	0.510	1.743	0.890	0.460	2.586			
	.20	—	—	—	—	—	—	—	—	0.116	0.154	0.507	1.725	0.890	0.460	2.586			
	.30	—	—	—	—	—	—	—	—	0.115	0.152	0.505	1.713	0.890	0.460	2.586			
	.40	—	—	—	—	—	—	—	—	0.115	0.152	0.500	1.683	0.890	0.460	2.586			
	.50	—	—	—	—	—	—	—	—	0.114	0.150	0.500	1.683	0.890	0.460	2.586			
	.00	—	—	—	—	—	—	—	—	0.113	0.148	0.498	1.671	0.890	0.460	2.586			
	10~11	—	0.5	—	—	—	—	—	—				1.703	0.890	0.460	2.586	2.59		48.0
	.10	—	—	—	—	—	—	—	—	0.112	0.146	0.493	1.642	0.890	0.460	2.586			
	.20	—	—	—	—	—	—	—	—	0.112	0.146	0.491	1.630	0.890	0.460	2.586			
	.30	—	—	—	—	0.5	—	—	—	0.111	0.144	0.490	1.624	0.888	0.460	2.586			
	.40	—	—	—	—	—	—	—	—	0.110	0.142	0.488	1.613	0.888	0.460	2.586			
	.50	—	—	—	—	—	—	—	—	0.110	0.142	0.485	1.595	0.888	0.458	2.621			
	.00	—	—	—	—	—	—	—	—	0.110	0.142	0.482	1.578	0.885	0.455	2.675			
	11~12	—	—	—	—	0.5	—	—	—				1.614	0.885	0.455	2.606	2.59		48.0

1969年(昭和44年)

月・日	時・分	雨 量								南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸
		清水 入谷	南 大沢	別所	大栗 川橋	明神 橋	青木 薬	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
10.27	.10	—	—	—	—	—	—	—	—	0.110	0.142	0.480	1.566	0.883	0.455	2.675			
	.20	—	—	—	—	—	—	—	0.5	0.109	0.140	0.480	1.566	0.881	0.455	2.675			
	.30	—	—	—	—	—	—	—	—	0.109	0.140	0.480	1.566	0.881	0.455	2.675			
	.40	—	—	—	—	—	—	—	—	0.109	0.140	0.478	1.555	0.880	0.455	2.675			
	.50	—	—	—	—	—	—	—	—	0.108	0.138	0.477	1.549	0.880	0.455	2.675			
	.00	—	—	—	—	—	—	—	—	0.108	0.138	0.475	1.538	0.880	0.455	2.675		2.82	48.0
	12~13	—	—	—	—	—	—	—	0.5	—	—	—	1.557	—	—	2.675			
	.10	—	—	—	—	—	—	—	—	0.108	0.138	0.473	1.527	0.880	0.455	2.675			
	.20	—	—	—	—	—	—	—	—	0.108	0.138	0.472	1.521	0.879	0.455	2.675			
	.30	—	—	—	—	—	—	—	—	0.107	0.136	0.471	1.515	0.878	0.455	2.675			
	.40	—	—	—	—	—	—	—	—	0.107	0.136	0.470	1.510	0.878	0.455	2.675			
	.50	—	—	—	—	—	—	—	—	0.106	0.134	0.470	1.510	0.877	0.455	2.675			
	.00	—	—	—	—	—	—	—	—	0.106	0.134	0.470	1.510	0.875	0.460	2.586		2.82	47.0
	13~14	—	—	—	—	—	—	—	—	—	—	—	1.515	—	—	2.660			
	.10	—	—	—	—	—	—	—	—	0.105	0.132	0.470	1.510	0.875	0.460	2.586			
	.20	—	—	—	—	—	—	—	—	0.105	0.132	0.470	1.510	0.873	0.460	2.586			
	.30	—	—	—	—	—	—	—	—	0.104	0.130	0.468	1.498	0.873	0.462	2.550			
	.40	—	—	—	—	—	—	—	—	0.104	0.130	0.467	1.493	0.872	0.465	2.498			
	.50	—	—	—	—	—	—	—	—	0.104	0.130	0.466	1.487	0.872	0.465	2.498			
	.00	—	—	—	—	—	—	—	—	0.103	0.128	0.465	1.482	0.872	0.470	2.412		2.82	46.5
	14~15	—	—	—	—	—	—	—	—	—	—	—	1.497	—	—	2.522			
	.10	—	—	—	—	—	—	—	—	0.103	0.128	0.463	1.471	0.872	0.470	2.412			
	.20	—	—	—	—	—	—	—	—	0.103	0.128	0.463	1.471	0.870	0.470	2.412			
	.30	—	—	—	—	—	—	—	—	0.103	0.128	0.462	1.465	0.870	0.470	2.412			
	.40	—	—	—	—	—	—	—	—	0.102	0.126	0.461	1.459	0.870	0.472	2.378			
	.50	—	—	—	—	—	—	—	—	0.102	0.126	0.460	1.454	0.870	0.472	2.378			
	.00	—	—	—	—	—	—	—	—	0.101	0.124	0.460	1.454	0.870	0.472	2.378		2.59	47.0
	15~16	—	—	—	—	—	—	—	—	—	—	—	1.462	—	—	2.395			
	.10	—	—	—	—	—	—	—	—	0.101	0.124	0.450	1.454	0.870	0.472	2.378			
	.20	—	—	—	—	—	—	—	—	0.100	0.122	0.460	1.454	0.870	0.472	2.378			
	.30	—	—	—	—	—	—	—	—	0.100	0.122	0.460	1.454	0.870	0.472	2.378			
	.40	—	—	—	—	—	—	—	—	0.100	0.122	0.458	1.443	0.870	0.472	2.378			
	.50	—	—	—	—	—	—	—	—	0.100	0.122	0.437	1.437	0.870	0.472	2.378			
	.00	—	—	—	—	—	—	—	—	0.100	0.122	0.455	1.426	0.869	0.475	2.328		2.37	47.5
	16~17	—	—	—	—	—	—	—	—	—	—	—	1.445	—	—	2.370			
	.10	—	—	—	—	—	—	—	—	0.100	0.122	0.455	1.426	0.868	0.475	2.628			
	.20	—	—	—	—	—	—	—	—	0.099	0.120	0.455	1.426	0.868	0.477	2.294			
	.30	—	—	—	—	—	—	—	—	0.099	0.120	0.452	1.410	0.867	0.478	2.278			
	.40	—	—	—	—	—	—	—	—	0.098	0.119	0.452	1.410	0.867	0.478	2.278			
	.50	—	—	—	—	—	—	—	—	0.098	0.119	0.452	1.410	0.867	0.478	2.278			
	.00	—	—	—	—	—	—	—	—	0.098	0.119	0.450	1.399	0.867	0.479	2.261		2.37	47.5
	17~18	—	—	—	—	—	—	—	—	—	—	—	1.414	—	—	2.286			

1969年(昭和44年)

月・日	時分	雨								南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 葉	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
1027	.10	—	—	—	—	—	—	—	—	0.098	0.119	0.450	1.399	0.867	0.478	2.278			
	.20	—	—	—	—	—	—	—	—	0.098	0.119	0.450	1.399	0.863	0.478	2.278			
	.30	—	—	—	—	—	—	—	—	0.098	0.119	0.450	1.399	0.863	0.478	2.278			
	.40	—	—	—	—	—	—	—	—	0.097	0.117	0.450	1.399	0.863	0.478	2.278			
	.50	—	—	—	—	—	—	—	—	0.097	0.117	0.450	1.399	0.863	0.478	2.278			
	.00	—	—	—	—	—	—	—	—	0.097	0.117	0.450	1.399	0.863	0.478	2.278	2.37	47.5	
	18~19	—	—	—	—	—	—	—	—	—	—	—	1.399	—	—	2.278			
	.10	—	—	—	—	—	—	—	—	0.097	0.117	0.450	1.399	0.861	0.478	2.278			
	.20	—	—	—	—	—	—	—	—	0.097	0.117	0.450	1.399	0.861	0.480	2.245			
	.30	—	—	—	—	—	—	—	—	0.096	0.115	0.448	1.388	0.861	0.480	2.245			
	.40	—	—	—	—	—	—	—	—	0.096	0.115	0.448	1.388	0.861	0.480	2.245			
	.50	—	—	—	—	—	—	—	—	0.096	0.115	0.448	1.388	0.861	0.480	2.245			
	.00	—	—	—	—	—	—	—	—	0.096	0.115	0.445	1.372	0.860	0.480	2.245	2.16		
	19~20	—	—	—	—	—	—	—	—	—	—	—	1.389	—	—	2.250			
	.10	—	—	—	—	—	—	—	—	0.095	0.113	0.445	1.372	0.860	0.480	2.245			
	.20	—	—	—	—	—	—	—	—	0.095	0.113	0.443	1.362	0.860	0.482	2.212			
	.30	—	—	—	—	—	—	—	—	0.095	0.113	0.443	1.362	0.860	0.482	2.212			
	.40	—	—	—	—	—	—	—	—	0.094	0.111	0.443	1.362	0.860	0.482	2.212			
	.50	—	—	—	—	—	—	—	—	0.094	0.111	0.443	1.362	0.860	0.482	2.212			
	.00	—	—	—	—	—	—	—	—	0.093	0.109	0.442	1.356	0.860	0.482	2.212	2.16		
	20~21	—	—	—	—	—	—	—	—	—	—	—	1.363	—	—	2.217			
	.10	—	—	—	—	—	—	—	—	0.093	0.109	0.442	1.356	0.860	0.482	2.212			
	.20	—	—	—	—	—	—	—	—	0.093	0.109	0.442	1.356	0.860	0.482	2.212			
	.30	—	—	—	—	—	—	—	—	0.093	0.109	0.440	1.346	0.860	0.482	2.212			
	.40	—	—	—	—	—	—	—	—	0.093	0.109	0.440	1.346	0.860	0.482	2.212			
	.50	—	—	—	—	—	—	—	—	0.093	0.109	0.440	1.346	0.860	0.482	2.212			
	.00	—	—	—	—	—	—	—	—	0.092	0.108	0.440	1.346	0.860	0.483	2.196	2.16		
	21~22	—	—	—	—	—	—	—	—	—	—	—	1.349	—	—	2.209			
	.10	—	—	—	—	—	—	—	—	0.092	0.108	0.440	1.346	0.859	0.483	2.196			
	.20	—	—	—	—	—	—	—	—	0.092	0.108	0.440	1.346	0.859	0.483	2.196			
	.30	—	—	—	—	—	—	—	—	0.091	0.106	0.440	1.346	0.859	0.483	2.196			
	.40	—	—	—	—	—	—	—	—	0.091	0.106	0.440	1.346	0.859	0.483	2.196			
	.50	—	—	—	—	—	—	—	—	0.091	0.106	0.440	1.346	0.859	0.483	2.196			
	.00	—	—	—	—	—	—	—	—	0.091	0.106	0.440	1.346	0.859	0.485	2.163	1.96		
	22~23	—	—	—	—	—	—	—	—	—	—	—	1.346	—	—	2.190			
	.10	—	—	—	—	—	—	—	—	0.090	0.104	0.438	1.335	0.859	0.485	2.163			
	.20	—	—	—	—	—	—	—	—	0.090	0.104	0.438	1.335	0.858	0.485	2.163			
	.30	—	—	—	—	—	—	—	—	0.090	0.104	0.438	1.335	0.857	0.485	2.163			
	.40	—	—	—	—	—	—	—	—	0.090	0.104	0.435	1.319	0.857	0.485	2.163			
	.50	—	—	—	—	—	—	—	—	0.090	0.104	0.435	1.319	0.856	0.485	2.163			
	.00	—	—	—	—	—	—	—	—	0.090	0.104	0.435	1.319	0.855	0.487	2.131	1.96		
	23~24	—	—	—	—	—	—	—	—	—	—	—	1.327	—	—	2.158			

1969年(昭和44年)

月・日	時・分	雨								南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 葉	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
1028	.10	—	—	—	—	—	—	—	—	0.090	0.104	0.435	1.319	0.855	0.487	2.131			
	.20	—	—	—	—	—	—	—	—	0.089	0.102	0.435	1.319	0.855	0.487	2.131			
	.30	—	—	—	—	—	—	—	—	0.089	0.102	0.433	1.309	0.854	0.487	2.131			
	.40	—	—	—	—	—	—	—	—	0.089	0.102	0.432	1.304	0.854	0.487	2.131			
	.50	—	—	—	—	—	—	—	—	0.089	0.102	0.431	1.298	0.853	0.487	2.131			
	.00	—	—	—	—	—	—	—	—	0.088	0.100	0.430	1.293	0.853	0.487	2.131			
	0 ~ 1	—	—	—	—	—	—	—	—				1.307			2.131		1.96	
	.10	—	—	—	—	—	—	—	—	0.088	0.100	0.430	1.293	0.853	0.487	2.131			
	.20	—	—	—	—	—	—	—	—	0.088	0.100	0.430	1.293	0.852	0.487	2.131			
	.30	—	—	—	—	—	—	—	—	0.088	0.100	0.430	1.293	0.852	0.487	2.131			
	.40	—	—	—	—	—	—	—	—	0.087	0.099	0.430	1.293	0.852	0.487	2.131			
	.50	—	—	—	—	—	—	—	—	0.087	0.099	0.430	1.293	0.851	0.487	2.131			
	.00	—	—	—	—	—	—	—	—	0.087	0.099	0.430	1.293	0.851	0.489	2.099			
	1 ~ 2	—	—	—	—	—	—	—	—				1.293			2.126		1.96	
	.10	—	—	—	—	—	—	—	—	0.087	0.099	0.430	1.293	0.851	0.489	2.099			
	.20	—	—	—	—	—	—	—	—	0.087	0.099	0.429	1.288	0.851	0.489	2.099			
	.30	—	—	—	—	—	—	—	—	0.087	0.099	0.430	1.293	0.850	0.489	2.099			
	.40	—	—	—	—	—	—	—	—	0.087	0.099	0.430	1.293	0.850	0.489	2.099			
	.50	—	—	—	—	—	—	—	—	0.086	0.097	0.430	1.293	0.850	0.489	2.099			
	.00	—	—	—	—	—	—	—	—	0.086	0.097	0.428	1.283	0.850	0.490	2.083			
	2 ~ 3	—	—	—	—	—	—	—	—				1.290			2.096		1.96	
	.10	—	—	—	—	—	—	—	—	0.086	0.097	0.428	1.283	0.850	0.490	2.083			
	.20	—	—	—	—	—	—	—	—	0.086	0.097	0.428	1.283	0.850	0.490	2.083			
	.30	—	—	—	—	—	—	—	—	0.085	0.095	0.428	1.283	0.850	0.490	2.083			
	.40	—	—	—	—	—	—	—	—	0.085	0.095	0.425	1.267	0.850	0.490	2.083			
	.50	—	—	—	—	—	—	—	—	0.085	0.095	0.425	1.267	0.850	0.490	2.083			
	.00	—	—	—	—	—	—	—	—	0.085	0.095	0.425	1.267	0.850	0.490	2.083			
	3 ~ 4	—	—	—	—	—	—	—	—				1.275			2.083		1.76	
	.10	—	—	—	—	—	—	—	—	0.084	0.094	0.425	1.267	0.850	0.490	2.083			
	.20	—	—	—	—	—	—	—	—	0.084	0.094	0.425	1.267	0.850	0.490	2.083			
	.30	—	—	—	—	—	—	—	—	0.084	0.094	0.423	1.257	0.850	0.490	2.083			
	.40	—	—	—	—	—	—	—	—	0.084	0.094	0.423	1.257	0.850	0.490	2.083			
	.50	—	—	—	—	—	—	—	—	0.084	0.094	0.423	1.257	0.850	0.490	2.083			
	.00	—	—	—	—	—	—	—	—	0.083	0.092	0.423	1.257	0.850	0.490	2.083			
	4 ~ 5	—	—	—	—	—	—	—	—				1.260			2.083		1.76	
	.10	—	—	—	—	—	—	—	—	0.083	0.092	0.423	1.257	0.850	0.490	2.083			
	.20	—	—	—	—	—	—	—	—	0.083	0.092	0.423	1.257	0.850	0.490	2.083			
	.30	—	—	—	—	—	—	—	—	0.083	0.092	0.423	1.257	0.849	0.490	2.083			
	.40	—	—	—	—	—	—	—	—	0.083	0.092	0.423	1.257	0.850	0.490	2.083			
	.50	—	—	—	—	—	—	—	—	0.083	0.092	0.423	1.257	0.850	0.490	2.083			
	.00	—	—	—	—	—	—	—	—	0.083	0.092	0.423	1.257	0.849	0.491	2.067			
	5 ~ 6	—	—	—	—	—	—	—	—				1.257			2.081		1.96	

1969年(昭和44年)

月・日	時分	雨								南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 森	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
1028	.10	—	—	—	—	—	—	—	—	0.083	0.092	0.423	1.257	0.849	0.491	2.067			
	.20	—	—	—	—	—	—	—	—	0.083	0.092	0.423	1.257	0.848	0.491	2.067			
	.30	—	—	—	—	—	—	—	—	0.082	0.090	0.423	1.257	0.848	0.491	2.067			
	.40	—	—	—	—	—	—	—	—	0.082	0.090	0.423	1.257	0.848	0.491	2.067			
	.50	—	—	—	—	—	—	—	—	0.082	0.090	0.420	1.242	0.848	0.491	2.067			
	.00	—	—	—	—	—	—	—	—	0.082	0.090	0.419	1.236	0.847	0.493	2.036			
	6~7	—	—	—	—	—	—	—	—				1.251			2.062		1.96	
	.10	—	—	—	—	—	—	—	—	0.082	0.090	0.419	1.236	0.847	0.493	2.036			
	.20	—	—	—	—	—	—	—	—	0.082	0.090	0.419	1.236	0.846	0.493	2.036			
	.30	—	—	—	—	—	—	—	—	0.081	0.088	0.419	1.236	0.846	0.493	2.036			
	.40	—	—	—	—	—	—	—	—	0.081	0.088	0.419	1.236	0.846	0.493	2.036			
	.50	—	—	—	—	—	—	—	—	0.081	0.088	0.419	1.236	0.845	0.493	2.036			
	.00	—	—	—	—	—	—	—	—	0.081	0.088	0.418	1.231	0.845	0.495	2.005			
	7~8	—	—	—	—	—	—	—	—				1.236			2.031		1.96	
	.10	—	—	—	—	—	—	—	—	0.081	0.088	0.415	1.216	0.845	0.495	2.005			
	.20	—	—	—	—	—	—	—	—	0.081	0.088	0.415	1.216	0.845	0.495	2.005			
	.30	—	—	—	—	—	—	—	—	0.081	0.088	0.415	1.216	0.845	0.495	2.005			
	.40	—	—	—	—	—	—	—	—	0.080	0.087	0.415	1.216	0.845	0.495	2.005			
	.50	—	—	—	—	—	—	—	—	0.080	0.087	0.415	1.216	0.845	0.495	2.005			
	.00	—	—	—	—	—	—	—	—	0.080	0.087	0.415	1.216	0.845	0.495	2.005			
	8~9	—	—	—	—	—	—	—	—				1.216			2.005		1.76	
	.10	—	—	—	—	—	—	—	—	0.080	0.087	0.415	1.216	0.845	0.495	2.005			
	.20	—	—	—	—	—	—	—	—	0.080	0.087	0.415	1.216	0.845	0.495	2.005			
	.30	—	—	—	—	—	—	—	—	0.080	0.087	0.420	1.242	0.845	0.495	2.005			
	.40	—	—	—	—	—	—	—	—	0.079	0.085	0.420	1.242	0.845	0.495	2.005			
	.50	—	—	—	—	—	—	—	—	0.079	0.085	0.420	1.242	0.846	0.495	2.005			
	.00	—	—	—	—	—	—	—	—	0.079	0.085	0.420	1.242	0.847	0.495	2.005			
	9~10	—	—	—	—	—	—	—	—				1.233			2.005		1.76	
	.10	—	—	—	—	—	—	—	—	0.079	0.085	0.420	1.242	0.848	0.495	2.005			
	.20	—	—	—	—	—	—	—	—	0.078	0.083	0.420	1.242	0.849	0.495	2.005			
	.30	—	—	—	—	—	—	—	—	0.078	0.083	0.420	1.242	0.850	0.495	2.005			
	.40	—	—	—	—	—	—	—	—	0.078	0.083	0.420	1.242	0.850	0.495	2.005			
	.50	—	—	—	—	—	—	—	—	0.077	0.082	0.420	1.242	0.850	0.495	2.005			
	.00	—	—	—	—	—	—	—	—	0.077	0.082	0.420	1.242	0.850	0.495	2.005			
	10~11	—	—	—	—	—	—	—	—				1.242			2.005		1.76	
	.10	—	—	—	—	—	—	—	—	0.075	0.079	0.420	1.242	0.850	0.495	2.005			
	.20	—	—	—	—	—	—	—	—	0.075	0.079	0.480	1.242	0.850	0.495	2.005			
	.30	—	—	—	—	—	—	—	—	0.075	0.079	0.420	1.242	0.850	0.495	2.005			
	.40	—	—	—	—	—	—	—	—	0.075	0.079	0.420	1.242	0.850	0.495	2.005			
	.50	—	—	—	—	—	—	—	—	0.075	0.079	0.420	1.242	0.849	0.495	2.005			
	.00	—	—	—	—	—	—	—	—	0.074	0.077	0.420	1.242	0.849	0.495	2.005			
	11~12	—	—	—	—	—	—	—	—				1.242			2.005		1.76	

1969 年 (昭和 44 年)

月・日	時・分	雨 量								南 大 沢		大 栗 川 橋		常 盤 橋	明 神 橋		報 恩 橋		関 戸
		清水 入谷戸	南 大 沢	別 所	大 栗 川 橋	明 神 橋	青 木 葉	瓜 生 1	瓜 生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
1028	.10	—	—	—	—	—	—	—	—	0.074	0.077	0.420	1.242	0.848	0.495	2.005			
	.20	—	—	—	—	—	—	—	—	0.074	0.077	0.425	1.267	0.847	0.495	2.005			
	.30	—	—	—	—	—	—	—	—	0.074	0.077	0.425	1.267	0.847	0.495	2.005			
	.40	—	—	—	—	—	—	—	—	0.074	0.077	0.420	1.242	0.847	0.495	2.005			
	.50	—	—	—	—	—	—	—	—	0.074	0.077	0.419	1.236	0.847	0.495	2.005			
	.00	—	—	—	—	—	—	—	—	0.073	0.075	0.417	1.226	0.848	0.495	2.005		1.76	
	12~13	—	—	—	—	—	—	—	—	—	—	1.247	—	—	—	2.005			
	.10	—	—	—	—	—	—	—	—	0.073	0.075	0.415	1.216	0.849	0.495	2.005			
	.20	—	—	—	—	—	—	—	—	0.073	0.075	0.412	1.201	0.849	0.495	2.005			
	.30	—	—	—	—	—	—	—	—	0.073	0.075	0.411	1.196	0.846	0.495	2.005			
	.40	—	—	—	—	—	—	—	—	0.073	0.075	0.410	1.191	0.845	0.495	2.005			
	.50	—	—	—	—	—	—	—	—	0.072	0.074	0.410	1.191	0.843	0.495	2.005			
	.00	—	—	—	—	—	—	—	—	0.072	0.074	0.410	1.191	0.842	0.495	2.005		1.76	
	13~14	—	—	—	—	—	—	—	—	—	—	1.198	—	—	—	2.005			
	.10	—	—	—	—	—	—	—	—	0.071	0.072	0.410	1.191	0.842	0.495	2.005			
	.20	—	—	—	—	—	—	—	—	0.070	0.071	0.410	1.191	0.842	0.495	2.005			
	.30	—	—	—	—	—	—	—	—	0.070	0.071	0.410	1.191	0.841	0.495	2.005			
	.40	—	—	—	—	—	—	—	—	0.070	0.071	0.410	1.191	0.841	0.495	2.005			
	.50	—	—	—	—	—	—	—	—	0.070	0.071	0.410	1.191	0.841	0.495	2.005			
	.00	—	—	—	—	—	—	—	—	0.070	0.071	0.410	1.191	0.840	0.495	2.005		1.76	
	14~15	—	—	—	—	—	—	—	—	—	—	1.191	—	—	—	2.005			
	.10	—	—	—	—	—	—	—	—	0.070	0.071	0.410	1.191	0.840	0.495	2.005			
	.20	—	—	—	—	—	—	—	—	0.070	0.071	0.408	1.181	0.840	0.495	2.005			
	.30	—	—	—	—	—	—	—	—	0.070	0.071	0.408	1.181	0.840	0.495	2.005			
	.40	—	—	—	—	—	—	—	—	0.070	0.071	0.408	1.181	0.840	0.495	2.005			
	.50	—	—	—	—	—	—	—	—	0.070	0.071	0.408	1.181	0.840	0.495	2.005			
	.00	—	—	—	—	—	—	—	—	0.070	0.071	0.405	1.166	0.840	0.498	1.958		1.76	
	15~16	—	—	—	—	—	—	—	—	—	—	1.180	—	—	—	1.997			
	.10	—	—	—	—	—	—	—	—	0.070	0.071	0.405	1.166	0.840	0.498	1.958			
	.20	—	—	—	—	—	—	—	—	0.070	0.071	0.405	1.166	0.840	0.498	1.958			
	.30	—	—	—	—	—	—	—	—	0.070	0.071	0.405	1.166	0.840	0.498	1.958			
	.40	—	—	—	—	—	—	—	—	0.070	0.071	0.402	1.151	0.840	0.498	1.958			
	.50	—	—	—	—	—	—	—	—	0.070	0.071	0.401	1.147	0.840	0.498	1.958			
	.00	—	—	—	—	—	—	—	—	0.070	0.071	0.401	1.147	0.840	0.498	1.958		1.76	
	16~17	—	—	—	—	—	—	—	—	—	—	1.157	—	—	—	1.958			
	.10	—	—	—	—	—	—	—	—	0.070	0.071	0.401	1.147	0.840	0.498	1.958			
	.20	—	—	—	—	—	—	—	—	0.070	0.071	0.401	1.147	0.840	0.498	1.958			
	.30	—	—	—	—	—	—	—	—	0.070	0.071	0.401	1.147	0.840	0.498	1.958			
	.40	—	—	—	—	—	—	—	—	0.070	0.071	0.401	1.147	0.840	0.498	1.958			
	.50	—	—	—	—	—	—	—	—	0.070	0.071	0.401	1.147	0.840	0.498	1.958			
	.00	—	—	—	—	—	—	—	—	0.070	0.071	0.400	1.142	0.840	0.498	1.958		1.58	
	17~18	—	—	—	—	—	—	—	—	—	—	1.146	—	—	—	1.958			

1969年(昭和44年)

1955年(昭和30年)																			
月・日	時分	雨 量							南大沢		大栗川橋		常盤橋	明 神 橋		報恩橋		関戸	
		消水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 葉	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
10.28	.10	—	—	—	—	—	—	—	0.070	0.071	0.400	1.142	0.839	0.498	1.958				
	.20	—	—	—	—	—	—	—	0.070	0.071	0.400	1.142	0.839	0.498	1.958				
	.30	—	—	—	—	—	—	—	0.070	0.071	0.400	1.142	0.839	0.498	1.958				
	.40	—	—	—	—	—	—	—	0.070	0.071	0.400	1.142	0.839	0.498	1.958				
	.50	—	—	—	—	—	—	—	0.070	0.071	0.400	1.142	0.838	0.498	1.958				
	.00	—	—	—	—	—	—	—	0.070	0.071	0.400	1.142	0.838	0.499	1.943		1.58		
	18-19	—	—	—	—	—	—	—	—	—	—	1.142	—	—	1.956				
	.10	—	—	—	—	—	—	—	0.070	0.071	0.400	1.142	0.838	0.499	1.943				
	.20	—	—	—	—	—	—	—	0.070	0.071	0.400	1.142	0.838	0.499	1.943				
	.30	—	—	—	—	—	—	—	0.070	0.071	0.400	1.142	0.837	0.499	1.943				
	.40	—	—	—	—	—	—	—	0.070	0.071	0.400	1.142	0.837	0.499	1.943				
	.50	—	—	—	—	—	—	—	0.070	0.071	0.400	1.142	0.837	0.499	1.943				
	.00	—	—	—	—	—	—	—	0.070	0.071	0.400	1.142	0.837	0.499	1.943		1.41		
	19-20	—	—	—	—	—	—	—	—	—	—	1.142	—	—	1.943				
	.10	—	—	—	—	—	—	—	0.070	0.071	0.400	1.142	0.838	0.499	1.943				
	.20	—	—	—	—	—	—	—	0.070	0.071	0.400	1.142	0.838	0.499	1.943				
	.30	—	—	—	—	—	—	—	0.070	0.071	0.399	1.137	0.838	0.499	1.943				
	.40	—	—	—	—	—	—	—	0.070	0.071	0.398	1.132	0.837	0.499	1.943				
	.50	—	—	—	—	—	—	—	0.070	0.071	0.397	1.127	0.835	0.499	1.943				
	.00	—	—	—	—	—	—	—	0.070	0.071	0.397	1.127	0.833	0.500	1.928		1.41		
	20-21	—	—	—	—	—	—	—	—	—	—	1.134	—	—	1.941				
	.10	—	—	—	—	—	—	—	0.070	0.071	0.396	1.122	0.833	0.500	1.928				
	.20	—	—	—	—	—	—	—	0.070	0.071	0.395	1.117	0.833	0.500	1.928				
	.30	—	—	—	—	—	—	—	0.070	0.071	0.395	1.117	0.833	0.500	1.928				
	.40	—	—	—	—	—	—	—	0.070	0.071	0.395	1.117	0.833	0.500	1.928				
	.50	—	—	—	—	—	—	—	0.070	0.071	0.395	1.117	0.832	0.500	1.928				
	.00	—	—	—	—	—	—	—	0.070	0.071	0.395	1.117	0.832	0.500	1.928		1.41		
	21-22	—	—	—	—	—	—	—	—	—	—	1.118	—	—	1.928				
	.10	—	—	—	—	—	—	—	0.070	0.071	0.395	1.117	0.832	0.500	1.928				
	.20	—	—	—	—	—	—	—	0.070	0.071	0.395	1.117	0.832	0.500	1.928				
	.30	—	—	—	—	—	—	—	0.070	0.071	0.395	1.117	0.832	0.500	1.928				
	.40	—	—	—	—	—	—	—	0.070	0.071	0.395	1.117	0.832	0.500	1.928				
	.50	—	—	—	—	—	—	—	0.070	0.071	0.395	1.117	0.832	0.500	1.928				
	.00	—	—	—	—	—	—	—	0.070	0.071	0.393	1.108	0.832	0.500	1.928		1.41		
	22-23	—	—	—	—	—	—	—	—	—	—	1.116	—	—	1.928				
	.10	—	—	—	—	—	—	—	0.070	0.071	0.395	1.117	0.832	0.500	1.928				
	.20	—	—	—	—	—	—	—	0.070	0.071	0.395	1.117	0.832	0.500	1.928				
	.30	—	—	—	—	—	—	—	0.070	0.071	0.392	1.103	0.832	0.500	1.928				
	.40	—	—	—	—	—	—	—	0.070	0.071	0.392	1.103	0.831	0.500	1.928				
	.50	—	—	—	—	—	—	—	0.070	0.071	0.390	1.093	0.831	0.500	1.928				
	.00	—	—	—	—	—	—	—	0.070	0.071	0.390	1.093	0.831	0.500	1.928		1.41		
	23-24	—	—	—	—	—	—	—	—	—	—	1.105	—	—	1.928				

1969 年 (昭和 44 年)

月・日	時・分	雨							南大沢		大栗川橋		常盤橋	明神橋			報恩橋		関戸
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 葉	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
1029	.10	—	—	—	—	—	—	—	—	0.069	0.069	0.385	1.070	0.829	0.502	1.897			
	.20	—	—	—	—	—	—	—	—	0.069	0.069	0.385	1.070	0.829	0.502	1.897			
	.30	—	—	—	—	—	—	—	—	0.069	0.069	0.383	1.060	0.829	0.502	1.897			
	.40	—	—	—	—	—	—	—	—	0.069	0.069	0.383	1.060	0.829	0.502	1.897			
	.50	—	—	—	—	—	—	—	—	0.069	0.069	0.383	1.060	0.829	0.505	1.852			
	.00	—	—	—	—	—	—	—	—	0.068	0.068	0.383	1.060	0.828	0.505	1.852			
	0 ~ 1	—	—	—	—	—	—	—	—				1.063			1.882		1.41	
	.10	—	—	—	—	—	—	—	—	0.068	0.068	0.383	1.060	0.828	0.505	1.852			
	.20	—	—	—	—	—	—	—	—	0.068	0.068	0.383	1.060	0.828	0.505	1.852			
	.30	—	—	—	—	—	—	—	—	0.068	0.068	0.383	1.060	0.828	0.505	1.852			
	.40	—	—	—	—	—	—	—	—	0.068	0.068	0.383	1.060	0.828	0.505	1.852			
	.50	—	—	—	—	—	—	—	—	0.068	0.068	0.383	1.060	0.828	0.505	1.852			
	.00	—	—	—	—	—	—	—	—	0.068	0.068	0.383	1.060	0.828	0.505	1.852			
	1 ~ 2	—	—	—	—	—	—	—	—				1.060			1.852		1.41	
	.10	—	—	—	—	—	—	—	—	0.068	0.068	0.383	1.060	0.828	0.505	1.852			
	.20	—	—	—	—	—	—	—	—	0.068	0.068	0.383	1.060	0.828	0.505	1.852			
	.30	—	—	—	—	—	—	—	—	0.068	0.068	0.383	1.060	0.828	0.505	1.852			
	.40	—	—	—	—	—	—	—	—	0.068	0.068	0.383	1.060	0.828	0.505	1.852			
	.50	—	—	—	—	—	—	—	—	0.068	0.068	0.383	1.060	0.828	0.505	1.852			
	.00	—	—	—	—	—	—	—	—	0.068	0.068	0.383	1.060	0.828	0.505	1.852			
	2 ~ 3	—	—	—	—	—	—	—	—				1.060			1.852		1.41	
	.10	—	—	—	—	—	—	—	—	0.068	0.068	0.383	1.060	0.828	0.505	1.852			
	.20	—	—	—	—	—	—	—	—	0.068	0.068	0.383	1.060	0.828	0.505	1.852			
	.30	—	—	—	—	—	—	—	—	0.068	0.068	0.383	1.060	0.828	0.505	1.852			
	.40	—	—	—	—	—	—	—	—	0.068	0.068	0.383	1.060	0.828	0.505	1.852			
	.50	—	—	—	—	—	—	—	—	0.068	0.068	0.383	1.060	0.828	0.505	1.852			
	.00	—	—	—	—	—	—	—	—	0.068	0.068	0.383	1.060	0.828	0.505	1.852			
	3 ~ 4	—	—	—	—	—	—	—	—				1.060			1.852		1.41	
	.10	—	—	—	—	—	—	—	—	0.067	0.066	0.383	1.060	0.828	0.505	1.852			
	.20	—	—	—	—	—	—	—	—	0.067	0.066	0.383	1.060	0.828	0.505	1.852			
	.30	—	—	—	—	—	—	—	—	0.067	0.066	0.383	1.060	0.828	0.505	1.852			
	.40	—	—	—	—	—	—	—	—	0.067	0.066	0.383	1.060	0.828	0.505	1.852			
	.50	—	—	—	—	—	—	—	—	0.067	0.066	0.383	1.060	0.828	0.505	1.852			
	.00	—	—	—	—	—	—	—	—	0.067	0.066	0.383	1.060	0.828	0.505	1.852			
	4 ~ 5	—	—	—	—	—	—	—	—				1.060			1.852		1.41	
	.10	—	—	—	—	—	—	—	—	0.067	0.066	0.383	1.060	0.828	0.505	1.852			
	.20	—	—	—	—	—	—	—	—	0.067	0.066	0.383	1.060	0.828	0.505	1.852			
	.30	—	—	—	—	—	—	—	—	0.067	0.066	0.383	1.060	0.828	0.505	1.852			
	.40	—	—	—	—	—	—	—	—	0.067	0.066	0.383	1.060	0.828	0.505	1.852			
	.50	—	—	—	—	—	—	—	—	0.067	0.066	0.383	1.060	0.828	0.505	1.852			
	.00	—	—	—	—	—	—	—	—	0.067	0.066	0.383	1.060	0.828	0.505	1.852			
	5 ~ 6	—	—	—	—	—	—	—	—				1.059			1.852		1.41	
	.10	—	—	—	—	—	—	—	—	0.067	0.066	0.383	1.060	0.828	0.505	1.852			
	.20	—	—	—	—	—	—	—	—	0.067	0.066	0.383	1.060	0.828	0.505	1.852			
	.30	—	—	—	—	—	—	—	—	0.067	0.066	0.383	1.060	0.828	0.505	1.852			
	.40	—	—	—	—	—	—	—	—	0.067	0.066	0.383	1.060	0.828	0.505	1.852			
	.50	—	—	—	—	—	—	—	—	0.067	0.066	0.383	1.060	0.828	0.505	1.852			
	.00	—	—	—	—	—	—	—	—	0.067	0.066	0.382	1.055	0.828	0.505	1.852			

1969年(昭和44年)

月・日	時分	雨 量							南大沢		大栗川橋		常盤橋	明 神 橋		報恩橋		関戸	
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 葉	瓜生 1	瓜生 2	水位	流量	水位	流量	水 位	水位	流量	水位	流量	水位
10.29	.10	—	—	—	—	—	—	—	—	0.067	0.066	0.390	1.093	0.831	0.500	1.928			
	.20	—	—	—	—	—	—	—	—	0.067	0.066	0.390	1.093	0.831	0.500	1.928			
	.30	—	—	—	—	—	—	—	—	0.067	0.066	0.390	1.093	0.831	0.500	1.928			
	.40	—	—	—	—	—	—	—	—	0.067	0.066	0.390	1.093	0.831	0.500	1.928			
	.50	—	—	—	—	—	—	—	—	0.067	0.066	0.390	1.093	0.831	0.500	1.928			
	.00	—	—	—	—	—	—	—	—	0.067	0.066	0.390	1.093	0.831	0.500	1.928			
	6~7	—	—	—	—	—	—	—	—	0.067	0.066	0.390	1.093	0.831	0.500	1.928		1.41	
	.10	—	—	—	—	—	—	—	—	0.066	0.065	0.390	1.093	0.830	0.500	1.928			
	.20	—	—	—	—	—	—	—	—	0.066	0.065	0.390	1.093	0.830	0.500	1.928			
	.30	—	—	—	—	—	—	—	—	0.066	0.065	0.390	1.093	0.830	0.500	1.928			
	.40	—	—	—	—	—	—	—	—	0.065	0.063	0.390	1.093	0.830	0.500	1.928			
	.50	—	—	—	—	—	—	—	—	0.065	0.063	0.390	1.093	0.830	0.500	1.928			
	.00	—	—	—	—	—	—	—	—	0.065	0.063	0.390	1.093	0.830	0.500	1.928			
	7~8	—	—	—	—	—	—	—	—	0.065	0.063	0.390	1.093	0.830	0.500	1.928		1.25	
	.10	—	—	—	—	—	—	—	—	0.065	0.063	0.390	1.093	0.830	0.500	1.928			
	.20	—	—	—	—	—	—	—	—	0.065	0.063	0.390	1.093	0.830	0.500	1.928			
	.30	—	—	—	—	—	—	—	—	0.065	0.063	0.390	1.093	0.830	0.500	1.928			
	.40	—	—	—	—	—	—	—	—	0.065	0.063	0.390	1.093	0.830	0.500	1.928			
	.50	—	—	—	—	—	—	—	—	0.065	0.063	0.390	1.093	0.830	0.500	1.928			
	.00	—	—	—	—	—	—	—	—	0.065	0.063	0.390	1.093	0.830	0.500	1.928			
	8~9	—	—	—	—	—	—	—	—	0.065	0.063	0.390	1.093	0.830	0.500	1.928		1.25	
	.10	—	—	—	—	—	—	—	—	0.065	0.063	0.390	1.093	0.830	0.500	1.928			
	.20	—	—	—	—	—	—	—	—	0.065	0.063	0.390	1.093	0.830	0.500	1.928			
	.30	—	—	—	—	—	—	—	—	0.065	0.063	0.390	1.093	0.830	0.500	1.928			
	.40	—	—	—	—	—	—	—	—	0.065	0.063	0.389	1.083	0.830	0.500	1.928			
	.50	—	—	—	—	—	—	—	—	0.065	0.063	0.390	1.093	0.830	0.500	1.928			
	.00	—	—	—	—	—	—	—	—	0.065	0.063	0.390	1.093	0.830	0.500	1.928			
	9~10	—	—	—	—	—	—	—	—	0.065	0.063	0.390	1.093	0.830	0.500	1.928		1.25	
	.10	—	—	—	—	—	—	—	—	0.064	0.062	0.389	1.089	0.830	0.500	1.928			
	.20	—	—	—	—	—	—	—	—	0.064	0.062	0.389	1.089	0.830	0.500	1.928			
	.30	—	—	—	—	—	—	—	—	0.064	0.062	0.389	1.089	0.830	0.500	1.928			
	.40	—	—	—	—	—	—	—	—	0.064	0.062	0.388	1.084	0.830	0.500	1.928			
	.50	—	—	—	—	—	—	—	—	0.064	0.062	0.388	1.084	0.830	0.500	1.928			
	.00	—	—	—	—	—	—	—	—	0.064	0.062	0.388	1.084	0.830	0.500	1.928			
	10~11	—	—	—	—	—	—	—	—	0.064	0.062	0.388	1.084	0.830	0.500	1.928		1.25	
	.10	—	—	—	—	—	—	—	—	0.064	0.062	0.388	1.084	0.830	0.502	1.897			
	.20	—	—	—	—	—	—	—	—	0.063	0.060	0.388	1.084	0.830	0.502	1.897			
	.30	—	—	—	—	—	—	—	—	0.063	0.060	0.388	1.084	0.830	0.502	1.897			
	.40	—	—	—	—	—	—	—	—	0.063	0.060	0.385	1.070	0.830	0.502	1.897			
	.50	—	—	—	—	—	—	—	—	0.062	0.059	0.385	1.070	0.829	0.502	1.897			
	.00	—	—	—	—	—	—	—	—	0.062	0.059	0.385	1.070	0.829	0.502	1.897			
	11~12	—	—	—	—	—	—	—	—	0.062	0.059	0.385	1.077	0.829	0.502	1.897		1.10	

1969年(昭和44年)

月・日	時・分	雨								南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸
		清水入谷戸	南大沢	別所	大栗川橋	明神橋	青木築	瓜生1	瓜生2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
10.29	.10	—	—	—	—	—	—	—	—	0.062	0.059	0.382	1.055	0.827	0.505	1.852			
	.20	—	—	—	—	—	—	—	—	0.062	0.059	0.382	1.055	0.827	0.505	1.852			
	.30	—	—	—	—	—	—	—	—	0.062	0.059	0.382	1.055	0.827	0.505	1.852			
	.40	—	—	—	—	—	—	—	—	0.061	0.057	0.381	1.051	0.826	0.505	1.852			
	.50	—	—	—	—	—	—	—	—	0.061	0.057	0.380	1.046	0.826	0.505	1.852			
	.00	—	—	—	—	—	—	—	—	0.061	0.057	0.380	1.046	0.826	0.505	1.852		1.10	
	12~13	—	—	—	—	—	—	—	—				1.051			1.852			
	.10	—	—	—	—	—	—	—	—	0.060	0.056	0.380	1.046	0.826	0.505	1.852			
	.20	—	—	—	—	—	—	—	—	0.060	0.056	0.380	1.046	0.826	0.505	1.852			
	.30	—	—	—	—	—	—	—	—	0.060	0.056	0.380	1.046	0.823	0.505	1.852			
	.40	—	—	—	—	—	—	—	—	0.060	0.056	0.380	1.046	0.823	0.505	1.852			
	.50	—	—	—	—	—	—	—	—	0.060	0.056	0.380	1.046	0.823	0.505	1.852			
	.00	—	—	—	—	—	—	—	—	0.060	0.056	0.380	1.046	0.822	0.505	1.852		1.10	
	13~14	—	—	—	—	—	—	—	—				1.046			1.852			
	.10	—	—	—	—	—	—	—	—	0.060	0.056	0.380	1.046	0.822	0.505	1.852			
	.20	—	—	—	—	—	—	—	—	0.060	0.056	0.380	1.046	0.822	0.505	1.852			
	.30	—	—	—	—	—	—	—	—	0.059	0.055	0.380	1.046	0.822	0.505	1.852			
	.40	—	—	—	—	—	—	—	—	0.059	0.055	0.379	1.041	0.822	0.505	1.852			
	.50	—	—	—	—	—	—	—	—	0.059	0.055	0.379	1.041	0.822	0.505	1.852			
	.00	—	—	—	—	—	—	—	—	0.059	0.055	0.378	1.037	0.822	0.505	1.852		1.10	
	14~15	—	—	—	—	—	—	—	—				1.043			1.852			
	.10	—	—	—	—	—	—	—	—	0.058	0.053	0.378	1.037	0.822	0.505	1.852			
	.20	—	—	—	—	—	—	—	—	0.058	0.053	0.378	1.037	0.820	0.505	1.852			
	.30	—	—	—	—	—	—	—	—	0.058	0.053	0.378	1.037	0.820	0.505	1.852			
	.40	—	—	—	—	—	—	—	—	0.058	0.053	0.378	1.037	0.820	0.505	1.852			
	.50	—	—	—	—	—	—	—	—	0.058	0.053	0.378	1.037	0.820	0.505	1.852			
	.00	—	—	—	—	—	—	—	—	0.058	0.053	0.378	1.037	0.820	0.505	1.852		1.10	
	15~16	—	—	—	—	—	—	—	—				1.037			1.852			
	.10	—	—	—	—	—	—	—	—	0.058	0.053	0.378	1.037	0.820	0.505	1.852			
	.20	—	—	—	—	—	—	—	—	0.058	0.053	0.378	1.037	0.820	0.505	1.852			
	.30	—	—	—	—	—	—	—	—	0.058	0.053	0.378	1.037	0.820	0.505	1.852			
	.40	—	—	—	—	—	—	—	—	0.058	0.053	0.378	1.037	0.820	0.505	1.852			
	.50	—	—	—	—	—	—	—	—	0.058	0.053	0.378	1.037	0.820	0.505	1.852			
	.00	—	—	—	—	—	—	—	—	0.058	0.053	0.375	1.023	0.820	0.505	1.852		1.10	
	16~17	—	—	—	—	—	—	—	—				1.034			1.852			
	.10	—	—	—	—	—	—	—	—	0.058	0.053	0.375	1.023	0.820	0.505	1.852			
	.20	—	—	—	—	—	—	—	—	0.058	0.053	0.375	1.023	0.820	0.505	1.852			
	.30	—	—	—	—	—	—	—	—	0.058	0.053	0.375	1.023	0.820	0.505	1.852			
	.40	—	—	—	—	—	—	—	—	0.058	0.053	0.375	1.023	0.820	0.505	1.852			
	.50	—	—	—	—	—	—	—	—	0.058	0.053	0.375	1.023	0.820	0.505	1.852			
	.00	—	—	—	—	—	—	—	—	0.058	0.053	0.373	1.013	0.820	0.505	1.852		1.25	
	17~18	—	—	—	—	—	—	—	—				1.021			1.852			

1969年(昭和44年)

1969年(昭和44年)																			
月・日	時分	雨							南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸	
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 葉	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
10.29	.10	—	—	—	—	—	—	—	0.067	0.066	0.548	1.980	0.772	0.030	4.652				
	.20	—	—	—	—	—	—	—	0.067	0.066	0.545	1.961	0.772	0.030	4.652				
	.30	—	—	—	—	—	—	—	0.067	0.066	0.545	1.961	0.770	0.030	4.652				
	.40	—	—	—	—	—	—	—	0.067	0.066	0.545	1.961	0.770	0.030	4.652				
	.50	—	—	—	—	—	—	—	0.067	0.066	0.545	1.961	0.770	0.030	4.652				
	.00	—	—	—	—	—	—	—	0.067	0.066	0.545	1.961	0.770	0.030	4.652		1.25		
		—	—	—	—	—	—	—				1.964			4.652				
	18~19	—	—	—	—	—	—	—	0.067	0.066	0.545	1.961	0.770	0.030	4.652				
	.10	—	—	—	—	—	—	—	0.067	0.066	0.545	1.961	0.770	0.030	4.652				
	.20	—	—	—	—	—	—	—	0.067	0.066	0.545	1.961	0.770	0.030	4.652				
	.30	—	—	—	—	—	—	—	0.067	0.066	0.545	1.961	0.770	0.030	4.652				
	.40	—	—	—	—	—	—	—	0.067	0.066	0.545	1.961	0.770	0.030	4.652				
	.50	—	—	—	—	—	—	—	0.067	0.066	0.545	1.961	0.770	0.030	4.652				
	.00	—	—	—	—	—	—	—	0.067	0.066	0.545	1.961	0.770	0.030	4.652		1.25		
		—	—	—	—	—	—	—				1.961			4.652				
	19-20	—	—	—	—	—	—	—	0.067	0.066	0.545	1.961	0.770	0.030	4.652				
	.10	—	—	—	—	—	—	—	0.067	0.066	0.545	1.961	0.770	0.030	4.652				
	.20	—	—	—	—	—	—	—	0.067	0.066	0.545	1.961	0.770	0.030	4.652				
	.30	—	—	—	—	—	—	—	0.067	0.066	0.545	1.961	0.770	0.030	4.652				
	.40	—	—	—	—	—	—	—	0.067	0.066	0.545	1.961	0.770	0.030	4.652				
	.50	—	—	—	—	—	—	—	0.067	0.066	0.545	1.961	0.770	0.030	4.652				
	.00	—	—	—	—	—	—	—	0.067	0.066	0.543	1.948	0.770	0.030	4.652		1.25		
		—	—	—	—	—	—	—				1.959			4.652				
	20-21	—	—	—	—	—	—	—	0.067	0.066	0.545	1.961	0.770	0.030	4.652				
	.10	—	—	—	—	—	—	—	0.066	0.065	0.545	1.961	0.770	0.030	4.652				
	.20	—	—	—	—	—	—	—	0.066	0.065	0.545	1.961	0.770	0.030	4.652				
	.30	—	—	—	—	—	—	—	0.066	0.065	0.545	1.961	0.770	0.030	4.652				
	.40	—	—	—	—	—	—	—	0.066	0.065	0.545	1.961	0.770	0.030	4.652				
	.50	—	—	—	—	—	—	—	0.066	0.065	0.545	1.961	0.770	0.030	4.652				
	.00	—	—	—	—	—	—	—	0.066	0.065	0.543	1.948	0.770	0.030	4.652		1.25		
		—	—	—	—	—	—	—				1.959			4.652				
	21-22	—	—	—	—	—	—	—	0.066	0.065	0.545	1.961	0.770	0.030	4.652				
	.10	—	—	—	—	—	—	—	0.066	0.065	0.545	1.961	0.770	0.030	4.652				
	.20	—	—	—	—	—	—	—	0.066	0.065	0.545	1.961	0.770	0.030	4.652				
	.30	—	—	—	—	—	—	—	0.066	0.065	0.545	1.961	0.770	0.030	4.652				
	.40	—	—	—	—	—	—	—	0.066	0.065	0.545	1.961	0.770	0.030	4.652				
	.50	—	—	—	—	—	—	—	0.066	0.065	0.545	1.961	0.770	0.030	4.652				
	.00	—	—	—	—	—	—	—	0.066	0.065	0.543	1.948	0.770	0.030	4.652		1.25		
		—	—	—	—	—	—	—				1.959			4.652				
	22-23	—	—	—	—	—	—	—	0.066	0.065	0.545	1.961	0.770	0.030	4.652				
	.10	—	—	—	—	—	—	—	0.065	0.063	0.545	1.961	0.770	0.030	4.652				
	.20	—	—	—	—	—	—	—	0.065	0.063	0.545	1.961	0.770	0.030	4.652				
	.30	—	—	—	—	—	—	—	0.065	0.063	0.545	1.961	0.770	0.030	4.652				
	.40	—	—	—	—	—	—	—	0.065	0.063	0.545	1.961	0.770	0.030	4.652				
	.50	—	—	—	—	—	—	—	0.065	0.063	0.545	1.961	0.770	0.030	4.652				
	.00	—	—	—	—	—	—	—	0.065	0.063	0.543	1.948	0.770	0.030	4.652		1.25		
		—	—	—	—	—	—	—				1.959			4.652				
	23-24	—	—	—	—	—	—	—	0.065	0.063	0.543	1.948	0.770	0.030	4.652				

1970年(昭和45年)

月・日	時・分	雨							南大沢		大栗川橋		常盤橋		明神橋		報恩橋		関戸
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 森	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	
7. 1	.10	0.5	1.0				1.5			0.048	0.082		0.023	0.850	0.547	2.711			
	.20	—	—				1.5			0.047	0.031		0.023	0.890	0.547	2.711			
	.30	—	1.0				0.5			0.046	0.030		0.023	0.925	0.547	2.711			
	.40	—	—				—			0.045	0.029		0.023	0.940	0.547	2.711			
	.50	—	—				—			0.044	0.028		0.023	0.950	0.547	2.711			
	.00	—	—				—			0.043	0.027		0.023	0.970	0.547	2.711			
	0~1	0.5	2.0				3.5			0.023			0.023			2.711			
	.10	0.5	—				—			0.042	0.026		0.023	0.980	0.580	3.340			
	.20	—	—				—			0.041	0.025		0.023	0.989	0.603	3.817			
	.30	—	0.5				—			0.040	0.024		0.023	0.992	0.612	4.012			
	.40	—	—				—			0.039	0.023		0.023	0.999	0.621	4.213			
	.50	—	—				—			0.038	0.022		0.023	0.010	0.630	4.418			
	.00	—	—				—			0.037	0.022		0.023	0.010	0.636	4.557			
	1~2	0.5	0.5				—			0.023			0.023			4.060			
	.10	—	—				—			0.037	0.022		0.023	0.016	0.643	4.723			
	.20	—	—				—			0.036	0.021		0.023	0.015	0.649	4.867			
	.30	—	—				—			0.035	0.020		0.023	0.010	0.650	4.891			
	.40	—	—				—			0.035	0.020		0.023	0.993	0.652	4.940			
	.50	0.5	—				—			0.035	0.020		0.023	0.988	0.652	4.940			
	.00	0.5	—				—			0.034	0.019		0.023	0.980	0.649	4.867			
	2~3	1.0	—				—			0.023			0.023			4.872			
	.10	0.5	—				0.5			0.034	0.019		0.023	0.973	0.645	4.771			
	.20	0.5	—				0.5			0.037	0.022		0.023	0.970	0.640	4.652			
	.30	0.5	—				—			0.038	0.022		0.023	0.965	0.635	4.534			
	.40	1.5	—				0.5			0.039	0.023		0.023	0.960	0.630	4.418			
	.50	0.5	—				1.0			0.041	0.025		0.023	0.957	0.623	4.258			
	.00	1.0	—				1.5			0.048	0.032		0.023	0.956	0.622	4.235			
	3~4	4.0	—				4.0			0.023			0.023			4.478			
	.10	0.5	0.5				1.0			0.050	0.034		0.023	0.955	0.621	4.213			
	.20	1.0	0.5				—			0.052	0.036		0.023	0.954	0.620	4.190			
	.30	1.0	0.5				1.0			0.055	0.039		0.023	0.960	0.630	4.418			
	.40	0.5	0.5				1.5			0.059	0.043		0.023	0.962	0.635	4.534			
	.50	0.5	0.5				1.5			0.061	0.045		0.023	0.970	0.638	4.604			
	.00	0.5	1.5				2.0			0.062	0.042		0.023	0.983	0.642	4.699			
	4~5	4.0	4.0				7.0			0.023			0.023			4.443			
	.10	0.5	0.5				1.0			0.063	0.047		0.023	0.991	0.660	5.137			
	.20	0.5	0.5				—			0.063	0.047		0.023	1.000	0.676	5.543			
	.30	0.5	—				0.5			0.063	0.047		0.023	1.006	0.692	5.964			
	.40	1.0	0.5				—			0.065	0.050		0.023	1.010	0.701	6.208			
	.50	1.0	1.0				0.5			0.067	0.052		0.023	1.012	0.700	6.180			
	.00	2.0	1.0				1.0			0.069	0.054		0.023	1.014	0.697	6.099			
	5~6	6.5	3.5				3.0			0.023			0.023			5.855		9.33	

1970年(昭和45年)

月・日	時分	雨							南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 葉	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量
7. 1	.10	1.5	2.0				1.0		0.078	0.065		0.023	1.020	0.692	5.964			
	.20	0.5	1.5				2.5		0.087	0.077		0.023	1.025	0.695	6.045			
	.30	1.0	0.5				0.5		0.093	0.085		0.023	1.030	0.710	6.456			
	.40	2.5	1.0				1.0		0.095	0.088		0.023	1.040	0.730	7.026			
	.50	2.0	2.5				2.0		0.105	0.102		0.023	1.043	0.758	7.864			
	.00	3.0	2.0				2.0		0.120	0.125		0.023	1.052	0.768	8.175			
	6~7	10.5	9.5				9.0					0.023			6.922			
	.10	2.5	2.5				2.5		0.140	0.158		0.023	1.067	0.805	9.378			
	.20	4.5	3.0				4.0		0.165	0.204		0.023	1.080	0.830	10.237			
	.30	4.0	5.5				1.5		0.200	0.275		0.023	1.105	0.880	12.068			
	.40	2.5	3.5				3.5		0.230	0.341		0.023	1.128	0.900	12.843			
	.50	2.5	2.5				3.5		0.242	0.370		0.023	1.160	0.950	14.885			
	.00	3.5	3.5				2.5		0.260	0.414		0.023	1.190	0.980	16.182			
	7~8	19.5	20.5				17.5					0.023			12.599			
	.10	4.0	3.0				4.5		0.280	0.465		0.023	1.230	1.050	19.420			
	.20	4.5	5.5				2.5		0.310	0.546		0.023	1.265	1.100	21.914			
	.30	3.0	3.5				2.5		0.332	0.609		0.023	1.310	1.120	22.954			
	.40	1.0	2.0				2.0		0.340	0.633		0.023	1.335	1.150	24.558			
	.50	2.0	2.0				0.5		0.340	0.633		0.023	1.360	1.185	26.499			
	.00	1.5	1.5				1.0		0.340	0.633		0.023	1.380	1.218	28.396			
	8~9	16.0	17.5				13.0					0.023			23.957			
	.10	1.5	1.5				1.0		0.338	0.627		0.023	1.405	1.230	29.103			
	.20	1.0	1.0				1.0		0.320	0.575		0.023	1.420	1.275	31.828			
	.30	0.5	0.5				3.0		0.305	0.532		0.023	1.440	1.296	33.142			
	.40	—	0.5				1.0		0.290	0.492		0.023	1.460	1.320	34.676			
	.50	0.5	—				1.0		0.277	0.457		0.023	1.470	1.350	36.642			
	.00	0.5	0.5				2.5		0.265	0.426		0.023	1.480	1.370	37.983			
	9~10	4.0	4.0				9.5					0.023			33.896			
	.10	—	—				2.0		0.251	0.391		0.023	1.480	1.370	37.983			
	.20	1.0	0.5				3.0		0.245	0.377		0.023	1.465	1.370	37.983			
	.30	1.5	1.0				1.0		0.240	0.365		0.023	1.450	1.370	37.983			
	.40	0.5	—				1.5		0.235	0.353		0.023	1.440	1.366	37.713			
	.50	0.5	—				1.0		0.228	0.337		0.023	1.425	1.348	36.509			
	.00	0.5	0.5				0.5		0.219	0.316		0.023	1.410	1.322	34.805			
	10~11	4.0	2.0				9.0					0.023			37.162			
	.10	—	—				0.5		0.212	0.301		0.023	1.400	1.285	32.450			
	.20	—	—				0.5		0.208	0.292		0.023	1.385	1.260	30.906			
	.30	—	1.0				—		0.200	0.275		0.023	1.375	1.210	27.930			
	.40	—	0.5				—		0.199	0.272		0.023	1.362	1.190	26.782			
	.50	1.0	—				0.5		0.195	0.264		0.023	1.350	1.150	24.558			
	.00	0.5	—				—		0.189	0.251		0.023	1.335	1.120	22.954			
	11~12	1.5	1.5				1.5					0.023			27.597			

1970年(昭和45年)

月・日	時・分	雨						南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸		
		清水 大谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 栗	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
7. 1	.10	—	0.5	—	—	—	—	—	0.182	0.237	0.000	0.023	1.325	1.110	22.431	—	—	—	
	.20	—	—	—	—	—	—	—	0.178	0.229	0.000	0.023	1.317	1.080	20.899	—	—	—	
	.30	0.5	—	—	—	—	—	—	0.172	0.217	0.000	0.023	1.307	1.045	19.179	—	—	—	
	.40	—	—	—	—	—	—	—	0.169	0.212	0.000	0.023	1.292	1.030	18.465	—	—	—	
	.50	—	0.5	—	—	—	—	—	0.165	0.185	0.000	0.023	1.282	0.998	16.987	—	—	—	
	.00	—	0.5	—	—	—	—	—	0.161	0.196	0.000	0.023	1.275	0.987	16.493	—	—	—	
	12-13	0.5	1.5	—	—	—	—	—	—	—	—	0.023	—	—	—	19.075	—	—	
	.10	—	—	—	—	—	—	—	0.157	0.189	0.850	4.402	1.277	0.970	15.744	—	—	—	
	.20	1.0	0.5	—	—	—	—	—	0.155	0.185	0.895	4.845	1.290	0.963	15.440	—	—	—	
	.30	1.5	2.5	—	0.5	—	—	—	0.167	0.208	0.925	5.152	1.310	0.950	14.885	—	—	—	
	.40	2.5	2.5	—	0.5	—	—	—	0.188	0.249	0.960	5.522	1.330	0.960	15.311	—	—	—	
	.50	1.5	4.0	—	2.0	—	—	—	0.210	0.296	0.980	5.739	1.345	0.982	16.270	—	—	—	
	.00	5.0	4.0	—	2.0	—	1.0	—	0.238	0.360	1.135	7.564	1.365	1.000	17.077	—	—	—	
	13-14	1.5	13.5	—	5.0	—	1.0	—	—	—	—	5.537	—	—	—	15.788	—	—	—
	.10	3.0	3.0	—	2.5	—	2.0	—	0.260	0.414	1.215	8.604	1.400	1.060	19.907	—	—	—	
	.20	2.5	1.0	—	1.5	—	2.5	—	0.272	0.444	1.286	9.583	1.435	1.100	21.914	—	—	—	
	.30	3.0	2.5	—	2.0	—	2.0	—	0.285	0.478	1.350	10.511	1.470	1.165	25.381	—	—	—	
	.40	1.5	1.0	—	1.0	—	1.5	—	0.292	0.497	1.360	10.660	1.490	1.215	28.221	—	—	—	
	.50	1.5	1.5	—	1.5	—	1.0	—	0.298	0.513	1.361	10.675	1.515	1.275	31.828	—	—	—	
	.00	1.0	1.0	—	1.0	—	2.0	—	0.295	0.505	1.362	10.690	1.525	1.315	34.353	—	—	—	
	14-15	12.5	10.0	—	9.5	—	11.0	—	—	—	—	10.121	—	—	—	26.934	—	—	—
	.10	1.0	0.5	—	1.5	—	1.5	—	0.292	0.497	1.363	10.705	1.530	1.360	37.309	—	—	—	
	.20	1.0	1.0	—	0.5	—	1.0	—	0.288	0.486	1.364	10.720	1.535	1.390	39.348	—	—	—	
	.30	0.5	0.5	—	0.5	—	1.0	—	0.279	0.462	1.364	10.720	1.540	1.410	40.737	—	—	—	
	.40	0.5	0.5	—	0.5	—	1.0	—	0.272	0.444	1.365	10.735	1.540	1.425	41.794	—	—	—	
	.50	0.5	0.5	—	1.0	—	1.0	—	0.265	0.426	1.365	10.735	1.535	1.420	41.440	—	—	—	
	.00	0.5	1.0	—	1.5	—	1.0	—	0.261	0.416	1.312	9.955	1.540	1.415	41.088	—	—	—	
	15-16	4.0	4.0	—	5.5	—	6.5	—	—	—	—	10.595	—	—	—	40.286	—	—	—
	.10	1.0	0.5	—	1.0	—	1.0	—	0.259	0.411	1.270	9.358	1.535	1.420	41.440	—	—	—	
	.20	0.5	1.0	—	1.0	—	1.5	—	0.258	0.409	1.240	8.943	1.525	1.420	41.440	—	—	—	
	.30	0.5	1.0	—	2.0	—	1.0	—	0.254	0.399	1.210	8.537	1.520	1.425	41.794	—	—	—	
	.40	1.5	1.0	—	1.5	—	1.5	—	0.253	0.396	1.185	8.206	1.515	1.420	41.440	—	—	—	
	.50	1.5	1.5	—	1.5	—	1.5	—	0.255	0.401	1.165	7.946	1.510	1.415	41.088	—	—	—	
	.00	1.5	1.5	—	3.0	—	1.5	—	0.261	0.401	1.155	7.817	1.505	1.395	39.693	—	—	—	
	16-17	6.5	6.5	—	10.0	—	8.0	—	—	—	—	8.468	—	—	—	41.149	—	—	—
	.10	1.5	1.5	—	2.0	—	1.0	—	0.268	0.434	1.155	7.817	1.510	1.385	39.004	—	—	—	
	.20	1.0	1.5	—	1.0	—	1.0	—	0.272	0.444	1.155	7.817	1.505	1.375	38.322	—	—	—	
	.30	1.5	2.5	—	1.5	—	0.5	—	0.280	0.465	1.159	7.869	1.505	1.363	37.511	—	—	—	
	.40	1.0	2.5	—	1.5	—	0.5	—	0.289	0.489	1.160	7.881	1.512	1.355	36.975	—	—	—	
	.50	0.5	1.0	—	1.0	—	—	—	0.292	0.497	1.160	7.881	1.515	1.349	36.575	—	—	—	
	.00	0.5	1.0	—	—	—	0.5	—	0.285	0.478	1.170	8.010	1.519	1.340	35.980	—	—	—	
	17-18	6.0	10.0	—	7.0	—	3.5	—	—	—	—	7.879	—	—	—	37.395	—	—	—

1970年(昭和45年)

月・日	時分	雨						南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸	
		消水 入谷戸	南大沢	別所	大栗川橋	明神橋	青木築	瓜生1	瓜生2	水位	流量	水位	流量	水位	水位	流量	水位	流量
7. 1	.10	—	0.5				0.5		0.278	0.460	1.170	8.010	1.522	1.338	35.849			
	.20	0.5	0.5				—		0.275	0.452	1.170	8.010	1.525	1.335	35.652			
	.30	0.5	0.5				0.5		0.270	0.439	1.170	8.010	1.530	1.333	35.521			
	.40	0.5	—				0.5		0.265	0.426	1.170	8.010	1.532	1.332	35.456			
	.50	0.5	0.5				—		0.257	0.406	1.170	8.010	1.525	1.335	35.652			
	.00	—	0.5				1.0		0.250	0.389	1.170	8.010	1.532	1.335	35.652			
	18-19	2.0	2.5				2.5					8.010			35.630			
	.10	0.5	0.5				1.0		0.246	0.379	1.170	8.010	1.526	1.330	35.325			
	.20	0.5	0.5				—		0.244	0.374	1.170	8.010	1.520	1.325	35.000			
	.30	0.5	0.5				0.5		0.241	0.367	1.170	8.010	1.515	1.310	34.032			
	.40	0.5	0.5				0.5		0.238	0.360	1.170	8.010	1.510	1.295	33.079			
	.50	—	0.5				—		0.235	0.353	1.170	8.010	1.502	1.275	31.828			
	.00	0.5	—				0.5		0.232	0.346	1.170	8.010	1.485	1.260	30.906			
	19-20	2.5	2.5				2.5					8.010			33.362			
	.10	0.5	0.5				—		0.228	0.337	1.170	8.010	1.475	1.240	29.698			
	.20	—	—				0.5		0.225	0.330	1.170	8.010	1.465	1.220	28.514			
	.30	—	—				—		0.220	0.323	1.170	8.010	1.455	1.200	27.353			
	.40	0.5	—				—		0.215	0.307	1.170	8.010	1.445	1.185	26.499			
	.50	—	0.5				—		0.212	0.301	1.170	8.010	1.440	1.170	25.658			
	.00	—	—				0.5		0.210	0.296	1.170	8.010	1.425	1.155	24.831			
	20-21	1.0	1.0				1.0					8.010			27.092			
	.10	—	—				—		0.208	0.292	1.170	8.010	1.417	1.145	24.287			
	.20	0.5	—				0.5		0.205	0.285	1.170	8.010	1.406	1.135	23.749			
	.30	—	0.5				—		0.202	0.279	1.170	8.010	1.400	1.118	22.849			
	.40	—	—				—		0.200	0.275	1.170	8.010	1.390	1.100	21.914			
	.50	0.5	0.5				0.5		0.199	0.272	1.170	8.010	1.380	1.085	21.150			
	.00	—	—				—		0.198	0.270	1.170	8.010	1.370	1.075	20.648			
	21-22	1.0	1.0				1.0					8.010			22.433			
	.10	0.5	—				—		0.195	0.264	1.170	8.010	1.362	1.065	20.153			
	.20	—	—				0.5		0.191	0.256	1.170	8.010	1.357	1.055	19.663			
	.30	—	—				—		0.189	0.251	1.170	8.010	1.350	1.042	19.035			
	.40	—	0.5				—		0.188	0.249	1.170	8.010	1.347	1.030	18.465			
	.50	0.5	—				—		0.186	0.245	1.170	8.010	1.340	1.022	18.090			
	.00	—	—				0.5		0.185	0.243	1.170	8.010	1.335	1.010	17.534			
	22-23	1.0	0.5				1.0					8.010			18.823			
	.10	—	—				—		0.184	0.241	1.170	8.010	1.331	1.007	17.396			
	.20	—	0.5				0.5		0.181	0.235	1.170	8.010	1.325	1.000	16.851			
	.30	0.5	—				—		0.180	0.233	1.170	8.010	1.321	1.000	16.582			
	.40	—	0.5				—		0.179	0.231	1.170	8.010	1.318	1.000	16.404			
	.50	—	—				0.5		0.179	0.231	1.170	8.010	1.314	1.000	16.050			
	.00	0.5	0.5				0.5		0.180	0.233	1.170	8.010	1.308	1.000	15.831			
	23-24	1.0	1.5				1.5					8.010			16.519			

1970年(昭和45年)

月・日	時・分	雨						南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸		
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 葉	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
7. 2	.10	—	0.5			—	—		0.180	0.233	1.170	8.010	1.305	0.968	15.657				
	.20	—	0.5			—	0.5		0.180	0.233	1.170	8.010	1.303	0.960	15.311				
	.30	0.5	—			0.5	—		0.179	0.231	1.170	8.010	1.301	0.958	15.225				
	.40	0.5	—			0.5	—		0.178	0.229	1.170	8.010	1.298	0.955	15.097				
	.50	0.5	0.5			0.5	0.5		0.177	0.227	1.170	8.010	1.297	0.952	14.969				
	0~1	—	0.5			—	0.5		0.175	0.223	1.170	8.010	1.294	0.950	14.885				
		1.5	2.0			1.5	1.5					8.010				15.191			
	.10	—	—			0.5	—		0.175	0.223	1.170	8.010	1.292	0.950	14.885				
	.20	0.5	0.5			—	0.5		0.174	0.221	1.170	8.010	1.290	0.948	14.800				
	.30	—	—			—	—		0.174	0.221	1.170	8.010	1.288	0.946	14.716				
	.40	0.5	0.5			0.5	—		0.174	0.221	1.170	8.010	1.288	0.945	14.674				
	.50	—	—			—	0.5		0.173	0.219	1.170	8.010	1.287	0.942	14.548				
	1~2	0.5	—			—	0.5		0.173	0.219	1.170	8.010	1.282	0.940	14.464				
		1.5	1.0			1.0	1.5					8.010				14.681			
	.10	—	0.5			—	—		0.172	0.217	1.170	8.010	1.283	0.938	14.381				
	.20	0.5	0.5			—	—		0.172	0.217	1.170	8.010	1.279	0.934	14.215				
	.30	—	—			—	—		0.171	0.215	1.170	8.010	1.278	0.931	14.091				
	.40	—	—			—	0.5		0.171	0.215	1.170	8.010	1.276	0.931	14.091				
	.50	—	0.5			—	—		0.170	0.213	1.170	8.010	1.271	0.930	14.050				
	2~3	0.5	—			—	—		0.169	0.212	1.170	8.010	1.268	0.927	13.927				
		1.0	1.5			—	0.5					8.010				14.126			
	.10	0.5	—			—	—		0.168	0.210	1.170	8.010	1.267	0.926	13.886				
	.20	—	—			—	—		0.165	0.204	1.170	8.010	1.262	0.922	13.723				
	.30	—	—			—	0.5		0.165	0.204	1.170	8.010	1.260	0.919	13.601				
	.40	0.5	—			—	—		0.164	0.202	1.170	8.010	1.259	0.913	13.359				
	.50	—	—			—	—		0.162	0.198	1.170	8.010	1.255	0.912	13.319				
	3~4	—	—			—	—		0.161	0.196	1.170	8.010	1.250	0.910	13.239				
		1.0	—			—	0.5					8.010				13.521			
	.10	—	—			—	—		0.160	0.196	1.170	8.010	1.247	0.906	13.080				
	.20	—	—			—	—		0.159	0.193	1.170	8.010	1.243	0.904	13.000				
	.30	0.5	—			—	—		0.157	0.189	1.170	8.010	1.240	0.900	12.843				
	.40	—	—			—	—		0.155	0.185	1.170	8.010	1.239	0.896	12.686				
	.50	—	—			—	0.5		0.154	0.183	1.170	8.010	1.235	0.894	12.608				
	4~5	—	—			—	—		0.153	0.182	1.170	8.010	1.231	0.890	12.452				
		0.5	—			—	0.5					8.010				12.778			
	.10	—	—			—	—		0.152	0.180	1.170	8.010	1.229	0.888	12.375				
	.20	—	—			—	—		0.152	0.180	1.170	8.010	1.226	0.887	12.336				
	.30	—	—			—	—		0.150	0.176	1.170	8.010	1.222	0.883	12.183				
	.40	—	—			—	—		0.150	0.176	1.170	8.010	1.220	0.881	12.106				
	.50	—	—			—	—		0.150	0.176	1.170	8.010	1.218	0.880	12.068				
	5~6	—	—			—	—		0.148	0.172	1.170	8.010	1.215	0.877	11.954				
		0.5	—			—	—					8.010				12.170			
																	13.76		

1970年(昭和45年)

月・日	時分	雨								南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 壑	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
7. 2	.10	—	0.5	—	—	—	—	—	—	0.146	0.169	1.170	8.010	1.211	0.872	11.765	—	—	—
	.20	—	—	—	—	—	—	—	—	0.145	0.167	1.170	8.010	1.209	0.871	11.727	—	—	—
	.30	—	—	—	—	—	—	—	—	0.144	0.165	1.170	8.010	1.206	0.868	11.615	—	—	—
	.40	—	—	—	—	—	—	—	—	0.144	0.165	1.170	8.010	1.203	0.867	11.577	—	—	—
	.50	—	—	—	—	—	—	—	—	0.143	0.164	1.170	8.010	1.202	0.866	11.540	—	—	—
	.00	—	—	—	—	—	—	—	—	0.142	0.162	1.170	8.010	1.200	0.863	11.428	—	—	—
	6~7	—	0.5	—	—	—	—	—	—	—	—	—	8.010	—	—	11.609	—	—	—
	.10	—	—	—	—	—	0.5	—	—	0.141	0.160	1.170	8.010	1.198	0.861	11.354	—	—	—
	.20	—	—	—	—	—	—	—	—	0.141	0.160	1.170	8.010	1.194	0.858	11.244	—	—	—
	.30	—	—	—	—	—	—	—	—	0.141	0.160	1.170	8.010	1.191	0.857	11.207	—	—	—
	.40	—	—	—	—	—	—	—	—	0.140	0.158	1.170	8.010	1.188	0.856	11.170	—	—	—
	.50	—	—	—	—	—	—	—	—	0.139	0.157	1.170	8.010	1.187	0.854	11.097	—	—	—
	.00	—	—	—	—	—	—	—	—	0.138	0.155	1.170	8.010	1.183	0.852	11.024	—	—	—
	7~8	—	—	—	—	—	0.5	—	—	—	—	—	8.010	—	—	11.183	—	—	—
	.10	0.5	—	—	—	—	—	—	—	0.137	0.153	1.170	8.010	1.182	0.851	10.988	—	—	—
	.20	—	—	—	—	—	—	—	—	0.136	0.151	1.170	8.010	1.179	0.849	10.915	—	—	—
	.30	—	—	—	—	—	—	—	—	0.135	0.150	1.170	8.010	1.178	0.847	10.842	—	—	—
	.40	—	—	—	—	—	—	—	—	0.135	0.150	1.170	8.010	1.176	0.844	10.734	—	—	—
	.50	—	—	—	—	—	—	—	—	0.135	0.150	1.170	8.010	1.173	0.843	10.698	—	—	—
	.00	—	—	—	—	—	—	—	—	0.134	0.148	1.170	8.010	1.172	0.842	10.663	—	—	—
	8~9	0.5	—	—	—	—	—	—	—	—	—	—	8.010	—	—	10.807	—	—	—
	.10	—	—	—	—	—	—	—	—	0.133	0.146	1.170	8.010	1.170	0.841	10.627	—	—	—
	.20	—	—	—	—	—	—	—	—	0.132	0.145	1.170	8.010	1.168	0.840	10.591	—	—	—
	.30	—	—	—	—	—	—	—	—	0.131	0.143	1.170	8.010	1.167	0.839	10.555	—	—	—
	.40	—	—	—	—	—	—	—	—	0.130	0.141	1.170	8.010	1.166	0.838	10.520	—	—	—
	.50	—	—	—	—	—	—	—	—	0.129	0.140	1.170	8.010	1.163	0.837	10.484	—	—	—
	.00	—	—	—	—	—	—	—	—	0.128	0.138	1.170	8.010	1.161	0.836	10.449	—	—	—
	9~10	—	—	—	—	—	—	—	—	—	—	—	8.010	—	—	10.538	—	—	—
	.10	—	—	—	—	—	—	—	—	0.125	0.133	1.170	8.010	1.160	0.833	10.342	—	—	—
	.20	—	—	—	—	—	—	—	—	0.125	0.133	1.170	8.010	1.158	0.832	10.307	—	—	—
	.30	—	—	—	—	—	—	—	—	0.124	0.132	1.170	8.010	1.155	0.828	10.167	—	—	—
	.40	—	—	—	—	—	—	—	—	0.123	0.130	1.170	8.010	1.152	0.828	10.167	—	—	—
	.50	—	—	—	—	—	—	—	—	0.122	0.128	1.170	8.010	1.151	0.826	10.097	—	—	—
	.00	—	—	—	—	—	—	—	—	0.122	0.128	1.170	8.010	1.150	0.824	10.027	—	—	—
	10~11	—	—	—	—	—	—	—	—	—	—	—	8.010	—	—	10.184	—	—	—
	.10	—	—	—	—	—	—	—	—	0.121	0.128	1.170	8.010	1.148	0.823	9.992	—	—	—
	.20	—	—	—	—	—	—	—	—	0.120	0.125	1.170	8.010	1.146	0.822	9.958	—	—	—
	.30	—	—	—	—	—	—	—	—	0.120	0.125	1.170	8.010	1.145	0.818	9.820	—	—	—
	.40	—	—	—	—	—	—	—	—	0.120	0.125	1.170	8.010	1.143	0.816	9.751	—	—	—
	.50	—	—	—	—	—	—	—	—	0.119	0.135	1.170	8.010	1.141	0.814	9.683	—	—	—
	.00	—	—	—	—	—	—	—	—	0.119	0.135	1.170	8.010	1.139	0.813	9.648	—	—	—
	11~12	—	—	—	—	—	—	—	—	—	—	—	8.010	—	—	9.809	—	—	—

1970年(昭和45年)

月・日	時・分	雨							南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 葉	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量
7.2	.10	—	—	—	—	—	—	—	0.116	0.119	1.170	8.010	1.130	0.810	9.546	—	—	—
	.20	—	—	—	—	—	—	—	0.115	0.117	1.170	8.010	1.135	0.808	9.479	—	—	—
	.30	—	—	—	—	—	—	—	0.115	0.117	1.170	8.010	1.133	0.805	9.378	—	—	—
	.40	—	—	—	—	—	—	—	0.115	0.117	1.170	8.010	1.131	0.803	9.311	—	—	—
	.50	—	0.5	—	—	—	—	—	0.115	0.117	1.170	8.010	1.130	0.802	9.277	—	—	—
	.00	—	—	—	—	—	—	—	0.115	0.117	1.170	8.010	1.129	0.800	9.210	—	—	—
	12~13	—	0.5	—	—	—	—	—	—	—	—	8.010	—	—	9.367	—	—	—
	.10	—	—	—	—	—	—	—	0.115	0.117	1.170	8.010	1.128	0.799	9.177	—	—	—
	.20	—	—	—	—	—	—	—	0.115	0.117	1.170	8.010	1.127	0.798	9.144	—	—	—
	.30	—	—	—	—	—	—	—	0.115	0.117	1.170	8.010	1.126	0.797	9.111	—	—	—
	.40	—	—	—	—	—	—	—	0.115	0.117	1.170	8.010	1.125	0.796	9.078	—	—	—
	.50	—	—	—	—	—	—	—	0.115	0.117	1.170	8.010	1.125	0.795	9.045	—	—	—
	.00	0.5	—	—	—	—	—	—	0.115	0.117	1.170	8.010	1.124	0.794	9.012	—	—	—
	13~14	0.5	—	—	—	—	—	—	—	—	—	8.010	—	—	9.094	—	—	—
	.10	—	—	—	—	—	—	—	0.115	0.117	1.170	8.010	1.124	0.793	8.979	—	—	—
	.20	—	—	—	—	—	—	—	0.115	0.116	1.170	8.010	1.123	0.792	8.946	—	—	—
	.30	—	—	—	—	—	—	—	0.114	0.114	1.170	8.010	1.122	0.791	8.913	—	—	—
	.40	—	—	—	—	—	1.0	—	0.113	0.114	1.170	8.010	1.121	0.790	8.880	—	—	—
	.50	—	—	—	—	—	0.5	—	0.112	0.113	1.170	8.010	1.120	0.789	8.848	—	—	—
	.00	—	—	—	—	—	—	—	0.112	0.113	1.170	8.010	1.119	0.788	8.815	—	—	—
	14~15	—	—	—	—	—	1.5	—	—	—	—	8.010	—	—	8.897	—	—	—
	.10	—	—	—	—	—	—	—	0.112	0.113	1.170	8.010	1.117	0.787	8.782	—	—	—
	.20	—	—	—	—	—	—	—	0.111	0.111	1.170	8.010	1.114	0.786	8.750	—	—	—
	.30	—	—	—	—	—	—	—	0.110	0.110	1.170	8.010	1.113	0.785	8.717	—	—	—
	.40	—	—	—	—	—	—	—	0.110	0.110	1.170	8.010	1.111	0.784	8.685	—	—	—
	.50	—	—	—	—	—	—	—	0.110	0.110	1.170	8.010	1.110	0.783	8.653	—	—	—
	.00	—	—	—	—	—	—	—	0.110	0.110	1.170	8.010	1.109	0.782	8.621	—	—	—
	15~16	—	—	—	—	—	—	—	—	—	—	8.010	—	—	8.701	—	—	—
	.10	—	—	—	—	—	—	—	0.110	0.110	1.170	8.010	1.108	0.781	8.588	—	—	—
	.20	—	—	—	—	—	—	—	0.110	0.110	1.170	8.010	1.106	0.780	8.556	—	—	—
	.30	—	—	—	—	—	—	—	0.110	0.110	1.170	8.010	1.105	0.779	8.524	—	—	—
	.40	—	—	—	—	—	—	—	0.110	0.110	1.170	8.010	1.104	0.778	8.492	—	—	—
	.50	—	—	—	—	—	—	—	0.110	0.110	1.170	8.010	1.103	0.777	8.460	—	—	—
	.00	—	—	—	—	—	—	—	0.109	0.108	1.170	8.010	1.101	0.776	8.428	—	—	—
	16~17	—	—	—	—	—	—	—	—	—	—	8.010	—	—	8.508	—	—	—
	.10	—	—	—	—	—	—	—	0.109	0.108	1.170	8.010	1.100	0.775	8.396	—	—	—
	.20	0.5	—	—	—	—	—	—	0.109	0.108	1.170	8.010	1.099	0.774	8.365	—	—	—
	.30	—	—	—	—	—	—	—	0.109	0.108	1.170	8.010	1.098	0.773	8.333	—	—	—
	.40	—	—	—	—	—	—	—	0.109	0.108	1.170	8.010	1.096	0.772	8.301	—	—	—
	.50	—	—	—	—	—	—	—	0.108	0.107	1.170	8.010	1.095	0.771	8.270	—	—	—
	.00	—	—	—	—	—	—	—	0.107	0.105	1.170	8.010	1.094	0.770	8.238	—	—	—
	17~18	0.5	—	—	—	—	—	—	—	—	—	8.010	—	—	8.317	9.78	—	—

1970年(昭和45年)

1976年(昭和51年)																			
月・日	時分	雨							南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸	
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 森	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
7. 2	.10	—	—	—	—	—	—	—	0.107	0.105	1.170	8.010	1.093	0.769	8.207	—	—	—	
	.20	—	—	—	—	—	—	—	0.106	0.104	1.170	8.010	1.092	0.768	8.175	—	—	—	
	.30	—	—	—	—	—	—	—	0.106	0.104	1.170	8.010	1.091	0.767	8.144	—	—	—	
	.40	—	—	—	—	—	—	—	0.105	0.102	1.170	8.010	1.090	0.766	8.113	—	—	—	
	.50	—	—	—	—	—	—	—	0.105	0.102	1.170	8.010	1.089	0.765	8.081	—	—	—	
	.00	—	—	—	—	—	—	—	0.105	0.102	1.170	8.010	1.088	0.764	8.050	—	—	—	
	18~19	—	—	—	—	—	—	—	—	—	8.010	—	—	—	8.128	—	—	—	
	.10	—	—	—	—	—	—	—	0.105	0.102	1.170	8.010	1.087	0.763	8.019	—	—	—	
	.20	—	—	—	—	—	—	—	0.105	0.102	1.170	8.010	1.085	0.762	7.988	—	—	—	
	.30	—	—	—	—	—	—	—	0.105	0.102	1.170	8.010	1.084	0.761	7.957	—	—	—	
	.40	—	—	—	—	—	—	—	0.105	0.102	1.170	8.010	1.083	0.760	7.926	—	—	—	
	.50	—	—	—	—	—	—	—	0.105	0.102	1.170	8.010	1.082	0.760	7.926	—	—	—	
	.00	—	—	—	—	—	—	—	0.105	0.102	1.170	8.010	1.081	0.760	7.926	—	—	—	
	19~20	—	—	—	—	—	—	—	—	—	8.010	—	—	—	7.957	—	—	—	
	.10	—	—	—	—	—	—	—	0.104	0.101	1.170	8.010	1.080	0.760	7.926	—	—	—	
	.20	—	—	—	—	—	—	—	0.104	0.101	1.170	8.010	1.079	0.760	7.926	—	—	—	
	.30	—	—	—	—	—	—	—	0.103	0.099	1.170	8.010	1.077	0.760	7.926	—	—	—	
	.40	—	—	—	—	—	—	—	0.103	0.099	1.170	8.010	1.076	0.760	7.926	—	—	—	
	.50	—	—	—	—	—	—	—	0.102	0.098	1.170	8.010	1.075	0.760	7.926	—	—	—	
	.00	—	—	—	—	—	—	—	0.101	0.096	1.170	8.010	1.074	0.760	7.926	—	—	—	
	20~21	—	—	—	—	—	—	—	—	—	8.010	—	—	—	7.926	—	—	—	
	.10	—	—	—	—	—	—	—	0.101	0.096	1.170	8.010	1.073	0.760	7.926	—	—	—	
	.20	—	—	—	—	—	—	—	0.100	0.095	1.170	8.010	1.072	0.760	7.926	—	—	—	
	.30	—	—	—	—	—	—	—	0.100	0.095	1.170	8.010	1.071	0.760	7.926	—	—	—	
	.40	—	—	—	—	—	—	—	0.100	0.095	1.170	8.010	1.070	0.760	7.926	—	—	—	
	.50	—	—	—	—	—	—	—	0.100	0.095	1.170	8.010	1.070	0.760	7.926	—	—	—	
	.00	—	—	—	—	—	—	—	0.099	0.093	1.170	8.010	1.069	0.760	7.926	—	—	—	
	21~22	—	—	—	—	—	—	—	—	—	8.010	—	—	—	7.926	—	—	—	
	.10	—	—	—	—	—	—	—	0.099	0.093	1.170	8.010	1.068	0.760	7.926	—	—	—	
	.20	—	—	—	—	—	—	—	0.100	0.095	1.170	8.010	1.067	0.760	7.926	—	—	—	
	.30	—	0.5	—	—	—	—	—	0.100	0.095	1.170	8.010	1.066	0.760	7.926	—	—	—	
	.40	—	—	—	—	—	—	—	0.100	0.095	1.170	8.010	1.065	0.760	7.926	—	—	—	
	.50	—	—	—	—	—	0.5	—	0.100	0.095	1.170	8.010	1.065	0.760	7.926	—	—	—	
	.00	—	—	—	—	—	1.5	—	0.100	0.095	1.170	8.010	1.064	0.760	7.926	—	—	—	
	22~23	—	—	—	—	—	2.0	—	—	—	—	8.010	—	—	—	7.926	—	—	—
	.10	—	0.5	—	—	—	4.5	—	—	0.100	0.095	1.170	8.010	1.064	0.760	7.926	—	—	—
	.20	—	1.0	—	—	—	—	—	—	0.105	0.102	1.170	8.010	1.065	0.760	7.926	—	—	—
	.30	—	0.5	—	—	—	—	—	—	0.105	0.102	1.170	8.010	1.067	0.760	7.926	—	—	—
	.40	—	—	—	—	—	—	—	—	0.105	0.102	1.170	8.010	1.068	0.760	7.926	—	—	—
	.50	—	—	—	—	—	—	—	—	0.104	0.101	1.170	8.010	1.069	0.760	7.926	—	—	—
	.00	—	—	—	—	—	—	—	—	0.104	0.101	1.170	8.010	1.070	0.760	7.926	—	—	—
	23~24	—	—	—	—	—	4.5	—	—	—	—	8.010	—	—	—	7.926	—	—	—

1970年(昭和45年)

月・日	時・分	雨								南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 葉	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
7. 3	.10	0.5	—	—	—	—	—	—	—	0.103	0.099	1.170	8.010	1.069	0.760	7.926	—	—	—
	.20	—	—	—	—	—	—	—	—	0.102	0.098	1.170	8.010	1.070	0.760	7.926	—	—	—
	.30	—	—	—	—	—	—	—	—	0.100	0.095	1.170	8.010	1.070	0.760	7.926	—	—	—
	.40	—	—	—	—	—	—	—	—	0.100	0.095	1.170	8.010	1.070	0.760	7.926	—	—	—
	.50	—	—	—	—	—	—	—	—	0.100	0.095	1.170	8.010	1.069	0.760	7.926	—	—	—
	.00	0.5	—	—	—	—	0.5	—	—	0.100	0.095	1.170	8.010	1.068	0.760	7.926	—	—	—
	0 ~ 1	1.0	—	—	—	—	0.5	—	—	—	—	—	—	—	—	—	—	—	—
	.10	—	—	—	—	—	—	—	—	0.098	0.092	1.170	8.010	1.066	0.760	7.926	—	—	—
	.20	—	—	—	—	—	—	—	—	0.098	0.092	1.170	8.010	1.064	0.760	7.926	—	—	—
	.30	—	—	—	—	—	—	—	—	0.098	0.092	1.170	8.010	1.063	0.760	7.926	—	—	—
	.40	—	—	—	—	—	—	—	—	0.098	0.092	1.170	8.010	1.060	0.760	7.926	—	—	—
	.50	—	—	—	—	—	—	—	—	0.097	0.091	1.170	8.010	1.059	0.760	7.926	—	—	—
	.00	—	—	—	—	—	—	—	—	0.097	0.091	1.170	8.010	1.059	0.760	7.926	—	—	—
	1 ~ 2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	.10	—	—	—	—	—	—	—	—	0.097	0.091	1.170	8.010	1.058	0.760	7.926	—	—	—
	.20	—	—	—	—	—	—	—	—	0.095	0.088	1.170	8.010	1.057	0.760	7.926	—	—	—
	.30	—	—	—	—	—	—	—	—	0.095	0.088	1.170	8.010	1.055	0.760	7.926	—	—	—
	.40	—	—	—	—	—	—	—	—	0.095	0.088	1.170	8.010	1.054	0.760	7.926	—	—	—
	.50	—	—	—	—	—	—	—	—	0.095	0.088	1.170	8.010	1.052	0.760	7.926	—	—	—
	.00	—	—	—	—	—	—	—	—	0.095	0.088	1.170	8.010	1.051	0.760	7.926	—	—	—
	2 ~ 3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	.10	—	—	—	—	—	—	—	—	0.095	0.088	1.170	8.010	1.050	0.760	7.926	—	—	—
	.20	—	—	—	—	—	—	—	—	0.094	0.086	1.170	8.010	1.049	0.760	7.926	—	—	—
	.30	—	—	—	—	—	—	—	—	0.094	0.086	1.170	8.010	1.049	0.760	7.926	—	—	—
	.40	—	—	—	—	—	—	—	—	0.094	0.086	1.170	8.010	1.049	0.760	7.926	—	—	—
	.50	—	—	—	—	—	—	—	—	0.094	0.086	1.170	8.010	1.048	0.760	7.926	—	—	—
	.00	—	—	—	—	—	—	—	—	0.094	0.086	1.170	8.010	1.047	0.760	7.926	—	—	—
	3 ~ 4	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	.10	—	—	—	—	—	—	—	—	0.093	0.085	1.170	8.010	1.046	0.760	7.926	—	—	—
	.20	—	—	—	—	—	—	—	—	0.093	0.085	1.170	8.010	1.046	0.760	7.926	—	—	—
	.30	—	—	—	—	—	—	—	—	0.093	0.085	1.170	8.010	1.044	0.760	7.926	—	—	—
	.40	—	—	—	—	—	—	—	—	0.092	0.084	1.170	8.010	1.042	0.760	7.926	—	—	—
	.50	—	—	—	—	—	—	—	—	0.092	0.084	1.170	8.010	1.042	0.760	7.926	—	—	—
	.00	—	—	—	—	—	—	—	—	0.091	0.082	1.170	8.010	1.041	0.760	7.926	—	—	—
	4 ~ 5	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	.10	—	—	—	—	—	—	—	—	0.091	0.082	1.170	8.010	1.040	0.760	7.926	—	—	—
	.20	—	—	—	—	—	—	—	—	0.091	0.082	1.170	8.010	1.039	0.760	7.926	—	—	—
	.30	—	—	—	—	—	—	—	—	0.090	0.081	1.170	8.010	1.039	0.760	7.926	—	—	—
	.40	—	—	—	—	—	—	—	—	0.090	0.081	1.170	8.010	1.039	0.760	7.926	—	—	—
	.50	—	—	—	—	—	—	—	—	0.090	0.081	1.170	8.010	1.038	0.760	7.926	—	—	—
	.00	—	—	—	—	—	—	—	—	0.090	0.081	1.170	8.010	1.037	0.760	7.926	—	—	—
	5 ~ 6	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6.48	—	—

1970年(昭和45年)

		雨							南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸	
月・日	時分	清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 菜	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
7. 3	.10	—	—	—	—	—	—	—	—	0.089	0.080	1.170	8.010	1.037	0.760	7.926	—	—	—
	.20	—	—	—	—	—	—	—	—	0.089	0.080	1.170	8.010	1.036	0.760	7.926	—	—	—
	.30	—	—	—	—	—	—	—	—	0.088	0.080	1.170	8.010	1.034	0.760	7.926	—	—	—
	.40	—	—	—	—	—	—	—	—	0.087	0.077	1.170	8.010	1.032	0.760	7.926	—	—	—
	.50	—	—	—	—	—	—	—	—	0.086	0.076	1.170	8.010	1.031	0.760	7.926	—	—	—
	.00	—	—	—	—	—	—	—	—	0.086	0.076	1.170	8.010	1.030	0.760	7.926	—	—	—
	6~7	—	—	—	—	—	—	—	—	—	—	8.010	—	—	—	7.926	—	—	—
	.10	—	—	—	—	—	—	—	—	0.086	0.076	1.170	8.010	1.029	0.760	7.926	—	—	—
	.20	—	—	—	—	—	—	—	—	0.085	0.074	1.170	8.010	1.019	0.760	7.926	—	—	—
	.30	—	—	—	—	—	—	—	—	0.085	0.074	1.170	8.010	1.011	0.760	7.926	—	—	—
	.40	—	—	—	—	—	—	—	—	0.085	0.074	1.170	8.010	1.010	0.760	7.926	—	—	—
	.50	—	—	—	—	—	—	—	—	0.085	0.074	1.170	8.010	1.009	0.760	7.926	—	—	—
	.00	—	—	—	—	—	—	—	—	0.085	0.074	1.170	8.010	1.008	0.760	7.926	—	—	—
	7~8	—	—	—	—	—	—	—	—	—	—	8.010	—	—	—	7.926	—	—	—
	.10	—	—	—	—	—	—	—	—	0.085	0.074	1.170	8.010	1.005	0.760	7.926	—	—	—
	.20	—	—	—	—	—	—	—	—	0.085	0.074	1.170	8.010	1.000	0.760	7.926	—	—	—
	.30	—	—	—	—	—	—	—	—	0.085	0.074	1.170	8.010	0.999	0.760	7.926	—	—	—
	.40	—	—	—	—	—	—	—	—	0.085	0.074	1.170	8.010	0.999	0.760	7.926	—	—	—
	.50	—	—	—	—	—	—	—	—	0.085	0.074	1.170	8.010	0.997	0.760	7.926	—	—	—
	.00	—	—	—	—	—	—	—	—	0.084	0.073	1.170	8.010	0.995	0.760	7.926	—	—	—
	8~9	—	—	—	—	—	—	—	—	—	—	8.010	—	—	—	7.926	—	—	—
	.10	—	—	—	—	—	—	—	—	0.084	0.073	1.170	8.010	0.994	0.760	7.926	—	—	—
	.20	—	—	—	—	—	—	—	—	0.078	0.065	1.170	8.010	0.993	0.760	7.926	—	—	—
	.30	—	—	—	—	—	—	—	—	0.075	0.061	1.170	8.010	0.991	0.760	7.926	—	—	—
	.40	—	—	—	—	—	—	—	—	0.075	0.061	1.170	8.010	0.990	0.760	7.926	—	—	—
	.50	—	—	—	—	—	—	—	—	0.075	0.061	1.170	8.010	0.988	0.760	7.926	—	—	—
	.00	—	—	—	—	—	—	—	—	0.075	0.061	1.170	8.010	0.986	0.760	7.926	—	—	—
	9~10	—	—	—	—	—	—	—	—	—	—	8.010	—	—	—	7.926	—	—	—
	.10	—	—	—	—	—	—	—	—	0.075	0.061	1.170	8.010	0.985	0.760	7.926	—	—	—
	.20	—	—	—	—	—	—	—	—	0.075	0.061	1.170	8.010	0.985	0.760	7.926	—	—	—
	.30	—	—	—	—	—	—	—	—	0.075	0.061	1.170	8.010	0.984	0.760	7.926	—	—	—
	.40	—	—	—	—	—	—	—	—	0.075	0.061	1.170	8.010	0.986	0.760	7.926	—	—	—
	.50	—	—	—	—	—	—	—	—	0.076	0.063	1.170	8.010	0.984	0.760	7.926	—	—	—
	.00	—	—	—	—	—	—	—	—	0.077	0.064	1.170	8.010	0.980	0.760	7.926	—	—	—
	10~11	—	—	—	—	—	—	—	—	—	—	8.010	—	—	—	7.926	—	—	—
	.10	—	—	—	—	—	—	—	—	0.077	0.064	1.170	8.010	0.980	0.760	7.926	—	—	—
	.20	—	—	—	—	—	—	—	—	0.078	0.065	1.170	8.010	0.979	0.760	7.926	—	—	—
	.30	—	—	—	—	—	—	—	—	0.078	0.065	1.170	8.010	0.978	0.760	7.926	—	—	—
	.40	—	—	—	—	—	—	—	—	0.079	0.066	1.170	8.010	0.978	0.760	7.926	—	—	—
	.50	—	—	—	—	—	—	—	—	0.079	0.066	1.170	8.010	0.976	0.760	7.926	—	—	—
	.00	—	—	—	—	—	—	—	—	0.078	0.065	1.170	8.010	0.975	0.760	7.926	—	—	—
	11~12	—	—	—	—	—	—	—	—	—	—	8.010	—	—	—	7.926	—	—	—

1970年(昭和45年)

月・日	時・分	雨								南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸
		清水 入谷	南 大沢	別所	大栗 川橋	明神 橋	青木 葉	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
7.3	.10	—	—	—	—	0.5	—	—	—	0.078	0.065	1.170	8.010	0.973	0.760	7.926	—	—	—
	.20	—	—	—	—	0.5	—	—	—	0.078	0.065	1.170	8.010	0.973	0.760	7.926	—	—	—
	.30	—	—	—	—	1.0	—	—	—	0.077	0.064	1.170	8.010	0.971	0.760	7.926	—	—	—
	.40	—	—	—	—	1.0	—	—	—	0.076	0.063	1.170	8.010	0.971	0.760	7.926	—	—	—
	.50	—	—	—	—	—	—	—	—	0.076	0.063	1.170	8.010	0.971	0.760	7.926	—	—	—
	.00	—	—	—	—	—	—	—	—	0.076	0.063	1.170	8.010	0.970	0.760	7.926	—	—	—
	12~13	—	—	—	—	3.0	—	—	—	—	—	—	—	—	—	—	—	—	—
	.10	—	—	—	—	—	—	—	—	0.076	0.063	1.170	8.010	0.970	0.760	7.926	—	—	—
	.20	—	—	—	—	—	—	—	—	0.076	0.063	1.170	8.010	0.970	0.760	7.926	—	—	—
	.30	—	—	—	—	—	—	—	—	0.076	0.063	1.170	8.010	0.970	0.760	7.926	—	—	—
	.40	—	—	—	—	—	—	—	—	0.076	0.063	1.170	8.010	0.970	0.760	7.926	—	—	—
	.50	—	—	—	—	—	—	—	—	0.075	0.061	1.170	8.010	0.970	0.760	7.926	—	—	—
	.00	—	—	—	—	—	—	—	—	0.075	0.061	1.170	8.010	0.969	0.760	7.926	—	—	—
	13~14	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	.10	—	—	—	—	—	—	—	—	0.075	0.061	1.170	8.010	0.968	0.760	7.926	—	—	—
	.20	—	—	—	—	—	—	—	—	0.075	0.061	1.170	8.010	0.967	0.760	7.926	—	—	—
	.30	—	—	—	—	—	—	—	—	0.075	0.061	1.170	8.010	0.968	0.760	7.926	—	—	—
	.40	—	—	—	—	—	—	—	—	0.075	0.061	1.170	8.010	0.966	0.760	7.926	—	—	—
	.50	—	—	—	—	—	—	—	—	0.075	0.061	1.170	8.010	0.962	0.760	7.926	—	—	—
	.00	—	—	—	—	—	—	—	—	0.074	0.060	1.170	8.010	0.960	0.760	7.926	—	—	—
	14~15	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	.10	—	—	—	—	—	—	—	—	0.074	0.060	1.170	8.010	0.960	0.760	7.926	—	—	—
	.20	—	—	—	—	—	—	—	—	0.074	0.060	1.170	8.010	0.960	0.760	7.926	—	—	—
	.30	—	—	—	—	—	—	—	—	0.073	0.059	1.170	8.010	0.959	0.760	7.926	—	—	—
	.40	—	—	—	—	—	—	—	—	0.073	0.059	1.170	8.010	0.959	0.760	7.926	—	—	—
	.50	—	—	—	—	—	—	—	—	0.073	0.059	1.170	8.010	0.959	0.760	7.926	—	—	—
	.00	—	—	—	—	—	—	—	—	0.074	0.060	1.170	8.010	0.958	0.760	7.926	—	—	—
	15~16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	.10	—	—	—	—	0.5	—	—	—	0.074	0.060	1.170	8.010	0.958	0.760	7.926	—	—	—
	.20	—	—	—	—	—	—	—	—	0.074	0.060	1.170	8.010	0.957	0.760	7.926	—	—	—
	.30	—	—	—	—	—	—	—	—	0.074	0.060	1.170	8.010	0.956	0.760	7.926	—	—	—
	.40	—	—	—	—	—	—	—	—	0.075	0.061	1.170	8.010	0.955	0.760	7.926	—	—	—
	.50	—	—	—	—	—	—	—	—	0.075	0.061	1.170	8.010	0.955	0.760	7.926	—	—	—
	.00	—	—	—	—	—	—	—	—	0.075	0.061	1.170	8.010	0.954	0.760	7.926	—	—	—
	16~17	—	—	—	—	0.5	—	—	—	—	—	—	—	—	—	—	—	—	—
	.10	—	—	—	—	—	—	—	—	0.075	0.061	1.170	8.010	0.954	0.760	7.926	—	—	—
	.20	—	—	—	—	—	—	—	—	0.075	0.061	1.170	8.010	0.953	0.760	7.926	—	—	—
	.30	—	—	—	—	—	—	—	—	0.075	0.061	1.170	8.010	0.952	0.760	7.926	—	—	—
	.40	—	—	—	—	—	—	—	—	0.075	0.061	1.170	8.010	0.952	0.760	7.926	—	—	—
	.50	—	—	—	—	—	—	—	—	0.075	0.061	1.170	8.010	0.951	0.760	7.926	—	—	—
	.00	—	—	—	—	—	—	—	—	0.075	0.061	1.170	8.010	0.951	0.760	7.926	—	—	—
	17~18	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	5.42	—	—

1970年(昭和45年)

1976年(昭和51年)		雨							南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸	
月・日	時分	清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 菜	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
7. 3	.10	—	—	—	—	—	—	—	—	0.074	0.060	1.170	8.010	0.951	0.760	7.926	—	—	—
	.20	—	—	—	—	—	—	—	—	0.074	0.060	1.170	8.010	0.951	0.760	7.926	—	—	—
	.30	—	—	—	—	—	—	—	—	0.074	0.060	1.170	8.010	0.951	0.760	7.926	—	—	—
	.40	—	—	—	—	—	—	—	—	0.074	0.060	1.170	8.010	0.950	0.760	7.926	—	—	—
	.50	—	—	—	—	—	—	—	—	0.073	0.059	1.170	8.010	0.950	0.760	7.926	—	—	—
	.00	—	—	—	—	—	—	—	—	0.073	0.059	1.170	8.010	0.950	0.760	7.926	—	—	—
	18-19	—	—	—	—	—	—	—	—	—	—	8.010	—	—	—	7.926	—	—	—
	.10	—	—	—	—	—	—	—	—	0.073	0.059	1.170	8.010	0.950	0.760	7.926	—	—	—
	.20	—	—	—	—	—	—	—	—	0.073	0.059	1.170	8.010	0.950	0.760	7.926	—	—	—
	.30	—	—	—	—	—	—	—	—	0.073	0.059	1.170	8.010	0.950	0.760	7.926	—	—	—
	.40	—	—	—	—	—	—	—	—	0.072	0.058	1.170	8.010	0.950	0.760	7.926	—	—	—
	.50	—	—	—	—	—	—	—	—	0.072	0.058	1.170	8.010	0.950	0.760	7.926	—	—	—
	.00	—	—	—	—	—	—	—	—	0.070	0.055	1.170	8.010	0.950	0.760	7.926	—	—	—
	19-20	—	—	—	—	—	—	—	—	—	—	8.010	—	—	—	7.926	—	—	—
	.10	—	—	—	—	—	—	—	—	0.070	0.055	1.170	8.010	0.950	0.760	7.926	—	—	—
	.20	—	—	—	—	—	—	—	—	0.070	0.055	1.170	8.010	0.950	0.760	7.926	—	—	—
	.30	—	—	—	—	—	—	—	—	0.070	0.055	1.170	8.010	0.949	0.760	7.926	—	—	—
	.40	—	—	—	—	0.5	—	—	—	0.070	0.055	1.170	8.010	0.949	0.760	7.926	—	—	—
	.50	—	—	—	—	—	—	—	—	0.070	0.055	1.170	8.010	0.949	0.760	7.926	—	—	—
	.00	—	—	—	—	—	—	—	—	0.070	0.055	1.170	8.010	0.949	0.760	7.926	—	—	—
	20-21	—	—	—	—	0.5	—	—	—	—	—	8.010	—	—	—	7.926	—	—	—
	.10	—	—	—	—	—	—	—	—	0.070	0.055	1.170	8.010	0.949	0.760	7.926	—	—	—
	.20	—	—	—	—	—	—	—	—	0.070	0.055	1.170	8.010	0.950	0.760	7.926	—	—	—
	.30	—	—	—	—	—	—	—	—	0.070	0.055	1.170	8.010	0.950	0.760	7.926	—	—	—
	.40	—	—	—	—	—	—	—	—	0.070	0.055	1.170	8.010	0.950	0.760	7.926	—	—	—
	.50	—	—	—	—	—	—	—	—	0.070	0.055	1.170	8.010	0.950	0.760	7.926	—	—	—
	.00	—	—	—	—	—	—	—	—	0.069	0.054	1.170	8.010	0.949	0.760	7.926	—	—	—
	21-22	—	—	—	—	—	—	—	—	—	—	8.010	—	—	—	7.926	—	—	—
	.10	—	—	—	—	0.5	—	—	—	0.069	0.054	1.170	8.010	0.949	0.760	7.926	—	—	—
	.20	—	—	—	—	—	—	—	—	0.069	0.054	1.170	8.010	0.949	0.760	7.926	—	—	—
	.30	—	—	—	—	0.5	—	—	—	0.069	0.054	1.170	8.010	0.949	0.760	7.926	—	—	—
	.40	—	—	—	—	—	—	—	—	0.069	0.054	1.170	8.010	0.949	0.760	7.926	—	—	—
	.50	—	—	—	—	—	—	—	—	0.068	0.053	1.170	8.010	0.949	0.760	7.926	—	—	—
	.00	—	—	—	—	0.5	—	—	—	0.068	0.053	1.170	8.010	0.949	0.760	7.926	—	—	—
	22-23	—	—	—	—	1.5	—	—	—	—	—	8.010	—	—	—	7.926	—	—	—
	.10	—	—	—	—	—	—	—	—	0.068	0.053	1.170	8.010	0.949	0.760	7.926	—	—	—
	.20	—	—	—	—	0.5	—	—	—	0.067	0.052	1.170	8.010	0.948	0.760	7.926	—	—	—
	.30	—	—	—	—	—	—	—	—	0.067	0.052	1.170	8.010	0.948	0.760	7.926	—	—	—
	.40	—	—	—	—	0.5	—	—	—	0.067	0.052	1.170	8.010	0.948	0.760	7.926	—	—	—
	.50	—	—	—	—	—	—	—	—	0.067	0.052	1.170	8.010	0.947	0.760	7.926	—	—	—
	.00	—	—	—	—	0.5	—	—	—	0.067	0.052	1.170	8.010	0.947	0.760	7.926	—	—	—
	23-24	—	—	—	—	2.5	—	—	—	—	—	8.010	—	—	—	7.926	—	—	—

1970年(昭和45年)

月・日	時・分	雨 量								南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸
		潛水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 森	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
11.18	.10	—	—	—	—	—	—	—	—	0.012	0.004	0.430	1.293		0.400	0.901			
	.20	—	—	—	—	—	—	—	—	0.012	0.004	0.430	1.293		0.400	0.901			
	.30	—	—	—	—	—	—	—	—	0.012	0.004	0.430	1.293		0.400	0.901			
	.40	—	—	—	—	—	—	—	—	0.012	0.004	0.430	1.293		0.400	0.901			
	.50	—	—	—	—	—	—	—	—	0.012	0.004	0.430	1.293		0.400	0.901			
	.00	—	—	—	—	—	—	—	—	0.012	0.004	0.430	1.293		0.400	0.901			
	0~1	—	—	—	—	—	—	—	—		0.004		1.293			0.901			
	.10	—	—	—	—	—	—	—	—	0.012	0.004	0.430	1.293		0.400	0.901			
	.20	—	—	—	—	—	—	—	—	0.012	0.004	0.430	1.293		0.400	0.901			
	.30	—	—	—	—	—	—	—	—	0.012	0.004	0.430	1.293		0.400	0.901			
	.40	—	—	—	—	—	—	—	—	0.012	0.004	0.430	1.293		0.400	0.901			
	.50	—	—	—	—	—	—	—	—	0.012	0.004	0.430	1.293		0.400	0.901			
	.00	—	—	—	—	—	—	—	—	0.012	0.004	0.430	1.293		0.400	0.901			
	1~2	—	—	—	—	—	—	—	—		0.004		1.293			0.901			
	.10	—	—	—	—	—	—	—	—	0.012	0.004	0.430	1.293		0.400	0.901			
	.20	—	—	—	—	—	—	—	—	0.012	0.004	0.430	1.293		0.400	0.901			
	.30	—	—	—	—	—	—	—	—	0.012	0.004	0.430	1.293		0.400	0.901			
	.40	—	—	—	—	—	—	—	—	0.012	0.004	0.430	1.293		0.400	0.901			
	.50	—	—	—	—	—	—	—	—	0.012	0.004	0.430	1.293		0.400	0.901			
	.00	—	—	—	—	—	—	—	—	0.012	0.004	0.430	1.293		0.400	0.901			
	2~3	—	—	—	—	—	—	—	—		0.004		1.293			0.901			
	.10	—	—	—	—	—	—	—	—	0.012	0.004	0.430	1.293		0.400	0.901			
	.20	—	—	—	—	—	—	—	—	0.012	0.004	0.430	1.293		0.400	0.901			
	.30	—	—	—	—	—	—	—	—	0.012	0.004	0.430	1.293		0.400	0.901			
	.40	—	—	—	—	—	—	—	—	0.012	0.004	0.430	1.293		0.400	0.901			
	.50	—	—	—	—	—	—	—	—	0.012	0.004	0.430	1.293		0.400	0.901			
	.00	—	—	—	—	—	—	—	—	0.012	0.004	0.430	1.293		0.400	0.901			
	3~4	—	—	—	—	—	—	—	—		0.004		1.293			0.901			
	.10	—	—	—	—	—	—	—	—	0.012	0.004	0.430	1.293		0.400	0.901			
	.20	—	—	—	—	—	—	—	—	0.012	0.004	0.430	1.293		0.400	0.901			
	.30	—	—	—	—	—	—	—	—	0.012	0.004	0.430	1.293		0.400	0.901			
	.40	—	—	—	—	—	—	—	—	0.012	0.004	0.430	1.293		0.400	0.901			
	.50	—	—	—	—	—	—	—	—	0.012	0.004	0.430	1.293		0.400	0.901			
	.00	—	—	—	—	—	—	—	—	0.012	0.004	0.430	1.293		0.400	0.901			
	4~5	—	—	—	—	—	—	—	—		0.004		1.293			0.901			
	.10	—	—	—	—	—	—	—	—	0.012	0.004	0.430	1.293		0.400	0.901			
	.20	—	—	—	—	—	—	—	—	0.012	0.004	0.430	1.293		0.400	0.901			
	.30	—	—	—	—	—	—	—	—	0.012	0.004	0.430	1.293		0.400	0.901			
	.40	—	—	—	—	—	—	—	—	0.012	0.004	0.430	1.293		0.400	0.901			
	.50	—	—	—	—	—	—	—	—	0.012	0.004	0.430	1.293		0.400	0.901			
	.00	—	—	—	—	—	—	—	—	0.012	0.004	0.430	1.293		0.400	0.901			
	5~6	—	—	—	—	—	—	—	—		0.004		1.293			0.901		0.53	

1970年(昭和45年)

1970年(昭和45年)																			
月・日	時分	雨							南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸	
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 葉	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
11.18	.10	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901				
	.20	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901				
	.30	—	—	0.5	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901				
	.40	0.5	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901				
	.50	0.5	—	0.5	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901				
	.00	—	—	0.5	0.5	—	0.5	1.0	0.011	0.004	0.430	1.293		0.400	0.901				
	6~7	1.0	—	1.5	0.5	—	0.5	1.0	0.5	0.004		1.293			0.901				
	.10	—	—	—	0.5	—	1.0	0.5	1.5	0.011	0.004	0.430	1.293		0.400	0.901			
	.20	0.5	—	0.5	—	—	—	0.5	—	0.011	0.004	0.430	1.293		0.400	0.901			
	.30	—	—	—	0.5	—	0.5	0.5	0.5	0.011	0.004	0.430	1.293		0.400	0.901			
	.40	—	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901			
	.50	—	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901			
	.00	—	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901			
	7~8	0.5	—	0.5	1.0	—	1.5	1.5	2.0	0.004		1.293			0.901				
	.10	—	—	—	—	—	—	—	0.5	0.011	0.004	0.430	1.293		0.400	0.901			
	.20	—	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901			
	.30	—	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901			
	.40	—	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901			
	.50	—	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901			
	.00	—	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901			
	8~9	—	—	—	—	—	—	—	0.5	0.004		1.293			0.901				
	.10	—	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901			
	.20	—	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901			
	.30	—	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901			
	.40	—	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901			
	.50	—	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901			
	.00	—	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901			
	9~10	—	—	—	—	—	—	—	—	0.004		1.293			0.901				
	.10	—	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901			
	.20	—	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901			
	.30	—	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901			
	.40	—	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901			
	.50	—	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901			
	.00	—	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901			
	10~11	—	—	—	—	—	—	—	—	0.004		1.293			0.901				
	.10	—	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901			
	.20	—	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901			
	.30	—	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901			
	.40	—	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901			
	.50	—	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901			
	.00	—	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901			
	11~12	—	—	—	—	—	—	—	—	0.004		1.293			0.901				

1970年(昭和45年)

月・日	時・分	雨							南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸	
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 葉	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
11.18	.10	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901				
	.20	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901				
	.30	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901				
	.40	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901				
	.50	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901				
	.00	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901				
	12~13	—	—	—	—	—	—	—	0.004	0.004		1.293			0.901				
	.10	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901				
	.20	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901				
	.30	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901				
	.40	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901				
	.50	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901				
	.00	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901				
	13~14	—	—	—	—	—	—	—	—	0.004	0.004		1.293			0.901			
	.10	—	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901			
	.20	—	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901			
	.30	—	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901			
	.40	—	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901			
	.50	—	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901			
	.00	—	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901			
	14~15	—	—	—	—	—	—	—	—	0.004	0.004		1.293			0.901			
	.10	—	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901			
	.20	—	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901			
	.30	—	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901			
	.40	—	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901			
	.50	—	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901			
	.00	—	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901			
	15~16	—	—	—	—	—	—	—	—	0.004	0.004		1.293			0.901			
	.10	—	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901			
	.20	—	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901			
	.30	—	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901			
	.40	—	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901			
	.50	—	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901			
	.00	—	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901			
	16~17	—	—	—	—	—	—	—	—	0.004	0.004		1.293			0.901			
	.10	—	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901			
	.20	—	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901			
	.30	—	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901			
	.40	—	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901			
	.50	—	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901			
	.00	—	—	—	—	—	—	—	—	0.011	0.004	0.430	1.293		0.400	0.901			
	17~18	—	—	—	—	—	—	—	—	0.004	0.004		1.293			0.901	0.53		

1970年(昭和45年)

月・日		時分	雨 量							南大沢		大栗川橋		常盤橋	明 神 橋		報恩橋		関戸		
			清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 築	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位	
11.18	.10	—	—	—	—	—	—	—	—	—	0.010	0.003	0.430	1.293	—	0.400	0.901	—	—	—	
	.20	—	—	—	—	—	—	—	—	—	0.010	0.003	0.430	1.293	—	0.400	0.901	—	—	—	
	.30	—	—	—	—	—	—	—	—	—	0.010	0.003	0.430	1.293	—	0.400	0.901	—	—	—	
	.40	—	—	—	—	—	—	—	—	—	0.010	0.003	0.430	1.293	—	0.400	0.901	—	—	—	
	.50	—	—	—	—	—	—	—	—	—	0.010	0.003	0.430	1.293	—	0.400	0.901	—	—	—	
	.00	—	—	—	—	—	—	—	—	—	0.010	0.003	0.430	1.293	—	0.400	0.901	—	—	—	
	18-19	—	—	—	—	—	—	—	—	—	0.010	0.003	0.430	1.293	—	0.400	0.901	—	—	—	
	.10	—	—	—	—	—	—	—	—	—	0.010	0.003	0.430	1.293	—	0.400	0.901	—	—	—	
	.20	—	—	—	—	—	—	—	—	—	0.010	0.003	0.430	1.293	—	0.400	0.901	—	—	—	
	.30	—	—	—	—	—	—	—	—	—	0.010	0.003	0.430	1.293	—	0.400	0.901	—	—	—	
	.40	—	—	—	—	—	—	—	—	—	0.010	0.003	0.430	1.293	—	0.400	0.901	—	—	—	
	.50	—	—	—	—	—	—	—	—	—	0.010	0.003	0.430	1.293	—	0.400	0.901	—	—	—	
	.00	—	—	—	—	—	—	—	—	—	0.010	0.003	0.430	1.293	—	0.400	0.901	—	—	—	
	19-20	—	—	—	—	—	—	—	—	—	0.010	0.003	0.430	1.293	—	0.400	0.901	—	—	—	
	.10	—	—	—	—	—	—	—	—	—	0.010	0.003	0.430	1.293	—	0.400	0.901	—	—	—	
	.20	—	—	—	—	—	—	—	—	—	0.010	0.003	0.430	1.293	—	0.400	0.901	—	—	—	
	.30	—	—	—	—	—	—	—	—	—	0.010	0.003	0.430	1.293	—	0.400	0.901	—	—	—	
	.40	—	—	—	—	—	—	—	—	—	0.010	0.003	0.430	1.293	—	0.400	0.901	—	—	—	
	.50	—	—	—	—	—	—	—	—	—	0.010	0.003	0.430	1.293	—	0.400	0.901	—	—	—	
	.00	—	—	—	—	—	—	—	—	—	0.010	0.003	0.430	1.293	—	0.400	0.901	—	—	—	
	20-21	—	—	—	—	—	—	—	—	—	0.010	0.003	0.430	1.293	—	0.400	0.901	—	—	—	
	.10	—	—	—	—	—	—	—	—	—	0.010	0.003	0.430	1.293	—	0.400	0.901	—	—	—	
	.20	—	—	—	—	—	—	—	—	—	0.010	0.003	0.430	1.293	—	0.400	0.901	—	—	—	
	.30	—	—	—	—	—	—	—	—	—	0.010	0.003	0.430	1.293	—	0.400	0.901	—	—	—	
	.40	—	—	—	—	—	—	—	—	—	0.010	0.003	0.430	1.293	—	0.400	0.901	—	—	—	
	.50	—	—	—	—	—	—	—	—	—	0.010	0.003	0.430	1.293	—	0.400	0.901	—	—	—	
	.00	—	—	—	—	—	—	—	—	—	0.010	0.003	0.430	1.293	—	0.400	0.901	—	—	—	
	21-22	—	—	—	—	—	—	—	—	—	0.010	0.003	0.430	1.293	—	0.400	0.901	—	—	—	
	.10	0.5	1.0	0.5	—	—	—	—	—	—	0.010	0.003	0.430	1.293	—	0.400	0.901	—	—	—	
	.20	—	—	—	—	—	—	—	—	—	0.010	0.003	0.430	1.293	—	0.400	0.901	—	—	—	
	.30	0.5	0.5	0.5	—	—	—	—	0.5	—	0.010	0.003	0.430	1.293	—	0.400	0.901	—	—	—	
	.40	2.5	—	1.0	—	—	—	—	1.0	—	0.010	0.003	0.430	1.293	—	0.400	0.901	—	—	—	
	.50	4.0	1.5	2.0	—	—	—	—	0.5	1.0	0.5	0.011	0.004	0.430	1.293	—	0.400	0.901	—	—	—
	.00	0.5	3.5	0.5	—	—	—	—	—	0.5	0.5	0.023	0.011	0.430	1.293	—	0.400	0.901	—	—	—
	22-23	8.0	6.5	4.5	—	—	—	—	2.0	1.5	1.0	—	0.005	—	1.293	—	—	—	—	—	—
	.10	—	1.0	—	—	—	—	0.5	—	—	0.034	0.019	0.430	1.293	—	0.400	0.901	—	—	—	
	.20	0.5	0.5	0.5	—	—	—	0.5	0.5	0.5	0.038	0.022	0.430	1.293	—	0.400	0.901	—	—	—	
	.30	—	—	—	—	—	—	—	—	—	0.049	0.033	0.430	1.293	—	0.400	0.901	—	—	—	
	.40	0.5	0.5	—	—	—	—	—	0.5	0.5	0.046	0.030	0.430	1.293	—	0.400	0.901	—	—	—	
	.50	—	—	0.5	—	—	—	—	—	—	0.041	0.025	0.430	1.293	—	0.400	0.901	—	—	—	
	.00	—	—	—	—	—	—	0.5	1.0	1.5	0.038	0.022	0.430	1.293	—	0.400	0.901	—	—	—	
	23-24	1.0	2.0	1.0	—	—	—	1.5	2.0	2.5	—	0.025	—	1.293	—	—	—	—	—	—	—

1970年(昭和45年)

月・日	時・分	雨								南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 菜	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
11.19	.10	—	0.5	2.0	—	0.5	1.0	1.0	1.0	0.036	0.021	0.430	1.293		0.400	0.901			
	.20	2.0	—	1.0	—	1.0	0.5	1.0	—	0.033	0.018	0.430	1.293		0.400	0.901			
	.30	0.5	1.0	0.5	2.5	0.5	—	—	0.5	0.032	0.017	0.430	1.293		0.400	0.901			
	.40	0.5	1.0	0.5	0.5	0.5	0.5	0.5	0.5	0.033	0.018	0.430	1.293		0.400	0.901			
	.50	0.5	0.5	—	0.5	—	0.5	0.5	—	0.033	0.018	0.430	1.293		0.400	0.901			
	.00	—	0.5	0.5	0.5	0.5	—	—	0.5	0.037	0.022	0.430	1.293		0.400	0.901			
	0~1	3.5	3.5	4.5	4.0	3.0	2.5	3.0	2.5	—	0.019	—	1.293		—	0.901			
	.10	0.5	—	—	—	0.5	—	0.5	—	0.040	0.024	0.430	1.293		0.400	0.901			
	.20	—	—	0.5	0.5	—	—	—	0.5	0.039	0.023	0.430	1.293		0.400	0.901			
	.30	0.5	0.5	—	—	—	0.5	—	—	0.038	0.022	0.430	1.293		0.400	0.901			
	.40	—	—	0.5	0.5	0.5	0.5	0.5	0.5	0.037	0.022	0.430	1.293		0.400	0.901			
	.50	0.5	0.5	—	—	—	—	—	—	0.037	0.022	0.430	1.293		0.400	0.901			
	.00	—	—	—	—	—	—	—	—	0.037	0.022	0.430	1.293		0.400	0.901			
	1~2	1.5	1.0	1.0	1.0	1.0	1.0	1.0	1.0	—	0.023	—	1.293		—	0.901			
	.10	0.5	0.5	0.5	0.5	0.5	—	0.5	—	0.036	0.021	0.430	1.293		0.400	0.901			
	.20	0.5	—	1.0	—	—	0.5	—	—	0.035	0.020	0.430	1.293		0.400	0.901			
	.30	0.5	0.5	0.5	0.5	—	0.5	—	—	0.034	0.019	0.430	1.293		0.400	0.901			
	.40	1.0	1.0	0.5	1.0	0.5	—	0.5	—	0.036	0.021	0.430	1.293		0.400	0.901			
	.50	—	0.5	0.5	0.5	0.5	0.5	0.5	—	0.038	0.022	0.430	1.293		0.400	0.901			
	.00	—	—	—	—	—	—	—	—	0.039	0.023	0.430	1.293		0.400	0.901			
	2~3	2.5	2.5	3.0	2.5	1.5	1.5	1.5	—	—	0.021	—	1.293		—	0.901			
	.10	—	0.5	—	0.5	—	—	0.5	—	0.040	0.024	0.430	1.293		0.400	0.901			
	.20	—	—	—	—	0.5	—	—	—	0.041	0.025	0.430	1.293		0.402	0.922			
	.30	—	—	—	—	—	—	—	—	0.040	0.024	0.430	1.293		0.406	0.965			
	.40	—	—	—	—	—	—	—	—	0.039	0.023	0.430	1.293		0.412	1.031			
	.50	0.5	—	—	—	—	—	—	—	0.038	0.022	0.430	1.293		0.417	1.087			
	.00	—	—	—	—	—	—	—	—	0.037	0.022	0.430	1.293		0.418	1.099			
	3~4	0.5	0.5	—	0.5	0.5	—	0.5	—	—	0.023	—	1.293		—	1.001			
	.10	—	—	—	—	—	—	—	—	0.036	0.021	0.430	1.293		0.418	1.099			
	.20	—	—	—	—	—	—	—	—	0.034	0.019	0.430	1.293		0.417	1.087			
	.30	1.0	—	0.5	—	—	1.0	—	—	0.033	0.018	0.430	1.293		0.417	1.087			
	.40	0.5	0.5	1.5	0.5	0.5	0.5	—	0.5	0.032	0.017	0.430	1.293		0.416	1.076			
	.50	1.0	0.5	1.5	1.5	1.0	1.0	0.5	—	0.032	0.017	0.430	1.293		0.416	1.076			
	.00	0.5	1.0	0.5	2.5	0.5	0.5	—	0.5	0.034	0.019	0.430	1.293		0.416	1.076			
	4~5	3.0	2.0	4.0	4.5	2.0	3.0	0.5	1.0	—	0.019	—	1.293		—	1.083			
	.10	0.5	0.5	0.5	0.5	0.5	0.5	0.5	—	0.038	0.022	0.430	1.293		0.416	1.076			
	.20	1.0	0.5	1.0	0.5	0.5	0.5	—	—	0.040	0.024	0.431	1.298		0.423	1.157			
	.30	0.5	0.5	0.5	0.5	0.5	—	—	0.5	0.043	0.027	0.432	1.304		0.436	1.316			
	.40	0.5	0.5	0.5	0.5	0.5	0.5	—	—	0.047	0.031	0.433	1.309		0.441	1.379			
	.50	0.5	1.0	0.5	1.0	—	0.5	0.5	0.5	0.049	0.033	0.434	1.314		0.448	1.471			
	.00	—	—	—	—	1.0	0.5	0.5	0.5	0.050	0.034	0.434	1.314		0.455	1.566		0.53	
	5~6	3.0	3.0	3.0	3.0	3.0	2.5	1.5	1.5	—	0.029	—	1.305		—	1.327			

1970年(昭和45年)

月・日	時分	雨				量				南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 築	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
11.19	.10	0.5	—	—	0.5	0.5	—	—	—	0.050	0.034	0.437	1.330	—	0.462	1.663	—	—	—
	.20	1.0	0.5	1.0	—	0.5	0.5	—	0.5	0.050	0.034	0.439	1.340	—	0.470	1.778	—	—	—
	.30	—	1.0	—	0.5	—	—	0.5	—	0.051	0.035	0.442	1.356	—	0.476	1.867	—	—	—
	.40	0.5	—	—	0.5	—	0.5	—	—	0.051	0.035	0.450	1.399	—	0.478	1.897	—	—	—
	.50	—	0.5	—	—	0.5	—	—	—	0.052	0.036	0.452	1.410	—	0.480	1.928	—	—	—
	.00	—	—	—	—	—	—	—	—	0.052	0.036	0.453	1.416	—	0.477	1.882	—	—	—
	6~7	2.0	2.0	1.0	1.5	1.5	1.0	0.5	1.0	0.035	0.035	—	1.375	—	—	1.836	—	—	—
	.10	—	—	—	—	—	—	0.5	—	0.052	0.036	0.455	1.426	—	0.475	1.852	—	—	—
	.20	—	—	—	—	—	—	—	—	0.051	0.035	0.458	1.443	—	0.471	1.793	—	—	—
	.30	—	—	—	—	—	—	—	—	0.049	0.033	0.465	1.482	—	0.468	1.749	—	—	—
	.40	—	0.5	0.5	—	—	—	—	—	0.047	0.031	0.468	1.498	—	0.465	1.706	—	—	—
	.50	—	—	—	0.5	0.5	—	—	—	0.045	0.029	0.469	1.504	—	0.462	1.663	—	—	—
	.00	—	—	—	—	—	—	—	—	0.043	0.027	0.470	1.510	—	0.459	1.621	—	—	—
	7~8	—	0.5	0.5	0.5	0.5	—	0.5	—	0.032	0.032	—	1.477	—	—	1.731	—	—	—
	.10	—	—	—	—	—	—	—	—	0.042	0.026	0.470	1.510	—	0.458	1.607	—	—	—
	.20	—	—	—	—	—	—	—	—	0.041	0.025	0.470	1.510	—	0.457	1.593	—	—	—
	.30	—	—	—	—	—	—	—	—	0.040	0.024	0.470	1.510	—	0.453	1.538	—	—	—
	.40	0.5	—	—	—	—	—	—	0.5	0.040	0.024	0.470	1.510	—	0.452	1.525	—	—	—
	.50	—	—	—	—	—	—	—	—	0.039	0.023	0.470	1.510	—	0.451	1.511	—	—	—
	.00	—	—	—	—	—	—	—	—	0.038	0.022	0.470	1.510	—	0.450	1.498	—	—	—
	8~9	0.5	—	—	—	—	—	—	0.5	0.024	0.024	—	1.510	—	—	1.545	—	—	—
9	.10	—	—	—	—	—	—	—	—	0.037	0.022	0.470	1.510	—	0.449	1.484	—	—	—
	.20	—	—	—	—	—	0.5	—	—	0.036	0.021	0.470	1.510	—	0.448	1.471	—	—	—
	.30	—	—	—	—	—	—	—	—	0.035	0.020	0.470	1.510	—	0.447	1.458	—	—	—
	.40	—	—	—	—	—	—	—	—	0.034	0.019	0.469	1.504	—	0.446	1.444	—	—	—
	.50	—	—	—	—	—	—	—	—	0.033	0.018	0.466	1.487	—	0.444	1.418	—	—	—
	.00	—	—	—	—	—	—	—	—	0.033	0.018	0.462	1.465	—	0.442	1.392	—	—	—
	9~10	—	—	—	—	—	0.5	—	—	0.020	0.020	—	1.498	—	—	1.445	—	—	—
	.10	—	0.5	—	—	—	—	—	—	0.033	0.018	0.458	1.443	—	0.440	1.366	—	—	—
	.20	—	—	—	—	—	—	—	—	0.033	0.018	0.452	1.410	—	0.438	1.341	—	—	—
	.30	0.5	—	0.5	—	—	—	—	—	0.032	0.017	0.448	1.388	—	0.437	1.328	—	—	—
10	.40	—	—	—	0.5	—	—	0.5	—	0.032	0.017	0.445	1.372	—	0.436	1.316	—	—	—
	.50	—	—	—	—	—	0.5	—	—	0.032	0.017	0.443	1.362	—	0.435	1.303	—	—	—
	.00	0.5	—	—	—	0.5	—	—	0.5	0.032	0.017	0.442	1.356	—	0.434	1.291	—	—	—
	10~11	1.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.017	0.017	—	1.389	—	—	1.324	—	—	—
	.10	—	—	—	—	—	—	0.5	—	0.031	0.017	0.441	1.351	—	0.432	1.266	—	—	—
	.20	—	—	0.5	—	—	0.5	—	0.5	0.031	0.017	0.440	1.346	—	0.431	1.253	—	—	—
	.30	0.5	—	—	0.5	0.5	—	—	—	0.031	0.017	0.440	1.346	—	0.430	1.241	—	—	—
	.40	—	—	—	—	—	0.5	—	—	0.031	0.017	0.440	1.346	—	0.430	1.241	—	—	—
	.50	—	0.5	0.5	—	—	—	—	0.5	0.031	0.017	0.440	1.346	—	0.430	1.241	—	—	—
	.00	0.5	—	—	0.5	0.5	—	—	0.5	0.031	0.017	0.440	1.346	—	0.430	1.241	—	—	—
	11~12	1.0	0.5	1.0	1.0	1.0	1.0	0.5	1.5	0.017	0.017	—	1.347	—	—	1.247	—	—	—

1970年(昭和45年)

月・日	時・分	雨				量				南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 葉	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
11.19	.10	—	0.5	—	—	—	0.5	0.5	—	0.032	0.017	0.440	1.346	—	0.430	1.241	—	—	—
	.20	0.5	—	1.0	—	0.5	0.5	—	0.5	0.032	0.017	0.440	1.346	—	0.430	1.241	—	—	—
	.30	1.0	—	0.5	0.5	—	0.5	0.5	—	0.033	0.018	0.440	1.346	—	0.430	1.241	—	—	—
	.40	—	1.0	0.5	1.0	0.5	0.5	—	1.0	0.034	0.019	0.440	1.346	—	0.432	1.266	—	—	—
	.50	0.5	0.5	—	—	1.0	—	0.5	—	0.035	0.020	0.440	1.346	—	0.434	1.291	—	—	—
	.00	0.5	—	0.5	0.5	—	0.5	0.5	1.0	0.036	0.021	0.440	1.346	—	0.436	1.316	—	—	—
	12-13	2.5	2.0	2.5	2.0	2.0	2.5	2.0	2.5	0.019	—	—	1.346	—	—	1.266	—	—	—
	.10	1.0	0.5	1.0	0.5	0.5	1.0	0.5	0.5	0.038	0.022	0.440	1.346	—	0.438	1.341	—	—	—
	.20	1.0	1.0	1.0	0.5	1.0	1.0	1.0	1.0	0.042	0.026	0.440	1.346	—	0.443	1.405	—	—	—
	.30	0.5	1.5	0.5	1.0	1.0	0.5	0.5	1.0	0.048	0.032	0.440	1.346	—	0.450	1.498	—	—	—
	.40	0.5	0.5	—	1.0	1.0	1.0	1.0	1.0	0.051	0.035	0.440	1.346	—	0.459	1.621	—	—	—
	.50	—	—	0.5	—	0.5	—	0.5	0.5	0.055	0.039	0.440	1.346	—	0.480	1.928	—	—	—
	.00	—	—	—	0.5	0.5	0.5	0.5	0.5	0.058	0.042	0.441	1.351	—	0.485	2.005	—	—	—
	13-14	3.0	3.5	3.0	3.5	4.5	4.0	4.5	4.5	0.033	—	—	1.347	—	—	1.633	—	—	—
	.10	0.5	—	0.5	—	0.5	0.5	0.5	0.5	0.057	0.041	0.448	1.388	—	0.490	2.083	—	—	—
	.20	—	—	—	0.5	0.5	—	0.5	0.5	0.055	0.039	0.461	1.459	—	0.495	2.163	—	—	—
	.30	0.5	0.5	0.5	0.5	—	1.0	0.5	0.5	0.053	0.037	0.470	1.510	—	0.499	2.228	—	—	—
	.40	0.5	—	0.5	—	—	0.5	1.0	1.0	0.052	0.036	0.485	1.595	—	0.499	2.228	—	—	—
	.50	0.5	0.5	—	0.5	1.0	0.5	0.5	0.5	0.051	0.035	0.495	1.653	—	0.498	2.212	—	—	—
	.00	0.5	—	1.0	0.5	1.0	0.5	—	—	0.051	0.035	0.501	1.689	—	0.498	2.212	—	—	—
	14-15	2.5	1.5	2.5	2.0	3.5	3.0	2.5	3.0	0.037	—	—	1.549	—	—	2.188	—	—	—
	.10	0.5	0.5	—	0.5	—	—	—	—	0.052	0.036	0.510	1.743	—	0.500	2.245	—	—	—
	.20	0.5	0.5	—	0.5	—	0.5	0.5	0.5	0.053	0.037	0.519	1.798	—	0.504	2.311	—	—	—
	.30	—	0.5	0.5	—	0.5	—	—	—	0.054	0.038	0.522	1.816	—	0.509	2.395	—	—	—
	.40	—	0.5	—	0.5	—	1.0	—	1.0	0.055	0.039	0.530	1.866	—	0.510	2.412	—	—	—
	.50	0.5	—	0.5	—	0.5	0.5	0.5	0.5	0.056	0.040	0.533	1.885	—	0.512	2.446	—	—	—
	.00	0.5	0.5	—	0.5	0.5	0.5	0.5	0.5	0.055	0.039	0.538	1.916	—	0.513	2.464	—	—	—
	15-16	2.0	2.5	1.0	2.0	1.5	2.5	1.5	2.5	0.038	—	—	1.837	—	—	2.379	—	—	—
	.10	0.5	—	0.5	0.5	0.5	0.5	0.5	0.5	0.054	0.038	0.542	1.942	—	0.518	2.550	—	—	—
	.20	0.5	0.5	0.5	0.5	0.5	—	0.5	0.5	0.055	0.039	0.548	1.980	—	0.522	2.621	—	—	—
	.30	—	—	0.5	0.5	—	0.5	—	0.5	0.056	0.040	0.552	2.006	—	0.530	2.765	—	—	—
	.40	0.5	0.5	0.5	0.5	0.5	0.5	1.0	—	0.057	0.041	0.557	2.038	—	0.538	2.913	—	—	—
	.50	1.0	—	0.5	—	0.5	0.5	—	0.5	0.058	0.042	0.560	2.058	—	0.540	2.951	—	—	—
	.00	—	1.0	0.5	1.0	0.5	0.5	0.5	0.5	0.059	0.043	0.562	2.071	—	0.540	2.951	—	—	—
	16-17	2.5	2.0	3.0	3.0	2.5	2.5	2.5	3.0	0.041	—	—	2.016	—	—	2.792	—	—	—
	.10	0.5	0.5	—	0.5	—	0.5	—	—	0.060	0.044	0.565	2.091	—	0.542	2.988	—	—	—
	.20	—	—	—	—	—	—	0.5	—	0.061	0.045	0.568	2.111	—	0.543	3.007	—	—	—
	.30	0.5	—	0.5	0.5	—	—	—	—	0.061	0.045	0.570	2.124	—	0.549	3.123	—	—	—
	.40	0.5	0.5	—	—	—	—	—	0.5	0.061	0.045	0.570	2.124	—	0.552	3.181	—	—	—
	.50	—	0.5	0.5	0.5	0.5	—	0.5	—	0.060	0.044	0.578	2.178	—	0.551	3.162	—	—	—
	.00	—	—	—	—	—	0.5	0.5	0.5	0.060	0.044	0.585	2.225	—	0.550	3.142	—	6.48	—
	17-18	1.5	1.5	1.0	1.5	1.0	1.5	1.0	1.0	0.045	—	—	2.142	—	—	3.101	—	—	—

1970年(昭和45年)

1970年(昭和45年)																			
月・日	時・分	雨							南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸	
		清水 大谷	南 大沢	別所	大栗 川橋	明神 橋	青木 葉	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
11.19	.10	0.5	0.5	0.5	—	—	0.5	—	0.5	0.059	0.043	0.590	2.260		0.547	3.084			
	.20	0.5	—	—	0.5	0.5	—	0.5	0.5	0.059	0.043	0.590	2.260		0.543	3.007			
	.30	—	0.5	—	0.5	0.5	—	0.5	0.5	0.059	0.043	0.590	2.260		0.542	2.988			
	.40	—	—	0.5	0.5	—	0.5	—	0.5	0.059	0.043	0.590	2.260		0.542	2.988			
	.50	0.5	0.5	0.5	—	0.5	0.5	—	0.5	0.059	0.043	0.595	2.294		0.548	3.103			
	.00	0.5	—	—	0.5	0.5	0.5	0.5	0.5	0.059	0.043	0.600	2.329		0.550	3.142			
	18-19	2.0	1.5	1.5	2.0	2.0	2.5	2.0	3.0	0.043	0.043		2.277			3.052			
	.10	—	—	0.5	0.5	0.5	1.5	1.0	1.5	0.059	0.043	0.605	2.364		0.558	3.300			
	.20	1.5	0.5	1.0	—	1.0	1.0	1.0	0.5	0.059	0.043	0.610	2.399		0.563	3.400			
	.30	1.5	1.0	1.0	1.5	1.0	—	0.5	1.0	0.060	0.044	0.617	2.449		0.570	3.543			
11.20	.40	1.0	1.0	1.0	1.0	0.5	1.5	0.5	0.5	0.062	0.046	0.622	2.485		0.575	3.647			
	.50	1.0	1.0	1.0	1.0	1.0	0.5	1.0	1.0	0.069	0.054	0.630	2.543		0.582	3.796			
	.00	1.0	1.0	1.0	0.5	0.5	0.5	0.5	0.5	0.080	0.068	0.635	2.580		0.593	4.034			
	19-20	6.0	4.5	5.5	4.5	4.5	5.0	4.5	5.0	0.050	0.050		2.470			3.620			
	.10	1.0	1.5	1.0	1.5	0.5	1.0	0.5	1.0	0.088	0.078	0.640	2.617		0.606	4.326			
	.20	1.5	0.5	2.0	0.5	1.0	2.0	1.0	1.5	0.092	0.084	0.650	2.691		0.613	4.487			
	.30	2.0	2.0	1.5	2.0	1.5	1.0	1.0	1.5	0.099	0.093	0.660	2.767		0.625	4.771			
	.40	1.5	2.0	1.0	2.0	2.0	1.5	1.5	1.5	0.112	0.113	0.680	2.921		0.640	5.137			
	.50	1.5	1.0	2.0	1.0	1.0	1.5	1.0	1.0	0.132	0.145	0.700	3.080		0.670	5.911			
	.00	1.5	1.5	1.0	2.5	1.5	1.5	1.0	1.5	0.135	0.150	0.725	3.284		0.690	6.456			
11.21	.00	1.5	8.5	8.5	9.5	7.5	8.5	6.0	8.0	0.111	0.111		2.893			5.181			
	.10	1.5	1.5	0.5	0.5	1.5	0.5	1.0	1.0	0.142	0.162	0.758	3.563		0.715	7.172			
	.20	1.0	1.0	0.5	1.0	1.0	0.5	1.0	0.5	0.150	0.176	0.790	3.845		0.730	7.620			
	.30	—	0.5	0.5	1.0	0.5	1.0	—	1.0	0.152	0.180	0.810	4.026		0.742	7.988			
	.40	0.5	0.5	0.5	—	0.5	1.0	1.0	1.5	0.150	0.176	0.825	4.165		0.750	8.238			
	.50	1.0	0.5	1.0	1.0	1.5	1.0	1.0	1.5	0.146	0.169	0.835	4.259		0.760	8.556			
	.00	1.0	1.0	1.0	0.5	2.0	1.5	1.0	1.0	0.145	0.167	0.850	4.402		0.770	8.880			
	21-22	5.0	5.0	4.0	4.0	7.0	5.5	5.0	6.5	0.172	0.172		4.043			8.076			
	.10	0.5	1.0	0.5	1.0	1.0	0.5	1.0	1.5	0.147	0.171	0.850	4.402		0.790	9.546			
	.20	1.0	0.5	1.0	0.5	1.0	1.0	1.5	1.0	0.151	0.178	0.850	4.402		0.810	10.237			
11.22	.30	1.0	0.5	0.5	1.0	1.0	1.0	0.5	1.0	0.153	0.181	0.849	4.392		0.825	10.770			
	.40	0.5	1.0	0.5	1.0	1.0	0.5	1.0	1.0	0.154	0.183	0.847	4.373		0.835	11.134			
	.50	1.0	0.5	0.5	0.5	1.0	0.5	0.5	0.5	0.155	0.185	0.846	4.364		0.835	11.134			
	.00	0.5	0.5	1.0	0.5	0.5	1.0	1.0	1.5	0.155	0.185	0.842	4.326		0.830	10.951			
	22-23	4.5	4.0	4.0	4.5	5.5	4.5	5.5	6.5	0.181	0.177		4.377			10.629			
	.10	1.0	0.5	1.0	1.0	1.0	1.5	1.0	1.0	0.150	0.176	0.841	4.316		0.820	10.591			
	.20	1.5	1.0	2.0	1.0	0.5	1.5	1.0	1.0	0.150	0.176	0.840	4.307		0.815	10.413			
	.30	2.5	1.5	2.5	1.5	1.5	1.5	0.5	1.5	0.151	0.178	0.839	4.297		0.815	10.413			
	.40	2.5	2.0	2.0	3.5	1.0	2.5	1.5	3.0	0.160	0.194	0.840	4.307		0.822	10.663			
	.50	1.0	3.0	0.5	2.0	2.5	1.0	2.5	1.5	0.178	0.229	0.845	4.354		0.845	11.503			
11.23	.00	1.0	0.5	0.5	0.5	1.5	0.5	1.0	0.5	0.189	0.251	0.860	4.499		0.870	12.452			
	23-24	9.5	8.5	8.5	9.5	8.0	8.5	7.5	8.5	0.207	0.207		4.347			11.006			

1970年(昭和45年)

月・日	時・分	雨								南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸
		清水 大谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 森	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
11.20	.10	0.5	0.5	1.0	—	0.5	0.5	0.5	1.0	0.185	0.243	0.875	4.645		0.885	13.040			
	.20	2.0	0.5	2.0	1.0	0.5	1.0	0.5	1.0	0.181	0.235	0.895	4.845		0.885	13.040			
	.30	2.0	2.0	1.0	2.0	1.0	1.0	1.0	1.0	0.180	0.233	0.910	4.997		0.875	12.647			
	.40	0.5	1.5	0.5	1.5	1.5	1.0	1.0	1.0	0.187	0.247	0.930	5.204		0.865	12.259			
	.50	0.5	0.5	1.0	0.5	1.0	—	0.5	—	0.195	0.264	0.937	5.277		0.875	12.647			
	.00	—	0.5	—	0.5	0.5	—	0.5	0.5	0.193	0.260	0.950	5.415		0.885	13.040			
	0~1	5.5	5.5	5.5	5.5	5.0	3.5	4.0	4.5		0.247		5.064			12.779			
	.10	0.5	—	0.5	0.5	0.5	1.0	—	1.0	0.187	0.247	0.960	5.522		0.890	13.239			
	.20	0.5	0.5	0.5	0.5	0.5	0.5	0.5	—	0.180	0.233	0.970	5.630		0.890	13.239			
	.30	—	0.5	—	1.0	0.5	0.5	0.5	1.0	0.175	0.223	0.970	5.630		0.890	13.239			
	.40	0.5	—	0.5	—	0.5	0.5	1.0	1.0	0.172	0.217	0.970	5.630		0.888	13.159			
	.50	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.170	0.213	0.965	5.575		0.890	13.239			
	.00	1.0	0.5	1.0	0.5	1.0	1.0	0.5	1.0	0.167	0.208	0.960	5.522		0.895	13.439			
	1~2	3.0	2.0	3.0	3.0	3.5	4.0	3.0	4.5		0.224		5.585			13.259			
	.10	1.0	1.0	0.5	0.5	1.0	1.0	1.0	0.5	0.165	0.204	0.945	5.361		0.900	13.641			
	.20	1.0	0.5	1.0	1.0	0.5	1.0	0.5	1.0	0.165	0.204	0.933	5.235		0.900	13.641			
	.30	1.0	0.5	1.0	0.5	0.5	1.5	1.0	1.5	0.166	0.206	0.930	5.204		0.900	13.641			
	.40	1.0	1.0	1.0	1.5	1.5	1.0	1.5	0.5	0.165	0.204	0.920	5.100		0.900	13.641			
	.50	1.0	1.0	0.5	1.0	1.0	1.0	0.5	1.5	0.166	0.206	0.912	5.017		0.900	13.641			
	.00	1.0	1.0	1.0	1.0	1.0	0.5	1.0	0.5	0.167	0.208	0.911	5.007		0.900	13.641			
	2~3	6.0	5.0	5.0	5.5	5.5	6.0	5.5	5.5		0.205		5.154			13.641			
	.10	1.5	1.0	1.5	0.5	1.0	1.5	1.0	1.5	0.169	0.212	0.912	5.017		0.900	13.641			
	.20	1.5	1.5	1.5	1.5	1.5	1.5	1.5	1.5	0.172	0.217	0.918	5.079		0.900	13.641			
	.30	1.0	1.5	0.5	1.0	1.0	1.0	1.0	1.5	0.179	0.231	0.923	5.131		0.900	13.641			
	.40	1.0	1.0	1.0	1.0	1.0	0.5	1.0	0.5	0.185	0.243	0.930	5.204		0.910	14.050			
	.50	0.5	0.5	0.5	1.0	1.0	0.5	0.5	0.5	0.187	0.247	0.945	5.361		0.915	14.256			
	.00	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.187	0.247	0.955	5.468		0.915	14.256			
	3~4	6.0	6.0	5.5	5.5	6.0	5.5	5.5	5.5		0.233		5.210			13.914			
	.10	1.0	1.0	—	0.5	0.5	0.5	0.5	0.5	0.186	0.245	0.960	5.522		0.915	14.256			
	.20	0.5	—	1.0	0.5	0.5	0.5	0.5	0.5	0.185	0.245	0.965	5.575		0.910	14.050			
	.30	1.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.183	0.239	0.970	5.630		0.905	13.845			
	.40	1.0	0.5	1.0	0.5	—	1.0	0.5	1.0	0.183	0.239	0.970	5.630		0.905	13.845			
	.50	1.0	1.0	0.5	1.0	1.0	1.0	1.0	1.0	0.184	0.241	0.970	5.630		0.905	13.845			
	.00	0.5	0.5	1.0	0.5	1.0	0.5	1.0	0.5	0.184	0.241	0.970	5.630		0.905	13.845			
	4~5	5.0	3.5	4.0	3.5	3.5	4.0	4.0	4.0		0.241		5.603			13.947			
	.10	0.5	1.0	0.5	1.0	0.5	0.5	0.5	0.5	0.183	0.239	0.970	5.630		0.913	14.173			
	.20	1.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.182	0.237	0.970	5.630		0.920	14.464			
	.30	0.5	0.5	1.0	0.5	0.5	1.0	0.5	1.0	0.181	0.235	0.970	5.630		0.925	14.674			
	.40	0.5	0.5	0.5	0.5	1.0	0.5	1.0	0.5	0.180	0.233	0.970	5.630		0.920	14.464			
	.50	0.5	1.0	0.5	1.0	0.5	1.0	0.5	1.0	0.179	0.231	0.970	5.630		0.920	14.464			
	.00	1.0	1.0	1.5	1.0	1.0	0.5	1.0	0.5	0.180	0.233	0.965	5.575		0.915	14.256	25.18		
	5~6	4.0	4.5	4.5	4.5	4.0	4.0	4.0	4.0		0.235		5.621			14.416			

1970年(昭和45年)

月・日	時分	雨								南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 築	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
11.20	.10	1.0	0.5	1.0	0.5	1.0	1.0	—	1.0	0.181	0.235	0.957	5.489		0.910	14.050			
	.20	1.5	1.0	1.5	1.5	0.5	1.5	1.0	1.0	0.182	0.237	0.960	5.522		0.910	14.050			
	.30	1.5	1.5	1.5	1.5	1.0	1.0	1.0	1.0	0.184	0.241	0.960	5.522		0.910	14.050			
	.40	2.0	1.5	1.5	1.0	1.0	1.0	1.0	1.0	0.191	0.256	0.963	5.554		0.911	14.091			
	.50	2.0	2.0	1.5	1.5	1.0	1.5	1.0	1.5	0.205	0.285	0.970	5.630		0.918	14.381			
	.00	1.0	1.5	1.0	1.5	1.5	1.0	1.0	1.0	0.215	0.307	0.980	5.739		0.925	14.674			
	6~7	9.0	8.0	8.0	7.5	6.0	7.0	5.0	6.5		0.260		5.576			14.216			
	.10	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.216	0.310	0.992	5.871		0.930	14.885			
	.20	1.5	1.0	0.5	1.0	0.5	1.0	1.0	1.0	0.221	0.321	1.010	6.072		0.940	15.311			
	.30	0.5	1.0	1.0	1.0	0.5	1.0	1.0	1.5	0.221	0.321	1.035	6.357		0.945	15.527			
	.40	1.0	1.0	0.5	1.0	1.5	0.5	1.0	1.0	0.220	0.318	1.055	6.590		0.955	15.962			
	.50	0.5	0.5	1.5	1.0	1.5	1.0	1.0	1.0	0.220	0.318	1.068	6.744		0.965	16.404			
7~8	.00	1.0	0.5	1.0	0.5	1.0	1.5	1.5	1.5	0.218	0.314	1.070	6.768		0.980	17.077			
	7~8	5.5	5.0	5.5	5.5	6.0	6.0	6.5	7.0		0.317		6.400			15.861			
	.10	1.0	1.5	1.0	1.5	1.5	1.5	1.5	1.5	0.215	0.307	1.076	6.839		0.985	17.305			
	.20	1.0	1.0	0.5	1.0	1.5	1.0	1.0	0.5	0.220	0.318	1.082	6.911		0.990	17.534			
	.30	—	1.0	0.5	0.5	1.0	—	0.5	0.5	0.220	0.318	1.087	6.972		1.005	18.230			
	.40	0.5	—	0.5	0.5	0.5	0.5	—	0.5	0.218	0.314	1.089	6.996		1.020	18.940			
	.50	0.5	0.5	0.5	0.5	—	0.5	0.5	0.5	0.213	0.303	1.090	7.008		1.020	18.940			
	.00	0.5	0.5	0.5	0.5	1.0	0.5	0.5	0.5	0.210	0.296	1.090	7.008		1.010	18.465			
	8~9	3.5	4.0	3.0	4.5	5.5	4.0	4.0	4.0		0.309		6.956			18.235			
	.10	1.0	0.5	0.5	0.5	0.5	1.0	0.5	1.0	0.208	0.292	1.080	6.887		1.000	17.996			
	.20	0.5	0.5	0.5	0.5	0.5	0.5	1.0	0.5	0.205	0.285	1.071	6.780		0.995	17.764			
	.30	—	1.0	0.5	1.0	0.5	0.5	0.5	1.0	0.206	0.287	1.065	6.708		0.995	17.764			
9~10	.40	—	0.5	0.5	1.0	0.5	0.5	0.5	0.5	0.205	0.285	1.065	6.708		0.990	17.534			
	.50	—	0.5	—	0.5	0.5	—	—	—	0.201	0.277	1.060	6.649		0.985	17.305			
	.00	0.5	—	0.5	—	—	0.5	0.5	0.5	0.198	0.270	1.050	6.532		0.980	17.077			
	9~10	3.0	3.0	2.5	3.0	3.0	3.0	3.0	3.5		0.283		6.711			17.573			
	.10	—	—	—	—	0.5	—	—	—	0.193	0.260	1.040	6.415		0.975	16.851			
	.20	0.5	0.5	—	0.5	—	0.5	0.5	—	0.189	0.251	1.031	6.311		0.970	16.627			
	.30	0.5	—	0.5	—	—	—	—	0.5	0.186	0.245	1.025	6.243		0.955	15.962			
	.40	—	0.5	—	0.5	0.5	—	0.5	—	0.183	0.239	1.012	6.095		0.950	15.744			
	.50	—	—	—	—	—	0.5	—	0.5	0.181	0.235	1.000	5.960		0.930	14.885			
	.00	0.5	—	0.5	—	—	—	0.5	—	0.178	0.229	0.985	5.794		0.925	14.674			
	10~11	1.5	1.0	1.0	1.0	1.0	1.0	1.5	1.0		0.243		6.136			15.790			
11~12	.10	—	0.5	—	0.5	0.5	0.5	—	—	0.176	0.225	0.975	5.684		0.915	14.256			
	.20	—	—	—	—	—	—	—	0.5	0.175	0.223	0.970	5.630		0.905	13.845			
	.30	0.5	—	0.5	—	—	0.5	0.5	0.5	0.170	0.213	0.960	5.522		0.890	13.239			
	.40	—	0.5	—	—	—	0.5	0.5	0.5	0.168	0.210	0.950	5.415		0.880	12.843			
	.50	—	—	—	0.5	0.5	—	—	0.5	0.166	0.206	0.938	5.287		0.870	12.452			
	.00	0.5	0.5	0.5	—	0.5	—	0.5	—	0.163	0.200	0.930	5.204		0.865	12.259			
	11~12	1.0	1.5	1.0	1.0	1.5	1.5	1.5	2.0		0.213		5.457			13.143			

1970年(昭和45年)

月・日	時・分	雨								南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 薬	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
11.20	.10	—	—	—	0.5	0.5	0.5	—	0.5	0.162	0.198	0.915	5.048	—	—	0.860	12.068	—	—
	.20	—	—	—	—	—	—	—	—	0.159	0.193	0.905	4.946	—	—	0.850	11.690	—	—
	.30	—	—	—	—	—	—	—	—	0.154	0.183	0.898	4.875	—	—	0.845	11.503	—	—
	.40	—	0.5	—	—	—	—	—	—	0.151	0.178	0.887	4.764	—	—	0.840	11.317	—	—
	.50	—	—	—	—	—	—	—	—	0.148	0.172	0.879	4.685	—	—	0.830	10.951	—	—
	.00	—	—	—	—	0.5	—	—	—	0.142	0.162	0.850	4.402	—	—	0.820	10.591	—	—
	12~13	—	0.5	—	0.5	1.0	0.5	0.5	0.5	0.181	—	—	4.787	—	—	11.353	—	—	—
	.10	—	—	—	—	—	—	—	—	0.140	0.158	0.861	4.508	—	—	0.810	10.237	—	—
	.20	—	—	—	—	—	—	—	—	0.138	0.155	0.855	4.450	—	—	0.805	10.062	—	—
	.30	—	—	—	—	—	—	—	—	0.135	0.150	0.842	4.326	—	—	0.797	9.785	—	—
	.40	—	—	—	—	—	—	—	—	0.130	0.141	0.836	4.269	—	—	0.790	9.546	—	—
	.50	—	—	—	—	—	0.5	—	—	0.120	0.125	0.829	4.203	—	—	0.780	9.210	—	—
	.00	—	—	—	—	—	—	—	—	0.115	0.117	0.820	4.119	—	—	0.770	8.880	—	—
	13~14	—	—	—	—	—	0.5	—	—	0.141	—	—	4.312	—	—	9.620	—	—	—
	.10	—	—	—	—	—	—	—	—	0.111	0.111	0.815	4.072	—	—	0.765	8.717	—	—
	.20	—	—	—	—	—	—	—	—	0.110	0.110	0.808	4.008	—	—	0.757	8.460	—	—
	.30	—	—	—	0.5	—	—	—	—	0.108	0.107	0.799	3.926	—	—	0.750	8.238	—	—
	.40	—	—	—	—	—	—	—	—	0.107	0.105	0.790	3.845	—	—	0.745	8.081	—	—
	.50	—	—	—	—	—	—	—	—	0.106	0.104	0.785	3.800	—	—	0.738	7.864	—	—
	.00	—	—	—	—	—	—	—	—	0.105	0.102	0.780	3.756	—	—	0.733	7.711	13.76	—
	14~15	—	—	—	0.5	—	—	—	—	0.107	—	—	3.901	—	—	8.179	—	—	—
	.10	—	—	—	—	—	—	—	0.5	0.104	0.101	0.775	3.711	—	—	0.727	7.530	—	—
	.20	—	—	—	—	—	—	—	—	0.103	0.099	0.770	3.667	—	—	0.723	7.410	—	—
	.30	—	—	—	—	—	—	—	—	0.102	0.098	0.760	3.580	—	—	0.718	7.261	—	—
	.40	—	—	—	—	—	—	—	—	0.100	0.095	0.755	3.537	—	—	0.710	7.026	—	—
	.50	—	—	—	—	—	—	—	—	0.099	0.093	0.750	3.494	—	—	0.706	6.910	—	—
	.00	—	—	—	—	—	—	—	—	0.098	0.092	0.745	3.452	—	—	0.700	6.738	13.22	—
	15~16	—	—	—	—	—	—	—	0.5	0.096	—	—	3.574	—	—	7.146	—	—	—
	.10	—	—	—	—	—	—	—	—	0.096	0.089	0.745	3.452	—	—	0.698	6.681	—	—
	.20	—	—	—	—	—	—	—	—	0.094	0.086	0.743	3.435	—	—	0.692	6.512	—	—
	.30	—	—	—	—	—	—	—	—	0.092	0.084	0.740	3.409	—	—	0.688	6.401	—	—
	.40	—	—	—	—	—	—	—	—	0.091	0.082	0.735	3.367	—	—	0.685	6.318	—	—
	.50	—	—	—	—	—	—	—	—	0.090	0.081	0.730	3.325	—	—	0.680	6.180	—	—
	.00	—	—	—	—	—	—	—	—	0.090	0.081	0.725	3.284	—	—	0.678	6.126	11.68	—
	16~17	—	—	—	—	—	—	—	—	0.084	—	—	3.379	—	—	6.370	—	—	—
	.10	—	—	—	—	—	—	—	—	0.089	0.080	0.720	3.242	—	—	0.674	6.018	—	—
	.20	—	—	—	—	—	—	—	—	0.088	0.078	0.719	3.234	—	—	0.672	5.964	—	—
	.30	—	—	—	—	—	—	—	—	0.087	0.077	0.715	3.201	—	—	0.668	5.857	—	—
	.40	—	—	—	—	—	—	—	—	0.087	0.077	0.710	3.161	—	—	0.667	5.831	—	—
	.50	—	—	—	—	—	—	—	—	0.086	0.076	0.708	3.144	—	—	0.664	5.752	—	—
	.00	—	—	—	—	—	—	—	—	0.085	0.074	0.705	3.120	—	—	0.660	5.647	10.71	—
	17~18	—	—	—	—	—	—	—	—	0.077	—	—	3.184	—	—	5.845	—	—	—

1970年(昭和45年)

月・日	時分	雨								南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 架	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
11.20	.10	—	—	—	—	—	—	—	—	0.084	0.073	0.700	3.080		0.656	5.543			
	.20	—	—	—	—	—	—	—	—	0.083	0.072	0.698	3.064		0.653	5.466			
	.30	—	—	—	—	—	—	—	—	0.082	0.070	0.691	3.008		0.650	5.389			
	.40	—	—	—	—	—	—	—	—	0.081	0.069	0.690	3.000		0.649	5.364			
	.50	—	—	—	—	—	—	—	—	0.080	0.068	0.688	2.984		0.647	5.313			
	.00	—	—	—	—	—	—	—	—	0.079	0.066	0.684	2.953		0.643	5.212		9.78	
	18-19	—	—	—	—	—	—	—	—	0.070	0.070		3.015			5.381			
	.10	—	—	—	—	—	—	—	—	0.078	0.065	0.680	2.921		0.640	5.137			
	.20	—	—	—	—	—	—	—	—	0.077	0.064	0.680	2.921		0.639	5.112			
	.30	—	—	—	—	—	—	—	—	0.076	0.063	0.680	2.921		0.637	5.063			
	.40	—	—	—	—	—	—	—	—	0.076	0.063	0.677	2.898		0.635	5.014			
	.50	—	—	—	—	—	—	—	—	0.075	0.061	0.675	2.882		0.632	4.940			
	.00	—	—	—	—	—	—	—	—	0.075	0.061	0.672	2.859		0.630	4.891		8.89	
	19-20	—	—	—	—	—	—	—	—	0.063			2.900			5.026			
	.10	—	—	—	—	—	—	—	—	0.074	0.060	0.670	2.843		0.628	4.843			
	.20	—	—	—	—	—	—	—	—	0.074	0.060	0.668	2.828		0.627	4.819			
	.30	—	—	—	—	—	—	—	—	0.073	0.059	0.665	2.805		0.626	4.795			
	.40	—	—	—	—	—	—	—	—	0.073	0.059	0.663	2.790		0.624	4.747			
	.50	—	—	—	—	—	—	—	—	0.072	0.058	0.660	2.767		0.622	4.699			
	.00	—	—	—	—	—	—	—	—	0.072	0.058	0.657	2.744		0.619	4.628		8.04	
	20-21	—	—	—	—	—	—	—	—	0.059			2.796			4.755			
	.10	—	—	—	—	—	—	—	—	0.071	0.057	0.652	2.706		0.618	4.604			
	.20	—	—	—	—	—	—	—	—	0.071	0.057	0.651	2.699		0.616	4.557			
	.30	—	—	—	—	—	—	—	—	0.070	0.055	0.650	2.691		0.615	4.534			
	.40	—	—	—	—	—	—	—	—	0.070	0.055	0.648	2.676		0.613	4.487			
	.50	—	—	—	—	—	—	—	—	0.070	0.055	0.646	2.661		0.610	4.418			
	.00	—	—	—	—	—	—	—	—	0.070	0.055	0.644	2.646		0.608	4.372		7.64	
	21-22	—	—	—	—	—	—	—	—	0.056			2.680			4.496			
	.10	—	—	—	—	—	—	—	—	0.069	0.054	0.642	2.632		0.607	4.349			
	.20	—	—	—	—	—	—	—	—	0.069	0.054	0.640	2.617		0.607	4.349			
	.30	—	—	—	—	—	—	—	—	0.068	0.053	0.639	2.609		0.606	4.326			
	.40	—	—	—	—	—	—	—	—	0.067	0.052	0.636	2.587		0.605	4.303			
	.50	—	—	—	—	—	—	—	—	0.066	0.051	0.635	2.580		0.604	4.281			
	.00	—	—	—	—	—	—	—	—	0.066	0.051	0.634	2.572		0.603	4.258		6.85	
	22-23	—	—	—	—	—	—	—	—	0.053			2.600			4.311			
	.10	—	—	—	—	—	—	—	—	0.065	0.050	0.633	2.565		0.603	4.258			
	.20	—	—	—	—	—	—	—	—	0.064	0.048	0.632	2.558		0.603	4.258			
	.30	—	—	—	—	—	—	—	—	0.064	0.048	0.631	2.551		0.602	4.235			
	.40	—	—	—	—	—	—	—	—	0.063	0.047	0.630	2.543		0.602	4.235			
	.50	—	—	—	—	—	—	—	—	0.063	0.047	0.629	2.536		0.601	4.213			
	.00	—	—	—	—	—	—	—	—	0.063	0.047	0.628	2.529		0.601	4.213		6.48	
	23-24	—	—	—	—	—	—	—	—	0.048			2.517			4.235			

1970年(昭和45年)

月・日	時・分	雨							南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸	
		滑水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 葉	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
11.21	.10	—	—	—	—	—	—	—	—	0.062	0.046	0.628	2.529	—	0.600	4.190	—	—	—
	.20	—	—	—	—	—	—	—	—	0.062	0.046	0.627	2.521	—	0.600	4.190	—	—	—
	.30	—	—	—	—	—	—	—	—	0.062	0.046	0.626	2.514	—	0.600	4.190	—	—	—
	.40	—	—	—	—	—	—	—	—	0.061	0.045	0.625	2.507	—	0.600	4.190	—	—	—
	.50	—	—	—	—	—	—	—	—	0.061	0.045	0.624	2.500	—	0.599	4.168	—	—	—
	.00	—	—	—	—	—	—	—	—	0.061	0.045	0.623	2.492	—	0.599	4.168	5.76	—	—
	0 ~ 1	—	—	—	—	—	—	—	—	—	0.046	—	2.510	—	—	4.183	—	—	—
	.10	—	—	—	—	—	—	—	—	0.060	0.044	0.620	2.471	—	0.599	4.168	—	—	—
	.20	—	—	—	—	—	—	—	—	0.060	0.044	0.615	2.435	—	0.598	4.145	—	—	—
	.30	—	—	—	—	—	—	—	—	0.060	0.044	0.614	2.428	—	0.598	4.145	—	—	—
	.40	—	—	—	—	—	—	—	—	0.060	0.044	0.613	2.421	—	0.598	4.145	—	—	—
	.50	—	—	—	—	—	—	—	—	0.059	0.043	0.612	2.414	—	0.598	4.145	—	—	—
	.00	—	—	—	—	—	—	—	—	0.059	0.043	0.611	2.406	—	0.597	4.123	5.08	—	—
	1 ~ 2	—	—	—	—	—	—	—	—	—	0.044	—	2.429	—	—	4.145	—	—	—
	.10	—	—	—	—	—	—	—	—	0.059	0.043	0.610	2.399	—	0.597	4.123	—	—	—
	.20	—	—	—	—	—	—	—	—	0.059	0.043	0.610	2.399	—	0.597	4.123	—	—	—
	.30	—	—	—	—	—	—	—	—	0.059	0.043	0.609	2.392	—	0.596	4.101	—	—	—
	.40	—	—	—	—	—	—	—	—	0.058	0.042	0.609	2.392	—	0.596	4.101	—	—	—
	.50	—	—	—	—	—	—	—	—	0.058	0.042	0.608	2.385	—	0.596	4.101	—	—	—
	.00	—	—	—	—	—	—	—	—	0.058	0.042	0.606	2.371	—	0.596	4.101	4.45	—	—
	2 ~ 3	—	—	—	—	—	—	—	—	—	0.043	—	2.390	—	—	4.108	—	—	—
	.10	—	—	—	—	—	—	—	—	0.057	0.041	0.606	2.371	—	0.596	4.101	—	—	—
	.20	—	—	—	—	—	—	—	—	0.057	0.041	0.605	2.364	—	0.595	4.079	—	—	—
	.30	—	—	—	—	—	—	—	—	0.056	0.040	0.605	2.364	—	0.595	4.079	—	—	—
	.40	—	—	—	—	—	—	—	—	0.055	0.039	0.605	2.364	—	0.595	4.079	—	—	—
	.50	—	—	—	—	—	—	—	—	0.054	0.038	0.605	2.364	—	0.595	4.079	—	—	—
	.00	—	—	—	—	—	—	—	—	0.053	0.037	0.605	2.364	—	0.595	4.079	3.86	—	—
	3 ~ 4	—	—	—	—	—	—	—	—	—	0.039	—	2.365	—	—	4.082	—	—	—
	.10	—	—	—	—	—	—	—	—	0.052	0.036	0.605	2.364	—	0.594	4.057	—	—	—
	.20	—	—	—	—	—	—	—	—	0.052	0.036	0.605	2.364	—	0.594	4.057	—	—	—
	.30	—	—	—	—	—	—	—	—	0.052	0.036	0.605	2.364	—	0.594	4.057	—	—	—
	.40	—	—	—	—	—	—	—	—	0.052	0.036	0.605	2.364	—	0.594	4.057	—	—	—
	.50	—	—	—	—	—	—	—	—	0.052	0.036	0.605	2.364	—	0.593	4.034	—	—	—
	.00	—	—	—	—	—	—	—	—	0.052	0.036	0.605	2.364	—	0.593	4.034	3.58	—	—
	4 ~ 5	—	—	—	—	—	—	—	—	—	0.036	—	2.364	—	—	4.049	—	—	—
	.10	—	—	—	—	—	—	—	—	0.051	0.035	0.605	2.364	—	0.593	4.034	—	—	—
	.20	—	—	—	—	—	—	—	—	0.051	0.035	0.605	2.364	—	0.593	4.034	—	—	—
	.30	—	—	—	—	—	—	—	—	0.051	0.035	0.605	2.364	—	0.593	4.034	—	—	—
	.40	—	—	—	—	—	—	—	—	0.051	0.035	0.605	2.364	—	0.592	4.012	—	—	—
	.50	—	—	—	—	—	—	—	—	0.051	0.035	0.605	2.364	—	0.592	4.012	—	—	—
	.00	—	—	—	—	—	—	—	—	0.051	0.035	0.605	2.364	—	0.592	4.012	3.30	—	—
	5 ~ 6	—	—	—	—	—	—	—	—	—	0.035	—	2.364	—	—	4.023	—	—	—

1970年(昭和45年)

1970年(昭和45年)		雨 量							南大沢		大栗川橋		常盤橋	明 神 橋		報恩橋		関戸		
月・日	時分	清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 葉	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位	
11.21	.10	—	—	—	—	—	—	—	—	0.050	0.034	0.605	2.364	—	0.592	4.012	—	—	—	
	.20	—	—	—	—	—	—	—	—	0.050	0.034	0.605	2.364	—	0.591	3.991	—	—	—	
	.30	—	—	—	—	—	—	—	—	0.050	0.034	0.604	2.357	—	0.591	3.991	—	—	—	
	.40	—	—	—	—	—	—	—	—	0.050	0.034	0.604	2.357	—	0.591	3.991	—	—	—	
	.50	—	—	—	—	—	—	—	—	0.050	0.034	0.603	2.350	—	0.591	3.991	—	—	—	
	.00	—	—	—	—	—	—	—	—	0.050	0.034	0.603	2.350	—	0.591	3.991	3.30	—	—	
	6~7	—	—	—	—	—	—	—	—	—	0.034	—	2.357	—	—	3.994	—	—	—	
	.10	—	—	—	—	—	—	—	—	0.050	0.034	0.602	2.343	—	0.590	3.969	—	—	—	
	.20	—	—	—	—	—	—	—	—	0.050	0.034	0.602	2.343	—	0.590	3.969	—	—	—	
	.30	—	—	—	—	—	—	—	—	0.050	0.034	0.601	2.336	—	0.590	3.969	—	—	—	
	.40	—	—	—	—	—	—	—	—	0.050	0.034	0.601	2.336	—	0.590	3.969	—	—	—	
	.50	—	—	—	—	—	—	—	—	0.050	0.034	0.600	2.329	—	0.590	3.969	—	—	—	
	.00	—	—	—	—	—	—	—	—	0.050	0.034	0.600	2.329	—	0.590	3.969	3.30	—	—	
	7~8	—	—	—	—	—	—	—	—	—	0.034	—	2.336	—	—	3.969	—	—	—	
	.10	—	—	—	—	—	—	—	—	0.050	0.034	0.600	2.329	—	0.590	3.969	—	—	—	
	.20	—	—	—	—	—	—	—	—	0.050	0.034	0.599	2.322	—	0.590	3.969	—	—	—	
	.30	—	—	—	—	—	—	—	—	0.050	0.034	0.599	2.322	—	0.590	3.969	—	—	—	
	.40	—	—	—	—	—	—	—	—	0.050	0.034	0.599	2.322	—	0.590	3.969	—	—	—	
	.50	—	—	—	—	—	—	—	—	0.050	0.034	0.598	2.315	—	0.590	3.969	—	—	—	
	.00	—	—	—	—	—	—	—	—	0.050	0.034	0.598	2.315	—	0.590	3.969	3.30	—	—	
	8~9	—	—	—	—	—	—	—	—	—	—	0.034	—	2.321	—	—	3.969	—	—	—
	.10	—	—	—	—	—	—	—	—	0.050	0.034	0.597	2.308	—	0.590	3.969	—	—	—	
	.20	—	—	—	—	—	—	—	—	0.049	0.033	0.597	2.308	—	0.590	3.969	—	—	—	
	.30	—	—	—	—	—	—	—	—	0.049	0.033	0.596	2.301	—	0.590	3.969	—	—	—	
	.40	—	—	—	—	—	—	—	—	0.049	0.033	0.596	2.301	—	0.590	3.969	—	—	—	
	.50	—	—	—	—	—	—	—	—	0.049	0.033	0.595	2.294	—	0.590	3.969	—	—	—	
	.00	—	—	—	—	—	—	—	—	0.049	0.033	0.595	2.294	—	0.590	3.969	3.30	—	—	
	9~10	—	—	—	—	—	—	—	—	—	—	0.033	—	2.301	—	—	3.969	—	—	—
	.10	—	—	—	—	—	—	—	—	0.049	0.033	0.595	2.294	—	0.590	3.969	—	—	—	
	.20	—	—	—	—	—	—	—	—	0.049	0.033	0.595	2.294	—	0.590	3.969	—	—	—	
	.30	—	—	—	—	—	—	—	—	0.049	0.033	0.595	2.294	—	0.590	3.969	—	—	—	
	.40	—	—	—	—	—	—	—	—	0.049	0.033	0.595	2.294	—	0.589	3.947	—	—	—	
	.50	—	—	—	—	—	—	—	—	0.048	0.032	0.595	2.294	—	0.589	3.947	—	—	—	
	.00	—	—	—	—	—	—	—	—	0.048	0.032	0.595	2.294	—	0.589	3.947	3.30	—	—	
	10~11	—	—	—	—	—	—	—	—	—	—	0.033	—	2.294	—	—	3.958	—	—	—
	.10	—	—	—	—	—	—	—	—	0.048	0.032	0.595	2.294	—	0.589	3.947	—	—	—	
	.20	—	—	—	—	—	—	—	—	0.048	0.032	0.595	2.294	—	0.589	3.947	—	—	—	
	.30	—	—	—	—	—	—	—	—	0.048	0.032	0.595	2.294	—	0.588	3.925	—	—	—	
	.40	—	—	—	—	—	—	—	—	0.048	0.032	0.595	2.294	—	0.588	3.925	—	—	—	
	.50	—	—	—	—	—	—	—	—	0.047	0.031	0.595	2.294	—	0.588	3.925	—	—	—	
	.00	—	—	—	—	—	—	—	—	0.047	0.031	0.595	2.294	—	0.588	3.925	3.05	—	—	
	11~12	—	—	—	—	—	—	—	—	—	—	0.032	—	2.294	—	—	3.932	—	—	—

1970年(昭和45年)

月・日	時・分	雨							南大沢		大栗川橋		常盤橋	明神橋			報恩橋		関戸
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 葉	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
11.21	.10	—	—	—	—	—	—	—	—	0.046	0.030	0.595	2.294	—	0.588	3.925	—	—	—
	.20	—	—	—	—	—	—	—	—	0.046	0.030	0.595	2.294	—	0.587	3.903	—	—	—
	.30	—	—	—	—	—	—	—	—	0.046	0.030	0.595	2.294	—	0.587	3.903	—	—	—
	.40	—	—	—	—	—	—	—	—	0.045	0.029	0.595	2.294	—	0.587	3.903	—	—	—
	.50	—	—	—	—	—	—	—	—	0.045	0.029	0.595	2.294	—	0.587	3.903	—	—	—
	.00	—	—	—	—	—	—	—	—	0.044	0.028	0.595	2.294	—	0.587	3.903	—	—	—
	12-13	—	—	—	—	—	—	—	—	—	0.029	—	2.294	—	—	3.907	3.05	—	—
	.10	—	—	—	—	—	—	—	—	0.044	0.028	0.595	2.294	—	0.587	3.903	—	—	—
	.20	—	—	—	—	—	—	—	—	0.044	0.028	0.595	2.294	—	0.587	3.903	—	—	—
	.30	—	—	—	—	—	—	—	—	0.044	0.028	0.595	2.294	—	0.586	3.882	—	—	—
	.40	—	—	—	—	—	—	—	—	0.043	0.027	0.595	2.294	—	0.586	3.882	—	—	—
	.50	—	—	—	—	—	—	—	—	0.043	0.027	0.595	2.294	—	0.586	3.882	—	—	—
	.00	—	—	—	—	—	—	—	—	0.043	0.027	0.595	2.294	—	0.586	3.882	—	—	—
	13-14	—	—	—	—	—	—	—	—	—	0.028	—	2.294	—	—	3.889	2.80	—	—
	.10	—	—	—	—	—	—	—	—	0.043	0.027	0.595	2.294	—	0.586	3.882	—	—	—
	.20	—	—	—	—	—	—	—	—	0.042	0.026	0.595	2.294	—	0.586	3.882	—	—	—
	.30	—	—	—	—	—	—	—	—	0.042	0.026	0.595	2.294	—	0.586	3.882	—	—	—
	.40	—	—	—	—	—	—	—	—	0.042	0.026	0.595	2.294	—	0.586	3.882	—	—	—
	.50	—	—	—	—	—	—	—	—	0.042	0.026	0.595	2.294	—	0.586	3.882	—	—	—
	.00	—	—	—	—	—	—	—	—	0.042	0.026	0.595	2.294	—	0.586	3.882	—	—	—
	14-15	—	—	—	—	—	—	—	—	—	0.026	—	2.294	—	—	3.882	2.80	—	—
	.10	—	—	—	—	—	—	—	—	0.042	0.026	0.595	2.294	—	0.585	3.860	—	—	—
	.20	—	—	—	—	—	—	—	—	0.042	0.026	0.595	2.294	—	0.585	3.860	—	—	—
	.30	—	—	—	—	—	—	—	—	0.042	0.026	0.595	2.294	—	0.585	3.860	—	—	—
	.40	—	—	—	—	—	—	—	—	0.042	0.026	0.595	2.294	—	0.585	3.860	—	—	—
	.50	—	—	—	—	—	—	—	—	0.042	0.026	0.595	2.294	—	0.585	3.860	—	—	—
	.00	—	—	—	—	—	—	—	—	0.042	0.026	0.595	2.294	—	0.585	3.860	—	—	—
	15-16	—	—	—	—	—	—	—	—	—	0.026	—	2.294	—	—	3.860	2.80	—	—
	.10	—	—	—	—	—	—	—	—	0.042	0.026	0.595	2.294	—	0.584	3.839	—	—	—
	.20	—	—	—	—	—	—	—	—	0.042	0.026	0.595	2.294	—	0.584	3.839	—	—	—
	.30	—	—	—	—	—	—	—	—	0.042	0.026	0.595	2.294	—	0.583	3.817	—	—	—
	.40	—	—	—	—	—	—	—	—	0.042	0.026	0.595	2.294	—	0.583	3.817	—	—	—
	.50	—	—	—	—	—	—	—	—	0.042	0.026	0.595	2.294	—	0.583	3.817	—	—	—
	.00	—	—	—	—	—	—	—	—	0.042	0.026	0.595	2.294	—	0.582	3.796	—	—	—
	16-17	—	—	—	—	—	—	—	—	—	0.026	—	2.294	—	—	3.821	2.80	—	—
	.10	—	—	—	—	—	—	—	—	0.042	0.026	0.595	2.294	—	0.582	3.796	—	—	—
	.20	—	—	—	—	—	—	—	—	0.042	0.026	0.595	2.294	—	0.582	3.796	—	—	—
	.30	—	—	—	—	—	—	—	—	0.042	0.026	0.595	2.294	—	0.581	3.774	—	—	—
	.40	—	—	—	—	—	—	—	—	0.042	0.026	0.595	2.294	—	0.581	3.774	—	—	—
	.50	—	—	—	—	—	—	—	—	0.042	0.026	0.595	2.294	—	0.581	3.774	—	—	—
	.00	—	—	—	—	—	—	—	—	0.042	0.026	0.595	2.294	—	0.580	3.753	—	—	—
	17-18	—	—	—	—	—	—	—	—	—	0.026	—	2.294	—	—	3.778	2.80	—	—

1970年(昭和45年)

1970年(昭和45年)																			
月・日	時分	雨							南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸	
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 築	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
11.21	.10	—	—	—	—	—	—	—	0.041	0.025	0.595	2.294		0.580	3.753				
	.20	—	—	—	—	—	—	—	0.041	0.025	0.595	2.294		0.580	3.753				
	.30	—	—	—	—	—	—	—	0.041	0.025	0.595	2.294		0.580	3.753				
	.40	—	—	—	—	—	—	—	0.041	0.025	0.595	2.294		0.580	3.753				
	.50	—	—	—	—	—	—	—	0.041	0.025	0.595	2.294		0.580	3.753				
	.00	—	—	—	—	—	—	—	0.041	0.025	0.595	2.294		0.580	3.753		2.80		
	18-19	—	—	—	—	—	—	—	0.025			2.294			3.753				
	.10	—	—	—	—	—	—	—	0.041	0.025	0.595	2.294		0.580	3.753				
	.20	—	—	—	—	—	—	—	0.041	0.025	0.595	2.294		0.580	3.753				
	.30	—	—	—	—	—	—	—	0.041	0.025	0.595	2.294		0.580	3.753				
	.40	—	—	—	—	—	—	—	0.041	0.025	0.595	2.294		0.580	3.753				
	.50	—	—	—	—	—	—	—	0.041	0.025	0.595	2.294		0.580	3.753				
	.00	—	—	—	—	—	—	—	0.041	0.025	0.595	2.294		0.579	3.732		2.56		
	19-20	—	—	—	—	—	—	—	0.025			2.294			3.749				
	.10	—	—	—	—	—	—	—	0.041	0.025	0.595	2.294		0.579	3.732				
	.20	—	—	—	—	—	—	—	0.041	0.025	0.595	2.294		0.579	3.732				
	.30	—	—	—	—	—	—	—	0.041	0.025	0.595	2.294		0.579	3.732				
	.40	—	—	—	—	—	—	—	0.041	0.025	0.595	2.294		0.579	3.732				
	.50	—	—	—	—	—	—	—	0.040	0.024	0.595	2.294		0.579	3.732				
	.00	—	—	—	—	—	—	—	0.040	0.024	0.595	2.294		0.579	3.732		3.56		
	20-21	—	—	—	—	—	—	—	0.025			2.294			3.732				
	.10	—	—	—	—	—	—	—	0.040	0.024	0.595	2.294		0.579	3.732				
	.20	—	—	—	—	—	—	—	0.040	0.024	0.595	2.294		0.579	3.732				
	.30	—	—	—	—	—	—	—	0.040	0.024	0.595	2.294		0.579	3.732				
	.40	—	—	—	—	—	—	—	0.040	0.024	0.595	2.294		0.579	3.732				
	.50	—	—	—	—	—	—	—	0.040	0.024	0.595	2.294		0.579	3.732				
	.00	—	—	—	—	—	—	—	0.040	0.024	0.595	2.294		0.579	3.732		2.33		
	21-22	—	—	—	—	—	—	—	0.024			2.294			3.732				
	.10	—	—	—	—	—	—	—	0.040	0.024	0.595	2.294		0.579	3.732				
	.20	—	—	—	—	—	—	—	0.040	0.024	0.595	2.294		0.579	3.732				
	.30	—	—	—	—	—	—	—	0.040	0.024	0.595	2.294		0.579	3.732				
	.40	—	—	—	—	—	—	—	0.040	0.024	0.595	2.294		0.579	3.732				
	.50	—	—	—	—	—	—	—	0.040	0.024	0.595	2.294		0.579	3.732				
	.00	—	—	—	—	—	—	—	0.040	0.024	0.595	2.294		0.579	3.732		2.33		
	22-23	—	—	—	—	—	—	—	0.024			2.294			3.732				
	.10	—	—	—	—	—	—	—	0.040	0.024	0.595	2.294		0.578	3.711				
	.20	—	—	—	—	—	—	—	0.040	0.024	0.595	2.294		0.578	3.711				
	.30	—	—	—	—	—	—	—	0.040	0.024	0.595	2.294		0.578	3.711				
	.40	—	—	—	—	—	—	—	0.039	0.023	0.595	2.294		0.578	3.711				
	.50	—	—	—	—	—	—	—	0.039	0.023	0.595	2.294		0.578	3.711				
	.00	—	—	—	—	—	—	—	0.039	0.023	0.595	2.294		0.578	3.711		2.33		
	23-24	—	—	—	—	—	—	—	0.024			2.294			3.711				

1971 年 (昭和 46 年)

月・日	時・分	雨 量								南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸
		消水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 葉	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
8.30	.10			—	0.5	2.0	1.0		4.0			0.440	1.346		0.470	1.498			
	.20			—	1.0	—	—		1.0			0.440	1.346		0.470	1.498			
	.30			—	—	—	—		—			0.440	1.346		0.470	1.498			
	.40			—	—	—	—		—			0.440	1.346		0.470	1.498			
	.50			—	—	—	—		—			0.440	1.346		0.470	1.498			
	.00			—	0.5	—	—		—			0.440	1.346		0.470	1.498			
	18-19			—	2.0	2.0	1.0		5.0			0.440	1.346		0.470	1.498			
	.10			1.0	2.0	1.5	—		0.5			0.440	1.346		0.470	1.498			
	.20			0.5	—	0.5	1.0		1.0			0.440	1.346		0.470	1.498			
	.30			—	0.5	0.5	—		1.0			0.440	1.346		0.470	1.498			
	.40			0.5	—	0.5	—		0.5			0.440	1.346		0.470	1.498			
	.50			—	0.5	—	0.5		—			0.440	1.346		0.470	1.498			
	.00			0.5	1.0	0.5	0.5		0.5			0.440	1.346		0.470	1.498			
	19-20			2.5	4.0	3.5	2.0		3.5			0.440	1.346		0.470	1.498			
	.10			—	—	—	—		—			0.440	1.346		0.470	1.498			
	.20			—	—	—	—		—			0.440	1.346		0.470	1.498			
	.30			—	—	—	—		—			0.440	1.346		0.470	1.498			
	.40			—	—	—	—		—			0.440	1.346		0.470	1.498			
	.50			0.5	0.5	—	—		—			0.440	1.346		0.470	1.498			
	.00			—	0.5	0.5	—		0.5			0.440	1.346		0.470	1.498			
	20-21			0.5	1.0	0.5	—		0.5			0.440	1.346		0.470	1.498			
	.10			—	0.5	—	0.5		—			0.440	1.346		0.470	1.498			
	.20			0.5	—	0.5	—		—			0.440	1.346		0.470	1.498			
	.30			—	0.5	0.5	—		0.5			0.440	1.346		0.470	1.498			
	.40			—	0.5	—	—		0.5			0.440	1.346		0.470	1.498			
	.50			0.5	—	—	—		—			0.440	1.346		0.470	1.498			
	.00			—	—	0.5	0.5		0.5			0.440	1.346		0.470	1.498			
	21-22			1.5	1.0	2.0	2.0		1.5			0.440	1.346		0.470	1.498			
	.10			0.5	—	—	—		—			0.440	1.346		0.470	1.498			
	.20			—	—	—	—		—			0.440	1.346		0.470	1.498			
	.30			—	0.5	0.5	—		—			0.440	1.346		0.470	1.498			
	.40			—	0.5	—	—		0.5			0.440	1.346		0.470	1.498			
	.50			—	0.5	1.0	0.5		—			0.440	1.346		0.470	1.498			
	.00			0.5	1.0	2.5	2.0		2.0			0.440	1.346		0.470	1.498			
	22-23			1.0	2.5	4.0	2.5		2.5			0.440	1.346		0.470	1.498			
	.10			0.5	1.0	—	—		—			0.440	1.346		0.470	1.498			
	.20			—	0.5	0.5	0.5		0.5			0.440	1.346		0.470	1.498			
	.30			—	0.5	—	—		—			0.440	1.346		0.480	1.635			
	.40			0.5	0.5	—	—		—			0.440	1.346		0.480	1.635			
	.50			—	—	—	—		—			0.440	1.346		0.480	1.635			
	.00			—	—	—	—		—			0.440	1.346		0.470	1.498			
	23-24			1.0	2.5	0.5	0.5		0.5			0.440	1.346		0.470	1.498			

1971年(昭和46年)

月・日	時分	雨						南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 菜	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位
8.31	.10			—	—	—	—		0.5			0.440	1.346		0.470	1.498	
	.20			0.5	0.5	—	—		—			0.440	1.346		0.470	1.498	
	.30			—	—	—	0.5		—			0.440	1.346		0.470	1.498	
	.40			—	0.5	0.5	—		—			0.442	1.356		0.470	1.498	
	.50			1.0	0.5	1.0	1.5		1.0			0.445	1.372		0.470	1.498	
	.00			3.5	0.5	—	0.5		0.5			0.449	1.394		0.470	1.498	
	0~1			5.0	2.0	1.5	2.5		2.0			1.360	1.498				
	.10			0.5	1.0	0.5	0.5		0.5			0.450	1.399		0.470	1.498	
	.20			—	0.5	1.0	0.5		0.5			0.450	1.399		0.470	1.498	
	.30			0.5	0.5	0.5	0.5		0.5			0.452	1.410		0.470	1.498	
	.40			1.0	1.5	1.0	1.0		1.0			0.457	1.437		0.470	1.498	
	.50			2.0	0.5	1.0	1.0		1.0			0.460	1.454		0.480	1.635	
	.00			1.5	1.0	1.0	0.5		0.5			0.463	1.471		0.490	1.778	
	1~2			5.5	5.0	5.0	4.0		4.0			1.428	1.567				
	.10			1.5	1.0	0.5	0.5		0.5			0.467	1.493		0.500	1.928	
	.20			2.5	2.0	3.0	1.5		3.0			0.480	1.566		0.510	2.083	
	.30			1.0	2.0	1.5	1.5		1.5			0.499	1.677		0.520	2.245	
	.40			1.5	2.0	1.5	1.0		1.0			0.520	1.804		0.540	2.586	
	.50			1.5	1.0	1.5	0.5		1.0			0.537	1.910		0.570	3.142	
	.00			1.0	1.0	1.5	1.5		1.0			0.550	1.993		0.570	3.142	
	2~3			9.0	9.0	9.5	6.5		8.0			1.740	2.521				
	.10			1.0	2.0	1.5	2.0		1.5			0.556	2.032		0.570	3.142	
	.20			2.0	1.5	1.5	2.0		1.5			0.574	2.151		0.580	3.340	
	.30			2.0	1.5	1.5	2.0		1.0			0.589	2.253		0.600	3.753	
	.40			2.5	1.5	1.5	1.0		1.0			0.626	2.514		0.610	3.969	
	.50			2.5	1.5	1.0	1.0		1.0			0.650	2.691		0.620	4.190	
	.00			2.0	2.5	2.0	2.5		1.5			0.680	2.921		0.640	4.652	
	3~4			12.0	10.5	9.0	10.5		7.5			2.427	3.841				
	.10			3.5	2.5	3.0	2.0		2.0			0.710	3.161		0.660	5.137	
	.20			3.0	3.5	4.0	2.5		4.0			0.750	3.494		0.700	6.180	
	.30			2.0	2.0	1.0	1.5		1.0			0.790	3.845		0.750	7.620	
	.40			2.0	2.0	1.0	2.0		1.5			0.830	4.212		0.760	7.926	
	.50			1.5	0.5	—	1.5		1.5			0.868	4.577		0.750	7.620	
	.00			2.5	1.0	1.5	3.0		3.0			0.912	5.017		0.770	8.238	
	4~5			14.5	11.5	10.5	12.5		13.0			4.051	7.120				
	.10			2.5	4.0	3.5	2.0		2.5			1.030	6.300		0.820	9.889	
	.20			5.5	4.5	3.5	5.0		3.5			1.150	7.754		0.850	10.951	
	.30			4.0	4.0	5.0	4.0		5.0			1.260	9.218		0.950	14.885	
	.40			5.0	3.5	4.0	4.5		4.0			1.360	10.660		1.020	17.996	
	.50			5.0	4.5	4.0	7.5		6.0			1.480	12.528		1.160	25.105	
	.00			9.5	8.0	7.5	10.0		8.0			1.650	15.433		1.370	37.983	
	5~6			31.5	28.5	27.5	33.0		29.0			10.316	19.468				

1971年(昭和46年)

月・日	時・分	雨						南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸		
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 葉	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
8.31	.10			11.5	10.0	9.5	10.0		10.0			1.920	20.669		1.500	47.286			
	.20			12.5	12.0	13.0	11.0		14.0			1.900	20.255		1.700	63.585			
	.30			10.0	8.5	7.0	7.5		10.5			1.880	19.845		1.950	87.348			
	.40			5.5	4.0	4.0	6.5		7.0			1.850	19.238		2.100	103.413			
	.50			4.0	3.0	3.0	2.5		3.0			1.830	18.839		2.040	96.825			
	.00			4.0	2.5	2.5	3.0		3.5			1.810	18.444		2.010	93.612			
	6~7			47.5	40.0	39.0	40.0		48.0				19.548			82.012			
	.10			3.0	2.0	2.0	2.5		2.5			1.800	18.248		1.970	89.412			
	.20			3.0	2.0	2.0	2.0		2.0			1.790	18.053		1.950	87.348			
	.30			2.5	1.5	1.5	2.0		2.0			1.780	17.859		1.950	87.348			
	.40			3.0	3.5	3.5	3.0		4.0			1.760	17.474		1.950	87.348			
	.50			2.0	1.5	1.5	1.5		2.0			1.730	16.905		1.950	87.348			
	.00			1.0	1.5	1.5	1.0		1.0			1.700	16.345		1.950	87.348			
	7~8			14.5	12.0	12.0	12.0		13.5				17.481			87.692			
	.10			0.5	0.5	0.5	0.5		0.5			1.660	15.614		1.950	87.348			
	.20			1.0	1.0	1.0	1.0		0.5			1.620	14.899		1.900	82.295			
	.30			0.5	0.5	0.5	—		0.5			1.550	13.688		1.910	83.293			
	.40			—	—	—	—		—			1.500	12.854		1.860	78.360			
	.50			—	0.5	0.5	0.5		0.5			1.470	12.367		1.800	72.639			
	.00			1.0	—	—	1.0		0.5			1.430	11.732		1.750	68.037			
	8~9			3.0	2.5	2.5	3.0		2.5				13.526			78.662			
	.10			1.0	2.0	1.0	0.5		1.5			1.410	11.420		1.710	64.464			
	.20			—	—	0.5	0.5		—			1.380	10.961		1.670	60.987			
	.30			1.0	0.5	0.5	0.5		—			1.350	10.511		1.600	55.134			
	.40			—	—	0.5	1.0		1.0			1.325	10.144		1.560	51.922			
	.50			—	0.5	0.5	0.5		1.0			1.290	9.640		1.500	47.286			
	.00			0.5	2.5	3.0	2.5		3.5			1.270	9.358		1.440	42.865			
	9~10			2.5	5.5	6.0	5.5		7.0				10.339			53.776			
	.10			0.5	1.5	1.0	1.0		0.5			1.260	9.218		1.380	38.662			
	.20			1.0	1.5	2.0	1.5		4.0			1.245	9.011		1.340	35.980			
	.30			0.5	1.5	1.0	0.5		3.0			1.230	8.866		1.300	33.395			
	.40			1.0	1.0	1.0	1.0		1.0			1.215	8.604		1.260	30.906			
	.50			2.0	2.0	1.5	2.5		1.0			1.200	8.404		1.230	29.103			
	.00			3.5	3.5	4.0	3.0		3.0			1.185	8.206		1.250	30.299			
	10~11			8.5	11.0	10.5	9.5		12.5				8.708			33.058			
	.10			1.5	0.5	0.5	0.5		—			1.160	7.881		1.300	33.395			
	.20			—	0.5	—	—		—			1.142	7.652		1.250	30.299			
	.30			—	—	—	0.5		0.5			1.124	7.426		1.220	28.514			
	.40			—	—	0.5	—		—			1.106	7.203		1.190	26.782			
	.50			—	0.5	—	—		0.5			1.088	6.984		1.170	25.658			
	.00			0.5	—	—	0.5		—			1.070	6.768		1.160	25.105			
	11~12			2.0	1.5	1.0	1.5		1.0				7.319			28.292			

1971年(昭和46年)

月・日	時分	雨							南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 森	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量
8.31	.10			—	—	—	—	—			1.056	6.602		1.160	25.105			
	.20			—	—	—	—	—			1.036	6.369		1.160	25.105			
	.30			—	—	—	—	—			1.016	6.140		1.150	24.558			
	.40			—	—	—	—	—			0.998	5.938		1.150	24.558			
	.50			—	0.5	—	—	—			0.980	5.739		1.130	23.483			
	.00			—	—	0.5	—	—			0.962	5.543		1.130	23.483			
	12~13			—	0.5	0.5	—	—				6.055			24.382			
	.10			—	—	—	—	—			0.948	5.393		1.100	21.914			
	.20			—	—	—	—	—			0.930	5.204		1.085	21.150			
	.30			—	—	—	—	—			0.910	4.997		1.050	19.420			
	.40			—	—	—	—	—			0.892	4.815		1.010	17.534			
	.50			—	0.5	0.5	1.0	—	1.0		0.873	4.626		0.970	15.744			
	.00			—	0.5	1.0	—	—	—		0.855	4.450		0.930	14.050			
	13~14			—	1.0	1.5	1.0	—	1.0			4.914			13.302			
	.10			0.5	0.5	—	—	—	—		0.850	4.402		0.890	12.452			
	.20			—	0.5	0.5	1.0	—	1.0		0.844	4.345		0.850	10.951			
	.30			0.5	0.5	0.5	—	0.5	0.5		0.837	4.278		0.860	11.317			
	.40			0.5	—	0.5	1.0	—	—		0.831	4.222		0.860	11.317			
.50			0.5	0.5	0.5	0.5	—	0.5		0.822	4.137		0.860	11.317				
.00			0.5	0.5	0.5	1.0	—	1.0		0.819	4.109		0.860	11.317		32.460		
14~15			2.5	2.5	2.5	3.5	—	3.0			4.242			11.446				
.10			0.5	1.0	1.0	0.5	—	0.5		0.813	4.054		0.860	11.317				
.20			—	0.5	—	—	—	0.5		0.810	4.026		0.860	11.317				
.30			0.5	0.5	0.5	0.5	—	—		0.804	3.971		0.860	11.317				
.40			0.5	0.5	0.5	0.5	—	0.5		0.800	3.935		0.860	11.317				
.50			0.5	0.5	0.5	1.0	—	0.5		0.798	3.917		0.860	11.317				
.00			1.0	—	0.5	1.0	—	1.0		0.796	3.899		0.860	11.317		30.860		
15~16			3.0	3.0	3.0	3.5	—	3.0			3.967			11.317				
.10			1.0	1.0	1.0	1.0	—	1.0		0.796	3.899		0.860	11.317				
.20			0.5	0.5	0.5	—	—	0.5		0.796	3.899		0.860	11.317				
.30			—	0.5	0.5	0.5	—	0.5		0.798	3.917		0.850	10.951				
.40			0.5	0.5	—	0.5	—	—		0.798	3.917		0.850	10.951				
.50			0.5	0.5	0.5	0.5	—	0.5		0.800	3.935		0.850	10.951				
.00			—	—	0.5	0.5	—	0.5		0.800	3.935		0.850	10.951		31.690		
16~17			2.5	3.0	3.0	3.0	—	3.0			3.917			11.073				
.10			0.5	—	—	—	—	0.5		0.800	3.935		0.850	10.951				
.20			—	—	—	0.5	—	—		0.797	3.908		0.850	10.951				
.30			—	—	—	—	—	—		0.796	3.899		0.850	10.951				
.40			0.5	0.5	0.5	0.5	—	0.5		0.793	3.872		0.850	10.951				
.50			—	—	—	—	—	—		0.792	3.863		0.850	10.951				
.00			0.5	0.5	0.5	—	—	—		0.790	3.845		0.850	10.951		32.880		
17~18			1.5	1.0	1.0	1.0	—	1.0			3.887			10.951				

1971年(昭和46年)

月・日	時・分	雨							南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 葉	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	水位
8.31	.10			—	—	—	—	—	0.5			0.787	3.818		0.840	10.591		
	.20			—	—	—	—	—	—			0.780	3.756		0.840	10.591		
	.30			—	—	—	—	—	—			0.777	3.729		0.840	10.591		
	.40			0.5	0.5	0.5	—	—	—			0.771	3.676		0.840	10.591		
	.50			—	—	—	0.5	—	—			0.770	3.667		0.840	10.591		
	.00			—	0.5	0.5	—	—	0.5			0.770	3.667		0.840	10.591		
	18~19			0.5	1.0	1.0	1.0	—	1.0			3.719			0.840	10.591	30.790	
	.10			—	0.5	0.5	—	—	0.5			0.768	3.650		0.840	10.591		
	.20			0.5	—	—	0.5	—	0.5			0.760	3.580		0.840	10.591		
	.30			—	—	—	—	—	—			0.757	3.554		0.840	10.591		
	.40			—	0.5	0.5	0.5	—	—			0.751	3.503		0.840	10.591		
	.50			0.5	0.5	0.5	—	—	0.5			0.751	3.503		0.840	10.591		
	.00			—	1.0	1.0	0.5	—	0.5			0.748	3.477		0.840	10.591		
	19~20			1.0	2.5	2.5	1.5	—	2.0			3.545			0.840	10.591	30.130	
	.10			0.5	0.5	0.5	0.5	—	1.0			0.747	3.469		0.840	10.591		
	.20			0.5	0.5	0.5	1.0	—	0.5			0.742	3.426		0.840	10.591		
	.30			0.5	—	0.5	1.0	—	1.0			0.740	3.409		0.840	10.591		
	.40			0.5	0.5	0.5	0.5	—	—			0.732	3.342		0.840	10.591		
	.50			0.5	—	—	0.5	—	0.5			0.732	3.342		0.840	10.591		
	.00			—	1.0	0.5	—	—	—			0.732	3.342		0.840	10.591		
	20~21			2.5	2.5	2.5	3.5	—	3.0			3.388			0.840	10.591	27.460	
	.10			—	—	—	0.5	—	0.5			0.732	3.342		0.840	10.591		
	.20			0.5	0.5	0.5	—	—	—			0.732	3.342		0.840	10.591		
	.30			—	—	—	0.5	—	0.5			0.730	3.325		0.840	10.591		
	.40			0.5	0.5	0.5	—	—	0.5			0.729	3.317		0.840	10.591		
	.50			—	0.5	0.5	0.5	—	0.5			0.729	3.317		0.840	10.591		
	.00			0.5	—	—	0.5	—	0.5			0.724	3.275		0.840	10.591		
	21~22			1.5	1.5	1.5	2.0	—	2.5			3.320			0.840	10.591		
	.10			—	0.5	0.5	—	—	—			0.724	3.275		0.840	10.591		
	.20			—	—	—	0.5	—	0.5			0.724	3.275		0.840	10.591		
	.30			0.5	—	0.5	—	—	—			0.720	3.242		0.840	10.591		
	.40			—	—	—	0.5	—	—			0.720	3.242		0.840	10.591		
	.50			—	1.0	1.0	—	—	0.5			0.720	3.242		0.840	10.591		
	.00			0.5	0.5	0.5	0.5	—	0.5			0.720	3.242		0.840	10.591		
	22~23			1.0	2.0	2.5	1.5	—	1.5			3.253			0.840	10.591		
	.10			—	—	—	0.5	—	0.5			0.719	3.234		0.840	10.591		
	.20			0.5	0.5	0.5	—	—	0.5			0.718	3.226		0.840	10.591		
	.30			—	—	—	0.5	—	—			0.716	3.210		0.840	10.591		
	.40			—	0.5	0.5	—	—	—			0.715	3.201		0.840	10.591		
	.50			—	—	—	—	—	0.5			0.711	3.169		0.840	10.591		
	.00			—	—	—	—	—	—			0.711	3.169		0.840	10.591		
	23~24			0.5	1.0	1.0	1.0	—	1.5			3.201			0.840	10.591		

1971年(昭和46年)

月・日	時分	雨						南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 葉	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位
9. 1	.10			—	—	—	—	—	—			0.706	3.128		0.840	10.591	
	.20			—	—	—	—	—	—			0.706	3.128		0.840	10.591	
	.30			—	—	—	—	—	—			0.701	3.088		0.840	10.591	
	.40			—	—	—	0.5	—	—			0.700	3.080		0.840	10.591	
	.50			—	—	—	—	—	—			0.692	3.016		0.840	10.591	
	.00			—	—	—	—	—	—			0.691	3.008		0.840	10.591	
	0 ~ 1			—	—	—	0.5	—	—				3.075			10.591	
	.10			—	—	—	—	—	—			0.690	3.000		0.840	10.591	
	.20			—	—	—	—	—	—			0.682	2.937		0.840	10.591	
	.30			—	—	—	—	—	—			0.681	2.929		0.840	10.591	
	.40			—	—	—	—	—	—			0.680	2.921		0.840	10.591	
	.50			—	—	—	—	—	—			0.678	2.906		0.840	10.591	
	.00			—	—	—	—	—	—			0.677	2.898		0.840	10.591	
	1 ~ 2			—	—	—	—	—	—				2.932			10.591	
	.10			—	—	—	—	—	—			0.676	2.890		0.840	10.591	
	.20			—	—	—	—	—	—			0.675	2.882		0.840	10.591	
	.30			—	—	—	—	—	—			0.674	2.874		0.840	10.591	
	.40			—	—	—	—	—	—			0.674	2.874		0.840	10.591	
	.50			—	—	—	—	—	—			0.673	2.867		0.840	10.591	
	.00			—	—	—	—	—	—			0.672	2.859		0.840	10.591	
	2 ~ 3			—	—	—	—	—	—				2.874			10.591	
	.10			—	—	—	—	—	—			0.671	2.851		0.840	10.591	
	.20			—	—	—	—	—	—			0.670	2.843		0.840	10.591	
	.30			—	—	—	—	—	—			0.670	2.843		0.840	10.591	
	.40			—	—	—	—	—	—			0.670	2.843		0.840	10.591	
	.50			—	—	—	—	—	—			0.670	2.843		0.840	10.591	
	.00			—	—	—	—	—	—			0.669	2.836		0.840	10.591	
	3 ~ 4			—	—	—	—	—	—				2.843			10.591	
	.10			—	—	—	—	—	—			0.669	2.836		0.840	10.591	
	.20			—	—	—	—	—	—			0.669	2.836		0.840	10.591	
	.30			—	—	—	—	—	—			0.668	2.828		0.840	10.591	
	.40			—	—	—	—	—	—			0.668	2.828		0.840	10.591	
	.50			—	—	—	—	—	—			0.668	2.828		0.840	10.591	
	.00			—	—	—	—	—	—			0.667	2.820		0.840	10.591	
	4 ~ 5			—	—	—	—	—	—				2.829			10.591	
	.10			—	—	—	—	—	—			0.666	2.813		0.840	10.591	
	.20			—	—	—	—	—	—			0.664	2.797		0.840	10.591	
	.30			—	—	—	—	—	—			0.664	2.797		0.840	10.591	
	.40			—	—	—	—	—	—			0.663	2.790		0.840	10.591	
	.50			—	—	—	—	—	—			0.663	2.790		0.840	10.591	
	.00			—	—	—	—	—	—			0.662	2.782		0.840	10.591	
	5 ~ 6			—	—	—	—	—	—				2.795			10.591	

1971年(昭和46年)

月・日	時・分	雨							南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸	
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 葉	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
9. 1	.10			—	—	—	—	—	—			0.662	2.782		0.840	10.591			
	.20			—	—	—	—	—	—			0.661	2.774		0.840	10.591			
	.30			—	—	—	—	—	—			0.661	2.774		0.840	10.591			
	.40			—	—	—	—	—	—			0.660	2.767		0.840	10.591			
	.50			—	—	—	—	—	—			0.660	2.767		0.840	10.591			
	.00			—	—	—	—	—	—			0.660	2.767		0.840	10.591			
	6~7			—	—	—	—	—	—				2.772			10.591			
	.10			—	—	—	—	—	—			0.653	2.714		0.840	10.591			
	.20			—	—	—	—	—	—			0.652	2.706		0.840	10.591			
	.30			—	—	—	—	—	—			0.651	2.699		0.840	10.591			
	.40			—	—	—	—	—	—			0.651	2.699		0.840	10.591			
	.50			—	—	—	—	—	—			0.650	2.691		0.840	10.591			
	.00			—	—	—	—	—	—			0.650	2.691		0.840	10.591			
	7~8			—	—	—	—	—	—				2.700			10.591			
	.10			—	—	—	—	—	—			0.650	2.691		0.840	10.591			
	.20			—	—	—	—	—	—			0.650	2.691		0.840	10.591			
	.30			—	—	—	—	—	—			0.650	2.691		0.840	10.591			
	.40			—	—	—	—	—	—			0.650	2.691		0.840	10.591			
	.50			—	—	—	—	—	—			0.650	2.691		0.840	10.591			
	.00			—	—	—	—	—	—			0.650	2.691		0.840	10.591			
	8~9			—	—	—	—	—	—				2.691			10.591			
	.10			—	—	—	—	—	—			0.650	2.691		0.840	10.591			
	.20			—	—	—	—	—	—			0.650	2.691		0.840	10.591			
	.30			—	—	—	—	—	—			0.650	2.691		0.840	10.591			
	.40			—	—	—	—	—	—			0.649	2.684		0.840	10.591			
	.50			—	—	—	—	—	—			0.649	2.684		0.840	10.591			
	.00			—	—	—	—	—	—			0.648	2.676		0.840	10.591			
	9~10			—	—	—	—	—	—				2.686			10.591			
	.10			—	—	—	—	—	—			0.648	2.676		0.840	10.591			
	.20			—	—	—	—	—	—			0.647	2.669		0.840	10.591			
	.30			—	—	—	—	—	—			0.646	2.661		0.840	10.591			
	.40			—	—	—	—	—	—			0.645	2.654		0.840	10.591			
	.50			—	—	—	—	—	—			0.645	2.654		0.840	10.591			
	.00			—	—	—	—	—	—			0.644	2.646		0.840	10.591			
	10~11			—	—	—	—	—	—				2.660			10.591			
	.10			—	—	—	—	—	—			0.644	2.646		0.840	10.591			
	.20			—	—	—	—	—	—			0.643	2.639		0.840	10.591			
	.30			—	—	—	—	—	—			0.643	2.639		0.840	10.591			
	.40			—	—	—	—	—	—			0.643	2.639		0.840	10.591			
	.50			—	—	—	—	—	—			0.642	2.632		0.840	10.591			
	.00			—	—	—	—	—	—			0.642	2.632		0.840	10.591			
	11~12			—	—	—	—	—	—				2.638			10.591			

1971年(昭和46年)

1971年(昭和46年)																				
月・日	時分	雨 量							南大沢		大栗川橋		常盤橋	明 神 橋		報恩橋		関戸		
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 葉	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位	
9. 1	.10			—	—	—	—	—				0.641	2.624		0.840	10.591				
	.20			—	—	—	—	—				0.641	2.624		0.840	10.591				
	.30			—	—	—	—	—				0.640	2.617		0.840	10.591				
	.40			—	—	—	—	—				0.640	2.617		0.840	10.591				
	.50			—	—	—	—	—				0.640	2.617		0.840	10.591				
	.00			—	—	—	—	—				0.640	2.617		0.840	10.591				
	12~13			—	—	—	—	—					2.619			10.591				
	.10			—	—	—	—	—				0.640	2.617		0.840	10.591				
	.20			—	—	—	—	—				0.640	2.617		0.840	10.591				
	.30			—	—	—	—	—				0.640	2.617		0.840	10.591				
	.40			—	—	—	—	—				0.640	2.617		0.840	10.591				
	.50			—	—	—	—	—				0.639	2.609		0.840	10.591				
	.00			—	—	—	—	—				0.639	2.609		0.840	10.591				
	13~14			—	—	—	—	—	—					2.614			10.591			
	.10			—	—	—	—	—	—				0.639	2.609		0.840	10.591			
	.20			—	—	—	—	—	—				0.638	2.602		0.840	10.591			
	.30			—	—	—	—	—	0.5				0.638	2.602		0.840	10.591			
	.40			—	—	—	—	—	—				0.638	2.602		0.840	10.591			
	.50			—	—	—	—	—	—				0.637	2.595		0.840	10.591			
	.00			—	—	—	—	—	—				0.637	2.595		0.840	10.591			
	14~15			—	—	—	—	—	0.5					2.601			10.591			
	.10			—	—	—	—	—	—											
	.20			—	—	—	—	—	—											
	.30			—	—	—	—	—	—											
	.40			—	—	—	—	—	—											
	.50			—	—	—	—	—	—											
	.00			—	—	—	—	—	—											
	15~16			—	—	—	—	—	—											
	.10			—	—	—	—	—	—											
	.20			—	—	—	—	—	—											
	.30			—	—	—	—	—	—											
	.40			—	—	—	—	—	—											
	.50			—	—	—	—	—	—											
	.00			—	—	—	—	—	—											
	16~17			—	—	—	—	—	—											
	.10			—	—	—	—	—	—											
	.20			—	—	—	—	—	—											
	.30			—	—	—	—	—	—											
	.40			—	—	—	—	—	—											
	.50			—	—	—	—	—	—											
	.00			—	—	—	—	—	—											
	17~18			—	—	—	—	—	—											

1971年(昭和46年)

1971年(昭和46年)		雨 量							南 大 沢		大 栗 川 橋		常 盤 橋	明 神 橋		報 恩 橋		関 戸	
月・日	時・分	清水 入谷戸	南 大 沢	別 所	大栗 川橋	明神 橋	青木 塞	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
9. 6	.10			—			—												
	.20			—			—												
	.30			—			—												
	.40			—			—												
	.50			—			—												
	.00			—			—												
	0 ~ 1			—			—												
	.10			—			—												
	.20			—			—												
	.30			—			—												
	.40			—			—												
	.50			—			—												
	.00			—			—												
	1 ~ 2			—			—												
	.10			—			—												
	.20			—			—												
	.30			—			—												
	.40			—			—	0.5											
	.50			0.5			—												
	.00			—			—	1.5											
	2 ~ 3			0.5			—	2.0											
	.10			1.0			—	2.0											
	.20			1.0			—	4.5											
	.30			2.5			—	0.5											
	.40			—			—	—											
	.50			—			—	—											
	.00			—			—	—											
	3 ~ 4			4.5			—	7.0											
	.10			—			—	0.5											
	.20			—			—	—											
	.30			—			—	—											
	.40			—			—	—											
	.50			—			—	—											
	.00			0.5			—	—											
	4 ~ 5			0.5			—	0.5											
	.10			0.5			—	0.5											
	.20			—			—	—											
	.30			—			—	—											
	.40			—			—	—											
	.50			—			—	—											
	.00			—			—	—											
	5 ~ 6			0.5			—	0.5											

1971年(昭和46年)

月・日	時・分	雨		量						南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 菜	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
9. 6	.10			—			—												
	.20			—			—												
	.30			—			—												
	.40			—			—												
	.50			—			—												
	.00			—			—												
	6~7			—			—												
	.10			—			—												
	.20			—			—												
	.30			—			—												
	.40			—			0.5												
	.50			—			—												
	.00			—			—												
	7~8			—			0.5												
	.10			—			—												
	.20			—			—												
	.30			—			—												
	.40			0.5			—												
	.50			—			—												
	.00			—			0.5												
	8~9			0.5			0.5												
	.10			0.5			0.5												
	.20			0.5			—												
	.30			0.5			—												
	.40			—			—												
	.50			—			—												
	.00			0.5			—												
	9~10			2.0			0.5												
	.10			0.5		—	0.5					0.470	1.510	0.000	0.454	1.291			
	.20			0.5		—	—					0.470	1.510	0.000	0.455	1.303			
	.30			0.5		0.5	0.5					0.470	1.510	0.000	0.455	1.303			
	.40			0.5		—	—					0.470	1.510	0.000	0.455	1.303			
	.50			—		—	0.5					0.470	1.510	0.000	0.455	1.303			
	.00			—		—	—					0.470	1.510	0.000	0.456	1.316			
	10~11			2.0		0.5	1.5						1.510	0.000	0.456	1.303			
	.10			—		—	—					0.470	1.510	0.000	0.457	1.328			
	.20			—		0.5	—					0.470	1.510	0.000	0.458	1.341			
	.30			—		—	—					0.470	1.510	0.000	0.459	1.354			
	.40			—		—	—					0.470	1.510	0.000	0.460	1.366			
	.50			0.5		—	—					0.470	1.510	0.000	0.462	1.392			
	.00			—		—	—					0.470	1.510	0.000	0.462	1.392			
	11~12			0.5		0.5	—						1.510	0.000		1.362			

1971年(昭和46年)

月・日	時・分	雨							南大沢		大栗川橋		常盤橋	明神橋		岩尾橋		関戸		
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 葉	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位	
9. 6	.10			—		—	—					0.470	1.510	0.000	0.461	1.379				
	.20			—		—	—					0.470	1.510	0.000	0.460	1.366				
	.30			—		—	—					0.470	1.510	0.000	0.460	1.366				
	.40			—		—	—					0.470	1.510	0.000	0.461	1.379				
	.50			—		—	—					0.470	1.510	0.000	0.464	1.418				
	.00			—		—	—					0.470	1.510	0.000	0.468	1.471				
	12~13			—		—	—					1.510	1.510			1.397				
	.10			—		—	—					0.470	1.510	0.000	0.469	1.484				
	.20			—		—	—					0.470	1.510	0.000	0.471	1.511				
	.30			—		—	—					0.470	1.510	0.000	0.476	1.579				
	.40			—		—	—					0.470	1.510	0.000	0.479	1.621				
	.50			—		—	—					0.470	1.510	0.000	0.482	1.663				
	.00			—		—	—					0.470	1.510	0.000	0.486	1.720				
	13~14				—		—	—					1.510	1.510			1.597			
	.10				—		—	—					0.470	1.510	0.000	0.487	1.735			
	.20				—		—	—					0.470	1.510	0.000	0.489	1.764			
	.30				—		—	—					0.470	1.510	0.000	0.488	1.749			
	.40				—		—	—					0.470	1.510	0.000	0.488	1.749			
	.50				—		—	—					0.470	1.510	0.000	0.487	1.735			
	.00				—		—	—					0.470	1.510	0.000	0.485	1.706			
	14~15				—		—	—					1.510	1.510			1.740			
	.10				—		—	—					0.470	1.510	0.000	0.483	1.677			
	.20				—		—	—					0.470	1.510	0.000	0.481	1.649			
	.30				—		—	—					0.470	1.510	0.000	0.480	1.635			
	.40				—		—	—					0.470	1.510	0.000	0.480	1.635			
	.50				—		0.5	—					0.470	1.510	0.000	0.477	1.593			
	.00				—		—	—					0.470	1.510	0.000	0.475	1.566			
	15~16				—		0.5	—					1.510	1.510			1.626			
	.10				—		—	—					0.470	1.510	0.000	0.473	1.538			
	.20				—		—	—					0.470	1.510	0.000	0.470	1.498			
	.30				—		—	—					0.470	1.510	0.000	0.470	1.498			
	.40				—		—	—					0.470	1.510	0.000	0.468	1.471			
	.50				—		—	—					0.470	1.510	0.000	0.466	1.444			
	.00				—		—	—					0.470	1.510	0.000	0.464	1.418			
	16~17				—		—	—					1.510	1.510			1.478			
	.10				—		—	—					0.470	1.510	0.000	0.463	1.405			
	.20				—		—	—					0.470	1.510	0.000	0.462	1.392			
	.30				—		—	—					0.470	1.510	0.000	0.462	1.392			
	.40				—		—	—					0.470	1.510	0.000	0.460	1.366			
	.50				—		—	—					0.470	1.510	0.000	0.458	1.341			
	.00				—		—	—					0.470	1.510	0.000	0.454	1.291			
	17~18				—		—	—					1.510	1.510			1.365			

1971年(昭和46年)

月・日		時分	雨							南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸	
			清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 葉	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
9. 6	.10				—	—	—	—	—	—			0.473	1.527	0.000	0.452	1.266			
	.20				—	—	—	—	—	—			0.472	1.521	0.000	0.452	1.266			
	.30				—	—	—	—	—	—			0.471	1.515	0.000	0.450	1.241			
	.40				—	—	—	—	—	—			0.471	1.515	0.000	0.450	1.241			
	.50				—	—	—	—	—	—			0.471	1.515	0.000	0.450	1.241			
	.00				—	—	—	—	—	—			0.470	1.510	0.000	0.450	1.241			
	18~19				—	—	—	—	—	—			1.517	1.249						
	.10				—	—	—	—	—	—			0.470	1.510	0.000	0.450	1.241			
	.20				—	—	—	—	—	—			0.470	1.510	0.000	0.450	1.241			
	.30				—	—	—	—	—	—			0.470	1.510	0.000	0.449	1.229			
	.40				—	—	—	—	—	—			0.470	1.510	0.000	0.448	1.217			
	.50				—	—	—	—	—	—			0.470	1.510	0.000	0.448	1.217			
	.00					—	—	—	—	—			0.468	1.498	0.000	0.448	1.217			
	19-20					—	—	—	—	—			1.508	1.227						
	.10					—	—	—	—	—			0.468	1.498	0.000	0.448	1.217			
	.20					—	—	—	—	—			0.468	1.498	0.000	0.447	1.205			
	.30					—	—	—	—	—			0.468	1.498	0.000	0.446	1.193			
	.40					—	—	—	0.5	—			0.468	1.498	0.000	0.445	1.181			
	.50					1.0	—	3.0	—	—			0.468	1.498	0.000	0.444	1.169			
	.00					2.0	—	2.0	2.0	—			0.468	1.498	0.000	0.448	1.217			
	20-21					3.0	—	2.0	5.5	—			1.498	1.197						
	.10					1.0	—	1.5	1.0	—			0.470	1.510	0.000	0.451	1.253			
	.20					1.0	—	1.5	0.5	—			0.471	1.515	0.000	0.458	1.341			
	.30					0.5	—	1.0	0.5	—			0.478	1.555	0.000	0.507	2.036			
	.40					0.5	—	—	—	—			0.481	1.572	0.000	0.531	2.429			
	.50					—	—	—	—	—			0.485	1.595	0.000	0.554	2.839			
	.00					—	—	—	—	—			0.487	1.607	0.000	0.550	2.765			
	21-22					3.0	—	4.0	2.0	—			1.559	2.111						
	.10					—	—	—	—	—			0.492	1.636	0.000	0.540	2.586			
	.20					—	—	—	—	—			0.499	1.677	0.000	0.531	2.429			
	.30					0.5	—	0.5	0.5	—			0.503	1.701	0.000	0.520	2.245			
	.40					0.5	—	—	2.5	—			0.505	1.713	0.000	0.512	2.115			
	.50					0.5	—	2.5	1.5	—			0.508	1.731	0.000	0.510	2.083			
	.00					0.5	—	0.5	0.5	—			0.511	1.749	0.000	0.510	2.083			
	22-23					2.0	—	3.5	5.0	—			1.701	2.257						
	.10					—	—	0.5	—	—			0.515	1.773	0.000	0.521	2.261			
	.20					0.5	—	—	1.5	—			0.519	1.798	0.000	0.553	2.820			
	.30					2.0	—	1.0	0.5	—			0.522	1.816	0.000	0.573	3.201			
	.40					1.0	—	1.0	—	—			0.525	1.835	0.000	0.574	3.220			
	.50					—	—	—	0.5	—			0.528	1.853	0.000	0.587	3.482			
	.00					0.5	—	0.5	0.5	—			0.530	1.866	0.000	0.600	3.753			
	23-24					4.0	—	3.0	3.0	—			1.823	3.123						

1971年(昭和46年)

月・日	時・分	雨 量							南大沢		大栗川橋		常盤橋	明 神 橋		報恩橋		関戸	
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 葉	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
9. 7	.10			—		0.5	1.0					0.532	1.878	0.000	0.612	4.012			
	.20			1.0		0.5	0.5					0.529	1.860	0.000	0.609	3.947			
	.30			0.5		0.5	0.5					0.528	1.853	0.000	0.608	3.925			
	.40			—		0.5	—					0.529	1.860	0.000	0.609	3.947			
	.50			1.0		—	1.0					0.533	1.885	0.000	0.613	4.034			
	.00			1.0		1.5	1.5					0.536	1.903	0.000	0.616	4.101			
	0 ~ 1			3.5		3.5	4.5					—	1.873	—	—	3.994			
	.10			1.0		1.5	1.0					0.539	1.922	0.000	0.619	4.168			
	.20			1.5		1.5	1.0					0.558	2.045	0.000	0.638	4.604			
	.30			0.5		0.5	1.5					0.562	2.071	0.000	0.642	4.699			
	.40			1.5		0.5	3.0					0.579	2.185	0.000	0.659	5.112			
	.50			1.0		2.0	1.5					0.578	2.178	0.000	0.658	5.088			
	.00			3.0		1.0	2.0					0.588	2.246	0.000	0.668	5.338			
	1 ~ 2			8.5		7.0	10.0					—	2.108	—	—	4.835			
	.10			1.5		2.0	1.0					0.660	2.767	0.000	0.740	7.320			
	.20			—		0.5	—					0.662	2.782	0.000	0.742	7.380			
	.30			0.5		—	—					0.673	2.867	0.000	0.733	7.114			
	.40			0.5		1.0	0.5					0.638	2.602	0.000	0.718	6.681			
	.50			0.5		—	0.5					0.646	2.661	0.000	0.726	6.910			
	.00			0.5		0.5	—					0.637	2.595	0.000	0.717	6.653			
	2 ~ 3			3.5		4.0	2.0					—	2.712	—	—	7.010			
	.10			—		—	0.5					0.621	2.478	0.000	0.701	6.208			
	.20			0.5		0.5	0.5					0.619	2.464	0.000	0.699	6.153			
	.30			1.0		0.5	1.5					0.619	2.464	0.000	0.699	6.153			
	.40			0.5		1.0	1.0					0.623	2.492	0.000	0.703	6.263			
	.50			0.5		1.0	0.5					0.631	2.551	0.000	0.711	6.484			
	.00			—		—	—					0.637	2.595	0.000	0.717	6.653			
	3 ~ 4			2.5		3.0	4.0					—	2.507	—	—	6.319			
	.10			—		—	—					0.635	2.580	0.000	0.715	6.597			
	.20			—		0.5	—					0.629	2.536	0.000	0.709	6.429			
	.30			—		—	0.5					0.618	2.456	0.000	0.698	6.126			
	.40			0.5		—	—					0.606	2.371	0.000	0.686	5.804			
	.50			—		0.5	—					0.592	2.273	0.000	0.672	5.440			
	.00			—		—	—					0.590	2.260	0.000	0.670	5.389			
	4 ~ 5			0.5		1.0	0.5					—	2.413	—	—	5.964			
	.10			0.5		—	—					0.588	2.246	0.000	0.668	5.338			
	.20			—		—	0.5					0.582	2.205	0.000	0.662	5.187			
	.30			—		0.5	—					0.577	2.171	0.000	0.657	5.063			
	.40			1.0		—	0.5					0.573	2.144	0.000	0.653	4.965			
	.50			0.5		0.5	—					0.571	2.131	0.000	0.651	4.916			
	.00			—		—	—					0.571	2.131	0.000	0.651	4.916			
	5 ~ 6			2.0		1.0	1.0					—	2.171	—	—	5.064			

1971年(昭和46年)

月・日		時分	雨							南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸	
			清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 葉	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
9. 7	.10				0.5	—	—	0.5					0.573	2.144	0.000	0.653	4.965			
	.20				0.5	—	0.5	—					0.572	2.138	0.000	0.652	4.940			
	.30				0.5	—	—	0.5					0.570	2.124	0.000	0.650	4.891			
	.40				4.0	—	0.5	7.0					0.572	2.138	0.000	0.652	4.940			
	.50				1.5	—	6.0	1.0					0.620	2.471	0.000	0.700	6.180			
	.00				—	—	2.5	—					0.731	3.334	0.000	0.811	9.580			
	6~7				7.0	—	9.5	9.0					—	2.391	—	—	5.916			
	.10				—	—	—	—					0.738	3.392	0.000	0.818	9.820			
	.20				—	—	—	—					0.725	3.284	0.000	0.801	9.244			
	.30				0.5	—	—	—					0.740	3.409	0.000	0.790	8.880			
	.40				—	—	0.5	—					0.756	3.546	0.000	0.775	8.396			
	.50				—	—	—	—					0.770	3.667	0.000	0.752	7.681			
	.00				—	—	—	—					0.774	3.703	0.000	0.731	7.055			
	7~8				0.5	—	0.5	—					—	3.500	—	—	8.513			
	.10				—	—	—	—					0.774	3.703	0.000	0.733	7.114			
	.20				—	—	—	0.5					0.774	3.703	0.000	0.746	7.499			
	.30				—	—	—	—					0.770	3.667	0.000	0.755	7.772			
	.40				—	—	—	—					0.763	3.606	0.000	0.760	7.926			
	.50				—	—	—	—					0.750	3.494	0.000	0.762	7.988			
	.00				—	—	—	—					0.740	3.409	0.000	0.760	7.926			
	8~9				—	—	—	0.5					—	3.597	—	—	7.704			
	.10				—	—	—	—					0.730	3.325	0.000	0.755	7.772			
	.20				—	—	—	—					0.721	3.251	0.000	0.742	7.380			
	.30				—	—	—	—					0.717	3.218	0.000	0.737	7.231			
	.40				—	—	—	—					0.710	3.161	0.000	0.730	7.026			
	.50				—	—	—	—					0.702	3.096	0.000	0.721	6.767			
	.00				—	—	—	—					0.693	3.024	0.000	0.712	6.512			
	9~10				—	—	—	—					—	3.179	—	—	7.115			
	.10				—	—	—	—					0.690	3.000	0.000	0.701	6.208			
	.20				—	—	—	—					0.683	2.945	0.000	0.694	6.018			
	.30				—	—	—	—					0.680	2.921	0.000	0.685	5.778			
	.40				—	—	—	—	0.5				0.675	2.882	0.000	0.677	5.569			
	.50				—	—	0.5	—	—				0.670	2.843	0.000	0.671	5.414			
	.00				—	—	—	—	—				0.665	2.805	0.000	0.668	5.338			
	10~11				—	—	0.5	0.5	—				—	2.899	—	—	5.721			
	.10				—	—	—	—	—				0.660	2.767	0.000	0.660	5.137			
	.20				—	—	—	—	—				0.656	2.736	0.000	0.655	5.014			
	.30				—	—	—	—	—				0.655	2.729	0.000	0.651	4.916			
	.40				—	—	—	—	0.5				0.647	2.669	0.000	0.650	4.891			
	.50				0.5	—	—	—	—				0.647	2.669	0.000	0.648	4.843			
	.00				—	—	0.5	—	—				0.647	2.669	0.000	0.641	4.675			
	11~12				0.5	—	0.5	0.5	—				—	2.706	—	—	4.913			

1971年(昭和46年)

月・日	時・分	雨 量							南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸		
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 葉	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位	
9. 7	.10			—		—	—					0.650	2.691	0.000	0.638	4.604				
	.20			—		—	—					0.650	2.691	0.000	0.635	4.534				
	.30			—		—	0.5					0.649	2.684	0.000	0.633	4.487				
	.40			—		—	0.5					0.647	2.669	0.000	0.630	4.418				
	.50			—		—	0.5					0.645	2.654	0.000	0.629	4.395				
	.00			0.5		—	—					0.643	2.639	0.000	0.626	4.326				
	12-13			0.5		0.5	1.0					2.671			4.461					
	.10			—		—	—					0.642	2.632	0.000	0.622	4.235				
	.20			—		—	—					0.641	2.624	0.000	0.620	4.190				
	.30			—		—	—					0.640	2.617	0.000	0.619	4.168				
	.40			—		—	—					0.639	2.609	0.000	0.618	4.145				
	.50			—		—	—					0.636	2.587	0.000	0.615	4.079				
	.00			—		—	—					0.630	2.543	0.000	0.613	4.034				
	13-14				—		—	—					2.602			4.142				
	.10				—		—	—					0.629	2.536	0.000	0.610	3.969			
	.20				—		—	—					0.628	2.529	0.000	0.610	3.969			
	.30				—		—	—					0.625	2.507	0.000	0.609	3.947			
	.40				—		—	—					0.622	2.485	0.000	0.611	3.991			
	.50				—		—	—					0.621	2.478	0.000	0.610	3.969			
	.00				—		—	—					0.620	2.471	0.000	0.602	3.796			
	14-15				—		—	—					2.501			3.940				
	.10				—		—	—					0.617	2.449	0.000	0.600	3.753			
	.20				—		—	—					0.615	2.435	0.000	0.600	3.753			
	.30				—		—	—					0.614	2.428	0.000	0.600	3.753			
	.40				—		—	—					0.611	2.406	0.000	0.597	3.689			
	.50				—		—	—					0.611	2.406	0.000	0.595	3.647			
	.00				—		—	—					0.610	2.399	0.000	0.594	3.626			
	15-16				—		—	—					2.421			3.704				
	.10				—		—	—					0.609	2.392	0.000	0.590	3.543			
	.20				—		—	—					0.608	2.385	0.000	0.585	3.441			
	.30				—		—	—					0.606	2.371	0.000	0.583	3.400			
	.40				—		—	—					0.604	2.357	0.000	0.580	3.340			
	.50				—		—	—					0.603	2.350	0.000	0.580	3.340			
	.00				—		—	—					0.601	2.336	0.000	0.578	3.300			
	16-17				—		—	—					2.365			3.394				
	.10				—		0.5	—					0.600	2.329	0.000	0.572	3.181			
	.20				0.5		—	0.5					0.600	2.329	0.000	0.570	3.142			
	.30				0.5		0.5	0.5					0.600	2.329	0.000	0.570	3.142			
	.40				1.0		0.5	1.0					0.600	2.329	0.000	0.567	3.084			
	.50				0.5		1.0	0.5					0.600	2.329	0.000	0.589	3.523			
	.00				1.0		0.5	1.0					0.601	2.336	0.000	0.588	3.502			
	17-18				3.5		2.5	4.0					2.330			3.262				

1971年(昭和46年)

月・日	時分	雨						南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 養	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位
9. 7	.10			0.5		1.0	1.0					0.603	2.350	0.000	0.600	3.753	
	.20			1.0		1.0	1.0					0.610	2.399	0.000	0.610	3.969	
	.30			1.5		1.5	3.0					0.617	2.449	0.000	0.630	4.418	
	.40			2.0		2.5	2.5					0.629	2.536	0.000	0.643	4.723	
	.50			2.0		2.5	2.0					0.640	2.617	0.000	0.708	6.401	
	.00			2.0		2.0	2.0					0.655	2.729	0.000	0.769	8.207	
	18-19			9.0		1.05	1.5						2.513			5.245	
	.10			1.5		1.5	1.5					0.680	2.921	0.000	0.792	8.946	
	.20			1.5		2.0	1.0					0.711	3.169	0.000	0.810	9.546	
	.30			0.5		0.5	1.0					0.741	3.418	0.000	0.823	9.992	
	.40			1.5		1.0	1.5					0.770	3.667	0.000	0.833	10.342	
	.50			1.0		1.5	1.0					0.799	3.926	0.000	0.849	10.915	
	.00			0.5		1.0	0.5					0.815	4.072	0.000	0.868	11.615	
	19-20			6.5		7.5	6.5						3.529			10.226	
	.10			0.5		0.5	1.0					0.831	4.222	0.000	0.881	12.106	
	.20			1.0		1.0	2.0					0.841	4.316	0.000	0.895	12.647	
	.30			1.0		2.0	2.0					0.847	4.373	0.000	0.906	13.080	
	.40			2.0		1.0	1.5					0.853	4.431	0.000	0.912	13.319	
	.50			1.0		2.0	1.0					0.861	4.508	0.000	0.950	14.885	
	.00			1.0		2.0	1.5					0.861	4.508	0.000	0.960	15.311	
	20-21			6.5		8.5	9.0						4.393			13.558	
	.10			0.5		1.0	1.0					0.870	4.596	0.000	0.976	16.006	
	.20			1.0		1.0	1.0					0.875	4.645	0.000	0.978	16.094	
	.30			1.0		1.5	0.5					0.880	4.695	0.000	0.978	16.094	
	.40			1.0		1.5	1.0					0.890	4.794	0.000	0.977	16.050	
	.50			0.5		1.0	1.0					0.900	4.895	0.000	0.976	16.006	
	.00			1.0		0.5	1.0					0.900	4.895	0.000	0.975	15.962	
	21-22			5.0		6.5	5.5						4.754			16.035	
	.10			1.0		1.0	1.0					0.909	4.987	0.000	0.975	15.962	
	.20			1.0		1.0	1.0					0.919	5.089	0.000	0.976	16.006	
	.30			1.0		0.5	1.5					0.928	5.183	0.000	0.980	16.182	
	.40			1.5		1.5	1.5					0.932	5.225	0.000	0.985	16.404	
	.50			1.0		1.0	1.0					0.938	5.287	0.000	0.990	16.627	
	.00			1.0		1.0	2.0					0.952	5.436	0.000	1.000	17.077	
	22-23			6.0		6.0	8.0						5.201			16.376	
	.10			1.5		1.5	1.0					0.958	5.500	0.000	1.015	17.764	
	.20			1.5		1.5	2.0					0.964	5.565	0.000	1.035	18.702	
	.30			1.5		2.0	1.0					0.973	5.662	0.000	1.055	19.663	
	.40			1.0		1.0	1.0					0.990	5.849	0.000	1.065	20.153	
	.50			1.0		0.5	—					0.019	6.174	0.000	1.070	20.400	
	.00			0.5		1.0	1.0					0.032	6.323	0.000	1.070	20.400	
	23-24			7.0		7.5	6.0						5.845			19.514	

1971年(昭和46年)

月・日	時・分	雨				量				南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 葉	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量	水位
9. 8	.10			0.5		0.5	1.0					1.039	6.404	0.000	1.068	20.301			
	.20			1.0		0.5	0.5					1.047	6.497	0.000	1.055	19.663			
	.30			—		1.0	0.5					1.051	6.543	0.000	1.045	19.179			
	.40			0.5		—	—					1.051	6.543	0.000	1.040	18.940			
	.50			—		—	—					1.051	6.543	0.000	1.039	18.892			
	.00			—		—	—					1.050	6.532	0.000	1.035	18.702			
	0~1			2.0		2.0	2.0						6.510			19.279			
	.10			—		—	—					1.040	6.415	0.000	1.025	18.230			
	.20			—		—	—					1.030	6.300	0.000	1.015	17.764			
	.30			—		—	—					1.014	6.117	0.000	1.000	17.077			
	.40			—		—	0.5					1.004	6.005	0.000	0.985	16.404			
	.50			—		0.5	—					0.980	5.739	0.000	0.975	15.962			
	.00			—		—	—					0.969	5.619	0.000	0.960	15.311			
	1~2			—		0.5	0.5						6.032			16.791			
	.10			—		—	—					0.962	5.543	0.000	0.955	15.097			
	.20			—		—	—					0.951	5.425	0.000	0.950	14.885			
	.30			—		—	—					0.940	5.309	0.000	0.937	14.339			
	.40			—		—	—					0.934	5.245	0.000	0.922	13.723			
	.50			—		—	—					0.922	5.120	0.000	0.910	13.239			
	.00			—		—	—					0.921	5.110	0.000	0.900	12.843			
	2~3			—		—	—						5.292			14.021			
	.10			—		—	—					0.912	5.017	0.000	0.888	12.375			
	.20			—		—	—					0.900	4.895	0.000	0.876	11.916			
	.30			—		—	—					0.900	4.895	0.000	0.866	11.540			
	.40			—		—	—					0.898	4.875	0.000	0.857	11.207			
	.50			—		—	—					0.898	4.875	0.000	0.850	10.951			
	.00			—		—	—					0.898	4.875	0.000	0.843	10.698			
	3~4			—		—	—						4.905			11.448			
	.10			—		—	—					0.898	4.875	0.000	0.834	10.378			
	.20			—		—	—					0.898	4.875	0.000	0.824	10.027			
	.30			—		—	—					0.898	4.875	0.000	0.810	9.546			
	.40			—		—	—					0.898	4.875	0.000	0.802	9.277			
	.50			—		—	—					0.898	4.875	0.000	0.792	8.946			
	.00			—		—	—					0.898	4.875	0.000	0.789	8.848			
	4~5			—		—	—						4.875			9.504			
	.10			—		—	—					0.898	4.875	0.000	0.781	8.588			
	.20			—		—	—					0.898	4.875	0.000	0.777	8.460			
	.30			—		—	—					0.898	4.875	0.000	0.770	8.238			
	.40			—		—	—					0.898	4.875	0.000	0.764	8.050			
	.50			—		—	—					0.898	4.875	0.000	0.758	7.864			
	.00			—		—	—					0.898	4.875	0.000	0.751	7.650			
	5~6			—		—	—						4.875			8.142			

1971年(昭和46年)

1971年(昭和46年)																		
月・日	時分	雨						南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸	
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 茶	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位	流量
9. 8	.10			—		—					0.898	4.875	0.000	0.746	7.499			
	.20			—		—					0.898	4.875	0.000	0.742	7.380			
	.30			—		—					0.898	4.875	0.000	0.739	7.290			
	.40			—		—					0.898	4.875	0.000	0.728	6.968			
	.50			—		—					0.898	4.875	0.000	0.725	6.881			
	.00			—		—					0.898	4.875	0.000	0.724	6.853			
	6~7			—		—						4.875			7.145			
	.10			—		—					0.898	4.875	0.000	0.722	6.795			
	.20			—		—					0.898	4.875	0.000	0.722	6.795			
	.30			—		—					0.898	4.875	0.000	0.716	6.625			
	.40			—		—					0.898	4.875	0.000	0.708	6.401			
	.50			—		—					0.898	4.875	0.000	0.708	6.401			
	.00			—		—					0.898	4.875	0.000	0.718	6.681			
	7~8			—		—						4.875			6.616			
	.10			—		—					0.898	4.875	0.000	0.720	6.738			
	.20			—		—					0.898	4.875	0.000	0.710	6.456			
	.30			—		—					0.898	4.875	0.000	0.704	6.290			
	.40			—		—					0.898	4.875	0.000	0.700	6.180			
	.50			—		—					0.898	4.875	0.000	0.700	6.180			
	.00			—		—					0.898	4.875	0.000	0.700	6.180			
	8~9			—		—						4.875			6.338			
	.10			—		—					0.898	4.875	0.000	0.699	6.153			
	.20			—		—					0.898	4.875	0.000	0.694	6.018			
	.30			—		—					0.898	4.875	0.000	0.690	5.911			
	.40			—		—					0.898	4.875	0.000	0.686	5.804			
	.50			—		—					0.898	4.875	0.000	0.682	5.699			
	.00			—		—					0.898	4.875	0.000	0.680	5.647			
	9~10			—		—						4.875			5.872			
	.10			—		—					0.898	4.875	0.000	0.676	5.543			
	.20			—		—					0.898	4.875	0.000	0.673	5.466			
	.30			—		—					0.898	4.875	0.000	0.672	5.440			
	.40			—		—					0.898	4.875	0.000	0.671	5.414			
	.50			—		—					0.898	4.875	0.000	0.670	5.389			
	.00			—		—					0.898	4.875	0.000	0.669	5.364			
	10~11			—		—						4.875			5.436			
	.10			—		—					0.898	4.875	0.000	0.669	5.364			
	.20			—		—					0.898	4.875	0.000	0.670	5.389			
	.30			—		—					0.898	4.875	0.000	0.670	5.389			
	.40			—		—					0.898	4.875	0.000	0.671	5.414			
	.50			—		—					0.898	4.875	0.000	0.670	5.389			
	.00			—		—					0.898	4.875	0.000	0.668	5.338			
	11~12			—		—						4.875			5.381			

1971年(昭和46年)

月・日	時・分	雨			量			南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 葉	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位
9. 8	.10			—		—	—					0.898	4.875	0.000	0.657	5.063	
	.20			—		—	—					0.898	4.875	0.000	0.658	5.088	
	.30			—		—	—					0.898	4.875	0.000	0.658	5.088	
	.40			—		—	—					0.898	4.875	0.000	0.658	5.088	
	.50			—		—	—					0.898	4.875	0.000	0.658	5.088	
	.00			—		—	—					0.898	4.875	0.000	0.658	5.088	
	12~13			—		—	—					0.898	4.875	0.000	0.658	5.088	
	.10			—		—	—					0.898	4.875	0.000	0.654	4.989	
	.20			—		—	—					0.898	4.875	0.000	0.655	5.014	
	.30			—		—	—					0.898	4.875	0.000	0.658	5.088	
	.40			—		—	—					0.898	4.875	0.000	0.658	5.088	
	.50			—		—	—					0.898	4.875	0.000	0.659	5.112	
	.00			—		—	—					0.898	4.875	0.000	0.660	5.137	
	13~14			—		—	—					0.898	4.875	0.000	0.660	5.137	
	.10			—		—	—					0.898	4.875	0.000	0.659	5.112	
	.20			—		—	—					0.898	4.875	0.000	0.659	5.112	
	.30			—		—	—					0.898	4.875	0.000	0.658	5.088	
	.40			—		—	—					0.898	4.875	0.000	0.652	4.940	
	.50			—		—	—					0.898	4.875	0.000	0.652	4.940	
	.00			—		—	—					0.898	4.875	0.000	0.652	4.940	
	14~15			—		—	—					0.898	4.875	0.000	0.651	4.916	
	.10			—		—	—					0.898	4.875	0.000	0.648	4.843	
	.20			—		—	—					0.898	4.875	0.000	0.645	4.771	
	.30			—		—	—					0.898	4.875	0.000	0.642	4.699	
	.40			—		—	—					0.898	4.875	0.000	0.642	4.699	
	.50			—		—	—					0.898	4.875	0.000	0.642	4.699	
	.00			—		—	—					0.898	4.875	0.000	0.642	4.699	
	15~16			—		—	—					0.898	4.875	0.000	0.640	4.652	
	.10			—		—	—					0.898	4.875	0.000	0.640	4.652	
	.20			—		—	—					0.898	4.875	0.000	0.636	4.557	
	.30			—		—	—					0.898	4.875	0.000	0.639	4.628	
	.40			—		—	—					0.898	4.875	0.000	0.632	4.464	
	.50			—		—	—					0.898	4.875	0.000	0.629	4.395	
	.00			—		—	—					0.898	4.875	0.000	0.622	4.235	
	16~17			—		—	—					0.898	4.875	0.000	0.620	4.190	
	.10			—		—	—					0.898	4.875	0.000	0.619	4.168	
	.20			—		—	—					0.898	4.875	0.000	0.618	4.145	
	.30			—		—	—					0.898	4.875	0.000	0.619	4.168	
	.40			—		—	—					0.898	4.875	0.000	0.618	4.145	
	.50			—		—	—					0.898	4.875	0.000	0.618	4.145	
	.00			—		—	—					0.898	4.875	0.000	0.618	4.145	
	17~18			—		—	—					0.898	4.875	0.000	0.618	4.145	

1971年(昭和46年)

月・日	時分	雨		量				南大沢		大栗川橋		常盤橋	明神橋		報恩橋		関戸
		清水 入谷戸	南 大沢	別所	大栗 川橋	明神 橋	青木 葵	瓜生 1	瓜生 2	水位	流量	水位	流量	水位	水位	流量	水位
9. 8	.10			—	—	—	—					0.898	4.875	0.000	0.617	4.123	
	.20			—	—	—	—					0.898	4.875	0.000	0.613	4.034	
	.30			—	—	—	—					0.898	4.875	0.000	0.612	4.012	
	.40			—	—	—	—					0.898	4.875	0.000	0.610	3.969	
	.50			—	—	—	—					0.898	4.875	0.000	0.611	3.991	
	.00			—	—	—	—					0.898	4.875	0.000	0.613	4.034	
	18-19			—	—	—	—					0.898	4.875	0.000	0.613	4.027	
	.10			—	—	—	—					0.898	4.875	0.000	0.616	4.101	
	.20			—	—	—	—					0.898	4.875	0.000	0.616	4.101	
	.30			—	—	—	—					0.898	4.875	0.000	0.618	4.145	
	.40			—	—	—	—					0.898	4.875	0.000	0.620	4.190	
	.50			—	—	—	—					0.898	4.875	0.000	0.620	4.190	
	.00			—	—	—	—					0.898	4.875	0.000	0.620	4.190	
	19-20			—	—	—	—					0.898	4.875	0.000	0.620	4.153	
	.10			—	—	—	—					0.898	4.875	0.000	0.620	4.190	
	.20			—	—	—	—					0.898	4.875	0.000	0.620	4.190	
	.30			—	—	—	—					0.898	4.875	0.000	0.618	4.145	
	.40			—	—	—	—					0.898	4.875	0.000	0.617	4.123	
	.50			—	—	—	—					0.898	4.875	0.000	0.614	4.057	
	.00			—	—	—	—					0.898	4.875	0.000	0.614	4.057	
	20-21			—	—	—	—					0.898	4.875	0.000	0.614	4.127	
	.10			—	—	—	—					0.898	4.875	0.000	0.616	4.101	
	.20			—	—	—	—					0.898	4.875	0.000	0.618	4.145	
	.30			—	—	—	—					0.898	4.875	0.000	0.618	4.145	
	.40			—	—	—	—					0.898	4.875	0.000	0.614	4.057	
	.50			—	—	—	—					0.898	4.875	0.000	0.612	4.012	
	.00			—	—	—	—					0.898	4.875	0.000	0.611	3.991	
	21-22			—	—	—	—					0.898	4.875	0.000	0.611	4.075	
	.10			—	—	—	—					0.898	4.875	0.000	0.610	3.969	
	.20			—	—	—	—					0.898	4.875	0.000	0.605	3.860	
	.30			—	—	—	—					0.898	4.875	0.000	0.601	3.774	
	.40			—	—	—	—					0.898	4.875	0.000	0.602	3.796	
	.50			—	—	—	—					0.898	4.875	0.000	0.600	3.753	
	.00			—	—	—	—					0.898	4.875	0.000	0.600	3.753	
	22-23			—	—	—	—					0.898	4.875	0.000	0.600	3.817	
	.10			—	—	—	—					0.898	4.875	0.000	0.601	3.774	
	.20			—	—	—	—					0.898	4.875	0.000	0.600	3.753	
	.30			—	—	—	—					0.898	4.875	0.000	0.598	3.711	
	.40			—	—	—	—					0.898	4.875	0.000	0.598	3.711	
	.50			—	—	—	—					0.898	4.875	0.000	0.599	3.732	
	.00			—	—	—	—					0.898	4.875	0.000	0.600	3.753	
	23-24			—	—	—	—					0.898	4.875	0.000	0.600	3.739	